Fujitsu recommends Windows 11 Pro.



Data Sheet

Fujitsu Notebook LIFEBOOK U7412

Ultra-Mobile Meets Ultra Secure

The Fujitsu LIFEBOOK U7412 is a modern slim & light notebook for business professionals seeking optimum mobility for business trips and ergonomics in the office. Based on the 12th generation Intel® Core™ processor, a 14-inch screen, light weight of 1.13 kg and an all-day battery runtime enables it to provide excellent mobility and portability.

Elegant design and great mobility

Maximize your productivity with premium notebooks providing ultimate convenience

- Thanks to the complete magnesium housing, the weight of the remarkably slim 18.9 mm ultramobile notebook starts at 1.13 kg
- The Intel® Evo™ vPro® platform offers a great thin-and-light notebook experience
- Enjoy the Intel® Iris® Xe Graphics with an FHD or HD display
- The outdoor-friendly anti-glare, FHD touch panel comes with a narrow bezel design in a warm silver colored chassis

Excellent security

Enhance your security with outstanding features to best protect your notebook and company data

- Integrated PalmSecure[™] or fingerprint sensor
- Infrared Camera: Allows face recognition with Windows Hello
- ePrivacy Filter: Keep safe from prying eyes
- Built-in Privacy Camera Shutter: Protecting your privacy
- SmartCard reader

Premium connectivity

Stay flexible and productive within a modern workplace environment

- Compact and versatile Intel® Thunderbolt™ 4 USB Type-C connector to charge your laptop, transfer files at fasted speeds, connect external monitors and other peripherals
- Full set of interfaces with full-size LAN connector and HDMI
- Embedded 4G or 5G/LTE

Convenient upgradeability

Direct access to key components reduces upgrade time and costs

■ Battery, memory and internal storage can be changed easily

Family concept

Reduce your acquisition cost as well as the complexity of your IT equipment

- Family port replicator for the whole LIFEBOOK E5 and U7 Series ensures ultimate flexibility and shared workplace concepts
- Shared components such as the USB Type-C port replicator, USB Type-C AC Adapter, BIOS and Bit Image across the ultra-mobile LIFEBOOK U7 family

















Components

Base unit	LIFEBOOK U7412	
Operating systems		
Operating system pre-installed	Windows 11 Pro. Fujitsu recommends Windows 11 Pro for business.	
	Windows 11 Home	
Missasset Of access out information	Windows 10 Pro. Fujitsu recommends Windows 11 Pro for business.	
Microsoft OS support information	Windows 11 requires for first device setup: - Internet connectivity	
	- Microsoft account for Home editions or organizational account (e.g. ADD) for Pro editions	
	After product end of life, Fujitsu continues to test and support new Windows releases for max. 5 years, depending or	
	extension of hardware services through warranty top ups.	
	For more details please visit our Fujitsu Service Statement under https://support.ts.fujitsu.com/IndexProdSupport.asp?Ing=com&OpenTab=	
Processor	Intel® Core™ i7-1270P processor (12C, up to 4.8 GHz) **	
	Intel® Core™ i7-1255U processor (10C, up to 4.7 GHz) *, ***	
	Intel® Core™ i5-1250P processor (12C, up to 4.4 GHz) **	
	Intel® Core™ i5-1245U processor (10C, up to 4.4 GHz) **	
	Intel® Core™ i5-1240P processor (12C, up to 4.4 GHz) *, ***	
	Intel® Core™ i5-1235U processor (10C, up to 4.4 GHz) *, ***	
	Intel® Core™ i3-1215U processor (up to 4.4 GHz) *	
	* Processor only for retail, SMB, education and government	
	** Processor supports Intel® vPro® Enterprise	
	***Processor supports Intel® vPro® Essential	
Memory modules	4 GB (1 module(s) 4 GB) DDR4, 3,200 MT/s, SO DIMM	
	8 GB (1 module(s) 8 GB) DDR4, 3,200 MT/s, SO DIMM	
	16 GB (1 module(s) 16 GB) DDR4, 3,200 MT/s, SO DIMM	
	32 GB (1 module(s) 32 GB) DDR4, 3,200 MT/s, SO DIMM	
Hard disk drives (internal)	PCIe-SSD, 512 GB M.2 NVMe module, SED	
	PCIe-SSD, 256 GB M.2 NVMe module, SED	
	PCIe-SSD, 2 TB M.2 NVMe module, SED	
	PCIe-SSD, 1 TB M.2 NVMe module, SED	
Hard disk notes	Accessible capacity may vary, also depending on used software.	
Interface add on cards/components (optional)		
4G/5G (optional)	Fibocom FM350-GL (5G Sub-6/cat.19) (Downlink speed 5G - 3740 MB/s, 4G - 1600 MB/s, Uplink speed 5G - 835 MB/s, 4G - 211 MB/s)	
	Quectel EM120R-GL (4G Cat.12) (Downlink speed 600 MB/s, Uplink speed 150 MB/s)	
Display	35.6 cm (14.0-inch), IPS, FHD, 1,920 x 1,080 pixel, Anti-glare multi-touch, 300 cd/m² (Touch), 700:1 (typ) (Touch)	
	35.6 cm (14.0-inch), HD, 1,366 x 768 pixel, Anti-glare display, 220 cd/m² (HD), 500:1 (typ) (HD)	
	35.6 cm (14.0-inch), FHD, 1,920 x 1,080 pixel, Anti-glare IPS display, 400 cd/m² (FHD), 800:1 (typ) (FHD)	
	35.6 cm (14.0-inch), FHD, 1,920 x 1,080 pixel, Anti-glare IPS display, 400 cd/m² (FHD), 1500:1 (typ) (FHD)	
	35.6 cm (14.0-inch), FHD, 1,920 x 1,080 pixel, Anti-glare ePrivacyFilter, 400 cd/m² (ePF), 1000:1 (typ) (ePF)	
Multimedia		
Camera	Built-in webcam (HD) with Status LED Built-in Infrared webcam (HD) with Status LED	
Camera notes	720p, 1 megapixels, 1280 x 720, with Privacy Camera Shutter	
Microphone	dual digital array microphone	

Base unit

Base unit	LIFEBOOK U7412					
General system information						
Chipset	Integrated					
Supported capacity RAM (min.)	4 GB					
Supported capacity RAM (max.)	64 GB					
Memory slots	2 SO DIMM (DDR4, 3200 MHz)					
Memory notes	Dual channel support					
LAN	10/100/1,000 MBit/s Intel® I219LM					
Integrated WLAN	Intel WiFi 6E AX211 - WLAN	Intel WiFi 6E AX211 - WLAN, BT, SRD cat. 2				
BIOS version	UEFI Specification 2.8					
BIOS features	InsydeH2O BIOS					
Audio type	On board					
Audio codec	Realtek ALC257					
Audio features	2x built-in speakers (2 W ea	ach), Stereo audio				
MIL-STD tested	Yes, selected MIL-STD-810H tests passed. MIL-STD-810H test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.					
Color	Warm Silver					
Material	Magnesium					
Graphics						
Base unit	LIFEBOOK U7412					
Graphics brand name	Intel® UHD Graphics (with	Single channel memory), Inte	® Iris® Xe Graphics (with Dual	channel memory)		
Graphics notes	Shared memory dependin	Shared memory depending on main memory size and operating system				
Interfaces						
Audio: line-in / line-out	1					
Internal microphones	2x digital array microphon	es (optional)				
USB 3.2 Gen1 (5 Gbps) total	2x Type-A (1 with Anytime USB charge functionality)					
Thunderbolt™ 4 total	2x Type-C with USB4 (40 Gbps, Power Delivery (15W), DP 1.4 out)					
HDMI	1 - Supports 4k@60Hz as specified in HDMI 2.0b					
Ethernet (RJ-45)	1 (with status LED)					
Memory card slots	1 microSD 3.0 Standard microSD card: 2GB microSDHC card: 32GB microSDXC card: 2TB Speed Class: up to UHS-I (104MB/s)					
SmartCard slot	1 (optional)					
SIM card slot	1 (Nano-SIM, only for models with configuration WWAN ready or with 4G/5G LTE modules)					
eSIM card	eSIM integrated in 4G/5G LTE modules					
Docking connector for Port Replicator	1 - PR Model: NPR50					
Kensington Lock support	1 - Recommendation: Kensington's Micro Security Saver					
Port Replicator interfaces (optional)						
·	USB Type-C PR	Thunderbolt™ 4 PR	Thunderbolt™ 4 PR	Mechanical PR Model: NPR50		
DC-in	1 (19V/90W required)	1 (20V/170W required)	1 (20V/170W required)	1 (19V/90W required)		
Power on switch	1	1	1	1		
Audio: line-in / line-out	1	1	1	1		
Audio: comments	Combo jack for headset usage	Combo jack for headset	Combo jack for headset	Combo-Port		

Port Replicator interfaces (optional)				
USB 3.2 Gen1 (5 Gbps) total	3x Type-A - 5V/0.9A, 4.5W 1x Type-C - 15W			4x Type-A 2x Type-C
USB 3.2 Gen2 (10 Gbps) total		2x Type-A - 5 V/0.9 A, 4.5 W 1x Type-A - 5 V/2.4 A, 12 W 2x Type-C - 5 V/1.5 A, 4.5 W charging port	2x Type-A - 5 V/0.9 A, 4.5 W 1x Type-A - 5 V/2.4 A, 12 W 2x Type-C - 5 V/1.5 A, 4.5 W charging port	
USB 4.0 Gen3 (20 Gbps) total		(PD v2.0-1.1), 5-20 V/3. 0A upstream (PC), Intel AMT support (vPRO) to client 1x Type-C - TBT4 up to 15 W (PD v2.0-1.1), 5 V/3.0 A	1x Type-C - TBT4 up to 60 W (PD v2.0-1.1), 5-20 V/3. 0A upstream (PC), Intel AMT support (vPRO) to client 1x Type-C - TBT4 up to 15 W (PD v2.0-1.1), 5 V/3.0 A downstream, power output to peripheral	
DisplayPort	1x v1.2	2x v1.4++	2x v1.4++	2 (up to 2x 3840x2160 60Hz
VGA	1			1 (up to 1920x1200 6Hz)
HDMI text	1 -Supports 4k@60Hz as specified in HDMI 2.0b	1 - supports 4k@60Hz as specified in HDMI 2.0b	1 - Supports 4k@60Hz as specified in HDMI 2.0b	1 -Supports 4k@60Hz as specified in HDMI 2.0b
Interface Notes	1x USB Type-C to Client - Up to 60 W (PD v2.0-1.1) power output to client or 4.5W input		1x USB Type-C to Client - Thunderbolt™ 4 up to 60 W (PD v2.0-1.1), 5-20V/3.0A upstream (PC), Intel AMT support (vPRO)	
Kensington Lock support	no	1	1	1 (lock Portrep only)
Ethernet (RJ-45)	1 (10/100/1000)	1 (10/100/1000 Mbit/s, 2,5	1 (10/100/1000 Mbit/s, 2,5	1 (10/100/1000)
Ethernet (ny-43)	1 (10/100/1000)	Gbps)	Gbps)	
Notes	Number of simultaneous use display interface type.		Gbps) solutions and frequencies dep	
Notes	Number of simultaneous use display interface type. Please consult always also th	Gbps) ed displays and its possible res	Gbps) solutions and frequencies dep ient.	
Notes	Number of simultaneous use display interface type. Please consult always also th Spill-resistant keyboard, Ava	Gbps) ed displays and its possible res e manual of the connected cl	Gbps) solutions and frequencies dep ient. I or backlit keyboard	
Notes	Number of simultaneous used display interface type. Please consult always also the Spill-resistant keyboard, Ava Number of keyboard keys: 85	Gbps) ed displays and its possible research e manual of the connected cl ilable with standard keyboard 5, Keyboard pitch: 19 mm, Key	Gbps) solutions and frequencies dep ient. I or backlit keyboard	
Notes Keyboard and pointing devices	Number of simultaneous use display interface type. Please consult always also th Spill-resistant keyboard, Ava	Gbps) ed displays and its possible research e manual of the connected cl ilable with standard keyboard 5, Keyboard pitch: 19 mm, Key	Gbps) solutions and frequencies dep ient. I or backlit keyboard	
Notes Keyboard and pointing devices	Number of simultaneous used display interface type. Please consult always also the Spill-resistant keyboard, Ava Number of keyboard keys: 85	Gbps) ed displays and its possible research e manual of the connected cl ilable with standard keyboard 5, Keyboard pitch: 19 mm, Key	Gbps) solutions and frequencies dep ient. I or backlit keyboard	
Notes Keyboard and pointing devices Wireless technologies	Number of simultaneous used display interface type. Please consult always also the Spill-resistant keyboard, Ava Number of keyboard keys: 85	Gbps) ed displays and its possible research displays and research displays and its possible research displays and researc	Gbps) solutions and frequencies dep ient. I or backlit keyboard	
Notes Keyboard and pointing devices Wireless technologies Antennas Bluetooth	Number of simultaneous used display interface type. Please consult always also the Spill-resistant keyboard, Ava Number of keyboard keys: 85 Multi gesture touchpad with 2 Dual band WLAN antennas	Gbps) ed displays and its possible research displays and research displays and its possible research displays and researc	Gbps) solutions and frequencies depient. I or backlit keyboard rboard stroke: 1.7 mm	
Notes Keyboard and pointing devices Wireless technologies Antennas Bluetooth Integrated WLAN	Number of simultaneous used display interface type. Please consult always also the Spill-resistant keyboard, Ava Number of keyboard keys: 85 Multi gesture touchpad with 2 Dual band WLAN antennas v5.3 hardware ready but may Intel WiFi 6E AX211 - WLAN, I	Gbps) ed displays and its possible residence manual of the connected claim illable with standard keyboard 5, Keyboard pitch: 19 mm, Keyboard buttons 6, 2+2 LTE antennas optional by run at lower version due to CBT, SRD cat. 2	Gbps) solutions and frequencies depient. I or backlit keyboard rboard stroke: 1.7 mm	
Notes Keyboard and pointing devices Wireless technologies Antennas Bluetooth Integrated WLAN	Number of simultaneous used display interface type. Please consult always also the Spill-resistant keyboard, Ava Number of keyboard keys: 85 Multi gesture touchpad with 2 Dual band WLAN antennas v5.3 hardware ready but may Intel WiFi 6E AX211 - WLAN, WPA/WPA2/WPA3 (Wi-Fi Protestant)	Gbps) ed displays and its possible residence manual of the connected classification with standard keyboards, Keyboard pitch: 19 mm, Keybo	Gbps) solutions and frequencies depient. I or backlit keyboard /board stroke: 1.7 mm	
Notes Keyboard and pointing devices Wireless technologies Antennas Bluetooth Integrated WLAN WLAN encryption	Number of simultaneous used display interface type. Please consult always also the Spill-resistant keyboard, Ava Number of keyboard keys: 85 Multi gesture touchpad with 2 Dual band WLAN antennas v5.3 hardware ready but may Intel WiFi 6E AX211 - WLAN, WPA/WPA2/WPA3 (Wi-Fi Prot WiFi 6E is supported by Wince Please Ple	Gbps) ed displays and its possible residence manual of the connected claim illable with standard keyboard 5, Keyboard pitch: 19 mm, Keyboard buttons 6, 2+2 LTE antennas optional by run at lower version due to CBT, SRD cat. 2	Gbps) solutions and frequencies depicent. I or backlit keyboard board stroke: 1.7 mm OS limitation OS supports WiFi 6 only.	
Wireless technologies Antennas Bluetooth Integrated WLAN WLAN encryption WLAN notes	Number of simultaneous used display interface type. Please consult always also the Spill-resistant keyboard, Ava Number of keyboard keys: 85 Multi gesture touchpad with 2 Dual band WLAN antennas v5.3 hardware ready but may Intel WiFi 6E AX211 - WLAN, WPA/WPA2/WPA3 (Wi-Fi Prot WiFi 6E is supported by Wince Please Ple	Gbps) ed displays and its possible residence manual of the connected claim in the claim in the connected claim in the claim in the connected claim in the claim in the claim in the cla	Gbps) solutions and frequencies depicent. I or backlit keyboard board stroke: 1.7 mm OS limitation OS supports WiFi 6 only.	
Wireless technologies Antennas Bluetooth Integrated WLAN WLAN encryption WLAN notes LTE/UMTS/GPS notes	Number of simultaneous used display interface type. Please consult always also the Spill-resistant keyboard, Ava Number of keyboard keys: 8! Multi gesture touchpad with 2 Dual band WLAN antennas v5.3 hardware ready but may Intel WiFi 6E AX211 - WLAN, WPA/WPA2/WPA3 (Wi-Fi Prot WiFi 6E is supported by Winclimport and usage according Optional (5G) LTE Fibocom FM350-GL	Gbps) ed displays and its possible residence manual of the connected claim in the claim in the connected claim in the claim in the connected claim in the claim in the claim in the cla	Gbps) solutions and frequencies depicted in the solution of th	
Wireless technologies Antennas Bluetooth Integrated WLAN WLAN encryption WLAN notes LTE/UMTS/GPS notes Integrated WWAN	Number of simultaneous used display interface type. Please consult always also the Spill-resistant keyboard, Ava Number of keyboard keys: 8! Multi gesture touchpad with 2 Dual band WLAN antennas v5.3 hardware ready but may Intel WiFi 6E AX211 - WLAN, WPA/WPA2/WPA3 (Wi-Fi Prot WiFi 6E is supported by Winclimport and usage according Optional (5G) LTE Fibocom FM350-GL	Gbps) ed displays and its possible residence manual of the connected claim in the claim in the connected claim in the connected claim in the connected claim in the claim in the connected claim in the claim in t	Gbps) solutions and frequencies depicted in the solution of th	
Wireless technologies Antennas Bluetooth Integrated WLAN WLAN encryption WLAN notes LTE/UMTS/GPS notes Integrated WWAN	Number of simultaneous used display interface type. Please consult always also the Spill-resistant keyboard, Avan Number of keyboard keys: 85 Multi gesture touchpad with 2 Dual band WLAN antennas v5.3 hardware ready but may Intel WiFi 6E AX211 - WLAN, WPA/WPA2/WPA3 (Wi-Fi Prot WiFi 6E is supported by Wincolmport and usage according Optional (5G) LTE Fibocom FM350-GL (4G) LTE Quectel EM120R-GL	Gbps) ed displays and its possible residence manual of the connected claim in the claim in the connected claim in the claim in the connected claim in the claim in the claim in the cla	Gbps) solutions and frequencies depicted in the solution of th	
Wireless technologies Antennas Bluetooth Integrated WLAN WLAN encryption WLAN notes LTE/UMTS/GPS notes Integrated WWAN NFC GPS	Number of simultaneous used display interface type. Please consult always also the Spill-resistant keyboard, Ava Number of keyboard keys: 8! Multi gesture touchpad with 2 Dual band WLAN antennas v5.3 hardware ready but may Intel WiFi 6E AX211 - WLAN, WPA/WPA2/WPA3 (Wi-Fi Prot WiFi 6E is supported by Wincolmport and usage according Optional (5G) LTE Fibocom FM350-GL (4G) LTE Quectel EM120R-GL No	Gbps) ed displays and its possible residence manual of the connected claim in the claim in the connected claim in the claim in the connected claim in the claim in the claim in the cla	Gbps) solutions and frequencies depicted in the solution of th	
Wireless technologies Antennas Bluetooth Integrated WLAN WLAN encryption WLAN notes LTE/UMTS/GPS notes Integrated WWAN NFC GPS Power supply	Number of simultaneous used display interface type. Please consult always also the Spill-resistant keyboard, Ava Number of keyboard keys: 85 Multi gesture touchpad with 2 Dual band WLAN antennas v5.3 hardware ready but may Intel WiFi 6E AX211 - WLAN, WPA/WPA2/WPA3 (Wi-Fi Prot WiFi 6E is supported by Wincolmport and usage according Optional (5G) LTE Fibocom FM350-GL (4G) LTE Quectel EM120R-GL No Embedded in 4G/5G module	Gbps) ed displays and its possible residence manual of the connected claim in the claim in the connected claim in the claim in the connected claim in the claim in the claim in the cla	Gbps) solutions and frequencies depicent. I or backlit keyboard //board stroke: 1.7 mm OS limitation OOS supports WiFi 6 only. ns. ed - UMTS,LTE,5G MTS,LTE	pend on mobile system and
Wireless technologies Antennas Bluetooth Integrated WLAN WLAN encryption WLAN notes LTE/UMTS/GPS notes Integrated WWAN NFC GPS Power supply AC Adapter	Number of simultaneous used display interface type. Please consult always also the Spill-resistant keyboard, Ava Number of keyboard keys: 85 Multi gesture touchpad with 2 Dual band WLAN antennas v5.3 hardware ready but may Intel WiFi 6E AX211 - WLAN, WPA/WPA2/WPA3 (Wi-Fi Prot WiFi 6E is supported by Wincolmport and usage according Optional (5G) LTE Fibocom FM350-GL (4G) LTE Quectel EM120R-GL No Embedded in 4G/5G module 20 V / 65 W (3.25 A), 100 V - 2	ed displays and its possible residence manual of the connected claim in the claim in the connected claim in the claim in the claim in the claim in the claim in	Gbps) solutions and frequencies depicted in the solution of th	pend on mobile system and
Wireless technologies Antennas Bluetooth Integrated WLAN WLAN encryption WLAN notes LTE/UMTS/GPS notes Integrated WWAN NFC GPS Power supply AC Adapter AC Adapter	Number of simultaneous used display interface type. Please consult always also the Spill-resistant keyboard, Ava Number of keyboard keys: 85 Multi gesture touchpad with 2 Dual band WLAN antennas v5.3 hardware ready but may Intel WiFi 6E AX211 - WLAN, WPA/WPA2/WPA3 (Wi-Fi Prot WiFi 6E is supported by Wincolmport and usage according Optional (5G) LTE Fibocom FM350-GL (4G) LTE Quectel EM120R-GL No Embedded in 4G/5G module 20 V / 65 W (3.25 A), 100 V - 2	ed displays and its possible residence manual of the connected classification with standard keyboards, Keyboard pitch: 19 mm, Keyboard pi	Gbps) solutions and frequencies depicted in the solution of th	pend on mobile system and
Wireless technologies Antennas Bluetooth Integrated WLAN WLAN encryption WLAN notes LTE/UMTS/GPS notes Integrated WWAN NFC GPS Power supply AC Adapter AC Adapter 1st battery options	Number of simultaneous used display interface type. Please consult always also the Spill-resistant keyboard, Ava Number of keyboard keys: 8! Multi gesture touchpad with 2 Dual band WLAN antennas v5.3 hardware ready but may Intel WiFi 6E AX211 - WLAN, WPA/WPA2/WPA3 (Wi-Fi Prot WiFi 6E is supported by Winclimport and usage according Optional (5G) LTE Fibocom FM350-GL (4G) LTE Quectel EM120R-GL No Embedded in 4G/5G module 20 V / 65 W (3.25 A), 100 V - 2 20 V / 65 W (3.25 A), 100 V - 2	ed displays and its possible residence manual of the connected claim in the connected claim	Gbps) solutions and frequencies depicted in the solution of th	pend on mobile system and
Notes Keyboard and pointing devices Wireless technologies	Number of simultaneous used display interface type. Please consult always also the Spill-resistant keyboard, Avan Number of keyboard keys: 8! Multi gesture touchpad with 2 Dual band WLAN antennas v5.3 hardware ready but may Intel WiFi 6E AX211 - WLAN, WPA/WPA2/WPA3 (Wi-Fi Prof WiFi 6E is supported by Wincolmport and usage according Optional (5G) LTE Fibocom FM350-GL (4G) LTE Quectel EM120R-GL No Embedded in 4G/5G module 20 V / 65 W (3.25 A), 100 V - 2 20 V / 65 W (3.25 A), 100 V - 2 Li-Ion battery 4-cell, 3,915 m	ed displays and its possible residence manual of the connected claim in the connected claim	Gbps) solutions and frequencies depicted in the solution of th	pend on mobile system and

Power supply				
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2018. Refer to www.bape com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary			
	depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.			
Noise emission				
Noise emission	Please refer to the Eco Declaration			
Dimensions / Weight / Environmental				
Dimensions (W x D x H)	322 x 211 x 18.9 mm			
	12.68 x 8.31 x 0.74 inch			
Weight	1.13 kg (starting from)			
Weight (lbs)	starting from 2.49 lbs			
Weight notes	Weight may vary depending on actual configuration			
Operating ambient temperature	5 - 35 °C (41 - 95 °F)			
Operating relative humidity	20 - 80 %			
Compliance				
Product	LIFEBOOK U7412			
Model	7U14A3			
Germany	GS (planned)			
Europe	CE CB			
USA/Canada	FCC (depending on configuration)			
Global	TCO Certified 9.0 ENERGY STAR® 8.0 EPEAT® Gold (dedicated regions)			
China	CCC (depending on configuration)			
Compliance link	https://sp.ts.fujitsu.com/sites/certificates			
Additional Software				
Additional software (preinstalled)	Microsoft Office (1 month trial for new Microsoft® Office 365 customers. Buy Microsoft Office.) McAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial preinstalled) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Function Manager Fujitsu Battery Utility Fujitsu DeskUpdate (driver and utility tool)			
Additional software (optional)	Drivers & Utilities DVD (DUDVD) Recovery DVD for Windows® Nero Essentials XL Microsoft® Office Professional 2021 Microsoft® Office Home and Business 2021 (Need to buy license to activate the pre-installed Microsoft Office. Purchase and activation only in the region in which it was acquired.)			
Manageability				
Security				
Physical Security	Kensington Lock support			
System and BIOS Security	User and supervisor BIOS password EraseDisk			
User Security	Embedded fingerprint sensor (optional) Embedded PalmSecure® sensor (optional) Smartcard reader (optional) TPM 2.0 Hard disk password			

Warranty		
Warranty period	2 years (for countries within EMEIA)	
Warranty type	Bring-in Service / Collect & Return Service (depending on country)	
Warranty Terms & Conditions	http://www.fujitsu.com/warranty	
Digital bug fixes	Subject to availability and following their generic release for the product, bug fixes and function-preserving patches for product-related software (firmware) can be downloaded from the technical support at: https://support.ts.fujitsu.com/ free of charge by entering the respective product serial number. For application software supplied together with the product, please directly refer to the support websites of the respective software manufacturer.	
Product Support - the perfect extension		
Recommended Service	9x5, Onsite Response Time: Next Business Day	
Spare Parts availability	at least 5 years after shipment, for details see https://support.ts.fujitsu.com/	
Service Weblink	http://www.fujitsu.com/emeia/products/product-support-services/	

Recommended Accessories

USB Type-C Port Replicator 2



Connect to your peripherals. Adapt to the task on demand. The universal USB Type-C interface supports you to get your peripheral devices connected easily. Multiply your USB ports to connect your peripherals as well as your external display via HDMI, DisplayPort or VGA. You also can charge your external USB devices without the need of any additional charger.

Order Code: S26391-F3327-L100

USB-C Travel Hub



Connect to your peripherals. Adapt to the task on demand. The Fujitsu Accessory USB-C Travel Hub supports you to get your peripheral devices connected easily. Multiply your USB ports to connect your peripherals as well as your external display via DisplayPort or HDMI or VGA. You can also charge your external USB devices without the need of any additional charger. Take the USB-C Travel Hub with you wherever you go - you don't want to miss it in future.

Order Code: S26391-F6007-L153

Car Adapter USB-C-QC



One Car Adapter fits all.

Independent of your mobile device charging method this car adapter will fulfill all major requirements and standards for fast charging vendorbrandindependent notebooks and all mobile devices. The Car Adapter USB-C-QC supports USB PD with PPS, Quick Charge (QC), Apple- and Samsung charge.

Order Code: S26391-F2613-L630

Prestige Case Mini 13 (2021)



The Prestige Case Mini 13 protects notebooks with up to 13-inch screens. One main compartment has a notebook and a tablet pocket. You find two more useful compartments at the front. One with a red inlay is for accessories or power cable. An additional front compartment is for smaller things.

Order Code: S26391-F1120-L151

Wireless Mouse WI860 BTC



The Wireless Mouse WI860 BTC can be paired with up to 3 different clients, Order Code: 2x Bluetooth and 1x wireless USB Type-C dongle.

With the blue optical sensor, it works on nearly all surfaces with an 3-step adjustable DPI selector (800/1600/2400).

The mouse charges wirelessly through Qi or by USB Type-C cable. A utility button on the side is programmable. The default functions are optimized for Teams calls.

S26381-K474-L100

More information

Fujitsu products, solutions & services

In addition to Fujitsu Notebook LIFEBOOK U7412, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products www.fujitsu.com/global/products/computing/

Software www.fujitsu.com/software/

More information

Learn more about Fujitsu Notebook LIFEBOOK U7412, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/emeia/products/computing/pc/notebooks/index.html

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT

Please find further information at http://www.fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see https://www.fujitsu.com/global/about/resources/terms/Copyright 2024 Fujitsu Technology Solutions GmbH

Disclaimer

Please note that the data sheet reflects the technical specification with the maximum selection of components for the named system and not the detailed scope of delivery. The scope of delivery is defined by the selection of components at the time of ordering.

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

The overall product has been designed and manufactured for general office use, regular personal use and ordinary industrial use.

Contact

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com 2024-04-06 EM-EN All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see https://www.fujitsu.com/global/about/resources/terms/
Copyright 2024 Fujitsu Technology Solutions GmbH