

Head to Toe Protection



www.rshughes.com • 877-RSHUGHES • 877-774-8443

NO MINIMUM ORDER

2015

SAFETY PRODUCT CATALOG





Our Expertise

- Product availability and exceptional customer attention.
- We have what you need, in the quantity you need, and can get it to you when you require it.
- We provide training on everything we sell and can help you comply with OSHA 29 CFR 1910.132.

Our Philosophy

- We adapt to your business processes to ensure that you have what you need to operate.

Who We Are

- Founded 1954.
- International North American distributor of industrial supplies.
- More than 50 warehouse sites in the United States and Mexico.
- Maintain an extensive array of ISO 9002 Qualified brand name items.

Personalized Customer Care

We take pride in our level of personalized customer care, and know our customers can expect a distinct level of service and attention. We're proud to provide it. We welcome the opportunity to work with you to provide the products and solutions to meet your business needs.

No Minimum Purchase

- There is no minimum purchase with R.S. Hughes Co., so you get precisely what you want whether it's thousands of uncorded earplugs or a pair of gloves.
- The purchasing and warehousing power of R.S. Hughes Co. ensures that we can stock what you need so you don't have to.

Ordering Options

- On the web at: www.rshughes.com
- By phone (1-877-RSHUGHES to talk to one of our sales representatives.
 - Online through email or EDI.
 - Via faxed purchase order.
- In person at any one of our warehouse locations.
 - Credit card or instant credit.
- We accept orders with a credit card or establish instant credit with your first purchase when you create an account.
 - Pricing Subject to Change

We have strived to put the best, most popular products in this catalog. Unfortunately, everything just won't fit. If you need something that isn't in the catalog, we most likely have it.

If you would like some direction, have special application issues, need on-site training or just have questions, please give a call or send us an email at safety@rshughes.com. We are here to help. Thank you for your business.

Sincerely,

George Mallinckrodt

Director of Business
Development, Safety Products



Can't find what you're looking for?

If you're not exactly sure what you are looking for, one of our skilled representatives is ready to help you find the solution to make your business safe, effective, and successful.

Call Today 877-774-8443


Order Online

24 hours a day

www.rshughes.com



**At R.S. Hughes, we stand behind your right to
Buy With Confidence**



Head to Toe Protection

By itself, the human body is an amazing machine.

Without protection, its incredible powers can be seriously diminished.

At R.S. Hughes we are fully committed to the safety of every part of your precious body – from head to toe. We work diligently to ensure every step of your order fulfills this objective. From the choices you make when ordering to stocking your product for quick delivery and ensuring what you get is the right fit, R.S. Hughes is truly watching your back—and front—in your work environment.

100% Satisfaction – Guaranteed

If for any reason you are not satisfied with the product you receive, we will replace it or credit you.

Not Sure Which Product Will Meet Your Needs?

Our nation wide network of safety specialists are available to visit your site and offer solutions.

Just give us a call.

Training Available for Everything We Sell.

Employees must be trained in the proper care, maintenance, useful life and disposal of PPE per OSHA 1910.132(f)(1)(v). We are available to come to your facility and train your employees.

Lower Your Costs.

We are experts in helping your company reduce costs through insuring your have the right products for the right application at the right price and on time.

No Minimum Order

Order just the right amount so you get precisely what you want and never have dead stock again.

Let Us Stock It So You Don't Have To

We will stock the products you want at our local branch. Just Ask.

Trial Order Program

Trial orders are available on a satisfaction-or-no-pay basis.


The program lets end-users evaluate our products in their actual application and on-site condition, on a satisfaction-or-don't-pay-basis to make sure that the products are right for the job.

3 Programs that provide **Solutions** to the ever increasing demands on **Purchasing**. Programs that fit a wide range of company sizes and requirements.

Solutions provided by our industry leading professionals.

Purchasing Management Solution

allows you to build a robust internal requisition to approval process through our simple web interface. Streamline purchasing and control costs through a custom designed web experience that puts you in the driver's seat for requisitioner approvals, budget management, order thresholds and in-depth reporting.



*Our **Site2Supply Solution** is a technology and professional service program that let's you focus on other business issues while we manage your consumable inventory. Dedicated R.S. Hughes Professionals monitor and execute your replenishment process. A web based reporting suite for full visibility, tracking and transparency is included.*



The R.S. Hughes **Vend2Supply Solution** brings a Secure, Automated approach to your supply management with the greatest level of control, reporting, security and cost savings. The Vend2Supply Solution takes Supply Management and Cost Control to the next level.

PURCHASING MANAGEMENT

- *Lower Internal Processing Costs with Increased Speed and Convenience*
- *Simple Web Interface*
- *Invite and Manage Requisitioners*
- *Approve or Reject Purchases*
- *Set Automated Spend & Approval Levels*
- *In-Depth Reporting with Full Visibility*

SITE2SUPPLY (S2S)


- *Customized On-site Consumable Inventory Management Solution*
- *Internal Time and Cost Savings*
- *Optimized Stocking & Consumable Inventory Levels*
- *R.S. Hughes Monitors Consumables & Executes Your Replenishment Process*
- *Flexible Reporting Suite with Full Visibility & Tracking*

VEND2SUPPLY (V2S)

- *Up to a 20 - 30% Consumables Cost Reduction*
- *Eliminate Hoarding, Misuse & Theft*
- *Tightest Security & Control*
- *Direct User Supply*
- *Simple Touch Screen Access*
- *Employee Level Reporting and Control*
- *Automated Replenishment Process*
- *Reduced Downtime & Improved Productivity*
- *Dedicated R.S. Hughes Professionals Monitor & Manage Consumable Inventory Levels*

Take Your Purchasing & Supply Management to the Next Level.
Call Us Today at *877-RSHUGHES* Call Us Today
or Visit *www.rshughes.com/PASS*

Special Pricing on Our Top 24 Products



\$2.14 Per Each

3M™ 200 Series Eyewear
Clear Anti-fog Lens

Page 14



\$29.39 Per Each

3M™ 7500 Half Facepiece Reusable Respirators
Sizes SM-LG Available, 10/CA

Page 64



\$19.25 Per Box

3M™ Foam Ear Plug 1100
NRR 29DB, Uncorded, 200pr/Box
NRR 29DB Corded, 100pr/Box


Page 48



\$10.84 Per Pack

3M™ 6001 Organic Vapor Cartridge
For 3M™ Half and Full Facepieces

Page 66



\$22.00 Per Box

3M™ E-A-Rsoft Yellow Neons Earplugs, NRR 33DB
Uncorded, Regular Size, 200pr/Box

Corded, Regular Size, 200pr/Box

\$44.00 Per Box

Page 48



\$11.45 Per Pack

3M™ 6003 Acid Gas/Organic Vapor Cartridge
For 3M™ Half and Full Facepieces

Page 66



\$28.00 Per Box

3M™ E-A-R Classic, NRR 29DB
Uncorded, Pillow Pak, 200pr/Box

Corded, Polybag, 200pr/Box

\$54.00 Per Box

Page 48



\$10.50 Per Box

3M™ 8200 Particulate Respirator
N95, Disposable, 20/Box

Page 59



\$15.12 Per Box

3M™ 8210 Particulate Respirator
N95, Disposable, 20/Box

Page 59



\$19.44 Per Box

3M™ 8511 Particulate Respirator
N95, Cool Flow Valve, 10/Box

Page 59



\$12.57 Per Box

3M™ 8210V Particulate Respirator
N95, Cool Flow Valve, NIOSH Approved, 10/BX

Page 59



\$19.70 Per Box

9211+ Particulate Respirator
N95, With Valve, 10/Box

Page 60



\$68.19 Per Dozen

Ansell 11-500 HyFlex® Gloves

Nitrile Coated Palm, Kevlar Liner

Page 101



\$10.29 Per Box

Kimberly-Clark KleenGuard* G10 Gloves

Blue Nitrile, 6Mil, 100/BX

Page 141



\$45.98 Per Dozen

PIP 34-874 Maxi-Flex® Ultimate™ Gloves

Micro-foam Nitrile Coated

Page 95



\$9.92 Per Box

Ansell 92-675 TNT® Gloves

Nitrile, 5Mil, Powder Free, 100/BX

Page 140



\$9.25 Per Box

Ansell 69-318 Conform® Gloves

Natural Rubber Latex, Powder Free, 100/BX

Page 135



\$9.92 Per Dispenser

Ansell 92-600 Touch N Tuff® Gloves

Nitrile, 5Mil, Powder Free, 100/BX

Page 140



\$13.81 Per Box

Microflex MF-300 Diamond Grip™ Gloves

Latex, 5.1Mil, Powder Free, 100/BX

Page 136



\$3.31 Per Each

Kimberly-Clark KleenGuard* A35 Coverall

Sizes SM-2XL

With Hood, Elastic Wrists and Ankles 25/CA

Page 159



\$5.64 Per Pair

PIP 16-530 G-Tek® CR Gloves

Grey, HPPE w/ Urethane Coated Palm, 144PR/CA

Page 105



\$5.19 Per Each

Kimberly-Clark KleenGuard* A45 Coverall

Sizes SM-2XL

With Hood, Elastic Wrists and Ankles 25/CA

Page 162



\$13.09 Per Dozen

PIP 33-G125 G-Tek® Gloves

Grey, Nylon w/ Urethane Coated Palm, 25DZ/CA

Page 91



\$77.64 Per Roll

Wypall* X80 Wipers Jumbo Roll

Blue, 475 Sheets Per Roll

White, 475 Sheets Per Roll

Page 267

RS Hughes Government Business Program

The Government Source for:
— INDUSTRIAL SUPPLIES —



National Purchasing Partners (NPP) is a cooperative purchasing organization offering a portfolio of competitively bid, publicly awarded contracts to public entities. NPP is owned by Virginia Mason Medical Center. A non-profit hospital. A large percentage of NPP's revenue supports medical research

- **No Cost to Join.**
- **No Administrative Fees on your purchases.**
- **Worry Free, Stress Free Benefits.**
- **Enjoy special bid pricing without putting it out to bid.**
- **Rely on a highly respected and nationally recognized contract that was competitively bid and publicly awarded.**

Freedom from bids is at your fingertips!

For assistance call **877-RSHUGHES (877-774-8443)** or Email **npporderalert@rshughes.com** to contact the nearest R.S. Hughes location.

All R.S. Hughes locations are trained and available to assist you with your NPP procurements. Be sure and ask about becoming an NPP member.



GSA Contract Holder
Schedule 51V- #GS-21F-0029V
Schedule 84- #GS-07F-263AA
Visit GSA Advantage online catalog:
www.gsaadvantage.gov



Contract Holder
Visit DoD Email online catalog:
<https://dod-email.dla.mil>



AWARDED CONTRACT
Contract #VH11350

R.S. Hughes accepts all Government Credit and P-Cards

Corp. Cage Code: 1GWU4 Corp. D&B: 00-969-0538

Corp. TIN: 95-1943801

NAICS: 423840, 313230, 315210, 315280, 315990, 322220, 325510, 325520, 325998, 327910, 333999, 335912, 339113, 339115, 339950, 423690, 423710, 423830, 423840, 424690, 424950, 812332

All R.S. Hughes locations registered in SAM

RS Hughes Product Lines



Ansell

Occupational Healthcare



PROTECTIVE INDUSTRIAL PRODUCTS

MICROFLEX[®]
THE MOST TRUSTED NAME IN GLOVES[®]

WYPALL[®]
BRAND



The miracles of science[™]

Sempermed[®]
We are people protection.[®]



SELLARS[®]



Honeywell



Puritan
Quality since 1919



Table of Contents

Personal Protection Equipment

Safety Glasses	12-29
Goggles	30-31
Eyewear Accessories	32-34
Face Shields	35-36
Welding Helmets	37-41
Hard Hats and Bump Caps	41-45
Spray Sox and Sweatbands	46
Noise Detection Solutions and Fit Testing	47
Ear Plugs	48-52
Ear Bands and Muffs	53-55



Respiratory Protection

Dispenser, Accessories, Lead Swabs, Test Kits	56-57
Respirator Reference Chart	58
Disposable Respirators	59-61
Welding Fume Respirators	61-62
High Efficiency Respirators	62
Disposable Cartridge Respirators	63
Reusable Cartridge Respirators	64-65
Respirator Filters, Cartridges	66-67
How to Make a PAPR System	68-69
Hoods, Face Shields, Hard Hats and Helmets	70-71
Powered Air Purifying and Supplied Air Respirators	72-75
Air Filtration Panel, CO & O2 Monitor, Assemblies, Hoses	76-77
Welding Respirators	78-79



Hand Protection

Cotton Gloves	82-84
Hot Mill Gloves	85
Coated Knits Gloves	86-99
Cut Resistant Gloves and Sleeves	100-114
Leather Gloves	115-122
Welding Gloves, Leather Foundry Gloves	122-126
Coated Work Gloves	127
Mechanics/Trade Gloves	128-133
Disposable Gloves	134-146
Chemical Resistant Gloves	147-152
Electrical Rated Gloves	153

Protective Clothing

Safety Apparel - Disposable	154-169
Chemical Protective Clothing	170-172
Reusable Clothing - Aprons, Sleeves, Suits	173-175
Rain Gear and Bomber Jackets	176
High Visibility Clothing	177-183
Flame Resistant Clothing, Leather Clothing	184-185
Arc Flash Protective and High Temperature Clothing	186-193



Foot Protection

Toe Caps, Insoles, Traction Device	194-195
Metatarsal Protector, Kneeling Mats & Pads	196
Knee Pads & Caps	197
Boots	198-199



Fall Protection

Body Supports/Harnesses	200-201
Connectors, Retractable Web Lanyards, Anchors	202-203
Escape & Rescue Kits	204-205
Roofing Kit, Vertical-Entry Solutions	206-207

First Aid/Heat Stress

Signage and AEDS	208-209
First Aid Cabinets and Kits/Refills	210-215
Antiseptics, Bandages,	216-218
Burn Treatment, Eye Care, Dressings, Tape, Wraps	218-220
First Aid Supplies, Unitized Refills	221-223
Skin Care	224-225
Eyewash Signs & Stations, Drench Showers	226-228
Back Braces and Wrist Supports, Heat Stress	229-231



Controlled Environment Products

Clothing	232-236
Gloves and Finger Cots	237-243
Environmental Sampling Swabs	244-245
Stirrers and Swabs	246-253
Wipers	254-259
Stationery and Tacky Mats	260-261

Wipers

Tack Cloths/Prep Wipes	262-263
Aviation MRO/Prep Wipes	264-265
WYPALL* Wipers	266-273
Sellars® Wipers	274-278
Reclaimed Rags	279

Flammable Liquids Storage

Cans	280-281
Cabinets – Flammable Storage	282-284
Cabinets – Chemical & Hazardous Material Storage	285
Outdoor Flammable Building Storage & Accessories	286-287



Spill Control

Sorbents	288-292
Kits, Lab Packs	293-295
Spill Decks and Berms	296-301
Control Devices and Diverters	302-303

Facilities Safety

Fire Extinguishers	304
Lockout/Tagout	305-307
Facility Marking - Portable Printers, Labels & Ribbons	308-323
Facility Marking - Custom Signs, GHS Labeling, Floor Tape ..	324-332
Floor Matting	333-337
Flashlights, Emergency and Portable Chargers, Batteries	338-342
Water Safety	343
Cutting Tools and Safety Cutters	344-347
Tool Lanyards	348
Storage Bins & Organizers, Storage Cases	349-353
Janitorial Supplies	354-362

Personal Protection

In this section:

Safety Glasses	12-24
Over-the-Glass Styles	25
Reader Glasses.....	26
Foam Lined Safety Glasses.....	27
Prescription Safety Glasses	28-29
Goggles	30-31
Eyewear Accessories	32-34
Face Shields	35-36
Welding Helmets	37-41
Hard Hats and Bump Caps	41-45
Spray Sox and Sweatbands	46
Noise Detection Solutions and Fit Testing	47
Ear Plugs	48-50
Ear Plug Dispensers	50
Push to Fit Ear Plugs.....	51-52
Reusable Ear Plugs	52
Ear Bands and Muffs	53-55



ANSI Z87.1-2010

The American National Standards Institute (ANSI) approved a new edition of ANSI/ISEA Z87.1 titled "American National Standard Practice for Occupational and Educational Personal Eye and Face Protective Devices," replacing the Z87.1-2003 version.

Two key changes to the eye and face protection standard include:

1) A focus on the hazard, rather than on the protector type, to encourage safety personnel and users to identify and evaluate specific hazards in their workplace such as Impact, Optical Radiation, Splash, Dust, and Fine Dust Particles. Therefore, under the revised standard, selection of the appropriate eye and face protective devices should be based on the hazard.

2) New criteria for compliance: Impact ratings:

The 2003 version described two levels of protection: "Basic" & "High" impact protection. The 2010 revision describes devices to be either "Non Impact Rated" (complying to the impact requirements under "General Requirements") or "Impact Rated" (complying to more stringent requirements within the revision)

When is the use of eye and face protection required?

OSHA's eye and face protection standard, 29 CFR 1910.133 requires that use of eye and face protection when workers are exposed to eye or face hazards such as flying objects, molten metal, liquid chemicals, acid or caustic liquids, chemical gases or vapors or potentially injurious light radiation.



A



C



D

RS Hughes Part	Price	Per Case	Description
----------------	-------	----------	-------------

A. Brady Deluxe Visitor Spec Dispenser

Tough clear acrylic dispensers have a bottom door that keeps glasses in and folds down for easy dispensing. Each dispenser holds approximately 20-25 glasses. Dispensers are supplied with two top holes making them ideal for wall-mounting. Dispenser size: 18"H x 8"W x 4"D.

754476-45666	74.99	EA	1
--------------	-------	----	---

B. Brady Large Capacity Eye Protection Dispenser

Our largest dispenser is perfect for your highest use areas and top loading lid keeps your eye protection clean and protected. Holds approximately 35 pairs of glasses or goggles. Rugged clear acrylic unit can be wall or table mounted and measures 12 1/4"H x 18"W x 9 1/4"D.

754476-46128	136.49	EA	1
--------------	--------	----	---

Brady Sign - EYE PROTECTION REQUIRED IN THIS AREA (W/PICTO)

10" H x 14" W, Plastic, B-401

C. 754476-26572	12.99	EA	1	CAUTION
D. 754476-26560	12.99	EA	1	DANGER



B

Selecting proper eye and face protection

Eye and face protection must be selected on the basis of hazards to which the worker is exposed. A first critical step in developing a comprehensive safety and health program is to identify the physical and health hazards in the work place. This process is known as the "hazard assessment." Per 29CFR 1910.132, the employer must assess the workplace and determine if hazards that necessitate the use of personal protective equipment (PPE), including eye and face protection are present or likely to be present before assigning PPE to workers. A properly conducted hazard assessment identifies routine and non-routine activities and tasks, which have increased risks of exposure to eye and face hazards.

Polycarbonate Lens Selection Guide

This Polycarbonate Lens Selection Guide will help you understand the need for different color lenses and lens types for industrial applications. It will also help you determine what type of lens is best for your application and environment. There are many lens options other than clear, gray and mirror. When choosing a lens, the basic "rule of thumb" is to consider color opposites. Examples of these opposites are shown in the chart below in columns one and two.

Lens Color/ Type	Color of Light Reduced or Blocked*	Lens Properties/Use	Percent of Visible Light Passing through the Lens (approx.)	Suggested Applications/Environments
Clear	None	Maximum amount of light reaches the eye for good vision and acuity.	85%+	General everyday eye protection.
Gray, Brown, Bronze	All	Reduces brightness and glare from the sun.	10%-25%	Mainly for outdoor daytime use as in typical sunglass use.
Mirror & Colored Mirror	All	Reduces brightness and glare from the sun.	10%-25%	Mainly for outdoor daytime use as in typical sunglass use.
Indoor/Outdoor	All	Reduces brightness and glare when working both indoors and outdoors.	50%	For tasks requiring frequent movement indoor to/from outdoor. Loading docks, forklift drivers, construction or similiar jobs.
Photochromic	All	Reduces brightness and glare from the sun and indoor lighting.	Varies from 20% to 80%	Lens darkens when outside and lightens when inside. Do not use for frequent indoor to/from outdoor movement.
Polarized	All	Reduces brightness and glare from the sun.	15%	Exceptional for reducing reflective glare. Mainly for outdoor use.
Yellow/Amber	Purple and Blue	Increases contrast, reduces haze from blue lighting, excellent UV protection.	85%-92%	Good for inspection tasks and hazy, overcast or foggy days. Never use for night driving.
Pink/Vermillion	Green	Increases contrast, low level indoor lighting glare reduction.	50%	Good for inspection tasks. Some workers prefer pink/vermillion over yellow/amber.
Blue	Yellow	Reduces brightness and glare from indoor lighting.	35%-65%	Very useful to reduce glare, eye stress and fatigue in yellow light environments.
Filter Shades, Green & Gray	Red	Reduces ultraviolet, visible and infrared radiation.	Depends upon shade number	Predominately used for gas welding, cutting, brazing and soldering, metal making, furnace work and open flames.
MinimizeR™	All	Reduces ultraviolet, visible and infrared radiation.	50%	Provides good visual sight and acuity while absorbing UV and some IR. Excellent for wearing with welding helmet.

* All polycarbonate safety lenses absorb 99.9% ultraviolet (UV) light.



Clear



Gray, Brown, Bronze



Mirror & Colored Mirror



Indoor/Outdoor



Photochromic



Polarized



Yellow/Amber



Pink/Vermillion



Blue



Filter Shades Gray and Green



B



C



RS Hughes Part Price Per Case Description

3M™ SecureFit™ Protective Eyewear 200 Series

The 3M™ Pressure Diffusion Temple Technology self-adjusts to fit a wide array of head sizes reducing the need to stock multiple frame sizes. It also provides a secure snug fit without compromising comfort, helps reduce eyewear/frame slippage during workplace head movements and enhances frame comfort without sacrificing the security of fit. This stylish design weighs less than 1 ounce for lightweight comfort. Polycarbonate lens absorbs 99.9% UV. Meets the requirements of CSA Z94.3 and ANSI Z87.1-2010.

A.	078371-65717	2.14	EA	20	Clear Anti-Fog Lens
B.	078371-65718	2.50	EA	20	Gray Anti-Fog Lens
C.	078371-65719	2.50	EA	20	Amber Anti-Fog Lens
A.	078371-65720	1.98	EA	20	Clear Anti-Scratch Lens
B.	078371-65721	2.15	EA	20	Gray Anti-Scratch Lens
C.	078371-65722	2.15	EA	20	Amber Anti-Scratch Lens



D



E



F

3M™ SecureFit™ Protective Eyewear 400 Series

Stylish design weighs less than 1 oz, has a soft adjustable nosepiece to help reduce slippage, incorporates dual-material on temples to provide cushioned comfort plus enhanced style and proprietary 3M™ Pressure Diffusion Temple Technology


D.	078371-66211	3.36	EA	20	SF401AF	Clear A/F Lens
E.	078371-66212	3.53	EA	20	SF402AF	Gray A/F Lens
F.	078371-66213	4.21	EA	20	SF410AS	Mirror Lens

3M™ SecureFit™ Protective Eyewear 400 Series

Polycarbonate lenses absorb 99.9% of UVA & UVB. Meets the requirements of ANSI Z87.1-2010.

Soft, adjustable nosepads for greater personalization

E



ONLY \$3.53

Features proprietary self-adjusting 3M™ Pressure Diffusion Temple Technology

Dual-injected, padded temple touchpoints for added comfort over the ears

Motion-inspired, contoured piping in a bold, modern color palette for an infusion of style



Smart Lens™

Changing outdoor light conditions doesn't require changing eyewear anymore



G



Light Reactive Lenses Adjust with Changing Outdoor Light Conditions

- Lightens and darkens with changing outdoor light conditions
 - Light to dark in less than 20 seconds
 - Dark to light in less than 3 minutes
- Soft, adjustable nose bridge
- Durable frame with nylon brow and magnesium alloy temples
- Spring-hinged temples for narrow or wide fit
- Includes microfiber storage bag and lanyard
- Polycarbonate lenses absorb 99.9% UV
- Meets the High Impact Requirements of ANSI Z87.1-2003

Safety directors should assess their particular workplace and make all people wearing Smart Lens™ photochromic eyewear aware of the time required for the lens transition. Special care should be taken when moving from outdoors to indoors. Outdoor temperatures may affect the lens transmission time. Do not store on vehicle dashboard. Prolonged exposure to intense heat can damage eyewear. Always store Smart Lens in protective bag.

RS Hughes Part Price Per Case Description

G. 3M™ Smart Lens™ Photochromic Protective Eyewear

Changing outdoor light conditions doesn't require changing eyewear anymore. SmartLens protective eyewear lightens and darkens with rise and fall of outdoor light conditions. Transitions from light to dark in less than 20 seconds (allowing just 22% light transmission), dark to light in less than 3 minutes (allowing 77.5% light transmission). Meets the traffic signal requirements of ANSI Z80.3 -2008 and the High Impact Requirements of ANSI Z87.1-2010.

078371-62033 61.80 EA 5

H. 3M™ LightVision™ 2 Protective Eyewear

Designed for workers who have difficulty reading small print or who are engaged in small detail work. Dual LED lights provide hands-free lighting. Meets the High Impact requirements of ANSI Z87.1-2003.

078371-62111 16.72 EA 100 Gray Frame, Clear AF Lens

I. 3M™ Lexa™ Fighter Protective Eyewear

Combines extra wide viewing range and contoured design. Lightweight, high wrap offers additional coverage. Fully customizable with multiple lens options, three lens angles and four temple lengths. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.

078371-62282 6.79 EA 100 Black Temple, Clear AF Lens

3M™ Moon Dawg™ Safety Sunwear

Surf-inspired Moon Dawg safety glasses are your comfortable, stylish choice for protective eyewear. Its lightweight, wide temple frame offers enhanced coverage, and its durable construction makes it a cool outdoor safety sunwear option. Polycarbonate lens absorbs 99.9% UV. Meets the High Impact Requirements of ANSI Z87.1-2010.

J. 078371-62178 9.64 EA 20 Black Frame, Gray Anti-Fog Lens

K. 078371-62179 10.91 EA 20 Black Frame, I/O Mirror Lens

L. 3M™ Privo™ Protective Eyewear

Stylish Privo unisex protective eyewear looks as smooth as it functions. Bridges eurostyle and comfort with soft tips and temples, a gentle nosebridge, and a sturdy polycarbonate lens. Anti-fog coating allows for all-day, indoor or outdoor use.

078371-62087 5.61 EA 20 Black Frame, Clear AF Lens



**Editor's Choice
for comfort
and value**



A



B



E



C



D



F



G

H

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

3M™ Virtua™ AP Protective Eyewear

Unisex styling. Comfortable, lightweight frame - weight less than 1 oz. High-wrap lenses fit snug against the face for a better viewing area. Polycarbonate lenses absorb 99.9% UV. Meets the High Impact Requirements of ANSI Z87.1-2010.

A. 078371-11819	1.64	EA	20	Clear Temple, Clear Hard Coat Lens
A. 078371-11818	2.27	EA	20	Clear Temple, Clear AF Lens
B. 078371-11815	1.82	EA	20	Gray Temple, Gray Hard Coat Lens
C. 078371-11847	2.59	EA	20	I/O Temple, I/O Mirror
D. 078371-11816	1.82	EA	20	Lt Blue, Hard Coat Lens



3M™ Virtua™ Sport Protective Eyewear

Sleek, unisex Virtua Sport protective eyewear combines athletic-look styling, versatility and value with a high wraparound, anti-fog polycarbonate lens for excellent eye coverage and a comfortable fit.

E. 078371-62055	1.90	EA	20	Clear Temple, Clear Hard Coat Lens
------------------------	------	----	----	------------------------------------

3M™ Virtua™ V4 Protective Eyewear

Unisex styling. Lightweight design. Soft, dual injected temples for increased comfort. Adjustable nose bridge. Meets the High Impact Requirements of ANSI Z87.1-2003. Black/Gray Temple.

F. 078371-62034	2.16	EA	20	Clear Hard Coat Lens
F. 078371-62036	2.79	EA	20	Clear Anti Fog Lens
G. 078371-62037	2.97	EA	20	Gray Anti Fog Lens
H. 078371-62038	3.04	EA	20	I/O Mirror Lens



Only
\$0.91



RS Hughes Part Price Per Case Description

I. 3M™ Virtua™ Protective Eyewear

Lightweight, unisex Virtua protective eyewear combines versatility and value with high wraparound coverage, polycarbonate construction and a hard coat, scratch-resistant lens for a comfortable, contoured fit. Meets the High Impact Requirements of ANSI Z87.1-2003.

078371-11228	0.91	EA	100	Clear Temple, Clear Uncoated Lens
078371-62098	1.46	EA	100	Clear Temple, Clear Hard Coat Lens
078371-62103	2.21	EA	20	Clear Temple, I/O Lens
078371-62105	1.71	EA	20	Clear Temple, Clear Anti-Fog Lens
J. 078371-62102	1.64	EA	20	Gray Temple, Gray Hard Coat Lens


K. 3M™ Virtua™ Max™ Protective Eyewear Larger Lens Size

Lightweight, unisex Virtua protective eyewear combines versatility and value with high wraparound coverage, polycarbonate construction and a hard coat, scratch-resistant lens for a comfortable, contoured fit.

078371-62115	1.50	EA	20	Clear Frame, Clear Hard Coat Lens
078371-62116	1.68	EA	20	Clear Frame, Clear Anti-Fog Lens

Virtua™ Sport CCS

Designed to offer workers convenient access to both eyewear and hearing protection



- Designed to keep eyewear and earplugs attached, untangled and ready to use
- Can help reduce the expense of replacing lost earplugs and eyewear
- Earplug cord can be worn around the neck to carry eyewear when neither product is in use
- Compatible with a variety of vinyl-corded earplugs
- Polycarbonate lenses absorb 99.9% UV
- Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003

L. 3M™ Virtua™ Sport CCS Protective Eyewear

Protective eyewear with a Corded Earplug Control System (CCS). This unique temple design controls and holds the cord of an earplug to keep it in place and untangled while in use. Clear/gray anti-fog or hard-coat lens. Meets the requirements of ANSI Z87.1-2003

078371-11797	3.89	EA	20	Clear Hard Coat Lens
078371-11796	4.43	EA	20	Clear Anti Fog Lens



Head to Toe Protection



A



B



C

**Comfort Tips
Low Price
\$1.46**



D



E



F



G



H



I



J



K



L

Personal protective equipment (PPE) for the eyes and face is designed to prevent or lessen the severity of injuries to workers. The employer must assess the workplace and determine if hazards that necessitate the use of eye and face protection are present or are likely to be present before assigning PPE to workers. [29 CFR 1910.132(d)]



RS Hughes Part Price Per Case Description

A. JACKSON SAFETY* KleenGuard® V10 Standard Eye Protection

Lightweight, popular styling with an economical price. Universal nose bridge. Scratch-resistant polycarbonate lens. 99.9% UV protection. Meets the ANSI Z87.1+ standards.

761445-31005	1.02	EA	12	Clear Hard Coat Lens	25627
761445-31006	1.12	EA	12	Gray Lens	25631

B. JACKSON SAFETY* V10 Element Safety Eyewear

An economical solution for providing eyewear protection and comfort. Lightweight one-piece 4 base curve polycarbonate lens provides a wide field of vision. Three point adjustable temples to provide a custom fit. Ideal as a visitor spec.

711382-01998	1.19	EA	12	Clear Lens	22514
711382-01999	1.19	EA	12	Gray Lens	22515

JACKSON SAFETY* V20 PURITY* Safety Eyewear

Wraparound lens for better eye protection. Comfortable, padded temples. 99.9% UVA/UVB protection. Meets ANSI Z87.1+ standards.

C. 036000-25650	1.46	EA	12	Clear Frame/Clear Lens	
C. 036000-25654	1.97	EA	12	Clear Frame/Anti Fog Lens	
D. 25652	1.46	EA	12	Smoke Frame/Smoke Lens	
E. 25649	1.64	EA	12	Amber Temple, Amber Lens	

JACKSON SAFETY* V20 Visio Safety Eyewear

One-piece 8 base curve polycarbonate lens with three point adjustable temples and wraparound protection. Unique duo-tone frame, lightweight design and comfortable fit.

F. 761445-19492	2.05	EA	12	Clear, Silver	14470
F. 761445-19493	2.37	EA	12	Clear, A/F Silver	14471
F. 761445-19498	2.41	EA	12	I/O Lens, Black	14476
G. 761445-19494	2.05	EA	12	Smoke, Silver	14472

JACKSON SAFETY* 20 PRO* Safety Eyewear

Lightweight polycarbonate lenses provide comfortable eye protection. Hard coated lenses. Sporty design makes safety eyewear attractive and easy to wear. Metal-free design with screw-less hinges to minimize electrical transference risk. Vented rubber nose pad helps channel sweat away from face. 99.99% UV protection against harmful UVA, UVB, and UVC rays. Meets ANSI Z87+ 2010 standards.

H. 036000-39676	3.31	EA	12	Smoke Hard Coat	
I. 036000-39677	3.31	EA	12	Amber Hard Coat	
J. 036000-39680	3.64	EA	12	Indoor/Outdoor Hardcoat	
K. 036000-39681	4.15	EA	12	Clear Anti-fog	
L. 036000-39698	3.31	EA	12	Clear Hard Coat	



**Jackson's
#1 Seller**



RS Hughes Part Price Per Case Description

JACKSON SAFETY* V30 Nemesis Safety Eyewear

Sleek and flexible lightweight design. Soft touch temples for added comfort. Scratch-resistant, dual polycarbonate lens. 99.9% UV protection. Meets the ANSI Z87.1+ standard. Every pair includes a free neck cord.

M.	761445-19805	5.17	EA	12	Black Frame, Clear AF Lens	25679
N.	761445-19806	4.76	EA	12	Black Frame, Smoke Lens	25688
O.	036000-19639	4.80	EA	12	Black Frame, Lt Blue Lens	19639
P.	711382-02508	6.14	EA	12	Camo Frame, Clear AF Lens	22608
Q.	711382-02509	6.14	EA	12	Camo Frame, Smoke AF Lens	22609
R.	761445-19804	4.41	EA	12	Black Frame, Clear Lens	25676
S.	036000-28635	20.34	EA	12	Polarized Smoke	28635



JACKSON SAFETY* V40 ACE* Safety Eyewear

Contemporary Design that takes its cues from current sunglass designs Hard Coated lens Lightweight frame and lenses for all-day comfort Ribbed nose cushion and rubber grip temple to reduce slippage 99.99% UV protection against harmful UVA, UVB, and UVC rays Meets Ansi Z87+ 2010

T.	036000-38501	6.36	EA	12	Black Frame, Clear Lens
U.	036000-38492	6.36	EA	12	Black Frame, Smoke Lens

V. SMITH & WESSON® Elite* Safety Eyewear

Wide temples provide structural integrity and stability. Scratch-resistant, dual polycarbonate lens. 99.9% UV protection. Meets the ANSI Z87.1+ standard. Every pair comes with a micro-fiber carry pouch that doubles as a cleaning cloth.

079768-00865	8.08	EA	12	Black Frame/Clear AF Lens	21302
079768-00866	8.08	EA	12	Black Frame/Smoke AF Lens	21303

Bullhead Safety Eyewear™ Maki™

Fashion sport inspired design with an optional removable closed cell EVA foam gasket(BH14G) to protect your eyes from airborne particles and debris. The Maki also has dual injected TPR temple ends and embedded rubber nose pieces to ensure slip free fit in any environment.

W.	BH1419AF	8.54	EA	144	Clear Frame, Blue Lens
X.	BH14G	1.19	EA	144	Removable Foam Gasket

Bullhead Safety Eyewear™ Stinger™

Rugged design that features rigid TPR flared temple ends, soft nose pieces and properly placed ventilation ports to reduce fog. The Stinger has a single 9 base curve lens for maximum impact resistance and superior side coverage.

Y.	BH6101AF	6.90	EA	144	Camo Frame, Clear AF Lens
Z1.	BH6108AF	6.90	EA	144	Camo Frame, Brown AF Lens
Z2.	BH633AF	3.62	EA	144	Crystal Black Frame, Smoke AF Lens
Z3.	BH691AF	3.97	EA	144	Gray Frame, Clear AF Lens





A



B



C



D



E



F



G



H



I



J



K

Bollé soft pouch and adjustable cord are included with Cobra, and Contour Eyewear shown on this page.



PLATINUM

NEW PLATINUM® ANTI-FOG AND ANTI-SCRATCH TREATMENT

CLEARLY EXTRAORDINARY

This permanent coating applied on both surfaces makes them highly scratch-resistant, gives them high resistance to the most aggressive chemicals and slows the appearance of fogging to over 2 minutes. In any circumstances and at every moment, Platinum provides the maximum safety for eyes.

RS Hughes Part Price Per Case Description

Bollé Rush Eyewear

High Impact 2.2mm polycarbonate lens, anti-fog, anti-scratch coated on both sides. 99.99% UVA and UVB light absorption. Optimal fit, ultra-lightweight frame. High contour (10 base) single piece lens with 180 degree distortion free viewing and superior optical quality. Dielectric, non-conductive frame. Adjustable silicone nose pads. Supplied with adjustable cord.

A. 549172-77628	5.86	PR	180	Clear Frame/Anti Scratch, Anti Fog	
B. 549172-77635	6.72	PR	10	Smoke Lens	40071
C. 549172-77642	6.72	PR	10	Twilight Lens	40072

Bolle Rush+ Eyewear, Platinum Coated

Bolle Rush + adopts an ultra-sporty design with its co-injected and ultra-flexible temples and is 100% customisable. Low energy impact. Non-slip bridge. Lens feature new Platinum Coating. Includes a microfiber pouch.

D. 054917-30427	13.28	PR	10	Twilight Lens	40225A
E. 054917-29901	10.52	PR	10	Smoke Lens	40208
F. 054917-30112	10.52	PR	10	Clear Lens	41080
G. 054917-30378	5.69	KT	20	Strap w/ Foam Kit	40293

Bollé Contour Eyewear

High impact 2.2mm polycarbonate lens, anti-fog, anti-scratch coated on both sides (depends on sku). Ultra lightweight half frame provides extensive eye coverage. High contour (8 base), dual lens piece with 180 degree distortion free viewing and superior optical quality. 99.99% UVA and UVB light absorption. Optimal fit and comfort with non-slip temple tips. Reinforced nose bridge. Non-slip rubber nose pads. Supplied with soft pouch and adjustable cord.

H. 549172-77369	8.97	PR	180	Clear/Anti Fog	253-CT-40044
I. 549172-77376	9.92	PR	180	Smoke/Anti Fog	253-CT-40045
J. 549172-77390	10.34	PR	180	ESP Tinted	253-CT-40047
K. 054917-27740	46.12	PR	10	Polarized	40048

Bollé Cobra - Glasses to Goggles

This technology is used to quickly and easily transform safety glasses into safety goggles. The temples can be replaced with the foam and strap kit.



Bollé Innovative Lens Technology

Contrast Lens: A revolutionary gradient lens coating that provides a superior alternative to the standard clear lens. The Contrast lens enhances visual acuity while blocking 30% of blue light waves that are harmful to your eyes. The result is sharper, clearer images and less eyestrain and fatigue. Choose the Contrast lens over a clear lens in every instance for protection from the harmful effects of exposure to neon lights, computer screens and other forms of light pollution. Filters 100% UVA, UVB up to 400nm and 30+% blue and infra red light.

HD Lens: A unique lens treatment resulting in exceptional clarity and superior light transmission. The HD coating may be used for every type of job except those requiring solar protection for industrial use. Bollé Safety's HD lens delivers 96% visible light transmission. And the hydrophobic coating and HD technology join together to form a waterproof polymer barrier against water droplets.

ESP Lens: (Extra Sensory Perception) An innovative coating that enhances the ability to see detail and improve contrast without distorting colors by reducing glare, eyestrain and the harmful effects of blue light. ESP filters 57% of blue light while delivering 64% visible light transmission and 100% UVA/UVB protection.



bolle
SAFETY

RS Hughes Part Price Per Case Description

Bollé Cobra Eyewear

High impact 2.2mm polycarbonate lens, anti-fog, anti-scratch coated on both sides. 99.99% UVA and UVB light absorption. High contour (9 base), single piece lens with 180 degree distortion free viewing and superior optical quality. Upper brow protection. Optimal fit and comfort with patented non-pressure co-molded temples. Supplied with soft pouch and adjustable cord.

L.	549172-77291	8.97	PR	180	Clear Lens/Anti Scratch, Anti Fog
M.	549172-77321	10.35	PR	180	Clear High Definition Lens
N.	549172-77338	10.35	PR	180	Contrast Lens
O.	549172-77307	9.91	PR	10	Smoke Lens/Anti Fog 40038
P.	549172-77345	10.34	PR	10	ESP Tinted 40042

Q. Bollé Cobra Eyewear-Foam Kit

Bolle Dust Goggle Kit For Cobra Eyewear, Includes Strap And Foam Padding.

549172-77352	5.00	PR	20	40043
--------------	------	----	----	-------



h R.S. HUGHES

Head to Toe Protection



bolle
SAFETY



RS Hughes Part Price Per Case Description

Bolle Lowrider Eyewear

High impact 2.0mm polycarbonate lens, anti-scratch coated on both sides (depends on sku). Close fitting, high contour (8 base) design for improved eye protection with distortion free viewing and superior optical quality. 99.99% UVA and UVB light absorption. Rubber temple tips for superior comfort and a non-slip fit. Non-slip rubber nose pads. Supplied with soft pouch and adjustable cord.

A.	054917-85043	16.64	PR	10	Blue Mirror Lens, Anti Fog	40156
B.	549172-77444	15.26	PR	10	Smoke Lens, Anti Fog	40052
C.	549172-77451	46.12	PR	10	Polarized Lens	40053



Bolle Lowrider Prism Eyewear

2.2mm high impact polycarbonate lens. Anti-scratch coated on both sides (depends on sku). High contour (9 base) single piece lens with 180 degree distortion free viewing and superior optical quality. Optimal fit, ultra lightweight frame. 99.99% UVA and UVB light absorption. Dielectric, non conductive frame. Supplied with adjustable cord.

D.	549172-77505	6.72	PR	10	Smoke Lens/Anti Fog	40058
E.	549172-77512	7.84	PR	10	Silver Mirror Lens	40059
F.	549172-77499	5.86	PR	10	Clear Lens/Anti Fog	40057

Bolle Prism Eyewear Foam Kit Accessory.

G.	054917-29701	5.00	KT	20		40194
-----------	--------------	------	----	----	--	-------



Bolle Shadow Eyewear

High impact 2.0mm polycarbonate lens, anti-fog, anti-scratch coated on both sides (depends on sku). Close fitting, high contour (8 base) design for improved eye protection with distortion free viewing and superior optical quality. Optimal fit and comfort with rubber temple tips, and non slip fit. 99.99% UVA and UVB light absorption. Includes soft pouch and adjustable retention cord. Anti-scratch.

H.	054917-85050	16.64	PR	10	Red Mirror Lens	40159
I.	549172-77529	16.53	PR	10	Smoke Lens/Anti Fog	40060
J.	549172-77536	46.12	PR	10	Polarized Lens/Anti Fog	40061



Bolle Voodoo Eyewear

High impact 2.2mm polycarbonate lens, anti-fog, anti-scratch coated on both sides (sku specific). Close fitting (8) base, dual lens with distortion free viewing and superior optical quality. Rubber template tips for superior comfort and a non-slip fit. Non-slip rubber nose pads. 99.99% UVA and UVB light absorption. Includes soft pouch and adjustable retention cord.

K.	054917-85005	11.72	PR	10	Smoke Lens	40152
L.	054917-85012	46.12	PR	10	Brown Polarized Lens	40153




Bolle Hustler Eyewear

High impact 2.2mm polycarbonate lens, anti-fog, anti-scratch on both sides (sku specific). High contour (8) base, dual lens with distortion free viewing and superior optical quality. Rubber template tips for superior comfort and a non-slip fit. Non-slip rubber nose pads. 99.99% UVA and UVB light absorption. Includes soft pouch and adjustable retention cord.

M.	054917-28490	11.72	PR	10	Smoke Lens	40149
N.	054917-84985	47.76	PR	10	Polarized Lens	40150
O.	054917-84992	59.66	PR	10	Blue Marine Lens	40151





RS Hughes Part Price Per Case Description

P. PIP Zenon Z12 Safety Eyewear

Eyewear, Zenon Z12, Rimless Front, Clear Temples

616314-22517	1.22	PR	144	I/O Lens	250-01-0902
616314-22494	1.43	PR	144	Clear Anti Fog Lens	250-01-0920
616314-22487	1.10	PR	144	Clear Lens, Anti-Scratch	250-01-0900



PIP Zenon Z13 Safety Eyewear

Lightweight rimless design. Soft rubber temple end pieces provided secure and comfortable fit above the ear. Matching temple and lens color.

Q. 616314-36071	1.33	PR	144	Clear Temple, Clear Lens	250-06-0000
R. 616314-22821	1.33	PR	144	Gray Temple, Gray Lens	250-06-5501
S. 616314-36279	1.33	PR	144	Li Blue Temples and Lens	250-06-5503



PIP Eva Safety Eyewear

The first safety eyewear designed for women in the work force. Smaller and more narrow than standard safety glasses. Fits a woman's facial structure more securely on the nose. Lightweight, rimless design provides all day user comfort. Pink rubber tip temples. Molded nose bridge. CSA Z94.3 certified. 10 base curve lens.

T. 616314-55621	3.00	PR	12	Clear/Pink Temple, AS, Clear Lens	250-10-0900
U. 616314-55638	3.69	PR	12	Pink Temple, Clear Anti Fog Lens	250-10-0920
U. 616314-55645	3.00	PR	12	Pink Temple, Pink Hard Coat Lens	250-10-0904



V. PIP Directflex Eyewear Black Temples, Patented Temple

Special temple design features patented Directional Flex Technology (DFT). Clear, crisp and distortion free visibility. Provides protection from projectiles and impact in general use applications. Treated front and back for resistance to scratching.

616314-95313	2.67	PR	1	250-29-0000	Clear Lens, AS
--------------	------	----	---	-------------	----------------



PIP Anser Eyewear Radiused Temples w/Rubber Tips, Nosepiece

Wraparound temples with rubberized tips gently grip the wearer's head. Clear, crisp and distortion free visibility while meeting the requirement standards that help provide protection from projectiles and impact in general use applications. Treated front and back with a clear, scratch-resistant coating for a much harder surface that is more resistant to scratching.

W. 899558-00141	3.14	PR	1	250-AN-10110	Clear Lens, AS, Black Frame
W. 899558-00142	3.57	PR	1	250-AN-10111	Clear Lens, AS/AF, Black Frame
X. 899558-00143	3.14	PR	1	250-AN-10112	Gray Lens, AS, Black Frame
W. 899558-00145	3.36	PR	1	250-AN-10114	I/O, AS, Black Frame



Y. Uvex Skyper Protective Eyewear

UvWrap-around protective eyewear offers exceptional comfort, protection and fit. Adjustable temple length and lens inclination. Black framed with SCT-Orange lens and Uvextreme anti-fog coating.

603390-092244	9.62	EA	10	S1933X
---------------	------	----	----	--------



Z. Uvex Ultra-spec Protective Eyewear

Wrap-around unilens design with solid sideshields. Adjustable temple length. Orange frame with SCT-Orange Lens. UVextreme Anti-fog coating, spatula temples. Protects from exposure to UV light wavelengths up to 532nm.

603390-049330	7.80	EA	10	S0360X
---------------	------	----	----	--------





RS Hughes Part Price Per Case Description

A. PIP Bullseye™ Rimless Safety Glasses

Lightweight, rimless design provides all day comfort. Flexible bayonet temples contain rubber pads for a secure, non-slip fit. Molded nose bridge designed to fit the vast majority of users. 9 Base curve lens w/ Anti-Reflective coating. FogLess™ lens coating to keep your lenses and vision clear. Meets ANSI Z87.1+ and CSA Z94.3.

616314-30236	5.79	PR	144	Clear Lens AF, Anti-Reflective	250-31-0010
616314-30199	4.16	PR	144	Clear Lens, AS, Anti Fog	250-31-0020
616314-30205	4.16	PR	144	Gray Lens AS/Anti-Fog	250-31-0021
616314-30212	4.16	PR	144	Light Blue Lens AS/Anti-Fog	250-31-0023
616314-30243	6.26	PR	144	Blue Mirror Lens AS/Anti-Fog	250-31-0026
616314-30229	4.16	PR	144	Amber Lens AS/Anti-Fog	250-31-0029
616314-30267	6.26	PR	144	Gradient Lens AS/Anti-Fog	250-31-0031
616314-30250	6.07	PR	144	I/O Blue Lens AS/Anti-Fog	250-31-0226



B. PIP Recon™ Rimless Safety Glasses

Lightweight, rimless design provides all day comfort. Flexible bayonet temples contain rubber pads for a secure, non-slip fit. Adjustable rubber nosepiece provides a comfortable fit. 9 Base curve lens w/ Anti-Reflective and Anti-Scratch coatings. FogLess™ lens coating to keep your lenses and vision clear. Meets ANSI Z87.1+ and CSA Z94.3.

616314-30298	6.12	PR	144	Clear Lens AS, Anti-Reflective	250-32-0010
616314-30274	4.48	PR	144	Clear Lens AS/Anti-Fog	250-32-0020
616314-30281	4.48	PR	144	Gray Lens AS/Anti-Fog	250-32-0021
616314-30311	6.59	PR	144	Gradient Lens AS/Anti-Fog	250-32-0031
616314-30304	6.40	PR	144	I/O Blue Lens AS/Anti-Fog	250-32-0226



C. PIP Q-Vision™ Rimless Safety Glasses, Dielectric

Great field of vision with a unique, sporty, black & burgundy temple design. Clear, crisp and distortion free visibility while meeting the requirement standards that help provide protection from projectiles and impact in general use applications. Flexible nose bridge for a comfortable fit, co-injected rubber temple ends provide excellent grip, di-electric, non-conductive frame. 9.75 base curve lens w/ Anti-Reflective and Anti-Scratch coatings. FogLess™ lens coating to keep your lenses and vision clear. Also meets CSA Z94.3 requirements for Canada

616314-15679	6.52	PR	144	Clear Lens AS, Anti-Reflective	250-36-0010
616314-15677	4.88	PR	144	Clear Lens, AS, Anti Fog	250-36-0020
616314-15678	4.88	PR	144	Gray Lens AS/Anti-Fog	250-36-0021
616314-15680	5.90	PR	144	Silver Mirror Lens AS/Anti-Fog	250-36-0025
616314-15681	6.78	PR	144	I/O Lens AS/Anti-Fog	250-36-0226
616314-15684	6.52	PR	144	Clear Lens AS, Anti-Reflective	250-36-1010
616314-15682	4.88	PR	144	Clear Lens AS/Anti-Fog	250-36-1020
616314-15683	4.88	PR	144	Gray Lens AS/Anti-Fog	250-36-1021
616314-15685	6.78	PR	144	I/O Blue Lens AS/Anti-Fog	250-36-1226



D. PIP Supersonic™ Rimless Safety Glasses

Sleek rimless design that can be used as a safety spectacle, or can be converted to a dust goggle. Fully adjustable temples will ratchet and extend in length. Soft, pliable nose pad will self-adjust for a custom fit. Clear, crisp and distortion free visibility while meeting the requirement standards that help provide protection from projectiles and impact in general use applications. 9 Base curve lens w/ Anti-Reflective and Anti-Scratch coatings. FogLess™ lens coating to keep your lenses and vision clear. Also meets CSA Z94.3 requirements for Canada.

616314-15673	8.78	PR	144	Clear Lens AS/Anti Reflective	250-34-0010
616314-15671	7.14	PR	144	Clear Lens AS/Anti-Fog	250-34-0020
616314-15672	7.14	PR	144	Gray Lens AS/Anti-Fog	250-34-0021
616314-15674	9.03	PR	144	I/O Blue Lens AS/Anti-Fog	250-34-0226
616314-15675	9.24	PR	144	Gradient Lens AS/Anti-Fog	250-34-0031



RS Hughes Part Price Per Case Description

E. PIP Supersonic™ Dust Goggle Conversion Kit

Dust goggle conversion kit for Supersonic™ safety glasses includes foam padded surround and elastic strap. Compatible with all Supersonic™ styles.

616314-15676	4.12	PR	288	250-34-FOAM
--------------	------	----	-----	-------------

Over-the-Glass Styles

RS Hughes Part Price Per Case Description

F. 3M™ Tour-Guard™ III Protective Eyewear Clear

Standard, economical Tour-Guard protective eyewear for site visitors or general use offers impact protection, wraparound sideshields and flexible, polycarbonate construction with over-the-glass coverage. Indoor or outdoor use safety glasses. Comes in ready-to-use wall dispenser. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2010.

078371-62342	1.92	EA	100	Dispenser Box
078371-62343	1.70	EA	100	Bulk Pack



G. 3M™ OX™ Protective Eyewear 2000

Sturdy, durable OX protective eyewear delivers high impact protection, wraparound sideshields and flexible, polycarbonate construction with over-the-glass coverage. Its lightweight frame and anti-fog hard coat lens deliver clarity. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003

078371-62225	2.77	EA	20	Black Temple, Clear AF Lens
078371-62226	3.53	EA	20	Black Secure Grip Temple, Clear AF Lens



PIP Z28 Over The Glass Rimless Frame Glasses



Over-The-Glass (OTG) style that fits comfortably over most personal eyewear. Over the glass design helps keep prescription eyewear users in compliance. Can also be worn by itself as a regular safety glass. Rimless frame design ensures an unobstructed view. Adjustable length temples provide the user with a secure custom fit. Molded nose bridge design to fit the vast majority of users. U-Fit spatula temples. 4 base curve lens.

H. 616314-36262	1.83	EA	144	250-03-0001	Black Temple, Anti-Scratch Gray Lens
I. 616314-24702	1.76	EA	12	250-03-0000	Black Temple, Anti-Scratch Clear Lens
I. 616314-36309	1.24	EA	12	250-03-0080	Black Temple, Clear Uncoated Lens



J. PIP The Scout Visitor Specs

Visitor glasses with a large frame to fit over all personal eyewear. Polycarbonate unilens. Over-the-glass design fits over all prescription eyewear. Can also be worn by itself as a regular safety glass. Molded nose bridge design to fit the vast majority of users. Vented temples for reduced fogging. Clear uncoated glasses are also available in a 12-pair dispenser box. Also CSA Z94.3 certified for the items #'s noted below. 4 base curve lens.

616314-24771	1.19	PR	144	250-99-0900	Clear Temple, Anti-Scratch Clear Lens
--------------	------	----	-----	-------------	---------------------------------------



K. PIP 250-98-0000 OverSite™ OTG Rimless Safety Glasses

Over-the-glass design helps keep prescription eyewear users in compliance while the rimless frame design ensures an unobstructed view. Molded nose bridge design to fit the vast majority of users. U-Fit® spatula temples are ratcheted for better angle adjustment. Treated front and back with a clear, scratch-resistant coating for a much harder surface that is more resistant to scratching. Can also be worn by itself as a regular safety glass. Meets ANSI Z87.1+ and CSA Z94.3.

616314-31165	3.02	PR	144	Black/Gray Temple/Clear Lens
--------------	------	----	-----	------------------------------



Hold this chart 14 inches from your eyes without your glasses to determine your diopter strength indicated on the first line.

If this line is difficult to read, use
If this line is difficult to read, use
If this line is difficult to read, use

+1.50 Diopter
+2.00 Diopter
+2.50 Diopter

Reader Styles

RS Hughes Part Price Per Case Description

A. 3M™ BX™ Protective Eyewear

Designed for workers who have difficulty reading small print or who are engaged in small detail work. Polycarbonate lens with three lens angles. Adjustable soft-tip temples. Soft nose bridge. Meets the requirements of CSA Z94.3-2007 and the High Impact requirements of ANSI Z87.1-2003.

078371-62046	11.01	EA	20	Silver Frame, Clear Lens +1.5 Diopter
078371-62047	11.01	EA	20	Silver Frame, Clear Lens +2.0 Diopter
078371-62048	11.01	EA	20	Silver Frame, Clear Lens +2.5 Diopter

B. JACKSON SAFETY* V60 Nemesis RX Safety Eyewear

"Cheaters" style with diopters for vision assistance. Large lens for wraparound impact protection. Enhanced nose piece design to channel away sweat. Every pair includes a neck cord.



28618	10.66	PR	6	Black Frame/Clear Lens +1.0
28621	10.66	PR	6	Black Frame/Clear Lens +1.5
28624	10.66	PR	6	Black Frame/Clear Lens +2.0
28627	10.66	PR	6	Black Frame/Clear Lens +2.5
28630	10.66	PR	6	Black Frame/Clear Lens +3.0

C. 3M™ SecureFit™ Protective Eyewear

Naturally adjusts the temples to individual head sizes for a customized fit. This self-adjusting feature is possible through 3M's proprietary Pressure Diffusion Temple Technology with no moving parts and nothing to adjust. Diffusing pressure over the ears, the glasses automatically adjust to the head and facial features. Meets the requirements of CSA Z94.3-2007 and ANSI Z87.1-2010. Less than 1 ounce. Durable, snug-fitting and flexible, SecureFit offers a more comfortable and personal fit than old-fashion one-size-fits-all glasses that are rigid and unyielding.

078371-66512	6.50	EA	20	SF415AF	Clear Lens +1.5
078371-66513	6.50	EA	20	SF420AF	Clear Lens +2.0
078371-66514	6.50	EA	20	SF425AF	Clear Lens +2.5

D. PIP Z12R Safety Eyewear

Rimless Front, Clear lens, temple. Hard coated lens. 28mm wide reading magnifier allows easy reading of fine print.



616314-45110	3.26	EA	144	Bi-Focal Diopters +1.5	250-27-0015
616314-45127	3.26	EA	144	Bi-Focal Diopters +2.0	250-27-0020
616314-45134	3.26	EA	144	Bi-Focal Diopters +2.5	250-27-0025
616314-45141	3.26	EA	144	Bi-Focal Diopters +3.0	250-27-0030

E. 3M™ Nuvo™ Reader Protective Eyewear

Combines a distinct, nostalgic look with reliable performance and flexible fit. Designed for workers who have difficulty reading small print or who are engaged in small detail work, it offers more than just a fashionable dual-lens profile with its tough, lightweight one-piece lens. With its outstanding protection and comfort, Nuvo protective eyewear is a clear choice for stylish safety. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2010.

078371-62062	11.58	EA	20	Gray Frame, Clear Lens +1.5 Diopter
078371-62063	11.58	EA	20	Gray Frame, Clear Lens +2.0 Diopter
078371-62064	11.58	EA	20	Gray Frame, Clear Lens +2.5 Diopter



A



B



C



D



E

Foam Lined Safety Glasses

RS Hughes Part Price Per Case Description

F. Bollé Tracker Eyewear

High impact 2.2mm polycarbonate lens, anti-fog, anti-scratch coated on both sides (depends on sku). 99.99% UVA and UVB light absorption. Removable foam reinforcement with indirect ventilation. High contour (8 base) lens with 180 degree distortion free viewing and superior optical quality. Optimal fit in a comfortable, durable frame. Supplied with soft pouch and adjustable cord.

549172-77772 16.21 PR 180 Clear Lens/Anti Fog



F



G

G. 3M™ Maxim Plus™ Safety Dust Goggle

Adjustable lens angle and temple length. Soft browguard and nose bridge. Wide frame size. Ventilation channel designed to help minimize fogging. Meets the High Impact Requirements of ANSI Z87.1-2003.

078371-12305 15.49 EA 20 Clear AF Lens, Elastic Strap



H

H. 3M™ Maxim Plus™ Safety Dust Goggle

Nylon frame. Vented for comfort and reduced fogging. Vented air seal designed to help minimize fogging. Elastic headband for comfortable secure fit. Meets the High Impact requirements of ANSI Z87.1-2003.

078371-40698 26.75 EA 10 Clear AF Lens, Elastic Strap

I. 3M™ Maxim™ 2x2 Safety Goggle

Versatile design for military and law enforcement. Vented air seal designed to help minimize fogging. Interchangeable temples and broad elastic strap. Meets the High Impact Requirements of ANSI Z87.1-2003.

078371-62166 25.79 EA 10 Black Frame, Clear AF Lens, Elastic Strap
078371-62169 29.61 EA 10 Black Frame, Clear AF Lens, Strap, Side Venting



I


J. 3M™ Virtua™ CCS Protective Eyewear w/ Foam Gasket

Comfortable, lightweight frame features the Cord Control System (CCS) with optional foam gasket attachment. Meets the requirements of CSA Z94.3-07 and is Impact Rated to ANSI Z87.1-2010.

078371-11872 7.60 EA 20 Clear/Anti-Fog
078371-11873 7.60 EA 20 Gray/Anti-Fog
078371-11874 8.44 EA 20 I/O Mirrored/Anti-Fog

Virtua™ Sport CCS

Designed to offer workers convenient access to both eyewear and hearing protection



- Designed to keep eyewear and earplugs attached, untangled and ready to use
- Can help reduce the expense of replacing lost earplugs and eyewear
- Earplug cord can be worn around the neck to carry eyewear when neither product is in use
- Compatible with a variety of vinyl-corded earplugs
- Polycarbonate lenses absorb 99.9% UV
- Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003

JACKSON SAFETY* V50 CALICO* Safety Eyewear

Lightweight "wrap-a-round" design for added comfort and protection. Interchangeable head strap allow tight fit. Interchangeable temples can be removed. EN166 N Anti-fog coating provides assured protection from fogging lens. Fog Shield provides extra protection around lens. Cushioned brow bar for additional comfort and ventilation. 99.9% UVA/UVB protection. Meets EN166 1F, CSA and ANSI Standards.

K. 25672 10.17 EA 12 Clear Anti Fog Lens
L. 25674 10.17 EA 12 Amber Anti Fog Lens
M. 25675 10.17 EA 12 Smoke Anti Fog Lens



K

L

M



Prescription Safety Glasses ...Made Easy!



Package Price Details...

Basic Package - \$155

Any 3M™ Plastic Frame Style

- More than 20 styles to choose from, in a variety of designs, shapes and colors
- From stylish ophthalmic designs to close-fitting wrap frames

Any Lens Style

- Single vision
- Bifocals and Trifocals
- Even Progressive Addition Lenses!

Featuring Polycarbonate Lens Material

- Recommended as the most impact resistant material

Premium Coatings Increase Durability

- NEW Scotchgard Easy Clean Coating
- Anti-Fog Coating
- Excellent for tight-fitting frame designs

Solid or Gradient Tint

Sideshields

Professional Fittings

Enhanced Package - \$187

- All Basic Package Options... PLUS
- Any 3M™ Frame Style – Plastic or Metal

- In addition to the more than 20 plastic frame styles to choose from, select any 3M metal frame designs, including lightweight stainless and titanium choices.


For an Additional \$79...

Customers can upgrade to a Sunglass Option featuring either Transitions or Polarized Lenses from either the Basic or Enhanced Package




Prescription Safety Glasses Made Easy!

How to Order... Four Easy Steps!



Nationwide Eye Care Professional Network

RS Hughes has partnered with 2000+ Eye Care Professionals throughout the United States to provide accurate and timely eyewear fitting and order processing



Head to Toe Protection



B



A



RS Hughes Part Price Per Case Description

A. 3M™ Safety Impact Goggle

One of the most economical goggle options available. Fits over most prescription eyewear. Direct venting designed to help minimize fogging. Meets the High Impact Requirements of ANSI Z87.1-2003.

078371-62137	2.22	EA	10	Clear Lens	332
078371-62138	2.89	EA	10	Clear Anti Fog Lens	332AF



B. 3M™ Safety Splash Goggle

One of the most economical goggle options available. Fits over most prescription eyewear. Indirect-venting system designed to circulate air and help minimize fogging while keeping liquids out. Polycarbonate lens absorbs 99.9% UV. Meets the High Impact Requirements of ANSI Z87.1-2003.

078371-62140	3.47	EA	10	Clear Anti Fog Lens	334AF
--------------	------	----	----	---------------------	-------

C. 3M™ Centurion™ 454AF Safety Splash Goggle

High wrap offers additional coverage. Large lens opening to accommodate prescription and safety eyewear. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.

078371-62390	8.34	EA	10	Clear Anti Fog Lens	
--------------	------	----	----	---------------------	--

D. 3M™ Lexa™ Splash GoggleGear™ Safety Goggle

Lightweight, contoured, low profile design. Three lens angle adjustments for custom fit. Vent channels at top and bottom designed to help minimize fogging. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.

078371-62336	11.35	EA	10	Clear Lens, Medium	
078371-62337	11.35	EA	10	Clear Lens, Large	

E. Bollé Duo Goggles 254-DU-40097

High impact double polycarbonate lens, anti-fog, anti-scratch coated. 99.99% UVA and UVB absorption. Low profile. Adjustable strap. Optimal fit and comfort with TPR frame. Equalizer Technology removes moisture between the front and back lenses while balancing inner goggle temperature and pressure with the outside environment to eliminate lens fogging. Indirect, lower vents.

549172-77895	27.07	PR	180		
--------------	-------	----	-----	--	--



C



D



E

Equalizer Technology

Bollé Equalizer technology uses a waterproof, breathable membrane to eliminate any moisture. The result is distortion free vision and no fogging at any altitude.

Double Lens Thermal Barrier

The Bollé unique double lens design creates a thermal barrier, while providing exceptional optics and a superior seal.

bollé SAFETY



F



G

RS Hughes Part Price Per Case Description

F. JACKSON SAFETY* 14387 Monogoggle* 211



Visiclear* anti-fog, anti-scratch lens coating. Patented indirect ventilation system provides increased air flow, minimizes condensation and fogging. Soft frame design with pantoscopic angle to improve work area visibility. Soft, pliable nosepiece for a snug seal. Provides 99% UV protection, meets the ANSI Z87.1+ and CE Standards.

761445-10115 9.17 EA 36 Green Frame, Clear Visiclear Lens

G. JACKSON SAFETY* 18624 Monogoggle* XTR Goggle

Extreme visual clarity in all conditions! This lightweight, stylish goggle protects against splashes, while providing increased visibility due to its cylindrical lens. A soft pliable frame conforms to the face for comfort and is easy to clean. Indirect ventilation, can be worn over most prescription eyeglasses.

761445-00118 12.34 EA 6 Blue Frame, Clear AF Lens



H

H. JACKSON SAFETY* 20525 Wildcat* Goggle

High heat resistance. Adjustable side vents ensure increased air flow. Lightweight and comfortable with a pivot headband. 99.9% UV protection. Meets the ANSI Z87.1+ and CSA Z94.3 standards.

761445-02169 13.29 EA 12 Black Frame, Clear AF Lens



I

I. JACKSON SAFETY* V80 MRXV* Goggle Protection

Indirect ventilation offers splash protection. Clear lens, blue frame.

761445-10276 5.29 EA 36 Blue Frame, Clear Lens 16676



J

J. Uvex Stealth Goggle with Neoprene Band

Futuristic, low profile design for chemical splash and impact. Toric lens provides superior optics and peripheral vision. Quick adjust headband.

S3960C 14.78 EA 1 Clear Lens, Uvextreme Anti-fog Coating

K. Uvex Stealth Reader Goggles

The first of its kind, the Uvex Stealth® Reader goggle offers an extensive range of magnification strengths. With diopters ranging from +1.0 to +3.0, the Uvex Stealth® Reader goggle is ideal for workers who require not only increased magnification for close-up inspection or fine detail work but also the added protection of a goggle.

603390-127458	17.92	EA	1	S3990X	Blue Body, Clear Lens, 1.0 Diopter
603390-127465	17.92	EA	1	S3991X	Blue Body, Clear Lens, 1.5 Diopter
603390-127472	17.92	EA	1	S3992X	Blue Body, Clear Lens, 2.0 Diopter
603390-127489	17.92	EA	1	S3993X	Blue Body, Clear Lens, 2.5 Diopter
603390-127496	17.92	EA	1	S3994X	Blue Body, Clear Lens, 3.0 Diopter



K

L. Uvex Stealth OTG

OTG style goggle offers modern design coupled with premier performance, comfort and adjustability features. Ideal for impact, dust, chemical splash, and optical radiation (UV and welding radiation).

603390-125355 18.38 EA 1 S3970D Navy Body, Clear Lens



L



A



B

3M



Eyewear Accessories

RS Hughes Part Price Per Case Description

A. 3M™ Super-Clear™ Disposable Protective Eyewear Lens Cleaning Station

Disposable protective eyewear lens cleaning station. Contains 16 oz. pump and bottle of cleaning fluid. Also contains 1500 sheets of lens cleaning paper. Ready to hang.

078371-83735 16.41 BX 6



B. 3M™ Super-Clear™ Anti Fog, Anti Static Protective Eyewear Lens Cleaning Fluid

Anti-fog, anti-static protective eyewear lens cleaning fluid. Safe for use on all lens types including hard coat and anti fog lenses. One pint bottle.

078371-83803 3.52 EA 12

C. 3M™ Super-Clear™ Protective Eyewear Lens Cleaning Towelettes

Individual protective eyewear lens cleaning towelette packets. Safe for use on all lens types including hard coat and anti fog lenses. Convenient self-dispensing box.

078371-83745 22.92 BX 10

D. PIP 252-LCS08 Disposable Lens Cleaning Station

Eyewear, Disposable Lens Cleaning Station, Contains One 8 oz. Bottle & 600 Tissues.

616314-25525 6.93 BX 1



E. PIP 252-LCT100 Lens Cleaning Towels

Eyewear, Lens Cleaning Towelettes Station, Contains 100 Individually Packed Premoistened Towelettes.

616314-25518 4.91 BX 1

F. Uvex Clear Lens Cleaning Solution 16 oz

Specifically formulated for anti-fog and scratch resistant hardcoat lenses. Available in toweletts, non-abrasive tissues, 16 oz refillable spray and 1 gallon refill.

S463 4.92 BO 1

G. Uvex Clear Permanent Lens Cleaning Station

Specifically formulated for anti-fog and scratch resistant hardcoat lenses. Available in toweletts, non-abrasive tissues, 16 oz refillable spray and 1 gallon refill.

603390-023415 46.76 EA 1 S461

H. Uvex Clear Lens Cleaning Moistened Towelettes 100/bx

Specifically formulated for anti-fog and scratch resistant hardcoat lenses. Available in toweletts, non-abrasive tissues, 16 oz refillable spray and 1 gallon refill.

603390-023514 12.40 BX 1 S468



C



D



E



F



G



H



Employees must be trained in the proper care, maintenance, useful life, and disposal of PPE. [1910.132(f)(1)(v)]
Cleaning: When employees are assigned protective equipment for extended periods, the equipment should be cleaned and disinfected regularly.



I

J

RS Hughes Part Price Per Case Description

MAGIC TW100D Pure Sight Formula Fast Drying

This cleaning fluid is great for every-day cleaning needs. Anti-static and anti-fogging properties are perfect for all types of glass, plastic, and treated surfaces. Gentle enough to be used on delicate treated eyewear, but sturdy enough to get the job done. Many customers find it effective for monitors, televisions, and camera lenses as well - using a standard amount is safe and effective for cleaning.

I. TW100D 9.30 DI 10

For more serious anti-fogging needs such as jobs with high temperature differences and extreme humidity. Fog Be Gone cleans surfaces while providing fog resistance. Safe for all surfaces including glass, polycarbonate, plastic, and electronics.

J. TW100DS 8.33 DI 10



K

L

Magic Pure Sight

Liquid for eyeglasses, safety goggles, and treated lenses of all types.

K. 716PP 1.64 BO 12 16 OZ 716PP
K. 716PS 2.07 BO 12 16 OZ 716PS
L. 708PP 2.70 BO 20 8 OZ 708PP



M

N

O

Magic Fog Be Gone

Liquid for eyeglasses, safety goggles, and treated lenses of all types.

M. 700FBG 11.25 BO 4 1 GAL 700FBG
N. 716FP 2.36 BO 12 16 OZ 716FP
O. 708FP 2.31 BO 20 8 OZ 708FP



P

851T Magic Heavy Duty Paper 760 Sheet Refills

Low Lint Wipers. Perfect for the most sensitive jobs in the laboratory, the drafting room, the clinic, or any electronic applications because of their anti-static film cover that prevents accumulation and production of dust. They are single ply in a pop-up box. Their dimensions are also 4 7/8 X 7 7/8.

P. 851T 1.80 EA 18

Magic Spray Pump with Tissue Station

These 4.5 x 5 tissues pop out from the bottom of this dispenser. The are accompanied by an 8oz spray bottle with your choice of Fog Be Gone or Pure Sight solution. 760 tissues/station. These stations are sold in cases of 10 stations.

Q. PL800FBG 7.17 EA 10 w/ Fog Be Gone
R. PL800PS 7.17 EA 10 w/ Pure Sight



Q

R

S

S. Magic M60 Disposable Wipers Pop-Up Box

Great for general cleaning. For lens cleaning, use the with either our Pure Sight or Fog Be Gone solutions. They are 4 7/8 X 7 7/8 and fit in our 600 and 1200 disposable series. These interfolded sheets pop up one at a time from the box.

M60 Magic Wipes 58.57 CA 1 300/Box, 60BX/CA



Head to Toe Protection

Eyewear Accessories

RS Hughes Part Price Per Case Description

A. PIP 252-FX-0001 Eyewear Sideshields

Eyewear Flex Sideshields, Clear, 100% Vinyl, 20/Box
616314-17237 3.24 PR 20



B. PIP 252 Eyewear Lanyards

Make your safety glasses last longer by reducing scratches. Helps keep glasses on end users lowering the cost of lost eyewear.

616314-27635	3.00	EA	12	Rugged Nylon Cord, Black	252-L401
616314-27642	3.00	EA	12	Rugged Nylon Cord, Burgundy	252-L402
616314-27680	0.71	EA	12	Economy Slim Cord, Red	252-L406
616314-27697	1.85	EA	12	Economy Slim Cord, Gray	252-L407

C. Ergodyne 3200 Skullerz® Cotton Eyewear Lanyard

Cotton Eyewear Lanyard: Soft cotton lanyard keeps your glasses handy. (Eyewear not included)

720476-19152 2.75 EA 24 Black



D. Ergodyne 3215 Skullerz® Cotton Breakaway Eyewear Lanyard

Breakaway Cotton Eyewear Lanyard: Soft cotton lanyard keeps your glasses handy; breakaway connection to prevent entanglement. (Eyewear not included)

720476-19212 3.42 EA 24 Black

E. Ergodyne 3280 Skullerz® Elastic Coil Eyewear Lanyard

Elastic Coil Eyewear Lanyard: Low-profile coil design keeps your specs at the ready. Stretchable nylon/elastic construction with slip-style attachment fits a variety of temple sizes. (Eyewear not included)

720476-19280 2.92 EA 24 Black

F. Ergodyne 3275 Skullerz® Neoprene Eyewear Lanyard

Neoprene Eyewear Lanyard: Lightweight neoprene lanyard stretches over temple ends to fit a wide variety of frame styles. (Eyewear not included)

720476-19402 1.92 EA 24 Black

G. Ergodyne 3216 Skullerz® Microfiber Cleaning Cloth

Microfiber Cleaning Cloth: Keep your favorite pair of Skullerz® specs clean and scratch-free.

720476-19216 1.58 EA 12 Black

H. Ergodyne 3218 Skullerz® Microfiber Cleaning Bag

Microfiber Cleaning Bag: Store and clean your shades.

720476-19218 2.92 EA 12 Black

I. Ergodyne 3222 Skullerz® Zipper Case w/ Clip

Zipper Case w/ Clip: Large nylon case stores your Skullerz® glasses and accessories. Includes 3216 microfiber cleaning cloth.

720476-19222 8.25 EA 12 Black

J. Ergodyne 3225 Skullerz® Ballistic Zipper Case

Ballistic Zipper Case: Rugged ballistic nylon shell protects your eye protection. Includes 3216 microfiber cleaning cloth.

720476-19225 9.08 EA 12 Black

K. 3M™ Protective Eyewear Slip-On Side Shields

Protective eyewear slip-on side shields. Can be used with a variety of different eyewear styles.

078371-62339 2.71 EA 20 Clear



Faceshield Material Selector Guide

Material	Shape	Impact Resistance	Scratch Resistance	Heat Resistance	Optics
Polycarbonate	Molded/Sheet	Best	Better	Best	Best
Propionate	Molded	Limited	Good	Good	Better
Acetate	Sheet	Limited	Best	Better	Best
PETG	Sheet	Limited	Better	Better	Good

Faceshields should only be worn over primary eye protection (spectacles or goggles).

3M

Faceshields

RS Hughes Part Price Per Case Description

L. 3M™ H8A Ratchet Headgear With Clear W96 Propionate or WP96 Polycarbonate Faceshield

Helps protect against splash, spray & light impact. High-strength thermoplastic crown for impact resistance. Adjustable ratchet suspension. Five position crown strap. Meets the requirements of ANSI Z87.1-2003.

078371-82782	24.09	EA	5	Propionate, Light Impact, 82782-00000
078371-82783	24.35	EA	5	Polycarbonate, High Impact, 82783-00000

M. 3M™ Deluxe Ratchet Headgear, H8A

High-strength thermoplastic crown protector provides impact resistance. With adjustable ratchet suspension, this headgear features a unique system that allows faceshield window replacement in seconds and helps provide a precise fit and comfortable head protection. Five position crown strap. Meets the requirements of ANSI Z87.1-2010.

078371-82501	14.53	EA	10
--------------	-------	----	----

N. 3M™ Clear Polycarbonate Replacement Faceshield Window, WP96

Durable, molded general purpose polycarbonate faceshield offers high impact face protection. Protective eyewear should be worn under faceshields at all times and is sold separately. 3M provides reliable head and face protection products that meet regulated performance and safety requirements. 3M™ Easy-Change™ Faceshields mount quickly to 3M headgear systems. Meets the high impact requirements of ANSI Z87.1-2010.

078371-82701	6.77	EA	10
--------------	------	----	----

O. JACKSON SAFETY* The Shield* Goggle

Detachable Monogoggle XTR*. Curved polycarbonate face shield conforms to the shape of face. Lightweight - only weighs 6.4 oz. 99.9% UV protection. Meets the ANSI Z87.1+ standard.

761445-00127	21.83	EA	6	Blue Frame, Clear AF Lens, 18629
--------------	-------	----	---	----------------------------------

P. JACKSON SAFETY* 29051 Model K Headgear

Spark deflector. Soft, absorbent wrap-around foam cushioned sweatband gently hugs the natural shape of the head. Ratchet suspension. Meets the ANSI Z87.1 standard.

604844-10042	8.39	EA	60	Head Gear Only
--------------	------	----	----	----------------



Only \$8.39

h R.S. HUGHES

Head to Toe Protection



A



B




C



D



E



F



G



H



I



J



K

A. JACKSON SAFETY* F10 PETG Face Shields

Low cost option. Environmentally friendly. Recommended applications: manufacturing, flying debris, general splash protection, chemical splash protection, dust protection, landscaping, food processing. Meets ANSI Z87.1 - 2010 standards.

761445-22761 1.68 EA 100 8" X 15.5" X 0.4", Unbound 29104

JACKSON SAFETY* F20 Polycarbonate Face Shields

High impact performance. Good performance against heat. Excellent cold flexibility. Recommended applications: manufacturing, flying debris, cutting or grinding metal (IRVU only), wood cutting, general splash protection, chemical splash protection, dust protection, high impact, high heat applications, landscaping, food processing. Meets ANSI Z78.1 - 2010 standards.

A. 761445-22644 2.32 EA 36 8" x 15.5" x .04", Unbound 30706, Clear
 B. 761445-22667 8.46 EA 12 8" X 15.5" X .04", Unbound 29100, Dk Green

JACKSON SAFETY* F20 Polycarbonate Face Shields

Used in conjunction with protective eyewear, JACKSON SAFETY* Face Shields provide a high degree of on-the-job protection for heat applications, as well as for grinding, flying debris and splash protection, among others. Meets ANSI Z87.1 + 2010 Standards when used with any Jackson Safety* Brand Headgear.

C. 036000-29087 14.98 EA 12 White
 D. 761445-22643 6.98 EA 25 Clear

JACKSON SAFETY* F30 Acetate Face Shields

Ideal for scratch resistance and premium optics. High-grade .040" cast sheet acetate protects against splash. 99.9% UV protection. Meets the ANSI Z87.1 and CSA Z94.3 standard.

E. 29078 6.29 EA 24 8" X 12" X .04", Bound
 F. 024886-05614 8.92 EA 24 9" X 15.5" X .04", Bound 29079

G. JACKSON SAFETY* F50 Polycarbonate Special Face Shield

Used in conjunction with protective eyewear, JACKSON SAFETY* Brand Face Shields provide a high degree of on-the-job protection for heat applications, as well as for grinding, flying debris and splash protection, among others. All JACKSON SAFETY* Brand Face Shields meet ANSI Z87.1 2010 Standards when used with any JACKSON SAFETY* Brand Headgear.

024886-19099 19.02 EA 12 Black IRUV 5.0

H. JACKSON SAFETY* F60 Wire Face Shield - Mesh

Wire mesh face shield. Meets ANSI Z87.1.2010 standards. 40 mesh steel. Apply over a face shield to dissipate heat.

024886-05617 15.34 EA 12 Steel Mesh 29081

I. JACKSON SAFETY* 14948 Model 137 Cap Adapter

Cap coil spring attachment. Easily attaches face shields to most safety caps. Locking device holds face shield securely in the up or down position. Turn button attachment will secure face shield and provide fast attachment for bill forward facing hats.

024886-05286 9.25 EA 12

J. Uvex Bionic Faceshield with Suspension

A revolutionary face shield designed for rugged jobs. Extremely lightweight and highly adjustable for all-day comfort. Perfect for exposure to impact, chemical splash, and airborne debris. Clear polycarbonate visor with black matte shell.

603390-115103 31.00 EA 1 Uncoated S8500
 603390-115110 47.06 EA 1 Anti Fog Hard Coat S8510

K. Uvex Bionic Polycarbonate Visor

Clear, replacement visor for S8500 and S5010 Uvex Bionic Faceshield.

603390-116704 6.76 EA 10 S8550 Uncoated
 603390-116728 24.06 EA 10 S8555 Anti Fog Hard Coat

Speedglas™ 100 ADF



The 100-Series welding helmets are available with either a variable shade ADF (100V) or a single shade ADF (100F). Welders can choose from the 100S-10 with a dark shade of 10 or the 100S-11 with a dark shade of 11.

	100V
Part number	H - L
Dark state	Shade 8-12
Light state	Shade 3
TIG Rating	> 10
Switching speed	0.1 ms
UV/IR Protection	Shade 12 (permanent)
Viewing area (approx.)	1.73 x 3.66 in (44 x 93 mm)
Number of Sensors	2
Battery life (approx.)	1500 hours
Warranty	2 years
Weight (complete assembly in ounces)	Black - 15, with graphics - 16 (same for all three filters)

Speedglas™ ADF Application Guide

	100V	9100
MMAW	Optimized	Optimized
MIG/Mag	Optimized	Optimized
TIG (>10A)	Optimized	Optimized
TIG (1A - 10A)	Not Recommended	Not Recommended
Plasma (Welding and Cutting)	Not Recommended	Not Recommended
Risk for Hidden Arc	Not Recommended	Not Recommended
Tack Welding	Suitable	Suitable
Grinding	Optimized	Optimized

■ Optimized
 ■ Suitable
 ■ Not Recommended

ANSI Z87.1 Welding Helmet Requirements

Specifies testing requirements for welding shade filters and helmets.

- Must meet both impact requirements and transmittance requirements for welding filters.
- Switching index defined for Auto Darkening Filters (ADF).

Requires use of safety glasses in combination with all welding helmets. ANSI approved welding helmets and filters are required by OSHA.



RS Hughes Part Price Per Case Description

L. 3M™ Speedglas™ Welding Helmet 100V with Auto-Darkening Filter, Selectable Shades 8-12

The Speedglas 100 Series Welding Helmets with Auto-Darkening Filter 100V are good for Stick, MIG and most TIG welding processes. They have user selectable dark shades 8 through 12 and a viewing area of 6.05 sq.in. They also have three user-selectable sensitivity levels for reliable arc detection and excellent optical quality. The ADF is a shade 3 in the light state.

051131-49529 210.09 EA 1 Black

M. 3M™ Speedglas™ Quick Release Welding Helmet

Hard hat and welding helmet system that allows welding helmet to nest over hard hat when raised. In addition, can easily detach welding helmet while hard hat remains in place for non-welding tasks.

051141-56359 439.89 EA 1 06-0100-10QR
 051141-56360 485.23 EA 1 06-0100-20QR
 051141-56361 575.39 EA 1 06-0100-30QR
 051141-56362 278.56 EA 1 07-0012-31BL-QR



Head to Toe Protection

Speedglas™ 9100 ADF



The Speedglas™ 9100 filters come in three different sizes (9100V, 9100X, 9100XX). The 9100XX is 30% larger than any other Speedglas™ welding filter. All three feature a built-in mag plate holder, and seven user selectable dark shades, with the option to lock-in your shade for torch and plasma cutting. A tack welding comfort mode helps reduce eye fatigue during tacking applications.

	9100V	9100X	9100XX
Part number	C	B	A
Viewing area (approx.)	1.8 x 3.7 inch (44 X 93 mm)	2.1 x 4.2 inch (54 x 107 cm)	2.8 x 4.2 inch (73 x 107 mm)
Battery life (approx.)	2,800 hrs	2,500 hrs	2,000 hrs
Dark state	Shades 5, 8, 9 – 13		
Light state	Shade 3		
Switching speed	0.1 ms		
TIG Rating	> 1 Amp		
Number of Sensors	3		
Cheater Adapter	Built in		
Warranty	2 years		
Weight (complete assembly in ounces)	18.0 (18.9 with SideWindows)	18.3 (19.2 with SideWindows)	19.2 (20.1 with SideWindows)



A

ANSI Z49.1 Shade Recommendations

Process	Arc Current (amperes)	Minimum Prot. Shade	Suggested Shade
Shielded Metal Arc Welding (SMAW)	Less than 60	7	•
	60–160	8	10
	160–250	10	12
	250–550	11	14
Gas Metal Arc Welding (GMAW) & Flux Cored Arc Welding (FCAW)	Less than 60	7	•
	60–160	10	11
	160–250	10	12
Gas Tungsten Arc Welding (GTAW)	250–550	10	14
	Less than 50	8	10
	50–100	8	12
	150–500	10	14



C



B



RS Hughes Part Price Per Case Description

3M™ Speedglas™ Helmet 9100 with Auto Darkening Filter, Shades 5, 8-13

The Speedglas welding helmet 9100 with sidewindows, filter shades 8-13, sensitivity adjustment allows use with all Stick, MIG and TIG processes, also has grinding and torch modes. New headgear makes this helmet extremely comfortable and versatile.

A. 051135-89387	511.61	EA	1	9100XX, 12.11sq in. viewing area
B. 051135-89356	416.00	EA	1	9100X, 9.12 sq in. viewing area
C. 051135-89354	320.36	EA	1	9100V, 6.05 sq in. viewing area

Speedglas™ 9100 Head Suspension

The innovative 9100 suspension conforms to your head to help increase stability, improve weight distribution and significantly reduce pressure on the most vulnerable areas. Less pressure on your head means optimal comfort that lasts all day long.

Back of headband is self-adjusting and swivels to fit different head shapes

Smooth ratchet mechanism lets you manually tighten the helmet to your personal preference



Unique 2-strap crown adjustment for increased stability and reduced pressure on the top of the head

Four settings let you determine the distance between your face and the helmet for optimum viewing

Speedglas™ 9100 FX



The 9100 FX includes an innovative wide-view grinding visor to give welders an all-in-one solution for more flexibility and precision. The exceptionally clear and large (8" x 4.25") visor offers a greater field of view in all directions, while a smooth flip-up pivot mechanism assures effortless transition from welding to grinding modes. The 9100 FX comes standard with Shade 5 SideWindows and a top-of-head head spark and spatter cover.

9100 FX with 9100V ADF	051131-49671
9100 FX with 9100X ADF	051131-49673



RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

D. 3M™ Speedglas™ Welding Helmet 9100 FX with Side Windows Auto-Darkening Filter Shade 5, 8-13

The 3M™ Speedglas™ Welding Helmet 9100 FX features a flip-up dark shade 5, 8-13 auto-darkening filter assembly, shade 5 SideWindows and a clear 8 in x 4.25 in (200 mm x 110 mm) faceshield. For Stick, MIG and TIG processes, grinding and torch cutting. Innovative wide-view grinding visor to give welders an all-in-one solution for more flexibility, precision, and efficiency. The exceptionally clear, wide grinding visor offers a greater field of view in all directions, while a smooth flip-up pivot mechanism assures effortless transition from welding to grinding modes. New front air exhaust vents help reduce fogging, and highly adjustable suspension and well-balanced design enhance the well known Speedglas top performance and comfort qualities.

051131-49671	525.29	EA	1	9100FV
051131-49673	611.90	EA	1	9100FX
051131-49675	677.11	EA	1	9100XX



E. JACKSON SAFETY* Welding Helmet

Fixed Shade 10 or variable shade 9-13 with sensitivity and delay adjustments. Two independent sensors. Solar powered. Always on and ready to weld. Meets the ANSI Z87.1 and CSA standard. JACKSON SAFETY*ADF helmets carry a two-year performance guarantee.

711382-03799	123.93	EA	4	Variable shade 9-13, 23282
--------------	--------	----	---	----------------------------



Head to Toe Protection

#1 Best Seller!



A

Welding Helmets

RS Hughes Part Price Per Case Description

A. JACKSON SAFETY* 14988 HSL 100 Black with Professional Variable ADF

Variable sensitivity and delay adjustments. Two independent sensors. Two AAA batteries (included). Intellisense* technology allows unit to detect welds less than 5 amps. Meets the ANSI Z87.1 and CSA standards. JACKSON SAFETY*ADF helmets carry a two-year performance guarantee.

024886-19121 274.36 EA 4



Jackson Safety WH40 Variable Auto-Darkening Filter

Part No.	4071	Lens Power Control	Auto On/Auto Off	Tig Rating	<5 Amps
Shade	Variable Shade #9-#13	Grind Mode	Yes	Power Supply	Replaceable Lithium Batteries
Light Shade	4	Torch Mode	No	Weight of Helmet	24 oz
Cartridge Size (in.)	5.25 x 4.5	Sensitivity	Yes	Lens Kit	41589
Viewing Field (in.)	3.94 x 2.36	Delay	Yes	Headgear	20696
Typical Switching Speed	1/10,000	Arc Sensors	4	Warranty	2 Year

These illustrations demonstrate the distinct difference in ADFs from shade 9 through 13



Clear State



Shade 9



Shade 10



Shade 11



Shade 12



Shade 13



B



C



D



E



F

RS Hughes Part Price Per Case Description

JACKSON SAFETY* W40 INSIGHT Variable ADF Welding Helmet


W40 SERIES Auto-Darkening Filters: Enables welders to adapt to the vast working environments with the ability to control the shade of the lens and adjustments for sensitivity from ambient lighting sources.

B.	036000-40710	167.80	EA	2	HSL-100, Black
C.	036000-40711	192.97	EA	2	Arc Angel, Silver
D.	036000-40713	167.80	EA	2	HaloX Black
E.	036000-40714	192.97	EA	2	12, Red
F.	036000-40709	142.63	EA	6	Cartridge



WH70 BH3 Helmet with Balder Technology

The WH70 BH3* Helmet with BALDER* Technology has achieved the highest rating for optical quality and the best classification for "angular dependence." That means it gives the welder the flexibility to see clearly at many different angles. Jackson Safety* ADF Welding Helmets with Balder* Technology give you: A clear view from various angles which reduce eye fatigue, the need to move, adjust and refocus, and superior optical quality that allows you to do your best work.



RS Hughes Part Price Per Case Description

G. JACKSON SAFETY* WH70 BH3* Helmet with BALDER* Technology



W70 SERIES - Setting a new standard in performance, this advanced ADF has earned the best Optical Classification, only achieved with BALDER* Technology. So good it comes with a 5-year warranty. Superior angle of view Enhanced visibility and color recognition Variable shade (9-13), adjustable sensitivity and opening time delays Curved front cover plate offers reduced heat build-up, reflections and fogging than the HSL-100 Aerodynamic shell designed for better fume deflection than the HSL-100 Smooth, rounded perimeter for increased comfort Quick and easy replacement of safety plates Lightweight Auto-On ADF is always ready to weld Meets ANSI Z87.1 High Impact 2010 standard CE Certified DIN Plus Certified

036000-37191 521.86 EA 2 Black



G

Hard Hats

RS Hughes Part Price Per Case Description

Brady Sign - DANGER HARD HAT REQUIRED IN THIS AREA (W/ PICTO)

10" H x 14" W, Plastic, B-401

H. 754476-26557 12.99 EA 1



H

JACKSON SAFETY* 14833, 14834, 14838 SC-6 Head Protection, 4 pt ratchet suspension

Smooth dome design. Lightweight - only 12.9 oz. Molded from dielectric High Density Polyethylene (HDPE). Impact absorbing design with accessory slots for attaching additional protection options. Deep nape strap and absorbent cloth sweatband for comfortable fit.

I. 024886-04628 14.90 EA 12 Yellow

J. 024886-04629 14.90 EA 12 White

K. 024886-04631 14.90 EA 12 Blue



I



J



K



L

JACKSON SAFETY* Hard Hat Interchange System

No matter the task at hand, the Hard Hat Interchange System keeps your head covered and your eyes protected. One button action for quick release, even with gloves on. Vertical lock-in eliminates helmet/face shield creep. Audible click - know your PPE is assembled correctly without visual inspection. Keep your hard hat ANSI Z89.1 class E rated with dielectric Hard Hat Interchange System. Accommodates all JACKSON SAFETY* face shields; HSL Series hoods, HaloX hoods & NITRO* hoods

L. 036000-38425 24.66 EA 6 Interchange Face Shield System

M. 036000-39477 36.47 EA 6 Hard hat Interchange System



M



A



B

C

D

E

F



G



H

I

J

3M™ recommends the wearer replace the hard hat suspension at least every 12 months and the hard hat shell every two to five years depending on the work environment.



K



L

M

O

ANSI/ISEA Z89.1-2009

Overview: Establishes the minimum performance requirements for protective helmets that reduce the forces of impact and penetration and that may provide protection from electrical shock.

Impact Type: – **Type I:** Intended to reduce force of impact from blow to top of the head. **Type II:** Intended to reduce force of impact from blow to top or sides of the head

Electrical Classes: – **Class C** (Conductive) Not intended to provide protection against contact with electrical hazards. **Class G** (General) Reduce the danger of contact with low voltage conductors, Proof-tested at 2,200 volts. **Class E** (Electrical) Reduce the danger of contact with higher voltage conductors, Proof-tested at 20,000 volts

RS Hughes Part Price Per Case Description

3M™ H-700 Series Hard Hat, 4-pt. Ratchet Suspension

Protective hard hat with comfortable 4-point ratchet suspension and standard brow pad. Available in several colors. Meets requirements of ANSI/ISEA Z89.1-2009 Type I, Class C, G and E.

A.	078371-64197	10.57	EA	20	H-701R	White
B.	078371-64198	10.57	EA	20	H-702R	Yellow
C.	078371-64199	10.57	EA	20	H-703R	Blue
D.	078371-64200	10.57	EA	20	H-704R	Green
E.	078371-64201	10.57	EA	20	H-705R	Red
F.	078371-64203	10.57	EA	20	H-707R	Bright Orange

3M™ Hard Hat Vented 4-Point Ratchet Suspension

Protective hard hat with vents and comfortable 4-point ratchet suspension and standard brow pad. Available in several colors. Meets requirements of ANSI/ISEA Z89.1-2009 Type I, Class C.

G.	078371-64207	11.31	EA	20	H-701V	White
H.	078371-64208	11.31	EA	20	H-702V	Yellow
I.	078371-64209	11.31	EA	20	H-703V	Blue
J.	078371-64210	11.31	EA	20	H-704V	Green

Uvicator Sensor Shows Hard Hat Status



3M™ Hard Hat with UVicator Vented 4-Point Ratchet Suspension

The H-700 Series Hard Hat helps deliver lightweight protection and durability for extended comfort. With the Uvicator sensor, workers have an easy way to monitor their hard hat exposure to the sun, so they will know when it's time for a replacement. These hard hats feature a low-profile design for stability and balance and include accessory slots for 3M's cap-mounted earmuffs, headgear, faceshields and welding helmets. The Non-Vented hat meets the requirement of ANSI/ISEA Z89.1-2009 Type I, Class C, G and E. The Vented Hard Hat meets the requirements of ANSI/ISEA Z89.1 Type I, Class C.

K.	078371-65556	13.77	EA	20	H-702V-UV Vented, Yellow
L.	078371-65555	13.77	EA	20	H-701V-UV Vented, White
M.	078371-65557	13.77	EA	20	H-703V-UV Vented, Blue
O.	078371-65558	13.77	EA	20	H-704V-UV Vented, Green



RS Hughes Part Price Per Case Description

P. 3M™ H-700 Series Replacement 4-pt. Ratchet Suspension

Comfortable, 4-point ratchet suspension with height adjustment

078371-64211	7.29	EA	20	H-700-RS4	Black
--------------	------	----	----	-----------	-------

3M™ H-800 Series Full Brim Hard Hat, 4-Point Ratchet Suspension with Uvicator

Protective full brim hard hat with comfortable 4-point ratchet suspension, standard brow pad and Uvicator™ Sensor. Available in several colors. Custom imprinting available. Meets requirements of ANSI/ISEA Z89.1-2009 Type 1, Class C, G and E.

Q. 078371-65799	17.70	EA	20	H-803R-UV	Blue
078371-65804	17.70	EA	20	H-808R-UV	Gray
078371-65800	17.70	EA	20	H-804R-UV	Green
078371-65805	17.70	EA	20	H-809R-UV	Hi-Vis Yellow
078371-65806	17.70	EA	20	H-810R-UV	Navy Blue
078371-65801	17.70	EA	20	H-805R-UV	Red
078371-65802	17.70	EA	20	H-806R-UV	Orange
078371-65803	17.70	EA	20	H-807R-UV	Hi-Vis Orange
R. 078371-65807	17.70	EA	20	H-811R-UV	Tan
S. 078371-65797	17.70	EA	20	H-801R-UV	White
T. 078371-65798	17.70	EA	20	H-802R-UV	Yellow

U. 3M™ H-800 Series Full Brim Hard Hat, 4-Point Ratchet Suspension, Vented

Protective full brim hard hat with vents and comfortable 4-point ratchet suspension and standard brow pad. Available in several colors. Custom imprinting available. Meets requirements of ANSI/ISEA Z89.1-2009 Type 1, Class C.

078371-65788	15.98	EA	20	H-803V	Blue
078371-65793	15.98	EA	20	H-808V	Gray
078371-65789	15.98	EA	20	H-804V	Green
078371-65794	15.98	EA	20	H-809V	Hi-Vis Yellow
078371-65795	15.98	EA	20	H-810V	Navy Blue
078371-65791	15.98	EA	20	H-806V	Orange
078371-65792	15.98	EA	20	H-807V	Hi-Vis Orange
078371-65790	15.98	EA	20	H-805V	Red
078371-65796	15.98	EA	20	H-811V	Tan
078371-65786	15.98	EA	20	H-801V	White
078371-65787	15.98	EA	20	H-802V	Yellow

3M™ Integrated Protective Eyewear

The new 3M™ HIE6 Protective Eyewear is integrated directly into the ratchet and pinlock suspension systems of the 3M™ H-700 and 3M™ H-800 Series of hard hats, nearly eliminating the weight of the eyewear on the nose and temples. This stable form of eyewear is easy to adjust and retracts neatly between the hard hat shell and suspension when not in use. An anti-fog coating helps prevent moisture from building up on the lens. For simplified eye protection when also wearing a hard hat, consider the HIE6 Integrated Protective Eyewear from 3M. Meets ANSI Z89.1 - 2010.

V. 078371-66743	9.99	EA	20	HIE601AF	Clear AF Lens
W. 078371-66744	9.99	EA	20	HIE602AF	Amber AF Lens
X. 078371-66745	9.99	EA	20	HIE603AF	Gray AF Lens

P



Q



R



S



T



U



V



W



X



3M™ HIE6 Protective Eyewear

For simplified eye protection when also wearing a hard hat.

Attached directly to hard hat suspension

Retracts between hard hat suspension and shell, helping to protect the lens when not in use

Stable, stays in place



Easy to maneuver and adjust for closeness and height

Comfort: no temples, minimal weight on nose bridge

Anti-fog lens



Hard Hat Customization Program

Here's how the process works:

- Minimum order of 2 cases of the same style and color. All orders must be in case quantity multiples only.
- 4 separate locations available per hat/cap: front, back, left side, right side.
- Vector artwork is required in .EPS, .PDF or .AI format. One measurement at least 5" with a resolution of 600 DPI is acceptable (3000 pixels x 3000 pixels). Anything less will incur additional fees.

Colors Available	
Red	Orange
Yellow	Gray
Blue	Hi-Viz Yellow
Green	Navy Blue
White	Hi-Viz Orange



A



B



C



D

RS Hughes Part Price Per Case Description

A. 3M™ H-800 Series Full Brim Hard Hat, 4-Point Ratchet Suspension, Vented with Uvicator

Protective full brim hard hat with vents, comfortable 4-point ratchet suspension, standard brow pad and Uvicator™ Sensor. Available in several colors. Custom imprinting available. Meets requirements of ANSI/ISEA Z89.1-2009 Type 1, Class C

078371-65810	18.44	EA	20	H-803V-UV	Blue
078371-65815	18.44	EA	20	H-808V-UV	Gray
078371-65811	18.44	EA	20	H-804V-UV	Green
078371-65816	18.44	EA	20	H-809V-UV	Hi-Vis Yellow
078371-65817	18.44	EA	20	H-810V-UV	Navy Blue
078371-65813	18.44	EA	20	H-806V-UV	Orange
078371-65814	18.44	EA	20	H-807V-UV	Hi-Vis Orange
078371-65812	18.44	EA	20	H-805V-UV	Red
078371-65818	18.44	EA	20	H-811V-UV	Tan
078371-65808	18.44	EA	20	H-801V-UV	White
078371-65809	18.44	EA	20	H-802V-UV	Yellow

B. 3M™ H-800 Series Full Brim Hard Hat, 4-Point Ratchet Suspension

Protective full brim hard hat with comfortable 4-point ratchet suspension and standard brow pad. Available in several colors. Custom imprinting available. Meets requirements of ANSI/ISEA Z89.1-2009 Type 1, Class C, G and E.

078371-65777	15.25	EA	20	H-803R	Blue
078371-65782	15.25	EA	20	H-808R	Gray
078371-65778	15.25	EA	20	H-804R	Green
078371-65783	15.25	EA	20	H-809R	Hi-Vis Yellow
078371-65784	15.25	EA	20	H-810R	Navy Blue
078371-65779	15.25	EA	20	H-805R	Red
078371-65780	15.25	EA	20	H-806R	Orange
078371-65781	15.25	EA	20	H-807R	Hi-Vis Orange
078371-65785	15.25	EA	20	H-811R	Tan
078371-65775	15.25	EA	20	H-801R	White
078371-65776	15.25	EA	20	H-802R	Yellow

C. Ergodyne 6609 Hard Hat Snap Sweatband Chill-Its Absorptive

Terry Sweatband: Economical way for hard hat wearers to manage moisture. Keeps sweat out of eyes. Absorbent Terrycloth Sweatband. Fits most hard hat suspension systems. Machine washable. 100% Cotton.

720476-12440	2.33	EA	24
--------------	------	----	----

D. PIP Evolution® Hard Hat, Orange

The Evolution® 6100 Hard Hats are the latest edition to the head protection line from JSP®. Traditional styling has been enhanced with five raised channels running across the top of the helmet which not only modernizes the aesthetic look, but also strengthens the helmet. Packed ready-to-wear with no installation of the suspension required. Unique "3D Adjustment" provides a precise fit using harness depth settings unlike any other hard hat on the US market today. 6-Point polyethylene suspension system offers unrivaled comfort without compromising performance. Meets ANSI/ISEA Z89.1-2009, Type 1, Class E requirements.

038428-13660	6.09	EA	20	280-EV6121
--------------	------	----	----	------------

Hard Hats

RS Hughes Part Price Per Case Description

E. PIP EVOLite® Skyworker™ Helmet

Designed with a shell structure and suspension system that makes it ideal for industrial, mountaineering & rescue. Strong ABS plastic shell is lightweight and comfortable and protective, expanded Polystyrene (EPS) Impact Liner helps absorb the forces of front, side or rear impacts. 6-Point suspension system with polyester textile straps offers unrivaled comfort. Revolution Wheel Ratchet is easy to use and has a deep nape strap which enables a firm helmet fit. Unique "3D Adjustment" provides a precise fit using harness depth settings. Side and rear ventilation increases air circulation, keeping the head cool and comfortable. Includes a 4-point cross-over chin strap with quick release buckle (adjustable for a safe & secure fit). Chamlon™ sweatband with porous PU coating for maximum sweat absorption. Short brim for greater visibility when looking up or in confined spaces. Meets ANSI/ISEA Z89.1-2014, Type I, Class C requirements as well as EN 12492 Mountaineering standard.

503842-178983 112.07 EA 10 280-AJS260-10



E

Bump Caps

F. JACKSON SAFETY* BC100 Bump Cap

Protection from minor bumps where ANSI standards are not required. Lightweight for comfort. Molded from High Density Polyethylene (HDPE). 4 pt.-injection molded suspension. Pinlock sizing from head sizes 6 1/2 to 8 1/4.

024886-04588	5.34	EA	12	14811	White
024886-04587	5.34	EA	12	14809	Yellow
024886-04589	5.34	EA	12	14812	Green
024886-04592	5.34	EA	12	14815	Red

F



G. PIP Hardcap A1+ Bump Cap Low-Profile Baseball Style

Inner HDPE liner, Non-ANSI, two-tone cap colors with reflective piping, standard brim. Inner High-Density Polyethylene (HDPE) liner with foam cushioning offers all round protection; Size adjustment with elastic strap and clamp action buckle ensures a secure fit; Holes in the liner plus mesh panels in the cap mean added ventilation for coolness and comfort; The protective liner is removable, so the outer cap is fully washable; Terry cloth sweatband adds comfort and absorption for the wearer. Designed as a safeguard against accidental bumping or scraping of the head. Ideal in areas where hard hats are not required.

038428-04970	18.52	EA	20	282-ABR170	Navy/Navy
038428-04971	18.52	EA	20	282-ABR170	Black/Black



G



H. PIP Baseball Style Bump Cap - Short Brim

HardCap A1+® Bump Cap, low-profile baseball style, inner HDPE liner, Non-ANSI, reflective piping, micro 1" brim. Inner High-Density Polyethylene (HDPE) liner with foam cushioning offers all round protection; Size adjustment with elastic strap and clamp action buckle ensures a secure fit; Holes in the liner plus mesh panels in the cap mean added ventilation for coolness and comfort; The protective liner is removable, so the outer cap is fully washable; Reduced brim for better vision when looking up; Terry cloth sweatband adds comfort and absorption for the wearer. Designed as a safeguard against accidental bumping or scraping of the head. Ideal in areas where hard hats are not required.

038428-05503	18.52	EA	20	282-ABS150	Navy/Navy
038428-05504	18.52	EA	20	282-ABS150	Black/Black

H



Passive Hearing Protector Options

Disposable Foam Ear Plugs are shaped prior to product insertion. The more popular variety is made of slow recovery foam.

No-Roll Down Foam Plugs offer the no-roll down convenience of premolded earplugs with exceptional comfort of a foam plug.

Premolded Reusable Plugs offer the no-roll down convenience of premolded earplugs with exceptional comfort of a foam plug.

Earmuffs have rigid cuffs with soft plastic cushions that seal around the ears to block noise. For very loud noises, wear earmuffs and ear plugs for additional protection.

Banded/Semi-Inserts also called canal caps consist of pods or flexible tips on a lightweight headband. They are quick to put on and take off and easy to store around the neck, making them ideal for intermittent use.



Common Noise Levels*

Home Scale Decibels (dBA)*

12-Gauge Shotgun	160
Basketball Game Crowd Noise	120
Chainsaw	110
Rock Concert	105
Motorcycle	100
Lawn Mower	90
Vacuum Cleaner	80
Mid-Sized Auto Interior	70
Conversation	60
Floor Fan	50
Refrigerator Hum	40
Rustling Leaves	30
Watch Ticking	20

Work Scale Decibels (dBA)*

Jet Takeoff	140
Jackhammer	135
Pneumatic Riveter	124
Hammer Drill	114
Tractor / Hand Drill	97
Belt Sander	93
City Traffic	78
Air Conditioning Unit	60
Electrical Transformer	45

*As reported by Centers for Disease Control and Prevention: www.cdc.gov/noise/topics/noise/noisemeter.html
Other sources include: <http://e-a-4.com/hearingconservation/bag-main.htm>,
<http://www.cdc.gov/noise/topics/noise/hair-carpenters.html>,
<http://www.nidcd.nih.gov/health/statistics/Pages/quick.aspx>



Spray Sox and Sweatbands

RS Hughes Part	Price	Per Case	Description
----------------	-------	----------	-------------

A. Gerson 070295

Gerson Non Linting Spray Sock 070295 1/Bag 144 Bags/Case

Gerson 070295	2.00	BG	144
---------------	------	----	-----



B. Occunomix Traditional Sweatband, Regular

Just dip in cold water, squeeze out and wear.

021844-56941	46.00	PK	1	100 Pack	SBR100
021844-56942	11.50	PK	1	25 Pack	SBR25

Occunomix Snap-On Hard Hat Sweatband

#1 Selling terry sweatband, Easily attaches to hard hat suspension with snaps.

C. 021844-56834	2.30	EA	20	Navy	870-01
D. 870 B20 BEIGE	2.30	EA	20	Beige	870





E



F



G



H



Noise Detection Solutions and Fit Testing

RS Hughes Part Price Per Case Description

Brady Sign - CAUTION HEARING PROTECTION REQUIRED IN THIS AREA (W/PICTO)

10" H x 14" W, Plastic, B-401

E. 754476-26570	12.99	EA	1
F. 754476-45072	12.99	EA	1



G. 3M™ Noise Indicator NI-100, Hearing Conservation

A Popular Science "Best of What's New" in 2011, Noise Indicator NI-100 is designed to alert users to hazardous noise levels. It clips to clothing and uses a LED light to offer real-time noise detection, signaling when hearing protection may be required.



051131-17453	43.73	EA	10
--------------	-------	----	----

H. 3M™ Sound Detector SD-200

Compact, lightweight sound level meter designed for measurement of workplace noise levels. Its intuitive design makes it easy for users to measure sound levels and determine the degree of hearing protection that may be required. Plus, it offers an integrating feature that computes the average sound pressure level allowing for more accurate assessment of intermittent sound levels. Includes: SD-200 Sound Detector Kit, USB Cable, Windscreen.


051131-49632	362.53	EA	1	Gray
--------------	--------	----	---	------

I. 3M™ E-A-RFit™ Validation System, 393-1000

3M™ E-A-RFit™ Validation System is objective fit-testing system to validate the fit of 3M™ earplugs. Provides a Personal Attenuation Rating (PAR) for each worker. Objective test takes only 10 seconds per ear for 7 standard frequencies. Test results are documented for each subject and can be printed or saved electronically for future reference. Free online training and user support. Requires probed test plugs. Includes Software, Speaker And Impact Resistant Carrying Case.

080529-19023	3,147.54	CA	1
--------------	----------	----	---

3M™ E-A-RFit™ Validation System



It Takes Less Than 10 Seconds Per Ear and 3 Simple Steps to Combat NIHL.

Don't put your workers at risk by relying solely on lab-based noise reduction ratings (NRR)*

Get a personalized attenuation rating (PAR) for each worker. Once a subject is fitted, it takes less than 10 seconds per ear to test 7 standard frequencies. Just self-fit earplugs, connect to the microphone, and run the test.



Workers fit earplugs themselves.

ADVANTAGE: Reflects an individual's fitting methods and indicates if additional training is necessary.



Unique dual-element microphone measures the noise reduction of each earplug as worn by the worker across the wide range of industrial noise frequencies.

ADVANTAGE: Objectively tests 7 frequencies (125 Hz - 8 KHz) in under 10 seconds per ear, so you don't rely on subjective test responses.

Patented system and proprietary algorithms quickly analyze real-ear data to provide Personal Attenuation Rating (PAR) and fit variability.

ADVANTAGE: PARs can assist in determining if the level of hearing protection your workers are getting is appropriate to their work environment.




Documented Results. Easy-to-understand test results are documented for each test subject, both in print and electronic formats, for future reference.


Hearing Protection Tips

For more info see OSHA CFR 29 1910.95

Employers are required to implement an "effective hearing conservation program" whenever employee noise exposure levels equal or exceed an 8-hour time-weighted average sound level (TWA) of 85 dB. As part of the conservation program, sound levels must be monitored and documented, and noise-exposed employees must receive annual training and audiometric testing, and be "fitted with hearing protectors, trained in their use and care, and required to use them."



A



B

C

RS Hughes Part Price Per Case Description

A. Brady Large Capacity Ear Plug Dispenser

Visually striking green glow front pocket draws attention to earplugs. Dispenser features a removable inner slanted shelf to direct plugs toward pocket (shelf can be removed for greater storage capacity). Comfortably holds a standard box of 200 disposable ear plugs and can be wall or table mounted. Dispenser size is 13"H x 12"W x 8"D.

754476-45790 95.99 EA 1



3M™ Foam Ear Plug 1100

Soft, comfortable ear plugs that conform to the unique shape of each ear for excellent hearing protection and comfort. Tapered to comfortably fit the ear canal. Recommended for moderate to high noise (up to 100dBA TWA). Noise Reduction Rating (NRR) 29 dB.

B. 051138-29008 19.25 BX 5 NRR 29DB, Uncorded, 200/Box
C. 051138-29009 19.25 BX 5 NRR 29DB Corded, 100/Box



3M™ E-A-R™ Classic™ Earplugs 200/Box

3M™ E-A-R™ Classic™ earplugs set the standard in hearing protection as the world's first foam earplugs. Constructed from slow-recovery foam, these low-pressure earplugs are uniquely moisture-resistant, non-irritating and non-flammable.

D. 080529-90000 26.56 BX 10 NRR 29DB, Value Pack, Uncorded, 390-1000
E. 080529-10000 28.00 BX 10 NRR 29DB, Pillow Pak, Uncorded, 310-1001, Regular Size
E. 080529-10051 34.20 BX 10 NRR 33DB, Pillow Pak, Uncorded, 310-1101, Plus Size
F. 080529-11001 54.00 BX 10 NRR 29DB, Polybag, Corded, 311-1101

3M™ E-A-Rsoft™ Yellow Neons™ Earplugs, Regular Size 200 Pair/Box

Regular size fits most ear canals. Shaped, self-adjusting foam provides a comfortable, low-pressure seal. Non-irritating foam plugs are easy to roll down and insert, then expand within the ear canal for maximum comfort. NRR 33dB.

G. 080529-12063 22.00 BX 10 NRR 33DB, Uncorded, 312-1250
G. 080529-10065 23.97 BX 10 NRR 33DB, Pillow Pak, Uncorded, 310-1250
H. 080529-11033 44.00 BX 10 NRR 33DB, Corded, 311-1250



Special Buy \$22.00 per box



RS Hughes Part Price Per Case Description

3M™ E-A-Rsoft™ Yellow Neon Blasts™ Earplugs, Regular Size 200 Pair/Box

Regular size fits most ear canals. Soft, self-adjusting foam provides a low-pressure seal for excellent attenuation. Brightly colored earplugs are preferred by most workers and easy to spot in compliance checks. NRR 33dB.

- I. 080529-11035 53.57 BX 10 NRR 33DB, Corded, 311-1252
- J. 080529-12065 26.59 BX 10 NRR 33DB, Uncorded, 312-1252



I

NRR 33

J

3M™ E-A-Rsoft™ FX™ Hearing Conservation in Poly Bag 200/Box

3M™ E-A-Rsoft™ FX™ earplugs feature a bell shape and super-soft, slow-recovery foam to effectively seal the ear canal and provide reliable hearing protection

- K. 080529-12085 53.38 BX 10 NRR 33DB, Polybag, Corded, 312-1260
- L. 080529-12086 26.89 BX 10 NRR 33DB, Polybag, Uncorded, 312-1261

K

NRR 33

L




Howard Leight Max® Single-Use Earplugs

Workers who need to block out loud noise demand the best protection and comfort available in an earplug. That's where MAX comes in. The world's most popular polyurethane foam earplug, MAX offers superior noise-blocking performance in a single-use earplug. MAX's enhanced contoured shape is easier to insert and resists backing out of the ear canal, while its softer foam delivers superior long-wearing comfort - delivering solid performance that your workers can depend on. NRR 33 dB.

- M. 033552-000037 37.00 BX 10 MAX-1, Uncorded 200/Bx
- N. 033552-000051 34.15 BX 10 MAX-30, Corded 100/Bx

This smaller version of the flagship Howard Leight MAX® earplug is 20% smaller, ideal for smaller ear canals. Bell shape delivers maximum in-ear comfort. Contoured design is easier to insert, resists tendency to back-out of ear canal. Polyurethane foam enhances comfort, especially for long-term wear. Smooth, soil-resistant closed cell-foam skin prevents dirt build-up.

- M. 033552-019039 36.10 BX 10 MAX-1S, Uncorded 200/Bx
- N. 033552-019046 34.15 BX 10 MAX-30S, Corded 100/Bx



M

NRR 33

N

Howard Leight Max Lite® Single-Use Earplugs

Ideal for workers with smaller ear canals, Max Lite's low-pressure polyurethane foam expands gently inside the ear canal for comfortable long-term wear, while its contoured T-shape delivers ease of handling. NRR 30 dB.

- O. 033552-002901 29.55 BX 10 LPF-1, Uncorded 200/Bx
- P. 033552-003182 29.05 BX 10 LPF-30, Corded 100/Bx

Bulk refill for Leight® Source 500 Dispenser. 500 pairs of MAX-1 uncorded disposable earplugs per box.

- Q. 033552-003717 81.35 BX 4 MAX-1-D, Uncorded 500/Bx
- R. 033552-002949 69.18 BX 4 LPF-1-D, Uncorded 500/Bx



NRR 30

O

P

Howard Leight Laser Lite® Single-Use Earplugs

Low-pressure polyurethane foam expands gently inside the ear canal for comfortable long-term wear, while its contoured T-shape delivers easy handling. Its high-visibility magenta and yellow colors make compliance checks quick and easy. Plus, Laser Lite is available with special packaging and dispenser options, ideal for process industries with low tolerances for packaging waste. NRR 32 dB.

- S. 033552-002031 29.79 BX 10 LL-1, Uncorded 200/Bx
- T. 033552-002215 28.83 BX 10 LL-30, Corded 100/Bx

Bulk refill for Leight® Source 500 Dispenser. 500 pairs of LL-1 uncorded disposable earplugs per box.

- U. 033552-002079 69.18 BX 4 LL-1-D, Uncorded 500/Bx



NRR 30

Q

R

3M™ E-A-R™ TaperFit™ 2 Regular Earplugs 200 Pair

TaperFit 2 Regular fits most ear canals and provides excellent attenuation. Soft, roll-down foam earplugs expand to fit the ear canal and provide a low-pressure, comfortable seal. Non-irritating, safe polyurethane foam. NRR 32dB.

- V. 080529-12013 30.49 BX 10 NRR 32DB, Polybag, Uncorded, 312-1219



NRR 32

T

S



NRR 32

U

V

Personal Protection

Ear Plugs, Ear Plug Dispensers

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change



NRR 28

NRR 30



NRR 29

NRR 33

NRR 29



J. 3M™ E-A-R™ One Touch™ Earplug Dispenser

Patented "No Waste Funnel" system allows reuse of both the base and refill bottle. Holds a range of earplug refill bottles. Dispenser is FREE with purchase of One Touch™ Refill Ear Plugs.

080529-91000 31.38 EA 1

K. JACKSON SAFETY* H10 Disposable Earplugs Dispenser

Wall-mountable and desktop-ready. Easy, flip open for quick refill. Clear globe helps to indicate when to refill.

036000-25709 22.53 EA 1



L. Howard Leight® Source 500 Dispenser

The Leight® Source 500 earplug dispenser provides a highly visible, user-friendly, permanent hearing protection center. Built with heavy-duty anodized aluminum and designed for wall installation, the Leight Source 500 dispenses earplugs with a simple turn of the handle, providing a hygienic and economical source for earplugs. The Leight® Source 500 is ideal for large factories and process industries that have zero tolerance for packaging waste.

033552-003342 190.98 EA 1 LS-500

RS Hughes Part Price Per Case Description

A. 3M™ E-A-R™ Push-Ins™ with Grip Rings Earplugs, Hearing Conservation 200 Pair

3M™ E-A-R™ Push-Ins™ with patented Grip Rings corded push-to-fit foam earplugs gently seal the ear canal to enhance fit.

080529-18011 115.51 BX 10 NRR 30DB, Polybag, Corded, 318-1009

3M™ E-A-R™ E-Z-Fit™ Hearing Conservation 200 Pair

With its bell-shaped design, 3M™ E-A-R™ E-Z-Fit™ uncorded foam earplugs help provide a soft, comfortable sound barrier for excellent noise reduction and reliable, comfortable hearing protection.

B. 080529-12007 31.18 BX 10 NRR 28DB, Polybag, Uncorded, 312-1208

C. 080529-12016 60.07 BX 10 NRR 28DB, Polybag, Corded, 312-1222

Ear Plug Dispensers

E. 3M™ E-A-Rsoft™ Rapid Release Earplug Dispensing Box

E-A-Rsoft uncorded foam earplugs seal the ear canal with soft, slow-recovery foam for excellent noise reduction and reliable hearing protection. 500 per box.

078371-66638	76.09	BX	4	Classic™ Earplug, Uncorded
078371-66639	59.13	BX	4	Yellow Neons™ Earplug, Uncorded
078371-66640	67.08	BX	4	Yellow Neons Blasts™ Earplug, Uncorded
078371-66641	65.57	BX	4	FX™ Earplug, Uncorded

F. 3M™ E-A-R™ Classic™ One Touch™ Refill 500 Pair/Box

Made of soft, low-pressure PVC foam for all-day comfort. Slow-recovery foam helps ensure comfort and minimize pressure. Bright yellow color provides a quick visual compliance check. Foam is non-irritating and nonflammable. NRR 29dB.

080529-91001 76.85 BO 4

G. 3M™ E-A-Rsoft™ Yellow Neons™ One Touch™ Refill Regular Size 500 Pair/Box

Large size fits people with larger, deeper ear canals. Shaped, self-adjusting foam provides a comfortable, low-pressure seal. Non-irritating foam. Soft foam plugs are easy to roll down and insert, then expand within the ear canal. NRR 33 dB.

080529-91004 59.72 BX 4

H. 3M™ E-A-Rsoft™ Yellow Neon™ Blasts™ One Touch™ Dispenser Refill Regular Size 500/Dispenser

3M™ E-A-Rsoft™ Yellow Neon™ Blasts™ earplugs in a refill container for One Touch™ dispenser 391-1000. Yellow Neon Blasts™ earplugs seal the ear canal with soft, slow-recovery foam for excellent noise reduction and comfort. Exciting flame graphic on each earplug. NRR 33 dB.

080529-91012 68.76 BX 4 391-1010

I. 3M™ Earplugs 1100 One Touch™ Refill

3M™ 1100 One Touch™ Refill is designed as a refill for the 3M™ E-A-R One Touch Dispensing Stand (391-1000). NRR 29dB.

080529-19102 59.71 BX 4 391-1100



RS Hughes Part Price Per Case Description

JACKSON SAFETY* H10 Disposable Earplugs Bulk Pack

Featuring H10 uncorded disposable foam earplugs. 500 pairs (or 1000 earplugs) packed in a polybag.

M. 036000-25708 43.64 BX 4



M

Hearing Protection Tips

OSHA CFR 29 1910.95 (i)(3)

Employees shall be given the opportunity to select their hearing protectors from a variety of suitable hearing protectors provided by the employer.

Push to Fit Ear Plugs

N. 3M™ E-A-R™ Express™ Pod Plugs™ Uncorded Earplugs 321-2200, Assorted Color Grips 100 Pair/Box

Unique foam formula allows insertion without rolling to keep fingers, plugs, and ears clean. Slow recovery foam inserts easily, then seats and stays in place. Paddle-style grips provide quick, clean, and consistent placement and protection. NRR 25dB.

080529-21011 56.28 BX 4



N



O. 3M™ E-A-R™ Express™ Pod Plug™ Earplugs 311-1115, Assorted Color Grips Corded 100 Pair/Box

Advanced "no-roll" corded foam earplugs with paddle-style grips make getting a good fit easier than ever. Unique foam formula allows earplug insertion without rolling to keep fingers, plugs, and ears clean. Slow recovery foam inserts easily, then seats and stays in place for comfortable hearing protection. NRR 25dB.

080529-11011 90.29 BX 4



P



O



P. 3M™ E-A-R™ Express™ Pod Plugs™ Corded Earplugs, Hearing Conservation Blue Grips 100 Pair/Box

3M™ E-A-R™ Express™ Pod Plugs™ corded, push-to-fit earplugs feature advanced "no-roll", slow-recovery foam. Paddle-style grips allow easy fitting and help keep earplug tips clean even when your hands are dirty.

080529-11010 90.30 BX 4 NRR 25DB, Pillow Pak, Corded, 311-1114



R



Q

3M™ E-A-R™ Push-Ins™ Earplugs, in Poly Bag 200 Pair/Box

Patented no roll-down E-A-Rform foam tips respond to the body's natural heat to get more comfortable the longer they are worn. A gentle push is all it takes to insert. Flexible stem makes insertion and removal cleaner and easier. NRR 28dB.

Q. 080529-18003 97.77 BX 10 NRR 28DB, Polybag, Corded, 318-1003, 200/Bx

R. 080529-18002 57.75 BX 10 NRR 28DB, Polybag, Uncorded 318-1002, 200/Bx



T



3M™ E-A-R™ Push-Ins™ SoftTouch™ Earplugs, in Poly Bag 200 Pair/Box

Made of specially formulated foam for added softness. A gentle push is all it takes to insert. Flexible, pistol-grip handle and stem allow fingertip control for easy insertion. Eliminates dirt transfer for better hygiene. NRR 31dB.

S. 080529-18018 117.85 BX 10 NRR 31DB, Corded, 318-4001

T. 080529-18017 70.14 BX 10 NRR 31DB, Uncorded 318-4000



U



3M™ Skull Screws™ Earplugs

Skull Screws foam earplugs sport the tough look of threaded metal, but feel of soft foam, while offering hygienic no-roll convenience and noise attenuation. Effective hearing protection and compliance with a clean, easy twist. NRR 30dB.

U. 093045-92952 79.67 BX 4 NRR 30DB, Corded, 120/Bx, P1301

V. 093045-92951 58.03 BX 4 NRR 30DB, Uncorded, 100/Bx P1300



V

Personal Protection

Push to Fit Ear Plugs, Reusable Ear Plugs

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change



Push to Fit Ear Plugs

RS Hughes Part Price Per Case Description

3M™ Pistonz™ Earplugs 100 Pair/Box

The soft foam tips conform to the unique shape of each ear canal to create a comfortable noise-blocking seal. No need to roll these earplugs down before use. Fitting is easy and the foam tips stay clean, even when your hands are dirty. Push-to-fit products provide in-ear comfort and convenience, with the protection you expect from 3M. Officially Licensed Hearing Protection of NASCAR®. NRR 29dB.

A. 093045-93401	67.39	BX	4	NRR 29DB, Uncorded, P1400
B. 093045-93402	83.66	BX	4	NRR 29DB, Corded, P1401

C. 3M™ No-Touch™ Corded Push-to-Fit Earplugs, Hearing Conservation P2001 100 Pair/Box

3M™ No-Touch™ corded push-to-fit foam earplugs create a hygienic, noise-reducing seal in the ear canal with soft foam, a smooth tapered shape and paddle stems. Push-to-fit design makes fitting hearing protection easy. NRR 29dB.

093045-98015	72.35	BX	4	NRR 29DB, Corded, P2001
--------------	-------	----	---	-------------------------

Reusable Ear Plugs

3M™ E-A-R™ UltraFit™ Earplugs

These durable, reusable earplugs are easy to use again and again, reducing waste. Push-to-fit products provide in-ear comfort and convenience. Econopack (Item G) gives you the best value-with savings of up to 20%. Carrying case (Item H) keeps earplugs clean and accessible for re-use. Push-to-fit style for easy and hygienic fit. Proprietary, premolded, triple-flange earplug design inserts easily. No rolling or sizing needed to get a comfortable, protective fit. Soft polymer is washable and reusable. Noise Reduction Rating (NRR): 25 dB. CSA Class AL.

D. 080529-40003	125.06	BX	4	Corded, Polybag, 340-4004, 100/Bx
E. 080529-40053	196.22	BX	10	Corded, Econopack, 340-4014, 200/Bx
F. 080529-40001	76.55	BX	4	Corded w/Case, Econopack, 340-4002, 50/Bx

G. 3M™ E-A-R™ UltraFit Plus™ Earplugs 100/Box

The 3M™ E-A-R™ UltraFit™ corded earplugs features a proprietary, premolded, triple-flange design that fits comfortably in most ear canals. Quick and easy fitting with paddle-style stems. NRR 26dB.

080529-40042	157.51	BX	4	Polybag, Corded, 340-6004, 100/Bx
--------------	--------	----	---	-----------------------------------

H. 3M™ Peltor™ E-A-R buds™ Noise Isolating Headphones, EARbud2600N

Your team members can listen to their favorite audio entertainment while wearing their hearing protection. An easy-to-use volume control with audio limiting technology keeps the sound at or below 82 dB. E-A-R buds headphones are comfortable to wear, long-lasting and include two noise isolating ear tip options. Connect to iPod® mobile digital devices, smartphones, MP3 players or any other device with a 3.5mm stereo audio jack. This hearing protection system includes two sound isolating ear tip options for a soft and flexible seal and greater comfort: (1) 3M™ Peltor™ UltraFit™ Replacement Tips, Gray, NRR 20 dB, (2) 3M™ Peltor™ Skull Screws™ Replacement Tips, Gray, NRR 29 dB

093045-93644	51.07	EA	10	NRR 20DB and 29DB
--------------	-------	----	----	-------------------

Howard Leight Quiet® Earplugs

For great protection and comfort from a reusable earplug, Quiet® provides consistent attenuation for all-day wear. Quiet requires no rolling - its built-in flexible stem adds ease of insertion and immediate comfort. Its smooth, non-irritating skin provides all-day comfort and is easy to clean up with soap and water for extended wear.

I. 033552-005612	47.10	BX	10	QD1, Uncorded 200/Bx
J. 033552-005810	77.65	BX	10	QD30, Corded 100/Bx

Howard Leight SmartFit® Earplugs

The only multiple-use reusable earplug with Conforming Material Technology™, SmartFit uses body heat to adapt to the shape of the ear canal for a comfortable, personalized fit. With a detachable cord system, HearPack® carry case and special application styles available, it's the ultra-smart choice for today's diverse workplace.


K. 033552-011026	112.65	BX	10	SMF-30, Corded 100/Bx
------------------	--------	----	----	-----------------------

JACKSON SAFETY* H2O Triple Flange Earplugs

Experience the unique combination of protection, comfort and performance in a variety of high-quality hearing protection products. Features: NRR 26; Class A(L) Washable Ridged stem for better grip for insertion and removal Three soft flanges collapse to conform to ear canal Individually packaged for hygienic storage Universal size Compliant to ANSI S3.19-1974

L. 036000-67220	61.00	BX	4	Uncorded
M. 036000-67221	79.00	BX	4	Corded

Ear Bands and Muffs



RS Hughes Part Price Per Case Description

3M™ E-A-Rcaps™ Model 200 Hearing Protector 10/Box

Soft foam caps fit over the ear without entering the ear canal. Non-irritating foam plugs. Ideal for intermittent protection needs, worn under the chin and stored around the neck. NRR 17dB.

N. 080529-21001 47.76 BX 10



3M™ E-A-R™ Swerve™ Banded Hearing Protector

Neckband adjusts for optimal fit- band slides forward and back for custom neck and ear positioning. Ergonomic design helps to minimize interference. Neckband shape helps eliminate contact with collars and headgear. Also reduces band sound transmission. Available in two tips; Flex 28 Tips and Comfort Pod Tips. NRR 23 dB.

O. 080529-22004 10.58 EA 10

P. 3M™ E-A-R™ Earmuffs 331-4000, Model 4000

Vertical adjustment system for quick and easy fitting. Large earcup openings to fit most ear sizes. Soft, wide cushions for even pressure and extra comfort. NRR 27dB.

080529-31025 11.12 EA 20

3M™ Peltor™ Optime™ 95 Over-the-Head Earmuffs

Ideal against high-frequency noise with work areas including machine shops and power tools. Ultra light with liquid/foam filled ear cushions. The ultimate low profile earmuff and headband. NRR 21 dB.

Q.	093045-08061	12.29	EA	10	Over-the-Head	H6A/V
R.	093045-08065	12.30	EA	10	Cap-Mount	H6P3E/V
S.	093045-08063	20.46	EA	10	Over-the-Head Folding	H6F/V
T.	093045-08062	11.82	EA	10	Behind-the-Head	NRR 21DB H6B/V
U.	318640-05161	10.18	EA	20	Hygiene Kit	HY3

3M™ Peltor™ Optime™ 98 Over-the-Head Earmuffs

Lightweight - headband. Ideal for environments including factories, sheet metal works, schools, printing and textile operations and power equipment. Dual low-pressure bands improve comfort. Broad foam cushions provide low surface pressure.

V.	093045-08091	14.35	EA	10	Over-the-Head	NRR 25DB	H9A
W.	093045-08093	14.35	EA	10	Cap-Mount	NRR 23DB	H9P3E
U.	318640-05161	10.18	EA	20	Hygiene Kit	HY3	

3M™ Peltor™ Optime™ 101 Earmuffs H7A

Headband or behind the ear style. Excellent attenuation at low and high frequencies. Enables safe working environment for longer periods of time, up to 101dBA. Two low mounting points provide great comfort.

X.	093045-08071	18.58	EA	10	Over-the-Head	NRR 27DB	H7A
Y.	093045-08072	18.58	EA	10	Behind-the-Head	NRR 26DB	H7B
Z.	093045-08073	18.58	EA	10	Cap-Mount	NRR 24DB	H7P3E
Z.	318640-05165	28.54	EA	10	Cap-Mount, Dielectric	NRR 24DB	H7P3E-01
U.	093045-08770	10.38	EA	20	Hygiene Kit	HY7	





NRR 30

NRR 29



B



C



D



E

NRR 17



NRR 20

F



NRR 26



NRR 23

H



RS Hughes Part	Price	Per	Case	Description
3M™ Peltor™ Optime™ 105 Earmuff				
Twin-Cup headband distributes weight for low-pressure fit. Soft, foam-filled ear cushions. Highest NRR for any earmuff tested by an accredited lab.				
A. 093045-08101	23.64	PR	10	Over-the-Head, NRR 30DB
B. 093045-08102	23.64	EA	10	Behind the Ear, NRR 29DB
C. 093045-08104	11.09	EA	20	Hygiene Kit HY10
D. 3M™ Peltor™ Worktunes™ Digital 26 Radio/Hearing Protector WTD2600				
Worktunes Digital 26 Radio/Hearing Protector with Five AM / FM Presets. 3.55 mm Jack for Audio Input. NRR 26 dB.				
093045-93068	92.68	EA	1	
E. 3M™ Peltor Welding Earmuff				
3M™ Peltor Welding Earmuff H505B is designed to fit under welding helmets, particularly under the 3M™ Speedglas™ 9100. Low profile and light weight, with comfortable sealing rings. Hygiene kit available for replacement of sealing rings and damping pads.				
093045-93640	25.33	EA	10	H505B
F. 3M™ Peltor WS 100 Communications Headset				
3M™ Peltor™ WST™ 100, Communications Headsets makes it easier for workers to communicate, listen to music and talk on the phone. This innovative headset offers noise protection and enhance worker safety by making it easier to hear regular speech, warning signals and approaching vehicles.				
093045-93551	455.45	EA	1	
3M™ Peltor PTL Earmuff Headset				
This comfortable and durable communications headset allows for long-term use under exacting conditions. The practice of "lifting off" an earmuff to hear can compromise attenuation and protection for wearers. 3M™ Peltor's PTL earmuff helps resolve this problem by allowing "outside the muff" sounds to be heard clearly when needed. Earcup button for listening mode. Listen-through capability with the pass-through sound limited to 87 dB. Auto-switches to full protection after 30 seconds or when button is pressed again. Earcups with liquid and foam-filled comfort cushions for long wear and optimum seal.				
G. 093045-98169	52.00	EA	10	Headband NRR 26DB H7A-PTL
3M™ Peltor Hi-Viz Earmuffs - Cap-Mount or Over-the-Head				
3M™ Peltor™ Hi-Viz, Over-the-Head earmuffs features bright orange colored earcups for added visibility. Stainless steel construction resists bending and warping. Earcup pivot points tilt for optimum comfort and efficiency. Ultra light with liquid/foam filled earmuff cushions. Noise Reduction Rating (NRR)*: 23 dB. CSA Class A.				
H. 318640-05163	28.42	EA	10	H31P3E Cap-Mount



A new Standard
in Design, Comfort
and Protection

RS Hughes Part Price Per Case Description

3M™ Peltor Earmuff X1 - Standard Attenuation, Slim Design

Slim-line cups make these earmuffs lightweight and comfortable for extended wear. Moderate attenuation ideal for low-to-moderate noise exposure. New ear cushion foam technology for an effective acoustic seal and reliable protection.

I.	093045-93728	13.61	EA	10	Cap-Mount	NRR 21DB	X1P3E
J.	093045-93723	13.61	EA	10	Over-the-Head	NRR 22DB	X1A

3M™ Peltor Earmuff X2 - Medium Attenuation, Slim Design

The X2 earmuffs offer the same features as the X1 version with the addition of the following: New ear cushion foam technology for an effective acoustic seal and reliable protection. Medium attenuation for moderately-high noise exposures.

K.	093045-93724	15.49	EA	10	Over-the-Head	NRR 24DB	X2A
----	--------------	-------	----	----	---------------	----------	-----

3M™ Peltor Earmuff X3 - High Attenuation, Low Weight

The X3 features a newly-designed spacer to improve attenuation without excess bulk or weight. High attenuation. Lightweight and compact compared with other high attenuation earmuffs. New ear cushion foam technology for an effective acoustic seal and reliable protection.

L.	093045-93725	21.07	EA	10	Over-the-Head	NRR 25DB	X3A
----	--------------	-------	----	----	---------------	----------	-----

3M™ Peltor Earmuff X4 - Extremely Slim, High Performance

The noise reduction ratings for Peltor X4 earmuffs are 3 to 6 db higher than other compact, low profile earmuffs. Extremely slim and lightweight earcups provide excellent compatibility when used with other 3M™ person protection products. New specially-formulated foam earcup inserts and cushions help boost the noise-blocking capability of those comfortable, lightweight earmuffs.

M.	093045-93726	28.37	EA	10	Over-the-Head	NRR 27DB	X4A
----	--------------	-------	----	----	---------------	----------	-----

3M™ Peltor Earmuff X5 - 3Ms Highest Attenuation Earmuffs

Unique attenuation as a result of optimum combination of specially-formulated foam featured in the earcups, cushions and the innovative spacer and cup design.

N.	093045-93732	30.98	EA	10	Cap-Mount	NRR 31DB	X5P3E
O.	093045-93727	30.98	EA	10	Over-the-Head	NRR 31DB	X5A

PIP 263-11001 Hellberg™ Economy Headband Ear Muff

Hellberg™ PoP is one of the lightest ear muffs on the market, weighing in at only 155g. A very comfortable ear muff, perfect for use in low noise level environments. The lightweight construction and design makes Hellberg PoP safe and comfortable for smaller headsizes. Single-point attachment in combination with flexible sliders, ensures that the pressure and seal is always distributed evenly around the ears, regardless of the shape of your head. Tested and CE approved against European, North American and Australian standards.

P.	739144-50978	6.21	PR	20	Red	NRR 23DB	
----	--------------	------	----	----	-----	----------	--



Respiratory Protection

In this section:

Dispenser, Respirator Air Accessories	56
Lead Swabs, Test Kits	57
Respirator Reference Chart	58
Disposable Respirators	
Dusty Conditions.....	59-60
With Nuisance Odor Relief	61
Welding Fume Respirators	61-62
High Efficiency Respirators	62
Disposable Cartiridge Respirators	63
Reusable Cartiridge Respirators	64-65
Respirator Filters and Cartridges	66-67
How to Make a PAPR System	68-69
Hoods	70
Faceshields, Hard Hats, Helmets, Breathing Tubes	71
Powered Air & Supplied Air Respirators	72-74
PAPR Cartridges, PAPR Kits	75
Ait Filtration Panels	76
CO & O2 Monitor, Assemblies, Hoses	77
Welding Respirators	78-79

Respiratory Protection Standard

For more info see OSHA CFR 29 1910.134

Employers who decide to use respiratory protection to help lower worker exposures to hazardous airborne contaminants must follow all requirements of the Occupational Safety and Health Administration's (OSHA) Respiratory Protection Standard 29 CFR 1910.134. The following information is intended to highlight major steps involved in setting up a respiratory protection program and identify additional resources. Those employers considering the use of respirators, and designated respiratory protection program administrators, should carefully read and fully understand the OSHA Respiratory Protection Standard prior to issuing respiratory protection to employees.

- **Guides for Establishing a Respiratory Protection Program**
- **6 Steps in Establishing a Respiratory Protection Program**
- **Exposure Assessment**
- **Written Respiratory Program**
- **Respirator Selection**
- **Medical Evaluation**
- **Fit Testing**
- **Respirator Training**

Dust Mask Dispenser

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

Brady Dust Mask Dispenser

Our Dust Mask Dispensers is made of durable clear acrylic and can be table or wall mounted for easy access. Dispenser holds more than 30 masks and measures 12 1/2"H x 6"W x 6"D.

A. 754476-45659	77.49	EA	1	
-----------------	-------	----	---	--



Respirator Air Accessories

Ergodyne Respirator Bags

Rugged nylon bag provides instant access to full-face respirator or small tools 9.5" x 9.25" x 3.5". Lightweight, durable nylon construction protects equipment from dust and moisture. Hook and loop closure for fast seal and release. Webbing belt loop closes with two hook & loop straps for easy donning, doffing, and tear-away. Great for carrying respirators, gloves, goggles or small tools Water-resistant.

B. 720476-13183	9.42	EA	1	Full Face, GB5183
-----------------	------	----	---	-------------------



Rugged nylon fanny pack provides instant access to half-mask respirator or small tools 5.5" x 7" x 3.5". Lightweight, durable nylon construction protects equipment from dust and moisture. Adjustable hook and loop closure for easy access. Adjustable webbing belt with interlocking buckle can be worn on waist or over shoulder. Water-resistant.

C. 720476-13180	7.92	EA	1	Half Mask, GB5180
-----------------	------	----	---	-------------------

D. 3M™ Respirator Cleaning Wipe 504, Alcohol-Free, Individually Packaged 100/Box

051131-07065	49.19	BX	5	
--------------	-------	----	---	--



E. MAGIC ST100DN Non-Alcohol Respirator Pads

The non-alcohol solution is perfect for cleaning sensitive respirators and mouth pieces. It avoids the problem of drying out associated with alcohol based cleaners, and it works on all latex and rubber pieces.

ST100DN	10.00	DI	10	
---------	-------	----	----	--



F. MAGIC ST100DNA Alcohol Based Respirator Pads

For heavy duty cleaning of silicone and plastic liners, respirators, and mouth pieces.

ST100DNA	10.00	DI	10	
----------	-------	----	----	--

CAUTION

**RESPIRATORS
MUST BE WORN
IN THIS AREA**

G



H



I



J

RS Hughes Part Price Per Case Description

G. Brady Sign - Caution Respirators Must Be Worn in this Area

10" H x 14" W

754476-22419	12.99	EA	1	Plastic, B-401
754476-84557	12.11	EA	1	Self-sticking polyester, B-302

H. 3M™ LeadCheck™ Swabs LC-8S20C

3M™ LeadCheck™ Swabs provide an easy solution for lead detection. Easy to use, disposable 3M™ LeadCheck™ swabs will work on any surface, instantly turning bright pink when lead is present. 3M™ LeadCheck™ swabs are odorless, disposable, and non-staining.

717834-20910	29.09	PH	20
--------------	-------	----	----



I. PIP 270-4000 Face Mask, Non-NIOSH Approved

Bacterial filtration efficiency (BFE) of 99%. Pleated style with ear loops. 3 Ply construction. Latex-free and hypo-allergenic. Adjustable nose clip. 50 per box.

616314-65170	12.36	BX	4
--------------	-------	----	---



J. PIP 270-1000 Disposable Nuisance Dust Mask

Nuisance Dust Mask. Economical choice for use in non-toxic applications such as sanding, grinding and cleaning. Lightweight. Flexible nosepiece for a custom, comfortable fit. 100% Polyester, fiberglass-free. Protection against nuisance dusts & powders.

616314-52285	5.48	BX	12	50/Box
--------------	------	----	----	--------

K. 3M™ Qualitative Fit Test Apparatus

Test kits are designed to help your organization meet OSHA fit testing requirements for respirators. The products can be used to check face-to-respirator seal on any particulate respirator or gas/vapor respirator with a particulate prefilter. Meets the performance criteria for fit testing respirators under the current OSHA Standard for Respirator Protection: 29 CFR 1910.134, Appendix A.

051138-16358	292.00	EA	1	FT-10 Sweet Solutions
051138-54203	292.00	EA	1	FT-30 Bitter Solutions



3M™ Fit Test Solution FT-12/FT-32

Meet the performance criteria for fit testing respirators under the current OSHA Standard for Respirator Protection: 29 CFR 1910.134, Appendix A.

L. 051138-16356	19.65	BO	6	FT-12 Sweet Solutions
M. 051138-54205	19.65	BO	6	FT-32 Bitter Solutions



K



L

M

Medical evaluations available
online at [www.rshughes.com/c/
Respiratory-Protection/8014/](http://www.rshughes.com/c/Respiratory-Protection/8014/)
by clicking on the 3M Health
and Safety Services Icon.






Product Preference Selector

Use the selector below to identify which respirator may be preferred for increased worker comfort.


What type of particles are in your environment?



OIL AND NON-OIL R- or P-Series Respirators



NON-OIL N-Series Respirators



Didn't find what you want? Don't forget that R and P series respirators can also be used in non-oil environments.




*3M recommended for ozone protection up to 10X OSHA PEL. Not NIOSH approved for ozone.
**3M recommended for relief against nuisance level acid gas (AG) or organic vapors (OV). Nuisance levels are less than OSHA PEL or applicable government occupational exposure limits, whichever is lower.



Visible from outside: the comfort difference with 3M™ Cool Flow™ valve

The colors in the thermal images below show the change in surface temperature of the respirators as the model inhales and exhales.

Cool <  > Hot



Inhalation is the cooler part of the cycle; with both valved and unvalved respirators, the 3M filter media facilitates an easy draw of cooler external air.

As the wearer inhales, air is pulled through the respirator and surface temperature decreases. The valve's plastic cover, because of the material composition, retains some of the heat.

Exhalation: As the wearer exhales the respirator is filled with warm, moist air. The cooler thermal shades of the picture on the right indicate how the respirator fitted with the Cool Flow valve expels the breath, together with its natural heat, more rapidly. As the hot exhaled air exits through the valve, the rest of the respirator remains cooler and more comfortable.

This benefit is ideal for long periods of wear, especially where conditions are hot and humid or when work is physically demanding and likely to cause heavy breathing.

Only \$15.12 per box

Disposable Respirators – Dusty Conditions

3M™ Particulate Respirator 8200, N95 20/Box

This economical disposable N95 particulate respirator is designed to help provide reliable worker respiratory protection against certain non-oil based particles.

A. 051131-07023 10.50 BX 8

3M™ Particulate Respirator 8210, N95 20/Box

Is designed to help provide comfortable, reliable worker protection against certain non-oil based particles. Its lightweight construction helps promote greater worker acceptance and comfort and increased wear time.

B. 051138-46457 15.12 BX 8

3M™ Particulate Respirator 8210Plus, N95 20/Box

Builds on all of the features that have made the 3M™ Particulate Respirator 8210 one of the most widely used N95s in industry, the PLUS offers new comfortable braided headbands and staple free attachment.

C. 051131-52924 21.83 BX 8

3M™ Particulate Respirator 8210V, N95 10/Box

The 3M™ Particulate Respirator 8210V, N95 is NIOSH approved and helps provide reliable worker respiratory protection against certain non-oil based particles. The proprietary 3M™ Cool Flow™ valve is designed for easy exhalation and reduces heat build-up inside the respirator to help keep the wearer more comfortable. Testing shows the atmosphere inside the 8210V respirator with a 3M™ Cool Flow™ valve is on average 5.5° F cooler than a similar respirator without the valve.

D. 051131-49711 12.57 BX 8 White

3M™ Particulate Respirator 8511/8211, N95 10/Box

Uniquely designed to help provide comfortable, reliable worker protection against certain non-oil based particles. It's lightweight construction and soft inner material are designed for enhanced comfort to help increase user wearability.

E. 051138-54343 19.44 BX 8 With Valve, 3M 8511

F. 051131-52750 32.54 BX 8 With Valve & FaceSeal, 3M 8211

3M™ Particulate Respirator 8271, P95 10/Box

Combines P-series versatility with exceptional comfort and fit. It is an excellent choice for those who have work environments that may contain oil aerosols.

G. 051138-54285 36.72 BX 8

Special Buy \$19.44 per box



Filter Classifications, Efficiencies, Oil Resistance and Challenge Agents

Filters capture particles through the mechanisms of impaction, interception and diffusion. Additionally, these filters are enhanced with electrostatically charged fibers to trap particulates within the filter media.

As particulate filters load up with the contaminant, they typically become more efficient, however, they also become harder to breathe through.

NIOSH has nine classifications for particulate filters based on minimum filtration efficiency and the type of aerosol (non-oil or contains oil). The chart below states the nine classifications.

* May have a time use restriction on the filter series when oil aerosols are present.

** Use according to manufacturer's time use restrictions when oil aerosols are present.

42 CFR PART 84

OIL RESISTANCE CATEGORIES

Minimum Efficiency	N Non-oil Aerosols	R Includes oil Aerosols*	P Includes oil Aerosols*
95%	N95	R95	P95
99%	N99	R99	P99
99.97%	N100	R100	P100



Disposable Respirators – Dusty Conditions

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. KleenGuard* M10-N95

Kleenguard® M-Series Particulate Respirators deliver the protection you expect and the comfort you need for all-day wear.

036000-64230	15.71	BX	8	No Valve, 20/Box
036000-64240	14.42	BX	8	With Valve, 10/Box



KleenGuard M10 Particulate Respirator (Dual Valve), N95

Wide, comfortable user-preferred head straps. Dual exhalation valves designed and positioned to help reduce eyewear fogging. Adjustable head straps. Soft, comfortable foam nose pad with a cloth layer.

B. 036000-64260	19.17	BX	8	10/Box
-----------------	-------	----	---	--------

Gerson Particulate Respirator 1730, 1740 N95

Gerson NIOSH N95 Approved Particulate Respirator



C. Gerson 1730	14.70	BX	12	1730 - No Valve, 20/Box, 240/Case
D. Gerson 1740	13.45	BX	10	1740 - With Valve, 10/Box, 100/Case

3M™ VFlex™ Particulate Respirator 9105, N95 50/Box

This respirator has a unique folded design with 3M™ patented filter media and V-shaped pleats to help make breathing easier and provide a comfortable seal. The product is available in two sizes to fit a broad range of faces.

E. 051131-17397	29.57	BX	8	Regular Size, 3M 9105
E. 051131-17394	29.57	BX	8	Small Size, 3M 9105S



3M™ Aura™ Particulate Respirator 9210+/9211+, N95

The 3M™ Aura™ Series Particulate Respirator 9210+/9211+, N95 is a breakthrough in comfort and convenience. This three-panel, flat-fold disposable respirator with its innovative design helps provide comfortable, reliable worker protection against non-oil based particles.

F. 051131-37192	26.83	BX	12	9210+, No Valve, 20/Box, 240/Case
G. 051131-37193	19.70	BX	12	9211+, With Valve, 10/Box, 120/Case


Less than
\$.60
each!!!

Special Buy
\$19.70
per box

**Editor's Choice
for comfort
and value**



see page 363



Disposable Respirators with Nuisance Odor Relief

RS Hughes Part	Price	Per Case	Description
H. 051138-54357	74.59	BX 6	8246 - Acid Gas
I. 051138-54358	74.36	BX 6	8247 - Organic Vapor



RS Hughes Part	Price	Per Case	Description
J. 051138-66392	41.37	BX 8	8516 - N95, with Nuisance Level Acid Gas Relief 10/Box With Valve

RS Hughes Part	Price	Per Case	Description
K. 051138-54370	47.06	BX 8	8576 - Acid Gas
L. 051138-54371	47.27	BX 8	8577 - Organic Vapor

Welding Fume Respirators

RS Hughes Part	Price	Per Case	Description
M. 051138-66298	60.98	BX 8	8512 - N95, with Nuisance Level Acid Gas Relief 10/Box With Valve

RS Hughes Part	Price	Per Case	Description
N. 051138-54141	65.25	BX 8	8212 - N95, with Nuisance Level Acid Gas Relief 10/Box With Valve



A

Welding Fume Respirators

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

3M™ Particulate Respirator 8214 with Faceseal And Nuisance Level Organic Vapor Relief N95 10/Box

Is designed for applications such as welding, soldering and other operations where metal fumes may be present including those with ozone* and nuisance level organic vapors.

A. 051138-66192	78.05	BX	8
------------------------	-------	----	---



B

3M™ Particulate Respirator 8514 N95, with Nuisance Level Organic Vapor Relief 10/Box

This disposable N95 particulate welding respirator features a carbon layer and the 3M™ Cool Flow™ Valve. It is designed for applications where metal fumes are present including those with ozone and nuisance level organic vapors.

B. 051138-66299	69.33	BX	8
------------------------	-------	----	---



C

3M™ Particulate Welding Respirator 8515 N95 10/Box

This economical N95 disposable particulate welding respirator helps provide respiratory protection for applications where metal fumes may be present. It features 3M™ Cool Flow™ Valve, braided headband and adjustable M-noseclip for added comfort.

C. 051131-07189	30.28	BX	8
------------------------	-------	----	---



D

High Efficiency - Class 99/100

3M™ Particulate Respirator 8233, N100 20/Case

Is well suited for those who want NIOSHs highest rated filtration efficiency in a maintenance free respirator. It provides a minimum filter efficiency of 99.97% against non-oil based particles.

D. 051138-54143	9.17	BG	20
------------------------	------	----	----



E

3M™ Particulate Respirator 8293, P100 20/Case

Is well suited for those who want NIOSHs highest rated filtration efficiency in a maintenance free respirator.

E. 051138-54336	10.36	BG	20
------------------------	-------	----	----



F

KleenGuard® M30-N99 Valve, 10/Box

Kleenguard® M-Series Particulate Respirators deliver the protection you expect and the comfort you need for all-day wear.

F. 036000-64520	23.32	BX	8
------------------------	-------	----	---



Disposable Cartridge Respirators

RS Hughes Part Price Per Case Description

3M™ Half Facepiece Disposable Respirator Assembly, Organic Vapor Respiratory Protection

NIOSH approved against certain organic vapors. Use in a variety of workplace applications, including petrochemical, chemical manufacturing, construction, transportation and electronics.

- G. 051138-21565 17.35 EA 12 5101 Small
- G. 051138-21571 17.35 EA 12 5201 Medium
- H. 051138-21577 17.35 EA 12 5301 Large



3M™ Half Facepiece Disposable Respirator Assembly 5203, Organic Vapor/Acid Gas Respiratory Protection

NIOSH approved against certain organic vapors and acid gases. Use in a variety of applications, including pharmaceutical, petrochemical, utilities, aluminum reduction, chemical manufacturing, laboratories, and pulp and paper.

- I. 051138-21567 18.23 EA 12 5103 Small
- I. 051138-21573 18.23 EA 12 5203 Medium
- I. 051138-21579 18.23 EA 12 5303 Large

3M™ Half Facepiece Disposable Respirator Assembly, Organic Vapor/P95

NIOSH approved against certain organic vapors and particulates. Use for a variety of applications including spray painting, pesticides, agriculture, construction and transportation. When properly fitted, helps provide respiratory protection from certain organic vapors and particulates at concentrations up to 10 times the Permissible Exposure Limit (PEL). Do not use in environments that are immediately dangerous to life or health (IDLH).

- J. 051138-66068 22.36 BG 12 51P71 Small
- J. 051138-66069 22.36 BG 12 52P71 Medium
- K. 051138-66070 22.36 BG 12 53P71 Large



Head to Toe Protection



Silicone Face Seal

- Provides comfort and stability with a soft but firm face seal
- Extended product life due to resilient silicone material
- Lightweight
- Keeps its shape in high-heat environments
- Available in three sizes (S, M and L)

6500QL
SERIES

Overmolded, Low-Profile Design

- Simplified cleaning and maintenance with minimal parts and crevices
- Advanced half mask design for a wide field of view
- Compatibility with 3M™ welding/grinding shields



6500
SERIES
STANDARD

Also available



Adjustable Head Harness Assembly

- Optimum fit and comfort with three-size adjustable head cradle
- Durable harness straps

Valve Cover Design

- Directs exhaled breath and moisture downward
- Easy positive pressure seal check

3M™ Bayonet Connection

- Flexible bayonet system for connection to a wide range of 3M™ gas, vapour and particulate filters

3M™ Cool Flow™ Exhalation Valve

- Enhanced comfort by reducing heat and moisture
- Less exhalation resistance makes breathing easier

Quick Latch (QL) - Drop Down Mechanism*

- Easy on and off as you move in and out of contaminated areas
- No need to remove your safety helmet or face shield when lowering or raising your respirator

*QL version only



RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. 3M™ Half Facepiece Respirator 6000 Series

Lightweight, easy-to-adjust headstraps. Low maintenance, reusable facepiece for economical use. Made from soft thermoplastic elastomer. Cartridges and filters simply twist on and off. Low-profile design improves balance and visibility.

051131-07024	13.10	EA	24	6100 Small
051131-07025	13.10	EA	24	6200 Medium
051131-07026	13.10	EA	24	6300 Large



B. 3M™ Half Facepiece Respirator Assembly 6000 Series with 3M™ Particulate Filter 2091, P100

Assembly includes the 3M™ Half Facepiece Respirator 6200 and 3M™ P100 Particulate Filters 2091. Helps provide respiratory protection in environments containing certain oil and non-oil based particles.

051131-07001	20.14	BG	24	6191 Small
051131-07002	20.14	BG	24	6291 Medium
051131-07003	20.14	BG	24	6391 Large

C. 3M™ 6500 Series Rugged Comfort Half Facepiece Reusable Respirator

A durable, long-lasting respirator, the 6500 Series facepiece is rugged enough to help withstand extreme conditions and long hours, yet comfortable to wear. The sleek, low-profile design helps to give a worker a wide field of view that better suits compact work spaces and close proximity to coworkers. The overmolded design offers simplified cleaning and maintenance with fewer parts and crevices.

051131-49487	19.80	EA	10	SM	6501
051131-49489	19.80	EA	10	MD	6502
051131-49491	19.80	EA	10	LG	6503

D. 3M™ 6500 Series Rugged Comfort Quick Latch Half Facepiece Reusable Respirator

Includes a proprietary quick latch design that allows the wearer to easily put the facepiece on and off. The sleek, low-profile design. Wide field of view for compact work spaces and close proximity to coworkers. Overmolded design for simplified cleaning and maintenance with fewer parts and crevices where dirt can hide.

051131-49488	19.80	EA	10	SM	6501QL
051131-49490	19.80	EA	10	MD	6502QL
051131-49492	19.80	EA	10	LG	6503QL

E. 3M™ Half Facepiece Respirator 7500 Series

Maximized comfort in air purifying respirators means not only easy breathing filters and cartridges, but also a soft comfortable facepiece. Half facepiece air purifying respirator users can now experience state-of-the-art features that help provide unsurpassed comfort with 3M™ 7500 Reusable Half Facepiece Respirators.

051131-37081	29.39	BG	10	7501 Small
051131-37082	29.39	BG	10	7502 Medium
051131-37083	29.39	BG	10	7503 Large

RS Hughes Part Price Per Case Description

F. 3M™ Full Facepiece Respirators 6000 Series

Faceseal is made of silicone rubber, making it comfortable, soft and lightweight. Features large, hard-coated lens providing user a wide field of view. Low-maintenance design minimizes time required to maintain the product. Clean as directed between uses and reduce the need for expensive repair.

051138-54145	144.86	BX	4	6700 Small
051138-54146	144.86	BX	4	6800 Medium
051138-54159	144.86	BX	4	6900 Large

G. 3M™ Spectacle Kit 6878, 1/Case

Use with 3M™ Full Facepiece Respirators 6000 Series. It permits the wearer to use his/her corrective lenses and to make position adjustment that is most comfortable.

051131-07141	106.84	CA	1	
--------------	--------	----	---	--

H. 3M™ Faceshield Cover 6885/07142(AAD), 100/Case

Use on 3M™ Full Facepieces 6000 Series to help protect the lens.

051131-07142	178.34	CA	1	
--------------	--------	----	---	--

I. 3M™ Full Facepiece 7800S

Durable, elastomeric facepiece designed for a wide range of applications. Made of silicone and features a double-flap faceseal and six easy-adjusting straps. Facepiece is soft and pliable with a scratch-resistant lens, which provides the wearer an unobstructed view. Extra-large inhalation and exhalation valves help make breathing easier. Designed for versatility, comfort and long life.

051138-54257	395.99	CA	1	Small
051138-54258	395.99	CA	1	Medium
051138-54259	395.99	CA	1	Large

J. 3M™ Lens Cover, 7899-100, 100/Case

Use with 3M™ Full Facepieces 7000 Series to help protect lens.

021200-60418	191.44	CA	1	
--------------	--------	----	---	--

K. 3M™ Ultimate FX Full Facepiece Respirator FF-4400 Series

3M's most rugged facepiece, providing flexibility in extreme environments while still delivering superior comfort and an exceptional field of view. This facepiece offers an ergonomic, streamlined design - for lightweight, balanced comfort. Scan the QR code at right for more information.

051135-89418	208.36	EA	4	Small
051135-89421	208.36	EA	4	Medium
051135-89424	208.36	EA	4	Large

L. 3M™ Spectacle Kit, FF-400-20

Use with 3M™ Ultimate FX Full Facepiece Respirators FF-401, 402 and 403. Wearer can use corrective lenses and make position adjustments that are more comfortable.

051135-89490	121.05	EA	1	
--------------	--------	----	---	--

M. 3M™ Semi-Permanent Lens Protector, FF-400-17, 20/Case

Semi-permanent lens covers with Scotchgard™ coating to help protect 3M™ Ultimate FX Full Facepiece Reusable Respirator Series FF-400 lens. For temporary use.

051135-89487	165.60	CA	1	
--------------	--------	----	---	--

N. 3M™ Lens Cover FF-400-15, Respiratory Protection Accessory

Standard lens covers for use with 3M™ Ultimate FX Full Facepiece Reusable Respirators FF-401, 402 and 403.

051135-89486	176.14	CA	1	100/Case
--------------	--------	----	---	----------





Cartridges, Filters, and Retainers For 5000, 6000 and 7000 Series Respirators

	RS Hughes Part	3M Part	Color	Description	Quantity	Price
	051138-21674	6001		Organic Vapor	2/Pk	10.84
	051138-28880	6002		Acid Gas	2/Pk	12.76
	051131-07047	6003		Organic Vapor/Acid Gas	2/Pk	11.45
	051138-28882	6004		Ammonia/Methylamine	2/Pk	14.07
	051138-28883	6005		Formaldehyde/Organic Vapor	2/Pk	14.21
	051138-54186	6006		Mult Gas/Vapor	2/Pk	12.62
	051141-55882	6009S		Mercury Vapor/Chlorine/Sulfur Dioxide	2/Pk	25.64
	051138-46465	60921		Organic Vapor	2/Pk	23.55
	051138-46466	60922		Acid Gas	2/Pk	24.59
	051138-46467	60923		Organic Vapor/Acid Gas	2/Pk	23.75
	051138-46468	60924		Ammonia/Methylamine	2/Pk	27.17
	051138-46469	60925		Formaldehyde	2/Pk	27.43
	051138-54187	60926		Mult Gas/Vapor	2/Pk	25.90
	051138-46470	60928		Organic Vapor/Acid Gas	2/Pk	36.72
	051138-55881	60929S		Mercury Vapor/Chlorine/Sulfur Dioxide	2/Pk	36.38
		051138-46464	5N11		N95 Particulate Filter	10/Box
051131-07194		5P71		P95 Particulate Filter	10/Box	18.69
051138-17668		501		Filter Retainer for 5N11 and 5P71	10/Box	42.39
051138-21511		502		Filter Adapter	20/Box	53.12
	051138-54356	2071		P95 Particulate Filter	2/Bag	4.33
	051138-54368	2078		P95 Particulate Filter Organic Vapor/Acid Gas	2/Bag	7.70
	051131-07000	2091		P100 Particulate Filter No Relief	2/Bag	6.93
	051138-54295	2096		P100 Particulate Filter Acid Gas Relief	2/Bag	9.65
	051131-07184	2097		P100 Particulate Filter Organic Vapor Relief	2/Bag	9.51
	051131-17170	2291		P100 Advanced Particulate Filter No Relief	2/Bag	7.67
	051131-17172	2297		P100 Advanced Particulate Filter Org. Vapor Relief	2/Bag	10.45
	051131-52705	7093		P100 Particulate Filter	2/Bag	17.78

RS Hughes Part Price Per Case Description

A. North 7700 100% Silicone Half Mask

Soft, comfortable and durable silicone half mask. Latex free. Strategically engineered exhalation valve placement allows more breath to be exhaled faster, making the mask more comfortable and cooler to wear. Can be adapted to PAPR or Supplied Air for added flexibility in the workplace. Only 9 replacement parts, for quick and easy strip down and clean.

77-0030L	30.42	EA	12	LG
77-0030M	30.42	EA	12	MD
77-0030S	30.42	EA	12	SM



B. North 7600 Series Full Facepiece

Premium elastomeric full facepiece w/5-point headstrap. 100% Silicone facepiece is soft and flexible for a comfortable and secure fit. Wide sealing area fits more facial types, speech diaphragm is standard to amplify workers' conversations. Wide panoramic lens provides optimal field of vision in all directions, polycarbonate lens meets ANSI requirements for high impact, can be adapted to PAPR or Supplied Air for greater flexibility in the workplace.

NORTH 760008A	316.56	EA	1	MD/LG
---------------	--------	----	---	-------



C. North 770017 Replacement Inhalation Valve

Replacement inhalation valve for half masks, full facepieces, hoods, and other respiratory support systems. Packaged 6 per bag.

77-0017	7.82	BG	72
---------	------	----	----

D. North 770018 Replacement Exhalation Valve Flaps

Replacement exhalation valve flaps for half masks, full facepieces, hoods, and other respiratory support systems. 4 per pack.

NORTH 770018	14.55	PK	12
--------------	-------	----	----

North by Honeywell Filters and Cartridges for 7600 and 7700 Respirators

	RS Hughes Part	Color	Description	Quantity	Price
	75-06N95		N95 Particulate Filter	10/Pack	14.10
	75FFP100		P100 Low Profile Particulate Filter	2/Bag	8.16
	NORTH 75FFP100NL		P100 Low Profile Particulate Filter Odor Relief	2/Bag	12.60
	NORTH N750036		Particulate Filter Assembly	2/Bag	4.27
	NORTH 7506N99		N99 Particulate Filter	10/Pack	19.08
	NORTH 7580P100		P100 Particulate Filter	2/Bag	11.18
	NORTH 7581P100L		Organic Vapor	2/Bag	30.02
	NORTH 7582P100L		Acid Gas	2/Bag	30.70
	NORTH 7583P100L		Organic Vapor/Acid Gas	2/Bag	24.87
	NORTH 7584P100L		Ammonia/Methylamine	2/Bag	31.70
	NORTH 75SCL		Multipurpose Gas and Vapor	2/Bag	16.70
	NORTH 75SCP100L		Multipurpose Gas and Vapor	2/Bag	25.50
	NORTH N75001L		Organic Vapor	2/Bag	15.66
	NORTH N75002L		Acid Gas	2/Bag	16.30
	NORTH N75003L		Organic Vapor/Acid Gas	2/Bag	15.96
	NORTH N75004L		Ammonia/Methylamine	2/Bag	17.34



NO MINIMUM ORDER! 1-877-RSHUGHES
Pricing subject to change

How to Make a PAPR System

Step 1: Select Your Hat or Hood

3M™ S-Series Hoods

Integrated Suspension



Premium Suspension



Headcovers

- S-103 Economy, S/M
- S-103L Economy, M/L
- S-133S White, S/M
- S-133L White, M/L
- S-133SB Blue, S/M
- S-133LB Blue, M/L

Hoods

- S-403S Economy, S/M
- S-403L Economy, M/L
- S-433S High Durability, S/M
- S-433L High Durability, M/L

Hoods

- S-655 Sealed Seam Hood Assembly w/Inner Collar
- S-657 Sealed Seam Hood Assembly w/Inner Shroud

3M™ H-Series Hoods



APF 1000 Respiratory Protection, Head Protection, Reusable Suspension**

H-410
Hood with Inner Collar and Hard Hat

H-420
Hood with Inner Shroud and Hard Hat

Order info on page 70

3M™ M-Series Faceshields, Hard Hats and Helmets

M-100 Series Faceshields

APF 25 Respiratory Protection, Eye/Face Protection, Directable Airflow



Order a complete helmet:

- M-105 Faceshield with 37314 Standard Visor and Face Seal
- M-107 Faceshield with Premium Visor and Flame Resistant Face Seal

M-300 Series Hard Hats

APF 25 Respiratory Protection, Head Protection, Eye/Face Protection, Directable Airflow



Order a complete helmet:

- M-305 Hard Hat with Standard Visor and Face Seal
- M-307 Hard Hat with Premium Visor and Flame Resistant Face Seal

M-400 Series Helmets

APF 1000 Respiratory Protection, Head Protection, Eye/Face Protection, Directable Airflow**



Order a complete helmet:

- M-405 Helmet with Standard Visor and Shroud
- M-407 Helmet with Premium Visor and Flame Resistant Shroud

Order info on page 71

3M™ BT-Series and H-Series Tubes

All BT-Series breathing tubes feature the QRS (Quick Release Swivel) connection for maximum comfort and ease of use.



BT-20S/37309 Small/Medium (Approx. 28")
BT-20L/37310 Medium/Large (Approx. 38")



BT-30 Length Adjusting



BT-40 Heavy Duty

H-Series Breathing Tubes



H-115 Breathing Tube



GVP-122 Breathing Tube

Order info on page 71



Step 2: Select your Air Source

3M™ TR-300



TR-300 Particulate PAPR Assemblies*

- TR-305N Standard Belt & Economy Battery
- TR-306N High Durability Belt & High Capacity Battery
- TR-307N Easy Clean Belt & High Capacity Battery

Filters

- TR-3710N-5 Particulate Filter, 5/case
- TR-3710N-40 Particulate Filter, 40/case

Order info on page 74

3M™ Airline AP-600



V-100/37018
Vortex Cooling Assembly

V-200
Vortemp™ Heating Assembly

V-300/37019
Valve Assembly

V-400/37020
Low-Pressure Assembly



25 ft. – W-9435-25/07010
50 ft. – W-9435-50/07011
100 ft. – W-9435-100/07012
3/8" High Pressure Hose




25 ft. – W-2929-25
50 ft. – W-2929-50
100 ft. – W-2929-100
3/8" High Pressure Hose




25 ft. – W-3020-25/07033
50 ft. – W-3020-50/07034
100 ft. – W-3020-100/07035
1/2" Low Pressure Hose



AP-601
(100 cfm) without CO Monitor




AP-602
(100 cfm) with CO Monitor



AP-603
(100 cfm) with CO Filtration and Monitor



256-02-01
(100 cfm) with CO Monitor



256-02-00
(50 cfm) with CO Filtration and Monitor



W-2806/07006
(50 cfm) without CO Monitor



W-2808/37027
CO Monitor Retrofit Kit

IMPORTANT: These filter and regulated panel products do not produce Grade-D breathing air. The employer is required to ensure that the compressed air used with any supplied air system meets the requirements for Grade-D breathing air per the Compressed Gas Association Commodity Specification G-7.1-1997. In Canada, refer to CSA Standard Z180.1 for the quality of compressed breathing air.

Order info on page 76 & 77

3M™ TR-600



TR-600 Particulate PAPR Assemblies

- TR-613N High Durability Belt & Economy Battery
- TR-614N Easy Clean Belt & Economy Battery
- TR-616N High Durability Belt & High Capacity Battery
- TR-617N Easy Clean Belt & High Capacity Battery

Cartridges/Filters

- TR-6320N-5 Acid Gas/HE
- TR-6350N-5 Formaldehyde/HE
- TR-6360N-5 Ammonia/Methylamine/HE
- TR-6510N-5 Organic Vapor/HE
- TR-6530N-5 Organic Vapor/Acid Gas/HE
- TR-6590N-5 Multi-Gas/HE
- TR-6710N-5 High Efficiency Filter
- TR-6820N-5 HE and Nuisance OV/AG Filter

Order info on pages 72 & 73

3M™ GVP Systems



NiCd Battery

- GVP-1 Standard Belt
- GVP-1U Urethane Belt
- GVP-CB Comfort Belt

Cartridges/Filters

- GVP-401 Organic Vapor (OV)
- GVP-402 Chlorine/Hydrogen Chloride/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Fluoride (AG)
- GVP-403 Organic Vapor/Chlorine/Hydrogen Chloride/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Fluoride/Hydrogen Sulfide (OV/AG)
- GVP-404 Ammonia/Methylamine (AM/MA)
- GVP-405 Formaldehyde (FM)
- GVP-440 High Efficiency Particulate (HE)
- GVP-441 Organic Vapor/HE (OV/HE)
- GVP-442 Chlorine/Hydrogen Chloride/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Fluoride/HE (AG/HE)
- GVP-443 Organic Vapor/Chlorine/Hydrogen Chloride/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Fluoride/Hydrogen Sulfide/HE (OV/AG/HE)
- GVP-444 Ammonia/Methylamine/HE (AM/MA/HE)
- GVP-445 Formaldehyde/HE (FM/HE)

Order info on page 74 & 75



Head to Toe Protection



3M™ Versaflo S-Series

Available with two different suspensions, comfort and fabric, integrated suspension hoods and headcovers offer the advantage of being fully assembled and ready to use straight out of the box. They can be suitable for applications that require frequent replacement of the entire headgear assembly, such as pharmaceutical manufacturing, or in situations where there is less soiling of the outer fabric. Integrated suspension headgear is available in two sizes to comfortably fit more wearers: S/M and M/L.



3M™ Versaflo™ Economy Headcover S-103

Head and face coverage. Fabric suspension.



3M™ Versaflo™ Headcover S-133

Head and face coverage. Integrated Comfort suspension. General purpose fabric.



3M™ Versaflo™ Economy Hood S-433


Head, face, neck, and shoulder coverage. Fabric suspension, inner shroud.

3M™ Versaflo Premium S-Series

Premium reusable suspension hoods can be a very cost-effective choice for some high disposal rate environments—just the soiled hood fabric is replaced, while the suspension and air ducting can be reused. The new design permits significantly faster user assembly of the entire headtop.

The suspension's new rigid ducting provides a consistent air path. An externally-adjustable airflow control allows wearers to modify the airflow distribution to suit personal comfort needs. While wearing, the airflow may be directed primarily to the front visor or split to provide more airflow to the top of the head.

The suspension has independent adjustments for the crown and head circumference, allowing a comfortable, custom fit for a wide range of head sizes. An optional size-reducing comfort pad is provided to further extend the range of compatible head sizes.



The external cover lets wearers modify the location of the airflow.



3M™ Versaflo™ Hood Assembly S-655

Head, face, neck and shoulder coverage. Its respiratory seal is a comfortable, knitted inner collar that is shorter and thinner than previous models. General purpose, cost-effective fabric.



3M™ Versaflo™ Hood Assembly S-657

Similar to S-655. The S-657 uses a double shroud design for its respiratory seal; wearers can select their preferred seal design. The S-657 is worn by tucking the inner shroud into a shirt or protective coverall, allowing excess air to be channeled over the body.



3M™ Versaflo™ Hood Assembly S-757 / 37301

Similar to S-657 but with a fabric specifically intended to help capture paint overspray, minimizing the potential for paint to flake off the wearer and onto the work piece. Fabric has an internal film barrier to help prevent paint contact with skin or clothes.



Hoods

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. 3M™ Versaflo™ Economy Headcover

051131-17249	26.91	EA	20	Small/Medium, S-103S
051131-17248	26.91	EA	20	Medium/Large, L-103S

3M™ S-Series Headcover with Integrated Head Suspension

B. 051131-17071	33.71	EA	5	White, Med/Large, S-133L-5
B. 051131-17075	33.71	EA	5	White, Small/Med, S-133S-5
C. 051131-17085	47.78	EA	5	Small/Med, S-433S-5
C. 051131-17083	47.78	EA	5	Med/Large, S-433L-5

3M™ S-Series Hood Assembly, Premium Head Suspension

D. 051131-17093	80.16	EA	1	With Inner Collar, S-655
E. 051131-17094	83.70	EA	1	With Inner Shroud, S-657

3M™ Painter's Hood Assembly with Inner Shroud and Premium Head Suspension

F. 051131-37301	87.29	EA	1	S-757
------------------------	-------	----	---	-------

Faceshields, Hard Hats and Helmets

RS Hughes Part Price Per Case Description

G. 3M™ Versaflo™ M-100 Series Respiratory Faceshield Assembly with Visor and Faceal

051131-37314	247.77	EA	1	Standard - M100
051131-17312	264.91	EA	1	Premium - M107

H. 3M™ Versaflo™ M-300 Series Respiratory Hard Hat Assembly with Visor and Faceal

051131-17316	412.51	EA	1	Standard- M305
051131-17317	429.66	CA	1	Premium - M307

I. 3M™ Versaflo™ M-400 Series Respiratory Helmet Assembly with Visor and Flame-Resistant Shroud

051131-17322	515.77	EA	1	Standard - M405
051131-17323	633.49	CA	1	Premium - M407

3M™ Faceshield with Visor and Faceal

M-100 Respiratory Faceshield

- Helps provide respiratory (OSHA APF 25) and limited eye (ANSI Z87.1-2010) protection
- Weighs approx. 613g (1.4 lbs)*
- Light, well-ventilated shell offers maximum comfort
- Optional accessory (M-170 Faceshield Inserts) provides head coverage from dirt and debris, as well as minimal protection from contact with stationary objects
- Recommended for most powder handling, paint spraying, and general maintenance applications where an approved level of head protection is not required
- Available with a variety of faceal fabrics



3M™ Hard Hat with Visor and Faceal

M-300 Respiratory Hard Hat

- Helps provide respiratory (OSHA APF 25) protection, plus limited head (ANSI Z89.1-2009 Type 1 Class G) and eye (ANSI Z87.1-2010) protection
- Weighs approx. 850g (1.9 lbs)*
- 6-strap textile suspension offers maximum comfort
- Recommended for most powder handling, paint spraying and general maintenance applications where hard hat protection is required or desired
- Available with a variety of faceal fabrics



3M™ Helmet with Flame Resistant Shroud

M-400 Respiratory Helmet

- Helps provide respiratory (OSHA APF 1000)** protection, plus limited head (ANSI Z89.1-2003 Type 1 Class G) and eye (ANSI Z87.1-2010) protection
- Weighs approx. 1049g (2.3 lbs)*
- 6-strap textile suspension offers maximum comfort
- Recommended for most powder handling, paint spraying, and general maintenance applications where the highest level of respiratory protection defined by OSHA and hard hat protection is required or desired
- Four different shroud materials available



Breathing Tubes

J. 3M™ Versaflo™ Length Adjusting Breathing Tube

Self-adjusting length results in an approved fit for most wearers and reduced risk of catching and snagging.

051131-17379	68.17	EA	1	Black
--------------	-------	----	---	-------

3M™ Breathing Tube

K. 051131-37310	51.28	CA	1	Med/Large, BT-20L
L. 051131-37309	51.28	CA	1	Small/Med, BT-20S

3M™ Adapter V-199

M. 051131-37069	6.95	EA	4	
------------------------	------	----	---	--



Adaptor included with Breathing Tube above



The New 3M™ Versaflo™ Powered Air Purifying Respirator TR-600

Thanks to comprehensive research and a true understanding of how to increase on-the-job comfort and confidence, we created the most advanced, versatile powered air solution yet. Simply put: It's designed to help make breathing and working easier.

Versatility

The TR-600 is the tailored prescription you've been waiting for. It's designed to be compatible with multiple configurations of headtops, breathing tubes, batteries, filters and cartridges.

Endurance

The TR-600 is equipped with two powerful battery options designed to be both efficient and intuitive. With battery options that can last up to eight hours, TR-600 users enjoy longer run time, less charging time and, ultimately, reduced down time. Along with power, the TR-600 battery delivers intuitive charge level indicators on the battery and PAPR user interface to help make sure you're prepared and getting the most out of the battery during your workday.

- LED status lights for battery charge on both the battery and the blower
- Low-charge and low-flow warnings, including vibratory, audible and visual alarms
- PAPR alarm provides approximately 15 minutes of warning prior to automatic low-power shutdown

Comfort

The TR-600 is the tailored prescription you've been waiting for. It's designed to be compatible with multiple configurations of headtops, breathing tubes, batteries, filters and cartridges.

- Multiple airflow rate options for user comfort
- Ergonomically designed to fit close to the body
- Multiple belt size adjustments and extenders for proper fit and comfort

Ease of Use

User-friendly design with intuitive, colored interactive touch points and visual, vibratory and audible low-flow and low-battery indicators.

- Easy tool-free maintenance
- Color-indicated touch points
- Low-flow and low-battery alarms
- Battery charge and particulate filter loading status indicators
- Meets IP53 rating while in use in decontamination shower
- Meets IP67 rating when used with cleaning and storage plugs to enable full submersion for easy clean-up and decontamination



RS Hughes Part Price Per Case Description

3M™ Versaflo™ TR-600 PAPR Assembly



Standard Battery, BT-30 Breathing Tube, High Durability Belt.

A. 051131-37339 1,155.37 CA 1 TR-613N

Standard Battery, BT-30 Breathing Tube, Easy Clean Belt.

B. 051131-37340 1,155.37 CA 1 TR-614N

High Capacity Battery, BT-30 Breathing Tube, High Durability Belt.

C. 051131-37341 1,253.73 CA 1 TR-616N

High Capacity Battery, BT-30 Breathing Tube, Easy Clean Belt.

B. 051131-37342 1,253.73 CA 1 TR-617N

D. 3M™ Versaflo™ Cartridges

051131-37363	108.20	EA	5	Acid Gas/HE
051131-37365	114.75	EA	5	Formaldehyde/HE
051131-37364	131.15	EA	5	Ammonia/Methylamine/HE
051131-37361	104.92	EA	5	Organic Vapor/HE
051131-37362	104.92	EA	5	Organic Vapor/Acid Gas/HE
051131-37366	163.93	EA	5	Multi-Gas/HE
051131-37360	59.02	EA	5	HEPA and Nuisance OV/AG





RS Hughes Part Price Per Case Description

E. 3M™ Versaflo™ Prefilter TR-6600

The TR-6600 prefilter can extend the service life of the particulate (HE) element of TR-600 series filters and cartridges by capturing large particles that may clog the HE filter. Frequent prefilter changeout may help optimize PAPR system performance.

051131-37354 4.92 EA 50



F. 3M™ Versaflo™ Spark Arrestor TR-662

The TR-662 spark arrestor may be used with all TR-600 series filters and cartridges. It helps prevent sparks and other hot particles from damaging the filter/cartridge, and can be used as a cleanable prefilter. Two per case.

051131-37355 9.84 CA 1 2/CA

G. 3M™ Versaflo™ High Durability Belt TR-626

Replacement part for TR-600 series PAPRs. The ergonomic design makes it comfortable to wear. Leather leads make it suitable for challenging work such as grinding.

051131-37343 131.14 CA 1

H. 3M™ Versaflo™ Belt Extender TR-626X

The TR-626X Belt Extender (20 in./50cm) enables the TR-626 belt to be worn comfortably, when additional belt length is needed.

051131-37344 40.99 CA 1

I. 3M™ Versaflo™ Easy Clean Belt TR-627

Replacement part for TR-600 series PAPRs. The ergonomic design makes it comfortable to wear. Smooth surfaces make it easier to clean.

051131-37345 131.14 CA 1

J. 3M™ Versaflo™ Belt Extender TR-627X

The TR-627X Belt Extender enables the TR-600 PAPRs to be worn comfortably, when additional belt length is needed.

051131-37346 40.99 CA 1

K. 3M™ Versaflo™ Standard Battery TR-630

The TR-630 is a light weight, standard capacity, lithium-ion battery pack for TR-600 series PAPRs. It charges quickly, and features a charge level indicator.

051131-37347 311.48 CA 1

L. 3M™ Versaflo™ High Capacity Battery TR-632

The TR-632 is a light weight, high capacity, lithium-ion battery pack for TR-600 series PAPRs. It charges quickly, and features a charge level indicator.

051131-37348 416.67 CA 1

M. 3M™ Versaflo™ Single Station Battery Charger Kit TR-641

The TR-641 Battery Charger Kit is a complete single station battery charger for TR-600 Series PAPRs. It consists of a TR-640 Cradle and a TR-941 Power Supply.

051131-37350 258.33 CA 1

N. 3M™ Versaflo™ 4-Station Battery Charger Kit

A complete 4-station battery charger for TR-600 Series PAPRs. It consists of a TR-944 Power Supply and four TR-640 Cradles.

051131-37351 991.67 CA 1



O. 3M™ Suspenders for Versaflo™ and Speedglas™

The TR-329 Suspenders are designed for use with all 3M™ Versaflo™ TR-300 and Speedglas™ TR-300-SG belts.

051131-17362 50.44 CA 1

P. 3M™ Versaflo™ Back Pack Adaptor TR-655

Enables the TR-600 series PAPR to be worn on the BPK-01 backpack rather than on a belt at the waist.

051131-17358 75.69 CA 1

Q. 3M™ Versaflo™ Cleaning & Storage Kit TR-653

Designed to assist with product cleaning and storage. A plug and seal is provided for the inlet and outlet openings of the TR-600 series motor/blower. A cover is provided for the electrical connections of the TR-600 series battery.

051131-37373 28.69 CA 1

Respiratory Protection

Powered Air Purifying Respirators and Supplied Air Respirators



NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change



B

3M™ Versaflo™ TR-300 Powered Air Purifying Respirators

Lighter and Smaller

The Versaflo™ TR-300 PAPR is significantly lighter and thinner than 3M's existing belt-mounted PAPR units. It also keeps its light weight close to the user's back, reducing the leverage effect that can cause PAPRs to feel heavier. The slim profile is designed for use in tight spaces, and its smooth, contoured outer surfaces are less prone to snagging on nearby objects.

Easy to Use

- Simple, one-button operation
- Two types of alarms — one audible and one LED— alert the user to either a low battery or low airflow, such as when a particle filter is fully loaded

Straightforward Maintenance

- The battery and filter can be changed quickly and easily by hand.

Designed for Optimal Usability

- The air inlet design helps make sitting possible without compromising the airflow intake.
- A window on the filter cover allows easy identification of the installed filter.
- LED lights on the battery itself indicate its charge status on and off the charger.
- Intuitive user interface — blue components represent user interface points (i.e. power button, filter cover, battery release).
- Available with backpack option.



A

RS Hughes Part	Price	Per	Case	Description
A. 3M™ Versaflo™ TR-300 PAPR Assembly				
The all-new, lightweight 3M™ Versaflo™ TR-300 Powered Air Purifying Respirator is the key to easy-to-use, versatile respirator systems for particulate environments. With its compact, well-balanced and slim design, this powered respirator is the answer to respiratory protection needs for many users. Available with a flexible range of headgear - from lightweight hoods to industrial helmets that can provide head, eye and face protection. Contains a TR-3712N PAPR Unit, TR-325 standard belt, TR-330 battery, TR-341N battery charger kit, TR-3710N HE filter, and a TR-3600 prefilter.				
051131-17355	995.96	EA	1	TR-325 Standard Belt, TR-330 Economy Battery
051131-17356	1,118.04	EA	1	TR-326 Hi-Durability Belt, TR-332 Hi-Cap Battery
051131-17357	1,118.04	EA	1	TR-327 Easy Clean Belt, TR-332 Hi-Cap Battery
B. 3M™ HE Filter TR-3712N, for Versaflo™ TR-300 Series PAPR				
The TR-3712N is a High Efficiency Particulate (HE) filter for use with TR-300 Series PAPRs.				
051141-56313	40.17	EA	5	
051138-18957	38.50	EA	40	



3M™ GVP Series



D

E



C

3M™ Belt-mounted Powered Air Powered Respirator (PAPR) Assembly GVP-1NiMH

C.	051131-98532	1031.71	EA	1	w/ Standard Belt
D.	051131-98534	1088.59	EA	1	w/ Comfort Belt

E. 3M™ Battery Charger GVP-112

051138-29209	129.57	CA	1	
--------------	--------	----	---	--

PAPR Cartridges

3M™ PAPR Cartridges for GVP Series PAPR

F.	051138-29219	41.14	EA	8	High Efficiency, GVP-440
G.	051138-29350	75.82	EA	6	Ammonia, GVP-404
H.	051138-29352	124.09	EA	6	Ammonia, High Efficiency, GVP-444
I.	051138-29216	68.17	EA	6	Organic Vapor, GVP-401
J.	051138-29218	60.17	EA	6	Organic Vapor, Acid Gas, GVP-403
K.	051138-29222	94.42	EA	6	Organic Vapor, Acid Gas, High Eff., GVP-443
L.	051131-07196	94.42	EA	6	Organic Vapor, High Efficiency, GVP-441



PAPR Kits

M. 3M™ Versaflo™ Easy Clean PAPR Kit

Perfect for many pharmaceutical, healthcare, and food and beverage applications, the TR-300-ECK kit includes an S-655 Hood, a TR-307N PAPR with Easy Clean Belt, and a BT-30 Breathing Tube. A battery charger, TR-3710N filter and TR-3600 prefilter are included as part of the TR-307N.

051131-17377 1,260.46 EA 1

N. 3M™ Versaflo™ Heavy Industry PAPR Kit

A complete particulate PAPR system for industrial applications where combined respiratory, head, eye and face protection is required or desired. Includes an M-307 Respiratory Hard Hat, a TR-306N PAPR with High Durability Leather Belt, and a BT-40 Heavy Duty Breathing Tube. A battery charger, TR-3710N filter, and TR-362 spark arrestor/prefilter are included as part of the TR-306N.

051131-17378 1,667.39 EA 1

O. 3M™ Versaflo™ Belt-Mounted PAPR Painters Kit

A complete PAPR solution for painters. Includes a GVP-CB PAPR Assembly (including battery, comfort belt, and charger), a GVP-441 OV/HE Filter with GVP-119 shower cover, a BT-20L Breathing Tube with BT-922 Breathing Tube Cover, and a M-101 Respiratory Faceshield with a M-925 Visor and M-936 Comfort Face Seal.

051131-37335 1,547.84 EA 1

P. 3M™ Versaflo™ Painters Supplied Air Respirator Kit

For painters who want to use a Supplied Air Respirator. Includes a V-100 Vortex Cooling Assembly, a BT-20L Breathing Tube with BT-922 Breathing Tube Cover, and a M-101 Respiratory Faceshield with a M-925 Visor and M-936 Comfort Face Seal. A supplied air hose (sold separately) is required to complete the NIOSH-approved system. Contact 3M Technical Service for information on air source options and air quality requirements.

051131-37336 773.41 EA 1

Q. 3M™ Versaflo™ Headcover PAPR Kit

The easiest way to select a complete system for hospital, healthcare, and pharmaceutical applications where an S-133, APF 25 Headcover is appropriate. Includes an S-133 Headcover, a TR-307N PAPR with Easy Clean Belt, a BT-30 Breathing Tube, charger, TR-3710N filter and a storage bag. Available in two sizes.

051131-49635	1,260.46	EA	1	Small/Medium
051131-49636	1,260.46	EA	1	Medium/Large





NO MINIMUM ORDER! 1-877-RSHUGHES
Pricing subject to change

Air Filtration Panels

- Air Filtration Panels are used to:**
- Control the pressure of air delivered to a supplied air respirator
 - Remove contaminants from compressed air to make it safer to breathe

Air Filtration Panels



RS Hughes Part Price Per Case Description

3M™ Versaflo Air Filtration Panel

A. 051131-37417 2,343.84 EA 1 AP-601



3M™ Versaflo™ AP-600 Series Air Filtration Panels



AFP Model Number	Capacity (CFM / lpm)	CO/O ₂ Monitor	CO Removal	Particulate and Odor Removal	Maximum Available Outlets
AP-603	100 / 2830	Yes	Yes	Yes	8
AP-602	100 / 2830	Yes	No	Yes	8
AP-601	100 / 2830	No	No	Yes	8

3M™ AP-621-1 Carbon Monoxide and Oxygen Monitor

Monitoring

The AP 621 1 Carbon Monoxide and Oxygen Monitor continuously measures the concentration of carbon monoxide (CO) and oxygen (O₂) in the air. This system produces an audible and visual alarm when CO concentrations exceed 5 PPM, or O₂ concentrations drop below 19.5%.

- Continuous monitoring of CO and O₂
- Digital readout
- Audible and visual alarms
- Available remote CO/O₂ alarm
- Alarms when CO exceeds 5 PPM
- 2 'C' Cell batteries provide power for approximately 1 year
- Visual "low battery" indicator
- Optional AC adapter jack
- Easy installation
- Easy calibration



B

RS Hughes Part	Price	Per Case	Description
3M™ Versaflo Air Monitor			
B. 051131-37418	3,341.21	EA	1 AP-602 CO/OX Monitor
B. 051131-37419	3,939.64	EA	1 AP-603 CO Monitor
C. 051131-37420	84.78	EA	1 Particles & Mist Filter, Replacement Cartridge
D. 051131-37421	598.43	EA	1 CO Catalytic, Replacement Cartridge



C

D



E. 3M™ Air Regulating Assembly

051131-37019	174.61	CA	1 V-300
051131-37020	141.06	CA	1 Low Pressure, V-400



E

F

G

3M™ Vortemp™ Assembly

F. 051138-66166	538.62	EA	1 Heating Assembly, V-200
G. 051131-37018	410.15	CA	1 Cooling Assembly, V-100

H. 3M™ Supplied Air Hose, High Pressure, Coiled, 3/8 in ID, Industrial Interchange Fittings

051138-16209	214.15	CA	1 25 ft, W-2929-25
051138-16210	339.96	EA	1 50 ft, W-2929-50
051138-16207	560.28	CA	1 100 ft, W-2929-100



H

I

J

I. 3M™ Supplied Air Hose, Low Pressure, 1/2 in ID, Industrial Interchange Fittings

051131-07033	179.40	CA	1 25 ft, W-3020-25
051131-07034	278.70	EA	1 50 ft, W-3020-50
051131-07035	467.55	CA	1 100 ft, W-3020-100

J. 3M™ Supplied Air Hose, High Pressure, 3/8 in ID, Industrial Interchange Fittings

051131-07010	136.92	EA	1 25 ft, W-9435-25
051131-07011	215.53	EA	1 50 ft, W-9435-50
051131-07012	335.54	EA	1 100 ft, W-9435-100



A



B



RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. 3M™ Adflo™ Powered Air Purifying Respirator (PAPR) High Efficiency Particulate Filter, Respiratory Protection

Replacement high efficiency particulate filter for 3M™ Adflo™ Powered Air Purifying Respirator (PAPR). 2 per case.

051131-37145	105.88	CA	1
--------------	--------	----	---



B. 3M™ Adflo™ Powered Air Purifying Respirator (PAPR) Battery, Respiratory Protection

Replacement battery for 3M™ Adflo™ Powered Air Purifying Respirator (PAPR). Environmentally-friendly NiMH battery charges in less than 3 hours. Battery can be removed or installed in turbo unit during charging.

051131-37146	410.79	EA	1
--------------	--------	----	---

Jackson Safety* R60 Airmax Powered Air Purifying Respirator (PAPR)

Comfort & Protection At A Value

The Jackson Safety* R60 Airmax* Powered Air Purifying Respirator (PAPR) is the PAPR you have been waiting for – affording protection from harmful contaminants while you weld. Quality-built to perform for the small to the toughest of jobs, keeping you safe through it all.

Facts:

- Welding helmet featuring a Jackson safety* W40 series variable auto-darkening filter. The ADF automatically detects weld arc and switches to weld shade. Adjustable shade 9-13 with light shade 4.
- Flame-retardant face seal around welding helmet protects against sparks during use.

- Lightweight blower unit with adjusting waist belt.
- Audible alarm signals user when need new filter or battery charge.
- Single filter providing NIOSH approved HE filtration from particulate contaminants. Intuitive set and lock into place for quick and easy replacement.
- Flame-retardant breathing hose measures approx. 35" long to provide flexibility during use and protection against sparks.
- Lightweight Lithium Ion Battery is the newest battery technology that provides 8 hours of power.
- Battery "smart" charger indicates when charging and when complete without overcharging the batteries.



Only \$646.81!



D



E

JACKSON SAFETY* AIRMAX* Powered Air Purifying Respirator

The JACKSON SAFETY* R60 AIRMAX* Powered Air Purifying Respirator is the PAPR you've been waiting for - affordable protection from harmful contaminants while you weld. Quality-built to perform for the smallest to the toughest of jobs, keeping you safe through it all. Welding helmet with a JACKSON SAFETY* W40 Series variable auto-darkening filter which can automatically detect weld arcs and switch to weld shade. Flame-retardant face seal protects against sparks. Lightweight blower unit with adjustable waist belt. Audible alarm signals user when new filter or battery charge is needed. Filter provides NIOSH-approved HE filtration from particulate contaminants; intuitive set and lock for quick and easy replacement. Flame-retardant breathing hose provides flexibility and protection against sparks. Lightweight Lithium Ion battery provides 8 hours of power. "Smart" charger indicates when battery charge is complete to prevent overcharging.

C. 12993	646.81	EA	1	Respirator
D. 13053	19.29	EA	6	HE Filter
E. 13051	133.61	EA	1	Lithium Ion Battery - 8hr



RS Hughes Part Price Per Case Description

F. 3M™ 9100-Air Welding Helmet with ADF and Adflo™ PAPR High Efficiency System



F

The new 9100-Air is designed for enhanced comfort and protection. The helmet has a smooth up-and-down pivot action that gently locks in the 'up' position. It comes with a highly adjustable head suspension system and a well-balanced design. This optimizes its center of gravity, keeping the helmet closer to the user's head in both the up and down positions-making the helmet feel lighter, more stable and balanced at all times. Plus, the revolutionary design offers more coverage of vulnerable body areas, like the ears and sides of the neck, protecting from sparks, metal grindings and other splatter debris, increased peripheral vision and excellent optical quality and function.

051131-49821 1,799.25 EA 1 9100XX, HEPA

G. 3M™ Speedglas™ 9100 MP welding helmet with ADF and Adflo™ PAPR High Efficiency System

G



Offers the welder compact, lightweight respiratory protection and quality filter optics all-in-one. Features a NiMH battery, high efficiency particulate filter, and wide leather belt. Audible and visual alarms signal low airflow and low battery charge. The high efficiency particulate filter can be "stacked" onto an optional 3M™ Adflo™ Cartridge Filter (not included) for additional protection against OV/SD/CL/HC vapors. The 9100 MP welding helmet features: Flip-up assembly for grinding and prep work. SideWindows - Shade 5 side filters that increase peripheral vision. Ergonomic, adjustable head suspension for increased comfort, helmet stability and weight distribution. Selectable Shades 5, 8-13 and Shade 3 light state; Grinding and Tack modes. For use with all Stick, MIG, and TIG welding processes. Five-position sensitivity control. Adjustable recovery delay. Offers Assigned Protection Factor (APF) of 25 when used as a NIOSH-approved system. Meets ANSI Z89.1 - 2009 requirements for Type 1 Class G hardhats. Meets ANSI Z87.1-2010. Earmuff protection available as optional accessory. Storage bag, welding cap and starter kit included.

051141-55801 2,102.26 EA 1 9100X Auto Darkening Filter

H. 3M™ Adflo™ High Efficiency Starter Kit, Welding Safety

H

Replacement kit includes 2 high efficiency particulate filters, 6 prefilters and 2 spark arrestors. For 3M™ Adflo™ Powered Air Purifying Respirator (PAPR).

051131-37147 114.89 EA 1

I. 3M™ Adflo™ Prefilter, Welding Safety

Replacement particulate prefilter for 3M™ Adflo™ Powered Air Purifying Respirator (PAPR). Installs into the Adflo turbo filter cover, between the spark arrestor and the High Efficiency particulate filter.

051131-37144 16.00 EA 6

J. 3M™ Adflo™ Spark Arrestor, Welding Safety

Replacement spark arrestor for 3M™ Adflo™ Powered Air Purifying Respirator (PAPR). Installs into Adflo turbo filter cover.

051131-37142 5.60 EA 2



I

J

3M™ Reusable Respirators

100 FREE FILTERS

with the purchase of
3M Reusable Respirators



FF400



6500



\$530*
VALUE

Receive 100 free filters (50 pairs) of premium 3M™ Particulate Filters 2297 with minimum purchase of assorted 3M™ Half or Full Facepiece Respirators.

**Valid Until
July 31,
2015**

Free Filter Offer – Promotional Event Details

HOW THE FREE FILTER OFFER WORKS

1. Select 1 of 5 options below to promote any time during the year for a maximum of 90 days.
2. With "Proof of Purchase" RS Hughes ships a free case (100 each/50 pair) of 2297 to the end user.

Option 1: Buy 15 assorted 7500 half facepieces, get a case of filters

Option 2: Buy 15 assorted 6500 half facepieces, get a case of filters

Option 3: Buy 20 assorted 6000 half facepieces, get a case of filters

Option 4: Buy 5 assorted FF-400 full facepieces, get a case of filters

Option 5: Buy 10 assorted 6000 full facepieces, get a case of filters



⚠WARNING

These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in the USA at 800-243-4630. In Canada, call Technical Service at 800-267-4414.

3M™ Reusable Respirator Trade-in Program



Are you a frequent user of filters and cartridges?
Would you like to switch products without investing in new facepieces?

Get free 3M™ Reusable Respirator facepieces* in exchange for competitive facepieces and your purchase of 3M™ Cartridges and/or Filters**.

How it works...

3M™ Reusable Respirator Trade-in Process

1. Order cartridges and filters from R.S. Hughes.
2. R.S. Hughes will contact your local 3M safety representative to confirm and process trade-in request.
3. 3M will ship free facepieces.
4. R.S. Hughes will collect and dispose of competitive facepieces.

Assorted Facepiece Example

Facepiece Model	6000 Series Half Facepiece	FF-400 Full Facepiece	Totals
Quantity of Trade-in Facepieces (required minimum of 10 assorted models)	5 facepieces	5 facepieces	10 facepieces
Filter/cartridge purchase requirement	2 pairs filters/cartridges	10 pairs filters/cartridges	
Totals	10 pairs filters/cartridges	50 pairs filters/cartridges	60 pairs filters/cartridges

Trade-in Ratio of Cartridges/Filters per Facepiece (e.g. purchase ten pairs of 6000 series cartridges to qualify for one FF-400 series respirator)

	3M™ Half Facepiece Reusable Respirator 6000 Series	3M™ Half Facepiece Reusable Respirator 6500 Series	3M™ Half Facepiece Reusable Respirator 7500 Series	3M™ Full Facepiece Reusable Respirator 6000 Series	3M™ Ultimate FX Full Facepiece Reusable Respirator FF-400 Series	3M™ Full Facepiece Reusable Respirator 7800 Series
3M™ Particulate Filters 2000 Series and 2200 Series	2 pairs	2 pairs	3 pairs	4 pairs	10 pairs	15 pairs
3M™ Gas/Vapor Cartridges 6000 Series	2 pairs	2 pairs	3 pairs	4 pairs	10 pairs	15 pairs
3M™ Combination Cartridges/P100 Particulate Filters 6000 Series	2 pairs	2 pairs	3 pairs	4 pairs	10 pairs	15 pairs
3M™ Particulate Filter 7093, P100	2 pairs	2 pairs	3 pairs	4 pairs	10 pairs	15 pairs
3M™ Particulate Filter 5000 Series	2 pairs	2 pairs	3 pairs	4 pairs	10 pairs	15 pairs

*A minimum selection of 10 assorted facepieces necessary to meet trade-in program requirements.

**See chart for suggested trade-in ratio of cartridges or filters to be purchased for each qualifying trade-in facepiece.

**Valid Until
December 31,
2015**



Hand Protection

In this section:

Cotton Lisle Gloves.....	82
Cotton Knit Gloves.....	83-84
Cotton Canvas and Jersey Gloves.....	84
Hot Mill Gloves.....	85
Coated Knit Gloves.....	86-99
Cut Resistant Gloves.....	100-113
Cut Resistant Sleeves.....	114
Leather Gloves.....	115-122
Welding Gloves.....	122-125
Leather Foundry Gloves.....	126
Coated Work Gloves.....	127
Mechanics/Trade Gloves.....	128-133
Disposable Gloves.....	134-146
Chemical Resistant Gloves.....	147-152
Electrical Rated Gloves.....	153

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change



B

Cotton Lisle Gloves

RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

A. Ergodyne 3400 Glove Grabbers

Clips to clothing, belts, tool belts, and D-rings. Detachable, usable with 'beeners, D-rings, etc. Breakaway feature Dielectric / non-conductive material. Durable, ultra-resilient acetal copolymer.



720476-19118	2.67	EA	6		Orange
--------------	------	----	---	--	--------

B. Brady Sign - CAUTION GLOVES REQUIRED

10" H x 14" W, Black on Yellow



754476-22404	12.99	EA	1	B-401, Plastic	
754476-84534	12.11	EA	1	B-302, Self Sticking Polyester	

PIP 97-500 Series Inspection Gloves

Designed to minimize contamination of products from human hands. 500 series lisle gloves are constructed in a two piece, reversible pattern using 100% cotton fabric. Custom sizes, length and hem constructions available upon request. Styles with overcast hems shed less lint. Styles with rolled hems shed even less lint. All styles are made of 100% cotton unless otherwise noted.

C. 616314-01901	4.44	DZ	100	97-500 Mens, Premium Grade
C. 616314-01918	4.12	DZ	100	97-501 Ladies, Premium Grade
D. 616314-01857	2.76	DZ	100	97-500I Mens, Economy Grade
D. 616314-01864	2.76	DZ	100	97-501I Ladies, Economy Grade

E. JACKSON SAFETY* G35 Inspection Gloves

General purpose 100% white nylon glove, PPE Category I. Ideal for Automotive and Aerospace Segments for tasks requiring low linting and silicone free features to avoid reworking. It is also ideal for other segments where product and process protection is needed. The seamless knit shell eliminates the risk of skin irritations and increases breathability and comfort. Available as : ambidextrous to increase efficiency, five sizes with different coloured yarn on cuffs to help size identification; double bagged to avoid silicone contamination.

036000-38716	13.20	DZ	10	XS	White
036000-38717	13.20	DZ	10	SM	White
036000-38718	13.20	DZ	10	MD	White
036000-38719	13.20	DZ	10	LG	White
036000-38720	13.20	DZ	10	XL	White



F. Red Steer 135-9-LY/145-9-MN Lisle Reversible 9" Small

Light weight lisle, cotton/polyester blend, self hemmed, 9" length, hand-to-hand reversible. Women's (LY) and Men's (MN) sizes.

135-9 SM	3.36	DZ	100	SM	135-9-LY
145-9 LG	3.36	DZ	100	LG	145-9-MN



C



D



E



F

OSHA Standard 1910.138(a) & (b)

(a). General requirements. Employers shall select and require employees to use appropriate hand protection when employees' hands are exposed to hazards such as those from skin absorption of harmful substances; severe cuts or lacerations; severe abrasions; punctures; chemical burns; thermal burns; and harmful temperature extremes.

(b). Selection. Employers shall base the selection of the appropriate hand protection on an evaluation of the performance characteristics of the hand protection relative to the task(s) to be performed, conditions present, duration of use, and the hazards and potential hazards identified.

Coated Knit Gloves

Cotton or cotton blend gloves are traditional work gloves used in many industries for their superior comfort and protection against dirt and grime.

Strings: General purpose gloves that provide moderate protection from both heat and cold. Gauge references the number of rows of stitches per inch. A higher gauge means less bulk and greater dexterity.

Dotted/Coated: Ideal for material handlers due to the enhanced grip, added protection and extended wear provided by the dots or palm coating.

Terry: Provides moderate thermal protection and cut resistance.

Jersey: A comfortable alternative that comes in a variety of weights for general duty and light abrasion application.

Chore: The cotton shell provides the protection needed for general purpose or light duty jobs. Lining offers comfort and heat dispersion.

Hotmill: These multi-layered gloves offer greater protection for extended exposure to moderate heat.

Cotton Knit Gloves

RS Hughes Part Price Per Case Size Description

G. PIP 35-C104 Cotton/Polyester Glove, 7 Ga, Std. Wt.

Cotton/polyester, natural color, 7 gauge, standard weight. Knit construction allows breathability with less hand fatigue. Seamless pattern increases comfort. Reversible design allows replacing one glove at a time, rather than pairs. Made from component materials which comply with Federal regulations for food contact. 21CFR, 170-199;. Can be used as a glove liner. Small size fits ladies well. Used for warehousing, parts handling, assembly and food processing.

616314-15267	3.83	DZ	25	SM
616314-15281	3.83	DZ	25	LG



H. PIP 35-C110, Cotton Polyester, 7 Ga, Medium Wt.

Seamless Knit, Cotton/Polyester, Natural Color, 7 Gauge

616314-02328	4.90	DZ	25	SM
616314-02311	4.90	DZ	25	LG

H. PIP 35-C410, Cotton Knit, 7 Ga, Hvy Wt, Natural

Seamless Knit, Cotton/Polyester, Natural Color, 7 Gauge

616314-02342	6.09	DZ	25	SM
616314-02335	6.09	DZ	25	LG

I. PIP 35-G410 Cotton/Polyester Knit, 7 Gauge

Seamless knit cotton/polyester, gray, 7 gauge, heavy weight. Knit construction allows breathability with less hand fatigue. Seamless pattern increases comfort. Reversible design allows replacing one glove at a time, rather than pairs. Made from component materials which comply with Federal regulations for food contact. 21CFR, 170-199; Can be used as a glove liner. Used for warehousing, parts handling, assembly and food processing. PVC coated cotton knits.

616314-23026	6.09	DZ	25	SM
616314-23033	6.09	DZ	25	LG

J. PIP 35-C500, Knit Cotton, Medium Wt, Gray

Seamless Knit, Cotton/Polyester, Gray Color, 7 Gauge, Medium Weight

616314-02458	4.10	DZ	25	SM
616314-02465	4.10	DZ	25	MD
616314-02472	4.10	DZ	25	LG
616314-02489	4.10	DZ	25	XL

K. Ansell MultiKnit 76-606 Medium Wt Cotton/Poly Knit Glove

Excellent for use as a glove liner. Durable cotton/poly blend in off-white color. Available in three duty levels to fit a variety of customer needs.

076490-41998	4.80	DZ	12	7
076490-41999	4.80	DZ	12	9



G



H



I



J

Hand Protection

Cotton Knit Gloves/Cotton Canvas & Jersey Gloves

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change



RS Hughes Part Price Per Case Size Description

PIP 36-110PD PVC Coated Cotton/Polyester Knit, Regular Weight, Natural Color

PVC coated natural color cotton/polyester string knit, one side black PVC dots coat, regular weight shell. Coated palm offers abrasion resistance and increased grip. Uncoated back allows hand to breathe.

A. 616314-15199	5.79	DZ	25	SM	Single Side Dotted
A. 616314-56758	5.79	DZ	25	MD	Single Side Dotted
A. 616314-15182	5.79	DZ	25	LG	Single Side Dotted
A. 616314-56765	5.79	DZ	25	XL	Single Side Dotted

PVC Coated Seamless Knit, Double Side PVC Dots, Regular Weight Shell. Finger Nails® have extra coated finger-tips to extend wear.

B. 616314-15212	7.19	DZ	25	SM	Double Side Dotted
B. 616314-15205	7.19	DZ	20	LG	Double Side Dotted

C. PIP 36-C330PDD PVC Coated Cotton Polyester Knit FingerNails®, Heavy Shell, Coated Finger Tips

FingerNails® heavy shell styles have coated finger tips to extend wear. Used in warehousing and package handling, general assembly, light duty general work situations, construction and bottle handling.

616314-02700	8.38	DZ	25	SM	Double Side Dotted
616314-02694	8.38	DZ	25	LG	Double Side Dotted

Cotton Canvas and Jersey Gloves



D. PIP 90-908I/90-908CI 8oz Canvas Economy Grade

90-908CI Canvas Single Palm Glove, 8 Oz., Economy Grade, Natural Knitwrist

616314-03790	8.03	DZ	25	90-908I Mens
616314-03851	7.45	DZ	25	90-908CI Ladies

E. PIP 91-908PDI Canvas Economy Grade Black, PVC Dot Glove

Canvas Dotted Palm Glove, 8 Oz., Economy Grade, Black PVC Dots, Natural, Men's

616314-03943	10.48	DZ	25	
--------------	-------	----	----	--



F. PIP 95-806 Brown Jersey Gloves Economy Weight

Jersey Glove, Brown, Economy Weight, Clute Pattern, Knitwrist, Men's

616314-04223	7.03	DZ	25	
--------------	------	----	----	--

F. PIP 95-808 Brown Jersey Gloves Standard Weight

Jersey Glove, Brown, Regular Weight, Clute Pattern, Knitwrist

616314-04230	7.48	DZ	25	Mens	95-808
616314-04247	7.19	DZ	25	Ladies	95-808C

G. Red Steer 23001 9 Oz Brown Jersey, K/W, Straight Thumb

9 oz. brown jersey, 100% cotton, straight thumb, knit wrist, clute cut.

23001 LG	11.80	DZ	25	LG
----------	-------	----	----	----



H. Red Steer 23900 Red Lined Brown Jersey

Heavywt red fleece lined brown jersey, easy on easy off cuff, shirred elastic wrist.

23900 LG	16.44	DZ	25	LG
----------	-------	----	----	----



Hot Mill Gloves

I. PIP 42-C700 Terry Cloth Glove

Terry Cloth, Seamless Gloves, 24OZ, Loop-Out, Knitwrist Natural

616314-15311	17.36	DZ	10	SM
616314-15304	17.36	DZ	10	LG



J. Red Steer 25000 Hot Mill Band Top 24 oz Fabric

Hot Mill 24 oz. double layer cotton, knuckle strap protector, 2 inch band top cuff, generous hot mill sizing.

25000KS LG	29.40	DZ	10	LG
------------	-------	----	----	----



K. PIP 94-932 Hot Mill Glove

Canvas Hot Mill Glove, 32OZ, Three Layers, Premium Grade, Band Top. Burlap

616314-04209	30.97	DZ	10	Mens
--------------	-------	----	----	------

L. Ansell Crusader® Flex 42-474

Non-woven felt insulation and a full-length heat barrier designed for intermittent handling of objects up to 400°F. Two-piece construction eliminates outseams for better finger comfort, dexterity and flexibility. Bonded nitrile coating protects against snags, punctures and cuts. Provides excellent grip when handling dry or oily surfaces. Contains no asbestos. Back of hand heat insulation. 1.4inch.

076490-09327	161.40	DZ	6	9
076490-09328	161.40	DZ	6	10



M. North Grip N® Hot Mill Nitrile Coated Gloves

Glove-within-glove design provides protection against high heat. Brown, nitrile "N" both sides, knitwrist. 12 pairs per pack, 6 packs per case.

NORTH 51-7147	81.84	DZ	6	Mens
---------------	-------	----	---	------



N. PIP 43-802 Double-Layered Cotton Seamless Knit Hot Mill Glove

Used for hot metal handling, glass handling, foundries and forging operations. 100% cotton double-layer seamless construction offers increased comfort, breathability and heat protection. Double-layered for two layers of heat protection. EverGrip™ coating is a special formulated nitrile to resist melting and provide superior grip. Ambidextrous pattern permits glove to be worn on either hand, extending wear and reducing costs. Open cuff allows for easy on and off, small size fits ladies well. Cotton color binding denotes sizing.

616314-19043	65.09	DZ	8	SM
616314-19050	65.09	DZ	8	LG



Coated Knit Gloves

Coated Knit Glove popularity has increased due to the unparalleled tactile sensitivity and form-fitting design that still protects the wearer from workplace hazards. The shell of the glove is typically a knitted material such as nylon that fits close to the hand for maximum flexibility. Various coatings are then applied for use in a variety of applications.

Nitrile: A thinner coating that improves dexterity and tactility. Provides tough protection against petrochemicals, solvents, oils and greases. Excellent resistance from abrasion and snags. Available in a variety of types: foam, sponge and flat.

Polyurethane: The thinnest coating available for excellent dexterity. Incredibly tough, yet flexible and comfortable. Very good dry and oil gripping abilities.

Latex: Typically the thickest of coatings and therefore provides enhanced separation from hazard. Offers economical durability, very good abrasion and good grip in dry conditions.

PVC/Bi-Polymer: A durable and flexible coating for both dry and wet grip. Limited chemical and heat resistance.

COATINGS	Dry Grip	Wet Grip	Oil Grip	Abrasion Resistance	Tactility	Comfort	Permeability	Cost
NITRILE								
FLAT Smooth, non-porous coating which provides high chemical and abrasion resistance.	E	F	F	E	VG	VG	L	\$\$
SPONGE Flexible, porous and tacky coating for better grip. Slow water permeation.	E	VG	VG	VG	G	G	M	\$\$\$
FOAM Flexible, thin, porous coating. Fast water permeation for excellent grip. Draws liquid away from surface. Breathable.	G	E	E	G	VG	VG	H	\$\$\$
POLYURETHANE								
Strong, durable, lightweight and breathable. Provides flexibility and high resistance to abrasion.	VG	G	VG	VG	E	E	H	\$\$
LATEX								
Flexible and comfortable. Less resistant to abrasion, tearing or cutting. Provides resistance to heat.	VG	F	F	VG	F	F	L	\$
BI-POLYMER								
Flexible, thin, lightweight. High permeability and breathability. Low resistance to abrasion.	VG	E	E	F	G	VG	H	\$\$\$

E = Excellent VG = Very Good G = Good F = Fair H = High M = Medium L = Low \$\$\$ = Premium \$\$ = Standard \$ = Value



Coated Knit Gloves – Latex

RS Hughes Part	Price	Per Case	Size	Description
----------------	-------	----------	------	-------------

A. Ansell PowerFlex® 80-100

PowerFlex gloves provide a combination of cut, abrasion, and puncture resistance; superior wet and dry grip; and unbelievable comfort. The gloves are ergonomically designed with a soft gray, seamless poly/cotton knit liner that's palm-dipped with a textured, natural rubber coating. The uncoated back allows air to circulate which keeps hands cooler and drier, and the fully coated thumb provides added protection in this high-risk area. For cut-resistant PowerFlex Plus, see Cut-Resistant Category.

076490-06399	36.00	DZ	12	6
076490-06400	36.00	DZ	12	7
076490-06401	36.00	DZ	12	8
076490-06402	36.00	DZ	12	9
076490-06403	36.00	DZ	12	10

Ansell
Occupational Healthcare

RS Hughes Part Price Per Case Size Description

B. JACKSON SAFETY* G40 Latex Coated Gloves


A value option that has the feel of a thinner glove for superior tactile sensitivity with the added protection of a coating. Abrasion and tear resistant, it's an affordable choice for light assembly and other applications where dexterity and extra protection are key. Features: Excellent dexterity and grip, Hides dirt, Thin-mil feel for tactical sensitivity, Abrasion and tear resistant. Typical Uses: Precision assembly, Electronics assembly, controls handling, Packaging and inspection. 12/Bag, 60/Case.

036000-97270	36.97	BG	5	SM	GREY
036000-97271	36.97	BG	5	MD	GREY
036000-97272	36.97	BG	5	LG	GREY
036000-97273	36.97	BG	5	XL	GREY
036000-97274	36.97	BG	5	2XL	GREY



EN Standard Markings on Coated Gloves

Although not required in the USA knowing about the EN standard is important as many coated knit gloves made are sold in both Europe and the US. As a result the EN markings are on gloves sold in the US. These markings provide valuable information about glove performance characteristics which allows you to make more informed decisions about glove selection to comply with OSHA 1910.138 requirements.



Mechanical Hazards	Rating
Abrasion resistance	0-4
Blade cut resistance	0-5
Tear resistance	0-4
Puncture resistance	0-4

C. PIP 39-C121 Latex Smooth Grip Coated Cotton/Polyester, Latex Coated Palm and Fingers, Economy Grade

Economy grade, red latex, smooth palm coated. Cost and comfort combine to make this glove the economical palm coated glove choice. Coated palm offers abrasion resistance and increased grip. Uncoated back allows hand to breathe. Ideal for assembly, construction, inspection, material handling, refuse handling, landscaping and gardening.

616314-22968	7.71	DZ	25	SM
616314-21909	7.71	DZ	25	LG



D. PIP 39-C122 Latex Smooth Grip Coated Cotton/Polyester, Latex Coated Palm and Fingers, Regular Grade

Cotton/polyester seamless knit, blue latex coated palm and fingers, regular grade. Cost and comfort combine to make this glove the economical palm coated glove choice. Coated palm offers abrasion resistance and increased grip. Uncoated back allows hand to breathe. Ideal for assembly, construction, inspection, material handling, refuse handling, landscaping and gardening.

616314-02984	10.81	DZ	25	SM
616314-02977	10.81	DZ	25	LG
616314-51883	11.22	DZ	25	XL

E. PIP 39-1310 Blue Latex Crinkle Grip Coated Cotton/Polyester, Economy Grade

Latex rubber coated palm and finger tips. Seamless gray cotton/polyester liner. Unique "crinkle" finish for superior grip in wet and dry applications. Ergonomic shaped curved finger pattern. Uncoated back allows hands to breathe. Ideal for assembly, construction, inspection, material handling, refuse handling, landscaping and gardening.

616314-10972	17.93	DZ	6	SM
616314-10989	17.93	DZ	6	MD
616314-10996	17.93	DZ	6	LG
616314-11009	17.93	DZ	6	XL



F. PIP 39-C1300 Blue Latex Crinkle Grip Coated Cotton/Polyester, Premium Grade

G-Tek® Force, 10G Grey T/C liner with Blue Latex Crinkle Finish coated on palm, finger tips and full thumb. Made from materials which comply with FDA regulations for food contact. 21CFR, 170-199. Seamless gray premium cotton/polyester liner. Superior grip in wet and dry applications. Ergonomic shaped curved finger pattern. Uncoated back allows hand to breathe. Ideal for assembly, construction, inspection, material and refuse handling, landscaping and gardening.

616314-03028	30.55	DZ	6	SM
616314-03035	30.55	DZ	6	MD
616314-03042	30.55	DZ	6	LG
616314-03059	30.55	DZ	6	XL



Head to Toe Protection

Hand Protection

Coated Knit Gloves - Latex

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change

Coated Knit Gloves – Latex



**Editor's Choice
for comfort
and value**

RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

A. Red Steer A300 Powergrip Blue Rubber Palm

PowerGrip® Blue textured rubber palm, 10 gauge gray poly/cotton knit liner.

A-300 SM	24.96	DZ	10	SM
A-300 MD	24.96	DZ	10	MD
A-300 LG	24.96	DZ	10	LG
A-300 XL	24.96	DZ	10	XL



B. Red Steer A377 Blue Rubber Palm

BlueFlex® economy blue rubber palm, 10 gauge white poly/cotton knit liner.

A377 SM	16.80	DZ	12	SM
A377 MD	16.80	DZ	12	MD
A377 LG	16.80	DZ	12	LG
A377 XL	16.80	DZ	12	XL

C. Global Glove 300 Gripster® Rubber Palm

Excellent industrial & mechanical glove for all types of material handling. Perfect for any application that requires hi visibility and a great grip, such as highway construction. Snug fit, etched rubber palm for extra grip and 10 gauge Poly/cotton shell for comfort. Dark blue rubber on gray 10 gauge knit wrist poly/cotton liner.

300 SM T	20.66	DZ	72	SM
300 MD T	20.66	DZ	72	MD
300 LG T	20.66	DZ	72	LG
300 XL T	20.66	DZ	72	XL



D. Global Glove 300P Gripster®

Gripster® Plus Premium blue etched rubber on gray 10 gauge seamless poly/cotton liner, enhanced process gives state of the art industry ergonomic correct hand shape for extra comfort and wear ability, knit wrist.

300P SM	25.78	DZ	6	SM
300P MD	25.78	DZ	6	MD
300P LG	25.78	DZ	6	LG
300P XL	25.78	DZ	6	XL

E. Global Glove S966 String Kit Glove

Economy grade blue latex on medium weight string knit. Incredible comfort and dexterity, economical with excellent grip. Commonly used by contractors.

S966 SM	9.83	DZ	20	SM
S966 MD	9.83	DZ	20	MD
S966 LG	9.83	DZ	20	LG
S966 XL	9.83	DZ	20	XL

Ansell HyFlex Protection Levels



◆ MULTI-PURPOSE



💧 OIL-REPELLENT



🛡️ CUT PROTECTION



✂️ SPECIAL PURPOSE

Coated Knit Gloves - Polyurethane



F

RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

Ansell HyFlex® 11-600

Where dexterity is the key factor, HyFlex Lite is the perfect choice. The fine gauge nylon liner keeps hands cool and comfortable, while the palm coating provides great grip and abrasion resistance. The liner is naturally low linting so they're ideal for the electronics industry, aerospace, or any other controlled environment applications. Silicone free.

F. 076490-05650	31.00	DZ	12	6	Black Liner/Gray Coating
F. 076490-05651	31.00	DZ	12	7	Black Liner/Gray Coating
F. 076490-05652	31.00	DZ	12	8	Black Liner/Gray Coating
F. 076490-05653	31.00	DZ	12	9	Black Liner/Gray Coating
F. 076490-05654	31.00	DZ	12	10	Black Liner/Gray Coating
F. 076490-05670	31.00	DZ	12	11	Black Liner/Gray Coating
G. 076490-05565	31.00	DZ	12	6	White Liner/White Coating
G. 076490-05566	31.00	DZ	12	7	White Liner/White Coating
G. 076490-05567	31.00	DZ	12	8	White Liner/White Coating
G. 076490-05568	31.00	DZ	12	9	White Liner/White Coating

Ansell

Occupational Healthcare



G

h R.S. HUGHES

Head to Toe Protection

Hand Protection

Cotton Knit Gloves - Polyurethane

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change

Ultralight!



Ansell

Occupational Healthcare

Coated Knit Gloves – Polyurethane



New!
Special Purchase
\$25.42



RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

A. Ansell Ultralight HyFlex® 11-618

Our lightest weight general purpose coated glove is 20% lighter than other assembly gloves with outstanding comfort and sensitivity for delicate handling operations. It maximizes touch and precision with its 18 gauge nylon liner and thin polyurethane palm coating. The black palm color hides soil for extended glove life. Designed for lightweight applications in dry or slightly oily environments, it is ideal for workers needing a higher level of precision.

076490-88597	31.40	DZ	12	6	
076490-88598	31.40	DZ	12	7	
076490-88599	31.40	DZ	12	8	
076490-88600	31.40	DZ	12	9	
076490-88601	31.40	DZ	12	10	
076490-88602	31.40	DZ	12	11	

Ansell

Occupational Healthcare

JACKSON SAFETY* G40 Polyurethane Coated Gloves

JACKSON SAFETY* G40 Polyurethane Coated Gloves is a value option that has the feel of a thinner glove for superior tactile sensitivity with the added protection of a coating. Abrasion and tear resistant, it's an affordable choice for light assembly and other applications where dexterity and extra protection are key. Features: Excellent dexterity and grip, Hides dirt, Thin-mil feel for tactical sensitivity, Abrasion and tear resistant, Typical Uses: Precision assembly, Electronics assembly, Controls handling, Packaging and inspection.

B. 036000-13837	25.42	BG	5	7	Black
B. 036000-13838	25.42	BG	5	8	Black
B. 036000-13839	25.42	BG	5	9	Black
B. 036000-13840	25.42	BG	5	10	Black
B. 036000-13841	25.42	BG	5	11	Black

C. 036000-38726	31.92	DZ	5	7	Grey & Black
C. 036000-38727	31.92	DZ	5	8	Grey & Black
C. 036000-38728	31.92	DZ	5	9	Grey & Black
C. 036000-38729	31.92	DZ	5	10	Grey & Black
C. 036000-38730	31.92	DZ	5	11	Grey & Black





only \$13.09 per dozen

New Item!

RS Hughes Part Price Per Case Size Description

PIP 33-125/33-B125/33-G125 G-tek®, Urethane Coated Palm and Fingers



Nylon with polyurethane grip. Seamless knit nylon for great dexterity. Polyurethane coated palm and fingers for abrasion resistance. Breathable back for comfort. Pair packed for ease of distribution. Used in electronic and computer assembly, quality control, inspection and general assembly.

D.	616314-11870	13.09	DZ	25	SM	33-125, White
D.	616314-11887	13.09	DZ	25	MD	33-125, White
D.	616314-11894	13.09	DZ	25	LG	33-125, White
D.	616314-11900	13.09	DZ	25	XL	33-125, White
D.	616314-11917	13.09	DZ	25	2XL	33-125, White,
E.	616314-54273	13.09	DZ	25	SM	33-B125, Black
E.	616314-54280	13.09	DZ	25	MD	33-B125, Black
E.	616314-54297	13.09	DZ	25	LG	33-B125, Black
E.	616314-54303	13.09	DZ	25	XL	33-B125, Black
E.	616314-54310	13.09	DZ	25	2XL	33-B125, Black
F.	616314-11825	13.09	DZ	25	SM	33-G125, Grey
F.	616314-11832	13.09	DZ	25	MD	33-G125, Grey
F.	616314-11849	13.09	DZ	25	LG	33-G125, Grey
F.	616314-11856	13.09	DZ	25	XL	33-G125, Grey
F.	616314-46575	13.09	DZ	25	2XL	33-G125, Grey

G. West Chester 713SUCG Posi-Grip Gray PU Palm Coated Gray Nylon Glove

Gray nylon shell with gray polyurethane palm dip for enhanced tactile sensitivity and high level of dexterity. EN 4131

662909-071002	9.53	DZ	25	XS
662909-071019	9.53	DZ	25	SM
662909-071026	9.53	DZ	25	MD
662909-071033	9.53	DZ	25	LG
662909-071040	9.53	DZ	25	XL
662909-071057	9.53	DZ	25	2XL



Head to Toe Protection

Microfoam

Microfoam: Utilizing a patent-pending micro-channel nitrile coating, Microfoam Performance Gloves move oil and water away from the palm of the hand and the outside surface of the glove. This prevents the hand from getting saturated and helps maintain grip. In addition, the coating far exceeds the standard for abrasion resistance

Coated Knit Gloves – Nitrile

Ansell

Occupational Healthcare

RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

A. Ansell HyFlex® 11-800

For light foam assembly applications, HyFlex Foam provides your workers with the highest level of comfort and protection. The patented foam coating is resistant to snags and abrasions, and it provides excellent grip in light oil applications by channeling the oil away from the glove surface.

076490-05569	39.24	DZ	12	6	
076490-05570	39.24	DZ	12	7	
076490-05571	39.24	DZ	12	8	
076490-05572	39.24	DZ	12	9	
076490-05573	39.24	DZ	12	10	
076490-05595	39.24	DZ	12	11	

Ansell
Occupational Healthcare

B. Ansell HyFlex® 11-801

Offering the same outstanding light oil grip as HyFlex Foam 11-800, the new HyFlex Foam 11-801 provides exceptional comfort using Ansell's patented Knitted Variable Stitch Design. Its foam nitrile coating reduces hand fatigue and promotes maximum dexterity, while its gray colored knit liner stays clean longer, making these gloves more industrial friendly.

076490-05672	47.04	DZ	12	6	
076490-05673	47.04	DZ	12	7	
076490-05674	47.04	DZ	12	8	
076490-05675	47.04	DZ	12	9	
076490-05676	47.04	DZ	12	10	
076490-05677	47.04	DZ	12	11	

C. Ansell HyFlex® 11-818 Multipurpose Ultralight Weight

Ultralight weight, barehand-like comfort with high durability. Seamless 18 gauge nylon spandex liner and ultra thin palm coating for barehand-like feel. FORTIX™ nitrile patent pending foam creates extended glove life and increased breathability. ZONZ® Comfort Fit in selected liner zones improves support, breathability and range of movement. Superior ANSI Level 4 abrasion protection, silicone free.

076490-11713	44.00	DZ	12	6	
076490-11714	44.00	DZ	12	7	
076490-11715	44.00	DZ	12	8	
076490-11716	44.00	DZ	12	9	
076490-11717	44.00	DZ	12	10	
076490-11718	44.00	DZ	12	11	

D. Ansell HyFlex® 11-830

Ansell's Patented Zonz™ Knit Advanced Comfort Technology. Improved fit and comfort releases tension in the high stress zones of the glove, decreasing hand fatigue. Enhanced Cuff Overedging (ECO) allows for easier donning and doffing. Extensive size range. New Metallic Nitrile Foam Coating. New foam coating compound provides increased wear life. Provides sure grip in dry or light oil environments.

076490-05770	47.04	DZ	12	6	
076490-05571	47.04	DZ	12	7	
076490-05572	47.04	DZ	12	8	
076490-05573	47.04	DZ	12	9	
076490-05574	47.04	DZ	12	10	
076490-05775	47.04	DZ	12	11	



Best Seller

A



B

Multi-Purpose

Barehand Comfort!



C



D

Multi-Purpose

E. Ansell Hyflex® 11-840

Extreme durability and superior fit. ANSI Level 5 abrasion rating. Sets a new standard for glove life in light duty applications. FORTIX™ nitrile foam coating provides up to three times the abrasion performance of other light weight, knit-dipped gloves. Enhanced dry grip and extended glove life. Form fitting lining matches the natural contours of the hand. Great for assembly of small & medium parts, feeding production lines, raw material reception, screwing parts.

076490-13036	47.60	DZ	12	6
076490-13037	47.60	DZ	12	7
076490-13038	47.60	DZ	12	8
076490-13039	47.60	DZ	12	9
076490-13040	47.60	DZ	12	10
076490-13041	47.60	DZ	12	11



F. Ansell HyFlex® 11-900

Abrasion resistance and oil repellency in this newest line extension. Nitrile coating prevents oil from penetrating through the glove, protecting hands from dermatitis. Excellent dry grip for applications involving small-to-medium-sized parts. Great for dry grip application such as box handling and warehousing applications.

076490-05621	29.76	DZ	12	6
076490-05622	29.76	DZ	12	7
076490-05623	29.76	DZ	12	8
076490-05624	29.76	DZ	12	9
076490-05625	29.76	DZ	12	10



G. Ansell HyFlex® 11-920 Nitrile Coated Nylon Knit Liner

Utilizes the patented Ansell Grip Technology, which uses microscopic pores and channels to actively repel oils and other lubricants away from the glove surface to increase grip, and reduce the force needed to hold onto slippery objects. The multi-layer dipping process makes this glove extremely durable in abrasive applications, increasing the lifetime of the gloves.

076490-55001	46.56	DZ	12	6
076490-55002	46.56	DZ	12	7
076490-55003	46.56	DZ	12	8
076490-55004	46.56	DZ	12	9
076490-55005	46.56	DZ	12	10
076490-55006	46.56	DZ	12	11



H. PIP G-Tek® NPG 34-225 Knit Nylon Glove with Solid Nitrile Coating

Seamless Knit Nylon Glove with Nitrile Coated Smooth Grip on Palm & Fingers. Solid Dipped Nitrile coatings provide excellent dry grip and will not absorb liquids into the coating. Seamless one-piece nylon shell offers increased comfort, finger dexterity and breathability.

616314-11467	14.41	DZ	25	SM
616314-11474	14.41	DZ	25	MD
616314-11481	14.41	DZ	25	LG
616314-11498	14.41	DZ	25	XL



I. PIP 34-500 G-Tek AG - MicroFinish™ Grip

Black nitrile coated with MicroSurface Grip on a purple/black 13 gauge nylon liner. Revolutionary new surface treatment that provides a superior grip in dry, wet and oily conditions. Unlike rough surface treatments, MicroFinish™ adjusts to different conditions by reacting like tiny suction cups that attach themselves firmly to the material being handled. Excellent resistance to liquid permeation. Oil does not penetrate the glove like foam nitrile styles. Liner is treated to resist germs and odors. Open back for comfort. Applications: Used in general assembly of oily parts, metal handling, fishing and machine operation.

616314-92008	32.67	DZ	12	SM
616314-92015	32.67	DZ	12	MD
616314-92022	32.67	DZ	12	LG
616314-92039	32.67	DZ	12	XL



Head to Toe Protection

Hand Protection

Coated Knit Gloves - Nitrile

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change

ATG Technology Platforms by PIP



360° breathability: patented micro-foam nitrile coating offers 360° breathability, making it the most breathable glove on the market today.



Optimized grip delivered through our micro-cup finish allows for a controlled grip.



25% thinner than most foam nitrile gloves on the market whilst offering twice the mechanical performance.

Form, fit and feel: mimics the "hand at rest", reducing hand fatigue and increasing comfort.

Latest knitting technology: utilized to produce smooth and rounded fingertips, improving fingertip sensitivity.

Consistent liner penetration from the nitrile, leaving only the soft liner resting against the skin.

Items A through G feature the AIRtech®, ERGOtech®, and GRIPtech® technologies described in the box above.



A



B



C



D



E

RS Hughes Part	Price	Per Case	Size	Description
----------------	-------	----------	------	-------------

A. PIP 34-800 MaxiFoam® by ATG® Premium Foam Nitrile

Coated Palm and Finger Tips on White 15 gauge Nylon Liner. Designed to channel oil away from the glove surface for an excellent grip. Tremendous comfort and dexterity. Strong protection from punctures and abrasions.

616314-20377	42.67	DZ	12	2XS
616314-17797	42.67	DZ	12	XS
616314-17803	42.67	DZ	12	SM
616314-17810	42.67	DZ	12	MD
616314-17827	42.67	DZ	12	LG
616314-17834	42.67	DZ	12	XL



B. PIP 34-8264 MaxiFlex® Seamless Knit Nylon/Lycra Glove

Ultra Light Foam Nitrile Pink Nylon with Lycra® Liner. Designed and developed as a breathable glove, MaxiFlex® Active™ delivers a "well-being effect" during and after work through the release of thousands of micro-encapsulated specialized ingredients which include aloe vera and vitamin E. 25% Thinner than most foam nitrile gloves on the market while offering twice the mechanical performance. Form, fit, and feel mimics the "hand at rest", reducing hand fatigue and increasing comfort. The Skin Health Alliance has awarded professional dermatological accreditation following review of the scientific dossier behind this product.

616314-11833	46.26	DZ	12	2XS	Pink
616314-18326	46.26	DZ	12	XS	Pink
616314-11831	46.26	DZ	12	SM	Pink
616314-11830	46.26	DZ	12	MD	Pink
616314-11829	46.28	DZ	12	LG	Pink
616314-11834	46.26	DZ	12	XL	Pink

C. PIP 34-844 MaxiFlex™ Endurance Plus by ATG® Micro Foam Coated with Micro Dots

Coated Nitrile on 15 gauge black Nylon Liner featuring Nitrile dotted Palm. Unique nitridot technology on the palm for excellent grip and extended wear. Ultra cool and comfortable, breathable coating keeps hands cool and dry.

616314-18053	51.19	DZ	12	SM
616314-18060	51.19	DZ	12	MD
616314-18077	51.19	DZ	12	LG
616314-18084	51.19	DZ	12	XL

D. PIP 34-846 MaxiFlex® Endurance by ATG® Micro Foam Coated Palm, Full Fingers and Knuckles

Ultra - lightweight, knitwrist, Micro-Foam nitrile coated glove. Raised Micro Dots to increase durability and cushioning. AirTech® technology delivers 360 degree breathability. 25% thinner than most comparable gloves. Class leading form, fit and feel, reducing hand fatigue and increased comfort.

616314-11146	58.16	DZ	12	SM
616314-11153	58.16	DZ	12	MD
616314-11160	58.16	DZ	12	LG
616314-11177	58.16	DZ	12	XL

E. PIP 34-8745 MaxiFlex® Endurance Plus by ATG® - Fully Coated

Black Micro-Foam Fully Coated Nitrile including the ribbed knitwrist on 15 gauge black Nylon Liner with Lycra® featuring a Nitrile dotted Palm. Incorporates a unique nitridot technology on the palm for excellent grip and extended wear. Treated with breathable SinAqua™ to repel water and light oil and Actifresh™ to impede odors and eliminate germs.

616314-37672	59.03	DZ	12	SM
616314-37665	59.03	DZ	12	MD
616314-37658	59.03	DZ	12	LG
616314-37689	59.03	DZ	12	XL
616314-44588	59.03	DZ	12	2XL

RS Hughes Part Price Per Case Size Description

PIP MaxiFlex™ Ultimate by ATG® Micro Foam Coated Palm and Finger Tips

Designed and developed as a breathable glove, MaxiFlex® Ultimate™ has become the benchmark for precision handling in dry environments. 100% Silicone-free. Micro-Foam Nitrile coatings are compatible with light oils and will provide a good grip and excellent abrasion resistance. 360° Breathability - Patented micro-foam nitrile coating offers 360° breathability, making it the most breathable glove on the market today. 25% Thinner than most foam nitrile gloves on the market while offering twice the mechanical performance. Mimics the "hand at rest", reducing hand fatigue and increasing comfort. Latest knitting technology utilized to produce smooth and rounded fingertips, improving fingertip sensitivity. Consistent liner penetration from the nitrile, leaving only the soft liner resting against the skin. Made from component material which comply with Federal regulations for food contact, 21CFR, 170-199.

F.	616314-20346	45.98	DZ	12	2XS	34-874, Finger Tips
F.	616314-17940	45.98	DZ	12	XS	34-874, Finger Tips
F.	616314-17957	45.98	DZ	12	SM	34-874, Finger Tips
F.	616314-17964	45.98	DZ	12	MD	34-874, Finger Tips
F.	616314-17971	45.98	DZ	12	LG	34-874, Finger Tips
F.	616314-17988	45.98	DZ	12	XL	34-874, Finger Tips
G.	616314-28226	56.26	DZ	1	SM	34-874FY, Finger Tips
G.	616314-28219	56.26	DZ	1	MD	34-874FY, Finger Tips
G.	616314-28202	56.26	DZ	1	LG	34-874FY, Finger Tips
G.	616314-28233	56.26	DZ	1	XL	34-874FY, Finger Tips
G.	616314-28240	56.26	DZ	1	2XL	34-874FY, Finger Tips
H.	616314-18008	51.43	DZ	12	SM	34-875, 3/4 Knuckles
H.	616314-18015	51.43	DZ	12	MD	34-875, 3/4 Knuckles
H.	616314-18022	51.43	DZ	12	LG	34-875, 3/4 Knuckles
H.	616314-18039	51.43	DZ	12	XL	34-875, 3/4 Knuckles
I.	616314-11382	54.55	DZ	12	SM	34-876, Full Knuckles
I.	616314-11399	54.55	DZ	12	MD	34-876, Full Knuckles
I.	616314-11405	54.55	DZ	12	LG	34-876, Full Knuckles
I.	616314-11412	54.55	DZ	12	XL	34-876, Full Knuckles

PIP 56-424/425/426 MaxiDry® by ATG®

MaxiDry® by ATG®, ultra lightweight nitrile on fine gauge seamless knit nylon liner, black palm & fingertip coated, non-slip grip, 10-inch length. EN certified 100% low level chemical and oil repellent - EN 374-3. Ultra thin design provides excellent comfort and flexibility along with maximum finger tip tactile sensitivity. Exclusive GripTech® coating offers non-slip capabilities. Locking cuff ensures the glove doesn't slip on the hand. LiquiTech® Barrier Technology provides resistance to oils & liquids. Silicone free. Used for precision handling in oily or wet environments; Engine, and power train, Gear box and transmission assembly, General handling, handling small castings, handling of small components, light metal fabrication & parts handling, primary, secondary and final assembly, shock absorber assembly, maintenance.

J.	616314-11708	66.72	DZ	6	SM	56-425, 3/4 Coated
J.	616314-11707	66.72	DZ	6	MD	56-425, 3/4 Coated
J.	616314-11706	66.72	DZ	6	LG	56-425, 3/4 Coated
J.	616314-11709	66.72	DZ	6	XL	56-425, 3/4 Coated
J.	616314-11710	66.72	DZ	6	2XL	56-425, 3/4 Coated
K.	616314-11712	86.48	DZ	6	MD	56-426, Fully Coated Drivers
K.	616314-11711	86.48	DZ	6	LG	56-426, Fully Coated Drivers
K.	616314-11714	86.48	DZ	6	XL	56-426, Fully Coated Drivers
K.	616314-11715	86.48	DZ	6	2XL	56-426, Fully Coated Drivers



Best Seller!

NEW!

ERGOTech®

h R.S. HUGHES

Head to Toe Protection

Coated Knit Gloves – Nitrile

RS Hughes Part Price Per Case Size Description

PIP G-TEK Maxiflex Elite, Blue Micro-Foam Nitrile Coated Palm, Full Finger & Knuckles, Blue Seamless Knit Nylon Liner

Designed and developed to be the lightest fully breathable coated glove MaxiFlex® Elite™ completely re-writes the rules. Weighing in at a staggering 36% less and 30% thinner than traditional foam nitrile gloves MaxiFlex® Elite™ delivers a user experience that sets game changing new standards. Comfort is further enhanced through its additional increased breathability which is up to 40% more than similar gloves. Micro-Foam Nitrile coatings are compatible with light oils and provide good grip and excellent abrasion resistance. Knit Wrist helps prevent dirt and debris from entering the glove. 100% Silicone-free.

A. 616314-28035	51.19	DZ	1	XS	34-244	Full Knuckle, Micro Dots
A. 616314-28011	51.19	DZ	1	SM	34-244	Full Knuckle, Micro Dots
A. 616314-28004	51.19	DZ	1	MD	34-244	Full Knuckle, Micro Dots
A. 616314-27991	51.19	DZ	1	LG	34-244	Full Knuckle, Micro Dots
A. 616314-28028	51.19	DZ	1	XL	34-244	Full Knuckle, Micro Dots
B. 616314-12813	47.41	DZ	1	XS	34-274	Full Knuckle
B. 616314-12811	47.41	DZ	1	SM	34-274	Full Knuckle
B. 616314-12810	47.41	DZ	1	MD	34-274	Full Knuckle
B. 616314-12809	47.41	DZ	1	LG	34-274	Full Knuckle
B. 616314-12812	47.41	DZ	1	XL	34-274	Full Knuckle
B. 616314-12814	47.41	DZ	1	2XL	34-274	Full Knuckle

C. PIP G-TEK Maxiflex Comfort, Cobalt Blue Microfoam Nitrile, Full Finger & Knuckles, Grey Seamless Knit Polyamid Blended Liner

Designed and developed as a breathable glove, MaxiFlex® Comfort™ has an inner plated liner made from high grade soft cotton. Micro-Foam Nitrile coatings are compatible with light oils and will provide a good grip and excellent abrasion resistance. Knit Wrist helps prevent dirt and debris from entering the glove. 100% Silicone-free. 360° Breathability - Patented micro-foam nitrile coating offers 360° breathability, making it the most breathable glove on the market today. 25% Thinner - Than most foam nitrile gloves on the market.

616314-31144	52.33	DZ	1	XS	34-9025
616314-31120	52.33	DZ	1	SM	34-9025
616314-31113	52.33	DZ	1	MD	34-9025
616314-31106	52.33	DZ	1	LG	34-9025
616314-31137	52.33	DZ	1	XL	34-9025



D. KleenGuard* G40 Foam Coated Nitrile Coated Glove – NEW & IMPROVED!

Providing a whole new level of performance and quality, the new G40 Blue Nitrile Coated Glove replaces our G40 PURPLE NITRILE * Glove as the choice for jobs where strength, grip and dexterity are a must. Better oil and industrial grease grip than previous G40 Nitrile Glove. Silicone-free. Washable - maintains the EN388 ratings through at least five wash cycles. Eco-friendly packaging - no separate insert, no printed bags, less waste. Improved heat transfer stamp - ratings are visible even after glove use. Typical Uses: Automotive and aerospace assembly. Metal, glass and wood handling.

036000-40225	42.36	DZ	5	7	Blue & Black
036000-40226	42.36	DZ	5	8	Blue & Black
036000-40227	42.36	DZ	5	9	Blue & Black
036000-40228	42.36	DZ	5	10	Blue & Black
036000-40229	42.36	DZ	5	11	Blue & Black



E. Global Glove 500NFT Tsunami Grip®

New Foam Technology Nitrile on 15 ga. gray nylon shell. Very soft Nitrile finish that offers excellent wet/oily grip, dry grip and great abrasion resistance

500NFT SM	30.00	DZ	6	SM
500NFT MD	30.00	DZ	6	MD
500NFT LG	30.00	DZ	6	LG
500NFT XL	30.00	DZ	6	XL
500NFT 2XL	30.00	DZ	6	2XL



Frequently Asked Questions About Nitrile

- 1. What's the difference between foam nitrile and sponge nitrile?** Foam nitrile is a very thin coating while sponge nitrile is slightly thicker. Both offer a tacky coating and good durability and less abrasion resistance than flat nitrile coating, Foam and sponge nitrile coating offer excellent grip with dry, wet, and oily applications. Both are flexible and porous. Foam nitrile will channel oil and water away from surface quickly (within 10 seconds) and sponge nitrile will also channel oil and water away but will take much longer.
- 2. Why use flat nitrile vs. polyurethane coating?** If you need a glove that has high resistance to abrasion and high resistance to chemicals and solvents, then flat nitrile is the type of glove to use. A flat nitrile coated glove is nonporous, less flexible and not breathable. If you need a glove that has an excellent dry, wet & oil grip with a flexible, breathable coating, then a polyurethane coated glove is the best choice. It is also porous and has high resistance to abrasion.
- 3. What type of coating is the best to use for dry and oil grip applications?** Polyurethane and Nitrile offer the best options when you need both dry and oil grip applications. Both polyurethane and nitrile allow flexibility which means an easier grip and dexterity during use. Nitrile has good water permeability that absorbs liquids in just seconds to provide better grip in wet applications.
- 4. What are the applications where flat/non-foam nitrile coated gloves can be used?** Automotive, assembly, food packing, furniture manufacturing, electronics, pesticides, oil refining. Safe for food contact.
- 5. What are the applications where foam/sponge nitrile coated gloves can be used?** Automotive, construction, material handling, engineering, assembly, inspection/examination. Safe for food contact but porous properties will allow bacteria to develop.

RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

F. Global Glove 590MF FrogWear®

Gray ¾ dip Mach Finish Nitrile over full dipped Nitrile, seam free liner with knit wrist. Water proof, great for working with wet and oily liquids where extra grip is needed from the Mach Finish Nitrile. 11 inches in length

590MF MD	46.55	DZ	6	MD
590MF LG	46.55	DZ	6	LG
590MF XL	46.55	DZ	6	XL



G. Global Glove CIA501MF Vise Gripster C.I.A.

Made with high visibility lime Nylon, Mach Finish Nitrile coated palm and TPR impact protection added to the fingertips and back of the hand. The unique double dipped Mach Finish Nitrile coating provides the grip comparable to true foam/air injected Nitrile and has more abrasion qualities. It also will not saturate through the coating like foam/air injected Nitrile.

CIA501MF MD	134.48	DZ	6	MD
CIA501MF LG	134.48	DZ	6	LG
CIA501MF XL	134.48	DZ	6	XL
CIA501MF 2XL	134.48	DZ	6	2XL

H. West Chester 715SNFTP Micro Foam Nitrile Coated

Excellent abrasion resistance. Foam nitrile coating with micro capillaries channels oil from the surface of the glove. Black Micro Foam Nitrile, Palm Coated on Gray 15 Gauge Nylon Liner. Antibacterial & Silicone-Free.

662909-073167	31.59	DZ	12	SM
662909-073174	31.59	DZ	12	MD
662909-073181	31.59	DZ	12	LG
662909-073198	31.59	DZ	12	XL
662909-073204	31.59	DZ	12	2XL



I. West Chester 715SNFTKD Micro Foam Nitrile Coated

Gray nylon shell with ¾ coated microfoam nitrile with dotted palm and micro capillaries for flexibility, enhanced oil grip, breathability and comfort. ¾ Knuckle Coat, Dotted Palm on Gray 15 Gauge Nylon Liner. Antibacterial & Silicone-Free.

662909-073556	34.76	DZ	12	SM
662909-073563	34.76	DZ	12	MD
662909-073570	34.76	DZ	12	LG
662909-073587	34.76	DZ	12	XL
662909-073594	34.76	DZ	12	2XL



Hand Protection

Coated Knit Gloves - Thermal (Cold Protection)

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change

Ansell

Occupational Healthcare



A

Coated Knit Gloves - Thermal (Cold Protection)



B



C



D

RS Hughes Part Price Per Case Size Description

A. Ansell Powerlex 80-400

PowerFlex T° Hi Viz Yellow gloves offer high visibility with their yellow thermal terry liner while the bright blue crinkled palm provides added grip. Gloves offer excellent insulation for temperatures as low as -25°C or -13°F. This latest addition to the PowerFlex family has an ergonomic design, which allows for unmatched comfort. Additional features include excellent wet and dry grip and superior dexterity.

076490-06422	68.64	DZ	6	7
076490-06419	68.64	DZ	6	8
076490-06420	68.64	DZ	6	9
076490-06421	68.64	DZ	6	10
076490-06423	68.64	DZ	6	11

Ansell

Occupational Healthcare

B. Ansell ActivArmr 97-011 Cold Weather Gloves

The ActivArmr 97-011 Cold Weather gloves, combined with superior protection from the elements and enhanced grip, mean a safer, more productive workforce.

076490-39806	75.96	DZ	6	SM
076490-39790	75.96	DZ	6	MD
076490-39783	75.96	DZ	6	LG
076490-39813	75.96	DZ	6	XL

C. Red Steer Mens Palm Coated Gloves 311

Chilly Grip® Blue heavy duty textured rubber palm, navy acrylic thermal knit liner.

A-311 XSM	49.56	DZ	10	XS
A-311 SM	49.56	DZ	10	SM
A-311 MD	49.56	DZ	10	MD
A-311 LG	49.56	DZ	10	LG
A-311 XL	49.56	DZ	10	XL
046065-03115	49.56	DZ	10	XXL

RED STEER
GLOVE COMPANY

D. Red Steer Mens Palm Coated Gloves 320

Chilly Grip® H2O. Thermal 10 gauge brushed acrylic knit inner liner, grey water resistant 15 gauge 100% nylon outer shell, form fitting black foam latex dipped palm.

046065-32001	75.36	DZ	10	SM
046065-32002	75.36	DZ	10	MD
046065-32003	75.36	DZ	10	LG
046065-32004	75.36	DZ	10	XL



RS Hughes Part Price Per Case Size Description

E. PIP 41-1430 PowerGrab™ Thermo Seamless Knit Nylon Glove

Used in refrigerated areas, utilities, food processing, commercial fishing, construction, outdoor winter activities and recreation. Seamless construction for a comfortable fit, acrylic gloves provide economical cold weather protection. Latex MicroFinish coating provides a superior grip in dry and wet conditions by reacting like tiny suction cups that attach themselves firmly to the material being handled. Knit wrist helps prevent dirt and debris from entering the glove. Excellent thermal insulation quickly evaporates moisture from the skin, extra softness for non-chafing comfort. Launderable for extended life and to reduce replacement costs. Cotton color binding denotes sizing.

616314-25126	81.36	DZ	6	SM	Black
616314-25119	81.36	DZ	6	MD	Black
616314-25102	81.36	DZ	6	LG	Black
616314-25133	81.36	DZ	6	XL	Black
616314-25140	81.36	DZ	6	2XL	Black



E



F



G

F. PIP 202-1019 Temp-Gard™ Extreme Temperature Glove

If you research gloves for extreme temperatures, you'll find three different styles - water resistant, water proof and industrial. Temp-Gard™ Gloves are all three! Ideal for use in work environments to protect from extreme temperatures of -321°F (-196°C) to +500°F (+260°C), such as cryogenic cleaning, cryogenic systems maintenance, conservation of food produce. Easy to clean, will not absorb chemicals and will not stain. The silicone coating is on the outside of the gloves (rather than inside), so it prevents staining and can easily be rinsed off after use. Impervious to cryogenic liquids and most other liquids and chemicals. Exceptional grip that does not become slippery, even at extreme temperatures.

616314-86380	163.38	PR	1	SM
616314-86373	163.38	PR	1	MD
616314-86366	163.38	PR	1	LG

G. West Chester 715TSSL Dual Layer Sandy Latex Full Dip Glove

Winter Lined: 15 gauge shell, 10 gauge brushed terry acrylic lining, full dip sandy latex dip, slip on wrist. EN 2221

662909-073495	57.71	DZ	6	MD
662909-073501	57.71	DZ	6	LG
662909-073518	57.71	DZ	6	XL
662909-073525	57.71	DZ	6	2XL



H

H. West Chester 710TSNF Nitrile Full Dip Thermal Glove

Winter Lined: Black Micro Foam, 10 gauge shell, 10 gauge brushed terry acrylic lining, full dip nitrile dip, hook & loop wrist. EN388 2232

662909-073600	86.12	DZ	6	SM
662909-073617	86.12	DZ	6	MD
662909-073624	86.12	DZ	6	LG
662909-073631	86.12	DZ	6	XL
662909-073648	86.12	DZ	6	2XL



Cut Resistant Gloves

Cut resistant gloves and sleeves are designed to protect hands from direct contact with sharp objects such as glass and metal. The level of cut resistance provided is a combination of material composition and weight. Performance of a glove can also be affected by coatings applied to the surface which can also offer enhanced grip. Common cut resistant fibers include:

HPPE: High performance polyethylene fibers offer maximum strength with minimum weight. HPPE is 10 times stronger than steel by weight as well as 40% stronger than aramid fibers offering a softer, cooler alternative.

Aramid: The most common brand name is Kevlar®. It is 5 times stronger than steel and provides great tensile strength. Due to its inherently flame resistant nature it will not melt and offers heat protection up to 320° F based on product design.

Spectra: A polyethylene fiber that is 10 times tougher than steel per unit weight offering high cut resistance even when wet. Its low lint and flexible nature make it ideal for use in food processing.

Taeki5: A blended yarn made of Taeki5®, fiberglass and synthetic fibers that delivers high cut resistance without sacrificing dexterity and tactile sensitivity.

Blended Shells: The introduction of steel and glass to HPPE and aramid help to significantly increase levels of cut protection while helping maintain comfort and fit.

***WARNING: Remember, no product is cut proof.**

There are two different standards to measure cut performance: the European Standard EN 388 and the ANSI/ISEA 105 standard for the U.S.

EN 388: EN 388 uses the coup test method based on a circular blade moving back and forth across the sample under a fixed load of 500 grams. In other words, it simulates the number of repetitive cuts needed to cut through the fabric using a constant load. The results are then compared to the cut results of a cotton canvas. For example, a cut level of 5 means that it is five times more cut resistant than the reference cotton.

ANSI/ISEA 105: ASTM F1790-97 and ASTM F1790-05 standard test methods for measuring cut resistance of materials used in protective clothing. These test measure the pressure (in grams) necessary to cut through a certain length of material while the material is held in a fixed position. The higher the value received, the better the cut performance.

It is important to know that cut levels and scores are not interchangeable. A glove with an EN cut level of 4 may not be as cut resistant as a glove with an ANSI cut level of 4. Even when comparing ANSI cut test scores, it is important to know which test method has been used.

The gloves featured in this catalog are cut resistant, not cut proof. There is no such thing as a cut proof glove. Use care when working with or around sharp objects.

Performance Level	Average Cut Index
0	< 1.2
1	1.2 - 2.4
2	2.5 - 4.9
3	5.0 - 9.9
4	10.0 - 19.9
5	> 20

Physical Properties	Weight in grams needed to cut through material
	1 inch (25 mm) of blade travel - ASTM F1790-97 0.8 inch (20 mm) of blade travel - ASTM F1790-05
0	< 200
1	200 - 499
2	500 - 999
3	1,000 - 1,499
4	1,500 - 3,499
5	< 3,500

ANSI 5.1.1 Cut Standards

ANSI Cut Levels	Gram Range	LBS Range
Level 0	<200	<0.44
Level 1	200-500	0.44-1.10
Level 2	500-1,000	1.10-2.20
Level 3	1,000-1,500	2.20-3.30
Level 4	1,500-3,500	3.30-7.70
Level 5	>3,500	>7.70

Why Kevlar?

Extraordinarily strong, light and cut-resistant, DuPont Kevlar brand fiber is highly resistant to cuts, abrasion and high temperatures. Kevlar has a high tensile strength-to-weight ratio; by this measure it is 5 times stronger than steel on an equal weight basis. Inherently flame resistant. Aramid fibers can withstand temperatures up to 900° F (480° C) without degrading and will not support a flame.


Cut Resistant Gloves - Level 2 Kevlar

RS Hughes Part Price Per Case Size Description

A. Ansell Powerflex® Plus 80-600 Latex Coated Kevlar®

Power Flex Plus provides cut, abrasion, and puncture resistance; superior wet and dry grip; and unbelievable comfort. The gloves are ergonomically designed and feature a seamless Kevlar® knit lining that's palm-dipped with a textured, natural rubber coating. ANSI Level 2 Cut Protection

076490-06408	9.53	PR	72	7
076490-06409	9.53	PR	72	8
076490-06410	9.53	PR	72	9
076490-06411	9.53	PR	72	10



ANSI 2 CUT

Cut Protection

B. Ansell HyFlex® 11-500 Nitrile Coated Kevlar®

Ergonomically designed DuPont™ Kevlar® stretch liner with spandex. Provides "second skin" closeness, reducing risk of snags and cuts. Ability to handle sharp parts with confidence, increasing productivity and safety. Black foam nitrile-coated palm. Enhances grip in light oil conditions with good abrasion resistance. Silicone-free and natural rubber latex-free for worker and product protection.

076490-05574	5.68	PR	72	6
076490-05575	5.68	PR	72	7
076490-05576	5.68	PR	72	8
076490-05577	5.68	PR	72	9
076490-05578	5.68	PR	72	10
076490-05579	5.68	PR	72	11



Best Seller!

Cut Protection

C. Ansell HyFlex® 11-510 Foam Nitrile Coated Kevlar®

Black nitrile foam palm coating on fine gauge patented Kevlar® liner, featuring zonal reinforcement and 'ComfortFlex' cuff. This glove offers ANSI Level 2 cut protection while not sacrificing dexterity. The new formula nitrile foam coating is more durable than similar products and the zonal reinforcement and ComfortFlex cuff make it the most comfortable Kevlar glove on the market today. Help improve your safety levels while keeping your costs in line.

076490-05743	6.53	PR	144	6
076490-05744	6.53	PR	144	7
076490-05745	6.53	PR	144	8
076490-05746	6.53	PR	144	9
076490-05747	6.53	PR	144	10
076490-05748	6.53	PR	144	11



ANSI 2 CUT

D. PIP 09-K1450 Kevlar® Gloves with Solid Nitrile Grip

Used for material handling, glass handling operations, fishing industries, sanitation, general maintenance, woodworking, waste handling and recycling. Solid nitrile grip improves puncture resistance from sharp objects.

616314-02595	5.62	PR	144	SM
616314-02588	5.62	PR	144	MD
616314-02571	5.62	PR	144	LG
616314-02601	5.62	PR	144	XL



ANSI 2 CUT

E. Ansell Metalist® 28-507 Nitrile Coated Kevlar®

Flexible nitrile coating provides excellent cut and abrasion resistance and superior grip without sacrificing dexterity. Two piece liner features cut resistant DuPont™ Kevlar® in high stress areas. Ergonomic design ensures a natural, comfortable fit. Nitrile safety cuff delivers added wrist and forearm protection.

076490-85812	7.00	PR	72	7
076490-85813	7.00	PR	72	8
076490-85814	7.00	PR	72	8.5
076490-85815	7.00	PR	72	9
076490-85816	7.00	PR	72	10



F. JACKSON SAFETY* G60 Level 2 Polyurethane Knuckle Coated Cut Resistant Gloves

Cut resistance without compromising dexterity. Great choice for working environments that pose a risk of minor cuts and abrasions. Features: ANSI/EN 388 Level 2 cut resistance Stretch KEVLAR® liner provides cut resistance and a comfortable fit. Excellent dexterity for improved productivity. Polyurethane provides a barrier against oil penetration. Suitable for intermittent heat contact up to 212° F.

036000-38642	7.22	PR	12	7	Grey/Yellow
036000-38643	7.22	PR	12	8	Grey/Yellow
036000-38644	7.22	PR	12	9	Grey/Yellow
036000-38645	7.22	PR	12	10	Grey/Yellow
036000-38646	7.22	PR	12	11	Grey/Yellow

Why Dyneema Diamond Technology?

A super strong polyethylene fiber that offers maximum strength combined with minimum weight. It is up to 15 times stronger than quality steel and up to 40% stronger than aramid fibers, both on weight for weight basis. Dyneema floats on water and is extremely durable and resistant to moisture, UV light and chemicals.

Dyneema® Diamond Technology offers a 200% improvement over Dyneema® Continuous Filament Technology. Gloves made with this fiber are flexible, extremely light and cool to the hand. They are several degrees cooler than gloves made with other materials - including aramids.



A



B



C



Cut Protection

Cut Resistant Gloves - Level 2 Dyneema

RS Hughes Part Price Per Case Size Description

A. Ansell Hyflex® 11-927

Medium Duty, Oil Repellent and Cut Resistant. RIPEL™ Liquid Repellence Technology provides oil repellence without compromising flexibility. Unique ¾ dip geometry provides added protection against oil exposure and knuckle abrasion. Industry leading wet and oil grip, Ansell Grip™ Technology, uses microscopic channels to wick away oil and moisture. High abrasion (ANSI Level 4) and cut (ANSI Level 2) resistance. Great for assembly of engine & transmission drive trains, body shops, handling & assembly of sharp components with oil/grease coating. handling of machined parts coated with light oil, machining/metal working.

076490-35166	11.17	PR	144	6
076490-35167	11.17	PR	144	7
076490-35168	11.17	PR	144	8
076490-35169	11.17	PR	144	9
076490-35170	11.17	PR	144	10
076490-35171	11.17	PR	144	11

Ansell
Occupational Healthcare

B. Ansell Ultralight HyFlex® 11-518 Polyurethane Coated 18 Gauge Dyneema®

Ultralight HyFlex® 11-518 provides a barehand-like sensation of tactility and dexterity in a glove rated for ANSI Level 2 cut protection. It is the first-to-market 18 gauge glove with advanced cut protection and a breathable, barehand-like feel. Its unique combination of engineered materials combines Dyneema® Diamond Technology fiber with highly resilient polyurethane palm coating for ANSI Level 2 abrasion protection and extended glove life. For the precision handling and assembly of sharp, dry, ultra-fine parts, the HyFlex® 11-518 provides unprecedented comfort, dexterity and protection.

076490-35130	9.27	PR	144	6
076490-35131	9.27	PR	144	7
076490-35132	9.27	PR	144	8
076490-35133	9.27	PR	144	9
076490-35134	9.27	PR	144	10
076490-35135	9.27	PR	144	11

C. Ansell HyFlex® 11-624 Polyurethane Coated Dyneema®

Dyneema® engineered yarn composition with ergonomic design offers users an unmatched combination of comfort, softness, coolness and cut protection. Advanced yarn technology increases worker confidence while on the job. Black polyurethane coating. Proprietary coating provides a sure grip in light oil and dry applications. Good resistance to tears and punctures that might occur when handling sharp parts. Black palm coating hides soil, providing longer wear and reduced replacement costs.

076490-88734	8.40	PR	144	6
076490-88735	8.40	PR	144	7
076490-88736	8.40	PR	144	8
076490-88737	8.40	PR	144	9
076490-88738	8.40	PR	144	10
076490-88739	8.40	PR	144	11
076490-88103	8.40	PR	144	12



D

ANSI
2
CUT

RS Hughes Part Price Per Case Size Description

D. Ansell HyFlex® 11-627 Polyurethane Coated Dyneema® Lycra Blend®

HyFlex® CR2 gloves feature an innovative yarn structure with an optimal level of Dyneema® for exceptional cut resistance. The Lycra® and nylon liner is combined with a polyurethane palm coating to ensure excellent dexterity and grip. ANSI Level 2, EN Level 3 cut protection.

076490-05686	9.45	PR	144	6
076490-05687	9.45	PR	144	7
076490-05688	9.45	PR	144	8
076490-05689	9.45	PR	144	9
076490-05690	9.45	PR	144	10
076490-05709	9.45	PR	144	11



E

E. Ansell HyFlex® 11-644 Polyurethane Coated HDPE

The HyFlex® 11-644 is designed to provide an ANSI Level 2 cut protection without sacrificing the high dexterity and comfort you have grown to expect from the HyFlex product line. The cool comfortable liner is designed so that it can be worn all day. This glove comes in a full range of sizes from 6 to 12, and is designed for use in metal fabrication, small parts assembly, component wiring, and inspection in the automotive, aerospace, and white goods industries for example.

076490-88183	8.05	PR	144	6
076490-88184	8.05	PR	144	7
076490-88185	8.05	PR	144	8
076490-88186	8.05	PR	144	9
076490-88187	8.05	PR	144	10
076490-88188	8.05	PR	144	11



Cut Protection

F. Ansell ActivArmr 97-100

Ansell Grip Technology™ actively repels oils and other lubricants away from the pressure surface via microscopic channels in the coating. The result is a significant contact area that remains dry and possesses almost the same grip as under fluid-free conditions. ANSI Cut Level 2 Kevlar Liner, ¾ Nitrile/Neoprene Coating - Oil Impermeable Comfort. Hi Viz Retro Reflective for Low Visibility Signaling. Contact Heat Rated EN407 Category 1 to provide 15 second safe contact at 100°C. EN 388 rating - Abrasion:4 Cut:2 Tear:4 Puncture:2

076490-14728	9.92	PR	72	MD
076490-14729	9.92	PR	72	LG
076490-14730	9.92	PR	72	XL
076490-14731	9.92	PR	72	2XL



ANSI
2
CUT

G. Jackson Safety* G60 Ansi Level 2 Cut Resistant Gloves With Dyneema® Fiber

ANSI Level 2 cut resistance. CPPT Score = 686 grams. Dyneema® yarn with nylon and Lycra® fiber provides cut resistance and a comfortable fit. Black polyurethane coating enhances grip. Dark coating hides dirt for longer wear. Typical uses: Metal fabrication, Glass Handling, Automotive assembly and Stamping/Assembly.

036000-38689	6.31	PR	12	7	Black/White
036000-38690	6.31	PR	12	8	Black/White
036000-38691	6.31	PR	12	9	Black/White
036000-38692	6.31	PR	12	10	Black/White
036000-38693	6.31	PR	12	11	Black/White



G

Hand Protection

Cut Resistant Gloves - Level 2 Dyneema

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change

Cut Resistant Gloves - Level 2 Dyneema



A

ANSI
2
CUT



B

Best Seller!

ANSI
2
CUT



C

ANSI
2
CUT



E

RS Hughes Part Price Per Case Size Description

A. JACKSON SAFETY* G60 L3 Cut Resistant Gloves with Dyneema® Fiber, Grey Polyurethane Coated

NEW JACKSON SAFETY* G60 Level 3 Cut Resistant Gloves with Dyneema® fiber coated with polyurethane. They're a great choice for working environments that pose a risk of minor cuts and abrasions. ANSI Level 2/EN388 Level 3 cut resistance Dyneema® yarn with nylon, Lycra® fiber and glass liner provides cut resistance and a comfortable fit. Excellent dexterity for improved productivity.

036000-13823	11.86	PR	12	7
036000-13824	11.86	PR	12	8
036000-13825	11.86	PR	12	9
036000-13826	11.86	PR	12	10
036000-13827	11.86	PR	12	11



B. PIP 19-D622 Great White Polyurethane Coated Dyneema® Lycra® Blend

GREAT WHITE™ Dyneema®/Lycra® White Seamless Shell, Gray Polyurethane coated Palm and Fingertips, ASTM F1790 Cut Score 501 grams, ANSI Level 2 cut protection.

616314-48494	8.93	PR	144	SM
616314-48500	8.93	PR	144	MD
616314-48517	8.93	PR	144	LG
616314-48524	8.93	PR	144	XL



C. PIP 19-D650 Polyurethane Coated Gloves With Dyneema®

Made from spun Dyneema®, Lycra® or nylon - plated styles available. Available with coated palm and knuckles or coated palm and finger tips, light or medium weight. Superior puncture and abrasion resistance. Style 19-D150 offers cost-effective protection in auto assembly and engine repair applications.

616314-46360	11.49	PR	144	SM
616314-46353	11.49	PR	144	MD
616314-46346	11.49	PR	144	LG
616314-46377	11.49	PR	144	XL

D. Global Glove PUG417 Samurai Polyurethane Coated HDPE

The Samurai™ is polyurethane on Tuffalene® brand HDPE. (High density polyethylene) the glove combines the absolute best in comfort and dexterity in a cut resistant glove. PU coating adds excellent grip. PUG417 is gray PU on white and gray HDPE EN 388 level 3 cut resistance glove and American ASTM F-1790 level 2 with 658 gram results.

PUG417 XS	6.03	PR	72	XS
PUG417 SM	6.03	PR	72	SM
PUG417 MD	6.03	PR	72	MD
PUG417 LG	6.03	PR	72	LG



E. PIP 18-570 Zormax™ with Micro Foam Nitrile Coating

Cut Resistant protection designed for use in challenging oily environments with a premium seamless shell, gray engineered yarn, gray MicroFoam nitrile coated palm and finger tips and reinforced thumb crotch. Washable, resistant to chemicals, water and ultraviolet light. Contains no stainless steel fibers. Applications: Used for electronics, glass cutting, metal handling and fabrication, food processing and meat processing. ASTM F1790-04: 766 grams. EN388: 4331. Abrasion 4 Cut 3 Tear 3 Puncture 1. ANSI Cut Level 2 Rating.

616314-44618	8.42	PR	144	SM
616314-44601	8.42	PR	144	MD
616314-44595	8.42	PR	144	LG
616314-44625	8.42	PR	144	XL



RS Hughes Part Price Per Case Size Description

F. PIP 34-8743 MaxiFlex® Cut™ Seamless Knit Engineered Yarn Glove

Premium Nitrile Coated Micro-Foam Grip on Palm & Fingers. Known and loved across the globe MaxiFlex® has become the world standard for precision handling gloves in dry environments. People have been asking us to make a cut resistant MaxiFlex® that's still super thin, flexible, dexterous and comfortable. So we did. Here it is. We call it MaxiFlex® Cut™. Innovative fibres - we source our base ingredients to develop our own unique high performance yarns and fibers that offer cut protection whilst maintaining high levels of comfort. Raised micro dots increase durability and offer more cushioning in highly repetitive applications requiring precision handling. ANSI Cut Level 2.

616314-55529	8.07	PR	72	XS	Green/Black
616314-55505	8.07	PR	72	SM	Green/Black
616314-55499	8.07	PR	72	MD	Green/Black
616314-55482	8.07	PR	72	LG	Green/Black
616314-55512	8.07	PR	72	XL	Green/Black
616314-55536	8.07	PR	72	2XL	Green/Black



G. PIP 34-8453 MaxiFlex® Cut™ Seamless Knit Engineered Yarn Glove

Premium Nitrile Coated Micro-Foam Grip on Palm, Fingers & Knuckles - Micro Dot Palm. Known and loved across the globe MaxiFlex® has become the world standard for precision handling gloves in dry environments. People have been asking us to make a cut resistant MaxiFlex® that's still super thin, flexible, dexterous and comfortable. So we did. Here it is. We call it MaxiFlex® Cut™. Innovative fibres - we source our base ingredients to develop our own unique high performance yarns and fibers that offer cut protection whilst maintaining high levels of comfort. Raised micro dots increase durability and offer more cushioning in highly repetitive applications requiring precision handling. ANSI Cut Level 2.

616314-15633	9.32	PR	72	XS	Green/Black
616314-15631	9.32	PR	72	SM	Green/Black
616314-15630	9.32	PR	72	MD	Green/Black
616314-15629	9.32	PR	72	LG	Green/Black
616314-56328	9.32	PR	72	XL	Green/Black
616314-15634	9.32	PR	72	2XL	Green/Black

H. PIP 16-530 G-Tek® CR Seamless Knit HPPE Glove

Seamless construction offers increased comfort and breathability. 13 gauge High Performance Polyethylene Fiber (HPPE) shell is lightweight and provides excellent dexterity, tactile sensitivity and cut resistance. Gray polyurethane coated palm and fingertips for great abrasion resistance, excellent puncture resistance and outstanding wet/dry grip. Knit Wrist helps prevent dirt and debris from entering the glove while cotton color binding denotes sizing. Washable, resistant to chemicals, water, and ultraviolet light. ANSI Cut Level 2.

616314-30885	5.64	PR	144	XS
616314-30861	5.64	PR	144	SM
616314-30854	5.64	PR	144	MD
616314-30847	5.64	PR	144	LG
616314-30878	5.64	PR	144	XL
616314-30892	5.64	PR	144	2XL

I. West Chester 713HGWU Cut Level 2 Gloves

Barracuda® White HPPE/High Performance Yarn W/Grey Polyurethane Coated Palm, Silicone free: EN388 4442, ANSI Cut Level 2, 776 grams

662909-059284	5.75	PR	120	SM
662909-059291	5.75	PR	120	MD
662909-059307	5.75	PR	120	LG
662909-059314	5.75	PR	120	XL
662909-059321	5.75	PR	120	2XL



J. West Chester 713HGBU Cut Level 2 Gloves

Black HPPE/High Performance Yarn W/Black Polyurethane Coated Palm, Silicone free: EN388 4343, ANSI Cut Level 2, 530 grams

662909-059369	5.75	PR	120	SM
662909-059376	5.75	PR	120	MD
662909-059383	5.75	PR	120	LG
662909-059390	5.75	PR	120	XL



Cut Resistant Gloves - Level 3

RS Hughes Part Price Per Case Size Description

A. Ansell HyFlex® 11-435

The HyFlex® 11-435 offers a unique combination of comfort, safety, and environmental-friendliness in a cut resistant glove. It is the first HyFlex® glove with a water-based, DiMethylFormamide-free polyurethane palm coating that is not only eco-friendly, but also provides higher dirt resistance than solvent-based polyurethane. The glove is rated for ANSI Level 3 cut protection and ANSI Level 4 abrasion protection through a combination of glass fiber and nylon yarn plaited with Dyneema® and water-based polyurethane palm coating.

076490-88904	10.48	PR	144	6
076490-88905	10.48	PR	144	7
076490-88906	10.48	PR	144	8
076490-88907	10.48	PR	144	9
076490-88908	10.48	PR	144	10
076490-88909	10.48	PR	144	11



B. KleenGuard* G60 PURPLE NITRILE* Cut Resistant Gloves

Provides a high level of cut resistance while enhancing dexterity, grip and comfort. The gloves are ambidextrous and breathable, with a flexible dotted palm for better grip. ANSI Level 3, CPPT = 1150 grams, Made of Dyneema® fabric, the "world's strongest fiber."

036000-97430	14.82	PR	12	7
036000-97431	14.82	PR	12	8
036000-97432	14.82	PR	12	9
036000-97433	14.82	PR	12	10
036000-97434	14.82	PR	12	11



C. Mechanix Wear Knit ORHD Glove

Gain more control during heavy duty situations with the ORHD Cut 3 Knit Utility. The high-visibility CE Cut 3 shell is built with a 13 gauge machine knit polyester. Sewn on TPR-Thermal Plastic Rubber safeguards the knuckles, metacarpals, fingers and thumb, all the way to the tips. Providing complete pinch-point protection. The palm is padded and equipped with a tacky nitrile dip coating for durable gripping power in dry, oily, and wet conditions so you can work with confidence.

781513-62587	19.99	PR	1	SM	KHD-GP-008
781513-62588	19.99	PR	1	MD	KHD-GP-009
781513-62589	19.99	PR	1	LG	KHD-GP-010
781513-62590	19.99	PR	1	XL	KHD-GP-011
781513-62591	19.99	PR	1	2XL	KHD-GP-012

D. PIP 16-350 G-Tek® CR Seamless Knit HPPE Glass Glove

Seamless construction offers increased comfort and breathability. High Performance Polyethylene Fiber (HPPE) & Glass shell is lightweight and provides excellent dexterity, tactile sensitivity and cut resistance. Double-Dipped Nitrile "Micro-Surface" coated palm and fingertips help extend the life of the glove and provide excellent abrasion resistance. Knit Wrist helps prevent dirt and debris from entering the glove while cotton color binding denotes sizing. Washable, resistant to chemicals, water, and ultraviolet light. ANSI Cut Level 3.

616314-30823	9.27	PR	144	XS
616314-30809	9.27	PR	144	SM
616314-30793	9.27	PR	144	MD
616314-30786	9.27	PR	144	LG
616314-30816	9.27	PR	144	XL
616314-30830	9.27	PR	144	2XL

E. PIP 16-570 G-Tek® CR Seamless Knit HPPE Glass Glove

Seamless construction offers increased comfort and breathability. 13 gauge High Performance Polyethylene Fiber (HPPE) & Glass shell is lightweight and provides excellent dexterity, tactile sensitivity and cut resistance. Black polyurethane coated palm and fingertips for great abrasion resistance, excellent puncture resistance and outstanding wet/dry grip. Knit Wrist helps prevent dirt and debris from entering the glove while cotton color binding denotes sizing. Washable, resistant to chemicals, water, and ultraviolet light. ANSI Cut Level 3.

616314-31004	7.59	PR	144	XS
616314-30984	7.59	PR	144	SM
616314-30977	7.59	PR	144	MD
616314-30960	7.59	PR	144	LG
616314-30991	7.59	PR	144	XL
616314-31011	7.59	PR	144	2XL

Cut Resistant Gloves - Level 4

RS Hughes Part Price Per Case Size Description

F. Ansell HyFlex® 11-511 Foam Nitrile Coated Kevlar® Steel Blend

The HyFlex 11-511 is the premier cut protection glove from Ansell. The green nitrile foam palm coating provides an increased abrasion resistance and sure grip. The exclusive Intercept Technology™ cut resistant liner is made of a special blend of Kevlar and Stainless Steel. ANSI Level 4, EN Level 4 Cut Protection.

076490-05749	15.77	PR	144	6
076490-05750	15.77	PR	144	7
076490-05751	15.77	PR	144	8
076490-05752	15.77	PR	144	9
076490-05753	15.77	PR	144	10
076490-05754	15.77	PR	144	11



INTERCEPT technology®

ANSI 4 CUT

G. Ansell Vantage® 70-765

Durable leather pad double-stitched with DuPont™ Kevlar® fiber to ensure superior grip and protection against sharp snags and punctures. Engineered yarns provide high cut protection-to-weight ratio. Ten-gauge, mediumweight cut resistant yarn and reinforced thumb crotch. Protection all the way to the fingertips. Protects hands from intermittent heat contact up to 200°F.

076490-45714	16.22	PR	36	8
076490-45715	16.22	PR	36	9
076490-45716	16.22	PR	36	10
076490-45717	16.22	PR	36	11



H. JACKSON SAFETY* G60 L5 Cut Resistant Gloves with Dyneema® Fiber, Black Polyurethane Coated

For industrial tasks that require protection against hand lacerations, our NEW JACKSON SAFETY* G60 Level 5 Cut Resistant Gloves with Dyneema® fiber coated with polyurethane provide the highest level of cut resistance and comfort. ANSI Level 4/EN388 Level 5 cut resistance. Spun Dyneema® fiber with glass, stainless steel and spandex provides cut resistance and comfortable fit. Superior cut resistance based on tests performed against the competition. Black polyurethane coating enhances grip. Dark coating hides dirt for longer wear.

98235	21.19	PR	12	7
98236	21.19	PR	12	8
036000-98237	21.19	PR	12	9
98238	21.19	PR	12	10
98239	21.19	PR	12	11




H

ANSI 4 CUT

I. JACKSON SAFETY* G60 Level 5 Polyurethane Coated Cut Resistant Gloves

A range of cost effective, durable Gloves and Sleeves suitable for processes where there is a cutting or laceration risk to workers' hands and arms. Ideal for: applications of metal fabrication, glass handling and automotive assembly; providing workers with PPE category 2 classification, high level 5 cut resistancy and level 4 abrasion resistance; superior protecting against cuts and gashes, with Dyneema® patented yarn with steel; conforming to EN420 Minimum Cuff Length providing protection to wrist areas; offering user breathability as yarn is designed to transmit heat away. Available as: latex-free, washable, hand specific gloves in five sizes with colour-coded cuffs.

036000-38721	21.19	PR	12	7	Grey
036000-38722	21.19	PR	12	8	Grey
036000-38723	21.19	PR	12	9	Grey
036000-38724	21.19	PR	12	10	Grey
036000-38725	21.19	PR	12	11	Grey



I

ATG Technology Platforms by PIP



Innovative fibres: we source our base ingredients to develop our own unique high performance yarns and fibres that offer cut protection whilst maintaining high levels of comfort.

Reinforcement between the thumb and forefinger, improves cut resistance and extends glove life in an inherently weak area.

Cut Resistant Gloves - Level 4

RS Hughes Part	Price	Per Case	Size	Description
----------------	-------	----------	------	-------------

A. PIP 09-K1300 G-Tek Powergrab Latex Coated Kevlar®

G-Tek® Powergrab From Towa, Kevlar With Blue Latex "Crinkle" Grip ASTM F1790 Cut Score 1550 grams, ANSI Level Cut 4 Protection.

616314-03066	12.07	PR	72	SM
616314-03073	12.07	PR	72	MD
616314-03080	12.07	PR	72	LG
616314-03097	12.07	PR	72	XL
616314-05800	12.07	PR	72	2XL



B. PIP 19-D813 Coated Gloves Made with Dyneema®

Made with White Dyneema® - blue crinkle finish latex coated palm and finger tips. Available in light or medium weight. Provides excellent dry grip.

616314-48371	14.88	PR	144	SM
616314-48388	14.88	PR	144	MD
616314-48395	14.88	PR	144	LG
616314-48401	14.88	PR	144	XL

C. PIP 19-D320 G-Tek® 3GX Level 4 Cut Resistant Glove

MADE WITH DYNEEMA® DIAMOND TECHNOLOGY 13 gauge, gray & black Dyneema® Diamond Technology/ Nylon/Lycra® seamless liner glove, gray polyurethane coated palm and finger tips, medium weight. Twice the cut and abrasion resistance as Dyneema® Continuous Filament Technology. Gloves are washable, improving their longevity. Ultra high strength yarns provide superior comfort and durability at the higher levels of cut resistance standards. Gloves are lighter, thinner, and more tactile, keeping the wearer's hands considerably cooler than gloves made with other materials - including aramids. Silicone free. ANSI Cut Level 4 (EN Level 4): ASTM F1790-05 Cut Score: 1,246 grams +/- 10%. EN388: 4442

616314-95894	13.61	PR	144	XS
616314-95870	13.61	PR	144	SM
616314-95863	13.61	PR	144	MD
616314-95856	13.61	PR	144	LG
616314-95887	13.61	PR	144	XL
616314-95900	13.61	PR	144	2XL

D. PIP 19-D470 G-Tek® MaxiCut® by ATG® Micro Foam Nitrile Coated 360 Breathability Palm on Dyneema®

G-Tek® MaxiCut®, Dyneema® with Engineered Yarns, Foam Nitrile Palm Coating, Heavy Weight, ASTM F1790 Cut Score 2250 grams, ANSI Level 4 cut protection

616314-44663	21.90	PR	144	XS
616314-20179	21.90	PR	144	SM
616314-20162	21.90	PR	144	MD
616314-20155	21.90	PR	144	LG
616314-20186	21.90	PR	144	XL
616314-44656	21.90	PR	144	2XL

E. PIP 19-D475 MaxiCut® by ATG® Micro Foam Nitrile Coated Palm and Knuckles on Dyneema®

Cut Protection in Oily Environments. Foam Nitrile Coated Palm and Knuckles, EN Cut Level 5.

616314-53627	22.61	PR	144	SM
616314-53634	22.61	PR	144	MD
616314-53641	22.61	PR	144	LG
616314-53658	22.61	PR	144	XL



A

B



C



D

E



RS Hughes Part Price Per Case Size Description

F. West Chester 710SANF Cut Resistant Gloves

10gauge black and yellow agamid/polyamide shell with black foam nitrile. Antibacterial/DMF free: EN388 4533, ANSI Cut Level 4, 1779 gram

662909-712844	6.28	PR	12	XS
662909-712851	6.28	PR	12	SM
662909-712868	6.28	PR	12	MD
662909-712875	6.28	PR	12	LG
662909-712882	6.28	PR	12	XL



G. Global Glove CR609 Tsunami Grip™ Tuff Hybrid

13-gauge seamless knit glove represents the latest development in high performance, cut-resistant fiber technology. Superior cut protection comes from an engineered yarn using a propriety wrapping process. Aralene™ is a Kevlar™ fiber with space age strength enhancement combined to give a European EN 388 level 5 cut resistance. High dexterity 13-gauge glove, with 1525 grams on American ASTM F-1790 for American level 4. Offers cut resistance level ASTM level 4 EN level 5 cut protection.

CR609 SZ 7	8.05	PR	72	7
CR609 SZ 8	8.05	PR	72	8
CR609 SZ 9	8.05	PR	72	9
CR609 SZ 10	8.05	PR	72	10
CR609 SZ 11	8.05	PR	72	11



H. Global Glove CR919 Samurai Glove®

Enhanced seam free high visibility Orange Tuffalene® brand HDPE, gray polyurethane dipped palm with 3 finger touch screen responsive fingertips perfect for controlling cell phones, tablets and All-in-One computer systems. Nitrile reinforced thumb crotch for extended wear. Good dexterity plus comfort, and PU dipped palm provides excellent grip. ANSI level 4 cut resistance.

CR919 SM	7.47	PR	72	SM
CR919 MD	7.47	PR	72	MD
CR919 LG	7.47	PR	72	LG
CR919 XL	7.47	PR	72	XL
CR919 2XL	7.47	PR	72	2XL

I. PIP 19-D330 G-Tek® 3GX Level 4 Cut Resistant Gloves

13 gauge, White Dyneema® Diamond Technology/ Nylon/Lycra® seamless liner glove, gray polyurethane coated palm and finger tips, medium weight. Twice the cut and abrasion resistance as Dyneema® Continuous Filament Technology. Gloves are washable, improving their longevity. Gloves are lighter, thinner, and more tactile, keeping the wearer's hands considerably cooler than gloves made with other materials - including aramids. Silicone free. ANSI Cut Level 4 (EN Level 5): ASTM F1790-05 Cut Score: 1,891 grams +/- 10%. EN388: 4542

616314-95771	16.42	PR	144	XS
616314-95757	16.42	PR	144	SM
616314-95740	16.42	PR	144	MD
616314-95733	16.42	PR	144	LG
616314-95764	16.42	PR	144	XL
616314-95788	16.42	PR	144	2XL



J. West Chester HVY710SHNF HPPE/Hiperformance Gloves

Hi Vis Yellow HPPE Orange Foam Nitrile Palm Coated Gloves ANSI 4 1576 gms EN388 4541

662909-501035	10.07	PR	12	SM
662909-501042	10.07	PR	12	MD
662909-501059	10.07	PR	12	LG
662909-501066	10.07	PR	12	XL
662909-501073	10.07	PR	12	2XL



K. Hexarmor Rig Lizard TP-X+ Palm 2025

Durable TP-X+® palm with unique stitching pattern and cut level 4 SuperFabric (interior layer) provides industry-leading cut and abrasion resistance and reinforced seams extend glove life

815733-01848	46.31	PR	1	SM
815733-01849	46.31	PR	1	MD
815733-01850	46.31	PR	1	LG
815733-01851	46.31	PR	1	XL
815733-01852	50.05	PR	1	2XL
815733-01853	50.05	PR	1	3XL





A

ANSI
5
CUT



B



C

ANSI
5
CUT



D

Cut Resistant Gloves - Level 5

RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

A. HEXARMOR 4018 Mechanics+ Gloves

SuperFabric® brand material palm provides ISEA Level 5 cut resistance and maintains the highest level of protection available in the industry. (Interior layer). Synthetic leather palm provides reliable grip in dry or light oil situations, while increasing abrasion resistance. (Exterior layer). Cut Level 5 SuperFabric® technology knuckle patch reduces abrasion to back-of-hand. Interior seams implement a double-stitched core-spun thread, adding further durability and longevity. Velcro® wrist closure secures fit and maximizes comfort. Machine washable.

4018 SZ 6	53.16	PR	1	6	
4018 SZ 7	53.16	PR	1	7	
4018 SZ 8	53.16	PR	1	8	
4018 SZ 9	53.16	PR	1	9	
4018 SZ 10	53.16	PR	1	10	



B. HEXARMOR 4026 Chrome Series® Gloves

SuperFabric® brand material palm provides ISEA Level 5 cut resistance and maintains the highest level of protection available in the industry. (Interior layer). Superior back-of-hand impact protection system utilizes an advanced design to dissipate forceful blows over a large area. PVC-dotted synthetic leather palm provides reliable grip in dry or light oil situations, while increasing abrasion resistance. (Exterior layer). Interior seams implement a double stitched core-spun thread, adding further durability and longevity. Hi-Vis color scheme increases visual awareness. Machine washable.

4026 SZ 6	46.94	PR	1	6	
4026 SZ 7	46.94	PR	1	7	
4026 SZ 8	46.94	PR	1	8	
4026 SZ 9	46.94	PR	1	9	
4026 SZ 10	46.94	PR	1	10	

C. Hexarmor Chrome Series 4027

SuperFabric® brand material palm provides ISEA Level 5 cut resistance and maintains the highest level of protection available in the industry (interior layer) with Superior back-of-hand impact protection system utilizes an advanced design to dissipate forceful blows over a large area

815733-01866	47.06	PR	1	SM	
815733-01867	47.06	PR	1	MD	
815733-01868	47.06	PR	1	LG	
815733-01869	47.06	PR	1	XL	
815733-01870	53.08	PR	1	2XL	
815733-01871	53.08	PR	1	3XL	

D. HEXARMOR 4030 Chrome Oasis® Gloves

SuperFabric® brand material palm provides ISEA Level 5 cut resistance and maintains the highest level of protection available in the industry. Advanced HexVent® technology allows for a breathable heat-release system. Printed PVC synthetic leather palm provides reliable grip in dry or light oil situations. Superior back-of-hand impact protection system utilizes an advanced design to dissipate forceful blows over a large area. Reinforced index finger and thumb crotch extends glove life. Exterior seams implement a double stitched core-spun thread, adding further durability and longevity. Hi-Vis color scheme increases visual awareness.

4030 SZ 6	46.69	PR	1	6	
4030 SZ 7	46.69	PR	1	7	
4030 SZ 8	46.69	PR	1	8	
4030 SZ 9	46.69	PR	1	9	
4030 SZ 10	46.69	PR	1	10	



ANSI
5
CUT

RS Hughes Part Price Per Case Size Description

E. HEXARMOR 5033 SteelLeather™ III Gloves

Made with SuperFabric® brand material for the highest cut-resistance available on the market, exceeds ISEA/CE Level 5 (in noted enhanced areas). Innovative industrial puncture protection on enhanced areas from wires, metal, wood, and glass. Comfortable cow grain leather that will outlast your typical leather driver's gloves. May be dry-cleaned for repeated use.

5033 SZ 7	52.38	PR	1	7
5033 SZ 8	52.38	PR	1	8
5033 SZ 9	52.38	PR	1	9



F. HEXARMOR 5039 SteelLeather™ IX Gloves

Made with SuperFabric® brand material for the highest cut-resistance available on the market, exceeds ISEA/CE Level 5 (full protection coverage). Comfortable split cow leather that will outlast your typical leather driver's gloves. May be dry-cleaned for repeated use.

5039 SZ 7	50.39	PR	1	7
5039 SZ 8	50.39	PR	1	8
5039 SZ 9	50.39	PR	1	9
5039 SZ 10	50.39	PR	1	10



ANSI
5
CUT

HEXARMOR 9000 Series™ Gloves

SuperFabric® brand material palm provides ISEA Level 5 cut resistance and maintains the highest level of protection available in the industry. (Interior layer), Shell is comprised of a high-performance polyethylene fiber and glass fiber blend, offering top-level flexibility and comfort with Level 4 cut protection on the back of hand. Black flat nitrile palm dip increases snag and abrasion resistance, and provides exceptional grip for dry and light oil situations. Machine washable.

G. 9010 SZ 6	31.81	PR	1	6	9010	Flat Nitrile Dip
G. 9010 SZ 7	31.81	PR	1	7	9010	Flat Nitrile Dip
G. 9010 SZ 8	31.81	PR	1	8	9010	Flat Nitrile Dip
G. 9010 SZ 9	31.81	PR	1	9	9010	Flat Nitrile Dip
G. 9010 SZ 10	31.81	PR	1	10	9010	Flat Nitrile Dip
H. 9013 SZ 7	31.81	PR	1	7	9013	Sandy Nitrile Dip
H. 9013 SZ 8	31.81	PR	1	8	9013	Sandy Nitrile Dip
H. 9013 SZ 9	31.81	PR	1	9	9013	Sandy Nitrile Dip
H. 9013 SZ 10	31.81	PR	1	10	9013	Sandy Nitrile Dip



ANSI
5
CUT

I. West Chester 710KSSN Cut Resistant Gloves

ANSI 5 Kevlar® cut resistant glove with extended cuff and excellent abrasion resistance. 13gauge green Kevlar/Steel Shell w/black foam nitride coating. Antibacterial/DMF Free: ANSI Cut Level 5, 3638 grams.

662909-500977	10.44	PR	144	SM
662909-500984	10.44	PR	144	MD
662909-500991	10.44	PR	144	LG
662909-501011	10.44	PR	144	XL
662909-501028	10.44	PR	144	2XL



Head to Toe Protection

Cut Resistant Gloves - Level 5

RS Hughes Part Price Per Case Size Description

A. Ergodyne 922CR ProFlex® Dorsal Impact Reducing Gloves

Patent-pending dorsal protection on a Cut 5 HPPE seamless knit glove with super-durable gripping sandy foam nitrile palm. Molded TPR armor for impact protection, pinch injury prevention, and blow deflection. Finger TPR extends to fingertips; sewn on for maximum durability and wear. Armor "flex zones" for high dexterity, abrasion resistant sandy foam nitrile dipped palm with reinforced thumb saddle provides exceptional grip in water, grease and oil; hi-vis orange for hand signaling. 13-gauge High Performance Polyethylene (HPPE) seamless knit construction delivers EN Level 5 cut protection, Level 3 puncture protection and excellent durability.

RS Hughes Part	Price	Per	Case	Size	Description
720476-17092	24.92	PR	12	SM	Org/Gray
720476-17093	24.92	PR	12	MD	Org/Gray
720476-17094	24.92	PR	12	LG	Org/Gray
720476-17095	24.92	PR	12	XL	Org/Gray
720476-17096	24.92	PR	12	2XL	Org/Gray

B. Mechanix Wear Cut 5 Original Glove Hi-Viz Yellow

The Safety Original® Cut 5 glove is made using ANSI-107 compliant reflective and fluorescent materials to make you more conspicuous in hazardous working environments. High-visibility, moisture-wicking TrekDry® material forms to the top of your hand and 3M® reflective ink provides luminance. Visible hands are safe hands so we used a bright, Day-Glow synthetic leather palm is lined with Cut resistant Armortex for added range of protection and visibility in hazardous environments.

RS Hughes Part	Price	Per	Case	Size	Description
781513-62632	32.99	PR	1	SM	SMG-C91-008
781513-62633	32.99	PR	1	MD	SMG-C91-009
781513-62634	32.99	PR	1	LG	SMG-C91-010
781513-62635	32.99	PR	1	XL	SMG-C91-011
781513-62636	32.99	PR	1	2XL	SMG-C91-012

C. Mechanix Wear Knit ORHD Glove Cut 5

The ORHD Knit Cut 5 provides 360 degrees of the highest level cut protection, combine with A TPR-Thermal Plastic Rubber exoskeleton, protecting the knuckles, metacarpals, extending to the finger tips, including the thumb. The 13-gauge Cut 5 shell has a textured, nitrile coated padded palm, providing grip, protection and comfort in the toughest of situations.

RS Hughes Part	Price	Per	Case	Size	Description
781513-62592	29.99	PR	1	SM	KHD-CR-008
781513-62593	29.99	PR	1	MD	KHD-CR-009
781513-62594	29.99	PR	1	LG	KHD-CR-010
781513-62595	29.99	PR	1	XL	KHD-CR-011
781513-62596	29.99	PR	1	2XL	KHD-CR-012

D. Mechanix Wear Cut 5 M-Pact Glove Hi-viz Yellow

Utilizing Armortex Cut resistant material, the Safety M-Pact® Cut 5 glove provides high-visibility impact protection along with a cut resistant palm for hazardous working environments. Fluorescent, moisture-wicking TrekDry® material wraps the top of your hand and 3M® reflective ink provides luminance. When the going gets rough, sonic welded TPR (Thermal Plastic Rubber) extends from your knuckles to your fingertips for critical pinch point and impact protection. The high-visibility palm features not only a CE Cut level 5 liner, but high impact XRD™ palm padding for comfort and relief day in and day out.

RS Hughes Part	Price	Per	Case	Size	Description
781513-62637	41.99	PR	1	SM	SMP-C91-008
781513-62638	41.99	PR	1	MD	SMP-C91-009
781513-62639	41.99	PR	1	LG	SMP-C91-010
781513-62640	41.99	PR	1	XL	SMP-C91-011
781513-62641	41.99	PR	1	2XL	SMP-C91-012



West Chester Zone Defense® Color Awareness Cut Resistant Gloves

Cut Level 1

Cut Level 2

Cut Level 3

RS Hughes Part Price Per Case Size Description

E. West Chester 701CRNF Gloves

15 gauge. Red Nylon Shell with Gray Sponge Nitrile Palm Coat: EN388 3132, ANSI Cut Level 1, 221 grams

662909-073358	27.18	DZ	12	SM
662909-073365	27.18	DZ	12	MD
662909-073372	27.18	DZ	12	LG
662909-073389	27.18	DZ	12	XL

F. West Chester 701CRPB Gloves

15 gauge. Red Nylon Shell with Black PU Palm Coat: EN388 4131, ANSI Cut Level 1, 267 grams

662909-073440	22.41	DZ	12	MD
662909-073457	22.41	DZ	12	LG
662909-073464	22.41	DZ	12	XL
662909-073471	22.41	DZ	12	2XL

G. West Chester 701CRLB Gloves

10 gauge. Red Poly/Cotton with Black Latex Crinkle Palm Coat: EN388 3142, ANSI Cut Level 1, 480 grams

662909-073396	24.34	DZ	12	MD
662909-073402	24.34	DZ	12	LG
662909-073419	24.34	DZ	12	XL
662909-073426	24.34	DZ	12	2XL

H. West Chester 703CONF Gloves

10 gauge. Orange HPPE/Hiperformance Yarn/Nylon/Lycra Shell with Black Nitrile Palm Coat: EN388 4343, ANSI Cut Level 2, 543 grams

662909-073303	94.06	DZ	12	SM
662909-073310	94.06	DZ	12	MD
662909-073327	94.06	DZ	12	LG
662909-073334	94.06	DZ	12	XL
662909-073341	94.06	DZ	12	2XL

I. West Chester 703COPB Gloves

10 gauge. Orange HPPE/Hiperformance Yarn /Nylon/Lycra Shell with Black PU Palm Coat: EN388 4343, ANSI Cut Level 2, 951 grams

662909-073259	94.06	DZ	12	SM
662909-073266	94.06	DZ	12	MD
662909-073273	94.06	DZ	12	LG
662909-073280	94.06	DZ	12	XL
662909-073297	94.06	DZ	12	2XL


J. West Chester 705CGNF Zone Defense® - Color Awareness Cut Resistant Gloves

10 gauge Green HPPE/Hiperformance Yarn/Nylon/Glass/Lycra Shell with Black Nitrile Palm Coat: EN388 4543, ANSI Cut Level 3, 1120 grams

662909-073860	124.24	DZ	12	SM
662909-073228	124.24	DZ	12	MD
662909-073235	124.24	DZ	12	LG
662909-073242	124.24	DZ	12	XL
662909-073877	124.24	DZ	12	2XL



Head to Toe Protection



Cut Resistant Sleeves

RS Hughes Part Price Per Case Size Description

A. JACKSON SAFETY G60 Level 2 Cut Resistant 18" Sleeves

Cut Resistant Sleeves are a great choice for working environments that pose a risk for minor cuts, abrasions and burns. With or without thumbhole. Kevlar® outer layer and cotton inner layer provide cut resistance and a comfortable fit. Suitable for intermittent heat contact up to 212°F. ANSI Level 2/EN 388 Level 2 cut resistance. Good breathability

90070	4.24	EA	60	With Thumbhole
90071	4.03	EA	60	Without Thumbhole



B. Ansell Hyflex® 11-200 Cut Resistant Sleeve

19IN Fiberglass core wrapped in polyester, fluorescent yellow.

076490-12774	10.55	PR	36	19in
--------------	-------	----	----	------



Ansell Kevlar® Armor Knit Sleeve 18" 100Percent Kevlar® Armor and Standard Kevlar® Blend Blend Blouse Sleeve 70-718

Heavyweight protection from sharp, jagged edges, sparks and flames, their 100% Kevlar Armor and standard Kevlar blend gives them a lightweight feel. ArmorKnit sleeves provide 65% more cut resistance than standard mediumweight cut-resistant sleeves and even 45% more than standard heavyweight sleeves. Blouse ArmorKnit Sleeve is also mediumweight, with elastic at both ends and a Velcro top strap.

C. 076490-22145	3.75	EA	50	ASTM F1790-97 1450 Grams
D. 076490-45468	9.23	EA	50	ASTM F1790-97 2900 Grams

PIP 10-KS14/10-KS14TO Kut-Guard 14" Kevlar Sleeve, 2-Ply

100% Cut resistant Kevlar sleeve double ply, Dupont Kevlar brand fiber. Protective sleeve provides high tensile strength relative to its weight up to five times stronger than steel. Kevlar yarn is designed to be cut resistant. With or without thumbhole. Protective sleeves provide excellent protection for the wrists and arms. Heat Protection. ANSI Level 3/EN 388 Level 4 cut resistance. ASTM F1790 cut score 1263 grams. Used for Advanced Manufacturing, Glass Operations, Metal Stamping, Sheet Metal, Automotive, Electrical and Light Heat Application.

E. 616314-03653	2.86	EA	144	10-KS14 w/out Thumbhole
F. 616314-20209	3.03	EA	144	10-KS14TO w/ Thumbhole

G. PIP 10-KS18 18" Kut-Gard Kevlar® Sleeve 2 Ply

100% cut resistant Kevlar sleeve double ply. Dupont Kevlar fiber. Protective sleeve provides high tensile strength relative to its weight. Kevlar Yarn is Designed to be Cut Resistant. Without thumbhole. Provides excellent protection for the wrists and arms. Heat Protection. ANSI Level 3/EN 388 Level 4 cut resistance. ASTM F1790 cut score 1263.

616314-03660	3.40	EA	144	10-KS18 w/out Thumbhole 18in
616314-17056	3.57	EA	144	10-KS18TO w/Thumbhole 18in

H. PIP 20-TG14 Cut Resistant 14" Sleeves with Dyneema®

Gloves and sleeves made with Spun Dyneema® offer unparalleled comfort and coolness while providing cut and abrasion resistance. White sleeves are single-ply, 10 gauge and have elastic on both ends for superior fit. PIP now offers the first gray sleeves made with Dyneema® in the industry, great for hiding dirt. Gray sleeves are double-ply with nylon.

616314-58950	3.66	EA	72	20-TG14 w/out Thumbhole 14in
--------------	------	----	----	------------------------------

I. PIP 9" Black Cane Mesh Sleeve, Double Ply, Velcro Closer

Ideal for applications where arm cut protection is needed, such as assembly, plastic molding, metal fabrication, automotive. Excellent protection against chemicals, snags, punctures and abrasions. Exceptional comfort, lightweight, breathable, and shrink resistant. 2-Ply construction for added protection. Velcro closure for a snug, secure fit.

616314-17213	11.38	PR	1	LG 30-6795B/L
--------------	-------	----	---	---------------


Types and Categories of Leather Cuts

Leather Types:

- Grain:** The smooth outside top layer of the hide.
- Split:** The rougher inside of the hide when top layer is removed.
- Cowhide:** The most commonly used leather due to availability. The most heat resistant leather.
- Pigskin:** Greatest breathability due to its porous texture. Remains pliable after exposure to wet conditions.
- Goatskin:** One of the softest leathers due to its natural lanolin which provides waterproof and tactile sensitive properties.
- Deerskin:** The most luxurious leather available for comfort and sensitivity with longer wear.
- Elkskin:** Like deerskin, the soft texture provides superior comfort and stays flexible when exposed to heat.

Leather Categories:

- Premium:** The highest quality and most durable leather available provide the most uniform leather with few imperfections. Most commonly cut from the side area or rib section of the hide.
- Select:** Leather of consistent quality and thickness with slightly less durability than premium. Typically cut from the shoulder area of the hide where texture differences are more visible.
- Standard:** Provides the best value leather for the price with adequate quality and durability. Generally cut from the shoulder area or belly of the hide.
- Economy:** The least expensive option with inconsistencies in leather appearance and texture. Most commonly cut from the belly section of the hide.



Cowhide

- Good durability
- Good insulation protection, especially against heat
- High puncture resistance



Pigskin

- Lightweight
- Highest breathability due to porous texture
- Low cost
- High abrasion resistance
- Tends to become softer and more flexible after use



Goatskin

- Natural lanolin creates soft feel
- High abrasion and puncture resistance
- High flexibility
- High durability



Deerskin

- Very soft and comfortable
- Highest insulation protection, especially against cold
- Highest durability and longest lasting
- Highest flexibility and dexterity

Leather Type	Puncture Resistance	Durability	Breathability	Leather Flexibility	Insulation	Moisture Resistance	Abrasion	Cost
Grain Pigskin	5	3	5	4	4	4	5	Low
Grain Cowhide	4	4	2	3	3	3	2	Average
Split Cowhide	4	4	2	2	2	3	2	Low
Grain Deerskin	2	5	2	4	4	5	4	High
Split Deerskin	2	2	4	5	5	3	3	Average
Grain Goatskin	4	4	2	4	4	1	3	Average
Grain Elkskin	2	4	2	4	3	4	4	High

Leather Palm Gloves - Gold Series

RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

J. Global Glove CR2100 Big Ole®

Big Ole® premium gunn cut cow grain leather palm, 9 oz canvas back, rubberized cuff and sewn with DuPont™ KEVLAR® brand fiber. Aralene™ cut resistance inner shell, a Aramid fiber with space age strength enhancement. ANSI level 4 cut resistance.

CR2100 MD	134.48	DZ	6	MD
CR2100 LG	134.48	DZ	6	LG
CR2100 XL	134.48	DZ	6	XL



K. PIP 80-8800 & 80-8855 Heavy Side Split Cowhide Leather Palm Glove

Popular in rugged-duty applications such as farming, foundry, forestry, mining and heavy machine operation. Constructed of heavy side split cowhide, cotton lined palm for extra comfort. Gunn cut pattern delivers excellent durability, wear and comfort, especially for heavier gloves. Wing thumb increases comfort in open-handed work, rugged extra strength back and cuff. Stitched with Kevlar® adding strength and burn resistance, leather knuckle strap and finger tips for extra protection, elastic closure sewn inside glove for safety and comfort. Rubberized fabric safety cuff helps protect wrist, allows for fast removal, and water resistance.

616314-06883	68.14	DZ	6	SM	Single Palm
616314-06890	68.14	DZ	6	MD	Single Palm
616314-06906	68.14	DZ	6	LG	Single Palm
616314-06913	68.14	DZ	6	XL	Single Palm
616314-07040	89.28	DZ	6	SM	Double Palm
616314-07057	89.28	DZ	6	MD	Double Palm
616314-07064	89.28	DZ	6	LG	Double Palm
616314-07071	92.55	DZ	6	XL	Double Palm



Head to Toe Protection

Hand Protection

Leather Palm Gloves - Silver Series

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change



A



PROTECTIVE INDUSTRIAL PRODUCTS



B

Leather Palm Gloves - Silver Series

RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

A. PIP 82-7563 Leather Palm Glove

Leather Palm Gloves Constructed of "A/B" Grade Select Shoulder Split Cowhide. Blue & Green Striped Fabric Back & Cuff. Best Value Grade of Leather Palms.

616314-07248	40.76	DZ	10	MD
616314-07255	40.76	DZ	10	LG
616314-07262	44.04	DZ	10	XL



B. PIP 82-7763 Double Leather Palm Glove

Double Leather Palm - Constructed of "A/B" Grade Select Shoulder Split Cowhide. Blue & Green Striped Fabric Back & Cuff.

616314-07392	49.09	DZ	6	SM
616314-07408	49.09	DZ	6	MD
616314-07415	49.09	DZ	6	LG
616314-07422	52.36	DZ	6	XL

C. West Chester 500DP-AA Premium Split Cowhide Leather Double Palm

Premium split cowhide leather palm gloves provide reliable hand protection. Rubberized safety cuff helps protect wrists. Leather knuckle strap provides extra protection where you need it most. Comfortable canvas back is cool and allows greater flexibility.

662909-708632	66.18	DZ	6	SM
662909-500281	66.18	DZ	6	MD
662909-702739	66.18	DZ	6	LG
662909-500298	68.29	DZ	6	XL



C

Leather Palm Gloves - Bronze Series

RS Hughes Part Price Per Case Size Description

D. PIP 83-6563 Leather Palm Glove

Mens Bronze series leather palm glove constructed of "B" grade cowhide shoulder split leather palm glove, wing thumb, knuckle strap, cotton lined palm for extra comfort, green/pink striped fabric back, matching 2.75-inch rubberized safety cuff with cotton binding to denote sizes.

616314-07507	34.40	DZ	10	XS
616314-07514	34.40	DZ	10	SM
616314-07521	34.40	DZ	10	MD
616314-07538	34.40	DZ	10	LG
616314-07545	37.67	DZ	10	XL



D

**Editor's Choice
for comfort
and value**

E. Red Steer 13163 Suede Cowhide Leather Palm

Standard suede cowhide, leather knuckle strap, forefinger and fingertips, 2½ inch safety cuff, wing thumb.

13163 MD	29.04	DZ	10	MD
13163 LG	29.04	DZ	10	LG
13163 XL	29.04	DZ	10	XL



E

Leather Palm Gloves - Economy Series

RS Hughes Part Price Per Case Size Description

F. West Chester Standard Split Cowhide Leather Palm Gloves

Standard split cowhide leather palm gloves with rubberized safety cuff. 2 1/2" safety cuff provides extra protection where you need it most. Durable split cowhide leather palm, index finger, fingertips and knuckle strap. Canvas back, Wing thumb construction.

662909-055842	26.12	DZ	10	LG	558	Mens
662909-055811	26.12	DZ	10	MD	558	Mens
662909-055835	28.24	DZ	10	XL	558	Mens
662909-055828	29.47	DZ	10	2XL	558	Mens
662909-593801	26.12	DZ	10	LG	558L	Womens



F

G. PIP 85-7500 Leather Palm Glove Economy Glove Rubberized Safety Cuff

Mens economy grade cowhide split leather palm glove, wing thumb, knuckle strap, blue, black & red striped fabric back, 2.75-inch rubberized safety cuff with cotton binding. Leather knucklestrap and finger tips for extra protection. Elastic closure sewn inside glove for safety and comfort. Cotton lined palm for extra comfort. Economy series leather palm gloves are constructed of the most economical split cowhide in the market.

616314-15823	28.83	DZ	10	LG
--------------	-------	----	----	----



G

H. PIP 85-7500P Leather Palm Glove Patch & Palm Starched Safety Cuff

Mens economy split cowhide leather 2 piece patch palm glove, wing thumb, knucklestrap, cotton lined reinforced palm, blue/black/red striped fabric back, 2.75" starched safety cuff with white cotton binding.

616314-07835	25.22	DZ	10	
--------------	-------	----	----	--



Head to Toe Protection

Hand Protection

Leather Palm Gloves - Economy Series

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change



PROTECTIVE INDUSTRIAL PRODUCTS

Leather Palm Gloves - Economy Series

RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

A. PIP 85-7500S Economy Series Split Leather Gloves with Starched Safety Cuff

Cotton lined palm for extra comfort. Elastic closure sewn inside glove for safety and comfort. Leather knucklestrap and finger tips for extra protection. Cotton color binding denotes sizes. Used for construction, material handling and general maintenance.

616314-15830	29.45	DZ	10		
--------------	-------	----	----	--	--



B. PIP 85-7512J Double Leather Palm Glove

Mens Copper series leather palm glove constructed of "B/C" grade split cowhide leather palm glove, wing thumb, knuckle strap, double palm, jointed inner palm, gray & red striped fabric back, match 2.75 inch rubberized safety cuff with cotton binding. Elastic closure sewn inside glove for safety and comfort. Cotton lined palm for extra comfort.

616314-15809	38.21	DZ	6		
--------------	-------	----	---	--	--

C. PIP 85-7513P Economy Grade Shoulder Split Cowhide Leath Palm Glove

Used for construction, material handling and general maintenance where the glove is used until it is dirty and disposed of. Constructed from the most economical split cowhide available on the market today, cotton lined palm for extra comfort. Hi-Vis yellow fabric back provides breathability and flexibility. Gunn cut pattern delivers excellent durability, wear and comfort, especially for heavier gloves. Wing thumb increases comfort in open-handed work, leather knuckle strap and finger tips for extra protection. Elastic closure sewn inside glove for safety and comfort, rubberized fabric safety cuff helps protect wrist, allows for fast removal, and water resistance.

616314-15816	32.22	DZ	10	LG	
--------------	-------	----	----	----	--

D. West Chester 450DP Standard Split Cowhide Leather Double Palm Gloves

Standard split cowhide leather double leather palm gloves provide reliable hand protection. Rubberized safety cuff helps protect wrists. Leather knuckle strap provides extra protection where you need it most. Comfortable canvas back is cool and allows greater flexibility.

662909-472267	26.12	DZ	6	LG	
662909-472274	28.24	DZ	6	XL	
662909-472281	29.47	DZ	6	2XL	



E. Red Steer 15064 Green Double Layer Leather Palm

Standard suede cowhide, green double-ply palm, leather knuckle strap, forefinger and fingertips, 2 1/2 inch safety cuff, wing thumb.

15064 LG	32.76	DZ	10	LG	
----------	-------	----	----	----	--



A



B



C



D



E

Leather Drivers Gloves

RS Hughes Part Price Per Case Size Description

F. PIP 68-161SB Top Grain Cowhide, Regular Grade Split Back

Mens top grain cowhide leather driver glove, split cowhide back, grain palm, keystone thumb, unlined, regular grade. Split leather back style lowers cost without reducing protection. Keystone thumb pattern provides extra comfort and wear. Chromium free.

616314-15489	65.43	DZ	10	SM
616314-15496	65.43	DZ	10	MD
616314-15502	65.43	DZ	10	LG
616314-15519	68.71	DZ	10	XL



G. PIP 68-163 Grain Cowhide Drivers Gloves, Regular Grade

Economy grade top grain cowhide leather drivers glove. 100% top grain leather palm and back - unlined. Keystone thumb pattern provides extra comfort and wear.

616314-08450	80.59	DZ	10	SM
616314-08467	80.59	DZ	10	MD
616314-08474	80.59	DZ	10	LG
616314-08481	83.86	DZ	10	XL

H. PIP 68-168 Grain Cowhide Drivers Gloves, Premium Grade

Mens Premium grade cow grain leather driver glove, keystone thumb, unlined, double line elastic sewn inside on back, leather hem. All leather top grain cowhide construction. Consistent grading and superior workmanship. Excellent dexterity and abrasion resistance. Elastic back. Rolled leather cuff for use in light duty welding. Color: Natural. Cuff Style: Slip on. Premium Grade.

616314-08535	126.03	DZ	10	SM
616314-08542	126.03	DZ	10	MD
616314-08559	126.03	DZ	10	LG
616314-08566	129.31	DZ	10	XL

I. PIP 70-301 Top Grain Pigskin Economy Grade Drivers Gloves

All leather top grain pigskin construction. Pigskin will return to its original pliability even after being soaked in water. Elastic back closure for a snug fit. Ideal for use where all-leather gloves are desired, extended wear is expected and superior worker satisfaction is demanded.

616314-08757	75.19	DZ	10	SM
616314-08764	75.19	DZ	10	MD
616314-08771	75.19	DZ	10	LG
616314-08788	76.83	DZ	10	XL

J. PIP 70-368 Grain Pigskin Drivers Glove, Premium Grade

Premium grade pig grain leather, keystone thumb, unlined, shirred elastic wrist, cotton binding. All leather top grain pigskin construction. Returns to its original pliability even after being soaked in water. Elastic back closure for a snug fit.

616314-08870	78.47	DZ	10	SM
616314-08887	78.47	DZ	10	MD
616314-08894	78.47	DZ	10	LG
616314-08900	80.10	DZ	10	XL



F

G

H



J



Best Sellers!



I



Head to Toe Protection

Leather Drivers Gloves

RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

A. Red Steer 1512 Hvywt Grain Cowhide Driver, Easy Id Tag

Heavyweight grain cowhide, shirred elastic back, keystone thumb, easy ID tag, self hemmed.

1512 SM	112.56	DZ	10	SM
1512 MD	112.56	DZ	10	MD
1512 LG	112.56	DZ	10	LG
1512 XL	112.56	DZ	10	XL



B. Red Steer 1555 Tan Grain Cowhide Driver, Leather Hem

Tan grain cowhide, shirred elastic back, keystone thumb, self hemmed.

1555 SM	121.56	DZ	10	SM
1555 MD	121.56	DZ	10	MD
1555 LG	121.56	DZ	10	LG
1555 XL	121.56	DZ	10	XL

C. West Chester 9405 IronCat Drivers Gloves

Premium Ironcat Drivers, Premium Select Split leather, Keystone Thumb unlined Logo w Ironcat part# & size.

662909-404640	66.71	DZ	6	SM
662909-404657	66.71	DZ	6	MD
662909-404664	66.71	DZ	6	LG
662909-404671	69.35	DZ	6	XL
662909-404688	72.88	DZ	6	2XL
662909-404695	76.41	DZ	6	3XL



WESTCHESTER
PROTECTIVE GEAR

D. West Chester 9414 IronCat Drivers Gloves

Premium Top Grain Cowhide Palm with Split leather back. Keystone Thumb unlined Logo w Ironcat part# & size.

662909-404572	93.35	DZ	6	SM
662909-404589	93.35	DZ	6	MD
662909-404596	93.35	DZ	6	LG
662909-404602	96.00	DZ	6	XL
662909-404619	99.53	DZ	6	2XL
662909-404626	103.06	DZ	6	3XL

E. West Chester 9420 IronCat Drivers Gloves

Premium Top Grain Cowhide Drivers, Keystone Thumb unlined Logo w Ironcat part# & size.

662909-404718	118.59	DZ	6	SM
662909-404725	118.59	DZ	6	MD
662909-404732	118.59	DZ	6	LG
662909-404749	121.24	DZ	6	XL
662909-404756	124.76	DZ	6	2XL
662909-404763	128.29	DZ	6	3XL



Lined Leather Drivers Gloves

F. West Chester 988KP Drivers Style Glove

120 gram Positherm Lined Split Leather Drivers Glove, Keystone Thumb.

662909-076120	58.76	DZ	6	SM
662909-076137	58.76	DZ	6	MD
662909-076144	58.76	DZ	6	LG
662909-076151	61.76	DZ	6	XL



F



G. West Chester 988KPW Drivers Style Glove

120 gram Positherm Lined Split Leather Drivers Glove, Sewn in Knit Wrist, Keystone Thumb.

662909-029553	75.00	DZ	6	MD
662909-029560	75.00	DZ	6	LG
662909-029577	78.00	DZ	6	XL
662909-029584	83.82	DZ	6	2XL

G



H



H. West Chester 994KW Drivers Glove Pigskin Grain Glove

Premium Pigskin Grain Driver with Knit Wrist 120g Positherm Lining.

662909-029515	108.88	DZ	10	MD
662909-029522	108.88	DZ	10	LG
662909-029539	111.71	DZ	10	XL
662909-029546	117.71	DZ	10	2XL

I



J



I. West Chester HVY1555 Hi Viz Pigskin Leather Glove

120g Positherm Lined, High Visibility Fabric, Grain Pigskin, Knit Wrist Cuff.

662909-029430	104.12	DZ	6	MD
662909-029447	104.12	DZ	6	LG
662909-029454	107.12	DZ	6	XL
662909-029461	112.94	DZ	6	2XL

K



J. West Chester HVY5555 Hy Viz Pigskin Leather Glove

120g Positherm Lined, High Visibility Fabric, Grain Pigskin, Safety Cuff.

662909-029393	105.88	DZ	6	MD
662909-029409	105.88	DZ	6	LG
662909-029416	108.88	DZ	6	XL
662909-029423	114.71	DZ	6	2XL

L



M



K. West Chester 994KP Premium Grain Pigskin Drivers Glove

Select grain pigskin leather gloves provide durable hand protection for general work applications. Keystone thumb construction. Shirred elastic wrist helps keep dirt and debris from entering the glove. Color coded cotton hem for easy size identification. 120g Positherm Lining, Keystone Thumb Drivers.

662909-718440	77.47	DZ	10	SM
662909-718457	77.47	DZ	10	MD
662909-718464	77.47	DZ	10	LG
662909-718471	80.47	DZ	10	XL
662909-718488	86.29	DZ	10	2XL

L. West Chester 994KF Winter Lined Drivers Glove

Economy Grain Pigskin Red Fleece lined, Keystone Thumb Drivers.

662909-746634	73.59	DZ	10	SM
662909-746535	73.59	DZ	10	MD
662909-746436	73.59	DZ	10	LG
662909-746337	76.41	DZ	10	XL
662909-746344	82.41	DZ	10	2XL

M. West Chester 96652 Synthetic Leather Winter Lined Glove

Premium Extreme Cold Weather - Hi-Vis Yellow Forchettes, Synthetic Leather Palm, PVC fingertip patches w/waterproof synthetic leather palm patches, spandex back, neoprene knuckles, waterproof lining, fleece lined, neoprene hook & loop adjustable wrist w/neoprene web at strap opening.

662909-207395	20.51	PR	72	MD
662909-207401	20.51	PR	72	LG
662909-207418	20.51	PR	72	XL
662909-207425	20.51	PR	72	2XL

Hand Protection

Lined Leather Drivers Gloves

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change

Premium Leather Drivers Gloves

RS Hughes Part Price Per Case Size Description

A. West Chester 9074 Premium Iron Cat® Drivers Gloves

This glove is made of grain water buffalo, and provides excellent back of hand, and pinch point protection. There is also padding provided to the wrist. The fabric on the glove is hi-viz green spandex. Kevlar thread is used to sew the palm of the glove.

662909-871091	27.87	PR	72	MD
662909-871107	27.87	PR	72	LG
662909-871114	27.87	PR	72	XL
662909-871121	27.87	PR	72	2XL



B. West Chester 9075 Premium Iron Cat® Drivers Gloves

This glove is made of grain water buffalo, and provides excellent back of hand, and pinch point protection. There is also padding provided to the wrist. Kevlar thread is used to sew the palm of the glove. EN388: 2141

662909-871213	30.51	PR	72	SM	Hi-Viz Green
662909-871176	30.51	PR	72	MD	Hi-Viz Green
662909-871183	30.51	PR	72	LG	Hi-Viz Green
662909-871190	30.51	PR	72	XL	Hi-Viz Green
662909-871206	30.51	PR	72	2XL	Hi-Viz Green

C. West Chester 9076 Premium Iron Cat® Drivers Gloves

Kevlar® Lined Palm: This glove is made of grain water buffalo, and provides excellent back of hand, and pinch point protection. There is also padding provided to the wrist. Kevlar thread is used to sew the palm of the glove. EN388: 2342

662909-076588	38.24	PR	72	SM
662909-076595	38.24	PR	72	MD
662909-076601	38.24	PR	72	LG
662909-076618	38.24	PR	72	XL
662909-076625	38.24	PR	72	2XL



Stick Leather Welding Gloves

D. PIP 73-888A

Welders' Gloves, Economy Grade With Cotton Lining, Gray Color.

616314-10439	5.52	PR	72
--------------	------	----	----



E. PIP 73-7007 Blue Bison

Welders' Gloves, Blue Bison, Select Shoulder Grade, Sewn with Dupont® Kevlar® Thread, Cotton Lining.

616314-10507	10.25	PR	144
--------------	-------	----	-----

F. West Chester 930 Standard Grey Split Cowhide

Standard gray split cowhide leather welder gloves provide excellent heat protection. One piece palm has no exposed seams. Cotton sock lining absorbs perspiration. Heavy full leather gauntlet cuffs.

662909-009302	5.46	PR	72	Mens
---------------	------	----	----	------



#1 Best Seller!

Stick Welding Gloves

Maximum Heat Protection and Durability Gloves for stick welding are designed with thicker materials to withstand higher heat. The longer length provides better forearm coverage, while welts protect finger seams against sparks and abrasion. Various materials (split cowhide, elk), linings (cotton, foam insulation) and thumb designs (wing, straight, reinforced strap) are available to suit worker preferences.

Stick Leather Welding Gloves

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

G. West Chester 9020 Select Shoulder Split Cowhide

Shoulder split cowhide provides excellent protection in high heat welding conditions at an affordable price. 14" length protects hands and arms from sparks and spatter.

662909-006158	7.06	PR	72	LG
---------------	------	----	----	----

H. West Chester 9041 Insulated Slightly Select Cowhide

Slightly select shoulder cowhide provides excellent protection in high heat welding conditions at an affordable price. 14" length protects hands and arms from sparks and spatter. Additional layer of foam on palm and back of hand provides added heat insulation.

662909-006332	6.50	PR	72	LG
---------------	------	----	----	----

I. West Chester 9051 Insulated Premium Side Split Cowhide

Premium side split cowhide provides the most durable protection in high heat welding conditions. 14" length protects hands and arms from sparks and spatter. Additional layer of foam on palm and back of hand provides added heat insulation. Double reinforced thumb combines thumb saddle with an added patch on thumb saddle to protect high stress area.

662909-006417	9.68	PR	72	LG
---------------	------	----	----	----

J. West Chester 9060 Top Grain Elk

Top grain elk provides the best fit and feel in high heat welding conditions. 14" length protects hands and arms from sparks and spatter. Additional layer of foam on back of hand provides added heat insulation.

662909-006530	210.84	DZ	6	SM
662909-006547	210.84	DZ	6	MD
662909-006554	210.84	DZ	6	LG
662909-006561	210.84	DZ	6	XL



K. West Chester 9070 IRONCAT® Gloves

20" Stick Welding glove, split cow and goat grain, Climax™ Aerogel insulation, pre-curved fingers, Kevlar thread.

662909-870933	49.93	PR	36	MD	
662909-870940	49.93	PR	36	LG	
662909-870957	49.93	PR	36	XL	
662909-870964	49.93	PR	36	2XL	
662909-871138	25.37	EA	36	MD	Left Hand Only
662909-871145	25.37	EA	36	LG	Left Hand Only
662909-871152	25.37	EA	36	XL	Left Hand Only
662909-871169	25.37	EA	36	2XL	Left Hand Only



G



H



I



J



K

TIG Welding Gloves

Extreme Precision and Durability Constructed of lighter weight materials, unlined TIG welding gloves allow for maximum dexterity. Goatskin is available for durability and comfort, while kidskin offers unmatched dexterity. For softer feel and comfort, deerskin gloves are available. Wing thumb designs for open-handed work are available, with a straight thumb design for optimal torch grip.



A

**Only
\$8.53
per pair**



B



C



D

TIG Welding Gloves

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. West Chester 6130 Deerskin Split Leather TIG Welding Gloves

Split deerskin combines a soft feeling with a snug fit ideal for TIG welding. Soft leather allows wire to pass freely over glove. 4" cuff protects hands and lower arms from burns.

662909-003485	8.53	PR	12	SM
662909-003492	8.53	PR	12	MD
662909-003508	8.53	PR	12	LG
662909-003515	8.53	PR	12	XL

B. West Chester 6140 Premium Top Grain Kidskin TIG Welding Gloves

Premium top grain kidskin provides the best fit and dexterity necessary for TIG welding. Soft leather allows wire to pass freely over glove. 2" cuff protects hands and wrists from burns while allowing freedom of movement.

662909-003256	10.51	PR	12	SM
662909-003263	10.51	PR	12	MD
662909-003270	10.51	PR	12	LG
662909-003287	10.51	PR	12	XL

C. West Chester 6141 Premium Top Grain Kidskin TIG Welding Gloves

Premium top grain kidskin provides the best fit and dexterity necessary for TIG welding. Soft leather allows wire to pass freely over glove. 4" cuff protects hands and lower arms from burns.

662909-003331	11.47	PR	12	SM
662909-003348	11.47	PR	12	MD
662909-003355	11.47	PR	12	LG
662909-003362	11.47	PR	12	XL

D. West Chester 9073 Premium Iron Cat® Welding Gloves

Tig glove with premium goatskin, both split and grain, and Nomex fabric on the back of hand, pre-curved fingers, and Kevlar thread throughout.

662909-871053	20.51	PR	36	MD
662909-871060	20.51	PR	36	LG
662909-871077	20.51	PR	36	XL
662909-871084	20.51	PR	36	2XL



MIG Welding Gloves

Enhanced Dexterity and Comfort MIG welding gloves allow for maximum dexterity with an unlined palm, while foam insulation on back of hand provides increased heat protection. Various lighter weight materials are available including cowhide for durability, goatskin for increased dexterity, deerskin for unparalleled comfort, and pigskin which stays pliable even with increased wear and exposure to moisture. Wing thumb designs for open-handed work are available, as are straight thumb designs for better grip. A reinforced thumb strap increases durability in high wear areas.

MIG Welding Gloves

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

E. West Chester 9100 Heavy Duty Cowhide Mig/Stick Welder

Grain cowhide leather welder glove with split pigskin gauntlet cuff. Mig welder gloves are less bulky and allow better dexterity while still having a high level of protection. Sewn with Kevlar® thread which is heat resistant and extremely strong.

662909-409102	17.16	PR	120	MD
662909-409119	17.16	PR	120	LG
662909-409126	17.16	PR	120	XL

F. West Chester 6021 Heavywt Top Grain Pigskin MIG Gloves

Grain pigskin glove provides a pliable and sturdy glove for MIG welding. Unlined for additional dexterity. 4" cuff protects hands and lower arms from burns.

662909-003034	10.74	PR	72	SM
662909-003041	10.74	PR	72	MD
662909-003058	10.74	PR	72	LG
662909-003065	10.74	PR	72	XL

G. West Chester 6030 Insulated Top Grain Reverse Deerskin MIG Welding Gloves

Deerskin glove provides the softest and most comfortable glove for MIG welding. Additional foam lining on back of hand protects against heat while reinforced straight thumb minimizes abrasion. 4" cuff protects against burns.

662909-003119	13.24	PR	72	MD
662909-003126	13.24	PR	72	LG

H. West Chester 9072 Premium Iron Cat ® Welding Gloves

Mig Welding glove with Climax Aero Gel for ultimate back of hand protection. Made of premium split goat leather with pre-curved fingers for outstanding comfort fit and feel, and keystone thumb for open-handed work and strong durability. 8" cuff with snug elastic wrist to keep debris away from hand while protecting hands and lower arms from burns. The glove is sewn with Kevlar® thread throughout for increased heat resistance and durability. Palm, index finger, and thumb are reinforced with split cowhide for additional protection.

662909-871015	36.03	PR	36	MD
662909-871022	36.03	PR	36	LG
662909-871039	36.03	PR	36	XL
662909-871046	36.03	PR	36	2XL

I. West Chester 9071 Kevlar Gloves

Premium split goat leather MIG welding glove with pre-curved fingers for outstanding comfort fit and feel, and keystone thumb for open-handed work and strong durability. 4" cuff with snug elastic wrist to keep debris away from hand while protecting hands and lower arms from burns. The glove is sewn with Kevlar® thread throughout for increased heat resistance and durability. Palm, index finger, and thumb are reinforced with split cowhide for additional protection.

662909-870971	26.40	PR	36	MD
662909-870988	26.40	PR	36	LG
662909-870995	26.40	PR	36	XL
662909-871008	26.40	PR	36	2XL



J. Global Glove CR100MTC

Premium cow grain full leather Mig Tig, 4 inch cuff, keystone thumb, sewn with DuPont™ KEVLAR® brand fiber. Aralene™ cut resistance inner shell, a Aramid fiber with space age strength enhancement. Arc Rating, ATPV = 35 Cal/cm². Heat Attenuation Factor, HAF = 94%. ANSI level 4 cut resistance.

CR100MTC MD	13.79	PR	72	MD
CR100MTC LG	13.79	PR	72	LG
CR100MTC XL	13.79	PR	72	XL

Leather Foundry Gloves

Leather gloves provide excellent abrasion protection, making them ideal for foundry applications up to 450°F. Leather is the material of choice for many customers who rely on its dexterity and great value. For superior protection from radiant heat and molten metal splash, aluminum can be added to the back of our leather gloves.

Thermobest™ (22 oz.) is a Kevlar® blend, offering heat and abrasion resistance. It is an ideal choice for a wide variety of applications. Thermobest™ is NSA's most popular fabric. Abrasion Resistance - 7; Maximum Temperature 800°F 4.

Norbest™ 845 (45 oz.) is the heaviest PBI®/Kevlar® blend available. It can be used in extremely high temperatures and offers high durability. Abrasion Resistance - 8; Maximum Temperature 2000°F.

Terrybest™ are 100 percent Kevlar® terrycloth. They provide excellent cut protection and the maximum dexterity available in a heat-protective glove. Our gloves are "Reversed" Kevlar® Terrybest™ (22 oz.) to eliminate snagging. Terrybest™ offers superior heat resistance and can function in temperatures up to 1000°F (or 538°C).

Zetex Plus™ is a coated, high-temperature fiberglass cloth with high durability.



A



B



C



RS Hughes Part	Price	Per	Case	Description
A. CPA 234-KV 14" High Heat Gloves				
				22oz. Para Aramid blend 14in glove good to 600 degrees. With double layers, straight thumb, and wool lined.
234-KV	32.76	PR	1	
B. CPA 901-ALUM Domestic Welding Glove				
				14" Welding gloves: aluminized leather back with split leather palm, wing thumb with welting, wool lined.
901-ALUM	38.10	PR	1	
C. CPA 234-AKV 14" Aluminized Gloves				
				19oz. Aluminized Para Aramid blend 14" glove. With double layers, straight thumb, and wool lined.
234-AKV	57.59	PR	1	

Coated Work Gloves



D



E



F



H



G

RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

D. Ansell KSR® 22-515

Vinyl coated glove is extremely comfortable for long-wearing light-duty work. Interlock knit lining stretches to a comfortably snug, sensitive fit. Outwears 8-ounce cotton gloves by at least 6-to-1. Coating breathes for ventilation. Superior grip and liquid repellency. Launderable, won't shrink, stiffen or lose grip.

076490-04000	32.20	DZ	12	6	
076490-04001	32.20	DZ	12	7	
076490-03938	32.20	DZ	12	8	
076490-03939	32.20	DZ	12	9	
076490-03940	32.20	DZ	12	10	



E. Ansell Hylite® 47-400

Medium Duty, Coated, Multi-Purpose, Blue Nitrile, Knitwrist. A smart alternative that outperforms cotton, leather and PVC gloves 47400.

076490-05930	40.40	DZ	12	7	Palm Coated
076490-05931	40.40	DZ	12	8	Palm Coated
076490-05932	40.40	DZ	12	8.5	Palm Coated
076490-05933	40.40	DZ	12	9	Palm Coated
076490-05934	40.40	DZ	12	10	Palm Coated

F. Ansell HYD-TUF 52-547

Gunn cut safety cuff. Nitrile impregnated.

076490-07480	74.04	DZ	12	9	
076490-07481	74.04	DZ	12	10	

G. PIP 55-3273 Armor® Latex Coated Glove

Recommended for handling slippery, smooth objects. Examples include glass, tile, and sheet metal. Economical cut and sewn cotton shell provides comfort and protection. Latex "Crinkle" coating superior grip in wet/dry conditions and offers abrasion resistance. Knit wrist helps prevent dirt and debris from entering the glove. Jersey lining is soft, warm, flexible, and stretchy; elastic closure for added safety and comfort. Clute cut provides a roomy fit, straight thumb increases comfort in closed-fisted work.

616314-04636	36.03	DZ	6		
--------------	-------	----	---	--	--



H. PIP 56-3170 Armorlite® Nitrile Dipped Gloves, Light Weight, Textured Palm

Made in ISO 9001:2000/ISO 14001:2000 facilities. Provides protection from physical hazards such as cut, puncture, snag and abrasion. Resistant to grease and oil. Palm coat provides flexibility and ventilation. Textured coating provides excellent dexterity and grip. Ideal for general handling, assembly, fabrication, parts handling and inspection.

616314-06173	31.17	DZ	6	SM	
616314-06180	31.17	DZ	6	MD	
616314-06197	31.17	DZ	6	LG	
616314-06203	31.17	DZ	6	XL	



Head to Toe Protection

Hand Protection

Mechanics Trade Gloves

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change

Mechanics Trade Gloves



EN388
3142

EN388
4132

RS Hughes Part	Price	Per	Case	Size	Description
A. Ansell 97-972 Landscapers					
Landscaper Glove - Breathable Spandex for coolness, Green and Brown Slip Wrist, with Heavy duty double stitched re-inforced palm for increased durability.					
076490-98049	15.57	PR	12	MD	
076490-98050	15.57	PR	12	LG	
076490-98051	15.57	PR	12	XL	
B. Ansell 97-977 Heavy Duty Leather					
Heavy Duty Leather - Double re-inforced Deerskin Leather Palm and fingers for increased durability. Back of the hand protection, adjustable wrist closure for comfortable fit, breathable spandex between fingers for added comfort.					
076490-98058	19.97	PR	12	MD	
076490-98059	19.97	PR	12	LG	
076490-98060	19.97	PR	12	XL	
076490-98061	19.97	PR	12	2XL	
C. PIP 120-4200 Journeyman Gloves					
Genuine goatskin leather. Split goatskin leather reinforced fingertips, Internal foam padded palm. TPR (Thermo Plastic Rubber) molded knuckle guards. Nylon spandex fabric. Reflective knuckle tape. Sandy PVC thumb crotch and thumb reinforcement. Micro cotton thumb. Easy-on, Easy-off design. Hook and loop closure patch.					
616314-69321	25.09	PR	72	SM	
616314-69314	25.09	PR	72	MD	
616314-69307	25.09	PR	72	LG	
616314-69338	25.09	PR	72	XL	

The ORIGINAL® Mechanix Wear Gloves

All Purpose Hand Protection:

Despite its imitators, The Original® glove remains in a category all its own. Tried, tested and proven for over 20 years, it provides the perfect blend of flexibility and protection. Durable synthetic leather palm, formfitting stretch Spandex top, and a flexible TPR wrist closure allow for a second-skin fit. With a gamut of practical uses, it's no surprise that The Original® is the most recognized and most frequently worn glove by anyone with a toolbox..

Features:



- Stretch Spandex** material for a comfortable fit.
- TPR Closure** with hook and loop provides a secure fit.
- Reinforcement Panels** in high wear areas for increased durability.
- Single Layer** seamless palm for increased comfort and fit.

Certifications:

- EN 388 / EN 420

Intended Uses:

- General purpose.
- Automotive maintenance and repair
- Towing & transportation, securing cargo
- Equipment operation





COMFORTABLE FIT

Form-fitting stretch
Spandex top for the
ultimate in comfort.



SEAMLESS PALM

Seamless single layer palm
for maximum control.



RS Hughes Part Price Per Case Size Description

Mechanix Wear Original Glove

Despite its imitators, our Original® glove remains in a category all its own. Tried, tested and proven for over 20 years, it provides the perfect blend of flexibility and protection. Durable synthetic leather palm, form-fitting stretch Spandex top, and a flexible TPR wrist closure allow for a second-skin fit. With a gamut of practical uses, it's no surprise that The Original® is the most recognized and most frequently worn glove by anyone with a toolbox.



D.	781513-10114	23.98	PR	1	3XS	MG-05-005	
D.	781513-10115	23.98	PR	1	2XS	MG-05-006	
D.	781513-10113	23.98	PR	1	XS	MG-05-007	
D.	781513-10015	23.98	PR	1	LG	MG-05-010	
D.	781513-10016	23.98	PR	1	XL	MG-05-011	
D.	781513-10017	23.98	PR	1	2XL	MG-05-012	
D.	781513-60895	23.98	PR	1	3XL	MG-05-013	
E.	781513-61295	26.82	PR	1	SM	SMG-91-008	Safety Yellow
E.	781513-61296	26.82	PR	1	MD	SMG-91-009	Safety Yellow
E.	781513-61297	26.82	PR	1	LG	SMG-91-010	Safety Yellow
E.	781513-61298	26.82	PR	1	XL	SMG-91-011	Safety Yellow
E.	781513-61299	26.82	PR	1	2XL	SMG-91-012	Safety Yellow
F.	781513-62393	23.98	PR	1	SM	MG-05-510	Womens
F.	781513-94212	23.98	PR	1	MD	MG-05-520	Womens
F.	781513-94213	23.98	PR	1	LG	MG-05-530	Womens

Mechanix Wear Fast Fit Glove

Professionals and enthusiasts agree - the Fast Fit® glove is a toolbox must-have. Form-fitting stretch panels between your fingers provide a snug fit and the elastic cuff offers easy on and off flexibility between tasks. Durable synthetic leather is anatomically cut around your palm for better wear when handling tools. Your hands will stay cool, dry and comfortable with moisture-wicking TrekDry® material covering your wrist, thumb and fingers.

G.	781513-10670	15.31	PR	1	SM	MFF-05-008	Black
G.	781513-10671	15.31	PR	1	MD	MFF-05-009	Black
G.	781513-10672	15.31	PR	1	LG	MFF-05-010	Black
G.	781513-10673	15.31	PR	1	XL	MFF-05-011	Black
G.	781513-10674	15.31	PR	1	2XL	MFF-05-012	Black
H.	781513-61453	16.27	PR	1	SM	SFF-91-008	Safety Yellow
H.	781513-61454	16.27	PR	1	MD	SFF-91-009	Safety Yellow
H.	781513-61455	16.27	PR	1	LG	SFF-91-010	Safety Yellow
H.	781513-61456	16.27	PR	1	XL	SFF-91-011	Safety Yellow
H.	781513-61457	16.27	PR	1	2XL	SFF-91-012	Safety Yellow





Mechanix Trade Gloves



RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

A. Mechanix Wear Utility Glove

This is the perfect Mechanix Wear® glove to have on hand for a variety of jobs around the home. Moisture-wicking TrekDry® forms to the top of your hand for an improved fit and feel. Durable synthetic leather protects the palm and the low-profile hook and loop closure provides a secure fit at an affordable price.

781513-60757	18.22	PR	1	SM	H15-05-008
781513-60758	18.22	PR	1	MD	H15-05-009
781513-60759	18.22	PR	1	LG	H15-05-010
781513-60760	18.22	PR	1	XL	H15-05-011
781513-60761	18.22	PR	1	2XL	H15-05-012

B. Mechanix Wear M-Pact Glove

Offering full-coverage hand protection, the M-Pact® features a new rubberized thumb, index finger and palm for durable gripping power and sonic welded molded rubber knuckles and fingertips for impact absorption. High impact PORON® XRD™ in the palm reduces vibration in your palm for relief day in and day out.

781513-61949	32.63	PR	1	SM	MPT-58-008
781513-61950	32.63	PR	1	MD	MPT-58-009
781513-61951	32.63	PR	1	LG	MPT-58-010
781513-61952	32.63	PR	1	XL	MPT-58-011
781513-61953	32.63	PR	1	2XL	MPT-58-012

Mechanix Wear M-Pact 2 Glove

For super protection and an unbelievable fit, try the M-Pact® 2. Anatomically designed with advanced features that include tapered stretch side panels that form comfortably between your fingers and a molded Neoprene cuff for a seamless fit to your wrist. We've also covered you by integrating impact absorbing molded rubber finger protection and EVA deep ribbed accordion knuckle protection. This glove has it all.

C. 781513-61438	41.20	PR	1	SM	SP2-91-008	Safety Yellow
C. 781513-61439	41.20	PR	1	MD	SP2-91-009	Safety Yellow
C. 781513-61440	41.20	PR	1	LG	SP2-91-010	Safety Yellow
C. 781513-61441	41.20	PR	1	XL	SP2-91-011	Safety Yellow
C. 781513-61442	41.20	PR	1	2XL	SP2-91-012	Safety Yellow
D. 781513-10368	39.29	PR	1	SM	MP2-05-008	Black
D. 781513-10369	39.29	PR	1	MD	MP2-05-009	Black
D. 781513-10431	39.29	PR	1	LG	MP2-05-010	Black
D. 781513-10370	39.29	PR	1	XL	MP2-05-011	Black
D. 781513-10371	39.29	PR	1	2XL	MP2-05-012	Black



E



F



F



RS Hughes Part Price Per Case Size Description

Mechanix Wear CG Heavy Duty Glove - Womens & Mens

Introducing your new favorite pair of leather work gloves. The CG Heavy Duty glove is your first line of defense against impact, abrasion, and hand fatigue. The durable genuine leather palm features multi-zone padding for comfort and leather reinforced fingertips for added durability. Flexible TPR impact protection disperses damaging blows to the top of your hand while two-way stretch Spandex lets the cool air in when the heat is on.

E. 781513-62373	43.63	PR	1	SM	CG40-75-510	Womens
E. 781513-62352	43.63	PR	1	MD	CG40-75-520	Womens
E. 781513-62353	43.63	PR	1	LG	CG40-75-530	Womens
F. 781513-61175	43.63	PR	1	SM	CG40-75-008	Mens
F. 781513-61176	43.63	PR	1	MD	CG40-75-009	Mens
F. 781513-61177	43.63	PR	1	LG	CG40-75-010	Mens
F. 781513-61178	43.63	PR	1	XL	CG40-75-011	Mens
F. 781513-61179	43.63	PR	1	2XL	CG40-75-012	Mens

Mechanix Wear 4X M-Pact Glove/4X Original Glove

Material4X® synthetic leather redefines durability with superior wear, higher abrasion, and greater tear resistance. We combined the shock absorption of the M-Pact® glove with a durable Material4X® palm for the ultimate tool. Light, flexible Thermal Plastic Rubber (TPR) creates an exoskeleton protecting your fingers, knuckles, and metacarpals from common impact and abrasion injuries. We encased impact absorbing PORON® XRD™ cushioning in the palm to relieve hand fatigue associated with high impact tools and heavy lifting. When the going gets rough, reach for the M-Pact® with Material4X® durability to get the job done.

G. 781513-62342	38.33	PR	1	SM	MP4X-75-008	
G. 781513-62343	38.33	PR	1	MD	MP4X-75-009	
G. 781513-62344	38.33	PR	1	LG	MP4X-75-010	
G. 781513-62345	38.33	PR	1	XL	MP4X-75-011	
G. 781513-62346	38.33	PR	1	2XL	MP4X-75-012	

The glove that gave us our name in motorsports returns with Material 4X® strength. Exclusively developed for Mechanix Wear®, Material 4X® synthetic leather redefines durability with superior wear, higher abrasion, and greater tear resistance. Material 4X® is completely machine washable, making this glove as practical as it is popular. With the same fit and feel of our Original® glove, Material 4X® proves that a good thing can just keep getting better.

H. 781513-61873	28.73	PR	1	SM	MG4X-75-008	
H. 781513-61874	28.73	PR	1	MD	MG4X-75-009	
H. 781513-61875	28.73	PR	1	LG	MG4X-75-010	
H. 781513-61876	28.73	PR	1	XL	MG4X-75-011	
H. 781513-61877	28.73	PR	1	2XL	MG4X-75-012	



G



H



Head to Toe Protection

Mechanics Trade Gloves

RS Hughes Part Price Per Case Size Description

A. Valeo V130 Mechanics Air Mesh Glove

An all-mesh back makes this glove extremely breathable for hot working conditions. Features a mesh back with padded knuckles, durable synthetic palm, reinforced fingertips and stitching, hoop and loop cuff for a secure fit. Machine washable, black.

736097-84118	13.91	PR	48	SM
736097-84125	13.91	PR	48	MD
736097-84132	13.91	PR	48	LG
736097-00591	13.91	PR	48	XL
736097-84156	13.91	PR	48	2XL



B. Valeo V220 Work Pro Medium-Duty Guide

A medium-duty work glove with GripTech protective pads. Durable synthetic leather palm with GripTech patches on palm and fingertips. Terry-cloth sweat wipe on thumb. Stretch back with neoprene padded flex knuckle. Elastic cuff with hook and loop closure. Machine washable.

736097-48451	16.04	PR	12	SM
736097-48452	16.04	PR	12	MD
736097-48453	16.04	PR	12	LG
736097-48454	16.04	PR	12	XL
736097-48455	16.04	PR	12	2XL

C. Valeo V340 Mesh Material Handling Fingerless Glove

Maximize breathability and comfort with an all mesh back fingerless design. Features genuine leather with cotton mesh back, padded leather palm, soft terry lining for comfort and durability, hook and loop closure. Black.

736097-86211	6.67	PR	24	SM
736097-86228	6.67	PR	24	MD
736097-86235	6.67	PR	24	LG
736097-86242	6.67	PR	24	XL
736097-86259	6.67	PR	24	2XL

D. Ergodyne 710 Full-Finger Trade Glove

Premium EVA foam palm pad to dampen shock and impact; abrasion resistant textured PVC on palm and fingers. Breathable, 3-layer stretch spandex with neoprene knuckle pad. Synthetic leather palm and fingers, terry thumb brow wipe, flex zones for added comfort. Reinforced fingertips for optimal durability. EN 420; EN 388: 3121.

720476-16152	27.83	PR	6	SM
720476-16153	27.83	PR	6	MD
720476-16154	27.83	PR	6	LG
720476-16155	27.83	PR	6	XL
720476-16156	27.83	PR	6	2XL



E. Ergodyne 821 Handler Silicone Black Glove

Textured silicone palm and finger. Micro-injected closure for quick cinching. Ideal for dry surface. Neoprene knuckle pad. Terry thumb brow wipe. Machine Washable.

720476-16422	25.58	PR	6	SM
720476-16423	25.58	PR	6	MD
720476-16424	25.58	PR	6	LG
720476-16425	25.58	PR	6	XL
720476-16426	25.58	PR	6	2XL



A



B



C



D



E





WESTCHESTER
PROTECTIVE GEAR

RS Hughes Part Price Per Case Size Description

F. West Chester 86350 Pro Series Heavy Duty Grain Cow

Heavy Duty Grain Cowhide glove is a natural fitting glove for general duty tasks. It features split leather patch reinforcements on the palm and thumb saddle as well as reinforced fingertips for increased protection.

662909-008602	10.00	PR	72	SM
662909-008619	10.00	PR	72	MD
662909-008626	10.00	PR	72	LG
662909-008633	10.00	PR	72	XL
662909-008640	10.00	PR	72	2XL



\$10.00
per pair

F

G. West Chester 86550 Pro Series Heavy Duty Grain Goat

Heavy Duty Grain Goatskin glove is a natural fitting glove for general duty tasks. It features split patch reinforcements on the palm and thumb saddle as well as reinforced fingertips for increased protection.

662909-008701	9.04	PR	72	SM
662909-008718	9.04	PR	72	MD
662909-008725	9.04	PR	72	LG
662909-008732	9.04	PR	72	XL
662909-008749	9.04	PR	72	2XL



G

H. Global Glove HR9000 Hot Rod Sport

HotRod glove brand uses Aireflex® sythetic leather out wears goatskin and pigskin grain and split cow leather in testing. This high performance sport style glove has excellent dexterity is also drastically improved over all leather drivers versions. Bulk packaged like leather drivers for economy. Velcro closure with G pattern padding in palm. Black color.

HR9000 MD	8.62	PR	48	MD
HR9000 LG	8.62	PR	48	LG
HR9000 XL	8.62	PR	48	XL
HR9000 2XL	8.62	PR	48	2XL



H

Anti-Vibration Gloves



I. IMPACTO® BLACKMAXX Antivibration Glove


IMPACTO® BLACKMAXX Vibration Reducing Glove. Offers a cost effective solution for vibration protection. Nylon/cotton knit seamless material ensures stretch and breathability. Coated with "pods" of lightweight cellular Chloroprene. Uses encapsulated air to protect from impact and vibration.

628167-29530	14.40	PR	1	MD	Red
628167-18640	14.40	PR	1	LG	Blue
628167-22650	14.40	PR	1	XL	Yellow
















New Item!


I



Head to Toe Protection

Disposable Latex Gloves

	Manufacturer	Model No.	Thickness	Texture	Color	Powder Free	Price	Qty/Box
	ANSELL	69-210	5 mil	Smooth	Natural	No	9.60	100/Box
	ANSELL	69-318	5 mil	Textured	Natural	Yes	9.25	100/Box
	MICROFLEX	SG-375	11 mil	Textured	Blue	Yes	17.82	50/Box
	MICROFLEX	CFG-900	5.1 mil	Textured	Natural	Yes	9.63	100/Box
	MICROFLEX	MF-300	6.3 mil	Textured	Natural	Yes	13.81	100/Box
	MICROFLEX	UL-315	9.8 mil	Textured	Natural	Yes	16.55	50/Box
	MICROFLEX	L-56	3.5 mil	Textured	Natural	Yes	7.09	100/Box
	PIP	62-327	13 mil	Textured	Blue	No	16.95	50/Box
	PIP	62-322	5 mil	Textured	Natural	No	6.03	100/Box
	PIP	62-327PF	13 mil	Textured	Blue	Yes	15.97	50/Box
	PIP	62-322PF	5 mil	Textured	Natural	Yes	6.52	100/Box
	SEMPERMED	SM	5.52 mil	Textured	White	Yes	6.45	100/Box
	SEMPERMED	PM	5.60 mil	Textured	White	Yes	8.00	100/Box
	SEMPERMED	INDPFT	5.8 mil	Textured	White	Yes	6.05	100/Box



Disposable Gloves - Latex

RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

A. Brady Glove Dispenser - Single Box

Clear acrylic dispensers are the perfect size for standard glove boxes and can be vertically mounted on a wall or counter.

754476-45432	36.49	EA	1	10.93" W x 4.12" D x 5.0" H
--------------	-------	----	---	-----------------------------

B. Brady Glove Dispenser - Double Box

Clear acrylic dispensers are the perfect size for standard glove boxes and can be vertically mounted on a wall or counter.

754476-45433	49.99	EA	1	10.93" W x 4.12" D x 10.0" H
--------------	-------	----	---	------------------------------

C. Brady Deluxe Glove Dispenser

Clear acrylic dispenser is designed to hold three glove boxes side by side which allows you to easily change a box when it's empty. Measurement of the "U" opening is 7.5" from top to bottom.

754476-45435	102.99	EA	1	20" W x 4" D x 11.8125" H
--------------	--------	----	---	---------------------------

Disposable Glove Materials

Disposable gloves provide barrier protection for a variety of applications. Different materials are available to choose the appropriate protection for the environment.

Latex:

Resists bases, acids, alcohols and diluted solutions of many chemicals. Due to the natural proteins found in rubber, some individuals experience latex sensitivity. In these cases, nitrile or vinyl may be a good alternative.

Nitrile:

A synthetic rubber compound, nitrile also protects against bases, oils, and many solvents as well as fats and greases. Nitrile can also provide excellent resistance to mild snags, punctures and cuts.

Vinyl:

Provides protection against many acids, bases, and alcohols. It is not recommended for many types of solvents.

Polyethylene:

Offers barrier against oils and fats and is most commonly used as an economical level of protection in the food industry.

RS Hughes Part Price Per Case Size Description

D. Ansell Conform® 69-210

A lightly powdered 5 mil, Natural Rubber Latex disposable gloves with a smooth finish, rolled beaded cuff. Handle the most intricate and delicate products with incredible sensitivity. Appropriate for chemical splash protection. 100/Box.

076490-16704	9.60	BX	10	SM
076490-16705	9.60	BX	10	MD
076490-16706	9.60	BX	10	LG
076490-16707	9.60	BX	10	XL

Ansell
Occupational Healthcare



E. Ansell Conform® 69-318

A powder free 5 mil, Natural Rubber Latex disposable gloves with a textured finish for improved grip and a rolled beaded cuff. Handle the most intricate and delicate products with incredible sensitivity. Appropriate for chemical splash protection. 100/Box.

076490-16700	9.25	BX	10	SM
076490-16701	9.25	BX	10	MD
076490-16702	9.25	BX	10	LG
076490-16703	9.25	BX	10	XL

No.1 Seller



F. MICROFLEX L56 General Purpose Gloves, Latex, Powder Free - 4.5mil

Great for work areas such as food processing and other industrial areas where a medical grade glove is not required. Offers exceptional dexterity. Component materials comply with FDA regulations for food contact. (100/p,1000/cs)

683438-12561	7.09	BX	10	SM	Natural
683438-12562	7.09	BX	10	MD	Natural
683438-12563	7.09	BX	10	LG	Natural
683438-12564	7.09	BX	10	XL	Natural



G. Microflex ComfortGrip CFG-900

Powder Free Medical Exam Grade Latex, Length 9.6", Cuff Thickness 3.9mil, Palm Thickness 5.1mil, Finger Thickness 5.9mil, 100/Box.

769799-90015	9.63	BX	10	XS
769799-90016	9.63	BX	10	SM
769799-90017	9.63	BX	10	MD
769799-90018	9.63	BX	10	LG
769799-90019	9.63	BX	10	XL

MICROFLEX
THE MOST TRUSTED NAME IN GLOVES®





**Editor's Choice
As Best in Class**

A



B



C



**\$6.52
per box**

D

Disposable Gloves - Latex

RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

A. Microflex Diamond Grip MF-300

The benchmark in strength and durability in latex gloves. Thicker than typical latex gloves, Diamond Grip gloves provide enhanced protection, especially in the fingertips where protection is critical. Unique design prevents ripping and tearing. Enhanced, textured fingertips for added protection and function. Ideal for rugged tasks in mid- to heavy-duty environments. Pinhole Defect Rate (AQL) 1.5.

769799-03001	13.81	BX	10	XS
769799-03002	13.81	BX	10	SM
769799-03003	13.81	BX	10	MD
769799-03004	13.81	BX	10	LG
769799-03005	13.81	BX	10	XL

MICROFLEX
THE MOST TRUSTED NAME IN GLOVES

B. Microflex Ultra One UL-315

Powder Free Medical Exam Grade Latex Extended Cuff, Length 11.8", Cuff Thickness 7.1mil, Finger Thickness 13.8mil, Meets NFPA Standard, 50/Box.

769799-03152	16.55	BX	10	SM
769799-03153	16.55	BX	10	MD
769799-03154	16.55	BX	10	LG
769799-03155	16.55	BX	10	XL

C. Microflex Safegrip SG-375

Powder Free Medical Exam Grade Latex Extended Cuff, Length 11.8", Cuff Thickness 7.9mil, Palm Thickness 11.4mil, Finger Thickness 16.5mil, Meets NFPA Standard, 50/Box.

769799-03752	17.82	BX	10	SM
769799-03753	17.82	BX	10	MD
769799-03754	17.82	BX	10	LG
769799-03755	17.82	BX	10	XL

D. PIP 62-322 Disposable Latex Gloves, Industrial Grade

5 mil. thickness, natural color. Made from component materials which comply with Federal Regulations for food contact. 21CFR, 170-199; Fully Textured; Ambidextrous; Beaded cuff; Made from component materials that comply with Federal Regulations for food contact. 21 CFR, 170-199; Industrial grade styles are designed for use in laboratories, production, inspection, cleaning and light duty applications. Food grade styles are designed for use in food service and processing. Packed 100 gloves per dispenser box.

616314-05008	6.03	BX	10	SM	Powdered
616314-05015	6.03	BX	10	MD	Powdered
616314-05022	6.03	BX	10	LG	Powdered
616314-05039	6.03	BX	10	XL	Powdered

PIP
PROTECTIVE INDUSTRIAL PRODUCTS

D. PIP 62-322PF Ambi-dex Latex Industrial Grade

Disposable Latex, Industrial Grade, Fully Textured, Powder Free, 5 Mil, 100/Box.

616314-05077	6.52	BX	10	XS	Powder Free
616314-45202	6.52	BX	10	SM	Powder Free
616314-05046	6.52	BX	10	MD	Powder Free
616314-05053	6.52	BX	10	LG	Powder Free
616314-05060	6.52	BX	10	XL	Powder Free

PROTECTIVE INDUSTRIAL PRODUCTS

RS Hughes Part Price Per Case Size Description

E. PIP 62-327PF Ambi-Thix™ Latex Medical Grade

Ambi-Thix Heavy Weight Disposable Latex, Medical Grade, Blue Color, 13 Mil, 50/box.

616314-14741	15.97	BX	10	SM	Powder Free
616314-14758	15.97	BX	10	MD	Powder Free
616314-14765	15.97	BX	10	LG	Powder Free
616314-14772	15.97	BX	10	XL	Powder Free



E. PIP 62-327 Ambi-thix™ Extra Thick Latex

Economical liquid proof protection. 13 mil. Thickness, blue color. 12" length. Fully textured palm and finger grip. Ambidextrous, Style 62-327PF meets the emergency medical glove requirements of NFPA 1999 Standard on Protective Clothing for Emergency medical Operations, 2003 Edition. Powder-free version is excellent for use in EMT, fire, first responders, automotive body repair and painting. Also ideal for furniture refinishing, agriculture and janitorial applications. Packed 50 gloves per dispenser box.

616314-14703	16.95	BX	10	SM	Powdered
616314-14710	16.95	BX	10	MD	Powdered
616314-14727	16.95	BX	10	LG	Powdered
616314-14734	16.95	BX	10	XL	Powdered

F. Sempermed SemperGuard® INDPFT

SemperGuard® Powder-Free Latex gloves are designed to provide the right combination of protection and sensitivity. Our latex gloves are strong and elastic providing maximum protection and comfort. 5.80 mil finger thickness. 5.30 mil palm thickness. 100/Box.


019019-20102	6.05	BX	10	SM	INDPFT102
019019-20103	6.05	BX	10	MD	INDPFT103
019019-20104	6.05	BX	10	LG	INDPFT104
019019-20105	6.05	BX	10	XL	INDPFT105



G. Sempermed PolyMed® PM

It's called fusion bonding. Our special manufacturing process actually infuses synthetic polymers into the latex of our PolyMed® brand gloves. This creates a multi-layer glove that combines the elasticity of latex and the strength of copolymers, as well as protection against cracking and peeling during normal usage. Other manufacturing processes may simply apply a topical copolymer coating to the latex glove. But without fusion bonding, copolymers can fracture, creating particulate residue, and possible delamination. 5.60 mil finger thickness. 4.40 mil palm thickness. PolyMed latex exam powder free textured 100/Box.

01019-02101	8.00	BX	10	XS	PM101
01019-02102	8.00	BX	10	SM	PM102
01019-02103	8.00	BX	10	MD	PM103
01019-02104	8.00	BX	10	LG	PM104
01019-02105	8.00	BX	10	XL	PM105




























H. Sempermed StarMed® SM

StarMed® powder-free latex exam gloves are designed to provide the perfect combination of protection, tactile sensitivity and value. Our advanced manufacturing technology and online chlorination process creates a glove that is strong, flexible and goes on with ease. StarMed® latex provides maximum protection and comfort at a great value. 5.52 mil finger thickness. 4.68 mil palm thickness. 100/Box.

119019-14101	6.45	BX	10	XS	SM101
119019-14102	6.45	BX	10	SM	SM102
119019-14103	6.45	BX	10	MD	SM103
119019-14104	6.45	BX	10	LG	SM104
119019-14105	6.45	BX	10	XL	SM105



Disposable Nitrile Gloves

	Manufacturer	Model No.	Thickness	Texture	Color	Powder Free	Price	Qty/Box
	MICROFLEX	UF-524	2 mil	Textured	Cobalt Blue	Yes	26.18	300/Box
	KIMBERY-CLARK	G10 Arctic Blue	2 mil	Textured	Arctic Blue	Yes	16.98	200/Box
	MICROFLEX	XC-310	2.8 mil	Textured	Blue	Yes	23.09	250/Box
	ANSELL	92-616	3 mil	Textured	Blue	Yes	12.37	150/Box
	SEMPERMED	SUNF	3 mil	Textured	Purple	Yes	14.91	250/Box
	SEMPERMED	TTNF	3 mil	Textured	Purple	Yes	12.73	200/Box
	SEMPERMED	GSNF	3.2 mil	Textured	Blue	Yes	6.68	100/Box
	KIMBERY-CLARK	G10 Grey	3.5 mil	Textured	Grey	Yes	18.46	150/Box
	SEMPERMED	INIPFT	3.5 mil	Textured	Blue	Yes	7.00	100/Box
	SEMPERMED	BKNF	4 mil	Textured	Black	Yes	8.18	100/Box
	PIP	63-332PF	4 mil	Textured	Blue	Yes	10.48	100/Box
	PIP	63-532PF	4 mil	Textured	Blue	Yes	7.38	100/Box
	MICROFLEX	SU-690	4.3 mil	Textured	Blue	Yes	15.31	100/Box
	ANSELL	92-500/92-600	5 mil	Smooth	Teal	No	9.83	100/Box
	ANSELL	92-575	5 mil	Textured	Blue	No	9.08	100/Box
	ANSELL	92-675	5 mil	Textured	Blue	Yes	9.92	100/Box
	MICROFLEX	N20	5 mil	Textured	Cobalt Blue	Yes	8.55	100/Box
	MICROFLEX	N27	5 mil	Textured	Cobalt Blue	Yes	9.27	100/Box
	MICROFLEX	N48 BLAZE	5 mil	Textured	Orange	Yes	16.18	100/Box
	GLOBAL GLOVE	705PF	5 mil	Textured	Blue	Yes	7.57	100/Box
	MICROFLEX	MK-296	5.5 mil	Textured	Black	Yes	14.85	100/Box
	KIMBERY-CLARK	Purple Nitrile Xtra	6 mil	Textured	Purple	Yes	13.44	50/Box
	KIMBERY-CLARK	Purple Nitrile	6 mil	Textured	Purple	Yes	15.55	100/Box
	KIMBERY-CLARK	G10 Blue	6 mil	Textured	Blue	Yes	10.29	100/Box
	MICROFLEX	DFK-608	8 mil	Textured	Green	No	19.76	50/Box
	PIP	63-338PF	8 mil	Textured	Blue	Yes	9.17	50/Box
	GLOBAL GLOVE	675PF	6 mil	Textured	Orange	Yes	10.09	50/Box
	GLOBAL GLOVE	775PF	6 mil	Textured	Orange	Yes	13.53	100/Box
	GLOBAL GLOVE	800F	8 mil	Textured	Black	No	17.16	50/Box
	GLOBAL GLOVE	805PF	8 mil	Smooth	Blue	Yes	8.88	50/Box

Chemical Resistance of Ansell Touch N Tuff® Thin Nitrile Gloves

Touch N Tuff reflects a commitment by Ansell to meeting hand protection needs through breakthrough engineering and scientific innovation. Touch N Tuff offers a higher level of snag, puncture, abrasion, and cut resistance while maintaining a high degree of flexibility. Also, Touch N Tuff gloves contain no fillers or additives that can contaminate products being handled. (Such additives are usually necessary to produce the softer nitriles used in the other gloves.)

Other manufacturers have been emphasizing the potential suitability of thin nitrile gloves for protection against intermittent chemical exposure. We have been reluctant to follow suit because this type of glove is primarily designed for other applications. However, users who have decided that a thin nitrile product might be suitable for their particular chemical splash protection needs should really consider Touch N Tuff.

Chemical	Touch N Tuff	N-Dex	Chemical	Touch N Tuff	N-Dex	Chemical	Touch N Tuff	N-Dex
acetic acid (glacial)	10	10	formaldehyde	4	<4	mineral spirits	185	17
acetone	<1	<1	gasoline (92 octane)	8	3	monoethanolamine	>480	420
acetonitrile	<10	<10	HCFC-141b	<4	<1	naphtha (generic)	106	8
allyl alcohol	3	<3	hexamethyldisilazane	>480	100	naphtha, VM&P	>480	>480
ammonium hydroxide (30%)	20	20	hexane	61	4	octanol	350	50
amyl acetate	4	<4	hydrazine (65%)	206	195	oleic acid	>480	>480
amyl alcohol	65	10	hydrochloric acid (10%)	>480	>480	oxalic acid (saturated)	>480	>480
butyl alcohol	45	5	hydrogen peroxide (30%)	>480	>480	pentachlorophenol	>480	>480
butyl Cellosolve(r)	20	10	hydroquinone (saturated)	170	50	pentane	25	<4
carbon tetrachloride	5	<4	isobutyl alcohol	61	17	perchloroethylene	10	3
citric acid (10%)	>480	>480	isooctane	273	49	potassium hydroxide (50%)	>480	>480
diacetone alcohol	<4	<4	isopropyl alcohol	10	10	propyl alcohol	12	9
dibutyl phthalate	144	28	kerosene	>461	35	sodium hydroxide (50%)	>480	>480
dimethyl sulfoxide	10	10	lactic acid (85%)	>480	>480	Stoddard Solvent	400	85
ethyl acetate	<1	<1	lauric acid (36% in ethanol)	>480	360	sulfuric acid (47%)	>480	>480
ethyl alcohol	10	10	maleic acid (saturated)	>480	>480	toluene	2	1
ethyl ether	3	2	methyl alcohol	<10	<10	turpentine	148	11
ethyl glycol ether (Cellosolve)	10	9	methyl amine	50	20	xylene	2	1
ethylene glycol	32	5	methyl t-butyl ether	<7	<4			

Disposable Gloves - Nitrile



RS Hughes Part Price Per Case Size Description

A. Ansell Touch N Tuff® 92-500

Touch N Tuff disposable gloves set a whole new standard in comfort, durability, dexterity, and cleanliness. Made of 100% nitrile, the gloves contain absolutely no fillers, silicones, or plasticizers. 5mil thick, 9 1/2" length. Beaded cuff, teal color. 92-500 is powdered. 100/Box.

076490-85188	9.83	BX	10	6.5 - 7	Powdered
076490-85189	9.83	BX	10	7.5 - 8	Powdered
076490-85190	9.83	BX	10	8.5 - 9	Powdered
076490-85715	9.83	BX	10	9.5+	Powdered

B. Ansell TNT® Blue 92-575

5 mil, Single Use, Nitrile. Textured for increased grip with a rolled beaded cuff. Lightly Powdered, comfortable and durable for numerous job applications. 100/Box.

076490-86193	9.08	BX	10	SM	Powdered
076490-86194	9.08	BX	10	MD	Powdered
076490-86195	9.08	BX	10	LG	Powdered
076490-86196	9.08	BX	10	XL	Powdered



Hand Protection

Disposable Gloves - Nitrile

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change

Disposable Gloves - Nitrile

RS Hughes Part Price Per Case Size Description

A. Ansell Touch N Tuff® 92-600

Touch N Tuff disposable gloves set a whole new standard in comfort, durability, dexterity, and cleanliness. Made of 100% nitrile, the gloves contain absolutely no fillers, silicones, or plasticizers. 5mil thick, 9 1/2" length. Beaded cuff, teal color. 92-600 is powder free. 100/Box.

RS Hughes Part	Price	Per	Case	Size	Description
076490-85834	9.92	BX	10	6.5 - 7	Powder Free
076490-85835	9.92	BX	10	7.5 - 8	Powder Free
076490-85836	9.92	BX	10	8.5 - 9	Powder Free
076490-85837	9.92	BX	10	9.5+	Powder Free

Ansell
Occupational Healthcare

B. Ansell Touch N Tuff® 92-616

100% Medical Exam grade nitrile gloves in a durable 3mil version. New environmentally friendly packaging provides 50% more product in the same size container, which leads to less waste and less worker downtime. Textured fingertips and thin mil technology provide excellent grip and exceptional sensitivity, in a very durable glove. 150/Box.

RS Hughes Part	Price	Per	Case	Size	Description
076490-586312	12.37	BX	10	XS	Powder Free
076490-586313	12.37	BX	10	SM	Powder Free
076490-586314	12.37	BX	10	MD	Powder Free
076490-586315	12.37	BX	10	LG	Powder Free
076490-586316	12.37	BX	10	XL	Powder Free

C. Ansell TNT® Blue 92-675

5 mil, Single Use, Nitrile. Textured for increased grip with a rolled beaded cuff. Powder free, comfortable and durable for numerous job applications. 100/Box.

RS Hughes Part	Price	Per	Case	Size	Description
076490-65716	9.92	BX	10	SM	Powder Free
076490-65717	9.92	BX	10	MD	Powder Free
076490-65718	9.92	BX	10	LG	Powder Free
076490-65719	9.92	BX	10	XL	Powder Free

Ansell
Occupational Healthcare

D. KleenGuard® G10 Arctic Blue Nitrile Textured Fingertips, 2 Mil 200/Box

Textured fingertips for better grip. 9.5" length. Distinctive Arctic Blue color for easy ID. Ambidextrous, AQL-4.0. 100% more gloves per case. Beaded cuff for added strength & easy donning. Food handling certified. 2 Mil Thickness.

RS Hughes Part	Price	Per	Case	Size	Description
036000-90095	16.98	BX	10	XS	180/Box
036000-90096	16.98	BX	10	SM	
036000-90097	16.98	BX	10	MD	
036000-90098	16.98	BX	10	LG	
036000-90099	16.98	BX	10	XL	

Kimberly-Clark
PROFESSIONAL

E. KleenGuard® G10 Grey Nitrile* Textured Fingertips, 3.5 Mil, Gloves 150/Box

Grey Nitrile gloves are designed for tasks requiring maximum dexterity with a comfortable, latex-like feel. They're also an environmentally friendly option, since they're so thin and strong that you get 50% more gloves per case - resulting in less packaging waste and added space savings. 3.5 mil thickness. Approved for food handling. Textured finger tip. 9 1/2inch length.

RS Hughes Part	Price	Per	Case	Size	Description
036000-97820	18.46	BX	10	XS	140/Box
036000-97821	18.46	BX	10	SM	
036000-97822	18.46	BX	10	MD	
036000-97823	18.46	BX	10	LG	
036000-97824	18.46	BX	10	XL	



A



B



C

Best Seller



D



E

Special Price
\$10.29



F

G



RS Hughes Part Price Per Case Size Description

F. KleenGuard* G10 Blue Nitrile Textured Fingertips, 6 Mil 100/Box

Blue nitrile, 6 mil thickness, 9.5" length, powder free, Latex-free, textured fingertips, ambidextrous, beaded cuff, online chlorinated on donning side. Approved for food handling. 100 gloves/pack

036000-57370	10.29	BX	10	XS	
036000-57371	10.29	BX	10	SM	
036000-57372	10.29	BX	10	MD	
036000-57373	10.29	BX	10	LG	
036000-57374	10.29	BX	10	XL	90/Box



G. KIMBERLY-CLARK* STERLING* Nitrile Exam Gloves

Provides the protection of nitrile with the sensitivity of latex 3.5 mils thick Natural Rubber Latex-free Powder-free Beaded Cuff Ambidextrous Textured Fingertips Cleared for use in chemotherapy

036000-50705	21.75	BX	10	XS	
036000-50706	21.75	BX	10	SM	
036000-50707	21.75	BX	10	MD	
036000-50708	21.75	PK	10	LG	
036000-50709	21.75	BX	10	XL	

H. Kimberly-Clark Purple Nitrile Exam Gloves, Textured Finger Tips, 6 Mil, 9 1/2Inch Length

Latex-Free, Textured fingertips, beaded cuff. 6mil thickness. Meets NFPA Standards 1999:2008. 100/Box

036000-55080	15.55	DI	10	XS	
036000-55081	15.55	DI	10	SM	
036000-55082	15.55	DI	10	MD	
036000-55083	15.55	DI	10	LG	
036000-55084	15.55	DI	10	XL	90/Box

I. Kimberly-Clark Purple Nitrile Exam Gloves, Textured Finger Tips, 6 Mil, 12Inch Length

#2 Selling Nitrile Exam Glove in the U.S. 6 mil thickness. Latex-free, textured fingertips, beaded cuff. Meets NFPA Standards 1999:2008. 50/Dispenser Box

036000-55090	13.44	DI	10	XS	
036000-50601	13.44	DI	10	SM	
036000-50602	13.44	DI	10	MD	
036000-50603	13.44	DI	10	LG	
036000-50604	13.44	DI	10	XL	



H



I



Disposable Gloves - Nitrile



Best Seller

RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

A. MICROFLEX N20 General Purpose Gloves, Nitrile, Powder Free - Cobalt Blue - 5mil



This blue nitrile glove is designed for unparalleled sensitivity in general purpose tasks. These gloves are perfect for the food industry. Textured fingers provide enhanced gripping power while the beaded cuff makes the gloves easy to don. (100/pk, 1000/cs)

683438-54200	8.55	BX	10	SM	Cobalt Blue
683438-14202	8.55	BX	10	MD	Cobalt Blue
683438-54207	8.55	BX	10	LG	Cobalt Blue
683438-54208	8.55	BX	10	XL	Cobalt Blue
683438-14205	8.55	BX	10	2XL	Cobalt Blue

B. MICROFLEX N27 General Purpose Gloves, Nitrile, Powder Free - Cobalt Blue - 4mil

This soft, stretchy formula provides superior fit and feel. Ideal for jobs requiring exceptional tactile sensitivity. Durable and puncture resistant. Fully textured surface for enhanced gripping in wet or dry conditions. (100/pk, 1000/cs)

683438-14271	9.27	BX	10	SM	Cobalt Blue
683438-14272	9.27	BX	10	MD	Cobalt Blue
683438-14273	9.27	BX	10	LG	Cobalt Blue
683438-14274	9.27	BX	10	XL	Cobalt Blue

C. MICROFLEX UF-524 Ultraform Gloves

Our unique soft formulation forms to your hand effortlessly as if it is second skin. In field tests users wearing Ultraform® actually experienced an increase in fine motor task performance compared to a bare hand. (300/box, 10 box/cs)

769799-52400	26.18	BX	10	SM	Cobalt Blue
769799-52401	26.18	BX	10	MD	Cobalt Blue
769799-52402	26.18	BX	10	LG	Cobalt Blue
769799-52403	26.18	BX	10	XL	Cobalt Blue
769799-52404	26.18	BX	10	2XL	Cobalt Blue

D. MICROFLEX N48 Blaze® Gloves

Our Blaze high visibility orange glove is perfect for safety and EMS applications. 5 mil thickness and a 10.5" cuff provide enhanced durability with exam grade protection. Textured fingertips for increased gripping power. (100/pk, 1000/c)

683438-14481	16.18	BX	10	SM	Orange
683438-14482	16.18	BX	10	MD	Orange
683438-14483	16.18	BX	10	LG	Orange
683438-14484	16.18	BX	10	XL	Orange
683438-14485	16.18	BX	10	2XL	Orange

E. Microflex MidKnight MK-296

Powder Free Black Nitrile Exam Grade Length 9.6", Cuff Thickness 3.1 mil, Palm Thickness 4.7mil, Finger Thickness 5.5mil 2X Large 100/Box

769799-29614	14.85	BX	10	XS	
769799-29615	14.85	BX	10	SM	
769799-29616	14.85	BX	10	MD	
769799-29617	14.85	BX	10	LG	
769799-29618	14.85	BX	10	XL	
769799-29619	14.85	BX	10	2XL	



RS Hughes Part Price Per Case Size Description

F. Microflex Supreno SE SU-690

Medical Exam Grade Powder Free Nitrile Length 8.7", Cuff Thickness 4.3mil, Palm Thickness 5.5mil, Finger Thickness 7.9mil, 100/Box.

769799-69006	15.31	BX	10	XS
769799-69007	15.31	BX	10	SM
769799-69008	15.31	BX	10	MD
769799-69009	15.31	BX	10	LG
769799-69000	15.31	BX	10	XL

G. Microflex Xceed XC-310

Powder Free Medical Exam Grade Nitrile, Length 9.4", Cuff Thickness 2.4mil, Palm Thickness 2.8mil, Finger Thickness 4.3mil, 250/Box

769799-31000	23.09	BX	10	XS
769799-31011	23.09	BX	10	SM
769799-31012	23.09	BX	10	MD
769799-31013	23.09	BX	10	LG
769799-31014	23.09	BX	10	XL

230 per box

H. MICROFLEX DFK-608 DuraFlock Gloves

8mil nitrile 25% thicker than standard disposable gloves for increased durability and superior protection. Extremely comfortable to wear for extended periods, reducing hand fatigue. Exclusive ultra-thin moisture-absorbing flock-lining keeps hands dry. Fully-textured for a firm, reliable grip. (50/box, 10 box/cs)

769799-60817	19.76	BX	10	SM	Dark Green
769799-60818	19.76	BX	10	MD	Dark Green
769799-60819	19.76	BX	10	LG	Dark Green
769799-60810	19.76	BX	10	XL	Dark Green
769799-60811	19.76	BX	10	2XL	Dark Green

I. PIP 63-332PF Ambi-dex™ Nitrile, Powder Free, Textured Grip, 4 Mil

Economical puncture resistance with great comfort, dexterity and tactile sensitivity; Contains no natural rubber latex proteins; Made from component materials which comply with Federal regulations for food contact. 21CFR, 170-199; Vblue color (except 63-732PF which is black); A very versatile glove for use in a broad range of applications for light hand protection from liquids, chemicals and debris. Packaged 100 per box unless otherwise specified.

616314-04889	10.48	BX	10	SM
616314-04896	10.48	BX	10	MD
616314-04902	10.48	BX	10	LG
616314-04919	10.48	BX	10	XL
616314-20056	11.38	BX	10	2XL



J. PIP 63-338PF Ambi-dex Nitrile Industrial Grade, Textured Grip, 8 Mil, 9.5Inch Length, Silicone Free

Disposable Nitrile, Industrial Grade, 8 Mil., Textured, Powder free, 50/Box.

616314-11337	9.17	BX	20	SM
616314-11344	9.17	BX	20	MD
616314-11351	9.17	BX	20	LG
616314-11368	9.17	BX	20	XL

K. PIP 63-532PF Ambi-dex Food Grade, Textured Grip, 4 Mil, 9 1/2Inch Length, Powder Free

Disposable Nitrile, Food Grade, Fully Textured, 4 Mil, 100/bx

616314-32240	7.38	BX	10	SM
616314-32257	7.38	BX	10	MD
616314-32264	7.38	BX	10	LG
616314-32271	7.38	BX	10	XL



Head to Toe Protection

Sempermed®

We are people protection.®



A



B



C



D



E

Disposable Gloves - Nitrile

RS Hughes Part	Price	Per Case	Size	Description
----------------	-------	----------	------	-------------

A. Sempermed SemperForce® BKNF

Black nitrile examination gloves by Sempermed are designed for demanding work environments where your safety and comfort are a must. A textured surface promises secure gripping capabilities. SemperForce® black nitrile gloves are ideal for automotive, industrial, tattoo, and cosmetology applications. 5.6 mil finger thickness. 4.56 mil palm thickness. Exam powder free textured 100/Box.

119019-28102	8.18	BX	10	SM	BKNF102
119019-28103	8.18	BX	10	MD	BKNF103
119019-28104	8.18	BX	10	LG	BKNF104
119019-28105	8.18	BX	10	XL	BKNF105
119019-28106	8.18	BX	10	2XL	BKNF106

Sempermed®
We are people protection.®

B. Sempermed GripStrong™ GSNF

Designed to provide exceptional strength and superior gripping capabilities without the risk of latex allergens. Advanced manufacturing technology gives GripSafe™ Nitrile a softer fit and feel than traditional nitrile gloves allowing for maximum tactile sensitivity. GripSafe™ is ideal for food, safety, Janitorial/Sanitation, and laboratory markets. Industrial powder free textured 100/Box. 3.2 mil thickness.

119019-27102	6.68	BX	10	SM	GSNF102
119019-27103	6.68	BX	10	MD	GSNF103
119019-27104	6.68	BX	10	LG	GSNF104
119019-27105	6.68	BX	10	XL	GSNF105

C. Sempermed SemperGuard® INPFT

Superior fit, feel, and strength without the risk of latex allergens. Its textured fingertips ensure gripping capabilities in both wet and dry work environments. Ideal for automotive, food, laboratory, and pharmaceutical applications. 3.68 mil finger thickness. 3.36 mil palm thickness. Industrial powder free textured 100/Box.

019019-19102	7.00	BX	10	SM	INPFT102
019019-19103	7.00	BX	10	MD	INPFT103
019019-19104	7.00	BX	10	LG	INPFT104
019019-19105	7.00	BX	10	XL	INPFT105

Sempermed®
We are people protection.®

D. Sempermed SemperSure™ SUNF

Designed for those with skin sensitivities to regular nitrile gloves. Accelerator-free gloves offer all the benefits of a nitrile glove, minus the sulfur-based chemical accelerators that cause Type I (latex) and Type IV (chemical) allergies. 4.76 mil finger thickness. 2.96 mil palm thickness. Powder free textured 200/Box.

119019-33201	14.91	BX	10	XS	SUNF201
119019-33202	14.91	BX	10	SM	SUNF202
119019-33203	14.91	BX	10	MD	SUNF203
119019-33204	14.91	BX	10	LG	SUNF204
119019-33205	14.91	BX	10	XL	SUNF205

E. Sempermed Tender Touch Nitrile

The right combination of fit, feel, tactile sensitivity, strength and value in a latex-free exam glove. Delivered in our new Smart Dispense Technology, Single Glove Delivery™ packaging. This innovative packaging method reduces wrinkles and allows for more gloves per box, making Tender Touch® a smart choice.

SEMPERMED TTNF201	12.73	BX	10	XS	TTNF201
SEMPERMED TTNF202	12.73	BX	10	SM	TTNF202
SEMPERMED TTNF203	12.73	BX	10	MD	TTNF203
SEMPERMED TTNF204	12.73	BX	10	LG	TTNF204
SEMPERMED TTNF205	12.73	BX	10	XL	TTNF205



RS Hughes Part Price Per Case Size Description

F. Global Glove 705PF Powder Free Nitrile, 5mil, Blue

5 mil high modulus disposable nitrile, powder free rolled cuff, textured finish for good wet grip. FDA compliant, industrial grade, 9 in. length rolled cuff. 100 gloves to a dispenser.

705PF XS	7.57	DI	10	XS
705PF SM	7.57	DI	10	SM
705PF MD	7.57	DI	10	MD
705PF LG	7.57	DI	10	LG
705PF XL	7.57	DI	10	XL



G. Global Glove 805PF Powderfree Nitrile, 8mil, Blue

8 mil 11 inches long disposable or reusable high modulus powder free nitrile. 50 gloves to a dispenser.

805PF SM	8.88	DI	10	SM
805PF MD	8.88	DI	10	MD
805PF LG	8.88	DI	10	LG
805PF XL	8.88	DI	10	XL

H. Global Glove 675PF Panther-Guard™ Heavyweight Orange

Disposable heavyweight long cuff 6 mil Orange 100% Nitrile polymer, powder free with textured grip. 11" long with Beaded/Rolled Cuff, Post-process adds a Freeze-Dried Aloe coated interior to moisturize damaged, cracked & chapped hands. Neatly packed flat in box to reduce waste and cross contamination, 100% inspected and triple washed, Chlorinated smooth interior allows easy donning, FDA Compliant Materials. 50 gloves per dispenser, 10 dispensers per case.

675PF SM	10.09	DI	10	SM
675PF MD	10.09	DI	10	MD
675PF LG	10.09	DI	10	LG
675PF XL	10.09	DI	10	XL

I. Global Glove 775PF Panther-Guard™ 6 Mil Orange

Disposable 6 mil Orange 100% Nitrile polymer, powder free with textured grip. 9.5" long with Beaded/Rolled Cuff, Post-process adds a Freeze-Dried Aloe coated interior to moisturize damaged, cracked & chapped hands. Dual-Color: The inside of the glove is white to easily identify if glove has been worn and should not be reused. Neatly packed flat in box to reduce waste and cross contamination, 100% inspected and triple washed, Chlorinated smooth interior allows easy donning, FDA Compliant Materials. 100 gloves per dispenser, 10 dispensers per case.

775PF SM	13.53	DI	10	SM
775PF MD	13.53	DI	10	MD
775PF LG	13.53	DI	10	LG
775PF XL	13.53	DI	10	XL

J. Global Glove 800F Panther-Guard™ 8 Mil Black Flocklined

Disposable 8 mil Black Flocklined 100% Nitrile polymer, with textured grip. 11" long with Beaded/Rolled Cuff, Flocklined interior helps keep hands warm when it gets cool and absorb perspiration when it gets hot. Neatly packed flat in box to reduce waste and cross contamination, 100% inspected and triple washed, FDA Compliant Materials. 50 gloves per dispenser, 10 dispensers per case.

800F SM	17.16	DI	10	SM
800F MD	17.16	DI	10	MD
800F LG	17.16	DI	10	LG
800F XL	17.16	DI	10	XL
800F 2XL	17.16	DI	10	2XL



F



G



H



I



J



Head to Toe Protection

Hand Protection

Disposable Gloves - Neoprene / Vinyl

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change

Disposable Gloves - Neoprene

RS Hughes Part Price Per Case Size Description

A. Ansell NeoTouch® 25-101, Powder Free

Exam and food grade neoprene disposable gloves that are an excellent alternative to other disposable glove materials, and protect against Type 1 allergies. Excellent protection against acids, bases, and alcohols. 5mil, 9 1/2 inch length. 100/Box.

076490-85727	13.67	BX	10	XS
076490-85728	13.67	BX	10	SM
076490-85729	13.67	BX	10	MD
076490-85730	13.67	BX	10	LG
076490-85731	13.67	BX	10	XL

Ansell
Occupational Healthcare

B. JACKSON SAFETY* G29 Neoprene Solvent Glove 80

Neoprene blend construction 9mil; 12" length Powder-Free Textured Fingertips for wet/dry grip. Not made with natural rubber latex. Ambidextrous. 50 gloves per box.

036000-49822	28.88	BX	10	6
036000-49823	28.88	BX	10	7
036000-49824	28.88	BX	10	8
036000-49825	28.88	BX	10	9
036000-49826	28.88	BX	10	10
036000-49827	28.88	BX	10	11

Disposable Gloves - Vinyl

C. Ansell Dura-Touch® 34-725, 3 Mil, 9Inch Length, Smooth Finish, Clear Color

Made from premium quality PVC for extra durability. Powder-free. Dura-Touch® gloves comply with FDA food handling requirements (21 CFR 177.2600).

076490-25431	4.40	BX	10	SM
076490-25432	4.40	BX	10	MD
076490-25433	4.40	BX	10	LG
076490-25434	4.40	BX	10	XL

Ansell
Occupational Healthcare

D. PIP 64-346 Ambi-Dex™ Non-Latex Synthetic, Food Grade, Textured Grip, Powder Free

9" non-latex synthetic glove, food grade, smooth grip, 5 mil, AQL 4.0. Have the look, fit and feel of latex without the concern of natural rubber latex proteins; 5 Mil thickness; Excellent form fitting grip; Ambidextrous; Component materials comply with FDA regulations for food contact. 21CFR, 170-199.; 100 gloves per dispenser box.

616314-14826	5.74	BX	10	SM
616314-14833	5.74	BX	10	MD
616314-14840	5.74	BX	10	LG
616314-14857	5.74	BX	10	XL

PIP
PROTECTIVE INDUSTRIAL PRODUCTS

F. Sempermed GripStrong® GSVFE

Designed to meet the needs of those seeking light duty hand protection at an exceptional value. GripStrong® Vinyl is manufactured with polyvinyl chloride (PVC) which eliminates exposure to latex and reduces the potential risk of a latex protein reaction.

019019-52102	3.36	BX	10	SM	GSVF102
019019-52103	3.36	BX	10	MD	GSVF103
019019-52104	3.36	BX	10	LG	GSVF104
019019-52105	3.36	BX	10	XL	GSVF105

E. Sempermed SemperGuard® VPF

Latex sensitivity does not have to be an issue. SemperGuard® Vinyl provide excellent sensitivity and protection. These gloves are ideal for users who are at risk of becoming sensitive to latex protein allergens. SemperGuard® Vinyl offers unparalleled economy, functionality, and value. 4.60 mil finger thickness. 2.70 mil palm thickness. Industrial powder free smooth 100/Box.

019019-31102	3.73	BX	10	SM	VPF102
019019-31103	3.73	BX	10	MD	VPF103
019019-31104	3.73	BX	10	LG	VPF104
019019-31105	3.73	BX	10	XL	VPF105

Sempermed®
We are people protection™



Chemical Resistant Glove Materials

Different glove materials resist different chemicals at varied exposure levels.

Therefore, care must be taken in choosing the right glove for the given application. Thickness and length also play a role in determining the appropriate glove. Thicker gauge gloves are heavier and provide increased chemical resistance than thinner gloves. The length of glove needed can be determined by assessing the splash and immersion protection needed.

PVC:

Chemically resistant to oil, grease, acids and solvents while providing good abrasion resistance. A jersey or interlock lining enhances comfort.

Nitrile:

Provides excellent abrasion, cut and snag resistance when encountering oils, greases and petroleum products. Choose smooth finish for dry grip or rough finish for wet and oily conditions.

Neoprene:

Protection from chemicals, oils, acids, solvents and caustics.

Latex:

Good sensitivity and dexterity making it ideal for food processing, electronics assembly and similar applications.

Vinyl:

Provides moderate abrasion resistance and can have a textured finish that enhances grip. Choose a soft jersey lining for cushioning.

RS Hughes Part	Price	Per Case	Size	Description
----------------	-------	----------	------	-------------

Ansell Canners and Handlers™ Style 392/394

Featuring excellent dexterity, tensile strength, and elasticity, our 20-mil Canners and Handlers gloves are a good choice for chemical, snag, puncture, abrasion, and cut resistance. 12" length adds protection against chemical hazards. Pebble embossed grips design for excellent grip on wet or dry surfaces. Made with component materials that comply with FDA regulations for food contact.

G. 076490-93920	11.80	DZ	12	6 - 6.5	Pebble Finish, Style 392
G. 076490-93921	11.80	DZ	12	7	Pebble Finish, Style 392
G. 076490-93922	11.80	DZ	12	7.5	Pebble Finish, Style 392
G. 076490-93923	11.80	DZ	12	8	Pebble Finish, Style 392
G. 076490-93924	11.80	DZ	12	8.5	Pebble Finish, Style 392
G. 076490-93925	11.80	DZ	12	9	Pebble Finish, Style 392
G. 076490-93926	11.80	DZ	12	9.5	Pebble Finish, Style 392
G. 076490-93927	11.80	DZ	12	10	Pebble Finish, Style 392
G. 076490-93928	11.80	DZ	12	11	Pebble Finish, Style 392
H. 076490-93941	11.80	DZ	12	7	Fishscale, Style 394
H. 076490-93943	11.80	DZ	12	8	Fishscale, Style 394
H. 076490-93945	11.80	DZ	12	9	Fishscale, Style 394
H. 076490-93947	11.80	DZ	12	10	Fishscale, Style 394

I. Ansell FL100/FL200 Style 155

Natural latex, cotton flock-lined gloves provide a high degree of tensile strength while maintaining excellent sensitivity. Increased snag, puncture, abrasions, and cut resistance, 17 mil thick at the palm. Standard 12 inch. Two embossed designs (pattern and pebble) provide improved grip on wet or dry objects. Made from component materials which comply with FDA regulations for food contact.

076490-85741	10.00	DZ	12	7
076490-85742	10.00	DZ	12	8
076490-85743	10.00	DZ	12	9
076490-85744	10.00	DZ	12	10

Ansell
Occupational Healthcare

J. Ansell FL100/FL200 Style 198

These natural latex, cotton flock-lined gloves provide a high degree of tensile strength while maintaining excellent sensitivity. For increased snag, puncture, abrasions, and cut resistance, 17 mil thick at the palm. Standard 12 inch while two embossed designs (pattern and pebble) provide improved grip on wet or dry objects.


076490-85749	9.20	DZ	12	7
076490-85750	9.20	DZ	12	8
076490-85751	9.20	DZ	12	9
076490-85752	9.20	DZ	12	10



EN Standard Marking for Chemical Gloves

Although not required in the USA knowing about the EN standard is important as most coated gloves made are sold in both Europe and the US. As a result the EN markings are usually printed on gloves sold in the US. These markings provide valuable information about the performance characteristics which allows you to make more informed decisions about glove selection to comply with OSHA 1910.138 requirements.

Resistance to permeation by chemicals.

EN 374-3	Chemical	Rating
	Level 1	>10 mins
	Level 2	>30 mins
	Level 3	>60 mins
	Level 4	>120 mins
	Level 5	>240 mins
	Level 6	>480 mins

BS EN 374:2003 now states that a glove must have a breakthrough time of at least 30 minutes when tested for 3 chemicals from a list of 12 standard defined chemicals. The chemicals tested against are designated an identifying letter from A to L:

- | | |
|----------------------------|-------------------------------|
| A Methanol | H Tetrahydrofurane |
| B Acetone | I Ethyl Acetate |
| C Acetonitrile | J n-Heptane |
| D Dichloromethane | K Sodium hydroxide 40% |
| E Carbon Disulphide | L Sulphuric acid 96% |
| F Toluene | |
| G Diethylamine | |

Typical glove lengths and areas of protection.

Glove Length	Area of Protection
12"	Hand and wrist
14"	Up to mid forearm
18"	Up to elbow



Chemical Resistant Gloves - Latex



RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

A. Ansell 356 Natural Latex - Blue Color

Natural Blue gloves are 17 mil thick for superior tactile sensitivity and dexterity, as well as good chemical, snag, puncture, abrasion, and cut resistance. Made with component materials that comply with FDA regulations for food contact, the gloves feature a patterned grip and a conspicuous blue color which is preferred by the poultry and food processing industries.

076490-93561	10.20	DZ	12	7
076490-93563	10.20	DZ	12	8
076490-93565	10.20	DZ	12	9
076490-93567	10.20	DZ	12	10
076490-93576	10.20	DZ	12	11

Ansell
Occupational Healthcare

B. Ansell Canners and Handlers 88-343 12Inch

Excellent dexterity, tensile strength and elasticity. 20 mil thickness provides good chemical, snag, puncture, abrasion and cut resistance. Diamond embossed for excellent grip on wet or dry surfaces. All Canners and Handlers comply with FDA food handling requirements (21 CFR 177.2600).

076490-93431	10.00	DZ	12	7
076490-93433	10.00	DZ	12	8
076490-93435	10.00	DZ	12	9
076490-93437	10.00	DZ	12	10

C. PIP 48-L162Y Assurance® Household Flock Lined Gloves, Lightweight - Honeycomb Grip

Unsupported latex, 16 mil, 12-inch flock lined, yellow, honeycomb grip, straight cuff. Provides resistance to acids, alkalis, alcohols, salts, ketones and animal fats. Flock lining provides increased comfort and ease of donning. Rolled bead cuff for tear resistance. Made from component materials which comply with Federal regulations for food contact. 21CFR, 170-199. Pair packed.

616314-35142	10.07	DZ	12	SM
616314-35135	10.07	DZ	12	MD
616314-35128	10.07	DZ	12	LG
616314-35159	10.07	DZ	12	XL

PIP
PROTECTIVE INDUSTRIAL PRODUCTS

Ansell

Occupational Healthcare



D

Chemical Resistant Gloves - Nitrile

RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

Ansell Sol-Vex® Nitrile Family of Gloves

Embossed, straight cuff, Sol-Vex gloves are made of a high performance nitrile compound which provides an outstanding combination of strength and chemical resistance. When exposed to aromatic and petroleum solvents, as well as caustics and animal fats, Sol-Vex gloves have proven to be a superior choice over rubber or neoprene. Sol-Vex gloves won't swell, weaken, or degrade and they offer better protection against snags, punctures, abrasions and cuts. Sol-Vex gloves do not promote contact dermatitis and their component materials comply with FDA regulations for food contact.

Unlined Gloves

D. 076490-17071	17.60	DZ	12	6 - 6.5	37-145, 11 mil, 13" length
D. 076490-17073	17.60	DZ	12	7 - 7.5	37-145, 11 mil, 13" length
D. 076490-17074	17.60	DZ	12	8 - 8.5	37-145, 11 mil, 13" length
D. 076490-17075	17.60	DZ	12	9 - 9.5	37-145, 11 mil, 13" length
D. 076490-17076	17.60	DZ	12	10	37-145, 11 mil, 13" length
D. 076490-17077	17.60	DZ	12	11	37-145, 11 mil, 13" length
E. 076490-17141	23.00	DZ	12	7 - 7.5	37-155, 15 mil, 13" length
E. 076490-17142	23.00	DZ	12	8 - 8.5	37-155, 15 mil, 13" length
E. 076490-17143	23.00	DZ	12	9 - 9.5	37-155, 15 mil, 13" length
E. 076490-17144	23.00	DZ	12	10	37-155, 15 mil, 13" length
E. 076490-17145	23.00	DZ	12	11	37-155, 15 mil, 13" length
F. 076490-17207	73.80	DZ	12	7 - 7.5	37-165, 22 mil, 15" length
F. 076490-17208	73.80	DZ	12	8 - 8.5	37-165, 22 mil, 15" length
F. 076490-17209	73.80	DZ	12	9 - 9.5	37-165, 22 mil, 15" length
F. 076490-17210	73.80	DZ	12	10	37-165, 22 mil, 15" length
F. 076490-17211	73.80	DZ	12	11	37-165, 22 mil, 15" length
F. 076490-17298	111.60	DZ	1	7 - 7.5	37-185, 22 mil, 18" length
F. 076490-17299	111.60	DZ	1	8 - 8.5	37-185, 22 mil, 18" length
F. 076490-17300	111.60	DZ	1	9 - 9.5	37-185, 22 mil, 18" length
F. 076490-17301	111.60	DZ	1	10	37-185, 22 mil, 18" length
F. 076490-17302	111.60	DZ	1	11	37-185, 22 mil, 18" length

Flock Lined Gloves

F. 076490-17272	17.80	DZ	12	6 - 6.5	37-175, 15 mil, 13" length
F. 076490-17273	17.80	DZ	12	7 - 7.5	37-175, 15 mil, 13" length
F. 076490-17274	17.80	DZ	12	8 - 8.5	37-175, 15 mil, 13" length
F. 076490-17275	17.80	DZ	12	9 - 9.5	37-175, 15 mil, 13" length
F. 076490-17276	17.80	DZ	12	10	37-175, 15 mil, 13" length
F. 076490-17277	17.80	DZ	12	11	37-175, 15 mil, 13" length



E



F

h R.S. HUGHES

Head to Toe Protection

Chemical Resistant Gloves - Nitrile

Ansell

Occupational Healthcare



RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

AlphaTec® - Moisture Management Technology

Less sweat equals greater comfort and performance. New, proprietary AQUADRI® technology delivers the properties of a sponge with an unrivaled moisture absorption capacity: on average 10 times more than traditional cotton flocked linings. Keeps hands drier for a longer period of time resulting in significantly improved comfort and performance. Diamond palm grip provides improved dry/wet grip while foldable cuff gutter prevents dripping on forearm.

A. 076490-14014	38.20	DZ	12	7	12inch Length, 26mil	58-330
A. 076490-14015	38.20	DZ	12	8	12inch Length, 26mil	58-330
A. 076490-14016	38.20	DZ	12	9	12inch Length, 26mil	58-330
A. 076490-14017	38.20	DZ	12	10	12inch Length, 26mil	58-330
A. 076490-14018	38.20	DZ	12	11	12inch Length, 26mil	58-330
B. 076490-14019	72.20	DZ	6	7	15inch Length, 31mil	58-335
B. 076490-114020	72.20	DZ	6	8	15inch Length, 31mil	58-335
B. 076490-114021	72.20	DZ	6	9	15inch Length, 31mil	58-335
B. 076490-114022	72.20	DZ	6	10	15inch Length, 31mil	58-335
B. 076490-14023	72.20	DZ	6	11	15inch Length, 31mil	58-335

C. Ansell AlphaTEC® 58-530/58-535

New technology nitrile with aggressive Ansell Grip Technology. Glove is designed to provide sure grip in oily, slippery conditions. An ergonomically designed seamless knit liner finished in a unique black and burgundy color. This glove is the one you need, when grip and chemical protection are important.

076490-19002	81.24	DZ	6	8	12in Length, 58-530
076490-19003	81.24	DZ	6	9	12in Length, 58-530
076490-19004	81.24	DZ	6	10	12in Length, 58-530
076490-19005	81.24	DZ	6	11	12in Length, 58-530
076490-19007	85.80	DZ	6	8	14in Length, 58-535
076490-19008	85.80	DZ	6	9	14in Length, 58-535
076490-19009	85.80	DZ	6	10	14in Length, 58-535
076490-19010	85.80	DZ	6	11	14in Length, 58-535

D. Ansell Scorpio® 8-352/8-354

Knit lined for comfort and easy donning and doffing. Textured finish provides excellent grip on wet and slippery materials with great flexibility. Snug fit with high degree of fingertip sensitivity. Interlock knit cotton two-piece lining eliminates seams that can cause hand irritation and premature wear-through.

076490-12510	60.00	DZ	6	7	8-352 12inch
076490-12511	60.00	DZ	6	8	8-352 12inch
076490-12512	60.00	DZ	6	9	8-352 12inch
076490-12513	60.00	DZ	6	10	8-352 12inch
076490-12515	72.36	DZ	6	8	8-354 14inch
076490-12516	72.36	DZ	6	9	8-354 14inch
076490-12517	72.36	DZ	6	10	8-354 14inch

Chemical Resistant Gloves - Neoprene



RS Hughes Part Price Per Case Size/Description

E. Ansell Thermaprene 19-024/19-026

Top-quality neoprene coating protects against a wide range of chemicals. Protects hands against intermittent contact with hot surfaces up to 400°F. Offers lightweight cut resistance. Removable liner and integrated hanging loop allow gloves to be stored and dried quickly. Passes ASTM F903 for penetration by liquid. Thermaprene gloves comply with FDA food handling requirements (21 CFR 177.2600).

076490-14020	26.58	PR	12	8	19-024 18Inch
076490-14021	26.58	PR	12	10	19-024 18Inch
076490-14022	32.48	PR	12	8	19-026 26Inch
076490-14203	32.48	PR	12	10	19-026 26Inch

F. Ansell 87-224 Chemi-Pro® Heavy Duty Neoprene Latex Blend

Unique dipping process combining neoprene over natural rubber latex provides increased protection against a wide range of chemicals. Gloves are 27 mil thick for extra ruggedness and durability. 13" length is longer than most standard gloves for added forearm protection. A recessed diamond-embossed pattern provides added grip on wet or dry surfaces, while a cotton flock lining absorbs perspiration and increases worker comfort. Chemi-Pro gloves are an economical, cost-saving substitute for higher-priced, heavy gauge nitrile and neoprene gloves.

076490-92241	23.64	DZ	12	7	13" length, 27mil
076490-92243	23.64	DZ	12	8	13" length, 27mil
076490-92245	23.64	DZ	12	9	13" length, 27mil
076490-92247	23.64	DZ	12	10	13" length, 27mil

G. Ansell Technicians 390, Neoprene Latex Blend

13 mil blend of neoprene and natural rubber latex delivers optimal durability and chemical resistance. Pebble embossed design increases grip on wet or dry surfaces. Dexterity and sensitivity combined with moderate chemical protection unlined. Technicians comply with FDA food handling requirements (21 CFR 177.2600).

076490-93951	11.80	DZ	12	7	12" length, 13 mil
076490-93953	11.80	DZ	12	8	12" length, 13 mil
076490-93955	11.80	DZ	12	9	12" length, 13 mil
076490-93957	11.80	DZ	12	10	12" length, 13 mil

H. JACKSON SAFETY* G80 Neoprene/Latex Chemical Resistant

A range of Gloves to protect hands against chemical or mechanical hazards, get the job done safely and help reduce cost. Ideal for: providing PPE category 3 protection, level 4 abrasion resistance and durability in manufacturing, transport, construction, agriculture cleaning and janitorial work, when handling chemicals, oils, grease, acids, caustics or solvents. Available as: pairs of hand specific latex-free gloves, with diamond embossed fingertips offering enhanced wet and dry grip; flock lined for easy donning and extra comfort in extended use. 12 PR/PK.

036000-38741	28.68	PK	5	7	Yellow & Blue
036000-38742	28.68	PK	5	8	
036000-38743	28.68	PK	5	9	
036000-38744	28.68	PK	5	10	



E



F



G



H



Head to Toe Protection



Chemical Resistant Gloves - Nitrile Blend



A



B



C

RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

A. PIP 56-530 MaxiDry® Plus™ Nitrile Coated Glove

Designed and developed for those working in areas or applications that require the blend of chemical protection with cut resistance. MaxiDry® Plus™ is tested and certified according to EN 374, "low level chemical resistance" and Cut Level 1 (EN 388). Liquid repellent splash resistance to chemicals is delivered through ATG's LiquiTech® technology platform. Unique high performance yarns and fibers that offer cut protection whilst maintaining high levels of comfort. Synthetic coating combined with an industry leading super light seamless knit liner provides excellent comfort, sensitivity, fit and dexterity. Locking cuff ensures the glove does not slip off the hand. An exclusive elasticated support in the wrist area provides a "locking" effect for a close and snug fit. The micro-cup non-slip grip finish allows for a controlled and superior grip in oily and wet applications. The nonslip grip is only applied where it is actually needed - in the palm area - to ensure flexibility isn't compromised. All ingredients used in the manufacturing and construction of this product are compliant with the REACH legislation.

616314-79634	88.45	DZ	6	SM
616314-79641	88.45	DZ	6	MD
616314-79658	88.45	DZ	6	LG
616314-79665	88.45	DZ	6	XL
616314-79672	88.45	DZ	6	2XL



B. PIP 56-633 MaxiChem® Cut™ Nitrile Blend Coated Glove, 12"

MaxiChem® Cut™ is designed and developed for those working with chemicals while also requiring a level of cut protection. Chemical resistance delivered through the ATG® LiquiTech® technology platform. Ultra lightweight synthetic coating combined with an industry leading super light seamless knit liner provides excellent comfort, sensitivity, fit and dexterity. Tailored cuff keeps the cuff close to your hand so maintaining your fingers at the tip of the glove to maximize dexterity. Micro-cup non-slip grip finish allows for a controlled and superior grip in oily and wet applications. The nonslip grip is only applied where it is actually needed - in the palm area - to ensure flexibility isn't compromised.

616314-59732	156.84	DZ	6	SM
616314-59725	156.84	DZ	6	MD
616314-59718	156.84	DZ	6	LG
616314-59749	156.84	DZ	6	XL
616314-59756	156.84	DZ	6	2XL

C. PIP 56-635 MaxiChem® Nitrile Blend Coated Glove, 14"

MaxiChem® is designed and developed for those working with chemicals requiring longer and higher levels of protection. MaxiChem® is tested and certified according to EN 374-3. Chemical resistance delivered through the ATG® LiquiTech® technology platform. Ultra lightweight synthetic coating combined with an industry leading super light seamless knit liner provides excellent comfort, sensitivity, fit and dexterity. Keeping the cuff close to your hand so maintaining your fingers at the tip of the glove to maximize dexterity. Micro-cup non-slip grip finish allows for a controlled and superior grip in oily and wet applications. The nonslip grip is only applied where it is actually needed - in the palm area - to ensure flexibility isn't compromised. All ingredients used in the manufacturing and construction of this product are compliant with the REACH legislation. This glove has been laundered prior to final packaging making it clean and safe for use. The Oeko-Tex® Association has evaluated and certified this product as skin safe from the second it comes into contact with the skin.

616314-79733	133.66	DZ	6	SM
616314-79740	133.66	DZ	6	MD
616314-79757	133.66	DZ	6	LG
616314-79764	133.66	DZ	6	XL
616314-79771	133.66	DZ	6	2XL

Electrical Rated Gloves

All products on this page meet ANSI/ASTM D120 and NFPA70E for use around electrical hazards and ARC Flash.

RS Hughes Part Price Per Case Size/Description

PIP Class 00 Electrical Rated Glove, Orange/Black

Novax Rubber insulating glove, 11Inch, Unlined, Smooth Finish, Beaded

D. 616314-50749	60.03	PR	12	7	Orange, 147-00-011
D. 616314-38020	60.03	PR	12	8	Orange, 147-00-011
D. 616314-38037	60.03	PR	12	9	Orange, 147-00-011
D. 616314-38044	60.03	PR	12	10	Orange, 147-00-011
D. 616314-38051	60.03	PR	12	11	Orange, 147-00-011
D. 616314-57830	60.03	PR	12	12	Orange, 147-00-011
E. 616314-51173	60.03	PR	12	7	Black, 150-00-011
E. 616314-50794	60.03	PR	12	8	Black, 150-00-011
E. 616314-50800	60.03	PR	12	9	Black, 150-00-011
E. 616314-50817	60.03	PR	12	10	Black, 150-00-011
E. 616314-50824	60.03	PR	12	11	Black, 150-00-011
E. 616314-58721	60.03	PR	12	12	Black, 150-00-011

F. PIP 150-SK-00 Class 00 Electrical Safety Kit

Novax 11-inch glove kit. 1 pair black ESP glove, 1 pair goatskin protectors, one 11-inch nylon glove bag.

616314-65309	93.67	PR	1	7
616314-50960	93.67	PR	1	8
616314-50977	93.67	PR	1	9
616314-50984	93.67	PR	1	10
616314-65293	93.67	PR	1	11
616314-57891	93.67	PR	1	12

G. PIP 155-1-14 Class 1 Electrical Rated Glove

Novax rubber insulating gloves. Two Tone, Black W/Orange Inner Color, 14 inch.

616314-58738	111.76	PR	12	7
616314-58745	111.76	PR	12	8
616314-58752	111.76	PR	12	9
616314-58769	111.76	PR	12	10
616314-58776	111.76	PR	12	11
616314-58783	111.76	PR	12	12

H. PIP 155-2-14 Class 2 Electrical Rated Glove

Novax rubber insulating glove. Two Tone, Black W/Orange Inner Color, 14 inch.

616314-58790	143.69	PR	12	7
616314-58806	143.69	PR	12	8
616314-58813	143.69	PR	12	9
616314-58820	143.69	PR	12	10
616314-58837	143.69	PR	12	11
616314-58844	143.69	PR	12	12

I. PIP 150-0-11 Class 0 Electrical Rated Glove

Novax rubber insulating gloves. Black, 11Inch, Unlined, Smooth Finish, Beaded

616314-51180	67.16	PR	12	7
616314-50831	67.16	PR	12	8
616314-50848	67.16	PR	12	9
616314-50855	67.16	PR	12	10
616314-50862	67.16	PR	12	11
616314-57908	67.16	PR	12	12



Head to Toe Protection

Protective Clothing



In this section:

Safety Apparel - Disposable.....	154-169
Chemical Protective Clothing.....	170-172
Reusable Clothing - Aprons & Sleeves.....	173-174
Reusable Clothing - Suits.....	175
Rain Gear, Bomber Jackets.....	176
High Visibility Clothing.....	177-183
Flame Resistant Clothing.....	184
Leather Clothing.....	185
Arc Flash Protective Clothing.....	186-192
High Temperature Clothing.....	193

NO MINIMUM ORDER! 1-877-RSHUGHES
Pricing subject to change

KleenGuard® Family of Protective Garments

Model	Description
A80	Chemical Permeation & Jet Liquid Protection
A70	Chemical Spray Protection
A65	Flame Resistant Protection
A60	Bloodborne Pathogen & Chemical Splash Protection
A45	Liquid & Particle Protection Surface Prep & Paint
A40	Liquid & Particle Protection
A35	Liquid Protection
A30	Breathable Splash & Particle Protection
A20	Breathable Particle Protection
A10	Light Duty

PRICE — PROTECTION




A



B



C



D

E



F

RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

A. Brady Sign - CAUTION PROTECTIVE EQUIPMENT REQUIRED (AFFIX PICTOGRAMS HERE)

14" H x 10" W, Plastic, B-401

754476-22417	12.99	EA	1
--------------	-------	----	---



20" H x 14" W, Premium Fiberglass, B-120

754476-65917	44.49	EA	1
--------------	-------	----	---

14" H x 10" W, High Performance Polyester, B-302

754476-84547	11.93	EA	1
--------------	-------	----	---

B. Brady PPE Dispenser

Clear acrylic dispenser is as versatile as you need it to be and comes with a 4" front opening for dispensing the PPE inside. Dispenser can be wall or table mounted. Dimensions are 10"H x 10"W x 10"D.

754476-45400	75.99	EA	1
--------------	-------	----	---

C. Brady PD524E Bouffant Cap Dispenser

Brady dispensers are made from durable clear acrylic and can be table or wall mounted for easy access. 14"H x 12"W x 8"D.

754473-45791	100.00	EA	1	bouffant cap dispenser
--------------	--------	----	---	------------------------

D. Ansell Bouffant Cover 67-221

Bouffant Cover White 21 inch

076490-51906	5.67	BG	10	100/Bg 1000/Case
--------------	------	----	----	------------------



E. Ansell Beard Cover 67-230

Beard Cover White

076490-51949	3.98	BG	10	100/Bg 1000/Case
--------------	------	----	----	------------------

F. PIP 200-BC21 Disposable Bouffant

Lightweight spun bonded polypropylene. Superior barrier properties. Comfortable to wear. Three sizes of caps to fit most hairstyles. Ideal for food service & processing and maintenance. Great for electronics manufacturing and assembly, pharmaceutical manufacturing and many other applications requiring a high degree of cleanliness.

616314-22203	3.76	BG	10	100/Dispenser Pack
--------------	------	----	----	--------------------

	Dry Particle Protection		Liquid Particulate Protection			Flame Resistant	Chemical Protection	
	General Dirt & Grime	Light Splash	Liquid Under Pressure	Isocyanate ¹ & Chromate ²	Blood & Bloodborne Pathogens	Sparks/Flame	Chemical Splash	Chemical Splash & Vapor/Gas
Premium	A20	A30	A40	A45	A60	A65	A70	A80
Economy	A10		A35					

¹ Tested against polyurethane containing polymeric isocyanate (40% concentration)
² Tested against potassium chromate (20% concentration)

- A80** Chemical Permeation & Jet Liquid Protection
- A70** Chemical Spray Protection
- A65** Flame Resistant Protection
- A60** Bloodborne Pathogen & Chemical Splash Protection
- A45** Liquid & Particle Protection Surface Prep & Paint
- A40** Hazardous Liquid & Particle Protection
- A35** Liquid & Particle Protection
- A30** Breathable Splash & Particle Protection
- A20** Breathable Particle Protection

A10 Light Duty

KleenGuard® A10

RS Hughes Part Price Per Case Size/Description

H. Kleen Guard A10 Light Duty Coverall, White, Zipper Front, Elastic Wrists



Lightweight SMS material provides great comfort. Meets ANSI/ISEA 101-1996 sizing standards.

036000-10468	2.73	EA	25	LG
036000-10636	2.73	EA	25	XL
036000-10616	2.98	EA	25	2XL
036000-10625	3.02	EA	25	3XL
036000-10621	3.24	EA	25	4XL



036000-10606	3.19	EA	25	LG
036000-10608	3.19	EA	25	XL
036000-10631	3.19	EA	25	2XL
036000-10610	3.36	EA	25	3XL
036000-10615	3.58	EA	25	4XL



Attached Hood & Boots

I. KleenGuard* A10 Lab Coat, White, Snap Front, No Pocket, Elastic Wrists

KLEENGUARD® A10 Light Duty Apparel provides comfort, style and protection. Typically used in food processing, general maintenance and manufacturing.

036000-40103	2.46	EA	50	LG
036000-40104	2.49	EA	50	XL
036000-40105	2.49	EA	50	2XL
036000-40106	2.49	EA	50	3XL



KleenGuard* A10 Low Skid Shoe Cover, Blue, Elastic Top

036000-36811 60.00 CA 1 300/Case



J. KleenGuard* A10 Bouffant Cap Latex Free, White, 2 Packs

036000-36850	76.44	CA	1	MD	21 inch (1000EA)
036000-36860	80.00	CA	1	LG	24 inch (1000EA)

K. KleenGuard* A10 Breathable Particle Protection Sleeve, White

Elastic top Lightweight & breathable Strong and abrasion-resistant for extended wear Patented MICROFORCE* Fabric offers barrier protection against dry particulates and light liquid sprays NFPA 99 compliant antistatic material.

036000-23610 48.00 CA 1 18in 200/Ca

L. KleenGuard* A10 Light Duty Aprons - 28" X 36", 100/Case

Lightweight polypropylene material provides great comfort. Meets ANSI/ISEA 101-1996 sizing standards. Typical Uses include: Food processing, General maintenance, manufacturing.

036000-43744 58.00 CA 1

KLEENGUARD® A10 is ideal for use when workers are in temporary contact with dirt and grime such as:

- Food processing
- General maintenance and manufacturing
- Entry level hazardous dust protection

The A10 fabric is five layers of stacked barrier protection (SMMMS) against hazardous particles, offering economical, disposable protection for workers who are exposed to dirt and grime. Lightweight, breathable coverall providing a cool, comfortable work environment. Meets ANSI/ISEA 101-1996 sizing standards. Serged seams.



h R.S. HUGHES

Head to Toe Protection

Protective Clothing

Safety Apparel - Disposable

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change

- A80** Chemical Permeation & Jet Liquid Protection
- A70** Chemical Spray Protection
- A65** Flame Resistant Protection
- A60** Bloodborne Pathogen & Chemical Splash Protection
- A45** Liquid & Particle Protection Surface Prep & Paint
- A40** Hazardous Liquid & Particle Protection
- A35** Liquid & Particle Protection
- A30** Breathable Splash & Particle Protection

A20 Breathable Particle Protection

A10 Light Duty

Ideal for use when workers are in nonstop contact with dirt and grime such as:

- **Laboratories**
- **Remediation**
- **Heavy dust environments**
- **Pesticide application**
- **Modesty garment**

The KleenGuard® A20 SMMMS offers superior particle holdout coupled with unmatched comfort attributes offering workers protection without sacrificing comfort. The A20 fabric is five layers of stacked barrier protection (SMMMS) against hazardous particles. Lightweight, breathable Reflex® Coverall Design offers excellent fit and freedom of movement. Seamless front to provide more protection in the primary exposure area. Passes NFPA99 for anti-static materials. Serged seams.



A

RS Hughes Part	Price	Per	Case	Size/Description
A. KleenGuard® A20, Coverall, White, Zipper Front				
036000-49002	4.29	EA	24	MD
036000-49003	4.29	EA	24	LG
036000-49004	4.29	EA	24	XL
036000-49005	4.29	EA	24	2XL
036000-49006	4.56	EA	20	3XL
036000-49007	4.90	EA	20	4XL



KleenGuard® A20, Coverall, White, Zipper Front, Elastic Back/ Wrists/Ankles

036000-49102	4.76	EA	24	MD
036000-49103	4.76	EA	24	LG
036000-49104	4.76	EA	24	XL
036000-49105	4.76	EA	24	2XL
036000-49106	5.10	EA	20	3XL
036000-49107	5.46	EA	20	4XL



036000-49112	5.08	EA	24	MD
036000-49113	5.08	EA	24	LG
036000-49114	5.08	EA	24	XL
036000-49115	5.08	EA	24	2XL
036000-49116	5.42	EA	20	3XL
036000-49117	5.81	EA	20	4XL



With Hood

036000-49122	5.61	EA	24	MD
036000-49123	5.61	EA	24	LG
036000-49124	5.61	EA	24	XL
036000-49125	5.59	EA	24	2XL
036000-49126	5.98	EA	20	3XL
036000-49127	6.42	EA	20	4XL



With Hood & Boots

KLEENGUARD® A20 Breathable Particle Protection Apparel with patented MICROFORCE* fabric offers barrier protection against dry particulates and light liquid sprays. Coveralls meet the criteria for pesticide application for California's Department of Pesticide Regulation, a division of the state EPA.

KleenGuard® A20

RS Hughes Part	Price	Per	Case	Size/Description
KleenGuard® A20, Coverall, Denim Blue, Zipper Front, Elastic Back/Wrists/Ankles				
036000-58502	5.02	EA	24	MD
036000-58503	5.02	EA	24	LG
036000-58504	5.02	EA	24	XL
036000-58505	5.02	EA	24	2XL
036000-58506	6.02	EA	20	3XL
036000-58507	6.02	EA	20	4XL



KleenGuard® A20, Hoods, White, Universal Size, Elastic Face Openings, 100/CA				
036000-36890	11.40	CA	1	



KleenGuard® A20 Lab Coat - Snap Front, Chest and Hip Pocket, White				
036000-30913	4.66	EA	25	SM
036000-10019	4.31	EA	25	MD
036000-10029	4.31	EA	25	LG
036000-10039	4.31	EA	25	XL
036000-40049	4.51	EA	25	2XL



KleenGuard® A20 Breathable Particle Protection Sleeve Protectors - White, 18inch, 200/Case				
036000-36870	88.00	CA	1	



KleenGuard® A20 Breathable Particle Protection Aprons Polyethylene, 28" X 46", 100/Box, Dispenser Carton				
036000-43745	60.00	BX	5	White



KleenGuard® A20 Breathable Particle Protection Aprons, 28" X 40", 100/Case				
036000-36550	1.35	EA	100	White
036000-36260	2.09	EA	100	Denim, with Pockets



KleenGuard® A20, Boot Covers, White, Universal Size, Elastic Top, 300/CA				
036000-36880	207.00	CA	1	



KleenGuard® A20, Shoe Covers, Blue - Fully Elasticized				
036000-66857	22.76	BG	3	XL/2XL 3 Bags of 100
036000-69252	34.00	BG	3	MD/LG With Traction 3 Bags of 100
036000-69254	32.00	BG	3	XL/2XL With Traction 3 Bags of 80



KleenGuard® A20, Shoe Covers, Universal Size, Elastic Top				
036000-36885	111.00	CA	1	White, 300/ca





- A80** Chemical Permeation & Jet Liquid Protection
- A70** Chemical Spray Protection
- A65** Flame Resistant Protection
- A60** Bloodborne Pathogen & Chemical Splash Protection
- A45** Liquid & Particle Protection Surface Prep & Paint
- A40** Hazardous Liquid & Particle Protection
- A35** Liquid & Particle Protection
- A30** Breathable Splash & Particle Protection
- A20** Breathable Particle Protection
- A10** Light Duty

KleenGuard® A30 Reflex®

KLEENGUARD® A30 REFLEX® Patented REFLEX® Design is 7-1/2 times less likely to rip out than ANSI minimums - provides 12% more chest room and 6% longer body length.

Ideal for use when workers are in nonstop contact with dirt, grime where light splashes exists, such as:

- **Pressure washing**
- **Powder painting**
- **Pharmaceutical research**
- **Fine particle contamination**
- **Aerospace**
- **Maintenance/General manufacturing**
- **Aerosolized spray painting**

The KleenGuard® Apparel Microforce® Barrier SMS Fabric Outer Layers are Cloth-like yet tough and abrasion-resistant spunbond polypropylene Middle Layers. Intricate web of micro-fibers that filter out many water-based liquids and dry particulates. Strong and abrasion resistant, filters out many water-based liquids and dry particles. Reflex® Coverall Design offers excellent fit and freedom of movement while seamless front provides more protection in the primary exposure area. Breathable, patented Microforce® barrier SMMMS fabric blocks particles from penetrating garment.



RS Hughes Part	Price	Per	Case	Size/Description
B. KleenGuard* A30, Coverall, White, Zipper Front				
036000-46002	5.08	EA	25	MD
036000-46003	5.08	EA	25	LG
036000-46004	5.08	EA	25	XL
036000-46005	5.08	EA	25	2XL
036000-46006	6.05	EA	21	3XL
036000-46007	6.05	EA	21	4XL



RS Hughes Part	Price	Per	Case	Size/Description
B. KleenGuard* A30, Coverall, White, Zipper Front, Elastic Back/Wrists/Ankles				
036000-46102	5.36	EA	25	MD
036000-46103	5.36	EA	25	LG
036000-46104	5.36	EA	25	XL
036000-46105	5.36	EA	25	2XL
036000-46106	6.37	EA	21	3XL
036000-46107	6.37	EA	21	4XL



Elastic Wrists & Ankles

RS Hughes Part	Price	Per	Case	Size/Description
B. KleenGuard* A30, Coverall, White, Zipper Front, Elastic Back/Wrists/Ankles				
036000-46112	5.69	EA	25	MD
036000-46113	5.69	EA	25	LG
036000-46114	5.69	EA	25	XL
036000-46115	5.69	EA	25	2XL
036000-46116	6.78	EA	21	3XL
036000-46117	6.78	EA	21	4XL
With Hood				
036000-46122	6.22	EA	25	MD
036000-46123	6.22	EA	25	LG
036000-46124	6.22	EA	25	XL
036000-46125	6.22	EA	25	2XL
036000-46126	7.37	EA	21	3XL
036000-46127	7.37	EA	21	4XL
With Hood & Boots				



Protective Clothing

Safety Apparel - Disposable



NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change

- A80** Chemical Permeation & Jet Liquid Protection
- A70** Chemical Spray Protection
- A65** Flame Resistant Protection
- A60** Bloodborne Pathogen & Chemical Splash Protection
- A45** Liquid & Particle Protection Surface Prep & Paint
- A40** Hazardous Liquid & Particle Protection
- A35** Liquid & Particle Protection
- A30** Breathable Splash & Particle Protection
- A20** Breathable Particle Protection
- A10** Light Duty

KleenGuard® A30 iFlex®

KLEENGUARD® A30 iFLEX® Features patent-pending iFLEX® technology which builds in freedom of movement. The KLEENGUARD® A30 Stretch with iFLEX® coverall is preferred 95% for fit and 94% for comfort by end users over the DuPont™ Tyvek® comfort fit design.



RS Hughes Part Price Per Case Size/Description

A. KleenGuard® A30 Breathable Coverall Elastic Back/ Wrists/Ankles Stretch Apparel, White

036000-46132	5.93	EA	25	MD	
036000-46133	5.93	EA	25	LG	
036000-46134	5.93	EA	25	XL	
036000-46135	5.93	EA	25	2XL	

036000-46142	6.31	EA	25	MD	
036000-46143	6.31	EA	25	LG	
036000-46144	6.31	EA	25	XL	
036000-46145	6.31	EA	25	2XL	
036000-46146	7.49	EA	21	3XL	
036000-46147	7.49	EA	21	4XL	

036000-46172	6.85	EA	25	MD	
036000-46173	6.85	EA	25	LG	
036000-46174	6.85	EA	25	XL	
036000-46175	6.85	EA	25	2XL	
036000-46176	8.15	EA	21	3XL	
036000-46177	8.15	EA	21	4XL	

KleenGuard® A35

- A80** Chemical Permeation & Jet Liquid Protection
- A70** Chemical Spray Protection
- A65** Flame Resistant Protection
- A60** Bloodborne Pathogen & Chemical Splash Protection
- A45** Liquid & Particle Protection Surface Prep & Paint
- A40** Hazardous Liquid & Particle Protection
- A35** Liquid & Particle Protection
- A30** Breathable Splash & Particle Protection
- A20** Breathable Particle Protection
- A10** Light Duty

KLEENGUARD® A35 Apparel Fabric Properties				
Physical Properties	Test Method		KLEENGUARD® A35	Tyvek®
Tensile Strength	(MD)	ASTM D5034	25.5 lbs	24 lbs
	(CD)		17.0 lbs	17.5 lbs
Trapezoidal Tear	(MD)	INDA IST 100-2	10.1 lbs	6.2 lbs
	(CD)		6.1 lbs	5.2 lbs
Elongation	(MD)	ASTM D5034	55%	31%
	(CD)		59%	23%
Leak - # of particles > 0.5 microns		INDA 160.1-92	168	1847
Flammability		CPSC 1610	Class 1	Class 1
Barrier Properties		Test Method	Results	
Hydrohead		AATCC 127-1996	258 cm	112 cm
Particle Holdout (0.3-0.5 microns)		Independent Lab	100%	98.4%
Blood Penetration		ASTM F1670	Pass	Fail



RS Hughes Part Price Per Case Size/Description

B. Kleenguard® A35 Coverall, Zipper Front

036000-38917	2.64	EA	25	MD
036000-38918	2.64	EA	25	LG
036000-38919	2.64	EA	25	XL
036000-38920	2.64	EA	25	2XL
036000-38921	2.78	EA	25	3XL
036000-38922	2.95	EA	25	4XL



B

B. KleenGuard® A35, Coverall, Zipper Front, Elastic Wrists & Ankles

036000-38926	3.14	EA	25	MD
036000-38927	3.14	EA	25	LG
036000-38929	3.14	EA	25	XL
036000-38930	3.14	EA	25	2XL
036000-38932	3.31	EA	25	3XL
036000-38934	3.49	EA	25	4XL



036000-38937	3.31	EA	25	MD
036000-38938	3.31	EA	25	LG
036000-38939	3.31	EA	25	XL
036000-38941	3.31	EA	25	2XL
036000-38942	3.47	EA	25	3XL
036000-38943	3.68	EA	25	4XL



With Hood

036000-38948	3.59	EA	25	MD
036000-38949	3.59	EA	25	LG
036000-38951	3.59	EA	25	XL
036000-38950	3.59	EA	25	2XL
036000-38952	3.78	EA	25	3XL
036000-38953	4.00	EA	25	4XL



With Hood & Boots

KLEENGUARD® A10 iBreathable, microporous film laminate. A lightweight outer fabric that protects the microporous film laminate for added durability and comfort. Liquid barrier, particulate barrier, low in lint. Passes ASTM F1670 testing for penetration of blood & bodily fluids. Meets ANSI/ISEA 101-1996 sizing standard. Ideal for use when workers are in contact with hazardous particles or liquids such as:

- Liquid handling
- Pressure Washing
- Maintenance
- General Manufacturing



Head to Toe Protection

Protective Clothing

Safety Apparel - Disposable

NO MINIMUM ORDER! 1-877-RSHUGHES
Pricing subject to change

- A80** Chemical Permeation & Jet Liquid Protection
- A70** Chemical Spray Protection
- A65** Flame Resistant Protection
- A60** Bloodborne Pathogen & Chemical Splash Protection
- A45** Liquid & Particle Protection Surface Prep & Paint
- A40** Hazardous Liquid & Particle Protection
- A35** Liquid & Particle Protection
- A30** Breathable Splash & Particle Protection
- A20** Breathable Particle Protection
- A10** Light Duty



Ideal for use when workers are in contact with hazardous particles or liquids such as:

- **Liquid handling**
- **Pressure washing**
- **Maintenance/General Manufacturing**

KLEENGUARD® A40 Apparel Fabric Properties			
Physical Properties	Test Method	KLEENGUARD® A40	Tyvek®
Tensile Strength (MD)	ASTM D9034	30.8 lbs	24 lbs
(CD)		21.4 lbs	17.5 lbs
Trapezoidal Tear (MD)	INDA IST 100.2	11.8 lbs	6.2 lbs
(CD)		7.2 lbs	5.2 lbs
Elongation (MD)	ASTM D9034	72%	31%
(CD)		89%	29%
Let-Through Particles (microns)	INDA 100.1-02	761	1947
Flammability		CPSC 1610	Class I
Barrier Properties	Test Method	Results	
Hydrohead	AATCC 127-1998	167 cm	112 cm
Particle Holdout (0.3-0.5 microns)	Independent Lab	100%	88.4%
Blood Penetration	ASTM F1670	Pass	Fail

RS Hughes Part Price Per Case Size/Description

A. KleenGuard® A40, Coverall, White, Zipper Front

036000-44302	4.37	EA	25	MD	
036000-44303	4.37	EA	25	LG	
036000-44304	4.37	EA	25	XL	
036000-44305	4.37	EA	25	2XL	
036000-44306	4.66	EA	25	3XL	

KleenGuard® A40 Reflex®

KLEENGUARD® A40 REFLEX® Liquid & Particle Protection Apparel has a breathable, microporous film laminate that passes ASTM F1670 testing for penetration of blood & body fluids. Typically used in fiberglass manufacturing, tank cleaning, utilities liquid handling, pressure washing, maintenance and general manufacturing. Patented REFLEX® Design is 7-1/2 times less likely to rip out than ANSI minimums - provides 12% more chest room and 6% longer body length.

RS Hughes Part Price Per Case Size/Description

A. KleenGuard® A40, Coverall, White, Zipper Front, Elastic Back/Wrists/Ankles

036000-44312	4.86	EA	25	MD	
036000-44313	4.86	EA	25	LG	
036000-44314	4.86	EA	25	XL	
036000-44315	4.86	EA	25	2XL	
036000-44316	5.20	EA	25	3XL	
036000-44317	5.56	EA	25	4XL	

036000-44322	5.19	EA	25	MD	
036000-44323	5.19	EA	25	LG	
036000-44324	5.19	EA	25	XL	
036000-44325	5.19	EA	25	2XL	
036000-44326	5.54	EA	25	3XL	
036000-44327	5.93	EA	25	4XL	

036000-44332	5.73	EA	25	MD	
036000-44333	5.73	EA	25	LG	
036000-44334	5.73	EA	25	XL	
036000-44335	5.73	EA	25	2XL	
036000-44336	6.12	EA	25	3XL	
036000-44337	6.56	EA	25	4XL	

A. KleenGuard® A40 Coveralls With Blue Breathable Back

Zipper front. Elastic wrists, ankles & hood. White and blue


036000-42119	5.45	EA	25	MD	
036000-37591	5.44	EA	25	LG	
036000-37163	5.44	EA	25	XL	
036000-37164	5.44	EA	25	2XL	
036000-37165	5.81	EA	25	3XL	
036000-38508	6.17	EA	25	4XL	
036000-37584	6.17	EA	25	5XL/6XL	

With Thumb Holes. Zipper front. Elastic wrists & ankles. White and blue


036000-42523	5.44	EA	25	SM	
036000-42525	5.44	EA	25	MD	
036000-42526	5.44	EA	25	LG	
036000-42527	5.44	EA	25	XL	
036000-42528	5.44	EA	25	2XL	
036000-42529	5.44	EA	25	3XL	
036000-42530	6.17	EA	25	4XL	
036000-42531	6.44	EA	25	5XL	

RS Hughes Part Price Per Case Size/Description


KleenGuard* A40, Lab Coats, White, Collar, Snap Closure

B. 036000-27201	4.15	EA	30	SM	
B. 036000-44452	3.93	EA	30	MD	
B. 036000-44453	3.93	EA	30	LG	
B. 036000-44454	3.93	EA	30	XL	
B. 036000-44455	4.15	EA	30	2XL	

Open Wrists, 2 Pockets


B. 036000-44442	3.83	EA	30	MD	
B. 036000-44443	3.83	EA	30	LG	
B. 036000-44444	4.03	EA	30	XL	
B. 036000-44445	4.10	EA	30	2XL	
B. 036000-44446	4.31	EA	30	3XL	

Open Wrists, No Pockets

C. 036000-44402	4.02	EA	50	MD	
C. 036000-44403	4.02	EA	50	LG	
C. 036000-44404	4.02	EA	50	XL	
C. 036000-44405	4.02	EA	50	2XL	

Shirt, 5 Snap, Long Slv.

D. KleenGuard* A40, Pants, White, Elastic Waist

036000-44412	3.20	EA	50	MD	
036000-44413	3.20	EA	50	LG	
036000-44414	3.20	EA	50	XL	
036000-44415	3.20	EA	50	2XL	

Elastic Waist

E. KleenGuard* A40, Sleeve Protector, 18", White, 200/Case

KLEENGUARD® A40 REFLEX® Liquid & Particle Protection Apparel has a breathable, microporous film laminate that passes ASTM F1670 testing for penetration of blood & body fluids. Typically used in fiberglass manufacturing, tank cleaning, utilities liquid handling, pressure washing, maintenance/general manufacturing. Patented Reflex® Design is 7-1/2 times less likely to rip out than ANSI minimums - provides 12% more chest room and 6% longer body length.

036000-44480	68.00	CA	1
--------------	-------	----	---

F. KLEENGUARD* A40 Apron, Ties in Back, 28" X 40"

Fully elasticized. Shoe Covers with traction Fabric.

036000-44481	1.34	EA	100
--------------	------	----	-----

KleenGuard* A40, Shoe Covers, White, Elastic Top - 200 PR

KLEENGUARD® A40 REFLEX® Liquid & Particle Protection Apparel has a breathable, microporous film laminate that passes ASTM F1670 testing for penetration of blood & body fluids. Typically used in fiberglass manufacturing, tank cleaning, utilities liquid handling, pressure washing, maintenance/general manufacturing. Patented Reflex® Design is 7-1/2 times less likely to rip out than ANSI minimums - provides 12% more chest room and 6% longer body length.

036000-44490	164.00	CA	1	Universal Size	
036000-44492	332.00	CA	1	MD/LG Vinyl Sole	
036000-44494	332.20	CA	1	XL Vinyl Sole	

G. KleenGuard* A40, Boot Covers, White, Vinyl Sole - 200 PR

KLEENGUARD® A40 REFLEX® Liquid & Particle Protection Apparel has a breathable, microporous film laminate that passes ASTM F1670 testing for penetration of blood & body fluids. Typically used in fiberglass manufacturing, tank cleaning, utilities liquid handling, pressure washing, maintenance/general manufacturing. Patented Reflex® Design is 7-1/2 times less likely to rip out than ANSI minimums - provides 12% more chest room and 6% longer body length.

036000-44495	456.00	CA	1	XL/2XL
--------------	--------	----	---	--------

**KleenGuard* A40 Fabric
Liquid Chemical Resistance Test**

Chemicals	Test Method	Results
Potassium Chromate (20%)	F903 Method D	Pass
Isocyanate Paint (40%)	F903 Method D	Pass
Blood Penetration	ASTM F1670	Pass



Protective Clothing

Safety Apparel - Disposable

NO MINIMUM ORDER! 1-877-RSHUGHES
Pricing subject to change

- A80** Chemical Permeation & Jet Liquid Protection
- A70** Chemical Spray Protection
- A65** Flame Resistant Protection
- A60** Bloodborne Pathogen & Chemical Splash Protection
- A45** Liquid & Particle Protection Surface Prep & Paint
- A40** Hazardous Liquid & Particle Protection
- A35** Liquid & Particle Protection
- A30** Breathable Splash & Particle Protection
- A20** Breathable Particle Protection
- A10** Light Duty



Ideal for use in surface Prep and paint application areas where isocyanate & chromate dust protection is mandated. Made with lighter weight fabric than KleenGuard* A40 Liquid and Particle Protection suit allowing for improved comfort without sacrificing protection.

Designed specially for the Surface Prep & Paint area in mind, KleenGuard* A45 allows more freedom of movement and less restriction allowing the worker to complete their job without modifying the garment.

Features:

- **Silicone Free**
- **Reflex* Coverall Design offers excellent fit and freedom of movement**
- **Passes NFPA 99 for antistatic materials**
- **Not processed with natural rubber latex**
- **Protects against isocyanates**
- **Protects against chromate dust**
- **Respirator fit hood design**
- **Water resistant zipper**
- **Serged seams**



KleenGuard® A45 Reflex®

KLEENGUARD® A45 Liquid and particale protection surface prep and paint apparel. Designed to move with you while protecting in work environments where hazardous or non-hazardous contaminants may be present.

KleenGuard* A45 Fabric Liquid Chemical Resistance Test

Chemicals	Test Method	Results
Isocyanate paint (1 lot data) 40%	F903 Method D	Pass
Chromated epoxy corrosion primer (1 lot data) 10%	F903 Method D	Pass

RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

A. KLEENGUARD* A45, Coverall, White, Zipper Front

036000-41483	4.59	EA	25	SM
036000-41484	4.37	EA	25	MD
036000-41485	4.37	EA	25	LG
036000-41486	4.37	EA	25	XL
036000-41487	4.37	EA	25	2XL
036000-41488	4.66	EA	25	3XL
036000-41489	5.02	EA	25	4XL
036000-41490	5.37	EA	25	5XL/6XL



A. KLEENGUARD* A45 Coverall, White, Zipper Front, Elastic Wrists and Ankles

036000-41491	4.86	EA	25	SM
036000-41492	4.86	EA	25	MD
036000-41493	4.86	EA	25	LG
036000-41494	4.86	EA	25	XL
036000-41495	4.86	EA	25	2XL
036000-41496	5.20	EA	25	3XL
036000-41497	5.56	EA	25	4XL
036000-41498	5.88	EA	25	5XL/6XL




036000-41503	5.19	EA	25	SM
036000-41504	5.19	EA	25	MD
036000-41505	5.19	EA	25	LG
036000-41506	5.19	EA	25	XL
036000-41507	5.19	EA	25	2XL
036000-41508	5.54	EA	25	3XL
036000-41509	5.93	EA	25	4XL
036000-41510	6.41	EA	25	5-6XL



036000-41513	5.73	EA	25	SM
036000-41514	5.73	EA	25	MD
036000-41515	5.73	EA	25	LG
036000-41516	5.73	EA	25	XL
036000-41517	5.73	EA	25	2XL
036000-41518	6.12	EA	25	3XL
036000-41519	6.56	EA	25	4XL
036000-41520	7.00	EA	25	5-6XL



KleenGuard® A60 Reflex®



- A80** Chemical Permeation & Jet Liquid Protection
- A70** Chemical Spray Protection
- A65** Flame Resistant Protection
- A60** Bloodborne Pathogen & Chemical Splash Protection
- A45** Liquid & Particle Protection Surface Prep & Paint
- A40** Hazardous Liquid & Particle Protection
- A35** Liquid & Particle Protection
- A30** Breathable Splash & Particle Protection
- A20** Breathable Particle Protection
- A10** Light Duty

KleenGuard® A60 Fabric Liquid Chemical Resistance Test

Chemicals	Liquid Penetration Method D
ASTM F903 Test Duration: 60 mins. Saturation Exposure	
Acetone	Pass
Acetonitrile	Pass
Dichloromethane	Pass
Dimethylformamide	Pass
Ethyl Acetate	Pass
n-Hexane	Pass
MEK (99.5)	Pass
Methanol	Pass
Sodium Hydroxide (50%)	Pass
Sulfuric Acid (97%)	Pass
Tetrahydrofuran	Pass
Sodium Hypochlorite (household bleach)	Pass
Isocyanate Hardener (65%)	Pass

RS Hughes Part Price Per Case Size/Description

B. KleenGuard® A60, Coverall, Denim Blue, Zipper Front w/ Storm Flap, Elastic Back/Wrists/Ankles

036000-45002	7.71	EA	24	MD	
036000-45003	7.71	EA	24	LG	
036000-45004	7.71	EA	24	XL	
036000-45005	7.71	EA	24	2XL	
036000-45006	9.25	EA	20	3XL	

036000-45022	8.39	EA	24	MD	
036000-45023	8.39	EA	24	LG	
036000-45024	8.39	EA	24	XL	
036000-45025	8.39	EA	24	2XL	
036000-45026	10.07	EA	20	3XL	With Hood

036000-45092	8.68	EA	24	MD	
036000-45093	8.68	EA	24	LG	
036000-45094	8.68	EA	24	XL	
036000-45095	8.68	EA	24	2XL	
036000-45096	10.41	EA	20	3XL	With Hood & Boots



B

B. KleenGuard® A60, Coverall, Denim Blue, Zipper Front

036000-45232	7.25	EA	24	MD	
036000-45233	7.25	EA	24	LG	
036000-45234	7.25	EA	24	XL	
036000-45235	7.25	EA	24	2XL	
036000-45236	8.71	EA	20	3XL	

C. KleenGuard® A60, Lab Coats, Blue, Snap Front, Chest & Hip Pocket

036000-45512	6.85	EA	25	MD	
036000-45513	6.85	EA	25	LG	
036000-45514	6.85	EA	25	XL	
036000-45518	6.92	EA	25	2XL	

KLEENGUARD® A60 Denim Blue Sleeve Protector

036000-36871	142.00	CA	1	200/CA	
--------------	--------	----	---	--------	--

KLEENGUARD® A60 Hood, Elastic, Face Opening

036000-45343	158.00	CA	1	100/CA	
--------------	--------	----	---	--------	--



C

KLEENGUARD® A60 REFLEX®

Ideal for use when workers may come into contact with blood borne pathogens in:

- Crime lab
- Emergency medical response
- Crime scene cleanup
- Embalming/forensics and animal research

This protective coverall is made from a patented seven-layer fabric. The tough outer layers protect the film barrier from tearing and abrasion. Passes ASTM F1670/F1671 testing for penetration of blood, body fluids and blood borne pathogens. Reflex® Coverall Design offers excellent fit and freedom of movement while the seamless front to provide more protection in the primary exposure area. Three layer fabric construction features: A middle layer of microporous film that allows heat and sweat vapor to escape keeping the worker cool. An outer layer film barrier against tearing and abrasion, taped storm flap, and serged seams. Passes NFPA99 for antistatic materials.

Protective Clothing

Safety Apparel - Disposable

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change

- A80** Chemical Permeation & Jet Liquid Protection
- A70** Chemical Spray Protection
- A65** Flame Resistant Protection
- A60** Bloodborne Pathogen & Chemical Splash Protection
- A45** Liquid & Particle Protection Surface Prep & Paint
- A40** Hazardous Liquid & Particle Protection
- A35** Liquid & Particle Protection
- A30** Breathable Splash & Particle Protection
- A20** Breathable Particle Protection
- A10** Light Duty

KleenGuard® A65 Reflex®

KLEENGUARD® A65 Lab Coats are designed to be worn in areas where exposure to sparks or flame is possible. They can also be used to protect primary fire protection clothing. Hook & loop closures KLEENGUARD* These coats are ideal for use in a laboratory setting.



Do not use for fire protection. Avoid open flame or intense heat. KleenGuard® A65 garments does not provide thermal insulation/protection.



RS Hughes Part Price Per Case Size/Description

A. KLEENGUARD* A65 Flame Resistant Lab Coat

036000-12810	7.31	EA	25	MD	Blue
036000-12811	7.31	EA	25	LG	Blue
036000-12812	7.31	EA	25	XL	Blue
036000-12813	7.66	EA	25	2XL	Blue
036000-12814	8.05	EA	25	3XL	Blue
036000-12815	8.46	EA	25	4XL	Blue
036000-12886	9.29	EA	20	5XL	Blue
036000-12887	10.24	EA	20	6XL	Blue



A. KLEENGUARD* A65 Flame Resistant Coveralls Zipper Front, Open wrists & ankles

036000-45312	7.07	EA	25	MD	Blue
036000-45313	7.07	EA	25	LG	Blue
036000-45314	7.07	EA	25	XL	Blue
036000-45315	7.07	EA	25	2XL	Blue
036000-45316	8.42	EA	21	3XL	Blue
036000-45317	8.42	EA	21	4XL	Blue
036000-32420	9.27	EA	21	5XL	Blue
036000-32417	10.20	EA	21	6XL	Blue



A. KLEENGUARD* A65 Flame Resistant Coveralls Zipper front, Elastic wrists & ankles

036000-45322	7.98	EA	25	MD	Blue
036000-45323	7.98	EA	25	LG	Blue
036000-45324	7.98	EA	25	XL	Blue
036000-45325	7.98	EA	25	2XL	Blue
036000-45326	9.49	EA	21	3XL	Blue
036000-45327	9.49	EA	21	4XL	Blue
036000-23558	10.25	EA	21	5XL	Blue
036000-23559	10.44	EA	21	6XL	Blue



With Hood

036000-45352	8.68	EA	25	MD	Blue
036000-45353	8.68	EA	25	LG	Blue
036000-45354	8.68	EA	25	XL	Blue
036000-45355	8.68	EA	25	2XL	Blue
036000-45356	10.34	EA	21	3XL	Blue
036000-45357	10.34	EA	21	4XL	Blue
036000-30952	11.56	EA	21	5XL	Blue
036000-30951	12.12	EA	21	6XL	Blue



With Hood and Boots

Ideal for use when workers may be exposed to sparks in environments, such as:


- Oil rening
- Utilities
- Welding processes
- Grinding processes

KLEENGUARD® A65 is breathable with a high moisture vapor transmission rate to be worn comfortably over Flame Resistant garments.

- Flame resistant and compliant with **NFPA 701 Flame Propagation Test (1999 edition)**
- Complies with flame resistance requirements cited by paragraph 6.1 of **CAN/CGSB-155.2-2000**
- Passes **NFPA 99** for antistatic materials
- Design meets **ANSI/ISEA 101-1996** sizing standard.



A



B

TARGET USES

- Dry Particulate
- Light Liquid Spray

TARGET INDUSTRIES

- Asbestos Abatement
- Food Processing
- Remediation



West Chester Economy Microporous Coveralls, Zipper Front

Breathable microporous material designed for use in applications with dry particulates and liquid spray.

B.	662909-365002	1.88	EA	25	LG	3650, Collar
B.	662909-365019	1.88	EA	25	XL	3650, Collar
B.	662909-36502	1.88	EA	25	2XL	3650, Collar
B.	662909-365033	1.88	EA	25	3XL	3650, Collar
B.	662909-365040	1.88	EA	25	4XL	3650, Collar
B.	662909-365057	1.88	EA	25	5XL	3650, Collar
C.	662909-365606	2.04	EA	25	LG	3656, Elastic Wrist & Ankles, Hood
C.	662909-365613	2.04	EA	25	XL	3656, Elastic Wrist & Ankles, Hood
C.	662909-365620	2.04	EA	25	2XL	3656, Elastic Wrist & Ankles, Hood
C.	662909-365637	2.04	EA	25	3XL	3656, Elastic Wrist & Ankles, Hood
C.	662909-365644	2.04	EA	25	4XL	3656, Elastic Wrist & Ankles, Hood
C.	662909-365651	2.04	EA	25	5XL	3656, Elastic Wrist & Ankles, Hood
D.	662909-365897	2.41	EA	25	LG	3659, Elstc Wrist/Ankles, Hood, Boot
D.	662909-365903	2.41	EA	25	XL	3659, Elstc Wrist/Ankles, Hood, Boot
D.	662909-365910	2.41	EA	25	2XL	3659, Elstc Wrist/Ankles, Hood, Boot
D.	662909-365927	2.41	EA	25	3XL	3659, Elstc Wrist/Ankles, Hood, Boot
D.	662909-365934	2.41	EA	25	4XL	3659, Elstc Wrist/Ankles, Hood, Boot
D.	662909-365941	2.41	EA	25	5XL	3659, Elstc Wrist/Ankles, Hood, Boot



C

D



The miracles of science™

RS Hughes Part Price Per Case Size/Description

A. Dupont Tyvek® TY120S, TY122S, TY125S, or TY127S Coverall Zip Front

Tyvek® garments are composed of flash spun high density polyethylene which creates a unique, nonwoven material available only from DuPont. Tyvek® provides an ideal balance of protection, durability and comfort of any limited use fabric technology. Tyvek® fabric offers an inherent barrier to particles down to 1 micron in size. Protection is built into the fabric itself; there are no films or laminates to abrade or wear away. Tyvek® fabric's durability advantage over microporous film fabrics delivers consistently better barrier, even after wear and abrasion. Applications include: lead and asbestos abatement/remediation, general maintenance/operations, spray painting, general clean-up.

TY120S MD	4.94	EA	25	MD	
TY120S LG	4.94	EA	25	LG	
TY120S XL	4.94	EA	25	XL	
TY120S 2XL	5.24	EA	25	2XL	
TY120S 3XL	5.55	EA	25	3XL	
TY122S MD	6.07	EA	25	MD	With Hood, Boots, Elastic Wrists
TY122S LG	6.07	EA	25	LG	With Hood, Boots, Elastic Wrists
TY122S XL	6.07	EA	25	XL	With Hood, Boots, Elastic Wrists
TY122S 2XL	6.43	EA	25	2XL	With Hood, Boots, Elastic Wrists
TY122S 3XL	6.82	EA	25	3XL	With Hood, Boots, Elastic Wrists
TY125S MD	5.58	EA	25	MD	With Elastic Wrists & Ankles
TY125S LG	5.58	EA	25	LG	With Elastic Wrists & Ankles
TY125S XL	5.58	EA	25	XL	With Elastic Wrists & Ankles
TY125S 2XL	5.92	EA	25	2XL	With Elastic Wrists & Ankles
TY125S 3XL	6.27	EA	25	3XL	With Elastic Wrists & Ankles
TY127S MD	6.73	EA	25	MD	With Elastic Wrists & Ankles
TY127S LG	6.73	EA	25	LG	With Elastic Wrists & Ankles
TY127S XL	6.73	EA	25	XL	With Elastic Wrists & Ankles
TY127S 2XL	6.92	EA	25	2XL	With Elastic Wrists & Ankles
TY127S 3XL	7.56	EA	25	3XL	With Elastic Wrists & Ankles
TY127S 4XL	8.16	EA	25	4XL	With Elastic Wrists & Ankles

Dupont Tyvek® Dual Coverall

DuPont™ Tyvek® Dual garments combine the protection, durability and comfort of DuPont™ Tyvek® fabric on the front and the comfort, softness and breathability of DuPont™ ProShield® fabric on the back. The DuPont™ Tyvek® Dual garments are suitable for applications where comfort requirements are combined with limited protective requirements for frontal exposures.

B. TD125S MD	5.86	EA	25	MD	With Elastic Wrists & Ankles
B. TD125S LG	5.86	EA	25	LG	With Elastic Wrists & Ankles
B. TD125S XL	5.86	EA	25	XL	With Elastic Wrists & Ankles
B. TD125S 2X	6.21	EA	25	2XL	With Elastic Wrists & Ankles
B. TD125S 3X	6.58	EA	25	3XL	With Elastic Wrists & Ankles
B. TD125S 4X	7.11	EA	25	4XL	With Elastic Wrists & Ankles
C. TD127S MD	6.26	EA	25	MD	With Hood, Elastic Wrists & Ankles
C. TD127S LG	6.26	EA	25	LG	With Hood, Elastic Wrists & Ankles
C. TD127S XL	6.26	EA	25	XL	With Hood, Elastic Wrists & Ankles
C. TD127S 2X	6.64	EA	25	2XL	With Hood, Elastic Wrists & Ankles
C. TD127S 3X	7.04	EA	25	3XL	With Hood, Elastic Wrists & Ankles
C. TD127S 4X	7.60	EA	25	4XL	With Hood, Elastic Wrists & Ankles



TYVEK®

- The best balance of protection, durability and comfort
- Comfort fit design allows for a greater range of motion and fewer blowouts
- Breathable inherent barrier protection against hazardous dry particles, aerosols and non-hazardous light liquid splash
- Excellent abrasion resistance; stops particles down to one micron

RS Hughes Part Price Per Case Size/Description

Dupont Tyvek® Lab Coat, Snap Front

Tyvek® garments are composed of flash spun high density polyethylene which creates a unique, nonwoven material available only from DuPont. Tyvek® provides an ideal balance of protection, durability and comfort of any limited use fabric technology. Tyvek® fabric offers an inherent barrier to particles down to 1 micron in size. Protection is built into the fabric itself; there are no films or laminates to abrade or wear away. Tyvek® fabric's durability advantage over microporous film fabrics delivers consistently better barrier, even after wear and abrasion. Applications include: lead and asbestos abatement/remediation, general maintenance/operations, spray painting, general clean-up.

D. TY210S MD	4.44	EA	30	MD	
D. TY210S LG	4.44	EA	30	LG	
D. TY210S XL	4.44	EA	30	XL	
D. TY210S 2XL	4.67	EA	30	2XL	
D. TY210S 3XL	4.95	EA	30	3XL	
D. TY210S 4X	5.34	EA	30	4XL	
E. TY211S MD	4.90	EA	30	MD	Elastic Wrist
E. TY211S LG	4.90	EA	30	LG	Elastic Wrist
E. TY211S XL	4.90	EA	30	XL	Elastic Wrist
E. TY211S 2XL	5.19	EA	30	2XL	Elastic Wrist
E. TY211S 3XL	5.51	EA	30	3XL	Elastic Wrist
E. TY211S 4X	5.95	EA	30	4XL	Elastic Wrist
F. TY212S MD	4.49	EA	30	MD	2 Pockets
F. TY212S LG	4.49	EA	30	LG	2 Pockets
F. TY212S XL	4.49	EA	30	XL	2 Pockets
F. TY212S 2XL	4.75	EA	30	2XL	2 Pockets
F. TY212S 3XL	5.04	EA	30	3XL	2 Pockets
F. TY212S 4X	5.44	EA	30	4XL	2 Pockets



G. Dupont Tyvek® Pants, Elastic Waist

TY350S MD	3.28	EA	50	MD
TY350S LG	3.28	EA	50	LG
TY350S XL	3.28	EA	50	XL
TY350S 2XL	3.48	EA	50	2XL
TY350S 3XL	3.69	EA	50	3XL
TY350S 4X	3.98	EA	50	4XL

H. Dupont Tyvek® Shoe Cover, 5" Shoe Cover, Self Fabric, 200/CA

TY450S	84.00	CA	1
--------	-------	----	---

H. Dupont Tyvek® FC Shoe Cover, 5" Shoe Cover, Self Fabric 200/CA

5" shoe cover with elastic top, one size fits most. Sole material composed of Tyvek® FC, a special coating to provide added slip-resistance.

FC450SGY	114.00	CA	1
----------	--------	----	---






The miracles of science™



Head to Toe Protection

3M™ Garment Selection Chart



3M™ Protective Clothing Application Chart

(1) Suggested if working with heat or open flames
 (2) For applications conducted in a controlled environment refer to "Cleanroom Applications"
 Acceptable Alternative ○ Suggested ●



Application	4510	4515	4520	4530	4535	4540+	4545	4565
Abatement/Remediation								
Asbestos Abatement and Inspection	○	●	○		○	○	○	
Exposure to Radioactive Particles	○	○	○		○	○	○	●
Lead Abatement (1)	○	●	○	○	○	○	○	
Mold Remediation/Mold Spores	○	○	○	○	○	○	○	
Agriculture								
Animal Waste (solid)		○	○					
Fertilizer Application (Dry/Granular)	○	●	○	○	○	○	○	
Pesticide Application (Dry/Granular)		●	○	○				
Pesticide Application (Liquid)	○				●	●	○	○
Biological/Biohazard								
Blood								●
Bodily Fluids								●
Hazardous Biological Aerosol							●	○
Cleaning and Maintenance								
Dirt (general)		●	○					
General Industrial Clean-up and Processing	○	●	○	○	○	○	○	
Grease (general)	○	○	○	○	○	○	○	
Light-duty Building Cleaning	○	○	○					
Machine or Vehicle Maintenance	○	○	○	●	○	○	○	
Maintenance (Refinery)				●				
Sewage							●	○
General Industry/Manufacturing								
Coal Dust	○	●	○	○	○	○	○	
Electronics/Circuit Board Assembly (2)			●	○				
Fiberglass/Cellulose Insulation Installation	○	●	○	○	○	○	○	
Food Processing	○	○	○		○	○	○	
General Industrial Clean-up and Processing	○	●	○	○	○	○	○	
General Powder Handling	○	○	○	○	○	○	○	
Lime Handling		●	○	○				
Liquid Chemical Handling								○
Liquid Chemical Transfer								○
Warehousing		○	○					
Woodworking		○	○					
Non-Hazardous Operations								
Non-hazardous Aerosols (sprays)	○	●	○	○	○	○	○	
Non-hazardous Liquids	○	●	○	○	○	○	○	
Non-hazardous Solids		○	○					
Painting								
Paint/Coating Spraying	○				●	●	○	
Paint/Coating Spraying (with Isocyanate paints)(3)	○				●	●	○	○
Powder Coating								●
Pharmaceutical/Cleanroom								
Clean Room Applications (ISO Class 1 - 3)								●
Clean Room Applications (ISO Class 4 - 9)	○				○	○	○	●
Pharmaceutical Powder Handling	○				●	●	○	○
Welding/Metalwork								
Metal Grinding				●				
Metal particulate (chromium, beryllium, etc)	○	●	○	○	○	○	○	
Metal Polishing	○	●	○	○	○	○	○	
Welding (worn over appropriate welding garment)				●				



see page 363

The product selection charts (at left) are intended to provide guidance on key features of the 3M product range. The products shown highlight some of the products which may be considered but product suitability will depend on the particular situation and products selection should always be made only by a competent person knowledgeable of the actual working conditions and limitations of the PPE.

RS Hughes Part Price Per Case Size/Description

A. 3M™ 4510 Entry Level Splash and Dust Protection - Laminated Microporous Material, White

Elasticated waist, ankles, and wrists for convenience and freedom of movement, Two-way zipper with storm flap for convenience and to help provide additional protection. Lowlinting properties and anti-static coating on both sides. These key features make this protective coverall a great disposable PPE option. Helps protect against light liquid splashes and hazardous dusts..

051131-49788	4.83	EA	25	MD	Hood, Elastic Wrists and Ankles
051131-49789	4.83	EA	25	LG	Hood, Elastic Wrists and Ankles
051131-49790	4.83	EA	25	XL	Hood, Elastic Wrists and Ankles
051131-49791	4.83	EA	25	2XL	Hood, Elastic Wrists and Ankles
051131-49792	5.08	EA	25	3XL	Hood, Elastic Wrists and Ankles
051131-49793	5.30	EA	25	4XL	Hood, Elastic Wrists and Ankles

B. 3M™ 4530 Breathable Protection with Flame Resistance SMMS Material, Blue

Breathable material (SMMS) to help reduce heat stress, Elasticated waist and ankles for convenience and freedom of movement, Knit cuffs for increased comfort, Three panel hood design for compatibility with complimentary PPE. Two-way zipper with sealable storm flap for convenience and to help provide additional protection. Flame retardant coating offering limited protection against heat and flame. Reinforced gusset. Anti-static coating on both sides. Protect against dusts and light liquid splashes.

051131-49800	6.44	EA	25	MD	Hood, Elastic Wrists and Ankles
051131-49801	6.44	EA	25	LG	Hood, Elastic Wrists and Ankles
051131-49802	6.44	EA	25	XL	Hood, Elastic Wrists and Ankles
051131-49803	6.44	EA	25	2XL	Hood, Elastic Wrists and Ankles
051131-49804	6.78	EA	25	3XL	Hood, Elastic Wrists and Ankles
051131-49805	7.12	EA	25	4XL	Hood, Elastic Wrists and Ankles

C. 3M™ 4535 Disposable Protective Coverall Safety Work Wear

Disposable safety work wear made of a high quality laminated material with a large breathable back panel for improved air circulation. It helps provide barrier protection against light liquid splashes and hazardous dusts.

046719-46822	5.47	EA	20	LG	Hood, Elastic Wrists and Ankles
046719-46824	5.47	EA	20	XL	Hood, Elastic Wrists and Ankles
046719-46826	5.47	EA	20	2XL	Hood, Elastic Wrists and Ankles
051141-55879	6.04	EA	20	3XL	Hood, Elastic Wrists and Ankles

D. 3M™ 4540+ Enhanced Performance With Comfort Built In - Laminated Microporous Material, White/Blue

Breathable back panel for improved air circulation and reduced heat stress. Elasticated waist and ankles for convenience and freedom of movement. Knit cuffs for increased comfort. Three panel hood design for compatibility with complimentary PPE. Two-way zipper with sealable storm flap for convenience and to help provide additional protection. Low-linting properties and anti-static coating on both sides. Reinforced gusset. Helps protect against light liquid splashes and hazardous dusts.

051131-49806	6.11	EA	25	MD	Hood, Elastic Wrists and Ankles
051131-49807	6.11	EA	25	LG	Hood, Elastic Wrists and Ankles
051131-49808	6.11	EA	25	XL	Hood, Elastic Wrists and Ankles
051131-49809	6.11	EA	25	2XL	Hood, Elastic Wrists and Ankles
051131-49810	6.43	EA	25	3XL	Hood, Elastic Wrists and Ankles
051131-49811	6.74	EA	25	4XL	Hood, Elastic Wrists and Ankles



Thermographic Images
Person active for 15 minutes

3M™ Protective Coverall 4540+ without breathable panel

3M™ Protective Coverall 4540+ with breathable panel

Microporous Laminate

Internal layer of non-woven fabric

Advanced film outer layer





A



The miracles of science™




B



Taped Seams



B



RS Hughes Part Price Per Case Size/Description

A. Dupont Tychem® QC Coverall - Serge Seams

Tychem® QC is polyethylene coated Tyvek fabric. Provide light liquid splash protection. Tychem® QC is yellow for high visibility. Serge seams produced with multiple threads interlocked around the raw edges of two pieces of material for a strong, stress-resistant seam.

QC127S SM	9.53	EA	12	SM	With Hood, Elastic Wrists & Ankles
QC127S MD	9.82	EA	12	MD	With Hood, Elastic Wrists & Ankles
QC127S LG	9.82	EA	12	LG	With Hood, Elastic Wrists & Ankles
QC127S XL	9.82	EA	12	2XL	With Hood, Elastic Wrists & Ankles
QC127S 2XL	10.10	EA	12	3XL	With Hood, Elastic Wrists & Ankles

B. 3M™ 4565 Disposable Chemical Protective Coverall Safety Work Wear, White/Red

The 3M chemical protective coverall 4565 key features include: Taped seams to help provide additional protection. Elasticated waist and ankles for convenience and freedom of movement. Knit cuffs for increased comfort. Three panel hood design for compatibility with complimentary PPE. Two-way zipper with sealable storm flap for convenience and to help provide additional protection. Low-linting properties and anti-static coating on both sides. Helps protect against certain biohazards. These key features make this chemical protective coverall a great disposable PPE option. The 3M protective coverall 4565 helps protect against hazardous dusts and light liquid chemical splashes and low pressure sprays. Typical applications may include: paint spraying, industrial and pharmaceutical manufacturing, asbestos inspection and handling, pesticide spraying, and healthcare.

051131-49812	9.43	EA	25	MD	Hood, Elastic Wrists and Ankles
051131-49813	9.43	EA	25	LG	Hood, Elastic Wrists and Ankles
051131-49814	9.43	EA	25	XL	Hood, Elastic Wrists and Ankles
051131-49815	9.43	EA	25	2XL	Hood, Elastic Wrists and Ankles
051131-49816	9.93	EA	25	3XL	Hood, Elastic Wrists and Ankles
051131-49817	10.47	EA	25	4XL	Hood, Elastic Wrists and Ankles

KleenGuard® A70 Reflex®

KLEENGUARD® A70 REFLEX®

Ideal for use when workers may come into contact with hazardous chemicals, as in: Hazardous waste remediation, Environmental cleanup, Petrochemical/oil refining, Acid/caustic handling, Biohazard cleanup, Tank cleaning, or Pharmaceutical manufacturing.

KleenGuard® A70 is 1.5 mil polyethylene-coated fabric resistant to many water-based liquids, greases and oils, and liquid chemical splashes. Protection with exceptional comfort is why 75% of industrial workers preferred KleenGuard® A70 over the leading brand for fit and productivity. Wick-away lining for enhanced comfort, liquid-resistant, extra-long zipper, taped, sealable zipper flap, and bound seams. REFLEX® Coverall Design offers excellent fit and freedom of movement while seamless front for more protection in the primary exposure area. Passes NFPA99 for anti-static materials.

- A80** Chemical Permeation & Jet Liquid Protection
- A70** Chemical Spray Protection
- A65** Flame Resistant Protection
- A60** Bloodborne Pathogen & Chemical Splash Protection
- A45** Liquid & Particle Protection Surface Prep & Paint
- A40** Hazardous Liquid & Particle Protection
- A35** Liquid & Particle Protection
- A30** Breathable Splash & Particle Protection
- A20** Breathable Particle Protection
- A10** Light Duty

KleenGuard® A70 Apparel Fabric Liquid Chemical Resistance Test

Chemicals ASTM F1001	Liquid Penetration ASTM F903		Vapor Permeation ASTM F739	
	Test Duration: 60 mins. Saturation Exposure		Normalized Breakthrough (min.)	Rate (µg/cm ² /min)
Acetone	Pass		Immediate	7.9
Acetonitrile	Pass	▲	Immediate	8.97
Carbon Disulfide	Pass	▲	Immediate	76.3
Dichloromethane	Pass	▲	Immediate	85.1
Diethylamine	Pass	▲	Immediate	High
n,n-Dimethylformamide	Pass		Immediate	2.54
Ethyl Acetate	Pass		Immediate	40.3
n-Hexane	Pass	▲	Immediate	High
Methanol	Pass	▲	Immediate	1.71
Nitrobenzene	Pass		Immediate	97.4
Sodium Hydroxide (50%)	Pass		>480	Not detected
Sulfuric Acid (98%)	Pass		>480	Not detected
Tetrachloroethylene	Pass	▲	Immediate	High
Tetrahydrofuran	Pass		Immediate	32.8
Toluene	Pass	▲	Immediate	High

▲ WARNING: Fabric passes penetration testing; however, the chemical is a known or suspected carcinogen or skin absorbed toxin.



RS Hughes Part Price Per Case Size/Description

C. KleenGuard® A70 Chemical Spray Protection Coverall, Zipper Front, Storm Flap, Elastic Wrists, Ankles and Hood

036000-09812	10.83	EA	12	MD
036000-09813	10.83	EA	12	LG
036000-09814	10.83	EA	12	XL
036000-09815	11.46	EA	12	2XL
036000-09816	12.17	EA	12	3XL
036000-09818	12.90	EA	12	5XL



Head to Toe Protection

- A80** Chemical Permeation & Jet Liquid Protection
- A70** Chemical Spray Protection
- A65** Flame Resistant Protection
- A60** Bloodborne Pathogen & Chemical Splash Protection
- A45** Liquid & Particle Protection Surface Prep & Paint
- A40** Hazardous Liquid & Particle Protection
- A35** Liquid & Particle Protection
- A30** Breathable Splash & Particle Protection
- A20** Breathable Particle Protection
- A10** Light Duty

KleenGuard® A80 Reflex®

KleenGuard® A80 REFLEX® Ideal for use when workers may come into contact with hazardous chemicals vapors such as: Chemical handling/mixing/cleanup, Hazardous material handling, Hazardous waste cleanup, Industrial Hazmat teams, Petrochemicals, or Utilities. KleenGuard® A80 is made of Saranex® 23-P Film laminated to a durable fabric which provides a soft cloth-like feel against the skin. Saranex® 23-P Film laminated, taped sealable zipper flap, liquid-resistant, extra-long zipper, taped seams. REFLEX® Coverall Design offers excellent fit and freedom of movement while seamless front provides more protection in the primary exposure area. Respirator fit hood design for compatibility with complementary PPE.



KleenGuard® A80 Apparel Fabric Liquid & Gas Chemical Resistance Test

Chemicals ASTM F1001	Liquid Penetration ASTM F903	Vapor Permeation ASTM F739	
		Test Duration: 60 mins. Saturation Exposure	Normalized Breakthrough (min.)
Acetone	Pass	23	0.92
Acetonitrile	Pass	72.5	0.32
Ammonia	NA (gas)	>480	Not detected
1,3 Butadiene	Pass	>480	Not detected
Carbon Disulfide	Pass	Immediate	70.6
Chlorine	NA (gas)	>480	Not detected
Dichloromethane	Pass	Immediate	High
Diethylamine	Pass	17	92.6
n,n-Dimethylformamide	Pass	127.5	1.33
Ethyl Acetate	Pass	10	5.6
Ethylene Oxide	Pass	14.5	18.5
n-Hexane	Pass	>480	Not detected
Hydrochloric Acid (99%)	Pass	>480	Not detected
Methanol	Pass	>480	Not detected
Methyl Chloride	Pass	>480	Not detected
Nitrobenzene	Pass	89	6.96
Sodium Hydroxide (50%)	Pass	>480	Not detected
Sulfuric Acid (98%)	Pass	>480	Not detected
Tetrachloroethylene	Pass	10.5	17.4
Tetrahydrofuran	Pass	Immediate	289
Toluene	Pass	2.5	369.5

WARNING: Fabric passes penetration testing; however, the chemical is a known or suspected carcinogen or skin absorbed toxin.

KLEENGUARD® A80 Apparel Fabric Properties			
Physical Properties	Test Method	Results	
Tensile Strength	(MD)	ASTM D5034	64.4 lbs
	(CD)		52.8 lbs
Trapezoidal Tear	(MD)	INDA IST 100.2	20.8 lbs
	(CD)		14.0 lbs
Hydrohead	AATCC 127-1998	703 cm	
Flammability	CPSC 1610	Class 1	
Blood Penetration	ASTM F1670	Pass	
Bloodborne Pathogens	ASTM F1671†	Pass	

† Standard Test Method for Resistance of Materials Used in Protective Clothing to Penetration by Bloodborne Pathogens Using Phi-X174 Bacteriophage Penetration as a Test System.

RS Hughes Part Price Per Case Size/Description

A. Kleen Guard A80 Chemical Permeation and Jet Liquid Coverall, White, Zipper Front, Storm Flap, Elastic Wrists, Ankles and Respirator-Fit Hood, Taped Seams

036000-45643	29.54	EA	12	LG
036000-45644	29.54	EA	12	XL
036000-45645	31.24	EA	12	2XL
036000-45646	33.19	EA	10	3XL
036000-45647	35.86	EA	10	4XL



036000-45663	40.03	EA	12	LG
036000-45664	40.03	EA	12	XL
036000-45665	42.39	EA	12	2XL
036000-45666	44.80	EA	10	3XL
036000-45667	48.51	EA	10	4XL



With Boots

Ansell

Occupational Healthcare

Reusable Clothing - Aprons

RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

B. Ansell CPP Vinyl Apron, 56-003, 8Mil, Sewn Edge, Clear

Highest-quality virgin vinyl in 8 mil thicknesses. Superior resistance to chemicals, fats, oils, greases, punctures and abrasions. Premium sewn edge styles. 3 Piece Ties.

076490-50017	34.60	DZ	6	35" X 45" Blue
--------------	-------	----	---	----------------



B. Ansell CPP Vinyl Apron, 56-009, 6Mil, Raw Edge, Blue

Highest-quality virgin vinyl in 6 mil thicknesses. Superior resistance to chemicals, fats, oils, greases, punctures and abrasions. Raw edge style. 3 Piece Ties.

076490-50054	16.60	DZ	6	35" X 45" Blue
076490-50055	17.00	DZ	6	35" X 48" Clear

C. Ansell CPP Vinyl Apron, 56-017, 4Mil, Die Cut, Clear

Highest-quality virgin vinyl in 4 mil thickness. Superior resistance to chemicals, fats, oils, greases, punctures and abrasions.

076490-50097	12.20	DZ	6	27" X 36" Clear
--------------	-------	----	---	-----------------

D. Ansell Classic Apron 54-431, 8Mil, Blue

Vinyl thicknesses of 8 mil resistance to abrasions and punctures. Excellent resistance to oils, fats and chemicals. PVC grommets are permanently sealed to the aprons for durability. Nylon neck and waist ties are extra-long and pre-attached for immediate use.

076490-72310	58.80	DZ	6	33" X 44"
--------------	-------	----	---	-----------

E. PIP 200-20001 Vinyl Heavy Duty Apron, 20Mil

Superior Flexibility. Excellent resistance to punctures and abrasion. Excellent resistance to chemicals, fats, oils and grease. Great for food handling and preparation, industrial maintenance and chemical processing.

616314-20223	5.57	EA	12	35" X 45"
--------------	------	----	----	-----------



F. PIP 200-12501 Neoprene Apron, 18-20Mil

Ideal for chemical plants, plating facilities and general maintenance. Provides protection against a wide range of chemicals. Rust proof grommets, reinforced bib, and hemmed overedge.

616314-23255	19.08	EA	12	Black 33" X 44"
--------------	-------	----	----	-----------------

G. West Chester UPW-48 Vinyl Apron

8 mil 35x48" Sewn Edge Apron - White

662909-801692	18.53	DZ	6	
---------------	-------	----	---	--



H. West Chester UUB-45 Vinyl Apron

6 mil 35x45" Raw Edge Apron - Blue

662909-801586	12.71	DZ	6	
---------------	-------	----	---	--



B

C

D



E



F



G



H



Head to Toe Protection

Protective Clothing

Reusable Clothing - Aprons & Sleeves

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change



A



B

RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

A. Ansell CPP Denim Shop Apron, 57-005/57-006, 14oz, 28" x 36"

High quality, heavy-duty, 14-ounce pre-shrunk denim. All cotton shop aprons feature coolness, comfort and launderability. A variety of pocket configurations and ties are available.



076490-50327	64.56	DZ	6	Bib Pocket & 2 Side Pockets
076490-50328	61.40	DZ	6	Bib Swing Pocket & 1 Side Pocket

B. PIP 200-011 Denim Apron, One Pocket

100% cotton construction and comfort at affordable prices. Serged seams and pre-shrunk for good launderability. Available in a variety of pocket configurations. Metal grommets to hold neck strap and waist ties. Ideal for industrial maintenance, construction, manufacturing and carpentry.



616314-19401	6.85	EA	72	28" X 38"
--------------	------	----	----	-----------

C. NSA Cut Protection - Body Protection Apron

Kevlar® twill bib apron. Full bib apron with leather straps.

A02KV241361	46.68	EA	1	24" X 36"
-------------	-------	----	---	-----------

D. NSA Cut Protection - Shoulder Cap Sleeves

Kevlar® twill shoulder cap sleeve. This sleeve is elevated for additional cut and abrasion resistance. In addition, the eyelets provide comfort due to increased air flow. This item features a snap wrist closure and two 9-inch alligator clips to hold the sleeves together.

S30KV251	100.85	EA	1	25"
S30KV271	104.31	EA	1	27"
S30KV291	104.31	EA	1	29"
S30KV311	109.49	EA	1	31"

Ansell CPP Sleeves 18"

Economically priced per arm protection for practically every application. The industry's most complete line of protective sleeve materials and styles. Excellent protection against chemicals, snags, punctures and abrasions.

E. 076490-52082	15.00	DZ	12	Blue 8Mil 59-001
E. 076490-52083	15.00	DZ	12	Clear 8Mil 59-001
F. 076490-52084	11.20	DZ	12	Clear 4Mil 59-002
F. 076490-52085	11.20	DZ	12	Blue 4Mil 59-002



West Chester UVB-8HS Vinyl Sleeve

High quality virgin vinyl sleeve provides excellent resistance to acids, alkalis, solvents, chemicals, oils, fats, grease and salt. 8 mil 18" Sleeve.

G. 662909-865304	8.82	DZ	12	UVB-8HS Blue
H. 662909-865656	8.82	DZ	12	UVC-8HS Clear



I. NSA Cut Protection - Wristlets

Standard wristlet no thumbhole. Two-ply black poly mesh wristlet. Standard black nylon mesh offers good cut protection at a great value.

S01MC9ISM	11.36	EA	1	9" SM
S01MC9IMD	11.36	EA	1	9" MD
S01MC9ILG	11.36	EA	1	9" LG
S01MC9IXL	11.36	EA	1	9" XL



C



D



E

F

G

H

I





J

K

L

RS Hughes Part Price Per Case Size/Description

J. OnGuard 78017 Tuftex 3-Piece Suit

Lightweight but very tear resistant, complies with ASTM D6413 for flame resistance. Heavy duty adjustable suspender, adjustable waist snaps for the perfect fit, ankle and cuff take-up snaps for a snug/tapered fit. Jacket with storm flap front, two front snap pockets on jackets, a cape back jacket with vents, and underarm vents to keep you cool.

791079-12154	20.29	EA	10	SM	Yellow
791079-12155	20.29	EA	10	MD	Yellow
791079-12156	20.29	EA	10	LG	Yellow
791079-12157	20.29	EA	10	XL	Yellow
791079-12158	20.29	EA	10	2XL	Yellow
791079-12159	21.36	EA	10	3XL	Yellow
78017 TUFTEX 4XL	22.55	EA	10	4XL	Yellow



K. OnGuard 76017 Webtex 3-Piece Suit

Heavy duty ribbed PVC on non-woven polyester material designed for use in warm or cool climates. Reinforced crotch area to prevent splitting, heavy duty adjustable suspender, adjustable waist snaps for the perfect fit. Ankle and cuff take-up snaps for a snug/tapered fit, jacket with storm flap front, two front snap pockets, and underarm vents to keep you cool.

791079-12376	28.33	EA	10	SM	Yellow
791079-12377	28.33	EA	10	MD	Yellow
791079-12378	28.33	EA	10	LG	Yellow
791079-12379	28.33	EA	10	XL	Yellow
791079-12380	28.33	EA	10	2XL	Yellow
791079-12381	29.82	EA	10	3XL	Yellow



L. Chemtex by OnGuard 71022 Coverall w/ Attached Hood, Inner Cuffs & Zipper Closure - Green

Level C protective clothing for protection from a variety of chemical applications. Heavy duty PVC on high count nylon polyester - 0.42mm thickness. Complies with ASTM D6413 for flame resistance. Reinforced knees, elbows, and crotch area to prevent splitting. Heavy duty elastic adjustable suspender with deluxe suspender clip. Adjustable waist snaps for the perfect fit. Jacket with storm flap front. Heavy duty zipper. Cord locks on hood strings. Ankle and cuff take-up snaps for a snug/tapered fit. Clear I.D. badge pocket on chest.

791079-12243	48.78	EA	10	SM
791079-12244	48.78	EA	10	MD
791079-12245	48.78	EA	10	LG
791079-12246	48.78	EA	10	XL
791079-12247	48.78	EA	10	2XL
791079-12248	51.34	EA	10	3XL

Protective Clothing

Rain Gear, Bomber Jackets

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change



RS Hughes Part Price Per Case Size/Description

A. PIP 201-370 PVC 3 Piece Rainsuit 35mm

3-Piece Rainsuit, Yellow 35mm Thick PVC coated over Polyester, Jacket, Detachable Hood, Bib Overall.

616314-20988	9.81	EA	20	SM
616314-20971	9.81	EA	20	MD
616314-20964	9.81	EA	20	LG
616314-20995	9.81	EA	20	XL
616314-21008	9.81	EA	20	2XL
616314-21015	9.81	EA	20	3XL
616314-21022	10.02	EA	10	4XL
616314-21038	10.02	EA	10	5XL



B. PIP 353-1000LY ANSI Class 3 Two-Piece Value Rainsuit Set

Ideal for rainy conditions in construction, municipalities, shipyards, and anywhere hi-visibility apparel is necessary. Lightweight polyester with waterproof PU coating and taped seams, zipper closure with storm flap, elastic waist pant with snap adjustable cuff, concealable hood for extra protection.

616314-00048	42.50	EA	50	SM-MD	Hi-Vis Lime
616314-00017	42.50	EA	50	LG-XL	Hi-Vis Lime
616314-00024	42.50	EA	50	2X-3XL	Hi-Vis Lime
616314-00031	42.50	EA	50	4X-5XL	Hi-Vis Lime

C. Occunomix Premium 4-Way Black Bottom Bomber Jacket

Includes all of the great features of our original bomber jacket, Class 3, 2" 3M™ Scotchlite™ Reflective Material, 100% ANSI Polyester with PU coating - breathable, Waterproof with sealed seams, Removable 100% black polyester fleece liner, Can be worn 4 ways, Removable outer jacket sleeves, Black collar, cuffs and waistband, Roll-up and removable hood, Waterproof construction, Pockets: 2 outer, 1 inner, 1 radio, Zipper and snap closure, ASTM F 2732 Temperature Rating: 2.5° - 21°F.

021844-57160	85.50	EA	12	MD	Yellow	LUX-TJBJ-B
021844-57161	85.50	EA	12	LG	Yellow	LUX-TJBJ-B
021844-57162	85.50	EA	12	XL	Yellow	LUX-TJBJ-B
021844-57163	85.50	EA	12	2XL	Yellow	LUX-TJBJ-B
021844-57164	85.50	EA	12	3XL	Yellow	LUX-TJBJ-B
021844-57165	85.50	EA	12	4XL	Yellow	LUX-TJBJ-B
021844-57166	85.50	EA	12	5XL	Yellow	LUX-TJBJ-B
021844-57167	85.50	EA	12	6XL	Yellow	LUX-TJBJ-B

D. Occunomix Value Bomber Jacket

Class 3, 2" Silver reflective tape, 100% ANSI Polyester with PU coating - water resistant with sealed seams, Fleece lining, Black collar, cuffs and waistband, Roll-away hood, Pockets: 1 left chest radio, 2 lower front, 1 inner left chest, Zipper closure, ASTM F 2732 Temperature Rating: 5° - 27.5°F.

021844-60000	45.90	EA	1	MD	Yellow	LUX-ETJBJ
021844-60001	45.90	EA	1	LG	Yellow	LUX-ETJBJ
021844-60002	45.90	EA	1	XL	Yellow	LUX-ETJBJ
021844-60003	45.90	EA	1	2XL	Yellow	LUX-ETJBJ
021844-60004	45.90	EA	1	3XL	Yellow	LUX-ETJBJ
021844-60005	45.90	EA	1	4XL	Yellow	LUX-ETJBJ
021844-60006	45.90	EA	1	5XL	Yellow	LUX-ETJBJ





E

RS Hughes Part Price Per Case Size/Description

E. PIP 353-2000-LY ANSI Class 3 Heavy Duty Waterproof Breathable Jacket



Ideal for construction, municipalities, shipyards, and anywhere hi-visibility apparel is necessary. Visibility by day and night is an important aspect for workers who are exposed to dangers during their daily work. 3M™ Scotchlite™ Reflective Material is used in many different occupational fields to improve visibility and safety in low-light situations and at night. The superior quality and performance of 3M™ Scotchlite™ Reflective Materials ensure lasting functionality for many years, even under harsh conditions. Fully adjustable hood accommodates hard hats. Waterproof breathable heavy duty 300 D 100% polyester outer shell. 4 pockets including clear ID holder, 2 mic tabs, adjustable cuffs.

616314-00154	73.62	EA	10	MD	Lime-Yellow
616314-00147	73.62	EA	10	LG	Lime-Yellow
616314-00161	73.62	EA	10	XL	Lime-Yellow
616314-00178	73.62	EA	10	2XL	Lime-Yellow
616314-00185	73.62	EA	10	3XL	Lime-Yellow
616314-00192	73.62	EA	10	4XL	Lime-Yellow
616314-00208	73.62	EA	10	5XL	Lime-Yellow

F. PIP 333-1766 ANSI Class 3 Value Bomber Jacket

Ideal for roadway construction workers, survey crews, utility workers, railway and metro workers, and emergency response personnel. Durable waterproof polyester outer shell with taped seams, black trim helps conceal dirt, removable black fleece liner, black knit waist band and cuff, 2" silver reflective tape, adjustable hideaway hood, black collar, 2 mic tabs, 5 pockets with radio and pen pockets.

616314-11889	53.64	EA	5	MD	Hi-Vis Lime/Black
616314-11888	53.64	EA	5	LG	Hi-Vis Lime/Black
616314-11890	53.64	EA	5	XL	Hi-Vis Lime/Black
616314-11891	53.64	EA	5	2XL	Hi-Vis Lime/Black
616314-11892	53.64	EA	5	3XL	Hi-Vis Lime/Black
616314-11893	53.64	EA	5	4XL	Hi-Vis Lime/Black



F

G. PIP 333-1770 ANSI Class 3 Rip Stop Premium Plus Bomber Jacket

Ideal for roadway construction workers, survey crews, utility workers, railway and metro workers, and emergency response personnel. Class 3 apparel is intended for workers requiring the highest level of visibility, have high task loads and need to be visible throughout a full range of body motions. Rip Stop polyester 300 D. coated waterproof outer shell with taped seams. Adjustable hideaway hood, removable black 280g fleece liner, inner liner pockets, ID pocket and radio/cell pocket.

616314-18586	79.22	EA	10	MD	Yellow/Black
616314-18579	79.22	EA	10	LG	Yellow/Black
616314-18593	79.22	EA	10	XL	Yellow/Black
616314-18609	79.22	EA	10	2XL	Yellow/Black
616314-18616	79.22	EA	10	3XL	Yellow/Black
616314-18623	79.22	EA	10	4XL	Yellow/Black
616314-18630	79.22	EA	10	5XL	Yellow/Black



G



Head to Toe Protection

ANSI Class Visibility Levels



WHAT IS CLASS 3?

Class 3 apparel is intended for workers requiring the highest level of visibility, have high task loads and need to be visible throughout a full range of body motions.

REQUIRED FOR WORKERS WHO:

- >> Have high task loads that often divert their attention
- >> Are exposed to significantly reduced sight-distances
- >> Are clearly placed in danger
- >> Must be conspicuous through a full range of body motions at a minimum of 1280 feet and must be identifiable as a person



WHAT IS CLASS 2?

Class 2 apparel is necessary for workers exposed to traffic traveling over 25 mph and who work against complex backgrounds.

REQUIRED FOR WORKERS WHO ARE:

- >> Performing tasks that divert their attention from approaching traffic which is traveling more than 25 mph
- >> Working in close proximity to traffic



WHAT IS NON-ANSI?

Non-ANSI garments are color enhanced and offer an additional level of safety for low risk activities, but do not meet ANSI standards.

USEFUL FOR WORKERS WHO NEED:

- >> A base layer under ANSI certified workwear
- >> An added level of visibility
- >> A uniforming option
- >> A change of clothing for lunch periods on jobsite



PROTECTIVE INDUSTRIAL PRODUCTS



RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

A. PIP 318-1757 ANSI/ISEA 107 Class E Value Pant

Ideal for construction, municipalities, shipyards, and anywhere hi-visibility apparel is necessary. Waterproof polyester with taped seams, 2" silver reflective tape, 2 side access pockets with storm flap, adjustable 2 position snap cuff with large leg opening, black trim to help hide dirt, elastic waist for comfort fit.

616314-56338	19.24	EA	50	SM	Hi-Vis Lime/Black
616314-56321	19.24	EA	50	MD	Hi-Vis Lime/Black
616314-56314	19.24	EA	50	LG	Hi-Vis Lime/Black
616314-56741	19.24	EA	50	XL	Hi-Vis Lime/Black
616314-55805	19.24	EA	50	2XL	Hi-Vis Lime/Black
616314-55812	19.24	EA	50	3XL	Hi-Vis Lime/Black
616314-56079	19.24	EA	50	4XL	Hi-Vis Lime/Black
616314-56109	19.24	EA	50	5XL	Hi-Vis Lime/Black

B. PIP 353-2001LY ANSI Class 3 Heavy Duty Waterproof Breathable Bib

Ideal for construction, municipalities, shipyards, and anywhere hi-visibility apparel is necessary. Visibility by day and night is an important aspect for workers who are exposed to dangers during their daily work. 3M™ Scotchlite™ Reflective Material is used in many different occupational fields to improve visibility and safety in low-light situations and at night. The superior quality and performance of 3M™ Scotchlite™ Reflective Materials ensure lasting functionality for many years, even under harsh conditions. Waterproof breathable heavy duty 300 D 100% polyester shell. High-backed design, front fly opening with snap, front chest security pocket, adjustable cuffs.

616314-00222	42.50	EA	10	MD	Lime-Yellow
616314-00215	42.50	EA	10	LG	Lime-Yellow
616314-00239	42.50	EA	10	XL	Lime-Yellow
616314-00246	42.50	EA	10	2XL	Lime-Yellow
616314-00253	42.50	EA	10	3XL	Lime-Yellow
616314-00260	42.50	EA	10	4XL	Lime-Yellow
616314-00277	42.50	EA	10	5XL	Lime-Yellow



PROTECTIVE INDUSTRIAL PRODUCTS



C

Customize Your T-Shirts with Your Logo



D

RS Hughes Part Price Per Case Size/Description

Ergodyne 8289 C2 Short Sleeve Polyester Econo T-Shirt

Class 2 Economy T-Shirt: Value price apparel with lightweight birds' eye knit and wicking treatment. ANSI-certified polyester knit (3.3 oz.). Pocket: One exterior

C. 720476-21502	13.25	EA	6	SM	Lime
C. 720476-21503	13.25	EA	6	MD	Lime
C. 720476-21504	13.25	EA	6	LG	Lime
C. 720476-21505	13.25	EA	6	XL	Lime
C. 720476-21506	13.25	EA	6	2XL	Lime
C. 720476-21507	13.25	EA	6	3XL	Lime
C. 720476-21508	13.25	EA	6	4XL	Lime
C. 720476-21509	13.25	EA	6	5XL	Lime
D. 720476-21512	13.25	EA	6	SM	Orange
D. 720476-21513	13.25	EA	6	MD	Orange
D. 720476-21514	13.25	EA	6	LG	Orange
D. 720476-21515	13.25	EA	6	XL	Orange
D. 720476-21516	13.25	EA	6	2XL	Orange
D. 720476-21517	13.25	EA	6	3XL	Orange
D. 720476-21518	13.25	EA	6	4XL	Orange
D. 720476-21519	13.25	EA	6	5XL	Orange

E. Occunomix Classic Wicking Birdseye T-Shirt

Class 2, 2" Silver reflective tape, 100% ANSI Wicking Birdseye, 3.8 oz. fabric weight, Lightweight fabric provides comfort, Pocket: 1 left chest.

021844-60551	12.90	EA	1	SM	Yellow	LUX-SSETP2B
021844-60550	12.90	EA	1	MD	Yellow	LUX-SSETP2B
021844-60549	12.90	EA	1	LG	Yellow	LUX-SSETP2B
021844-60552	12.90	EA	1	XL	Yellow	LUX-SSETP2B
021844-60545	12.90	EA	1	2XL	Yellow	LUX-SSETP2B
021844-60546	12.90	EA	1	3XL	Yellow	LUX-SSETP2B
021844-60547	12.90	EA	1	4XL	Yellow	LUX-SSETP2B
021844-60548	12.90	EA	1	5XL	Yellow	LUX-SSETP2B
021844-60735	12.90	EA	1	SM	Orange	LUX-SSETP2B
021844-60734	12.90	EA	1	MD	Orange	LUX-SSETP2B
021844-60733	12.90	EA	1	LG	Orange	LUX-SSETP2B
021844-60736	12.90	EA	1	XL	Orange	LUX-SSETP2B
021844-60729	12.90	EA	1	2XL	Orange	LUX-SSETP2B
021844-60730	12.90	EA	1	3XL	Orange	LUX-SSETP2B
021844-60731	12.90	EA	1	4XL	Orange	LUX-SSETP2B
021844-60732	12.90	EA	1	5XL	Orange	LUX-SSETP2B



E



We can customize your clothing. Here's how the process works:

- You email your artwork and request. (Please provide garment style, image placement & quantity*)
- We send you a proof for approval with a quote.
- You Fax/email the signed proof with your purchase order.
- We prepare your garments and ship them off to you.

**Minimum order requirements apply, please call for details.*



Head to Toe Protection



A



B



C



D



E



F



RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

Ergodyne 8205HL C2 Mesh Econo Vest w/Hook & Loop

Class 2 Super Econo Vest: Mesh fabric, Hook & loop closure, no pockets. A super value! ANSI-certified polyester mesh (3.3 oz.). 2" Level 2 ANSI-certified tape.

A. 720476-20963	6.08	EA	6	SM/MD	Orange
A. 720476-20965	6.08	EA	6	LG/XL	Orange
A. 720476-20967	6.08	EA	6	2XL/3XL	Orange
A. 720476-20969	6.08	EA	6	4XL/5XL	Orange
B. 720476-20973	6.08	EA	6	SM/MD	Lime
B. 720476-20975	6.08	EA	6	LG/XL	Lime
B. 720476-20977	6.08	EA	6	2XL/3XL	Lime
B. 720476-20979	6.08	EA	6	4XL/5XL	Lime



Ergodyne 8249Z C2 Mesh Econo Surveyors Vest w/Zipper

Class 2 Economy Surveyors Vest: Poly solid front (3.6 oz.), Mesh back (3.3 oz.), Zipper closure. Pockets: Two inside, two outside.

C. 720476-24013	9.92	EA	6	SM/MD	Orange
C. 720476-24015	9.92	EA	6	LG/XL	Orange
C. 720476-24017	9.92	EA	6	2XL/3XL	Orange
C. 720476-24019	9.92	EA	6	4XL/5XL	Orange
D. 720476-24023	9.92	EA	6	SM/MD	Lime
D. 720476-24025	9.92	EA	6	LG/XL	Lime
D. 720476-24027	9.92	EA	6	2XL/3XL	Lime
D. 720476-24029	9.92	EA	6	4XL/5XL	Lime

E. Occunomix Classic Mesh Standard Vest

Class 2, 2" Silver reflective tape, 100% ANSI Polyester Mesh, Pockets: 1 inner left chest w/ hook & loop closure, Hook & loop closure.

021844-55582	14.50	EA	50	SM/MD	Yellow	LUX-SSGC
021844-55583	14.50	EA	50	LG/XL	Yellow	LUX-SSGC
021844-55584	14.50	EA	50	2XL/3XL	Yellow	LUX-SSGC
021844-55585	14.50	EA	50	4XL/5XL	Yellow	LUX-SSGC

F. Occunomix Value Mesh Standard Vest

Class 2, 2" Silver reflective tape, 100% ANSI Polyester Mesh, Dual sized, Pockets: 1 inside left chest w/ hook & loop closure, Hook & loop closure.

021844-57771	6.70	EA	50	SM/MD	Orange	ECO-GC
021844-57772	6.70	EA	50	LG/XL	Orange	ECO-GC
021844-57773	6.70	EA	50	2XL/3XL	Orange	ECO-GC
021844-57774	6.70	EA	50	4XL/5XL	Orange	ECO-GC
021844-57775	6.70	EA	50	SM/MD	Yellow	ECO-GC
021844-57776	6.70	EA	50	LG/XL	Yellow	ECO-GC
021844-57777	6.70	EA	50	2XL/3XL	Yellow	ECO-GC
021844-57778	6.70	EA	50	4XL/5XL	Yellow	ECO-GC



RS Hughes Part Price Per Case Size/Description

G. Global Glove GLO-059 Surveyors Safety Vest

FrogWear® Class 2 Surveyors mesh safety vest, 3M™ Reflective tape, heavy duty button up front and a total of 8 pockets. Two full width outside pockets with flaps, one large Radio/Cell Phone pocket with flap on your right breast, one left breast pocket with pen holders. Two inside full width pockets with Hook and Loop closures and one flap covered pocket inside. Brand new Ipad pocket running the full width of the bottom back of the vest with heavy duty snap closure. 2 mic tab's on the shoulders, grommets near the neck for lanyards or tool keepers and a D ring pass through opening on the back.

GLO-059 MD	16.86	EA	1	MD
GLO-059 LG	16.86	EA	1	LG
GLO-059 XL	16.86	EA	1	XL
GLO-059 2XL	16.86	EA	1	2XL



G

H. Global Glove GLO-079 FrogWear® Surveyors Safety Vest

FrogWear® Class 2 Surveyors mesh safety vest, contrasting 3M™ Reflective Material over orange and black mesh sides. Three front pockets each with Hook and Loop closures, one left breast pocket with pen holders. Special inside iPad/tablet pocket specifically designed to secure tablet/lpad, two inside pockets each with Hook and Loop closure, mic tab's on the shoulders, and a D ring pass through opening on the back.

GLO-079 SM	16.86	EA	50	SM	Lime
GLO-079 MD	16.86	EA	50	MD	Lime
GLO-079 LG	16.86	EA	50	LG	Lime
GLO-079 XL	16.86	EA	50	XL	Lime
GLO-079 2XL	16.86	EA	50	2XL	Lime
GLO-079 3XL	16.86	EA	50	3XL	Lime
GLO-079 4XL	16.86	EA	50	4XL	Lime
GLO-079 5XL	16.86	EA	50	5XL	Lime



H

I. Occunomix Classic Solid Two-Tone Surveyor Vest

Class 2, 2" Silver reflective tape backed by contrasting ANSI compliant trim, 100% ANSI Polyester Tricot, Large arm opening for use over cold weather outer wear, Pockets: 2 inner lower, 2 outer lower flapped, 4 pen, 1 divided (2 sections), Zipper closure.

021844-57050	13.90	EA	50	SM	Orange	LUX-ATRANS
021844-57051	13.90	EA	50	MD	Orange	LUX-ATRANS
021844-57052	13.90	EA	50	LG	Orange	LUX-ATRANS
021844-57053	13.90	EA	50	XL	Orange	LUX-ATRANS
021844-57054	13.90	EA	50	2XL	Orange	LUX-ATRANS
021844-57055	13.90	EA	50	3XL	Orange	LUX-ATRANS
021844-57056	13.90	EA	50	4XL	Orange	LUX-ATRANS
021844-57057	13.90	EA	50	5XL	Orange	LUX-ATRANS
021844-57058	13.90	EA	50	SM	Yellow	LUX-ATRANS
021844-57059	13.90	EA	50	MD	Yellow	LUX-ATRANS
021844-57060	13.90	EA	50	LG	Yellow	LUX-ATRANS
021844-57061	13.90	EA	50	XL	Yellow	LUX-ATRANS
021844-57062	13.90	EA	50	2XL	Yellow	LUX-ATRANS
021844-57063	13.90	EA	50	3XL	Yellow	LUX-ATRANS
021844-57064	13.90	EA	50	4XL	Yellow	LUX-ATRANS
021844-57065	13.90	EA	50	5XL	Yellow	LUX-ATRANS



I



Head to Toe Protection



A



B



C



D



E



F

RS Hughes Part	Price	Per	Case	Size/Description
PIP 302-MVGZ4P Class 2 Economy Mesh Vest Zipper Closure				
Class 2, Economy Mesh Vest, Zipper Closure, 4 Pocket, Matching.				
A. 616314-72420	8.03	EA	50	MD Yellow 302-MVGZ4PLY
A. 616314-72413	8.03	EA	50	LG Yellow 302-MVGZ4PLY
A. 616314-72437	8.03	EA	50	XL Yellow 302-MVGZ4PLY
A. 616314-72376	8.03	EA	50	2XL Yellow 302-MVGZ4PLY
B. 616314-72499	8.03	EA	50	MD Orange 302-MVGZ4POR
B. 616314-72482	8.03	EA	50	LG Orange 302-MVGZ4POR
B. 616314-72505	8.03	EA	50	XL Orange 302-MVGZ4POR
B. 616314-72444	8.03	EA	50	2XL Orange 302-MVGZ4POR

C. PIP 302-0500 - Class 2 Surveyors Vest

Class 2, Surveyors Vest With Zipper Closure, Solid Front, Mesh.

616314-79238	10.52	EA	50	MD Yellow
616314-79245	10.52	EA	50	LG Yellow
616314-79252	10.52	EA	50	XL Yellow
616314-79269	10.52	EA	50	2XL Yellow
616314-79276	10.52	EA	50	3XL Yellow
616314-79283	10.52	EA	50	4XL Yellow
616314-79290	10.52	EA	50	5XL Yellow
616314-79306	10.52	EA	50	MD Orange
616314-79313	10.52	EA	50	LG Orange
616314-79320	10.52	EA	50	XL Orange
616314-79337	10.52	EA	50	2XL Orange
616314-79344	10.52	EA	50	3XL Orange
616314-79351	10.52	EA	50	4XL Orange
616314-79368	10.52	EA	50	5XL Orange

D. PIP 300-2504 Non-ANSI Incident Command Vest

Used for easy identification at public events or in emergency situations. Comfortable cotton/polyester blended solid fabric with hook & loop closure. 1 external upper pocket, 1 internal lower pocket, 1 front & 1 back clear ID pocket. 1-inch white gloss reflective tape.

616314-90448	12.40	EA	25	MD-XL Royal Blue
616314-90455	12.40	EA	25	3XL Royal Blue
616314-90462	12.40	EA	25	5XL Royal Blue

PIP 303-0500 ANSI Class 3 Two Tone Surveyor 6-Pocket Vest

Ideal for construction, municipalities, shipyards, and anywhere hi-visibility apparel is necessary. Durable polyester solid front and breathable mesh back and sleeves, 2" two tone reflective tape for optimum visibility, zipper closure, 2 mic tabs with reinforced stitching, 2 lower external flap pockets, radio chest pocket, 2 internal lower pocket, 1 chest pocket with 4 pen pockets in front.

E. 616314-97003	14.33	EA	50	MD Hi-Vis Lime
E. 616314-96976	14.33	EA	50	LG Hi-Vis Lime
E. 616314-97010	14.33	EA	50	XL Hi-Vis Lime
E. 616314-97027	14.33	EA	50	2XL Hi-Vis Lime
E. 616314-97034	14.33	EA	50	3XL Hi-Vis Lime
E. 616314-97041	14.33	EA	50	4XL Hi-Vis Lime
E. 616314-97058	14.33	EA	50	5XL Hi-Vis Lime
F. 616314-97065	14.33	EA	50	MD Hi-Vis Orange
F. 616314-96983	14.33	EA	50	LG Hi-Vis Orange
F. 616314-97072	14.33	EA	50	XL Hi-Vis Orange
F. 616314-97089	14.33	EA	50	2XL Hi-Vis Orange
F. 616314-97096	14.33	EA	50	3XL Hi-Vis Orange
F. 616314-97102	14.33	EA	50	4XL Hi-Vis Orange
F. 616314-97119	14.33	EA	50	5XL Hi-Vis Orange



RS Hughes Part Price Per Case Size/Description

G. PIP 302-USV5 ANSI Class 2 Expandable Two Tone Mesh Vest

Ideal for construction, municipalities, shipyards, and anywhere hi-visibility apparel is necessary. Breathable polyester mesh, 2" two tone reflective tape, zipper closure for easy on and off, adjustable sides for comfortable fit. 2 internal lower pockets, 1 external chest pocket, one size fits most.

616314-77043	14.00	EA	50	Hi-Vis Lime
616314-88292	14.00	EA	50	Hi-Vis Orange



PIP 302-PSV ANSI/ISEA 207 Public Safety Vest

Ideal for security or safety personnel where hi-visibility apparel is required. Breathable mesh top, durable solid bottom, 5 point breakaway, off shoulder breakaway system for added comfort. Adjustable sides for universal fit, 2 mic tabs with reinforced stitching, oversized lower internal pocket, 1 external pen pocket on chest. Breakaway zipper front closure.

H. 616314-73137	24.48	EA	50	MD-XL	Hi-Vis Lime/Black	"SECURITY" logo
H. 616314-73120	24.48	EA	50	2X-5XL	Hi-Vis Lime/Black	"SECURITY" logo
H. 616314-78019	23.10	EA	50	MD-XL	Hi-Vis Lime/Black	No logo
H. 616314-78026	23.10	EA	50	2X-5XL	Hi-Vis Lime/Black	No logo
I. 616314-73205	24.48	EA	50	MD-XL	Hi-Vis Lime/Green	No logo
I. 616314-73182	24.48	EA	50	2X-5XL	Hi-Vis Lime/Green	No logo



J. Occunomix Premium Flame Resistant Solid Vest

ANSI Class 2, 2" 3M™ Scotchlite™ Reflective Material - 8935 Silver Industrial Wash Flame Resistant Fabric, 100% ANSI Modacrylic, Nomex® Thread, Flame resistant binding, Hook & loop closure, 50 Home Washes and 30 Industrial Washes, Modacrylic Material with Industrial Wash Flame Resistant Reflective Tape means our FR vests last twice as long! Meets ASTM F1506 Arc Rating: ATPV 5.5 cal/cm2, NFPA 70E / HRC = 1, Flame resistant through 50 home washes / 30 industrial washes, Pockets: 1 lower outside.



021844-56091	70.50	EA	50	MD	Yellow	LUX-SSG/FR
021844-56090	70.50	EA	50	LG	Yellow	LUX-SSG/FR
021844-56092	70.50	EA	50	XL	Yellow	LUX-SSG/FR
021844-56086	70.50	EA	50	2XL	Yellow	LUX-SSG/FR
021844-56087	70.50	EA	50	3XL	Yellow	LUX-SSG/FR
021844-56088	70.50	EA	50	4XL	Yellow	LUX-SSG/FR
021844-56089	70.50	EA	50	5XL	Yellow	LUX-SSG/FR
021844-60647	70.50	EA	50	MD	Orange	LUX-SSG/FR
021844-60646	70.50	EA	50	LG	Orange	LUX-SSG/FR
021844-60648	70.50	EA	50	XL	Orange	LUX-SSG/FR
021844-57372	70.50	EA	50	2XL	Orange	LUX-SSG/FR
021844-60643	70.50	EA	50	3XL	Orange	LUX-SSG/FR
021844-60644	70.50	EA	50	4XL	Orange	LUX-SSG/FR
021844-60645	70.50	EA	50	5XL	Orange	LUX-SSG/FR



Ergodyne 8935 Headwear Ranger Hat

Class Headwear Hi-Vis Ranger Hat: Wide brim and vented mesh panels.

K. 720476-23257	10.75	EA	6	SM/MD	Orange
K. 720476-23258	10.75	EA	6	LG/XL	Orange
L. 720476-23259	10.75	EA	6	SM/MD	Lime
L. 720476-23260	10.75	EA	6	LG/XL	Lime



M. PIP 360-BEANNIE Hi-Vis Winter Beannie Cap with Reflective Stripe

Ideal for use in cold weather work conditions that require high-visibility safety apparel be worn. One size fits most. Silver reflective piping on hi-vis yellow provides high visibility in cold weather conditions.

616314-70488	6.26	EA	50	Hi-Vis Yellow
--------------	------	----	----	---------------



Head to Toe Protection

Irontex Flame Resistance

IRONTEX

IRONTEX fabric is specially treated flame resistant cotton designed for lightweight and comfortable protection. The fabric will self-extinguish when exposed to flame and will not melt, shrink or drip. IRONTEX conforms to ASTM D6413 flame retardant and washable test methods. Flame resistance lasts up to 100 home washings, and 50 commercial washings. 9oz flame retardant cotton sateen that provides economical protection against light spark and spatter. Various styles available for level of protection and comfort.



WESTCHESTER
PROTECTIVE GEAR

RS Hughes Part Price Per Case Description

A. West Chester 7050 30 Inch FR Cotton Jacket

Flame retardant 9 oz green 100% cotton fabric protects from light spark and spatter. Black anodized snaps and rivets do not corrode and prevent flashback. Adjustable snap at wrist for custom fit.

662909-004260	19.85	EA	12	MD
662909-004277	19.85	EA	12	LG
662909-004284	19.85	EA	12	XL
662909-004291	20.66	EA	12	2XL
662909-004307	21.40	EA	12	3XL

B. West Chester 7051 FR Cotton Cape Sleeve

Flame retardant 9 oz green 100% cotton fabric protects upper body and arms from spark and spatter. Black anodized snaps and rivets do not corrode and prevent flashback. Designed to coordinate with FR cotton bib attachment.

662909-004352	15.37	EA	36	MD
662909-004369	15.37	EA	36	LG
662909-004376	15.37	EA	36	XL
662909-004383	16.84	EA	36	2XL
662909-004390	18.31	EA	36	3XL

C. West Chester 7052 FR Cotton Bib

Flame retardant 9 oz green 100% cotton fabric protects torso from spark and spatter. Designed to coordinate with FR cotton cape sleeve.

662909-004444	4.34	EA	72	14 inch
662909-004451	5.07	EA	72	20 inch

D. West Chester 7080 FR Cotton Apron

Flame retardant 9 oz green 100% cotton fabric protects torso from spark and spatter. Adjustable shoulder straps for custom fit.

662909-004505	8.01	EA	72	36 inch length
662909-004512	9.26	EA	72	42 inch length

E. West Chester 7070 FR Cotton Sleeves w/ Wide Elastic

Flame retardant 9 oz green 100% cotton fabric protects arms from spark and spatter. Wide elastic at top of arm and wrist.

662909-004567	5.66	PR	72	18 inch length
662909-004574	6.76	PR	72	23 inch length

F. West Chester 7071 FR Cotton Sleeves w/ Elastic Wrist

Flame retardant 9 oz green 100% cotton fabric protects arms from spark and spatter. Elastic at top of arm and wrist.

662909-004659	4.71	PR	72	18 inch length
662909-004666	6.03	PR	72	23 inch length

G. West Chester 7072/18 FR Cotton Sleeves w/ Snap at Wrist

Flame retardant 9 oz green 100% cotton fabric protects arms from spark and spatter. Elastic at top of arm, inside snap at wrist.

662909-004697	6.22	PR	72	18 inch length
---------------	------	----	----	----------------



H

RS Hughes Part Price Per Case Description

H. West Chester 7000 Leather Cape Sleeve

Leather cape sleeves specially tanned for heat resistance protect upper body and arms from spark and spatter. Black anodized snaps and rivets do not corrode and prevent flashback. Snaps are reinforced with additional piece of leather while rivets are placed in high stress areas ensuring long life of garment. Designed to coordinate with leather bib attachment.

662909-003560	34.19	EA	10	MD
662909-003577	34.19	EA	10	LG
662909-003584	34.19	EA	10	XL
662909-003591	37.13	EA	10	2XL
662909-003607	40.07	EA	10	3XL



I

I. West Chester 7001/14, 7001/20 Leather Bib

Leather bib specially tanned for heat resistance. Black anodized snaps and rivets do not corrode and prevent flashback. Snaps are reinforced with additional piece of leather while rivets are placed in high stress areas ensuring long life of garment. Coordinates with sizes medium-xlarge leather cape sleeves.

662909-003652	10.96	EA	50	14 inch
662909-003669	11.62	EA	50	20 inch



J

I. West Chester 7002/20 Leather Bib

Leather bib specially tanned for heat resistance. Black anodized snaps and rivets do not corrode and prevent flashback. Snaps are reinforced with additional piece of leather while rivets are placed in high stress areas ensuring long life of garment. Coordinates with sizes 2XL and 3XL leather cape sleeves.

662909-003690	11.99	EA	50	20 inch
---------------	-------	----	----	---------



K

J. West Chester 7005 30 Inch Leather Jacket

Leather jacket specially tanned for heat resistance protects from spark and spatter. Black anodized snaps and rivets do not corrode and prevent flashback. Snaps are reinforced with additional piece of leather while rivets are placed in high stress areas ensuring long life of garment.

662909-003720	57.35	EA	12	MD
662909-003737	57.35	EA	12	LG
662909-003744	57.35	EA	12	XL
662909-003751	63.24	EA	12	2XL
662909-003768	67.65	EA	12	3XL

K. West Chester 7010 Leather Apron

Leather apron specially tanned for heat resistance protects from spark and spatter. Rivet reinforced at stress areas. Cotton straps with adjustable side release buckles.

662909-003843	19.78	EA	30	36 inch
662909-003836	23.31	EA	30	42 inch

L. West Chester 7011 Leather Split Leg Apron

Leather split leg apron specially tanned for heat resistance protects from spark and spatter. Rivet reinforced at stress areas. Cotton straps with adjustable side release buckles.

662909-003867	21.69	EA	30	36 inch
662909-003874	24.04	EA	30	42 inch
662909-003881	26.76	EA	30	48 inch



L

Overview of NFPA 70E

WHAT IS IT?

Every day in this country, workers in electrical environments are exposed to hazards that can cause severe and even fatal injuries. This standard was created to help protect the people that work on or near electrical equipment. In one study, 80% of the severe and fatal injuries related to electricity are due to non-FR clothing igniting and continuing to burn during an arc flash incident.

NFPA70E is not a law, but is a "voluntary consensus standard" referenced by the National Electrical Code (NEC) for safety requirements and has been cited by OSHA under the General Duty clause.

WHO'S AFFECTED?

It is important to note that NFPA70E does not just apply to industrial companies. Within every organization there are a number of maintenance workers, electricians, machine operators, or HVAC personnel who are at risk of an electric arc flash and need FR clothing protection as specified by NFPA 70E. In fact, many industries where employees work on or near electrical equipment are affected by NFPA 70E.

HOW TO COMPLY?

There are several ways you can analyze an arc flash hazard.

One option is to have a hazard assessment done in accordance with 29 CFR 1910.132 (d) using computer software or IEEE 1584 arc calculations standards. There are many companies that specialize in performing an arc flash analysis.

Another option is to use the Hazard/Risk Category Classifications of Job Tasks found in the NFPA 70E-2009 booklet. Below is a table showing the Hazard Risk Category or HRC along with the minimum cal/cm² for each:

HRC (Level)	Arc Rating
0	N/A
1	4 cal/cm ² or more
2	8 cal/cm ² or more
3	25 cal/cm ² or more
4	40 cal/cm ² or more

A third option is to use the NFPA 70E-2009 booklet's Table H.1 Simplified Two-Category, Flame Resistant Clothing System. This is a simplified approach to ensure adequate PPE for workers working on an around energized parts. The clothing listed suggests the minimum FR requirements of NFPA 70E-2009 Table 130.7 (C) and 130.7 (C) (11). Once you have determined the Hazard Risk Category, select the appropriate FR garments for the job. NSA has garments that meet the single and multi-layer needs for all risk categories.

HAZARD RISK	PROTECTIVE EQUIPMENT	PROTECTIVE CLOTHING	MIN ARC RATING
0	<ul style="list-style-type: none"> Safety glasses or safety goggles (SR) Hearing protection (See canal inserts) Heavy duty leather gloves** 	<ul style="list-style-type: none"> Shirt Pants 	Non-melting or untreated natural fiber (untreated cotton or wool) with a fabric weight of at least 4.5 oz/yd ²
1	<ul style="list-style-type: none"> Hard hat Safety glasses or safety goggles (SR) Hearing protection (See canal inserts) Heavy duty leather gloves** Leatherwork shoes 	<ul style="list-style-type: none"> Arc-rated long sleeve shirt and pants or arc-rated coverall Arc-rated face shield or arc flash suit hood Arc-rated jacket, parka, rainwear or hard hat liner 	4 cal/cm ²
2	<ul style="list-style-type: none"> Hard hat Safety glasses or safety goggles (SR) Hearing protection (See canal inserts) Heavy duty leather gloves** Leatherwork shoes 	<ul style="list-style-type: none"> Arc-rated long sleeve shirt and pants or arc-rated coverall Arc-rated face shield or arc flash suit hood and arc rated balaclava Arc-rated jacket, parka, rainwear or hard hat liner 	8 cal/cm ²
3	<ul style="list-style-type: none"> Hard hat Safety glasses or safety goggles (SR) Hearing protection (See canal inserts) Heavy duty leather gloves** Leather work shoes 	<ul style="list-style-type: none"> Arc-rated long sleeve shirt Arc-rated pants Arc-rated coverall Arc-rated arc flash suit jacket Arc-rated arc flash suit pants Arc-rated arc flash suit hood Arc-rated gloves (See note below) Arc-rated jacket, parka, rainwear or hard hat liner 	25 cal/cm ²
4	<ul style="list-style-type: none"> Hard hat Safety glasses or safety goggles (SR) Hearing protection (See canal inserts) Heavy duty leather gloves** Leather work shoes 	<ul style="list-style-type: none"> Arc-rated long sleeve shirt Arc-rated pants Arc-rated coverall Arc-rated arc flash suit jacket Arc-rated arc flash suit pants Arc-rated arc flash suit hood Arc-rated gloves (See note below) Arc-rated jacket, parka, rainwear or hard hat liner 	40 cal/cm ²



** NFPA 70E Table 130.7(C)(1) Note 1 - The combination of rubber-insulating gloves and leather protectors satisfies the arc flash protection requirements.



RS Hughes Part	Price	Per	Case	Size/Description
A. Brady Sign - DANGER 480 VOLTS (W/PICTO)				
10" H x 7" W, High Performance Polyester, B-302				
754476-45159	8.64	EA	1	



B. Brady Sign - DANGER HIGH VOLTAGE (W/PICTO)				
Self Sticking Polyester, B-302				
754476-83841	8.64	EA	1	7" H X 10" W
754476-83956	2.35	EA	1	3-1/2" H X 5" W

RS Hughes Part Price Per Case Size/Description

C. Occunomix Value Cotton Flame Resistant Coverall

6 oz. Flame Resistant treated cotton. Soft to the touch. Lightweight, cool and comfortable. Nomex® thread and zipper, Non-sparking covered snaps, One-piece action back with elastic waistband, Meets ASTM F1506 Arc Rating: ATPV = 7.2 cal/cm2; NFPA 70E / HRC = 1, Flame resistant through 50 washes, Pockets: 4 total -1 chest, 1 back, 2 front pass throughs & hammer loop.

021844-60639	67.90	EA	10	MD	Navy	G906
021844-60638	67.90	EA	10	LG	Navy	G906
021844-60640	67.90	EA	10	XL	Navy	G906
021844-60634	67.90	EA	10	2XL	Navy	G906
021844-60635	67.90	EA	10	3XL	Navy	G906
021844-60636	67.90	EA	10	4XL	Navy	G906
021844-60637	67.90	EA	10	5XL	Navy	G906



D. CPA 12cal/cm2 Arc Flash Kit w/ Coverall

Clothing in our HRC 2 kit is manufactured using single layers of Ultra Soft®. This all-inclusive kit includes the following: Switch Puller's Coveralls, hard cap, face shield, chin cup, cap bracket, knit Nomex® hood, 11" Class 0 rubber gloves, low. HRC 2, ATPV: 12 cal/cm2

AG12-CV-LG-SM	423.28	EA	1	SM
AG12-CV-LG-MD	423.28	EA	1	MD
AG12-CV-LG-LG	423.28	EA	1	LG
AG12-CV-LG-XL	423.28	EA	1	XL
AG12-CV-MD-SM	423.28	EA	1	SM
AG12-CV-MD-MD	423.28	EA	1	MD
AG12-CV-MD-LG	423.28	EA	1	LG
AG12-CV-MD-XL	423.28	EA	1	XL
AG12-CV-SM-SM	423.28	EA	1	SM
AG12-CV-SM-MD	423.28	EA	1	MD
AG12-CV-SM-LG	423.28	EA	1	LG
AG12-CV-SM-XL	423.28	EA	1	XL
AG12-CV-XL-SM	423.28	EA	1	SM
AG12-CV-XL-MD	423.28	EA	1	MD
AG12-CV-XL-LG	423.28	EA	1	LG
AG12-CV-XL-XL	423.28	EA	1	XL



E. CPA 12cal/cm2 Arc Flash Kit w/ Jacket & Bib

Clothing in our HRC 2 kit is manufactured using single layers of Ultra Soft®. This all-inclusive kit includes the following: 35" jacket, bib overall, hard cap, face shield, chin cup, cap bracket, knit Nomex® hood, 11" Class 0 rubber gloves, low. HRC 2, ATPV: 12 cal/cm2

AG12-LG-SM	521.12	EA	1	SM
AG12-LG-MD	521.12	EA	1	MD
AG12-LG-LG	521.12	EA	1	LG
AG12-LG-XL	521.12	EA	1	XL
AG12-MD-SM	521.12	EA	1	SM
AG12-MD-MD	521.12	EA	1	MD
AG12-MD-LG	521.12	EA	1	LG
AG12-MD-XL	521.12	EA	1	XL
AG12-SM-SM	521.12	EA	1	SM
AG12-SM-MD	521.12	EA	1	MD
AG12-SM-LG	521.12	EA	1	LG
AG12-SM-XL	521.12	EA	1	XL
AG12-XL-SM	521.12	EA	1	SM
AG12-XL-MD	521.12	EA	1	MD
AG12-XL-LG	521.12	EA	1	LG
AG12-XL-XL	521.12	EA	1	XL



F. CPA 43cal/cm2 Arc Flash Kit w/ Jacket & Bib

Clothing in our HRC 4 kit is manufactured using multiple layers of Ultra Soft®. This all-inclusive kit includes the following: 35" jacket, bib overalls, hard cap, arc hood, faceshield, cap bracket, 14" Class 2 rubber gloves, leather protector gloves, 15" glove bag, Arc Protection Gear bag, safety glasses and ear plugs. HRC 4, ATPV: 43 cal/cm2

AG43-L-9	780.00	EA	1	LG
----------	--------	----	---	----



RS Hughes Part Price Per Case Size/Description

A. CPA Indura® Coveralls

9 oz Indura® Navy Coveralls, Fold over collar, 2 Outside Chest Pockets (1 chest with flap closure and pencil slot), 2 Front Hip Pockets, 2 Rear Pockets, 2 Side Access Slits, Concealed Zippered Closure, Snap Wrist, Elasticized waistband, Action back.

605-IND-N SM	68.10	EA	1	SM	Navy
605-IND-N MD	68.10	EA	1	MD	Navy
605-IND-N LG	68.10	EA	1	LG	Navy
605-IND-N XL	68.10	EA	1	XL	Navy



B. CPA UltraSoft® Coveralls

9 oz UltraSoft® Navy Coveralls, Fold over collar, 6 Pockets (2 side, 2 back and 2 chest) with 2 slits design, Concealed Zippered Closure, Snap Wrist.

605-USN SM	88.71	EA	1	SM	Navy
605-USN MD	88.71	EA	1	MD	Navy
605-USN LG	88.71	EA	1	LG	Navy
605-USN XL	88.71	EA	1	XL	Navy

C. CPA CX-54 CarbonX® Undershirt

7.7oz. Interlock knit CarbonX® crew neck shirt, tight form fit style. ATPV 12.3 cal/cm², TPP 14.7

CX-54 SM	83.45	EA	1	SM	Black
CX-54 MD	83.45	EA	1	MD	Black
CX-54 LG	83.45	EA	1	LG	Black
CX-54 XL	83.45	EA	1	XL	Black

D. CPA CX-55 CarbonX® Active Pants

7.7oz. Interlock knit CarbonX® pants, tight form fit style. ATPV 12.3 cal/cm², TPP 14.7

CX-55 SM	83.45	EA	1	SM	Black
CX-55 MD	83.45	EA	1	MD	Black
CX-55 LG	83.45	EA	1	LG	Black
CX-55 XL	83.45	EA	1	XL	Black

E. NSA Heat/Thermal - Knitted Hoods and Dickey

Double Layer Nomex®/Rayon face with single layer bib. This 6oz material of Nomex® fiber and flame-retardant rayon offer the best value of the knitted materials.

H31LK	28.81	EA	1	White
-------	-------	----	---	-------



F. CPA KCF-51 CarbonX® Knit Hood

Black CarbonX® long drape style knit hood. 2-ply top, 1-ply bib. ATPV 23 cal/cm²

KCF-51	47.93	EA	1	Black
--------	-------	----	---	-------





G



H



PROTECTIVE INDUSTRIAL PRODUCTS



I



J



K



L



M

RS Hughes Part Price Per Case Size/Description

NSA Level II Faceshield Units (with chin guard)

High VLT anti-fog faceshield with slotted adapter and chin guard.
Arc Rating = 10 cal/cm²

G. H16HAT10CALCAFS	97.97	EA	1	with Hardhat
H. H16XX10CALCAFS	82.93	EA	1	without Hardhat



I. PIP ARC Shield with Hard Hat - 12 Cal/cm²

HRC2, 12 Cal/cm². Arc shield with mount bracket and chin protector with bright orange full brim hard hat.

616314-65993	96.47	EA	1	9150-56511
--------------	-------	----	---	------------



J. PIP 9400-52505 ARC Protective Shield for Slotted Hard Hat - 12 Cal/cm²

HRC2, 12 Cal/cm². Ergonomic assemble that is convenient for the worker. Permanently attached chin protector provides additional protection at the chin and neck areas. Designed to fit universal fit slotted hard hats.

616314-39437	96.38	KT	1	
--------------	-------	----	---	--

K. PIP 9150-52501 ARC Protective Shield for Full Brim Hard Hat - 12 Cal/cm²

HRC2, 12 Cal/cm². Arc shield with mount bracket and chin protector designed for use with full brim hard hats.

616314-15750	90.74	KT	1	
--------------	-------	----	---	--

L. PIP 9100-HDFR12 Single-Layer ARC/FR Ultrasoft Balaclava - 12.1 Cal/cm²

HRC2, 12.1 Cal/cm². Navy blue flame resistant balaclava. 8.5oz, 100% Pro-C FR Westex® Ultrasoft® cotton rib. Ideal for use under arc flash hoods and shields.

616314-15794	28.45	EA	50	Navy
--------------	-------	----	----	------

M. PIP 9150-5236V ARC/FR Ultralight Ventilated Hood 40 Cal/cm²

HRC4, 40 Cal/cm². Ventilating unit and power pack are protected by a compact and durable ABS case covered by Ultralight fabric. 37% lighter than traditional HRC4 garments. Airflow 35cfm, battery life 6+ usable hours. High tensile strength and greater tear resistance. Meets NFPA 70E, ASTM F1506, OSHA 29 CFR 1910.269, ASTM F2178-12.

616314-28523	839.45	EA	1	Navy
--------------	--------	----	---	------



Head to Toe Protection



A



PROTECTIVE INDUSTRIAL PRODUCTS

RS Hughes Part Price Per Case Size/Description

A. Occunomix Premium Flame Resistant Shoulder Length Two-Way WI

Upper Shell: 6 oz. 100% Flame Resistant Cotton Twill Arc Rating: ATPV = 21 cal/cm², NFPA 70E / HRC = 2, Upper Lining: 6.5 oz. Modacrylic/Cotton Jersey, Lower: 18 oz. Modacrylic/Cotton/Spandex Soft Rib Knit Arc Rating: ATPV = 28.6 cal/cm², NFPA 70E / HRC = 3, Nomex® Thread and zipper, Warming Pack Pockets, Zipper on/off bottom, Insulated Ear Barrier: DuPont™ Tyvek®, Button closure, Hook & Loop tabs or button holes for attachment to hard hat, Meets ASTM F1506, Flame resistant through 50 washes.

021844-60556 40.90 EA 1 LZ620-FR



B. PIP 9150-5488E ARC Protection Kit - 12 Cal/cm²

HRC2, 12 Cal/cm². PIP's 12 cal Arc Flash kits are designed to meet your Hazard Risk Category 2 needs. These kits provide you with the components needed to be in compliance with the NFPA 70E Standard. Kit includes: Dual certified coverall, balaclava, arc shield, safety glasses, hard hat, head gear storage bag, and carry bag.

616314-13500	300.38	EA	1	SM
616314-13501	300.38	EA	1	MD
616314-13502	300.38	EA	1	LG
616314-13519	300.38	EA	1	XL
616314-13520	303.66	EA	1	2XL
616314-13521	306.93	EA	1	3XL
616314-13522	310.21	EA	1	4XL
616314-13523	313.48	EA	1	5XL



C. PIP 9150-52815 ARC Protection Kit - 25 Cal/cm²

HRC3, 25 Cal/cm². Serious protection demands serious products. POP has worked to develop multiple kits for high risk environments. Kit includes: Coverall, arc hood, safety glasses, hard hat, and carry bag.

616314-37723	543.27	EA	1	SM
616314-37716	543.27	EA	1	MD
616314-37709	543.27	EA	1	LG
616314-37730	543.27	EA	1	XL
616314-37679	581.07	EA	1	2XL
616314-37686	621.38	EA	1	3XL
616314-37693	666.75	EA	1	4XL

C. PIP 9150-52436 ARC Protection Kit - 40 Cal/cm²

HRC4, 40 Cal/cm². Serious protection demands serious products. PIP has worked to develop multiple kits for high risk environments. Kit includes: Jacket, overall, hood, safety glasses, hard hat, and carry bag.

616314-15415	1,063.03	EA	1	SM
616314-15416	1,063.03	EA	1	MD
616314-15417	1,063.03	EA	1	LG
616314-15418	1,063.03	EA	1	XL
616314-15419	1,123.51	EA	1	2XL
616314-15420	1,183.98	EA	1	3XL
616314-15421	1,257.06	EA	1	4XL
616314-15422	1,332.67	EA	1	5XL
616314-15423	1,413.91	EA	1	6XL



B



C



D

RS Hughes Part Price Per Case Size/Description

D. PIP 9100-21782 ARC/FR Jacket - 12 Cal/cm2

HRC2, ATPV 12 Cal/cm2. Navy blue flame resistant jacket. Hook and loop front closure, no metal pieces on the garment, aramid high tenacity thread; bar tacked at all stress points. Protective standup collar, aramid knit cuffs.

616314-36139	173.86	EA	1	SM	Navy
616314-36122	173.86	EA	1	MD	Navy
616314-36115	173.86	EA	1	LG	Navy
616314-36146	173.86	EA	1	XL	Navy
616314-36078	191.50	EA	1	2XL	Navy
616314-36085	209.16	EA	1	3XL	Navy
616314-36092	231.83	EA	1	4XL	Navy
616314-36108	254.50	EA	1	5XL	Navy



D



E

E. PIP 9100-52564 ARC/FR Overalls - 12 Cal/cm2

HRC2, 12 Cal/cm2. Navy blue flame resistant overalls. Top buckle closure, aramid high tenacity thread; bar tacked at all stress points. No metal pieces on garment, elasticized waist, hook and loop adjustment at sides and bottom cuffs.

616314-36368	199.07	EA	1	SM	Navy
616314-36351	199.07	EA	1	MD	Navy
616314-36344	199.07	EA	1	LG	Navy
616314-36375	199.07	EA	1	XL	Navy
616314-36313	219.24	EA	1	2XL	Navy
616314-36320	241.91	EA	1	3XL	Navy
616314-36337	264.59	EA	1	4XL	Navy

F. PIP 9100-2170D ARC/FR Dual Certified Coverall 12 Cal/cm2

HRC2, ATPV 12.5 Cal/cm2. Navy blue flame resistant coverall. Aramid high tenacity FR thread, no metal pieces on the garment, bar-tacked at all stress points, protective stand-up collar with hook & loop closure, storm guard with hook & loop closure. Action back for mobility, side elasticized waist, FR rib knit cuffs, hook & loop on bottom, 2 waist patch pockets with side access. UL Certified. NFPA 1975-2009, NFPA 2112-2012, NFPA 70E 2012, ASTM F 1506-2010a, OSHA 29 CFR 1910.269

616314-32629	131.03	EA	1	SM	Navy
616314-32636	131.03	EA	1	MD	Navy
616314-32643	131.03	EA	1	LG	Navy
616314-32650	131.03	EA	1	XL	Navy
616314-32667	134.31	EA	1	2XL	Navy
616314-32674	137.59	EA	1	3XL	Navy
616314-32681	140.86	EA	1	4XL	Navy
616314-32933	144.14	EA	1	5XL	Navy



F



G

G. PIP 9100-530ULT ARC/FR Ultralight Pants - 40 Cal/cm2

HRC4, 40 Cal/cm2. Navy blue flame resistant pants. Ultralight 40 Cal/cm2 clothing utilizes a Hybrid Fabric Technology to increase garment durability in the field while decreasing its weight by 37%. Our Ultralight garment uses a DuPont shell to provide its superior tensile strength, industrial wash resistance, and long-term durability.

616314-27915	309.98	EA	1	SM	Navy
616314-27922	309.98	EA	1	MD	Navy
616314-27939	309.98	EA	1	LG	Navy
616314-27946	309.98	EA	1	XL	Navy
616314-29957	340.21	EA	1	2XL	Navy
616314-27960	375.50	EA	1	3XL	Navy
616314-27977	413.28	EA	1	4XL	Navy
616314-27984	453.57	EA	1	5XL	Navy



Head to Toe Protection



A



PROTECTIVE INDUSTRIAL PRODUCTS

RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

A. PIP 9150-523ULT ARC/FR Ultralight Hood - 40 Cal/cm2

HRC4, 40 Cal/cm2. Non-ventilated ARC hood. 37% lighter than traditional HRC4 garments. High tensile strength and greater resistance. Meets NFPA 70E, ASTM F1506, OSHA 29 CFR 1910.269, ASTM F2178-12.

616314-32919	423.34	EA	1	Navy
--------------	--------	----	---	------



B. PIP 9100-52412 ARC/FR Overalls - 40 Cal/cm2

HRC4, 40 Cal/cm2. Navy blue flame resistant overalls. Top buckle closure, aramid high tenacity thread; bar tacked at all stress points. No metal pieces on garment, elasticized waist, hook and loop adjustment at sides and bottom cuffs.

616314-36290	328.21	EA	1	SM	Navy
616314-36283	328.21	EA	1	MD	Navy
616314-36276	328.21	EA	1	LG	Navy
616314-36306	328.21	EA	1	XL	Navy
616314-36238	360.97	EA	1	2XL	Navy
616314-36245	393.72	EA	1	3XL	Navy
616314-36252	434.05	EA	1	4XL	Navy
616314-36269	474.38	EA	1	5XL	Navy



B

C. PIP 9100-524ULT ARC/FR Ultralight Jacket - 40 Cal/cm2

HRC4, 40 Cal/cm2. Navy blue ultralight flame resistant jacket. Ultralight 40 Cal/cm2 clothing utilizes a Hybrid Fabric Technology to increase garment durability in the field while decreasing its weight by 37%. Our Ultralight garment uses a DuPont shell to provide its superior tensile strength, industrial wash resistance, and long-term durability.

616314-27687	309.98	EA	1	SM	Navy
616314-27694	309.98	EA	1	MD	Navy
616314-27700	309.98	EA	1	LG	Navy
616314-27717	309.98	EA	1	XL	Navy
616314-27724	340.21	EA	1	2XL	Navy
616314-27731	375.50	EA	1	3XL	Navy
616314-27748	453.57	EA	1	4XL	Navy
616314-27755	498.95	EA	1	5XL	Navy



C



D

D. PIP 9100-52412 ARC/FR Jacket - 40 Cal/cm2


HRC4, 40 Cal/cm2. Navy blue flame resistant jacket. Hook and loop front closure, no metal pieces on the garment, aramid high tenacity thread; bar tacked at all stress points. Protective standup collar, aramid knit cuffs.

616314-36214	277.83	EA	1	SM	Navy
616314-36207	277.83	EA	1	MD	Navy
616314-36191	277.83	EA	1	LG	Navy
616314-36221	277.83	EA	1	XL	Navy
616314-36153	305.53	EA	1	2XL	Navy
616314-36160	333.26	EA	1	3XL	Navy
616314-36177	366.02	EA	1	4XL	Navy
616314-36184	401.29	EA	1	5XL	Navy

Molten Iron Test Chart

Testing was performed by an independent research facility using ASTM test method F 955. Two pounds of molten iron heated to 2,850°F were poured from a height of 8 inches onto the fabric, which was positioned at a 70° angle. The temperature transfer was recorded using a calorimeter. Each material was tested three times by two calorimeters, yielding six readings per material. The maximum temperature rise reflected in the chart represents the average maximum temperature rise taken from six readings for each material type.
* Note: Extreme pain and second degree burns occur when temperature rise is over 40°F.

MOLTEN IRON TEST CHART



- 16 oz. Aluminized Acrysil (AS): 44
- 16 oz. Aluminized Fiberglass (FA): 23
- 9 oz. Aluminized Carbon Kevlar® (NB): 23
- 19 oz. Aluminized Thermobest™ (TA): 20
- 13 oz. Aluminized Carbon Kevlar® (NJ): 19
- 19 oz. Aluminized Carbon Kevlar® (NL): 16
- 12.5 oz. Aluminized CarbonX® Rayon (AJ): 15



RS Hughes Part Price Per Case Description

E. NSA Heat/Thermal - Aluminized Coat

Deluxe coat with snap closures and aluminized front and back features a back flap and under-arm eyelets for ventilation, as well as split sleeve with snaps for easy fastening. Ventilated. 19 oz aluminized carbon/para-aramid coat.

C22NLSM30	283.70	EA	1	SM, 30 inches
C22NLMD30	288.14	EA	1	MD, 30 inches
C22NLLG30	288.14	EA	1	LG, 30 inches
C22NLXL30	288.14	EA	1	XL, 30 inches
C22NL2XL30	316.95	EA	1	2XL, 30 inches
C22NL3XL30	316.95	EA	1	3XL, 30 inches



F. NSA Heat/Thermal Aluminized Hoods & Faceshields

Aluminized hood to protect the head and neck from harmful radiant heat. Deluxe 19 oz. aluminized thermobest hood with ratchet headgear and gold film cover.

H58TARG	396.48	EA	1
---------	--------	----	---

G. CPA 603-AKV 50" Aluminized Jacket

19oz. Aluminized Para Amramid blend 50" coat. Style A stand up collar lined with green fire-resistant cotton. Snap front closure with leather tabs and snap wrists.

603-AKV SM	282.76	EA	1	SM
603-AKV MD	282.76	EA	1	MD
603-AKV LG	282.76	EA	1	LG
603-AKV XL	282.76	EA	1	XL



H. CPA 0647-AKV Aluminized Hood

19oz. Aluminized Para Amramid blend drape style hood with two leather armpit straps, a Lexan® window with replaceable gold film. Heavy duty butterfly latch with aluminum window bracket.

0647-AKV	272.84	EA	1
----------	--------	----	---

I. CPA 401-AKV 14" Aluminized Leggings

19oz. Aluminized Para Amramid blend 14" leggings. 8 1/2" leather flare with 1/2" x 6" metal toe bar and rear hook & loop closure.

401-AKV	63.97	PR	1
---------	-------	----	---



E



F



G

H



I



Head to Toe Protection

Foot Protection

In this section:

Toe Caps	194
Insoles, Ice Traction Device	195
Metatarsal Protector, Kneeling Mats & Pads	196
Knee Pads & Caps	197
Boots	198-199



RS Hughes Part Price Per Case Size Description

A. IMPACTO® TurboToe Safety Toe Cap

The TURBO TOE Protects the toe area from accidental impact, crushing or stubbing. Made of flexible, pliable PVC. Treads under sole to prevent slipping and help liquid flow away from the foot. Certified Steel Toe ASTM F2413-05 M/A/75/C/75. Ideal for any working environment that carries a risk of toe damage or has a steel toe cap requirement. Perfect for visitors, casual or temporary workers, management, clerical staff and sales people. 100% waterproof, will not harden, stiff or crack. Can be comfortably worn over low-heel, dress and running shoes and most boots.

TT XS	27.59	PR	1	XS
TT SM	27.59	PR	1	SM
TT MD	27.59	PR	1	MD
TT LG	27.59	PR	1	LG
TT XL	27.59	PR	1	XL
TT 2XL	27.59	PR	1	2XL
TT 3XL	27.59	PR	1	3XL



A

The IMPACTO® TURBOTOE safety overshoe protects the toe area from accidental impact, crushing or stubbing. Recommended for use in any industry, especially construction and heavy work environments that carries a risk of toe damage or has a steel toe cap requirement.

Perfect for visitors, casual or temporary workers, management, clerical and sales people. Fits tightly over existing shoes providing a solid protecting cap. Can be comfortably worn over low-heel, dress and running shoes and most boots. The TURBOTOE is an affordable alternative to expensive footwear with built-in steel toe cap.

Made of flexible and stretchy, pliable PVC. 100% waterproof, will not harden, stiffen or crack. Treads under sole help prevent slipping.

The IMPACTO TURBOTOE complies to **CSA Standard - Z195-09 - Protective Footwear. CLASS 7231 01 - OCCUPATIONAL HEALTH AND SAFETY PRODUCTS Grade 1** - protective toe withstands impacts up to 125 Joules (50lb weight dropped from 0.6m).

Certified Steel Toe **ASTM F2413-05 M/A/75/C/75**



SIZING INFORMATION
Sold per pair.
For size use your shoe size. The toe cap is color coded for sizing. If your footwear is bulky, choose next size up.

Part No.	Toe Color	USA	UK	Europe
#TTXS	Grey	M: 4 - 5 W: 6 - 7	M: 4.5 - 5.5	38.5 - 39.5
#TTS	White	M: 6 - 7 W: 8 - 9	M: 6 - 7.5	40 - 41.5
#TTM	Yellow	M: 8 - 9 W: 10 - 11	M: 8 - 9.5	42 - 43.5
#TTL	Red	M: 10 - 11 W: 12 - 13	M: 10 - 11.5	44 - 45.5
#TTXL	Blue	M: 12 - 13	M: 12 - 13	46 - 47.5
#TTXXL	Green	M: 13 - 14	M: 13 - 14	48 - 49.5
#TTXXXL	Black	M: 15 - 16	M: 15 - 16	50 - 52



B

B. Hexarmor 32001 Yuleys Clean Step System

Give disposable booties the boot. Designed to help you get your work done quickly and efficiently without making a mess. Hands-free on-and-off, heel lock system, flexible design, slip-reducing tread, specifically designed for steel-toed boots and reduces effects on landfills.

812013-02011	55.08	PR	1	A (10 - 10 1/2in.)
812013-02012	55.08	PR	1	B (10 1/2 - 11in.)
812013-02013	55.08	PR	1	C (11 - 11 3/4in.)
812013-02014	55.08	PR	1	D (11 3/4 - 12 5/16in.)
812013-02015	55.08	PR	1	E (12 5/15 - 12 5/8in.)
812013-02016	55.08	PR	1	F (12 5/8 - 12 15/16in.)
812013-02017	55.08	PR	1	G (12 15/16 - 13 5/16in.)
812013-02018	57.05	PR	1	H (13 5/16 - 13 3/4in.)
812013-02019	57.05	PR	1	I (13 3/4 - 14 3/16in.)



RS Hughes Part Price Per Case Size Description

C. IMPACTO® RHINOTUFF® Puncture Resistant Insoles

IMPACTO® RHINOTUFF Puncture Resistant Insoles. Flexible stainless steel plate protects from accidental puncture wounds. Molded design with heel cup and arch support offers all day support and comfort. Fabric cover wicks away moisture.

RHINOTUFF	31.03	PR	1	5-6
628167-20920	31.03	PR	1	7-8
628167-27430	31.03	PR	1	9-10
628167-30240	31.03	PR	1	11-12
628167-20450	31.03	PR	1	13-15

D. IMPACTO® Memory Antifatigue Insoles

IMPACTO® Anti-Fatigue Memory Foam insoles. Designed to provide outstanding comfort, shock absorption and support. Ideal for work shoes and boots. Memory foam compresses to offer safe clearance and conform to the natural curves of the foot to provide a customized fit. Soft fabric cover wicks away moisture. Antifungal and anti-bacterial, 100% PVC free. Made in USA.

MEM345	20.60	PR	1	3-5
MEM67	20.60	PR	1	6-7
MEM89	20.60	PR	1	8-9
MEM1011	20.60	PR	1	10-11
MEM1213	20.60	PR	1	12-13
MEM14	20.60	PR	1	14



E. Ergodyne 6384 Standard Footbed - Trex Footwear

Standard: Neo Foam pads & EVA for cushion and shock dispersion. Air circulation system for cool comfort. DuPont Engage® EVA foam mid layer. Shock dispersing NeoFoam forefoot and heel pads. Agion™ Antimicrobial treatment.

720476-16712	18.25	PR	6	SM
720476-16713	18.25	PR	6	MD
720476-16714	18.25	PR	6	LG
720476-16715	18.25	PR	6	XL
720476-16716	18.25	PR	6	2XL
720476-16717	18.25	PR	6	3XL



F. Ergodyne 6300 Ice Traction Device

8 rugged, heat treated carbon steel studs for tenacious grip and stability. Stretchable rubber for fit and easy on/off. Flexible to -40degrees F. M(5-8), L(8-11), XL(11-14).

720476-16753	15.58	PR	6	MD
720476-16754	15.58	PR	6	LG
720476-16755	15.58	PR	6	XL



Foot Protection

Metatarsal Protector, Kneeling Mats & Pads

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change



B



D



E



C



A



RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

A. IMPACTO® METGUARD Metatarsal Protector

IMPACTO® METGUARD Metatarsal Protector. Protects the metatarsal area of the foot. Designed to compliment steel cap footwear. Made of extremely durable yet lightweight polycarbonate material. Secured with existing laces or optional straps available for footwear without laces.

628167-03800	38.79	PR	20		
--------------	-------	----	----	--	--

B. Wearwell Rover Kneel Mat, Black



Meet ROVER™. A unique breed of kneel mat, ROVER™ delivers support where you need it most. Quickly and securely converts from a kneel mat to a roll for head and neck support. For dual comfort, interlock two mats for head and upper-back support! Unique nitrile rubber-enhanced sponge is non-conductive, petroleum resistant, and silicone-free and outperforms traditional PVC sponge mats.

715411-00590	34.11	EA	1	515.34X14X21BK	
715411-00587	170.55	CA	1	515.34X14X21BK-CS5	Case of 5

Ergodyne 390, 385 or 380 Proflex Kneeling Pad, Black

Comfort for static kneeling situations. Closed-cell foam is non-conductive, resistant to petroleum, and silicone-free. Beveled safety edge, convenient handle.

C. 720476-18390	64.75	EA	1	18" x 36" x 1"	
D. 720476-18385	49.92	EA	1	16" x 28" x 1"	
E. 720476-18380	33.25	EA	1	14" x 21" x 1"	



RS Hughes Part Price Per Case Size Description

F. Ergodyne 357 Short All Terrain Honeycomb Gel Kneepad

Short Cap All Terrain - Honeycomb Gel: Lightweight Gel protection and stability. Lower strap and elastic sleeves eliminate irritation. Patented suspension design redirects pressure away from the patella. 10mm Honeycomb Gel and EVA foam for lightweight comfort. Lower elastic strap with H&L closure.



720476-18357 31.42 PR 6

G. Ergodyne 355 Short All Terrain Injected Gel Kneepad

Short Cap All Terrain - Injected Gel: Optimal Gel comfort with two cap options. Great for multiple surfaces. Patented suspension design redirects pressure away from the patella. 10mm Honeycomb Gel and EVA foam for lightweight comfort. Lower elastic strap with H&L closure.

720476-18355 43.42 PR 6

H. Ergodyne 342 Extra Long Injected Gel Kneepad

Extra Long Cap All Terrain - Injected Gel: Biggest, baddest beast you can get. Monster to the world, teddy bear to your knees and tendons. Unique fastening system uses calf muscle to eliminate straps behind knee. Patented suspension design redirects pressure away from the patella. 100% Injected Gel and PU foam for long lasting comfort.

720476-18342 86.58 PR 6

I. Ergodyne 347 Long All Terrain Honeycomb Gel Kneepad

Long Cap All Terrain - Honeycomb Gel: Lightweight Gel protection and stability. Lower strap and elastic sleeves eliminate irritation.

720476-18347 49.08 PR 6

J. Ergodyne 335 Slip Resist Knee Pad Long Cap - Black

Slip Resistant Rubber Cap: Grips wet or dry work surfaces. Buckle closure. Tough-as-nails 840D nylon fabric stands up to any job. 15mm neoprene padding provides firm, consistent support without bottoming out.

720476-18335 22.92 PR 6

K. Occunomix 125 Value Contoured Hard Cap Knee Pad, Blue

Heavy duty protection ideal for most surfaces. Abrasion resistant and great for pivoting, EVA foam padding provides support and protection, PE plastic hard cap, durable polyester and tricot fabrics, adjustable hook & loop closure.

021844-55415 12.50 PR 20



L. Occunomix 126 Classic Wide Knee Cap, Blue

Ideal for spreading grout, finishing concrete, and most other surfaces. EVA foam padding for comfort and cushioning. Wide flexible PVC cap provides broad area of protection, durability, and ergonomic fit.

021844-55418 15.90 PR 25

M. Occunomix 129 Value Fabric Cap, Blue

Ideal for delicate surfaces; lightweight and comfortable. EVA foam padding for comfort and cushioning. Durable 600 Denier Polyester and tricot fabrics, adjustable hook & loop closure.

021844-56055 11.90 PR 20



OUR BEST SELLER!



NEW ITEM!



A

Self-Cleaning Cleated Outsole

Available in the HAZMAX® STRAPPER and SLICKER. Offers great cold weather flex and traction.



Only \$16.52 plain toe

Only \$19.29 steel toe



B



C

RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

A. OnGuard 15" 85556 Plain Toe/85557 Steel Toe Neoprene Boot, Brown

Heavy-duty Neoprene Rubber provides protection in some of the harshest environments. Rugged, moisture-wicking inner lining feels dry and comfortable for all day wear. Built-in cushion underfoot designed for added comfort in extended wear. Re-engineered back stay gives added flexibility while maintaining upper boot rigidity. Slip and abrasion resistant chevron sole provides consistent, reliable performance.

791079-15440	87.93	PR	6	7	Plain Toe
791079-15441	87.93	PR	6	8	Plain Toe
791079-15442	87.93	PR	6	9	Plain Toe
791079-15443	87.93	PR	6	10	Plain Toe
791079-15444	87.93	PR	6	11	Plain Toe
791079-15445	87.93	PR	6	12	Plain Toe
791079-15446	87.93	PR	6	13	Plain Toe
791079-15453	91.38	PR	6	7	Steel Toe
791079-15454	91.38	PR	6	8	Steel Toe
791079-15455	91.38	PR	6	9	Steel Toe
791079-15456	91.38	PR	6	10	Steel Toe
791079-15457	91.38	PR	6	11	Steel Toe
791079-15458	91.38	PR	6	12	Steel Toe
791079-15459	91.38	PR	6	13	Steel Toe



B. Monarch by OnGuard 16" 86605 Plain Toe/86606 Steel Toe Kneeboot, Black

Monarch: ONGUARD'S Economy Boot. Durable yet economic foot protection designed for uses where chemical resistance is not a factor. Excellent for use in: orchards, vegetable fields, citrus groves, and agriculture. Sizes 4-13 available. Injected molded seamless construction. Steel toe style complies with ASTM F2413-05, reinforced shank, replaceable cushion insoles, pull-up and kick off lugs for easy on and off, cut off band for height adjustment, heavy duty laces in selected styles, 100% waterproof, manufactured using a minimum of 88% pre-consumer recycled materials.

791079-10928	16.52	PR	6	7	Plain Toe
791079-10929	16.52	PR	6	8	Plain Toe
791079-10930	16.52	PR	6	9	Plain Toe
791079-10931	16.52	PR	6	10	Plain Toe
791079-10932	16.52	PR	6	11	Plain Toe
791079-10933	16.52	PR	6	12	Plain Toe
791079-10934	16.52	PR	6	13	Plain Toe
791079-10938	19.29	PR	6	7	Steel Toe
791079-10939	19.29	PR	6	8	Steel Toe
791079-10940	19.29	PR	6	9	Steel Toe
791079-10941	19.29	PR	6	10	Steel Toe
791079-10942	19.29	PR	6	11	Steel Toe
791079-10943	19.29	PR	6	12	Steel Toe
791079-10944	19.29	PR	6	13	Steel Toe

C. OnGuard 86010 4" PVC Overshoe with 4-way Cleated Outsole, Black

OnGuard PVC Overshoes offer premium protection with heavy FLEX-O-THANE PVC construction for added durability. Injected molded seamless construction, excellent cold weather flexibility, self-cleaning, slip resistance outsole, kick off lug for easy on and off, fits over most work shoes and boots.

791079-107041	16.62	PR	6	LG	
791079-107072	16.62	PR	6	XL	
791079-107096	16.62	PR	6	2XL	

RS Hughes Part Price Per Case Size Description

D. OnGuard 97591 12" Latex "Hazmat" Boot Cover

OnGuard Boot/Shoe Covers provide an extra layer of protection for various applications. Excellent for use in spill clean-ups, municipalities and utilities. 100% waterproof, dipped construction, 0.60mm latex rubber with a ripple textured sole.

791079-11877	5.78	PR	50	LG	Yellow
791079-11878	5.78	PR	50	XL	Yellow
791079-11879	5.78	PR	50	2XL	Yellow



E. OnGuard 87012 Hazmax® 16inch Kneeboot

The finest boots made for hazardous material handling! Use in situation involving dangerous chemicals, gasses, or biological hazards and waste. 16" Steel Toe/Steel Shank/Steel Midsole with Ultragrip® Sipe Outsole. One-piece injection molded construction, eliminates seams. Boots are constructed of a high viscosity and flexible PVC alloy. Steel toe, steel shank, and steel midsole for complete protection. Steel toe complies with ASTM F2413-11 and CSA Z195. Exceeds CSA standards for Dielectric Footwear. Non-absorbent polyester lining for easy cleaning and quick drying. Replaceable cushioned insoles, cut off bands, and kick off lug.

791079-13587	102.26	PR	6	6	Green
791079-13588	102.26	PR	6	7	Green
791079-13589	102.26	PR	6	8	Green
791079-13590	102.26	PR	6	9	Green
791079-13591	102.26	PR	6	10	Green
791079-13592	102.26	PR	6	11	Green
791079-13593	102.26	PR	6	12	Green
791079-13594	102.26	PR	6	13	Green
791079-13595	102.26	PR	6	14	Green
791079-13596	102.26	PR	6	15	Green



F. OnGuard 15" 88120 Plain Toe/88121 Steel Toe Polyurethane Boot, Yellow

Ultra lightweight boots with excellent abrasion protection. Excellent for use in food processing and general industry. Lightweight and abrasion resistant, polyurethane upper and outsole. Resists a wide range of chemicals, fats, and acids (especially in food processing). Reduced weight decreases foot fatigue for increased productivity. Abrasion resistant sole provides up to three times longer wear than traditional PVC footwear.

791079-15382	115.28	PR	5	5	Plain Toe
791079-15383	115.28	PR	5	6	Plain Toe
791079-15384	115.28	PR	5	7	Plain Toe
791079-15385	115.28	PR	5	8	Plain Toe
791079-15386	115.28	PR	5	9	Plain Toe
791079-15387	115.28	PR	5	10	Plain Toe
791079-15388	115.28	PR	5	11	Plain Toe
791079-15389	115.28	PR	5	12	Plain Toe
791079-15390	115.28	PR	5	13	Plain Toe
791079-15391	115.28	PR	5	14	Plain Toe
791079-15392	115.28	PR	5	15	Plain Toe
791079-15156	117.16	PR	5	5	Steel Toe
791079-15157	117.16	PR	5	6	Steel Toe
791079-15158	117.16	PR	5	7	Steel Toe
791079-15159	117.16	PR	5	8	Steel Toe
791079-15160	117.16	PR	5	9	Steel Toe
791079-15161	117.16	PR	5	10	Steel Toe
791079-15162	117.16	PR	5	11	Steel Toe
791079-15163	117.16	PR	5	12	Steel Toe
791079-15164	117.16	PR	5	13	Steel Toe
791079-15165	117.16	PR	5	14	Steel Toe
791079-15166	117.16	PR	5	15	Steel Toe



Fall Protection

In this section:

Body Supports/Harnesses	200-201
Connectors, Retractable Web Lanyards	202
Anchors	203
Escape & Rescue Kits	204-205
Roofing Kit	206
Vertical-Entry Solutions	207

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change

Fundamentals of fall protection

Effective fall protection is more than one product – it's a team of products working together.

FALL PROTECTION IS AS EASY AS ABC & D

The start of the alphabet is an easy way to remember the components of fall protection. A stands for Anchorage, B for Body support, C is the Connection between them, and D stands for Descent and rescue equipment that must be on-site for each job.

Body Support

that distributes fall force across your entire body and provides the personal connection point.

Full Body Harnesses are used to distribute fall arrest forces across the shoulders, upper thighs, chest and pelvis. They feature a center back fall arrest attachment (dorsal D-ring) for connection to the fall arrest connecting device, and may have other D-rings for use in worker positioning, travel restraint, retrieval or ladder climbing. They're also the only form of body wear acceptable for fall arrest, and should be selected based on the work to be performed and the work environment.

Body Belts circle the waist and are used for worker positioning and travel restraint. They are used in conjunction with a full body harness. A body belt must NEVER be used for personal fall arrest.

Descent and rescue devices are used to retrieve an injured worker, and lower him to the ground. Users must have a rescue plan that provides the prompt rescue of employees in the event of a fall or assures that employees are able to rescue themselves.

Anchorage devices for secure attachment to your location.

Anchorage are secure points of attachment. They must be able to hold fast under the forces generated during a fall. Anchorage connectors vary by industry, job, type of installation and structure.

- An anchorage, as defined by OSHA, is a secure point of attachment for lifelines, lanyards or deceleration devices. It may be a beam anchor, cross-arm strap, D-bolt, hook anchor, tripod, davit or other secure device that serves as a point of attachment for lifelines, lanyards or deceleration devices.
- Anchorages and anchorage connectors must be independent and capable of supporting 5,000 lbs. per worker attached, or designed, installed and used under the supervision of a qualified person as part of complete personal fall arrest system which maintains a safety factor of at least two times maximum arresting force. They must also be located high enough for a worker to avoid contact with a lower level should a fall occur.

Connectors that provide the lifeline between body harness and anchor.

Connectors, such as energy absorbing lanyards or self-retracting lanyards, attach the worker's harness to the anchorage. Types will vary depending on whether the worker needs personal fall arrest or work positioning and travel restriction.


- **Connecting for Personal Fall Arrest**
Often a lanyard is equipped with an energy absorbing element to reduce the energy transmitted to the user's body in the event of a fall.
- **Connecting for Positioning and Travel Restriction**
Usually a simple lanyard intended to reduce the potential for entering a fall hazard zone or free falling from a distance of less than two feet.

4 | 2012 CORE PRODUCTS

To view 3M's full range of fall protection products, visit 3M.com/fallprotection | 5

How to Calculate Fall Distance

Fall distance must be calculated for each application where use of fall arrest systems are required.



Remember

LESS than 17 1/2 ft. of clearance, the use of a self-retracting lanyard is recommended (Figure A)

OVER 17 1/2 ft. of clearance, an energy absorbing lanyard or a self-retracting lanyard can be used (Figure B)



Types of Body Harnesses



ELAVATION™
[PREMIUM]

The Elavation™ harness incorporates advanced design features to help make fitting, adjusting and wearing this fall arrest harness easier and more comfortable. A variety of hardware configurations available including quick connect buckles or grommet leg straps and additional D-rings. Our premium padding is breathable and durable, and the tighter weave of the webbing is designed to help resist damage from abrasion. Integrated web keepers and lanyard storage keepers hold excess material out of the way to reduce potential entanglement hazards.



AMEBA
[UPPER MIDRANGE]

The Ameba harness features a special non-elastic helical yarn webbing that is designed to flex with the wearer for non-binding comfort. Unlike harnesses that feature an elastic blend webbing, the Ameba is designed to maintain its shape and integrity over time and, most importantly, during a fall. The soft mesh back pad helps wick moisture away from the body for cooler and more comfortable wear. Integrated web keepers and lanyard storage keepers hold excess material out of the way to reduce potential entanglement hazards.




1450
Ameba Comfort Harness with pass thru chest connection, grommet leg connection, back D-ring, 310 lb. capacity
Universal size

SAFELIGHT
[ENTRY LEVEL]

The SafeLight harness provides quality construction at exceptional value. This is a lightweight and economical fall arrest harness for general fall arrest applications. It comes standard with a pass thru chest connection and options for grommet or pass thru leg straps and additional D-rings. Integrated web keepers and lanyard storage keepers hold excess material out of the way to reduce potential entanglement hazards.



Harness Sizing Chart



RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

A. 3M™ SafeLight Fall Arrest Harness 10950

Quality construction at a value price. Bright color web assists worker visibility on a jobsite. Features pass thru chest connection and grommet legs with back D-ring.

078371-00081	51.37	EA	1	Universal	Back D-Ring
--------------	-------	----	---	-----------	-------------

B. 3M™ Ameba Fall Arrest Harness 1450

Value padding for added comfort includes moisture wicking properties. Non-elastic helical yarn moves with wearers to assist comfort and mobility. Integrated lanyard storage and web keepers designed to help reduce entanglement hazards. Back pad promotes tangle-free donning. Laminated sleeve helps protect label.

078371-63594	102.46	CA	1	Universal	Back D-Ring
--------------	--------	----	---	-----------	-------------

3M™ Elavation™ Fall Arrest Harnesses

Premium padding for enhanced comfort and durability. Intuitive adjustment hardware. Tight weave web designed for additional abrasion resistance. Rubber protective shield for label pack. Integrated lanyard storage and web keepers help reduce entanglement hazards. Back pad promotes tangle-free donning.

C. 078371-63894	204.51	EA	1	SM/MD	7510Q	Back D-Ring Only
C. 078371-63892	204.51	EA	1	LG/XL	7510Q	Back D-Ring Only
C. 078371-63896	204.51	EA	1	2XL	7510Q	Back D-Ring Only
D. 078371-63900	212.70	EA	1	SM/MD	7511Q	Back & Side D-Rings
D. 078371-63898	212.70	EA	1	LG/XL	7511Q	Back & Side D-Rings
D. 078371-63902	212.70	EA	1	2XL	7511Q	Back & Side D-Rings
E. 078371-63942	249.59	EA	1	SM/MD	7552Q	B & S D-Rings w/Belt
E. 078371-63940	249.59	EA	1	LG/XL	7552Q	B & S D-Rings w/Belt
E. 078371-63959	249.59	EA	1	2XL	7552Q	B & S D-Rings w/Belt



Quick Connect Buckle - items C & D



Grommet Buckle - item E



Fall Protection

Connectors, Retractable Web Lanyards

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change



3M



RS Hughes Part Price Per Case Description

3M™ ReLoad™ Self-Retracting Lanyard

REW-7 is a palm-size device that connects a person's body harness to an anchoring point to help arrest a fall. These premium fall protection self-retracting lanyards use a Vectran™ web lifeline with impact modified nylon housing. Designed for general purpose use and /or scratch-sensitive surfaces.

A.	078371-01145	150.18	EA	1	REW-7 7ft Web
B.	078371-01136	317.00	EA	1	REW-12 12ft Web
	078371-01137	438.62	EA	1	REW-23 23ft Web

C. 3M™ Safelight™ Energy Absorbing Lanyard 209712

6 ft. tubular low profile lanyard. 310 lbs. rated. 3600 lbs. gate rated hardware. Meets requirements of ANSI Z359.1-2007 standards.

078371-00106	44.98	EA	1	
--------------	-------	----	---	--

D. 3M™ Tie-Back Energy Absorbing Lanyard 3812

This anchor/lanyard combo is a 6 ft. lanyard with 1 snap hook, 1 tie-back hook and external shock absorber. Designed for general purpose work environments.

078371-00048	84.18	EA	1	Orange/Yellow
--------------	-------	----	---	---------------

E. 3M™ SafeAbsorb Xtra Energy Absorbing Lanyard 4750/0241

310 lbs. rated. 3600 lbs. gate rated hardware. This premium expandable dual leg lanyard stretches from 4-6 ft. to help reduce trip hazards. Comes with 1 snap hook, 2 rebar hooks and integrated shock absorption. Designed for general purpose work environments. Dual leg allows 100% tie-off.

078371-00284	135.82	EA	1	Yellow
--------------	--------	----	---	--------

3M™ Thor Self Retracting Lanyard

Classic design with carabiner and swivel snap hook. All hardware is 3,600 lb. gate rated meeting ANSI Z359.12-2009 standards.

F.	078371-01356	203.80	EA	1	RLD-10S 10ft
G.	078371-00373	392.28	EA	1	RLD-20 20ft 6.7lbs
H.	078371-00375	537.09	EA	1	RLD-30 30ft 8.0lbs

3M™ ReLoad™ Self Retracting Lanyards

Can be inspected and serviced onsite by authorized technicians for lower maintenance costs. Clicking sound provides audible indication that pawls are functioning correctly. 400 lbs. max capacity for cable units, 310 lbs. for web units. Galvanized steel cable units range from 23' to 50'. Web units range from 7' - 23'.

I.	078371-01132	467.21	EA	1	REC-23 23ft
J.	078371-01133	639.34	EA	1	REC-30 30ft
J.	078371-01135	737.71	EA	1	REC-50 50ft

Tips for Choosing a Lanyard

Work Environment

Just like the webbing of your harness, it's essential for lanyard durability and your safety that the lanyard's webbing is strong enough to withstand rough environmental elements and use, without fraying or tearing. Cable lanyards offer extra durability and are ideal for abrasive or high-heat environments. WEB: general purpose
CABLE: extremely harsh environments

Energy Absorbers

When used as part of a personal fall arrest system, lanyards must contain an energy absorbing unit that limits fall arrest forces during a fall to less than 1,800 lbs. (8kN) to reduce impact on the body. Many 3M designs keep forces below 900 lbs. (4kN) for added safety. (Available in pack or tubular styles, depending on preference).

Connectors/Hooks

One handed snap hooks make for easy connection and removal. Lanyards can also be ordered with rebar hooks for larger anchorage connections.

Single vs Dual Leg

Single leg energy absorbing lanyards help provide high strength fall protection that limits the force of a fall. Dual leg lanyards offer the same protective connection to one anchor point as you move to the next.

Length

Available in 3 ft., 6 ft., or 4-6 ft. expandable depending on range of movement needed.



Fall Protection Product Considerations

Inspection and Product Life Fall protection products should be inspected prior to each use, and that a "Competent Person" should perform a formal inspection at least once every six months.

Due to OSHA inspection requirements, 3M does not apply a mandatory shelf-life or expiration date on their fall protection products. It is a general recommendation that a life expectancy for web goods (harnesses and lanyards) of five years from the date of manufacture be considered. This coincides with the recommended shelf life noted in ANSI A10.32-2004 (section 1 paragraph 1.4.4) standards.

OSHA 1910.66 and 1926.502 require no formal inspection period, only inspection by the user before each use. OSHA 1926.502(d)(21) specifically states: *Personal fall arrest systems shall be inspected prior to each use for wear, damage and other deterioration, and defective components shall be removed from service.*

ANSI Z359.1-2007 requires inspection by a "Competent Person", other than the user, at least once every year. While ANSI A10.32-2004 and ANSI A10.14 - 1991 require formal inspection by a "Competent Person" every six months.

Types of Anchors


ROOFING

Roof anchors include the lower cost, single use, economy roof anchor 4651X and the Reusable Roof Anchor 4000. These anchors can be used on flat or pitched roofs, and the 4000 anchor is suitable for wood and metal decking. The 4000 anchor can also be used as part of a 3M flexible horizontal lifeline system. The 4000 anchor features a simple hinged design for easy installation and removal.



CONCRETE

Featuring two reusable concrete anchorage devices: 4075 and 4012-C. Both are used in temporary and permanent applications, and can be easily inserted into and removed from pre-drilled holes in cured concrete. Both provide a wide range of movement. The 4075 can be pulled up to a 90 degree angle and the 4012-C rotates 360 degrees.




CROSS ARM

Designed to wrap around structures to form a secure anchor point. Convenient and ideally suited for quick and easy installations. Typical use includes I-Beam or pipe application for an overhead anchor tie off. Strap may be used in horizontal and vertical applications.



I-BEAM

Sliding beam anchor 4650-3 is made of lightweight aluminum and adjusts from both sides for easier installation. The beveled sliders allow smooth movement along the beam moving with the worker. When used at foot level, ensure the Powerstop 12 ft. freefall energy absorbing lanyard is utilized.



RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

K. 3M™ SafeClaw Concrete Anchor 4077

This fall protection reusable concrete anchor can easily be inserted into and removed from cured concrete to quickly provide a secure anchor. Provides movement flexibility with up to 90 degrees of flex. Approved for use with horizontal lifeline systems.

078371-01162	253.02	EA	1
--------------	--------	----	---

L. 3M™ Industrial Beam Anchor 4650-3

This fall protection beamwalk adjustable sliding anchor provides horizontal mobility on I-beams. Attach overhead or at your feet using a PowerStop energy absorbing lanyard. Dual axis swivel D-ring helps prevent entanglement. Lightweight aluminum construction, quick and easy installation.

078371-62716	208.68	EA	1
--------------	--------	----	---

3M™ Cross Arm Straps

Designed to wrap around structures, forming a secure anchor point. Convenient and ideally suited for quick and easy installations.

M. 078371-00063	26.15	EA	1	4550 6ft len 1.75in webbing
N. 078371-00276	51.30	EA	1	4550-U 6ft len heavy duty

O. 3M™ Suspension Trauma Strap R-100

3M Suspension Trauma Strap designed to be used with a full body harness and help with the discomfort of prolonged suspension, only after a fall occurs. Use only as part of a complete personal fall arrest system. 70in length, 400lb capacity.

078371-01314	27.31	EA	1
--------------	-------	----	---





RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. 3M™ DEUS Escape Kit, 3700 Descent Device

Allows for worker to be lowered to the ground in emergency situations. Kit is pre-rigged. Includes 3700 descent device, 100 ft. of 8mm orange kernmantle rope, (3) carabiners, (1) 4ft. rope-over-wire anchor, and water-resistant haul bag.

078371-66381	3,067.59	KT	1	IE37-100
--------------	----------	----	---	----------

B. 3M™ DEUS Tower Escape Kit, 3300 Descent Device

Allows for tower worker to be lowered to the ground in emergency situations. Kit is pre-rigged. Includes 3300 descent device, 300ft. of 7.5mm green kernmantle rope, (3) carabiners, (1) 4ft. rope-over-wire anchor, and water-resistant haul bag.

078371-66385	3,551.24	KT	1	GE33-300
--------------	----------	----	---	----------

C. 3M™ DEUS Escape and Rescue Kit, 3700 Descent Device

Escape and rescue kit. Kit is pre-rigged. Includes 3700 descent device, 200ft. of 8mm orange kernmantle rope, (3) carabiners, (2) 4ft. rope-over-wire anchors, (1) edge protector, 4:1 RTU kit, and water-resistant haul bag.

078371-66389	4,514.63	KT	1	IR37-200
--------------	----------	----	---	----------

C. 3M™ DEUS Oil & Gas Escape and Rescue, 3700 Descent Device

Escape and rescue kit for oil & gas applications. Kit is pre-rigged. Includes 3700 descent device, 200ft. of 8mm orange kernmantle rope, (3) triple lock carabiners, (2) 4ft rope-over-wire anchors, (1) edge protector, 4:1 RTU kit & water-resistant haul bag.

078371-66394	4,569.72	KT	1	IR370G-200
--------------	----------	----	---	------------

3700 CONTROLLED DESCENT DEVICE

3M Product No.: 3700

TECHNICAL

Approved for 1 person or 2 person use*

Operation: Hands-free or manual
 Descent Rate: **2 meters/second** (6.6 feet/sec) at 310 lbs. (140.61 kg)
 Min. Weight: 130 lbs. (59 kg) per ANSI 88 lbs. (40 kg) per CSA and EN
 Max. Weight*: 310 lbs. (140 kg) per ANSI 275 lbs. (125 kg) per CSA and EN
 Max. Descent Height: 1 person 590 ft. (180 m)
 Rope: Use 3M™ and DEUS™ 8 mm orange kernmantle rope

CONSTRUCTION

Aluminum, stainless steel, titanium and brass

WEIGHT & DIMENSIONS

Weight without rope and carabiner: 2.8 lbs (1.27 kg)
 Dimensions: 5.3" x 3.8" x 2.2" (13 x 10 x 6 cm)
 Certifications: ANSI Z359.4-2007, EN341:2012/Type 1, Class B, CSA Z259.2.3:2012/Type 1, Class B
 Warranty: Limited Lifetime Warranty (Renew every three years)





RESCUE TRANSFER UNIT

A rescue transfer unit is a specialized piece of equipment used to raise a person who has fallen and is suspended from a piece of fall-protection equipment in order to transfer the load from the fall-protection device to a rigged and anchored controlled descent device. After the load is transferred to the controlled descent device, the unloaded fall-protection device is released so that controlled descent can proceed.



3300 CONTROLLED DESCENT DEVICE

3M Product No.: 3300

TECHNICAL

Approved for 1 person

Operation: Hands-free or manual
Descent Rate: **3 meters/second** (9.8 feet/sec) at 310 lbs. (140.61 kg)
Max. Weight: 310 lbs. (140.61 kg)
Max. Descent Height: 350 ft. (106 m)
Rope: Use 3M™ and DEUS™ 7.5 mm green kernmantle rope

CONSTRUCTION

Aluminum, stainless steel, titanium and brass

WEIGHT & DIMENSIONS

Weight without rope and carabiner: 2 lbs. (0.9 kg)
Dimensions: 5.3" x 3.5" x 2.1" (13 x 9 x 5 cm)
Certifications: NFPA 1983: 2012 ED "Escape" and "Fire Escape"
Warranty: Limited Lifetime Warranty (Renew every three years)



RS Hughes Part Price Per Case Description

D. 3M™ DEUS Back-Up Belay Kit

This system is designed for back-up belay and is ideal for escape and rescue training. Kit is pre-rigged. Includes 7300 descent device, 200ft. of 12mm white belay rope, (4) carabiners, 4ft. rope-over-wire anchor, (2) "O" Rings, storage bag.

078371-66404 5,054.78 KT 1 B173-200

E. 3M™ DEUS Tower Escape and Rescue Kit, 3300 Descent Device

Escape and rescue kit for tower applications. Kit is pre-rigged. Includes 3300 descent device, 300ft. of 7.5mm green kernmantle rope, (3) carabiners, (2) 4ft. rope-over-wire anchors, (1) edge protector, 4:1 RTU kit & water-resistant haul bag.

078371-66397 4,644.20 KT 1 GR33-300

F. 3M™ DEUS Bucket Truck Escape Kit BT, 3700 Descent Device

Allows for bucket truck worker to be lowered to the ground in emergency situations. Kit is pre-rigged. Includes 3700 descent device, 150ft. of 8mm orange kernmantle rope, (3) carabiners, (2) edge protectors and water-resistant haul bag.

078371-66400 3,215.48 KT 1 BT-150

ROOFING KIT

The 3M™ Roofing Kit provides a complete fall protection system in a portable and convenient 5-gallon bucket. The kit contains a reusable roof anchor, SafeLight™ harness with 5 points of adjustment, 6 ft. energy absorbing lanyard, and a 50 ft. rope lifeline with manual rope adjuster. The kit is designed to help meet compliance with the new OSHA residential roofing directive.



A

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. 3M™ Roofing Kit 200858

Includes a 10910 Safelight Harness, 209512 6' Safelight Lanyard, 4000 Roof Anchor, 0221-5ORG 50' Lifeline with attached Rope Grab, 5-gal storage bucket.

078371-00086	175.32	EA	1	
--------------	--------	----	---	--

3M™ Training and Support

On-Site Demonstrations

Using our fall protection demonstration drop trailers, the 3M team will emphasize the importance of using compliant fall arrest equipment to ensure top-line education and results. By coming to you, we make it easy for you to enhance safety awareness for large numbers of workers.

Training Tools

3M values providing the safety tools you need, wherever you are. That's why we've developed a 20-minute, bilingual "Fall Protection Awareness" video that covers the basics of fall protection. You can watch this video at www.3M.com/FPAwareness or contact your local 3M sales specialist for a complimentary DVD.



VERTICAL-ENTRY SOLUTIONS

Xtirpa™ FREESTANDING H-BASE SYSTEM

A free-standing system is ideal when you need to move and access various confined-space entry points. The portable lower base allows for adjustment to accommodate width and length of most standard confined spaces, offering a solution for the entry, rescue and positioning of personnel. The system pivots for an easier and safer rescue. The davit arm is equipped with a 5,000 lbs. anchor point.

WEIGHT CAPACITY: 360 lbs.

Sample Freestanding H-Base System

3M™ STAINLESS STEEL THREE-WAY SELF-RETRACTING LANYARD 205G-50, 50 feet
50 foot three-way self-retracting lanyard.

Xtirpa™ DAVIT ARM IN-2210, 24 inch reach

Equipped with 5,000 lbs. rated anchor point.

Xtirpa™ SRL ADAPTER IN-2356*

Use to attach 205G-50 to davit-arm mounting bracket.

Xtirpa™ DAVIT MAST IN-2003, 55 inch height
Also available in a variety of sizes based on length of davit arm.

*If using a 205G-50 self-retracting lanyard that was manufactured before July 2013, use mounting bracket IN-2079 instead of IN-2356.

Xtirpa™ DAVIT MAST EXTENSION IN-2044, 15 inch height
Also available in 18 inches and 24 inches.

Xtirpa™ H-BASE IN-2118, 50 inches
Three-piece system.

RS Hughes Part	Price	Per	Case	Description
B. 3M™ Xtirpa™ Freestanding H-Base System				
078371-66043	3516.40	EA	1	IN-2210
078371-66050	1459.01	EA	1	IN-2003
078371-66051	736.06	EA	1	IN-2044
078371-66053	762.30	EA	1	IN-2109
078371-66052	781.97	EA	1	IN-2045
078371-66049	3581.97	EA	1	IN-2118

Xtirpa™ FREESTANDING H-BASE SYSTEM

DAVIT ARM	Product #	Name	Description
	IN-2210	Xtirpa™ Davit Arm, 24 in.	24 in. davit arm with secondary block for fall protection and retrieval facilitates access to confined spaces. Use with 24 in. mast IN-2003 and appropriate Xtirpa™ bases/systems or manhole guards IN-2108 or IN-2324. Equipped with 5,000 lbs. anchor point. Unit weight: 33 lbs.
MAST AND EXTENSIONS	Product #	Name	Description
	IN-2003	Xtirpa™ Davit-Arm Mast, 55 in.	Mast for confined-space fall protection and retrieval to be used in conjunction with the fall protection and retrieval 24 in. davit arm IN-2210 and any Xtirpa™ 24 in. davit-arm base or system. Height: 55 in. Unit weight: 22 lbs.
	IN-2044	Xtirpa™ Mast Extension, 15 in.	Mast extension is made of painted steel and provides an additional 15 in. of height when used with any 24 in. davit-arm base. Unit weight: 20 lbs.
	IN-2109	Xtirpa™ Mast Extension, 18 in.	Mast extension is made of painted steel and provides an additional 18 in. of height when used with any 24 in. davit-arm base. Unit weight: 24 lbs.
	IN-2045	Xtirpa™ Mast Extension, 24 in.	Mast extension is made of painted steel and provides an additional 24 in. of height when used with any 24 in. davit-arm base. Unit weight: 26 lbs.
H-BASE	Product #	Name	Description
	IN-2118	Xtirpa™ H-Base, 50 in.	50 in. H-base for confined space fall protection and retrieval. Use with 24 in. davit arm IN-2210 and mast IN-2003. The lower base is portable and adjusts to fit most standard confined spaces. Three-piece system.

RS Hughes Part	Price	Per	Case	Description
C. 3M™ Tripod System				
078371-00221	2347.36	EA	1	205G-50
078371-00173	1043.51	EA	1	142G
078371-00291	69.47	EA	1	99-0217
078371-62772	119.12	EA	1	M10B-1
078371-00917	159.72	EA	1	4500-TripodA

VERTICAL-ENTRY SOLUTIONS

3M™ TRIPOD SYSTEM

Simple setup procedure makes the process quick and promotes correct use. Legs automatically lock to the open position for added safety. Aluminum legs and head design reduce weight and improve portability. Designed for lifting, lowering and positioning personnel. Carrying bags allow for great portability. Provides a 5,000 lbs. anchor point.

WEIGHT CAPACITY: 360 lbs.

3M™ TRIPOD PULLEY 99-0217

3M™ CONFINED-SPACE TRIPOD 99-M10B, 7 feet

3M™ MATERIAL HANDLING WINCH 142G, 65 feet

3M™ STAINLESS STEEL THREE-WAY SELF-RETRACTING LANYARD 205G-50, 50 feet
50 foot three-way self-retracting lanyard.

3M™ TRIPOD MOUNTING BRACKET M10B-1
To be used with 205G-50.

TRIPOD	Product #	Name	Description
	99-M10B	3M™ Tripod	This 7 ft. adjustable aluminum tripod with pulley container and chain for the legs is one of three components of the 3M™ Tripod system used for confined-space rescue. Must order with 205G-50 and M10B-1 for a complete system.
RETRIEVAL DEVICES	Product #	Name	Description
	205G-50	50 ft. Three-way Device	This 50 ft. three-way self-retracting lanyard is one of three components of the 3M™ Tripod system used for confined-space rescue. Lifetime stainless steel cable.
	142G	Material Handling Winch	The 142G material winch is capable of raising and lowering loads of 550 lbs. and has 65 feet of galvanized steel cable. The 142G material handling winch comes complete with hardware pre-attached for mounting onto the 99-M10B tripod.
TRIPOD ACCESSORIES	Product #	Name	Description
	99-0217	Pulley	Replacement pulley for tripod 99-M10B.
	M10B-1	Tripod bracket	Tripod mounting bracket for 205G-50 Series three-way self-retracting lanyard. Must order M10B-1 with 99-M10B tripod and 205G-50 Series three-way self-retracting lanyard for a complete system.
	1000210-GF	Container	Required for connecting additional devices.
	4500-TripodA	Storage Bag	Carrying and storage bag for tripod.

First Aid

In this section:

AED's & Signage	208-209
First Aid Cabinets and Kits/Refills	210-215
Antiseptics	216-217
Bandages	217-218
Burn Treatment	218
Eye Care, Dressings	219
Tape, Self Adherent Wraps	220
First Aid Supplies	221-222
Unitized Refills	222-223
Skin Care	224-225
Eye Wash Signs, Stations & Drench Showers	226-228
Braces & Supports	229
Heat Stress	230-231

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change



RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

E. Zoll Battery Sleeve

Type 123 Lithium Batteries, quantity of ten with storage sleeve

8000-0807-01	75.00	PK	1
--------------	-------	----	---

F. Zoll CPR-D-Padz®

CPR-D-padz® - One piece electrode pad with Real CPR Help®. Supplied with gloves, barrier mask, scissors, razor, wet wipe and dry wipe. Five (5) year shelf-life.

8900-0800-01	169.00	EA	1
--------------	--------	----	---

G. Zoll Waterproof Case Large

Large Pelican Case. Large waterproof hard case with cut-outs for AED Plus, CPR-D-padz, Pedi-padz II, and sleeve of 10 batteries. Its high-density foam provides total protection from the rigors of impact, vibration and shock.

8000-0837-01	219.00	EA	1
--------------	--------	----	---

H. Zoll Waterproof Case Small

Small Pelican Case. Small waterproof hard case with cut-outs for AED Plus only. Its high-density foam provides total protection from the rigors of impact, vibration and shock.

8000-0836-01	199.00	EA	1
--------------	--------	----	---



B



C



D



E



F



G



H

RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

A. Zoll AED Plus with Cover

ZOLL AED Plus with AED Cover. CPR-D-padz® Electrode, pack of 10 CR123a batteries, and Carry Case - The ZOLL® AED Plus® provides the best support for resuscitating a victim of sudden cardiac arrest. The AED Plus is the first and only automated external defibrillator (AED) with Real CPR Help® technology that provides real-time feedback on depth and rate of chest compressions during CPR.

8000-004007-01	2,100.00	EA	1	Fully Automatic, PlusRX Medical Prescrip.
8000-004010-01	2,299.00	EA	1	Fully Automatic, PlusTrac Professional1
8000-004011-01	2,599.00	EA	1	Fully Automatic, PlusTrac Professional5
8000-004000-01	2,100.00	EA	1	Semiautomatic, PlusRX Medical Prescrip.
8000-004003-01	2,299.00	EA	1	Semiautomatic, PlusTrac Professional1
8000-004004-01	2,599.00	EA	1	Semiautomatic, PlusTrac Professional5

B. Zoll AED Wall Cabinet

Standard Metal Wall Cabinet (9" deep) designed to hold AED Plus in a carry case with spare electrodes.

8000-0855	199.00	EA	1
-----------	--------	----	---

C. Zoll Pedi-Padz® Electrodes

Pedi-padz® II - Pediatric Multi-Function Electrodes - Designed for use with the AED Plus. The AED recognizes when pedi-padz II are connected and automatically proceeds with a pediatric ECG and adjusts energy to pediatric levels. Twenty four month shelf-life. One pair.

8900-0810-01	95.00	EA	1
--------------	-------	----	---

D. Zoll AED Plus Case

8000-0802-01	105.00	EA	1	Replacement Softcase only.
--------------	--------	----	---	----------------------------

Zoll AED Plus Trac™ Packages

The ZOLL AED Plus is the only AED in the market today that:

PlusTrac™ is an interactive, web-based AED management system that ensures the ongoing compliance of your AED program. Through the interactive reporting features and escalating notification system, PlusTrac™ provides real-time status of all your AEDs.

- PlusRx allows you to register and maintain your AED Prescriptions. One medical prescription included.
- PlusTrac™ Professional1 – Provides online support for one year and includes a medical prescription.
- PlusTrac™ Professional5 – Provides online support for five years and includes a medical prescription.

Zoll AED Plus • Features and Benefits

The ZOLL AED Plus is the only AED in the market today that:

- Helps rescuers through the entire resuscitation process with voice, visual, & text messages.
- Uses a unified electrode pad that guarantees accurate pad placement.
- Supports CPR effectiveness by measuring compression and depth rate - prompts rescuer to push harder if necessary.
- Lowest total cost of ownership because CPR-D-padz and batteries last five years, if not used
- Rugged design that resists dust and direct water spray (IP55 rating)
- Powered by 10 lithium batteries available from retail stores everywhere

RS Hughes Part Price Per Case Size

I. Brady V Sign - A.E.D. (W/PICTO)

6" H x 9" W x 4" D, Acrylic standard "V" Sign, 1/Each
754476-49350 15.49 EA 1



J. Zoll AED Wall Sign

AED Plus Sign Package - 3-D Wall Sign & Wall Sign (8½" x 11")
8000-0825 19.00 PK 1



K. SWIFT 42-72151

Microshield® CPR mask, polybag. Face shield with a one-way valve. Provides protection for the first responder. Packaged in an orange vinyl envelope.

42-72151 10.60 EA 50

L. SWIFT 52-1000N

FDA approved nitrile gloves, large

52-1000N 1.12 PR 50



M. Brady Sign - EMERGENCY FIRST AID (W/PICTO)

7" H x 10" W, Plastic, B-401

754476-21806 8.74 EA 1



N. Brady Sign - FIRST AID KIT (W/PICTO), 1 Each

7" H x 10" W

754476-22671 8.74 EA 1 Plastic, B-401
754476-85361 4.82 EA 1 Self Sticking Polyester, B-302

O. Brady High Visibility Sign - Rigid - FIRST AID (W/PICTO)

5 1/2" x 10" x 4", White on Red, Polystyrene, B-493, 1/Each

754476-45370 22.99 EA 1

P. Brady V Sign - FIRST AID (W/PICTO)

6" H x 9" W x 4" D, Acrylic standard "V" Sign, 1/Each

754476-49373 15.49 EA 1



I

J



K



L



M



N



O



P



by Honeywell

A



B



C



Refills for Industrial First Aid Stations

RS Hughes Part	Description	34-140LFP	34-180LFP	34-400LFP	Price
01-0045	Adhesive Bandage, 3/4" X 3", Plastic 100/Bx		1	1	4.16
01-0050	Adhesive Bandage, 1" X 3", Plastic 100/Bx	1	1	1	4.42
01-0819	Adhesive Bandage 2"X3" Woven, 25/Bx			1	5.36
01-1350	Fingertip T Bandages, Woven 40/Bx	1	1	1	5.08
01-2315	Adhesive Bandage, 1" X 3", Woven 50/Bx	1	1	1	3.86
01-3940	Knuckle Bandage, Woven 40/Bx	1	1	1	4.80
02-0225	Ammonia Inhalants 10/Bx	1	1	1	4.70
02-0667	Cold Pack 4" X 6" Unit Box	1	1	1	1.18
02-1602	Red Biohazard Waste Bags 2 Ea	1	1		1.46
02-8105	Elastic Tape 1"X 5YD	1	1	1	3.28
03-2170	Tri-Cut Adhesive Tape	1	1	1	4.92
03-2204	Burn Relief Pump Spray, 2 Oz	1	1	1	6.72
04-5009	Triangular Bandage, 40" X 40"X 56"	2	2	2	2.04
04-5027	First Aid Guide	1	1	1	1.00
05-1820	2" Clean Wrap Gauze Bandage - Non-Sterile	4	4	6	0.36
06-1910	Bloodstopper Bandage	1	2	2	3.56
06-1961	2"X3" Non-Adherent Gauze Pads 50/Bx	10	1	1	5.36
06-7444	Gauze Pads Sterile 4"X 4" 10/Bx	1	1	1	2.56
06-7522	Gauze Pads Sterile 2"X 2" 25/Bx	2	2	2	3.16
10-3200T	Co-Flex Bandage 2" X 5YD Tan	1	1	1	2.70
12-803VI	3" Cotton Tip Applicators 100/Vial	1	1	1	2.54
15-0910	Bzk Antiseptic Wipes 20/Bx	1	2	1	1.68
15-1901	First Aid Pump Spray 20z		1	1	3.70
15-4818	Alcohol Wipes 50/Bx		1	1	2.12
16-1512	Aspirin 5 Grains 2/Env 250/Bx	1	1	1	7.78
16-1581	Aypanal Non-Asprin 2/Env 100/Bx			1	4.38
17-1547	Miralac Tablets 2/Env 250/Bx			1	9.92
21-06250	Sinus Decongestant 2/Env 250/Bx			1	12.14
23-2124	Triple Antibiotic 1/2 Gram Pkt 20/Bx	1	1	1	3.86
24-0803	Eyewash 40z	1	1	1	5.96
32-49320	Kit Tweezer 1/2" Slanted	1	1	1	1.06
32-BS412	Scissor Bandage 4" Red Plastic Handle	1	1	1	1.04
34-8010	Pocket Insert For #400			1	10.42
34-8030	Pocket Insert For #140	1	1		6.40
40-709TM	Tongue Blades Indv Wrapped 6/Bg	1	1	1	0.90
52-2000N	Nitrile Gloves, 2 Pair, Size Large	1	1	1	1.60

RS Hughes Part Price Per Case Description

North by Honeywell Industrial First Aid Stations

Industrial first aid kit with liner & pump

A. 34-140LFP	125.68	EA	1	2-Shelf
B. 34-180LFP	169.98	EA	1	3-Shelf
C. 34-400LFP	227.32	EA	1	4-Shelf



Refills for Redi-Care™ First Aid Kits

RS Hughes Part	Description	018500-4220	018500-4221	018500-4222	Price
02-0010	Fingertip-5 Per, Knuckle Bandage-4 Per	4	4	4	2.10
02-0020	Knuckle Band 8 Per	4	4	6	1.48
02-0125	Triple Antibiotic 10 Per	1	1	1	2.02
02-0135	First Aid Burn Cream 6 Per	6	6		2.24
02-0380	Wire Splint 1 Per			1	4.20
02-0445	Adh Tape, .5" X 2.5 Yd, 2 Per	1	1	1	1.54
02-0618	Rescue Blanket 1 Per			1	4.50
02-0640	Gauze Comp, 18" X 36", 2 Per	1	1	1	2.50
02-0667	Cold Pak, Instant, 1 per unit	1	1	2	1.18
02-0701	Adhesive Bandage,Plastic, 1" X 3", 32/Box, 50Box			1	2.80
02-0766	Bandage Comp, 2" Offset, 4 Per			1	3.78
02-0795	Adhesive Bandage,Plastic,1" X 3",16/Box	1			1.28
02-1161	Hydrocortisone, 1.0%, 1/32 Oz, 10 Per Unit			1	2.12
02-1201	PVP Iodine Wipes 10 Per Unit	10	10	10	1.58
02-1640	100% Nitrile Gloves, Medical Grade, 1PR Resealable	1	1	1	2.60
03-2074	Adhesive Bandage XL	4	4	4	5.86
03-2204	O/H Pump Burn Relief, 2oz			1	6.72
06-7433	Gauze Pads Sterile 3"X 3", 12 Ply, 10/Box	4	4	10	1.74



RS Hughes Part	Price	Per Case	Size/Description
----------------	-------	----------	------------------

North Redi-Care™ First Aid Kits

These multi-purpose first aid kits are packaged in soft-sided, durable, red nylon bags. Their portability makes it easy for responders to carry them to the site of an emergency. All Redi-Care Kits are ANSI Z308.1-2009 compliant.

D. 018500-4222	85.36	KT	12	Large Kit w/ handle & shoulder strap
E. 018501-4221	40.66	KT	24	Medium Kit w/ handle & belt loops
F. 018502-4220	28.34	KT	48	Small Kit w/ integral belt loops

G. North Safety Bulk First Aid Kits

These kits contain economic bulk supplies that can be readily accessed when needed. Ideal for manufacturing settings where a wide variety of first aid items are required. All North bulk kits are waterproof and ANSI Z308.1-2009 compliant.

019700-0001L	23.96	KT	10	10 Person Kit, Plastic
019702-0002L	27.84	KT	10	25 Person Kit, Plastic





A



B

C

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. North by Honeywell Construction Specialty First Aid Kit

Specialty first aid kit for construction sites with bulk supplies of most commonly used products. Packaged in a plastic case for easy transport.

019742-0029L	19.76	EA	10	10 Person
019743-0030L	28.88	EA	10	25 Person
019744-0031L	55.22	EA	5	50 Person

B. North by Honeywell General Purpose Burn Kit

This kit contains both dry and wet burn dressings. Dry dressings will protect against contamination and the wet dressings will help draw heat out of the burn.

019727-0014L	79.28	EA	5	
--------------	-------	----	---	--

C. North by Honeywell Welders Burn Kit

Kit contains essential supplies for any welder, including the necessary dressing to treat any burn.

019726-0013L	100.36	EA	10	
--------------	--------	----	----	--

Construction Specialty Refill Kits

RS Hughes Part	Description	019742-0029L	019743-0030L	019744-0031L	Price
01-0050	Adhesive Bandage, 1" X 3", Plastic	16	32	2	4.42
02-0020	Knuckle Adhesive Bandage 8/Bx			4	1.48
02-0126	Neomycin Antibiotic 10/Bx	6	6	20	2.70
02-0225	Ammonia Inhalants 10/Bx			12	4.70
02-0445	Adhesive Tape, 1/2" X 2 1/2 Yds	1	1	10	1.54
02-0667	Cold Pack 4" X 6" Unit Box	1	1	8	1.18
02-0699	Buffered Eyewash, 1 Oz.			1	3.44
02-1202ST	Sting Relief Wipes	6	6	2	2.00
03-1570K	Forceps 4" Pointed Plastic	1	1	10	0.54
04-5009	Triangular Bandage, 40" X 40" X 56"	1	1	1	2.04
05-2230	Roller Bandage, 3" X 4.1 Yds, Non-Sterile	1	2	1	10.24
06-1910	Bloodstopper Bandage			4	3.56
06-5590	Abd Combine Trauma Pad 5" X 9"	1	1	1	0.40
06-7433	Gauze Pads Sterile 3"X 3" 10/Bx	4	6	2	1.74
15-1020	First Aid Burn Cream With Aloe	6	6	1	3.86
16-1581	Aypanal Non-Aspirin 2/Env 100/Bx	3	3	3	4.38
24-1010A	Eye Pads Oval Sterile	1	3	12	14.22
52-2000V	Vinyl Gloves 2 Pair	2	2	6	0.88
75-2577	Scissor Bandage 4" Red Plastic Handle	1	1	12	2.70
NORTH 02-1635MD	Antiseptic Wipes, Bzk	10	10	1	1.56

General Purpose Burn Kit Refill

RS Hughes Part	Description	019727-0014L	Price
02-0305	Sterile Gauze Bandage, 4" X 6YD	1	2.46
02-1640	100% Nitrile Medical Gloves (Pair)	2	2.60
04-8006	Adhesive Tape, 1" X 5YD	1	3.10
04-9077	Water-Jel® Burn Dressing, 4" X 4"	1	6.94
20-1969	Burn Sheet With Safety Pins	1	14.76
24-0803	Eyewash, 4 Oz.	3	5.96
75-2577	Scissor Bandage, 4" Red Plastic Handle	1	2.70
NORTH 49-076	Water-Jel® Burn Dressing, 4" X 16"	1	14.40

Welders Burn Kit Refills

RS Hughes Part	Description	019726-0013L	Price
02-9990	Medical Gloves, Synthetic (Pair)	2	1.88
04-9077	Water-Jel® Burn Dressing, 4" X 4"	3	6.94
72-0072	Self-Adherent Wrap, 3" X 5YD	2	3.50
75-2577	Scissor Bandage, 4" Red Plastic Handle	1	2.70
NORTH 49-075	Water-Jel® Burn Dressing, 8" X 18"	1	20.23
NORTH 49-076	Water-Jel® Burn Dressing, 4" X 16"	1	14.40
NORTH 49-078	Water-Jel® Burn Dressing, 2" X 6"	3	5.73

Bulk First Aid Refill Kits

RS Hughes Part	Description	019700-0001L	019702-0002L	019704-0003L	019706-0004L	Price
01-0050	Adhesive Bandage, 1" X 3", Plastic	16	32	100	100	4.42
02-0020	Knuckle Adhesive Bandage	2	3	6		1.48
02-0126	Neomycin Antibiotic 1Gm Pouch	6	6	12	12	2.70
02-0135	First Aid Burn Cream W/ Aloe	6	6	12	12	2.24
02-0380	Wire Splint				1	40.20
02-0445	Adhesive Tape, 1/2" X 2-1/2YD	2	2	2	3	1.54
02-0555	Aypanal Non-Aspirin 2/Env	3	3	6	6	2.28
02-0667	Cold Pack 4" X 6" Unit Box	1	1	2	2	1.18
02-0699	Buffered Eyewash, 1 Oz. Sterile		1	1	2	3.44
02-0855	Fingertip Adhesive Bandage	1	3	4	8	1.48
02-0915	Ex-Lg Adhesive Bandage, Plastic	1	1	2	3	2.00
02-1202ST	Sting Relief Wipes	6	6	12	12	2.00
02-1645MD	Bzk Antiseptic Wipes	10	6	12	12	1.96
02-9990	Synthetic Gloves, Large, 2Pr	2	2	2	5	1.88
03-1570K	Forceps 4" Pointed Plastic	1	1	1	1	0.54
04-5009	Triangular Bandage, 40" X 40" X 56"	1	1	1	1	2.04
04-5027	First Aid Guide	1	1	1	1	1.00
05-2220	Conforming Bandage, 2" X 4.1YD, Non-Sterile	1	2	3	4	7.18
05-2230	Conforming Bandage, 3" X 6YD, Non-Sterile	1	1	2	2	10.24
06-5590	Abd Combine Trauma Pad 5" X 9"	1	1	1	1	0.40
06-7422	Gauze Pads Sterile 2" X 2"	4	4	10	10	1.58
06-7533	Gauze Pads Sterile 3" X 3"	1	1	1	10	3.64
10-5020	Elastic Bandage 2" X 4.5YD			1	1	1.12
121090	Cpr Filtershield™		1	1	1	6.22
24-1010A	Eye Pads Oval Sterile		1	2	3	14.22
75-2577	Scissor Bandage 4" Red Plastic Handle	1	1	1	1	2.70

Unitized™ Refill Kits

RS Hughes Part	Description	019709-0005L	019711-0006L	019713-0007L	019715-0008L	Price
02-0020	Cloth Knuckle Bandages		1	1	2	1.48
02-0125	Triple Antibiotic Ointment	1	1	1	2	2.02
02-0135	First Aid Burn Cream W/ Aloe	1	1	2	2	2.24
02-0374	Triangular Bandage, 40" x 40" x 56" Non-Sterile	1	1	1	1	2.12
02-0430	Sterile Gauze Pads, 3" X 3"	1	1	2	2	1.62
02-0445	Adhesive Tape, 1/2" X 2.5YD	1	1	1	2	1.54
02-0550	Forceps And Sissors		1	1	1	1.96
02-0645	Bandage Compress, 36" X 36" Sterile	1	1	1	2	2.12
02-0667	Instant Cold Pack, 4" X 6"	1	1	1	2	1.18
02-0699	Sterile Eyewash, 10z.		1	1	2	3.44
02-0768	Sterile Bandage Cffset® Compress, 4"	1		1	1	2.18
02-0795	Plastic Bandages, 1" X 3" Strips	1	1	3	2	12.80
02-0855	Cloth Fingertip Bandages			1	2	1.48
02-1202ST	Sting Relief Wipes		1	1	1	2.00
02-9990	Medical Gloves, Size Large, 2 Pair	1	1	2	2	1.88
04-5027	First Aid Guide	1	1	1	1	1.00
75-2577	4" Angled Scissors, Red Handle	1				2.70
NORTH 02-1201X	Pvp Iodine Wipes	1	1	2	2	1.64
NORTH 20-767	Sterile Bandage Offset® Compress, 3"				1	3.08
SWIFT 02-0630	Sterile Gauze Bandage, 2" X 6YD			1	2	2.78



by Honeywell

RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

D. North by Honeywell Bulk First Aid Kit, Plastic

Economical bulk supplies of most commonly used first aid products, ideal for both work and home settings. ANSI Z308.1-2009 compliant

019700-0001L	23.96	EA	10	10 Person
019702-0002L	27.84	EA	10	25 Person
019704-0003L	56.36	EA	5	50 Person
019706-0004L	85.34	EA	5	75 Person

North by Honeywell Unitized First Aid Kit

Color-coded cartons individually sealed unit dose applications. ANSI Z308.1-2009 compliant.

E. 019709-0005L	41.08	EA	1	10 Person Kit, Steel
F. 019711-0006L	64.20	EA	1	16 Person Kit, Steel
G. 019713-0007L	97.72	EA	1	24 Person Kit, Steel
H. 019715-0008L	120.72	EA	1	32 Person Kit, Steel



A



B



C

RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

A. SWIFT 34P25EF and 34P25EFC

Swift bulk economy first aid kits contain economical, bulk supplies of commonly used first aid products to ensure that you have the first aid supplies you need, when and where you need them.

34-P25EF	25.96	KT	1	#25 economy, plastic, weatherproof
34P25EFC	32.32	KT	1	#25 economy, plastic with CPR Kit

PIP Contractor First Aid Kit, 10 or 25 Person

Weatherproof Plastic Box, Molded Carry Handle
Includes Slots for Wall Mounting, Meets ASI.



B. 899558-01757	15.22	EA	1	299-13285, 10 Person, 36/cu
C. 899558-01764	19.38	EA	1	299-13290, 25 Person, 12/cu

D. SWIFT 34650H Handy Kit Deluxe

Swift Handy Deluxe First Aid Kit. Includes : (50) 3/4 x 3 in. Plastic Strips, (20) Assorted Woven Strips, (6) Triple Biotic Cream Wipes, (6) Gauze Pads 3 x 3 in., (5) Knuckle Woven Bandages, (5) 1 x 3 in. Woven Strips, (5) 2 x 3 in. Woven Bandages, (5) Fingertip Woven Bandages, (4) Antiseptic Wipes, (4) Hydrocortisone 1%, Packs, (4) Non-Adherent Pads 2 x 3 in., (2) 2 in. Gauze Rolls, (2) Eye Pads, (2) Ammonia Inhalants, (1) Adhesive Tape 1/2 in x 2-1/2 yd, (1) Scissors, (1) Tweezers, Plastic Box.
Length 4-3/4", Width 7-3/4", Height 2-7/8".

Swift 34650H Truck Kit	19.52	KT	1	Swift First Aid
------------------------	-------	----	---	------------------------

E. SWIFT 340001FP

Swift auto/truck kits contain supplies for most roadside injuries. Made of high-impact polystyrene. Contains: 50ea Plastic Strips, 3/4"x 3", 1ea Adhesive Tape, 1/2" x 2-1/2 yds., 1 ea. Gauze Bandage, 2", 4ea. Non-Adherent Pads, 2"x 3", 2ea. Gauze Pads, 2"x 2", 1 ea. Eye Wash, 1/2 oz., 2 ea. Ammonia Inhalants, 6ea. Antiseptic Wipes, 1 Pair Gloves, 4ea. Triple Biotic Foil Packs, 1 ea. Burn Spray, 1ea. Scissors, 1ea. Tweezers, 50ea. Aspirin, 1 ea. Cotton, 16 oz.

34-0001FP	29.54	KT	12
-----------	-------	----	----

F. SWIFT 34-0410FP

North Swift First Aid Kit in metal weather resistant box. Ideal for Trucks. size: 3-1/2" x 9-1/16" x 2-3/8". Contains: 50ea Aspirin, 10ea. Pvp Iodine Wipes, 4ea 2"x3" Non Adherent Pads, 4ea. Alcohol Preps Med, 2ea. Ammonia Inhalant Pads, 1ea. 1/2" x 2.5 Yds. Tape, 1ea. 2" Clean Wrap, 1ea. First Aid Spray 3 oz., 1ea. First Aid Booklet, 1ea. Cold Pack, 1pr. Latex Gloves - Large size.

34-0410FP	32.52	KT	24	Small Kit
-----------	-------	----	----	-----------

SWIFT 55-2001 Body Fluid Clean Up Kits

North 55-2001 Body fluid clean up kit packed in a Poly Bag. Kit Contains one each of the following: Latex Gloves(pair), Red bio-hazard bag, body fluid absorbent, disposable towel, anti-microbial wipe, face mask with eye shield, scoop with scraper, gown, S.O.S surface cleaning wipe (8"x11")

G. 55-2001	12.66	EA	24	55-2001, Polybag
H. 55-3001	16.70	EA	24	55-3001, Plastic Box



D



E



F



G



H

OSHA Requirements for Workplace First Aid Kits

OSHA standards do not require specific first-aid-kit contents. This includes the Medical Services and First Aid standards in both general industry and construction, 1910.151 and 1926.50. However, since some employers may find it useful to refer to a list of basic first-aid supplies, federal OSHA provided a reference for this type of information by adding non-mandatory Appendix A to the latter two standards.

Appendix A references ANSI Z308.1, Minimum Requirements for Workplace First Aid Kits and Supplies. First-aid kits in compliance with this standard will provide a basic range of products to deal with most types of injuries encountered in the workplace and may be adequate for a small worksite. Employers should evaluate their own workplaces to determine whether additional supplies or kits are needed, based on the size and specific hazards of their workplaces. ANSI/ISEA Z308.1-2009 includes the following recommended basic contents of a first aid kit.

part no	Item Description	Qty
020795	Absorbent compress, 32 sq. in. with no side smaller than 4 in.	1
020795	Adhesive bandages, 1 in. x 3 in.	16
020445	Adhesive tape, 3/8 in. x 2.5 yd. total	1
020135	Antibiotic treatment, 0.14 oz. (0.5 g)	6
021201	Antiseptic, 0.14 fl. oz. (0.5 g) application	10
020135	Burn treatment, 1/32 oz. (0.9 g) application	6
029990	Medical exam glove	2 pair
020430	Sterile pads, 3 in. x 3 in.	4
020374	Triangular bandage, 40 in. x 40 in. x 56 in.	1



by Honeywell

RS Hughes Part Price Per Case Size

I. North Bloodborne Pathogen Kit 019740-0027L/019746-0032L

Bloodborne pathogen kits are complete with the necessary supplies to clean a spill containing bloodborne pathogens as well as the PPE necessary to protect employees in accordance with OSHA 1910.130. Plastic Kit.

019740-0027L	48.74	KT	5	Contains 12-7010 in a 24 unit size
019746-0032L	38.82	KT	10	Contains 12-7010 in a 16 unit size

J. North Refill 12-7010

Refill Contents for 019740-0027L Kit: 1 absorbent towel, 1 antiseptic wipes (BZK), 2 biohazard bag (24" x 24"), 1 germicidal surface wipe, 1 gown, 2 medical gloves, 1 plastic kit (24 unit size), 1 poison control directory, 1 scraper, 2 shoe covers, 1 shovel, 1 surgical mask and shield, 2 twist ties, 1 Vital 1® absorbent (2 oz.).



by Honeywell

12-7010	27.96	EA	1	Refill for 0197460-0027L Kit
---------	-------	----	---	------------------------------

K. PIP Bloodborne Pathogen Kit, Bio Hazard, Plastic Box, Gasketed

Weatherproof Plastic Box. Molded Carry Handle Includes Slots for Wall Mounting. Meets ANSI, PACKED: 36/Case.



899558-01924	15.17	EA	1	299-13215
--------------	-------	----	---	-----------

L. North 12-7004 Vital 1® Flat Pack

North 12-7004 Vital 1® Flat Pack Bloodborne Pathogen Kit. Compete with necessary supplies to clean up spills containing bloodborne pathogens including PPE necessary to protect employees in accordance with OSHA 1910.30. Kit includes absorbent beads, gloves, red biohazard bags, germicidal surface towel, antiseptic towelette, shovel, and absorbent towel. Flat, sleeve-type box stacks neatly for storage.



by Honeywell

12-7004	16.88	KT	6	Blood Pathogen Response Kit
---------	-------	----	---	-----------------------------

M. Nexcare™ Blister Waterproof Bandages One Size

Protects blisters and enhances healing, provides long lasting multi-day protection, waterproof, thin & clear.



051131-20870	4.00	BX	24	6/Box
--------------	------	----	----	-------



Refill Kit for Item I



Head to Toe Protection



A



B



C



D



E



F



G



H



I



K



J



L



M



N



O



P



Q



R



S

Antiseptics

RS Hughes Part Price Per Case Size/Description

A. North by Honeywell Sting Relief Wipes

Wipes provide fast relief from insect bites & stings. Also use for the temporary pain & itching associated with minor burns & scrapes. Hydrocortisone provides anti-itch relief from insect bites & skin irritation. Active ingredient: Benzocaine 6%.

03-2043P 19.86 BX 1 100/Box

B. North by Honeywell Alcohol Wipes

O/H Pak Alcohol Wipes

03-2525 7.04 BX 24 100/Box



C. North by Honeywell First Aid Cream

First Aid Cream, 0.9gm packets

15-1020 3.86 BX 24 20/Box

D. North by Honeywell Wipes

PVP iodine wipes

15-B4060X 9.10 BX 10 100/Box

North by Honeywell Triple Antibiotic, 1/2 gm packets

E. 23-1209G 17.38 BX 12 100/Box

F. 23-2124 3.86 BX 24 20/Box

North by Honeywell Betadine Solution

Single-use Betadine Solution Swabs

G. 15-9935 13.32 BX 10 100/Box

16 oz Bottle

H. 15-SL016 8.74 BO 1 16oz. Bottle

North by Honeywell Hydrocortisone 1%, 0.9 gm foil packets

I. 23-30144 18.52 BX 12 144/Box

J. 23-3020 4.08 BX 24 20/Box

K. North by Honeywell Alcohol and Peroxide, 16oz

15-0932 5.16 BO 12 91% Isopropyl Alcohol

15-0935 3.34 EA 12 70% Isopropyl Alcohol

15-0969 1.58 EA 12 Hydrogen Peroxide

North by Honeywell Sprays & Pumps

L. 03-2203 6.72 BO 24 Antiseptic pump spray, 2 oz.

M. 03-2204 6.72 BO 24 Burn relief pump spray, 2 oz.

N. 03-2205 5.30 BO 24 Hydro Peroxide 3%, pump spray, 2 oz.

O. 15-1011 4.40 EA 12 Bandage aerosol spray, 3 oz.

P. 15-1019 4.58 EA 12 First Aid aerosol spray, 3 oz.

Q. 15-1901 3.70 BO 12 First Aid pump spray, 2 oz

R. North by Honeywell Swift-Stat

Blood clotter 3 oz

28-0540 8.78 EA 12 Blood Clotter Aerosol Spray, 3oz.

S. North by Honeywell Cold Spray

Aerosol 4oz

28-1026 4.04 CN 12 Cold Spray Aerosol

T. SWIFT 15-1019 Isopropyl Alcohol 70%

Clean and disinfect minor cuts and scrapes with Isopropyl alcohol before bandaging. Contains 70% alcohol in a 16oz bottle.

15-0935 3.34 B0 12 16 oz



T



U



U. SWIFT 15-1019 First Aid Spray 3oz

First aid spray helps prevent infection while relieving pain from minor cuts and abrasions. Water soluble and non-staining.

15-1019 4.58 EA 12 3oz aerosol can

V. SWIFT Alcohol Wipes 70%

Individually sealed wipe saturated with 70% isopropyl alcohol. Use to help prevent infection, clean skin, wounds, scrapes and cuts. 1 X 3 inches, 200/box

15-4818 2.12 BX 24 50/Box
15-6818X 5.08 BX 10 200/Box



V



W



X

W. SWIFT 23-1209G Three-In-One Antibiotic

Three-in-one antibiotic that contains bacitracin, neomycin and polymyxin B. Used to prevent infection due to cuts, burns and abrasions. 1/64oz unit dose.

23-1209G 17.38 BX 24 144/Box

X. SWIFT 23-30144 Hydrocortisone 1%

Offers temporary relief from minor skin irritations, itching and rashes. Contains 1% hydrocortisone. 1/32oz unit dose.

23-30144 18.52 BX 12 144/Box

Adhesive Bandages, Woven

Adhesive Bandages, Woven

Y. 01-6423 7.66 BX 12 2" x 3" 40/Box
Z. 01-6459 6.90 BX 24 1" x 3" 100/Box

Woven fingertip "T" bandages

A1. 01-1350 5.08 BX 24 40/Box

Swift plastic and woven adhesive bandages are designed with a strong adhesive to adhere securely and protect the wound. The 'island dressing' provides a secure seal around the wound to help prevent contamination.

B1. 01-1360 11.76 BX 12 Fingertip "T" woven bandage, 100/Box

Conformable, fabric dressings stretch with every movement. Unique open weave fabric allows skin to breathe for fast healing. These bandages have an aggressive adhesive that will stick in grease, oil or water.

C1. 01-0813 5.36 BX 24 Fingertip heavy woven, 40/Box

Blue, woven knuckle bandage. Metal-detectable, suitable for use in food safety.

D1. 01-3940 5.04 BX 24 40/Box

Woven Butterfly Closures, 2 3/4" x 1/2"

E1. 01-1990 12.70 BX 1 100/Box

**Adhesive Bandages, Woven
Blue & Detectable for Food Safety**

Woven, Blue Detectable Fingertip 8

F1. 01-1325B 10.08 BX 24 25/Box

Woven, Blue Detectable Knuckle bandages

G1. 01-3940B 8.48 BX 24 40/Box

Woven Blue Detectable 1" x 3"

H1. 01-6459B 9.56 BX 12 100/Box

Metal detectable, fingertip and knuckle combo pack, blue

I1. NORTH 32-168 7.56 BX 12 20/Box



Y



Z



A1



B1



C1



D1



E1



F1



G1



H1



I1



Adhesive Bandages, Plastic

RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

Adhesive Bandages, Plastic

Plastic adhesive bandage, 1" x 3"

A. 01-0050	4.42	BX	12	100/Box
-------------------	------	----	----	---------

J&J Band-Aid Sheer, assorted sizes

B. 01-4444	15.38	BX	12	100/Box 1" x 3"
-------------------	-------	----	----	-----------------

B. 01-4668	6.48	BX	24	60/Box Assorted Sizes
-------------------	------	----	----	-----------------------

Adhesive Bandages, Plastic Blue & Detectable for Food Safety

Plastic, Blue Detectable 1" x 3"

C. 01-5059B	7.70	BX	12	100/Box
--------------------	------	----	----	---------

Burn Treatment

D. North by Honeywell Burn Cream

First aid burn cream with aloe, 1.0gm pouches

02-0135	2.24	BX	10	6/Box
---------	------	----	----	-------



by Honeywell

E. North by Honeywell Water Jel® Fire Blanket

Water-Jel® Fire Blanket, 6' x 5' in canister

04-9020	236.64	EA	4	
---------	--------	----	---	--

F. North by Honeywell Water Jel® Burn Wrap

Water-Jel® Burn Wrap, 3' x 2-1/2' in canister

NORTH 49-030	105.88	EA	1	
--------------	--------	----	---	--

G. North by Honeywell Burn Jel®

Burn Jel®, 1/8 oz. pouch

NORTH 49-050	28.98	BX	24	25/Box
--------------	-------	----	----	--------

H. North by Honeywell Cool Jel®

Cool Jel® 1/8 oz. pouch

NORTH 49-090	16.70	BX	24	25/Box
--------------	-------	----	----	--------

I. North by Honeywell Burn Treatments

Water-Jel® burn dressing,

02-1031	7.32	EA	50	4" x 4"
---------	------	----	----	---------

02-1030	8.16	EA	50	2" x 2"
---------	------	----	----	---------

02-1032	6.20	EA	50	2" x 6"
---------	------	----	----	---------

J. North by Honeywell Sterile Burn Dressings - Wet

Gel-soaked burn dressings cool the burn, relieve the pain and protect against airborne contamination. They consist of a nonwoven medical grade pad in a water-based, water-soluble gel. Won't stick to burn injury.

04-9077	6.94	EA	60	4" x 4"
---------	------	----	----	---------

NORTH 49-078	5.73	EA	60	2" x 6"
--------------	------	----	----	---------

NORTH 49-079	5.43	EA	120	2" x 2"
--------------	------	----	-----	---------

Eye Care

RS Hughes Part Price Per Case Size/Description

K. North by Honeywell Eye Cups

Replacement eye cups for emergency eye wash situations.

24-906S 2.86 BX 24 6/Box

L. North by Honeywell Eye Care

Eyewash, 1 oz. with eye pads, sterile, and (4) adhesive strips

02-0699 3.44 EA 50 1oz Eyewash Only

NORTH 20-956 4.30 EA 50 7/Box


North by Honeywell Eye Drops

Tetrasine eye drops, 1/2 oz. (Compares to Visine)

M. 24-2800 2.46 EA 24 7/Box

Artificial Tears, 1/2 oz.

N. 24-64015 2.92 EA 24 6/Box



Dressings

O. North by Honeywell Non-Adherent Gauze Pads

06-1961 5.36 BX 12 50/Box 2" x 3"

06-2132 7.98 BX 12 50/Box 3" x 4"

P. North by Honeywell Sterile Gauze Pads, 10/Box

06-7422 1.58 EA 72 10/Box 2" x 2"

06-7433 1.74 BX 36 10/Box 3" x 3"

06-7444 2.56 BX 24 10/Box 4" x 4"

Q. North by Honeywell Sterile Gauze Pads, 25/Box

06-7522 3.16 BX 72 25/Box 2" x 2"

06-7533 3.64 BX 36 25/Box 3" x 3"

06-7544 5.38 BX 24 25/Box 4" x 4"

North by Honeywell Trauma Dressing

Triangular bandage, 40" x 40" x 56"

R. 04-5009 2.04 EA 10

BloodStopper, 3.5" x 5.5" x 9" x 5.5"

S. 06-1910 3.56 BG 12 5/Bag



Head to Toe Protection



A



B



C



D



E



F



G



H



I

Tape



by Honeywell

RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

A. North by Honeywell Elastic Tape

80-8105	2.54	RL	144	1" x 5yds
---------	------	----	-----	-----------

North by Honeywell Adhesive Tape

B. 03-2170	4.92	EA	12	Tri-cut, waterproof
C. 04-8006	3.10	BX	12	1" x 5yd
C. NORTH 48-007	2.56	EA	12	1/2" x 5yd

D. North by Honeywell Porous Cloth Tape

03-2001	1.92	RL	12	12/Box	1" x 10yd
03-2002	23.00	BX	12	6/Box	2" x 10yd

Self-Adherent Wraps

E. Bantex 1230 Finger and Hand Protection

Bantex cohesive gauze tape is a unique material that "sticks" only to itself. Used for finger and hand protection in medical applications to hold bandages or splints in place, or for any activity where grip is important.

1230 3/4 X 30YD	1.25	RL	16	Green
-----------------	------	----	----	-------

F. 3M™ Coban™ LF Latex Free Self-Adherent Wrap 2081

1 inch x 5 yard (fully stretched) (25mm x 4,5m) Latex Free Self-Adherent Wrap, Non-sterile, Tan, 30 rolls per case.

707387-76756	42.77	CA	1
--------------	-------	----	---



G. 3M™ Coban™ Self-Adherent Wrap 1581

1 inch x 5 yard (fully stretched) (25mm x 4,5m) Self-Adherent Wrap, Tan, 30 rolls per case.

707387-09311	39.04	CA	1
--------------	-------	----	---



H. SWIFT 10-3100T2PK Co-Flex Elastic Bandage

Use as a fastener for controlled compression, support and finger immobilization, without cutting off circulation. Excellent, self-adherent elastic support and compression. Tear easily and adhere securely. No scissors or clips required.

10-3100T2PK	3.48	PK	15	1" X 5yds, Tan, 2/Pack
-------------	------	----	----	------------------------



I. North by Honeywell Self Adherent Wrap

72-0072	3.50	BX	24	3" x 5yds
---------	------	----	----	-----------

RS Hughes Part Price Per Case Size/Description

J. SWIFT 23-5316 Petroleum Jelly

23-5316 5.42 EA 12 White 13oz.



K. SWIFT 30-0710 Reusable Heart/Cold Pack

Reusable heat or cold therapy pack. Can be stored in a freezer until ready to use. Hot or cold gel pack, 6-1/2" x 8-1/2"

30-0710 3.42 EA 40



J

K

L. SWIFT 30-100K Cold Pack

Cold pack, 6" x 9"

30-100K 1.64 EA 20



L

M

M. SWIFT 16-1986 Aypanal Acetamenophen

Swift Aypanal is a non-aspirin pain reliever that provides quick relief from headaches, minor pain and discomfort. Extra strength, acetaminophen 500mg. (Compares to Tylenol). 2 tablets per envelope.

16-1986 5.58 BX 12 100/Box 50 Envelopes/Box

N. North by Honeywell Pain Relievers, Aspirin 325mg

Analgesic for temporary relief of minor aches and pains due to headache, arthritis and help reduce fever. 2 tablets per envelope

16-1510 3.78 BX 12 50 Envelopes/Box

16-1512 7.78 BX 12 125 Envelopes/Box



N

O

North by Honeywell Pain Stoppers

Proven to be effective for severe headaches, muscle soreness, aches and pains associated with fever and arthritis. Contains aspirin 162 mg, salicylamide 152 mg, acetaminophen 110 mg, and caffeine 32.4 mg. 2 tablets per envelope.



O. 16-1615 4.90 BX 12 50 Envelopes/Box

P. 16-1617 11.18 BX 12 125 Envelopes/Box

P. 16-1620 21.88 BX 6 250 Envelopes/Box



P

Q

Q. North by Honeywell Pain Stoppers Extra Strength

Proven to be effective for severe headaches muscle soreness aches and pains associated with fever and arthritis. Contains aspirin 162 mg salicylamide 152 mg acetaminophen 110 mg and caffeine 32.4 mg. Two tablets per envelope

16-3100 5.62 BX 12 50 Envelopes/Box

16-3250 13.18 BX 12 125 Envelopes/Box



R

S

R. North by Honeywell Cedaprin (Ibuprofen)

Ibuprofen 200mg. Tablets, 2 per envelope. Proven safe and effective for relief of headaches muscular aches menstrual cramps and minor aches and pains.

16-6180 7.00 BX 12 50 Envelopes/Box

16-6183 15.38 BX 12 125 Envelopes/Box

S. North by Honeywell Miralac Antacid Tablets

Miralac antacid calcium carbonate 420mg. Fast acting chewable antacid tablet for the relief of heartburn sour stomach and acid indigestion. 2 tablets per envelope.

17-1545 4.54 BX 12 50 Envelopes/Box

17-1547 9.92 BX 12 125 Envelopes/Box



T

U

T. North by Honeywell Kwik Kold Jr.

4-1/2" x 6-1/2"

30-102K 2.08 EA 16

U. North by Honeywell Splinter Out

Sterile Single use

32-0001 2.82 PH 50



A



B



C



D



E



F



G



H



I



J



K



L

M



RS Hughes Part Price Per Case Size/Description

A. North by Honeywell FemRelief

Provides relief from stomach cramps premenstrual and menstrual discomfort. Aspirin 226.8 mg acetaminophen 325 mg and pamabrom 25 mg. 2 tablets per envelope.

NORTH 16-05100F	5.70	BX	12	50 Envelopes/Box
16-05250F	14.46	BX	12	125 Envelopes/Box



B. North by Honeywell Back Relief

For relief of backache muscle aches and arthritis. 2 tablets per envelope.

NORTH 16-4100F	9.34	BX	12	50 Envelopes/Box
----------------	------	----	----	------------------

C. North by Honeywell Multi-symptom Cold

Multi-symptom cold tablets containing nasal decongestant cough suppressant and non-aspirin pain reliever. Cherry cough drops provide soothing relief of scratchy sore throats to help prevent coughs. 2 tablets per envelope.

21-08100	9.68	BX	12	50 Envelopes/Box
21-08250	23.04	BX	12	125 Envelopes/Box

D. North by Honeywell Electrolyte Tabs

For fatigue and cramps due to excessive perspiration. Potassium chloride 80 mg calcium phosphate 18 mg and magnesium carbonate 18 mg. 2 tablets per envelope.

NORTH 27-99100F	5.04	BX	12	50 Envelopes/Box
NORTH 27-99250F	10.54	BX	12	125 Envelopes/Box

Unitized Refills

North by Honeywell Unitized Refills

Triple Antibiotic Ointment, 1.0gm Pouch

E. 02-0125	2.06	BX	100	10/Box
-------------------	------	----	-----	--------

Triangular Bandage, 40" x 40" x 56" non-sterile

F. 02-0374	2.12	BX	100	1/Box
-------------------	------	----	-----	-------

Adhesive Tape, 1/2" x 2.5YD

G. 02-0445	1.54	BX	100	2/Box
-------------------	------	----	-----	-------

Forceps and Sissors

H. 02-0550	1.96	EA	100	
-------------------	------	----	-----	--

Aypanal Non-Asprin, 2/pouch, 3 pouches/box

I. 02-0555	2.28	BX	100	
-------------------	------	----	-----	--

Butterfly Closure, 16 per box

J. NORTH 20-566	2.66	BX	100	
------------------------	------	----	-----	--

Sterile Gauze Pads, 4" x 4"

K. NORTH 20-584	1.40	EA	100	10/Box
------------------------	------	----	-----	--------

Adhesive Tape, 1" x 2.5YD, 2/box

L. NORTH 20-615	2.16	BX	50	
------------------------	------	----	----	--

Silver Mylar Rescue Blanket, 56" x 84"

M. 02-0618	4.50	EA	50	
-------------------	------	----	----	--

Unitized Refill Color Reference Chart

	Blue = Antiseptics
	Yellow = Bandages
	Red = Burn Treatment
	Orange = Personal Protective Equipment
	Green = Miscellaneous

RS Hughes Part Price Per Case Size/Description

North by Honeywell Unitized Refills

Bandage Compress, 36" x 36" sterile				
N. 02-0645	2.12	EA	100	1/Box
Instant Cold Pack, 4" x 6"				
O. 02-0667	1.18	BX	50	1/Box
2" x 3" Adhesive Woven Patch, 4 per unit.				
P. 02-0730	1.48	BX	100	
Adhesive Plastic Bandages, 1" x 3" Strips				
Q. 02-0795	1.28	BX	100	16/Box
Water-Jel® Burn Dressing, 4" x 4"				
R. 02-1031	7.32	EA	50	1/Box
Alcohol Prep Pad, 70% IPA				
S. NORTH 21-047	1.08	EA	100	10/Box
Splinter kit, 4 units per box				
T. 02-1070X	2.20	BX	100	4/Box
Hydrocortisone 1%, 1/32oz., box of 10 pouches				
U. 02-1161	2.12	BX	100	10/Box
Sting relief wipes, 10 per box				
V. 02-1202ST	2.00	BX	100	10/Box
Adhesive Woven Cloth Bandages, 1" x 3" Strips				
W. 02-8001	1.42	EA	100	16/Box
CPR Microshield™				
X. 12-1051	10.94	EA	50	1/Box
Y1. 02-0020	1.48	BX	100	Woven Knuckle Adhesive Bandage, 8/Box
Y2. 02-0430	1.62	EA	100	Sterile Gauze Pad 3" x 3", 4/Box
Y3. 02-0855	1.48	BX	100	Woven Fingertip "T" Bandage, 10/Box
Y4. SWIFT 02-0630	2.78	BX	100	Sterile Gauze bandage 2" x 6yd, 2/Box

Z. North by Honeywell Kit Tweezer

3 1/2" slanted				
32-49320	1.06	EA	1	

Z1. North by Honeywell Bandage Scissor

4" red plastic handle				
32-BS412	1.04	EA	40	



N



O



P



Q



R



S



T



U




V



W



X



Y1



Y2



Y4



Y3



Z1

Skin Care



A



by Honeywell



B



C



D



E



F



G



H

RS Hughes Part	Price	Per	Case	Size/Description
A. North by Honeywell Insect Repellent Bug X30™ with DEET				
52.25% DEET formula. 8"x5" wipes. Effective against ticks. Repels mosquitoes, fleas, mites, black flies, sand flies, and deer flies. EPA registered in all 50 states.				
NORTH 12-2006XA	18.22	CT	6	100/Box
B. North by Honeywell Insect Repellent Bug X30™				
Bug X30 pump spray, 2 oz. 52.25% DEET formula. Effective against ticks. Repels mosquitoes, fleas, mites, black flies, sand flies, and deer flies. EPA registered in all 50 states.				
NORTH 12-2024	6.36	BT	12	
C. North by Honeywell Bug X30 Towelette				
52.25% DEET formula. 8"x5" wipes. Effective against ticks. Repels mosquitoes, fleas, mites, black flies, sand flies, and deer flies. EPA registered in all 50 states.				
28-11640	28.70	BX	4	25/Box
D. North by Honeywell Ivy X™				
Dries quickly on skin, washes off with soap & water. Not greasy, almost unnoticeable on skin.				
NORTH 12-2012X	18.20	CT	6	Pre-contact Towelette, 100/Box
Towelette scrubs away poisonous oils with little or no odor. Gentle on skin, contains moisturizers.				
NORTH 12-2016X	18.20	CT	6	Cleanser Towelette, 100/Box
E. North by Honeywell Bug Barrier 23.75% DEET				
Bug Barrier with 23.75% DEET helps protect workers, sportsmen and others who spend time in the woods, fields or on water. Bug Barrier has proven to be effective at creating a personal barrier against mosquitos, chiggers, fleas, ticks, biting flies and other nasty insects.				
28-61605	13.12	CN	12	Aerosol 120z
F. North by Honeywell Bug Barrier, 100% DEET				
Bug Barrier with 100% DEET helps protect workers, sportsmen and others who spend time in the woods, fields or on water. Bug Barrier has proven to be effective at creating a personal barrier against mosquitos, chiggers, fleas, ticks, biting flies and other nasty insects."				
28-61606	8.50	PH	12	Pump Spray 2oz
G. North by Honeywell Kerodex 51, 4oz.				
Kerodex 51 protects against irritation caused by contact with water insoluble ingredients. A non-greasy, invisible barrier cream for dry or oily work. It helps protect against irritation caused by contact with oil, grease, waxes, varnish, lacquers, cleaning fluids, powders, dust, fiberglass, as well as dirt and grime. Also provides a protective barrier against creosote.				
26-0514	13.42	TB	72	
H. North by Honeywell Kerodex 71, 4oz.				
The "invisible glove" provides protection from many industrial irritants and mild chemicals. This non-greasy, non-silicone cream should be applied before work for protection without loss of sensitivity or dexterity. Use Kerodex 71 for wet work. Specially designed to help hands stay moisturized and soothed when working with liquids and other wet substances. 4oz.				
26-0714	13.42	TB	72	

RS Hughes Part Price Per Case Size/Description

I. North by Honeywell SBS No.40 Medicated Skin Cream

After work medicated conditioning cream is lightly scented and non-greasy helps to soothe dry, chapped hands.

26-SBS40 7.96 TB 24 5oz.

J. North by Honeywell SBS No.44 Skin Protection Cream

Water-resistant protective cream provides protection against water-based irritants. Non-greasy formulation rubs in without interfering with grip or dexterity.

26-SBS44 9.00 TB 24 5oz.

K. North by Honeywell SBS No.46 Skin Protection Cream

Solvent-Resistant Protective Cream provides protection against solvent-based skin irritants. Formulation rubs in completely without interfering with grip or dexterity.

26-SBS46 9.00 TB 24 5oz.

L. North by Honeywell 201 Protective Cream

Water soluble, greaseless, invisible barrier against many sticky, staining irritating industrial substances. Does not contain silicone.

27-0104 3.74 BO 24 4oz.

M. North by Honeywell 212 Skin Conditioner

Rich and moisturizing oil-in-water emulsion quickly relieves dry, itchy skin and restores natural suppleness.

NORTH 27-1204 3.56 EA 24 4oz.

Purell Instant Hand Sanitizer

America's #1 instant hand sanitizer. Kills 99.99% of common germs that cause illness. Works in as little as 15 seconds. No water or towels needed. Formulated with moisturizers to leave hands feeling soft and refreshed. Alcohol-based.

N. 315-9651-24 2.73 BO 24 4 Ounces

O. 315-9652-12 6.30 BO 12 8 Ounces with Pump

P. 315-9625-04 31.43 BO 4 2 Liter

Stoko® Kresto® Extra Heavy Duty Cleanser

For extra-tough soils, such as grease, oil, ink, and carbon black. Cleanser contains all-natural, biodegradable walnut shell scrubbers to remove even ground-in dirt. And it has a low solvent content with good skin compatibility.

Q. 28700512SK 76.15 EA 12 250ml Tube, 12/case

R. 30362SK 99.29 EA 4 1/2 gal Pump-Top Bottle, 4/case

S. Stoko® Solopol® Hand Cleaner, 250ml Tube, 12/Case

Ideal for removing medium-to-heavy-duty industrial dirt. It's 100% solvent-free with excellent skin compatibility. Contains all-natural walnut shell scrubbers.

34981SK 70.60 EA 12

T. Stoko® Reduran® Special Specialty Cleanser, 100ml Tube

Developed for removing dyestuffs. Contains a reducing agent and synthetic detergents that emulsify the dye in water. All-natural, biodegradable walnut shell scrubbers.

33937SK 74.35 EA 12

U. Stoko® Solopol® Hand Cleaner, 1/2 gal Pump-Top Bottle, 4/Case

Solopol® Hand Cleaner is ideal for removing medium-to-heavy-duty industrial dirt. It's 100% solvent-free with excellent skin compatibility. It also contains all-natural walnut shell scrubbers.

30384SK 88.04 EA 4





A



B



C



E



F



WHEN PERFORMANCE MATTERS MOST™



D



G



H



I



J



K



L



M

RS Hughes Part Price Per Case Size/Description

Brady Sign - EMERGENCY EYE WASH STATION KEEP AREA CLEAR (W/PICTO)

7" H x 10" W, Plastic, B-401

A. 754476-21807 8.74 EA 1

10" H x 14" W, Plastic standard sign, 1/Each

B. 754476-26582 12.99 EA 1

C. Brady High Visibility Sign - Rigid - EYE WASH (W/PICTO)

12" H x 18" W x 8" D, Polystyrene, B-493 Rigid, 1/Each

754476-45363 22.99 EA 1

D. Brady VIEW03A Standard "V" Sign "Eye Wash"

Green on White acrylic eye wash sign with picto. 6" H x 9" W x 4" D

754473-49371 15.49 EA 1 V-shape Eye Wash Sign

E. SWIFT 24-0015 Swifteez Eye Drops

Sterile isotonic solution used to flush particles and irritants from the eye. 1/2oz.

24-0015 1.54 EA 500 1/2 oz. Single Use

Honeywell Saline Personal Eyewash Bottle

Portable and readily available for use, these emergency eyewash bottles contain a buffered, saline solution that is sterile and superior to tap water for emergency.

F. 364809-450238 4.40 EA 24 4 oz. Bottle

G. 32-000445-0000 5.34 EA 12 8 oz. Bottle

H. 364809-450337 8.15 EA 12 16 oz. Bottle

I. 364809-450443 11.32 EA 12 32 oz. Bottle



Sperian Saline Eyewash Station

Provide immediate flushing of the injured person. Highly visible and readily available for emergency flushing and decontamination.

J. 364809-440017 26.73 EA 8 Single 16 oz. Bottle

K. 364809-440055 35.02 EA 8 Single 32 oz. Bottle

L. 364809-440086 44.89 EA 4 Double 32 oz. Bottles

M. 32-000465-0000 46.92 EA 4 Double 16 oz. Bottles, English/Spanish Instructions

RS Hughes Part Price Per Case Size/Description

N. Replacement Eyesaline Cartridges for Fendall Pure Flow 1000®

Eyesaline solution – a buffered, pH-balanced solution that is superior to tap water for emergency eye care Up to 24 month cartridge life. 3.5 gallon (13.2L) each, 7 gallon (26.4L) total. Cartridge change takes less than 5 minutes. One set of two cartridges.

364809-420132	168.55	CA	1	Buffered Eyesaline Solution
364809-730705	296.48	CA	1	Sterile Eyesaline Solution

O. Fendall Pure Flow 1000® Primary Eyewash Station

Easy installation, no plumbing required. Can be easily and affordably placed near most workplace hazards with single bracket mounting device or transported with optional universal cart or stand. Permits thorough flushing with a constant flow rate and stream height that provides 0.4 gpm for entire 15-minute cycle required by current ANSI Z358.1. Captures waste fluid to eliminate spill hazards and simplify fluid disposal. Integral valve at bottom of unit allows easy draining of reservoir after use. 24-month cartridge life. Cartridges (sold separately) remain sealed until activated. Expiration date is included on activation straps.

364809-410270	533.12	EA	1	32-001000-0000 station only
---------------	--------	----	---	-----------------------------

P. Fendall Porta Steam II Eyewash Station

Easy installation with no plumbing required. Can be easily and affordably placed near most workplace hazards with single bracket mounting device or transported with optional universal cart or universal stand. Molded handle accepts hanging bracket for vertical or horizontal surface installation. Meets current ANSI Z358.1 15-minute flush requirement for primary eyewash stations.

364809-410089	412.78	EA	1	32-000200-0000 180oz Eye Saline
364809-410133	359.02	EA	1	32-000230-0000 w/ water additive

Q. Fendall Porta Stream III Station w/ 180 oz. Saline - English (15 minute Heated)

Fendall Porta Stream III is freeze protected by a special form fitted insulated cover and twin, 600 watt, 110 volt thermostatically controlled heaters for indoor and outdoor use. The fluid-heating system makes it ideal for use between 72° and -32° F (22° to -36° C)."

364809-410157	2,071.96	EA	1	32-000310-0000
---------------	----------	----	---	----------------

R. Sperian Replacement Saline Concentrate

Mix with clean, potable water to create a preserved, buffered, saline solution. For use with the Fendall Porta Stream I, II, or III.

364809-420071	84.63	EA	4	32-000513-0000
---------------	-------	----	---	----------------

S. Sperian Replacement Water Additive

Mix with clean, potable water (10:1 ratio). One 8oz. bottle suitable for 14-16 gal. 30 Month shelf life (unopened). For use with the Fendall Porta Stream I, II, or III.

364809-730019	9.78	EA	4	32-001100-0000
---------------	------	----	---	----------------

T. Fendall 2000 Station Only-English (15-minute)

Treat injured workers with 100% sterile, buffered and physiologically balanced saline solution free of contaminants, bacteria, corrosives and pollutants. Built-in alarm system that sounds when the unit has been activated and again when the injured individual has completed the required 15-minute flush. Easy-view side windows to check sterile solution expiration date and key contact information. Highly portable and easily moved when work stations move. Meets ANSI Z358.1-2004 15-minute flush requirement for primary eyewash stations.

364809-730729	535.96	EA	1	32-002000-0000
---------------	--------	----	---	----------------

Saline Cartridge for Fendall 2000. Preserved, buffered, pH balanced, saline solution. Cartridge takes less than 5 minutes to install. Available for the Fendall Pure Flow 1000. 2 cartridges per case.

364809-730743	355.24	EA	1	32-001050-0000
---------------	--------	----	---	----------------



RS Hughes Part Price Per Case Size/Description

U. Sperian Dust Cover

Dust cover for Fendall Porta Stream I or II Station.

364809-430230	31.06	EA	1	32-000517-0000
---------------	-------	----	---	----------------

Bradley's Halo Eye/Facewash

Enhanced dust cover design in clear translucent yellow allowing for easy inspection. When the cover is opened, water flow starts automatically giving the user instant relief.

New ergonomic hand activation is easy to reach from any direction.

Separate supply waste and pipes to eye/face wash are industry first and exclusive to Bradley! Meets CEN and Plumbing requirements.

The Aqueduct design is the only self-draining design for standard

eyewash models – another industry first and Bradley exclusive. The self-draining Aqueduct helps reduce the risk of bacteria growth when unit is not in use.

Integral strainer inside the Aqueduct reduces debris in the water for additional eye protection and also prevents clogging.

New dust cover caps on the eyewash are hinged for a more secure hold – keeping dust and debris off the water spouts.

RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

A. HALO™ by Bradley Combination Drench Shower/Eyewashes

Halo™, the most effective washdown protection for emergency eye relief. Spintec™ Showerhead provides the most consistent distribution of water from a drench shower, improving user washdown. Complies with ANSI Standard Z358.1. Galvanized steel protected with BRADTECT® safety yellow coating. Universal identification sign and inspection tag included. Drench shower exceeds minimum water flow of 20 GPM at 30 PSI. Eyewash exceeds minimum water flow of 0.4 GPM at 30 PSI.

S19314EW	873.00	EA	1	Plastic Bowl & Showerhead
S19314PDC	1,061.00	EA	1	Plastic Bowl, Dust Cover & Showerhead
S19314SB	972.00	EA	1	Stainless Steel Bowl, Plastic Showerhead
S19314PDCFW	1061.00	EA	1	Eye-Face Wash, Plastic Bowl, Showerhead, and Dust Cover
S19314DCFW	1278.00	EA	1	Eye-Face Wash, Stainless Steel Bowl & Dust Cover, Plastic Showerhead

B. HALO™ by Bradley Pedestal Mounted Eyewashes

Complies with ANSI Standard Z358.1. Galvanized steel protected with BRADTECT® safety yellow coating. Barrier-free design - fully accessible to people with physical disabilities. Universal identification sign and inspection tag included. Eyewash exceeds minimum water flow of 0.4 GPM at 30 PSI.

S19214EW	356.00	EA	1	Eyewash, Plastic Bowl
S19214B	455.00	EA	1	Eyewash, Stainless Steel Bowl

C. HALO™ by Bradley Wall-Mounted Eye-Face Washes

Complies with ANSI Standard Z358.1. Galvanized steel supply & waste pipes protected with BRADTECT® safety yellow coating. Universal identification sign and inspection tag included. Eyewash exceeds minimum water flow of 0.4 GPM at 30 PSI. Barrier-free design - fully accessible to people with physical disabilities.

S19224PDC	385.00	EA	1	Plastic Bowl & Dust Cover
S19224DC	602.00	EA	1	Stainless Steel Bowl & Dust Cover

D. HALO™ by Bradley Wall-Mounted Eyewashes

Complies with ANSI Standard Z358.1. Galvanized steel supply & waste pipes protected with BRADTECT® safety yellow coating. Universal identification sign and inspection tag included. Eyewash exceeds minimum water flow of 0.4 GPM at 30 PSI. Barrier-free design - fully accessible to people with physical disabilities.

S19224EW	270.00	EA	1	Plastic Bowl
S19224B	369.00	EA	1	Stainless Steel Bowl

E. Bradley On-Site® Portable Gravity-Fed Eyewash

Clear tank allows for easy fill level check. Uses less space while delivering ANSI required 15 minute flush. Allows for a fluid start/stop flow with no expensive cartridges to replace. Mounts on Wall, Bench Top, or Transportable Waste Cart.

S19-921	351.00	EA	1	
---------	--------	----	---	--



F. Bradley On-Site® Waste Cart

Provides transportation and waste collection for On-Site® Model S19-921. Easy to "park" from right or left side. Dual drain holes allow for alternate positioning of on-site unit. Includes two clearly marked eyewash signs.

S19-399	415.00	EA	1	
---------	--------	----	---	--

G. Wearwell F.I.T. Kits Emergency Shower/Eyewash Mats

Patented LockSafe® connections simply snap together and zip apart. Custom configure with additional tiles. High visibility per ANSI recommendations. Red is for emergency showers and green is for eyewash areas. Conforms to ANSI Z535.1-1998 Standard.

715411-00762	167.85	EA	1	Red/Yellow	27"x30"
715411-00772	220.44	EA	1	Red/Yellow	27"x42"
715411-00782	167.85	EA	1	Green/Yellow	27"x30"
715411-00792	220.44	EA	1	Green/Yellow	27"x42"

Braces and Supports

RS Hughes Part Price Per Case Size/Description

H. Ergodyne 100 Black Back Support - Economy

Durable 280D spandex body cloth provides breathable comfort, and holds its shape over time. Rubber-tracked webbing helps keep back support in place. Adjustable 1 1/4" knit elastic suspenders improve the comfort and fit and are detachable. Machine washable.

720476-11381	19.08	EA	6	XS
720476-11382	19.08	EA	6	SM
720476-11383	19.08	EA	6	MD
720476-11384	19.08	EA	6	LG
720476-11385	19.08	EA	6	XL
720476-11386	19.08	EA	6	2XL
720476-11387	19.08	EA	6	3XL
720476-11388	19.08	EA	6	4XL



I. PIP 290-440 Mesh Back Support Belt

Black back support belt with nylon mesh fabric. 9-inch belt width, elastic back panel with 5 back stays and detachable suspenders. Front panels with hook & loop closure offer a custom secure fit. Ideal for use in heavy work environments to maintain stability and help reduce back injuries.

616314-08171	9.55	EA	50	MD
616314-08172	9.55	EA	50	LG
616314-08173	9.55	EA	50	XL



J. Valeo VEE7 Economy Elastic Back Support

Valeo VEE Black 7" elastic with 4 non-conductive stays, Adjustable two-stage hook & loop closure system, Removable 1.5" elastic suspenders with hook & loop tabs for safety, Rubberized stay covers keep belt in place, Machine washable.

736097-00539	12.64	BT	1	SM
736097-00540	12.64	BT	1	MD
736097-00541	12.64	BT	1	LG



K. Valeo VES8 Standard Elastic Back Support

Valeo VES Black 8" elastic power net with 4 non-conductive stays, Adjustable two-stage hook & loop closure system, Removable 1.5" elastic suspenders with hook & loop tabs for safety, Rubberized stay covers keep belt in place, Machine washable.

736097-00212	15.91	BT	1	SM
736097-00213	15.91	BT	1	MD
736097-00214	15.91	BT	1	LG
736097-00215	15.91	BT	1	XL

L. Valeo VEH9 Heavy Duty Elastic Back Support

Valeo VEH Black Breathable 9" elastic with 5 non-conductive stays, Adjustable two-stage hook & loop closure system, Removable 1.5" elastic suspenders with hook & loop tabs for safety, Rubberized stay covers keep belt in place, Machine washable.

736097-00412	21.22	BT	1	SM
736097-00413	21.22	BT	1	MD
736097-00414	21.22	BT	1	LG
736097-00415	21.22	BT	1	XL
736097-00416	21.22	BT	1	2XL
736097-00829	21.22	BT	1	3XL



Ergodyne Wrist Support, Open-Center Stay

Limits downward wrist movements. Fully-adjustable for an exact fit and comfortable wear. Patented open-center stay™ reduces pressure on the median nerve. Aegis Anti Microbial treatment on the interior fabric. Two-stage hook & loop closure. Exclusive "red line" indicator ensures proper fit every time. Durable fabric holds up to the toughest work environments.

M. 720476-70002	10.92	EA	6	SM	4000	Single Strap	Right Wrist
M. 720476-70004	10.92	EA	6	MD	4000	Single Strap	Right Wrist
M. 720476-70006	10.92	EA	6	LG	4000	Single Strap	Right Wrist
M. 720476-70008	10.92	EA	6	XL	4000	Single Strap	Right Wrist
M. 720476-70012	10.92	EA	6	SM	4000	Single Strap	Left Wrist
M. 720476-70014	10.92	EA	6	MD	4000	Single Strap	Left Wrist
M. 720476-70016	10.92	EA	6	LG	4000	Single Strap	Left Wrist
M. 720476-70018	10.92	EA	6	XL	4000	Single Strap	Left Wrist
N. 720476-70022	14.42	EA	6	SM	4010	Double Strap	Right Wrist
N. 720476-70024	14.42	EA	6	MD	4010	Double Strap	Right Wrist
N. 720476-70026	14.42	EA	6	LG	4010	Double Strap	Right Wrist
N. 720476-70028	14.42	EA	6	XL	4010	Double Strap	Right Wrist
N. 720476-70032	14.42	EA	6	SM	4010	Double Strap	Left Wrist
N. 720476-70034	14.42	EA	6	MD	4010	Double Strap	Left Wrist
N. 720476-70036	14.42	EA	6	LG	4010	Double Strap	Left Wrist
N. 720476-70038	14.42	EA	6	XL	4010	Double Strap	Left Wrist

**Editor's
Choice for
staying cool**

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change



G. Sqwincer Energy Bursts

On-the-go electrolyte-fortified chew. Optimum convenience for busy/active lifestyle, natural flavor, and no salty aftertaste. 50 mg of caffeine per package of 7 bursts. 96 packs per case.

010370-OR	208.25	CA	1	ORANGE
010371-WB	208.25	CA	1	WILD BERRY
010372-BC	208.25	CA	1	BLACK CHERRY

H. Sqwincer Steady Shot

Provides hours of sustained energy. Increases mental alertness, productivity and focus. Each 2 oz bottle is packed full of B vitamins and is sugar-free with no carbohydrates or calories. 12 per pack.

200500-OR	25.00	PK	1	ORANGE
200501-FP	25.00	PK	1	FRUIT PUNCH
200502-BE	25.00	PK	1	BERRY

Heat Stress

RS Hughes Part Price Per Case Size/Description

A. Ergodyne 6602 Evaporative Towel Blue Cooling Product

Dampen this advanced PVA polymer material to create a material significantly cooler than ambient air. Super-evaporative material absorbs and stores water without feeling sodden. Wear around your neck for hours of cooling relief or wipe your face for a refreshing break. Simply re-wet the towel to reactivate. Hand wash.

720476-12420	8.25	EA	6	
--------------	------	----	---	--

Ergodyne 6700 Bandana/Headband Cooling Product

Provide cool comfort for hours when activated in cold water. Chill-Its® Body Technologies help workers stay cool, fight fatigue, and increase productivity. Evaporative cooling process keeps you cool all day. Super absorbent acrylic polymer activates quickly when soaked in cold water 2-5 min. Remains hydrated, providing cool comfort for hours. Reusable, just resoak. Tie closure for personal fit.

B. 720476-12303	1.83	EA	24	Stars & Stripes
C. 720476-12307	1.83	EA	24	Blue

D. Sqwincer Qwick Sticks

Offers the same great taste and electrolyte content as regular Sqwincer (high in potassium, and low in sodium) with out the calories or sugar. Simply tear it open the single-serve pouch, add to 20 oz bottle water, shake and enjoy. 50 per bag.

060100-OR	19.08	CA	1	ORANGE
060101-MB	19.08	CA	1	MIXED BERRY
060102-FP	19.08	CA	1	FRUIT PUNCH
060103-LA	19.08	CA	1	LEMONADE
060105-RB	19.08	CA	1	RASPBERRY
060106-LL	19.08	CA	1	LEMON-LIME
060109-CC	19.08	CA	1	CITRUS COOLER

E. Sqwincer Lite Concentrate

Contains no calories or sugars, providing an ideal solution for diabetics or consumers monitoring their daily intake. Includes the same electrolyte content as regular Sqwincer. Mixes easily and quickly with water. 64 oz liquid concentrate makes 5 gallons. 6 per case.

050102-FP	58.33	CA	1	64OZ FRUIT PUNCH
050103-GR	58.33	CA	1	64OZ GRAPE
050104-LL	58.33	CA	1	64OZ LEMON-LIME
050107-OR	58.33	CA	1	64OZ ORANGE
030321-CH	58.33	CA	1	64OZ CHERRY
030323-LA	50.32	CA	1	64OZ LEMONADE
030322-GR	58.33	CA	1	64OZ GRAPE
030325-FP	58.33	CA	1	64OZ FRUIT PUNCH
030320-MB	58.33	CA	1	64OZ MIXED BERRY
030324-OR	58.33	CA	1	64OZ ORANGE
030330-CC	58.33	CA	1	64OZ CITRUS COOLER

F. Sqwincer Freezer Pops

Scientifically developed formulation is absorbed at a significantly faster rate than water, allowing the body to replenish electrolytes and minerals. Mixed case of Orange, Grape, Lemon-Lime, Cherry and Mixed Berry, 30 oz each. 150 per case.

159200201	43.33	CA	1	
-----------	-------	----	---	--

RS Hughes Part Price Per Case Size/Description

I. Sqwincher 12oz Cups, 2000/CA

200101 190.00 CA 1

J. Sqwincher Powder Pack

Replace lost fluids, lost electrolytes and avoid dehydration in high-heat environments. Quickly mixes with water. Lemonade flavored. 16 packs/case.

16403-LA	115.08	CA	1	5GAL LEMONADE
16404-OR	115.08	CA	1	5GAL ORANGE
16405-FP	115.08	CA	1	5GAL FRUIT PUNCH
16406-GR	115.08	CA	1	5GAL GRAPE
16408-LL	115.08	CA	1	5GAL LEMON-LIME

K. Sqwincher Powder Pack Lite

Replace lost fluids, lost electrolytes and avoid dangerous dehydration in high-heat environments. Contains no sugar or calories, providing an ideal solution for diabetics or any consumers monitoring their intake. Quickly mixes with the water and is convenient enough to take anywhere. 1.76 oz. package yields 2 1/2 gals. 24 per case

016800-LL	113.33	CA	1	2.5GAL LEMON-LIME
016801-OR	113.33	CA	1	2.5GAL ORANGE
016803-FP	113.33	CA	1	2.5GAL FRUIT PUNCH

L. Sqwincher Fast Pack

Great tasting, scientifically formulated electrolyte replacement drink restores important minerals, salts and fluids lost through dehydration, physical exertion and heat stress. Mixes easily and quickly with water. The package is your cup. 50 Per Pack. 4 Packs Per Case.

075880-00069	62.67	CA	1	015300-MB Mixed Berry
075880-00065	62.67	CA	1	015301-CH Cherry
075880-00067	62.67	CA	1	015302-GR Grape
075880-00061	62.67	CA	1	015303-LA Lemonade
075880-00064	62.67	CA	1	015304-OR Orange
015305-FP	62.67	CA	1	Fruit Punch
075880-00068	62.67	CA	1	015306-TE Tea
075880-00062	62.67	CA	1	015308-LL Lemon Lime
075880-00066	62.67	CA	1	015309-TC Tropical Cooler
075880-00060	62.67	CA	1	015310-CC Cool Citrus

M. Sqwincher Fast Pack Zero

Offers the same great taste and electrolyte content as regular Sqwincher (high in potassium, and low in sodium) with out the calories or sugar. Mixes easily and quickly with water. The package is your cup. 50 Per Pack 4 Packs Per Case.

015500-OR	62.67	CA	1	Orange
015501-FP	62.67	CA	1	Fruit Punch

N. Sqwincher Hot Stik

Hot beverage mix fortified with B & C vitamins and electrolytes to keep you hydrated during colder fall and winter seasons. 20 Tubes of 10 Per Case.

075880-60001	94.25	CA	1	060300-AC Apple Cider
075880-60002	94.25	CA	1	060301-GT Green Tea

O. Sqwincher Squeeze Zero

3OZ SQWINCHER® Squeeze Zero Electrolyte Replacement Freeze Pops. 15 Packs of 10 Per Case. All the benefits of a Sqwincher Zero drink in a handy freezer pop.

159200228	43.33	CA	1	Fruit Punch
159200229	43.33	CA	1	Orange



Head to Toe Protection

Controlled Environment Products

In this section:

Clothing.....	232-236
Gloves	237-241
Finger Cots	241-243
Environmental Sampling Swabs	244-245
Stirrers and Swabs	246-253
Wipers.....	254-259
Stationary and Tacky Mats.....	260-261

NO MINIMUM ORDER! 1-877-RSHUGHES
Pricing subject to change

Airborne Particulate Cleanliness Class Comparison

Class	Arc Rating					ISO Equivalent
	≥0.1 µm	≥0.2 µm	≥0.3 µm	≥0.5 µm	≥5 µm	
1	35	7	3	1		ISO 3
10	350	75	30	10		ISO 4
100		750	300	100		ISO 5
1,000				1,000	7	ISO 6
10,000				10,000	70	ISO 7
100,000				100,000	700	ISO 8



RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

A. Kleenguard* A10 Bouffant Cap, White - ISO 3

Lightweight polypropylene material provides great comfort. Latex Free. White.

036000-36850	80.00	CA	1	MD	21in 1K/Ca
036000-36860	80.00	CA	1	LG	24in 1K/Ca
036000-36900	126.00	CA	1	MD - Dispenser Pack	21in 600/Ca
036000-36920	103.50	CA	1	LG - Dispenser Pack	24in 450/Ca

Tians Bouffant Caps Latex Free

Disposable full coverage cleanroom bouffant cap. Lightweight and cool breathable fabric. Trimmed with a latex free elastic band for a comfortable snug fit. Neatly stacked and cleanroom packed. 100 pieces per sealed inner polybag, 5 polybags per case. 500/CA. ISO 6 cleanroom class.

B. 30578-215	24.20	CA	1	21in Blue	30578
B. 30578-245	26.10	CA	1	24in Blue	30578
C. 30588-215	24.20	CA	1	21in White	30588
C. 30588-245	26.10	CA	1	24in White	30588



D. Tians 40578-R55 Face Mask

The Epic disposable face mask is made from a 3 layer high filtration non-woven fabric, is packaged 50 pieces per bag, 500 pieces per case and is blue. Attached elastic earloops and built in nose contour bar allow this mask to fit most wearers.

40578-R55	46.00	CA	1	Blue
-----------	-------	----	---	------

E. Tians 31588-24 Bouffant Cap, Expandable Pleated Design


Low lint full coverage cleanroom bouffant style cap. Unique pleated/expandable design. Lightweight and cool breathable nonwoven fabric. Latex free elastic headband. ISO Class 6.

31588-21	40.00	CA	1	21in Wht	31588, 10 bgs/ca, 1000/ca
31588-24	45.00	CA	1	24in Wht	31588, 10 bgs/ca, 1000/ca

F. Kimtech Pure* M3 Face Mask - Pleat Style - Regular - ISO 3

Low-linting polyethylene film outer layer provides protection from contamination. Excellent bacterial and particle filtration combined with good breathability. BICOSOF* fabric inner-facing provides comfort. Recommended for ISO Class 3 or higher cleanroom environments, 500/CA, Packed 50/BG, 10BG/CA.

036000-62465	131.69	CA	1	with Knitted Earloops
036000-62466	129.80	CA	1	with Ties



RS Hughes Part Price Per Case Size/Description

G. Kimtech Pure* M5 Mask with Soft Ties

Packaged in a Class 100 Cleanroom, AQL Level of 1.5 for pinholes, textured fingerrips, static dissipative in use, beaded cuff, 12in length, contains no natural rubber latex easy to double don, double-bagged with case liner. Recommended for ISO Class 3 or higher cleanroom environments, 6 bags per case. 300/CA.

036000-62742 65.28 CA 1

H. Kimtech Pure* M6 Mask With Knitted Earloops - Pleat Style - Regular - ISO 6

2-layer design. BICOSOF* fabric provides comfort; Recommended for ISO Class 6 or higher cleanroom environments, 500/CA, Packed 50/BG, 10B/CA.

036000-62477 104.20 CA 1

I. Kleenguard* A10 Non-Skid Shoe Cover, Blue, Fully Elasticized, With Traction

Lightweight polypropylene material provides great comfort. Meets ANSI/ISEA 101-1996 sizing standards. Typical Uses include: Food processing, General maintenance, manufacturing, 300EA/CA.

036000-27222 71.19 CA 1

J. Kimberly-Clark* X-Tra Traction* Shoe Cover

Protective 3-layer SMS fabric and are recommended where there is the potential for light fluid contact. X-tra traction, sewn seams, Fully elasticized, 240 EA/CA.

036000-69254 96.00 CA 1 XL

K. Tians 514673 Polypropylene Shoe Cover

Disposable shoe cover with non-marking anti-skid bottom surface. Trimmed in elastic for an adjustable snug fit. Elastic sewn seam turned in to reduce particulation. Lightweight yet durable and breathable. 100 each per vacuum packed and heat sealed polybag, 3 bags per case. 300/CA

514673-S	31.00	CA	1	SM	Blue
514673-M	31.00	CA	1	MD	Blue
EPIC 514673 LG	31.00	CA	1	LG	Blue
EPIC 514673 XL	31.00	CA	1	XL	Blue
514673 2XL	31.00	CA	1	2XL	Blue



L. Tians 537782 Safetrack® Polyethylene Coated Shoe Cover


Disposable high traction shoe cover constructed from a PE laminated fabric that has extremely high skid resistance, is durable and impervious to liquids. Suitable for use in many cleanroom / critical environments. 100 each per heat sealed polybag, 2 bags per case. 200/CA. ISO 5 cleanroom class.

537782-L	46.00	CA	1	LG	Blue
537782-XL	46.00	CA	1	XL	Blue

Tians Super Track Shoe Cover

SuperTrack® shoe and boot covers offer outstanding performance in both wet and dry conditions. The laminated fabric is unmatched as a fluid barrier while providing excellent traction and durability. Low particulate for use in clean areas. Features a clean room class rating of ISO Class 5.

M. 535223-L	54.00	CA	1	Blue	LG	SUPER TRACK, 300 per case
M. 535223-XL	54.00	CA	1	Blue	XL	SUPER TRACK, 300 per case
N. 534742-L	61.00	CA	1	Gray	LG	SAFE TRACK, 200 per case
N. 534742-XL	61.00	CA	1	Gray	XL	SAFE TRACK, 200 per case



O. Tians 723783 Blue Polyatex Shoe Cover

Disposable cleanroom shoe cover with heat sealed seams. Lightweight and impervious to liquids, lint free. 100 each per inner polybag, 3 bags per case. 300/CA. ISO 5 cleanroom class.

723783-L	38.22	CA	1	LG	Blue
----------	-------	----	---	----	------



ISO
7

A



ISO
7

B



C



D



ISO
6

E

RS Hughes Part	Price	Per	Case	Size
----------------	-------	-----	------	------

A. Tians 843785 Lab Coat - ISO 7

Sky blue lab coat with white collar, wrist, and snaps. Three pockets. Garment is constructed from Environstar-SPP spunbonded polypropylene fabric which is cloth-like and has exceptional breathability. Neatly folded and cleanroom packed with 10 pieces per sealed inner polybag, 5 polybags per case. 50/CA

EPIC 843785 SM	78.00	CA	1	SM	Blue
EPIC 843785 MD	78.00	CA	1	MD	Blue
TIANS 843785 L	78.00	CA	1	LG	Blue
TIANS 843785 XL	78.00	CA	1	XL	Blue
TIANS 843785 XXL	78.00	CA	1	2XL	Blue



B. Tians 843885NP Lab Coat - ISO 7

White lab coat/smock features plastic front snaps, knit wrist & folded collar, no pockets. Garment is constructed from Environstar SPP spunbonded polypropylene. This fabric feels like cloth and has exceptional breathability. Neatly folded and clean room packed 10 pieced per bag, 50 pieces/case. ISO 7 cleanroom class.

843885NP-L	78.00	CA	1	LG	White
843885NP-XL	78.00	CA	1	XL	White
843885NP-2XL	78.00	CA	1	2XL	White
843885NP-3XL	78.00	CA	1	3XL	White
843885NP-4XL	81.90	CA	1	4XL	White
843885NP-5XL	86.00	CA	1	5XL	White

C. Tians 845881 Lab Coat - ISO 7

White lab coat/smock features plastic front snaps, a folded collar, one breast pocket, and elastic trimmed wrists. Suitable for use in ISO class 7 and above clean rooms. Garment is constructed from a breathable non-woven polypropylene fabric. Neatly folded and clean room packed 10 pieced per bag, 50 pieces per case.

EPIC 845881-MD	86.00	CA	1	MD	White
EPIC 845881-LG	86.00	CA	1	LG	White
EPIC 845881-XL	86.00	CA	1	XL	White
845881 2XL	86.00	CA	1	2XL	White
845881 3XL	86.00	CA	1	3XL	White
845881 5XL	94.80	CA	1	5XL	White

D. Tians 846855 Clean Microporous Coated Smock - ISO 6

Made of 100% spunbond polypropylene laminated to 100% micro-porous polyethylene film. These lab coats are suitable for exposure to non-hazardous liquids and any wet general maintenance areas. Fabric is treated with an anti-static solution in order to reduce static buildup. Knit wrist and collar, plastic front snap closure, no pockets. 1000/ISO 6 cleanroom class. 10/bag. 3bags/case. 30each/case


846855-S	90.00	CA	1	SM	White
846855-M	90.00	CA	1	MD	White
846855-L	90.00	CA	1	LG	White
846855-XL	90.00	CA	1	XL	White
846855-2XL	90.00	CA	1	2XL	White
846855-3XL	90.00	CA	1	3XL	White
846855-4XL	94.50	CA	1	4XL	White

E. Tians 864795 Lab Coat SMS - ISO 6

Low linting lab coat for use in critical and low particulate clean environments. High filtration fabric hold out 98.8% of particles at 3 microns, and also provides excellent splash protection from non-hazardous fluids. Features a snap front, knit wrists, knit collar, and three pockets. ISO 6 cleanroom class.

864795-S	86.00	CA	1	SM	Blue
864795-M	86.00	CA	1	MD	Blue
864795-LG	86.10	CA	1	LG	Blue
864795-XL	86.10	CA	1	XL	Blue
864795-2XL	86.10	CA	1	2XL	Blue
864795-3XL	86.10	CA	1	3XL	Blue
864795-4XL	90.30	CA	1	4XL	Blue





RS Hughes Part	Price	Per	Case	Description/Size
----------------	-------	-----	------	------------------

F. Tians 206853 Coverall w/ Hood & Boots

Epic brand barrier coverall made from a solid film breathable membrane, attached hood & booties, zipper front, elastic wrists & lower back, 25 pieces per polybag, 25 pieces per case.

206853-M	95.90	CA	1	White	MD
206853-L	95.90	CA	1	White	LG
206853-XL	95.90	CA	1	White	XL
206853-2XL	95.90	CA	1	White	2XL
206853-3XL	95.90	CA	1	White	3XL
206853-4XL	100.70	CA	1	White	4XL

G. Tians 216853 Coverall w/ Collar

Epic brand barrier coverall made from a solid film breathable membrane, folded collar, zipper front, elastic wrists, ankles & lower back, 25 pieces per polybag, 25 pieces per case.

216853 SM	92.00	CA	1	White	SM
216853 MD	92.00	CA	1	White	MD
216853 LG	92.00	CA	1	White	LG
216853-XL	92.00	CA	1	White	XL
216853-2XL	92.00	CA	1	White	2XL
216853-3XL	92.00	CA	1	White	3XL
216853-4XL	96.60	CA	1	White	4XL

H. Tians 813381-XL Isolation Gown

The Epic disposable gown is made of polypropylene, is packaged 50 pieces per case and comes in yellow. This gown is universal sized and will fit most wearers.

813381-XL	39.00	CA	1	Yellow	XL
-----------	-------	----	---	--------	----

I. Tians 814874-XL Universal Barrier Gown, White

Epic brand barrier gown, made with a solid film impermeable laminate, knit wrists, wrap around ties, long length, universal size fits most, bulk packed 30 each per case

814874-XL	58.00	CA	1	White	XL
-----------	-------	----	---	-------	----



Head to Toe Protection



A



B



C



D



E



F

F. Tech Wear Static Dissipative Length Shielding Coat

Lapel style collar of ECX-500 fabric, three quarter length, mid-thigh, white with three pockets.

TECH WEAR LEQ-13 SMALL	35.00	EA	1	SM
TECH WEAR LEQ-13 MEDIUM	35.00	EA	1	MD
TECH WEAR LEQ-13 LARGE	35.00	EA	1	LG
TECH WEAR LEQ-13 X-LARGE	35.00	EA	1	XL
TECH WEAR LEQ-13 2XL	42.00	EA	1	2XL
TECH WEAR LEQ-13 3XL	42.00	EA	1	3XL

RS Hughes Part	Price	Per	Case	Size
----------------	-------	-----	------	------

A. Tech Wear LEQ-43 Econoshield

Traditional lapel-style collar, of ECX-500 fabric, three quarter length (mid-thigh) with three pockets.

LEQ-43 SM	35.00	EA	1	SM
LEQ-43 MD	35.00	EA	1	MD
LEQ-43 LG	35.00	EA	1	LG
LEQ-43 XL	35.00	EA	1	XL
LEQ-43 2XL	42.00	EA	1	2XL
LEQ-43 3XL	42.00	EA	1	3XL

B. Tech Wear Static Dissipative Shielding Coat

Traditional lapel style collar, lightweight OFX-100 fabric, in a knee-length coat. Blue with three pockets.

LOC-23 SM	49.50	EA	1	SM
LOC-23 MD	49.50	EA	1	MD
LOC-23 LG	49.50	EA	1	LG
LOC-23 XL	49.50	EA	1	XL
LOC-23 2XL	59.40	EA	1	2XL
LOC-23 3XL	59.40	EA	1	3XL
LOC-23 4XL	59.40	EA	1	4XL

C. Tech Wear Static Dissipative Shielding Jacket

Traditional lapel style collar, of OFX-100 lightweight fabric in a hip-length jacket. Blue with three pockets.

LOJ-23 SM	44.00	EA	1	SM
LOJ-23 MD	44.00	EA	1	MD
LOJ-23 LG	44.00	EA	1	LG
LOJ-23 XL	44.00	EA	1	XL
LOJ-23 2XL	52.80	EA	1	2XL
LOJ-23 3XL	52.80	EA	1	3XL

D. Tech Wear Blue ESD Shield Jacket

Traditional lapel style collar, of lightweight OFX-100 fabric, in a hip-length jacket. Blue with three pockets. Groundable with ESD cuffs.

LOJ-23C M	51.33	EA	1	MD
LOJ-23C LG	51.33	EA	1	LG
LOJ-23C XL	51.33	EA	1	XL
LOJ-23C 2XL	61.60	EA	1	2XL
LOJ-23C 3XL	61.60	EA	1	3XL

E. Tech Wear ESD Coat V-Neck

Traditional V-neck style, of OFX-100 lightweight fabric, in a hip-length jacket. Blue with three pockets.

VOJ-23 XS	42.17	EA	1	XS
VOJ-23 SM	42.17	EA	1	SM
VOJ-23 MD	42.17	EA	1	MD
VOJ-23 LG	42.17	EA	1	LG
VOJ-23 XL	42.17	EA	1	XL
VOJ-23 2XL	50.60	EA	1	2XL
VOJ-23 3XL	50.60	EA	1	3XL
VOJ-23 4XL	50.60	EA	1	4XL
VOJ-23 5XL	50.60	EA	1	5XL
VOJ-23 6XL	50.60	EA	1	6XL

Tech Wear Fabric Considerations

OFX-100 is a light-weight knit (2.3 oz per square yard) fabric that is breathable, groundable and easily laundered. It is ideal for use in areas where there is little abrasion, light soil, and little or no exposure to soldering and chemicals. The fabric is made from monofilament thread, eliminating contamination from loose fibers working their way out of the fabric. The conductive grid pattern is knit into the fabric and designed to provide the highest carbon content and therefore best shielding and grounding performance available. Tech Wear's ESD knit cuffs are added to our garments and allow grounding of garment and wearer through one single ground cord, without the need of a wrist strap. OFX-100 fabric is available in White, Blue, Burgundy and Teal.

ECX-500 fabric is the best choice for effective yet economical static shielding garments. ECX-500 is used exclusively in the manufacturing of EconoShield™ garments, which are designed to give static control protection in areas where ESD sensitivity is important and when handling products with a sensitivity threshold above 2,000 volts. It is strongly recommended that when handling products below this level that the garment be grounded (OFX-100). ECX-500 is available in White or Blue.



Knit Gloves

RS Hughes Part Price Per Case Size

G. PIP 40-730 CleanTeam™ 100% Nylon Liners without Coating

100% seamless knit nylon, 13 gauge, light weight. Seamless construction provides comfort and reduces hand fatigue. Low lint gloves knit from nylon filament yarns. Lightweight fine gauge nylons can be used as glove liners. Fingerless nylons provide excellent dexterity. Nylon yarns absorb perspiration and leave hands cool and comfortable. Color coded hems for easy size identification. Liners can be worn under disposable and other liquid-proof gloves. Ideal for product handling, finishing & assembly, electronics assembly, photography labs and computer manufacturing.

616314-01253	11.40	DZ	25	SM
616314-01260	11.40	DZ	25	MD
616314-01277	11.40	DZ	25	LG
616314-01284	11.40	DZ	25	XL



H. QRP PDESNDY Palm Dip ESD Nylon Assembly Glove

Micro-foamed polyurethane palm coating for excellent grip. Nylon + conductive carbon/nylon yarn. Uncoated back, seamless knit, for breathability, comfort. Human Body Model ANSI/ESD SP15.1 CAFE` resistance: 107 uncoated area; 108-9 Machine washable for economy of repeated use.coated area. Pack: 12 Pair/Bag.

PDESNDY SM	36.00	DZ	10	SM
PDESNDY MD	36.00	DZ	10	MD
PDESNDY LG	36.00	DZ	10	LG

I. PURUS GLFF Puretouch Glove Liners - Full Finger

PureTouch Glove Liners are 100% nylon, low-linting ergonomically constructed. Color coded cuffs indicate size. PureTouch is packaged 20 pair per bag, 15 bags per case (300 pair per case) in clean silicon, amide and DOP free PE bags. The 15 denier thickness offers protection and comfort for use with PVC, latex and nitrile gloves.

GLFF-S	19.86	BG	15	Green Cuff	SM
GLFF-M	19.86	BG	15	Orange Cuff	MD
GLFF-L	19.86	BG	15	Blue Cuff	LG
GLFF-XL	19.86	BG	15	Red Cuff	XL

J. PURUS GLHF Puretouch Glove Liners - Half Finger

PureTouch Glove Liners are 100% nylon, low-linting ergonomically constructed. Color coded cuffs indicate size. PureTouch is packaged 20 pair per bag, 15 bags per case (300 pair per case) in clean silicon, amide and DOP free PE bags. The 15 denier thickness offers protection and comfort for use with PVC, latex and nitrile gloves.

GLHF-S	23.40	BG	15	Green Cuff	SM
GLHF-M	23.40	BG	15	Orange Cuff	MD
GLHF-L	23.40	BG	15	Blue Cuff	LG
GLHF-XL	23.40	BG	15	Red Cuff	XL



Head to Toe Protection

Controlled Environment Products

Gloves – Class 10/ISO Class 4

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change



Class 10/ISO Class 4 Gloves



RS Hughes Part Price Per Case Size

A. Kimtech Pure* G3 NXT* Nitrile Gloves

Packaged in a Class 100 Cleanroom, AQL Level of 1.5 for pinholes, textured fingergrrips, static dissipative in use, beaded cuff, 12in length, contains no natural rubber latex easy to double don, double-bagged with case liner. Recommended for ISO Class 3 or higher cleanroom environments, 1,000CA(100/BG, 10BG/CA).

036000-62990	210.20	CA	1	XS
036000-62991	210.20	CA	1	SM
036000-62992	210.20	CA	1	MD
036000-62993	210.20	CA	1	LG
036000-62994	210.20	CA	1	XL
036000-62995	210.20	CA	1	2XL



A. Kimtech Pure* G3 White Higher Tack Nitrile Gloves

Packaged in a Class 100 Cleanroom, AQL Level of 1.5 for pinholes, textured fingergrrips, static dissipative in use, beaded cuff, 12in length, contains no natural rubber latex, double-bagged with case liner. Recommended for ISO Class 3 or higher cleanroom environments. Higher Tack Level than NXT. 1000CA(100/BG, 10BG/CA)

036000-HC61010	223.60	CA	1	XS
036000-HC61011	223.60	CA	1	SM
036000-HC61012	223.60	CA	1	MD
036000-HC61013	223.60	CA	1	LG
036000-HC61014	223.60	CA	1	XL

B. Microflex Clean Room Ambi Latex, CE4-200

ISO Class 4 compatible, extended 12" cuff. Palm thickness 6.3mil, finger thickness 7.9mil. Micro textured finger tips enhances wet or dry grip. Silicone-free. Double vacuum sealed packaging. Packaging: 100 pieces of gloves per double polybags, 10 polybags per master polybag, 1 master polybag per carton. Note: inner & outer polybags are manufactured & processed in ISO 5 Cleanroom

769799-02006	225.10	CA	1	XS
769799-02007	225.10	CA	1	SM
769799-02008	225.10	CA	1	MD
769799-02009	225.10	CA	1	LG
769799-02000	225.10	CA	1	XL



C. Microflex Clean Room Nitrile CE4-313

Powder Free Extended Cuff Nitrile 12", Multiclass Clean Room Compatibility Silicone Free, Palm Thickness 5.2mil, Finger Thickness 6.7mil, 100/Bag. Recommended for ISO Class 4 or higher clean room environments.

769799-03136	229.30	CA	1	XS
769799-03137	229.30	CA	1	SM
769799-03138	229.30	CA	1	MD
769799-03139	229.30	CA	1	LG
769799-03130	229.30	CA	1	XL

D. Microflex Latex Glove Hand Specific (Sterile), HSCE4-879

ISO Class 4 compatible, extended 12" cuff. Palm thickness 5.9mil, finger thickness 7.9mil., curved fingers, bisque finish (SH2) and beaded cuff. Micro textured surface enhances wet or dry grip. Silicone-free. Hand specific design minimizes unnecessary stress and strain. Irradiation indicators are placed on all master poly-bags and cartons - your guarantee of sterility assurance. Packaging: 1 pair per poly-wallet, 1 poly-wallet per inner polybag, 10 polybags per master polybag, 20 master polybag per poly-lined case. Note : inner & outer polybags are manufactured & processed in ISO 5 Cleanroom

769799-87960	275.82	CA	1	6
769799-87965	275.82	CA	1	6.5
769799-87970	275.82	CA	1	7
769799-87975	275.82	CA	1	7.5
769799-87980	275.82	CA	1	8
769799-87985	275.82	CA	1	8.5
769799-87990	275.82	CA	1	9



Class 100/ISO Class 5 – Latex Gloves

RS Hughes Part Price Per Case Size

E. Microflex Clean Room Ambi Latex CE5-512

ISO 5 Clean Room Latex Powder Free Extended Cuff 12", Multiclass Clean Room Compatibility Silicon Free, Palm Thickness 6.3mil, Finger Thickness 7.9mil, 100 Gloves/Bag 10 Bags/Carton Large.

769799-05126	183.82	CA	1	XS
769799-05127	183.82	CA	1	SM
769799-05128	183.82	CA	1	MD
769799-05129	183.82	CA	1	LG
769799-05120	183.82	CA	1	XL



F. PIP Cleanroom Ambi Latex Gloves

Cleanteam® Class 100 Cleanroom Latex, Textured Finger, 5mil Thickness, 100/BG, 10BG/CA

616314-16431	234.84	CA	1	SM	100-323000, 12" Length
616314-16448	234.84	CA	1	MD	100-323000, 12" Length
616314-16455	234.84	CA	1	LG	100-323000, 12" Length
616314-16462	234.84	CA	1	XL	100-323000, 12" Length
616314-16486	182.59	CA	1	SM	100-322400, 9 1/2" Length
616314-16493	182.59	CA	1	MD	100-322400, 9 1/2" Length
616314-16509	182.59	CA	1	LG	100-322400, 9 1/2" Length
616314-16516	182.59	CA	1	XL	100-322400, 9 1/2" Length

G. Kimtech Pure* G5 Latex Gloves

Packaged in a Class 100 Cleanroom. AQL level of 1.5 for pinholes, textured palm & fingers, Beaded cuff, 10" length, Ambidextrous. Double-bagged with case liner. For ISO Class 5 or higher cleanroom environments. 100/BG, 10BG/CA

036000-56805	192.50	CA	1	SM
036000-56806	192.50	CA	1	MD
036000-56807	192.50	CA	1	LG
036000-56808	192.50	CA	1	XL



H. QRP 612HC Qualatex HC Latex Glove

12" Premium natural rubber latex gloves for ISO 5 (Class 100) applications. Lowest extractibles and particulates, free from plasticizers, silicone and powders, meets or exceeds all applicable requirements of IEST-RP-CC005.2. 100/BG, 10BG/CA

612HC SM	265.50	CA	1	Natural	SM
612HC MD	265.50	CA	1	Natural	MD
612HC LG	265.50	CA	1	Natural	LG
612HC XL	265.50	CA	1	Natural	XL
612HC 2XL	265.50	CA	1	Natural	2XL




E



F

G



H




Head to Toe Protection



A



Class 100/ISO Class 5 – Nitrile Gloves



B



C



E

RS Hughes Part	Price	Per	Case	Size
----------------	-------	-----	------	------

A. QRP Q095 Class 100 (ISO 5) Qualatrilite XC White Nitrile 9" Gloves

100% nitrile (no latex) for ISO 5 (Class 100) applications. Naturally anti-static - 109 ohms. Manufactured without plasticizers, silicone or powders. Consistently low particulates and extractable ion levels. Meets or exceeds all applicable requirements of IEST-RP-CC005.2. Pack: 100 Gloves/Double Bag, 10BG/CA.

Q095 LG	196.00	CA	1	
Q095 MD	196.00	CA	1	
Q095 SM	196.00	CA	1	



B. Kimtech Pure* G5 White Nitrile Gloves

Packaged in a Class 100 Cleanroom. AQL level of 1.5 for pinholes. Textured fingertips. Static dissipative in use. Beaded cuff, 10" length. Contains no natural rubber latex. Ambidextrous. Double-bagged with case liner. Recommended for ISO Class 5 or higher cleanroom environments. 100/BG, 10BG/CA.

036000-56863	201.70	CA	1	XS
036000-56864	201.70	CA	1	SM
036000-56865	201.70	CA	1	MD
036000-56866	201.70	CA	1	LG
036000-56867	201.70	CA	1	LG
036000-56868	201.70	CA	1	XL



C. PIP Cleanroom Ambi Nitrile Gloves

Cleanteam® Class 100 Cleanroom Nitrile, Textured Finger, 5mil Thickness, 1000/Case

616314-16714	195.86	CA	1	SM	100-332400, 9 1/2" Length
616314-16721	195.86	CA	1	MD	100-332400, 9 1/2" Length
616314-16738	195.86	CA	1	LG	100-332400, 9 1/2" Length
616314-16745	195.86	CA	1	XL	100-332400, 9 1/2" Length

E. QRP Q125 Qualatrilite XC Nitrile Glove

12" 100% nitrile (no latex) glove for ISO 5 (Class 100) applications. Naturally anti-static - 109 ohms, Manufactured without plasticizers, silicone or powders, Consistently low particulates and extractable ion levels, Meets or exceeds all applicable requirements of IES-RP-CC005.2. 100 Gloves/Double Bag.

Q125 XS	207.30	CA	1	White	XS
Q125 SM	207.30	CA	1	White	SM
Q125 MD	207.30	CA	1	White	MD
Q125 LG	207.30	CA	1	White	LG
Q125 XL	207.30	CA	1	White	XL
Q125 2XL	207.30	CA	1	White	2XL

Class 100/ISO Class 5 – Powder-Free Nitrile Gloves

RS Hughes Part Price Per Case Size

F. Ansell Nitrilite® 93-311

Significantly reduced particulate and extractable levels. 100% powder-free with no plasticizers, silicone or pigments. Superior strength of nitrile. Thinner than comparable vinyl or latex gloves for a lighter, more comfortable glove. Improved dexterity and tactility. 100/BG, 10BG/CA

076490-65752	168.50	CA	1	5.5 - 6
076490-65753	168.50	CA	1	6.5 - 7
076490-65754	168.50	CA	1	7.5 - 8
076490-65755	168.50	CA	1	8.5 - 9
076490-65756	168.50	CA	1	9.5 - 10



G. Microflex Clean Room Ambi Nitrile CE-755

ISO 5 Clean Room Nitrile Powder Free Extended Cuff 12", Multiclass Clean Room Compatibility Silicon Free, Palm Thickness 5.2mil, Finger Thickness 6.7mil, 100 Gloves/Bag 10 Bags/Carton.

769799-07556	206.91	CA	1	XS
769799-07557	206.91	CA	1	SM
769799-07558	206.91	CA	1	MD
769799-07559	206.91	CA	1	LG
769799-07550	206.91	CA	1	XL



F

G



H



I

Clean Room Hi-Temp Gloves

H. QRP 70G Qualatherm 450 Wet/Dry Thermal Protection

12" (Wrist Protection), Wet or dry contact temperatures from 780F to 4500F (-61.40C to 2320C), PolyTuff silicone elastomer is sulfur-free. Excellent resistance to chemicals, solder and fluxes. Pack: 1 Pair per Poly Bag.

70G MD	336.36	PR	1	MD
70G LG	336.36	PR	1	LG
70G XL	396.36	PR	1	XL



I. QRP 50G Qualatherm 1400 Dry Thermal Protection

14" (Forearm Protection), Dry contact temperatures for 2100F to 14000F (-1340C to 7600C) with no charring, ash or residue, ESD protection Static Dissipative 109, No PCB, asbestos or fiberglass. Pack: 1 Pair per Poly Bag.

50G MD	132.73	PR	1	MD
50G LG	132.73	PR	1	LG
50G XL	132.73	PR	1	XL



J

Finger Cots – Low Powder

J. Calapro FW01 Mechanically Cleaned, Low Powder Latex Finger Cots, White

Excessive powder has been removed by a mechanical tumbling process. For use in situations where particles are not so critical, but product protection from skin oils, salt and perspiration is essential. 10Gross/Bag

FW01 SM	26.60	BG	20
FW01 MD	26.60	BG	20
FW01 MD/LG	26.60	BG	20
FW01 XL	26.60	BG	20



Head to Toe Protection



A



B & C



D & E

Finger Cots – Powder Free

RS Hughes Part	Price	Per	Case	Size
----------------	-------	-----	------	------

A. Calapro FY01 Powder Free, Class 100 Latex Finger Cots, Ember

Processed by advanced chlorination washing to minimize contamination both inside and outside. Inspected and packaged under class 100 specifications. 10Gross/Bag

FY01 SM	38.30	BG	20
FY01 MD	38.30	BG	20
FY01 MD/LG	38.30	BG	20
FY01 XL	38.30	BG	20

B. QRP 5J Powder-Free Latex Industrial Finger Cots

Natural powder free latex industrial fingercot. 5 Gross/Bag.

5J SM	14.55	BG	20
5J MD	14.55	BG	20
5J LG	14.55	BG	20
5J XL	14.55	BG	20



C. QRP 5C Powder-Free Latex Finger Cots ISO 5 (Class 100)

Packaged for ISO 5 (Class 100) applications. Compliant with ASTM and IEST-RP-CC 005.3 standards. Eliminates contamination risks from silicone oils, skin salts, particulates and plasticizers. Unique, Stand-Up Pouch- easy product identification. Pack: 5 Gross (720 each)/Pack

5C SM	17.27	BG	20
5C MD	17.27	BG	20
5C LG	17.27	BG	20
5C XL	17.27	BG	20

Finger Cots – Anti-Static

D. QRP 7J Anti-Static Latex Industrial Finger Cots

Pink Anti-Static Powder Free Latex industrial fingercot. 5 Gross/Bag.

7J SM	19.55	BG	20
7J MD	19.55	BG	20
7J LG	19.55	BG	20
7J XL	19.55	BG	20

E. QRP 7C Anti-Static Latex Finger Cots ISO 5 (Class 100)

Packaged for ISO 5 (Class 100) applications. Compliant with ASTM and IEST-RP-CC 005.3 standards. Average surface resistance of 5x10¹⁰ ohms per square unit. For use with Class II static sensitive devices (thresholds above 1000V). Unique, Stand-Up pouch - easy product identification. Pack: 5 Gross (720 each)/Pack.

7C SM	22.27	BG	20
7C MD	22.27	BG	20
7C LG	22.27	BG	20
7C XL	22.27	BG	20

Finger Cots – Anti-Static

RS Hughes Part Price Per Case Size

F. QRP 8C Static Dissipative Latex Finger Cots ISO 5 (Class 100)

Packaged for ISO 5 (Class 100) applications. Compliant with ASTM and IEST-RP-CC 005.3 standards. Average surface resistance of 107 ohms per square surface unit. Fore use with Class I and Class II static sensitive devices. Unique, Stand-Up pouch - easy product identification. Pack: 5 Gross (720 each)/Pack.

8C SM	35.91	BG	20
8C MD	35.91	BG	20
8C LG	35.91	BG	20
8C XL	35.91	BG	20



G. QRP 9J Nitrile Latex-Free Finger Cots

White Anti-Static Powder Free Nitrile industrial fingertot. 5 Gross/Bag.

9J SM	40.45	BG	20
9J MD	40.45	BG	20
9J LG	40.45	BG	20
9J XL	40.45	BG	20

H. QRP 9C Nitrile Latex-Free Finger Cots ISO 5 (Class 100)

Packaged for ISO 5 (Class 100) applications. Average surface resistance of 5x10⁹ ohms per square unit. For use with Class II static sensitive devices (thresholds above 1000V). Unique, Stand-Up pouch - easy product identification. Pack: 5 Gross (720 each)/Pack.

9C LG	44.09	BG	20
9C MD	44.09	BG	20
9C SM	44.09	BG	20
9C XL	44.09	BG	20

I. Calapo FW04 Antistatic Powder Free, Class 100 Latex Finger Cots, Pink

Average surface resistivity is 10¹²Ω /sq. and average decay charge rate is <2 seconds. For use with CLASS II/CATEGORY B static sensitive device with a threshold sensitivity above 1000V(=1000V). Packaged in an electro-static shield bag for more protection from static charges. 5Gross/Bag

FW04 SM	25.53	BG	40
FW04 MD	25.53	BG	40
FW04 MD/LG	25.53	BG	40
FW04 XL	25.53	BG	40

J. Calapro FB01 Static Dissipative Latex Finger Cots, Black

Excellent tactics sensitivity for static free handling of ESD parts and components, 2x 10⁶ Ω /sq. Average surface resistivity allows rapid bleed off of any charge. For use with CLASS I/CATEGORY A(<1000V) static sensitive electronic devices. Packed in an electro-static bag for more protection from static charge. 5Gross/Bag

FB01 SM	37.23	BG	40
FB01 MD	37.23	BG	40
FB01 MD/LG	37.23	BG	40
FB01 XL	37.23	BG	40

F



G & H



I



J



Introducing Puritan's Environmental Sampling Line

The result of nearly a century of experience — a connection to your markets — an innovative R&D team — and super-stringent QC



EnviroMax®
(dry)

EnviroMax® Plus®
(pre-moistened)

ESK® Sampling Kit



A

B

C

D

E

F

G

H

Choice of Tips



Environmental Sampling Swabs

RS Hughes Part Price Per Case Size

Puritan ESK Environmental Sample Kit – 8 configurations, 4 solutions - Sterile

ESK® Sampling Kit swabs have small tips (2.22" length x .0612" diameter). Many times you'll want to collect sample material from corners, cracks, and crannies. The sterile polyester swab is bonded to the cap by an aqueous based adhesive on a polystyrene handle, giving you extra rigid handle length for firm control over movement of the swab. When you're finished, you simply replace the swab and cap tightly. The tube is pre-filled with a standard or custom solution of your choice. Tube length 4.06" / Swab Length 3.25". 50 individually wrapped swabs per case.

A.	25-83004 PD BS	65.78	CA	1	4ML	Butterfield's Solution
B.	25-83010 PD BS	71.56	CA	1	10ML	Butterfield's Solution
C.	25-83004 PD LB	64.67	CA	1	4ML	Lethen Broth
D.	25-83010 PD LB	76.02	CA	1	10ML	Lethen Broth
E.	25-83004 PD NB	64.67	CA	1	4ML	Neutralizing Buffer
F.	25-83010 PD NB	66.89	CA	1	10ML	Neutralizing Buffer
G.	25-83004 PD BPW	64.44	CA	1	4ML	Buffered Peptone Water
H.	25-83010 PD BPW	68.22	CA	1	10ML	Buffered Peptone Water


Puritan's Environmental Sampling Tip Technology



WHITE HANDLE & TIP, CLEAR VIAL

There are often times when you do a test to get an immediate result – or at least an indicator that a particular sample should go to the lab for more extensive testing.

That's why all the swabs in our environmental line have white handles and tips and are packaged in a clear plastic vial. Reactions – even small, early reactions – are visible, saving you time and effort. Count on us for reliable, repeatable results, clearly seen.



CATCH & RELEASE

It's just common sense. The more sample you can pick up the more accurate the results. That's why Puritan worked so hard to maximize the collection surface for our environmental swabs. The tip fibers act like a "fishing net" to catch and hold more than enough material for accurate testing.

At the same time, these fibers readily release sample material once the swab is inserted into media. Catch and release – what Puritan swabs are known for.



PADDLE STRUCTURE

The EnviroMax® and EnviroMax Plus® have oversized tips with a rigid paddle-like structure within the foam.

This gives the tip stability and makes it easy to reach into crevices where just foam may bunch up, crush, or fold over.

These were inspired by a customer in the food production industry where large pieces of equipment with varying surface terrain need sampling.



TIGHT SPACE FIT

ESK® Sampling Kit swabs, on the other hand, are small. Many times you'll want to collect sample material from corners, cracks, and crannies. The swab is attached to the cap, giving you extra, rigid handle length for firm control over movement of the swab.

When you're finished, you simply replace the swab and cap tightly. The tube is pre-filled with a standard or custom solution of your choice.




Puritan®
Quality since 1919

RS Hughes Part Price Per Case Size

Puritan EnviroMax (dry) and EnviroMax Plus(pre-moistened) Environmental Sampling Swabs – Sterile or Non Sterile

The EnviroMax® and EnviroMax Plus® (pre-moistened with 50% neutralizing buffer & 50% 0.1% peptone water) have oversized tips (2.22" length x.0612" diameter) with a rigid paddle-like structure within the foam. This gives the tip stability and makes it easy to reach into crevices where just foam may bunch up, crush, or fold over. These were inspired by customers in the food production industry where large pieces of equipment with varying surface terrain need sampling. Tube length 6.02". Swab Length 5.8". 25 individually wrapped swabs per case.

I.	88010-PF	64.67	CA	1	Non-Sterile	Pointed Dry Tip
J.	88010-PF RND	64.67	CA	1	Non-Sterile	Rounded Dry Tip
K.	25-88010 PF	70.00	CA	1	Sterile	Pointed Dry Foam Tip
K.	25-88050 PF	70.22	CA	1	Sterile	Rounded Dry Foam Tip
L.	25-88010 PF RND	70.00	CA	1	Sterile	Pointed Pre Moisted Tip
L.	25-88050 PF RND	70.22	CA	1	Sterile	Rounded Pre Moisted Tip



h R.S. HUGHES

Head to Toe Protection

Industrial Wooden Stirrers

Choose the shape best for your application



Good and sturdy, made to work hard



Puritan®
Quality since 1919

RS Hughes Part	Price	Per	Case	Size
----------------	-------	-----	------	------

A. Puritan® 25-700 Infant Tongue Depressor (Sterile)

Wooden infant sized tongue blade, individually wrapped. 1000/Box

700 INFANT	14.38	BX	10	4.5" X 0.375"
------------	-------	----	----	---------------

B. Puritan® 704 BRIGHTWOOD Economy Flat Stick (Non-Sterile)

For stirring, mixing, & applying of paints, inks, chemicals, and epoxies. 500/Box

704 BRIGHTWOOD	10.29	BX	10	6" X 0.688"
----------------	-------	----	----	-------------




C. Puritan® 709 Adult Tongue Depressor (Non-Sterile)

Wooden standard sized tongue blade, individually wrapped. 250/Box

709	15.80	BX	10	6" X 0.688"
-----	-------	----	----	-------------

Purswab® Knit Polyester Tipped Applicators

Knitted polyester is non-abrasive and lint-free. In addition, the polyester can easily stand up to IPA, acetone, and other solvents commonly used in clean rooms and other critical environments.

	Item No.	Item Description	Packaging pack, weight	Handle length x diameter	Tip length x diameter	Full Length
	3140	Thin, flexible polyester paddle tip ultrasonically welded to a light green polypropylene handle. Use to remove residues and particulates in electronic, communication, and medical device manufacturing.	10/100, 4 lbs	162 x 2.997 mm 6.378 x 0.118"	18.999 x 7.29 mm 0.748 x 0.287"	162 mm 6.378"
	3600	Long-wearing, large paddle tip of double-ply knitted polyester, is ultrasonically welded to an injection-molded white polypropylene handle.	20/50, 3 lbs	155.956 x 3.251 mm 6.14 x 0.128"	28.575 x 9.906 mm 1.125 x 0.39"	157.099 mm 6.185"
	3655	Large, flat polyester paddle tip is ultrasonically welded on a solid polypropylene molded handle for an easy grip.	10/100, 5 lbs	125.425 x 5.08 mm 4.938 x 0.2"	25.908 x 13.97 mm 1.02 x 0.55"	127.787 mm 5.031"

D. Purswab® Polyester Tip Applicator (Non-Sterile)

Lint free with good wear resistance, it can be used with IPA and DI water or solvents. Vacuum packed 100 swabs per bag, 10 bags per case.

3140	41.42	BG	10	6.378" X 0.2874"
------	-------	----	----	------------------

Purswab® Polyester Tip Applicator (Non-Sterile)

This lint-free applicator is ideal for general cleaning purposes in critical environment industries. 50 swabs per bag, 20 bags per case.

E. 3600	30.21	BG	20	6.185" X 0.390"
----------------	-------	----	----	-----------------






This lint-free swab is ideal for use in critical environments. Can be used with IPA, acetone, or other solvents. 100 swabs per bag, 10 bags per case.

F. 3655	48.60	BG	10	5.031" X 0.55"
----------------	-------	----	----	----------------



PurSwab® Foam Tipped Applicators

Thermal edge seals and thermal bonding to the handle help ensure the sponge-like foam will clean up unwanted particles without releasing any into your critical environment.

	Item No.	Item Description	Packaging pack, weight	Handle length x diameter	Tip length x diameter	Full Length
	1605-PSF RECT	Rectangular foam tip, polypropylene handle.	20/50, 5 lbs	127 x 3.175 mm 5 x 0.125"	25.4 x 13.487 mm 1 x 0.531"	130.175 mm 5.125"
	1130	Pointed foam tip, polypropylene handle.	10/100, 2 lbs	69.494 x 2.388 mm 2.736 x 0.094"	11.506 x 3.505 mm 0.453 x 0.138"	69.494 mm 2.736"
	1803-PF	Mini foam tip, black polypropylene handle.	20/50, 2 lbs	69.85 x 2.311 mm 2.75 x 0.091"	15.875 x 3.962 mm 0.625 x 0.156"	71.45 mm 2.813"
	1805-PF RECT	Large rectangular foam tip, polypropylene handle.	20/50, 6 lbs	127 X 6.223 mm 5 X 0.245"	22.606 X 17.45 mm 0.89 X 0.687"	131.369 mm 5.172"
	1806-PF	Rectangular foam tip, polypropylene handle.	20/50, 2 lbs	149.225 x 2.54 mm 5.875 x 0.1"	15.875 x 4.775 mm 0.625 x 0.188"	152.4 mm 6"

RS Hughes Part Price Per Case Size

G. PurSwab® Small Foam Tip Applicator (Non-Sterile)

Produced with reticulated 100ppi Medical Grade foam. Thermally bonded to a rigid rectangular polypropylene shaft to reduce contamination. Rectangular head ideal for applying solutions and solvents. Great for coating rechargeable copier cartridges, general cleaning. Made in the USA.

1605-PSF RECT 14.57 BG 20 5.188" X 0.531"

H. PurSwab® 1130 Foam Tipped Applicator (Non-Sterile)

Used for precision cleaning, heat-staked pointed foam tip fits in small tight areas. Can be used with IPA and DI water, lint and residue free. Non-sterile, pointed foam tip, with polypropylene handle. 100/Bag

PURITAN 1130 18.42 BG 10 2.736" X 0.138"

I. PurSwab® Foam Tip Applicator, Bulk (Non-Sterile)

Produced with 100PPI reticulated medical grade foam. Soft non-abrasive tip is bonded securely to the handle with thermo plastic adhesive. Use with IPA and DI water or dry, lint and residue free. Great for removing epoxy residue from connectors, flux removal, general cleaning. Made in the USA. Bulk pack: 500 per bag, 2 bags per case.

1803-PFB 61.11 BG 2 2.813" X 0.156"

J. PurSwab® 1805-PF RECT Foam Tipped Applicator (Non-Sterile)

Used in Critical Environment Cleanroom and Industrial settings. Tip is thermally bonded to handle so there is no contaminating adhesives used. Tip is lint and residue free. 1805-PF RECT can be used with IPA and DI water or dry. Rectangular foam tip on rectangular polypropylene handle. 50/Bag

1805-PF RECT 14.36 BG 20 5.172" X 0.687"

K. PurSwab® 1806-PF Foam Tipped Applicator (Non-Sterile)

PurSwab® Cleaning Applicator is ideal for cleaning sensors and components. Features a foam tip and polypropylene shaft. 50/Bag

1806-PF 8.82 BG 20 6" X 0.188"

L. PurSwab® 1806-WF Foam Tipped Applicator (Non-Sterile)


PurSwab® Cleaning Applicator is ideal for cleaning sensors and components. Features a foam tip and wooden shaft. 50/Bag


1806-WF 6IN 8.82 BG 20 5.875" X 0.188"



Head to Toe Protection

Purswab® Specialty and Chemical Resistant Foam Tipped Applicators



	Item No.	Item Description	Packaging pack, weight	Handle length x diameter	Tip length x diameter	Full Length
	1806-WF CR	Regular chemical resistant foam tip, wood handle.	20/50, 2 lbs	147.625 x 2.108 mm 5.812 x 0.083"	17.45 x 4.775 mm 0.687 x 0.188"	149.225 mm 5.875"

RS Hughes Part Price Per Case Size


A. Purswab® Chemical Resistant Foam Tip Applicator (Non-Sterile)




This foam tipped applicator is made with chemical resistant foam and bonded securely with thermoplastic adhesive. Will not swell or break apart when exposed to most chemicals. Withstands scrubbing to remove adhesive or contamination with good resistance to acetone and other solvents. Great for removing residues and particulates. Packaged 50 swabs to a resealable poly-zip bag, 20 bags to a case.

1806-WF CR 13.78 BG 20 6" X 0.3748"

Popule® Self-Saturating Applicators



FEATURED SWAB: # 4545

	Item No.	Item Description	Packaging pack, weight	Handle length x diameter	Tip length x diameter	Full Length
	4545	Pre-filled popule with 91% IPA and DI water, large rectangular foam tip.	20/50, 5 lbs	101.6 x 5.08 4 x 0.2"	26.975 x 14.275 mm 1.062 x 0.562"	104.775 mm 4.125"









B. Popule® 4545 Self-Saturating Applicator (Non-Sterile)

Popule® Self-saturating swab filled with 91% Isopropyl alcohol and distilled water. 50/Bag

4545-FOAM SWAB 19.67 BG 20 4.125"

Puritan® Cotton Tipped Applicators (continued on next page)

Ideal for general purposes when you are less concerned about static or particulate release. All made to Puritan quality standards for consistent performance.

	Item No.	Item Description	Packaging pack, weight	Handle length x diameter	Tip length x diameter	Full Length
	803-WC	Standard tip, wood handle.	10/10/100, 10 lbs	73.812 x 2.54 mm 2.906 x 0.1"	15.875 x 4.775 mm 0.625 x 0.188"	77.013 mm 3.032"
	806-WC	Regular tip, wood handle.	10/10/100, 16 lbs	147.625 x 2.108 mm 5.812 x 0.083"	15.875 x 4.775 mm 0.625 x 0.188"	150.8 mm 5.937"
	806-WCL	Standard tip, wood handle.	10/5/100, 10 lbs	147.625 x 2.54 mm 5.812 x 0.1"	17.45 x 5.944 mm 0.687 x 0.234"	150.8 mm 5.937"
	823-WC	Tapered mini tip, wood handle.	10/10/100, 8 lbs	73.812 x 2.108 mm 2.906 x 0.083"	12.7 x 1.27 mm 0.5 x 0.12"	75.413 mm 2.969"
	826-WC	Tapered mini tip, wood handle.	10/10/100, 12 lbs	147.625 x 2.108 mm 5.812 x 0.083"	12.7 x 1.27 mm 0.5 x 0.12"	149.225 mm 5.875"
	868-WCS	Small tip, wood handle.	10/10/100, 12 lbs	147.625 x 2.108 mm 5.812 x 0.083"	11.1 x 3.581 mm 0.437 x 0.141"	149.225 mm 5.875"

RS Hughes Part Price Per Case Size

C. Puritan® 803-WC Cotton Tipped Applicator (Non-Sterile)

General-purpose applicator in medical field for wound care including the application of topical dressings and first aid. Industrial applications include general cleaning, cleaning sensors and components. Made in the USA. 1000/Box

803-WC 15.91 BX 10 3.032" X 0.188"

D. Puritan® 806-WC Cotton Tipped Applicator (Non-Sterile)

Puritan's most popular general-purpose applicator. Used in patient care for wound care for the application of topical dressings. An all-purpose swab for industrial uses such as: Cleaning weapons, removing excess from injection molding, applying solder paste, cleaning sensors, removing oil, paint, and dirt. Regular cotton head on a rigid wood handle. Made in the USA. 1000/Box

806-WC 16.22 BX 10 5.937" X 0.188"

E. Puritan® 806-WCL Cotton Tipped Applicator, Large Extra-Absorbent Tip (Non-Sterile)

Puritan's most popular general-purpose applicator. Used in patient care for wound care for the application of topical dressings and for cleaning instrumentation. All-purpose swab for: Cleaning weapons, removing excess from injection molding, applying solder paste, cleaning sensors and components, removing oil, paint, and dirt from machine parts. Made in the USA. 500/Box

806-WCL 9.47 BX 10 5.937" X 0.234"

F. Puritan® 823-WC Cotton Tipped Applicator (Non-Sterile)

A general cleaning swab, ideal for hard-to-reach areas. 1000/Box

823-WC 18.13 BX 10 2.969" X 0.05"

Puritan® 826-WC Cotton Tipped Applicator (Non-Sterile)

General purpose swab: Tapered mini cotton tip on wood handle. Industrial uses include removing epoxy residue from connectors, cleaning tubes and scopes in medical device manufacturing. Tapered end suitable for precision application of medicines and accessing hard-to-reach areas. CE marked. 1000/Box

G. 826-WC 19.00 BX 10 5.875" X 0.05" SINGLE TIPPED

H. 826-WC DBL 22.09 BX 10 5.937" X 0.12" DOUBLE TIPPED



Puritan®
Quality since 1919



Cotton Tipped Swabs (continued)

RS Hughes Part Price Per Case Size

A. Puritan® 850-WC POLY Cotton Tipped Applicator (Non-Sterile)

Industrial grade cleaning swab used for cleaning instrumentation, weapons, machinery, or electronics. Sturdy 1/10 handle holds up to rigorous use. Cotton tip on a wood handle. 10/Bag, Boxed

850-WC POLY 13.87 BG 10 6.062" X 0.188"

B. Puritan® 850-WCB POLY Cotton Tipped Applicator (Non-Sterile)

Industrial grade cleaning swab used for cleaning instrumentation, weapons, machinery, or electronics. Sturdy 1/10 handle holds up to rigorous use. Cotton tip on a wood handle. 100/Bag

850-WCB POLY 135.11 CA 1 6.062" X 0.188"

C. Puritan® 861-WC DBL Cotton Tipped Applicator (Non-Sterile)

General all purpose swab for use in rework and repair, such as removing excess solder and fluxes from circuit boards, or cleaning metal finishes. Features a sturdy wooden handle with cotton tip at each end for twice the use. 500/Bag

861-WC DBL 12.56 BG 10 6.062" X 0.188"


D. Puritan® 868-WCS Cotton Tipped Applicator (Non-Sterile)

General purpose swab used for cleaning medical devices, removing oil or dirt from machine parts, or cleaning sensors & components. Features minimal cotton tip for small spaces and a sturdy wood handle. 1000/Box

868-WCS 16.87 BX 10 5.875" X 0.141"

Puritan® Cotton Tipped Applicators for Lint-Sensitive Applications

An excellent choice when you are looking for an applicator/swab for cleaning sensitive components. These swabs are both lint and residue free.



	Item No.	Item Description	Packaging pack, weight	Handle length x diameter	Tip length x diameter	Full Length
	872-PC DBL	Double cone shaped tip, paper handle.	50/25, 2 lbs	73 x 2.464 mm 2.874 x 0.097"	10.998 x 4.699 mm 0.433 x 0.185"	81 mm 3.189"
	876-WC	Regular tip, wood handle.	10/10/100, 15 lbs	147.625 x 2.54 mm 5.812 x 0.1"	15.875 x 4.775 mm 0.625 x 0.188"	150.8 mm 5.937"

E. Puritan® Cotton Tipped Applicator (Non-Sterile)

This cone shaped cotton double-tipped applicator is made with High Quality USP grade cotton. Bonded securely to a paper shaft by an aqueous based adhesive. Lint-less and residue free with high absorbent cotton that does not swell in solvents. Great for cleaning sensitive components such as disk drives, optics, PC boards and other critical industrial components. 25 swabs per pack, 50 packs per case.

872-PC DBL 71.11 CA 1 3.23" X 0.185"

F. Puritan® 876-WC Cotton Tipped Applicator (Non-Sterile)

General cleaning swab for cleaning situations requiring tear resistance. Lint free, regular cotton tip, naturally biodegradable wood handle. 1000/Box

876-WC 19.18 BX 10 5.937" X 0.188"



Texwipe's Alpha® Swab Series

Texwipe's Alpha® Swab Series is made from the cleanest 100% polyester knit materials with a double layer of fabric for enhanced absorbency. A complete thermal bond construction eliminates adhesive contamination. Cleanroom laundered and manufactured, providing ultra low levels of contaminants. Engineered to resist snagging and abrading. 100% virgin polypropylene handle. Made to exacting, consistent tolerances using high-precision automated processes. Packaged in a silicone-free, amide-free bag.

Part No. TX754B	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Handle Length	Total Swab Length	Packaging
	3.5mm (0.138")	3.0mm (0.118")	9.5mm (0.374")	2.4mm (0.095")	2.4mm (0.095")	60.0mm (2.362")	69.5mm (2.736")	500 swabs per bag 5 inner bags of 100 swabs 5 bags per case

Part No. TX758B	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Handle Length	Total Swab Length	Packaging
	3.2mm (0.126")	2.5mm (0.098")	11.0mm (0.433")	2.2mm (0.087")	2.2mm (0.087")	60.0mm (2.362")	70.0mm (2.756")	500 swabs per bag 5 inner bags of 100 swabs 5 bags per case

RS Hughes Part	Price	Per	Case	Size
G. Texwipe Mini Alpha® Swab Alpha Series				
TX754B	69.35	BG	5	2.736" 500/BG 5BG/CA


H. Texwipe Micro Alpha® Swab Alpha Series				
TX758B	69.35	BG	5	2.756" 500/BG 5BG/CA



Texwipe's Absorbond® Swab Series

Texwipe's Absorbond® Swabs Series is made from 100% polyester (hydroentangled) nonwoven material double layer for enhanced absorbency. The complete thermal bond construction eliminates adhesive contamination. Cleanroom processed and manufactured, providing ultra low levels of contamination control. Engineered for use on sensitive surfaces. 100% virgin polypropylene handle. Made to exacting, consistent tolerances using high-precision automated processes. Packaged in a silicone-free, amide-free bag.

Part No. TX762	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Handle Length	Total Swab Length	Packaging
	6.8mm (0.268")	2.6mm (0.102")	16.8mm (0.661")	3.2mm (0.126")	3.2mm (0.126")	145.5mm (5.728")	162.3mm (6.390")	100 swabs per bag 10 bags per case



I. Texwipe Absorbond® Swab with Long Handle				
TX762	24.65	BG	10	6.39" 100/BG 10BG/CA



Head to Toe Protection



Texwipe's CleanFoam® Series A Swab Series

CleanFoam® Series A


Texwipe's CleanFoam® Swab Series is made with 100% polyurethane foam, 100 pores per inch, for good chemical compatibility with a variety of solutions. The complete thermal bond construction eliminates adhesive contamination.

100% virgin polypropylene handle. Cleanroom processed and made to exacting, consistent tolerances using high-precision automated processes. Packaged in a silicone-free, amide-free bag.

Foam Series A features 100 swabs per bag.



Part No. TX708A	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Handle Length	Total Swab Length	Packaging
Sterile STX708A	19.7mm (0.776")	9.4mm (0.370")	26.4mm (1.039")	6.6mm (0.260")	3.2mm (0.126")	105.8mm (4.165")	132.2mm (5.205")	100 swabs per bag; 2 inner bags of 50 swabs; 10 bags per case



Part No. TX710A	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Handle Length	Total Swab Length	Packaging
	7.0mm (0.276")	5.9mm (0.232")	20.4mm (0.803")	4.3mm (0.169")	4.3mm (0.169")	92.5mm (3.642")	113.0mm (4.449")	100 swabs per bag 2 inner bags of 50 swabs 10 bags per case



RS Hughes Part	Price	Per	Case	Size
----------------	-------	-----	------	------

A. Texwipe Circular Head Swab Foam Series

The Circular Head Swab is a large, general-purpose swab for cleaning curved surfaces. Its closed-cell polyurethane foam head possesses excellent durability and cushioning. A rigid internal paddle provides firm support. The large polypropylene handle enables good control and ease of use.

TX708A	29.18	BG	10	5.205"	100/BG 10BG/CA
--------	-------	----	----	--------	----------------

B. Texwipe Large Flexible Head Swab Foam Series

The Large Flexible Head Swab is a flexible, general purpose swab for cleaning surfaces and recessed areas. Its closed-cell polyurethane foam head possesses excellent durability and cushioning. An internal nylon paddle provides flexible support. The round polypropylene handle enables good control and ease of use.

TX710A	32.67	BG	10	4.488"	100/BG 10BG/CA
--------	-------	----	----	--------	----------------



Texwipe's CleanFoam® Series B Swab Series

CleanFoam® Series B

Texwipe's CleanFoam® Swab Series is made with 100% polyurethane foam, 100 pores per inch, for good chemical compatibility with a variety of solutions. The complete thermal bond construction eliminates adhesive contamination.

100% virgin polypropylene handle. Cleanroom processed and made to exacting, consistent tolerances using high-precision automated processes. Packaged in a silicone-free, amide-free bag.

Foam Series B features 500 swabs per bag.



Part No. TX751B	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Handle Length	Total Swab Length	Packaging
	3.5mm (0.138")	3.5mm (0.138")	16.0mm (0.630")	2.4mm (0.094")	2.4mm (0.094")	51.0mm (2.008")	67.0mm (2.638")	500 swabs per bag 5 inner bags of 100 swabs 5 bags per case



RS Hughes Part Price Per Case Size

C. Texwipe Small Compressed CleanFoam® Swab

Excellent swab for cleaning small slotted and grooved areas. Compressed, laundered CleanFoam® head possesses good firmness and a pointed tip. Compact, rigid handle and tapered internal head core provide excellent support. Precision tip is especially useful for magnified or microscopic work.

TX751B 67.05 BG 5 2.638" 500/BG 5BG/CA



Texwipe's Mini Compressed CleanFoam® ESD Swab Transplex® Series

Texwipe's ESD Swab Series features a Stat-Rite® handle, a patented Inherently Dissipative Polymer, to provide clean ESD protection without contributing particulate contaminants to the process or environment. The complete thermal bond construction eliminates adhesive contamination. Packaged in an anti-static bag.

Available in a choice of CleanFoam®, Alpha® Polyester, or Stick.

CleanFoam® ESD



Part No. TX750E	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Handle Length	Total Swab Length	Packaging
	3.5mm (0.138")	3.5mm (0.138")	10.0mm (0.394")	3.0mm (0.118")	3.0mm (0.118")	78.5mm (3.090")	88.5mm (3.484")	500 swabs per bag 5 inner bags of 100 swabs 5 bags per case



D. Texwipe Mini Compressed CleanFoam® ESD Series

Excellent dissipative swab for cleaning small slotted and grooved areas. Compressed, laundered CleanFoam® head possesses good firmness and a pointed tip. Compact, rigid handle and tapered internal core provide good support. Handle is made from a Stat-Rite® polymer alloy using a patented Inherently Dissipative Polymer (IDP) to provide clean, permanent ESD protection without contributing particulate contaminants to the cleanroom.

TX750E 70.37 BG 5 3.504" 500/BG 5BG/CA





KIMTECH SCIENCE® KIMWIPES® Wipers

The industry standard for labs and research
Introduced over 60 years ago, KIMTECH SCIENCE® KIMWIPES® Wipers were the first delicate task wiper for laboratories and since then have been the market leader for wiping surfaces, parts, instruments and cleaning lenses.

Other products have tried to imitate, but have never matched the original. Don't put your delicate processes at risk!

Product Features:

- Also available in 2 and 3-ply for increased absorbency
- Gentle texture

One-at-a-time dispensing

Low lint and low extractables



KIMTECH SCIENCE® KIMWIPES® Wipers are preferred over the leading private label delicate task wipers.*

KIMTECH SCIENCE® KIMWIPES® Wipers	Leading Private Label Wipers
100% virgin fiber for purity	Mix of virgin and recycled fiber
Absorbs 18% more water	Absorbs less water
Absorbs water 24% faster	Slower rate of absorption
Preferred for softness; won't scratch delicate surfaces when used wet	Rougher feel

KIMTECH SCIENCE® KIMWIPES® Wipers

Code	Delivery System	Color	Material	Size W" x L"	Boxes/Case	Wipers/Box	Total/Case
34120	POP-UP® Box	White	1-ply tissue	4.4" x 8.4"	30	280	8,400
34155	POP-UP® Box	White	1-ply tissue	4.4" x 8.4"	60	280	16,800
34133	POP-UP® Box	White	1-ply tissue	11.8" x 11.8"	15	196	2,940
34256	POP-UP® Box	White	1-ply tissue	14.7" x 16.6"	15	140	2,100
34705	POP-UP® Box	White	2-ply tissue	11.8" x 11.8"	15	119	1,785
34721	POP-UP® Box	White	2-ply tissue	14.7" x 16.6"	15	90	1,350
34743	POP-UP® Box	White	3-ply tissue	11.8" x 11.8"	15	119	1,785



Polypropylene/Cellulose

RS Hughes Part	Price	Per	Case	Size
----------------	-------	-----	------	------

Kimtech Science® Kimwipes® Delicate Task Wipers White

KIMTECH SCIENCE® KIMWIPES® Delicate Task Wiper, offers a unique combination of low-lint tissue softness and multi-ply absorbency that's perfect for a multitude of delicate tasks. Multi-ply absorbency, wipes up liquid and dust. Wipes clean - extra low-lint and extractable performance. One-at-a-time dispensing.

A.	036000-34120	108.90	CA	1	Brag® Box, 2-Ply 280 Wipers/Box
B.	036000-34155	188.40	CA	1	Pop-Up® Box 4.4 X 8.4 , 280/Box, 60/Case
C.	036000-34133	86.95	CA	1	Pop-Up® Box, 196 Wipers/Box.
D.	036000-34256	140.55	CA	1	14.7 X 16.6
E.	036000-34705	136.27	CA	1	Pop-Up® Box, 2-Ply, 119 Wipers/Box
F.	036000-34721	191.70	CA	1	Pop-Up® Box, 2-Ply, 90 Wipers/Box
G.	036000-34743	149.70	CA	1	Pop-Up® Box, 3-Ply, 196 Wipers/Box

H. Kimtech Science® Precision Wipers - White, Brag® Box, 2-Ply

Precision Wipers Tissue Wipers, 2-ply, are an economical choice for general low-lint cleaning tasks. Soft and absorbent for general-cleaning tasks. Anti-static dispensing reduces lint. Coated packaging helps protect wipes from spills.

036000-05517	103.73	CA	1
--------------	--------	----	---

Non-woven – Polyester/Cellulose Blends

RS Hughes Part Price Per Case Size

I. Coventry™ 6704 or 6709 or 6713 Nonwoven Econowipes™

Coventry™ Econowipes™ are made from a hydro-entangled, 45/55 polyester/cellulose blend, for optimum purity in a non-woven wipe. Econowipes™ are available in three convenient sizes.

6704	39.75	BG	10	4" X 4"	1200 per bag
6709	33.82	BG	12	9" X 9"	300 per bag
6713	10.33	BG	10	12" X 13"	Textured, 50 per bag

J. Coventry™ M325 Quarter folded, Non-woven Rayon Wipes

Coventry™ Rayon Wipes combine several advancements and desirable features into one wipe. They are made from 100% rayon, providing excellent strength, good absorbency and chemical compatibility. These wipes are a good choice for general clean room and equipment maintenance, or any critical applications where lint can be detrimental and softness is required.

M325	16.05	BG	30	9.8" X 9.8"	100/BG 30BG/CA
------	-------	----	----	-------------	----------------

K. Texwipe BetaWipe™ Wipers

BetaWipe™ is a thick polypropylene and cellulose wiper thermally bonded in a unique composite construction. The cellulose contributes to the product's high sorption, while the polypropylene provides the wiper with resistance to strong acids. With its very soft surface texture, BetaWipe™ is ideal for cleaning sensitive surfaces.



TX2009	27.90	BG	10	9 X 9	100 per bag
--------	-------	----	----	-------	-------------

L. Texwipe TechniCloth® II Wipers

Fabricated from a hydroentangled, nonwoven blend of 55% cellulose and 45% polyester. This fabric blend combines the highly absorbent properties of a natural fiber with the cleanliness and strength of a synthetic wiper. TechniCloth® II features ITW Texwipe's proprietary ULP (ultralow particulate) treatment, giving it significantly lower particle generation than its predecessor, TechniCloth®.

TX1109	29.42	BG	10	9 X 9	300 per bag
--------	-------	----	----	-------	-------------

M. Texwipe VersaWipe® Wipers

Fabricated from a hydroentangled, nonwoven blend of 55% cellulose and 45% polyester. This fabric blend combines the highly absorbent properties of a natural fiber with the cleanliness and strength of a synthetic wiper. With its low particle counts, low extractable levels and solvent compatibility, VersaWipe® is ideal for general wiping and spill control in controlled environments.

TX629	18.13	BG	10	9 X 9	300 per bag
-------	-------	----	----	-------	-------------

N. Kimtech Pure W5 Dry Wipers - White, 100 Wipes/Bag, 500 Wipes/Case

50% rayon/50% polyester spunlace blend. High water absorbency rate, plus excellent absorption efficiency and capacity. No binders or surfactants, resulting in low extractables. Clothlike feel. Double bagged with case liner. Recommended for ISO Class 5 or higher cleanroom environments.

036000-06179	22.10	BG	5	100 per bag
--------------	-------	----	---	-------------

O. Contec Amplitude™ Ecocloth™

This spunlaced wipe made of cellulose/polyester fabric features enhanced sorbency while being economical due to its light weight. Its sorbency exceeds comparable standard weight cellulose/polyester wipes. Ideal for wipe down of products prior to introduction into the cleanroom. Cost effective solution for general purpose applications. Lightweight, highly sorbent wipe. Strong and durable hydroentangled fabric

AMEC0003	19.88	BG	12	9 X 9	300 per bag
AMEC0004	18.92	BG	14	12 X 12	150 per bag



P. Contec Amplitude™ Epsilon™ Polyester/Cellulose Hydroentangled Nonwoven Wipe, Blue

Made of a special grade blue cellulose and polyester hydroentangled to form a wipe with improved cleanliness and excellent sorbency. The cellulose uses a dye fast color, to minimize color bleeding. Blue color allows for differentiation in critical areas. Good for wet areas requiring spill pickup and cleanup. Dye-fast blue color allows for differentiation, Low levels of particles and extractables, Excellent sorbency, Strong and durable. Applications: Recommended for use in ISO Class 6 and above cleanroom applications, Use as absorbent low particle work surface material, Ideal for cleaning work surfaces and spill pickup, Blue work surface mat will assist in visual inspection process.

AMEP0001	22.14	BG	12	9 X 9	300 per bag
----------	-------	----	----	-------	-------------

Polyester Knit

RS Hughes Part Price Per Case Size

A. Coventry™ 6209 or 6359 or 6209HC or 6259HC Light-weight Poly-Wipes - 150/Bag

Coventry™ Poly-Wipes are made from 100% continuous filament polyester - the standard in cleanroom wipes - minimizing particle generation. Poly-Wipes are laundered in our Class 10 (ISO Class 4) cleanroom, and are available with our exclusive laser-edge sealing process (LE) or heat sealing process (HC).

6209	74.59	BG	12	9" X 9"	Light-weight
6209HC	87.63	BG	12	9" X 9"	Heat Sealed, Light-weight
6259	79.24	BG	12	9" X 9"	Heavy-weight
6259HC	97.77	BG	12	9" X 9"	Heat Sealed, Heavy-weight

B. Coventry™ 7348LE Sealed Edge Cleanroom Chamois™ Microfiber Wipes - 50/Bag

Coventry™ Poly-Wipes are made from 100% continuous filament polyester - the standard in cleanroom wipes - minimizing particle generation. The Cleanroom Chamois™ is the only wipe made from a 50/50 nylon/polyester microfiber blend, providing superior toughness and particle entrapment. The microfibers in the Cleanroom Chamois™ have a unique wedge shape, which lifts all types of contaminants from the surface more effectively than conventional round fibers. Poly-Wipes and Cleanroom Chamois™ are both laundered in our Class 10 (ISO Class 4) cleanroom, and are available with our exclusive laser-edge sealing process (LE) or heat sealing process (HC).

7348LE	140.75	BG	5	8" X 8"	50 per bag
--------	--------	----	---	---------	------------

C. Contec Anticon® White Magic™

Contec's Anticon® White Magic wipes are made from 100% continuous filament polyester with a double-knit interlock construction. The wipes feature patented textile technology to achieve superior sorption characteristics and proprietary sealed edges that won't harm delicate surfaces. This lighter weight wipe is an excellent choice for critical cleaning applications in semiconductor, microelectronics and medical device facilities.

495353-304	44.79	BG	14	9 X 9	150 per bag
------------	-------	----	----	-------	-------------

D. Texwipe TexWipe® Wipers



TexWipe® is a strong, double-sided twill-pattern cotton wiper woven in a cross section of 118 x 60 threads per square inch. The product is manufactured with long staple cotton yarn to eliminate free-floating fibers on fabric surface.

TX309	105.80	BG	10	9 X 9	300/BG 10BG/CA
-------	--------	----	----	-------	----------------

E. Texwipe AlphaSorb® HC Wipers

AlphaSorb® HC is a cleanroom laundered, two-ply, 100% polyester wiper constructed from continuous-filament polyester knitted in a double-knit interlock pattern. Developed specifically for the pharmaceutical industry and other critical environments, AlphaSorb® HC offers high sorbency capacity coupled with low particle and extractable levels.

TX2412	81.18	BG	6	12 X 12	100/BG 6BG/CA
--------	-------	----	---	---------	---------------

F. Texwipe AlphaWipe® Wipers (Synthetic)

AlphaWipe® is constructed from 100% continuous-filament polyester in a double-knit, no-run interlock pattern. Cleanroom laundered and packaged, AlphaWipe® is an ultraclean and highly sorbent wiper ideal for critical environments. AlphaWipe® has a laundered cut edge. It exhibits lower particle and fiber levels than competitive hot-cut or laser-cut products. 100% synthetic fiber (continuous-filament, double-knit polyester). Cleanroom laundered and packaged. Solvent-safe Bag-Within-A-Bag® cleanroom packaging.

TX1004	51.47	BG	20	4 X 4	300/BG 20BG/CA
--------	-------	----	----	-------	----------------



RS Hughes Part Price Per Case Size

G. Texwipe AlphaWipe® Highly Absorbent Polyester Wiper

AlphaWipe® is constructed from 100% continuous-filament polyester in a double-knit, no-run interlock pattern. Cleanroom laundered and packaged, AlphaWipe® is an ultraclean and highly sorbent wiper ideal for critical environments. AlphaWipe® has a laundered cut edge. It exhibits lower particle and fiber levels than competitive hot-cut or laser-cut products. Resists abrasion under rigorous use or when wiping rough surfaces and is ideal for general cleaning and spill control.

TX1009	44.02	BG	10	9 X 9	150/BG 10BG/CA
TX1009B	350.67	CA	1	9 X 9	150/BG 10BG/CA Bulk Packed

I. Contec Amplitude™ Delta™

Made of 100% synthetic fiber and formed using the spunlacing process, this wipe is exceptionally clean and durable. It has excellent chemical resistance. Its open fiber structure provides excellent sorptive capacity. Ideal for use with solvents.

AMDE0002	35.12	BG	16	12 X 12	150 per bag
----------	-------	----	----	---------	-------------

J. Contec Polynit Z 150Wipes/Bag

Laundered and packaged in a ISO Class 4 cleanroom. Low in both particles and extractables. Polyester fabric with unidirectional conductive pattern. Good sorbency with solvents. Ideal for general purpose cleaning and wiping exterior surfaces of products.

LWZS0001	51.83	BG	8	9 X 9	150 per bag
----------	-------	----	---	-------	-------------

K. Contec Guardrail® G2 Wipes With Pat

Anticon Guardrail G2 Heavy Weight PAT wipes are made from textured 100% filament polyester knit. The wipe has a sealed border on all sides, minimizing particle and fiber release. Contec's patented Particle Attraction Technology (PAT), attracts and retains more particles, offering a better clean than competitive wipes. Laundered and packaged in an ISO Class 4 cleanroom, Guardrail G2 is ideal for critical environments.

CONTEC G2HW0101	18.88	BG	20	9 X 9	50 per bag
-----------------	-------	----	----	-------	------------

L. Contec Polywipe-C Heatseal Wipe

The Polywipe-C Heatseal Wipe is lightweight with a soft textured surface for effective cleaning without scratching. The wipe is laser-cut, which seals the fibers at the edges, extremely low in both particles and fibers, good sorbency with solvents and chemical resistant. It is made with fabric knitted from filament polyester. This wipe is laundered and packaged in an ISO Class 4 cleanroom to further reduce contamination. Available sterile per AAMI Guidelines.

CONTEC LWLN0001	76.32	BG	6	24 X 43	25 per bag
-----------------	-------	----	---	---------	------------

I. Contec Polywipe-C Heatseal, Lightweight 100% Polyester Interlock Knit Wipe

PCHS-99	48.61	BG	12	9 X 9	150 per bag
---------	-------	----	----	-------	-------------

M. Contec Polynit No-Run Knit Wipes, Bulk Packaged

Laundered and packaged in a ISO Class 5 cleanroom. Low in both particles and extractables. Good sorbency with solvents, abrasion and chemical resistant. Ideal for general purpose cleaning and wiping exterior surfaces of products.


CONTEC PN-99B 9 X 9	82.57	BG	4	9 X 9	300 per bag
---------------------	-------	----	---	-------	-------------

M. Contec Polynit Heatseal, Textured 100% Polyester No-Run Knit Wipe


PNHS-1212	47.37	BG	10	12 X 12	75 per bag
PNHS-44	56.92	BG	16	4 X 4	300 per bag



G



I




J



K



L



M

M. Contec Polynit Heatseal, Enhanced Sorbency

The Polynit Heatseal Wipe is constructed of 100% textured knitted polyester. The wipe is laser-cut, which seals the edges of the fabric. The result is a very clean wipe, with a nonabrasive edge that allows complete utilization of the wipe's surface. Suitable for all ultra-critical applications, the fabric has also been specially processed to provide excellent sorbency while maintaining extremely low levels of particles, fibers, and residue.

PNHS-99B	103.55	BG	4	9 X 9	300 per bag
PNHS-99	55.45	BG	8	9 X 9	150 per bag



A



B



C



D



E

RS Hughes Part	Price	Per	Case	Size
----------------	-------	-----	------	------

Texwipe AlphaWipe® Wipers Synthetic Mop Covers

AlphaWipe® is constructed from 100% continuous-filament polyester in a double-knit, no-run interlock pattern. Cleanroom laundered and packaged, AlphaWipe® is an ultraclean and highly sorbent wiper ideal for critical environments. AlphaWipe® has a laundered cut edge. It exhibits lower particle and fiber levels than competitive hot-cut or laser-cut products. 100% synthetic fiber (continuous-filament, double-knit polyester). Cleanroom laundered and packaged. Solvent-safe Bag-Within-A-Bag® cleanroom packaging.

A. TX1013	51.93	BG	10	12 X 12 75/BG 10BG/CA
B. TX1025	104.57	BG	3	24 X 44 25/BG 3BG/CA

C. Contec Vertiklean® Max™ Microfiber Mop Head

For unmatched absorbency, mop head features a single layer of hydrophilic polyurethane foam laminated to polyester fabric backed by a semi-rigid thermoformed plate that easily snaps onto a VertiKlean mop head frame. While its performance is similar to that of our industry-standard VertiKlean mops, VertiKlean MAX has a slimmer profile for cleaning in tighter spaces. VertiKlean MAX also offers increased sorbency. Designed for applying disinfectants to both horizontal and vertical surfaces, the lightweight disposable VertiKlean MAX is ideal for general cleaning of ceilings, walls, and floors.

VKMX0225	42.56	BG	7	Medium, 4 per bag
----------	-------	----	---	-------------------

D. Contec Textured Edgeless® Mop, Polyester Tube Mop, White Tail Band

Patent-pending design. 100% polyester textured tube looped to form tubular mop strands, ribbed tubes provide sorbent capacity, textured headband provides additional scrubbing power for the removal of overspray, ISO Class 4 Cleanroom laundered, use with most common industrial mop handles, Contec offers a variety of stainless steel, anodized aluminum, and fiberglass handles.

EL-MOP	26.22	EA	20	
--------	-------	----	----	--

E. Contec Vertiklean® Lightweight Polyester Disposable Mop Head

Developed for applying disinfectants and wet cleaning ceilings and walls in controlled environments. Designed for one-time use, disposable VertiKlean Medium mop heads measure 12.75" x 4.25" x 1" (32.4 x 10.8 x 2.5cm). Mop heads are available in 4 sizes. Comprised of polyester fabric laminated to clean ester foam which provides excellent abrasion resistance. Textured VertiKlean has a textured polyester face for those applications that require additional abrasion to improve particle removal from surface. Compatible with a wide range of chemicals and disinfectants. Lightweight, easy-to-manuever swivel frame slips inside the mop head allowing a full range of motion. Ideal for reaching awkward corners and ceilings.

MVK-MOP	38.77	BG	8	Medium, 4 per bag
---------	-------	----	---	-------------------

F



Pre-Saturated

F. Texwipe TechniSat®

TechniSat® incorporates a pre-wetted fabric blend of nonwoven hydroentangled 55% cellulose and 45% polyester. This fabric combines the highly absorbent properties of a natural fiber with the cleanliness and strength of a synthetic fiber. It offers low particle counts, low extractable levels and solvent compatibility.

TX1065	20.20	PK	24	9 X 11 50/PK 24PK/CA
--------	-------	----	----	----------------------

RS Hughes Part Price Per Case Size

G. Texwipe SolvSat Canister System

The Texwipe SolvSat Canister system is a controlled delivery system for pre-wetted wipers that deliver the right amount of solvent to manual cleaning operations. The pouch within a canister delivery system is designed for ease of use in a production environment and can be easily carried to the work station. Each pouch contains a perforated roll of nonwoven wipers saturated with Acetone and packaged in a solvent-resistant pouch that fits easily into a canister where wipes are threaded through a molded opening designed to allow users to tear off wipes at their perforation for single wipe use. The Texwipe SolvSat Canister system is designed for manual cleaning applications and replaces squirt bottles, wipers, shop rags. By utilizing pre-wetted wipers, worker exposure to hazardous vapors is minimized, VOC emissions are lowered and the potential for spills is eliminated.

TX8346 310.00 CA 1 6 X 9 100/Pouch 10Pouches/CA Plus 2 pre-labeled canisters



Contec Prostat® Nonwoven Presaturated Wipes

Nonwoven, meltblown polypropylene presaturated wipes. Solvent: 70% isopropanol/30% deionized water. Very low levels of sodium and other ions. Resealable pouch preserves cleanliness and solvent saturation levels

H. PS-850 9.24 BG 50 8 X 8 50 per bag

Conveniently packaged in a flat resealable pouch designed to preserve cleanliness and solvent saturation level. Pouches are individually lot-numbered for traceability. PROSAT wipes help to reduce solvent usage and VOC emissions

I. PS-911 8.77 BG 50 9 X 11 30 per bag



J. Contec Prostat®, Nonwoven Cellulose/Polyester Wipes

PROSAT with 2 oz. cellulose/polyester nonwoven fabric contains 9" x 11" multifolded wipes saturated with 275ml of 70% IPA/30% DI Water. Tamper-evident labels ensure product integrity, while resealable pouches preserve solvent saturation levels and cleanliness. Choose from two packaging options: 24 wipes/pouch and 50 wipes/pouch. Applications: ISO Class 5 compatible, ideal for wiping articles prior to pass through, use for routine cleaning and wipe down of lab tools, instruments and other equipment.

PSC20006 17.62 BG 28 9 X 11 50 per bag



K. Contec Prostat® Presaturated Knitted Polyester Wipes

Standard weight 100% polyester interlock knit wipes. Polynit Heatseal has laser sealed edges which prevents the release of particles and fibers. Soft, non-abrasive texture cleans surfaces without scratching. Abrasion and chemical resistant.

PS-HS9-7030 15.99 BG 30 9 X 9 30 per bag

L. Contec Satwipes®, Nonwoven Cellulose/Polyester Wipe

Nonwoven hydroentangled polyester/cellulose blended wipes, dispensed from center-pull roll in a reusable canister, presaturated wipe refills are available, strong and durable, low levels of particles and extractable contaminants, each package is individually lot numbered, custom solvents and disinfectant capabilities. Applications: excellent wipe for less critical applications, cleaning-wipe down, process tools and other equipment, compatible with ISO Class 6 environments, wipe down prior to entry into cleanroom, general purpose cleaning and surface preparation.

SAT-C1-7030 18.47 CS 12 6 X 9 100 per canister



I. Contec Satwipes®, 100% Polyester Nonwoven Wipe

100% polyester nonwoven fabric, saturated with various blends of IPA and DI Water, custom solvent and disinfectant capabilities; contact your Contec sales representative for details, dispensed from center-pull rolls in a re-useable canister, presaturated wipe refills available, strong and durable, low levels of particles and extractable contaminants, each package is individually lot numbered, different sizes and put-ups available.

SAT-C3-7030 22.63 CS 12 6 X 9 100 per canister



Head to Toe Protection



B



A

Stationary



C



D



E

RS Hughes Part	Price	Per	Case	Size
----------------	-------	-----	------	------

A. Texwipe TexWrite® Cleanroom Notebooks

TexWrite® is the only cleanroom notebook designed to serve as a legal document. These hard-bound notebooks contain dual signature lines at the base of each page as well as project and notebook number identification at the top. Each page is individually numbered and an index identifies each line for quick data retrieval. The pages of the notebook are sewn with silicone free thread and the covers are protected with a Mylar® gloss film laminate. All notebooks are cleaned and double packaged in a cleanroom environment. These features provide security to support Good Laboratory Practices (GLP) for documentation in critical laboratory and manufacturing environments. Sewn, permanent bound flexi-cover book. Mylar® sealed cover. Low particle cleanroom paper. 8.5 x 11. Blue Color. College-ruled. 100 Pages. Notebook identification. 96 numbered pages.

TX5708	198.58	BX	1	10/BX
--------	--------	----	---	-------



B. PIP 100-95-501 Clean Room Paper

Cleanroom Paper, 8.5 x 11", 22#, 250 sheets per pack. Paper's antistatic properties reduce attraction of airborne particles and enhance its performance in photocopiers and converting processes; Chemical and moisture resistant; Available in white, light blue, yellow, green and pink. Recommended for all controlled environments. 10 Packs/CA.

616314-26263	147.93	CA	1	White
616314-26232	147.93	CA	1	Light Blue
616314-26270	147.93	CA	1	Yellow
616314-26249	147.93	CA	1	Green
616314-26256	147.93	CA	1	Pink



Purus Clean Room Notebook Paper

8.5 X 11in Notebook Paper, 100 pages

C. PNBC185X112210L	120.00	CA	1	White	10 pads per case
---------------------------	--------	----	---	-------	------------------

5.5 X 8.5in Notebook Paper, 100 pages

D. PNBC155X852220L	145.00	CA	1	White	20 pads per case
---------------------------	--------	----	---	-------	------------------

3 X 4in Notebook Paper, 100 pages

E. PNBC13X42240L	170.00	CA	1	White	40 pads per case
-------------------------	--------	----	---	-------	------------------



F



G



G

Tacky Mats

RS Hughes Part Price Per Case Size

F. PIP Contamination Control Mats

Superior Quality, recommended for all controlled environments. Numbered tabs, adhesive coating, multi-layered construction (0.05mm per layer).



616314-25563	87.66	CA	1	Blue	18" X 36"	30 Layers/Mat	8 Mats/Case
616314-25808	110.00	CA	1	Blue	24" X 36"	30 Layers/Mat	8 Mats/Case
616314-25822	110.00	CA	1	White	24" X 36"	30 Layers/Mat	8 Mats/Case
616314-25921	141.29	CA	1	Blue	26" X 45"	30 Layers/Mat	8 Mats/Case
616314-26102	199.22	CA	1	Blue	36" X 45"	30 Layers/Mat	8 Mats/Case
616314-26126	199.22	CA	1	White	36" X 45"	30 Layers/Mat	8 Mats/Case
616314-26133	206.62	CA	1	Blue	36" X 45"	60 Layers/Mat	4 Mats/Case
616314-26157	206.62	CA	1	White	36" X 45"	60 Layers/Mat	4 Mats/Case

G. Purus Clean Room Mats

The multi-layered mat removes dirt and dust from foot traffic and equipment wheels prior to their entry into a clean or controlled environment. Each numbered layer is fully coated with a particle grabbing adhesive. Once the top layer is saturated, a quick and easy removal of that layer exposes the next layer and returns the mat to maximum efficiency.

PS 2645 38 B	181.63	CA	1	1.4mil	Blue	26" X 45"	30 Layers/Mat	8 Mats/Case
PS 2645 64 B	172.45	CA	1	1.4mil	Blue	26" X 45"	60 Layers/Mat	4 Mats/Case
PS 2645 38 G	181.63	CA	1	1.4mil	Gray	26" X 45"	30 Layers/Mat	8 Mats/Case
PS 2645 64 G	172.45	CA	1	1.4mil	Gray	26" X 45"	60 Layers/Mat	4 Mats/Case
PS 2645 38 W	181.63	CA	1	1.4mil	White	26" X 45"	30 Layers/Mat	8 Mats/Case
PS 2645 64 W	172.45	CA	1	1.4mil	White	26" X 45"	60 Layers/Mat	4 Mats/Case
PS 3645 64 B	216.33	CA	1	1.4mil	Blue	36" X 45"	60 Layers/Mat	4 Mats/Case
PS 3645 64 G	216.33	CA	1	1.4mil	Gray	36" X 45"	60 Layers/Mat	4 Mats/Case
PS 3645 64 W	216.33	CA	1	1.4mil	White	36" X 45"	60 Layers/Mat	4 Mats/Case
PM 2436 34 B	69.39	CA	1	1.8mil	Blue	24" X 36"	30 Layers/Mat	8 Mats/Case
PM 2436 34 G	69.39	CA	1	1.8mil	Gray	24" X 36"	30 Layers/Mat	8 Mats/Case
PM 2436 34 W	69.39	CA	1	1.8mil	White	24" X 36"	30 Layers/Mat	8 Mats/Case
PM 3645 34 B	116.33	CA	1	1.8mil	Blue	36" X 45"	30 Layers/Mat	8 Mats/Case
PM 3645 34 G	116.33	CA	1	1.8mil	Gray	36" X 45"	30 Layers/Mat	8 Mats/Case
PM 3645 34 W	116.33	CA	1	1.8mil	White	36" X 45"	30 Layers/Mat	8 Mats/Case



Head to Toe Protection

Wipers

In this section:

Tack Cloths/Prep Wipes	262-263
Aviation MRO/OEM Wipers	264-265
WYPALL* Wipers	266-273
Sellars® Wipers	274-278
Reclaimed Rags	279

NO MINIMUM ORDER! 1-877-RSHUGHES
Pricing subject to change

Tack Cloths/Prep Wipes



A



B



C



D



E



F

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. GERSON Tack Cloth - Light Tack

Gerson 2000 Basecoat/Clearcoat Tack Cloth, blue cotton economy mesh (20 x 12), Dry tack formulation, Completely removes surface particles without harmful residues, Wax and Silicone free, Compatible with all paints, Approved by leading Auto, Marine, Aerospace and Electronics Manufacturers.

GERSON 020001B	0.70	EA	144	020001B	BLUE
GERSON 020002B	0.95	EA	144	020002B	BLUE



B. GERSON Tack Cloth - Moderate Tack

Gerson Supreme Tack Cloth. Gold-color cotton supreme (28 x 24) mesh, Moderate tack formulation, Completely removes surface particles without harmful residues, Wax and Silicone free, Compatible with all paints, Approved by leading Auto, Marine, Aerospace and Electronics manufacturers.

GERSON 020003G	9.88	BX	12	020003G	GOLD
GERSON 020004G	0.90	EA	144	020004G	GOLD

C. GERSON Tack Cloth - Blend Prep Dry Light Tack, blue nonwoven

Gerson Blend Prep Tack Cloth. Blue synthetic nonwoven material, Dry tack formulation, Completely removes surface particles without harmful residues, Wax and Silicone free, Compatible with all paints, Approved by leading Auto, Marine, Aerospace and Electronics manufacturers.

GERSON 020008C	0.67	EA	144	020008C	BLUE, 18" x 9"
GERSON 020008B	0.90	EA	120	020008B	BLUE, 18" x 18"

D. GERSON Tack Cloth - Tek Prep® dry tack, white Polyester Knit

Gerson Tek Prep® Tack Cloth. Unique continuous filament polyester knit material, white, Dry tack formulation, Completely removes surface particles without harmful residues, Wax and Silicone free, Compatible with all paints, Approved by leading Auto, Marine, Aerospace and Electronics manufacturers.

GERSON 020009C	0.92	EA	144	020009C	WHITE
----------------	------	----	-----	---------	-------

KIMTECH SCIENCE* Precision Wipers - White, POP-UP* Box, 1-ply

Precision Wipes Tissue Wipers, 1-ply, are an economical choice for general low-lint cleaning tasks. Soft and absorbent, Anti-static dispensing reduces lint. Coated packaging helps protect wipes from spills.

E. 036000-05511	2.00	BX	60	4.4"x8.4"
F. 036000-05514	4.41	EA	15	14.7"x16.6"



RS Hughes Part Price Per Case Description (Sheet Size)

G. SCOTT® Rags In a Box - White, 200/Box

Ideal for painting, wiping up spills, staining, and refinishing furniture. Soft, absorbent towels that perform like a cloth. Multi-purpose for 1,000's of projects. POP-UP Box with built-in handle allows you to take the product to the job while keeping rags clean.

036000-75260 16.48 BX 8 10"x12"

H. SCOTT® Shop Towels On a Roll - Blue, 55 Sheets/Roll

Ideal for changing oil, refilling fluids and general automotive maintenance. Super strong - works when wet! Easily absorbs liquids, oils, and grease.

036000-75130 3.13 RL 30 11"x10.25"



G



H

Kimtech Prep WetTask System Wipers

KIMTECH PREP* Wipers

Code No.	Description	Color	Material	Size (W x L)	Put-Up	Dispenser
KIMTECH PREP* Wipers for the WETTASK* System						
J 06001	KIMTECH PREP* Wipers for Solvents	White	HYDROKNIT *	12" x 12.5"	6/60	1 Free Bucket/Case
K 06006	KIMTECH PREP* Wipers for Solvents	White	HYDROKNIT*	9" x 15"	2/275	09361
P 06411	KIMTECH PREP* Wipers for Bleach, Disinfectants and Sanitizers	White	Meltblown	12" x 12.5"	6/90	1 Free Bucket/Case



RS Hughes Part Price Per Case Description

KIMTECH PREP* WETTASK* Wipers for Solvents

From preparing surfaces for painting at an automotive manufacturer to cleaning and disinfecting surfaces in healthcare facilities, Kimtech Prep* Wipers are ideal for tasks where precision and reliability are essential. White.

I. 036000-06001 9.80 RL 6 12" X 12.5" Lrg Roll, 1 Free Bucket/CA

J. 036000-06006 39.61 RL 2 9" X 15" Small Roll

K. KIMTECH PREP* WETTASK* Wipers

Wipers are designed to be used in the WETTASK* Refillable Wet Wiping System. This system is the ideal alternative to using an open bucket in combination with a rag. The enclosed system helps avoid contamination of the wipers & cleaning solution while reducing exposure to chemical vapors and splashes. 06411 KIMTECH PREP* Wipers are compatible with Bleach, Quaternary Amine Disinfectants, and Sanitizers. Free disposable WETTASK* Bucket in each case.

036000-06411 14.58 RL 6 WHITE



I



J



K

Understanding that while surface preparation and cleaning are a very small part of the whole aircraft & equipment manufacturing, repair and maintenance process, it is just as crucial and requires precise, tailored product.



KIMTEC* Aviation MRO/OEM Wipers

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. KIMTECH AVIATION Abrasive Surface Wipe (A2)

The most durable aviation wipes in our offering, specifically designed for wiping of abrasive surfaces. They come in a wet wiping system format.

036000-28648	167.60	CA	1	28648
--------------	--------	----	---	-------

B. KIMTECH AVIATION Cleaning Wipe (C2)

Our most cost effective cleaning wipes for the aviation market. They provide an easy to implement lean cleaning solution that addresses waste reduction and productivity improvement around general wiping needs.

036000-28641	121.33	CA	1	28641
--------------	--------	----	---	-------

C. KIMTECH AVIATION Cleaning Wipe (C3)

Our mid-tier cleaning wipes in a wet wiping system format. They provide an easy to implement lean cleaning solution that addresses waste reduction and productivity improvements around wet wiping needs.

036000-28645	12.22	RL	6	28645
--------------	-------	----	---	-------

D. Kimtech* Aerospace Applicator Wiper

KIMTECH* C3 Aerospace Applicator wipes are our mid-tier cleaning wipes in a wet wiping system format. These wipes are designed to work with our KIMTECH Large Surface Applicator Tool. They are shipped in a convenient center pull box for dry wiping or can be loaded into the large KIMTECH* WETTASK bucket, code 09361, for pre-saturated wiping.

036000-49810	55.00	CA	1	
--------------	-------	----	---	--

E. KIMTECH AVIATION Cleaning Wipe (C4)

KIMTECH* C4 Aviation wipes are the strongest cleaning wipes in our line. They provide an easy to implement lean cleaning solution that addresses waste reduction and productivity improvement around general wiping needs.

036000-28642	136.17	CA	1	28642
--------------	--------	----	---	-------

Levels of Aviation Wipers

Abrasive Surface Wipes

The most durable aviation wipe in our offering specifically designed for abrasive surfaces



Surface Preparation Wipes

Leading-edge material for optimum lining and extractables control. The ultimate in aviation precision wiping performance



Cleaning Wipes

An easy-to-implement lean cleaning solution that addresses waste reduction and productivity improvement around general wiping needs



Wet Wipe System

More controlled dispensing and application of solvent for reduced waste and better overall performance versus traditional bucket/decanter



Aviation Wiper Selection Determined by Task

1 What Is Your Task?

Task	Subtask	Challenge/needs	Products					
			A2	P2	P3	C2	C3	C4
Surface prep (before painting)	Pre-cleaning (degreasing)	Solvent wipe	■					
	Paint stripping (chemical or mechanical)	Efficiently remove debris after paint stripping				■	■	■
	Solvent wash (can be either spray or wipe application of solvent)	Solvent application for washing	■					
	Drying	Drying				■	■	■
	Water rinse	Drying				■	■	■
Sealing	Surface prep (pre-cleaning)	Solvent cleaning	■					
	Sealant application	Lint-free drying		■	■			
Maintenance (non-critical parts on engine, avionics, fuel systems, etc.)	Cleaning	Lint-free drying						
	Drying	Lint-free drying		■	■	■	■	■
Maintenance (critical parts on engine, avionics, fuel systems, etc.)	Cleaning	Solvent wipe	■					
	Drying	Lint-free drying		■	■	■	■	■
	Final wipe	Lint-free drying		■	■	■	■	■

Aviation Wiper Features

2 Choose Your Product



AVIATION WIPES

Code No.	Description	Material	Packaging	Size W x L (inches)
Aviation Abrasive Surface Wipes				
A 28648	KIMTECH* A2 Aviation Abrasive Surface Wipe	Polyamide/Polyester	6 rolls/60 sheets/roll	12" x 12.5"
Aviation Surface Preparation Wipes				
F 28643	KIMTECH* P2 Aviation Surface Preparation Wipe	Polyester/Cellulose	4 boxes/200 sheets/box	12" x 12"
E 28644	KIMTECH* P2 Aviation Surface Preparation Wipe	Polyester/Cellulose	10 packs/60 sheets/pack	12" x 11.8"
G 28647	KIMTECH* P3 Aviation Surface Preparation Wipe	Rayon/Polyester	8 boxes/50 sheets/box	12" x 23"
Aviation Cleaning Wipes				
B 28641	KIMTECH* C2 Aviation Cleaning Wipe	Cellulose/polypropylene	1 roll/900 sheets/roll	12.2" x 13.5"
C 28645	KIMTECH* C3 Aviation Cleaning Wipe	Cellulose/polypropylene	6 rolls/60 sheets/roll	12" x 12.5"
D 28642	KIMTECH* C4 Aviation Cleaning Wipe	Cellulose/polypropylene	1 roll/540 sheets/roll	12.2" x 13.5"
Dispenser for Wet Wipe System for use with A2 & C3				
H 28646	KIMTECH* W Aviation Wet Wipe System		4 buckets	8.6" x 9.25"



RS Hughes Part Price Per Case Description

F. KIMTECH AVIATION Surface Preparation Wipe (P2)

KIMTECH* P2 Aviation wipes are our most cost efficient surface preparation wipes in a quarterfold format. They feature leading edge materials for optimum linting and extractables control. The ultimate in aviation precision wiping performance.

036000-28644 152.71 CA 1 28644

G. KIMTECH AVIATION Surface Preparation Wipe (P2)

KIMTECH* P2 Aviation wipes are our most cost efficient surface preparation wipes in a folded carton format. They feature leading edge materials for optimum linting and extractables control. The ultimate in aviation precision wiping performance.

036000-28643 208.68 CA 1 28643

H. KIMTECH AVIATION Surface Preparation Wipe (P3)

KIMTECH* P3 Aviation wipes are our most cost efficient surface preparation wipes in a folded carton format. They feature leading edge materials for optimum linting and extractables control. The ultimate in aviation precision wiping performance.

036000-28647 36.02 CT 8 28647

I. KIMTECH AVIATION Wet Wipe System Buckets

Provides a more controlled dispensing and application of solvent system for reduced waste and better overall performance versus traditional bucket decanter systems and disposable pre-saturated options.

036000-28646 26.18 EA 4 28646

J. KIMTECH* Large Surface Applicator Tool

Dramatically improve productivity in wet and dry wiping applications where surfaces need to be wiped are large, concave or convex, and where extended reach is required. Designed to use KIMTECH* Aerospace and WYPALL* Applicator wipes to deliver productivity, ergonomic improvements and high quality wiping results.

036000-49813 87.29 CA 1 White

K. Kimtech* Aerospace Applicator Handle/Pole






Designed to be used with the KIMTECH* Large Surface Applicator Tool for wet and dry wiping in aerospace, automotive and other applications where long reach is required. It provides a lightweight, extendable and easy to use handle for your hard to reach wiping applications.

036000-49814 87.29 CA 1

WYPALL X90 Cloths Features

Our highest performing wiper, WYPALL* X90 Cloths provide 75% more oil absorption and 35% more water absorption. These super-soft wipers are ideal for heavy wiping, prepping surfaces with solvents and cleaning metal shavings.

WYPALL* X90 Cloths

Code No.	Description	Color	Material	Size (W x L)	Put-Up	Dispenser
12890	WYPALL* X90 Cloths  POP-UP* Box	White	HYDROKNIT*	8.3" x 16.8"	5/68	73900 
12891	WYPALL* X90 Cloths  BRAG* Box	White	HYDROKNIT*	11.1" x 16.8"	1/136	73900
12889	WYPALL* X90 Cloths  Jumbo Roll	White	HYDROKNIT*	11.1" x 13.4"	1/450	80595, 80596, 80597 



RS Hughes Part Price Per Case Description

WYPALL* X90 Cloths, White

The new WYPALL* X90 Cloths, our highest performing wiper, provides 75% more oil absorption and 35% more water absorption. These super-soft wipers are ideal for heavy wiping, prepping surfaces with solvents and cleaning metal shavings.

A. 036000-12890	14.76	BX	5	16.8" x 8.3"	Pop-Up Box, 68/Box
B. 036000-12891	28.14	BX	1	16.8" x 11.1"	Brag-Box, 136/Box
C. 036000-12889	74.27	RL	1	13.4" x 11.1"	Jumbo Roll, 450/RL

WYPALL Wipers Product Line Features

WYPALL Wipers

Description	Task	Solvent Resistance	Absorption Capacity	Wet Strength	Absorption Rate
Premium Rag & Shop Towel Replacement					
WYPALL* X80 Wipers	• Heavy-duty machine & part wiping • Wiping metal shavings • Prepping surfaces with solvents • Cleaning rough surfaces	●●●●●	●●●●●	●●●●●	●●●●●
WYPALL* X70 Wipers	• Cleaning surfaces & tools • Heavy-maintenance wiping	●●●●○	●●●●○	●●●●○	●●●●●
Economy Rag Replacement Systems					
WYPALL* X60 Wipers	• Applying thinners & solvents • Cable lubricant removal • Adhesive cleaning • Removing grease & soil in tight areas	●●●○○	●●●○○	●●●○○	●●●●●
WYPALL* X50 Wipers	• Applying lubricants • Vehicle and equipment cleanups • Low-lint glass cleaning and wiping	●●○○○	●●●○○	●●○○○	●●○○○
General Purpose					
WYPALL* L40 Wipers	• Absorbing large liquid spills & leaks • Routine industrial cleaning & maintenance • Removing soils and liquids from face and hands	●●○○○	●●●●●	●●○○○	●●●●○
WYPALL* L30 Wipers	• Light-duty cleanups • Janitorial & maintenance wiping • Process line wiping and cleaning	●●○○○	●●●○○	●●○○○	●●●○○
Single Use					
WYPALL* L20 & L10 Single/Multi-Ply Wipers	• Single use parts & tool cleanups • Mining operations maintenance • Hydraulic leak soakers and wiping • Retail store maintenance & cleaning	●○○○○	●●●●○	●○○○○	●●○○○

WYPALL X80 Wipers Features

WYPALL* X80 Wipers are the wipers of choice for the toughest jobs. Take a look and see how WYPALL* X80 Wipers outpace shop towels and rags in every way.

- Available in a wide range of dispensing options for your convenience
- Pound for pound, absorbs more water and oil than rental shop towels
- Softer and more absorbent than ever before
- Consistent size, shape and cleanliness

• WYPALL* X Wiper Challenge: Replace your cloth rags or shop towels for 60 days, and we'll guarantee you a minimum savings of 10%. (visit www.kcprofessional.com for full details.)

WYPALL* X80 Wipers

Code	Description	Color	Material	Size (W x L)		Put-Up	Dispenser
				inches	centimeters		
D 05930	WYPALL* X80 Wipers POP-UP* Box	Red	HYDROKNIT*	9.1" x 16.8"	23.1cm x 42.7cm	5/80	73900
E 41048	WYPALL* X80 Wipers POP-UP* Box	White	HYDROKNIT*	9.1" x 16.8"	23.1cm x 42.7cm	5/80	73900
F 41041	WYPALL* X80 Wipers BRAG* Box	Blue	HYDROKNIT*	12.5" x 16.8"	31.8cm x 42.7cm	1/160	73900
G 41044	WYPALL* X80 Wipers BRAG* Box	White	HYDROKNIT*	12.5" x 16.8"	31.8cm x 42.7cm	1/160	73900
H 41026	WYPALL* X80 Wipers 1/4 fold	White	HYDROKNIT*	12.5" x 13"	31.8cm x 33cm	4/50	09107
I 41029	WYPALL* X80 Wipers 1/4 fold	Red	HYDROKNIT*	12.5" x 13"	31.8cm x 33cm	4/50	09107
J 41025	WYPALL* X80 Wipers Jumbo Roll	White	HYDROKNIT*	12.5" x 13.4"	31.8cm x 34cm	1/475	80595, 80596, 80579
K 41055	WYPALL* X80 Wipers Jumbo Roll	Red	HYDROKNIT*	12.5" x 13.4"	31.8cm x 34cm	1/475	80595, 80596, 80579
L 41043	WYPALL* X80 Wipers Jumbo Roll	Blue	HYDROKNIT*	12.5" x 13.4"	31.8cm x 34cm	1/475	80595, 80596, 80579

60 days
20% savings
guaranteed



D E F



G H I



J K L

RS Hughes Part Price Per Case Description

WYPALL* X80 Wipers

WYPALL* X80 Wipers are strong enough for tough cleanups; Reusable and disposable. Pound for pound, they absorb more water and oil than rental shop towels.

D.	036000-05930	18.64	BX	5	9.1" x 16.8"	Red	Pop-Up Box, 80/Box
E.	036000-41048	17.22	BX	5	9.1" x 16.8"	White	Pop-Up Box, 80/Box
F.	036000-41041	32.80	BX	1	12.5" x 16.8"	Blue	Brag-Box, 160/Box
G.	036000-41044	32.80	BX	1	12.5" x 16.8"	White	Brag-Box, 160/Box
H.	036000-41026	35.93	PH	4	12.5" x 13"	White	1/4 Fold, 50/Pack
I.	036000-41029	35.93	PH	4	12.5" x 13"	Red	1/4 Fold, 50/Pack
J.	036000-41025	77.64	RL	1	12.5" x 13.4"	White	Jumbo Roll, 475/RL
K.	036000-41055	77.64	RL	1	12.5" x 13.4"	Red	Jumbo Roll, 475/RL
L.	036000-41043	77.64	RL	1	12.5" x 13.4"	Blue	Jumbo Roll, 475/RL

WYPALL X70 Wipers Features

WYPALL* X70 Wipers have what it takes to tackle those heavy-duty industrial jobs usually handled by cloth rags. Count on WYPALL* X70 Wipers for long-lasting performance that extends usage and reduces waste.

- Pound for pound absorbs more oil and water than rags
- Cleans oil, grime and solvent with one wipe
- Versatile, economical alternative to scrap rags and shop towels



WYPALL* X70 Wipers

Description	Task	Solvent Resistance	Absorption Capacity	Wet Strength	Absorption Rate
Premium Rag & Shop Towel Replacement					
WYPALL* X70 Wipers	• Cleaning surfaces & tools • Heavy-maintenance wiping	●●●●○	●●●●○	●●●●○	●●●●●

WYPALL* X70 Wipers

Code	Description	Color	Material	Size (W x L)		Put-Up	Dispenser
				inches	centimeters		
A	WYPALL* X70 Wipers	Blue	HYDROKNIT*	9.1" x 16.8"	23.1cm x 42.7cm	10/100	73900
B	WYPALL* X70 Wipers	White	HYDROKNIT*	9.1" x 16.8"	23.1cm x 42.7cm	10/100	73900
C	WYPALL* X70 Wipers	White	HYDROKNIT*	12.5" x 16.8"	31.8cm x 42.7cm	1/152	73900
D	WYPALL* X70 Wipers	White	HYDROKNIT*	12.5" x 13"	31.8cm x 33cm	12/76	09107
E	WYPALL* X70 Wipers	White	HYDROKNIT*	16.6" x 29.8"	42.2cm x 75.7cm	1/300	N/A
F	WYPALL* X70 Wipers	White	HYDROKNIT*	14.9" x 16.6"	37.8cm x 42.2cm	1/300	N/A
G	WYPALL* X70 Wipers	White	HYDROKNIT*	9.8" x 13.4"	24.9cm x 34cm	3/275	09335
H	WYPALL* X70 Wipers	White	HYDROKNIT*	12.5" x 13.4"	31.8cm x 34cm	1/870	80595, 80596, 80579
I	WYPALL* X70 Wipers	Blue	HYDROKNIT*	12.5" x 13.4"	31.8cm x 34cm	1/870	80595, 80596, 80579

Now with **Power Pockets** innovative technology that cleans dirty surfaces more efficiently than ever before.



A B C D



E F



G H I



RS Hughes Part Price Per Case Description

WYPALL* X70 Wipers

WYPALL* X70 is a durable, absorbent wiper that stay strong for better cleaning performance. Reusable, long lasting performance. Cleans oil, grime, and solvents. Made with our high-tech HYDROKNIT*

A.	036000-41412	16.64	BX	10	9.1" x 16.8"	Blue	Pop-Up Box, 100/Bx
B.	036000-41455	15.15	BX	10	16.8" x 9.1"	White	Pop-Up Box, 100/Bx
C.	036000-41300	33.78	BX	1	12.5" x 16.8"	White	Brag-Box, 152/Box
D.	036000-41200	10.53	PH	12	12.5" x 13"	White	1/4 Fold, 76/Pack
E.	036000-41061	133.75	BX	1	29.8" x 16.6"	White	Flat Sheet, 300/Bx
F.	036000-41100	76.71	BX	1	14.9" x 16.6"	White	Flat Sheet, 300/Bx
G.	036000-41702	40.68	RL	3	9.8" x 13.4"	White	Ctr Pull RL, 275/RL
H.	036000-41600	118.88	RL	1	12.5" x 13.4"	White	Jumbo Roll, 870/RL
I.	036000-41611	118.88	RL	1	12.5" x 13.4"	Blue	Jumbo Roll, 870/RL

WYPALL X60 Wipers Features

WYPALL* X60 Wipers bring the absorbing power of our HYDROKNIT* technology to a lighter-weight wiper. Designed to outperform rags, WYPALL* X60 Wipers raise the standard for general-purpose wipers.

- No adhesives or binders; leaves no residue
- Reinforced for extra scrubbing and cleaning power
- Tough enough for big jobs – soft enough for face and hands



WYPALL* X60

Description	Task	Solvent Resistance	Absorption Capacity	Wet Strength	Absorption Rate
Economy Rag Replacement Systems					
WYPALL* X60 Wipers	<ul style="list-style-type: none"> • Applying thinners & solvents • Cable lubricant removal • Adhesive cleaning • Removing grease & soil in tight areas 	●●●●○	●●●●○	●●●●○	●●●●●

WYPALL* X60 Wipers

Code	Description	Color	Material	Size (W x L)		Put-Up	Dispenser
				inches	centimeters		
J	WYPALL* X60 Wipers	White	HYDROKNIT*	12.5" x 16.8"	31.8cm x 42.7cm	1/180	73900
K	WYPALL* X60 Wipers	White	HYDROKNIT*	9.1" x 16.8"	23.1cm x 42.7cm	10/126	73900
L	WYPALL* X60 Wipers	White	HYDROKNIT*	12.5" x 13"	31.8cm x 33cm	12/76	09107
M	WYPALL* X60 Wipers	White	HYDROKNIT*	11" x 23"	27.9cm x 58.4cm	9/100	09107
N	WYPALL* X60 Wipers	White	HYDROKNIT*	12.5" x 16.8"	31.8cm x 42.7cm	6/150	N/A
O	WYPALL* X60 Wipers	White	HYDROKNIT*	9.8" x 13.4"	24.9cm x 34cm	12/130	N/A
P	WYPALL* X60 Wipers	Blue	HYDROKNIT*	9.8" x 13.4"	24.9cm x 34cm	12/130	N/A
P	WYPALL* X60 Wipers	White	HYDROKNIT*	19.6" x 13.4"	49.8cm x 34cm	6/130	N/A
P	WYPALL* X60 Wipers	Blue	HYDROKNIT*	19.6" x 13.4"	49.8cm x 34cm	6/130	N/A
Q	WYPALL* X60 Wipers	White	HYDROKNIT*	12.5" x 13.4"	31.8cm x 34cm	1/1100	80595, 80596, 80579
R	WYPALL* X60 Wipers	Blue	HYDROKNIT*	12.5" x 13.4"	31.8cm x 34cm	1/1100	80595, 80596, 80579

■ NOT AVAILABLE in Canada

● Now with **Power Pockets** innovative technology that cleans dirty surfaces more efficiently than ever before.

RS Hughes Part Price Per Case Description

WYPALL* X60 Wipers

Extra-tough WYPALL* X60 Wipers bring the absorbing power of our HYDROKNIT* technology to a lighter weight wiper. New WYPALL* X60 Wipers set a higher standard for general purpose wipers. No adhesives or binders; leaves nothing behind. Re-enforced for extra scrubbing and cleaning power. Tough enough for big jobs – soft enough for face and hands.

Code	Price	Per	Case	Description
J. 036000-34015	20.59	BX	1	12.5" x 16.8" White Brag-Box, 180/Box
K. 036000-34790	11.20	BX	10	9.1" x 16.8" White Pop-Up Box w/dispenser port 126/Bx
L. 036000-34865	8.19	PH	12	12.5" x 13" White 1/4 Fold, 76/Pack
M. 036000-34770	27.41	EA	9	11" x 23" White 1/4 Fold, 100/Pack
N. 036000-34900	26.76	BX	6	12.5" x 16.8" White Flat Sheet, 150/Bx
O. 036000-35401	14.81	RL	12	9.8" x 13.4" White Small Roll, 130/RL
P. 036000-35411	14.81	RL	12	9.8" x 13.4" Blue Small Roll, 130/RL
P. 036000-35421	29.87	RL	6	19.6" x 13.4" White Small Roll, 130/RL
P. 036000-35431	29.87	RL	6	19.6" x 13.4" Blue Small Roll, 130/RL
Q. 036000-34955	97.47	RL	1	12.5" x 13.4" White Jumbo Roll, 1100/RL
R. 036000-34965	97.47	RL	1	12.5" x 13.4" Blue Jumbo Roll, 1100/RL



J K L



M N O



P Q R



Limited Time Offer
60 days
20% savings
guaranteed


Use WYPALL* X Wipers in place of your present rags or shop towels for 60 days. We'll guarantee at least a 20% cost savings.

THE CHALLENGE:

Replace rags and rental shop towels with WYPALL* X Wipers and save at least 20% in 60 days.

HERE'S HOW IT WORKS:

1. Give up your rags or rental shop towels for WYPALL* X Wipers.
2. Don't be surprised if WYPALL* X Wipers are a huge hit. Consumption goes up as your crew uses more WYPALL* X Wipers for all their wiping tasks.
3. It just keeps getting better. In the 4th or 5th week of trial, consumption goes down as productivity goes up.
4. "We want more WYPALL* X Wipers!" is what your crew will say after just 60 days of trial.



WYPALL X50 Wipers Features

WYPALL* X50 Wipers are our most economical extended use wiper that picks up where the competition falls apart. Strong and sensible, WYPALL* X50 Wipers combine versatile performance with economical design for light-duty tasks.

- At least 25% more sheets than leading competitor to tackle a variety of jobs
- Reinforced for strength when wet or dry
- Smaller sheet size means less waste



Solvent Resistance



Absorption Capacity



Wet Strength



Absorption Rate

WYPALL* X50 Wipers

Description	Task	Solvent Resistance	Absorption Capacity	Wet Strength	Absorption Rate
Economy Rag Replacement Systems					
WYPALL* X50 Wipers	<ul style="list-style-type: none"> • Applying lubricants • Vehicle and equipment cleanups • Low-lint glass cleaning and wiping 	● ○ ○ ○ ○	● ● ○ ○ ○	● ● ○ ○ ○	● ● ○ ○ ○

WYPALL* X50 Wipers

Code	Description	Color	Material	Size (W x L)		Put-Up	Dispenser
				inches	centimeters		
A 83550	WYPALL* X50 Wipers POP-UP* Box	White	HYDROKNIT*	9.1" x 12.5"	23.1cm x 42.7cm	10/176	73900
B 35025	WYPALL* X50 Wipers 1/4 Fold	White	HYDROKNIT*	10" x 12.5"	24.5cm x 31.8cm	32/26	09107
C 35015	WYPALL* X50 Wipers Jumbo Roll	White	HYDROKNIT*	9.8" x 13.4"	24.9cm x 34cm	1/1100	80595, 80596, 80579



A



B



C

RS Hughes Part Price Per Case Description

WYPALL* X50 Wipers, White


Strong and sensible, WYPALL* X50 Wipers - our most economical extended use wiper picks up where the competition falls apart. WYPALL* X50 Wipers combine versatile performance with economical design for light-duty tasks. Ideal for manufacturing, healthcare and transportation environments. At least 25% more sheets than leading competitor to tackle a variety of jobs. Reinforced for strength when wet or dry, HYDROKNIT* Fabric eliminates adhesives and binders. Takes on airlaid, DRC and light-duty rags. 40% more sheets per box; less packaging waste. Source Reduction: 14% less waste by mass.

A. 036000-83550	8.83	BX	10	9.1" x 12.5"	Pop-Up Box, 176/Bx
B. 036000-35025	1.22	PH	32	10" x 12.5"	26 Sheets per Pack
C. 036000-35015	59.14	RL	1	9.8" x 13.4"	Jumbo Roll, 1100/RL

WYPALL L40 Wipers Features

Wypall L40 Wipers are an outstanding general purpose wiper with good performance in a wide range of industrial cleaning and personal wiping tasks.

Wypall L40 Wipers feature our unique DRC (Double Creped) base sheet technology. This unique process is an absorbent sponge-like inner liner layer that absorbs liquid fast, with a soft, touchable outer layer.



WYPALL* L40 Wipers

Description	Task	Solvent Resistance	Absorption Capacity	Wet Strength	Absorption Rate
General Purpose					
WYPALL* L40 Wipers	• Absorbing large liquid spills & leaks • Routine industrial cleaning & maintenance • Removing soils and liquids from face and hands	● ○ ○ ○ ○	● ● ● ● ●	● ○ ○ ○ ○	● ● ● ● ○

WYPALL* L40 Wipers

Code	Description	Color	Material	Size (W x L)		Put-Up	Dispenser
				inches	centimeters		
D 05740	WYPALL* L40 Wipers POP-UP* Box	Blue	DRC	16.4" x 9.8"	41.7cm x 24.9cm	9/100	09352
E 05790	WYPALL* L40 Wipers POP-UP* Box	White	DRC	16.4" x 9.8"	41.7cm x 24.9cm	9/100	09352
F 03046	WYPALL* L40 Wipers POP-UP* Box	White	DRC	10.8" x 10"	27.4cm x 25.4cm	9/90	09352, 73900
G 05701	WYPALL* L40 Wipers 1/4 Fold	White	DRC	12.5" x 13"	31.8cm x 33cm	18/56	09107
H 05776	WYPALL* L40 Wipers 1/4 Fold	Blue	DRC	12.5" x 13"	31.8cm x 33cm	12/56	09107
I 05027	WYPALL* L40 Wipers Small Roll	White	DRC	11" x 10.4"	27.9cm x 26.4cm	24/70	N/A
J 05007	WYPALL* L40 Wipers Jumbo Roll	White	DRC	12.5" x 13.4"	31.8cm x 34cm	1/750	80595, 80596, 80579



D

E

F



G

RS Hughes Part Price Per Case Description

WYPALL* L40 Wipers, White

WYPALL® L40 Wipers feature our unique DRC (Double Re-Creped) base sheet technology. This unique process creates an absorbent sponge-like inner layer that absorbs liquids fast, with a soft, touchable outer layer.

D. 036000-05740	14.93	BX	9	16.4" x 9.8"	Pop-Up Box, 100/Bx
E. 036000-05790	12.58	BX	9	16.4" x 9.8"	Pop-Up Box, 100/Bx
F. 036000-03046	8.46	BX	9	10.8" x 10"	Pop-Up Box, 90/Box
G. 036000-05701	6.15	PH	18	12.5" x 13"	1/4 Fold, 56/Pack
H. 036000-05776	7.07	PH	12	12.5" x 13"	1/4 Fold, 56/Pack
I. 036000-05027	4.05	RL	24	11" x 10.4"	Small Roll, 70/RL
J. 036000-05007	68.56	RL	1	12.5" x 13.4"	Jumbo Roll, 750/RL



H



I



J

WYPALL L30 Wipers Features

Exceptional Performance, Exceptional Value

WYPALL L30 Wipers offer a lighter weight wiper at a great everyday price. Our unique DRC (Double Re-Creped) process gives WYPALL L30 Wipers high surface softness while its reinforced grid provides strength for wet surface wiping and cleaning. Choose WYPALL L30 Wipers to replace airlaid wipers.



WYPALL* L30 Wipers

Description	Task	Solvent Resistance	Absorption Capacity	Wet Strength	Absorption Rate
General Purpose					
WYPALL* L30 Wipers	<ul style="list-style-type: none"> • Light-duty cleanups • Janitorial & maintenance wiping • Process line wiping & cleaning • Patient hygiene 	● ● ○ ○ ○ ○	● ● ● ○ ○ ○	● ● ○ ○ ○ ○	● ● ● ○ ○ ○

WYPALL* L30 Wipers

Code	Description	Color	Material	Size (W x L)		Put-Up	Dispenser
				inches	centimeters		
A 05816	WYPALL* L30 Wipers POP-UP* Box	White	DRC	16.4" x 9.8"	41.7cm x 24.9cm	6/120	09352
B 05800	WYPALL* L30 Wipers POP-UP* Box	White	DRC	16.4" x 9.8"	41.7cm x 24.9cm	8/100	09352
C 05812	WYPALL* L30 Wipers 1/4 Fold	White	DRC	12.5" x 13"	31.8cm x 33cm	12/90	09107
D 05841	WYPALL* L30 Wipers Jumbo Roll	White	DRC	12.4" x 13.3"	31.5cm x 33.8cm	1/950	80595, 80596, 80579
E 05843	WYPALL* L30 Wipers Small Roll	White	DRC	11" x 10.4"	27.9cm x 26.4cm	24/70	N/A



A



B



C



D



E

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

WYPALL* L30 Wipers, White

Our unique DRC (Double Re-Creped) process gives WYPALL® L30 Wipers high surface softness, while its reinforced grid provides strength for wet surface wiping and cleaning. Choose WYPALL® L30 Wipers to replace airlaid wipers.

A. 036000-05816	10.61	BX	6	16.4" x 9.8"	Pop-Up Box, 120/Bx
B. 036000-05800	12.20	BX	8	16.4" x 9.8"	Pop-Up Box, 100/Bx
C. 036000-05812	4.88	PH	12	12.5" x 13"	1/4 Fold, 90/Pack
D. 036000-05841	54.73	RL	1	12.4" x 13.3"	Jumbo Roll, 950/RL
E. 036000-05843	3.22	RL	24	11" x 10.4"	Small Roll, 70/RL

WYPALL
BRAND



RS Hughes Part Price Per Case Description

WYPALL* Waterless Cleaning Wipes

Waterless Cleaning Wipes are the ideal presaturated cleaner for on-the-go cleaning of hands, tools, parts and non-porous work surfaces. Natural solvents cut through grease, grime and oil while soothing ingredients aid in moisturizing the skin. Orange, Citrus/Green.

F. 036000-58310 9.99 CN 8 50 Count

Waterless Cleaning Wipes are the ideal presaturated cleaner for on-the-go cleaning of hands, tools, parts and non-porous work surfaces. Natural solvents cut through grease, grime and oil while soothing ingredients aid in moisturizing the skin. Orange, Citrus/Green.

G. 036000-91054 69.00 CA 1 1 Pack of 100

Waterless Cleaning Wipes are the ideal presaturated cleaner for on-the-go cleaning of hands, tools, parts and non-porous work surfaces. Natural solvents cut through grease, grime and oil while soothing ingredients aid in moisturizing the skin. Orange, Citrus/Green.

H. 036000-91367 11.46 BG 6 Refill Bag 75 Count

Waterless Cleaning Wipes are the ideal presaturated cleaner for on-the-go cleaning of hands, tools, parts and non-porous work surfaces. Natural solvents cut through grease, grime and oil while soothing ingredients aid in moisturizing the skin. Orange, Citrus/Green.

I. 036000-91371 15.32 CN 6 75 Count

J. WYPALL* L20 Wipers

WYPALL* L20 Wipers. Textured side for cleaning power. Contains no binders or glues. Multi-ply capacity for large spills.

036000-47000 5.15 PH 12 12.5" x 13" Tan 68 Sheets per Pack

K. Kimberly-Clark 8596 Jumbo Roll Dispenser

Jumbo Roll Dispenser Floor Model. A mobile, efficient dispenser reduces waste. Dispenser for JUMBO RAG-ON-A-ROLL* system. Metal with trash bag attachment. FREE with the purchase of 2 Jumbo Rolls!

036000-80596 37.37 EA 1



Kimtech Prep* Kimtex* Wipers - Blue

KIMTECH PREP* KIMTEX* Wipers are designed for wiping tasks where low lint or use of chemicals are required. Engineered for critical applications involving solvents, inks, and paints. Acid-, base- and solvent resistant. Perfect for use with lubricants, oil and grease. Polypropylene construction. Applications include: furniture finishing, engine assembly/repair, pre-packaging wipe down, LCD panel assembly, appliance assembly, printing, and glass or window cleaning.

L. 036000-33241 130.31 CA 1 Jumbo Roll Blue 9.6" x 13.4", 1/Case

M. 036000-33570 120.60 CA 1 Pop-Up Box Blue 12.1" x 16.8", 5/Case



Free!
with purchase
of 2 Jumbo
Rolls



Introducing Sellers ALL-NEW Mountable Big Grip Bucket!

On the go and on the wall *with no extra cost!*

First, Sellers introduced our revolutionary Big Grip Bucket. Now we're taking the Big Grip Bucket to a whole new level with an all new and exclusive optional dispenser mount - added with no additional cost to you.

That means you have a bucket that can be easily carried for remote use and that can also be placed into the wall mount

for both local usage and storage. This decreases the product's footprint and eliminates the long term need to take up valuable table space.

Our new bucket allows do-it-yourselfers to dispense towels like pros and pros to dispense for less and with more convenience.

On The Wall!

Simply mount the bracket to your wall. Then flip the bucket and drop it into place.


The durable mount holds the bucket in place allowing you to dispense freely from the bottom.



The sturdy new grooved Big Grip handle allows for fast and secure mounting and convenient carry along usage.



Big Grip Buckets arrive with the mounting bracket slid down onto the bucket's handle for a reduced footprint.



Z900 DRC Wipers - Sellars Most Absorbent Wiper

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. Sellars Toolbox™ Z900 Big Grip™ Bucket Rags

Ideal for heavy-duty wiping applications. Absorbs up to 400% more than most rental rags. Big Grip™ Buckets are perfect for jobs outside or wet work sites as it is designed to keep your towels clean and dry both indoors and out. Made with 15% recycled fibers. 140 sheets per bucket.

SELLARS 70140	19.26	EA	2	10 X 12 Red 2 Buckets/Case
---------------	-------	----	---	----------------------------

B. Sellars Toolbox™ Z900 Big Grip™ Refill Shop Rags

Ideal for heavy-duty wiping applications. Up to 400% more absorbent than red rental rags. Use as a refill for the Big Grip™ Z900 Bucket (item# 70140) or a stand alone center pull dispenser. Made with 15% recycled fibers. Compatible with wall mount center pull dispenser (part 99906). 140 sheets per roll.

SELLARS 70150	16.04	EA	6	10 X 12 Red 6 Refills/Case
---------------	-------	----	---	----------------------------

C. Sellars Toolbox™ Z900 Jumbo Roll Wipers

The most absorbent wiper from Sellars. Works like cloth with very low lint. Ideal for heavy-duty wiping applications. Up to 400% more absorbent than most red rental rags. Fits on most wall mount or floor stand dispensers. Jumbo rolls are perfect for extremely messy locations. Made with 15% recycled fibers. 475 sheets per roll.

SELLARS 70310	71.30	RL	1	12.5 X 12 Red 1 Jumbo Roll/Case
---------------	-------	----	---	---------------------------------

Z800 DRC Wipers - Sellars Solvent Resistant Wiper

D. Sellars Toolbox™ Z800 White Jumbo Roll

2x stronger than any DRC Wiper Sellars has ever made. Up to 350% more absorbent than most rental rags. Ideal for heavy-duty wiping applications that require a strong and absorbent wiper. Unique pillowing pattern provides incredible softness for a heavy duty wiper. Made with 15% recycled fibers. Compatible with wall mount dispenser 99914 and floor stand dispenser 99911. 475 sheets per roll.

SELLARS 80307	72.68	RL	1	12.5 X 12 White 1 Jumbo Roll/Case
---------------	-------	----	---	-----------------------------------

Z700 DRC Wipers - Sellars Heavy-Duty Wiper

E. Sellars Toolbox™ Z700 Jumbo Roll Wipers

Works like cloth and is a low lint wiper. Ideal for most heavy-duty applications and messy fluid applications. Jumbo rolls are perfect for extremely messy locations as they fit on wall mount or floor stand dispensers. Made with 25% recycled cellulose fibers. 870 sheets per roll.

SELLARS 70307	71.46	RL	1	12.5 X 12 White 1 Jumbo Roll/Case
---------------	-------	----	---	-----------------------------------

F. Sellars Toolbox™ Z700 Interfold Wipers

Works like cloth and are a low lint wiper. Interfolds are perfect for jobs that require larger towels. Portable dispenser box allows you to grab 1 sheet at a time. Ideal for most heavy-duty applications and messy fluid applications. Made with 25% recycled fibers. 100 sheets per box.

SELLARS 7020701	9.49	BX	8	8.5 X 16.5 White 8 Boxes/Case
-----------------	------	----	---	-------------------------------

Sellars DRC Wipers Vs. Ordinary Paper Towels

DRC enhances each key wiper product criteria vs. ordinary paper:

- Wet Strength (2x+)
- (60% of dry strength)
- Softness (2x)
- Absorbency (2x)
- Bulk (2.5x)

Sellars DRC Wipers Latex resin infusion for incredible wet strength



Ordinary Paper Towel Wet Strength Additive



DRC wipers have larger absorption pockets than regular paper thus allowing not only for greater absorption but also more softness

SELLARS



A



B



C



D

Jumbo Roll Dispenser on page 276



E



F

Z600 Wipers - Sellars Best Value of Strength vs. Cost

RS Hughes Part Price Per Case Description

A. Sellars Toolbox™ Z600 Interfold

Works like cloth and is a low lint wiper, Perfect for medium-duty wet or dry wiping applications, Interfold wipers are perfect for jobs that require larger towels. Interfold dispenser box can dispense from either the top or bottom. Portable dispensing box allows you to grab 1 sheet at a time. 25% recycled cellulose fibers. Made in the USA.

SELLARS 6020701 82.96 CA 1 6020701 White

B. Sellars Toolbox™ Z600 Jumbo Roll

SELLARS 60307 76.18 CA 1 60307 White

C. Sellars Toolbox™ Z600 Quarterfold Wipers

Works like cloth. Perfect for medium-duty wet or dry wiping applications. 1/4 folds are perfect for stacking out on a work bench or counter top. Made with 25% recycled cellulose fibers. 80 sheets per bundle.

SELLARS 6010701 6.23 EA 12 11 X 18 White 12 Bundles/Case

Z400 Wipers - Sellars Best General Purpose Wiper

Sellars Plain Z400 DRC Wiper Jumbo Roll

Ideal for general shop or industrial applications. Works like cloth, soft on hands and face. White is made of 25% recycled fibers. Blue is made of 40% post-consumer recycled fibers. Packaged in a plain kraft box with a generic label. 692 sheets to a roll. Sheet size is 12.5 X 13.

D. SELLARS 10252 60.46 RL 1 12.5 X 13 Blue
E. SELLARS 50300 57.96 RL 1 12.5 X 13 White

F. Sellars Toolbox™ Z400 Big Grip™ Shop Towels

Ideal for general shop or industrial applications. Help hide grease and grime better than white shop towels allowing for more use before being discarded. Made with 40% post-consumer recycled fibers. Center-pull towels are wrapped in a water resistant plastic container with a cardboard dispensing disk that allows for single sheet dispensing and also provides support for the container so that it will not collapse even when down to the last few sheets. 200 sheets per roll.

SELLARS 55207 16.05 EA 6 10 X 12 Blue 6 Refills/Case
SELLARS 55208 19.58 EA 2 10 X 12 Blue 2 Buckets/Case

G. Sellars Toolbox™ Z400 Blue Shop Towels Center-Pull Box

Works like cloth, soft on hands and face. Blue color helps hide grease and grime better than white towels allowing for longer use before being discarded. Packaged in a cardboard center-pull dispenser box with convenient carrying handle. Made with 40% post consumer recycled fibers. 200 sheets per box.

SELLARS 55202 16.39 EA 6 10 X 12 Blue 6 Boxes/Case

H. Sellars Toolbox™ Z400 Interfold Blue Wipers

Packaged in a portable pop up dispenser box allows you to grab 1 sheet at a time. Works like cloth. Ideal for general shop or industrial applications. Helps hide grease and grime better than white wipers allowing for more use before being discarded. Made with 40% post-consumer recycled fibers. 100 sheets per box.

SELLARS 5025001 9.80 BX 8 8.5 X 16.5 Blue 8 Boxes/Case



A



B



C



D



E



F



G



H



Z400 DRC Wipes - Sellars Best General Purpose Wiper

RS Hughes Part Price Per Case Description

I. Sellars Toolbox™ Shop Towel Small Roll



Just the right size to handle your dirtiest and toughest wiping applications around the shop or home. Ideal for general shop, industrial or home garage applications. Blue color helps hide grease and grime better than white shop towels allowing for longer use before being discarded. Made with 40% post consumer recycled fibers (based only on the product's fiber content, which represents a minimum of 85% of the total product weight). Meet the EPA Comprehensive Procurement Guidelines and also provide opportunities to earn credits in several LEED-EB (Existing Building) Operations & Maintenance categories. Made in the USA

SELLARS 54400 39.42 CA 1 54400 Blue 12 Rolls/Case



I



J

J. Sellars Toolbox™ White Rags

Ideal for painting, staining, window cleaning, general cleaning and 1000's of other uses around the shop or home. Up to 3x stronger when wet than the leading kitchen towel brand. Works like cloth, Extremely soft and absorbent rags are also durable enough for your toughest jobs. Packaged in a cardboard center-pull dispenser box with convenient carrying handle. TOOLBOX® white rags are made with 25% recycled fibers. Made in the USA.

SELLARS 58202 98.36 CA 1 58202 White 6 Boxes/Case



K



L

K. Sellars Toolbox™ Z400 1/4 Fold

SELLARS 5010001 62.38 CA 1 5010001 White 12 Boxes/Case

L. Sellars Toolbox™ Z400 Interfold

Packaged in a portable pop up dispenser box allows you to grab 1 sheet at a time. Works like cloth, soft on hands and face. Our most popular DRC Wiper. Interfold wipers are perfect for jobs that require larger towels, Ideal for all medium-duty general purpose wiping applications. Interfold dispenser box can dispense from either the top or bottom. 25% recycled cellulose fibers. Made in the USA.

SELLARS 5020001 76.20 CA 1 5020001 White 8 Bundles/Case



M



M. Sellars Toolbox™ Z400 Greenx Series Big Grip™ Wipers

Refill roll is poly wrapped with a cardboard dispensing disk and a peel and reseal top to keep the towels clean and dry - allows for single sheet dispensing. Natural color. Elemental chlorine free. Ideal for all medium-duty general purpose wiping applications. Wipers are soft on hands and face and won't fall apart when wet. Made with 40% post-consumer recycled fibers. 200 sheets per roll.

SELLARS 54200 15.96 EA 6 10 X 12 Natural 6 Refills/Case
SELLARS 54202 19.04 EA 2 10 X 12 Natural 2 Buckets/Case

N. Sellars Toolbox™ Z400 Greenx Series Recycled Interfold Wipers

Food safe. Does not contain any natural latex. Portable dispenser box allows you to grab 1 sheet at a time. Ideal for most medium-duty general purpose wiping applications. Soft on hands and face, absorbent and won't fall apart when wet. Made with 40% post consumer recycled fibers. 100 sheets per box.

SELLARS 50210 9.32 BX 8 8.5 X 16.5 Natural 8 Boxes/Case



N



Head to Toe Protection



A

B



C



D



E

Z300 DRC Wipes - Sellars Best Light-Duty Wiper

RS Hughes Part Price Per Case Description

A. Sellars Toolbox™ Z300 Big Grip Rags

Works like cloth. Ideal for all light-duty general purpose wiping. Center pull towels are wrapped in a water resistant plastic container with a cardboard dispensing disk that allows for single sheet dispensing and also provides support for the container so that it will not collapse even when down to the last few sheets. Made with 45% recycled fibers. 275 sheets per roll.

SELLARS	Price	EA	Per Case	Description
20421	16.27	EA	6	10 X 12 White 6 Refills/Case
20420	21.38	EA	2	10 X 12 White 2 Buckets/Case

B. Sellars Toolbox™ Z300 White Quarterfold Wiper

Fold wipers are perfect for stacking out on a work bench or counter top. Works like cloth. Soft on hands and face. Ideal for all light duty general purpose wiping applications. Z300 DRC wipers are more absorbent than airlaid wipers. Made with 45% recycled cellulose fibers. 90 per bundle.

SELLARS	Price	CA	Per Case	Description
2010001	75.12	CA	1	11 X 18 White 12 Bundles/Case

C. Sellars Toolbox™ Z300 White Jumbo Roll Wiper

Ideal for all light duty general purpose wiping applications. Offers the best balance of strength, absorbency and softness. Z300 white DRC wipers are more absorbent than airlaid wipers at same weight. Jumbo rolls are perfect for extremely messy locations as they fit on wall mount (99914) or floor stand (99911) dispensers. Made with 45% recycled fibers. 950 sheets per roll.

SELLARS	Price	RL	Per Case	Description
2030001	60.54	RL	1	12.5 X 12 White 1 Jumbo Roll/Case

D. Sellars Toolbox™ Z300 Interfold

Packaged in a portable pop up dispenser box allows you to grab 1 sheet at a time. Soft on hands and face. Ideal for all light-duty general purpose wiping. Made with 45% recycled cellulose fibers. 135 sheets per box.

SELLARS	Price	BX	Per Case	Description
2020002	10.46	BX	8	8.5 X 16.5 8 Boxes/Case

E. Sellars Toolbox™ Z300 Greenx Series Interfold

Interfold wipers are packaged in a portable pop up dispenser box allows you to grab 1 sheet at a time. Does not contain any natural latex. Ideal for all light-duty general purpose wiping applications. Recycled DRC Wipers are soft on hands and face, absorbent and won't fall apart when wet. Made with 40% post-consumer recycled fibers. 135 sheets per box.

SELLARS	Price	BX	Per Case	Description
20210	10.25	BX	8	8.5 X 16.5 8 Boxes/Case



F



G

F. Sellars Toolbox™ T800 Jumbo Roll

Ideal for use in wiping applications using solvents, rough surfaces/ jagged edges, or needing low lint. Rolls are designed to fit our Floor Stand (part # 99911) and Wall Mount Dispensers (part # 99914). Large quantity of sheets allows for less time spent replacing rolls. WaterWeave™ is made using high pressure water jets that weave polypropylene and cellulose fibers together. Made in the USA from imported materials.

SELLARS	Price	CA	Per Case	Description
88360	66.59	CA	1	88360 Red

G. Sellars Toolbox™ Jumbo Roll Dispenser

Jumbo Roll Dispensers allow you to easily grab one sheet at a time. Floor Stand Jumbo Roll Dispensers are metal making them extremely durable. Dispensers are compatible with our jumbo roll wipers (item #'s 24310, 54310, 24310, 54310, 10252, 2030001, 50300, 60307, 70307, 70357, 80307, 70310, 78300, 78350, 88350, and 88360) and most other standard jumbo roll wipers.

SELLARS	Price	CA	Per Case	Description
99911	74.12	CA	1	99911



Sellars Reclaimed Rags

RS Hughes Part Price Per Case Description

Sellars Reclaimed Rags

Reclaimed white knit rags. Contain white knit material from t-shirts, polo shirts or similar knit apparel. All-purpose soft and durable wiping cloth will absorb both water and oil based fluids.

- H.** SELLARS 99215 56.72 EA 1 25Lbs White Knit/Polo
- H.** SELLARS 99216 107.74 EA 1 50Lbs White Knit/Polo

Reclaimed polo wiping cloths. Contains recycled knit material from t-shirts, polo shirts or similar knit apparel. All-purpose soft and durable wiping cloth, high absorbency. Economical solution for general industrial, shop and auto.

- I.** SELLARS 99205 38.58 EA 1 25Lbs Colored Knit/Polo
- I.** SELLARS 99206 75.74 EA 1 50Lbs Colored Knit/Polo

Reclaimed fleece wiping cloths. Contains recycled material from sweatshirts, sweatpants or similar fleece apparel. Rags are cut to wiper size with zippers and buttons removed. Often preferred for heavy duty and general shop and maintenance applications including larger jobs.

- J.** SELLARS 99201 29.38 CA 1 25Lbs Colored Fleece
- J.** SELLARS 99202 57.94 EA 1 50Lbs Colored Fleece
- K.** SELLARS 99203 42.12 EA 1 25Lbs White Fleece
- K.** SELLARS 99204 80.58 EA 1 50Lbs White Fleece

Highly absorbent wiping cloth. Turkish towels are extra large for expanded wiping coverage. Ideal for oil industry, janitorial supply, garage, household roofing, plumbing, painting and staining.

- L.** SELLARS 99213 60.04 EA 1 25Lbs Multi Color Turkish Towel
- L.** SELLARS 99214 117.02 EA 1 50Lbs Multi Color Turkish Towel

Highly absorbent wiping cloth. Turkish towels are extra large for expanded wiping coverage. Ideal for oil industry, janitorial supply, garage, household roofing, plumbing, painting and staining. Being white, they will not bleed when using solvents/harsh chemicals.

- M.** SELLARS 99211 72.76 EA 1 25Lbs White Turkish Towel
- M.** SELLARS 99212 142.02 CA 1 50Lbs White Turkish Towel

Contains recycled material from cotton shirts, pants or similar apparel. Rags are cut to wiper size with zippers and buttons removed. All purpose wiping cloth. Ideal for painting, furniture or wood staining. Will not bleed when using solvents/harsh chemicals.

- N.** SELLARS 99209 42.20 CA 1 25Lbs Pure White
- N.** SELLARS 99210 81.38 CA 1 50Lbs Pure White



Flammable Liquids Storage

In this section:

Cans	280-281
Cabinets - Flammable Storage	282-284
Cabinets - Chemical & Hazardous Material Storage	285
Outdoor Flammable Building Storage & Accessories	286-287



RS Hughes Part Price Per Case Description (Diameter x Height)

A. Justrite® Large Steel Funnel with Self-closing Cover and 6" (152mm) Flame Arrester. For use with Flammables

Wide-mouth Drum Funnels are a must when transferring liquids into the relatively small 2" bung on a 30- or 55-gallon (110 & 200L) drum. Justrite offers funnels with superior safety features that make them ideal for use with solvent, thinner, oil and paint wastes. Heavy, 18-gauge galvanized steel with electrostatically applied epoxy powder coat paint provides durability and chemical resistance. All funnels comply with EPA and OSHA regulations and are FM approved. Larger funnels accept a lock to prevent unauthorized access. Funnels intended for use with flammables are fitted with a brass flame arrester that absorbs and dissipates heat, preventing any external ignition source (like sparks from power tools, static electricity or cigarettes) from reaching the drum's flammable contents. Self-close models have a fusible link that melts at 165°F (74°C). The cover then automatically shuts in case of a fire to extinguish the flames. Galvanized steel with durable epoxy powder coat finish. Self-closing lid in case of fire. Funnel Size: 10¾" x 10" (273 x 254) Mouth Dia: 10¾" (273)

JUSTRITE 08207 257.96 EA 1 Funnel Capacity: 2.6Gal/10L

B. Justrite® Elite™ Smokers Cease-Fire® Smoking Receptacles

Made of no-rust polyethylene, this FM approved receptacle features an oxygen restricting, self-extinguishing design to safely collect burning butts. Large stainless steel snuffer offers a fast action "snuff target" resulting in fewer misses for a cleaner smoking area, and reduces finger contact with dirt and germs. Limited entry design discourages unwanted trash while covered top eliminates rainwater overflow. Maintenance is easy - simply lift off top from base to empty the 4 gal (15L) removable steel pail. Base features an inner double-drip edge to keep outside housing free from ugly tar build up. For added security or stability in severe weather, a molded-in tether eyelet accepts an optional chain or cable.

268503 111.22 EA 1



C. Eagle Type I Safety Can

Eagle Type I Safety Cans meet OSHA and NFPA Code 30 requirements and are UL listed and FM approved for safe handling and storage of gasoline and other flammable liquids. They are lead free and constructed with 24-gauge hot dipped galvanized steel not lead coated terne steel like other manufacturers.

048441-22141	45.42	EA	1	UI-20S	2 Gallon, 11.25"x9.50"
048441-00447	47.76	EA	1	UI-25-S	2.5 Gallon
048441-22151	50.46	EA	1	UI-50S	5 Gallon, 12.5"x13.5"

Justrite® Type I Steel Safety Cans

High performance, chemical resistant stainless steel flame arrester that stops flashback ignition, provides faster liquid flow, and offers exceptional durability and corrosion protection. The extra long precision mesh screen is a full 3-1/2" (88 mm) to ensure safe insertion of gas nozzle with metal-to-metal contact eliminating the potential of spark and possible explosion. Self-closing lid controls vapors and spills and unique counterbalanced, ergonomic design makes it easy to use. Leakproof, positive pressure relief cap automatically vents to guard against rupture or explosion. Warning label includes large ID zone for user labeling to avoid misuse, reduce the potential for incompatible mixtures, or designate department location or individual owner. Rounded comfort handle that swings freely to help in carrying heavy loads, reinforcing ribs for bumper guard protection, and large ½" (13 mm) grip lip along bottom to support pouring. 100% leak tested. 10 year warranty. Meets OSHA and NFPA. FM, UL/ULC Listed. CARB Compliant. TUV certified.

D. 7120110	50.82	EA	1	2 Gallon, 9.5"x13.75"
E. 7150110	55.18	EA	1	5 Gallon, 11.75"x16.875"

A B



Shown with option funnel attachment, 11202Y



RS Hughes Part Price Per Case Description (Diameter x Height)

F. Justrite® Funnel Attachment for Type I Steel Safety Cans

Poly-funnel folds down for filling and storage! To aid pouring into smaller openings, this two-position funnel easily attaches to Type I steel safety cans. Large rounded bowl provides protection from splashing and spillage. Innovative hinged design allows you to fill or pour from the can without removing the funnel and takes up less space during storage. Durable polypropylene material holds up to heavy use. Polypropylene Funnel; for Steel Cans only sizes 1 gallon (4L) and above.

11202Y	7.78	EA	1	1/2" x 11 1/4" (13 x 286)
--------	------	----	---	---------------------------

G. Eagle Type II Safety Can

Eagle Type II Galvanized Steel Safety Cans feature two openings. One with a pressure-relief spring closing lid for filling and one with an actuated pour valve with a flexible metal spout for safer controlled dispensing. These cans meet OSHA and NFPA Code 30 requirements and are UL listed and FM approved.

048441-22142	99.98	EA	1	U2-26-S	2 Gal, 11.25"x9.50"
048441-22152	102.16	EA	1	U2-51-S	5 Gal, 12.25"x13.50"

H. Eagle Poly Waste Can

Eagle Poly Oily Waste Cans offer fire safe temporary storage of solvent, waste rags, shavings and other materials subject to spontaneous combustion. Won't rust or dent and are resistant to most chemical compounds. Eagle's cans feature self closing lid with foot lever.

048441-22251	67.57	EA	1	933-FL	6 Gallons, Height 16"
048441-22272	80.22	EA	1	935-FL	10 Gallons, Height 18"
048441-22261	86.56	EA	1	937-FL	14 Gallons, Height 21"

I. Eagle Plunger Can

FM Approved safety plunger cans are ideal for cleaning with flammable or volatile fluids. Brass flame arrestor dasher screens and pump assemblies comply with OSHA standards. When dasher plate is pushed down the safety can dispenses a small amount of liquid to easily moisten sponges or rags without spills.

048441-22420	76.93	EA	1	P-701	1 Quart 6.5"x8"
048441-22430	79.31	EA	1	P-702	2 Quart 8"x8.50"
048441-22440	91.40	EA	1	P-704	4 Quart 8"x10.75"

J. Justrite® 1/2 Gallon Plunger Can

Quickly and easily moisten cleaning cloths or swabs. Pushing down on the brass pump assembly fills upper pan with a measured amount of liquid. Surplus liquid drains safely back into reservoir. Perforated pan screen serves as a flame arrester. Top rims have molded edge protectors for smooth, trouble-free moistening. Choose from corrosion resistant, high density polyethylene or rugged 24-gauge steel construction. Steel cans are finished in a tough, chemical resistant powder paint.

JUSTRITE 10208	54.26	EA	1	7.25"x7.37"	 JUSTRITE
----------------	-------	----	---	-------------	---

Justrite® Type II AccuFlow™ Safety Cans

Durable galvanized steel safety cans offer the most convenient, safest way to store and dispense flammable liquids. Meets OSHA and NFPA 30. Independently fire tested and approved by FM and UL. Exclusive vented AccuFlow™ manifold and Safe-Squeeze™ trigger handle provide the easiest, fastest, most controlled liquid flow ever. Flexible metal hose is 9" (229mm) long to reach small openings. Ergonomically designed quick-fill port with comfort lift bar makes filling easier. Fill port is equipped with a long length, long life stainless steel flame arrester which reliably dissipates heat to prevent flashback ignition. Leak proof, positive pressure relief lid automatically vents to prevent rupture or explosion and self-closes to control vapors and spills. Trilingual warning label includes a large ID zone for user labeling to avoid misuse, reduce the potential for incompatible mixtures, or designate department location or individual owner. Backed by a 10-year limited warranty. 100% leak tested. 10 year warranty. Meets OSHA and NFPA. FM, UL/ULC Listed. CARB Compliant. TUV certified

K. 7225120	93.98	EA	1	2.5 Gallon	11.75"x12"
L. 7250130	95.08	EA	1	5 Gallon	11.75"x17.50"



F



G



H



I



J



L



K



M

N

O

Justrite® Oily Waste Can

Essential whenever solvent soaked cloths and wiping rags are used. The specially designed lid opens no more than 60 degrees and stay closed when not in use, isolating contents from fire sources and limiting oxygen so spontaneous combustion risk is virtually eliminated. Round construction and elevated bottom encourage circulation of air around can to disperse heat and reduce moisture buildup and rusting. Sleek steel design with compact foot pedal leaves hand free and cover snaps shut when pedal is released. Swinging bail handle in rear makes it easy to carry and empty. FM Approved and UL Listed.

M. 09100	76.00	EA	1	6 Gal, 11.875"x15.875"
N. 09300	86.92	EA	1	10 Gal, 13.94"x18.25"
O. 09500	98.16	EA	1	14 Gal, 16.06"x20.25"

Flammable Liquid Storage Regulations & Guidance

OSHA 1910.106 applies to flammable or combustible chemical storage. In addition, state and local codes apply that are based on either the National Fire Protection Association (NFPA 30, Flammable and Combustible Liquids Code), the International Code Council (International Fire Code) or NFPA 1, Uniform Fire Code™. Section 9.5 of the 2008 edition of NFPA covers the design, construction, and capacity of storage cabinets. In addition to passing a fire test, NFPA further requires specific cabinet construction. A notable distinction in the International Fire Code and NFPA 1, Uniform Fire Code™ is the requirement that flammable and combustible liquid storage cabinets shall be selfclosing.

















In addition to assuring that cabinets meet applicable codes, it's important to look for safety storage cabinets which carry independent third party certification, such as FM Global (FM approved) or Underwriters Laboratories (UL listed). While NFPA does not mandate requirements for the storage of nonflammable acids and corrosives, these chemicals should be properly stored for maximum safety.

Eagle Safety Cabinet features include:

- Reinforced double wall construction with 1 1/2" air space on sides, top, bottom, back and doors
- Lead-free, high-gloss, baked-on powder finish
- Continuous piano hinges
- Ground connection
- Four adjustable galvanized leveling legs
- Trilingual warning labels
- 2" raised leakproof sill
- Adjustable galvanized steel shelves that hold 350 lbs.
- Internal and external welded construction
- Two 2" internal vents with fire baffle and cap
- Flush mounted door handle with key lock
- Three-point latch system
- 4 3/4" centers for shelf brackets
- Self-latching doors

(Available in 2 to 110 gallon sizes. Manual or self closing.)

Eagle Safety Cabinet Guide

FLAMMABLE LIQUID SAFETY CABINETS				
				
				
Capacity (Gal.)	4 gal.	30 gal.	45 gal.	60 gal.
Common Name	Bench Top	Standard 30	Standard 45	Standard 60
Model Numbers & Prices	Self Close: 1903 Price: 607.22	Self Close: 3010 Price: 1,006.74	Self Close: 4510 Price: 1,236.18	Self Close: 6010 Price: 1,445.82
Door Styles	Manual Close: 1904 Price: 512.27	Manual Close: 1932 Price: 897.96	Manual Close: 1947 Price: 1,111.58	Manual Close: 1962 Price: 1,333.10
Outside Dimensions	Width: 17 1/2" W Depth: 18" D Height: 22 1/2" H	Width: 43" W Depth: 18" D Height: 44" H	Width: 43" W Depth: 18" D Height: 65" H	Width: 31 1/4" W Depth: 31 1/4" D Height: 65" H
Inside Dimensions	Width: 14 1/2" W Depth: 15" D Height: 19 1/2" H	Width: 40" W Depth: 15" D Height: 41" H	Width: 40" W Depth: 15" D Height: 62" H	Width: 28 1/4" W Depth: 28 1/4" D Height: 62" H
No. of Shelves	1	1	2	2
Extra Shelf Model No.	1902	1915	1915	1911
Shelf Depth	14 3/4"	14 3/4"	14 3/4"	28"
Maximum Weight	74 lbs.	231 lbs.	312 lbs.	332 lbs.
Compliance				
Approvals	-			

1947 2 Door Manual Close

4510 2 Door Self Closing





PAINT & INK SAFETY CABINETS			METAL ACID /CORROSIVE		POLY ACID /CORROSIVE	
30 gal. <small>(252 Aerosol Cans)</small>	40 gal.	60 gal.	4 gal.	12 gal.	4 gal.	22 gal.
Aerosol Can Storage	Standard 40	Standard 60	Bench Top	Space Saver	Bench Top	Under Counter
PI-7710 1,441.88	PI-3010 1,127.40	PI-4510 1,408.26	CRA-1903 712.05	CRA-1924 818.87	-	-
PI-77 1,194.65	PI-32 957.30	PI-47 1,214.43	CRA-1904 613.16	CRA-1925 757.52	CRA-P04 546.15	CRA-P22 1,099.38
43" W 12" D 65" H	43" W 18" D 44" H	43" W 18" D 65" H	17 1/2" W 18" D 22 1/2" H	23" W 18" D 35" H	18" W 18" D 22" H	35" W 22" D 36" H
40" W 9" D 62" H	40" W 15" D 41" H	40" W 15" D 62" H	14 1/2" W 15" D 19 1/2" H	20" W 15" D 32" H	14" W 15" D 14 3/4" H	31" W* 19" D* 25 1/2" H*
5 1977	3 1915	5 1915	1 CRA-1902	1 CRA-1909	1 CRA-PS04	2 CRA-PS22
8 3/4"	14 3/4"	14 3/4"	14 3/4"	14 3/4"	12"	12"
300 lbs.	253 lbs.	351 lbs.	74 lbs.	128 lbs.	35 lbs.	100 lbs.
			-	-		

To order cabinets in yellow add a "Y" before model number
(to order 1975 or 1976 in yellow drop the RED from the model number)

Aerosol cabinets include wall-mounting brackets. 24-gallon cabinet is designed to hold up to 168 12-oz. aerosol cans and the 30-gallon cabinet is designed to hold up to 252 12-oz. aerosol cans

Acid & corrosive safety cabinets include:

- Special corrosion-resistant powder coat finish on all internal and external surfaces, including shelves
- Poly shelf and bottom trays to help contain small spills and provide extra corrosion protection
- Steel cabinets are not recommended for the storage of aggressive acids such as nitric, sulfuric and hydrochloric
- Also available in 100 percent polyethylene construction for storage of aggressive acids

Poly acid safety cabinets have the following features:

- Sealed internal and top spill sumps, adjustable shelves and storage in the door for small bottles
- The 22-gallon has two compartments and the 4-gallon has four compartments with 1/2" partition in between
- Lockable doors for secure storage of dangerous acids
- Two 2" poly vents with caps, four poly leveling legs and specific warning labels



RS Hughes Part	Price	Per	Case	Description (HxWxD)
----------------	-------	-----	------	---------------------

Justrite® EcoPolyBlend™ Spill Trays

Made of 100% recycled polyethylene, these eco-friendly trays are ideal for catching and containing drips and leaks from small equipment, vehicle batteries, or pouring and filling activities. Lightweight and durable, these rigid polyethylene (HDPE) spill trays have excellent chemical resistance and make clean-up a snap. They feature a ribbed bottom and are rated for service temperature between -30° to 120°F (-34° to 49°C), making them suitable for indoor or outdoor use.

A. 28716	95.48	EA	1	38 X 26
B. 28718	111.40	EA	1	37 X 34



C. Justrite® SpillSlope™ Steel Shelf

Meet specific workflow needs with galvanized steel shelves. They hold up to 350 lbs. (159 kgs.) and adjust on 3" (77mm) increments for versatile storage. They can be used on old style lever handle cabinets and Sure-Grip® style cabinets.

29937	60.74	EA	1	39 3/8" x 14" (1000 x 356)
-------	-------	----	---	----------------------------

D. Justrite® 12 Gallon Cabinet Manual Door Yellow Flammable Compac Sure-Grip EX

Store flammables safely even when available space is at a minimum. One adjustable shelf provides the same great features of Justrite's larger cabinets. Countertop design increases access to often-used liquids, without compromising safety. Portable size keeps work areas flexible. Optional wall hanger assembly.

JUSTRITE 891200	627.32	EA	1	35"x23.25"x18" 1 Door, Manual Closing
697841 11232	690.40	EA	1	35"x23.25"x18" 1 Door, Self Closing

Justrite® Sure-Grip® EX Flammable Liquid Safety Cabinets

Fully compliant to help you safely store and organize flammable liquids. Specially designed to protect personnel and facilities from the risk of fire. High performance cabinets feature all welded, double-walled 18 gauge steel with 1-1/2" of insulating air space and a fail-safe 3point stainless steel bullet latching system for optimum longevity. Exclusive U-Loc™ handle can be key locked or accepts optional padlock. Haz-Alert™ reflective warning labels offer visibility under dark conditions. For added safety, SpillSlope™ shelves direct spills into leakproof sump. Dual vents & leveling feet included. Meets OSHA & NFPA. FM Approved. 10-yr warranty.

E. 893000	890.92	EA	1	30 Gal Manual Closing, 44x43x18
F. 893020	996.88	EA	1	30 Gal Self Close, 44x43x18
G. 894500	1,103.52	EA	1	45 Gal Manual Closing, 65x43x18
H. 894520	1,212.38	EA	1	45 Gal Self Close, 65x43x18
I. 896000	1,328.90	EA	1	60 Gal Manual Closing, 65x34x34
J. 896020	1,444.54	EA	1	60 Gal Self Close, 65x34x34



Exclusive Benefits

Self-Closing Doors

Required on all Hazardous Material Cabinets, the enclosed self-close mechanism provides obstruction-free access to top shelf space. Self-indexing doors close in sequence to ensure a tight closure from top to bottom.

U-Loc™ Door Handle

Flush-mount Sure-Grip® handle comes with installed cylinder lock and key set. Accepts optional padlock for added security.

Haz-Alert™ Reflective Labeling

Firefighter friendly warning labels reflect with high visibility when illuminated with a flashlight. As required by code, cabinet must be labeled "Hazardous—Keep Fire Away".

Application Specific Labels

Choose from a packet of 10 chemical specific labels, and apply to indicate contents of the cabinet. (See choices below.)



RS Hughes Part Price Per Case Description

K. Justrite Chem-Cor Lined Hazardous Material Safety Cabinet

ChemCor® Lined Hazardous Material Safety Cabinets have the same quality features found in Justrite's flammable cabinets — including double-wall, 18-gauge (1mm) welded steel construction, 2" (51mm) liquid-tight containment sump, dual vents, adjustable shelves, three-point stainless steel bullet self-latching doors with U•Loc™ padlockable handle and Haz-Alert™ reflective warning labels. An all epoxy baked-on powder-coat finish, inside and out, provides increased chemical resistance. ChemCor® thermoplastic coating on all interior surfaces provides superior protection against corrosion from drips and off-gassing from harsh chemicals. Seam-free surface eliminates the need for rivets or fasteners which risk corrosion from seep-through chemicals. Non-porous surface resists staining and cleans up easily. Self-close door(s) shuts and latches automatically when a fusible link melts at 165°F (74°C) under fire conditions. Unique, concealed self-closing mechanism offers obstruction-free access to contents. Cabinets comply with NFPA 1, NFPA 400 Hazardous Material Code, and the International Fire Code. Cabinets are FM approved and come with a ten-year warranty.

697841-15453	1,018.40	EA	1	4 Gal, 22 X 17 X 17	1 Door, Self-Close
697841-15462	1,751.93	EA	1	12 Gal, 35 X 23.25 X 18	1 Door, Self-Close
697841-15466	2,110.48	EA	1	22 Gal, 35 X 35 X 22	2 Door, Self-Close
697841-15468	1,905.58	EA	1	30 Gal, 44 X 43 X 18	2 Door, Self-Close
697841-15470	2,604.25	EA	1	45 Gal, 65 X 43 X 18	2 Door, Self-Close
697841-15472	3,947.98	EA	1	60 Gal, 65 X 34 X 34	2 Door, Self-Close

Justrite Hazardous Material Safety Cabinet

Justrite blue steel safety cabinets for corrosives have the same quality safety features as the cabinets for flammables. All models come with double-wall construction, dual vents, grounding wire connections, adjustable shelves, leakproof sills, three-point self-latching doors and leveling feet. Self-close door(s) shuts and latches automatically when a fusible link melts at 165°F (74°C) under fire conditions. Unique, concealed self-closing mechanism offers obstruction-free access to contents. Additionally, they include polyethylene trays attached to galvanized steel shelves and a separate polyethylene liner for the bottom sump resist aggressive chemicals. Easily remove the liner for quick cleaning of drips and leaks. An all epoxy baked-on powder-coat finish, inside and out, provides increased chemical resistance.

L.	697841-15450	696.19	EA	1	4 Gal, 22 X 17 X 17	2 Door, Self-Close
M.	697841-15451	896.53	EA	1	12 Gal, 35 X 23.25 X 18	1 Door, Self-Close
N.	697841-15458	1,198.87	EA	1	22 Gal, 35 X 35 X 22	2 Door, Self-Close
O.	697841-15467	1,268.36	EA	1	30 Gal, 44 X 43 X 18	2 Door, Self-Close
P.	697841-15469	1,415.76	EA	1	45 Gal, 65 X 43 X 18	2 Door, Self-Close
Q.	697841-15471	1,723.49	EA	1	60 Gal, 65 X 34 X 34	2 Door, Self-Close

K



L



M



N



O



P



Q



Head to Toe Protection



A

RS Hughes Part Price Per Case Description (W x D x H)

A. Justrite Non-Combustible Outdoor Safety Locker With Explosion Relief Panels

Non-Combustible Outdoor Safety Lockers with explosion relief panels are required for the safe storage of Class 1A or the dispensing of Class 1A and 1B flammable liquids (as defined by NFPA). Standard features include: Explosion relief panels designed to release at 20 psf, Rugged heavy gauge steel construction - backed by a 15-year structural warranty, Secondary containment - leakproof all welded sump, Removable, galvanized steel grating, Three-point keyed locking hardware, Natural draft ventilation, NFPA 704 diamond decal provides "Right to Know" information, Multiple static grounding connections, Anchoring plates for maximum hold down protection, Chemical and UV resistant coating, inside and out, Forklift channels for easy relocation, Meets EPA, NFPA 30 and NFPA 1 requirements, FM-approved - including sump capacity, wind/snow load requirements, and explosion relief panels.

697841-15848	6,300.00	EA	1	2 Drum	911021
697841-15850	7,400.00	EA	1	4 Drum	911041
697841-15852	8,900.00	EA	1	6 Drum	911061
697841-15854	11,000.00	EA	1	9 Drum	911091
697841-15856	13,800.00	EA	1	12 Drum	911121
697841-15858	17,700.00	EA	1	16 Drum	911161

B. Justrite Non-Combustible Outdoor Safety Locker

Safe and secure hazardous/chemical storage solution to protect your people and the environment. Standard features include: Rugged heavy gauge steel construction - backed by a 15-year structural warranty, Secondary containment - leakproof all welded sump, Removable, galvanized steel grating, Three-point keyed locking hardware, Natural draft ventilation, NFPA 704 diamond decal provides "Right to Know" information, Multiple static grounding connections, Anchoring plates for maximum hold down protection, Chemical and UV resistant coating, inside and out, Forklift channels for easy relocation, Meets EPA, NFPA 30 and NFPA 1 requirements, FM-approved - including sump capacity and wind/snow load requirements.

697841-15847	5,700.00	EA	1	2 Drum	911020
697841-15849	6,900.00	EA	1	4 Drum	911040
697841-15851	7,700.00	EA	1	6 Drum	911060
697841-15853	9,800.00	EA	1	9 Drum	911090
697841-15855	12,500.00	EA	1	12 Drum	911120
697841-15857	16,600.00	EA	1	16 Drum	911160

C. Justrite Agri-Turf™ Outdoor Safety Locker

Safe and secure storage solution for agricultural and turf management applications. Designed for herbicide, fungicide, pesticide, fertilizer and other agri-chemical storage, and backed by a 15-year structural warranty, this FM-approved locker has all of the same features as the non-combustible model, in addition to shelving, insulation, exterior and interior lights (most models), and exterior GFI receptacle.

697841-15883	8,000.00	EA	1	2 Drum	914020
697841-15884	9,800.00	EA	1	4 Drum	914040
697841-15885	10,900.00	EA	1	6 Drum	914060
697841-15886	13,300.00	EA	1	9 Drum	914090
697841-15887	16,200.00	EA	1	12 Drum	914120
697841-15888	20,600.00	EA	1	16 Drum	914160



B



C

RS Hughes Part Price Per Case Description (W x D x H)

D. Justrite Safety Locker Shelving

Expand storage space to accommodate bags, boxes, and smaller containers. Galvanized steel shelving. Two-tier of movable shelves, including mounting brackets. 16-in wide with 2-in lip. Back wall only.

697841-15891	640.00	EA	1	2-4 Drum	915101
697841-15892	960.00	EA	1	6,9,12 Drum	915103
697841-15893	1,280.00	EA	1	16 Drum	915105

E. Justrite Steel Loading Ramp

For added convenience when loading and unloading lockers. Constructed of steel and finished with anti-skid yellow paint.

697841-15889	1,166.00	EA	1	2 Drum	915001
697841-15890	1,166.00	EA	1	4 Drum	915003

F. Justrite Fiberglass Floor Gating with Sump Liner

For applications requiring acid and corrosive chemical spill resistance. Low density polyethylene (LDPE) sump liner and fiberglass grating.

697841-15894	1,864.00	EA	1	2 Drum	915201
697841-15895	1,940.00	EA	1	4 Drum	915203
697841-15896	2,378.00	EA	1	6 Drum	915205
697841-15897	3,046.00	EA	1	9 Drum	915207
697841-15898	3,998.00	EA	1	12 Drum	915209
697841-15899	4,862.00	EA	1	16 Drum	915211

G. Justrite Basic Fire Protection FE-227 Extinguisher Unit

Add a fire protection system as recommended for storage of flammable or combustible materials. System includes FE-227, BC type extinguisher unit. Ceiling mounted and fuse linked.

697841-15906	2,574.00	EA	1	2 Drum	915401
697841-15907	4,065.60	EA	1	4-16 Drum	915403

H. Justrite Fire Suppression - Dry Chemical System

Add an integral fire suppression system as recommended for storage of flammable or combustible materials. Includes ABC type, dry chemical system with agent cylinder, one pull station and means of remote annunciation. FM-approved and UL listed.

697841-15908	5,230.00	EA	1	6-16 Drum	915405
--------------	----------	----	---	-----------	--------

I. Justrite Electrical Package - Explosion Proof Interior Light & Fan

Explosion-proof interior light with UL listed exterior on/off switch. Explosion-proof mechanical ventilator tied to light switch for forced vapor removal at 750 CFM. Explosion-proof conduit and wiring with seal-offs.

697841-15909	6,504.00	EA	1	915501
--------------	----------	----	---	--------

J. Justrite Electrical Package - Explosion Proof Interior Light with Photocell

Explosion-proof exterior light - photocell activated. Must be ordered with Justrite 915501 Interior Light & Fan package.

697841-15910	910.58	EA	1	915503
--------------	--------	----	---	--------

K. Justrite Grounding Kit for Outdoor Safety Locker

Use in conjunction with exterior grounding connections on locker to prevent potentially dangerous electric discharges. Kit comes with 5/8" X 8' rod, wire, and connector.

697841-15911	120.00	EA	1	915505
--------------	--------	----	---	--------



Spill Control

In this section:

Sorbents - Universal	288-289
Sorbents Mats and Rugs	290
Sorbents Oily Only	290-291
Special Sorbents	291-292
Kits	293
Lab Pack	294-295
Rigid Spill Decks	296-297
Flexible Spill Decks & Berms	298-301
Control Devices, Diverters	302-303



Brady SPC Sorbent Material Guide

HT High Traffic Absorbent Rolls	Economical for foot traffic, walkways, and around work stations.	✓✓✓	Low Linting	\$\$	Heavy & Medium Weight	2-ply (SM) construction, spunbound coverstock on one side	
MRO Plus Absorbent Pads & Rolls <small>Page 13</small>	Best for industrial applications where greater durability and lower linting is needed	✓✓	Medium Linting	\$\$\$	Heavy & Medium Weight	3-ply (MMM) Meltblown Polypropylene	
GP General Purpose Absorbent Pads & Rolls	Maintenance absorbent for general industrial applications	✓	Medium Linting	\$\$	Heavy, Medium & Light Weight	Single-ply, made with MAXX technology to improve adsorption & strength	
Basic Universal Absorbent Pads & Rolls	Value absorbent for general purpose wiping, drips or leaks	✓	Medium Linting	\$	Heavy & Light Weight	Single-ply Meltblown Polypropylene	NEW!



A



B



C, E



D, F



G, H



I

RS Hughes Part Price Per Case Description

Brady SPC HT - High Traffic Series Absorbents




Built for durability and high absorbency, "High Traffic" or HT Rolls are ideal for your busy problem areas. Designed to withstand heavy foot and forklift traffic. Tough, universal 2-ply, gray, dimpled, heavy weight high traffic roll. Perforated every 15" and up the center. Features a gray abrasion-resistant upper layer coverstock to mask spills. Applications: walkways, under assembly lines, equipment or vehicles.

A. 662706-89320	38.33	CA	1	15" x 50'	8GAL/RL	HT550
B. 662706-21167	137.26	CA	1	15" x 150'	23GAL/RL	HT15
C. 662706-21166	207.37	CA	1	30" x 150'	47GAL/RL	HT30

Brady MRO Plus™ Universal Absorbent Rolls

Brady SPC's #1 Universal Sorbent, and construction makes it stronger and more durable, designed to absorb all industrial liquids, perforated to help you use only what you need. "P" is perforated every 12" to 18" depending on style and "DP" is perforated the same plus up the middle.

D. 662706-21112	132.69	CA	1	15" x 150'	24GAL/RL	MRO15P
E. 662706-21134	136.02	CA	1	15" x 150'	24GAL/RL	MRO15-DP
F. 662706-21114	203.79	CA	1	30" x 150'	49GAL/RL	MRO30P
G. 662706-21136	206.87	CA	1	30" x 150'	49GAL/RL	MRO30-DP
H. 662706-21187	144.66	CA	1	30" x 150'	38GAL/RL	MRO350-DP
I. 662706-21214	90.47	CA	1	15" x 150'	20GAL/RL	MRO315P



RS Hughes Part Price Per Case Description

J. Brady MRO Plus™ Universal Absorbent Pads 15inx19in 100/Case

The MRO Plus™ Sorbent Pads absorb all industrial liquids (water, petroleum-based and chemical-based fluids). 3-ply construction makes it stronger, more durable and reduces lint. Gray color masks drips and spills, dimpled, perfed down the middle so you can take only what you need.

662706-22101	110.59	CA	1	Hwy Wt	26GAL/CA	MRO100
662706-22128	87.51	CA	1	Med Wt	20.5GAL/CA	MRO300

K. Brady SPC GP Universal Sorbent Pad Light Weight 200/Case

Made with MAXX: greater performance without the extra weight. Universal in nature so it absorbs basically all fluids (water, petroleum and chemical-based). Efficient 1-ply construction, gray, dimpled, economy weight pad.

662706-22140	96.03	CA	1	15" x 19"	44GAL/CA	GP200
--------------	-------	----	---	-----------	----------	-------

L. Brady SPC BASIC™ Universal Sorbent Pad,100/Case

662706-89277	47.00	CA	1	15" X 17"	20.5GAL/CA	BPU100 Hvy Wt Pad
662706-89278	37.78	CA	1	15" X 17"	17GAL/CA	BPU500 Lt Wt Pad

Brady SPC Spill Response Universal Pads and Rolls, Heavy Wt.

Small convenient size for employees to fold and carry in pockets for quick response time. Highly absorbent, multi-purpose absorbents made to handle water-based liquids and oils. Dimpled for added durability and reduced linting. Rolls are perforated every 10".

M. 662706-89894	18.67	BL	1	7.5"x50'	3.3GAL/CA	SRP75P (Roll)
-----------------	-------	----	---	----------	-----------	---------------

N. Brady SPC Re-Form™ Eco-Friendly Universal Sorbent Pad

A unique composition gives users an environmentally friendly sorbent that absorbs up to 50% more than traditional meltblown polypropylene sorbents. Re-Form™ is a Universal absorbent made from 80% recycled newsprint and cellulose. Nylon mesh construction provides extra durability and strength. Class A fire retardant. Supports corporate sustainability and LEED initiatives. 100 Pads per case.

662706-89194	81.45	CA	1	15" x 19"	40Gal/CA	RF100 Hvy Wt Pad
662706-89195	68.85	CA	1	15" x 19"	32Gal/CA	RF300 Med Wt Pad
662706-89196	54.30	CA	1	15" x 19"	24GAL/CA	RF500 Lt Wt Pad

O. Brady SPC Re-Form Plus™ Perforated Eco-Friendly Universal Sorbent Roll with Spunbond Coverstock

The same absorbency performance as the basic Re-Form material, but adds a spunbond coverstock making it ideal for handling foot traffic and wiping applications. Perfect around machines and equipment with moderate foot traffic.

662706-89201	151.27	CA	1	28.5"x150'	62Gal/RL	RFP28 Hvy Wt
662706-89202	69.82	CA	1	14.25"x150'	29Gal/RL	RFP314P Med Wt
662706-89207	120.24	CA	1	28.5"x150'	53Gal/RL	RFP328DP Med Wt

P. Brady SPC Re-Form™ Granular Universal Absorbent

100% recycled material - safe for the environment and employee use. Absorbs oils, solvents, lubricants, coolants, water and most non-aggressive liquids on contact. 1:1 absorbency ratio - absorbs its own weight in oil.

662706-89758	8.33	BG	1	30lbs.	16.7Gal/BG	RFGranular
--------------	------	----	---	--------	------------	------------




L

M



N



O



P



Head to Toe Protection

Sorbent Mats and Rugs

RS Hughes Part Price Per Case Description

A. Brady SPC High Traffic Barrier-Backed Safety Mat

Brady SPC's High Traffic (HT) Barrier-Backed Mats stand up to the toughest applications. Designed for areas with high foot and forklift traffic, these universal absorbents are strengthened by a tear-resistant barrier backing. The printed safety message helps reduce the likelihood of slips, trips and falls by providing an extra safety reminder to those working in the area. Multiple Functions: all-purpose mat designed for general industrial applications, non-skid, barrier-backed, 2-ply construction with spunbond, coverstock provides the ultimate durability, printed safety message reminds workers to exercise caution in areas where slips, trips or falls are likely gray color masks drips and spills, encouraging longer use.

662706-90227	264.00	CA	1	30" x 100'	HTBB30
662706-90228	175.00	CA	1	15" x 100'	HTBB15
662706-90229	156.00	CA	1	15" x 19"	HTBB100

B. Brady SPC Adhesive Absorbent Mat

Brady SPC's Adhesive Mat is a great addition to your absorbent program. The tacky underside adheres to any surface, keeping the absorbent in place to greatly reduce the likelihood of slips, trips and falls. When it's time to discard, the absorbent is easily removed without leaving any residue on your floor. Use your Adhesive Mat in walkways and aisles, near equipment and as a replacement for traditional rugs. Multiple Functions: all-purpose mat designed for general industrial applications, perfect for tool cribs, while adhesive rolls provide walkway, protection. gray color masks drips and spills, encouraging longer use.

662706-90237	99.00	CA	1	15" x 24'	AD1524
662706-90235	199.00	CA	1	15" x 100"	AD15100
662706-90236	299.00	CA	1	30" x 100'	AD30100

BRADY BSM - Barrier Spill Matting

Industrial rug with non-slip and leak-proof barrier backing for use in high-traffic areas and around workstations. Needle-punched polypropylene is durable for high traffic areas and eliminates slippery areas and unsightly tracking. Tear resistant and will not curl or buckle, Absorbs oils, coolants, solvents and water-based fluids.

C. 662706-61132	259.46	BA	1	36"x100'	25Gal/Ca	BSM100
D. 662706-62139	696.40	BA	1	36"x300'	74Gal/Ca	BSM300
E. 662706-61138	186.88	CA	1	36"x50'	12Gal/Ca	BSM3650
E. 662706-61136	528.30	RL	1	72"x150'	40Gal/Ca	BSM72

Sorbents Oil Only

F. Brady SPC™ Oil Only Sorbent Pad 15inx19in

Oil only pads for industrial or marine use. Made with MAXX® Technology for greater performance without the extra weight. Single-ply Oil Only Meltblown Polypropylene. Absorbs petroleum-based liquids and repels water making it ideal for outdoor marine or environmental applications, and general industrial use. Floats indefinitely even when saturated with oil. Dimpled for added durability & reduced linting. Perforated to help you use only what you need. Packaged in a blue colored bag to streamline absorbent identification in your facility.

662706-12039	94.92	CA	1	100/cs	35Gal/Ca	SPC100 Hvy Wt Pad
--------------	-------	----	---	--------	----------	-------------------



A



B



C



D



E



F

**OIL ONLY
SORBENTS**

RS Hughes Part Price Per Case Description

G. Brady SPC ENV™ Oil Only Sorbent Pad 100 Pads/Case

Made with MAXX® Technology for superior absorbency and greater strength. Plus, they weigh less - which means lower disposal costs! Highly economical, contractor grade Oil Only Meltblown Polypropylene for oil clean-up on land or water. Absorbs petroleum-based liquids and repels water. Economical single-ply construction. Floats indefinitely even when saturated with oil. The MXO1000 is perforated up the middle. All ENV® Oil Absorbents are packaged in a green colored bag to streamline absorbent identification in your facility.

662706-12048	76.16	CA	1	15" x 19"	33Gal/Ca	ENV100 Hvy Wt
662706-16049	62.83	CA	1	15" x 19"	24.5Gal/Ca	ENV300 Lt Wt
662706-83243	49.37	CA	1	15"x19"	26Gal/Ca	MXO1000 Lt Wt. PerF'd

Brady BASIC™ Oil Only Pads 15"x17"

Our value-priced oil only absorbent. Oil Only Meltblown Polypropylene. Absorbs petroleum-based liquids and repels water. Floats indefinitely even when saturated with oil. Economical single-ply construction. Perforated to help you reduce waste by using only what you need, dimpled for added durability and reduced linting. All Basic Oil Absorbents are packaged in a clear bag to streamline absorbent identification in your facility.

G. 662706-89274	41.66	BL	1	Hwy. Wt.	20.5Gal/Ca	BPO100 (100/cs)
H. 662706-89276	102.00	BL	1	Hwy. Wt.	38Gal/Roll	BPO150 Perfd
G. 662706-89281	58.00	BL	1	Lt. Wt.	34Gal/Ca	BPO200 (200/cs)
I. 662706-89275	33.00	BL	1	Lt. Wt.	17Gal/Ca	BPO500 (100/cs)

J. Brady SPC High Visibility Safety & Chemical Mat

Specially designed chemical absorbent combines signage and absorbency in one unique product! Color-coded yellow for safety and easy separation of hazardous waste. Surfactant treatment does not react with aggressive fluids. Pads perforated every 7.5" and rolls perforated every 15".

662706-83245	122.00	CA	1	15" x 19"	22Gal/Ca	CH100
662706-90119	137.73	CA	1	15" x 19"	28Gal/Ca	CH200
662706-83247	215.00	EA	1	30" x 150'	40Gal/Ca	CH30DP
662706-83248	131.00	BA	1	15" x 150'	30Gal/Ca	CH15P
662706-90169	215.18	RL	1	30" x 300'	80Gal/Ca	CH303



G



H



I



J

Special Sorbents

K. Brady SPC Drum Top Cover

Pre-cut to fit 55-gallon drums with either one or two bungholes. Keeps drums, the floor and surrounding storage areas clean.

662706-12106	111.46	CA	1	DT025, Oil Only
662706-22105	111.46	CA	1	DTA25, Allwik /Universal



K



L

L. Brady SPC BASIC™ Universal SOC's

Economical absorbent SOC with a cellulose fill. Suitable for most non-aggressive fluids.

662706-89835	47.25	CA	1	3" x 42"	40.5Gal/Ca	BSC20 (20/cs)
662706-89834	82.38	CS	1	3" x 42"	81Gal/Ca	BSC40 (40/cs)

M. BRADY SPC SLIKWIK® Universal SOC's

Corn cob-filled SOC. Exceptional value for picking up of all non-aggressive liquids.

662706-83101	103.93	CA	1	3" x 42"	20Gal/Ca	SW46 (40/cs)
--------------	--------	----	---	----------	----------	--------------

M





NO MINIMUM ORDER! 1-877-RSHUGHES
Pricing subject to change



RS Hughes Part Price Per Case Description

Brady SPC HAZWIK® SOC's

These surfactant-treated polypropylene SOC's can be used on a wide range of chemicals, including hydrofluoric acid. They also are chemically inert, so they will not react with aggressive fluids.

RS Hughes Part	Price	Per	Case	Description
A. 662706-23206	103.31	CA	1	3"x12' 12Gal/Ca HAZ124
B. 662706-28205	103.31	CA	1	3"x4' 12Gal/Ca HAZ412

C. Brady SPC SC-3000 Sorbent Cabinet

Fill your Sorbent Center with just about any SPC sorbent you need. Holds up to a 38inch roll and full blades of product - no special refills required. Buy one and hang it on the wall or place it under your workbench. Buy two or three to make a custom sorbent cabinet. 50" W X 26" H X 21 1/2" D

662706-83157	382.64	CA	1	SC3000
--------------	--------	----	---	--------

Brady SPC Oil Only SOC's

Specialized for oil and other petroleum-based spills, Oil Only SOC's will not absorb water making them ideal for outdoor use. These absorbents are unaffected by temperature and impervious to rot and mildew. Ideal for soaking up petroleum-based solvents and paints, vegetable oils and other non-water soluble oil based fluids.

D. 662706-13201	84.06	CA	1	3" x 4' 12Gal/Ca OIL412 (12/cs)
E. 662706-13202	84.06	CA	1	3" x 8' 12Gal/Ca OIL806 (6/cs)

BRADY ENV® Marine Sorbent Booms - 4/CASE

Premium Booms are lint free, easy to handle and feature a lint-free blue sleeve.

F. 662706-14105	121.08	BA	1	5"x10" 32Gal/Ca ENV510
G. 662706-14063	155.40	BA	1	8"x10" 64Gal/Ca ENV810



RS Hughes Part Price Per Case Description

H. Brady SPC Economy Portable Universal Spill Kit

The Economy Portable Spill Kit cCis "just right" for small spills of any material. This kit is the right price, the right size and the right value. Absorbs up to 5 gallons per kit. Kit dimensions: 20"Lx16"Wx4"H. Kit contains: (10) 15" x 19" pads, (2) 3" x 4' SOCs, (1) pair of nitrile gloves, (1) disposal bag, and an instruction sheet.

662706-89781	58.42	KT	1	Universal Kit, TAA Compliant	SKA-PP-TAA
662706-25240	55.30	CA	1	Universal Kit	SKA-PP

I. Brady SPC Attack Pac™ Portable Universal Spill Kit (TAA Compliant)

Space saving, single use kit, packed in puncture and UV resistant foil bag (includes grommet for hanging). Absorbs up to 7 gallons per kit. Kit dimensions: 20"Lx16"Wx4"H. Kit contains: (5) 15" x 19" pads, (3) 3" x 4' SOCs, (1) pair of nitrile gloves, (1) disposal bag, (1) pair of goggles, and an instruction sheet.

662706-89782	395.43	KT	4	Universal Kit	SKA-ATK-TAA
662706-25201	381.03	KT	4	Universal Kit	SKA-ATK

J. Brady SPC 2-Gallon Universal Spill Response Kit

Designed to be highly absorbent, durable and reduce waste. Ideal for small spills. Absorbs up to 4.5 gallons per kit. (9.75"Dx 10.5" H).Kit contains: (20) 7.5" x 10" pads, (1) pair of nitrile gloves, (1) disposal bag, (1) pair of goggles, and an instruction sheet.

662706-89897	39.38	EA	1	Universal Kit	SKA-SRP
--------------	-------	----	---	---------------	---------

K. Brady SPC 6.5-Gallon Spill Bucket Kit

Fast and small response with easily accessible spill kit in a reusable bucket. Absorbs up to 10 gallons per kit. Kit dimensions: 14"Dia. X 18"H. Contents: 10 pads (15" x 19"), 3 SOCs (3" x 4'), 2 disposal bags, 1 pair nitrile gloves, 1 instruction sheet.

662706-25200	84.43	KT	1	Universal Kit	SKA-BKT
--------------	-------	----	---	---------------	---------

L. Brady SPC 20-Gallon Lab Pack Spill Kit

UN approved water and chemical resistant polyethylene Lab Pack container with screw top lid for small to medium response of any material. Kit contains: (12) 15" x 19" pads, (3) 3" x 12' SOCs, (2) 18" x 18" pillows, (1) pair of nitrile gloves, (3) disposal bags, (1) pair of goggles and an Emergency Response handbook.

662706-25204	294.88	KT	1	Universal Kit	SKA-20
662706-25203	354.50	KT	1	Chemical Kit	SKH-20
662706-15203	294.88	KT	1	Oil Only Kit	SKO-20

M. Brady SPC 30-Gallon Lab Pack Spill Kit

This is a 30-gallon spill kit that is ideal for small/medium spill responses. It is tough, secure and reusable with a screw-top. Kit contains: (25) 15" x 19" pads, (6) 3" x 12' SOCs, (6) 9" x 9" pillows, (1) pair of nitrile gloves, (3) disposal bags, (1) pair of goggles and an Emergency Response handbook.

662706-89790	375.08	EA	1	Hazwik	SKH-30
662706-89788	318.81	EA	1	Allwik/Universal	SKA-30
662706-89789	318.81	EA	1	Oil Only	SKO-30

N. Brady SPC 55-Gallon Lab Pack Spill Kit

The 55 Gallon Drum can be easily opened and closed for a fast response to a medium sized spill of any material. Drum meets UN specifications. Kit contains: (50) 15" x 19" pads, (4) 3" x 12' SOCs, (8) 18" x 18" pillows, (1) pair of nitrile gloves, (5) disposal bags, (1) pair of goggles and an Emergency Response handbook.

662706-25206	592.72	KT	1	Hazwik	SKH-55
662706-25205	573.25	KT	1	Allwik/Universal	SKA-55
662706-15204	573.22	KT	1	Oil Only	SKO-55





Eagle Drums feature:

- Blow-molded HDPE construction
- Chemical & weather resistant
- HDPE incinerates completely
- United Nations (UN) Certified to HM-181
- Operating temperature range (-30° F to 130° F)
- Drop tested – max weight @ 0° F (48 hrs.)
- Approved for use with Packing Groups I, II and III
- UV Protection Package
- UL 94HB Flammability Rating
- Nestable for ideal storage (except model 1656)
- FDA 21 CFR 177.1520 Food Grade Quality
- Stack tested – three high at maximum weight capacity (24 hrs.)

Salvage Drums - for use with damaged or leaking containers of hazardous materials or used absorbent materials contaminated with a hazardous substance. Require "Salvage Drum" labeling and must pass a 3-PSI pressure test.

Overpacks - for use with larger non-damaged containers, cans and drums of non-leaking hazardous materials - if leaking, must pack with sufficient sorbents for – NO FREE LIQUIDS.

Regulatory Compliance:

Lab Packs/Open Head: DOT 49 CFR 173.12

Overpacks: DOT 49 CFR 173.25

Salvage Drums: DOT 49 CFR 173.3

Eagle Lab Packs



Model Numbers & Prices	1602 65.63	1655MB 109.20
Style	Salvage Drum	Lab Pack
Closure Type	Metal Lever-Lock	Metal Lever-Lock
Inside Dimensions <small>Top: Bottom: Hgt:</small>	19" 16 ³ / ₄ " 26 ³ / ₈ "	22 ⁷ / ₈ " 19" 38 ¹ / ₈ "
Outside Dimensions <small>Top: Bottom: Hgt:</small>	21 ¹ / ₈ " 16 ³ / ₈ " 28 ¹ / ₂ "	23 ³ / ₄ " 19 ¹ / ₈ " 39 ¹ / ₈ "
Maximum Capacity	396 lbs. 180 kg.	552 lbs. 250 kg.
Total Capacity	30 gal. 114 l.	57 gal. 213.89 l.
Maximum Container Size	16 gal.	30 gal.
Weight	18 lbs. 7.2 kg.	23.5 lbs. 10.7 kg.
Pallet Quantity	40	36
Truckload Quantity	1,000	864
UN/DOT Rating	1H2/X120/S 1H2/Y180/S	1H2/X200/S 1H2/Y250/S



Did you know?

Eagle poly drums are made seamlessly with blow-molded HDPE to help ensure a leakless environment.

Lab Packs/Open Head -

for use with smaller non-damaged bottles, cans, carboys and 5-gallon pails of non-leaking hazardous materials - if leaking, must pack with sufficient sorbents for – NO FREE LIQUIDS.



	1650 49.57	1600SL 53.97	1661 212.43	1690 236.02
	Lab Pack	Lab Pack	Overpack	Overpack
	Screw-on lid	Screw-on lid	Screw-on lid	Screw-on lid
	19 ¹ / ₂ " 16 ³ / ₄ " 20"	19 ¹ / ₂ " 16 ³ / ₄ " 27"	27 ¹ / ₂ " 25 ¹⁵ / ₁₆ " 31 ¹ / ₄ "	27 ¹ / ₂ " 25 ¹⁵ / ₁₆ " 39"
	20 ¹ / ₂ " 16 ³ / ₄ " 20 ³ / ₄ "	22 ¹ / ₂ " 16 ³ / ₄ " 28 ¹ / ₄ "	31" 26 ¹ / ₆ " 33 ³ / ₄ "	31" 26 ¹ / ₆ " 41 ¹ / ₄ "
	125 lbs. 57 kg.	396 lbs. 180 kg.	660 lbs. 300 kg.	660 lbs. 300 kg.
	20 gal. 76 l.	30 gal. 114 l.	65 gal. 247 l.	95 gal. 361 l.
	5 gal.	16 gal.	30 gal.	55 gal.
	13 lbs. 5.85 kg.	18 lbs. 6.3 kg.	45 lbs. 20.25 kg.	50 lbs. 22.5 kg.
	24	24	3	3
	528	720	180	180
	1H2/X57/S	1H2/X120/S 1H2/Y180/S	1H2/X300/S	1H2/X300/S

Lid Styles:

- Lids feature closed cell foam or silicone gaskets
- Lid closure instructions included in each drum
- Salvage Drums pass 3-PSI pressure test



SCREW TOP



METAL LEVER-LOCK



Eagle Rigid Spill Decks feature:


- High-performance engineered plastic construction for excellent chemical resistance and impact durability for long life.
- Forklift pockets
- Removable flat top grating.
- Modular platforms easy to connect with built-in U-channel)
- Most models available with and without drain



Eagle Spill Decks – Rigid

MODULAR SPILL PLATFORMS

Yellow No Drain Price	1633 115.92	1632 210.40
Yellow w/ Drain Price	1633D 120.96	1632D 218.40
Black No Drain Price	1633B 115.92	1632B 210.40
Black w/ Drain Price	1633BD 120.96	1632BD 218.40
Common Name	1 Drum Modular Platform	2 Drum Modular Platform
Dimensions <small>W D H</small>	26 1/4" 26" 6 1/2"	26 1/4" 51 1/2" 6 1/2"
Sump Capacity	12 gal.	30 gal.
Drain Plug	No	Yes
Weight	16 lbs.	32 lbs.
Load Capacity	2,000 lbs.	5,000 lbs.
Fork Pockets	No	Yes
Compliance		
FOR VOLUMES LESS THAN THE CAPACITY LISTED ABOVE		
Use w/1689 Ramp	Yes	Yes



Convenient Storage Center

SPILL CONTAINMENT PALLETS

1634 378.74	1635 336.00	1620ND 319.20	1645ND 396.48
—	1635D 344.40	1620 321.06	1645 401.28
—	1635B 336.00	1620BND 319.20	1645BND 396.48
—	1635BD 344.40	1620B 321.06	1645B 401.28
4 Drum Modular Platform (2 Piece)	4 Drum Modular Platform	2 Drum Pallet	4 Drum Pallet
51½" 52½" 6½"	51½" 52½" 6½"	51" 26¼" 13¾"	51½" 51½" 8"
30 gal. per side	60.5 gal.	66 gal.	66 gal.
65 lbs.	65 lbs.	52 lbs.	67 lbs.
10,000 lbs.	10,000 lbs.	4,000 lbs.	8,000 lbs.
Yes	Yes	Yes	Yes
Yes	Yes	No	Yes

ADD LOW COST SPILL PROTECTION TO YOUR WORKPLACE

Poly Pallet Ramps

Poly Ramp
45½"L x 32"W x 8"H
Weight: 32 lbs. – Capacity: 1,500 lbs.

For use with 1632, 1634,
1635, 1645, 1646, 1647,
1686, 1688, 1646RTC
and 1649



HDPE

100% Recyclable



Head to Toe Protection

Spill Control

Spill Decks and Berms – Flexible



Flexible Spill Decks & Berms

RS Hughes Part Price Per Case Description (W x D x H)

A. Eagle Quik-Deploy™ SpillNEST™

Eagle Quik-Deploy™ SpillNEST™ are a compact and affordable solution for fast response to leaks and drips. Features a 4" low profile sidewall and is available in size sizes. 100% Leak Tested before shipment and perfect for: Changing oil and fluids; Quick use under leaking vehicles; Protecting bottom surfaces while dispensing; Performing maintenance on an item with spill potential. Constructed of PVC Fabric and Made in the USA.

048441-00612	197.17	EA	1	2'x2'x4"	Yellow	T8001
--------------	--------	----	---	----------	--------	-------

B. Eagle Quik-Deploy™ Folding SpillNEST™

Eagle Quik-Deploy™ Folding SpillNEST™ is a compact and affordable solution for a fast response to leaks and drips. This product comes in 6 sizes and features a thinner 2" sidewall width, an extended 6" sidewall height that allows for up to 30% more spill capacity and a secure strap for easy folding and storage. Conveniently folds saving shipping and storage space. Constructed of high-quality PVC Fabric. Made in the USA.

048441-00613	259.60	EA	1	2'x2'x6"	Yellow	T8001FS
--------------	--------	----	---	----------	--------	---------

C. Eagle Talon™ Spill Berm

Eagle Talon™ Spill Berm is a light weight, portable berm constructed of yellow, industrial vinyl-coated polyester. With unique snap-up supports to create a sturdy sidewall when open. Available in 7 sizes and Made in the USA.

048441-00631	859.92	EA	1	4'x4'x8"	Black	T8421
--------------	--------	----	---	----------	-------	-------

D. Justrite Pop-Up Pool

Economical emergency spill containment: simply unfold, shake from foam ring top, and place under leaking equipment. Use these space-saving and lightweight pools to contain spills from punctured saddle tanks, or leaking drums, hydraulic lines, pipes, and machinery. The durable vinyl fabric is 20% heavier than other models on the market, providing increased abrasion resistance and more reliable seam adhesions. Yellow color provides visibility and easy identification.

697841-15700	125.00	EA	1	20 GAL	28319
697841-15701	144.98	EA	1	66 GAL	28321
697841-15702	160.62	EA	1	100 GAL	28323
697841-15703	186.74	EA	1	150 GAL	28325



E. Justrite Mini-Berm Flex Tray

Safe and reliable for tabletop parts cleaning and fluid transfer operations involving petroleum products and acids, the Mini-Berm Flex Tray is made from a robust modified PVC-coated fabric. It features rigid corner supports and sturdy foam walls. Each berm comes with a 1-in NPT drain fitting. Simply attach hose and transfer fluids for disposal. Easy to fold and store; utility strap included. Helps comply with EPA for containment and spill prevention (SPCC).

697841-15718	222.11	EA	1	3' X 3' X 6"	28442, 30GAL
697841-15719	255.67	EA	1	4' X 4' X 6"	28444, 55GAL
697841-15720	294.65	EA	1	4' X 5' X 6"	28446, 70GAL
697841-15721	333.27	EA	1	5' X 6' X 6"	28448, 110GAL



A



B



C



D



E



F



Available in 2-in (51-mm) and 4-in (102mm) heights.



Roll-over sidewalls offer easy drum placement—foam walls quickly spring back for secure containment.



Folds up for easy storage.



G



RS Hughes Part Price Per Case Description (W x D x H)

Justrite Maintenance Spill Berm

Quickly contain minor spills and leaks during temporary storage of drums, machine parts, batteries, and equipment. Lightweight PVC coated fabric provides broad UV and chemical resistance. Compact and flexible spill containment deploys instantly in the shop or field. No assembly required—simply unfold and use. Encased urethane foam sidewalls offer easy roll-through access without the need for a ramp. Walls quickly spring back into place with no memory loss.

F. 697841-15672	290.20	EA	1	2' X 2' X 4"	28400, 10GAL
F. 697841-15673	320.49	EA	1	2' X 4' X 4"	28402, 20GAL
F. 697841-15674	413.40	EA	1	2' X 8' X 4"	28404, 40GAL
F. 697841-15675	378.09	EA	1	4' X 4' X 4"	28406, 40GAL
F. 697841-15676	422.14	EA	1	4' X 6' X 4"	28408, 60GAL
F. 697841-15677	440.71	EA	1	4' X 8' X 4"	28410, 80GAL
F. 697841-15678	592.37	EA	1	6' X 6' X 4"	28412, 90GAL
G. 697841-15704	148.51	EA	1	2' X 2' X 2"	28414, 5GAL
G. 697841-15705	172.29	EA	1	2' X 4' X 2"	28416, 10GAL
G. 697841-15706	244.43	EA	1	4' X 4' X 2"	28418, 20GAL
G. 697841-15707	428.59	EA	1	4' X 8' X 2"	28421, 40GAL
G. 697841-15708	480.92	EA	1	6' X 6' X 2"	28422, 44GAL
G. 697841-15709	549.54	EA	1	10' X 11' X 2"	28424, 135GAL
G. 697841-15710	750.36	EA	1	10' X 18' X 2"	28426, 220GAL

H. Justrite Quickberm® Lite

Portable, versatile containment berm deploys quickly for emergency spill response. Leakproof, tough vinyl coated fabric provides broad UV and chemical resistance that withstands repeated usage. Reinforced inside supports reduce sagging and prevent tripping hazards that can be caused by outside supports. Lightweight berm folds down easily to a small size for storage in trucks, emergency vehicles, and spill kits. Add optional grates to help reduce contact with contaminated liquids by personnel or equipment. Helps comply with EPA for containment and spill prevention (SPCC).

697841-15736	524.61	EA	1	4' X 8' X 8"	28564, 159GAL
697841-15679	252.09	EA	1	4' X 4' X 8"	28556, 79GAL
697841-15680	386.76	EA	1	4' X 6' X 8"	28558, 119GAL
697841-15681	620.78	EA	1	8' X 8' X 8"	28566, 318GAL
697841-15682	825.13	EA	1	8' X 10' X 8"	28568, 398GAL



H



Spill Control

Spill Decks and Berms – Flexible



NO MINIMUM ORDER! 1-877-RSHUGHES
Pricing subject to change



RS Hughes Part Price Per Case Description (W x D x H)

A. Justrite Rigid-Lock QuickBerm® Plus

Heavy-duty construction provides long-term spill containment for vehicles, heavy equipment, tankers, and more. Superior protection and chemical resistance against the harshest of liquids, including petroleum, oils, greases, and most acids. Single-piece construction - patented Rigid-Lock wall-support system integral to berm provides unobstructed work space. Quick and easy setup - no assembly required. Durable modified PVC coated fabric withstands long-term UV exposure - great for outdoor use.

697841-15635	2,200.40	EA	1	8' X 10' X 12"	28500, 595GAL
697841-15636	3,160.33	EA	1	10' X 15' X 12"	28502, 1120GAL
697841-15637	5,407.47	EA	1	12' X 28' X 12"	28504, 2510GAL
697841-15638	8,780.93	EA	1	12' X 50' X 12"	28506, 4485GAL
697841-15639	7,918.63	EA	1	12' X 54' X 12"	28508, 4840GAL
697841-15640	8,807.44	EA	1	14' X 56' X 12"	28510, 5860GAL

B. Justrite Rigid-Lock QuickBerm®

Safe, drive-in spill containment for drums, IBC totes, and tanks. The Rigid-Lock QuickBerm® offers immediate, secure deployment and no-worry, spill-readiness. Single-piece construction - patented Rigid-Lock wall-support system integral to berm provides unobstructed work space. Quick and easy setup - no assembly required. Durable modified PVC coated fabric withstands long-term UV exposure - great for outdoor use.

697841-15641	702.31	EA	1	4' X 6' X 12"	28512, 175GAL
697841-15642	811.82	EA	1	4' X 8' X 12"	28514, 235GAL
697841-15643	966.80	EA	1	6' X 8' X 12"	28516, 355GAL
697841-15644	1,105.51	EA	1	8' X 8' X 12"	28518, 475GAL
697841-15645	1,557.78	EA	1	10' X 10' X 12"	28519, 745GAL
697841-15646	1,926.33	EA	1	12' X 12' X 12"	28522, 1075GAL
697841-15647	2,228.45	EA	1	12' X 16' X 12"	28524, 1435GAL
697841-15648	2,554.54	EA	1	12' X 20' X 12"	28526, 1795GAL
697841-15649	2,689.67	EA	1	16' X 16' X 12"	28528, 1910GAL
697841-15650	3,085.00	EA	1	16' X 20' X 12"	28530, 2390GAL
697841-15651	3,655.90	EA	1	20' X 20' X 12"	28532, 2990GAL

C. Justrite QuickBerm®

Portable, economical containment for drums, buckets, and leaky equipment. Helps you comply with EPA regulations. Dependable spill control for leak-prone containers and equipment. Sets up in mere minutes, great for efficiency and quick response under emergency spill conditions. Reinforced CriticalCorner™ design features wraparound diagonal welds for superior strength and fluid-tight reliability. Withstands a broad range of chemicals including petroleum and most acids. Durable enough for extended wear. High-visibility yellow inside supports alert against potential catch hazards inside while keeping exterior free from trip hazards.

697841-15652	633.94	EA	1	4' X 6' X 12"	28534, 175GAL
697841-15653	733.28	EA	1	4' X 8' X 12"	28536, 235GAL
697841-15654	895.17	EA	1	6' X 8' X 12"	28538, 355GAL
697841-15655	1,013.83	EA	1	8' X 8' X 12"	28539, 475GAL
697841-15656	1,406.57	EA	1	10' X 10' X 12"	28542, 745GAL
697841-15657	1,755.02	EA	1	12' X 12' X 12"	28544, 1075GAL
697841-15658	2,032.57	EA	1	12' X 16' X 12"	28546, 1435GAL
697841-15659	2,343.94	EA	1	12' X 20' X 12"	28548, 1795GAL
697841-15660	2,406.06	EA	1	16' X 16' X 12"	28550, 1910GAL
697841-15661	2,774.46	EA	1	16' X 20' X 12"	28552, 2390GAL
697841-15662	3,395.77	EA	1	20' X 20' X 12"	28554, 2990GAL



No assembly needed - saves time, ready in minutes!

Unmatched structural integrity
Patented Rigid-Lock Mechanism



Unfold berm, exposing supports in flat position.




A simple tug locks supports in upright position.



Fully deployed for quick spill readiness!



Sets up to a 90° locked position. Brass grommets permit easy anchoring.



Stainless steel support is encased in protective hub to withstand vehicle traffic.



Justrite QuickBerm®/QuickBerm Plus

The difference between the QuickBerm® Plus and the standard Rigid-Lock QuickBerm® is the durability of the PVC-coated fabric. The Plus version is thicker and more durable for more frequent drive-in or -out applications. The standard QuickBerm® is better suited for infrequent drive-in or -out scenarios, pedestrian traffic, and for placing heavy materials within the working space.



Portable, foldable design can be easily positioned anywhere in your facility—providing spill control right where you need it.

RS Hughes Part Price Per Case Description (W x D x H)

Justrite Decon QuickBerm®

Portable multi-zone decon stations help prevent environmental contamination. Single-piece construction—patented inside wall-support system forms watertight wash down zones. Quick and easy setup—no assembly required. For emergency deployment, these berms with patented interior walls create wash down zones that safely capture and contain contaminated solutions. Select from two-, three-, or four-zone models. Watertight, lightweight PVC coated fabric provides wide range of chemical resistance. The 8-inch (203-mm) walls allow for easy entry and exit of the compartments. One ¾-in GHT drain fitting per zone.

D.	697841-15683	932.15	EA	1	6' X 10' X 8"	28570, 2-Zone
E.	697841-15684	1,214.11	EA	1	6' X 16' X 8"	28572, 3-Zone
F.	697841-15685	1,372.10	EA	1	6' X 20' X 8"	28574, 4-Zone



D



E



Quick-deployment Decon QuickBerm® used by first responders for emergency decontamination of personnel.

G. Justrite Washdown QuickBerm®

Portable drive-through station captures contaminated water from vehicle and construction equipment wash down. Durable vinyl coated material reinforced with radio frequency-welded, high visibility yellow runway strips that withstand drive-thru traffic, including backhoes and skid steers. Simply remove foam inserts to fold material for quick and compact storage. Two 1-in NPT fittings on each side of the berm for drainage. Brass grommets around perimeter provide the ability to securely anchor berm during use (anchor stakes not included). Helps comply with EPA for stormwater regulations.

697841-15686	1,286.23	EA	1	10' X 11' X 4"	28576, 250GAL
697841-15687	1,893.23	EA	1	10' X 18' X 4"	28578, 425GAL
697841-15688	2,966.77	EA	1	12' X 26' X 4"	28579, 750GAL
697841-15689	4,149.10	EA	1	14' X 54' X 4"	28581, 1800GAL



F



Wash down dirty equipment and recapture water for reclamation.

H. Justrite Track Runner, Yellow

Place this high visibility, yellow vinyl coated fabric inside the berm for moderate protection against tire abrasion. Improve berm longevity without sacrificing functionality.

697841-15745	17.11	EA	1	3' X 6'	28334
697841-15748	45.56	EA	1	3' X 10'	28340
697841-15753	71.47	EA	1	3' X 16'	28346
697841-15756	125.07	EA	1	3' X 28'	28352
697841-15759	250.13	EA	1	3' X 56'	28358



G

I. Justrite Track Mat, Black

Position inside the berm for extra protection along tire paths. Thick durable, black woven fabric protects the floor and walls from tire abrasion caused by skidding, turning, and braking. Improve berm longevity without sacrificing functionality.

697841-15746	102.40	EA	1	3' X 6'	28336
697841-15751	170.67	EA	1	3' X 10'	28342
697841-15754	273.07	EA	1	3' X 16'	28348
697841-15757	477.87	EA	1	3' X 28'	28354
697841-15760	974.84	EA	1	3' X 56'	28360



H



I



J

K. Justrite Ground Mat

Create a smooth, uniform deployment area with this heavy-duty woven fabric. Place under berm for improved wear resistance against rocks and construction debris. Improve berm longevity without sacrificing functionality.

697841-15747	130.47	EA	1	6' X 6'	28338
697841-15752	217.45	EA	1	6' X 10'	28344
697841-15755	347.91	EA	1	6' X 16'	28350
697841-15758	608.85	EA	1	6' X 28'	28356
697841-15761	1,242.05	EA	1	6' X 56'	28362

K

Flexible Spill Decks & Berms Accessories

J. Justrite Berm Grating

Durable, anti-slip grates help keep personnel and other objects above contaminated wash down water. Made of chemical resistant, easy-to-clean polyethylene.

697841-15711	62.92	EA	1	2' X 2'	28428
697841-15712	96.57	EA	1	2' X 4'	28430

Spill Control

Spill Control Devices, Diverters



RS Hughes Part	Price	Per	Case	Description (W x D x H)
----------------	-------	-----	------	-------------------------

A. Brady SPC Storm Drain Guard

Keeps oil, sediment, and other contaminants from entering the water system. Made from non-woven polypropylene, each drain guard will hold up to 40lbs of sediment. Flow rate is 500gpm and 700gpm bypass. Include four handling straps.

662706-89313	115.84	EA	1	36" x 48" x 18"
662706-89314	172.40	EA	1	36" x 48" x 18" With X-TEX Filler Strips
662706-89315	1,132.42	CA	1	36" x 48" x 18" 10Pack
662706-89316	1,597.92	CA	1	36" x 48" x 18" 10Pack X-TEX Filter Strips

B. Justrite Ceiling Leak Diverter

Diverters help provide a fast and economical way to protect your personnel, equipment, and inventory. Durable, puncture resistant, and watertight PVC-coated yellow fabric is designed to channel overhead pipe and ceiling leaks to containers or floor drains. Corners contain grommets for bungee or zip tie attachment. Constructed with cinched corners for quick and easy installation. Simply connect to a standard garden hose to drain water safely away. Flow rate of 3.3 gal/min (12.5 L/min).

697841-15690	67.53	EA	1	5' X 5'	28300
697841-15692	99.55	EA	1	7' X 7'	28304
697841-15694	152.94	EA	1	10' X 10'	28308
697841-15696	179.97	EA	1	12' X 12'	28312
697841-15698	275.29	EA	1	15' X 15'	28315
697841-15699	445.18	EA	1	20' X 20'	28318
697841-15691	208.17	EA	1	5' X 5'	28302 with Magnets
697841-15693	254.44	EA	1	7' X 7'	28306 with Magnets
697841-15695	369.75	EA	1	10' X 10'	28310 with Magnets
697841-15697	389.98	EA	1	12' X 12'	28314 with Magnets

C. Eagle DripNEST Leak Diverter

Eagle DripNEST™ Leak Diverters provide an instant drip diversion. Available in various sizes, this funnel style diverter will channel away liquids to minimize the risk injuries, property damage and contamination. Flow rate: 3 Gallons per minute. Includes a hose connector with cap for easy step-up. Made in the USA.

048441-00600	58.99	EA	1	3'x3'	Yellow	T8301
--------------	-------	----	---	-------	--------	-------

D. Justrite Water Filled Drain Cover

Deploy cover as a preventative measure to seal drains before washdowns, maintenance, or other cleanup tasks that may allow contaminants into nearby water systems. Features easy-open push plug for filling with standard water hose. Order a cover size that overlaps drain opening at least 6" on each edge. To prevent edges from losing contact with ground surface, do not fill over 5" in height. Long-lasting durable modified vinyl construction resists damage caused by UV rays. Helps comply with EPA for stormwater regulations.

697841-15732	99.67	EA	1	30" X 30"	28468
697841-15733	176.28	EA	1	42" X 42"	28470
697841-15734	244.24	EA	1	42" X 66"	28472
697841-15735	277.80	EA	1	58" X 58"	28474

E. Brady SPC Slikstopper

Seals drains tightly to prevent spills from spreading. Made from chemical resistant, flexible PVC. Resists water, oil and most aggressive fluids. Available in four sizes. Easy application and soap and water cleanup for re-use. 1/Case.

662706-89001	210.82	CA	1	18 X 18	PVC18
662706-89153	305.49	CA	1	24 X 24	PVC24
662706-89150	527.54	CA	1	36 X 36	PVC36
662706-89008	609.01	CA	1	42 X 42	PVC42

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

F. Brady Spill Magnet™ Drain Seal, 12"

Spill Magnet Drain Seals are back with a strong magnet to tightly seal drains. Resists water, oil, and most aggressive fluids. Easy application; soap and water cleanup for re-use.

754473-96229	19.49	EA	1	Black on Yellow
--------------	-------	----	---	-----------------



G



H

RS Hughes Part Price Per Case Description (W x D x H)

G. Justrite Water Filled Boom Diverter

Temporarily divert and control fluid for easy cleanup or recovery. Use the water filled booms in storm water management, portable washdown/ pressure washing diversion, spill diversion, and equipment and personnel decontamination. Flexible PVC film construction conforms to uneven surfaces such as asphalt or concrete to form a diversionary barrier away from storm drains or as a holding area for wet vacuum operations. Features easy-open push plug for filling with standard water hose. Helps comply with EPA for stormwater regulations.

697841-15722	67.83	EA	1	5'	28450
697841-15723	83.75	EA	1	10'	28452
697841-15724	192.52	EA	1	25'	28454
697841-15725	329.29	EA	1	50'	28456

H. Brady SPC High Visibility Barrier-Backed Safety Mat

Brady SPC's High Visibility Barrier-Backed Safety Mat combines absorbency, durability and safety signage into one versatile product. Designed as an all-purpose absorbent for industrial applications, this mat is the perfect option for high-traffic walkways and foot paths. The barrier backing resists tearing and helps keep the mat in place while the bright color and printed message bring attention to areas where there is a high risk of slips, trips and falls. Multiple Functions: highly absorbent all-purpose mat, Non-skid, barrier-backed, 3-ply construction with spunbond, coverstock provides the ultimate durability, color-coded for safety and easy separation of hazardous waste, OO Product will not react with aggressive fluids.

662706-90221	279.00	CA	1	30" x 100'	CHBB30
662706-90222	179.00	CA	1	15" x 100'	CHBB15
662706-90223	162.00	CA	1	15" x 19"	CHBB100



I



J

I. Eagle SpillNEST Drip Pads

Eagle SpillNEST™ Drip Pads are used for outdoor leaks and spills. Designed to be used as a durable, portable drip pan and are compatible with all fuels and hydrocarbons. Each unit folds easily for storage. Refill pads are available. Made in the USA.

048441-00663	80.75	EA	1	22" x 22"	Yellow	T8340
--------------	-------	----	---	-----------	--------	-------

J. Justrite Drip Pad

These drip pads feature replaceable, oil-only sorbent within a welded leakproof barrier. Rated for drive over applications, pads include brass grommets in opposing corners for anchoring (anchoring stakes not included). Extended model is weighted to keep it down in high winds. Outer shell is reusable with optional refill sorbent packs. Helps comply with EPA for spill prevention (SPCC).

697841-15726	68.59	EA	1	21" X 23"	28458
697841-15727	113.45	EA	1	24" X 36"	28459, Extended

K. Justrite Drip Pad Refills, 5 Pack

Capture small oil leaks and drips before they contaminate the ground or create unsafe work surfaces Helps comply with EPA for spill prevention (SPCC).

697841-15728	22.22	EA	1	21" X 23"	28460
697841-15729	41.67	EA	1	24" X 36"	28461, Extended



K

Facilities Safety

In this section:

Fire Extinguishers.....	304
Lockout/Tagout.....	305-307
Facility Marking - Portable Printers Labels, Ribbons.....	308-323
Facility Marking - Custom Signs.....	324-327
Facility Marking - GHS Labeling.....	328-329
Facility Marking - Floor Tape.....	330-332
Floor Matting.....	333-337
Flashlights.....	338-340
Emergency Portable Chargers.....	341
Batteries.....	342
Water Safety.....	343
Cutting Tools and Safety Cutters.....	344-347
Tool Lanyards.....	348
Storage Bins and Organizers.....	349-353
Storage Cases.....	353
Janitorial Supplies.....	354-362

NO MINIMUM ORDER! 1-877-RSHUGHES
Pricing subject to change



A



B



C

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. Brady Standard V Fire Sign

White on Red fire sign with picto.

754476-49377	15.94	EA	1	Acrylic, 6" H x 8" W x 4" D
754476-45368	22.99	EA	1	Polystyrene, 5 1/2" H x 10" W x 4" D

B. Brady Fire Safety Label - Fire Extinguisher Inside

White on Red self sticking polyester fire sign. 5" H x 14" W

754476-85269	8.49	EA	1	
--------------	------	----	---	--

C. Brady Fire Safety Label - Fire Extinguisher

White on Red self sticking polyester fire sign. 14" H x 10" W

754476-86091	12.11	EA	1	
--------------	-------	----	---	--

D. Brady LOFEG1G Glow-in-the-Dark Standard L Fire Sign

Red on White silk screened fire sign with picto. 8" H x 8" W

754476-45462	28.49	EA	1	
--------------	-------	----	---	--

E. Brady Fire Safety Sign - Fire Extinguisher

Red on White premium fiberglass fire sign. 14" H x 3 1/2" W.

754476-85261	6.74	EA	1	Self-Sticking Polyester
754476-47039	12.56	EA	1	Premium Fiberglass

F. Brady SP184L Tall L Fire Sign

Red on White acrylic fire sign. 18" H x 4 1/2" W

754476-46908	19.99	EA	1	
--------------	-------	----	---	--

G. Brady SP818V Tall V Fire Sign

Red on White acrylic fire sign. 18" H x 8 1/2" W x 3 1/4" D

754476-47173	24.49	EA	1	
--------------	-------	----	---	--

Kidde Pro Line™ Multi-Purpose Pro Line™ ABC Fire Extinguishers

Pro Line™ extinguishers, from Kidde, are designed to meet most commercial and industrial applications. Their seamless aluminum cylinders feature chip-resistant paint, while their handles and levers are made from heavy-gauge metal for added strength. These dry chemical extinguishers use a non-toxic monoammonium phosphate agent that effectively fights A, B, and C class fires.

H. 466227K	50.10	EA	1	2.5 LB with Wall Hook
H. 46622701K	57.22	EA	1	2.5 LB with Vehicle Brackets
I. 466142K	33.33	EA	1	2.5 LB with Nylon Strap Bracket
J. 466112K	57.34	EA	1	5LB with Wall Hook
J. 46611201K	72.55	EA	1	5LB with Vehicle Brackets
K. 21006204K	53.08	EA	1	5LB SINGLE USE with Wall Hook
L. 466204K	88.02	EA	1	10LB with Wall Hook
M. 466206K	161.26	EA	1	20LB with Wall Hook





N. Brady Personal Lockout Kit with Padlocks

N. Brady Personal Lockout Kit with Padlocks

Our personal padlock pouch gives each worker the locks, tags and hasps they'll need for their next lockout situation. Kit components include: 2-Brady Safety Padlocks, 2-Heavy Duty Lockout Tags (66520), 1-1" Lockout Hasp (65375), 1-1.5" Lockout Hasp (65276).

754476-99290 78.50 KT 1



O. Brady 3003Y Prinzing Economy Lockout Center

Filled Lockout Station, Color Coded Lock Board, 14"H x 14"W x 1-3/8"D, Material Acrylic, Yellow, Number of Pockets 1, Pocket Depth 1-1/2 In., Max. Number of Padlocks 6, Lock Type Steel, Number of Components 28, OSHA 1910.147 Standards, Includes (6) Multicolor Keyed Differently Padlocks, (1) 1 In. Steel Jaw Dia. Hasp, (1) 1-1/2 In. Steel Jaw Dia. Hasp, (10) Tags, (10) Ties.

754473-43799 147.51 EA 1

P. Brady LKX Prinzing Economy Lockout Kit

Our economy lockout kit provides 9 components to ensure equipment is either de-energized or locked out in accordance with OSHA regulation 1910.47. Kit components include: 3-1 1/2" Steel Lockout Hasps (T220), 3-Blue Prinzing Padlocks (LC041-BU), 1-4-2 Padlock Identifier Stickers (LID-2), 1-10 Pack Lockout Tags With Ties (LT-10), 3-Single Pole Breaker Lockouts (BL01), 2-Multi-Pole Breaker Lockouts (BL03), 1-Large Plug Lockout (PLO23), 1-Lockout Training Booklet (2112X) and 1-Rugged Polyethylene Carrying Case (7"H x 12"W x 5"D).

754476-45618 124.58 KT 1



Q. Brady LKXD Prinzing Deluxe Lockout Kit

754476-45626 273.40 EA 1

R. Brady LC203G Prinzing Lockout Station, Equipped

754473-45519 135.34 EA 1

S. Brady LC251M Prinzing Industrial Strength Lockout Station

This industrial strength lockout station includes a lockable, all metal, yellow powder-coated cabinet with one adjustable shelf. Lockout safety tips are conveniently located inside of door for frequent reminders of proper lockout procedures. Can be wall mounted or easily transported. Station size is 16"H x 14"W x 6"D. Kit components include: 3-Red padlocks (LC041-RD), 3 Yellow padlocks (LC041-YW), 1-Safetee™ Donut 1"-2 1/2" (SD02), 1-Safetee™ Donut 2 1/2" - 5" (SD04), 1-Single pole breaker lockout (BL01), 1-Package of 10 Lockout tags with ties (LT10), 2-Multi-pole breaker lockouts (BL03), 1- 1" Multiple lockout device (T218), 1-Single pole breaker lockout (BL04), 1- 1 1/2" Multiple lockout device (T220), 1-Large plug lockout (PLO23) and 1-Small plug lockout (PLO21).

754476-45532 431.57 EA 1

T. Brady LC252M Prinzing Metal Lockout Cabinet

This new Prinzing metal lockout cabinet is yellow powder-coated and comes with one adjustable shelf (extra shelves can be ordered using part number LC254M). Lockout cabinet is capable of being locked closed and can easily be wall mounted using predrilled holes in back. Lockout safety tips are printed inside cabinet door. Product dimensions are 16"H x 14"W x 6"D. Cabinet is part of our Industrial Strength Lockout Station Kit (LC251M).

754476-45533 198.41 EA 1



Five Steps to Lockout Tagout Compliance OSHA 1910.147(C)

A successful Lockout / Tagout (LOTO) program starts with a solid foundation and a written plan. After that, proactive training and employee awareness programs will ensure a safer workplace for everyone. Brady has broken down the process for LOTO OSHA compliance into five easy steps, each with their own effective elements that add up to total workplace safety.

Step 1: Develop and document a Written Lockout / Tagout Program


Step 2: Equipment-Specific Graphical Lockout Procedures

Step 3: Energy Control Point Identification

Step 4: Lockout/Tagout Employee Training and Communication

Step 5: Proper Lockout Tools and Warning Devices

Download the 5 steps to Lockout/Tagout Whitepaper to get a more detailed description of each step. http://www.bradyid.com/bradyid/downloads/downloadsPageView.do?file=LOTO_5stepsWhitePaper.pdf



A. Brady Lock Box

Portable metal lock box can hold 13 padlocks. Lock boxes require fewer locks and are lighter than hasps on delicate energy isolating devices like circuit breakers. Made of heavy-duty steel and is powder coated for extra rust resistance.

754476-65699	92.43	EA	1
--------------	-------	----	---

B. Economy Aluminum Hasps, 1" Jaws

Non-sparking, aluminum small hasps are a great addition to your tool box. Hasps are very lightweight - only 1 1/2 ounces. With 5/8" holes for up to 6 padlocks with a maximum of 3/8" shackle diameter.

754476-03777	8.45	EA	1
754476-03778	9.67	EA	1

C. Brady Lockout Hasp

The answer to your safety concerns during group lockout situations. Hasps are constructed of vinyl-coated high tensile steel and are plated to resist rust. Lock holes are 3/8" diameter to accommodate most standard lock shackles. 12/Pack

754476-65375	8.4275	EA	12	1" Diameter
754476-65376	10.05	EA	12	1.5" Diameter

D. Brady Adjustable Gate Valve Lockout

Versatile lockout adjusts to fit 1" to 6 1/2" valve handles, replacing 3 conventional gate valve lockouts. Durable polypropylene is resistant to temperature changes from -13F to 194F. Comes with danger labels in English, Spanish and French.

754476-64057	36.96	EA	1	64057
--------------	-------	----	---	-------

E. Brady Standard Ball Valve Lockouts

Easy to use, single piece design locks quarter-turn ball valves in OFF position. Two sizes fit most valves up to 3inches. 65666 is made of super-tough nylon (service temp -40 to 248F). 65692, 65669 and 65693 are made of powder-coated steel.

754476-65666	26.59	EA	1	65666
754476-65669	43.71	EA	1	65669
754476-65692	30.08	EA	1	65692
754476-65693	44.18	EA	1	65693

F. Brady Circuit Breaker Lockout

Clamp-on 120/277volt breaker lockouts are easy to install using patented thumbscrew design. Simply tighten lockout securely onto switch tongue, pull cover over thumbscrew and lock cover to prevent clamp from being loosened. 6/pack.

754476-65965	60.08	PH	1
--------------	-------	----	---

Brady Lockout Tag - DO NOT OPERATE

Tags exceed OSHA's 50 lb pull requirement for tagout devices. Rigid polyester surface is easy to write on and stays legible longer than cardstock. 3/8" diameter brass eyelet accepts most padlock shackles. Includes 25 tags and nylon fasteners.

G. 754476-65502	68.12	PH	1	Hvy Duty Polyester	5 1/2" H X 3"W
G. 754476-66050	41.01	PH	1	Economy Polyester	5 3/4" H X 3"W
H. 754476-65525	68.12	PH	1	Hvy Duty Polyester	5 1/2" H X 3"W
H. 754476-66064	41.01	PH	1	Economy Polyester	5 1/2" H X 3"W
I. 754476-65520	68.12	PH	1	Hvy Duty Polyester	5 1/2" H X 3"W

Brady Cable & Chain Lockouts

Revolutionary mini cable lockout with 8' nylon cable is perfect for use on disconnect switches, small gate valves, etc. Made of impact modified steel for superior chemical, corrosion and temperature resistance properties. Push-button self-winding mechanism.

J. 754476-50940	44.06	EA	1	Steel Cable
J. 754476-51442	44.06	EA	1	Nylon Cable

Brady's original, patented cable lockout device with 6' cable is perfect for difficult lockout situations such as large gate valves or oversized devices. Simply squeeze device to tighten cable, insert your padlock to secure the handle and you're done!

K. 754476-65318	45.41	EA	1
-----------------	-------	----	---

RS Hughes Part Price Per Case Description

L. Brady Padlock Center

A successful lockout program begins with the right devices stored in the right places and our lockout station boards are the perfect solution to get you started. 5-Lock Board: Wall-mounted station with 5 safety padlocks, 2 hasps and 12 tags. Boards are made of 3/16" thick bright yellow acrylic with acrylic lock rails.

754476-51181 218.89 EA 1



M. Brady Key Retaining Steel Padlocks, 2in Shackle

Key retaining, reinforced laminated steel padlock with 2" shackle clearance. Keyed different, includes one key.

754473-20810 15.92 EA 1 Black
754473-20812 15.92 EA 1 Blue
754473-20814 15.92 EA 1 Green
754473-20816 15.92 EA 1 Red
754473-20818 15.92 EA 1 White
754473-20820 15.92 EA 1 Yellow



Brady Safety Padlocks, 1 1/2" Shackle

Brady Safety Padlocks are the ultimate locks for all of your safety and security needs! Unique cylinder is insulated to protect workers from shocks when key is inserted and is 6-pin precision-machined for more unique key cuts and better tamper resistance. Reserved, paracentric keyway provides optimal security and the special design prohibits the key from being released until the padlock shackle is closed. Locks are compact and lightweight and resist impact, temperature, chemicals and corrosion. Their nonconductive, nonsparking body features a ribbed design for easier gripping and handling. Shackle clearance is 1 1/2", shackle diameter is 1/4". Lock body measures 1 3/4"H x 1 1/2"W x 4/5"D. Locks come standard with English, French and Spanish language labels. Padlocks are available keyed different. Custom keying and charting is available.

N. 754476-99552 14.11 EA 1 Red
N. 754476-99556 14.11 EA 1 Blue
N. 754476-99564 14.11 EA 1 Green
N. 754476-99570 14.11 EA 1 Yellow
N. 754476-99576 14.11 EA 1 Orange
N. 754476-99580 14.11 EA 1 Black
O. 754476-51339 83.01 PK 6 Red, Bulk
O. 754476-51344 83.01 PK 6 Blue, Bulk
O. 754476-51345 83.01 PK 6 Green, Bulk
O. 754476-51346 83.01 PK 6 Yellow, Bulk
O. 754476-51347 83.01 PK 6 Orange, Bulk
O. 754476-51353 83.01 PK 6 Black, Bulk



P. Brady Steel Padlock, 3/4" Shackle

Made from reinforced laminated steel to withstand severe physical abuse and come with a hardened steel shackle making them extremely difficult to cut. Body plates are individually coated for superior rust protection. 5-pin cylinder offers more unique key cuts and better tamper resistance than conventional 4-pin locks. Lock body size is 1 1/3"H x 1 9/16"W x 7/8"D. Colored bumpers can be used for identification and protection and custom stamping is available. Padlocks are available keyed different. Custom keying and charting is available. Lock labels sold separately. 6 locks per package.

754476-51279 73.49 PK 6 Red
754476-51280 73.49 PK 6 Blue
754476-51281 73.49 PK 6 Green
754476-51282 73.49 PK 6 Yellow
754476-51283 73.49 PK 6 Orange
754476-51284 73.49 PK 6 Black

RS Hughes Part Price Per Case Description

Q. Brady Long Body Safety Pad Locks

Lightweight, nonconductive and non-sparking body. 3inch long body. Special 6-pin cylinder resists tampering. Fiberglass reinforced nylon body and triple-coated hardened steel shackle. Each padlock includes 1 key and one each English/Spanish and English/French "DO NOT OPERATE" labels. Lock body dimensions: 3"H X 1 1/2" W X 4/5" D.

754473-72177 16.30 EA 1 Red 123405
754473-72178 16.30 EA 1 Blue 123406
754473-72179 16.30 EA 1 Green 123407
754473-72180 16.30 EA 1 Yellow 123408
754473-72181 16.30 EA 1 Orange 123409
754473-72182 16.30 EA 1 Black 123410

Brady Family of Facility Marking Printers

General Industrial Label Printers



Equipment & Facility ID



Safety & Facility Signs



Pipe and Valve Marking



RTK Container Labels



PM Inspection Labels



5S / Lean Labeling

Electrical / Telecomm Label Printers



Self-Laminating Wire Markers



Heat-Shrink Wire Markers



Terminal Block Labels



Patch Panel Labels



Outlet / Faceplate ID



Control Panel Labels

Portable Label Printers



Stock Labeling



Wire & Cable Markers



Electrical ID



Equipment ID



Warning Labels

And other small-format labeling for general industrial, electrical and datacomm applications

Printer Cartridges

Hassle-Free Cartridges

Ribbon and label materials in ONE cartridge!

- Install or remove ribbon and material in one easy step
- No need to worry about having the right ribbon for your materials
- Ribbon and material runs out at the same time (less waste!)

Easy-to-load cartridges with "No Jam" technology.

- Top-loading cartridge that snaps into place (you can't load it wrong!)
- Easy access to cartridge for quick changes
- Locking mechanism prevents labels from retracting into cartridge



Label Materials Described in this Catalog

B-422 – Polyester Labels: White label stock with glossy finish and 2 mils of adhesive for rough surface applications. Designed to withstand solvent exposure. UL rated for surfaces commonly used in solar panel manufacturing. Also used for component identification, punch block & patch panel labels and asset and inventory tracking. Agency approvals – UL, CSA, RoHS.

B-427 – Self-Laminating Vinyl Labels: Brady's most popular wire and cable marker. Self-laminating vinyl features white printable area with a clear "tail" that wraps around marker. Tail serves as overlaminates to protect the print. Superior resistance to abrasion, solvents, water, oil and dirt. Agency approvals – UL, RoHS.

B-428 – Metalized Polyester Labels: Withstands solvents and variable temperatures. Excellent for serial and rating plate applications with name-plate quality and a metal-looking finish. Thermal transfer printable metalized polyester with matte finish. Agency approvals – UL, CSA, AGA, RoHS.

B-483 – Ultra Aggressive Adhesive Polyester Labels: White polyester thermal transfer label with glossy finish and aggressive adhesive. Specifically designed for powder coated and low surface energy application. Agency approvals – UL, CSA, RoHS.

B-595 – Indoor/Outdoor Vinyl Tape: Durable, low-shrink vinyl with our most aggressive adhesive. Conforms to irregular, curved, rough and highly textured surfaces (painted cinder blocks, uneven wood, textured plastics, paper-jacketed pipes, powder-coated surfaces.) Also adheres to difficult low-surface energy items (PVC piping, blow-molded equipment cases, ABS plastics, recycled plastics.) Agency approvals – RoHS.

Benchtop Printer Comparison Guide

Use the following comparison guide to quickly see which benchtop printer best fits your application needs. Then turn to the following pages to find out more about the printer, compatible materials and ribbons.



BBP[®] 31 Sign & Label Printer



BBP[®] 33 Label Printer

Printer Specifications

Description	Ultimate facility, safety and lean printer for walk-up-and-print ease of use and ease of label changeovers. Best choice for multi-user, "Lean event" labeling situations, and centrally located print areas because of its "approachable" interface and is extremely easy to use.	The first PC-connect Only Facility & Safety printer with no calibration set-up, no label waste and 20-second supply changeovers. Revolutionary ease of use makes it ideal for training multiple users and saving wasted time and wasted label cost.
Applications & Comments	Facility & safety ID, signs, pipe markers, lean/SS, arc flash labels, GHS & chemical labels, equipment labels, panel & pushbutton labels, reflective & glow-in-the-dark labels, tagging, magnetic and cold-temp labeling.	Facility & safety ID, electrical, laboratory and electronics ID, signs, pipe markers, lean/SS, arc flash labels, GHS & chemical labels, equipment labels, panel & pushbutton labels, reflective & glow-in-the-dark labels, tagging, magnetic and cold-temp labeling, wire labels & sleeves, metallized, polyimide & static dissipative labeling.
Label Material Types	Extremely aggressive 8-10 year outdoor vinyl with high tack and chemical resistance, plus, wash down material, reflective, 10-hour glow-in-the-dark, magnetic, engraved plate substitute and 8 other materials	Extremely aggressive 8-10 year outdoor vinyl with high tack and chemical resistance, plus, wash down material, reflective, 10-hour glow-in-the-dark, engraved plate substitute, 32 other materials
Types of Labels Available	some general die cut labels	Continuous material, pre-printed die cut, general die cut, wire labels & sleeves
Print Technology	Thermal Transfer	Thermal Transfer
Print Resolution	300 dpi	300 dpi
Max Print Width	4.000"	4.000"
Media Widths	0.500" to 4.250"	0.500" to 4.250"
Minimum Label Dimension	0.500"	0.250"
Color Printing Capabilities	Single print color on a label (some pre-printed multicolor supplies also available)	Single print color on a label (some pre-printed multicolor supplies also available)
Auto Cut-off	Yes	Yes
X-Y Plotter Cutting (cutting out shapes & text)	No	No
PC Connect or Stand Alone Operation	PC Connect and Stand Alone	PC Connect only
Ribbon & label roll installation	Labels: Supplied in cartridge, drops into place, 15 sec changeover Ribbon: Supplied in cartridge, snaps into place, 5 sec changeover	Labels: Supplied in cartridge, drops into place, 15 sec changeover Ribbon: Supplied in cartridge, snaps into place, 5 sec changeover
Calibration Required?	No (no waste)	No (no waste)
Label creation & set-up	Automatic (printer or PC software reads data on chip and automatically sets up label size, color, fonts, etc.)	Automatic (PC software reads data on chip and automatically sets up label size, color, fonts, etc.)
Connectivity Options	Optional: WiFi, WiFi Direct	Standard: USB, Ethernet Optional: WiFi, WiFi Direct
Compatible Software	Brady Workstation Apps, MarkWare™ Software, Windows® based driver for 3rd party software use*	Brady Workstation Apps, MarkWare™ Software, Labelmark™ Software, Codesoft™ Software, Windows® based driver for 3rd party software use*
Warranty	5 years	5 years



Portable Printer Comparison Guide



BMP[®]51 Label Printer
See page 300



BMP[®]71 Label Printer
See page 324

Printer Specifications	BMP [®] 51 Label Printer	BMP [®] 71 Label Printer
Max Labels Per Day	Average 500 labels/day	Average 1000 labels/day
Print Resolution	300 dpi	300 dpi
Print Technology	Thermal Transfer	Thermal Transfer
Print Speed	25.4mm/sec (1/sec)	38mm/sec (1.5"/sec)
 Tape Widths (inches)	Various sizes from 0.235" to 1.50"	Various sizes from 0.235" to 2.00"
 Tape Widths (mm)	Various sizes from 6.4 mm to 38.1 mm	Various sizes from 6.4 to 50.8 mm
Max Label Width	1.50" (38.1mm)	2.00" (50.8mm)
Max Print Width	1.44" (36.6 mm)	1.92" (48.76 mm)
Memory	48 MB / Up to 25,000 Labels	200 MB
Materials Supported	M-, MC-, MC1- Series Cartridges (all sizes) 140+ Stock Parts	M71-, BM71-, BFTL- Series 450+ stock parts, plus TLS parts with adaptor
Continuous vs Die Cut Labels	Continuous and die cut labels	Continuous and die cut labels
Connectivity Options	Yes	Yes
PC Connectivity	USB, WiFi, LAN	USB
Software Compatibility	LabelMark [®] / Codesoft™ Software	® / Codesoft™ Software
Data Transfer from PC to printer	Yes, with Labelmark [®] Software	Yes - with Labelmark [®] Software
Wireless Connectivity	Yes	No
Stand Alone Printing	Yes	Yes
Color Capability	Single print color on a label	Single print color on a label
Keyboard	QWERTY	QWERTY, AZERTY, QWERTZ, CYRILLIC
Backlit Screen	2.7" x 1.7", backlit	3.5", backlit
Text Sizes	4 to 103pt + autosizing	4 to 174 pt + autosizing
Multi-Line Print	Yes	Yes
Print Rotation	Yes	Yes
Serialization	Yes	Yes, multiple and linked
Barcode	39 and 128	39 and 128
Symbols	450	500+
Portability	Yes	Yes
Label Types or Application Functions	Polyester (Metallized, Ultra Aggressive, & High Performance) Polyethylene Tag, Permasleeve [®] Heat Shrinking Tube, Tamper-Evident Vinyl, Polypropylene Tag, Permanent Polypropylene, Self-Laminating vinyl, Self-Laminating Polyester, Stangerbondz™ Labels, Tissue Cassette Polyester, Freezerbondz™ Labels, Repositionable Vinyl Cloth, Reflective, Indoor/Outdoor Vinyl	Polyester (Adhesive, Permanent, Metallized, Clear, Flame Retardant, Ultra Aggressive, & High Performance, Engraved Plate Substitute) Polyethylene Tag, Polyethylene, Block Vinyl, Permasleeve [®] Heat Shrinking, Polypropylene Tag, Polyimide, Vinyl (Tamper-Evident, Destructible, Repositional, Self Laminating, Indoor/Outdoor) Polyimide, Repositionable Vinyl Cloth, Nylon Cloth, Polypropylene Tape, Phosphorescent, Reflective, Teclair, ToughWash, ToughWash Metal Detectable
Applications	Data Communications Labeling, Facility, Safety & Maintenance Identification, General & Industrial Labeling, Laboratory Identification, Panel Identification, Security Identification, Wire & Cable Marking	Circuit Board Labeling, Data Communications Labeling, Facility, Safety & Maintenance Identification, General & Industrial Labeling, Panel Identification, Security Identification, Wire & Cable Marking, Pipe Marking
Power Supply	AA Alkaline batteries (8), AC Power, or rechargeable lithium ion battery	Rechargeable NiMH battery, AC Power/battery charger
Weight	2.6 lbs (1.2 kg)	
Warranty	2 years	1 year





NEW!

BRADY 360
2 YEAR
WARRANTY

A

Only \$99!

BMP®21-PLUS LABEL PRINTER

**TOUGH on the Outside.
SMART on the Inside.**

- Automatic-label formatting for wire wraps, patch panels, terminal-blocks, cable flags, circuit breaker arrays and general banner labels
- Drop-lock-and-print materials
- Passed shock and vibration testing per MIL-STD-810G Method 5.16.6 S4.6.5
- Rechargeable Li-ION battery
- Continuous-only supplies in 0.25" to 0.75" widths
- 70 total label parts, 7 materials
- Label grabber holds label after cutting
- 104 symbols for electric, smart home, safety and datacom
- 2-year warranty



B

* Printer includes label cartridge, lanyard and quick start guide (batteries not included).

** Printer kit includes: printer, label cartridge, Li-ION battery, AC power / charger, hard case, lanyard and quick start guide. US Patent No. 8.322.936.

RS Hughes Part	Price	Per	Case	Description
Brady BMP21-PLUS Handheld Printer				
A. 754473-92848	99.00	EA	1	
B. 754473-92850	195.00	EA	1	Kit with Printer and Charger

BRADY
WHEN PERFORMANCE MATTERS MOST™

An affordable label and wire marker printer designed for the tool box



Electrical Labeling



Voice & Data Communications



Self-Laminating Wire Labels



PermaSleeve® Wire Marking Sleeves



General ID



Lean / 5S Labels and Operations ID



M21 Cartridges - Did You Know?



1. The necessary print ribbons for the BMP®21 Label Printer are self-contained within the label roll cartridge. So there's no need to order or load separate print ribbons!



2. M21 cartridges are compatible with the BMP®21-PLUS, BMP®21-LAB, BMP®21, IDPal™ and LabPal™ printer models unless otherwise noted.

RS Hughes Part Price Per Case Description

C. Brady BMP21 Self-Laminating Vinyl Wire & Cable Labels (B-427)

Clear, wrap-around tail overlaminates white print-on area to protect text. Great for data cables or wires that are frequently handled and moved.

662820-89997	28.99	RL	1	Black on White	0.75" x 14'
662820-89998	34.99	RL	1	Black on White	1" x 14'
662820-89999	35.99	RL	1	Black on White	1.25" x 14'
662820-90000	35.99	RL	1	Black on White	1.5" x 14'



D. Brady BMP21 Vinyl Tape (B-595)

Indoor/Outdoor vinyl tape. Adhere to "difficult" surfaces. Conforms well to irregular, curved rough or textured surfaces. 8-10 year average outdoor durability. 5 Additional Colors Available in Vinyl Tape

662820-96663	20.99	EA	1	0.375" x 21'	Black on Orange
662820-96650	21.99	EA	1	0.5" x 21'	Black on Orange
662820-96658	24.99	EA	1	0.75" x 21'	Black on Orange
662820-96654	20.99	EA	1	0.375" x 21'	Black on White
662820-96661	21.99	EA	1	0.5" x 21'	Black on White
662820-96651	24.99	EA	1	0.75" x 21'	Black on White
662820-96657	20.99	EA	1	0.375" x 21'	Black on Yellow
662820-96653	21.99	EA	1	0.5" x 21'	Black on Yellow
662820-96665	24.99	EA	1	0.75" x 21'	Black on Yellow
662820-96664	20.99	EA	1	0.375" x 21'	White on Red
662820-96649	21.99	EA	1	0.5" x 21'	White on Red
662820-96655	24.99	EA	1	0.75" x 21'	White on Red



E. Brady BMP21 Nylon Cloth Wire & Cable Wraps (B-499)

Nylon cloth wrap-around label is highly pliable conforming to tightly curved surfaces. Text auto-repeats when in wire marker mode. Can be used for flagging with flag mode in printer.

662820-89963	23.99	RL	1	Black on White	0.375" x 16'
662820-89964	24.99	RL	1	Black on White	0.5" x 16'
662820-89965	27.49	RL	1	Black on White	0.75" x 16'



E. Brady BMP21 Terminal Block Adhesive Strips (B-499)

Narrow nylon cloth label strips for alignment on terminal blocks. Prints with user-specified spacing when using terminal block mode.

662820-90008	23.99	RL	1	Black on White	0.375" x 16'
662820-90009	24.99	RL	1	Black on White	0.5" x 16'



E. Brady BMP21 Polyester (B-423)

Voice/Data Comm - Durable material with permanent adhesive ideal for marking racks, bays, slots and other equipment. Also available White on Clear Polyester.

662820-89966	21.99	RL	1	Black on White	0.375" x 21'
662820-89967	22.99	RL	1	Black on White	0.5" x 21'
662820-89968	26.99	RL	1	Black on White	0.75" x 21'



F. Brady BMP21 PermaSleeve Heat Shrink Marker Sleeves (B-342)

PermaSleeve labels provide a wire marking solution that combines speed, ease of use, and permanence to create long-lasting, high quality identification. 3:1 heat shrink ratio, wire marker sleeve. Polyolefin fade-resistant, flame-retardant, and superior aesthetic appearance. Meets SAE, MIL-STD specs.

662820-89993	44.99	RL	1	Black on White	0.125" x 7'
662820-89994	48.99	RL	1	Black on White	0.187" x 7'
662820-89996	62.49	RL	1	Black on White	0.375" x 7'



Head to Toe Protection



Trade up to a better labeling experience.

Get the best label types.
Get the best label materials.

And get the printer that does it all for FREE!

Send us your qualifying continuous-supply-only printer and purchase 12 label cartridges for the Brady BMP®41 or BMP®51 printer and we'll send you the Brady printer for FREE!

BMP®41
LABEL PRINTER



BMP®51
LABEL MAKER

Trade-In Program subject to end at any time



Wide range of materials so you can print all your jobs on one printer

Rugged industrial bumpers with a grab and go grip to be on the move with you

Simple all-in-one, drop-in cartridges for quick and easy supply change and automatic label setup

Large graphical LCD display with backlight to see exactly what you're printing

Rechargeable battery for long lasting power supply

Built-in wizard-based applications and graphics to help create and print labels quickly and easily

QWERTY style keypad and hot keys for easier typing and reducing errors

Sampling of the easy-to-use menu keys:



RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. Brady BMP41 Label Printer

The BMP®41 portable Label Printer is a mid-range handheld labeling solution that can print up to 300 labels per day. Not only that, but it can print die-cut or continuous labels up to 1" wide. This printer is a rugged device that withstands harsh conditions. Whether it is sweltering or frigid, it will get the job done where you need it. Also, it is built with additional protection to survive falls of up to six feet high. With an ergonomic design, long rechargeable battery life and easy-to-use features, this printer is engineered for the worker on-the-go.


754473-92614	299.00	EA	1	
--------------	--------	----	---	--

Brady BMP41/BMP51/BMP53 PermaSleeve Wire Marking Heat Shrink Sleeves (B-342)

These heat-shrink sleeves are the ultimate marker in durability, permanence and aesthetic appearance. Fast shrink rate saves time and costs during installation. PermaSleeve wire markers are available as individual die cut markers or continuous cut to length tubing. The 3:1 heat shrinkable sleeve fits snugly around your wire.

B. 754473-08286	44.49	EA	1	0.335" x 7'	Black on White
B. 754473-08287	40.99	EA	1	0.235" x 7'	Black on White
B. 754473-08288	48.99	EA	1	0.439" x 7'	Black on White
B. 754473-08289	63.33	EA	1	0.645" x 7'	Black on White
B. 754473-08308	44.49	EA	1	0.335" x 7'	Black on Yellow
B. 754473-08309	40.99	EA	1	0.235" x 7'	Black on Yellow
B. 754473-08310	48.99	EA	1	0.439" x 7'	Black on Yellow
C. 662820-99994	51.49	EA	1	0.335" x 0.75"	Black on White
C. 662820-99995	61.49	EA	1	0.439" x 0.75"	Black on White
C. 662820-99996	46.49	EA	1	0.235" x 0.75"	Black on White
C. 662820-99997	88.99	EA	1	0.645" x 0.75"	Black on White





RS Hughes Part Price Per Case Description

D. Brady BMP41/BMP51/BMP53 Self-Laminating Wire and Cable Markers Vinyl Labels (B-427)

Feature a clear, non printable area that wraps around wires and cables to serve as an overlaminare. These markers are designed to adhere to highly curved surfaces, wires and cables.

662820-64760	40.99	EA	1	1.00" x 1.50"	Black on White
662820-64761	42.99	EA	1	1.00" x 1.25"	Black on White
662820-98013	32.99	EA	1	0.75" x 1.50"	Black on White
662820-99958	44.49	EA	1	1.00" x 1.50"	Black on Yellow
662820-99959	24.49	EA	1	0.50" x 1.00"	Black on White
662820-99964	41.49	EA	1	1.00" x 2.50"	Black on White
662820-99965	48.99	EA	1	1.00" x 1.00"	Black on White
662820-99966	49.49	EA	1	1.00" x 0.75"	Black on White
662820-99969	33.49	EA	1	0.75" x 1.00"	Black on White
662820-99970	45.99	EA	1	1.00" x 2.50"	Black on Yellow
662820-99972	39.99	EA	1	1.00" x 4.00"	Black on White
662820-99974	47.49	EA	1	0.50" x 1.00"	Black on Clear
662820-99986	43.49	EA	1	1.00" x 4.00"	Black on Yellow
754473-08329	46.99	EA	1	0.75" x 25'	Black on White
754473-08330	40.99	EA	1	0.50" x 0.75"	Black on White
754473-08339	26.99	EA	1	0.50" x 1.25"	Black on White

E. Brady BMP41/BMP51/BMP53 Repositionable Vinyl Cloth Label (B-498) Wrap Around Wire & Cable Markers and Flags

Vinyl Cloth (B-498) wrap around wire and cable markers are made with an adhesive that allows the markers to be removed cleanly and reapplied if necessary. Nylon cloth (B-499) cable flags offer a permanent adhesive that cannot be removed after application.

662820-99963	27.49	EA	1	1.00" x 1.50"	Black on White
662820-99971	36.49	EA	1	0.75" x 1.00"	Black on White
662820-99975	30.99	EA	1	1.00" x 1.00"	Black on White
754473-14214	35.49	EA	1	0.50" x 0.50"	Black on White
754473-14215	35.49	EA	1	0.50" x 0.75"	Black on White
754473-14217	34.49	EA	1	0.50" x 1.00"	Black on White
754473-14547	44.49	EA	1	1.25" x 1.50"	Black on White

F. Brady BMP41/BMP51/BMP53 Nylon Cloth Material (B-499)

Permanent adhesive. Pliable for rough or smooth surfaces.

662820-99973	30.49	EA	1	1.00" x 1.00"	Black on White
--------------	-------	----	---	---------------	----------------

RS Hughes Part Price Per Case Description

G. Brady BMP41/BMP51/BMP53 Indoor/Outdoor Grade Facility and Safety Labels Vinyl Material (B-595)

Conforms well to smooth or rough surfaces such as pipes, walls, doors, panels, shelving, bins and equipment. With our most aggressive adhesive, this low-shrink, continuous vinyl material works for a variety of applications, including 5S labels, pipe markers, chemical labels and more. Lasting up to 8-10 years outdoors, these labels offer excellent resistance to oils, detergents, dirt, grime and many solvents.

662820-99967	49.49	EA	1	1.00" x 25'	Black on White
662820-99968	49.49	EA	1	1.00" x 25'	Black on Yellow
662820-99978	49.49	EA	1	1.00" x 25'	Black on Orange
662820-99979	49.49	EA	1	1.00" x 25'	White on Blue
662820-99981	49.49	EA	1	1.00" x 25'	White on Red
662820-99982	39.49	EA	1	1.00" x 25'	Black on Clear
662820-99983	49.49	EA	1	1.00" x 25'	White on Green
662820-99989	49.49	EA	1	1.00" x 25'	Red on White
662820-99991	49.49	EA	1	1.00" x 25'	White on Black
662820-99992	39.49	EA	1	1.00" x 25'	White on Clear
754473-14646	26.99	EA	1	0.50" x 25'	Black on Clear
754473-14647	31.99	EA	1	0.75" x 25'	Black on Clear
754473-14650	26.99	EA	1	0.50" x 25'	Black on Orange
754473-14651	31.99	EA	1	0.75" x 25'	Black on Orange
754473-14654	26.99	EA	1	0.50" x 25'	Black on White
754473-14655	31.99	EA	1	0.75" x 25'	Black on White
754473-14658	26.99	EA	1	0.50" x 25'	Black on Yellow
754473-14659	31.99	EA	1	0.75" x 25'	Black on Yellow
754473-14662	26.99	EA	1	0.50" x 25'	Red on White
754473-14663	31.99	EA	1	0.75" x 25'	Red on White
754473-14666	26.99	EA	1	0.50" x 25'	White on Black
754473-14667	31.99	EA	1	0.75" x 25'	White on Black
754473-14671	26.99	EA	1	0.50" x 25'	White on Blue
754473-14672	31.99	EA	1	0.75" x 25'	White on Blue
754473-14675	26.99	EA	1	0.50" x 25'	White on Clear
754473-14676	31.99	EA	1	0.75" x 25'	White on Clear
754473-14679	26.99	EA	1	0.50" x 25'	White on Green
754473-14680	31.99	EA	1	0.75" x 25'	White on Green
754473-14683	26.99	EA	1	0.50" x 25'	White on Red
754473-14684	31.99	EA	1	0.75" x 25'	White on Red



BMP51 Label Maker

Get the job done FASTER and EASIER!

This printer is packed with time-saving features that can help you create the labels you need more quickly. Here are just a few:

- Fast Print speed. Prints 1 inch per second!
- Material recognition and automatic label formatting (no calibration!)
- Built-in Bluetooth technology or optional Wi-Fi card for wireless printing via a network
- Large, geographical display with backlight (on-screen indicators for remaining, material, battery and more!)
- Durable built-in cutter with label retention
- 3 power options: AA batteries, AC adaptor or rechargeable Li-Ion batter
- Robust software for advanced label design

Plus, the BMP51 Label Maker has many different labeling options to choose from – get all of your labeling done with one printer.

- Continuous and die-cut label materials available
- More than 20 material types and over 190 label parts
- Prints labels up to 1.5" wide (or continuous labels up to 40" long!)



BMP51 Label Maker

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. Brady BMP®51 Printer

The Brady BMP51 portable label printer is an excellent solution for electrical, laboratory and industrial labeling. With its ergonomic design and rugged construction the BMP51 printer is ready for any job. Some of the printer key features include: Wireless printing, Backlight screen, fully qwerty keyboard, over 300 label options, no-hassle cartridges, lithium ion rechargeable battery and an Android mobile printing app.

754473-14703	450.00	KT	1	
754473-14705	579.00	KT	1	Printer, LabelMark™ 5 Software and AC Adaptor
754473-14707	430.00	KT	1	Printer with AC Adaptor

B. Brady BMP53 Peripheral Printer

Don't need the keyboard or screen? Check out the BMP53 Label Maker. This printer has many of the same features as the BMP51 Label Maker, minus the display screen and keyboard. Create labels with LabelMark or CodeSoft Software, or using a Brady Mobile App on your smart phone. Advanced label design from the familiarity of our own PC or phone. Control who has access to label printing capabilities with a password protected computer. Small footprint takes up little desk space. Use the same label cartridge as BMP51.

754473-14706	488.10	KT	1	
754473-14708	339.00	KT	1	Printer & AC Adaptor

Facility & Safety ID Labels

C. Brady BMP51/BMP53 Indoor/Outdoor Vinyl (B-595)

Indoor/Outdoor vinyl tape. Adhere to "difficult" surfaces. Conforms well to irregular, curved rough or textured surfaces. 8-10 year average outdoor durability.

754473-14646	26.99	EA	1	0.5" x 20'	Black on Clear
754473-14648	38.56	EA	1	1.00" x 20'	Black on Clear
754473-14649	46.49	EA	1	1.50" x 20'	Black on Clear
754473-14650	26.99	EA	1	0.5" x 25'	Black on Orange
754473-14652	48.20	EA	1	1.00" x 25'	Black on Orange
754473-14653	58.49	EA	1	1.50" x 25'	Black on Orange
754473-14654	26.99	EA	1	0.5" x 25'	Black on White
754473-14656	48.20	EA	1	1.00" x 25'	Black on White
754473-14657	58.49	EA	1	1.50" x 25'	Black on White
754473-14658	26.99	EA	1	0.5" x 25'	Black on Yellow
754473-14660	48.20	EA	1	1.00" x 25'	Black on Yellow
754473-14661	58.49	EA	1	1.50" x 25'	Black on Yellow
754473-14662	26.99	EA	1	0.5" x 25'	Red on White
754473-14664	48.20	EA	1	1.00" x 25'	Red on White
754473-14665	58.49	EA	1	1.50" x 25'	Red on White
754473-14671	26.99	EA	1	0.5" x 25'	White on Blue
754473-14673	48.20	EA	1	1.00" x 25'	White on Blue
754473-14674	58.49	EA	1	1.50" x 25'	White on Blue
754473-14679	26.99	EA	1	0.5" x 25'	White on Green
754473-14681	48.20	EA	1	1.00" x 25'	White on Green
754473-14682	58.49	EA	1	1.50" x 25'	White on Green
754473-14683	26.99	EA	1	0.5" x 25'	White on Red
754473-14685	48.20	EA	1	1.00" x 25'	White on Red
754473-14686	58.49	EA	1	1.50" x 25'	White on Red

Voice and Data Comm ID

RS Hughes Part Price Per Case Description

D. Brady BMP51/BMP53 PermaSleeve™ Heat-Shrink Polyolefin (B-342)

These heat-shrink sleeves are the ultimate in marker durability, permanence and aesthetic appearance. Fast shrink rate saves time and costs during installation. Available as individual die-cut markers or continuous cut-to-length tubing.

754473-08286	44.49	EA	1	0.335" x 7'	White
754473-08287	40.99	EA	1	0.235" x 7'	White
754473-08288	48.99	EA	1	0.439" x 7'	White
754473-08289	63.33	EA	1	0.645" x 7'	White
754473-08290	46.99	EA	1	1.015" x 0.235"	White
754473-08291	51.99	EA	1	1.015" x 0.335"	White
754473-08292	61.99	EA	1	1.015" x 0.439"	White
754473-08307	89.49	EA	1	1.015" x 0.645"	White
754473-08308	44.49	EA	1	0.335" x 7'	Yellow
754473-08309	40.99	EA	1	0.235" x 7'	Yellow
754473-08310	48.99	EA	1	0.439" x 7'	Yellow

E. Brady BMP51/BMP53 ToughBond Series Polyester (B-422)

Durable material with permanent adhesive ideal for marking racks, bays, slots and other equipment. Label your ports, jacks and outlets with a variety of adhesive labels or slide-in strips.

754473-08316	48.80	EA	1	1.00" x 25'	Black on White
754473-08317	27.99	EA	1	0.375" x 25'	White
754473-08318	29.99	EA	1	0.475" x 25'	White
754473-08319	32.99	EA	1	0.5" x 0.5"	White
754473-08320	26.99	EA	1	0.5" x 25'	White
754473-08322	43.10	EA	1	1.00" x 0.5"	White
754473-08323	36.42	EA	1	1.00" x 1.00"	White
754473-08324	23.09	EA	1	1.50" x 0.5"	White
754473-08325	44.76	EA	1	1.50" x 0.75"	White

F. Brady BMP51/BMP53 Self-Laminating Vinyl (B-427)

Self-Laminating Wire & Cable Markers. Extra durable material features a clear trailer that wraps over print area to protect the printed text. Exceptional adhesion to wires. Features a clear, non-printable "tail" that wraps around the wire and serves as an overlaminate to the printed text. Protected print area offers superior chemical and abrasion resistance. Available as individual die-cut markers or continuous cut-to-length labels.

754473-08328	28.37	EA	1	0.75" x 1" x 0.375"	White
754473-08330	40.99	EA	1	0.75" x 0.5" x 0.375"	White
754473-08331	46.38	EA	1	1" x 0.5" x 0.375"	White
754473-08332	32.58	EA	1	1" x 0.75" x 0.375"	White
754473-08333	36.78	EA	1	1" x 1" x 0.375"	White
754473-08334	32.99	EA	1	1" x 1.75" x 0.375"	White
754473-08335	40.45	EA	1	1" x 20.5" x 0.75"	White
754473-08336	38.95	EA	1	1" x 4" x 1"	White
754473-08338	29.04	EA	1	1.10" x 0.25"	White



RS Hughes Part Price Per Case Description

G. Brady BMP51/BMP53 MetaLabel Series Metallized Polyester (B-428)

754473-14160	51.04	EA	1	1.00" x 0.5"	Silver
754473-14161	59.49	EA	1	1.50" x 0.5"	Silver
754473-14162	46.99	EA	1	1.50" x 0.75"	Silver
754473-14163	32.66	EA	1	2.00" x 1.00"	Silver
754473-14164	44.92	EA	1	1.13" x 0.5"	Silver

H. Brady BMP51/BMP53 ToughBond Series Polyester (B-483)

754473-14187	23.49	EA	1	0.5" x 2.00"	White
754473-14188	45.92	EA	1	1.00" x 0.5"	White
754473-14189	29.13	EA	1	2.00" x 1.00"	White

BMP51/BMP53 product table continued:

754473-08339	26.99	EA	1	1.25" x 0.5" x 0.375"	White
754473-08341	42.05	EA	1	1.25" x 1" x 0.5"	White
754473-08342	47.31	EA	1	1.5" x 0.5" x 0.5"	White
754473-08343	35.74	EA	1	1.5" x 0.75" x 0.5"	White
754473-08344	44.16	EA	1	1.5" x 1" x 0.5"	White
754473-08345	38.99	EA	1	1.5" x 6" x 1.5"	White
754473-08346	50.49	EA	1	1.5" x 1.5" x 0.5"	White
754473-14152	43.99	EA	1	1.5" x 1.75" x 0.5"	White
754473-14153	30.49	EA	1	1.5" x 2.5" x 0.75"	White
754473-14154	49.99	EA	1	1.5" x 4" x 1"	White
754473-14155	38.99	EA	1	1.5" x 6" x 1.5"	White
754473-14157	32.58	EA	1	1" x 2.5" x 0.75"	Yellow
754473-14158	42.20	EA	1	1" x 4" x 1"	Yellow
754473-14159	48.37	EA	1	1.5" x 1" x 0.5"	Yellow

Wire & Cable Markers



A

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. Brady BMP71 Label Printer

With more than 400 different label options, the NEW BMP71 Portable Label Printer is Brady's most versatile portable printer. This easy-to-use labeler can help you cut material waste, save label making time, and print crisp labels more efficiently than ever before. The BMP71 labeler can print on more than 30 types of label materials - including PermaSleeve™ wire markers, indoor/outdoor vinyl, polyester die-cut labels, flag labels, self-laminating wire markers, raised panel labels, and more. Whether you need 1/4" self-laminating wire marker labels or 2" wide vinyl pipe marker labels, this portable label printer can do it all.

662820-80182	895.00	EA	1	
--------------	--------	----	---	--

B. Brady BMP71 Indoor/Outdoor Vinyl Film (B-595)

Indoor/Outdoor vinyl tape. Adhere to "difficult" surfaces. Conforms well to irregular, curved rough or textured surfaces. 8-10 year average outdoor durability.

Part Number	Price	Per	Case	Description	Color
754473-19865	50.49	EA	1	0.5" x 50'	Black
754473-19841	68.99	EA	1	1" x 50'	Black
754473-19853	103.99	EA	1	2" x 50'	Black
754473-19866	50.49	EA	1	0.5" x 50'	Blue
754473-19842	68.99	EA	1	1" x 50'	Blue
754473-19854	103.99	EA	1	2" x 50'	Blue
754473-19867	50.49	EA	1	0.5" x 50'	Brown
754473-19843	68.99	EA	1	1" x 50'	Brown
754473-19855	103.99	EA	1	2" x 50'	Brown
754473-19868	50.49	EA	1	0.5" x 50'	Clear
754473-19844	68.99	EA	1	1" x 50'	Clear
754473-19856	103.99	EA	1	2" x 50'	Clear
754473-19869	50.49	EA	1	0.5" x 50'	Gold
754473-19845	68.99	EA	1	1" x 50'	Gold
754473-19857	103.99	EA	1	2" x 50'	Gold
754473-19870	50.49	EA	1	0.5" x 50'	Green
754473-19846	68.99	EA	1	1" x 50'	Green
754473-19858	103.99	EA	1	2" x 50'	Green
754473-19871	50.49	EA	1	0.5" x 50'	Grey
754473-19847	68.99	EA	1	1" x 50'	Grey
754473-19859	103.99	EA	1	2" x 50'	Grey
754473-19879	50.49	EA	1	0.5" x 50'	Light Blue
754473-19878	68.99	EA	1	1" x 50'	Light Blue
754473-19877	103.99	EA	1	2" x 50'	Light Blue
754473-19883	103.99	EA	1	2" x 50'	Ochre



B



C

C. Brady BMP71 Polyester (B-422)

Voice/Data Comm - Durable material with permanent adhesive ideal for marking racks, bays, slots and other equipment

Part Number	Price	Per	Case	Description	Color
662820-80110	62.49	RL	1	0.375" x 50'	White
662820-80111	86.99	RL	1	0.625" x 50'	White
662820-80130	71.99	RL	1	0.475" x 50'	White
662820-80142	62.49	RL	1	0.5" x 50'	White
662820-92494	86.99	RL	1	1" x 50'	White
662820-92540	129.49	RL	1	1.9" x 50'	White

D. Brady BMP71 WorkHorse Series Clear Polyester (B-430)


Glossy polyester labels for use in a range of applications including barcoding, inventory tracking and product/asset ID.

Part Number	Price	Per	Case	Description	Color
662820-80143	57.99	RL	1	.5"x50'	Clear
662820-92495	79.99	RL	1	1"x50'	Clear
662820-92541	119.99	RL	1	1.9"x50'	Clear
662820-92621	51.99	RL	1	1.5"x.375"	Clear



D





RS Hughes Part Price Per Case Description

E. Brady BMP71 WorkHorse Polyester (B-423)

Glossy polyester circuit board and component ID labels for relays, solenoids, PCB's, electronic components and more.

662820-92513	46.99	RL	1	.25"x.75"	White
662820-92636	41.49	RL	1	.5"x.2"	White
662820-92640	38.49	RL	1	.5"x.5"	White
662820-80083	45.49	RL	1	.5"x1"	White
662820-92580	50.49	RL	1	.5"x1.5"	White
662820-92519	50.49	RL	1	.9"x.25"	White
662820-80082	45.49	RL	1	1"x.375"	White
662820-92713	41.49	RL	1	1.5"x.75"	White
662820-80087	36.49	RL	1	1.5"x1"	White
662820-92562	25.49	RL	1	2"x1"	White
662820-92569	30.99	RL	1	3"x1"	White

F. Brady BMP71 Printer Ribbons

BMP71 Ribbon. 150FT

662820-92412	59.99	EA	1	Black
662820-92415	70.99	EA	1	White



G. Brady BMP71 ToughBond Series Polyester (B-483)

Glossy polyester labels with an aggressive adhesive for use in a range of applications including barcoding, inventory tracking and product/asset ID.

662820-80084	55.99	RL	1	.5"x1"	White
662820-92585	62.49	RL	1	.5"x1.5"	White
662820-92529	54.99	RL	1	1"x.375"	White
662820-92543	39.49	RL	1	1"x1"	White
662820-92496	90.49	RL	1	1"x50'	White
662820-92599	44.99	RL	1	1.5"x1"	White
662820-92542	134.99	RL	1	1.9"x50'	White
662820-80086	30.49	RL	1	2"x1"	White
662820-92611	44.99	RL	1	3"x1.9"	White
662820-80127	61.99	RL	1	4"x1.9"	White
662820-80128	61.99	RL	1	4"x1.9"	White
662820-92615	53.99	RL	1	4"x1.9"	White
662820-92733	61.99	RL	1	4"x1.9"	White
662820-92734	61.99	RL	1	4"x1.9"	White

H. Brady BMP71 MetaLabel Series Metallized Polyester (B-486)

Glossy polyester labels with an aggressive adhesive for use in a range of applications including barcoding, inventory tracking and product/asset ID.

662820-92536	62.49	RL	1	0.5"x1"	Silver Metallic
662820-92586	71.99	RL	1	0.5"x1.5"	Silver Metallic
662820-92566	38.49	RL	1	1"x2"	Silver Metallic
662820-92595	58.99	RL	1	1.5"x0.75"	Silver Metallic
662820-92612	55.49	RL	1	1.9"x3"	Silver Metallic

RS Hughes Part Price Per Case Description

I. Brady BMP71 Raised Panel Labels (B-593)

Thermal transfer printable raised panel labels. Designed to make legend plate creation quick, less expensive, and hassle free! Use for electrical components, electrical cabinets, push buttons, patch panels, and any other applications you can imagine. This material can also be used for rating and serial plates using alphanumeric that require name plate quality.

662820-92808	111.49	BX	1	0.49"x1.06"	Black
662820-92793	100.49	BX	1	1.2"x1.5"	Black
662820-92798	111.49	BX	1	1.2"x1.9"	Black
662820-92803	118.49	BX	1	1.8"x1.8"	Black
662820-92814	84.99	BX	1	2"x1"	Black
662820-92826	66.99	BX	1	3"x1"	Black
662820-92820	84.99	BX	1	4"x1"	Black
662820-92809	111.49	BX	1	0.49"x1.06"	Green
662820-92794	100.49	BX	1	1.2"x1.5"	Green
662820-92799	111.49	BX	1	1.2"x1.9"	Green
662820-92804	118.49	BX	1	1.8"x1.8"	Green
662820-92815	84.99	BX	1	2"x1"	Green
662820-92827	66.99	BX	1	3"x1"	Green
662820-92810	111.49	BX	1	0.49"x1.06"	Red
662820-92795	100.49	BX	1	1.2"x1.5"	Red
662820-92800	111.49	BX	1	1.2"x1.9"	Red
662820-92805	118.49	BX	1	1.8"x1.8"	Red
662820-92816	84.99	BX	1	2"x1"	Red
662820-92829	66.99	BX	1	3"x1"	Red
662820-92822	84.99	BX	1	4"x1"	Red
662820-92807	111.49	BX	1	0.49"x1.06"	White
662820-92792	100.49	BX	1	1.2"x1.5"	White
662820-92797	111.49	BX	1	1.2"x1.9"	White
662820-92802	118.49	BX	1	1.8"x1.8"	White
662820-92813	84.99	BX	1	2"x1"	White
662820-92825	66.99	BX	1	3"x1"	White
662820-92819	84.99	BX	1	4"x1"	White
662820-92812	111.49	BX	1	0.49"x1.06"	Yellow
662820-92796	100.49	BX	1	1.2"x1.5"	Yellow
662820-92801	111.49	BX	1	1.2"x1.9"	Yellow
662820-92806	118.49	BX	1	1.8"x1.8"	Yellow
662820-92818	84.99	BX	1	2"x1"	Yellow
662820-92828	66.99	BX	1	3"x1"	Yellow
662820-92824	84.99	BX	1	4"x1"	Yellow



RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. Brady IP™ Thermal Transfer Printer

Brady's IP™ Thermal Transfer Printer is a new, smart solution for high-performance printing. The Brady IP™ Printer is a fully integrated, easy-to-use printer, material, and software system. Smart Cell technology allows the printer, materials, and ribbon to communicate with each other. The system offers material recognition, automatic formatting, and user-friendly printer features for labels, sleeves, and tags. Brady IP™ Printer detects loaded material and ribbon and displays the user information on the LCD. The material information is sent to the software, where template and settings are automatically populated. Create data on template, then click and print. Load, click, and print. It's just that simple. The Brady IP thermal transfer printer series works best when you use Brady labels, Brady ribbons and Brady software.

662820-57860	2,006.16	EA	1	
--------------	----------	----	---	--

B. Brady IP™ WorkHorse Series White Polyester (B-423)

White polyester thermal transfer label with a glossy finish. Widely used for component identification, barcoding, asset and inventory tracking. UL rated for surfaces commonly used in solar panel manufacturing.

662820-30123	34.99	RL	1	0.25" x 0.25"	White
662820-30214	70.49	RL	1	0.375" x 0.375"	White
662820-30206	62.99	RL	1	0.5" x 0.2"	White
662820-30120	69.99	RL	1	0.65" x 0.2"	White
662820-30105	69.99	RL	1	0.75" x 0.25"	White
662820-30119	94.99	RL	1	0.9" x 0.25"	White
662820-30235	94.99	RL	1	1" x 0.25"	White
662820-30106	105.99	RL	1	1" x 0.375"	White
662820-30104	151.49	RL	1	1" x 0.5"	White
662820-30126	105.99	RL	1	1.25" x 0.25"	White
662820-30107	111.99	RL	1	1.5" x 0.25"	White
662820-30510	116.49	RL	1	1.5" x 0.25"	White
662820-30212	199.99	RL	1	1.5" x 0.5"	White
662820-30117	276.99	RL	1	1.5" x 0.75"	White
662820-30127	51.49	RL	1	2" x 0.25"	White
662820-30239	91.99	RL	1	2" x 0.5"	White
662820-30131	139.49	RL	1	2" x 1"	White
662820-30134	209.49	RL	1	3" x 1"	White
662820-30137	139.49	RL	1	3" x 2"	White
662820-30245	180.49	RL	1	4" x 2"	White



RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

D. Brady IP™ MetaLabel Series Metallized Polyester (B-428)

Thermal transfer printable metallized polyester with matte finish. Withstands solvents and variable temperatures. Excellent for serial and rating plate applications with name-plate quality and a metal-looking finish.

662820-30108	369.49	RL	1	1" x 0.5"	Silver Metallic
662820-30144	359.99	RL	1	1.25" x 0.75"	Silver Metallic
662820-30109	645.49	RL	1	1.5" x 0.75"	Silver Metallic
662820-30241	130.99	RL	1	2" x 0.5"	Silver Metallic
662820-30133	229.99	RL	1	2" x 1"	Silver Metallic
662820-30110	389.99	RL	1	2.75" x 1.25"	Silver Metallic
662820-30136	343.49	RL	1	3" x 1"	Silver Metallic
662820-30139	228.99	RL	1	3" x 2"	Silver Metallic
662820-30152	351.49	RL	1	3" x 300 ft	Silver Metallic
662820-30247	247.99	RL	1	4" x 2"	Silver Metallic

C. Brady IP™ MetaLabel Series Metallized Polyester (B-486)

Thermal transfer printable metallized polyester material. Designed for high adhesion to textured metals, powder coated surfaces and low surface energy plastics. Withstands numerous solvents and variable temperatures.

662820-20793	427.49	RL	1	1" x 0.5"	Silver Metallic
662820-20791	640.99	RL	1	1.5" x 0.5"	Silver Metallic
662820-20792	222.49	RL	1	2" x 0.5"	Silver Metallic
662820-20785	265.99	RL	1	2" x 1"	Silver Metallic
662820-20784	451.49	RL	1	2.75" x 1.25"	Silver Metallic
662820-20786	396.99	RL	1	3" x 1"	Silver Metallic
662820-20787	264.49	RL	1	3" x 2"	Silver Metallic
662820-11298	669.49	RL	1	4" x 4"	Silver Metallic

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

E. Brady IP™ WorkHorse Series Clear Polyester (B-430)

Translucent, high performance polyester material with a glossy finish. Non-colored label with permanent adhesive. Good for general purpose thermal transfer printing.

662820-30188	163.99	RL	1	2" x 1"	Clear
662820-30190	163.99	RL	1	3" x 2"	Clear
662820-30207	235.99	RL	1	3" x 300'	Clear

F. Brady IP™ ToughBond Series Polyester (B-483)

White polyester thermal transfer label with glossy finish and aggressive adhesive specifically designed for powder coated surfaces.

662820-31329	177.49	RL	1	1" x 0.5"	White
662820-31331	163.49	RL	1	2" x 1"	White
662820-31330	281.49	RL	1	2.75" x 1.25"	White
662820-31332	245.49	RL	1	3" x 1"	White
662820-31333	163.49	RL	1	3" x 2"	White
662820-31336	198.99	RL	1	4" x 2"	White

G. Brady IP™ ToughBond Series Polyester (B-422)

White label stock with glossy finish and 2 mils of adhesive for rough surface applications, including low surface energy plastics. Designed to withstand solvent exposure. UL rated for surfaces commonly used in solar panel manufacturing. Also used for component identification, barcoding, and asset and inventory tracking.

662820-14940	181.49	RL	1	1" x 0.5"	White
662820-14957	185.99	RL	1	1.5" x 0.37"	White
662820-62282	185.99	RL	1	1.5" x 0.375"	White
662820-14942	167.49	RL	1	2" x 1"	White
662820-14944	167.49	RL	1	3" x 2"	White
662820-14946	317.49	RL	1	4" x 3"	White

H. Brady IP™ Thermal Transfer Ribbon

High density ribbon with excellent solvent resistance, high heat resistance, and super scratch resistance. Ribbons include spindle.

662820-66028	106.99	EA	1	2.36" x 984'	Black
662820-66042	77.99	EA	1	2.36" x 984'	Black
662820-66047	123.99	EA	1	2.36" x 984'	Black
662820-66202	99.49	EA	1	2.36" x 984'	Black
662820-65886	208.49	EA	1	4.33" x 984'	Black
662820-65959	181.49	EA	1	4.33" x 984'	Black
662820-66044	142.49	EA	1	4.33" x 984'	Black
662820-66232	219.49	EA	1	4.33" x 984'	Black

I. Brady IP™ CleanLift Series Removable Labels (B-449)

White polypropylene label stock with matte/opaque finish and removable adhesive. Used for thermal transfer printing or write-on applications. Offers excellent solvent resistance and print performance. Not recommended for long-term outdoor use.

662820-67109	96.99	RL	1	1" x 0.5"	White
662820-67111	89.49	RL	1	2" x 1"	White
662820-67114	119.49	RL	1	4" x 2"	White
662820-67115	178.99	RL	1	4" x 3"	White



Fast. Simple. Powerful.

The way label making should be.

Two powerful printers that take on ALL your labeling needs with unprecedented ease! No more tedious, time-consuming setups. No more difficult-to-load materials. No more wasted labels. No more hassles. These printers are so simple to use and so incredibly fast to set up that most of our customers don't even believe us the first time we show them. But believe it, because it is really that easy, and you really will be that fast, and you really will avoid wasted labels.

Industrial label printing that's simple, powerful and brilliantly fast. **Exactly the way label making should be.**



Automatic label setup with no calibration

The printer "reads" critical information from your cartridges and automatically sets up the label correctly in the printer or your Brady software.

- No sensor adjustment or calibration (or wasted labels!)
- No print speed or burn temp trials and errors (or wasted labels!)
- No scrolling through lists searching for label part
- No need to set up label dimensions in software

The printer does all this for you!



20-second material changeovers

- Foolproof "drop-in" ribbon and label cartridges (anyone can do it!)
- Drop in the cartridge, lock it and start typing – that's all you need to do!
- No threading the ribbon around spools and printheads
- No need to assemble spindles or mount rolls
- Ink side of ribbon always faces the right way
- Easy-to-handle cartridges that won't roll away or get damaged



BBP31 Printer - stand-alone printing & ultimate ease of use

Still the easiest! Just walk up and print. Literally. The best choice for facility and safety and lean/5S "Kaizen event" labeling with a printer that operates stand alone or from your PC.

- Safety, facility and lean/5S applications – 275 parts, 12 materials
- Stand-alone operation ideal for mobile use and "lean events"
- Intuitive, simple to learn, very approachable – ideal for multi-user situations and events
- Compatible with powerful MarkWare™ PC software, plus has Windows® based driver for 3rd party software use (ex: print from MSWord)



BBP33 Printer - PC-only printing with expanded material options

Never-before-seen supply changeover speed and waste-free set-up in a PC-only printer. Full ranges of facility, safety & lean/5S label materials as well as die cut labels for, wire ID, lab ID and product ID.

- Safety, facility and lean/5S applications – 275 parts, 12 materials
- Wire ID, lab ID & general ID die cuts – 310 parts, 31 materials, plus custom sizes available!
- Ideal facility-wide printer where mobile use multi-user event labeling are not as important
- Compatible with LabelMark™, CodeSoft™ and MarkWare™ PC software, plus Windows® based driver for 3rd party software use (ex: print from MSWord)



A



B

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. BBP33 Label Printer with Auto Cutter

An industrial label printer that's simple, powerful and brilliantly fast. This label maker features full hassle-free operation with automatic label set-up, no calibration, no sensor adjustment and no label waste. The BBP33 printer also makes it easy for material changeovers. With foolproof "drop-in" ribbon and cartridge labels, all you have to do is drop-in the cartridge, lock and start typing. It really is that easy!

662820-98601	1,350.00	EA	1	
--------------	----------	----	---	--

B. Brady BBP31

This monochrome sign and label printer can print on labels 1/2" wide to 4" wide. Designed for ease of use and versatility, this printer features an intuitive touch screen display, simple label design, and a wide variety of material. applications.

754473-18355	1,795.00	EA	1	
--------------	----------	----	---	--

BRADY
WHEN PERFORMANCE MATTERS MOST™



RS Hughes Part Price Per Case Description

C. BP31 Heavy-Duty Print Ribbon

"Drop & Click" print ribbons for quick and easy supply changes. Ribbons are tough, smear-proof that produce long-lasting printed text. Print can withstand years in industrial areas and outdoor conditions. No calibrating, no threading, no waste.

754473-21169	105.49	RL	1	Black	4.33" x 200'
754473-21173	105.49	RL	1	Red	4.33" x 200'
754473-21174	105.49	RL	1	White	4.33" x 200'

D. BP31 Indoor/Outdoor Vinyl Tape B30 B-595

Indoor/Outdoor vinyl tape. Adhere to "difficult" surfaces. Conforms well to irregular, curved rough or textured surfaces. 8-10 year average outdoor durability.

754473-18314	236.49	RL	1	Green	4" x 100'
754473-18330	236.49	RL	1	Red	4" x 100'
754473-18334	236.49	RL	1	White	4" x 100'
754473-18336	157.49	RL	1	White	2.25" x 100'
754473-18337	104.99	RL	1	White	1.125" x 100'
754473-18338	65.99	RL	1	White	0.5 x 100'
754473-18339	236.49	RL	1	Yellow	4" x 100'
754473-18341	157.49	RL	1	Yellow	2.25" x 100'
754473-18342	104.99	RL	1	Yellow	1.125" x 100'
754473-18343	65.99	RL	1	Yellow	0.5 x 100'

E. Pre-Printed Pre-Cut Blank Sign Headers for creating multicolor ANSI and OSHA signs using Indoor/Outdoor vinyl material. Conforms well to irregular, curved, rough or textured surfaces.

754473-19119	236.49	RL	1	DANGER (ANSI)	4" x 6" (175 lbl/rl)
754473-19120	157.49	RL	1	DANGER (ANSI)	2.25" x 3" (300 lbl/rl)
754473-19121	236.49	RL	1	CAUTION (ANSI)	4" x 6" (175 lbl/rl)
754473-19122	157.49	RL	1	CAUTION (ANSI)	2.25" x 3" (300 lbl/rl)

F. Pre-Printed Pre-Cut Blank Sign Headers for creating multicolor ANSI and OSHA signs using Indoor/Outdoor vinyl material. Conforms well to irregular, curved, rough or textured surfaces.

754473-19124	157.49	RL	1	WARNING (ANSI)	2.25" x 3" (300 lbl/rl)
754473-19125	236.49	RL	1	NOTICE (ANSI)	4" x 6" (175 lbl/rl)
754473-19127	236.49	RL	1	DANGER (OSHA)	4" x 6" (175 lbl/rl)
754473-19129	236.49	RL	1	CAUTION (OSHA)	4" x 6" (175 lbl/rl)


G. BBP31 Raised Panel Labels (B-593)

Push button style engraved plate substitutes cost up to 80% less than engraved legend plates! High gloss, polyester label with thick raised profile and ultra-aggressive adhesive (0.70mm thick). High performance, low cost substitute to engraved plates with a 10-year outdoor durability rating. On-demand labeling provides labels in less than 4 seconds.

754473-21144	144.99	RL	1	1.2"x1.5"	Black
754473-21154	156.49	RL	1	1.8"x1.8"	Black
754473-21143	144.99	RL	1	1.2"x1.5"	Green
754473-21153	156.49	RL	1	1.8"x1.8"	Green
754473-21141	144.99	RL	1	1.2"x1.5"	Red
754473-21151	156.49	RL	1	1.8"x1.8"	Red
754473-21140	144.99	RL	1	1.2"x1.5"	White
754473-21145	138.99	RL	1	1.2"x1.9"	White
754473-21150	156.49	RL	1	1.2"x1.9"	White
754473-21111	129.99	RL	1	2"x1"	White
754473-21117	253.99	RL	1	4"x1"	White
754473-21157	133.99	RL	1	2.4" x 2.4"	Yellow



Head to Toe Protection



RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. Brady BBP33 PermaSleeve® PS Polyolefin Wire Marking Sleeves (B-342)

A 3:1 heat shrinkable wire maker sleeve that fits snugly around wires. Can be used for identification or wire protection. Sleeves are fade-resistant and flame-retardant.

662820-96709	499.00	RL	1	2" x 1.00"	Black
662820-96761	543.99	RL	1	2" x 0.125"	Black
662820-96762	600.88	RL	1	2" x 0.375"	Black
662820-96763	525.11	RL	1	2" x 0.187"	Black
662820-96764	468.99	RL	1	2" x 0.25"	Black
662820-96765	501.07	RL	1	2" x 0.50"	Black
662820-96766	468.99	RL	1	2" x 0.094"	White
662820-96767	501.07	RL	1	2" x 0.50"	Yellow
662820-96768	407.55	RL	1	2" x 0.75"	Yellow
662820-96769	407.55	RL	1	2" x 0.75"	Black
662820-96770	468.99	RL	1	2" x 0.25"	Yellow
662820-96771	600.88	RL	1	2" x 0.375"	Yellow
662820-96772	487.99	RL	1	2" x 0.094"	Yellow
662820-96773	499.00	RL	1	2" x 1.00"	Yellow
662820-96774	407.55	RL	1	2" x 0.75"	Yellow
662820-96775	490.49	RL	1	2" x 0.094"	Black
662820-96777	499.00	RL	1	2" x 1.00"	White
662820-96784	525.11	RL	1	2" x 0.187"	White
662820-96785	468.99	RL	1	2" x 0.25"	White
662820-96786	600.88	RL	1	2" x 0.375"	White
662820-96828	365.24	RL	1	2" x 1.50"	Black
662820-96829	365.24	RL	1	2" x 1.50"	White
662820-96830	365.24	RL	1	2" x 1.50"	Yellow
662820-96831	365.24	RL	1	2" x 1.50"	Black
662820-96832	365.24	RL	1	2" x 1.50"	White
662820-96833	365.24	RL	1	2" x 1.50"	Yellow
662820-96859	490.49	RL	1	2" x 0.094"	White
662820-96860	490.49	RL	1	2" x 0.094"	Yellow
662820-96861	543.99	RL	1	2" x 0.125"	White
662820-96862	543.99	RL	1	2" x 0.125"	Yellow
662820-96863	525.11	RL	1	2" x 0.187"	White
662820-96864	525.11	RL	1	2" x 0.187"	Yellow
662820-96865	468.99	RL	1	2" x 0.25"	White
662820-96866	468.99	RL	1	2" x 0.25"	Yellow
662820-96867	600.88	RL	1	2" x 0.375"	White
662820-96868	600.88	RL	1	2" x 0.375"	Yellow
662820-96869	501.07	RL	1	2" x 0.50"	White
662820-96870	501.07	RL	1	2" x 0.50"	Yellow
662820-96871	407.55	RL	1	2" x 0.75"	White
662820-96872	499.00	RL	1	2" x 1.00"	White
662820-96873	499.00	RL	1	2" x 1.00"	Yellow
662820-96874	543.99	RL	1	2" x 0.125"	White
662820-96875	540.99	RL	1	2" x 0.125"	Yellow
662820-96876	525.11	RL	1	2" x 0.187"	White
662820-96877	525.11	RL	1	2" x 0.187"	Yellow
662820-96878	468.99	RL	1	2" x 0.25"	White
662820-96879	600.88	RL	1	2" x 0.375"	White
662820-96880	501.07	RL	1	2" x 0.50"	White
662820-96881	407.55	RL	1	2" x 0.75"	White

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

B. Brady BBP33 Polyester Labels (B-423)

B-423 WorkHorse™ Series Harsh Environment Labels are polyester thermal transfer labels intended for use in a variety of applications, including electronic PCB and component identification, bar code labeling, rating plates and solar panel identification.

662820-96916	77.10	RL	1	1" x 0.50"	Gloss White
662820-96921	109.49	RL	1	3" x 1.00"	Gloss White
662820-96927	88.49	RL	1	2" x 1.00"	Gloss White

C. Brady BBP33 Self-Laminating Vinyl (B-427)

Conformable material designed to adhere to highly curved surfaces, wires and cables. Features a white printable area with clear "tail" that wraps around marker. The clear tail serves as an over-laminate to protect the text, providing superior resistance to abrasion, dirt, oils, solvents, water and excessive handling.

662820-96710	95.49	RL	1	1.50" x 1.50"	White/Clear
662820-96711	110.49	RL	1	1.75" x 1.50"	White/Clear
662820-96722	118.99	RL	1	2.50" x 2.25"	White/Clear
662820-96834	92.49	RL	1	1.75" x 1.00"	White/Clear
662820-96836	163.99	RL	1	1.00" x 2.625"	White/Clear
662820-96848	241.00	RL	1	0.75" x 1.75"	White/Clear
662820-96882	78.99	RL	1	1.50" x 1.00"	White/Clear
662820-96931	148.99	RL	1	1.00" x 1.437"	White/Clear
662820-96932	153.99	RL	1	0.50" x 1.437"	White/Clear
662820-96933	141.99	RL	1	1.00" x 6.00"	White/Clear
662820-96934	66.49	RL	1	0.50" x 0.75"	White/Clear
662820-96935	135.41	RL	1	1.00" x 2.25"	White/Clear
662820-96936	199.00	RL	1	0.80" x 1.437"	White/Clear
662820-96937	153.99	RL	1	0.75" x 0.937"	White/Clear
662820-96938	136.86	RL	1	2.00" x 3.75"	White/Clear
662820-96939	197.18	RL	1	1.00" x 3.75"	White/Clear
662820-96941	66.99	RL	1	0.50" x 1.00"	White/Clear
662820-96942	115.49	RL	1	1.00" x 1.00"	White/Clear

RS Hughes Part Price Per Case Description

D. Brady BBP33 Vinyl Wire Markers(B-427AW)

B-427 with catalog numbers ending in "AW" are identical to B-427 self-laminating labels, but have only an all-white thermal transfer printable area. This material is designed for use in wire and cable identification. It has good clarity, conformability and self-extinguishing.

662820-96792	81.99	RL	1	1.50" x 0.75"	White
662820-96885	132.99	RL	1	2.00" x 1.00"	White

E. Brady BBP33 Polyester Labels (B-432)

B-432 WorkHorse™ Series Harsh Environment Labels are clear, thermal transfer polyester labels intended for use in a variety of applications, including rating and serial plates using alphanumerics, barcodes, graphic symbols and logos that require name plate quality.

662820-64917	27.95	RL	1	1.50" x 0.50"	Clear
662820-96843	86.99	RL	1	2.00" x 1.00"	Clear
662820-96844	128.99	RL	1	3.00" x 1.00"	Clear
662820-96894	102.99	RL	1	3.00" x 2.00"	Clear

F. Brady BBP33 Aggressive Adhesive Polyester (B-483)

B-483 ToughBond™ Series Aggressive Adhesive Labels are white, polyester thermal transfer labels designed for high adhesion to textured metals and low surface energy plastics.

662820-96796	85.99	RL	1	3.00" x 2.00"	White
662820-96915	91.49	RL	1	1.00" x 0.50"	White
662820-96919	128.99	RL	1	3.00" x 1.00"	White
662820-96924	85.49	RL	1	2.00" x 1.00"	White

G. Brady BBP33 Polyester Labels (B-489)

B-489 ToughBond™ Series Aggressive Adhesive Labels are white, thermal transfer polyester labels with a permanent, rubber-based adhesive for high adhesion to textured metals and low surface energy plastics.

662820-96798	88.49	RL	1	3.00" x 2.00"	Matte White
662820-96809	87.99	RL	1	2.00" x 1.00"	Matte White
662820-96892	132.99	RL	1	3.00" x 1.00"	Matte White
662820-96902	97.49	RL	1	1.00" x 0.50"	Matte White

H. Brady BBP33 Repositionable Vinyl Cloth Wire Markers (B-498)

B-498 CleanLift™ Series Removable Labels are vinyl cloth thermal transfer materials with a repositionable rubber-based adhesive.

662820-96712	123.49	RL	1	0.75" x 0.25"	White
662820-96713	107.49	RL	1	0.65" x 0.20"	White
662820-96714	179.49	RL	1	1.00" x 0.75"	White
662820-96715	136.99	RL	1	0.25" x 1.437"	White
662820-96716	176.30	RL	1	0.80" x 1.437"	White
662820-96806	246.49	RL	1	1.00" x 0.50"	White
662820-96807	251.16	RL	1	1.00" x 1.437"	White
662820-96849	160.99	RL	1	0.50" x 1.437"	White
662820-96904	105.99	RL	1	0.312" x 85'	White
662820-96905	105.99	RL	1	0.24" x 85'	White
662820-96912	105.99	RL	1	0.375" x 85'	White
662820-96913	155.49	RL	1	0.75" x 0.937"	White
662820-96914	171.49	RL	1	0.50" x 0.75"	White
662820-96928	203.49	RL	1	0.80" x 1.437"	White



RS Hughes Part Price Per Case Description

I. Brady BBP33 Laboratory Labels (B-499)

B-499 labels are white, nylon thermal transfer labels with a thick construction intended to last in freezers and autoclaves.

662820-96835	63.99	RL	1	0.90" x 0.50"	White
662820-96837	106.49	RL	1	1.50" x 0.75"	White
662820-96841	66.15	RL	1	1.00" x 0.375"	White
662820-96842	192.99	RL	1	0.80" x 1.437"	White
662820-96851	81.99	RL	1	0.90" x 0.50"	White
662820-96855	48.49	RL	1	0.375" x 0.375"	White
662820-96856	48.49	RL	1	0.50" x 0.50"	White
662820-96857	54.99	RL	1	1.00" x 0.375"	White
662820-96858	44.99	RL	1	0.50" x 0.75"	White
662820-96889	70.99	RL	1	2.00" x 0.25"	White
662820-96906	128.21	RL	1	2.00" x 1.00"	White

J. Brady BBP31 Heavy-Duty Print Ribbon

"Drop & Click" print ribbons for quick and easy supply changes.

662820-96947	55.49	EA	1	Black
662820-98152	55.49	EA	1	Silver
754473-21177	53.99	EA	1	Black
754473-21178	53.99	EA	1	Black
754473-21181	53.99	EA	1	White

ANSI Z535 Signs

Brady offers a variety of ANSI safety signs to help you prevent accidents and enhance productivity and safety within your facility. ANSI signs are highly visible and provide recognizable safety alert messages for workplace caution, warning, notice, danger and more. Brady's ANSI signs adhere to ANSI Z535.1, Z535.2 and Z535.5 safety standards for colors and symbols and can be understood by employees and visitors of all cultural backgrounds.

Popular Sign Materials

- FB** - Premium Fiberglass (B-120)
- SS** - Self-Sticking Polyester (B-302)
- BGSS** - BradyGlo™ Self-Sticking Polyester (B-324)
- BGPL** - BradyGlo™ Plastic (B-347)
- PL** - Plastic (B-401)
- AL** - Aluminum (B-555)

144844 7" x 10" SS 144845 10" x 14" SS 144840 7" x 10" PL 144841 10" x 14" PL 144842 7" x 10" AL 144843 10" x 14" AL	144600 7" x 10" SS 144598 7" x 10" PL 144597 7" x 10" AL	144589 10" x 14" FB 144601 10" x 14" SS 144599 10" x 14" PL 144590 10" x 14" AL	144160 7" x 10" SS 144163 10" x 14" SS 144161 7" x 10" PL 144158 10" x 14" PL 144159 7" x 10" AL 144162 10" x 14" AL	144180 10" x 14" FB 144178 7" x 10" SS 144182 10" x 14" SS 144176 7" x 10" PL 144179 10" x 14" PL 144177 7" x 10" AL 144181 10" x 14" AL	144952 7" x 10" SS 144950 10" x 14" SS 144951 7" x 10" PL 144949 10" x 14" PL 144953 7" x 10" AL 144954 10" x 14" AL
143731 7" x 10" SS 143748 10" x 14" SS 143752 7" x 10" PL 143751 10" x 14" PL 143749 10" x 14" AL	45033 10" x 7" FB 45102 14" x 10" PL 49021 10" x 7" AL	143747 7" x 10" SS 143740 10" x 14" SS 143750 7" x 10" AL 143743 10" x 14" AL	143746 10" x 14" FB	144191 7" x 10" FB 144222 7" x 10" SS 144225 10" x 14" PL 144195 10" x 14" SS 144223 7" x 10" PL 144224 7" x 10" AL 144227 10" x 14" AL	143952 7" x 10" SS 143953 10" x 14" SS 143950 7" x 10" PL 143951 10" x 14" PL 143954 7" x 10" AL 143955 10" x 14" AL
144221 7" x 10" FB 144226 10" x 14" SS	45039 10" x 7" FB 45040 14" x 10" FB 45175 10" x 7" SS 45176 14" x 10" SS 45107 10" x 7" PL 45108 14" x 10" PL 49027 10" x 7" AL	143957 3-1/2" x 5" SS 143960 10" x 14" PL	144266 14" x 10" FB 144267 10" x 7" SS 144268 14" x 10" SS 144269 10" x 7" PL 144270 14" x 10" PL 144271 10" x 7" AL 144272 14" x 10" AL	144275 7" x 10" SS 144276 10" x 14" SS 144274 7" x 10" PL 144273 10" x 14" PL 144277 7" x 10" AL 144278 10" x 14" AL	144283 7" x 10" SS 144282 10" x 14" SS 144281 7" x 10" PL 144279 10" x 14" PL 144284 7" x 10" AL 144280 10" x 14" AL
144286 7" x 10" SS 144287 10" x 14" SS 144285 7" x 10" PL 144289 10" x 14" PL 144290 7" x 10" AL 144288 10" x 14" AL	144294 7" x 10" SS 144295 10" x 14" SS 144293 7" x 10" PL 144292 10" x 14" PL 144296 7" x 10" AL 144291 10" x 14" AL	144299 20" x 14" FB 144303 10" x 7" SS 144301 14" x 10" SS 144300 10" x 7" PL 144305 14" x 10" PL 144302 10" x 7" AL 144298 14" x 10" AL	144312 7" x 10" SS 144313 10" x 14" SS 144314 7" x 10" PL 144315 10" x 14" PL 144316 7" x 10" AL 144317 10" x 14" AL	144989 7" x 10" SS 144990 10" x 14" SS 144991 7" x 10" PL 144988 10" x 14" PL 144993 7" x 10" AL 144992 10" x 14" AL	45008 14" x 10" FB 45143 10" x 7" SS 45144 14" x 10" SS 45075 10" x 7" PL 45076 14" x 10" PL 48995 10" x 7" AL 48996 14" x 10" AL
62809 10" x 14" FB 83925 3-1/2" x 5" SS 21797 7" x 10" PL 26572 10" x 14" PL 46473 7" x 10" AL 46750 10" x 14" AL	144121 7" x 10" SS 144122 10" x 14" SS	144142 7" x 10" SS 144143 10" x 14" SS 144138 7" x 10" PL 144141 10" x 14" PL 144140 7" x 10" AL 144139 10" x 14" AL	144714 7" x 10" SS 144715 10" x 14" SS 144712 7" x 10" PL 144713 10" x 14" PL 144716 7" x 10" AL 144717 10" x 14" AL	122905 7" x 10" FB 62738 10" x 14" FB 83887 3-1/2" x 5" SS 83664 7" x 10" SS 21713 7" x 10" PL 26534 10" x 14" PL 122454 7" x 10" AL 46674 10" x 14" AL	62551 7" x 10" FB 62813 10" x 14" FB 83929 3-1/2" x 5" SS 83754 7" x 10" SS 21801 7" x 10" PL 26576 10" x 14" PL 46477 7" x 10" AL 46754 10" x 14" AL



Custom Sign Pricing

Size	FB Premium Fiberglass B120	B301	SS Self-Sticking Polyester B302	PL Plastic B401	AL Aluminum B555
3 1/2" x 5"			\$2.35		
5" x 3 1/2"			\$2.35		
7" x 10"	\$15.99	\$8.64	\$8.64	\$8.74	\$12.49
7" x 17"	\$26.99				
10" x 7"	\$15.99		\$8.64	\$8.74	\$12.49
10" x 14"	\$26.99		\$12.11	\$12.99	\$20.99
14" x 10"	\$26.99		\$12.11	\$12.99	\$20.99
14" x 20"	\$44.23				
20" x 14"	\$44.23				



- 44989 10" x 7" FB
- 44990 14" x 10" FB
- 45125 10" x 7" SS
- 45126 14" x 10" SS
- 45057 10" x 7" PL
- 45058 14" x 10" PL
- 48977 10" x 7" AL
- 48978 14" x 10" AL



- 62545 7" x 10" FB
- 62807 10" x 14" FB
- 83923 3-1/2" x 5" SS
- 83748 7" x 10" SS
- 122611 10" x 14" SS
- 21795 7" x 10" PL
- 26570 10" x 14" PL
- 46471 7" x 10" AL
- 46748 10" x 14" AL




- 45004 14" x 10" FB
- 45139 10" x 7" SS
- 45140 14" x 10" SS
- 45071 10" x 7" PL
- 45072 14" x 10" PL
- 48991 10" x 7" AL
- 48992 14" x 10" AL




- 144128 7" x 10" SS
- 144130 10" x 14" SS
- 144126 7" x 10" PL
- 144127 10" x 14" PL
- 144129 7" x 10" AL
- 144131 10" x 14" AL



- 62538 7" x 10" FB
- 122754 10" x 14" FB
- 83916 3-1/2" x 5" SS
- 83741 7" x 10" SS
- 122689 7" x 10" SS
- 21788 7" x 10" PL
- 26563 10" x 14" PL
- 46464 7" x 10" AL
- 46741 10" x 14" AL



- 144427 7" x 10" SS
- 144429 10" x 14" SS
- 144428 7" x 10" PL
- 144430 10" x 14" PL
- 144431 7" x 10" AL
- 144432 10" x 14" AL



- 144433 10" x 7" SS
- 144434 14" x 10" SS
- 144435 10" x 7" PL
- 144436 14" x 10" PL
- 144437 10" x 7" AL
- 144438 14" x 10" AL



- 144534 7" x 10" SS
- 144535 10" x 14" SS
- 144533 7" x 10" PL
- 144532 10" x 14" PL
- 144536 7" x 10" AL
- 144537 10" x 14" AL



- 144494 10" x 7" FB
- 144497 5" x 3-1/2" SS
- 144499 10" x 7" SS
- 144498 14" x 10" SS
- 144500 10" x 7" PL
- 144495 14" x 10" PL
- 144502 10" x 7" AL
- 144496 14" x 10" AL



- 143765 14" x 20" FB
- 143769 7" x 10" SS
- 143768 10" x 14" SS
- 143766 7" x 10" PL
- 143767 10" x 14" PL
- 143770 7" x 10" AL
- 143771 10" x 14" AL



- 143701 7" x 10" SS
- 143702 10" x 14" SS
- 143704 7" x 10" PL
- 143703 10" x 14" PL
- 143706 7" x 10" AL
- 143705 10" x 14" AL



- 122830 7" x 10" FB
- 62734 10" x 14" FB
- 83883 3-1/2" x 5" SS
- 83660 7" x 10" SS
- 122575 10" x 14" SS
- 21709 7" x 10" PL
- 26530 10" x 14" PL
- 46626 7" x 10" AL
- 46670 10" x 14" AL



- 45029 10" x 7" FB
- 45165 10" x 7" SS
- 45166 14" x 10" SS
- 45097 10" x 7" PL
- 49017 10" x 7" AL
- 49018 14" x 10" AL



- 45025 10" x 7" FB
- 45026 14" x 10" FB
- 45161 10" x 7" SS
- 45162 14" x 10" SS
- 45093 10" x 7" PL
- 45094 14" x 10" PL
- 49013 10" x 7" AL
- 49014 14" x 10" AL



- 45041 10" x 7" FB
- 45042 14" x 10" FB
- 45177 10" x 7" SS
- 45178 14" x 10" SS
- 45109 10" x 7" PL
- 45110 14" x 10" PL
- 49029 10" x 7" AL
- 49030 14" x 10" AL



- 144754 7" x 10" SS
- 144751 10" x 14" SS
- 144753 7" x 10" PL
- 144750 10" x 14" PL
- 144755 7" x 10" AL
- 144752 10" x 14" AL



- 144758 10" x 14" FB
- 144761 7" x 10" SS
- 144762 10" x 14" SS
- 144759 7" x 10" PL
- 144756 10" x 14" PL
- 144757 7" x 10" AL
- 144760 10" x 14" AL



- 144523 10" x 7" SS
- 144521 14" x 10" SS
- 144524 10" x 7" PL
- 144525 14" x 10" PL
- 144522 10" x 7" AL
- 144520 14" x 10" AL




- 144093 7" x 10" SS
- 144094 10" x 14" SS
- 144091 7" x 10" PL
- 144089 10" x 14" PL
- 144092 7" x 10" AL
- 144090 10" x 14" AL



- 62816 10" x 14" FB
- 83932 3-1/2" x 5" SS
- 83757 7" x 10" SS
- 21804 7" x 10" PL
- 26579 10" x 14" PL
- 46480 7" x 10" AL
- 46757 10" x 14" AL



- 145289 7" x 10" SS
- 145288 10" x 14" SS
- 145291 7" x 10" PL
- 145290 10" x 14" PL
- 145287 7" x 10" AL
- 145286 10" x 14" AL



- 45023 10" x 7" FB
- 45024 14" x 10" FB
- 45159 10" x 7" SS
- 45091 10" x 7" PL
- 45092 14" x 10" PL
- 49011 10" x 7" AL



- 144592 7" x 10" SS
- 144588 7" x 10" PL
- 144591 7" x 10" AL



- 144593 10" x 14" SS
- 144594 10" x 14" PL
- 144596 10" x 14" AL

Custom Sign Pricing

Size	FB	SS		PL	AL
	Premium Fiberglass B120	B301	Self-Sticking Polyester B302	Plastic B401	Aluminum B555
3½" x 5"			\$2.35		
5" x 3½"			\$2.35		
7" x 10"	\$15.99	\$8.64	\$8.64	\$8.74	\$12.49
7" x 17"	\$26.99				
10" x 7"	\$15.99		\$8.64	\$8.74	\$12.49
10" x 14"	\$26.99		\$12.11	\$12.99	\$20.99
14" x 10"	\$26.99		\$12.11	\$12.99	\$20.99
14" x 20"	\$44.23				
20" x 14"	\$44.23				



- 144882 7" x 10" FB
- 144878 10" x 14" FB
- 144881 7" x 10" SS
- 144879 10" x 14" SS
- 144883 7" x 10" PL
- 144877 10" x 14" PL
- 144884 7" x 10" AL
- 144880 10" x 14" AL



- 143683 7" x 10" SS
- 143684 10" x 14" SS
- 143686 7" x 10" PL
- 143685 10" x 14" PL
- 143688 7" x 10" AL
- 143687 10" x 14" AL



- 143671 10" x 7" SS
- 143670 14" x 10" SS
- 143673 10" x 7" PL
- 143672 14" x 10" PL
- 143675 10" x 7" AL
- 143674 14" x 10" AL



- 83896 3-1/2" x 5" SS
- 83675 7" x 10" SS
- 21723 7" x 10" PL
- 26543 10" x 14" PL
- 46641 7" x 10" AL



- 144308 7" x 10" SS
- 144307 10" x 14" SS
- 144187 7" x 10" PL
- 144306 10" x 14" PL
- 144310 7" x 10" AL
- 144311 10" x 14" AL



- 144209 7" x 10" SS
- 144210 10" x 14" SS
- 144211 7" x 10" PL
- 144212 10" x 14" PL
- 144213 7" x 10" AL
- 144214 10" x 14" AL



- 62796 10" x 14" FB
- 83912 3-1/2" x 5" SS
- 83737 7" x 10" SS
- 122573 10" x 14" SS
- 21784 7" x 10" PL
- 26559 10" x 14" PL
- 46460 7" x 10" AL
- 46737 10" x 14" AL




- 144297 7" x 17" FB
- 144304 10" x 14" FB
- 144309 7" x 10" PL



- 62797 10" x 14" FB
- 83913 3-1/2" x 5" SS
- 83738 7" x 10" SS
- 60572 10" x 14" SS
- 21785 7" x 10" PL
- 26560 10" x 14" PL
- 46461 7" x 10" AL
- 46738 10" x 14" AL




- 144116 7" x 10" SS
- 144117 10" x 14" SS
- 144118 7" x 10" PL
- 144114 10" x 14" PL
- 144119 7" x 10" AL
- 144120 10" x 14" AL



- 144136 7" x 10" SS
- 144137 10" x 14" SS
- 144134 7" x 10" PL
- 144135 10" x 14" PL
- 144132 7" x 10" AL
- 144133 10" x 14" AL



- 145045 10" x 14" SS



- 62436 7" x 10" FB
- 83902 3-1/2" x 5" SS
- 83681 7" x 10" SS
- 21729 7" x 10" PL
- 26549 10" x 14" PL
- 46647 7" x 10" AL
- 46691 10" x 14" AL



- 144153 10" x 14" FB
- 144157 7" x 10" SS
- 144154 10" x 14" SS
- 144156 7" x 10" PL
- 144152 10" x 14" PL
- 144155 7" x 10" AL
- 144151 10" x 14" AL



- 62794 10" x 14" FB
- 83910 3-1/2" x 5" SS
- 83735 7" x 10" SS
- 60574 10" x 14" SS
- 21782 7" x 10" PL
- 26557 10" x 14" PL
- 46458 7" x 10" PL
- 46735 10" x 14" AL



- 44993 10" x 7" FB
- 44994 14" x 10" FB
- 45129 10" x 7" SS



- 143762 10" x 14" FB
- 143763 7" x 10" SS
- 143760 10" x 14" SS
- 143761 10" x 14" PL
- 143764 7" x 10" AL
- 143759 10" x 14" AL



- 62827 10" x 14" FB
- 83943 3-1/2" x 5" SS
- 83768 7" x 10" SS
- 21815 7" x 10" PL
- 26590 10" x 14" PL
- 46491 7" x 10" AL
- 46768 10" x 14" AL



- 143774 10" x 14" FB
- 143776 14" x 20" FB
- 143777 7" x 10" SS
- 143773 10" x 14" SS
- 143780 7" x 10" PL
- 143778 10" x 14" PL
- 143779 7" x 10" AL
- 143775 10" x 14" AL



- 143783 10" x 14" FB
- 143785 3-1/2" x 5" SS
- 143784 7" x 10" SS
- 143781 10" x 14" SS
- 143787 7" x 10" PL
- 143782 10" x 14" PL
- 143786 7" x 10" AL
- 143788 10" x 14" AL



- 144686 7" x 10" SS
- 144687 10" x 14" SS
- 144684 7" x 10" PL
- 144685 10" x 14" PL
- 144682 7" x 10" AL
- 144683 10" x 14" AL



- 62433 7" x 10" FB
- 62754 10" x 14" FB
- 83899 3-1/2" x 5" SS
- 83678 7" x 10" SS
- 21726 7" x 10" PL
- 26546 10" x 14" PL
- 46644 7" x 10" AL
- 46688 10" x 14" AL



- 45021 10" x 7" FB
- 45022 14" x 10" FB
- 45157 10" x 7" SS
- 45158 14" x 10" SS
- 45089 10" x 7" PL
- 45090 14" x 10" PL
- 49009 10" x 7" AL
- 49010 14" x 10" AL




- 132218 7" x 10" FB
- 132219 10" x 14" FB
- 132220 7" x 10" SS
- 132221 10" x 14" SS
- 132214 7" x 10" PL
- 132215 10" x 14" PL
- 132216 7" x 10" AL
- 132217 10" x 14" AL

Globally Harmonized System (GHS) Compliance

The Globally Harmonized System (GHS) regulations are being implemented around the globe - in the U.S., Europe, and Asia, among other continents and countries. OSHA published an updated Hazard Communications standard in March 2012. The new standard incorporates the major elements of the GHS. A three year transitional period is expected, which will allow companies to have enough time to fully implement the new standards in their facilities. Starting in January, 2014 manufacturers, distributors, and employers working with, storing or transporting chemicals in the U.S. must train their employees or face possible fines from OSHA.

GHS Deadlines (These are the important dates to know):

- **December 1, 2013** – Employees Trained
- **June 1, 2015** – Comply with modified provisions
- **December 1, 2015** – Can no longer ship with old labels
- **June 1, 2016** – Update workplace labeling




A



B



C



D

RS Hughes Part Price Per Case Description

Brady GHS Signs

Post signs to reinforce label, pictogram and SDS training at a glance! Choice of fiberglass (B-140) or self-sticking signs (B-302).

Part	Price	EA	Per Case	Description
A. 754473-89832	23.99	EA	1	10" x 14" GHS Label Elements B-140
A. 754473-89835	12.11	EA	1	10" x 14" GHS Label Elements B-302
B. 754473-89831	23.99	EA	1	14" x 10" GHS Pictogram Overview B-140
B. 754473-89834	12.11	EA	1	14" x 10" GHS Pictogram Overview B-302
C. 754473-89833	23.99	EA	1	14" x 10" SDS Format Overview B-140
C. 754473-89836	12.11	EA	1	14" x 10" SDS Format Overview B-302

D. Brady GHS Reference Center Poster

This all inclusive poster is great for combining many of the most important changes into one easy-to-read format. Includes detailed information on: The new Safety Data Sheet (SDS) format and sections, the new Globally Harmonized System (GHS)-formatted label elements, and GHS Hazard Pictograms.

754473-89878	30.49	EA	1	133209
--------------	-------	----	---	--------

E. Brady GHS HazCom Training Program Kit

This program primarily focuses on the NEW Globally Harmonized System (GHS) elements and would assist in fulfilling an initial training requirement. This kit includes: a DVD with 2 videos on the GHS standard that will help employees understand the new GHS label elements, identify the new GHS pictograms and how to read and interpret the new GHS Safety Data Sheets. Along with the DVD, this program comes with a comprehensive instructor's guide, employee quiz, accompanying PowerPoint presentation, and 5 employee handbooks.

754473-84518	502.49	KT	1	132428
--------------	--------	----	---	--------

F. Brady GHS Hazcom Training Program Kit

A DVD-based Globally Harmonized System (GHS) training program in a bilingual English/Spanish format that will cover the training mandated by OSHA. Includes 2 videos on the GHS standard that will help employees: Understand the new GHS label elements, identify the new GHS pictograms, and read and interpret the new GHS Safety Data Sheets.

754473-89827	502.49	KT	1	133160
--------------	--------	----	---	--------



BRADY
WHEN PERFORMANCE MATTERS MOST™



RS Hughes Part Price Per Case Description

G. Brady GHS Hazcom Training Program Employee Handbooks

The Globally Harmonized System (GHS) Hazard Communication Training Program Handbooks are designed as helpful guides for your employees during their training. The employee handbooks, available in packs of 5, provide important information on the new GHS elements and serve as a valuable reference tool following training. The full GHS Hazard Communication Training Program Kit includes five handbooks.

754473-84519 16.49 PK 1 132429

H. Brady GHS Introduction Poster Pack

This poster pack includes a set of 3 informational posters. The posters outline three key topics for GHS and Hazard Communication: An overview of the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals, Information regarding the new Safety Data Sheets format and outline, Information regarding the new GHS-formatted label elements. This pack of posters is great for putting this critical information in different parts of your facility to ensure employee understanding.

754473-89876 50.99 PK 1 133207

I. Brady Hazard Communication Full Training Employee Handbook

The Hazard Communication Training Program Handbooks are designed as helpful guides for your employees during their training. The employee handbooks, available in packs of 5, provide comprehensive information regarding Hazard Communication regulations. These handbooks also serve as a valuable reference tool for employees following their training. The full Hazard Communication Training Program Kit includes five handbooks.

754473-84607 16.49 PK 1 132458

J. Brady Hazard Communication Full Training Program Kit

This program is intended to be a fully comprehensive Hazard Communication training program that can be used to fulfill a typical annual refresher requirement. It is intended to ensure the following: Employees will understand what types of hazardous materials are used in the workplace, employees will be able to read and understand labels and Safety Data Sheets, and that employees will be able to understand how to safely use hazardous materials. Training program contains a comprehensive DVD training video on OSHA's Hazard Communication Regulation (1910.1200) including the updates to GHS, a comprehensive instructor's guide, employee quiz, accompanying PowerPoint presentations and 5 employee handbooks.

754473-84606 553.49 KT 1 132457

K. Brady GHS Wallet Cards

These wallet cards outline all 9 of the new Globally Harmonized System (GHS) Hazard Pictograms. Wallet cards are a great training aid to help employees get familiar with the new hazard pictograms, and as a handy reference for when the new GHS labels are entering your facility. These cards are 2.1" W x 3.4" H and come in packs of 10.

754473-89877 21.99 PK 1



Head to Toe Protection

Brady ToughStripe™ Floor Marking Features

Superior Durability – Spend less time replacing damaged or worn lines for a better-looking, more efficient facility.

Withstands forklift traffic without tearing or lifting.

Low-profile design minimizes tears and scratches from skids, pallet jacks, etc.

Rugged polyester with ultra-aggressive adhesive.

Easy Application – Quickly lay down straight lines - without the help of coworkers. Can be easily applied by one person working alone.

Stiff polyester with liner prevents tape stretching and reduces wrinkles and wavy, uneven lines.

No special floor preparation required – just clean with common cleansers.

Painless Removal – Easily remove floor markings without damaging the floor or leaving adhesive residue. Does not chip and flake when being removed – comes off in one piece.

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. Brady ToughStripe® Floor Marking, B-514 Polyester

Made with the most durable floor marking tape, ToughStripe™ Floor Marking Tape is a long-lasting, heavy-duty solution for marking floors, aisles, work cells and other designated areas.

754473-16088	43.49	RL	1	2" x 100'	Black	Floor Tape
754473-16089	43.49	RL	1	2" x 100'	White	Floor Tape
754473-16090	43.49	RL	1	2" x 100'	Yellow	Floor Tape
754473-16091	43.49	RL	1	2" x 100'	Red	Floor Tape
754473-16092	43.49	RL	1	2" x 100'	Blue	Floor Tape
754473-16093	43.49	RL	1	2" x 100'	Green	Floor Tape
754473-16094	43.49	RL	1	2" x 100'	Orange	Floor Tape
754473-16095	43.49	RL	1	2" x 100'	Black/Yellow	Floor Tape
754473-16096	43.49	RL	1	2" x 100'	Red/White	Floor Tape
754473-16097	43.49	RL	1	2" x 100'	Black/White	Floor Tape
754473-16118	63.49	RL	1	3" x 100'	Black	Floor Tape
754473-16119	63.49	RL	1	3" x 100'	White	Floor Tape
754473-16120	63.49	RL	1	3" x 100'	Yellow	Floor Tape
754473-16121	63.49	RL	1	3" x 100'	Red	Floor Tape
754473-16122	63.49	RL	1	3" x 100'	Blue	Floor Tape
754473-16123	63.49	RL	1	3" x 100'	Green	Floor Tape
754473-16124	63.49	RL	1	3" x 100'	Orange	Floor Tape
754473-16125	63.49	RL	1	3" x 100'	Black/Yellow	Floor Tape
754473-16126	63.49	RL	1	3" x 100'	Red/White	Floor Tape
754473-16127	63.49	RL	1	3" x 100'	Black/White	Floor Tape
754473-16148	82.99	RL	1	4" x 100'	Black	Floor Tape
754473-16149	82.99	RL	1	4" x 100'	White	Floor Tape
754473-16150	82.99	RL	1	4" x 100'	Yellow	Floor Tape
754473-16151	82.99	RL	1	4" x 100'	Red	Floor Tape
754473-16152	82.99	RL	1	4" x 100'	Blue	Floor Tape
754473-16153	82.99	RL	1	4" x 100'	Green	Floor Tape
754473-16154	82.99	RL	1	4" x 100'	Orange	Floor Tape
754473-16155	82.99	RL	1	4" x 100'	Black/Yellow	Floor Tape
754473-16156	82.99	RL	1	4" x 100'	Red/White	Floor Tape
754473-16157	82.99	RL	1	4" x 100'	Black/White	Floor Tape





A, B

C

D, E, F



RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. Brady ToughStripe® Floor Marking, Double Arrows, B-514 Polyester, 100 per Roll

Made with the most durable floor marking tape, ToughStripe™ Floor Marking Tape is a long-lasting, heavy-duty solution for marking floors, aisles, work cells and other designated areas.

754473-16196	189.49	PH	1	3" x 8"	Red	
754473-16197	189.49	PH	1	3" x 8"	Green	
754473-16198	189.49	PH	1	3" x 8"	Blue	
754473-16199	189.49	PH	1	3" x 8"	Yellow	
754473-16200	189.49	PH	1	3" x 8"	Black	
754473-16201	189.49	PH	1	3" x 8"	White	

B. Brady ToughStripe® Floor Marking, Single Arrows, B-514 Polyester, 100 per Roll

754473-16202	240.49	PH	1	4" x 10"	Red	
754473-16203	240.49	PH	1	4" x 10"	Green	
754473-16204	240.49	PH	1	4" x 10"	Blue	
754473-16205	240.49	PH	1	4" x 10"	Yellow	
754473-16206	240.49	PH	1	4" x 10"	Black	
754473-16207	240.49	PH	1	4" x 10"	White	
754473-16190	125.49	PH	1	2" x 5"	Red	
754473-16191	125.49	PH	1	2" x 5"	Green	
754473-16192	125.49	PH	1	2" x 5"	Blue	
754473-16193	125.49	PH	1	2" x 5"	Yellow	
754473-16194	125.49	PH	1	2" x 5"	Black	
754473-16195	125.49	PH	1	2" x 5"	White	

C. Brady ToughStripe® Floor Marking, Footprints, B-514 Polyester, 5 Right + 5 Left per Pack

754473-16184	34.99	PH	1	10' x 3.5"	Red	
754473-16185	34.99	PH	1	10' x 3.5"	Green	
754473-16186	34.99	PH	1	10' x 3.5"	Blue	
754473-16187	34.99	PH	1	10' x 3.5"	Yellow	
754473-16188	34.99	PH	1	10' x 3.5"	Black	
754473-16189	34.99	PH	1	10' x 3.5"	White	

D. Brady ToughStripe® Floor Marking, Corner "L" Marks, B-514 Polyester, 20 per Pack

754473-16208	27.49	PH	1	2" x 5"	Red	
754473-16209	27.49	PH	1	2" x 5"	Green	
754473-16210	27.49	PH	1	2" x 5"	Blue	
754473-16211	27.49	PH	1	2" x 5"	Yellow	
754473-16212	27.49	PH	1	2" x 5"	Black	
754473-16213	27.49	PH	1	2" x 5"	White	

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

E. Brady ToughStripe® Floor Marking, Divider "T" Marks, B-514 Polyester, 20 per Pack

754473-16214	27.49	PH	1	2" x 5"	Red	
754473-16215	27.49	PH	1	2" x 5"	Green	
754473-16216	27.49	PH	1	2" x 5"	Blue	
754473-16217	27.49	PH	1	2" x 5"	Yellow	
754473-16218	27.49	PH	1	2" x 5"	Black	
754473-16219	27.49	PH	1	2" x 5"	White	
754473-16226	39.49	PH	1	3" x 8"	Red	
754473-16227	39.49	PH	1	3" x 8"	Green	
754473-16228	39.49	PH	1	3" x 8"	Blue	
754473-16229	39.49	PH	1	3" x 8"	Yellow	
754473-16230	39.49	PH	1	3" x 8"	Black	
754473-16231	39.49	PH	1	3" x 8"	White	
754473-16238	57.49	PH	1	4" x 10"	Red	
754473-16239	57.49	PH	1	4" x 10"	Green	
754473-16240	57.49	PH	1	4" x 10"	Blue	
754473-16241	57.49	PH	1	4" x 10"	Yellow	
754473-16242	57.49	PH	1	4" x 10"	Black	
754473-16243	57.49	PH	1	4" x 10"	White	

F. Brady ToughStripe® Floor Marking, Center "+" Marks, B-514 Polyester, 20 per Pack

754473-16244	27.49	PH	1	2" x 5"	Red	
754473-16245	27.49	PH	1	2" x 5"	Green	
754473-16246	27.49	PH	1	2" x 5"	Blue	
754473-16247	27.49	PH	1	2" x 5"	Yellow	
754473-16248	27.49	PH	1	2" x 5"	Black	
754473-16249	27.49	PH	1	2" x 5"	White	
754473-16250	39.49	PH	1	3" x 8"	Red	
754473-16251	39.49	PH	1	3" x 8"	Green	
754473-16252	39.49	PH	1	3" x 8"	Blue	
754473-16253	39.49	PH	1	3" x 8"	Yellow	
754473-16254	39.49	PH	1	3" x 8"	Black	
754473-16255	39.49	PH	1	3" x 8"	White	
754473-16256	57.49	PH	1	4" x 10"	Red	
754473-16257	57.49	PH	1	4" x 10"	Green	
754473-16258	57.49	PH	1	4" x 10"	Blue	
754473-16259	57.49	PH	1	4" x 10"	Yellow	
754473-16260	57.49	PH	1	4" x 10"	Black	
754473-16261	57.49	PH	1	4" x 10"	White	



RS Hughes Part Price Per Case Description

Brady ToughStripe® Floor Marking Signs, B-534 Polyester with Anti-Skid Tread

ToughStripe® B-534 polyester floor signs resist harsh chemicals and are specifically designed to alert workers of potential dangers and enforce protective equipment requirements. 3 mil thickness. Exceeds safety standards for clean, dry non-slip surfaces per ANSI A1262.2-2006 and OSHA 1910.22. Black areas of signs are coated with anti-skid tread.

1.	754473-16288	39.99	EA	1	14" H x 18" W	Safety Glasses Required
2.	754473-16266	39.99	EA	1	14" H x 18" W	Radiation Area
3.	754473-16269	39.99	EA	1	14" H x 18" W	First Aid
4.	754473-16275	39.99	EA	1	14" H x 18" W	Do Not Enter
5.	754473-16276	39.99	EA	1	14" H x 18" W	Chemical Storage
6.	754473-16277	39.99	EA	1	14" H x 18" W	Watch Your Step
7.	754473-16278	39.99	EA	1	14" H x 18" W	No Smoking
8.	754473-16280	39.99	EA	1	14" H x 18" W	Ear Protection Area
9.	754473-16281	39.99	EA	1	14" H x 18" W	Eye Protection Area
10.	754473-16282	39.99	EA	1	14" H x 18" W	Hard Hat Area
11.	754473-16283	39.99	EA	1	14" H x 18" W	Safety Goggles Required
12.	754473-16284	39.99	EA	1	14" H x 18" W	Biohazard
13.	754473-16264	39.99	EA	1	17" Diameter	First Aid w/ Arrow
14.	754473-16265	39.99	EA	1	17" Diameter	Safety Shower w/ Arrow
15.	754473-16267	39.99	EA	1	17" Diameter	Arrow Symbol
16.	754473-16268	39.99	EA	1	17" Diameter	Exit w/ Arrow
17.	754473-16270	39.99	EA	1	17" Diameter	Fire Extinguisher w/ Arrow
18.	754473-16271	39.99	EA	1	17" Diameter	Fire Alarm w/ Arrow
19.	754473-16272	39.99	EA	1	17" Diameter	Fire Hose w/ Arrow
20.	754473-16273	39.99	EA	1	17" Diameter	Emergency Exit w/ Arrow
21.	754473-16274	39.99	EA	1	17" Diameter	Emergency Stairs w/ Arrow
22.	754473-16279	39.99	EA	1	17" Diameter	Watch Out For Fork Lift
23.	754473-16285	39.99	EA	1	17" Diameter	Eye Wash w/ Arrow
24.	754473-16287	39.99	EA	1	17" Diameter	Pedestrian Traffic Only
25.	754473-16289	39.99	EA	1	17" Diameter	Stop w/ Octagon
26.	754473-16290	39.99	EA	1	17" Diameter	Warning Forklift Traffic
27.	754473-16291	39.99	EA	1	17" Diameter	Production Area
28.	754473-16286	39.99	EA	1	17" Diameter	Keep Aisles Clear

WEARWELL™

ErgoDeck™ Kit Assembly Instructions

A simple, compact solution

- Each kit contains all the components for a complete mat.
- No cutting or tools required!
- Assembled in 5 minutes or less.
- Compact size reduces shipping costs and makes on-site delivery easy.
- Simply snap together and zip apart for a larger size using additional tiles.

Each ErgoDeck™ Tile has 16 secure connections:

- Four (4) female connectors on two adjacent sides
- Four (4) hidden male connectors on two adjacent sides

NO-SLIP SOLID KITS 552



PART INFORMATION				TILES		CORNER		RAMPS	
Wearwell Part No.	Size	Price	RS Hughes Part No	18" x 18"	15" x 15"	6" x 18"	6" x 9"		
552.78x42x48BYL	42" x 48"	349.13	715411-00490	4	2	3	2		
552.78x42x66BYL	42" x 66"	461.30	715411-00500	6	2	4	2		
552.78x42x84BYL	42" x 84"	573.48	715411-00510	8	2	5	2		

NO-SLIP DRAINAGE KITS 553





PART INFORMATION				TILES		CORNER		RAMPS	
Wearwell Part No.	Size	Price	RS Hughes Part No	18" x 18"	15" x 15"	6" x 18"	6" x 9"		
553.78x42x48BYL	42" x 48"	349.13	715411-00520	4	2	3	2		
553.78x42x66BYL	42" x 66"	461.30	715411-00540	6	2	4	2		
553.78x42x84BYL	42" x 84"	573.48	715411-00379	8	2	5	2		



Example:

A boxed kit for a 42" x 48" mat contains:

- 4 - 18" x 18" Tiles
- 2 - 15" x 15" Corners
- 3 - 6" x 18" Ramps
- 2 - 6" x 9" Ramps




RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

ErgoDeck With Integrated No-Slip Cleats

This non-slip flooring is engineered to deliver exceptional traction in even the most extreme environments. The patented LockSafe® Positive Interlocking System delivers secure connections but can be unlocked as needed for replacement or repositioning.

B.	715411-01039	46.07	EA	1	18 X 18	552.78x18x18BK
B.	715411-10480	426.62	CA	1	18 X 18	552.78x18x18BK-CS10
C.	715411-10490	46.07	EA	1	18 X 18	553.78x18x18BK
C.	715411-10500	426.62	CA	1	18 X 18	553.78x18x18BK-CS10



ERGODECK®

- ❖ A comfortable, ergonomic floor that will withstand heavy use.
- ❖ 100% Silicone Free PVC tiles provide maximum durability.
- ❖ Perfect for lean manufacturing, tiles can be unlocked and repositioned as work centers change to fit customer needs.
- ❖ The patented LockSafe® Positive Interlocking System delivers secure connections.
- ❖ The optional 6" side safety ramps and corners have countersunk holes for semi-permanent installation.



Available in a solid and drainage version and also two comfort levels

1 Original

For heavy use and cart traffic.

2 SOFT

For greater worker comfort.

Which ErgoDeck is right for you?

ErgoDeck Design	Extra Comfort	Dry Areas	Around Water	Hand Carts
Original Open No. 560		■	■	■
Original Solid No. 562		■		■
SOFT Open No. 564	■	■	■	
SOFT Solid No. 566	■	■		

Tiles	Price	Description/Color	Part Number	UOM
18" x 18"	328.55	Original Drainage, Black	560.78x18x18BK-CS10	Case-10
18" x 18"	512.30	Original Drainage w/ Grit, Black	561.78x18x18BK-CS10	Case-10
18" x 18"	328.55	Original Solid, Black	562.78x18x18BK-CS10	Case-10
18" x 18"	512.30	Original Solid w/ Grit, Black	563.78x18x18BK-CS10	Case-10
18" x 18"	328.55	SOFT Open, Charcoal	564.78x18x18CH-CS10	Case-10
18" x 18"	328.55	SOFT Solid, Charcoal	566.78x18x18CH-CS10	Case-10

Edging	Price	Description/Color	Part Number	UOM
6" x 18"	129.11	Ramp/Yellow	560.78x6x18YL-CS10	Case-10
6" x 15" x 15"	188.30	Outside Corner/Yellow	560.78x6x15x15YL-CS4	Case-4
6" x 18"	129.11	Ramp/Black	560.78x6x18YL-CS10	Case-10
6" x 15" x 15"	188.30	Outside Corner/Charcoal	560.78x6x15x15YL-CS4	Case-4



REJUVENATOR® CONNECT

Rejuvenator Connect is the ultimate ergonomic floor in terms of comfort and construction and #1 in resilience, comfort and long term value! Choose from 3 different styles to create a clean, consistent look in ALL areas of your facility!

Ergonomic Flooring for Unique Areas/Entire Floors

- ❖ 3' x 3' tiles that connect on all sides to create an exceptional ergonomic floor that can be fully customized to any shape or configuration. Optional 80 mm wide bevels increase safety.

Size	Price	Description/Color	Part Number	UOM
3' x 3'	219.52	Mat, Black	502.58x3x3BK	EA
2' x 39"	46.06	Female Ramp, Yellow	502.58x2x39FYL	EA
2' x 39"	46.06	Male Ramp, Yellow	502.58x2x39MYL	EA
2' x 39"	46.06	Female Ramp, Black	502.58x2x39FBK	EA
2' x 39"	46.06	Male Ramp, Black	502.58x2x39MBK	EA



10 YEAR RESILIENCE WARRANTY ON ALL STYLES



Ergonomic Matting for Aisles Requiring Longer Lengths

- ❖ 2' x 5' and 3' x 5' sizes are available in Ends and Centres to create long runs of ergonomic matting. These mats have molded in ramps which reduce installation time and costs.



Size	Price	Description/Color	Part Number	UOM
2' x 5'	209.43	Center Mat, Black	502.58x2x5CBK	EA
2' x 5'	209.43	End Mat with Male Connectors, Black	502.58x2x5EFBK	EA
2' x 5'	209.43	End Mat with Female Connectors, Black	502.58x2x5EMBK	EA
3' x 5'	294.10	Center Mat, Black	502.58x3x5CBK	EA
3' x 5'	294.10	End Mat with Male Connectors, Black	502.58x3x5EFBK	EA
3' x 5'	294.10	End Mat with Female Connectors, Black	502.58x3x5EMBK	EA

Ergonomic Matting for Single Workstations

- ❖ 2' x 3', 2' x 5' and 3' x 5' single workstation mats with the same surface design as the available runners and interlocking 3' x 3' tiles give your facility a clean and consistent look with the same comfortable product throughout.




Size	Price	Description/Color	Part Number	UOM
2' x 3'	117.34	Single Mat, Black	502.58x2x3BK	EA
2' x 5'	186.23	Single Mat, Black	502.58x2x5BK	EA
3' x 5'	260.64	Single Mat, Black	502.58x3x5BK	EA

DIAMOND-PLATE MATTING



	BEST—SPONGECOTE®	BETTER—SELECT	GOOD—SMART®				
Products	UltraSoft Diamond-Plate No. 414, Diamond-Plate SpongeCote® No. 415	Diamond-Plate Select No. 495	SMART® Diamond-Plate No. 497				
Sponge base	Nitricell®—a premium Nitrile rubber composite sponge formulated for crush-resistance and extended performance.	Dense, closed cell PVC sponge designed with similar performance characteristics to others on the market.	A recycled urethane composite sponge, less durable overall, but truly designed for budget or environmentally conscious operations.				
Resilience	Best in its class. It continues to bounce back and provides long-term employee satisfaction.	Good resilience, good recovery.	Good rebound, proven for use in many commercial applications as a flooring system underlayment.				
Standing Area	Extends to within 1" of the edge of the mat providing more standing room.	The sponge extends to within 2" - 3" of each edge.	The sponge extends to within 2" - 3" of each edge.				
Bevel	Sponge offers built-in trip prevention bevel on standard sizes.	Sponge features rounded corners on stock sizes.	Sponge edges are not beveled.				
Warranty	4 years	3 years	1 year				
Thicknesses	Available in two thicknesses. UltraSoft Pre-beveled sponge gives mat its lay flat characteristics. Standard 9/16"	Available in two thicknesses. UltraSoft Surface lays over rounded sponge to create the bevel. Standard 9/16"	Available in two thicknesses. UltraSoft Surface lays over square sponge to create the bevel. Standard 5/8"				
Customization	Lengths, widths and shapes.	Lengths.	Lengths.				
GREEN Rating	50% Post Industrial Material	50% Post Industrial Material	>80% Post Industrial Material				
Part Numbers							
Size	UOM	414, 15/16" Thick - Price	415, 9/16" Thick - Price	495, 15/16" Thick - Price	495, 9/16" Thick - Price	497, 1" Thick - Price	497, 5/8" Thick - Price
2' x 3'	EA	79.28	59.66	70.48	53.62	54.16	39.13
3' x 5'	EA	198.10	145.06	178.28	130.98	137.30	102.69
2' x 75'	RL	1,985.28	1,438.74	1,786.24	1,294.36	n/a	1,077.54
3' x 75'	RL	2,835.32	2,055.22	2,552.48	1,849.92	n/a	1,349.64
4' x 75'	RL	3,779.38	2,740.66	3,400.88	2,465.80	n/a	n/a
Customization Information :	3' Cut up to 75' are also available. Prices listed for black only.		3' Cut up to 75' are also available. Prices listed for black only.		3' Cut up to 75' are also available. Prices listed for black only.		

24/SEVEN®



- ❖ These rubber 3' x 3' inter-connecting anti-fatigue mats keep workers productive and comfortable.
- ❖ Drainage mats feature large holes to allow fluids and debris to flow through freely.
- ❖ Solid mats feature an easy to clean textured surface for use in mostly dry areas.
- ❖ The hidden interlocking system connects on all four sides to quickly cover large areas.
- ❖ Ability to replace single tiles saves money and down time.
- ❖ Available in 3 different rubber compounds:
 1. Grease-Resistant (**GR**) for areas with water or dry debris.
 2. Cutting Fluid Resistant (**CFR**) for areas with mineral oil-based cutting fluids.
 3. 100% Nitrile (**NBR**) for areas with petroleum-based fluids.

GR	Price	Description/Color	Part Number	UOM
3' x 3'	72.49	Mat, Solid	570.58x3x3GRBK	EA
3' x 3'	65.80	Mat, Drainage	572.58x3x3GRBK	EA
3" x 39"	19.27	Male Ramp/Yellow	572.EDGINGMGRYL	EA
3" x 39"	19.27	Female Ramp/Yellow	572.EDGINGFGRYL	EA
3" x 39"	13.45	Male Ramp/Black	572.EDGINGMGRBK	EA
3" x 39"	13.45	Female Ramp/Black	572.EDGINGFGRBK	EA

NBR	Price	Description/Color	Part Number	UOM
3' x 3'	142.98	Mat, Solid	570.58x3x3NBRBK	EA
3' x 3'	109.67	Mat, Drainage	572.58x3x3NBRBK	EA
3" x 39"	34.22	Male Ramp/Yellow	572.EDGINGMNBRYL	EA
3" x 39"	34.22	Female Ramp/Yellow	572.EDGINGFNBRYL	EA
3" x 39"	25.81	Male Ramp/Black	572.EDGINGMNBRBK	EA
3" x 39"	25.81	Female Ramp/Black	572.EDGINGFNBRBK	EA

CFR	Price	Description/Color	Part Number	UOM
3' x 3'	125.94	Mat, Solid	570.58x3x3CFRFBK	EA
3' x 3'	99.02	Mat, Drainage	572.58x3x3CFRFBK	EA
3" x 39"	31.26	Male Ramp/Yellow	572.EDGINGMCFRYL	EA
3" x 39"	21.26	Female Ramp/Yellow	572.EDGINGFCFRYL	EA
3" x 39"	22.55	Male Ramp/Black	572.EDGINGMCFRFBK	EA
3" x 39"	21.47	Female Ramp/Black	572.EDGINGFCFRFBK	EA



A




B



C



D



E

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. Wearwell Mud Chucker, No. 229

Portable shoe scraper removes dirt from the sides and bottoms of boots or shoes. Pliable rubber fingertips on side walls. Portable or permanent.

715411-46410	41.99	EA	1	Black	2"x12"x15.25"
--------------	-------	----	---	-------	---------------

B. Wearwell Anti-fatigue and Safety Matting for Food Production Areas, No. 482

For use in Food Production areas. Available in two perfect workstation sizes, its built-in handles allow the mats to be easily picked up for cleaning. The well-designed drainage system will not harbor germs and bacteria.

715411-48216	107.09	EA	1	Terra Cotta	30"x36", 1/2" Thick
715411-48253	162.36	EA	1	Terra Cotta	30"x60", 1/2" Thick

C. Wearwell Tile-Top Sponge Base Anti-Microbial, No. 420

Designed for worker comfort in laboratories, pharmaceutical processing and any dry area worker health and safety is important. Its Micro-Pure sponge base is 100% anti-microbial and provides unsurpassed comfort. The attractive marbled vinyl surface is also 100% anti-microbial, extremely durable and offers the benefits of good chemical resistance.

715411-33061	76.58	EA	1	Black	2'x3', 1/2" Thick
715411-33328	185.32	EA	1	Black	3'x5', 1/2" Thick

D. Wearwell Soft Rock, No. 423

Soft Rock is the modern and adaptable matting solution for labs, hotels, retail outlets, and other facilities where workers stand on hard tiles and concrete. Easy to clean, Soft Rock is an affordable, anti-microbial solution that helps keep the workplace germ-free and meets ASTM G21-13 standards.

715411-10043	68.92	EA	1	2 X 3	Slate	423.12x2x3SL
715411-10743	68.92	EA	1	2 X 3	Sandstone	423.12x2x3SA
715411-10818	62.02	EA	1	2 X 3	Coal	423.12x2x3CL
715411-10893	68.92	EA	1	2 X 3	Blue Stone	423.12x2x3BL
715411-10968	68.92	EA	1	2 X 3	Granite	423.12x2x3GT
715411-11118	68.92	EA	1	2 X 3	Travertine	423.12x2x3TR
715411-10744	166.74	EA	1	3 X 5	Sandstone	423.12x3x5SA
715411-10819	150.06	EA	1	3 X 5	Coal	423.12x3x5CL
715411-10894	166.74	EA	1	3 X 5	Blue Stone	423.12x3x5BL
715411-10969	166.74	EA	1	3 X 5	Granite	423.12x3x5GT
715411-11044	166.74	EA	1	3 X 5	Slate	423.12x3x5SL
715411-11119	166.74	EA	1	3 X 5	Travertine	423.12x3x5TR

E. Wearwell Workrite II, No. 468

Ultra light design, Excellent drainage, Wide, ribbed molded-in safety edges, Natural Rubber, Overall thickness 1/2" (13 mm)

715411-14111	81.83	EA	1	3 X 5	Black	468.12x3x5BK
715411-14112	199.52	EA	1	3 X 10	Black	468.12x3x10BK
715411-14113	414.72	EA	1	3 X 20	Black	468.12x3x20BK



F

RS Hughes Part Price Per Case Description

F. Wearwell Electrically Conductive Anti-Fatigue, No. 786

Electrically Conductive Anti-Fatigue effectively protects sensitive equipment and dramatically reduces fatigue. Vinyl diamond-plate or smooth surfaces drain static electricity from personnel. Protect sensitive equipment from damage or eliminate static annoyance Nitricell® sponge base delivers 2X the resilience and 3X the life of typical sponges Lay-flat design and up to 20% more standing area than look-alikes. Attached grounding snap.

715411-04061	137.88	EA	1	Black	2'x3', 15/16" Thick
715411-04062	320.91	EA	1	Black	3'x5', 15/16" Thick
715411-60704	107.88	EA	1	Black	2'x3', 9/16" Thick
715411-60354	254.95	EA	1	Black	3'x5', 9/16" Thick

G. Wearwell Sanitizing Foot Mat, No. 222

The Sanitizing Foot Mat keeps hygienic areas free of contamination and germs. Great for food processing plants, this mat has thousands of pliable rubber scrapers that dislodge contaminants from footwear as the shoe soles are immersed in the disinfectant solution. Sanitizing Foot Mat will hold one gallon of disinfectant solution - chlorine or quaternary. The New model has 2.5" Tall Walls, which allow the mat to hold up to 5.5 gallons of sanitizing solution. When filled to a practical level, the solution will totally immerse the treads and sides of the boot sole, while the fingertips release any accumulations. The larger overall size covers most doorways and allows employees to take two steps in the mat.

715411-70073	57.24	EA	1	Black	24"x32", 1/2" Wall
715411-29019	167.19	EA	1	Black/Yellow	32"x39", 2 1/2" "Tall Wall"
715411-80047	131.15	EA	1	Black	32"x39", 2 1/2" "Tall Wall"

H. Wearwell InVision Custom Anti-Fatigue Matting, No. 110

The ultimate choice for custom-printed anti-fatigue matting! Simple or complex! Choose from a simple spot print or highly detailed, edge-to-edge graphics. Image won't wear off! Your graphic is printed on the underside of a clear 1/8"-thick surface. Premium Nitricell® sponge base! Outperforms others for comfort and long-term performance.

715411-00100	193.97	EA	1	2'x3' Diamond Plate, 15/16" thick
--------------	--------	----	---	-----------------------------------

G



Wearwell InVision Custom Matting Program

How to make InVision your own:

- Call us with an order of 25 or more.
- Sign and submit the release form. This confirms that you are authorized to use the artwork for your InVision mat.
- Upload artwork directly to an FTP location. Site details will be provided upon receipt of signed release form.
- Submit signed approval of digital proof.



H



B



C



D



F



A

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. Ergodyne 8940 PowerCap

ANSI 107 Class headwear. Two ultra-bright LED's in the brim; two additional LED's concealed under the brim. Four replaceable CR2032 long-life lithium batteries (included) for more than 30 hours of continuous light.

720476-23272	21.58	EA	12	Black
720476-23274	24.92	EA	12	Camo



B. Pelican HeadsUp Lite™ 2610 LED Flashlight

The 2610 provides hands-free light where you need it, when you need it. A dual mode button activates all 3 LEDs for full brightness, or just 1 to extend battery life. The adjustable cloth strap fits comfortably and securely on your head, while the rubber strap grips tightly to hard hats and helmets. Both are included, as well as 3 AAA alkaline cells. The HeadsUp Lite 2610 is ideal for reading maps and light duties around the campsite.

94280-92955	41.69	EA	1	
-------------	-------	----	---	--



C. Pelican L4™ 1830 LED Flashlight

The L4 is a handy, unbelievably bright LED flashlight that's powered by 3 AAAA alkaline cells (included). The light weight, slim profile design fits neatly in your pocket and comfortably in your hand. A tail button switch provides quick on/off or momentary activation. The clip is virtually unbreakable because it is molded to the Xenoy body as one unit. And because it is molded out of polycarbonate resin, it won't cause sparks and is safe to use in electrical environments.

PELICAN 1830C	25.56	EA	1	
---------------	-------	----	---	--

Pelican 1910/1920 LED Flashlight

Our new ultra compact aluminum 1910 and 1920 flashlights are designed with style and function in mind. Using readily available AAA batteries, these bright LED lights create a clean white beam. Long burntimes combined with hi-lumen output make for an efficient lighting tool; it's the perfect personal light.

D. 019428-19167	35.47	EA	1	3.6 inches, 1910
E. 194281-02883	38.69	EA	1	5.3 inches, 1920

F. Pelican 2360 LED Flashlight

Using 2 standard AA alkaline batteries, the new 2360 LED emits a peak output of 110 lumens. With a run time of up to 2 hours, the last thing you will need to worry about while on the job, is a dim flashlight or dead batteries. With an aerospace grade aluminum body and an impact resistant LED lamp module, the 2360 LED keeps you on point without equipment failure. High and Low light output is available with a push of the tail button. It features a non-slip textured body for secure handling. The removable two way pocket clip securely attaches the 2360 to your pocket or the brim of your hat.

019428-03832	53.76	EA	1	
--------------	-------	----	---	--

Flashlight Features



Lumens:
A measure of the total power of light emitted. The higher the number, the brighter the light.



Run Time:
The length of time the flashlight will run with the batteries provided.



Impact Resistance:
The degree to which a device resists damage from dropping on a solid surface.



Beam Distance:
A measure of how far from the device the beam of light reaches.



Beam Intensity:
Maximum luminous intensity typically along the central axis of a cone of light.



Water Resistant:
Water splashed against the device from any direction shall have no harmful effects.



Water Proof/Submersible:
Ingress of water in quantities causing harmful effects shall not be possible when the enclosure is temporarily immersed in water under standardized conditions of pressure and time.



Lumen Power Chart



Rayovac Virtually Indestructible Light Series



	DIYBEAM-B	DIY2D-B	DIYHL3AAA-B	DIY3AAA-B
Lumens				
High Mode	150	140	50	120
Low Mode	50	25	11	19
Battery Runtime				
High Mode	20	12	9	5
Low Mode	78	100	40	40
Beam Distance (in feet)				
High Mode	350	316	24	160
Low Mode	195	100	15	70
Drop Test (in feet)	30	30	30	30

RS Hughes Part Price Per Case Description

G. Rayovac Indestructible Lantern

Rayovac industrial grade 150 lumen high performance LED beam lantern. 2 light modes with high and energy saver. IPX4 water resistant includes 4 C alkaline batteries. 15 foot drop tested with impact resisting internal engineering.

012800-51560 27.23 EA 4 DIYBEAM-B

H. Rayovac Indestructible Flashlight

Rayovac industrial grade 140 lumen high performance LED flashlight. 2 light modes with high and energy saver. IPX4 water resistant includes 2 D alkaline batteries. 20 foot drop tested with impact resisting internal engineering.

012800-51887 37.14 EA 4 DIY2D-B

Rayovac 120 lumen high performance LED camouflage flashlight. 2 light modes with high and energy saver. IPX4 water resistant includes 3 AAA alkaline batteries. 30 foot drop tested with impact resisting internal engineering.

012800-51962 29.39 EA 4 OT3AAACAMO-B Camo Body

I. Rayovac Indestructible Headlight

Industrial grade 35 lumen high performance LED headlight. 2 light modes with high and energy saver. IPX4 water resistant includes 3 AAA alkaline batteries. 30 foot drop tested with impact resisting internal engineering.

012800-51563 12.37 EA 4 DIYHL3AAA-B

J. Rayovac Indestructible Flashlight

Rayovac industrial grade 120 lumen high performance LED flashlight. 2 light modes with high and energy saver. IPX4 water resistant includes 3 AAA alkaline batteries. 30 foot drop tested with impact resisting internal engineering.

012800-51557 22.28 EA 4 DIY3AAA-B





A



B



C



D



E



F



G



H



I



J



RS Hughes Part Price Per Case Description

Rayovac Family of Flashlights



RS Hughes Part	Price	Per	Case	Description
A. Industrial™ Krypton Lantern™ 012800-45184	5.04	EA	6	IN2
B. Rayovac 2D Industrial Krypton Yellow Flashlight with Ring Hanger and Magnet 012800-45188	7.86	EA	6	IN2-KML
C. Rayovac 2D Industrial Orange Safety Flashlight with Shock and Corrosion Resistance. MSHA, CSA and UL Listed. 012800-45190	6.74	EA	6	IN2-MS
D. Rayovac 200 Lumen 3AAA Tactical LED Flashlight with Holster 012800-51225	32.93	EA	4	RNT3AAA-B
E. Rayovac 80 Lumen 3AAA LED Headlight with 2 Headstraps 012800-51234	22.68	EA	4	RNHL3AAA-B
F. Rayovac 3C 180 Lumen LED Metal Flashlight 012800-50651	33.10	EA	4	SE4W3C
G. Rayovac Floating Lantern with 6 Volt Battery 012800-51297	5.07	EA	6	EFL6V-B
H. Rayovac Indestructible Sportsman Headlamp Sportsman® Virtually Indestructible 100 Lumen 3AAA HI Performance Headlight With optimized beams, rubber grips, and tactical switches, Rayovac® Sportsman® lights are perfect for outdoor lifestyles. 012800-51562	15.77	EA	4	OTPHL-BA
I. Rayovac Industrial Grade 500 Lumen Spotlight Virtually Indestructible 500 Lumen 6AA LED Spotlight with Batteries. Rayovac® Virtually Indestructible lights are constructed with aluminum/titanium, offer superior engineering, and a lifetime guarantee. These bright, long-lasting \ LED lights are virtually indestructible, surviving a 30 foot drop test. 012800-51984	42.11	EA	2	DIY6AASP-B
J. Rayovac Industrial Grade 400 Lumne Lantern Virtually Indestructible 400 Lumen 3D LED Lantern with Batteries. Constructed with aluminum/titanium, offer superior engineering, and a lifetime guarantee. Bright, long-lasting LED lights are virtually indestructible, surviving a 30 foot drop test. 012800-51983	31.56	EA	4	DIY3DLN-B



Emergency Power Chargers - Portable Instant Chargers

RS Hughes Part Price Per Case Description

K. Rayovac Power Emergency Charger

Rayovac 2 hour power emergency charger that offers outlet-free power. Powered by 1 Rayovac Lithium CR123A battery (included). Apple 30 Pin Tip Model

012800-51976	7.87	EA	6	PS71-BT6
012800-51967	7.87	EA	6	PS72-BT6

L. Rayovac Power Back-Up Charger

Rayovac 7 hour power back-up charger with cords and batteries. Outlet-free power. Powered by 4 Rayovac Alkaline AA batteries (included).

012800-51968	14.99	EA	6	PS73-4BT6
--------------	-------	----	---	-----------

M. Rayovac USB Car and Wall Charger

Rayovac USB car and wall charger combo pack with cords. Dual auto and single wall USB chargers. Charges most USB devices. Includes one Apple 30 Pin cord and one Micro USB cord.

012800-51996	14.99	EA	6	PSUSB-2T6
--------------	-------	----	---	-----------

Rayovac Phone Boost 800

Phone Boost 800 Rechargeable 800mAh Lithium Ion Charger. The Rayovac® Portable Power line allows you to have power wherever you are, whether it's at home, in the office, or on-the-go. Use a universal USB charger with your own cables to charge your devices at home or in your car and use a power pack as a back-up battery for ultimate portability when charging your devices.

N. 012800-52108	20.61	EA	6	PS76, Micro USB Model
O. 012800-52110	34.04	EA	6	PS78, Apple Lightning MFi Model

P. Rayovac Power Pack 2000mAh

Power Pack 2000 Rechargeable 2000mAh Lithium Ion Charger with Micro USB Cable Included. The Rayovac® Portable Power line allows you to have power wherever you are, whether it's at home, in the office, or on-the-go. Use a universal USB charger with your own cables to charge your devices at home or in your car and use a power pack as a back-up battery for ultimate portability when charging your devices.

012800-52136	41.26	EA	4	PS80
--------------	-------	----	---	------

Q. Rayovac Power Pack 6000mAh

Power Pack 6000 Rechargeable 6000mAh Lithium Ion Charger with Micro USB Cable Included. The Rayovac® Portable Power line allows you to have power wherever you are, whether it's at home, in the office, or on-the-go. Use a universal USB charger with your own cables to charge your devices at home or in your car and use a power pack as a back-up battery for ultimate portability when charging your devices.

012800-52137	61.89	EA	4	PS81
--------------	-------	----	---	------



K



L



M



N



O



P



Q



Head to Toe Protection

Advanced High Energy Batteries

Rayovac Advanced High Energy Batteries are engineered for high-drain devices to maximize performance and keep your batteries running longer. Guaranteed fresh for 7 years with a high performance for a lower cost than lithium batteries.



Batteries



A



B



C



D



E



F



G



H



I



J



K



L

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

Rayovac Alkaline Batteries

A. Rayovac Advanced High Energy AA 6 Pack 012800-51804	4.99	PK	24	815-6HEF
B. Rayovac Advanced High Energy AAA 6 Pack 012800-51805	4.99	PK	24	824-6HEF
C. Rayovac Al-AAA Alkaline AAA Size Shrink 8 Pack 012800-00045	3.37	PK	12	AL-AAA
D. Rayovac Al-AAA-18 Alkaline AAA Size Reclosable 18 Pack 012800-47410	7.26	PK	12	ALAAA-18F
E. Rayovac Al-AA-24 Alkaline AA Size Reclosable 24 Pack 012800-47409	10.11	PK	12	ALAA-24F
F. Rayovac Al-AA Alkaline AA Size Shrink 8 Pack 012800-00043	3.37	PK	12	AL-AA
G. Rayovac Al-C Alkaline C Size Shrink 6 Pack 012800-00041	5.16	PK	12	AL-C
H. Rayovac Al-D Alkaline D Size Shrink 6 Pack 012800-00042	6.32	PK	12	AL-D
I. Rayovac Al-9V Alkaline 9-Volt Shrink 6 Pack 012800-00044	10.11	PK	12	AL-9VA
J. Rayovac Al-C Alkaline C Size Reclosable 12 Pack 012800-47411	10.53	PK	8	ALC-12F
K. Rayovac Al-D Alkaline D Size Reclosable 12 Pack 012800-47412	12.63	PK	8	ALD-12F
L. Rayovac Al-9V Alkaline 9-Volt Reclosable 8 Pack 012800-47408	13.47	PK	12	AL9V-8F



Water Safety

RS Hughes Part Price Per Case Description

M. Stearns® Ring Buoy Rope w/ Bag

This is 90' of highly visible, yellow 3/8" polypropylene floating rope that attaches to any ring buoy for quick deployment. Rope comes in a weather-resistant, tough Cordura® fabric bag to keep it clean and serviceable.

I0230RGST 58.20 EA 1

N. Stearns® Ring Buoy

Molded from high-impact, linear, low-density polyethylene, these 30" buoys have superior durability in severe conditions and include replaceable encircling rope and reflective tape. Complies with SOLAS 74/83. USCG approved, Type IV. Orange.

I0300RGREFST 123.08 EA 1

O. Stearns® Force™ II Life Vest, Adult Size

Designed for all-around industrial use, this vest is made of Aquafoam™ flotation foam and retains 17.5 lb (78 Newtons) of buoyancy-even when punctured. It's also coated with PVC for easy cleaning. Plus there's an opening on back that accommodates most brands of fall protection harnesses. And it comes with two encircling belts with snag-resistant buckles. 3M™ Scotchlite™ reflective tape standard too. USCG Approved Type V. Orange.

I2230RGUST 57.00 EA 1 30" - 52" Chest

P. Stearns® Work Zone Gear™ Life Vest

Vests provide comfortable, high-visibility protection on the water, thanks to lightweight Crosstech® flotation foam and 3M™ Scotchlite™ reflective material SOLAS-grade 6755 on panels. They also feature adjustable body straps and a zippered front offer a customized fit, while large armholes and low necklines make moving easy. Plus there're two pockets with hook-and-loop closures for added security. US Coast Guard approved, Type III PFD. Orange.

I4240RGXXLST 67.00 EA 1 2XL Orange



Best made cutting tools in the world.®



A



B



C



D



E



F

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. OLFA 180 Standard Cutter

This extra heavy-duty utility knife is a powerful anti-slip utility knife, featuring a professional grade fiberglass rubber grip for maximum comfort and control. Heavy-gauge stainless steel blade channel protects and holds blade tight, ratchet-wheel blade lock for unlimited blade positioning. Acetone resistant handle for easy cleaning. Easy, tool-free blade change. Includes the double-honed ultrasharp black snap-blade - 25% sharper than the silver Olfa HB blades. Made of high-quality Japanese grade carbon tool steel and designed for unparalleled sharpness and superior edge retention. Good for: cutting leather, rubber, cardboard, rope, paper, carpet, fiberglass, acetates, linoleum, plastic, etc.

091511-60001	3.69	EA	6
--------------	------	----	---



B. OLFA CTN-1 Classic Carton Knife

Carton cutter with segmented blades. Similar in appearance to "razor knives" with the added feature of a 6-segment snap blade. Sliding steel blade cover for additional handle strength.

091511-60039	19.77	PK	6
--------------	-------	----	---

C. OLFA L-1 Heavy-Duty 18mm Utility Knife

This Heavy-Duty Utility Knife features a comfortable handle and a ratchet wheel blade lock. Professional strength stainless steel blade channel secures blade for the toughest of cutting jobs. Easy, tool-free blade change for convenience. Good for cutting paper, cardboard, roofing, drywall, vinyl, acetates, etc.

091511-40039	2.99	EA	24
--------------	------	----	----

D. OLFA L-2 HD Cutter with Rubber Grip

The brother to Olfa L-1, this heavy-duty utility knife features an anti-slip rubber grip inset and a ratchet wheel blade lock. Professional strength stainless steel blade channel secures blade for the toughest of cutting jobs. Easy, tool-free blade change for convenience. Cutting depth: 0.59" (15mm). good for: cutting paper, cardboard, roofing, drywall, vinyl, acetates, etc.

091511-60006	10.30	EA	6
--------------	-------	----	---

E. OLFA LA-X X OLFA Design Series - Auto-Lock, HD Cutter

This heavy-duty auto-lock utility knife is a powerful anti-slip utility knife, featuring a professional grade fiberglass rubber grip and automatic blade lock for maximum comfort and control. Heavy-gauge stainless steel blade channel protects and holds blade tight. Acetone resistant handle for easy cleaning. Built in versatile metal pick for opening paint cans, removing switch plates and more. Easy, tool-free blade change. Includes the double-honed ultrasharp black snap-blade - 25% sharper than the silver Olfa LB blades. Made of high-quality Japanese grade carbon tool steel and designed for unparalleled sharpness and superior edge retention. Good for: cutting leather, rubber, cardboard, rope, paper, carpet, acetates, linoleum, plastic, etc.

091511-60086	10.91	EA	6
--------------	-------	----	---

F. OLFA SK-4 Self-Retracting Safety Knife

The popular Olfa spring-retractable safety cutter features a heavy-duty spring-activated blade that automatically retracts the instant the blade loses contact with the cutting surface, reducing injuries in the workplace. Slip-resistant ergonomic handle and stainless steel blade channel that holds the blade tight. For right- and left-handed use. Made of high-quality Japanese grade carbon tool steel and designed for unparalleled sharpness and superior edge retention. Cutting depth: 0.75" (19mm). Good for: cutting corrugate, shrink wrap, plastic strapping, rubber, leather, flashing etc.

091511-40062	10.15	EA	6
--------------	-------	----	---

RS Hughes Part Price Per Case Description

G. OLFA SK-6 Flex-Guard Safety Knife

This safety knife features an automatic protection blade guard that engages the moment the blade loses contact with the cutting surface, reducing injuries in the workplace. This built-in safety guard is activated once the cut begins and can not be overridden. Users can keep their thumb on or off the blade slide during cutting. Comfortable handle design and easy blade change helps prevent injury and hand and wrist fatigue. For right- and left-handed use. Cutting depth: 0.39" (10mm). Good for: cutting corrugate boxes, cartons, packaging material, etc.

091511-40085 17.32 EA 6

H. OLFA SK-7 Compact Self-Retracting Safety Knife

Handy sized safety knife features a spring-loaded blade that self-retracts the instant it loses contact with the material being cut for increased safety in the workplace. Features a stainless steel blade channel that holds blade tight and a low-positioned blade-slide that helps reduce blade exposure when carried inside a pocket. This lightweight cutter fits any size hand and is designed for right- or left-handed use. Perfect for safely cutting cartons, packages, poster board, cardboard, corrugate, boxes and more. Easy and safe blade replacement.

091511-60004 7.57 EA 6

I. OLFA SK-8 Automatic Self-Retracting Safety Knife

This specially designed extra protection heavy-duty safety knife features a spring-loaded blade that automatically retracts the instant it loses contact with the material being cut, even when the blade slide in engaged. This feature cannot be overridden providing increased safety in the workplace. Features an anti-slip, cushion grip handle with a large blade slider for easy use. for right and left handed use. Cutting depth: 0.59" (15mm). Good for: cutting cartons, packages, poster board, cardboard, corrugate, boxes and more.

091511-40085 17.32 EA 6

J. OLFA SPC-1 9mm Snap-Off Knife

This multi-purpose 9mm utility knife is ideal for light-duty cutting jobs. Also great for applications where disposal is necessary. Easy, tool-free blade change. Uses OLFA 9mm replacement blades (AB, ABB, ASOL). 40 Knives Per Pack.

091511-60066 2.83 EA 10

K. OLFA SVR-1 Deluxe Stainless Steel Cutter

This stainless steel knife is perfect for use in moist environments where rust is a concern. Features a slide-lock, built-in pocket clip/blade snapper and a stainless steel blade channel for blade security. For right- and left-handed use. Easy, tool-free blade change. Blade is made of high-quality Japanese grade stainless steel and designed to stand-up to the most demanding jobs. Long lasting and durable - a new sharp edge with just a snap. Good for: cutting wallpaper, window films, caulking, etc.

091511-60003 8.57 EA 6

L. OLFA UTC-1 Auto-Lock Retractable Utility Knife

This retractable auto-lock utility knife helps reduce injuries in the workplace. Features elastomer on the handles for comfort and control, a heavy gauge stainless steel blade channel that holds blade tight, and a five position retractable blade for application specific requirements. Acetone resistant for easy cleaning. Blade is made of high-quality Japanese grade carbon tool steel and designed for unparalleled sharpness and superior edge retention. For right- and left-handed use. Easy tool-free blade change. Good for: drywall, roofing, flooring, electrical, sign making, window tinting, maintenance, paperhangers, and mechanics.

091511-60063 10.79 EA 6





A



B



C



D



E



F



G

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. OLFA XH-1 X OLFA Design Series - Ratchet-lock, XHD Cutter

This extra heavy-duty utility knife is a powerful anti-slip utility knife, featuring a professional grade fiberglass rubber grip for maximum comfort and control. Includes the double-honed ultrasharp black snap-blade - 25% sharper than the silver Olfa HB blades. Made of high-quality Japanese grade carbon tool steel and designed for unparalleled sharpness and superior edge retention.

091511-60085	18.40	EA	6
--------------	-------	----	---

B. OLFA SK-10 Concealed Blade Safety Cutter

Concealed blade safety knife featuring an adjustable blade positioning design which allows for 4 cutting points on a single-edge utility blade. Highly productive, it delivers 4x's more cuts than a single-edge, fixed blade "gooseneck" safety knife. Uses the Olfa SKB-10 blade, a single-edge blade featuring 1 blunt edge for safer handling. Made of high-quality Japanese grade carbon tool steel and designed for unparalleled sharpness and superior edge retention. Versatile, it features a 5/32" (4mm) throat inlet to cut through a variety of materials, and a stainless steel tape slitter for box tape slitting. Acetone resistant for easy cleaning. Fits both right- and left-handed users with no blade adjustment necessary. Tool-free blade change. Good for: shrink wrap, plastic strapping, stretch wrap, plastic sheeting, bubble wrap, leather, nylon, belting, sacks, bags, tape slitting.

091511-90021	12.35	EA	6
--------------	-------	----	---

C. OLFA SCS-2 Stainless Steel Serrated Edge 7" Scissors

The 7" stainless steel scissors are growing in popularity in both consumer and industrial applications. High quality stainless steel blades meet perfectly for precision cutting. Serrated blade keeps material in place. Excellent for cutting multiple layers. good for: cutting corrugate, paper, rubber, leather, foam, etc.

091511-40041	23.15	EA	6
--------------	-------	----	---

D. OLFA AB-10B/AB-50B Standard Blades (For 180 & SVR-1)

9mm snap-off blade is ideal for general crafts, cutting wallpaper, etc. Made of high-quality Japanese grade carbon tool steel and designed for unparalleled sharpness and superior edge retention. Long lasting and durable - a new sharp edge with just a snap. Good for: cutting, paper, art & craft applications, cardboard, shrink-wrap, etc. Fits Olfa 9mm knives. 13 cutting edges per blade. 10 blades per pack.

091511-60014	5.33	PK	6	10 Blades
091511-60015	17.28	PK	6	50 Blades

E. OLFA ABB-50B Ultramax® 9mm Blades

For 180, SVR-1, SPC-1. The Olfa Ultra Sharp 9mm Snap-Off Blades are exclusively designed for maximum cutting performance and are ideal for applications where superior sharpness is required. made from a high-quality japanese grade carbon tool steel, the olfa black blades are double-honed for extreme sharpness and are 25% sharper than the olfa silver heavy-duty ab blades. long lasting, durable snap-off blade - a new sharp edge with just a snap. blade container locks for safety. fits most heavy-duty handles. 13 cutting edges per blade. 50 blades per pack.

091511-60050	6.89	PK	6	50 Blades
--------------	------	----	---	-----------

F. OLFA A-SOL/10B 9mm Solid Blades

For 180, SVR-1 & SPC-1. 9mm Solid Blades were designed for applications where precision is needed with the opportunity for extended blade exposure. made of high-quality japanese grade carbon tool steel and designed for unparalleled sharpness and superior edge retention. 10 blades per pack.

091511-10028	71.13	EA	1	10 Blades
--------------	-------	----	---	-----------

G. OLFA LSOL-10B 18mm Solid Blades

For L-1, L-2 & LA-X. 18mm Solid Blades were designed for applications where the opportunity for extended blade exposure is needed. Made Of High-Quality Japanese Grade Carbon Tool Steel And Designed For Unparalleled Sharpness And Superior Edge Retention. 10 Blades per pack.

091511-40084	6.56	EA	6	10 Blades
--------------	------	----	---	-----------

RS Hughes Part Price Per Case Description

H. OLFA LBB-10B/LBB-50B UltraMax HD Blades (For L-2 & LA-X)

The Olfa ultrasharp black heavy-duty snap-off blades are exclusively designed for maximum cutting performance and are ideal for applications where superior sharpness is required. Made from a high-quality Japanese grade carbon tool steel, the Olfa black blades are double-honed for extreme sharpness and are 25% sharper than the Olfa silver heavy-duty LB blades. Long lasting, durable snap-off blade - a new sharp edge with just a snap. Blade container locks for safety. Fits most heavy-duty handles. 8 cutting edges per blade. 10 blades per pack.

091511-60036	9.39	PK	6	10 Blades
091511-60037	36.45	PK	6	50 Blades

I. OLFA SKB-2/10B or 50B Safety Knife Blades (For SK-4 & UTC-1)

Trapezoid safety knife replacement blade helps reduce injuries in the workplace. Fits retractable safety knife models SK-4 and SK-9, and retractable auto-lock utility knife (UTC-1). Each blade features 2 cutting edges. 10 blades per pack

091511-60024	7.32	PK	6	10 Blades
091511-60025	28.00	PK	6	50 Blades

J. OLFA SKB-2/10B or 50B Safety Knife Blades (For SK-4 & UTC-1), Rounded Corners

Rounded corners to help reduce product damage and injuries in the workplace. For retractable safety knife (Sk-4), safety knife with blade guard (Sk-6), and retractable auto-lock utility knife (Utc-1). Each blade features 2 cutting edges. 10 blades or 50 blades per pack.

091511-60051	7.31	PK	6	10 Blades
091511-60052	28.16	PK	6	50 Blades

K. OLFA SKB-8/10B Safety Knife Blades for SK-8

Dual-edge, specially designed for high-quality carbon tool steel blade for maximum performance and durability. Made of high-quality Japanese grade carbon tool steel and designed for unparalleled sharpness and superior edge retention. Exclusive blade for the automatic self-retracting safety knife (SK-8). Good for: cutting cartons, packages, poster board, cardboard, corrugate, boxes and more. 10/pack

091511-50125	7.11	PK	6	10 Blades
--------------	------	----	---	-----------

L. OLFA SKB-10/10B Safety Knife Blades for SK-10

Concealed blade safety knife replacement blade helps reduce injuries in the workplace. Single-edge for safer handling. Made of high-quality Japanese grade carbon tool steel and designed for unparalleled sharpness and superior edge retention. Good for: shrink wrap, plastic strapping, stretch wrap, plastic sheeting, bubble wrap, leather, nylon, belting, sacks, bags, tape slitting. For use with the concealed blade safety knife (SK-10). When used in the Olfa concealed blade safety knife (SK-10), each blade features 4 cutting edges. 10 blades per pack.

091511-90022	6.60	PK	6	10 Blades
--------------	------	----	---	-----------

M. OLFA HBB-20B UltraMax® XHD Blades (For XH-1)

The Olfa ultrasharp black heavy-duty snap-off blades are exclusively designed for maximum cutting performance and are ideal for applications where superior sharpness is required. Made from a high-quality Japanese grade carbon tool steel, the Olfa black blades are double-honed for extreme sharpness and are 25% sharper than the olfa silver heavy-duty HB blades. Long lasting, durable snap-off blade - a new sharp edge with just a snap. Blade container locks for safety. Fits Olfa extra heavy-duty handles. 7 cutting edges per blade. 20 blades per pack. Good for: cutting drywall, roofing, leather, rubber, etc.

091511-50127	26.98	PK	6	20 Blades
--------------	-------	----	---	-----------



H



I



J



K



L



M




N

RS Hughes Part Price Per Case Description

N. OLFA DC-3 Blade Disposal Can

Handy pocket-size can for quick and safe blade disposal. Black plastic tambour door opens and closes with one thumb for easy disposal and securely covers the blade slot when not in use preventing blades from falling out. It's easy to use, just slide open the door to snap a new edge. Easily fits into a pocket, toolbox, or designers workstation and is perfect for use at construction sites, industrial worksites, garages, art departments, etc. For use with OLFA® standard-duty (AB) and heavy-duty (LB) snap-off blades and the Rounded Tip Safety Blade (RSKB, SKB-7).

091511-50113	5.35	PK	6	
--------------	------	----	---	--



RS Hughes Part Price Per Case Description

Ergodyne 3100 Tool Lanyards, Single Carabiner Lanyard

Tethers tools to worker to help prevent injury and lost productivity from dropped tools. Stretchable cord surrounded by tubular nylon webbing with silver mylar reflective thread. Lock stitching at both ends for extra security. Cord stretches for full range of motion (Standard: 35" to 42") (Extended: 42" to 54"). Aluminum carabiner. Adjustable barrel lock for tool attachment. Maximum safe working capacity: 10 lbs.

A. 720476-19002	8.67	EA	6	Black
B. 720476-19003	8.67	EA	6	Lime

C. Ergodyne 3001 Squids® Retractable Single Carabiner With Loop End - 2lb

Retractable tool lanyard with stainless steel carabiner attachment and choking loop end. Locks into place at desired length preventing tangles and work under tension while securing tools.

720476-19301	33.25	EA	6	Black
--------------	-------	----	---	-------

D. Ergodyne 3700 Squids® Web Tool Tails™ - 2lb

Web Tool Tails™ provide retrofit attachment points to a variety of tools and equipment up to 2lbs (0.90kg) using Squids® Tool Traps™. Ultra strength nylon webbing, fully enclosed plated D-ring for secure attachment, high tensile strength nylon thread, web catch with double stitch for more durable stopping point. Available in five color coded lengths. Maximum safe working capacity: 2 lbs. (0.9 kg) Third party tested using a 2:1 safety factor.

720476-19701	7.08	EA	6	Variety	Blk/Org
720476-19703	7.08	EA	6	3.5"	Black
720476-19704	7.08	EA	6	4.5"	Orange
720476-19705	7.08	EA	6	5.5"	Black
720476-19706	7.08	EA	6	6.5"	Orange
720476-19708	7.08	EA	6	8.5"	Black

E. Ergodyne 3750 Squids® Tape Trap™

Captures Squids® Tool Tails™ securing a safe connection to tools like no other tool attachment tape on the market. Quickly wraps on a variety of hand tools, power tools and other equipment providing security and added grip.

720476-19760	16.58	EA	6	1" x 12'	Orange	12ft Roll
720476-19761	38.25	EA	6	1" x 30'	Orange	30ft Roll

Storage Bins and Organizers



RS Hughes Part Price Per Case Description (LxWxH)

Akro-Mils Wire Shelving Components

Wire Shelving Components allow you to create a custom system to provide a cleaner, more organized environment and reduce lost inventory. Create a new system or add on to your already existing units. Adjustable shelving adds flexibility to your ever-changing work environment. Each shelf and upright is made from steel with a chrome finish for durability and strength. Easy set-up and installation. Components include Shelves, Uprights, Casters and Footplates.

F.	AWP63UPRIGHT	19.67	EA	1	63" Chrome Upright
F.	AWP74UPRIGHT	21.31	EA	1	74" Chrome Upright
F.	AWP86UPRIGHT	18.22	EA	4	86" Chrome Wire Shelving Post
G.	AWP63CASTER	33.62	EA	1	5" Swivel Caster w/Brake for 63" Upright
H.	AWPCAST5	52.47	EA	1	5" Casters - Set of 4 (2 with Brakes)
I.	AWS1436SHELF	41.00	EA	1	14" x 36" Chrome Wire Shelf
I.	AWS1836SHELF	45.91	EA	1	18" x 36" Chrome Wire Shelf
I.	AWS1848SHELF	54.89	EA	1	18" x 48" Chrome Wire Shelf
I.	AWS2448SHELF	68.84	EA	1	24" x 48" Chrome Wire Shelf
I.	AWS2460SHELF	81.93	EA	1	24" x 60" Chrome Wire Shelf

AkroBin Hanging System

Rail Hanging Systems allow for fast, easy organization and parts retrieval. Single sided rail units are ideal for placement against walls to save space. Double-sided rail units can "float" in any room and be picked from both sides.

J.	30008	225.09	EA	1	1 Sided/16 Rail Rack, 36"x14-1/8"x53"
J.	30016	232.56	EA	1	2 Sided/16 Rail Rack, 36"x14-1/8"x53"

Double Sided Louvered Floor Rack - 36-3/16" x 25 x 66-3/8 hanging system allows for easy placement and configuration of AkroBins. Floor standing racks can be placed near work areas to improve productivity.

K.	30676	416.22	EA	1
-----------	-------	--------	----	---

Wall Mounted Louvered Panel 36" L x 19" H hanging system allows for easy placement and configuration of AkroBins. Wall-mounted unit keep items off the floor and work table.

L.	30636	34.76	EA	1
-----------	-------	-------	----	---



Head to Toe Protection



A

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. AkroBins®

AkroBins™ - Heavy-duty bins securely stack atop each other, sit on shelving and hang from Akro-mils racks, panel, rails and carts. Molded of high-impact polypropylene and are unaffected by weak acids and alkalis. Sturdy one-piece construction is water, rust and corrosion proof. Available in Red, Yellow, Blue, Stone, Green, Semi-Clear and Black.



B



C

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

B. Akro-Mils Attached Lid Containers

ALCs stack and nest for optimal space use. Attached lids snap securely closed to protect contents from dust or damage. Available in Red, Green or Gray.

39085 GREY	23.71	EA	6	21-1/2" x 15" x 9"
39120 GREEN	25.69	EA	6	21-1/2" x 15" x 12 1/2"
39120 GREY	25.69	EA	6	21-1/2" x 15" x 12 1/2"
39170 GREY	28.58	EA	3	21-1/2" x 15" x 17"
39280 GREY	71.71	EA	1	28" x 21" 15-1/2"

C. Akro-Mils Indicator Bins

Offer effective inventory control at a glance! Bin features an orange reserve section to prevent stock-outs. Simplifies visual recognition when supplies need to be replenished. Stock, Pick, Flip and Replenish! STOCK the Indicator Bin using the divider to designate volume for the inventory reserve. PICK from the blue side of the bin until you reach the divider. FLIP the bin to the orange reserve to indicate inventory levels are low. REPLENISH the bin and repeat!

36442	3.62	EA	24	11-5/8" L x 4-1/4" W x 4" H
36462	4.47	EA	12	11-5/8" L x 6-3/4" W x 4" H
40120	10.56	EA	2	Divider for 36442 Indicator bin
40130	14.33	EA	2	Divider for 36462 Indicator bin

30210 BLACK	1.45	EA	24	5-3/8" x 4-1/8" x 3"
30210 BLUE	1.45	EA	24	5-3/8" x 4-1/8" x 3"
30210 GREEN	1.45	EA	24	5-3/8" x 4-1/8" x 3"
30210 RED	1.45	EA	24	5-3/8" x 4-1/8" x 3"
30210 SCLAR	1.45	EA	24	5-3/8" x 4-1/8" x 3"
30210 STONE	1.45	EA	24	5-3/8" x 4-1/8" x 3"
30210 YELLOW	1.45	EA	24	5-3/8" x 4-1/8" x 3"
30220 BLACK	2.60	EA	24	7-3/8" x 4-1/8" x 3"
30220 BLUE	2.60	EA	24	7-3/8" x 4-1/8" x 3"
30220 GREEN	2.60	EA	24	7-3/8" x 4-1/8" x 3"
30220 RED	2.60	EA	24	7-3/8" x 4-1/8" x 3"
30220 SCLAR	2.60	EA	24	7-3/8" x 4-1/8" x 3"
30220 STONE	2.60	EA	24	7-3/8" x 4-1/8" x 3"
30220 YELLOW	2.60	EA	24	7-3/8" x 4-1/8" x 3"
30230 BLACK	6.55	EA	12	10-7/8" x 5-1/2" x 5"
30230 BLUE	6.55	EA	12	10-7/8" x 5-1/2" x 5"
30230 GREEN	6.55	EA	12	10-7/8" x 5-1/2" x 5"
30230 RED	6.55	EA	12	10-7/8" x 5-1/2" x 5"
30230 SCLAR	7.55	EA	12	10-7/8" x 5-1/2" x 5"
30230 STONE	6.55	EA	12	10-7/8" x 5-1/2" x 5"
30230 YELLOW	6.55	EA	12	10-7/8" x 5-1/2" x 5"
30240 BLACK	12.87	EA	12	14-3/4" x 8-1/4" x 7"
30240 BLUE	12.87	EA	12	14-3/4" x 8-1/4" x 7"
30240 GREEN	12.87	EA	12	14-3/4" x 8-1/4" x 7"
30240 RED	12.87	EA	12	14-3/4" x 8-1/4" x 7"
30240 SCLAR	14.87	EA	12	14-3/4" x 8-1/4" x 7"
30240 STONE	12.87	EA	12	14-3/4" x 8-1/4" x 7"
30240 YELLOW	12.87	EA	12	14-3/4" x 8-1/4" x 7"
30250 BLACK	18.09	EA	6	14-3/4" x 16-1/2" x 7"
30250 BLUE	18.09	EA	6	14-3/4" x 16-1/2" x 7"
30250 GREEN	18.09	EA	6	14-3/4" x 16-1/2" x 7"
30250 RED	18.09	EA	6	14-3/4" x 16-1/2" x 7"
30250 SCLAR	18.09	EA	6	14-3/4" x 16-1/2" x 7"
30250 STONE	18.09	EA	6	14-3/4" x 16-1/2" x 7"
30250 YELLOW	18.09	EA	6	14-3/4" x 16-1/2" x 7"
30260 BLACK	29.75	EA	6	18" x 11" x 10"
30260 BLUE	29.75	EA	6	18" x 11" x 10"
30260 GREEN	29.75	EA	6	18" x 11" x 10"
30260 RED	29.75	EA	6	18" x 11" x 10"
30260 SCLAR	29.75	EA	6	18" x 11" x 10"
30260 STONE	29.75	EA	6	18" x 11" x 10"
30260 YELLOW	29.75	EA	6	18" x 11" x 10"
30270 BLACK	32.60	EA	3	18" x 16-1/2" x 11"
30270 BLUE	32.60	EA	3	18" x 16-1/2" x 11"
30270 GREEN	32.60	EA	3	18" x 16-1/2" x 11"
30270 RED	32.60	EA	3	18" x 16-1/2" x 11"
30270 SCLAR	32.60	EA	3	18" x 16-1/2" x 11"
30270 STONE	32.60	EA	3	18" x 16-1/2" x 11"
30270 YELLOW	32.60	EA	3	18" x 16-1/2" x 11"



RS Hughes Part Price Per Case Description

D. Akro-Grid Divider Box

Versatile work-in-progress transfer dividable grid containers. Injection molded from industrial-grade polymers, which resist most solvents and chemicals. Akro-Grid dividable grid containers are compatible with most racks, shelving, and automated material handling equipment. Ribbed design gives added strength.

33105 BLUE	9.58	EA	20	Blue	10-7/8" x 8-1/4" x 5"
33105 GREY	9.58	EA	20	Grey	10-7/8" x 8-1/4" x 5"
33105 RED	7.84	EA	20	Red	10-7/8" x 8-1/4" x 5"
33105SCLAR	11.02	EA	20	Clear	10-7/8" x 8-1/4" x 5"
33164 BLUE	11.76	EA	12	Blue	16-1/2" x 10-7/8" x 4"
33164 GREY	11.76	EA	12	Grey	16-1/2" x 10-7/8" x 4"
33164 RED	11.76	EA	12	Red	16-1/2" x 10-7/8" x 4"
33164SCLAR	13.51	EA	12	Clear	16-1/2" x 10-7/8" x 4"
33166 BLUE	17.29	EA	8	Blue	16-1/2" x 10-7/8" x 6"
33166 GREY	17.29	EA	8	Grey	16-1/2" x 10-7/8" x 6"
33166 RED	14.15	EA	8	Red	16-1/2" x 10-7/8" x 6"
33166SCLAR	19.89	EA	8	Clear	16-1/2" x 10-7/8" x 6"
33168 BLUE	16.67	EA	6	Blue	16-1/2" x 10-7/8" x 8"
33168 GREY	20.38	EA	6	Grey	16-1/2" x 10-7/8" x 8"
33168 RED	16.67	EA	6	Red	16-1/2" x 10-7/8" x 8"
33168SCLAR	23.47	EA	6	Clear	16-1/2" x 10-7/8" x 8"
33220 BLUE	27.49	EA	2	Blue	22-3/8" x 17-3/8" x 10"
33220 GREY	33.60	EA	2	Grey	22-3/8" x 17-3/8" x 10"
33220 RED	27.49	EA	2	Red	22-3/8" x 17-3/8" x 10"
33220SCLAR	38.62	EA	2	Clear	22-3/8" x 17-3/8" x 10"
33223 BLUE	20.64	EA	6	Blue	22-1/2" x 17-3/8" x 3"
33223 GREY	20.64	EA	6	Grey	22-1/2" x 17-3/8" x 3"
33223 RED	20.64	EA	6	Red	22-1/2" x 17-3/8" x 3"
33223SCLAR	23.73	EA	6	Clear	22-1/2" x 17-3/8" x 3"
33224 BLUE	17.51	EA	6	Blue	22-3/8" x 17-3/8" x 4"
33224 GRAY	17.51	EA	6	Grey	22-3/8" x 17-3/8" x 4"
33224 RED	17.51	EA	6	Red	22-3/8" x 17-3/8" x 4"
33224SCLAR	24.62	EA	6	Clear	22-3/8" x 17-3/8" x 4"
33226 BLUE	20.80	EA	4	Blue	22-3/8" x 17-3/8" x 6"
33226 GREY	25.42	EA	4	Grey	22-3/8" x 17-3/8" x 6"
33226 RED	20.80	EA	4	Red	22-3/8" x 17-3/8" x 6"
33226SCLAR	29.22	EA	4	Clear	22-3/8" x 17-3/8" x 6"
33228 BLUE	33.31	EA	3	Blue	22-3/8" x 17-3/8" x 8"
33228 GREY	27.25	EA	3	Grey	22-3/8" x 17-3/8" x 8"
33228 RED	33.31	EA	3	Red	22-3/8" x 17-3/8" x 8"
33228SCLAR	38.31	EA	3	Clear	22-3/8" x 17-3/8" x 8"



E. Short Divider for the Akro-Grid Divider Box


Dividers allow subdivision of the containers down to a 1-1/8" square compartment size. Each package contains 6 dividers.

41105	6.80	PK	1	Black	For the 33105
41164	10.36	PK	1	Black	For the 33164
41166	11.64	PK	1	Black	For the 33166
41168	12.51	PK	1	Black	For the 33168
41220	28.73	PK	1	Black	For the 33220
41223	18.91	PK	1	Black	For the 33223
41224	14.98	PK	1	Black	For the 33224
41226	16.98	PK	1	Black	For the 33226
41228	27.18	PK	1	Black	For the 33228

F. Long Divider for the Akro-Grid Divider Box

Dividers allow subdivision of the containers down to a 1-1/8" square compartment size. Each package contains 6 dividers.

42105	8.80	PK	1	Black	For the 33105
42164	13.95	PK	1	Black	For the 33164
42166	14.00	PK	1	Black	For the 33166
42168	16.75	PK	1	Black	For the 33168
42220	32.84	PK	1	Black	For the 33220
42223	21.38	PK	1	Black	For the 33223
42224	17.64	PK	1	Black	For the 33224
42226	19.32	PK	1	Black	For the 33226
42228	30.60	PK	1	Black	For the 33228



RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. Akro-Mils Shelf Bin Pick Rack System APRD120Y

Double-Sided Pick Rack system with 128 yellow shelf bins size (11 5/8L x 4 1/8W x 4H) on angled shelves keeping parts at the front of bins for easy access. 16 gauge steel construction. 24" x 36-3/4" x 60-1/4"

APRD120Y	878.55	EA	1
----------	--------	----	---

B. Akro-Mils Shelf Bin Pick Rack System APRD150Y

Double-Sided Pick Rack system with 64 yellow shelf bins size (11 5/8L x 8 3/8W x 4H) on angled shelves keeping parts at the front of bins for easy access. 16 gauge steel construction. 24" x 36-3/4" x 60-1/4"

APRD150Y	837.00	EA	1
----------	--------	----	---

C. Akro-Mils Shelf Bin Pick Rack System APRDMOBILE

Mobile Kit (Handle & Dolly) for Double-Sided Pick Rack.

APRDMOBILE	170.40	EA	1
------------	--------	----	---

D. Akro-Mils Shelf Bin Pick Rack System APRS120Y

Single-Sided Pick Rack system with 64 yellow shelf bins size (11 5/8L x 4 1/8W x 4H) on angled shelves keeping parts at the front of bins for easy access. 16 gauge steel construction. 12" x 36-3/4" x 60-1/4"

APRS120Y	426.22	EA	1
----------	--------	----	---

E. Akro-Mils Cabinet with Yellow AkroBins

The AkroBin Cabinet provides double-locking door protection for tools, dies, supplies, and personal belongings. Constructed of powder-coated 16-gauge steel. Louvered panels for AkroBins on doors and back wall, which hold up to 102 bins.

AC3624Y	1,260.80	EA	1	36 x 24 x 78
---------	----------	----	---	--------------

F. Akro-Mils Shelf Bins

Shelf Bins outlast corrugated bins - paying for themselves in reduced replacement cost. Won't crack or spread even when fully loaded. Available in Red, Yellow, Blue, Green and White.

30120 BLUE	2.09	EA	24	11-5/8" x 4-1/8" x 4"
30120 GREEN	2.09	EA	24	11-5/8" x 4-1/8" x 4"
30120 RED	2.09	EA	24	11-5/8" x 4-1/8" x 4"
30120 WHITE	2.09	EA	24	11-5/8" x 4-1/8" x 4"
30120 YELLOW	2.09	EA	24	11-5/8" x 4-1/8" x 4"
30130 BLUE	3.29	EA	12	11-5/8" 6-5/8" x 4"
30130 GREEN	3.29	EA	12	11-5/8" 6-5/8" x 4"
30130 RED	3.29	EA	12	11-5/8" 6-5/8" x 4"
30130 WHITE	3.29	EA	12	11-5/8" 6-5/8" x 4"
30130 YELLOW	3.29	EA	12	11-5/8" 6-5/8" x 4"
30138 BLUE	4.02	EA	12	17-7/8" x 6-5/8" x 4"
30138 GREEN	4.02	EA	12	17-7/8" x 6-5/8" x 4"
30138 RED	4.02	EA	12	17-7/8" x 6-5/8" x 4"
30138 WHITE	4.02	EA	12	17-7/8" x 6-5/8" x 4"
30138 YELLOW	4.02	EA	12	17-7/8" x 6-5/8" x 4"

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

G. Akro-Mils ProCart™

Procart™ - Hinged side gates on both shelves flip up or down to convert to a flat-top or box-top cart. 400lb. Max cart load (200lbs capacity per top and bottom shelf) Non Marking, Toe-touch locking, swivel 5 wheels. Assembly required. 45-5/8" x 24" x 34-3/4"

30936GREY	301.49	EA	1
-----------	--------	----	---

RS Hughes Part Price Per Case Description

Akro-Mils TiltView Bins

TiltView bins offer users a space-saving system that will improve organization and efficiency in a variety of settings. Cabinets made of high-impact polystyrene; bins made of clear polystyrene. All six sizes of TiltView bins may be used individually, or configured into systems using any of the three optional powder-coated hanging accessories. Available in three sizes (24", 48" and 70" lengths), durable 16-gauge steel rail and frame systems create easy customizable hanging or stacking wall systems. The unique TiltView clip attaches to the back of bins for use with any new or existing Akro-Mils louvered hanging system.

H. 06702	129.55	EA	1	12-15/16 x 23-5/8 x 14
I. 06703	62.73	EA	1	7-7/8 x 23-5/8 x 9-7/16
J. 06704	57.00	EA	1	6-3/4 x 23-5/8 x 8-3/16
K. 06705	34.64	EA	1	5-3/8 x 23-5/8 x 6-1/2
L. 06706	24.40	EA	1	3-3/4 x 23-5/8 x 4-1/2
M. 06709	20.58	EA	1	2-1/2 x 23-5/8 x 3-3/16



Storage Cases

N. Pelican 1150 Small Case

Interior Dimensions: 8.18" x 5.68" x 3.62" (20.8 x 14.4 x 9.2 cm). Watertight, crushproof, and dust proof. Open cell core with solid wall design - strong, light weight, O-ring seal. Automatic Pressure Equalization Valve. Stainless steel hardware. Pick N Pluck™ with convoluted lid foam.

019428-11500	54.33	EA	1	Black
019428-11503	54.33	EA	1	Orange
019428-11506	54.33	EA	1	Yellow



O. Pelican 1400 Small Case

Interior Dimensions: 11.81" x 8.87" x 5.18" (30 x 22.5 x 13.2 cm). Watertight, crushproof, and dust proof, easy open Double Throw latches, open cell core with solid wall design - strong, light weight, O-ring seal, Automatic Pressure Equalization Valve, stainless steel padlock protectors, comfortable rubber over-molded handle, stainless steel hardware, Pick N Pluck™ with convoluted lid foam, personalized nameplate service available, Lifetime Guarantee of Excellence.

019428-14000	138.73	EA	1	Black
019428-14001	138.73	EA	1	Orange
019428-14003	138.73	EA	1	Yellow

P. Pelican 1500 Medium Case

Interior Dimensions: 16.75" x 11.18" x 6.12" (42.5 x 28.4 x 15.5 cm) Watertight, crushproof, and dust proof, easy open Double Throw latches, open cell core with solid wall design - strong, light weight, O-ring seal, Automatic Pressure Equalization Valve, stainless steel padlock protectors, comfortable rubber over-molded handle, stainless steel hardware, Pick N Pluck™ with convoluted lid foam, personalized nameplate service available, Lifetime Guarantee of Excellence.

019428-15000	205.42	EA	1	Black
019428-15001	205.42	EA	1	Orange
019428-15003	205.42	EA	1	Yellow

Q. Pelican 1600 Large Case

Interior Dimensions: 21.43" x 16.50" x 7.87" (54.4 x 41.9 x 20 cm). Watertight, crushproof, and dust proof, easy open Double Throw latches, open cell core with solid wall design - strong, light weight, O-ring seal, Automatic Pressure Equalization Valve, stainless steel padlock protectors, comfortable rubber over-molded handle, stainless steel hardware, level 2 Pick N Pluck™ with convoluted lid foam, personalized nameplate service available, Lifetime Guarantee of Excellence.

019428-16000	300.11	EA	1	Black
019428-16001	300.11	EA	1	Orange
019428-16003	300.11	EA	1	Yellow



Contents in these cases are not included.

Hand Towel Dispensers

RS Hughes Part Price Per Case Description

A. Kimberly-Clark Professional* Sanitouch* Hard Roll Towel Dispenser

The Sanitouch* touchless technology offers one-at-a-time dispensing to improve hygiene. The Sanitouch* Hard Roll Towel Dispenser has a 1.5" hub. Hands-free pull dispensing for improved hygiene. Key-lock mechanism for protection against waste and pilfering. Features stub roll and emergency feed knob, durable plastic casing. For use only with Scott® or Kleenex® hard roll towels. Spare Parts and Keys.

036000-09990 87.75 DI 1



B. Kimberly-Clark Professional* Sanitouch* Hard Roll Towel Dispenser

A reliable, efficient hand-drying system that is perfect for your busy workplace. Spare Parts and Keys High capacity system for less maintenance time, run-outs and complaints. Hygienic, touch-free dispensing only touch the towel you use. One-at-a-time dispensing for controlled usage and less waste Smooth and quiet operation, with no batteries needed. For use only with Kleenex® and Scott® Hard Roll Towels with 1.75 core.

036000-09996 57.63 CA 1

Sellars Hard Wound Roll Dispenser



Dispenser is made from durable plastic and comes with the proper hardware to mount on the wall. Compatible with our 350', 700' and 800' hard wound roll towels (item #'s 183208, 183210 and 183213) as well as most standard hard wound roll towels.

C. SELLARS 99900 165.36 DI 1 Motion Activated

D. SELLARS 99912 109.86 DI 1 Towel Lever

E. Sellars Multifold Towel Dispenser

Wall Mount Multi-Fold Towel Dispenser allows for easy dispensing and keeps towels off of sink or counter top areas. Wall Mount Multi-Fold Towel Dispenser is made from durable plastic and keeps towels clean and dry until needed. Compatible with our multi-fold towels (item # 183203 and 183204) as well as most 250ct multi-fold towels.

SELLARS 99903 36.43 DI 1

Hand Towels

SCOTT® Hard Roll Towels

The MOD* Dispenser System delivers one of the highest capacity towels around with 1,150 feet of SCOTT® Hard Roll Towels. Includes a stub roll feature that reduces waste and cost, fewer change outs and more satisfied users. These towels are designed with patented ABSORBENCY POCKETS*, so users need fewer towels to dry their hands. The result: more towels left in the dispenser, more time between refills, less paper waste and, in many cases, less cost for your business

F. 036000-25702 18.73 RL 6 Blue-White

100% recovered materials; minimum 60% post-consumer recycled waste (Meets minimum EPA standards); chlorine-free (ECF) bleaching; made from recycled cardboard. High-footage SCOTT® Roll Towels provide reliable quality - and can last a long, long time! Color brown. 2" core diameter & 7.36" roll diameter.

G. 036000-32848 7.03 RL 6 Brown

Right sized for small to medium sized businesses who insist on reliable performance and quality, but are short on storage space. Aligns with competitive offerings.

H. 036000-28640 10.74 RL 6 White



A



B



C



D



E



F



G



H



I



J

Item H compatible with Kimberly-Clark dispenser 036000-09990.

Item I compatible with Kimberly-Clark dispenser 036000-09996.

RS Hughes Part Price Per Case Description

I. SCOTT® High Capacity Hard Roll Towels - White, 12RL/Case



Highest capacity towel in market. Soft and absorbent. 25% more feet than the SCOTT® 1040 Roll Towel without increasing roll diameter or sacrificing performance. Meets EPA standard minimum of 40% post-consumer waste content; chlorine-free (EFC) bleaching; greater feet per case and 25% more towels on each core (compared to 800' roll towels). 1.5" core diameter 7.87" roll diameter.

036000-01000 12.83 RL 12 1000 Feet/RL

J. SCOTT® High Capacity Hard Roll Towels

Reduce maintenance time, run-outs and complaints with this long-lasting roll towel. Highly absorbent, so you'll use less and waste less. Small cases for easy storage and handling. 1.75 core size for use only with Kimberly-Clark Professional dispensers. Meets EPA standards; FSC® and EcoLogo® certified.

036000-02000 13.68 RL 6

RS Hughes Part Price Per Case Description

Sellars Mayfair® 1-Ply Hard Wound Roll Towel

High quality embossed towel. 2inch core. Made with 100% post-consumer recycled fibers. Perfect for washrooms in office buildings, foodservice facilities, public facilities, government facilities, lodging, etc. Made in the USA.

K.	SELLARS 183208	35.18	CA	1	7.875 X 350FT	Natural	12RL/CA
K.	SELLARS 183212	71.16	CA	1	7.875 X 600FT	Natural	12RL/CA
K.	SELLARS 183213	38.28	CA	1	7.875 X 800FT	Natural	6RL/CA
L.	SELLARS 183211	102.28	CA	1	7.875 X 800FT	White	6RL/CA

M. Sellars 1-Ply Hard Wound Roll Towel

High quality embossed towel. 2inch core. Made with 100% recycled fibers. Perfect for washrooms in office buildings, foodservice facilities, public facilities, government facilities, lodging, etc. Made in the USA.

SELLARS 183217	65.76	CA	1	7.875 X 600FT	White	12RL/CA
SELLARS 183210	43.92	CA	1	7.875 X 700FT	White	6RL/CA

N. Sellars Mayfair® 2-Ply Center Pull Roll, 6/Case

High capacity white center pull towels fit many center pull dispensers allowing for quick and easy dispensing in high traffic areas. 2 ply. Tear away core. Maximum diameter 9inches. High quality embossed towel. Made with 100% recycled fibers. 600 sheet count.

SELLARS 183260	39.84	CA	1	7.875 X 10
----------------	-------	----	---	------------

O. KLEENEX® Hard Roll Towels - White, 6/Case

Soft feel, premium performance in a roll towel, preferred for hand drying performance. KLEENEX® Hard Roll Towels with new Zip-Off Top packaging have absorbency pockets that absorb lots of water fast, for superior hand drying. Meets EPA standards with a minimum of 40% post consumer waste. Smaller case for easier handling and storage. 1.75" core size. 7.9" roll diameter.

036000-50606	66.31	CA	1	600FT/RL, 6 RL/CA
--------------	-------	----	---	-------------------

P. SCOTT® Multifold Hand Towel

Designed to reduce waste and provide excellent hand drying with exclusive Absorbency Pockets™ that absorb lots of water fast. Made with Absorbency Pockets™ that absorb lots of water fast, for superior hand drying. Fits into any multi-fold towel dispenser. Meets EPA standards; FSC® and EcoLogo® certified.

036000-01804	66.44	CA	1	125 Sheets/Pack, 16 Packs/Case
036000-03650	40.97	CA	1	250 Sheets/Pack, 12 Packs/Case

Sellars 1-Ply Towel

High quality embossed towel. Made with 100% recycled fibers. Perfect for washrooms in industrial/manufacturing facilities, retail stores, cafeterias, schools, fast food restaurants, public facilities, loding, etc. Made in the USA.

Q.	SELLARS 183226	31.36	CA	1	9.25 X 10.25	Natural Single Fold	250/Bundle
R.	SELLARS 183223	34.20	CA	1	13.25 X 10.25	White C-Fold	200/Bundle

Sellars Mayfair® 1-Ply Towel

High quality embossed towel. Made with 100% recycled fibers. Perfect for washrooms in industrial/manufacturing facilities, retail stores, cafeterias, schools, fast food restaurants, public facilities, loding, etc. Made in the USA.

S.	SELLARS 183204	29.66	CA	1	9 X 9.5	Natural Multi Fold	250/Bundle
T.	SELLARS 183203	34.72	CA	1	9 X 9.5	White Multi Fold	250/Bundle

U. SCOTT® C-Fold Towels

Millions of cases have been requested over the years! Depend on SCOTT® C-Fold Towels for reliable performance.

036000-03623	35.08	CA	1
--------------	-------	----	---



K



L

Items J thru L are compatible with Sellars Dispensers 99912 & 99900



M



N



O



P

Compatible with Kimberly-Clark dispenser 036000-09996



Q



R

Compatible with Sellars dispenser 99906

Compatible with Sellars dispenser 99903



S



T



U



Toilet Paper Dispensers

RS Hughes Part Price Per Case Description

A. Kimberly-Clark Professional* Double Roll Tissue Dispenser

The Double Roll Bathroom Tissue Dispenser offers a high capacity, easy maintenance system that can help lower maintenance costs. This system can be used with both Kleenex® Brand and Scott® Brand Coreless Bathroom Tissue. Modern design, compliments any decor Double roll toilet paper dispenser Uses standard toilet tissue paper up to 5 diameter The dispenser is ADA compliant when installed properly and includes both a C-Mandrill for standard cored bath tissue and an H-Mandrill for coreless dispensing Easy-to-use and to install Access to reserve roll once lower roll is completely used. Includes spare parts and keys.

036000-09021 23.10 CA 1 Smoke

B. Kimberly-Clark JRT Jr. Escort* Jumbo Roll Bathroom Tissue Dispenser with Stub Roll



The JRT Jr. ESCORT* Jumbo Roll Tissue Dispenser with Stub Roll gives you a graceful look. It is curved and contemporary. Designed for easier access to bathroom tissue. Replaceable lock with push button option and stub roll. Spare parts attached to back wall. When installed properly, this dispenser meets the ADA Standards for Accessible Design. Includes spare parts and keys.

036000-09507 46.17 DI 1

Kimberly-Clark Coreless Double Roll Bathroom Tissue Dispenser

Scott® Coreless JRT Bath Tissue system brings you high-capacity to make it ideal for high-traffic areas and reduces your maintenance time by needing refills less often. High capacity roll means you'll refill less often, saving time Easy-to-load dispenser with keyless entry and few spare parts Smaller footprint than standard JRT dispensers Spare Parts and Keys For use only with Scott® Coreless JRT Bath Tissue

C. 036000-09602 27.12 DI 1

The sleek, durable, stainless steel Coreless Double Roll Bathroom Tissue Dispenser holds 2 full standard rolls of coreless tissue. Ideal for unique image needs and durability. These dispensers meet the ADA Standards for Accessible Design, 28CFR Part 36 (1994), local rules may vary. Includes spare parts and keys.

D. 036000-09604 16.95 CA 1

Sellars Bath Tissue Dispenser



Toilet Paper Dispenser is made from durable plastic. Bath Tissue Dispenser holds a back up roll so when the current roll is out a new one drops down. Compatible with our 2-ply white bath tissue rolls (item # 183011) as well as most standard 2-ply 500ct bath tissue rolls.

E. SELLARS 99905 35.38 DI 1 2 Roll Dispenser

Twin Roll Jumbo Bath Tissue Dispenser is made from durable plastic and allows for easy dispensing. Compatible with our 2-ply jumbo bath tissue (item # 1832161 and 183014) as well as most 2-ply 1000' jumbo bath tissue rolls. Large capacity twin tissue toilet paper dispenser holds a back up roll so when the current roll is out you can move to the next one without having to worry about replacing a new roll right away.

F. SELLARS 99907 74.60 DI 1 Twin Roll Jumbo

Single Roll Jumbo Toilet Paper Dispenser is made from durable plastic and allows for easy dispensing. Compatible with our 2-ply jumbo bath tissue (item # 1832161 and 183014) as well as most 2-ply 1000' jumbo bath tissue rolls.

G. SELLARS 99908 56.24 DI 1 Single Roll Jumbo



A



B



C



D



E



F



G





Compatible with
KC dispenser
036000-09021



H



I

Toilet Paper

RS Hughes Part Price Per Case Description

H. SCOTT® 2-ply Standard Roll Bathroom Tissue, 80 Rolls/Case

Meets EPA Standards for minimum post consumer waste content.

036000-04460 109.83 CA 1 550 Squares/RL, Core Center

I. Scott® 2-ply Standard Roll Bath Tissue

The practical choice for bath tissue, offering the ideal blend of great performance and value. Strong, soft and absorbent Provides home-like comfort at your business Meets EPA standards; FSC® and EcoLogo® certified.

036000-42108 84.80 CA 1



J. SCOTT® Coreless Standard Bathroom Tissue - White

SCOTT® Coreless 2-ply Standard Roll Bath Tissue is a high capacity, easy maintenance system which results in less run-outs and lower maintenance costs. Meets EPA guidelines for post consumer waste - minimum of 20%. Elemental chlorine-free (ECF) bleaching . Waste reduction with 100% elimination of core waste. Nearly 75% longer than standard roll bath tissue ½ less roll changes . 5 ½ roll diameter.

036000-04007 65.90 CA 1 1000 Squares/RL, 36/CA

K. Sellars 2-Ply Standard Bath Tissue



Sellars standard bath tissue is embossed to provide a soft and comfortable feel. 3.3inch core. White color achieved without the use of chlorine. Made with 100% recycled fibers. Bath tissue fits a vast array of bath tissue dispensers and is septic safe. 500 sheets per roll 96 rolls per case.

SELLARS 183011	74.88	CA	1	4.5 X 3.75	500Sheets/Roll
SELLARS 183012	62.98	CA	1	4.4 X 3.8	500Sheets/Roll
SELLARS 183220	59.92	CA	1	4 X 3.1	375Sheets/Roll

L. TRADITION* JRT Jr. Jumbo Roll Tissue - White, 12 Rolls/Case

Meets EPA Standards for minimum post consumer waste content.

036000-02129 64.08 CA 1 1000ft/RL w/ core center

M. SCOTT® Coreless JRT Jr 2-ply Bathroom Tissue - Jumbo Roll, White, 12 Rolls/Case

SCOTT® Coreless JRT Jr 2-ply Bathroom Tissue brings you high capacity, with each roll having 15% more tissue than standard Jumbo Roll Tissue Jr. rolls. Elemental chlorine-free (ECF) bleaching. Meets EPA guidelines for post consumer waste ½ minimum of 20%.Waste reduction with 100% elimination of core waste. With this system it's no keys, no cores, no headaches.15% more paper per roll . Works only with manual JRT dispensers.8.9 ½ roll diameter

036000-07006 62.85 CA 1 1150ft/rl

N. SCOTT® 100% Recycled Fiber JRT Jr. Bathroom Tissue

100% recycled fiber. Meets EPA minimum post consumer waste content.

036000-67805 115.32 CA 1



J

Compatible with
KC dispenser
036000-09021
& 036000-09604

Compatible with
Sellars dispenser 99905



K



Compatible with KC
dispenser 036000-
09507

L



M

Compatible with KC dispenser
036000-09602



N

Compatible with
KC dispenser
036000-09507



Head to Toe Protection



A



B



C



D



E

Facial Tissue

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. KLEENEX* Facial Tissue - White

036000-21400	2.07	EA	36	100 Sheets/EA
036000-21606	2.29	BX	48	125 Sheets/BX

B. SURPASS* Facial Tissue

SURPASS* Facial Tissue. Available with higher tissue count per box than standard tissue boxes. The SIGNAL* feature alerts you when it's time to change the box. Meets EPA standards for minimum post consumer waste content.

036000-03131	15.31	CA	1	
--------------	-------	----	---	--

Kitchen Towels



C. SCOTT® Kitchen Roll Towels - White, 20 RL/Case

More sheets on a roll to last longer. Smaller case for easier handling and storage. Made with ABSORBENCY POCKETS* for a soft and absorbent performance to handle tough spills and clean-up. 4.9" roll diameter.

036000-41482	46.20	CA	1	128 Sheets/RL
--------------	-------	----	---	---------------



D. Sellars Mayfair® 2-Ply Kitchen Roll Towel



Economica. Perfect for light duty cleaning and wiping of general office, kitchens, lunch room, coffee areas, etc. 2 ply. 85 embossed sheets. 100% recycled fibers.

SELLARS 183264	58.50	CA	1	11 X 9	30RL/CA
----------------	-------	----	---	--------	---------

Toilet Seat Covers

E. SCOTT® Personal Seat Covers

SCOTT® Personal Seats are flushable and offer sanitary protection, help reduce litter and clogging. Meets EPA guidelines for post consumer waste.

036000-07410	5.17	BX	24	125 Sheets/BX
--------------	------	----	----	---------------



Air Fresheners

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

SCOTT® Continuous Air Freshener Refill

Whatever you choose, the SCOTT® Continuous Air Freshener System will keep your restrooms fresh, your costs down - and your maintenance at a minimum. Use with dispenser #92620 (White).

F. 036000-91067	14.20	PH	6	Citrus
G. 036000-91072	14.20	PH	6	Ocean



Washroom Soap

H. SCOTT* Pink Lotion Skin Cleanser, 800ml refill

Peach fragrance provides gentle cleaning and easy to rinse lather. Use with KC Professional Windows* dispenser #91182.

036000-91220	4.05	PH	12
--------------	------	----	----



I. Kleenex Luxury Foam Skin Cleanser

Luxurious, moisturizing, pink foam soap. Sealed container keeps soap free of contaminants. High capacity for less refilling and maintenance time. Easy-to-load cassette clicks right into place. Bottle is recyclable after the pump is removed. For use only with the Kimberly-Clark Professional* Cassette Skin Care Dispenser.

036000-91552	11.83	EA	6
--------------	-------	----	---



J. Kleenex Foam Hair & Body Wash 1.0L

KLEENEX® Foam Hair & Body Wash is protein enriched with emollients and other skin conditioning agents. Rinses clean without leaving a soapy residue.

036000-91553	12.05	EA	6
--------------	-------	----	---

K. SCOTT* Gentle Lotion Skin Cleanser

SCOTT* Gentle Lotion Skin Cleanser creates a rich, creamy, easy to rinse lather that is pH balanced to be gentle on the skin.

036000-91721	86.14	CA	1
--------------	-------	----	---

L. SCOTT* Hair & Body Wash

SCOTT* Hair & Body Wash is protein enriched with emollients and other skin conditioning agents. Rinses clean without leaving a soapy residue.

036000-91726	60.27	EA	2
--------------	-------	----	---

M. SCOTT* Super Duty Skin Cleanser with Grit

Formulated to clean the toughest dirt, including grease and tar. It contains no petroleum solvents. Rounded polymer beads provide scrubbing action without the abrasion associated with pumice or walnut shell grits found in other products.

036000-91748	139.80	CA	1
--------------	--------	----	---



Washroom Soap

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. SANITUFF® Push Dispenser

Holds one 3.5L or one 8L refill. Features a keyless locking system, soap level view window and large push lever for dispensing.

036000-92013	21.36	EA	1	Black
--------------	-------	----	---	-------

B. Kimberly-Clark Professional* Cassette Skin Care Dispenser

Soap dispenser maintenance is quick and easy! The Cassette Skin Care System dispenser offers easy, no fuss refill loading, and flexibility to refill with any Kleenex® Cassette Skin Care foam or liquid formula. Perfect for the restroom or break room sink. High capacity for less refilling and maintenance time. Easy-to-load cassettes click right into place. Spare Parts and Keys Works only with Kleenex® Cassette Skin Care Soap or Sanitizer.

036000-92145	13.56	EA	1	Black
--------------	-------	----	---	-------



C. Scott Super Duty with Grit 1.0L

Original SCOTT® Super Duty Skin Cleanser with Grit is formulated to clean the toughest dirt, including grease and tar. It contains no petroleum solvents. Rounded polymer beads provide scrubbing action without the abrasion associated with pumice or walnut shell grits found in other products.

036000-40551	11.02	DI	6	
--------------	-------	----	---	--



D. Kleenex Foam Hand Sanitizer 1.0L

KLEENEX® Moisturizing Foam Hand Sanitizer is effective against a wide range of microorganisms. This clear 62% Ethyl Alcohol formula dispenses as a luxury foam with a light fresh fragrance. It effectively kills 99.99% of germs on hands in less than 15 seconds, without the use of water. Our proprietary formula contains moisturizers and conditioners to hydrate the skin.

036000-91560	20.37	EA	6	
--------------	-------	----	---	--

E. Scott Skin Relief Lotion 1.0L

SCOTT® Skin Relief Lotion is specially designed for industrial and manufacturing customers. This formula is fragrance, dye and silicone free.

036000-35365	10.14	EA	6	
--------------	-------	----	---	--

F. Scott Naturally Tough Orange 1.0L (waterless grit)

SCOTT® Naturally Tuff Orange Skin Cleanser with Grit is formulated to knock out the dirt on your hands. It is composed of polymer beads that provide scrubbing without the abrasion that can be associated with pumice or walnut shell grits. This formula is CA Prop 65 compliant.

036000-40552	9.20	EA	6	
--------------	------	----	---	--

G. SCOTT® Super Duty Skin Cleanser with Grit 3.5L BIB

SCOTT® Super Duty Skin Cleanser with Grit 3.5L BIB is formulated to clean the toughest dirt, including grease and tar. It contains no petroleum solvents. Rounded polymer beads provide scrubbing action without the abrasion associated with pumice or walnut shell grits found in other products.

036000-41863	38.41	BX	2	
--------------	-------	----	---	--

H. SCOTT® Naturally Tuff Orange Skin Cleanser with Grit

SCOTT® Naturally Tuff Orange Skin Cleanser with Grit is formulated to knock out the dirt on your hands. It is composed of polymer beads that provide scrubbing without the abrasion that can be associated with pumice or walnut shell grits.

036000-91045	56.19	EA	2	
--------------	-------	----	---	--



Waterless Hand Wipes

RS Hughes Part Price Per Case Description

I. WYPALL* Waterless Hand Wipes - Orange, Citrus/Green, 50 Count

Heavy Duty Hand Cleaning Wipes. Pre-moistened wipes with a heavy-duty waterless cleanser. Gets hands clean in the same place they got dirty. Now in 50 count canister.

036000-58310 9.99 CN 8



WYPALL Waterless Hand Wipes

Heavy Duty Hand Cleaning Wipes, Pre-moistened wipes with a heavy-duty waterless cleanser. Gets hands clean in the same place they got dirty. Green-White color, Orange / Citrus Fragrance. Size: 10"x12"

J. 036000-91054 0.69 EA 100
K. 036000-91367 11.46 BG 6 75 Sheets/Bag
L. 036000-91371 15.32 CN 6 75 Sheets/Container

M. Sellars Grab N Scrub™ Anti-Bacterial Wipes

Anti-bacterial hand cleaner is ideal for light as well as heavy-duty cleaning of hands without the need for soap and water. Kills 99.9% of common germs. Dual texture. Fresh citrus scent. Hand cleaner cuts thru oil, tar, grease, paint, lubricants, ink, wax, adhesives and more. 72 wipes per bucket with 6 buckets per case. Wipe size is 10 X 12.25.

SELLARS 90172 15.66 EA 6 10 X 12.25

N. Sellars Toolbox® Grab N Scrub™ Refill Pack

Refill pack for anti-bacterial Grab N' Scrub wipes item 90172. 72 wipes per pack with 8 refill packs per case. Wipe size is 10 X 12.25.

SELLARS 90178 11.75 EA 8 10 X 12.25 8 Refills/Case



Industrial Soaps

O. Permatex® Fast Orange Smooth Lotion Hand Cleaner (1 Gallon Bottle With Pump)

686226-23218 31.26 GA 4



P. Stoko® Kresto® Heavy Duty Hand Cleaner (400ml Flip-Top Bottle)

Kresto® Heavy Duty Hand Cleaner is engineered to be tough on grease, oil, and the strongest soils but gentle on hands. Plus its all-natural walnut shell scrubbers won't clog drains or harm the environment. 9/Case.

34736SK 9.47 EA 9



Head to Toe Protection



A

B

C

Surface Cleaners

RS Hughes Part Price Per Case Description

A. KIMTECH[®] Surface Sanitizer Wipes - White

The Ultimate One-Step Sanitizing Weapon! KIMTECH PREP[®] Surface Sanitizer Wipes will make your sanitizing wiping needs - simple! You get a fresh, clean KIMTECH[®] wipe every time! Eliminates bacteria transfer between dirty rags and surfaces. Kill 99.999% of bacterial (on hard, non-porous surfaces).

036000-58040 10.82 PH 8 30 Sheets/PH



B. Scott 24hr Disinfecting Spray

Most surface disinfectants work for the moment. But germs can be quickly reintroduced just by touching and handling the surface again. New SCOTT 24 Hour Sanitizing Spray kills 99.9% of bacteria for 24 hours ** even after multiple touches. - Eliminates 99.9% of cold and flu viruses and Norovirus - Kills a broad spectrum of bacteria, viruses, and fungi - Patent pending formulation is durable enough to withstand continuous touches, even on high contact areas - Protects from germs between each daily cleaning - Cuts through common grease, dirt and grime - Not harmful to most surfaces - Bleach-free with no rinsing required - Light, fresh fragrance - EPA registration number 9402-14.

036000-36700 8.71 B0 9



C. SCOTT[®] 24 Hour Sanitizing Wipes

Most surface disinfectants work for the moment. But germs can be quickly reintroduced just by touching and handling the surface again. New SCOTT 24 Hour Sanitizing Wipes kill 99.9% of bacteria for 24 hours ** even after multiple touches. - Eliminates 99.9% of cold and flu viruses - Kills a broad spectrum of bacteria, viruses, and fungi - Patent pending formulation is durable enough to withstand continuous touches, even on high contact areas - Protects from germs between each daily cleaning - Cuts through common grease, dirt and grime - Not harmful to most surfaces - Bleach-free with no rinsing required - Light, fresh fragrance - EPA Reg. No. 9402-17.

036000-41524 6.17 BX 12

Hand Sanitizers

D. 3M[™] Avagard[™] D Instant Hand Antiseptic with Moisturizers 9222

Instant hand antiseptic provides fast, effective bacterial kill without being hard on skin. 3 fl. oz., 88 mL personal size bottle.

707387-50864 3.22 EA 48



Hand Cream

Stoko[®] Travabon[®] Cream

Silicone and oil-free, Travabon[®] Cream is specially formulated to suspend dirt, grease, and oil for easy cleanup when applied before work.

E. 33866SK 5.93 EA 12 100ml Tube, 12/case

F. 33868SK 39.39 EA 12 1,000ml Soft Bottle, 4/case, use dispenser 29187SK (white)



D

E

F

G

H

RS Hughes Part Price Per Case Description

G. Stoko[®] Stokolan[®] Conditioning Hand Cream, 100ml Tube, 12/Case

Stokolan[®] Conditioning Cream is silicone-free in a concentrated formula that helps replace lost moisture and oils. Ideal for chapping, chafing, and irritated skin.

33869SK 5.88 EA 12



H. Stoko[®] Durapro[®] Before Work Hand Cream (100ml Tube)

Durapro[®] is silicone free and specially formulated for skin exposed to water-based substances, such as water-mixed oils and cooling agents, dyestuff solutions, acids, alkalis, and salts. Use when working with cement, lime, and fertilizers. 12/Case.

33870SK 6.88 EA 12





Eye and Face Products Warning

These eye and face protection products help provide limited eye and face protection. Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death. For proper use, selection, and applications against flying particles, optical radiation and / or splash see supervisor, read User Instructions and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

Fall Protection Products Warning

Compliant fall protection and emergency rescue systems help prevent serious injury during fall arrest. Users must read and understand the User Instructions provided with the product and be properly trained by their employer prior to use per OSHA 1910.66 and 1926.503 or applicable local standards. Misuse or failure to follow warnings and instructions may result in serious personal injury or death. For proper use, see supervisor, User Instructions, or call 3M PSD Technical Service at 800-243-4630. In Canada, call 800-267-4414.

Hard Hat Warning

These hardhats provide limited protection only. Misuse or failure to follow warnings and User Instructions may result in serious personal injury or death. For proper use, see supervisor, or User Instructions, or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

Hearing Protection Products Warning

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury. For proper use, see supervisor, User Instructions, or call 3M PSD Technical Service in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury. Choking Hazard - Keep away from infants and small children.

Protective Coverall Warning

These protective coveralls help protect against certain liquid splashes and hazardous dusts. Before use wearer must read and understand the User Instructions provided as part of the product packaging. Failure to follow all instructions on the use of these protective clothing products and/or failure to wear the complete product during all periods of exposure may adversely affect the wearer's health, or lead to severe or life threatening illness or permanent disability. Final determination as to the suitability of these products for a particular use is the employer's responsibility. For proper use and selection see Supervisor, User Instructions or call 3M PSD Technical Service in USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

Respiratory Products Warning

These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the USER Instructions provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. Misuse may result in sickness or death. For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.

Sorbent Product Warning

Failure to properly handle and dispose of sorbents contaminated by hazardous materials can result in serious physical injury or death and/or environmental harm. For proper handling, consult the Material Safety Data Sheet for the and health standards, contact your supervisor, or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

Welding Helmet Warning

This product is designed to help protect the wearer's eyes and face from harmful radiation including visible light, ultra-violet radiation (UV), infra-red radiation (IR), sparks and spatter resulting from welding processes. These products must be used only by qualified persons who are properly trained in their use and maintenance. Misuse may result in permanent eye injury and vision loss. Always wear ANSI Z87.1 compliant safety spectacles in addition to any welding helmet. For proper use, see supervisor, or User Instructions or call 3M PSD Technical Service in U.S.A. 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414.



Head to Toe Protection

Brady Client Services



Visual Workplace Services Brady Client Services

Improve workplace safety with visuals.

Sustainability and safety expertise are the backbone to each of our field service offerings. From Visual Workplace Audits and Installation Services to Visual Procedure Writing Services and Safety Training Seminars, Brady Client Services' safety practitioners partner with you to create a safe, best-practice workplace you can maintain for years to come.

Visual Procedure Writing Services

When utilizing Brady's Procedure Writing Services, you can rest assured that your procedures will be created and installed by industry experts who author over 26,000 procedures annually. In addition to creating OSHA-compliant procedures, we employ industry best practices to create highly visual, standardized procedures that make it easy for employees to use in their everyday work environment. Procedure writing services include: Lockout Tagout, Confined Space and Safe Operating Procedure Writing Services.



**Contact
RS Hughes Today
for more information**




Lockout/Tagout Procedure Writing Service

The foundation of a successful, compliant lockout program is highly visual, standardized procedures placed where employees use them most – directly on machinery and equipment. Our field engineers take care of every detail including:

- Evaluating your needs and equipment requirements by identifying potential hazardous energy sources
- Authoring all visual procedures within our LINK360® software or a format of our client's choosing
- Printing, laminating and installing procedures and associated color-coded energy source tags
- Collaborating with your team during the process to provide the tools and knowledge necessary to sustain the program in-house

Sustainability: Looking for a turnkey solution? Brady Client Services also offers Procedure Auditing Services, Lockout Tagout training and our LINK360® procedure creation and management software to help you sustain and improve upon your progress.

Brady Client Services



Confined Space Procedure Writing Service

To ensure safe employee entry, all confined spaces in your facility must have written permit procedures. Brady's qualified field engineers will come on-site and produce confined space entry procedures for each of your identified confined spaces, providing full compliance with OSHA, best safety practices and your internal written confined space program.

While on-site, our field engineers will:

- Gather the necessary steps and information to properly identify and classify confined spaces
- Author all visual procedures within our LINK360® software or a format of our client's choosing
- Print, laminate and install the procedures
- Collaborate with your team during the process to provide the tools and knowledge necessary to sustain the program in-house

Sustain Your Solution In-house: Looking for a turnkey solution? Brady Client Services also offers Confined Space Training and our LINK360® procedure creation and management software to help you sustain and improve upon your progress.



Visual Workplace Audits

A visual workplace is a safe workplace. A visual workplace incorporates the proper signage, pipe marking and other visual directives, allowing employees to easily locate and understand their workplace environment. Brady's Visual Workplace Audits take a continuous improvement approach and provide you with a best-fit, realistic plan to improve your visual workplace. How do we do this? Once an audit is completed, our clients receive a detailed audit report that provides facility photos of areas for improvement, numbered pins showing points of install, and custom and stock product recommendations.

Areas of audit focus can include:

- Personal Protection Equipment (PPE) Signage
- General Hazard Identification Signage
- Exit & Egress Signage
- Traffic Control Signage
- Confined Space Signage
- Electrical Hazard Signage

Sustain Your Solution In-house: Once the report is in our clients' hands, Brady offers the products and Visual Workplace Installation Services they need to make that plan a reality.

Brady Client Services



Safety Training and Seminars

When it comes to workplace safety, there's no such thing as being too informed. That's why Brady offers training solutions focused on your industry needs and what we do best: Hazcom / GHS, lockout tagout and confined spaces.

Brady Client Services offers a variety of continued education opportunities for your team, including instructor-led seminars and custom training programs. Each session is performed by a member of Brady's engagement team with experience in field-based environmental health and safety operations and more.

Safety training and seminar topics include:

- Lockout Tagout for Authorized Employees
- Lockout Tagout for Affected Employees
- Hazcom / GHS

Customizable for Your Safety Needs: Require training, but don't see the topic you are interested in above? Contact us today to see how our expertise spans over a variety of compliance, safety and best practice topics.



5S+ Rapid Improvement Event

Let Brady's lean implementation leader guide your team to help increase overall equipment effectiveness (OEE), productivity and more. Brady's lean implementation leader comes to your facility to work alongside your employees where the work needs to happen – on the production floor. :

Throughout the event, we work with your team to:

- Address your current areas of improvement
- Increase overall equipment effectiveness (OEE)
- Eliminate process variability
- Focus on your companies' key performance indicators (KPIs)
- Understand the role 5S+ plays in not only reaching, but exceeding your company goals and cost incentives

Once you complete the 3-day hands-on workshop, you will receive a sustainability and transition plan to ensure that you can continue to work towards the goals established in the event. In addition, our clients benefit from continued Brady support throughout their lean journey.

Interested in a custom 5S+ Event? Brady's lean implementation leader can customize events from 1-2 days to a week or longer .

Brady Client Services



Visual Workplace Installation Services

Our turnkey installation service allows you to focus on your everyday operations, while we install the visually communicative tools necessary to keep your facility safe and compliant. We manage all projects and Paint Platoon USA™, a premier provider of painting, coating and marking services, serves your floor marking, painting and installation needs. Their installation experience, in conjunction with our visual workplace expertise, help you create your ideal visual workplace.

We install the visual directives necessary to keep your facility safe including:

- Safety Signage Installation
- Pipe Marking Installation
- Floor Marking and Painting
- Kaizen Painting



Visual Workplace Production Services

Hosting an internal Kaizen, 5S or Kanban event, or creating a model area or cell in your workplace? Let a Brady production specialist help.

Each production specialist is an expert on labeling and signage, as well as industry requirements. We aid in your lean events by coming on-site with Brady printers and materials to guide your team, and create and print the labels your event requires. We set up your personal signage shop to help you standardize your visual controls.

At event completion, your model area will not only help you standardize the rest of the facility, but it will also guide you on multi-facility standardization.

Standardization of visuals for:

- Storage Locations
- Equipment Identification
- Line Identification
- Valves
- Gauge Ranges

ADHESIVES & SEALANTS

3M ADHESIVES

Full line of adhesives, epoxies, urethanes, acrylics, aerosols, contact cement, hot melt adhesives and dispensing applicators.

LOCTITE/HENKEL

Full line of threadlocking, instant adhesives, gasketing, UV curing adhesives, epoxies and turn-key dispensing equipment.

MOMENTIVE SILICONES

RTV silicone adhesives, 1 and 2 part systems.

DEVCON

Epoxy, methacrylate adhesives, urethanes, metal-filled epoxies, plastic steel, floor sealing and patching compounds.

DAP Caulks, sealants, adhesives, and other patch and repair products.

PLEXUS

Structural adhesives for bonding engineered plastics, advanced composites, metals and dissimilar substrates.

PERMATEX

Threadlockers, thread sealants, gasket makers, anti-seize and hand cleaners.

HYSOL

Full line of 1 and 2 part epoxy and urethane adhesives for structural bonding, potting and encapsulating.

TETRA ETCH

For etching Teflon to improve potting and bonding.

PAINTS & COATINGS

3M High performance adhesives for the electrical and electronics industry. Premium fillers, putties and glazes.

WD-40 Rust preventative and lubricant.

LPS

High performance specialty MRO chemicals that clean, repair, lubricate and protect.

LOCTITE/HENKEL

Sealing, gasketing, lubricants, coatings, hand cleaning compounds and all purpose cleaners.

SPRAYON/KRYLON

Complete line of aerosols, paints, enamels, cleaners, rust preventatives, mold release agents and specialty coatings.

SLIDE Mold releases, lubricants, cleaners, rust preventatives and purging compounds.

SSP Silicone lubricants and compounds.

DYKEM/DYMON

Scrubs in-a-Bucket, industrial marking pens, graffiti remover and layout fluids.

ABRASIVES

3M ABRASIVES

3M™ Cubitron™II abrasives raise the bar for grinding performance and productivity. 3M™ Trizact™ abrasive belts, discs, PG wheels, sheets, rolls, microfinishing and lapping films.

3M POWER TOOLS

Air-Powered Sanding Tools, orbital and random orbital sanders, die grinders, buffers that will optimize your finishing results.

SCOTCH-BRITE™

3M's trusted surface conditioning products for metals and most synthetics, sheets, rolls, discs, brushes, wheels, hand pads and belts for cleaning, deburring and polishing.

DYNABRADE

Power air tools for belt sanding, polishing and grinding.

WEILER

Surface conditioning solutions, power and wire brushes.

TAPES

3M TAPES

Masking, foam, packaging, PTFE, UHMW, vinyl, glass cloth, aluminum foil, polyester, slick surface, damping, duct, cloth tapes and sandblast stencils.

3M BONDING & JOINING SYSTEMS

Double-sided pressure sensitive tapes that bond with strength enough to replace rivets, bolts, welds and similar mechanical or fusion fastening. Scotchmate hook and loop, dual lock fasteners and bumpers.

3M COMMERCIAL GRAPHICS

Vinyl tapes for lettering and signage. High performance and intermediate films for electronic cutting and thermal transfer.

POLYKEN Cloth and duct tape to military specifications.

START

Wide variety of light, industrial, and heavy duty tape dispensers.

3M POLYMASK

Surface protection tapes for hard surface and outdoor UV protection. Short-term protection against scratching, marring, chipping, abrasion and UV light.

LABELS, MARKERS & PRINTERS

BRADY

Computer printable labels and tags for wire and component identification, software and printing systems, sleeving for wire identification, numbers and letters, health and safety signs, custom labels printed in-house.

SHIPPING & PACKAGING

3M PACKAGING SYSTEMS

3M-Matic™ box sealing machines, packing slip envelopes, filament tapes and dispensers, manual and systems length box sealing tape.

3M HOT MELT ADHESIVES

For box sealing and assembly.

STRETCH FILM

The easiest way to palletize your shipments.

PACK-MAIL-SHIP

Full selection of boxing, packing and shipping supplies.

HENKEL

Adhesive equipment, hot melt, one and two part adhesives for the packaging industry.

ELECTRICAL & ELECTRONIC COMPONENTS

3M STATIC CONTROL

Full range of ESD products, workstation and personal grounding.

3M SCOTCH ELECTRICAL

Vinyl, rubber, hi-voltage, insulation, EMI/RFI shielding, thermally and electrically conductive tapes. 3M NOVEC high performance contact cleaner, 3M heat shrink products.

HENKEL ELECTRONICS UV

Curable adhesives, conformal coatings, instant adhesives, thermally conductive adhesives, chipbonders, adhesives for surface mount devices and turn-key dispensing equipment.

BRADY

Computer printable labels and tags for wire and component identification, software and printing systems.

LINDSTROM

Precision tools for electronic, electromechanical and medical device assembly, rework and repair.

KESTER

Solder paste, wax, bar & flux. Lead-free technology.

METCAL

Precision systems for the electronics bench. Soldering, desoldering and rework systems, tips and cartridges for soldering applications.

CHEMTRONICS

Dusters, cleaner degreasers, solder wick, desoldering braids, flux removers and freeze sprays.

STEINEL

Electronic hot air guns.

WELLER

Soldering and rework stations, soldering irons, tips and fume extraction.

COVENTRY

Cleanroom swabs and wipes.

CCI-CONDUCTIVE CONTAINERS, INC.

ESD protective packaging, static-shielding corrugated totes, trays, bins and in-plant handlers.

MOMENTIVE SILICONES

Solventless silicone dielectric gels, silicone conformal coatings, molding products, 1 and 2 part non-corrosive adhesives.

EXCELTA

Precision tools, tweezers, cutters & pliers

MENDA

High performance dispenser pumps, specialty tools and accessories.

DESCO

Quality products for ESD control, mats, personal grounding, ionization, tools and test equipment.

PROTEKTIVE PAK

ESD material handling and packaging.

TECHSPRAY

Cleaners, coatings and other chemicals and tools that improve efficiency and performance.

FULL RANGE OF PRODUCTS

Chemicals, tools and furnishings for electronics manufacturing and maintenance plus workstations, cabinets, shelving, work surfaces and packaging stations, ESD and ergonomic cleanroom, office seating and more.

FACILITIES MAINTENANCE

3M DEVCON • BRADY • NOTRAX • WEARWELL

Anti-slip surfacing material, floor mats, floor marking tape and dots, epoxy compounds and tacky mats.

3M PURIFICATION

Providing fluid, air, gas filtration and separation solutions to a wide range of users in processing and manufacturing industries.

KIMBERLY-CLARK

Full range of disposable shop towels and industrial wipes.

RAYOVAC

Alkaline, heavy duty and rechargeable batteries, performance lights, lanterns and industrial flashlights.

WEILER

Brooms, mops & other maintenance products.

HOSPECO

Multi-purpose, disposable, light to heavy weight wipers. Cloth and shop towel replacements for industrial and hi-tech applications.

PURITAN

Purswab precision cleaning applicators, available with cotton and polyurethane foam tips.

PELICAN

High intensity waterproof flashlights and cases.

SIMPLE GREEN

Non-toxic/biodegradable cleaners, degreasers and deodorizers.

SAFETY

PERSONAL PROTECTION EQUIPMENT

Safety glasses, face shields, hardhats, ear plugs and muffs.

RESPIRATORY PROTECTION

Disposable respirators, cartridges, powered air purifying and supplied air respirators.

HAND PROTECTION

Several varieties of gloves for protection.

PROTECTIVE CLOTHING

Safety apparel, disposable, high visibility clothing, rain gear.

CLEAN ROOM PRODUCTS

Clothing, gloves and finger cots, swabs and wipes, stationery and tacky mats.

SAFETY PRESCRIPTION EYEWEAR SERVICE

WELDING

Helmets, respirators, gloves, flame resistant clothing, anti-fatigue matting, glasses.

FOOT PROTECTION

Boots, knee pads, toe caps.

FIRST AID

First aid kits and cabinets, eyewash stations, first aid supplies, back and wrist supports, heat stress, AEDS, bloodborne pathogen kits.

FALL PROTECTION

Harnesses, lanyards and cross arm straps, anchors, roofing kits, tripods.

FACILITY

Flammable liquid storage, spill control, lockout/tagout devices, facility marking floor tape and signs, portable printers, labels & ribbons, tool bags and lanyards, cutting tools, storage bins and organizers, wipes, janitorial supplies.

CONVERTING



Die Cutting • Kiss Cutting • Cut to Length • Slitting • Sheeting • Laminating • Rewinding • Flexographic Printing • Kit Assembly • Plus More!

- We engineer die-cut solutions to your designs and specifications.
- We convert a wide variety of materials including: tapes, PSA's, VHB, EMI/RFI, coppers, Safety-Walk™, aluminums, foams, Teflon®, Kapton®, UHMW, bumpons, fabrics, foils, hook & loop, films, magnets, paper, plastics, surface protection products & more!
- Established in 1959 - Over 50 years of experience in the converting industry!
- ISO 9001: 2008 Registered Firm.
- Free Quotations.
- Los Angeles and Chicago Locations with sales representatives across the USA and Mexico to best serve you.

TOLL FREE: (888) 932-8836

www.saunderscorp.com



G E T T O K N O W Y O U R R S H U G H E S L O C A T I O N

State/City	Address	Email	Phone	Fax
Alabama				
Birmingham	289 E. Cahaba Valley Pkwy North, Pelham, AL 35124	birmingham@rshughes.com	205-591-5710	205-591-5712
Arizona				
Phoenix	236 East Pima Street, Ste 108, Phoenix, AZ 85004	phoenix@rshughes.com	602-275-5565	602-275-5025
Tucson	3951 E. Michigan St, Suite 178, Tucson AZ, 85714	tucson@rshughes.com	520-889-8686	520-889-9881
California				
Los Angeles	10639 Glenoaks Blvd, Pacoima, CA 91331	losangeles@rshughes.com	818-686-9111	818-686-1973
Anaheim	1219 S Allec Street, Anaheim, CA 92805	anaheim@rshughes.com	714-781-5730	714-781-5731
San Diego	2575 Pioneer Ave, Ste 102, Vista, CA 92081	sandiego@rshughes.com	760-597-0222	760-597-8924
Riverside	880 Columbia Ave, Unit 3, Riverside, CA 92507	riverside@rshughes.com	951-787-9966	951-787-8645
Sunnyvale	1162 Sonora Court, Sunnyvale, CA 94086	sunnyvale@rshughes.com	408-739-3211	408-739-5889
Oakland	2405 Verna Court, San Lenadro, CA 94577	oakland@rshughes.com	510-562-3348	510-562-4277
Sacramento	8120-C Berry Ave, Sacramento, CA 95828	sacramento@rshughes.com	916-737-7484	916-737-7490
Colorado				
Denver	3870 Paris Street Suite #3, Denver, CO 80239	denver@rshughes.com	303-371-9440	303-371-2670
Florida				
Orlando	4424-B Seaboard Road, Orlando, FL 32808	orlando@rshughes.com	407-297-6800	407-292-5488
Tampa	7721 Anderson Road, Tampa, FL 33634	tampa@rshughes.com	813-882-4755	813-881-1591
Jacksonville	4815 Executive Park Ct, Ste 206, Jacksonville, FL 32216	jacksonville@rshughes.com	904-642-6493	904-642-7866
Miami	3840 Executive Way, Miramar, FL 33025	miami@rshughes.com	954-237-2700	954-237-2709
Georgia				
Atlanta	1155 Allgood Rd, Ste 2, Marietta, GA 30062	atlanta@rshughes.com	770-971-0185	770-971-0186
Illinois				
Chicago	307 E. North Avenue, Carol Stream IL, 60188	chicago@rshughes.com	630-344-6441	630-344-6440
Indiana				
Indianapolis	5058 W. 79th Street, Indianapolis, IN 46268	indianapolis@rshughes.com	317-879-2400	317-879-2405
Maryland				
Baltimore	2624 Lord Baltimore Dr, Ste H, Baltimore, MD 21244	baltimore@rshughes.com	443-893-7767	443-893-2480
Massachusetts				
Boston	19 Brigham Street, Unit 7A, Marlborough, MA 01752	boston@rshughes.com	508-303-8822	508-303-6622
Michigan				
Detroit	47705 West Road, Ste B103, Wixom, MI 48393	detroit@rshughes.com	734-451-2211	734-451-9808
Minnesota				
Brooklyn Park/Minneapolis	9210 Wyoming Ave N Ste 225, Brooklyn Park, MN 55445	minneapolis@rshughes.com	763-488-1617	763-488-1621
Missouri				
Kansas City	1612 N. Topping Ave, Kansas City, MO 64120	kansascity@rshughes.com	816-241-1069	816-241-1612
Nevada				
Las Vegas	4535 Statz Street, Suite J, North Las Vegas, NV 89081	lasvegas@rshughes.com	702-895-7724	702-895-7725
New Mexico				
Albuquerque	6100-B Jefferson NE, Albuquerque, NM 87109	albuquerque@rshughes.com	505-344-6310	505-344-8263
New York				
Long Island	100 E Tec Street, Hicksville, NY 11801	longisland@rshughes.com	516-822-1492	516-822-1536

5 0 L O C A T I O N S I N U . S . A N D M E X I C O

State/City	Address	Email	Phone	Fax
North Carolina				
Raleigh	1100 Corporation Pkwy, Ste 115, Raleigh, NC 27610	raleigh@rshughes.com	919-231-3800	919-231-9646
Ohio				
Cleveland/Solon	31200 Solon Road, Unit 14, Solon, OH 44139	cleveland@rshughes.com	440-498-8161	440-498-8166
Cincinnati	2941 E. Kemper Road, Cincinnati, OH 45241	cincinnati@rshughes.com	513-772-0780	513-772-0787
Oklahoma				
Tulsa	2720 North Sheridan Road Unit D, Tulsa, OK 74115	tulsa@rshughes.com	918-836-5954	918-836-6434
Oregon				
Portland	5916 NE 112th Ave, Portland, OR 97220	portland@rshughes.com	503-289-6715	503-289-7487
South Carolina				
Columbia	103 Trade Zone Dr, Ste 36C, West Columbia, SC 29170	columbia@rshughes.com	803-454-6200	803-454-6205
Texas				
Dallas	10756 N Stemmons Freeway, Dallas, TX 75220	dallas@rshughes.com	214-351-2300	214-351-2959
Houston	6001 Stonington St Ste. 140, Houston, TX 77040	houston@rshughes.com	713-691-5444	713-691-3336
Austin	8606 Wall Street Suite 400, Austin, TX 78754	austin@rshughes.com	512-835-2822	512-835-7529
El Paso	1410 Gail Borden, Suite A-1, El Paso TX, 79935	elpaso@rshughes.com	915-593-5533	915-593-5571
Fort Worth	5145 MLK Frwy (US 287), Fort Worth, TX 76119	fortworth@rshughes.com	817-332-3292	817-338-1337
McAllen	317 East Cedar Ave, Unit F, McAllen, TX 78501	mcallen@rshughes.com	956-618-0900	956-618-5641
San Antonio	5018 Service Center Drive, San Antonio, TX 78218	sanantonio@rshughes.com	210-661-5498	210-661-5889
Utah				
Salt Lake City	3455 West 1820 South, Salt Lake City, UT 84104	saltlake@rshughes.com	801-973-4211	801-972-0825
Washington				
Seattle	7031 South 193rd Street, Kent, WA 98032	seattle@rshughes.com	206-767-4463	206-763-9512
Wisconsin				
Milwaukee	12020 W. Feerick St., Unit G, Wauwatosa, WI 53222	milwaukee@rshughes.com	414-465-1846	414-465-1878
Mexico				
Juarez	Carretera International #208, CD. Juarez, Chihuahua, Mexico	juarez@rshughes.com	(01152-656) 625-8411	(01152-656) 406-2276
Juarez (USA)			915-593-5533	
Monterrey	Calle Artemio Elizondo #1021, CP 66600 Parque Ind Eli-Can Col Milagro, Apodaca, NL, Mexico	monterrey@rshughes.com	(01152-818) 386-6833	(01152-818) 386-6827
Monterrey (USA)			956-618-0900	
Nogales	Av.de la Calidad No.2 Esq. Calle de la Industria Maquiladora Parque Industrial Nuevo Nogales, CP 84094 Nogales, Sonora, Mexico	nogales@rshughes.com	(01152-631) 320-7337	(01152-631) 320-7338
Nogales (USA)			520-889-8686	
Tijuana/Mexicali	Alejandro Humbolt #17526 Fracc. Garita De Otay, CP 22509 CD Tijuana, Baja California, Mexico	tijuana@rshughes.com	(01152-664) 623-8221	(01152-664) 623-8779
Tijuana (USA)			760-597-0222	
Reynosa	Ave. San Rafael Lote 27-A 3er Sector, Moll Industrial, Reynosa, Tamps, Mexico	reynosa@rshughes.com	(01152-899) 926-0028	(01152-899) 926-0017
Reynosa (USA)			956-618-0900	
Queretaro	38700 Carretera Estatal 500 "El Paraiso-Chichimequillas" Bodega No. 7 Santa Rosa De Jauregui, Qro. CP 76220	queretaro@rshughes.com	01152-422) 240-9627	
Queretaro (USA)			956-618-0900	

R.S. Hughes: Your Safety Products Headquarters

R.S. Hughes
1162 Sonora Ct.
Sunnyvale, CA 94086

PRSRTP BPM
U.S. POSTAGE
PAID
PERMIT #6563
SLC UT 84115

- **In business since 1954, Employee Owned and Operated**
- **Local management teams; local inventory, purchasing and support**
- **Inventory stocked and decisions made locally**
- **No minimum order**
- **Local customer service at every location**
- **We break cases on stock items**
- **Immediate access to a trained salesperson**
- **Order how you want: phone, fax, website, EDI**
- **Open credit lines or corporate credit cards**

R.S. Hughes 50+ Stocking Locations:



**100
FREE FILTERS**
with the Purchase of 3M™
Reusable Respirators
**Valid Until
July 31, 2015**
See pages 80-81 for
more details.

Option 1: Buy 15 assorted 7500 half facepieces, get a case of filters

Option 2: Buy 15 assorted 6500 half facepieces, get a case of filters

Option 3: Buy 20 assorted 6000 half facepieces, get a case of filters

Option 4: Buy 5 assorted FF-400 full facepieces, get a case of filters

Option 5: Buy 10 assorted 6000 full facepieces, get a case of filters



877-774-8443
www.rshughes.com

GLOBAL INDUSTRIAL SUPPLIER SINCE 1954