Fujitsu recommends Windows 10 Pro for business.

Data Sheet FUJITSU Notebook LIFEBOOK U7410

Ultra-Mobile Meets Ultra Secure

The new FUJITSU Notebook LIFEBOOK U7410 is a slim and light ultra-mobile notebook based on the 10h generation Intel® Core™ processor for business professionals seeking optimum mobility for business trips and ergonomics in the office. The 35.6cm (14-inch) screen, light weight of 1.49 kg (3.15 lbs.), Intel® Thunderbolt™ ports, and 11,5 hours battery runtime enables it to provide excellent mobility and portability. Ergonomic viewing, outstanding security with the integrated PalmSecure™ or finger print sensor, and a smart design makes it the notebook of choice in today's modern workstyle.

Elegant design and mobility

Manage your workday with premium notebooks providing ultimate convenience to maximize your productivity

- A remarkably slim 19 mm ultra-mobile notebook starting from 1.49 kg, HD or FHD display, antiglare, FHD touch panel option, aluminum/magnesium housing, optional backlit keyboard and number pad
- Durability is Military Standard MIL-STD-810H tested

Excellent security for your business

Enhance your security with outstanding features to best protect your notebook and company data from unauthorized access

- Integrated PalmSecure[™] or finger print sensor
- Infrared Camera: Allows face recognition with Windows Hello
- Built-in Privacy Camera Shutter: Protecting your privacy
- SmartCard reader and TPM 2.0

Premium connectivity

Stay flexible and productive within a modern workplace environment

- Compact and versatile Intel[®] Thunderbolt[™] 3 USB Type-C connector to charge your laptop, transfer files at fast speeds, connect external monitors and other peripherals
- Full set of interfaces with full-size LAN connector, full-size VGA port and USB Type-C
- Embedded 4G/LTE

Convenient upgradeability

Direct access to key components reduces upgrade time and costs

Battery, memory and internal storage can be changed easily

Family concept

Reduce your acquisition cost as well as the complexity of your IT equipment

- Shared components such as the same classic or USB Type-C port replicator, AC Adapter, keyboard
- layout, BIOS and Bit Image across the ultra-mobile LIFEBOOK U7 family









Components

Base unit	LIFEBOOK U7410		
Operating systems			
Operating system pre-installed	Windows 10 Pro. Fujitsu recommends Windows 10 Pro for business. Windows 10 Home		
Operating system notes	Windows 10 Support: After the end of the product life FUJITSU will continue to test and support all upcoming Window 10 releases for a period of maximum 5 years – depending on the available extension of hardware ser through FUJITSU Warranty top ups. For details please see "FUJITSU Service Statement for Windows 10 Semi-A Channel Support" at http://support.ts.fujitsu.com.		
Processor	Intel® Core™ i7-10610U processor (4 Cores / 8 T	nreads, 1.8 GHz, up to 4.9 GHz)	
	Intel® Core™ i7-10510U processor (4 Cores / 8 Threads, 1.8 GHz, up to 4.9 GHz) *		
	Intel® Core™ i5-10310U processor (4 Cores / 8 Threads, 1.7 GHz, up to 4.4 GHz)		
	Intel® Core™ i5-10210U processor (4 Cores / 8 Threads, 1.6 GHz, up to 4.2 GHz) *		
	Intel® Core™ i3-10110U processor (2 Cores / 4 Threads, 2.1 GHz, up to 4.1 GHz) *		
	*Processor only for retail, SMB, education and g	overnment	
Memory modules	4 GB (1 module(s) 4 GB) DDR4, 2,666 MT/s, SO [DIMM	
	8 GB (1 module(s) 8 GB) DDR4, 2,666 MT/s, SO DIMM		
	16 GB (1 module(s) 16 GB) DDR4, 2,666 MT/s, SO DIMM		
	32 GB (1 module(s) 32 GB) DDR4, 2,666 MT/s, S	DIMM	
Hard disk drives (internal)	PCIe-SSD, 512 GB M.2 NVMe module, SED		
	PCIe-SSD, 256 GB M.2 NVMe module, SED		
	PCIe-SSD, 256 GB M.2 NVMe module		
	PCIe-SSD, 1 TB M.2 NVMe module, SED		
Hard disk notes	Accessible capacity may vary, also depending on used software.		
Interface add on cards/components (optional)			
3G/4G (optional)	LTE Sierra Wireless EM7455 (Cat.6) (Downlink speed up to 300 Mbit/s, Uplink speed up to 50 Mbit/s)		
	LTE Sierra Wireless EM7421 (Cat.7) (Downlink speed up to 300 Mbit/s, Uplink speed up to 150 Mbit/s)		
	LTE Fibocom L850-GL (Cat.9) (Downlink speed up to 450 Mbit/s, Uplink speed up to 50 Mbit/s)		
Display	35.6 cm (14-inch),LED backlight,(HD),Anti-glare display,magnesium,1,366 x 768 pixel,350:1,220 cd/m ²		
	35.6 cm (14-inch),LED backlight,(Full HD),Anti-glare IPS touchscreen,magnesium,1,920 x 1,080 pixel,700:1,260 cd/m ²		
	35.6 cm (14-inch),LED backlight,(Full HD),Anti-glare IPS display,magnesium,1,920 x 1,080 pixel,700:1,300 cd/m ²		
Multimedia			
Camera	Built-in webcam (HD) with Status LED	Built-in Infrared webcam (HD) with Status LED	
Camera notes	720p, 1 megapixels, 1280 x 720	720p, 1 megapixels, 1280 x 720, with Privacy Camera Shutter	
Microphone	dual digital array microphone		

Base unit

Base unit	LIFEBOOK U7410
General system information	
Chipset	Integrated
Supported capacity RAM (min.)	4 GB
Supported capacity RAM (max.)	64 GB

General system information				
Memory slots	2 SO DIMM (DDR4, 2666 MHz)			
Memory notes	Dual channel support			
LAN	10/100/1,000 MBit/s Intel® I219LM			
Integrated WLAN	Intel WiFi 6 AX201			
BIOS version	UEFI Specification 2.7			
BIOS features	InsydeH2O BIOS			
Audio type	On board			
Audio codec	Realtek ALC255 with MaxxAudio			
Audio features	2x built-in speakers (stereo)			
MIL-STD tested	Yes, selected MIL-STD-810H tests passed. MIL-STD-810H test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.			
Display				
Display notes		HD - Viewing angle: Left/Right 45°, Top 20°, Bottom 45°; Color Gamut: 45% FHD - Viewing angle: Left/Right 85°, Top 85°, Bottom 85°; Color Gamut: 72%		
Brightness - typical	HD - 220cd/m ² , FHD - 300 cd/m ² , Tou	ch - 300 cd/m²		
Contrast - typical	HD - 350:1, FHD - 700:1, Touch - 700:1			
Graphics				
Base unit	LIFEBOOK U7410			
TFT resolution (HDMI)	Up to 4,096 x 2,160 pixel (30 Hz)			
TFT resolution (VGA)	up to 1,920 x 1,200			
Graphics brand name	Intel [®] UHD Graphics			
Graphics features	3 Display Support DirectX® 12 OpenGL® 4.5			
Graphics notes	Shared memory depending on main	memory size and operating system		
Interfaces				
DC-in	1			
Audio: line-out / headphone	1 (combo port with Audio line-in)			
Audio: line-in / microphone	1 (combo port with Audio line-out)			
Internal microphones	2x digital array microphones (optiona	al)		
USB 3.2 Gen1 (5 Gbps) total	2x Type-A (1 with Anytime USB charg	e functionality)		
USB 3.2 Gen2 (10 Gbps) total	1x Type-C Intel® Thunderbolt™ 3 (with	n Power Delivery functionality)		
USB Type-C	USB 3.2 Gen2 (10 Gbps), Intel® Thund	erbolt™ 3 (20/40Gbps), Power Delivery	/ (15W), DP out	
VGA	1			
DisplayPort	1 (via USB Type-C adapter) - v1.2			
HDMI	1 v1.4b			
Ethernet (RJ-45)	1 (with status LED)			
Memory card slots	1 SD 3.0 Standard SD/microSD card: 2GB SDHC/microSDHC card: 32GB SDXC/microSDXC card: 2TB Speed Class: up to UHS-I (104MB/s)			
SmartCard slot	1 (optional)			
SIM card slot	1 (Micro-SIM, only for models with int	tegrated 4G/LTE module)		
Docking connector for Port Replicator	1			
Kensington Lock support	1			
Port Replicator interfaces (optional)				
	Model: NPR46 (mech. PR)	USB Type-C PR	Thunderbolt™ 3 PR	
DC-in	1 (19V/90W required)	1 (19V/90W required)	1 (20V/170W required)	
Power on switch	1	1	1	
Audio: headphone	1			

Data Sheet FUJITSU Notebook LIFEBOOK U7410

Port Replicator interfaces (optional)			
Audio: microphone	1		
Audio: comments		1 Combo jack for headset usage	1 Combo jack for headset usage
USB 3.2 Gen1 (5 Gbps) total	4х Туре-А 2х Туре-С		
DisplayPort	2 (up to 2x 3840x2160 60Hz)	1 (up to 2560 x 1600)	2 (up to 2560 x 1600)
VGA	1 (up to 1920x1200 6Hz)	1 up to 1920×1200 @ 60Hz depending on FJ mobile client	
DVI	1 (up to 1920x1200 60Hz)		
HDMI text		1	1
Interface Notes		3x Type-A - 5V/0.9A, 4.5W 1x Type-C - 15W 1x Type-C - Up to 60 W (PD v2.0-1.1) power output to client or 4.5W input	2x Type-A - 5V/0.9A, 4.5W 1x Type-A - 5V/2.4A, 12W 2x Type-C - 5V/1.5A, 4.5W charging port 1x Type-C - TBT3 up to 60 W (PD v2.0- 1.1), 5-20V/3.0A upstream (PC) 1x Type-C - TBT3 up to 15 W (PD v2.0-1.1), 5V/3.0A downstream, power output to client
Kensington Lock support	1 (Portrep only, Portrep option with key lock to secure Portrep & System)	no	1
Notes	1 RJ45 (10/100/1000)	1 RJ45 (10/100/1000) WoL from S3 state WOL from S4 / S5 / G3 depending on Fujitsu mobile client Launch of PXE for dedicated FJ mobile clients Set the MAC address by the user MAPT from 9th gen	RJ-45:10/100/1000 MBits/s LAN WoL from S3 state WoL from S4 / S5 / G3 state depending on Fujitsu mobile client PXE launching for dedicated FJ mobile clients Set the MAC address by the user MAPT from 9th gen
Keyboard and pointing devices			
	Keyboard w/o touchstick (spill-resista	nt), Keyboard w/ touchstick, Backlight ke	eyboard w/o touchstick (spill-resistant)
	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 1.7 mm		
	Number of keyboard keys: 85, Keyboa	rd pitch: 19 mm, Keyboard stroke: 1.7 m	
	Number of keyboard keys: 85, Keyboa Multi gesture touchpad with two mou Status LED Power Button	• •	
Wireless technologies	Multi gesture touchpad with two mou Status LED	• •	
Wireless technologies Antennas	Multi gesture touchpad with two mou Status LED	use buttons	
5	Multi gesture touchpad with two mou Status LED Power Button	use buttons	
Antennas	Multi gesture touchpad with two mou Status LED Power Button 2 Dual band WLAN antennas, 2 LTE an	use buttons	
Antennas Bluetooth	Multi gesture touchpad with two mou Status LED Power Button 2 Dual band WLAN antennas, 2 LTE an v5.0	use buttons tennas optional	
Antennas Bluetooth Integrated WLAN	Multi gesture touchpad with two mou Status LED Power Button 2 Dual band WLAN antennas, 2 LTE an v5.0 Intel WiFi 6 AX201	tennas optional	
Antennas Bluetooth Integrated WLAN WLAN encryption	Multi gesture touchpad with two mou Status LED Power Button 2 Dual band WLAN antennas, 2 LTE an v5.0 Intel WiFi 6 AX201 WPA/WPA2/WPA3 (Wi-Fi Protected Ac	tennas optional	
Antennas Bluetooth Integrated WLAN WLAN encryption WLAN notes	Multi gesture touchpad with two mou Status LED Power Button 2 Dual band WLAN antennas, 2 LTE an v5.0 Intel WiFi 6 AX201 WPA/WPA2/WPA3 (Wi-Fi Protected Ac Import and usage according to count LTE Sierra Wireless EM7455 (cat.6)	tennas optional	
Antennas Bluetooth Integrated WLAN WLAN encryption WLAN notes Integrated LTE or UMTS	Multi gesture touchpad with two mou Status LED Power Button 2 Dual band WLAN antennas, 2 LTE an v5.0 Intel WiFi 6 AX201 WPA/WPA2/WPA3 (Wi-Fi Protected Ac Import and usage according to count LTE Sierra Wireless EM7455 (cat.6) LTE Fibocom L850-GL (cat.9)	ise buttons tennas optional cess) ry-specific regulations.	
Antennas Bluetooth Integrated WLAN WLAN encryption WLAN notes Integrated LTE or UMTS	Multi gesture touchpad with two mou Status LED Power Button 2 Dual band WLAN antennas, 2 LTE an v5.0 Intel WiFi 6 AX201 WPA/WPA2/WPA3 (Wi-Fi Protected Ac Import and usage according to count LTE Sierra Wireless EM7455 (cat.6) LTE Fibocom L850-GL (cat.9) Optional Embedded in 4G module if configured 19 V / 65 W (3.42 A), 100 V - 240 V, 50 H	ise buttons tennas optional cess) ry-specific regulations. d with WWAN fz - 60 Hz, 3-pin (grounded) slim and ligh	
Antennas Bluetooth Integrated WLAN WLAN encryption WLAN notes Integrated LTE or UMTS LTE/UMTS/GPS notes GPS AC Adapter	Multi gesture touchpad with two mou Status LED Power Button 2 Dual band WLAN antennas, 2 LTE an v5.0 Intel WiFi 6 AX201 WPA/WPA2/WPA3 (Wi-Fi Protected Ac Import and usage according to count LTE Sierra Wireless EM7455 (cat.6) LTE Fibocom L850-GL (cat.9) Optional Embedded in 4G module if configured 19 V / 65 W (3.42 A), 100 V - 240 V, 50 H 19 V / 90 W (4.74 A), 100 V - 240 V, 50 H	use buttons tennas optional cess) ry-specific regulations. d with WWAN 4z - 60 Hz, 3-pin (grounded) slim and ligh 4z - 60 Hz, 3-pin (grounded) AC-Adapter	nt AC-Adapter
Antennas Bluetooth Integrated WLAN WLAN encryption WLAN notes Integrated LTE or UMTS LTE/UMTS/GPS notes GPS AC Adapter Notes	Multi gesture touchpad with two mou Status LED Power Button 2 Dual band WLAN antennas, 2 LTE an v5.0 Intel WiFi 6 AX201 WPA/WPA2/WPA3 (Wi-Fi Protected Ac Import and usage according to count LTE Sierra Wireless EM7455 (cat.6) LTE Fibocom L850-GL (cat.9) Optional Embedded in 4G module if configured 19 V / 65 W (3.42 A), 100 V - 240 V, 50 H 19 V / 90 W (4.74 A), 100 V - 240 V, 50 H	ise buttons tennas optional cess) ry-specific regulations. d with WWAN fz - 60 Hz, 3-pin (grounded) slim and ligh	nt AC-Adapter
Antennas Bluetooth Integrated WLAN WLAN encryption WLAN notes Integrated LTE or UMTS LTE/UMTS/GPS notes GPS AC Adapter Notes 1st battery options	Multi gesture touchpad with two mou Status LED Power Button 2 Dual band WLAN antennas, 2 LTE an v5.0 Intel WiFi 6 AX201 WPA/WPA2/WPA3 (Wi-Fi Protected Ac Import and usage according to count LTE Sierra Wireless EM7455 (cat.6) LTE Fibocom L850-GL (cat.9) Optional Embedded in 4G module if configured 19 V / 65 W (3.42 A), 100 V - 240 V, 50 H 19 V / 90 W (4.74 A), 100 V - 240 V, 50 H 65W AC Adapter for usage with syster 3,490 mAh, 50 Wh	use buttons tennas optional cess) ry-specific regulations. d with WWAN Hz - 60 Hz, 3-pin (grounded) slim and ligh Hz - 60 Hz, 3-pin (grounded) AC-Adapter n/ 90W AC Adapter for usage with Port F	nt AC-Adapter
Antennas Bluetooth Integrated WLAN WLAN encryption WLAN notes Integrated LTE or UMTS LTE/UMTS/GPS notes GPS AC Adapter Notes	Multi gesture touchpad with two mou Status LED Power Button 2 Dual band WLAN antennas, 2 LTE an v5.0 Intel WiFi 6 AX201 WPA/WPA2/WPA3 (Wi-Fi Protected Ac Import and usage according to count LTE Sierra Wireless EM7455 (cat.6) LTE Fibocom L850-GL (cat.9) Optional Embedded in 4G module if configured 19 V / 65 W (3.42 A), 100 V - 240 V, 50 H 19 V / 90 W (4.74 A), 100 V - 240 V, 50 H	use buttons tennas optional cess) ry-specific regulations. d with WWAN Hz - 60 Hz, 3-pin (grounded) slim and ligh Hz - 60 Hz, 3-pin (grounded) AC-Adapter n/ 90W AC Adapter for usage with Port F	nt AC-Adapter

Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2018. Refer to www.bapco. com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between		
	manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.		
Noise emission			
Noise emission	Please refer to the Eco Declaration		
Dimensions / Weight / Environmental			
Dimensions (W x D x H)	332.6 x 234 x 19.0mm (non-touch and touch) mm		
	13.09 x 9.21 x 0.75 (non-touch and touch) inch		
Weight	From 1.46kg (non-touch). 1.47 kg (touch)		
Weight (lbs)	From 3.22 (non-touch), 3.24 (touch) lbs		
Weight notes	Weight may vary depending on actual configuration		
Operating ambient temperature	5 - 35 °C (41 - 95 °F)		
Operating relative humidity	20 - 80 %		
Compliance			
Product	LIFEBOOK U7410		
Model	7U14A1		
Germany	GS (Full HD Display only)		
Europe	CE CB		
USA/Canada	FCC (depending on configuration)		
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) TCO Certified 8.0 (depending on configuration) EPEAT [®] Silver (dedicated regions) ENERGY STAR [®] 8.0 MIL-STD-810H tested		
China	CCC (depending on configuration)		
Compliance link	https://sp.ts.fujitsu.com/sites/certificates		
Additional Software			
Additional software (preinstalled)	McAfee [®] LiveSafe [™] (provides award-winning antivirus protection for your PC and much more. 30 days trial pre- installed) Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool)		
Additional software (optional)	Recovery DVD for Windows® Drivers & Utilities DVD (DUDVD) CyberLink YouCam (webcam software) Microsoft® Office Professional 2019 Microsoft® Office Home and Business 2019 (A Microsoft Account is required to activate each copy of these products. For purchase and activation only in the region in which it was acquired.)		
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) Intel® vPro™ technology		
Manageability software	DeskView Client DeskView Instant BIOS Management		

DeskView components	Inventory Management
	BIOS Management
	Driver Management
	Security Management
	Alarm Management
Supported standards	WMI (Windows Management Instrumentation)
	PXE (Preboot Execution Environment)
	DMI (Desktop Management Interface)
	SMBIOS (System Management BIOS)
	CIM (Common Information Model)
	BootP (made4you)
Manageability link	http://www.fujitsu.com/fts/manageability
Security	
System and BIOS Security	EraseDisk
	Trusted Platform Module (TPM 2.0)
User Security	Embedded PalmSecure™ sensor (optional)
-	Embedded fingerprint sensor (optional)
	Access protection via internal SmartCard reader (optional)
	Hard disk password

Warranty	
Warranty period	2 years (for countries within EMEIA)
Warranty type	Bring-in Service / Collect & Return Service (depending on country)
Warranty Terms & Conditions	http://www.fujitsu.com/warranty
Product Support Services - the perfe	ect extension
Recommended Service	9x5, Onsite Response Time: Next Business Day
Spare Parts availability	5 years after end of product life
Service Weblink	http://www.fujitsu.com/emeia/products/product-support-services/

Recommended Accessories

Port Replicator for LIFEBOOK U7 and E5 family with key lock (2020)	a for the state of	Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's docking options.	Order Code: S26391-F1607-L219
USB Type-C Port Replicator 2		Connect to your peripherals. Adapt to the task on demand. The universal USB Type-C connection helps you to get your peripheral devices connected easily. Enhance your USB connection options, connect your displays via HDMI, DisplayPort or VGA and charge your device without an additional charger. Weight: 334 g, Dimensions: 219 x 75 x 22.9 mm (front) – 26.0 mm (back), including 90 W AC adapter and Type-C cable	Order Code: S26391-F3327-L100
Thunderbolt™ 3 Port Replicator		One cable, many capabilites - Connect, save space, and keep your desk tidy. With Thunderbolt [™] 3 you can connect almost everything with only on cable and in highspeed. Enhance your USB connection options, connect your displays via Thunderbolt [™] 3, HDMI, DisplayPort and charge your device without an additional charger. Thunderbolt [™] 3 allows you to connect even highspeed devices in a most convenient way. Weight: 440 g, Dimensions: 239 x 80 x 26 mm, including 170 W AC adapter and TBT cable	Order Code: S26391-F3357-L100

Fujitsu recommends Windows 10 Pro for business.

USB Port Replicator PR09	The new FUJITSU USB Port Replicator PR09 is the perfect solution for shared desk environments within a hyperconnected world. It connects your mobile system to your main peripherals with a single USB plug. This Port Replicator is equipped with the most powerful DisplayLink chipset supporting high performance video streaming with Dualhead-DisplayPort. Highest data throughput is guaranteed due to an USB Type-C based Gen2 Hub-Controller enabling up to 10 Gbit/s data streaming. The newest version of USB Power Delivery chipset (PD3.0) provides powerful charging during your workday.	Order Code: S26391-F6007-L500
Battery 4 cell 50 Wh	The 4 cell 50 Wh battery requires a voltage of 14.4 V and has a capacity of 3490 mAh. The weight of the battery is 300 gms and the recharge time of the cell is 60 minutes for a 80% charge and 150 minutes for a complete 100% charge.	Order Code: S26391-F1616-L100
JSB-C Hub 4 Ports	Connecting all of your USB peripherals is quick and easy with the USB-C Hub 4 Ports from Fujitsu. SuperSpeed USB Type-C makes data transfer to and from external storage faster than ever. The hub dynamically selects the optimal speed for each device, giving you more bandwidth where you need it automatically. The USB-C Hub 4 Ports if fit for both Office and Industry applications, additionally including a 7-48 VDC with "Phoenix" clamp (+/-/GND).	Order Code: S26391-F6099-L404
Privacy Filters	To use privacy filters is a must in times of increased safety requirements. Fujitsu's Privacy Filters block unauthorized views on your screen while you are sitting in an external meeting or working in a train. The front view remains clear for the user's eyes only. The filters are easy to attach and what's more: They also protect your screen from small scratches and damages.	Order Code: S26391-F6098-L214
ACAN 14	The Plevier Tacan 14 leather notebook bag provides a diverse range of features to optimize your carrier needs. With a shoulder strap, fast access pocket on the rear side and two compartments for your device and additional accessories, the bag provides multifunctional and protective space for your belongings. Its brown leather design creates a sleek finish to create a carrier that is high quality in both functionality and appearance.	Order Code: S26391-F1193-L64
Aessenger Bag 14	The Messenger Bag protects notebooks with up to 14-inch screens. The back half of the bag has one compartment for your notebook, tablet or documents. The zipped compartments will keep your tablet, notebook and personal belongings safe at all times. A zipped font compartment allows quick access to your keys and mobile phone. An integral, extralong, adjustable and anti-slip shoulder strap provides ergonomic shoulder support. Stand out from the crowd with this two-tone gray polyester bag, which is extremely robust and easy to clean when on the move. The design also includes a black leather flap that also protects your personal belongings with two concealed magnets.	Order Code: S26391-F1194-L171
Wireless Notebook Mouse WI660	The Wireless Notebook Mouse WI660 uses wireless 2.4 GHz technology, and an ultra-high resolution switchable sensor to give you the precision and reliability you need (1000/1600/2000 dpi). Sporting a stylish silver- black finish, the WI660 wireless mouse is well suited to all environments.	Order Code: S26381-K471-L100

More information

Fujitsu products, solutions & services

In addition to FUJITSU Notebook LIFEBOOK U7410, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products www.fujitsu.com/global/products/ computing/

Software www.fujitsu.com/software/

More information

Learn more about FUJITSU Notebook LIFEBOOK U7410, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. www.fujitsu.com/emeia/products/ computing/pc/notebooks/index.html

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT.

Please find further information at http://www. fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/ emeia/resources/navigation/terms-of-use. html

Copyright 2021 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com 2021-04-11 EM-EN All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html Copyright 2021 Fujitsu Technology Solutions GmbH