

Axis Communications		MARCH-2019, USD								
Product Name	High volume order	Status	Product Number US	Product Description	MSRP	EAN Code US	Weight (lbs)	Width inches	Depth inches	Height inches
2N AC - BOX PC	20		01672-001	The 2N® Access Commander Box is an ultra compact computer with pre-installed 2N® Access Commander – software designed for access control configuration and 2N devices management. It is ready to use, plug and play solution which requires only a power supply and an Ethernet cable to be connected to the computer. It is perfectly optimised for small and medium-size installations with up to 50 2N IP intercoms/Access Units and 1000 users. Free license 01372-001 for +5 devices (to be requested at the TechSupport) is included in the product price.	\$ 515.00	8595159505961	2	3	7	7
2N AU - RFID 125kHz	20		01365-001	2N Access Unit - RFID 125kHz. Comes without frame and/or flush box - those are from IP Verso.	\$ 400.00	8595159508054	0	1	4	5
2N AU - RFID 13.56MHz NFC READY	20		01366-001	2N Access Unit - RFID 13.56MHz NFC ready. Comes without frame and/or flush box - those are from IP Verso.	\$ 400.00	8595159506869	0	5	4	1
2N AU - FINGERPRINT	20		01367-001	2N Access Unit - Fingerprint (9137423E USB reader needed for user enrollment)Comes without frame and/or flush box - those are from IP Verso.	\$ 640.00	8595159511627	1	2	5	5
2N AU - BLUETOOTH	20		01368-001	2N Access Unit - Bluetooth. Comes without frame and/or flush box - those are from IP Verso.	\$ 440.00	8595159511399	0	1	4	5
2N AU - TOUCH KEYPAD	20		01370-001	2N Access Unit - Touch keypad Comes without frame and/or flush box - those are from IP Verso.	\$ 320.00	8595159511542	1	0	0	0
2N AU - RJ45 CONNECTOR CABLE	20		01371-001	2N Access Unit - RJ45 connector cable	\$ 10.00	8595159507644	0	5	4	1
2N AU 2.0 COMBI BLUETOOTH RFID NFC SEC	100	New	01851-001	2N Access Unit 2.0 – Bluetooth & RFID 125kHz, 13.56MHz secured card reader, reading PACS ID + UID, NFC ready, ISO15693 compatible. The unit is equipped with the RJ45 connector, no need to use 01371-001 2N AU - RJ45 CONNECTOR CABLE accessories anymore.	\$ 811.00	8595159515052	0	4	5	5
2N AU 2.0 COMBI KEYPAD RFID NFC SEC	100	New	01852-001	2N Access Unit 2.0 – Touch keypad & RFID 125kHz, 13.56MHz secured card reader, reading PACS ID + UID, NFC ready, ISO15693 compatible. The unit is equipped with the RJ45 connector, no need to use 01371-001 2N AU - RJ45 CONNECTOR CABLE accessories anymore.	\$ 696.00	8595159515076	0	4	5	5
2N AU 2.0 COMBI RFID 125kHz 13MHz NFC SEC	100	New	01850-001	2N Access Unit 2.0 - RFID 125kHz, 13.56MHz secured card reader, reading PACS ID + UID, NFC ready, ISO15693 compatible. The unit is equipped with the RJ45 connector, no need to use 01371-001 2N AU - RJ45 CONNECTOR CABLE accessories anymore.	\$ 582.00	8595159515038	0	4	5	5
2N IP AUDIO KIT - MIC & SPK SET	20		01478-001	2N IP Audio Kit - microphone & speaker set	\$ 30.00	8595159503653	0	1	0	0
2N IP AUDIO KIT - BUTTON	20		01479-001	2N IP Audio Kit - stainless steel backlit button	\$ 30.00	8595159503646	0	1	0	0
2N IP AUDIO KIT	20		01526-001	2N IP Audio Kit – SIP module for embedded installation	\$ 322.00		1	10	6	2
2N IP BASE - CAM BLACK	20		01357-001	2N IP Base - camera, black frame	\$ 665.00	8595159509884	1	11	5	1
2N IP BASE - 125kHz RFID	20		01358-001	2N IP Base - 125kHz RFID card reader	\$ 90.00	8595159509365	0	5	3	1
2N IP BASE - 13.56MHz RFID	20		01359-001	2N IP Base - 13.56MHz RFID card reader, reads UID	\$ 135.00	8595159509266	0	5	3	1
2N IP BASE - BACKPLATE	20		01360-001	2N IP Base - backplate for easier surface installation	\$ 60.00	8595159509259	1	11	8	0
2N IP FORCE - 1 BTN, HD CAM, PICT.	50		01334-001	2N IP Force - 1 button + HD camera + pictograms + 10W speaker, card reader ready	\$ 1,335.00	8595159506630	5	7	12	6
2N IP FORCE - 1 BTN, PICT.	20		01335-001	2N IP Force - 1 button + pictograms + 10W speaker, card reader ready	\$ 990.00	8595159507590	4	7	12	6
2N IP FORCE - 1 BTN	20		01336-001	2N IP Force - 1 button + 10W speaker	\$ 940.00	8595159500263	4	7	12	6
2N IP FORCE - 1 BTN + HD CAM	100		01337-001	2N IP Force - 1 button + HD camera + 10W speaker	\$ 1,300.00	8595159506647	5	7	12	6
2N IP FORCE - 1 BTN + KEYPAD	20		01338-001	2N IP Force - 1 button + keypad + 10W speaker	\$ 1,050.00	8595159502045	5	7	12	6
2N IP FORCE - 1 BTN + HD CAM + KPD	50		01339-001	2N IP Force - 1 button + HD camera + keypad + 10W speaker	\$ 1,310.00	8595159506616	5	7	12	6
2N IP FORCE - 2 BTN + HD CAM	20		01340-001	2N IP Force - 2 buttons + HD camera + 10W speaker, card reader ready	\$ 1,315.00	8595159506661	5	7	12	6
2N IP FORCE - 2 BTN	20		01341-001	2N IP Force - 2 buttons + 10W speaker, card reader ready	\$ 960.00	8595159506784	5	7	12	6
2N IP FORCE - 4 BTN	20		01342-001	2N IP Force - 4 buttons + 10W speaker	\$ 1,040.00	8595159504544	5	7	12	6
2N IP FORCE - 4 BTN + HD CAM	20		01343-001	2N IP Force - 4 button + HD camera + 10W speaker	\$ 1,325.00	8595159506685	5	7	12	6
2N IP FORCE - 125kHz RFID	20		01344-001	2N IP Force - 125kHz card reader. Includes Wiegand interface, 2 logical inputs, 2 output relays and tamper switch.	\$ 127.00	8595159500959	0	1	4	6
2N IP FORCE - SAFETY SCREWS	20		01345-001	2N IP Force - safety screws, torx with pin	\$ 12.00	8595159507712	0	1	3	5
2N IP FORCE - 13.56MHZ SEC RFID	20		01730-001	2N IP Force - 13.56MHz secured card reader, ISO15693, NFC ready, Reads UID + PACS ID. Includes Wiegand interface, 2 logical inputs, 2 output relays and tamper switch	\$ 295.00	8595159515304	0	1	4	5
2N IP FORCE TORX SCREW BLACK	20		01735-001	2N IP Force Torx 4 screws black for the front panel - 5 packages of screws	\$ 21.00	8595159513812	0	0	6	4
2N IP FORCE FRAME	20		01734-001	2N IP Force Frame for the main unit - 1 pc	\$ 30.00	8595159513805	0	2	14	10

2N IP FORCE PANEL4 BUTTONS	20		01736-001	2N IP Force front panel with 4 buttons - 1pc	\$ 100.00	8595159513829	1	2	10	8
2N IP FORCE PANEL 1 BUTTON	20		01737-001	2N IP Force front panel with 1 button - 1pc	\$ 55.00	8595159513836	0	2	10	8
2N IP FORCE PANEL 1 BTN PICTOGRAMS	20		01738-001	2N IP Force front panel with 1 button and pictograms -	\$ 70.00	8595159513843	0	2	10	7
2N IP FORCE PANEL 1 BTN KEYPD READY	20		01739-001	2N IP Force front panel with 1 button ready for keypad - 1pc	\$ 55.00	8595159513850	0	2	10	7
2N IP FORCE PANEL 2 BTN CARD READER	20		01740-001	2N IP Force front panel with 2 buttons ready for card reader - 1pc	\$ 72.00	8595159513867	0	2	10	7
2N IP FORCE/SAFETY - FLUSH BOX	20		01348-001	2N IP Force and Safety - Brick flush mounting box	\$ 95.00	8595159500362	3	4	6	9
2N IP FORCE/SAFETY - PLASTER BOX	20		01349-001	2N IP Force and Safety - Plasterboard flush mounting box	\$ 85.00	8595159500379	1	3	5	9
2N IP FORCE/SAFETY - ADD.SWITCH	20		01350-001	2N IP Force and Safety - Additional switch + Tamper switch.	\$ 50.00	8595159500942	0	6	4	1
2N IP FORCE/SAFETY - GOOSENECK	20		01351-001	2N IP Force and Safety - Gooseneck stand, height 120cm/47in	\$ 253.00	8595159505473	23	9	9	49
2N IP FORCE/SAFETY - INST. ADAPTER	20		01352-001	2N IP Force and Safety - Installation adapter for Code Blue and Talkaphone	\$ 108.00	8595159505664	4	0	0	0
2N IP FORCE /SAFETY - DBL GOOSENECK	20		01550-001	2N IP Force and Safety - Gooseneck stand double, 45" / 80"	\$ 495.00	8595159513546	46	16	47	16
2N IP FORCE SAFETY SET OF BUSHINGS	20		01733-001	2N IP Force and Safety set of bushing for ethernet cable -5 pcs	\$ 62.00	8595159513799	1	2	10	7
2N IP SAFETY - 1 BTN	20		01353-001	2N IP Safety - 1 button + 10W speaker	\$ 975.00	8595159500737	4	7	12	6
2N IP SAFETY - 2 BTN	20		01354-001	2N IP Safety - 2 buttons + 10W speaker	\$ 1,000.00	8595159506562	4	7	12	6
2N IP SAFETY - RED BTN	20		01355-001	2N IP Safety - red emergency button + 10W speaker	\$ 975.00	8595159507026	4	7	12	6
2N IP SAFETY - FRAME	20		01356-001	2N IP Safety - metal frame (orange color)	\$ 35.00	8595159500874	0	1	10	14
2N IP SOLO - FLUSH MOUNT	20		01300-001	2N IP Solo - flush mount	\$ 1,031.00	8595159505589	2	1	6	7
2N IP SOLO - SURFACE MOUNT	20		01301-001	2N IP Solo - surface mount	\$ 1,010.00	8595159505602	2	1	6	7
2N IP SOLO - SURFACE MOUNT BLACK	20		01302-001	2N IP Solo - surface mount, black	\$ 1,010.00	8595159505565	2	1	6	7
2N IP SOLO - FLUSH MOUNT BLACK	20		01303-001	2N IP Solo - flush mount, black	\$ 1,031.00	8595159505541	2	1	6	7
2N IP SOLO - FLUSH BACKBOX	20		01304-001	2N IP Solo - backbox for flush installation	\$ 25.00	8595159505527	0	0	7	7
2N IP SOLO - BACKPLATE	20		01305-001	2N IP Solo - backplate for easier surface installation	\$ 51.00	8595159511528	0	1	7	7
2N IP UNI - 1 BTN	20		01361-001	2N IP Uni - 1 button	\$ 405.00	8595159500690	2	3	5	8
2N IP UNI - 2 BTN	20		01362-001	2N IP Uni - 2 buttons	\$ 420.00	8595159500706	2	3	5	8
2N IP UNI - 1 BTN, PICTOGRAMS	20		01363-001	2N IP Uni - 1 button, pictograms	\$ 425.00	8595159503974	2	3	5	8
2N IP UNI - SURFACE MOUNT BOX	20		01364-001	2N IP Uni - surface mount box	\$ 80.00	8595159500713	2	3	5	8
2N IP VARIO - SPARE SINGLE BUTTON	20		01329-001	2N IP Vario - spare single button	\$ 2.00	8595159596686	0	4	2	0
2N IP VARIO - SPARE DOUBLE BUTTON	20		01330-001	2N IP Vario - spare double button	\$ 2.00	8595159596709	0	4	2	0
2N IP VARIO - SPARE INFO COVER	20		01331-001	2N IP Vario - spare info cover	\$ 3.00	8595159596266	0	0	3	3
2N IP VARIO - ADDITIONAL SWITCH	20		01332-001	2N IP Vario - Additional switch including one NO/NC output relay	\$ 30.00	8595159597614	0	2	3	1
2N IP VARIO - 125kHz RFID	20		01333-001	2N IP Vario - 125kHz RFID card reader. Includes Wiegand interface, 2 logical inputs, 2 output relays.	\$ 100.00	8595159598482	0	4	6	1
YEALINK SIP-T58A BUTTON EXTENDER	10		01741-001	Button extedern for Yealink T-58A SIP phone	\$ 200.00	6938818301672	1	8	6	4
2N IP VARIO - EXTENDER 8 BTN	20		01320-001	2N IP Vario - extender 8 single buttons	\$ 160.00	8595159596105	1	6	9	2
2N IP VARIO - EXTENDER 8 DBTN	20		01321-001	2N IP Vario - extender 8 double buttons	\$ 190.00	8595159596129	1	6	9	2
2N IP VARIO - INFOPANEL	20		01322-001	2N IP Vario - infopanel	\$ 130.00	8595159596242	1	6	9	2
2N IP VARIO - 1M ROOF	20		01323-001	2N IP Vario - 1 module roof	\$ 65.00	8595159596303	1	3	5	9
2N IP VARIO - 2M ROOF	20		01324-001	2N IP Vario - 2 modules roof	\$ 75.00	8595159596327	1	2	9	9
2N IP VARIO - 1M FLUSH BOX	20		01325-001	2N IP Vario - 1 module flush box	\$ 70.00	8595159596389	1	3	5	9
2N IP VARIO - 2M FLUSH BOX	20		01326-001	2N IP Vario - 2 modules flush box	\$ 75.00	8595159596402	2	2	9	9
2N IP VARIO - 1M FLUSH BOX + ROOF	20		01327-001	2N IP Vario - 1 modules flush box and roof	\$ 120.00	8595159596464	2	3	5	9
2N IP VARIO - 2M FLUSH BOX + ROOF	20		01328-001	2N IP Vario - 2 modules flush box and roof	\$ 140.00	8595159596488	4	2	9	9
2N IP VARIO - 1 BTN + CAMERA	20		01313-001	2N IP Vario - 1 button + camera	\$ 880.00	8595159598222	1	6	9	2
2N IP VARIO - 3 BTN + CAMERA	20		01314-001	2N IP Vario - 3 buttons + camera	\$ 890.00	8595159598307	1	6	9	2
2N IP VARIO - 3x2 BTN + CAMERA	20		01315-001	2N IP Vario - 3x2 buttons + camera	\$ 910.00	8595159598383	1	6	9	2
2N IP VARIO - 1 BTN + KPD + CAMERA	20		01316-001	2N IP Vario - 1 button + keypad + camera	\$ 950.00	8595159598260	1	6	9	2
2N IP VARIO - 3x2 BTN + KPD + CAM	20		01318-001	2N IP Vario - 3x2 buttons + keypad + camera	\$ 980.00	8595159598420	1	6	9	2
2N IP VARIO - 3x2BTN+ KPD+DISP+CAM	20		01319-001	2N IP Vario - 3x2 buttons + keypad + display + camera	\$ 1,450.00	8595159598444	1	6	9	2
2N IP VARIO - 3 BTN + KPD + CAMERA	20		01317-001	2N IP Vario - 3 buttons + keypad + camera	\$ 960.00	8595159598345	1	6	9	2
2N IP VARIO - 1 BTN	20		01306-001	2N IP Vario - 1 button	\$ 555.00	8595159598215	1	6	9	2
2N IP VARIO - 3 BTN	20		01307-001	2N IP Vario - 3 buttons	\$ 570.00	8595159598291	1	6	9	2
2N IP VARIO - 3X2 BTN	20		01308-001	2N IP Vario - 3x2 buttons	\$ 585.00	8595159598376	1	6	9	2
2N IP VARIO - 1 BTN + KEYPAD	20		01309-001	2N IP Vario - 1 button + keypad	\$ 600.00	8595159598253	1	6	9	2
2N IP VARIO - 3 BTN + KEYPAD	20		01310-001	2N IP Vario - 3 buttons + keypad	\$ 615.00	8595159598338	1	6	9	2
2N IP VARIO - 3X2 BTN + KEYPAD	20		01311-001	2N IP Vario - 3x2 buttons + keypad	\$ 630.00	8595159598413	1	6	9	2
2N IP VARIO - 3X2 BTN + KPD + DISP	20		01312-001	2N IP Vario - 3x2 buttons + keypad + display	\$ 1,165.00	8595159598437	1	6	9	2
2N IP VERSO - INFOPANEL	20		01252-001	2N IP Verso - Infopanel	\$ 93.00	8595159503899	0	5	4	1
2N IP VERSO - KEYPAD	20		01253-001	2N IP Verso - Keypad	\$ 239.00	8595159504292	1	5	4	1

2N IP VERSO - KEYPAD BLACK	20		01254-001	2N IP Verso - Keypad, black	\$ 239.00	8595159509532	1	5	4	1
2N IP VERSO - RFID 125kHz	20		01255-001	2N IP Verso - RFID 125kHz card reader	\$ 132.00	8595159504315	0	5	4	1
2N IP VERSO - I/O	20		01257-001	2N IP Verso - 2 inputs and 2 output relays. This module is installed beneath other modules.	\$ 48.00	8595159504339	0	1	5	4
2N IP VERSO - 5 BUTTONS	20		01258-001	2N IP Verso - 5 buttons	\$ 102.00	8595159504346	1	5	4	1
2N IP VERSO - WIEGAND	20		01259-001	2N IP Verso - Wiegand. This module is installed beneath other modules.	\$ 90.00	8595159504360	0	1	4	5
2N IP VERSO - TAMPER SWITCH	20		01260-001	2N IP Verso - Tamper switch. This module is installed beneath other modules.	\$ 39.00	8595159504377	0	5	4	1
2N IP VERSO - BLIND PANEL	20		01261-001	2N IP Verso - Blind panel	\$ 24.00	8595159504612	0	5	4	1
2N IP VERSO - RFID 13MHz NFC	20		01262-001	2N IP Verso - RFID 13MHz card reader NFC ready	\$ 207.00	8595159507095	0	1	4	5
2N IP VERSO - INDUCTION LOOP	20		01263-001	2N IP Verso - Induction loop	\$ 225.00	8595159507699	0	5	4	1
2N IP VERSO - RFID 13MHz NFC SEC	20		01264-001	2N IP Verso - RFID 13MHz secured card reader NFC ready	\$ 300.00	8595159508016	0	5	4	1
2N IP VERSO - BLUETOOTH	20		01266-001	2N IP Verso - Bluetooth	\$ 310.00	8595159508825	0	5	4	1
2N IP VERSO - EXTENSION CABLE 1M	20		01267-001	2N IP Verso - Extension cable 1m	\$ 19.00	8595159504735	0	0	7	4
2N IP VERSO - EXTENSION CABLE 3M	20		01268-001	2N IP Verso - Extension cable 3m	\$ 20.00	8595159508580	0	9	6	1
2N IP VERSO - BLIND BUTTON	20		01270-001	2N IP Verso - Blind button. Covers one button, on the main unit or 5 button module.	\$ 22.00	8595159504957	0	0	5	3
2N IP VERSO - MAIN WO CAMERA	20		01271-001	2N IP Verso - Main unit without camera	\$ 528.00	8595159503813	1	1	4	11
2N IP VERSO - MAIN WO CAMERA BLACK	20		01272-001	2N IP Verso - Main unit without camera, black	\$ 528.00	8595159509556	1	1	4	11
2N IP VERSO - MAIN W CAMERA	100		01273-001	2N IP Verso - Main unit with camera	\$ 995.00	8595159503820	1	1	4	10
2N IP VERSO - MAIN W CAMERA BLACK	20		01274-001	2N IP Verso - Main unit with camera, black	\$ 995.00	8595159509563	1	1	4	10
2N IP VERSO - TOUCH DISPLAY	20		01275-001	2N IP Verso - Touch display	\$ 770.00	8595159504353	1	5	4	1
2N IP VERSO - TOUCH KEYPAD	20		01277-001	2N IP Verso - Touch keypad	\$ 168.00	8595159511559	1	5	4	1
2N IP VERSO - FINGERPRINT	20		01276-001	2N IP Verso - Fingerprint	\$ 532.00	8595159508443	0	5	4	1
2N IP VERSO - EXTENSION CABLE 5M	20		01269-001	2N IP Verso - Extension cable 5m	\$ 26.00	8595159511726	0	7	4	1
2N IP VERSO - IND.LOOP ANTENNA	20		01265-001	2N IP Verso - Induction loop external antenna for wider coverage area	\$ 88.00	8595159508153	1	5	4	1
2N IP VERSO BLIND BUTTON BLACK	20		01523-001	2N IP Verso - Blind button. Covers one button, on the main unit or 5 button module. Black	\$ 22.00	8595159513300	5	3	5	3
2N IP VERSO COMBI BLUETOOTH RFID SEC.	20		01639-001	2N IP Verso - Bluetooth & RFID reader (125kHz, secured 13.56MHz UID+PACS ID, NFC)	\$ 644.00	8595159513386	1	5	4	1
2N IP VERSO COMBI KEYPAD RFID SEC.	20		01638-001	2N IP Verso - Touch keypad & RFID reader (125kHz, secured 13.56MHz UID+PACS ID, NFC)	\$ 548.00	8595159513379	1	5	4	1
2N IP VERSO - RFID 13MHz NFC SEC	20		01712-001	2N IP Verso - RFID 13.56MHz secured card reader, reading PACS ID + UID, NFC ready, ISO15693 compatible	\$ 300.00	8595159515212	1	1	4	5
2N IP VERSO - 1M FLUSH FRAME	20		01278-001	2N IP Verso - 1 module flush frame	\$ 75.00	8595159503837	1	7	6	1
2N IP VERSO - 1M FLUSH FRAME BLACK	20		01279-001	2N IP Verso - 1 module flush frame, black	\$ 75.00	8595159509419	1	7	6	1
2N IP VERSO - 2M FLUSH FRAME	20		01280-001	2N IP Verso - 2 modules flush frame	\$ 85.00	8595159503844	1	1	6	11
2N IP VERSO - 2M FLUSH FRAME BLACK	20		01281-001	2N IP Verso - 2 modules flush frame, black	\$ 85.00	8595159509433	1	1	6	11
2N IP VERSO - 3M FLUSH FRAME	20		01282-001	2N IP Verso - 3 modules flush frame	\$ 85.00	8595159503851	2	15	6	1
2N IP VERSO - 3M FLUSH FRAME BLACK	20		01283-001	2N IP Verso - 3 modules flush frame, black	\$ 85.00	8595159509457	1	15	6	1
2N IP VERSO - 1M FLUSH BOX	20		01284-001	2N IP Verso - 1 module flush box	\$ 25.00	8595159504667	0	2	7	7
2N IP VERSO - 2M FLUSH BOX	20		01285-001	2N IP Verso - 2 modules flush box	\$ 30.00	8595159504674	1	2	7	11
2N IP VERSO - 3M FLUSH BOX	20		01286-001	2N IP Verso - 3 modules flush box	\$ 32.00	8595159504681	1	15	7	2
2N IP VERSO - 1M SURFACE FRAME	20		01287-001	2N IP Verso - 1 module surface frame	\$ 50.00	8595159503868	1	5	4	1
2N IP VERSO - 1M SURFACE FRAME BL.	20		01288-001	2N IP Verso - 1 module surface frame, black	\$ 50.00	8595159509471	1	5	4	1
2N IP VERSO - 2M SURFACE FRAME	50		01289-001	2N IP Verso - 2 modules surface frame	\$ 60.00	8595159503875	1	1	4	11
2N IP VERSO - 2M SURFACE FRAME BL.	20		01290-001	2N IP Verso - 2 modules surface frame, black	\$ 60.00	8595159509495	1	1	4	11
2N IP VERSO - 3M SURFACE FRAME	20		01291-001	2N IP Verso - 3 modules surface frame	\$ 80.00	8595159503882	2	1	4	14
2N IP VERSO - 3M SURFACE FRAME BL.	20		01292-001	2N IP Verso - 3 modules surface frame, black	\$ 80.00	8595159509518	2	1	4	14
2N IP VERSO - 1M BACKPLATE	20		01293-001	2N IP Verso - 1 module backplate for surface installation	\$ 48.00	8595159507132	0	1	4	6
2N IP VERSO - 2M BACKPLATE	50		01294-001	2N IP Verso - 2 modules backplate for surface installation	\$ 56.00	8595159507149	1	1	4	10
2N IP VERSO - 3M BACKPLATE	20		01295-001	2N IP Verso - 3 modules backplate for surface installation	\$ 65.00	8595159507156	1	14	4	1
2N IP VERSO - 2x2M BACKPLATE	20		01296-001	2N IP Verso - 2x2 modules backplate for surface installation	\$ 81.00	8595159507163	2	1	13	14
2N IP VERSO - 3x2M BACKPLATE	20		01297-001	2N IP Verso - 3x2 modules backplate for surface installation	\$ 104.00	8595159507170	2	1	13	14
2N IP VERSO - 2x3M BACKPLATE	20		01298-001	2N IP Verso - 2x3 modules backplate for surface installation	\$ 98.00	8595159507187	2	14	13	1
2N IP VERSO - 3x3M BACKPLATE	20		01299-001	2N IP Verso - 3x3 modules backplate for surface installation	\$ 125.00	8595159507194	3	1	13	14
2N IP VERSO - 1M GANG PLATE	20		01524-001	2N IP Verso - 1 module backplate for surface installation on a 2-gang backbox	\$ 48.00	8595159512983	4	6	4	1
2N IP VERSO - 2M GANG PLATE	20		01525-001	2N IP Verso - 2 modules backplate for surface installation on a 2-gang backbox	\$ 56.00	8595159512990	9	12	2	1
2N AC - LIC +5 DEVICES	0		01372-001	2N Access Commander - license for adding 5 devices (block of 5 licenses)	\$ 70.00		0	0	0	0

2N IP INTERCOM AND SIP AUDIO-INFORMACAST	0		01381-001	2N IP Intercom and SIP AudioLicense - Informacast License	\$ 85.00		0	0	0	0
2N AC - LIC +25 USERS	0		01373-001	2N Access Commander - license for adding 25 users (block of 25 licenses)	\$ 245.00		0	0	0	0
2N IP INTERCOM AND SIP AUDIO - G729 LIC	0		01375-001	2N IP Intercom and SIP Audio - license for G.729 audio codec	\$ 37.00		0	0	0	0
2N AC - INTEGRATION LICENSE	0		01374-001	2N Access Commander - LDAP license	\$ 231.00		0	0	0	0
2N IP INTERCOM ENHANCED AUDIO LIC	0		01376-001	2N IP Intercom License - Enhanced Audio	\$ 63.00		0	0	0	0
2N IP INTERCOM ENHANCED VIDEO LIC	0		01377-001	2N IP Intercom Enhanced Video lic	\$ 98.00		0	0	0	0
2N IP INTERCOM ENHANCED INTEGRATION LIC	0		01378-001	2N IP Intercom Enhanced Integration lic	\$ 63.00		0	0	0	0
2N IP INTERCOM ENHANCED SECURITY LIC	0		01379-001	2N IP Intercom License - Enhanced Security	\$ 98.00		0	0	0	0
2N AU - NFC LICENSE	0		01369-001	2N Access Unit - NFC license for 916010 NFC ready type	\$ 25.00		0	3	1	0
2N IP INTERCOM GOLD LICENSE	0		01380-001	2N IP Intercom License - Gold License	\$ 225.00		0	0	0	0
2N IP INTERCOM - NFC LICENSE	0		01382-001	2N IP Intercom - NFC License	\$ 24.00		0	0	0	0
2N IDT - UNLOCKING LICENSE	0		01418-001	2N Indoor Touch - unlocking license for uploading apps	\$ 65.00		0	0	0	0
2N IDT - HTTP API LICENSE	0		01424-001	2N Indoor Touch HTTP API license	\$ 75.00		0	0	0	0
MIFARE RFID SMART CARD 13.56MHz	20		01384-001	Mifare RFID smart card 13.56MHz	\$ 5.00	8595159511474	0	3	2	0
MIFARE RFID SMART KEY FOB 13.56MHz	20		01385-001	Mifare RFID smart key fob 13.56MHz	\$ 5.00	8595159511481	0	0	0	0
2N SECURITY RELAY	100		01386-001	2N Security Relay	\$ 110.00	8595159500935	0	2	2	2
2N WIEGAND ISOLATOR	20		01387-001	2N Wiegand Isolator	\$ 150.00	8595159501413	0	1	4	6
2N MAGNETIC DOOR CONTACT	20		01388-001	2N Magnetic door contact	\$ 20.00		0	3	1	0
WIEGAND 125 kHz RFID CARD READER	10		01389-001	External 125 kHz EMarine RFID card reader, Wiegand	\$ 95.00	8595159511832	1	5	4	2
WIEGAND 13.56 MHz RFID CARD READER	10		01390-001	External 13.56MHz Mifare RFID card reader, Wiegand	\$ 95.00	8595159511849	1	2	8	5
2N INDUCTION LOOP	20		01391-001	2N External induction loop for IP Intercom	\$ 140.00	8595159506722	1	8	5	2
2N IND. LOOP EXT. ANTENNA	20		01392-001	2N External antenna for the induction loop	\$ 90.00	8595159506739	1	10	10	1
2N INDUCTION LOOP - POWER SUPPLY	20		01393-001	2N Power supply for the induction loop	\$ 40.00	8595159506982	0	2	2	2
PoE INJECTOR WITHOUT CABLE	10		01394-001	PoE injector PSA16U-480(POE), external PoE; 1port 15.4W ACDC - without cable	\$ 55.00	8595159511887	1	3	7	8
EMARINE RFID PROX CARD 125kHz	20		01395-001	Proximity Card Emarine 125kHz	\$ 5.00	8595159594101	0	0	2	3
EMARINE RFID PROX KEY FOB 125kHz	50		01396-001	Proximity Key Fob Emarine 125kHz	\$ 5.00	8595159594125	0	0	1	2
WEB RELAY - 1 OUTPUT, 1 INPUT	10		01397-001	Web IP Relay - 1 output, 1 input	\$ 240.00	8595159511504	0	2	4	4
WEB RELAY - 4 OUTPUTS, 0 INPUT, PoE	20		01398-001		\$ 310.00	8595159511511	0	2	4	4
USB RFID READER 125kHz	10		01399-001	External RFID Reader 125kHz EMarine (USB interface)	\$ 65.00	8595159598475	0	5	7	1
USB RFID READER 13MHz & 125kHz	10		01400-001	External RFID Reader 13.56MHz + 125kHz (USB interface)	\$ 335.00	8595159511870	0	2	7	11
USB FINGERPRINT READER	10		01401-001	External fingerprint reader (USB interface)	\$ 250.00	8595159505909	0	0	4	8
USB BLUETOOTH READER	10		01402-001	External Bluetooth reader (USB interface)	\$ 28.00	8595159512976	0	0	0	0
PoE INJECTOR WITH CABLE	10		01403-001	PoE injector PSA16U-480(POE), external PoE; 1port 15.4W ACDC - with US cable	\$ 65.00	8595159501987	1	6	9	2
2N 2WIRE - SET WITH US PLUG	20		01404-001	2N 2Wire - set of 2 adaptors and power source for the US plug	\$ 340.00	8595159504834	1	6	9	2
USB SEC RFID READER 13MHz & 125kHz	5		01527-001	External RFID secured reader 13.56MHz + 125kHz (USB interface)	\$ 430.00	8595159513553	0	11	7	2
VERSO/SOLO SPEAKER COVER,5x	10		01640-001	2N IP Verso and Solo speaker cover - plastic cover of speaker on the main unit - 5pcs	\$ 50.00	8595159513881	0	3	5	1
VERSO/SOLO CAMERA WINDOW,5x	10		01641-001	2N IP Verso and Solo camera window- camera version -plastic cover on the main unit - 5pcs	\$ 40.00	8595159513904	0	3	5	1
VERSO WINDOW NON-CAMERA,5x	10		01642-001	2N IP Verso camera window- non-camera version -plastic cover on the main unit - 5pcs	\$ 40.00	8595159513911	0	3	5	1
VERSO/SOLO REFLECTOR,2N LOGO,5x	20		01643-001	2N IP Verso and Solo Reflector with 2N logo - plastic part under the camera - 5pcs	\$ 55.00	8595159513928	0	3	5	1
VERSO/SOLO BUTTON NAMETAG,10x	10		01644-001	2N IP Verso and Solo button nametag - plastic button with nametag - 10pcs	\$ 85.00	8595159513959	0	3	5	1
VERSO FLUSH/SURFACE LOWER FIX,5x	10		01645-001	2N IP Verso Flush and surface bottom fixture - metal fixture to hold the frame - 5pcs	\$ 38.00	8595159513966	0	4	0	6
SOLO FLUSH/SURFACE LOWER FIX,5x	10		01646-001	2N IP Solo Flush and surface bottom fixture - metal fixture to hold the frame - 5pcs	\$ 25.00	8595159513973	0	4	0	6
VERSO/SOLO FLUSH TOP FIX,5x	10		01647-001	2N IP Verso and Solo Flush mount upper fixtrue - metal part to hold the frame - 5pcs	\$ 33.00	8595159513980	0	4	0	6
VERSO/SOLO SURFACE TOP FIX,5x	10		01648-001	2N IP Verso and Solo Surface mount upper fixture - metal part to hold the frame - 5pcs	\$ 15.00	8595159513997	0	4	0	6
VERSO BUS SHORT,80MM,10x	10		01649-001	2N IP Verso bus short, 80mm - vbus cabel to connect the modules - 10pcs	\$ 45.00	8595159514000	0	4	0	6
VERSO BUS SHORT,220MM,10x	10		01650-001	2N IP Verso bus short, 220mm - vbus cabel to connect the modules - 10pcs	\$ 50.00	8595159514017	0	0	0	6
VERSO MICROPHONE SET,10x	10		01651-001	2N IP Verso microphone set - microphone with cable to 3 module extension - 10pcs	\$ 60.00	8595159514031	0	4	0	6
FORCE/SAFETY SPEAKER 1W	10		01652-001	2N IP Force and Safety Speaker 1W, 16 Ohm, 77mm - 1pc	\$ 70.00	8595159513737	0	0	0	0
FORCE/SAFETY GASKET FOR MIC,5x	10		01654-001	2N IP Force and Safety Gasket for microphone - 5pcs	\$ 10.00	8595159513751	0	0	0	0

FORCE/SAFETY MIC WITH CABLE,5x	10		01655-001	2N IP Force and Safety microphone with cable - 10pcs	\$ 45.00	8595159513768	0	0	0	0
FORCE BUTTON NAMETAG,5x	10		01656-001	2N IP Force and analog Force Button nametag to plastic part - 5pcs	\$ 15.00	8595159513782	0	0	0	0
FORCE PLASTIC BUTTON ON PCB,5x	10		01657-001	2N IP Force and analog Force Plastic clear button on the PCB board - 10pcs	\$ 15.00	8595159513874	0	0	0	0
FORCE 1 BUTTON BOARD,1x	10		01658-001	2N IP Force and analog Force 1 button board - 1pc	\$ 25.00	8595159514055	0	0	0	0
FORCE 1 BUTTON BOARD, PICTOGRAM,5x	10		01659-001	2N IP Force and analog Force 1 button board, pictograms - 1pc	\$ 25.00	8595159514062	0	0	0	0
FORCE 2 BUTTONS BOARD,1x	10		01660-001	2N IP Force and analog Force 2 buttons board - 1pc	\$ 35.00	8595159514079	0	0	0	0
FORCE 4 BUTTON BOARD,1x	10		01661-001	2N IP Force and analog Force 4 buttons board - 1pc	\$ 40.00	8595159514086	0	0	0	0
FORCE/SAFETY SPEAKER10W 4pcs	10		01653-001	2N IP Force and Safety Speaker 10W, 4 Ohm, 76mm - 4pcs	\$ 65.00	8595159513744	0	0	0	0
2N IDT - PoE, BLACK	20	EOL	01416-001	2N Indoor Touch PoE - Black	\$ 755.00	8595159506524	6	0	0	1
2N IDT - PoE, WHITE	20	EOL	01417-001	2N Indoor Touch PoE - White	\$ 755.00	8595159507040	6	0	0	1
2N IDT - PoE, WIFI, BLACK	20	EOL	01419-001	2N Indoor Touch - PoE, WiFi, black	\$ 820.00	8595159506531	6	0	0	1
2N IDT - PoE, WIFI, WHITE	20	EOL	01420-001	2N Indoor Touch - PoE, WiFi, white	\$ 820.00	8595159507057	6	0	0	1
2N INDOOR TALK BLACK	20		01698-001	2N Indoor Talk PoE – Black Elegant answering unit with HD sound. The design of the 2N® Indoor Talk answering unit will suit every flat or home. The aesthetic appearance of this product was achieved by using a glass surface and striking backlighting of its icons. However, we placed particular emphasis on selecting the highest-quality audio components in order to achieve a high-quality sound. This means you can talk to visitors outside as if they were standing right next to you. Invite them in and press the icon to open the door from the comfort of your home. The 2N Indoor Talk Black requires the 2N Indoor Flush Box (01700-001) for installation.	\$ 293.00	8595159513454	1	2	8	10
2N INDOOR TALK WHITE	20		01699-001	2N Indoor Talk PoE – White Elegant answering unit with HD sound. The design of the 2N® Indoor Talk answering unit will suit every flat or home. The aesthetic appearance of this product was achieved by using a glass surface and striking backlighting of its icons. However, we placed particular emphasis on selecting the highest-quality audio components in order to achieve a high-quality sound. This means you can talk to visitors outside as if they were standing right next to you. Invite them in and press the icon to open the door from the comfort of your home. The 2N Indoor Talk White requires the 2N Indoor Flush Box (01700-001) for installation.	\$ 293.00	8595159513461	1	2	8	10
2N INDOOR FLUSH BOX	20		01700-001	2N Indoor answering unit flush installation box, required for the 2N Indoor Talk (01698-001 or 01699-001).	\$ 29.00	8595159513560	0	3	6	6
GXV3370 IP PHONE	20		01695-001	Grandstream GXV 3370 Multimedia IP phone with 7" touch screen, Android, Wifi, PoE	\$ 590.00	6947273702528	4	14	4	10
GXV3240 IP PHONE	10		01422-001	Grandstream GXV 3240 Multimedia IP phone with 4.3" digital color LCD, Android, Wifi, PoE	\$ 370.00	6947273701552	8	0	0	0
2N IDT - POWER SUPPLY FLUSH	20		01423-001	2N Indoor Touch External power supply, 12V 2A DC, flush mounted	\$ 100.00	8595159505817	1	0	0	0
2N IDT - DESK STAND BLACK	50		01425-001	2N Indoor Touch - Desk stand black	\$ 80.00	8595159511450	4	11	8	6
2N IDT - DESK STAND WHITE	20		01426-001	2N Indoor Touch - Desk stand white	\$ 80.00	8595159511467	4	0	0	0
YEALINK SIP T58A	10		01586-001	The Yealink SIP-T58A is a simple-to-use smart media phone that provides an enriched HD audio and video calling experience for business professionals. This all-new smart media phone enables productivity-enhancing visual communication with the ease of a standard phone.	\$ 550.00	6938818301788	5	10	9	8
2N SIP MIC	20		01208-001	2N SIP Mic allows paging to several zones with a simple push of a button. It is ideal for live or pre-recorded announcements. It has a built-in audio-management server for configuration, which means less equipment as well as flexible, easy and cost-efficient installation. The network microphone console has 12 buttons that can be configured with actions of your choice. 2N SIP Mic's 12 buttons give you a smart paging solution for up to 12 zones, and if your system grows you can easily connect the microphone console to a PBX system thanks to support for SIP. The microphone is based on open standards and connects to standard networks using PoE.	\$ 1,099.00	8595159511429	3	7	12	6
2N SIP SPEAKER - HORN	20		01433-001	2N SIP Speaker - Horn (outdoor SIP based active hornspeaker)	\$ 518.00	8595159509181	11	0	0	1
2N SIP AUDIO CONVERTER	20		01429-001	2N SIP Audio Converter (SIP Audio to analogue audio converter)	\$ 410.00	8595159500430	2	0	0	0
2N SIP AUDIO CONVERTER SET	20		01430-001	2N SIP Audio Converter set with Speaker and Mic	\$ 425.00	8595159502007	3	0	0	0
2N SIP SPEAKER - WALL MOUNTED, W	20		01432-001	2N SIP Speaker - Loudspeaker Set, wall mounted (SIP based active speaker)	\$ 460.00	8595159508177	14	0	0	0
2N SIP SPEAKER - WALL MOUNTED, B	20		01431-001	2N SIP Speaker - Loudspeaker Set, wall mounted (SIP based active speaker)	\$ 460.00	8595159508184	13	0	0	0
2N IP AUDIO POWER SUPPLY - US PLUG	20		01435-001	2N IP Audio Power Supply - US plug	\$ 75.00	8595159503301	1	0	0	0

AXIS A8004 JUNCTION BOX	10		5801-131	AXIS A8004 Junction box offers neat and easy recessed installations of the AXIS A8004-VE Network video door station. Multiple mounting and wiring options along with a robust steel construction makes it suitable for most situations and wall types.	\$ 69.00	7331021049345	2	9	10	3
AXIS A9801 SECURITY RELAY	100		5801-141	AXIS A9801 Security relay box offer an easy and cost efficient way to improve security for doors controlled by an Axis network video door station. The product bridges the connection between door station and door lock and is placed on the secure side of the door. If an intruder attempt to tamper with the door station to access the door lock wires, AXIS A9801 Security relay will cut the connection and ensure that the door remains securely locked.	\$ 119.00	7331021049352	0	5	9	2
MOUNT KIT CODEBLUE/A8004	10		5507-471	Stainless steel adapter plate for mounting AXIS A8004-VE Network Video Door Station in Code Blue emergency stanchions and call boxes, combining intelligent video surveillance with emergency communication in a single device. The adapter plate is compatible with all Code Blue help points, suitable for new deployments and retrofitting existing installations.	\$ 119.00	7331021054981	2	9	12	1
AXIS A9188 NETWORK I/O RELAY MODULE	20		0820-001	AXIS A9188 Network I/O Relay Module is an intelligent module with 8 configurable I/Os and 8 form C relays and supports supervised inputs. Open API, including VAPIX, for software integration. High level of integration with AXIS A1001 Network Door Controller for elevator control for floor management etc. Supported by AXIS Video Hosting System, AXIS Camera Station and third party partner software. The module provides 12 and 24 V DC output to I/O devices and can extend the functionality of any Axis product where you need additional I/Os or relays. Powered by PoE+ or 12 and 24 V DC input	\$ 499.00	7331021049895	1	7	5	2
AXIS ACCESS CARD 1K, WHITE 200 pcs	10		5506-831	AXIS Access Card is a contactless Mifare 1K smart card that uses advanced radio frequency identification (RFID) technology to deliver secure and reliable physical access to premises. It is robust and IP68-rated, comes in a pack of 200 pcs.	\$ 359.00	7331021048911	1	2	0	3
AXIS A8105-E FLUSH MOUNT	50		5801-481	Nice and easy recessed mount of AXIS A8105-E Network video door station suitable for most wall types.	\$ 69.00	7331021053243	1	7	9	3
AXIS A9161 NETWORK I/O RELAY MODULE	50		0821-001	AXIS A9161 Network I/O Relay Module has 6 configurable I/Os with supervised inputs and a relay. The module reacts on inputs, such as signals from PIR motion detectors or switches, to trigger actions. Supplying power to I/O devices, it can extend the functionality of Axis products where additional I/Os or relays are needed. Its enclosure makes installation easy and flexible.  -6 I/Os and 1 form C relays -12 and 24 V DC output/input or PoE+ -Based on Axis open platforms, VAPIX and ACAP -Used with AXIS Camera station or third-party software	\$ 249.00	7331021049901	2	5	2	7
AXIS A9188-VE NETWORK I/O RELAY MODULE	10		0831-001	AXIS A9188-VE Network I/O Relay Module comes with AXIS T98A15-VE Surveillance Cabinet making it outdoor-ready, vandal-resistant, and UL294-approved. With its 8 configurable I/Os and relays, its open platform enables a high level of integration with AXIS A1001 Network Door Controller and other facility systems.  -8 I/Os with supervised inputs and 8 form C relays -UL294-approved with cabinet AXIS T98A15-VE Surveillance Cabinet -12 and 24 V DC output/input or PoE+ -Open API, support for VAPIX, ACAP -Used with AXIS Camera station or third-party software	\$ 799.00	7331021050112	9	11	5	14
AXIS A8004-VE ACCESSIBILITY KIT	10		5801-671	AXIS A8004-VE Accessibility kit is an easy way to improve access to your building and comply with regulations on barrier-free accessibility. It's designed as a new front plate that mounts on and connects directly to any AXIS A8004-E Network Video Door Station. The product includes an inductive loop for hearing aids, illuminated pictograms for user feedback and a tactile dot for the call button, all of which help to simplify interaction for people with impaired hearing or vision.	\$ 199.00	7331021055025	1	6	11	2

AXIS A1001 Network Door Controller	250		0540-001	AXIS A1001 Network Door Controller is an open, non-proprietary platform for access management. The controller is installed by each door and data is automatically synchronized between the controllers in the system. The controller supports most Wiegand and RS 485 OSDP readers. The unit comes with a built-in software for basic access management for up to 33 controllers as well as an open API to meet the requirements for larger and more advanced installations. The plenum rated controller is designed for wall or ceiling mount indoors and supports Power over Ethernet IEEE 802.3af Class 3. It is fitted with 14 configurable input/outputs and 5 power outputs for door accessories including fault/tamper detection and support for Uninterruptible Power Supply (UPS).	\$ 599.00	7331021008021	2	9	3	9
AXIS A1001 BULK 10PCS Network Door Controller	20		0540-021	AXIS A1001 Network Door Controller is an open, non-proprietary platform for access management. The controller is installed by each door and data is automatically synchronized between the controllers in the system. The controller supports most Wiegand and RS 485 OSDP readers. The unit comes with a built-in software for basic access management for up to 33 controllers as well as an open API to meet the requirements for larger and more advanced installations. The plenum rated controller is designed for wall or ceiling mount indoors and supports Power over Ethernet IEEE 802.3af Class 3. It is fitted with 14 configurable input/outputs and 5 power outputs for door accessories including fault/tamper detection and support for Uninterruptible Power Supply (UPS).	\$ 5,990.00	7331021008038	15	14	17	9
AXIS A1601	100		01507-001	With door controllers from Axis, you install one smart, independent device by each door to create a scalable access control system. The open platform allows you to mix and match best-of-breed software and hardware, and enables easy integration with other systems such as video surveillance, intrusion detection, and time and attendance. AXIS A1601 Network Door Controller is ideal for advanced access management in mid-sized and large, multi-site installations using third-party software (no embedded Entry Manager software). It has a powerful processor, expanded storage and memory, relays, and I/O ports. AXIS A1601 is powered by PoE+ and can also power connected equipment.	\$ 699.00	7331021064287	3	7	2	7
AXIS A8004-VE	200		0673-001	AXIS A8004-VE Network Video Door Station is an open, IP-based door station for two-way communication, video and remote entry control. By combining exceptional audio capabilities, including a high performing solution for echo cancellation and noise suppression, with an integrated HDTV camera with WDR and excellent low-light performance, the unit offers reliable 24/7 identification and remote entry control also in the most demanding situations. Based on open IP standards and interfaces such as Onvif, PoE and SIP, AXIS A8004-VE Network Video Door Station offers great integration possibilities and is a perfect complement to any video surveillance system.	\$ 1,249.00	7331021048461	5	7	13	4
AXIS A8105-E	400		0871-001	AXIS A8105-E is a small and powerful network video door station. It operates as a communication device and full-fledged security camera at the same time, providing HDTV video, audiovisual identification, two-way communication and remote entry control as an intrinsic part of video surveillance. Open standards such as ONVIF and Session Initiation Protocol (SIP) in combination with its small size, give unique opportunities for system design, integration and installation. Wide Dynamic Range (WDR) and efficient noise cancellation ensure uncompromised performance in demanding situations, such as strong backlight or surrounding noise. Axis' Digital Corridor Format easily adjusts the viewing area to the location.	\$ 799.00	7331021050846	1	5	8	3
AXIS A4011-E READER	50		0745-001	AXIS A4011-E Reader is a generic touch-free reader with keypad and illuminated symbols. It is a perfect match to the Network Door Controller A1001. The reader is intended for both indoor and outdoor use and it supports most smart card formats with 13.56 MHz. The reader is certified according to UL294	\$ 369.00	7331021046177	1	3	7	1
AXIS A4010-E READER WITHOUT KEYPAD	50		01023-001	AXIS A4010-E Reader is a generic touch-free reader without keypad and 2 LED feedback. It is a perfect match to the Network Door Controller A1001. The reader has a small form factor, intended for both indoor and outdoor use. It uses RS485 OSDP communication and supports most smart card formats with 13.56 MHz. This reader is a Mark II for 0946-001 with same functionality but no visible differences.	\$ 199.00	7331021057975	0	4	7	3

AXIS 4IN1 SECURITY SCREWDRIVER	20		5507-711	The AXIS 4-in-1 Security Screwdriver Kit is a great tool for installing Axis products. The kit features two double-sided insert bits type that match Axis products using tamper resistant torx and standard philips head. The kit comes with a quick-release, non-slip rubber handle, and a velcro-sealed polyester pouch with belt clip. Insert bits material in chrome vanadium (TR10+PH1) and in stainless steel (TR20+TR30).	\$ 24.00	7331021060340	0	7	7	2
AXIS Q17 FRONT WINDOW KIT B	10		01687-001	Accessory front window assembly in polycarbonate for AXIS Q1785/86-LE, IK10 rated. Not recommended for installation that requires more than 22x optical zoom.	\$ 49.00	7331021066472	0	7	6	1
GASKET A CABLE 3,5-7MM 10PCS	10	Price correction	5503-741	M20 Gasket for cable diameter 3,5mm to 7mm. 10 pcs.	\$ 19.00	7331021003712	0	11	9	4
ACC TOOL STEEL STRAP	20		21776	Tool for steel strap tensioning. For use with 21764 and AXIS T91A67	\$ 145.00	667026008146	3	12	4	2
AXIS GASKET M16 5-8 MM 10PCS	50	New	01785-001	IP66 cable gasket for M16 holes (max 17mm). By using the included CONNECTOR GUARD A over the RJ45 connector, you do not need to re-terminate the network cable which gives a much faster and more secure installation. Suitable for cable diameters between 5-8mm. Black color. 10 pieces (bulk pack).	\$ 19.00	7331021067691	0	4	5	1
GASKET B M20 CABLE 6-13MM 10PCS	10	Price correction	5503-751	M20 Gasket for cable diameter 6-13mm, 10 pcs.	\$ 19.00	7331021003729	0	11	9	4
GASKET C M25 CABLE 8-17MM 10PCS	20	Price correction	5503-791	M20 Gasket for cable 8-17mm, 10 pcs.	\$ 19.00	7331021003767	0	11	9	4
M3004-V/05-V FOCUS TOOL 2PCS	20	EOL	5503-581	Focus tool for AXIS M3004-V/M3005-V (2pcs)	\$ 11.00	7331021002081	0	5	3	1
CABLE GLAND A M20 5PCS	10		5503-761	M20 cable gland, 5 pcs.	\$ 9.00	7331021003736	0	11	9	4
LENS TOOL KIT AXIS M311X 2MM 4PCS	20		5503-561	Tool kit for simplifying adjustment of viewing direction and focus setting. Compatible with AXIS M311X cameras with 2mm lens. Content: Lens tool and Opening tool 4 pcs of each.	\$ 24.00	7331021001459	0	4	6	2
GASKET C M20 10PCS	10	Price correction	5505-941	This gasket is specially made for flexible and easy installation. By using the included CONNECTOR GUARD A over the RJ45 connector, you do not need to re-terminate the network cable wich gives a much faster and more secure installation. Made for M20 holes and cables from 5 to 15mm in outer diameter. 10 pcs.	\$ 19.00	7331021045286	0	4	7	0
LENS TOOL AXIS M311X 4PCS	20		5502-771	Tool kit for simplifying adjustment of viewing direction and focus setting. Compatible with AXIS M311X (except 2mm lens version). Content: Lens tool and Opening tool 4 pcs of each.	\$ 24.00	7331021032477	0	5	5	5
CABLE GASKET M20 3MM 10PCS	20	Price correction	5506-421	M20 gasket for small cables like I/O and audio cables. 10 pcs	\$ 19.00	7331021047372	2	4	6	1
LENS TOOLKIT P39XX-R 4 PCS	10		5506-441	Tool kit for simplifying adjustment of viewing direction and focus setting. Compatible with AXIS P39xx-R cameras with the standard lens and the 2.8 mm accessory lens. Content: Lens tool, Allen key and Opening tool. 4 pcs of each.	\$ 19.00	7331021047488	0	4	7	0
CABLE GLAND A M25 5PCS	10		5503-831	M25 Cable gland, 5 pcs.	\$ 19.00	7331021003774	0	11	9	4
CABLE GLAND M20x1.5 RJ45 5PCS	10		5503-951	M20 cable gland for RJ45. Ease of installation, no need of cutting the cable.	\$ 19.00	7331021004894	0	11	9	4
CABLE SEALING IP65 FOR Q8108-R	5		5502-711	Accessory cable sealing to meet IP65 rating for Q8108-R.	\$ 249.00		1	7	5	2
POWER SUPPLY DIN CP-D 12/2.1 25W	10		5505-731	DIN power supply. 12V DC, 2.1 A. For use in T98A to power cameras, media converters etc.	\$ 99.00	7331021045170	0	4	6	3
POWER SUPPLY DIN CP-D 24/4.2 100 W	20		01169-001	DIN power supply. 24V DC, 4.2 A. For use in AXIS Surveillance Cabinets to power cameras, media converters etc.	\$ 149.00	7331021061309	0	6	4	4
POWER SUPPLY PS24 240 W	20		01170-001	24V DC power supply with 240 W output power.	\$ 229.00	7331021061323	3	4	12	4
POWER SUPPLY DIN PS24 480W	20		01677-001	Power supply for AXIS Q86, Q87 & T99A product lines. 480W 24V 20A for DIN rail mounting.	\$ 299.00	7331021066342	4	6	7	6
AXIS POWER SUPPLY DIN PS56 240W	10		01726-001	Power supply for AXIS T8504-R Industrial PoE Switch. 240W 56V 5A for DIN rail mounting.	\$ 249.00	7331021066991	3	4	8	10
AXIS M3004-V/05-V LENS M12 6MM	5	EOL	5503-651	Optional lens, 6mm for M3004-V/M3005-V	\$ 49.00	7331021004443	0	5	3	1
AXIS M3006-V LENS M12 2.0MM	20		5503-941	Optional lens for AXIS M3006-V, 2.0mm, HFOV: 105°. Including lens tool.	\$ 99.00	7331021005563	0	6	4	1
AXIS M3006-V LENS M12 2.8MM	5		5503-981	Optional lens for AXIS M3006-V, 2.8mm. Including lens tool.	\$ 79.00	7331021005242	0	6	4	1
AXIS M3025-VE LENS M12 6MM	20		5504-551	Optional lens for AXIS M3025-VE, 6mm. Including focus ring.	\$ 49.00	7331021006171	0	6	4	1
ACC LENS M12 MEGAPIXEL 16MM 10PCS	20	EOL	5502-161	Megapixel lens 16mm with M12 thread for AXIS M3113-R, AXIS M3114-R, AXIS 209FD, AXIS 209MFD, AXIS M3011, AXIS 3014. With IR filter. 10pcs	\$ 149.00	7331021025219	0	9	1	3
ACC LENS M12 MEGAPIXEL 2.8MM 10PCS	5	EOL	5502-101	Megapixel lens 2.8mm with M12 thread for AXIS M3113-R, AXIS M3114-R, AXIS 209FD, AXIS 209MFD, AXIS M3011, AXIS 3014. With IR filter. 10pcs	\$ 199.00	7331021024175	0	9	6	3
ACC LENS M12 MEGAPIXEL 3.6MM 10PCS	20	EOL	5502-151	Megapixel lens 3.6mm with M12 thread for AXIS M3113-R, AXIS M3114-R, AXIS 209FD, AXIS 209MFD, AXIS M3011, AXIS 3014. With IR filter 10pcs	\$ 149.00	7331021025202	0	9	6	3
AXIS WEATHERSHIELD K	20		5507-121	Weathershield for AXIS P14 Series designed for use in rainy and windy environments.	\$ 29.00	7331021051539	0	2	9	4
LENS M12 6MM 5PCS	10		5801-771	Accessory M12 6mm lens for AXIS Q6000-E MkII 5pcs	\$ 99.00	7331021055797	0	7	7	2



ACC LENS M12 MEGAPIXEL 6MM 10PCS	20	EOL	5502-111	Megapixel lens 6mm lens with M12 thread for AXIS M3113-R, AXIS M3114-R, AXIS 209FD, AXIS 209MFD, AXIS M3011, AXIS 3014. With IR filter 10pcs	\$ 149.00	7331021024182	0	9	6	3
ACC LENS M12 2.8MM F2.0 10 PCS	20		5504-951	Megapixel lens 2.8 mm, F2.0 with M12 thread for AXIS P39-R Series that provides 115° horizontal FOV with these cameras. With IR filter. 10 pieces.	\$ 199.00	7331021044180	0	9	6	3
ACC LENS M12 6MM F1.6 10 PCS	10		5504-961	Megapixel lens 6 mm, F1.6 with M12 thread for AXIS P39-R Series that provides 52° horizontal FOV with these cameras. With IR filter. 10 pieces.	\$ 199.00	7331021044197	0	9	6	3
ACC LENS M12 8MM F1.6 10 PCS	10		5504-971	Megapixel lens 8 mm, F1.6 with M12 thread for AXIS P39-R Series that provides 40° horizontal FOV with these cameras. With IR filter. 10 pieces.	\$ 199.00	7331021044203	0	9	6	3
ACC LENS M12 3.6MM F2.0 10PCS	20		5506-011	Megapixel lens 3.6 mm, F2.0 with M12 thread for AXIS P39-R Series that provides 87° horizontal FOV with these cameras. With IR filter. 10 pieces. Can be used as a spare part for AXIS P39-R or as a wider FOV option for P3905-RE.	\$ 199.00	7331021045644	0	7	9	3
AXIS LENS M12 2.1MM F2.2 10PCS	10		5901-371	Megapixel lens 2.1mm, F2.2 with M12 thread for AXIS P39-R Series that provides 147° horizontal FOV with these cameras. With IR filter. 10 pieces. Lens tool included.	\$ 199.00	7331021060012	0	7	7	2
LENS M12 16MM 5PCS	10		5801-781	Accessory M12 16mm lens for AXIS Q6000-E MkII 5pcs	\$ 99.00	7331021055803	0	7	7	2
ACC LENS M12 MEGAPIXEL 6PCS	5		5506-431	2 pieces each of 2.8 mm (F2.0), 6 mm (F1.6) and 8 mm (F1.6) Megapixel lenses with M12 thread. For use with AXIS P39-R cameras. Includes lens tools.	\$ 149.00	7331021047471	0	7	7	2
ACC LENS M12 MEGAPIXEL 8MM 10PCS	20	EOL	5502-411	Megapixel lens 8mm with M12 thread for AXIS M3113-R, AXIS M3114-R, AXIS 209FD, AXIS 209MFD, AXIS M3011, AXIS 3014. With IR filter. 10pcs	\$ 149.00	7331021029330	0	9	6	3
LENS M12 MEGAPIXEL 10PCS	5		5502-421	Mixed pack of M12 Megapixel lenses. Focal length: 2.8mm, 3.6mm, 6mm, 8mm and 16mm for AXIS M3113-R, AXIS M3114-R, AXIS 209FD, AXIS 209MFD, AXIS M3011, AXIS 3014. With IR filter. 10pcs=2 pcs of each lens.	\$ 149.00	7331021029347	0	7	7	2
THEIA LENS CS VARIF 1.8-3MM DC-IRIS	10		5503-161	Barrel distortion corrected and IR corrected wideangle lens for cameras up to 5 mega pixel resolution. Compatible with e.g. AXIS M1114/-E, AXIS P1353/-E, P1354/-E, P1355/-E, P1357/-E, AXIS Q1602/-E, Q1604/-E, Q1614/-E, Q1615/-E.	\$ 289.00	7331021036611	0	8	6	0
LENS CS VF 2.2-6MM F1.3 DC-I MP	20		5502-751	Varifocal 2.2-6mm DC-Iris Megapixel Lens, F1.3, CS mount for AXIS M1113/4	\$ 149.00	7331021032323	0	5	5	4
LENS CS 2.4-6MM MANUAL IRIS	10		5503-181	Manual iris lens, varifocal 2.4-6MM compatible with AXIS M1103 and M1104.	\$ 79.00	7331021036635	0	5	4	5
LENS FUJINON CS 2.2-6MM DC-IRIS B	10		5800-781	Varifocal IR-corrected lens with DC-Iris. Compatible with e.g. AXIS P1353/-E, P1354/-E, P1355/-E, P1357/-E, AXIS Q1602/-E, Q1604/-E.	\$ 149.00	7331021007000	0	5	5	4
Varifocal MegaPixel Lens 2.4-6mm	20	EOL	5500-871	CS mount Varifocal Megapixel Lens 2.4-6mm DC Iris for AXIS P1344 and AXIS 211M/223M. Includes CS mount ring for AXIS 223M.	\$ 199.00	7331021022324	0	4	3	2
LENS CS 3-10.5MM DC-IRIS	10		5506-961	Standard lens for AXIS M1124/-E, M1125/-E.	\$ 99.00	7331021050082	0	5	5	4
LENS CS VARIF 9-40MM DC-IRIS D/N	10		5503-171	Varifocal IR-corrected lens for cameras up to 5 mega pixel resolution. Compatible with e.g. AXIS M1114/-E, P1354/-E, P1355/-E, P1357/-E, Q1602/-E, Q1604/-E.	\$ 259.00	7331021036628	0	8	6	0
LENS CS VARIF 9-40MM P-IRIS D/N	20		5504-901	Varifocal IR-corrected P-iris tele lens compatible with AXIS AXIS P1355/-E, P1357/-E, AXIS Q1602/-E, Q1604/-E, Q1614/-E, Q1615/-E.	\$ 259.00	7331021041691	0	5	5	4
Varifocal MegaPixel Lens 5-50mm	20	EOL	5502-221	CS mount Varifocal Megapixel Lens 5-50mm DC Iris for AXIS P1344 and AXSIS 211M.	\$ 149.00	7331021025660	0	3	2	3
LENS COMPUTAR CS 12.5-50MM DC-IRIS	10		5800-791	Varifocal IR-corrected lens with DC-Iris. Compatible with e.g. AXIS P1353/-E, P1354/-E. Axis Q1602/-E, Q1604/-E.	\$ 249.00	7331021007017	0	5	5	4
LENS COMPUTAR CS 12.5-50MM P-IRIS	10		5800-801	Varifocal IR-corrected lens with P-Iris. Compatible with e.g. AXIS Q1602/-E, Q1604/-E, Q1614/-E, Q1615/-E, AXIS P1355/-E, P1357/-E.	\$ 249.00	7331021007024	0	5	5	4
LENS COMPUTAR i-CS 2.8-8.5MM	10		5901-101	Standard lens for AXIS Q1615 MkII with remote zoom based on the new standard i-CS.	\$ 229.00	7331021057739	0	5	5	4
LENS CS VF 15-50MM F1.5 DC-I MP	20		5502-761	Varifocal Mega Pixel DC-Iris Lens 15-50mm, F1.5, CS mount, for AXIS M1113/14	\$ 199.00	7331021032330	0	5	5	4
LENS CS 15-50MM F1.5 DC-I MP D/N	10		5503-421	Varifocal Megapixel DC-Iris Lens 15-50mm, F1.5, CS mount, Day/Night for AXIS Q1602.	\$ 199.00	7331021037601	0	4	3	3
LENS FUJINON C CS 8-80MM DC	20		5506-991	Varifocal IR-corrected lens with DC-Iris. For use with both C-mount and CS-mount cameras thanks to the included adapter. Compatible with e.g. AXIS Q1635.	\$ 349.00	7331021051003	1	5	5	4
RICOM 2MP LENS DC-IRIS 8-26MM F0.9	50		01577-001	Lens RICOM 2 MP DC-iris CS-Mount Varifocal 8-26MM F0.9. Recommended for AXIS Q1645/-LE.	\$ 549.00	7331021065154	1	5	7	5
LENS CS 12-50 MM F1.4 P-IRIS 8MP	20		01690-001	Varifocal IR-corrected 12-50 mm P-Iris lens for cameras up to 8 megapixel resolution and 1/1.8" sensor. Compatible with e.g. AXIS Q1645/-LE, AXIS Q1647/-LE, AXIS P1367/-E and P1368-E.	\$ 449.00	7331021066526	0	5	5	4
LENS I-CS 9-50 MM F1.5 8MP	10		01727-001	Varifocal IR-corrected 12-50 mm i-CS lens for cameras up to 8 megapixel resolution and 1/1.8" sensor. Motorized zoom, focus and P-iris. Compatible with e.g. AXIS Q1645/-LE, AXIS Q1647/-LE, AXIS P1367/-E and P1368-E.	\$ 449.00	7331021067004	0	0	0	0
LENS I-CS 3.9-10 MM F1.5 5MP	5		01576-001	Spare varifocal i-CS lens for AXIS Q1645/-LE and AXIS Q1647/-LE.	\$ 299.00	7331021065147	0	5	5	4
AXIS LENS CLOTH 10PCS	20		5502-661	Axis accessory lens cloth. 10 pack	\$ 39.00	7331021030909	0	7	7	2
AXIS LENS CLOTH 50PCS	5		5502-721	Axis accessory lens cloth. 50 pack	\$ 169.00	7331021031456	1	9	6	3

ELECTRICAL SAFETY KIT A 120VAC	20		5503-521	Electrical safety kit for AXIS T98A in countries where the mains power is 120 V DC. Included products: Surge protector class 2, Fuse/main switch, terminal blocks and an intrusion door switch.	\$ 199.00	7331021038158	1	5	8	3
SURVEILLANCE STICKER ENG 10PCS	10		5502-811	Axis branded sticker showing a Camera. Text: Video surveillance in operation	\$ 8.00	7331021033320	0	8	6	0
SURVEILLANCE STICKER ENG 50PCS	5		5502-821	Axis branded sticker showing a Camera. Text: Video surveillance in operation	\$ 50.00	7331021033337	0	8	6	1
RADAR DETECTION STICKER EN 10PCS	10		01551-001	Axis branded sticker showing a radar detection illustration. Text: Radar detection in operation	\$ 8.00	7331021064904	0	9	6	0
AXIS WEATHERSHIELD KIT C	20		5504-881	Heavy duty outdoor weathershield for wall mounted AXIS fixed dome cameras. Designed to protect the dome from rain, snow and sun. The underside of the cover is coated with matte black anti-reflective coating, for suitable use with camera's built-in IR LEDs.	\$ 59.00	7331021041233	1	8	7	7
AXIS PT IR ILLUMINATOR KIT C	5		5801-901	850nm IR LED illuminator kit compatible with AXIS T99A Positioning Units for visual cameras. Kit includes one pair of IR illuminators, one metal mounting bracket, and three different diverging lenses. Note: this is the same illuminator kit as used in AXIS Q8685-LE PTZ Network Camera.	\$ 1,799.00	7331021056534	11	17	10	6
AXIS T99 ILLUMINATOR BRACKET KIT A	5		01181-001	Bracket kit for installing a pair of compatible illuminators to Axis positioning cameras and positioning units. Designed for use with AXIS Q8685-E and AXIS T99A10. Compatible with selected T90 white-LED and IR-LED illuminators. Includes fitting brackets, illuminator connectors, screws, washers, cable glands and cable ties. Illuminators sold separately.	\$ 199.00	7331021061729	5	10	17	6
AXIS WASHER KIT B	10		5507-701	Washer kit for spraying cleaning fluid on the windows of AXIS positioning cameras and positioning units. The kit contains a 23 litre tank, pump for delivery up to 11m (36ft), tube, nozzle and custom-made mounting bracket for the nozzle.	\$ 999.00	7331021060067	16	13	15	20
AXIS WASHER KIT A	20	EOL	5505-921	Washer kit for spraying cleaning fluid on the windows of AXIS Q8631-E/Q8632-E and AXIS Q8665-E/Q8665-LE. The kit contains a 23 liter tank, pump for delivery up to 11m (36ft), tube, nozzle and mounting bracket for attaching the nozzle to the PT-head.	\$ 999.00		16	13	15	20
AXIS BIRD CONTROL SPIKE 10P	20		5801-121	Bird control spikes made of flexible UV-resistant polymer preventing birds from landing on cameras or mounts. Each module has five spikes and can be mounted on flat or curved surfaces using the pre-mounted adhesive or cable ties (not included). The modules can be connected lengthwise and/or widthwise to cover a larger area. 10 pcs.	\$ 24.00	7331021049338	0	5	5	5
AXIS SAFETY WIRE 3M 5P	50		5801-971	Stainless steel safety wire 3 m (10 ft) long, with a fixed loop in one end and an adjustable loop with a plated brass wire lock in the other. Suitable for both indoor and outdoor use.	\$ 34.00	7331021057036	1	5	5	1
AXIS F7301 CABLE BLACK 1M 4PCS	20		01552-001	Black cable with RJ12 and micro USB connectors for indoor Sensor Units. Length 1 m (39 in.) 4 pcs.	\$ 29.00	7331021064911	0	6	6	1
AXIS F7315 CABLE WHITE 15M 4PCS	100		5506-821	AXIS F7315 comes in packs of four. 15-m (49 ft.) white cable with an RJ12 contact for connection to an AXIS F1004 Sensor Unit.	\$ 99.00	7331021049161	2	7	7	5
AXIS T92E05 PROTECTIVE HOUSING	10		0344-001	Protective camera housing for P13XX, M11XX, Q16XX and Q1755. Die cast aluminum casing and wallbracket, polycarbonate sunshield. The housing is IP66-, Nema 4X rated and IK10 impact-resistant. Sunshield, wallbracket and screwdriver included.	\$ 199.00	7331021031876	9	23	10	9
AXIS T92E20 OUTDOOR HOUSING	20		0433-001	Outdoor PoE camera housing with window-/camera heaters and fan for P13XX, M11XX, Q16XX and Q1755. Die cast aluminum casing and wallbracket, polycarbonate sunshield. The housing is IP66-, Nema 4X-, Vibration 4M3 rated and IK10 impact-resistant. Sunshield, wallbracket and screwdriver included.	\$ 329.00	7331021034211	13	23	10	9
AXIS T92G20 OUTDOOR HOUSING	5		01085-001	Outdoor PoE+ camera housing with IR illumination, window & camera heaters, and fan. Compatible with AXIS Q1645 and AXIS Q1647. Polycarbonate sunshield, aluminum wall mount and torx screwdriver included.	\$ 479.00	7331021060043	12	12	28	11
AXIS T93C10 OUTDOOR HOUSING	10		5507-681	Outdoor camera housing for Axis cameras with EF lenses (e.g.: AXIS Q1659). Made of IK10 impact resistant thermoplastic with dual-layer UV protection. IP66, NEMA 4X rated and UL listed. Powered by 24 VDC (power supply not included). Heavy duty wall mount included.	\$ 1,299.00	7331021058514	15	13	23	9
AXIS T93C EXTENSION KIT	10		5901-471	Extension kit to allow mounting of longer lenses in AXIS T93C10 Outdoor Housing (e.g.: compatible with AXIS Q1659 55-250 mm). Includes built-in sunshield and front window. The extension kit provides an extra space of 80mm in length within the housing, giving a total length of 380mm for the camera and lens. The part of the lens within the extension kit can have maximum diameter of 75mm.	\$ 99.00	7331021061064	1	6	7	6
AXIS T93F05 PROTECTIVE HOUSING	10		5900-261	Fixed box protective camera housing made of IK10 impact resistant and UV resistant polymer. IP66, NEMA 4X rated and UL listed. Compatible with AXIS P13 Series and AXIS Q16 Series. AXIS T94Q01A Wall mount included.	\$ 159.00	7331021043824	5	16	6	5

AXIS T93F10 OUTDOOR HOUSING 24VAC/12-24VDC	10		5900-271	Fixed box outdoor camera housing made of IK10 impact resistant and UV resistant polymer. IP66, NEMA 4X rated and UL listed. Powered by 24 V AC or 12-24 V DC. Temperature range -40C to -45C (-40F to 113F). Compatible with AXIS P13 Series and AXIS Q16 Series. AXIS T94Q01A Wall mount included.	\$ 239.00	7331021048317	5	6	15	5
AXIS T93F20 OUTDOOR HOUSING POE	10		5900-281	Fixed box outdoor camera housing made of IK10 impact resistant and UV resistant polymer. IP66, NEMA 4X rated and UL listed. Powered by PoE IEEE802.3af. Temperature range -40C to -45C (-40F to 113F). Compatible with AXIS P13 Series and AXIS Q16 Series. AXIS T94Q01A Wall mount included.	\$ 239.00	7331021043831	5	16	6	5
AXIS T93G05 PROTECTIVE HOUSING	10		5506-491	Tailor-made light weight IP66- and IK10-rated housing for AXIS M1124/M1125. Operating temperature: -20 °C to 50 °C (-4 °F to 122 °F). Material: IK10 impact-resistant polymer. Wallmount included.	\$ 119.00	7331021047747	5	9	20	7
AXIS SUNSHIELD A	10		5504-941	Accessory sunshield and weather protection for AXIS T93F Housing Series	\$ 34.00	7331021043800	1	17	7	4
AXIS T96A05-V DOME HOUSING BLACK	5	EOL	5032-061	Black vandal resistant housing for AXIS M50 series. IK10 and IP66 rated.	\$ 129.00	7331021004733	2	10	10	5
AXIS T96A05-V DOME HOUSING WHITE	5	EOL	5032-051	White vandal resistant housing for AXIS M50 series. IK10 and IP66 rated.	\$ 129.00	7331021004474	2	10	10	5
AXIS T96B05 OUTDOOR HOUSING	10		5505-911	Outdoor housing for AXIS P39-R cameras. Enables P39-R cameras to be mounted outside vehicles such as buses, trams, trucks and emergency vehicles. Includes lens tool and top cover tool.	\$ 99.00	7331021047723	1	8	8	4
AXIS T98A15-VE SURVEILLANCE CABINET	20		5900-151	IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included.	\$ 269.00	7331021003675	10	15	13	7
AXIS T98A16-VE SURVEILLANCE CABINET	10		5900-161	IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. The camera is mounted on the door of the cabinet. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included. Compatible cameras: AXIS M111X-E, P13XX-E, Q16XX-E, Q1755-E, Q191X-E Q192X-E.	\$ 269.00	7331021003682	10	15	13	7
AXIS T98A17-VE SURVEILLANCE CABINET	20		5900-171	IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. The camera is mounted on the door of the cabinet. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included. Compatible cameras: AXIS P33-VE/-LVE.	\$ 269.00	7331021003699	10	15	13	7
AXIS T98A18-VE SURVEILLANCE CABINET	50		5900-181	IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. The camera is mounted on the door of the cabinet. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included. Compatible products: AXIS T91B61 Wall bracket for use with AXIS P55, P56, Q60 and Q61-series or fixed dome pendant kits.	\$ 269.00	7331021003705	10	15	13	7
AXIS T98A19-VE SURVEILLANCE CABINET	10		5900-321	IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. The camera is mounted on the door of the cabinet. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included. Compatible products: AXIS P5414-E/15-E.	\$ 269.00	7331021007529	10	15	13	7
AXIS T98A SUNSHIELD	10		5503-551	Metal sunshield for AXIS T98A-VE Surveillance Cabinet series. Reduces the temperature inside the cabinet, caused by sun radiation, with up to 15°C (27°F).	\$ 74.00	7331021001435	4	9	5	14
AXIS CABINET LOCK A	10		5505-651	Door lock for AXIS T98A surveillance cabinet. Uses a generic key but it is possible to change locking cylinder to a unique key solution (not supplied from Axis)	\$ 59.00	7331021046085	1	3	9	2
CORRIDOR FORMAT BRACKET A	10		5504-931	The corridor format bracket makes it possible to mount a camera rotated 90 degrees inside the AXIS T93F05 and AXIS T93F20 housings to enable a vertically oriented, "portrait"-shaped video stream from the camera. Includes built-in camera heater (only applicable when mounted in AXIS T93F20).	\$ 39.00	7331021043794	0	5	5	4
CORRIDOR FORMAT BRACKET B	10		5506-381	The corridor format bracket makes it possible to mount a camera rotated 90 degrees inside the AXIS T93F10 housing to enable a vertically oriented, "portrait"-shaped video stream from the camera. Included with built-in camera heater.	\$ 39.00	7331021047150	0	5	5	4
AXIS T92E CAMERA HOLDER PLATE C	5		5505-331	Camera holder plate for mounting an AXIS Q1614 in a AXIS T92E05 and AXIS T92E20 housing. Or change the camera unit inside an AXIS P135X-E outdoor camera.	\$ 19.00	7331021043909	0	6	4	1
AXIS T92E CAMERA CHANGE KIT A	5		5505-341	Kit for mounting an AXIS Q1614 in a AXIS T92E05/AXIS T92E20 housing produced before 2014. Or change the camera unit inside an AXIS P134X-E outdoor camera.	\$ 39.00	7331021043916	1	11	10	5
AXIS M3004-V/05-V BLACK COVER 10PCS	5	EOL	5503-591	Clip on black cover for AXIS M3004-V and AXIS M3005-V.	\$ 99.00	7331021002098	1	8	5	5
AXIS M3004-V/05-V WHITE COVER 10PCS	20	EOL	5503-601	Clip on white cover for AXIS M3004-V and AXIS M3005-V.	\$ 99.00	7331021002104	1	8	5	5
AXIS M3006-V/07-PV COVER WHITE 10PCS	20	EOL	5503-621	Clip on white cover for AXIS M3006-V and AXIS M3007-PV. 10 pcs.	\$ 99.00	7331021002128	1	13	6	6

AXIS M3044-V/45-V/46-V VIEW PROT 5P	10		5507-441	Viewing protector that makes it harder to see where the camera is aiming. For use when the camera is used without dome. 5 pcs.	\$ 39.00	7331021053205	0	6	8	2
ACC CVER DME AXIS M301X MIX 10PCS	20	EOL	5502-341	Mixed covers with clear bubble for AXIS M3011 and AXIS M3014 Network Cameras. Includes 3 black, 3 silver, 3 gold and 1 white cover.	\$ 149.00	7331021027169	1	9	8	4
ACC CVER DME AXIS M301X BLCK 10PCS	5	EOL	5502-181	Black cover with clear bubble for AXIS M3011 and AXIS M3014. 10 pack	\$ 149.00	7331021025363	1	9	8	4
ACC CVER DME AXIS M301X SIL 10PCS	5	EOL	5502-191	Silver cover with clear bubble for AXIS M3011 and AXIS M3014 Network Cameras. 10 pack.	\$ 149.00	7331021025370	1	9	8	4
ACC CVER DME AXIS M301X GOLD 10PCS	20	EOL	5502-201	Gold cover with clear bubble for AXIS M3011 and AXIS M3014 Network Cameras. 10 pack.	\$ 149.00	7331021025387	1	9	8	4
AXIS M3024/25/26/27 COVER WHT 10PCS	20		5504-071	White cover skins compatible with AXIS M3024/M3025/M3026/M3027 for covering screws or simplify the painting process.	\$ 129.00	7331021052864	2	15	6	6
AXIS M3024/25/26/27 COVER BLK 10PCS	10		5504-061	Black cover skins compatible with AXIS M3024/M3025/M3026/M3027 for covering screws or simplify the painting process.	\$ 129.00	7331021006249	1	15	6	6
AXIS M30 SKIN COVER A BLACK 4P	10		01463-001	4-pack. Outdoor-ready skin covers compatible with AXIS M3057/58-PLVE cameras for changing the appearance of the camera, simplify re-painting and covering screws. Black color.	\$ 79.00	7331021063631	1	0	0	0
AXIS M30 CASING A BLACK 5P	100		5507-431	Black accessory casing for AXIS M3044-V/45-V/46-V. Replaces the white original casing. 5 pcs.	\$ 79.00	7331021053199	1	6	16	5
AXIS M30 VANDAL CASING A 5P	10		5901-131	Vandal-resistant (IK 08-rated) white casing with clear dome for M3047/48-P. 5 pcs.	\$ 99.00	7331021057784	0	0	0	0
AXIS M30 SM DETECT CASING A 5P	10		5901-151	Highly discreet white casing with smoke-detector look for AXIS M3047/48-P. 5 pcs.	\$ 79.00	7331021057807	0	11	10	2
AXIS M30 CASING B BLACK 5P	10		5901-121	Black accessory casing for AXIS M3047/48-P. Replaces the white original casing. 5 pcs.	\$ 79.00	7331021057777	0	11	10	2
AXIS M30 COVER RING A BLACK 4P	10		01492-001	4-pack of black accessory cover ring for AXIS M3015-V/16-V. Magnetic attachment. Replaces the original white cover ring. Dome not included.	\$ 59.00	7331021064027	1	6	13	4
AXIS M55 SMOKED DOME A	10		01607-001	Smoked dome in polycarbonate. IK09 vandal resistant. Compatible with AXISM5525-E. Single pack.	\$ 39.00	7331021065796	0	7	7	2
AXIS Q35-V SKIN COVER A BLACK 5P	5	EOL	5505-121	Skin covers compatible with AXIS Q3505-V for changing the appearance of the camera, simplify re-painting or covering screws. Black color. 5 pcs	\$ 79.00	7331021046252	1	7	7	10
AXIS P32 SKIN COVER C BLACK 5P	20		5506-031	5-pack. Skin covers compatible with AXIS P32-V cameras for changing the appearance of the camera, simplify re-painting or covering screws. Black color.	\$ 79.00	7331021046207	1	7	7	10
AXIS P56 SKIN COVER D	5		5506-161	Spare part skin covers for the AXIS P56 Series. Both the camera cover and the ring around the dome are included. 5 pcs.	\$ 129.00	7331021048096	4	21	15	6
AXIS P39-R SKIN COVER WHITE 10P	20		5505-991	Skin covers compatible with AXIS P39-R cameras for changing the appearance of the camera, simplify re-painting or covering screws. White color. 10 pcs.	\$ 149.00	7331021045620	0	0	0	0
AXIS P39-R SKIN COVER BLACK 10P	10		5506-001	Skin covers compatible with AXIS P39-R cameras for changing the appearance of the camera, simplify re-painting or covering screws. Black color. 10 pcs.	\$ 149.00	7331021045637	0	5	9	5
AXIS F8214 DOME ACC 4PCS	100		5506-501	AXIS F8214 Dome Accessory (4 pieces). Dome accessory for use with AXIS F1004 Sensor Unit. Can be mounted on walls and ceilings. Can be used with or without bubble.	\$ 59.00	7331021047983	1	7	7	2
AXIS SMOKED DOME M3004/05 5PCS	20	EOL	5504-031	Smoked domes for AXIS M3004-V and and M3005-V. 5pcs.	\$ 229.00	7331021006713	1	5	4	6
AXIS M3006 SMOKED DOME 5PCS	5		5504-011	Original white top cover with smoked dome for AXIS M3006, 5pcs.	\$ 249.00	7331021006461	1	6	8	5
AXIS M320X DOME KIT SM BLK	20		5503-191	Interchangeable black casing with smoked dome for AXIS 216FD, AXIS M32 Series, AXIS P3301 and P3304.	\$ 29.00	7331021036642	1	10	7	4
AXIS M3025/26 SMOKED DOME 5PCS	10		5505-861	Smoked domes for AXIS M3025-VE, M3026-VE. 5 pcs.	\$ 249.00	7331021045873	1	9	6	3
AXIS M3044-V/45-V/46-V SM DOME 5P	10		5507-421	Smoked dome for AXIS M3044-V/45-V/46-V SM DOME. 5 pcs.	\$ 99.00	7331021053182	0	3	15	2
AXIS M3104/5/6-L BLACK CASING 5P	10		5801-401	Black accessory casing for AXIS M3104-L/05-L/06-L. Replaces the white original casing. 5 pcs.	\$ 79.00	7331021052475	1	6	9	4
AXIS M3104/5/6-LVE BLACK CASING 5P	10		5801-411	Black accessory casing for AXIS M3104-LV/5-LV/6-LV. Replaces the white original casing. 5 pcs.	\$ 89.00	7331021052482	1	6	9	4
AXIS P32 CASING A BLACK 5PCS	10		5901-461	Black accessory casing for AXIS P32-VE and P32-LVE outdoor cameras. Replaces the white original casing. Includes anti-loss screws, conduit side covers. 5 pcs per pack.	\$ 129.00	7331021060760	2	7	11	7
AXIS P32-V SMOKED DOME A 5P	20		5506-021	Smoked domes for AXIS P32-V Series, 5 pcs	\$ 169.00	7331021046160	1	6	5	7
AXIS P32-VE SMOKED DOME A 5P	10		5506-461	Smoked dome for AXIS P32-VE Series, 5 pcs	\$ 169.00	7331021047679	1	5	5	7
AXIS P3346 DOME KIT CL BLACK	10		5503-151	Black cover with clear dome for AXIS P3346.	\$ 29.00	7331021003279	1	11	10	5
AXIS P33 CASING A BLACK	10		01546-001	Black accessory casing for AXIS P33-VI-LV indoor cameras. Replaces the white original casing. Includes anti-loss screws, conduit side covers. Domes sold separately.	\$ 49.00	7331021064782	1	6	7	2
AXIS P33 SMOKED DOME A 4PCS	10		01547-001	Smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X cameras. 4x domes per pack.	\$ 119.00	7331021064799	1	6	7	5
AXIS P54 SMOKED DOME	20		5800-761	Smoked dome for AXIS P54-series.	\$ 49.00	7331021007413	1	8	8	4
AXIS P5624-E/35-E SMOKED DOME	10		5506-151	Smoked dome for AXIS P56 Series cameras.	\$ 49.00	7331021048119	1	4	9	9

TOP COVER AXIS M311X-R BL 10PCS	20	EOL	5700-661	Black top cover including dome and screws for AXIS M311X-R. 10 pcs. Approved for use in buses and trams. Not for trains.	\$ 249.00	7331021032705	1	11	10	5
AXIS P3364-LV DOME KIT BLACK	20	EOL	5504-401	Dome kit for AXIS P3364-LV. The dome is pre-mounted in a black top cover casing.	\$ 49.00	7331021005549	1	11	10	5
AXIS Q35-LV SKIN COVER A BLACK 5P	10		01157-001	Skin covers in black, compatible with AXIS Q35-LV indoor cameras. Simple to repaint in other colours, and prevents unwanted access to the cameras' screws. Black in color. 5 pieces per pack.	\$ 79.00	7331021061170	1	7	7	10
AXIS Q35-LVE SKIN COVER A BLACK 2P	10		01529-001	2-pack of skin covers in black, compatible with AXIS Q35-VE/-LVE outdoor cameras. Simple to repaint in other colors, and prevents unwanted access to the cameras' screws. Black in color. 2 pieces per pack.	\$ 79.00	7331021064584	1	8	8	8
AXIS Q35-VE SKIN COVER A BLACK 5P	20	EOL	01158-001	Skin covers in black, compatible with AXIS Q35-VE/-LVE outdoor cameras. Simple to repaint in other colours, and prevents unwanted access to the cameras' screws. Black in color. 5 pieces per pack.	\$ 79.00	7331021061187	2	7	15	7
AXIS Q3505-V SMOKED DOME 5P	5	EOL	5505-601	Smoked dome for AXIS Q3505-V. 5 pcs	\$ 179.00	7331021046153	1	6	5	7
AXIS Q35 SMOKED DOME A 5PCS	10		01183-001	Smoked dome with anti-scratch hard coating. Compatible with AXIS Q3517-LV/-LVE. 5x domes per pack.	\$ 199.00	7331021061743	2	6	26	3
AXIS Q3505-VE SMOKED DOME 5P	5	EOL	5505-621	Smoked dome for AXIS Q3505-VE. 5pcs	\$ 199.00	7331021046290	1	6	5	7
AXIS Q3517-SLVE NYLON DOME 2P	20		01585-001	Accessory clear dome in a special nylon blend with anti-scratch hard coating. IK10+ vandal-resistant with superior chemical resistance. Compatible with AXIS Q3517-SLVE but not recommended to use with IR illumination. 2x domes per pack.	\$ 159.00	7331021065598	1	6	6	8
AXIS Q36-VE SMOKED DOME	200		5801-501	Smoked dome with anti-scratch hard coating. Compatible with AXIS P38 and AXIS Q36 series.	\$ 49.00	7331021053557	1	7	7	5
AXIS Q37 SMOKED DOME A	10		5901-431	Smoked dome with anti-scratch hard coating. Compatible with AXIS Q3708-PVE and Q3709-PVE. Single pack.	\$ 59.00	7331021060739	1	7	7	5
AXIS Q603X-E CLEAR DOME	10		5503-001	Stand alone clear dome for the AXIS Q603X-E with slightly decreased optical quality compared to the HD dome version, but with the line higher up to enable greater tilt without distortion.	\$ 39.00	7331021034624	1	11	10	5
AXIS Q60-S SMOKED DOME A	20		5504-791	Smoked dome in a special nylon blend with superior stress and chemical resistance. Compatible with AXIS Q604x-S and Q6055-S cameras. Single-pack.	\$ 79.00	7331021045354	1	10	7	4
AXIS Q6114-E/15-E CLEAR DOME	10		5507-281	Standard clear dome for AXIS Q6114-E/Q6115-E.	\$ 59.00	7331021050891	1	7	7	5
AXIS Q6114-E/15-E CLEAR DOME 5P	10		5506-521	Standard clear dome for AXIS Q61 Series, 5 pcs	\$ 269.00	7331021048003	2	13	7	7
AXIS Q6128 HARD-COATED CLEAR DOME	10		5801-791	Hard coated scratch resistant clear dome for AXIS Q6128-E	\$ 89.00	7331021055810	1	7	7	4
AXIS Q8414-LVS IR WINDOW B 5P	10		5506-371	Accessory IR window without microphone hole. 5 pcs.	\$ 119.00	7331021047587	0	3	4	2
AXIS Q8414-LVS SMOKED DOME 5P	20		5506-301	Smoked dome for hiding the direction of the camera. Compatible with AXIS Q8414-LVS. 5 pcs.	\$ 99.00	7331021047495	0	5	5	4
ACC DOME AXIS 212PTZ-V GLASS CLEAR	20		5502-091	Vandal-resistant casing with clear transparent cover as a spare part for AXIS 212PTZ-V.	\$ 69.00	7331021024144	1	22	15	11
AXIS Q3505-SVE CLEAR DOME 2P	5		5506-701	Standard clear dome for AXIS Q3505-SVE. 2pcs	\$ 89.00	7331021059207	1	6	6	8
ACC DOME AXIS 216FD-V GLASS CLEAR	10		5005-051	Vandal-resistant casing with clear transparent cover. Can also upgrade an AXIS 216FD/216MFD/P330X/M320X to an AXIS 216FD-V/216MFD-V/P330X-V/M320X-V.	\$ 69.00	7331021018945	1	10	7	4
ACC TOP CLEAR ASS 216FD BLACK	5		5500-821	Interchangeable black casing for AXIS 216FD, AXIS M32 Series, AXIS P3301 and P3304 Network Cameras with transparent cover.	\$ 29.00	7331021022065	1	10	7	4
ACC DOME AXIS 23XD+ SMOKED COVER	5		5500-201	Smoked plastic dome for AXIS 231/232D+ dome cameras	\$ 28.00	7331021018464	1	10	7	4
ACC DOME UPGR KIT AXIS 233D CL/SM	10		5500-601	Clear and Smoked plastic dome for AXIS 233D dome cameras	\$ 69.00	7331021021655	4	8	9	7
CLEAR BUBBLE FUSIONDOMES	20		25741	Clear Bubble for AXIS Pendant Fusion Dome (Spare Part)	\$ 69.00	7331021016392	6	0	0	0
SMOKED BUBBLE FUSIONDOMES	20		25740	Smoked Bubble for AXIS Pendant Fusion Domes (Spare Part)	\$ 69.00	7331021016385	6	0	0	0
ECP081208 PS 24V UL	10	Built to order	5801-931	The power supply is UL certified and made of epoxy powder coated copper free aluminum with stainless steel cover bolts and hinges. It is pre-mounted with fuses, terminals, RJ45 coupler and 115/230 V AC transformer, which provides 24 V AC for Explosion Protected Cameras. The cabinet has 3 open 3/4"NPT cable entries and a fourth plugged entry and is Class I, Div 1 & 2, Class II, Div 1 & 2, Class 3, cUL to CSA C22.2 No. 30, No. 25 and NEMA 3 & 4 certified for temperatures between -40°C and +55°C. Weight is 67.3 lb (30.5 kg).	\$ 7,199.00	7331021056718	77	18	26	19
EX POLE BRACKET XF40	10	Built to order	5507-191	The Electro-polished 316L stainless steel pole bracket is specifically designed for top mounting installations of XF40 and suitable for onshore, offshore, marine and heavy industrial applications. It features a swivel movement of pan ±90° and tilt ±45° and its weight is 1.1kg.	\$ 449.00	7331021050440	3	5	6	3
EX WALL MOUNT XF40	10	Built to order	5507-201	Electro-polished 316L stainless steel wall mount for XF40, designed for onshore, offshore, marine and heavy industrial applications. Can also be used in conjunction with Bracket Pole Clamp Adaptor XF40 EX for pole mounting. It features a swivel movement of pan ±90° and tilt ±45° and its weight is 2.5 kg.	\$ 899.00	7331021050457	6	11	11	15

EX WALL MOUNT XF60	10	Built to order	01171-001	Electro-polished 316L stainless steel wall mount for XF60, designed for onshore, offshore, marine and heavy industrial applications. Can also be used in conjunction with Ex pole mount XF40, for pole mounting. It features a swivel movement of pan ±90° and tilt 60° down.	\$ 999.00	7331021061330	13	8	21	8
EX WALL MOUNT XP40	10	Built to order	5507-211	Electro-polished 316L stainless steel wall mount for XP40, designed for onshore, offshore, marine and heavy industrial applications. Weight 14 kg.	\$ 799.00	7331021050464	49	25	30	12
EX POLE MOUNT XF40	10	Built to order	5507-221	Pole mounting explosion protected fixed network cameras is made simple using this electro-polished 316L stainless steel Ex Pole mount XF40, accompanied by the requisite Ex Wall Mount XF40. The Ex Pole Mount XF40 is specifically designed to mount Ex Wall Mount XF40 to poles of a diameter from 90mm to 120mm. Weight 4.2 kg.	\$ 599.00	7331021050471	11	7	10	8
WALL MOUNT D201-S XPT	20	Built to order	01521-001	316L Stainless steel wall mount for use with D201-S AXIS Q6055 explosion-protected camera.	\$ 449.00	7331021064546	25	10	15	4
POLE MOUNT D201-S XPT	10	Built to order	01522-001	316L Stainless steel pole mount adapter for the D201-S AXIS Q6055 explosion-protected camera. To be used together with Wall Mount D201-S.	\$ 749.00	7331021064553	7	10	10	10
CORNER MOUNT D201-S XPT	10	Built to order	01571-001	316L Stainless steel corner mount adapter for the D201-S AXIS Q6055 explosion-protected camera. To be used together with Wall Mount D201-S.	\$ 999.00	7331021065086	13	12	20	12
WALL MOUNT EXCAM XF	10	Built to order	01569-001	Stainless steel (1.4404 / 316L) wall bracket for fixed explosion-protected cameras in the ExCam range, includes hinge and mounting material.	\$ 1,099.00	7331021065062				
POLE MOUNT EXCAM XF	10	Built to order	01570-001	Stainless steel (1.4404 / 316L) pole mount, to be used with Wall Mount Excam XF. Mounting material included.	\$ 1,099.00	7331021065079				
WALL MOUNT F101 XF	20	Built to order	01721-001	Stainless steel (316L) wall mount for F101-A XF explosion-protected cameras. Compatible with Pole Mount D201-S XPT and Corner Mount D201-S XPT.	\$ 749.00	7331021066953	10	13	14	11
AXIS 1.5" NPS/NPT MALE COUPLER	20		01706-001	1.5" NPT Male-to-Male coupler used to connect any AXIS Pendant Kit (e.g.: AXIS T94A01D) to a legacy mount with Female NPT or NPS thread (e.g.: 3rd party wall mount). Useful in retrofitting legacy cameras in existing installations. Lock nut included. Material:Aluminum with black anodizing.  Note: The National Pipe Taper (NPT) is a U.S. standard for tapered threads used on threaded pipes and fittings. The National Pipe Straight (NPS) threads are straight (parallel). Both NPT and NPS have the same thread angle, shape, and pitch (threads per inch).	\$ 35.00	7331021066762	324	3	5	2
MOUNT CLAMP AXIS M10	5	EOL	5502-381	Clamp to mount AXIS M10 series. 1 pcs.	\$ 4.00	7331021028111	0	0	0	0
MOUNT CLAMP AXIS M10 10PCS	20	EOL	5502-391	Clamp to mount AXIS M10 series. 10 pack.	\$ 29.00	7331021028128	1	10	6	3
M10 STAND EXTENSION 10CM 10PCS	5		5502-701	AXIS M10-series 10 cm stand extension. 10 pcs. Cable clip included.	\$ 29.00	7331021031234	1	6	3	9
ACC RACK HOLDER 2400/2401 EUR	5		19273	19" Rack mount holder for up to 8 2401/2400 Video Servers.	\$ 449.00		7	0	0	0
AXIS T8640 WALL MOUNT BRACKET	20		5026-411	Wall mount bracket for AXIS T8640 Ethernet over Coax adapter base or device unit.	\$ 25.00	7331021001626	0	4	2	1
AXIS T8640 DIN RAIL CLIP	10		5026-431	DIN rail clip for AXIS 8640 Ethernet over Coax adapter.	\$ 22.00	7331021001640	0	5	2	2
AXIS T8642 MOUNTING KIT A	10		5506-291	Kit for mounting an AXIS T8642 e.g. inside an AXIS Q8414-LVS. Kit contents: cable tie 432mm (17 in) long, BNC male to female angled adapter and network cable 135 mm (5.3 in) long.	\$ 14.00	7331021047518	0	6	4	1
AXIS T8640 RACK MOUNT BRACKET	10		5026-421	Rack mount bracket for AXIS T8640 Ethernet over Coax adapter (8 units in 1U).	\$ 62.00	7331021001633	1	20	3	2
AXIS T90A61 BRACKET SINGLE	200		5013-611	Mounting bracket for one AXIS T90A illuminator.	\$ 49.00	7331021023307	2	16	12	7
AXIS T90A62 BRACKET TWIN	20		5013-621	Mounting bracket for two AXIS T90A illuminators.	\$ 65.00	7331021023314	4	24	13	5
AXIS T90A63 BRACKET WALL L MOUNT	20		5013-631	L shaped wall bracket which provides up/down and left/right adjustment when used with the standard brackets on AXIS T90A/T90B series illuminators.	\$ 39.00	7331021023321	0	11	3	12
AXIS T90A66 BRACKET POLE CLAMP	200		5013-661	Pole bracket for AXIS T90A illuminators.	\$ 89.00	7331021023352	2	11	8	2
AXIS T91A02 DIN RAIL CLIP 77MM	10		5017-027	DIN rail clip for AXIS Q7401, AXIS P8221 and AXIS 7701.	\$ 12.00	7331021035812	0	1	4	3
AXIS T91A02 DIN RAIL CLIP 86MM	10		5017-028	DIN rail clip for AXIS M7014 and AXIS P7214	\$ 12.00	7331021035829	0	4	3	1
AXIS T91A03 DIN RAIL MOUNT	20		5503-194	DIN rail clip for AXIS Q7424-R.	\$ 19.00	7331021001343	0	6	4	2
AXIS T91A04 CAMERA HOLDER ¾" NPS	50		5017-041	Holding device for pendant mounted cameras. For use with ¾" pipes with NPS or NPT threading. Compatible with all cameras with standard tripod threading.	\$ 29.00	7331021037588	1	5	5	4
AXIS T91A05 CAMERA HOLDER 1.5" NPS	20		5017-051	Holding device for pendant mounted cameras. For use with 1.5" pipes with NPS or NPT threading. Compatible with all cameras with standard tripod threading.	\$ 29.00	7331021037595	1	5	5	4
AXIS T91A06 PIPE ADAPTER ¾-1.5"	400		5503-091	Pipe adapter step up from ¾" NPT thread to 1.5" NPS thread. Compatible with all pendant kits that are made for the AXIS T91A range of brackets.	\$ 12.00	7331021035706	0	8	6	0
AXIS T91A10 MOUNTING KIT	50		5507-331	Plastic mounting kit with stand and clamp for flexible mounting of Axis products with tripod thread.	\$ 19.00	7331021051034	0	4	6	1
AXIS T91A11 STAND WHITE	50		5017-111	Plastic camera stand. Original stand for the AXIS M11-series.	\$ 15.00	7331021032668	0	3	3	6
AXIS T91A13 THREADED CEIL MOUNT 10P	10		01464-001	10-pack threaded ceiling mount for quick installation under ceiling tiles. Compatible with cameras with standard 1/4"-20 UNC tripod thread. Total length 80mm (3") with thread length 65mm (2.5"). Threaded rod in nylon, counter nut with friction pad. 10-piece bulk pack.	\$ 39.00	7331021063648	0	7	7	2

AXIS T91A23 TILE GRID CEIL MNT 4P	50		01612-001	4-pack of ceiling mount accessory for mounting Axis cameras and stands on a variety of drop-ceiling tile grid system. Compatible with Axis Safety Wire. Color: Axis white. Bulk pack. Suitable tile grid (T-bar) dimensions: 15mm(0.6in)/24mm(0.9in)/35mm(1.4in). Suitable ceiling tiles type: square-edge, tegular edge.	\$ 79.00	7331021065840	1	5	7	4
AXIS T91A33 LIGHT TRACK MNT 4P	10		01467-001	4-pack of lighting track mounts. Color: white. Compatible with universal 3-circuit lighting track systems and selected linear trunking systems. Compatible with a wide range of Axis cameras and camera stands.	\$ 79.00	7331021063679	1	5	7	4
AXIS T91A33 LIGHT TRACK MNT BLK 4P	10		01474-001	4-pack of lighting track mounts. Color: black. Compatible with universal 3-circuit lighting track systems and selected linear trunking systems. Compatible with a wide range of Axis cameras and camera stands.	\$ 79.00	7331021063747	1	5	7	4
AXIS T85 RACK MOUNT KIT A	10		01232-001	Rack mount kit for AXIS T8508 PoE+ Network Switch	\$ 29.00	7331021062399	0	3	7	2
AXIS T91B21 STAND WHITE	20		5506-611	White aluminum stand for wall or hard ceiling mount. A cable hole in the base of the stand makes it possible to hide the hole in the wall out of which the cable is routed. A snap on cover gives a clean look without visible screws. Compatible with all standard tripod thread cameras e.g. AXIS M11, P13, Q16 series.	\$ 29.00	7331021048928	1	8	7	4
AXIS T91B21 STAND BLACK	10		5506-621	Black aluminum stand for wall or hard ceiling mount. A cable hole in the base of the stand makes it possible to hide the hole in the wall out of which the cable is routed. A snap on cover gives a clean look without visible screws. Compatible with all standard tripod thread cameras e.g. AXIS M11, P13, Q16 series.	\$ 29.00	7331021048935	1	8	6	3
AXIS T91A27 POLE MOUNT 10PCS	10		5503-971	Pole mount bracket compatible with all cameras with standard tripod threading (1/4"-20 UNC)	\$ 29.00	7331021005020	1	11	4	2
AXIS T91A47 POLE MOUNT 60-110MM	200	EOL	5504-701	AXIS T91A47 Pole Mount for Indoor and outdoor installations, for poles between 60-110 mm (2.4"-4.3") in diameter. AXIS T91A47 is compatible with all outdoor fixed and thermal cameras and most fixed outdoor dome cameras such as the AXIS P33-VE.	\$ 69.00	7331021006102	2	10	9	3
AXIS T91B47 100-410MM	400		01164-001	AXIS T91B47 Pole Mount for indoor and outdoor installations, for poles with diameter between 100-410 mm (4"-16"). Includes 1 pair of AXIS Stainless Steel Straps 1450mm (57") with TX30 screw interface for ease-of-installation. AXIS T91B47 is directly compatible with a wide range of Axis cameras.	\$ 85.00	7331021061248	2	9	10	3
AXIS T91B47 50-150MM	250		01165-001	AXIS T91B47 Pole Mount for indoor and outdoor installations, for poles with diameter between 50-150mm (2"-6"). Includes 1 pair of AXIS Stainless Steel Straps 570mm (22.5") with TX30 screw interface for ease-of-installation. AXIS T91B47 is directly compatible with a wide range of Axis cameras.	\$ 75.00	7331021061255	2	10	9	3
AXIS T91B57 POLE MOUNT 100-410MM	250		01470-001	Aluminum Pole Mount for indoor and outdoor installations, for poles with diameter between 100-410 mm (4"-16"). Includes 1 pair of AXIS Stainless Steel Straps 1450mm (57") with TX30 screw interface for ease-of-installation. AXIS T91B57 is compatible with mounts such as AXIS T91G61, T91H61, and AXIS T98A Surveillance Cabinet series. Color: Axis white.	\$ 115.00	7331021063709	5	10	11	4
AXIS T91B67 POLE MOUNT 65-165MM	500		01473-001	Outdoor-ready, powder-coated aluminum pole mount with 1.5" NPS thread for fixed dome pendant kits. Includes insect-proof cable gasket and 1 pair of stainless steel straps (with TX30 screw) for pole diameter between 65-165mm (2.5"-6.5"). White in color.	\$ 95.00	7331021063730	3	13	10	8
AXIS T91M47 POLE MOUNT	50		01149-001	Pole mount for our outdoor midspans and switch.	\$ 59.00	7331021061088	4	8	11	2
AXIS T91D61 WALL MOUNT	2000		5504-821	Chromated and powder coated aluminum wall mount with 1.5" NPS thread for fixed dome pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal and conduit hole cover. Color: White	\$ 84.00	7331021040564	4	13	10	7
AXIS T91E61 WALL MOUNT	1000		5506-481	Wall mount with internal cable canal for dome cameras with 1.5" NPS thread, compatible with Axis pendant kits. IK10 and NEMA 4X rated. Powder coated aluminum for indoor and outdoor installations.	\$ 39.00	7331021047693	1	5	7	4
AXIS T91G61 WALL MOUNT	500		5506-951	The aluminum IP66, NEMA 4X and IK10 rated AXIS T91G61 Wall Mount is designed to accommodate and safely protect accessories e.g. a midspan inside the mount. Quickly and easily connect power and data via the pre-mounted IP66 rated RJ45 connector. Compatible with AXIS Q3709, AXIS P55, P56, Q60 and Q61 Series cameras.	\$ 175.00	7331021049932	11	10	9	3
AXIS T91H61 WALL MOUNT	50		5507-641	AXIS T91H61 Wall Mount is designed with a built-in RJ45 cable and connectionto, and spacious compartment for connectivity accessories such as midspans and media converters. The wall mount is impact-resistant (IK10) and weather-resistant (IP66, NEMA 4X) for indoor and outdoor use. The 1.5" NPS thread mount ensures compatibility with all pendant kits for Axis fixed dome cameras.	\$ 175.00	7331021057067	11	9	17	11
AXIS T91F61 WALL MOUNT STAINLESS STEEL	10		5506-681	Wall mount for AXIS Q3505-SVE, made of stainless steel.	\$ 399.00	7331021051072	3	9	8	4

AXIS T91L61 WALL-AND-POLE MOUNT	2000		5801-721	Wall-and-Pole Mount for Axis PTZ and multi-sensor cameras. Built-in Ethernet cable with an IP66 RJ45 connector for quick installation with protection against dust and water. Connect PoE via either RJ45 or IDC (insulation-displacement contact) connectors. Suitable for both indoor and outdoor environments. Separate stainless steel straps required for pole installation.	\$ 99.00	7331021055568	5	8	13	7
AXIS T91K61 WALL MOUNT	10		5901-401	Marine-grade stainless steel wall mount for AXIS Q6055-S PTZ Network Camera. Compatible with stainless steel pole mount (sold separately).	\$ 399.00	7331021060395	4	5	7	3
AXIS T94J01A WALL MOUNT	20		5901-331	Aluminum wall mount for Axis positioning cameras and positioning units. Robust and impact-resistant. Compatible with Axis ACI 3/4" conduit adapters, and offers multiple cable entries. Cables can be routed through the back or, by using a conduit connection, from each side or from the bottom. Suitable for indoor and outdoor use.	\$ 199.00	7331021059955	13	25	11	11
AXIS T94J01A WALL MOUNT GREY	20		01445-001	Robust and impact-resistant aluminum wall mount for selected Axis PTZ and positioning cameras. Multiple cable entry points for 3/4" (M25) conduit pipes. Suitable for indoor and outdoor use. Color: Urban Grey.	\$ 229.00	7331021063433	12	10	17	11
AXIS T91D62 TELESCOPIC PARAPET MNT	250		5507-271	Made for parapet and wall installations. Telescopic arm with adjustable length between 783 mm (30.1 in) to 1033 mm (40.7 in) for compensating different parapet thicknesses or obstructive elements on the facade of the building. It can Swivel round its own axis 180 degrees, allowing mounting/maintain the camera easily and safely from the rooftop. The mount is intended for outdoor fixed and PTZ dome cameras supporting 1.5" NPS thread. A retrofit mounting bracket (optional accessory) makes it possible to reuse holes drilled for Pelco's PTZ dome parapet mount.	\$ 349.00	7331021052253	13	29	40	5
AXIS T91D62 ADAPTER MOUNTING BRACKET	10		5507-501	Retrofit adapter mount bracket for re-using holes drilled from Pelco's PTZ dome parapet mount, or for increasing the attachment area towards the parapet.	\$ 59.00	7331021052512	3	11	16	2
AXIS T91B62 PARAPET MOUNT	100		5504-631	Chromated and powder coated aluminum parapet mount compatible with fixed dome pendant kits and AXIS P55-series and AXIS Q60-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, conduit hole cover and AXIS T94A01D Pendant Kit for PTZ dome cameras. Color: White	\$ 189.00	7331021006560	11	32	19	5
AXIS T91B50 TELESCOPIC CEIL MNT	250		5507-451	Indoor/outdoor telescopic ceiling mount. Expands between 1 m (39") and 2 m (79"). Features a swivel action to prevent breaking if hit by forklifts or high vehicles. Can be mounted on a sloped ceiling. Accessory extension pipes (Not included) for a maximum length of 5 m (197"). Compatible with all Axis pendant kits featuring a 1,5" NPS thread and the AXIS T91A05 Camera holder for fixed cameras.	\$ 199.00	7331021051478	11	7	46	7
AXIS T91B51 CEILING MOUNT	250		5507-461	The indoor/outdoor ceiling mount is ideal for low ceiling installations such as parking houses, with swivel action to prevent breaking if hit. Can be mounted in a sloped ceilings/soffits to compensate angles up to 45 degrees. Available accessory extension pipes (Not included) of 30 cm (12") or 1 meter (39") to enable correct camera height for the specific environment. Compatible with all Axis pendant kits featuring a 1,5" NPS thread and the AXIS T91A05 Camera holder for fixed cameras.	\$ 119.00	7331021051553	3	7	8	7
AXIS T91B52 EXTENSION PIPE 30 CM	100		5507-491	Extension pipe for AXIS T91B50 and AXIS T91B51. Length 30 cm (12").	\$ 34.00	7331021052505	1	3	13	3
AXIS T91B52 EXTENSION PIPE 100 CM	100		5507-481	Extension pipe for AXIS T91B50 and AXIS T91B51. Length 100 cm (39").	\$ 49.00	7331021052499	4	3	41	3
AXIS T91B53 TELESCOPIC CEIL MNT 2P	50		01189-001	Twin-pack (bulk). Includes 2x indoor telescopic ceiling mounts, extendable between 1m to 1.8m (3.2 to 6ft) at 10cm (4") intervals. Compatible with Axis pendant kits and camera holder with 3/4" conduit interface. Suitable for vertical and horizontal mounting.	\$ 169.00	7331021061798	7	7	42	4
AXIS T91B63 CEILING MOUNT	200		5504-641	Chromated and powder coated aluminum ceiling mount 75 cm / 29.5 inch compatible with fixed dome pendant kits and AXIS P55-series and AXIS Q60-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, conduit hole cover and AXIS T94A01D Pendant Kit for PTZ dome cameras. Color: White	\$ 119.00	7331021006577	7	32	12	5
AXIS T91A64 BRACKET CORNER	500		5017-641	Corner Bracket. Requires AXIS T91A61 Wall Bracket. AXIS P55-series, AXIS Q60-series PTZ Dome Network Cameras, AXIS P33 Series Pendant kit, AXIS P33-VE Series Pendant kit, AXIS 225 Pendant kit and AXIS 216/P3301 Pendant kit. White.	\$ 79.00	7331021029798	4	14	8	8
AXIS T91C67 POLE BRACKET STAINLESS STEEL	5	EOL	5505-001	Stainless steel pole mount for AXIS Q60-S	\$ 149.00	7331021040656	3	9	7	5
AXIS T91F67 POLE MOUNT STAINLESS STEEL	10		5506-691	Pole mount bracket for AXIS Q35-SLVE stainless steel cameras. Compatible with AXIS T91F61 Wall mount. Made of marine-grade stainless steel. Includes 1 pair marine-grade (SS316L) stainless steel straps with TX30 screw interface for ease-of-installation. Straps length 1450mm (57"), suitable for pole diameter range 100-410mm (4"-16").	\$ 139.00	7331021051089	3	9	10	3



AXIS T91A6 PIPE SEAL 1PCS	20		5503-781	Pipe seal for AXIS T91A6, to protect from dust, water and bugs.	\$ 11.00	7331021003750	0	11	9	4
AXIS T94B02L CHANGE KIT 2P	20	EOL	5801-831	Kit for mounting an AXIS M3044-V/45-V/46-V in AXIS T94B01L Recessed mount. 2pcs	\$ 19.00	7331021056329	0	6	7	1
AXIS T93C WALL-POLE CONDUIT BACKBOX	10		5901-421	Aluminum conduit back box for wall or pole mount. Space for outdoor power supply, and electrical connection boxes. Steel straps for pole mount are sold separately. Recommended to use with POWER SUPPLY PS24 240W (not included).	\$ 199.00	7331021060715	4	8	14	7
AXIS T94A01C ATTACHMENT KIT	100		5901-301	For attaching AXIS Q61 PTZ network camera to AXIS Q6000-E MkII PTZ network camera.	\$ 99.00	7331021059702	2	10	10	6
AXIS T94A01D PENDANT KIT	1000		5502-431	Pendant kit for the AXIS Q60-series and AXIS P55-series PTZ Network Cameras, enables mount on standard 1,5" NPT threaded brackets. White.	\$ 49.00	7331021029354	1	10	6	3
AXIS T94A02D PENDANT KIT	10		5901-411	Marine-grade stainless steel pendant kit for AXIS Q60-S with 1.5" NPT male thread.	\$ 129.00	7331021060401	1	7	12	4
AXIS T94A01F CEILING BRACKET	10		5506-181	Bracket for mounting an AXIS P56 Series camera in a hard ceiling. For indoor and outdoor installations. 3/4" conduit hole, compatible with ACI adapters.	\$ 29.00	7331021048256	1	5	5	4
AXIS T94A02F CEILING BRACKET	50		5801-601	Aluminum ceiling bracket for Axis PTZ cameras and AXSI Q37 Series for indoor or outdoor use. 3/4" conduit hole on the side.	\$ 49.00	7331021054332	1	5	5	4
AXIS T94A01L RECESSED MOUNT	10		5505-721	Outdoor recessed mount for AXIS Q60-E cameras. Can be mounted in panels, wood or pre-made holes solid concrete. The mount is very sturdy and made of aluminum and stainless steel. It supports the IK10 impact rating of the camera and has two 3/4" conduit holes for a plenum rated and rodent safe installation.	\$ 249.00	7331021045835	6	13	13	11
AXIS T94A02L RECESSED MOUNT	100		5506-171	Outdoor recessed mount for AXIS P56 cameras. Also suitable indoor for recessed camera installations in plenum as the back box is made of metal and has a 3/4" hole for cable protection conduits.	\$ 139.00	7331021047358	3	13	13	8
AXIS T94A03L RECESSED MOUNT	20	EOL	5506-841	Recessed mount for AXIS P5514-E and P5515-E cameras. Also suitable indoor for recessed camera installations in plenum as the back box is made of metal and has a 3/4" hole for cable protection conduits.	\$ 139.00	7331021049451	4	13	13	8
AXIS T94A04L RECESSED MOUNT	10		5801-611	Indoor and outdoor recessed mount for AXIS Q61 Series. Suitable indoor for recessed camera installations in air handling spaces as the back box is made of metal and has a 3/4" hole for cable protection conduits.	\$ 139.00	7331021054349	4	0	0	0
AXIS T94B02D PENDANT KIT 10PCS	10		01159-001	Pendant kit for wall mount or ceiling mount. Compatible with Axis mounting accessories with 1.5" NPS thread. 3/4" threaded pipes can also be used with a nut for securing. Compatible with the small form factor of AXIS M20, M31-LV/-LVE, M30-V/-WV and Companion dome cameras. 10-pack.	\$ 199.00	7331021061194	2	8	8	4
AXIS T94B02D PENDANT KIT	500		5507-361	Pendant kit for wall mount or ceiling mount. Compatible with Axis mounting accessories with 1.5" NPS thread. 3/4" threaded pipes can also be used with a nut for securing. Compatible with the small form factor of AXIS M20, M31-LV/-LVE, M30-V/-WV and Companion dome cameras. Single pack.	\$ 29.00	7331021053144	0	2	5	0
AXIS T94B02D PENDANT KIT BLACK	400		01185-001	Pendant kit for wall mount or ceiling mount in black. Compatible with Axis mounting accessories with 1.5" NPS thread. 3/4" threaded pipes can also be used with a nut for securing. Compatible with the small form factor of AXIS M20, M31-LV/-LVE, M30-V/-WV and Companion dome cameras. Single pack.	\$ 29.00	7331021061767	0	5	4	2
AXIS T94B05L RECESSED MOUNT	250		01150-001	Indoor recessed mount for drop ceiling installation. The aluminum casing makes it suitable for use in air handling spaces. Compatible with AXIS M3044-V/M3045-V/M3046-V/M3047-V/M3048-V.	\$ 69.00	7331021061101	1	6	6	6
AXIS T94B03L RECESSED MOUNT	10		5801-861	Indoor recessed mount for drop ceiling installations. The aluminum casing makes it suitable for use in air handling spaces. Compatible with AXIS M2025/26 and AXIS Companion Bullet.	\$ 69.00	7331021056190	1	6	6	6
AXIS T94B02M J-BOX/GANG BOX PLATE	500		5801-421	Bracket for mounting a camera on a 4" square, 4" octagon, single or double-gang junction box. Compatible with AXIS M3044-V/M3045-V/M3046-V.	\$ 24.00	7331021052529	0	7	7	1
AXIS T94B01P CONDUIT BACK BOX	250		5507-401	Conduit back box for 1/2" or M20 pipes. Features the 1/2" ACI interface to enable use of ACI adapters. There is an integrated female tripod thread for use of standard camera stands or holders. Compatible with AXIS M3044-V/M3045-V/M3046-V.	\$ 19.00	7331021053151	0	4	5	2
AXIS T94B01S MNT BRACKET BLACK 10PCS	10		5504-531	Black mount bracket for mounting on standard tripod threading (1/4"-20 UNC) or single-gang junction box. Compatible with AXIS M3004-V/5-V.	\$ 49.00	7331021005587	1	9	6	3
AXIS T94B01S MNT BRACKET WHITE 10PCS	10		5503-911	White mount bracket for mounting on standard tripod threading (1/4"-20 UNC) or single-gang junction box. Compatible with AXIS M3004-V/5-V.	\$ 49.00	7331021004108	1	9	6	3
AXIS T94D01S MT BRACKET FL WT 10PCS	10		5504-911	White plastic adapter for mounting AXIS P3904-R and AXIS P3905-R on flat surfaces. Does not fit with AXIS P3915-R. Used when the cable must enter from the side. 10 pack.	\$ 29.00	7331021043886	1	5	9	5
AXIS T94D02S MT BRACKET CU WT 10PCS	20		5504-921	White plastic adapter for mounting AXIS P3904-R, AXIS P3905-R and AXIS P3915-R on curved surfaces. 10 pack.	\$ 29.00	7331021043893	1	5	5	5

AXIS T94F01D PENDANT KIT	50		5503-881	Indoor pendant kit for AXIS M3006/7, AXIS M3024-LVE/3025-VE/3026-VE. to enable use of AXIS T91A Brackets or 1.5"(NPT or NPS threaded) pipes. The camera network cable fits into the product and a RJ45 network cable coupler is included.	\$ 39.00	7331021004078	1	6	6	8
AXIS T94F02D PENDANT KIT	200		5900-021	Outdoor pendant kit for M3024-LVE/M3025-VE, P14 Series, to enable use of AXIS T91A Brackets or 1.5"(NPT or NPS threaded) pipes.	\$ 39.00	7331021005426	1	7	7	8
AXIS T94F01L RECESSED MOUNT	10		5503-901	Indoor recessed mount for drop ceiling installations. RJ45 network cable coupler included. Compatible with AXIS M3006-V/M3007-PV,AXIS M3024-LVE/M3025-VE/M3026-VE.	\$ 89.00	7331021004092	2	7	7	8
AXIS T94F02L RECESSED MOUNT	200	EOL	5504-871	Indoor recessed mount for drop ceiling installations. RJ45 network cable coupler included. Compatible with AXIS M3007-P	\$ 89.00	7331021041226	2	7	7	8
AXIS T94F01M J-BOX/GANG BOX PLATE	400		5503-921	Bracket for mounting on 4" square, 4" octagon, single or double-gang junction box. RJ45 network cable coupler included. Compatible with. Compatible with AXIS M3006/7, AXIS M3024-LVE/3025-VE/3026-VE, P14 Series.	\$ 29.00	7331021004658	0	7	7	1
AXIS T94F01P CONDUIT BACK BOX	200		5504-041	Backbox for AXIS M3006-V, AXIS M3007-P/PV, AXIS M3024-LVE/3025-VE/3026-VE/3027-PVE, P14 Series, which enables safe cabling through 1/2" (M20) conduits.	\$ 29.00	7331021008083	1	7	7	2
AXIS T94G01P CONDUIT BACK BOX	50		5505-181	Back box for 3/4" (M25) conduits/cable protection pipes. Compatible with AXIS Q1765-LE and AXIS Q1931-E.	\$ 29.00	7331021040687	1	7	9	2
AXIS T94H05L RECESS MOUNT-L	20	EOL	5504-051	Recessed mount for AXIS P3364-L. For indoor use in drop ceilings installations.	\$ 69.00	7331021006584	2	10	10	10
AXIS T94H01P CONDUIT BACKBOX	100		5034-111	Vandal resistant aluminum back box accessory for AXIS P33-/V series indoor cameras (except P3301/04) which enables safe cabling through 3/4" conduits.	\$ 39.00	7331021005389	2	9	7	3
AXIS T94K01D PENDANT KIT	1000		5505-081	Indoor pendant kit for AXIS P32-V Series- AXIS P33-/V and AXIS Q3505-V, compatible with Axis ceiling-/wall mounts, AXIS T91A67 Pole mount and 1.5" NPS threaded pipes.	\$ 39.00	7331021046061	1	8	7	3
AXIS T94K02L RECESSED MOUNT	500		01155-001	Indoor recessed mount compatible with mid-size indoor dome cameras such as: AXIS P32-V/-LV, AXIS P33-V and AXIS Q35-V/-LV series. Suitable for indoor installations in plenum spaces.	\$ 79.00	7331021061156	2	9	9	7
AXIS T94M01D PENDANT KIT	200		5505-091	Outdoor pendant kit for AXIS Q3505-VE compatible with Axis ceiling-/wall mounts, AXIS T91A67 Pole mount and 1.5" NPS threaded pipes.	\$ 59.00	7331021046078	1	9	9	4
AXIS T94M02L RECESSED MOUNT	100		01156-001	Outdoor recessed mount for mid-size outdoor dome cameras such as: AXIS P32-VE/-LVE, P33-VE/-LVE and Q35-VE/-LVE series. Suitable for outdoor installations in roof overhangs and soffits. Also suitable for indoor installations in plenum spaces.	\$ 109.00	7331021061163	4	10	10	8
AXIS T94M02D PENDANT KIT	1000		5507-511	AXIS T94M02D comprises a weather shield and a mounting adapter for AXIS P3707-PE Network Camera. The mounting adapter is compatible with 1.5-inch NPS thread. The kit enables AXIS P3707-PE to mounted on poles, parapets and outer corners using many AXIS T91 mounting accessories.	\$ 99.00	7331021052604	2	13	13	4
AXIS T94N01D PENDANT KIT	1000		01513-001	AXIS T94N01D Pendant Kit comprises a weathershield and a mounting adapter for AXIS P3717-PLE Network Camera. The mounting adapter is compatible with 1.5-inch NPS thread. The kit enables AXIS P3717-PLE to be mounted on walls, poles, parapets and outer corners using AXIS T91 mounting accessories.	\$ 89.00	7331021064348	1	11	11	2
AXIS T94N01G POLE MOUNT	50		5901-341	Stainless steel pole mount designed for use with heavier Axis products such as positioning cameras and positioning units. IK10. Includes 3pcs stainless steel straps included for pole diameter 60-400mm (2.4-15.7in) and sealing gaskets for multiple cable entries with protection against insect infestation.	\$ 199.00	7331021059962	5	11	12	3
AXIS T94P01B CORNER BRACKET	20		5504-711	Corner mount for AXIS P5414-E/15-E, AXIS Q1765-LE, AXIS Q1931-E and AXIS P33-VE series.	\$ 79.00	7331021007987	3	16	7	9
AXIS T94P01L RECESSED MOUNT	100		01172-001	Indoor and outdoor recessed mount for AXIS M55 Series. Suitable for air-handling spaces in indoor installations as the enclosure is made of metal and has a 3/4" (M25) conduit hole for protected cable-routing. UL-approved.	\$ 99.00	7331021061347	3	11	12	5
AXIS T94Q01A WALL MOUNT	20		5505-241	Wall mount compatible with all Axis outdoor fixed box cameras and housings. Corrosion tested according to NEMA 4X, UL listed and IK10 rated.	\$ 44.00	7331021042186	2	9	6	3
AXIS T94Q01F CEILING AND COLUMN MNT	10		5507-591	The powder-coated aluminum AXIS T94Q01F for AXIS fixed box outdoor ready cameras and housings, can be used for both ceiling/soffit and column/parapet installations. This allows Axis' fixed camera housings to be mounted under hard surfaces such as ceilings, beams, soffits and canopies. It can also be mounted on pole or column tops, parapets and other horizontal building structures. Re-direction and maintenance of the camera is easy thanks to the swivel arm feature. The cable is routed through the pipe, and is never exposed to weather or potential vandalism. Cable conduits and Axis' conduit adapters (3/4" dimension) are used for cable protection when routed from the side.	\$ 109.00	7331021054424	4	12	14	5

AXIS T94R01B CORNER BRACKET	100		5507-601	The powder-coated aluminum AXIS T94R01B Corner Bracket is used for attaching the wall mount of Axis' camera housing to the outer corners of a building. AXIS T94R01B Corner Bracket is compatible with AXIS T91E61 Wall Mount for fixed dome cameras. Small-size fixed dome and bullet-style cameras can also be mounted, thanks to the included and commonly used hole pattern of a single gang junction box.	\$ 59.00	7331021054431	1	6	9	4
AXIS T94R01P CONDUIT BACK BOX	250		5505-141	Back box to enable external cable entry or use of cable protection equipment. Hole for 3/4 inch conduits or M25 cable protection pipes. Compatible with AXIS T94Q01A Wall mount, all AXIS M11-E/P13-E/Q16-E/Q1755-E/Q1910-E/21-E/22-E outdoor fixed box camera wall mounts and AXIS T92E Series and AXIS T93E05 Fixed camera housings.	\$ 34.00	7331021042124	1	6	7	3
AXIS T94S01L RECESSED MOUNT	250		5507-671	Indoor recessed mount for drop ceiling installations. Single-screw ceiling attachment for quick and easy installation. Not suitable for air-handling (plenum) spaces. Compatible with AXIS P32-V/-LV series.	\$ 42.00	7331021058163	1	7	11	3
AXIS T94S01L RECESSED MOUNT 10P	10		5901-361	Indoor recessed mount for drop ceiling installations. Single-screw ceiling attachment for quick and easy installation. Not suitable for air-handling (plenum) spaces. Compatible with AXIS P32-V/-LV series. 10-pack.	\$ 399.00	7331021059993	9	16	19	8
AXIS T94S02L RECESSED MOUNT	50		01462-001	Indoor recessed mount for ceiling/wall installations. Compatible with AXIS M3057/58-PLVE cameras. Single-screw ceiling attachment for quick and easy installation. Not suitable for air-handling (plenum) spaces.	\$ 49.00	7331021063624	1	3	11	7
AXIS T94S01P CONDUIT BACK BOX	500		01190-001	Outdoor-ready, impact resistant (IK10+) back box with sealed compartment (IP66/67) for secure storage of connectivity devices. 3/4" / M25 conduit interface from both side and back. Can be mounted directly behind a wide range of Axis network cameras. Includes a network cable and extra gaskets.	\$ 119.00	7331021061804	2	8	9	2
AXIS T94T01D PENDANT KIT	2000		5505-871	Outdoor pendant kit for AXIS P32-VE Series, compatible with Axis ceiling-/wall mounts, AXIS T91A67 Pole mount and 1.5" NPS threaded pipes.	\$ 49.00	7331021046146	1	8	7	3
AXIS T94T02D PENDANT KIT	100		01461-001	Outdoor pendant kit for AXIS M30-PLVE Series. Weathershield made from impact-, UV-, and heat-resistant polymer. Compatible with wide range of Axis mounts with 1.5" NPS threaded interface.	\$ 49.00	7331021063617	1	7	7	2
AXIS T94U01D PENDANT KIT	10		5506-651	Pendant kit for AXIS Q3505-SVE, without weather shield, mainly for indoor use made of stainless steel.	\$ 379.00	7331021051058	2	10	10	2
AXIS T94U02D PENDANT KIT	10		5506-661	Outdoor pendant kit with weather shield for AXIS Q3505-SVE, made of stainless steel.	\$ 419.00	7331021051065	3	11	10	5
AXIS T94V01C DUAL CAMERA MOUNT	50		01457-001	AXIS T94V01C Dual Camera Mount allows back-to-back installation of two Axis cameras for panoramic coverage. Compatible with a wide range of Axis dome cameras, box cameras, and bullet cameras. Compatible with Axis mounting accessories with 1.5" NPS threaded interface, for mounting on walls, poles, and under ceilings. AXIS T94V01C is IK10 rated for impact resistance, which safeguards it against vandalism. Suitable for both indoor and outdoor use. Note: To ensure physical stability, do not use AXIS T94VO1C for single camera installations.	\$ 99.00	7331021063570	2	8	12	4
AXIS T94V02D PENDANT KIT	100		01505-001	Outdoor pendant kit for AXIS P38-PVE and Q36-VE series. Weathershield made from impact-, UV-, and heat-resistant polymer. Compatible with wide range of Axis mounts with 1.5" NPS threaded interface.	\$ 89.00	7331021064225	3	10	10	8
AXIS T94V01D PENDANT KIT	20		5801-431	Pendant kit for indoor and outdoor use for the AXIS Q36-VE Series compatible with Axis ceiling-/wall-/pole mounts with 1.5" NPS thread.	\$ 89.00	7331021052871	2	10	10	8
AXIS T94V01L RECESSED MOUNT	20		5801-441	Recessed mount for indoor and outdoor use for the AXIS Q36-VE and AXIS P38 Series. It has a metal back box with 3/4" (M25) conduit hole (for protected cable runs) and is suitable for installation in plenum (air-handling) spaces.	\$ 109.00	7331021052888	4	10	11	7
AXIS T95A64 BRACKET CORNER	10		5010-641	Corner bracket for AXIS T98A-VE Surveillance Cabinet and AXIS Positioning Cameras. When used with AXIS Positioning Cameras, AXIS T94J01A Wall Mount is required.	\$ 89.00	7331021023604	6	9	10	12
AXIS T95A67 BRACKET POLE	20		5010-671	Pole bracket for AXIS T98A-VE Surveillance Cabinet. No straps required.	\$ 129.00	7331021023611	6	6	8	10
ADAPTER CURV L GREY M311X 10PCS	5		5503-061	Optional light grey adapter for mounting AXIS M311X on curved surfaces. 10 pack	\$ 29.00	7331021035454	1	4	4	4
WALL MOUNT AXIS PS24	5		5000-011	Metal box to mount AXIS PS24 to a wall.	\$ 79.00	7331021016187	8	12	10	8
AXIS PS-24 Pole bracket	5		21764	Outdoor pole mount bracket for PS-24 and AXIS T97A10. Requires the Wall Mount AXIS PS-24 (5000-011) and a mounting tool for straps (21776 or similar).	\$ 45.00	667026008047	4	0	0	0
YP3040 WALL BRACKET	10		5502-471	Aluminum wall bracket for YP3040 Pan Tilt Motor. White	\$ 79.00	7331021030176	5	21	7	6
AXIS WALL BRACKET K	20	EOL	5503-491	Bracket for mounting an AXIS Q87-E on a wall.	\$ 119.00	7331021004368	7	7	25	6

AXIS T91A03 DIN RAIL CLIP 5PCS	20		5800-511	The clip, made of steel, enables mounting on a standard 35mm DIN rail.  It includes 2 cable ties. Compatible with AXIS T8120/T8133 midspans and AXIS T8604 / T8605 converters. Weight: 17 g (0.6 oz.).  5-pack.	\$ 19.00	7331021004856	0	6	4	1
AXIS MIDSPAN DIN CLIP A	10		5503-931	Din clip for AXIS midspan T8123, T8124 and T8125	\$ 19.00	7331021046092	0	8	3	0
P1214/-E MOUNT KIT INC HOUS 5-P	10		5800-431	Original mounting kit for AXIS P1214/-E. Kit contents: sensor unit housing, flush wall mount bracket. 5 pack.	\$ 99.00	7331021004801	2	9	6	3
P1214/-E MOUNT KIT EXC HOUS 5-P	20		5800-461	Mounting kit for AXIS P1204/E. Kit contents: Flush mount wall bracket. 5 pack.	\$ 29.00	7331021004818	0	5	5	4
STAND M10 SERIES 7CM	10	EOL	5700-481	Plastic stand for the AXIS M10-series	\$ 13.00	7331021030183	0	8	6	0
DROP CEILING KIT CL AXIS P3343/4	20	EOL	5502-361	Drop ceiling mount for AXIS P3343, AXIS P3344, AXIS P3353 and AXIS P3354 including clear transparent bubble. For indoor use	\$ 49.00	7331021027473	2	10	10	10
AXIS P33 MOUNTING BRACKET	250		5502-401	Mounting bracket for AXIS P33-V/-LV indoor cameras. For mounting cameras on junction boxes (4" square, 4" octagon, single-gang, or double-gang), and other Axis mounting accessories. Also compatible with selected AXIS M30 and P32 cameras.	\$ 29.00	7331021028135	1	10	6	3
AXIS P33XX-VE 3/4"NPS CONDUIT ADAPTER	10		5503-711	Aluminum cable cover with stainless steel adapter used for mounting 3/4" NPS or NPT pipes to AXIS P33XX-VE cameras for cable protection.	\$ 39.00	7331021003354	1	5	4	5
AXIS P33XX-VE 3/4"NPS COND ADPT 4P	10		5503-721	Aluminum cable cover with stainless steel adapter used for mounting 3/4" NPS or NPT pipes to AXIS P33XX-VE cameras for cable protection. Four complete units.	\$ 144.00	7331021003361	2	9	6	3
AXIS P33XX-VE 3/4" NPS ADAPT	20		5503-131	Stainless steel adapter used for mounting 3/4" NPS or NPT pipes to AXIS P33XX-VE cameras for cable protection.	\$ 29.00	7331021036659	0	2	3	1
AXIS T94E01D PENDANT KIT 4PCS	10		01494-001	Bracket for pendent mounting of AXIS Companion Eye mini L. Compatible with M25 or 3/4" pipes with NPS thread.	\$ 39.00	7331021064041	351	4	5	4
AXIS T94E01M J-BOX/GANG BOX PL 4PCS	10		01495-001	Bracket for mounting AXIS Companion Eye mini L on a 4" square, 4" octagon, single or double-gang junction box.	\$ 59.00	7331021064058	780	5	6	2
PENDANT KIT AXIS P334X-VE	400		5502-321	With AXIS P33-VE Series PENDANT KIT it is possible to mount the AXIS P3343-VE, AXIS P3344-VE, AXIS P3346-VE, AXIS P3363-VE and AXIS P3364-VE, AXIS P3367-VE, AXIS P3384-VE Fixed Dome Network Cameras on AXIS T91A Brackets or on standard 1.5" NPT threaded brackets. White	\$ 49.00	7331021027138	2	11	10	5
ADAPTER AXIS 209 TO M31/P39 50 PCS	5		5503-192	Adapter plate for mounting an AXIS M31 using the same foot print as the AXIS 209. 50 PCS	\$ 249.00	7331021038011	5	9	9	11
AXIS P33XX-VE CABLE COVER 4 PCS	10		5503-731	Aluminum cable cover for AXIS P33XX-VE cameras. 4 pcs.	\$ 59.00	7331021003378	1	5	5	4
AXIS ACI COND ADAP 3/4" U-SHAPE 30MM 5PCS	20		5505-191	Mechanical adapter that provides a U-shaped 30mm wide cable entry for use when a U-shape cable protection is required. The adapter is compatible with AXIS P54-series, AXIS P32-VE Series (requires AXIS ACI Mounting Bracket A), AXIS Q3505-VE, AXIS T91B6X mounts and AXIS AXIS T94R01P Conduit Back Box. 5 pcs.	\$ 24.00	7331021041271	0	4	2	0
AXIS ACI CONDUIT BRACKET A 5P	100		5505-971	Cable protection attachment bracket for AXIS P32-VE Series. Compatible with 3/4" Conduits, M25 pipes and AXIS ACI adapters. 5pcs.	\$ 39.00	7331021046184	0	7	5	2
AXIS ACI CONDUIT BRACKET B 5P	20		5506-041	Cable protection attachment bracket for AXIS P32-V Series. Compatible with 1/2" Conduits, M20 pipes and AXIS ACI adapters. 5pcs.	\$ 19.00	7331021046221	0	7	5	2
AXIS ACI CONDUIT ADAPTER 1/2"-3/4" A 2P	20		5505-541	Step up ACI adapter for attaching 3/4" conduits or M25 pipes to AXIS products with a 1/2" conduit interface such as AXIS P32-V series (requires AXIS ACI conduit bracket B) and AXIS Q3505-V. 2 pcs	\$ 39.00	7331021045996	0	5	5	4
PL ADAPTER FLAT L GREY M311X 10 PCS	5		5503-071	Optional light grey plastic adapter for mounting AXIS M311X on flat surfaces. Used when the cable must enter from the side. 10 pack	\$ 29.00	7331021035461	1	0	0	1
AXIS ACI COND ADAP 1/2 " U-SHAPE 20MM 5P	10		5505-521	Mechanical adapter that provides a U-shaped 20mm wide cable entry for use when a U-shape cable protection is required. The adapter is compatible with AXIS products with a 1/2" conduit interface such as AXIS P32-V series (requires AXIS ACI conduit bracket B) and AXIS Q3505-V. 5 pcs	\$ 19.00	7331021046245	0	6	4	1
AXIS ACI COND ADAP 1/2"-3/4" NPS 2P	10		5505-591	Threaded stainless steel step up ACI adapter for attaching 3/4" NPS conduits to AXIS products with a 1/2" conduit interface such as AXIS Q35-V series. 2 pcs	\$ 69.00	7331021046436	0	3	5	2
AXIS ACI CONDUIT ADAPTER 3/4" NPS 2P	50		5505-641	Threaded stainless steel ACI adapter for attaching 3/4" NPS conduits to AXIS products with a 3/4" conduit interface such as AXIS Q35-VE series. 2 pcs	\$ 99.00	7331021046443	1	3	5	2
AXIS F8001 SURFACE MOUNT	20		5505-791	Bracket to mount and secure an F Series main unit onto a surface. Withstands vibrations and secures all cables to/from the main unit.	\$ 39.00	7331021045699	1	7	7	2
ACC PL ADAPTER CURVED AXIS M311X 10PCS	5		5502-551	Optional adapter for mounting AXIS M311X on curved surfaces. 10 pack	\$ 29.00	7331021030510	1	4	4	4
AXIS RACK SLIDE RAILS A	20		5504-781	Rack slides for AXIS Q7920 Video Encoder Chassis	\$ 69.00	7331021007314	5	23	6	3
AXIS F7308 CABLE BLACK 8M 4PCS	10		5506-921	AXIS F7308 comes in packs of four. 8-m (26 ft.) black cable with an RJ12 contact for connection to an AXIS F1004 Sensor Unit. Used as a spare part for the original cable that comes with AXIS F1004 Sensor Unit.	\$ 39.00	7331021049871	1	7	7	5

AXIS F8002 DIN RAIL CLIP	10		5505-801	DIN clip + angled mounting bracket. Allows an AXIS F Series main unit to be mounted on a DIN rail with the short side against the rail to minimize used space. Main unit can be mounted with cables going in any of three directions (up, down or out from the rail).	\$ 39.00	7331021047365	0	7	6	1
AXIS F8401 CLEAR LENS PROTECTOR 5PCS	10		5505-841	Lens protection for AXIS F1005-E. The lens protector is screwed onto the threaded front part of the sensor unit to protect the lens. Comes in pack of 5 units.	\$ 79.00	7331021045682	0	6	4	1
AXIS F8201 VARI-ANGLE MT BRACK 5PCS	10		5505-811	Mounting bracket for AXIS F1005-E, AXIS F1015 and AXIS 1035-E. Allows the sensor unit to be fixed and angled into various directions to get the desired view. Comes in pack of 5 pcs.	\$ 29.00	7331021045651	0	8	6	0
AXIS F8202 STRAIGHT MT BRACKET 5PCS	10		5505-821	Mounting bracket that allows the pinhole sensor unit of AXIS F1025 to be mounted onto a flat surface with the cone being flush with opposite surface. Comes in pack of 5 pcs.	\$ 29.00	7331021045668	0	7	7	2
AXIS F8203 FIXED MT BRACKET 5PCS	10		5505-831	Metal bracket for stable mounting of AXIS F1005-E, F1015 and F1035-E. Variety of holes for screws for flexible mounting. Comes in pack of 5 units.	\$ 149.00	7331021047778	1	7	7	2
AXIS F8204 MOUNTING BAND 10 PCS	10		5506-571	Stainless steel band for flexible mounting of AXIS F Series Sensor units and AXIS P12 sensor units. Sold in 10-pack. 10 x M20 x 1.5 nuts to lock the band to the sensor unit are included. Works with all AXIS P12 Sensor Units and all AXIS F Series Sensor units except AXIS F1015.	\$ 39.00	7331021048140	1	9	7	3
AXIS F8206 PINHOLE MT BRACKET 5PCS	10		5507-621	Mounting bracket that allows AXIS F1004 Pinhole Sensor Unit and the sensor unit for AXIS P1264 to be mounted behind a thin metal/plastic/glass panel. Comes in pack of 5 pcs.	\$ 29.00	7331021056886	0	4	6	1
AXIS F8211 PINHOLE TRIM RING 10PCS	10		5507-101	Trim ring for discreet mounting of AXIS F1025 Sensor Unit behind a thin surface. 10 PCS.	\$ 59.00	7331021050181	0	4	6	1
AXIS F8212 TRIM RING 10PCS	20		5507-111	Trim ring for discreet mounting of AXIS F1005-E, F1035-E, P1214-E and P1224-E behind a surface. 10 PCS.	\$ 99.00	7331021050198	1	5	5	4
AXIS F8224 RECESSED MOUNT 4PCS	10		5506-511	AXIS F8224 Recessed Mount (4 pieces). Recessed mount accessory for use with AXIS F1004 Sensor Unit. Can be mounted in a ceiling.	\$ 59.00	7331021047990	1	7	7	4
AXIS F8205 BULLET ACCESSORY	10		5506-211	Bullet-style camera accessory for AXIS F1005-E. AXIS F1005-E provides 113° horizontal FOV. Comes with c-clamp and a stand.	\$ 24.00	7331021047631	0	8	7	2
AXIS F8215 VARIFOCAL BULLET ACC	20		5506-221	Varifocal bullet-style camera accessory for AXIS F1015. AXIS F1015 provides 58-108° horizontal FOV. Comes with c-clamp and a stand.	\$ 24.00	7331021047648	0	8	7	2
AXIS F8225 PINHOLE ACCESSORY	10		5506-531	Discreet accessory for ceiling mount of AXIS F1025 (pinhole). AXIS F1025 provides 92° horizontal FOV. Used to get overview of rooms or of a door. Can easily be repainted to fit ceiling color.	\$ 39.00	7331021048294	0	7	7	3
AXIS F8235 FISHEYE ACCESSORY	10		5506-541	Discreet accessory to mount a AXIS F1035-E in a ceiling. Perfect for overview in small rooms or in parts of a larger room. Can easily be repainted to fit ceiling color.	\$ 39.00	7331021048300	0	7	7	3
AXIS F92A01 BLACK HEIGHT S. HOUSING	20		01630-001	Height strip housing for discrete mounting of a pin hole sensor unit, for capturing eye-level images e.g. of people leaving a store. It is compatible with AXIS F1025, FA1125, F1004 Pin hole, AXIS P1264 and P1265. Comes with both a metric and an imperial height strip. Black aluminium housing.	\$ 99.00	7331021066168	3	9	35	3
AXIS F92A01 SILVER HEIGHT S. HOUSI-	20		01631-001	Height strip housing for discrete mounting of a pin hole sensor unit, for capturing eye-level images e.g. of people leaving a store. It is compatible with AXIS F1025, FA1125, F1004 Pin hole, AXIS P1264 and P1265. Comes with both a metric and an imperial height strip. Silver aluminium housing.	\$ 99.00	7331021066175	3	9	35	3
AXIS COMPANION REC MT BRACKET	10		5801-631	Mount bracket for AXIS Companion Recorder. For mounting the recorder on e.g. walls, shelves and under tables.	\$ 19.00	7331021054691	1	8	9	3
AXIS T91R61 WALL MOUNT	10		01516-001	Tiltable wall-mount for AXIS D2050-VE Network Radar Detector. Includes arm, AXIS T94R01P CONDUIT BACK BOX and conduit 260 mm (10 inch) cable kit.	\$ 129.00	7331021064461	4	13	9	4
AXIS T99A10 24V AC/DC	20		01226-001	High accuracy outdoor positioning unit with AXIS T93F10 camera housing. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IK10, IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC. Recommended for AXIS P13 and Q16 network camera series. Optional wall mount and pole mount accessories available separately.	\$ 1,799.00	7331021062320	33	12	26	22
AXIS T99A11 24V AC/DC	10		01227-001	High accuracy outdoor positioning unit to be used with PT Mount models in AXIS Q19 and Q29 series. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IK10, IP66, NEMA 4X rated and UL listed. Ready for column-mount. Optional wall mount and pole mount accessories available separately. Powered by 24 V AC/DC.	\$ 1,799.00	7331021062337	32	15	15	28

YP3040 PAN-TILT MOTOR	20	EOL	5502-461	*REPLACED BY 5901-201* YP3040 PAN TILT MOTOR is a compact PT motor for use with AXIS Q1755 Network Cameras and AXIS Q19 Series Network Thermal Cameras. Indoor and outdoor use. IP66-rated. 24VAC input. Compatible with AXIS T92A Housing and AXIS T92E Housing. YP3040 Wall bracket required. AXIS PS24 recommended.	\$ 499.00	7331021030169	13	15	11	10
YP3040 PAN-TILT MOTOR	20		5901-201	YP3040 PAN TILT MOTOR is a compact positioning unit for use with AXIS fixed and thermal cameras with pan-tilt support. An additional adapter is included for increased product compatibility. Suitable for indoor and outdoor use. IP66-rated. 24VAC input. Recommended to use with AXIS PS24 power supply. YP3040 Wall Bracket is required for wall mount. This article replaces the previous versions of YP3040 (5502-461 & 5502-469).	\$ 499.00	7331021058170	13	15	11	10
AXIS AUDIO MANAGER DEVICE PACK 10	0		01519-021	Extra device licenses for AXIS Audio Manager (10 extra licenses)	\$ 200.00		0	0	0	0
AXIS AUDIO MANAGER DEVICE PACK 100	0		01519-041	Extra device licenses for AXIS Audio Manager (100 extra licenses)	\$ 1,000.00		0	0	0	0
AXIS AUDIO MANAGER C7050 SERVER	10		01519-004	AXIS Audio Manager provides easy, remote management of large IP audio installations. Take control of your complete audio system from one single user interface which handles, for example, system setup of audio devices, zone management, audio content management, and audio scheduling. Especially useful in retail or in schools, AXIS Audio Manager helps you broadcast music, live or scheduled announcements, emergency messages, and more, either individually in separate zones or centrally to all devices. With quick installation, intuitive operation, and online device status monitoring, AXIS Audio Manager realizes the benefits of network audio.	\$ 2,995.00	7331021064843	7	9	20	5
AXIS C3003-E NETWORK HORN SPEAKER	500		0767-001	AXIS C3003-E delivers high sound pressure and clear voice in demanding outdoor environments. The self-contained network speaker installs and powers with a single network cable. It integrates in your video management or VoIP system (SIP) and ensures reliability through the Auto Speaker Test.	\$ 499.00	7331021047785	4	10	11	8
AXIS C1004-E NETW CAB SPEAKER BLACK	20		0923-001	AXIS C1004-E Network Cabinet Speaker (black) is an all-in-one speaker system connected with a single network cable. It delivers out-of-the-box-ready high-quality sound without any need for fine-tuning. Background music can be played via the preinstalled AXIS Audio Player application. You can create and schedule your own playlists from an onboard SD card or from audio streaming services. AXIS C1004-E is also perfect for voice announcements (scheduled or live calls). The speakers can be zoned together thanks to built-in audio synchronization technology.	\$ 549.00	7331021052468	8	14	12	10
AXIS C1004-E NETW CAB SPEAKER WHITE	20		0833-001	AXIS C1004-E Network Cabinet Speaker (white) is an all-in-one speaker system connected with a single network cable. It delivers out-of-the-box-ready high-quality sound without any need for fine-tuning. Background music can be played via the preinstalled AXIS Audio Player application. You can create and schedule your own playlists from an onboard SD card or from audio streaming services. AXIS C1004-E is also perfect for voice announcements (scheduled or live calls). The speakers can be zoned together thanks to built-in audio synchronization technology.	\$ 549.00	7331021052444	8	14	12	10
AXIS C2005 NETW CEILING SPEAK WHITE	250		0834-001	AXIS C2005 Network Ceiling Speaker (white) is an all-in-one speaker system connected with a single network cable. It delivers out-of-the-box-ready high-quality sound without any need for fine-tuning. Background music can be played via the preinstalled AXIS Audio Player application. You can create and schedule your own playlists from an onboard SD card or from audio streaming services. AXIS C2005 is also perfect for voice announcements (scheduled or live calls). The speakers can be zoned together thanks to built-in audio synchronization technology.	\$ 399.00	7331021052451	5	13	13	6
AXIS C8033 NETWORK AUDIO BRIDGE	200		01025-001	AXIS C8033 Network Audio Bridge is a smart solution for connecting and combining analog and digital audio systems. With this scalable and cost-efficient product, you can connect analog audio sources to Axis network speaker system, connect digital audio sources to an analog speaker system, or combine analog and digital speaker systems to act as one. Based on open standards, the audio bridge is easily integrated with other systems. It is small, easy to place, and easy to connect using Power over Ethernet.	\$ 199.00	7331021058255	0	5	7	2

XF40-Q1765 -60C INMETRO	5	Built to order	0835-031	Explosion-protected 316L stainless steel fixed network camera certified for hazardous areas according to INMETRO. Certification part code 1410-15-00. Oxalis housing, Axis 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif, WDR- dynamic contrast, AXIS Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -60°C to +40°C (-76°F to +104°F). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 7,599.00	7331021050549	34	0	0	0
XF40-Q1765 CSA	5	Built to order	0835-041	Explosion-protected 316L stainless steel fixed network camera certified for hazardous areas according to CSA. Certification part code 1410-15-00. Oxalis housing, Axis 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif, WDR- dynamic contrast, AXIS Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -40°C to +60°C (-40°F to +140°F). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 6,999.00	7331021050556	34	10	26	12
XF40-Q1765 -60C CSA	5	Built to order	0835-051	Explosion-protected 316L stainless steel fixed network camera certified for hazardous areas according to CSA. Certification part code 1410-15-00. Oxalis housing, Axis 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. WDR- dynamic contrast. It supports Onvif, AXIS Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -60°C to +40°C (-76°F to +104°F). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 7,599.00	7331021050563	34	0	0	0
XF40-Q1765 -50C UL	10	Built to order	01111-001	Explosion-protected 316L stainless steel fixed network camera certified for hazardous areas according to UL. Certification part code Oxalis-UL1410-15. Oxalis explosion-protected housing with three 3/4" NPT cable entries, Axis 1080p HDTV camera inside with 18x optical zoom, auto focus and day/night mode. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif, WDR- dynamic contrast, AXIS Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 7,899.00	7331021060494	0	0	0	0
XF60-Q1765 -50C 110V UL	10	Built to order	01124-001	Explosion-protected 316L stainless steel fixed network camera certified for hazardous areas according to UL. Certification part code Oxalis-UL2410-02. Oxalis explosion-protected housing with three 3/4" NPT cable entries, Axis 1080p HDTV camera inside with 18x optical zoom, auto focus and day/night mode. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif, WDR- dynamic contrast, AXIS Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 110V AC. Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 8,399.00	7331021060821	37	12	34	10
XP40-Q1765 -50C UL	10	Built to order	01113-001	Explosion-protected 316L stainless steel PTZ network camera certified for hazardous areas according to UL. Certification part code Oxalis-UL1410-25/UL2420-01. Oxalis explosion-protected housing with 3/4" NPT cable entries, Axis 1080p HDTV camera inside with 18x optical zoom, auto focus and day/night mode. Continuous 360° pan, ±90° tilt and 64 preset positions. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif, WDR- dynamic contrast, AXIS Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 20,699.00	7331021060517	110	0	0	0

XP40-Q1765 -50C 110V UL	10	Built to order	01126-001	Explosion-protected 316L stainless steel PTZ network camera certified for hazardous areas according to UL. Certification part code Oxalis-UL1410-25/UL2420-01. Oxalis explosion-protected housing with 3/4" NPT cable entries, Axis 1080p HDTV camera inside with 18x optical zoom, auto focus and day/night mode. Continuous 360° pan, ±90° tilt and 64 preset positions. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif, WDR- dynamic contrast, AXIS Video motion detection and active tampering alarm. IP66 and IP67 rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 110VAC. Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 20,999.00	7331021060845	126	0	0	0
XP40-Q1765 CSA	10	Built to order	0836-041	Explosion-protected 316L stainless steel PTZ network camera certified for hazardous areas according to CSA. Certification part code 1410-25/2420-01. Oxalis housing, Axis 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Continuous 360° pan, ±90° tilt and 64 preset positions. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif, WDR- dynamic contrast, AXIS Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -40°C to +60°C ( -40°F to +140°F). Powered by 24 V AC(Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 17,499.00	7331021051249	34	0	0	0
XP40-Q1765 -60C CSA	10	Built to order	0836-051	Explosion-protected 316L stainless steel PTZ network camera certified for hazardous areas according to CSA. Certification part code 1410-25/2420-01. Oxalis housing, Axis 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Continuous 360° pan, ±90° tilt and 64 preset positions. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif, AXIS Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -60°C to +40°C ( -76°F to +104°F). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 18,499.00	7331021051256	34	0	0	0
XF60-Q2901 UL 8.3FPS 19MM -50C 110V	5	Built to order	01135-001	Explosion-protected 316L stainless steel Temperature Alarm Camera certified for hazardous areas according to UL. Certification part code OXALIS-UL2410-TI-50. The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations. Oxalis explosion-protected housing with three 3/4" NPT cable entries and Axis Temperature Alarm camera inside with 336x256 resolution and 17° angle of view. Six temperature alarm zones, isothermal palettes and spot temperature. 3 individual streams in H.264 and Motion JPEG: simultaneous, individually configured streams in max. resolution at 8.3 fps. It supports ONVIF, Video motion detection and Shock detection. IP66 and IP67-rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 110 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 21,799.00	7331021060937	0	0	0	0
XF40-Q2901 UL 8.3FPS 19MM -50C	5	Built to order	01133-001	Explosion-protected 316L stainless steel Temperature Alarm Camera certified for hazardous areas according to UL. Certification part code OXALIS-UL1410-TI-50. The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations. Oxalis explosion-protected housing with three 3/4" NPT cable entries and Axis Temperature Alarm camera inside with 336x256 resolution and 17° angle of view. Six temperature alarm zones, isothermal palettes and spot temperature. 3 individual streams in H.264 and Motion JPEG: simultaneous, individually configured streams in max. resolution at 8.3 fps. Video motion detection and Shock detection. IP66 and IP67-rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 20,999.00	7331021060913	36	13	27	11



XF40-Q2901 CSA 8.3FPS 19MM -40C	5	Built to order	01092-001	Explosion-protected 316L stainless steel Temperature Alarm Camera certified for hazardous areas according to CSA. Certification part code 1410-TI-50. The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations. Oxalis explosion-protected housing with three M20 cable entries and Axis Temperature Alarm camera inside with 336x256 resolution and 17° angle of view. Six temperature alarm zones, isothermal palettes and spot temperature. 3 individual streams in H.264 and Motion JPEG, simultaneous, individually configured streams in maximum resolution at 8.3 fps. Video motion detection and Shock detection. IP66 and IP67-rated and operating temperature in -40°C to +60°C (-40°F to +140°F). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 18,999.00	7331021060173	0	0	0	0
XF40-Q2901 CSA 8.3FPS 19MM -60C	5	Built to order	01128-001	Explosion-protected 316L stainless steel Temperature Alarm Camera certified for hazardous areas according to CSA. Certification part code 1410-TI-50. The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations. Oxalis explosion-protected housing with three M20 cable entries and Axis Temperature Alarm camera inside with 336x256 resolution and 17° angle of view. Six temperature alarm zones, isothermal palettes and spot temperature. 3 individual streams in H.264 and Motion JPEG, simultaneous, individually configured streams in maximum resolution at 8.3 fps. Video motion detection and Shock detection. IP66 and IP67-rated and operating temperature in -60°C to +40°C (-76°F to +104°F). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 19,599.00	7331021060869	0	0	0	0
XP40-Q1942 UL 8.3FPS 19MM -50C	5	Built to order	01142-001	Explosion-protected 316L stainless steel PT Thermal Network camera certified for hazardous areas according to UL. Certification part code UL1410-10-TI-50/UL2420-01. Oxalis explosion-protected housing with two 3/4" NPT cable entries and Axis Thermal Network Camera inside with 640x480 resolution and 32° angle of view. Continuous 360° pan, ±90° tilt and 64 preset positions. At least 3 individual streams in H.264 and Motion JPEG: simultaneous, individually configured streams in maximum resolution at 8.3 fps. It supports Electronic Image Stabilization, Zipstream, ONVIF, Video motion detection and Shock detection. IP66 and IP67-rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 29,499.00	7331021061002	117	31	23	15
XP40-Q1942 UL 8.3FPS 19MM -50C 110V	5	Built to order	01144-001	Explosion-protected 316L stainless steel PT Thermal Network Camera certified for hazardous areas according to UL. Certification part code OXALIS-UL2410-TI-50. Oxalis explosion-protected housing with two 3/4" NPT cable entries and Axis Thermal Network Camera inside with 640x480 resolution and 32° angle of view. Continuous 360° pan, ±90° tilt and 64 preset positions. At least 3 individual streams in H.264 and Motion JPEG: simultaneous, individually configured streams in maximum resolution at 8.3 fps. It supports Electronic Image Stabilization, Zipstream, ONVIF, Video motion detection and Shock detection. IP66 and IP67-rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 110 V AC. Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 29,999.00	7331021061026	0	0	0	0
XP40-Q1942 CSA 8.3FPS 19MM -40C	5	Built to order	01101-001	Explosion-protected 316L stainless steel PT Thermal Network Camera certified for hazardous areas according to CSA. Certification part code 1410-10-TI-50/2420-01. Oxalis explosion-protected housing with one M20 cable entry and Axis Thermal Network Camera inside with 640x480 resolution and 32° angle of view. Continuous 360° pan, ±90° tilt and 64 preset positions. At least 3 individual streams in H.264 and Motion JPEG, simultaneous, individually configured streams in maximum resolution at 8.3 fps. Video motion detection and Shock detection. IP66 and IP67-rated and operating temperature in -40°C to +60°C (-40°F to +140°F). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 24,999.00	7331021060265	0	0	0	0

XP40-Q1942 CSA 8.3FPS 19MM -60C	5	Built to order	01137-001	Explosion-protected 316L stainless steel PT Thermal Network Camera certified for hazardous areas according to CSA. Certification part code 1410-10-TI-50/2420-01. Oxalis explosion-protected housing with one M20 cable entry and Axis Thermal Network Camera inside with 640x480 resolution and 32° angle of view. Continuous 360° pan, ±90° tilt and 64 preset positions. At least 3 individual streams in H.264 and Motion JPEG, simultaneous, individually configured streams in maximum resolution at 8.3 fps. It supports Electronic Image Stabilization, Zipstream, ONVIF, Video motion detection and Shock detection. IP66 and IP67-rated and operating temperature in -60°C to +40°C (-76°F to +104°F). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 25,999.00	7331021060951	0	0	0	0
D201-S XPT Q6055	20	Built to order	01480-001	Explosion-protected, top performance, PoE powered HDTV 1080p PTZ dome network camera with 32x zoom, FM listed for hazardous locations Class I Division 1, Groups B, C, D, T6; Class 1 Zone 1 IIB + H2 T6, -20°C ≤ Ta ≤ +55°C (FM17US0156). Stainless Steel 316L housing. Auto day/night functionality, Zipstream, wide dynamic range, electronic image stabilization, highlight compensation. Continuous 360° rotation and 220° tilt with E-flip. HDTV 1080p@30 fps, 720@60 fps. High PoE midspan with fiber slot is included (for installation in safe area or Ex d enclosure), AXIS Surveillance SD Card 64GB. Optional accessories: Wall and pole mount. Built to order, 6 weeks lead time.	\$ 14,999.00	7331021063785	68	13	20	13
F101-A XF P1367	10	Built to order	01703-001	Explosion-protected, PoE powered, 5 MP fixed network camera, FM listed for hazardous locations Class I/II/III Division 1, Groups B, C, D, E, F, G, T6; Class I Zone 1 IIB + H2 AEx d IIB+H2 T6, Class II Zone 21, AEx d IIIC T6 Db, -20°C ≤ Ta ≤ +60°C. Powder coated aluminum housing (RAL 3017). i-CS mount lens, 2.8 - 8mm, F1.2. Lightfinder, Zipstream, WDR - forensic capture. AXIS Surveillance SD Card 64GB, sunshield included. Built to order, 6 weeks lead time.	\$ 3,999.00	7331021066717	18	13	14	11
AXIS P8804 STEREO SENSOR KIT	10	EOL	01007-001	AXIS P8804 Stereo Sensor Kit provides synched stereo imaging from two AXIS F1004 Sensor Units and an AXIS F34 Main Unit. Using analytics software from an Axis partner, AXIS P8804 enables the creation of a 3D depth map that facilitates precision counting for applications such as people counting, queue management and heat mapping. The kit is designed to be mounted indoors in ceilings—either recessed in a drop ceiling for a discreet installation, or surface-mounted with the included adapter. It is ideal for use, for example, in stores. The main unit is powered with PoE (class 3) or an optional PSU. Sold without analytics SW. The product can currently not be found on axis.com, but is available on Axis' partner pages ( <a href="http://www.axis.com/partner_pages/news_prod_tech.php?t=cv&amp;mid=4454">http://www.axis.com/partner_pages/news_prod_tech.php?t=cv&amp;mid=4454</a> ).	\$ 499.00	7331021054943	2	7	10	4
AXIS M1045-LW	20		0812-004	Small, wireless indoor cube camera for day & night surveillance. 2.8mm fixed lens with 110° HFOV. Automatic IR cut filter. IR illumination up to 10 meters (33 feet) . Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30 fps with WDR. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Connects over wireless LAN (IEEE 802.11a/b/g/n) or wired Ethernet. Supports Wi-Fi Protected Setup™ PBC compatible. Includes wall, corner bracket and table top bracket for easy mounting. Power supply included.	\$ 229.00	7331021051669	1	6	5	4
AXIS M1065-L	200		0811-001	Small, full-featured indoor cube camera for day & night surveillance. 2.8mm fixed lens with 110° HFOV. Automatic IR cut filter. IR illumination up to 10 meters (33 feet) . Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30 fps with WDR. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Built-in microphone and mini-speaker, integrated PIR motion sensor. Powered over Ethernet (PoE) or by accessory power supply. Includes wall, corner bracket and table top bracket for easy mounting. Power supply not included.	\$ 279.00	7331021053946	1	6	5	4

AXIS M1065-LW	50		0810-004	Small, full-featured wireless indoor cube camera for day & night surveillance. 2.8mm fixed lens with 110° HFOV. Automatic IR cut filter. IR illumination up to 10 meters (33 feet) . Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30 fps with WDR. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Built-in microphone and mini-speaker, integrated PIR motion sensor. Connects over wireless LAN (IEEE 802.11a/b/g/n) or wired Ethernet. Supports Wi-Fi Protected Setup™ PBC compatible. Includes wall, corner bracket and table top bracket for easy mounting. Power supply included.	\$ 299.00	7331021051652	1	6	5	4
AXIS M1124	100		0747-001	HDTV 720p resolution, day/night, fixed camera with CS-mount varifocal 3-10.5 mm DC-iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p at 30 fps. WDR – Forensic Capture and Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage. Power over Ethernet or 8-28 VDC input. Includes stand. Power supply not included.	\$ 349.00	7331021046450	1	7	7	4
AXIS M1124 BULK 10PCS	20		0747-021	AXIS M1124 in 10-pack. Cannot be sold separately as single packs.	\$ 3,449.00	7331021047808	11	22	14	11
AXIS M1124 BAREBONE	200		0747-031	AXIS M1124 Barebone. No lens.	\$ 329.00	7331021047822	2	7	7	4
AXIS M1124-E	20		0748-001	Outdoor, NEMA 4X, IP66 and IK10-rated, lightweight,HDTV 720p resolution, day/night, fixed camera with CS-mount varifocal 3-10.5 mm DC-iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p at 30 fps. WDR – Forensic Capture and Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage. Power over Ethernet or 8-28 VDC input. Operation in -20°C to +50°C. Powered by IEEE 802.3af midspan. Includes a wall bracket, Torx T20 screw driver and IP66- rated cable glands. Midspan not included.	\$ 449.00	7331021046467	5	19	9	6
AXIS M1125	100		0749-001	HDTV 1080p resolution, day/night, fixed camera with CS-mount varifocal 3-10.5 mm DC-iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30 fps. WDR – Forensic Capture and Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage. Power over Ethernet or 8-28 VDC input. Includes stand. Power supply not included.	\$ 419.00	7331021046474	1	7	7	4
AXIS M1125 BULK 10PCS	20		0749-021	AXIS M1125 in 10-pack. Cannot be sold separately as single packs.	\$ 4,149.00	7331021047884	11	22	14	11
AXIS M1125 BAREBONE	10		0749-031	AXIS M1125 Barebone. No lens.	\$ 399.00	7331021047907	1	7	7	4
AXIS M1125-E	200		0750-001	Outdoor, NEMA 4X, IP66 and IK10-rated, lightweight,HDTV 1080p resolution, day/night, fixed camera with CS-mount varifocal 3-10.5 mm DC-iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30 fps. WDR – Forensic Capture and Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage. Power over Ethernet or 8-28 VDC input. Operation in -20°C to +50°C. Powered by IEEE 802.3af midspan. Includes a wall bracket, Torx T20 screw driver and IP66- rated cable glands. Midspan not included.	\$ 519.00	7331021046481	5	9	19	6
AXIS M1145	100	EOL	0590-001	HDTV camera for day and night surveillance with varifocal 3-10.5mm P-iris lens. Remote 3.5 x optical zoom and focus with automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p or 2MP resolution at 30 fps. Video motion detection and active tampering alarm and I/O ports. MicroSD/SDHC memory card slot for edge storage. Includes stand for easy mounting. Power over Ethernet. Midspan not included.	\$ 499.00	7331021043268	1	7	7	4
AXIS M1145 BULK 10PCS	10	EOL	0590-021	AXIS M1145 in 10-pack/bulk. Cannot be sold separately as single packs.	\$ 4,949.00	7331021043282	14	22	14	11
AXIS M1145-L	50		0591-001	HDTV camera for day and night surveillance with varifocal 3-10.5mm P-iris lens. Remote 3.5 x optical zoom and focus with automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p or 2MP resolution at 30 fps. Video motion detection and active tampering alarm and I/O ports. OptimizedIR, a power-efficient LED technology that provides an adaptable angle of IR illumination up to 15 meters (50 feet) MicroSD/SDHC memory card slot for edge storage. Includes stand for easy mounting. Power over Ethernet. Midspan not included.	\$ 499.00	7331021043299	1	7	7	4
AXIS M1145-L BULK 10PCS	10		0591-021	AXIS M1145-L in 10-pack/bulk. Cannot be sold separately as single packs.	\$ 5,449.00	7331021043312	12	22	14	11

AXIS M2025-LE	500		0911-001	Day/night, compact and outdoor-ready bullet style HDTV camera, IP66- and IK08-rated. Built-in IR illumination and WDR – Forensic Capture. Fixed lens with 115° HFOV. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and corridor format. Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 50 °C (-22 °F to 122 °F). Midspan not included.	\$ 329.00	7331021052260	1	5	7	5
AXIS M2025-LE BLACK	20		0988-001	Day/night, compact and outdoor-ready bullet style HDTV camera in black color, IP66- and IK08-rated. Built-in IR illumination and WDR – Forensic Capture. Fixed lens with 115° HFOV. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and corridor format. Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 50 °C (-22 °F to 122 °F). Midspan not included.	\$ 329.00	7331021056503	1	5	7	5
AXIS M2025-LE BULK 10PCS	50		0911-021	AXIS M2025-LE in 10-pack/bulk. Cannot be sold separately as single packs.	\$ 3,249.00	7331021052277	14	12	23	8
AXIS M2026-LE MK II	400		01049-001	Day/night, compact and outdoor-ready bullet style HDTV camera, IP66- and IK08-rated. Built-in IR illumination and WDR. Fixed lens with 130° HFOV. Automatic IR cut filter. Multiple, individually configurable H.264/H.265 and Motion JPEG streams; max 4 MP / QuadHD resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and corridor format. Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 50 °C (-22 °F to 122 °F). Midspan not included.	\$ 399.00	7331021058491	1	5	7	5
AXIS M2026-LE MK II BLACK	50		01050-001	Day/night, compact and outdoor-ready bullet style HDTV camera in black color, IP66- and IK08-rated. Built-in IR illumination and WDR. Fixed lens with 130° HFOV. Automatic IR cut filter. Multiple, individually configurable H.264/H.265 and Motion JPEG streams; max 4 MP / QuadHD resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and corridor format. Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 50 °C (-22 °F to 122 °F). Midspan not included.	\$ 399.00	7331021058507	1	5	7	5
AXIS M2026-LE Mk II BULK 10PCS	50		01049-021	AXIS M2026-LE Mk II in 10-pack/bulk. Cannot be sold separately as single packs.	\$ 3,949.00	7331021061439	14	15	24	8
AXIS M2026-LE Mk II BLACK BULK 10PCS	10		01050-021	AXIS M2026-LE Mk II Black in 10-pack/bulk. Cannot be sold separately as single packs.	\$ 3,949.00	7331021061446	14	15	24	8
AXIS P1214	50		0532-001	Miniature HDTV pinhole camera for discreet surveillance. Cable from sensor unit going in the direction of the lens. Edge storage using microSD card or NAS. ACAP support, I/O port, multiple video streams in H.264 and Motion JPEG. 25/30 fps in all resolutions up to 720p. PoE and 8-28 VDC support.	\$ 499.00	7331021004016	2	9	6	2
AXIS P1214 BULK 10 PCS	10		0532-021	AXIS P1214 in pack of 10 units	\$ 4,949.00	7331021004023	13	22	14	11
AXIS P1214-E	50		0533-001	Miniature HDTV camera for discreet outdoor surveillance. Cable from sensor unit going in the direction of the lens. Edge storage using microSD card or NAS. ACAP support, I/O port, multiple video streams in H.264 and Motion JPEG. 25/30 fps in all resolutions up to 720p. PoE and 8-28 VDC support.	\$ 499.00	7331021004030	2	9	6	2
AXIS P1214-E BULK 10 PCS	10		0533-021	AXIS P1214-E in pack of 10 units	\$ 4,949.00	7331021004047	15	22	14	11
AXIS P1224-E	100		0654-001	Miniature HDTV camera for discreet indoor/outdoor surveillance with 145° horizontal field of view. Edge storage using microSD card or NAS. ACAP support, I/O port, multiple video streams in H.264 and Motion JPEG. 25/30 fps in all resolutions up to 720p. PoE and 8-28 VDC support.	\$ 499.00	7331021043206	1	9	7	3
AXIS P1244	50		0896-001	AXIS P1244 Network Camera is a modular camera based on a small-sized main unit (AXIS P12 Mk II) and AXIS F1004 Sensor Unit. The camera provides HDTV 720p resolution and 102° horizontal FoV. Supports multiple streams in H.264 and Motion JPEG, Axis' Zipstream technology for lower bandwidth and storage needs, and edge storage using microSD card or NAS. The main unit is powered with PoE. The sensor unit has a pigtail with a detachable cable (8 m/26 ft.) for easy installation and maintenance. Comes with a kit for flush mount installation in ceiling/wall.	\$ 299.00	7331021051546	1	6	12	3

AXIS P1245	100		0926-001	AXIS P1245 Network Camera is a modular camera based on a small-sized main unit (AXIS P12 Mk II) and AXIS FA1105 Sensor Unit. The camera provides HDTV 1080p resolution, 111° horizontal FoV and WDR - Forensic Capture. Supports multiple streams in H.264 and Motion JPEG, Axis' Zipstream technology for lower bandwidth and storage needs, and edge storage using microSD card. The main unit is powered with PoE. The sensor unit has a built in connector and a detachable cable (8 m/26 ft.) for easy installation and maintenance. Comes with a kit for flush mount installation in ceiling/wall.	\$ 339.00	7331021052826	1	6	12	3
AXIS P1254	20		0924-001	AXIS P1254 Network Camera is a modular camera based on a small-sized main unit (AXIS P12 Mk II) and AXIS F1004 Bullet Sensor Unit that enables easy mounting on walls or ceilings and with the ability to tilt and rotate. The camera provides HDTV 720p resolution and 102° horizontal FoV. Supports multiple streams in H.264 and Motion JPEG, Axis' Zipstream technology for lower bandwidth and storage needs, and edge storage using microSD card or NAS. The main unit is powered with PoE. The sensor unit has a pigtail with a detachable cable (8 m/26 ft.) for easy installation and maintenance.	\$ 299.00	7331021052802	1	6	12	3
AXIS P1264	250		0925-001	AXIS P1264 Network Camera is a modular camera based on a small-sized main unit (AXIS P12 Mk II) and AXIS F1004 Pinhole Sensor Unit that is designed for extremely discreet indoor installations. The camera provides HDTV 720p resolution and 57° horizontal FoV. Supports multiple streams in H.264 and Motion JPEG, Axis' Zipstream technology for lower bandwidth and storage needs, and edge storage using microSD card or NAS. The main unit is powered with PoE. The sensor unit has a pigtail with a detachable cable (8 m/26 ft.) for easy installation and maintenance. Bracket included for mounting behind thin metal, plastic or glass panel.	\$ 299.00	7331021052819	1	6	12	3
AXIS P1265	100		0927-001	AXIS P1265 Network Camera is a modular camera based on a small-sized main unit (AXIS P12 Mk II) and an AXIS FA1125 Pinhole Sensor Unit that is designed for extremely discreet indoor installations. The camera provides HDTV 1080p resolution, 91° horizontal FoV and WDR - Forensic Capture. Supports multiple streams in H.264 and Motion JPEG, Axis' Zipstream technology for lower bandwidth and storage needs, and edge storage using microSD card. The main unit is powered with PoE. The sensor unit has a built in connector with a detachable cable (8 m/26 ft.) for easy installation and maintenance. Bracket included for mounting behind a thin metal, plastic or glass panel.	\$ 349.00	7331021052833	1	6	12	3
AXIS P1275	20		0928-001	AXIS P1275 Network Camera is a modular camera based on a small-sized main unit (AXIS P12 Mk II) and an AXIS FA4115 Dome Sensor Unit with a varifocal lens that enables easy mounting on walls or ceilings. It can be manually directed with pan, tilt and rotate movements. The camera provides HDTV 1080p resolution, 53-99° horizontal FoV and WDR - Forensic Capture. Supports multiple streams in H.264 and Motion JPEG, Axis' Zipstream technology for lower bandwidth and storage needs, and edge storage using microSD card. The main unit is powered with PoE. The sensor unit has a built in connector and a detachable cable (8 m/26 ft.) for easy installation and maintenance.	\$ 379.00	7331021052840	1	6	12	3
AXIS P1364	50		0689-001	HDTV 720p resolution, day/night, fixed camera with CS-mount varifocal 2.8-8.5 mm P-iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p at 60 fps. WDR – Forensic Capture, Lightfinder and Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage, serial port for RS422/485 communication. Power over Ethernet. Includes stand with cable management. Power supply not included.	\$ 649.00	7331021046719	3	7	10	4
AXIS P1364 BULK 10PCS	10		0689-021	AXIS P1364 in 10-pack. Cannot be sold separately as single packs. No power supplies.	\$ 6,399.00	7331021046733	25	14	22	11

AXIS P1364-E	50		0739-001	Outdoor, NEMA 4X, IP66/67 and IK10-rated, lightweight, HDTV 720p, day/night, fixed network camera with CS-mount varifocal 2.8-8.5 mm P-iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p resolution at 60 fps. WDR- Forensic Capture Lightfinder and Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Two-way audio. MicroSD/MicroSDHC memory card slot for optional local video storage, serial port for RS422/485 communication. Operation in -40°C to +50°C. Powered by IEEE 802.3af midspan. Includes a removable sunshield, wall bracket, intrusion switch, Torx T20 screw driver and IP66/67- rated cable glands. Midspan not included.	\$ 899.00	7331021051591	9	9	22	9
AXIS P1364 BAREBONE	10		0689-041	AXIS P1364 Barebone. No lens. No power supply.	\$ 549.00	7331021046757	3	7	10	4
AXIS P1364 BAREB BULK 10PCS	10		0689-051	AXIS P1364 Barebone in 10-pack. Cannot be sold separately as single packs. No lenses. No power supplies.	\$ 5,489.00	7331021046771	24	22	14	11
AXIS P1365 Mk II	250		0897-001	HDTV 1080p resolution, day/night, fixed camera with CS-mount varifocal 2.8-8 mm P-Iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 60 fps. WDR – Forensic Capture, Lightfinder and Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage, serial port for RS422/485 communication. Power over Ethernet. Includes stand with cable management. Power supply not included.	\$ 749.00	7331021051607	3	7	10	4
AXIS P1365-E Mk II	200		0898-001	Outdoor, NEMA 4X, IP66/67 and IK10-rated, lightweight, HDTV 1080p, day/night, fixed network camera with CS-mount varifocal 2.8-8 mm P-Iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 60 fps. WDR - Forensic Capture, Lightfinder and Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Two-way audio. MicroSD/MicroSDHC memory card slot for optional local video storage, serial port for RS422/485 communication. Operation in -40°C to +50°C. Powered by IEEE 802.3af midspan. Includes a removable sunshield, wall bracket, Torx T20 screw driver and IP66/67- rated cable glands. Midspan not included.	\$ 999.00	7331021051645	10	9	22	9
AXIS P1365 Mk II BULK 10PCS	20		0897-021	AXIS P1365 Mk II in 10-pack. Cannot be sold separately as single packs. No power supplies.	\$ 7,399.00	7331021051614	24	14	22	11
AXIS P1365 Mk II BAREB	10		0897-041	AXIS P1365 Mk II Barebone. No lens. No power supply.	\$ 649.00	7331021051621	3	7	10	4
AXIS P1365 Mk II BAREB BULK 10PCS	20		0897-051	AXIS P1365 Mk II Barebone in 10-pack. Cannot be sold separately as single packs. No lenses. No power supplies.	\$ 6,489.00	7331021051638	23	14	22	11
AXIS P1367	50		0762-001	5MP resolution, day/night, fixed box camera providing Forensic WDR and Lightfinder technology for demanding light conditions. Includes an IR corrected varifocal 2.8-8.5 mm F1.2 P-iris lens and remote back focus (camera also supports i-CS and DC-iris lenses with CS Mount). Multiple, individually configurable H.264 and Motion JPEG streams; max 5MP at 25/30 fps in in 16:9 format. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, Memory card slot for optional local video storage. Serial port for RS422/485 communication. Power over Ethernet or 8-28 V DC input. Includes black metal stand with hole for easy cable management. Midspan not included.	\$ 799.00	7331021046689	3	8	10	4
AXIS P1367 BAREBONE	10		0762-031	AXIS P1367 Barebone. No lens. No power supply.	\$ 699.00	7331021061651	1	8	10	4

AXIS P1367-E	200		0763-001	Outdoor, 5MP resolution, day/night, fixed box camera providing Forensic WDR and Lightfinder for demanding light conditions Includes an IR corrected varifocal 2.8-8.5 mm F1.2 P-iris lens and remote back focus (camera also supports i-CS and DC-iris lenses with CS Mount). Multiple, individually configurable H.264 and Motion JPEG streams; max 5MP at 25/30 fps in 16:9 format. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Two-way audio. I/O for alarm/event handling, Memory card slot for optional local video storage. Serial port for RS422/485 communication NEMA 4X, IP66/67 and IK10-rated for operation in -40°C to +55°C and intermittent up to +60°C. Powered by IEEE 802.3af Type 1 Class 3 midspan. Includes a removable sunshield, wall bracket, Torx T20 screw driver and IP66/67- rated cable glands. Midspan not included.	\$ 999.00	7331021046696	9	9	22	9
AXIS P1367-E BAREBONE	10		0763-031	AXIS P1367-E Barebone. No lens. Midspan not included	\$ 899.00	7331021062900	8	9	22	8
AXIS P1368-E	50		01109-001	Outdoor, 4K Ultra HD (8MP) camera, day/night, fixed box camera providing Forensic WDR and Lightfinder for demanding light conditions. Includes an IR corrected varifocal 2.8-8.5 mm F1.2 i-CS lens with P-Iris, remote zoom and focus for installation (camera also supports P-Iris and DC-iris lenses with CS Mount). Multiple, individually configurable H.264 and Motion JPEG streams; max 4K Ultra HD/8MP at 25/30 fps in 16:9 format. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Two-way audio. I/O for alarm/event handling, Memory card slot for optional local video storage. Serial port for RS422/485 communication NEMA 4X, IP66/67 and IK10-rated for operation in -40°C to +55°. Powered by IEEE 802.3af Type 1 Class 3 midspan. Includes a removable sunshield, wall bracket, Torx T20 screw driver and IP66/67- rated cable glands. Midspan not included.	\$ 1,099.00	7331021060418	9	9	22	9
AXIS P1368-E BAREBONE	50		01109-031	AXIS P1368-E Barebone. No lens. Midspan not included	\$ 999.00	7331021062894	8	9	22	9
AXIS P1405-LE Mk II	20	EOL	0961-001	Compact and outdoor-ready HDTV camera for day and night surveillance, IP66-rated, varifocal 2.8-10 mm P-iris lens . Remote 3.5 x optical zoom and focus. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p /2MP resolution at 25/30 fps. Video motion detection, active tampering alarm, corridor format, Zipstream technology and WDR – Forensic Capture. microSD/SDHC memory card slot for edge storage. Built-in IR illumination covering up to 10 meters (33 feet). Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -10 °C to 50 °C (14 °F to 122 °F).	\$ 599.00	7331021055926	2	7	13	7
AXIS P1425-LE Mk II	20	EOL	0960-001	Compact and outdoor-ready HDTV camera for day and night surveillance, IP66-rated, varifocal 3-10.5 mm P-iris lens . Remote 3.5 x optical zoom and focus. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p /2MP resolution at 50/60 fps. Video motion detection, active tampering alarm, corridor format, Lightfinder, Zipstream technology and WDR – Forensic Capture. I/O ports, microSD/SDHC memory card slot for edge storage. OptimizedIR, a power-efficient LED technology with adaptable angle of IR illumination up to 20 meters (66 feet). Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions - 30 °C to 50 °C (-22 °F to 140 °F).	\$ 649.00	7331021055919	2	13	7	7
AXIS P1435-LE	1000		0777-001	Compact and outdoor-ready HDTV camera for day and night surveillance, IP66-rated, varifocal 3-10.5 mm P-iris lens . Remote 3.5 x optical zoom and focus. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p /2MP resolution at 50/60 fps. Video motion detection, active tampering alarm, corridor format, Lightfinder, Zipstream technology and WDR – Forensic Capture. I/O ports, microSD/SDHC memory card slot for edge storage. OptimizedIR, a power-efficient LED technology with adaptable angle of IR illumination up to 30 meters (100 feet). Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions - 30 °C to 60 °C (-22 °F to 140 °F).	\$ 599.00	7331021051584	2	13	7	7

AXIS P1435-LE 22MM	100		0890-001	Compact and outdoor-ready HDTV camera for day and night surveillance, IP66-rated, varifocal 10-22 mm P-iris lens . Remote 2 x optical zoom and focus. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p /2MP resolution at 50/60 fps. Video motion detection, active tampering alarm, corridor format, Lightfinder, Zipstream technology and WDR – Forensic Capture. I/O ports, microSD/SDHC memory card slot for edge storage. OptimizedIR, a power-efficient LED technology with adaptable angle of IR illumination up to 50 meters (164 feet). Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions - 30 °C to 60 °C (-22 °F to 140 °F).	\$ 649.00	7331021051492	2	13	7	7
AXIS P1445-LE	400		01506-001	Compact outdoor, HDTV, day/night, fixed bullet camera providing Forensic WDR and Lightfinder for demanding light conditions. IR corrected varifocal 2.8-8.5 mm F1.2 P-iris lens with remote 3x optical zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p /2MP resolution at 50/60 fps.. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection, active tampering alarm, shock detection and corridor format. Audio mic/line in, I/O for alarm/event handling and memory card slot for optional local video storage. OptimizedIR, a power-efficient IR LED technology covering 40 meters (131 feet). Integrated bracket for easy mounting on wall and ceiling. NEMA 4X, IP66/67 and IK10-rated for operation in -40°C to +60°C(-40 °F to 140 °F). Powered by IEEE 802.3af Type 1 Class 3 midspan (PoE). Midspan not included.	\$ 699.00	7331021064270	3	6	12	6
AXIS P1447-LE	500		01054-001	Compact outdoor, 5MP resolution, day/night, fixed bullet camera providing Forensic WDR and Lightfinder for demanding light conditions. IR corrected varifocal 2.8-8.5 mm F1.2 P-iris lens with remote 3x optical zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams; max 5MP at 25/30 fps in 16:9 format. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection, active tampering alarm, shock detection and corridor format. Audio mic/line in, I/O for alarm/event handling and memory card slot for optional local video storage. OptimizedIR, a power-efficient IR LED technology covering 30 meters (98 feet). Integrated bracket for easy mounting on wall and ceiling. NEMA 4X, IP66/67 and IK10-rated for operation in -40°C to +60°C(-40 °F to 140 °F). Powered by IEEE 802.3af Type 1 Class 3 midspan (PoE). Midspan not included.	\$ 749.00	7331021059153	3	6	12	6
AXIS P1448-LE	250		01055-001	Compact outdoor, 4K Ultra HD (8MP) resolution, day/night, fixed bullet camera providing Forensic WDR and Lightfinder for demanding light conditions. IR corrected varifocal 2.8-9.8 mm F1.6 P-iris lens with remote 3.5x optical zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams; max 4K Ultra HD/8MP at 25/30 fps in 16:9 format. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection, active tampering alarm, shock detection and corridor format. Audio mic/line in, I/O for alarm/event handling and memory card slot for optional local video storage. OptimizedIR, a power-efficient IR LED technology covering 25 meters (82 feet). Integrated bracket for easy mounting on wall and ceiling. NEMA 4X, IP66/67 and IK10-rated for operation in -40°C to +60°C(-40 °F to 140 °F). Powered by IEEE 802.3af Type 1 Class 3 midspan (PoE). Midspan not included.	\$ 949.00	7331021059160	3	6	12	6
AXIS Q1615 Mk II	20		0883-001	HDTV, Day/night fixed camera providing WDR – Forensic Capture and Lightfinder for demanding light conditions. Varifocal 2.8-8.5 mm i-CS lens with remote zoom and focus for installation. Support for P-Iris and DC-iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; full HDTV 1080p/2MP resolution at up to 60 fps second and 720p/1MP resolution at 120 fps. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Electronic image stabilization. Scene profiles.Two-way audio and audio detection. I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Power over Ethernet or 8-28 V DC input. Includes stand for wall and ceiling mount. Power supply not included.	\$ 999.00	7331021051348	3	7	10	4
AXIS Q1615 Mk II BAREBONE	10		0883-041	AXIS Q1615 Mk II Barebone in single pack. No lens. No power supply.	\$ 899.00	7331021051362	3	7	10	4



AXIS Q1615-E Mk II	100		0884-001	Outdoor, NEMA 4X, IP66 and IK10-rated, HDTV, Day/night fixed camera providing WDR – Forensic Capture and Lightfinder for demanding light conditions. Varifocal 2.8-8.5 mm i-CS lens with remote zoom and focus for installation. Support for P-Iris and DC-iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; full HDTV 1080p/2MP resolution at up to 60 fps second and 720p/1MP resolution at 120 fps. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Electronic image stabilization. Scene profiles. Two-way audio and audio detection. I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Arctic Temperature Control, operation in -30°C to 60°C (-22 °F to 140 °F) when powered by IEEE 802.3af midspan or -40°C to 60°C (-40 °F to 140 °F) with PoE+ Midspan. Includes a removable sunshield and wall bracket. Midspan not included.	\$ 1,299.00	7331021051355	13	9	22	8
AXIS Q1645	50		01222-001	1/2" image sensor, HDTV, Day/night fixed camera providing Forensic WDR and Lightfinder for demanding light conditions. Varifocal 3.9-10 mm i-CS lens with remote zoom and focus for installation. Support for P-Iris and DC-iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; full HDTV 1080p/2MP resolution up to 60 fps with Forensic WDR and up to 120 fps without. Zipstream for reduced bandwidth and storage. Fence Guard, Motion Guard, Video motion detection, shock detection and active tampering alarm. Barrel distortion correction, Defog and Electronic image stabilization. Scene profiles. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Power over Ethernet or 8-28 V DC input. Includes stand for wall and ceiling mount. Midspan or power supply not included	\$ 1,199.00	7331021062283	4	8	10	4
AXIS Q1645 BARE BONE	100		01222-041	AXIS Q1645 Barebone in single pack. No lens. No power supply.	\$ 999.00	7331021062931	3	8	10	4
AXIS Q1645-LE	20		01223-001	1/2" image sensor, outdoor, NEMA 4X, IP66 and IK10-rated HDTV, day/night fixed camera providing OptimizedIR, Forensic WDR and Lightfinder. Varifocal 3.9-10 mm i-CS lens with remote zoom and focus. Support for CS-mount P-Iris and DC-iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; full HDTV 1080p/2MP resolution up to 60 fps with Forensic WDR and up to 120 fps without. Zipstream for reduced bandwidth and storage. Includes analytics AXIS Guard Suite, shock detection and active tampering alarm. Barrel distortion correction, Defog and Electronic image stabilization. Scene profiles. Two-way audio and I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Powered by IEEE 802.3at Type 2 Class 4 (PoE+). Built-in heaters and fan, Arctic Temperature Control for start up in -40°C to 60°C (-40 °F to 140 °F). Includes a removable sunshield and wall bracket. Midspan not included.	\$ 1,499.00	7331021062290	21	12	28	11
AXIS Q1647	20		01051-001	1/2" sensor, 5 MP, Day/night fixed camera providing Forensic WDR and Lightfinder for demanding light conditions. Varifocal 3.9-10 mm i-CS lens with remote zoom and focus for installation. Support for P-Iris and DC-iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; 5 MP at 30 fps with Forensic WDR, and 4 MP at up to 60 fps without Forensic WDR. Zipstream for reduced bandwidth and storage. Fence Guard, Motion Guard, Video motion detection, shock detection and active tampering alarm. Barrel distortion correction, Defog and Electronic image stabilization. Scene profiles. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Power over Ethernet or 8-28 V DC input. Includes stand for wall and ceiling mount. Midspan or power supply not included	\$ 1,399.00	7331021058545	4	8	10	4
AXIS Q1647 BARE BONE	20		01051-041	AXIS Q1647 Barebone in single pack. No lens. No power supply.	\$ 1,199.00	7331021062917	3	8	10	4

AXIS Q1647-LE	20		01052-001	<p>1/2" sensor, outdoor, NEMA 4X, IP66 and IK10-rated, 5 MP, Day/night fixed camera providing OptimizedIR, Forensic WDR and Lightfinder. Varifocal 3.9-10 mm i-CS lens with remote zoom and focus. Support for CS-mount P-Iris and DC-iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; 5 MP at 30 fps with Forensic WDR, and 4 MP at up to 60 fps without Forensic WDR. Zipstream for reduced bandwidth and storage. Includes analytics AXIS Guard Suite, shock detection and active tampering alarm and shock detection. Barrel distortion correction, Defog and Electronic image stabilization. Scene profiles. Two-way audio and I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Powered by IEEE 802.3at Type 2 Class 4 (PoE+). Built-in heaters and fan, Arctic Temperature Control for start up in -40°C to 60°C (-40 °F to 140 °F). Includes a removable sunshield and wall bracket. Midspan not included.</p>	\$ 1,699.00	7331021058552	21	12	28	11
AXIS Q1659 BAREBONE	20		01568-031	<p>Note: Before the order is processed, this product requires an End User Information statement to be submitted to order@axis.com</p> <p>Professional photography meets video surveillance</p> <p>AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances.</p> <p>It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes.</p> <p>AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zipstream that significantly reduces bandwidth and storage requirements.</p> <ul style="list-style-type: none"> <li>&gt; 20 MP resolution</li> <li>&gt; Canon EF mount and EF/EF-S lenses</li> <li>&gt; Axis' Zipstream technology</li> <li>&gt; PoE and SFP slot for optional fiber connectivity</li> <li>&gt; Optional accessory housing</li> </ul>	\$ 4,899.00	7331021065055	3	6	10	5
AXIS Q1659 10-22MM F/3.5-4.5	10		0967-001	<p>Professional photography meets video surveillance</p> <p>AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances.</p> <p>It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes.</p> <p>AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zipstream that significantly reduces bandwidth and storage requirements.</p> <ul style="list-style-type: none"> <li>&gt; 20 MP resolution</li> <li>&gt; Canon EF mount and EF/EF-S lenses</li> <li>&gt; Axis' Zipstream technology</li> <li>&gt; PoE and SFP slot for optional fiber connectivity</li> <li>&gt; Optional accessory housing</li> </ul>	\$ 5,899.00	7331021056459	5	11	12	6

AXIS Q1659 24MM F/2.8	10		0962-001	<p>Professional photography meets video surveillance</p> <p>AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances.</p> <p>It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes.</p> <p>AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zipstream that significantly reduces bandwidth and storage requirements.</p> <ul style="list-style-type: none"> <li>&gt; 20 MP resolution</li> <li>&gt; Canon EF mount and EF/EF-S lenses</li> <li>&gt; Axis' Zipstream technology</li> <li>&gt; PoE and SFP slot for optional fiber connectivity</li> <li>&gt; Optional accessory housing</li> </ul>	\$ 4,999.00	7331021056350	4	11	12	6
AXIS Q1659 35MM F/2	10		0963-001	<p>Professional photography meets video surveillance</p> <p>AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances.</p> <p>It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes.</p> <p>AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zipstream that significantly reduces bandwidth and storage requirements.</p> <ul style="list-style-type: none"> <li>&gt; 20 MP resolution</li> <li>&gt; Canon EF mount and EF/EF-S lenses</li> <li>&gt; Axis' Zipstream technology</li> <li>&gt; PoE and SFP slot for optional fiber connectivity</li> <li>&gt; Optional accessory housing</li> </ul>	\$ 5,899.00	7331021056374	4	11	12	6
AXIS Q1659 50MM F/1.4	10		0964-001	<p>Professional photography meets video surveillance</p> <p>AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances.</p> <p>It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes.</p> <p>AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zipstream that significantly reduces bandwidth and storage requirements.</p> <ul style="list-style-type: none"> <li>&gt; 20 MP resolution</li> <li>&gt; Canon EF mount and EF/EF-S lenses</li> <li>&gt; Axis' Zipstream technology</li> <li>&gt; PoE and SFP slot for optional fiber connectivity</li> <li>&gt; Optional accessory housing</li> </ul>	\$ 5,399.00	7331021056398	4	11	12	6

AXIS Q1659 85MM F/1.2	10		0965-001	<p>Professional photography meets video surveillance</p> <p>AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances.</p> <p>It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes.</p> <p>AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zipstream that significantly reduces bandwidth and storage requirements.</p> <ul style="list-style-type: none"> <li>&gt; 20 MP resolution</li> <li>&gt; Canon EF mount and EF/EF-S lenses</li> <li>&gt; Axis' Zipstream technology</li> <li>&gt; PoE and SFP slot for optional fiber connectivity</li> <li>&gt; Optional accessory housing</li> </ul>	\$ 8,149.00	7331021056411	6	11	12	6
AXIS Q1659 100MM F/2.8	10		0966-001	<p>Professional photography meets video surveillance</p> <p>AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances.</p> <p>It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes.</p> <p>AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zipstream that significantly reduces bandwidth and storage requirements.</p> <ul style="list-style-type: none"> <li>&gt; 20 MP resolution</li> <li>&gt; Canon EF mount and EF/EF-S lenses</li> <li>&gt; Axis' Zipstream technology</li> <li>&gt; PoE and SFP slot for optional fiber connectivity</li> <li>&gt; Optional accessory housing</li> </ul>	\$ 6,499.00	7331021056435	5	11	12	6
AXIS Q1659 70-200MM F/2.8	50		0968-001	<p>Professional photography meets video surveillance</p> <p>AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances.</p> <p>It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes.</p> <p>AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zipstream that significantly reduces bandwidth and storage requirements.</p> <ul style="list-style-type: none"> <li>&gt; 20 MP resolution</li> <li>&gt; Canon EF mount and EF/EF-S lenses</li> <li>&gt; Axis' Zipstream technology</li> <li>&gt; PoE and SFP slot for optional fiber connectivity</li> <li>&gt; Optional accessory housing</li> </ul>	\$ 8,399.00	7331021056473	9	13	14	8

AXIS Q1765-LE	250		0509-001	Outdoor, IP66 and NEMA 4X-rated, 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Integrated IR LED illumination. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. WDR- dynamic contrast. Video motion detection and active tampering alarm. Two way audio and I/O with multi-connector cable (not included). MicroSD/MicroSDHC memory card slot for optional local video storage. Operation in -40°C to +50°C. Powered by PoE (IEEE 802-3af), 8-28 V DC or 20-24 V AC. Includes a removable sunshield, integrated wall/ceiling mount. Power supply or midspan not included.	\$ 1,399.00	7331021038370	6	16	7	9
AXIS Q1765-LE PTMOUNT	20		0644-001	Outdoor, IP66 and NEMA 4X-rated, 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Integrated IR LED illumination. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. WDR- dynamic contrast. Video motion detection and active tampering alarm. Serial port supporting RS422/485 communication for connection to a pan-tilt motor. MicroSD/MicroSDHC memory card slot for optional local video storage. Operation in -40°C to +50°C. Powered by PoE (IEEE 802-3af), 8-28 V DC or 20-24 V AC. Includes a removable sunshield. Power supply, midspan or pan-tilt motor not included.	\$ 1,399.00	7331021042933	5	15	7	7
AXIS Q1775	20	EOL	0751-001	1080p HDTV camera with 10x zoom, auto focus and day/night mode. Multiple, individually configurable H.264 and Motion JPEG streams; max. HDTV 1080p resolution at 50/60 fps. WDR-Dynamic Capture (130dB@ 30 fps and 90dB@ 60 fps). Video motion detection, Gatekeeper functionality and active tampering alarm. Two way audio in 48KHz, I/O and serial port for RS485/RS422 communication. SDHC/SDXC memory card slot for optional local video storage. Operation in 0 °C to +50 °C. Powered by PoE (IEEE 802-3af), 8-28 V DC or 20-24 V AC. Includes stand for wall or ceiling mount. Power supply not included.	\$ 1,299.00	7331021046498	4	7	10	4
AXIS Q1775-E	20	EOL	0752-001	Outdoor, IP66- and NEMA 4X-rated, 1080p HDTV camera with 10x zoom, auto focus and day/night mode. Multiple, individually configurable H.264 and Motion JPEG streams; max. HDTV 1080p resolution at 50/60 fps. WDR-Dynamic Capture (130dB@ 30 fps and 90dB@ 60 fps). Video motion detection, Gatekeeper functionality and active tampering alarm. Two way audio in 48KHz, I/O and serial port for RS485/RS422 communication. SD/SDHC/SDXC memory card slot for optional local video storage. Arctic Temperature Control, operation in -30°C to 50°C (-22 °F to 122 °F) when powered by IEEE 802.3af midspan or -40 °C to 50 °C (-40 °F to 122 °F) with PoE+ Midspan. Includes a removable sunshield and wall bracket. Midspan not included.	\$ 1,599.00	7331021050341	13	9	23	9
AXIS Q1785-LE	250		01161-001	Robust outdoor, 2 MP/HDTV, day/night fixed bullet camera with 32x optical zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p /2MP resolution at 50/60 fps. Forensic WDR and Lightfinder for demanding light conditions and Axis Zipstream technology for reduced bandwidth and storage needs. Varifocal 4.3–137 mm, F1.4 with remote zoom and autofocus. Includes analytics AXIS Guard Suite, shock detection and active tampering alarm. Corridor format, Barrel distortion correction, Defog, Electronic image stabilization and Scene profiles Audio mic/line in, I/O for alarm/event handling and memory card slot for optional local video storage. OptimizedIR, a power-efficient IR LED technology. Integrated bracket for easy mounting on wall and ceiling. NEMA 4X, IP66/67 and impact resistant in -40°C to +60°C(-40 °F to 140 °F). Powered by PoE (IEEE 802-3af), 8-28 V DC or 20-24 V AC. Includes a removable sunshield. Power supply or midspan not included.	\$ 1,199.00	7331021061217	7	7	16	9

AXIS Q1786-LE	50		01162-001	Robust outdoor, 4 MP/Quad HD1440p, day/night fixed bullet camera with 32x optical zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1440p /4MP resolution at 50/60 fps. Forensic WDR and Lightfinder for demanding light conditions and Axis Zipstream technology for reduced bandwidth and storage needs. Varifocal 4.3–137 mm, F1.4 with remote zoom and autofocus. Includes analytics AXIS Guard Suite, shock detection and active tampering alarm. Corridor format, Barrel distortion correction, Defog, Electronic image stabilization and Scene profiles Audio mic/line in, I/O for alarm/event handling and memory card slot for optional local video storage. OptimizedIR, a power-efficient IR LED technology. Integrated bracket for easy mounting on wall and ceiling. NEMA 4X, IP66/67 and impact resistant in -40°C to +60°C(-40 °F to 140 °F). Powered by PoE (IEEE 802-3af), 8-28 V DC or 20-24 V AC. Includes a removable sunshield. Power supply or midspan not included.	\$ 1,399.00	7331021061224	7	7	16	9
AXIS Q1941-E 7MM 30 FPS	20		0786-001	Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 30 fps, and 7 mm lens with 55° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 2,799.00	7331021048515	6	7	16	9
AXIS Q1941-E 13MM 30 FPS	10		0787-001	Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 30 fps, and 13 mm lens with 28° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 2,799.00	7331021048522	6	7	16	9
AXIS Q1941-E 19MM 30 FPS	10		0877-001	Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 30 fps, and 19 mm lens with 19.4° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 2,799.00	7331021051867	6	7	16	9
AXIS Q1941-E 35MM 30 FPS	10		0788-001	Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 30 fps, and 35 mm lens with 10.7° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 3,799.00	7331021048539	6	7	16	9
AXIS Q1941-E 60MM 30 FPS	10		0789-001	Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 30 fps, and 60 mm lens with 6.2° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 5,299.00	7331021048546	7	7	16	9

AXIS Q1941-E PT MOUNT 7MM 30 FPS	10		0973-001	Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 30 fps, and 7 mm lens with 55° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 2,799.00	7331021058712	5	15	7	7
AXIS Q1941-E PT MOUNT 13MM 30 FPS	20		0974-001	Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 30 fps, and 13 mm lens with 28° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 2,799.00	7331021058637	4	7	15	7
AXIS Q1941-E PT MOUNT 19MM 30 FPS	10		0979-001	Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 30 fps, and 19 mm lens with 19.4° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 2,799.00	7331021058651	4	7	15	7
AXIS Q1941-E PT MOUNT 35MM 30 FPS	20		0975-001	Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 30 fps, and 35 mm lens with 10.7° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 3,799.00	7331021058675	5	7	15	7
AXIS Q1941-E PT MOUNT 60MM 30 FPS	20		0977-001	Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 30 fps, and 60 mm lens with 6.2° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 5,299.00	7331021058699	5	15	7	7
AXIS Q1942-E 10MM 30 FPS	10		0916-001	Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 30 fps, and 10mm lens with 63° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 4,999.00	7331021052338	6	7	16	9
AXIS Q1942-E 19MM 30 FPS	10		0918-001	Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 30 fps, and 19 mm lens with 32° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 4,999.00	7331021052352	6	7	16	9

AXIS Q1942-E 35MM 30 FPS	10		0920-001	Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 30 fps, and 35 mm lens with 17° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 5,999.00	7331021052376	6	7	16	9
AXIS Q1942-E 60MM 30 FPS	10		0922-001	Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 30 fps, and 60 mm lens with 10° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 7,499.00	7331021052390	7	7	16	9
AXIS Q1942-E PT MOUNT 10MM 30 FPS	10		0981-001	Outdoor Thermal Network Camera for positioning unit. 640x480 resolution, 30 fps, and 10mm lens with 63° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 4,999.00	7331021058736	5	7	15	7
AXIS Q1942-E PT MOUNT 19MM 30 FPS	10		0983-001	Q1942-E PT mount 19mm Outdoor Thermal Network Camera for positioning unit. 640x480 resolution, 30 fps, and 19mm lens with 32° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 4,999.00	7331021058750	4	7	15	7
AXIS Q1942-E PT MOUNT 35MM 30 FPS	20		0985-001	Outdoor Thermal Network Camera for positioning unit. 640x480 resolution, 30 fps, and 35mm lens with 17° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 5,999.00	7331021058774	4	7	15	7
AXIS Q1942-E PT MOUNT 60MM 30 FPS	10		0987-001	Outdoor Thermal Network Camera for positioning unit. 640x480 resolution, 30 fps, and 60mm lens with 10° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 7,499.00	7331021058798	5	7	15	7
AXIS F34 MAIN UNIT	250		0778-001	AXIS F34 Main Unit. 4-channel main unit to be used with any of AXIS F Sensor Units. Supports 1080p in 15/12.5 fps or 720p in full frame rate. Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Supports edge storage through NAS or SD cards (optional). Two SD card slots. Power over Ethernet or 8-28 V DC input. Power supply not included.	\$ 399.00	7331021050655	1	7	7	6
AXIS F41 MAIN UNIT	200		0658-001	AXIS F41 Main Unit. To be used with any of AXIS F Series Sensor Units. Supports full HDTV 1080p and WDR - Forensic Capture. Two way audio, 4 configurable I/Os with 12 V output and RS232. Supports Edge Storage through NAS or SD card (optional). PoE and 8-28 V DC support.	\$ 449.00	7331021045446	2	8	7	3



AXIS F44 DUAL AUDIO INPUT	500		0936-001	AXIS F44 Dual Audio Input Main Unit. 4-channel main unit to be used with any of AXIS F Series Sensor Units. Supports 1080p in 15/12.5 fps or 720p in full frame rate. Two way audio, 4 configurable I/Os with 12 V output and RS232. Supports Edge Storage through NAS or SD cards (optional). Two SD card slots. PoE and 8-28 V DC support. Comes with a stereo-to-mono adapter cable that allows two audio inputs. This article replaces AXIS F44 Main Unit (0659-00x) and the US version of AXIS F44 Dual Audio Input (0936-004).	\$ 549.00	7331021054141	2	8	7	3
AXIS F1004 SENSOR UNIT	100		0765-001	AXIS F1004 Sensor Unit with a fixed lens. Provides HDTV 720p and 102° horizontal FOV. Pigtail for a detachable 8-m (26-ft.) cable for connecting to an AXIS F Main Unit. A flush ceiling/wall mount kit is included.	\$ 99.00	7331021049499	1	6	10	2
AXIS F1004 BULLET SENSOR UNIT	10		0935-001	AXIS F1004 Bullet Sensor Unit with a fixed lens. Bullet-style mechanics enabling easy mounting on walls or ceilings and with the ability to tilt and rotate. Provides HDTV 720p and 102° horizontal FOV. Pigtail for a detachable 8-m (26-ft.) cable for connecting to an AXIS F Main Unit.	\$ 119.00	7331021053700	1	6	12	3
AXIS F1004 PINHOLE SENSOR UNIT	50		01003-001	AXIS F1004 Pinhole Sensor Unit. Pinhole lens for extremely discreet surveillance. Provides HDTV 720p and 57° horizontal FOV. Pigtail for a detachable 8-m (26-ft.) cable for connecting to an AXIS F Main Unit. Comes with a mounting bracket for the sensor unit.	\$ 119.00	7331021054462	1	6	12	3
AXIS F34 SURVEILLANCE SYSTEM	50		0779-004	AXIS F34 Surveillance System. Includes one AXIS F34 Main Unit, 4 x AXIS F1004 Sensor Units, 4 x AXIS F8214 Dome Accessory, 4 x AXIS F8224 Recessed Mount, 4 x AXIS F7315 Cable White 15 m (49 ft) for connecting sensor units to the main unit and 2 x AXIS Surveillance microSDXC card 64 GB. Comes with a power supply.	\$ 799.00	7331021050693	6	16	7	7
AXIS F1005-E SENSOR UNIT 3M	50		0675-001	AXIS F1005-E Sensor Unit with a 3 meter cable to the main unit. IP66 rated. To be used with AXIS F Series Main Units. Fixed lens that provides 113° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8201 Vari-angle Mounting Bracket.	\$ 249.00	7331021045514	1	8	7	2
AXIS F1005-E SENSOR UNIT 12M	100		0676-001	AXIS F1005-E Sensor Unit with a 12 meter cable to the main unit. IP66 rated. To be used with AXIS F Series Main Units. Fixed lens that provides 113° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8201 Vari-angle Mounting Bracket.	\$ 269.00	7331021045453	1	8	7	2
AXIS F1015 SENSOR UNIT 3M	100		0677-001	AXIS F1015 Sensor Unit with a 3 meter cable to the main unit. To be used with AXIS F Series Main Units. Vari-focal lens that provides 53° - 108° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8201 Vari-angle Mounting Bracket.	\$ 279.00	7331021045521	0	8	7	2
AXIS F1015 SENSOR UNIT 12M	100		0678-001	AXIS F1015 Sensor Unit with a 12 meter cable to the main unit. To be used with AXIS F Series Main Units. Vari-focal lens that provides 53° - 108° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8201 Vari-angle Mounting Bracket.	\$ 299.00	7331021045460	1	8	7	2
AXIS F1025 SENSOR UNIT 3M	20		0735-001	AXIS F1025 Sensor Unit with a 3 meter cable to the main unit. To be used with AXIS F Series Main Units. Pinhole lens that provides 92° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8202 Straight Mounting Bracket.	\$ 249.00	7331021045736	0	8	7	2
AXIS F1025 SENSOR UNIT 12M	100		0734-001	AXIS F1025 Sensor Unit with a 12 meter cable to the main unit. To be used with AXIS F Series Main Units. Pinhole lens that provides 92° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8202 Straight Mounting Bracket.	\$ 269.00	7331021045712	1	8	7	2
AXIS F1035-E SENSOR UNIT 3M	50		0737-001	AXIS F1035-E Sensor Unit with a 3 meter cable to the main unit. IP66 rated. To be used with AXIS F Series Main Units. Fisheye lens that provides 194° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8201 Vari-angle Mounting Bracket.	\$ 249.00	7331021045774	1	8	7	2
AXIS F1035-E SENSOR UNIT 12M	50		0736-001	AXIS F1035-E Sensor Unit with a 12 meter cable to the main unit. IP66 rated. To be used with AXIS F Series Main Units. Fisheye lens that provides 194° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8201 Vari-angle Mounting Bracket.	\$ 269.00	7331021045750	1	8	7	2
AXIS F4005-E DOME SENSOR UNIT	100		0775-001	AXIS F4005-E Dome Sensor Unit with a 12-meter (39-foot) cable to an AXIS F Series Main Unit. Comes with a clear dome cover and damask at the back that makes it IK09 and IP66 rated. Fixed lens that provides 110° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit.	\$ 289.00	7331021049475	2	9	8	5

AXIS F4005 DOME SENSOR UNIT	200		0798-001	AXIS F4005 Dome Sensor Unit with a 12-meter (39-feet) cable to an AXIS F Series Main Unit. Recessed dome without a clear dome cover. Fixed lens that provides 113° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit.	\$ 279.00	7331021049482	2	9	8	6
AXIS F8804 STEREO SENSOR UNIT	10	EOL	0948-001	AXIS F8804 Stereo Sensor Unit is made up of two AXIS F1004 Sensor Units and provides synchronized stereo imaging when used with an AXIS F34 or AXIS F44 Main Unit. When combined with analytics software from an Axis partner, the units enable the creation of a three-dimensional depth map that facilitates precision counting for applications such as people counting, queue management and heat mapping. The stereo sensor unit is designed to be mounted indoors in ceilings – either recessed in a drop ceiling for a discreet installation, or surface-mounted with the included adapter. It is ideal for use, for example, in stores. The product can currently not be found on axis.com, but is available on Axis' partner pages ( <a href="http://www.axis.com/partner_pages/news_prod_tech.php?t=cv&amp;mid=4454">http://www.axis.com/partner_pages/news_prod_tech.php?t=cv&amp;mid=4454</a> ).	\$ 229.00	7331021055575	1	7	10	4
AXIS FA1105 SENSOR UNIT	250		0913-001	AXIS FA1105 is a discreet indoor sensor unit with 111° horizontal field of view, for use with an AXIS FA Main Unit. It can be installed in tight places and flush-mounted in a wall, ceiling or metal panel with only a small hole visible for the lens. AXIS FA1105 provides a 1080p resolution and Forensic WDR (wide dynamic range) that is optimized for low light and motion. The unit comes with a mounting bracket and an 8 m (26 ft.) cable for connection to a main unit.	\$ 139.00	7331021052307	1	7	7	3
AXIS FA1125 SENSOR UNIT	20		0914-001	AXIS FA1125 is an extremely discreet indoor, pin hole lens, Sensor Unit with a 91° horizontal field of view, for use with an AXIS FA Main Unit. It can be installed in tight places and flush-mounted in a wall, ceiling or metal panel with only a pinhole visible for the lens. AXIS FA1125 provides a 1080p resolution and Forensic WDR (wide dynamic range) that is optimized for low light and motion. The unit comes with a mounting bracket and an 8 m (26 ft.) cable for connection to a main unit.	\$ 149.00	7331021052314	0	6	12	3
AXIS FA3105-L EYEBALL SENSOR UNIT	100		01026-001	AXIS FA3105-L is a compact eyeball sensor unit with built in IR illumination (15 m / 49 ft range of reach) for use with AXIS FA Main Unit. It has 103° horizontal field of view and 1080p HDTV resolution with Forensic WDR (wide dynamic range) that is optimized for low light and motion. The unit comes with a mounting bracket and an 8 m (26 ft.) cable for connection to the main unit.	\$ 149.00	7331021058279	1	7	7	3
AXIS FA4115 SENSOR UNIT	100		01001-001	AXIS FA4115 is a compact varifocal dome sensor unit with 53° to 99° horizontal field of view for use with an AXIS FA Main Unit. AXIS FA4115 provides a 1080p resolution a Forensic WDR (wide dynamic range) that is optimized for low light and motion. The unit comes with a mounting bracket and an 8-m (26 ft.) cable for connection to a main unit.	\$ 179.00	7331021054318	1	7	8	2
AXIS FA54 MAIN UNIT	250		0878-004	AXIS FA54 is a modular camera Main Unit and can stream full frame rate HDTV 1080p videos from four sensor units simultaneously using one IP address. It has an HDMI port for connection to a surveillance or public view monitor, Forensic WDR (wide dynamic range) that is optimized for low light and motion, Axis Zipstream, two microphone inputs and one audio out, I/O port and two micro SD card slots for local storage.	\$ 449.00	7331021058880	2	5	10	6
AXIS COMPANION CUBE L	10		0891-001	Day/night, full HD cube camera for indoor use. Built-in IR illumination, PIR sensor, microphone, speaker and WDR. Fixed lens. HDTV 1080p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection. Power over Ethernet. Midspan not included. For use only with AXIS Companion video management software and mobile apps.	\$ 199.00	7331021054035	1	6	5	4
AXIS COMPANION BULLET LE	100		0959-001	Day/night, outdoor-ready, full HD bullet-style camera. Built-in IR illumination and WDR – Forensic Capture. Fixed lens with 115° HFOV. Automatic IR cut filter. HDTV 1080p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and corridor format. Power over Ethernet. Midspan not included. Operating conditions -30 °C to 50 °C (-22 °F to 122 °F). For use only with AXIS Companion video management software and mobile apps.	\$ 229.00	7331021055773	1	5	7	5

AXIS COMPANION CUBE LW	10		0892-004	AXIS Companion Cube LW is a wireless day/night, full HD cube camera for indoor use. Features high quality video in HDTV 1080p / 2 MP resolution and WDR. Built-in microphone for audio recording, and PIR motion sensor for detecting movement in darkness. IR illumination and day and night functionality. Connects over wireless LAN (IEEE 802.11a/b/g/n) or wired Ethernet. Supports Wi-Fi Protected Setup™. Axis' Zipstream technology ensures maximized recording time. Self-contained recording solution with included 64 GB high endurance microSD card optimized for surveillance. Power supply included. For use only with AXIS Companion video management software and mobile apps.	\$ 279.00	7331021051676	1	6	5	4
AXIS Q1659 55-250MM F/4-5.6	10		01118-001	Professional photography meets video surveillance  AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances.  It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes.  AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zipstream that significantly reduces bandwidth and storage requirements.  > 20 MP resolution > Canon EF mount and EF/EF-S lenses > Axis' Zipstream technology > PoE and SFP slot for optional fiber connectivity > Optional accessory housing	\$ 5,199.00	7331021060722	5	11	12	6
AXIS COMPANION BULLET MINI LE	200		01115-001	Day/night, outdoor-ready, full HD bullet-style camera. Built-in IR illumination and WDR technology. Fixed lens with 103° HFOV. HDTV 1080p resolution at 30 fps. Video motion detection and corridor format. Power over Ethernet. Operating conditions -20 °C to 50 °C (-4 °F to 122 °F). For use only with AXIS Companion video management software and mobile apps. AXIS Companion Recorder is required and sold separately.	\$ 149.00	7331021060623	1	5	6	5
AXIS M3015	200		01151-001	Ultra-discreet, indoor fixed mini dome for recessed mounting in ceiling or wall. Fixed lens. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max HDTV 1080p at 30 fps with WDR. Axis Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	\$ 269.00	7331021061118	1	5	5	5
AXIS M3016	20		01152-001	Ultra-discreet, indoor fixed mini dome for recessed mounting in ceiling or wall. Fixed lens. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max 3 MP at 30 fps with WDR. Axis Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	\$ 369.00	7331021061125	1	5	5	5
AXIS M3044-V	2000		0802-001	Ultra-compact, indoor fixed mini dome with dust- and vandal-resistant casing for easy mounting on wall or ceiling. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p resolution at 30 fps with WDR. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	\$ 199.00	7331021049000	1	5	5	3
AXIS M3044-WV	20		0803-004	Ultra-compact, indoor fixed mini dome with dust- and vandal-resistant casing for easy mounting on wall or ceiling. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p at 30 fps with WDR. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Connects over wireless LAN (IEEE 802.11b/g/n) or wired Ethernet. Power supply included.	\$ 229.00	7331021055971	1	6	5	3

AXIS M3045-V	2000		0804-001	Ultra-compact, indoor fixed mini dome with dust- and vandal-resistant casing for easy mounting on wall or ceiling. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30 fps with WDR. HDMI output (micro). Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	\$ 269.00	7331021049048	1	5	5	3
AXIS M3045-WV	20		0805-004	Ultra-compact, indoor fixed mini dome with dust- and vandal-resistant casing for easy mounting on wall or ceiling. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30 fps with WDR. HDMI output (micro). Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Connects over wireless LAN (IEEE 802.11b/g/n) or wired Ethernet. Power supply included.	\$ 299.00	7331021056060	1	6	5	3
AXIS M3046-V 1.8MM	400		01116-001	Ultra-compact, indoor fixed mini dome with dust- and vandal-resistant casing for easy mounting on wall or ceiling. Fixed 1.8mm lens. Multiple, individually configurable H.264 and Motion JPEG streams; max 3 MP at 30 fps with WDR. HDMI output (micro). Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	\$ 369.00	7331021060630	1	4	4	3
AXIS M3046-V 2.4mm	1000		0806-001	Ultra-compact, indoor fixed mini dome with dust- and vandal-resistant casing for easy mounting on wall or ceiling. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max 4 MP at 30 fps with WDR. HDMI output (micro). Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	\$ 369.00	7331021049086	1	5	5	3
AXIS M3047-P	1000		0808-001	Ultra-compact, indoor fixed mini dome with 6 MP sensor, fixed lens and and tamper-resistant casing for easy mounting on wall or ceiling. Provides 360°/180° overview and dewarped panorama, quad, corner, corridor or digital PTZ views in up to 30 fps. Multiple, individually configurable H.264 and Motion JPEG streams. Client dewarping also supported. Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. HDMI output (micro). Memory card slot for optional local video storage. Environment-friendly, PVC-free with recycled plastics. Power over Ethernet. Midspan not included.	\$ 469.00	7331021049123	1	5	5	3
AXIS M3048-P	250		01004-001	Ultra-compact, indoor fixed mini dome with 12 MP sensor, fixed lens and and tamper-resistant casing for easy mounting on wall or ceiling. Provides 360°/180° overview in up to 30 fps and dewarped panorama, quad, corner, corridor or digital PTZ views in up to 15 fps. Multiple, individually configurable H.264 and Motion JPEG streams. Client dewarping also supported. Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. HDMI output (micro). Memory card slot for optional local video storage. Environment-friendly, PVC-free with recycled plastics. Power over Ethernet. Midspan not included.	\$ 669.00	7331021054479	1	5	5	3
AXIS M3024-LVE	200		0535-001	Compact, day/night fixed mini dome in a vandal-resistant casing for outdoor or indoor installation. Fixed lens and built-in IR illumination. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and I/O for alarm/event handling. Comes with a 2 m (6.6 ft.) network cable and is powered using Power over Ethernet. Midspan not included	\$ 549.00	7331021003798	2	8	6	5
AXIS M3025-VE	500		0536-001	Compact, day/night fixed mini dome in a vandal-resistant casing for outdoor or indoor installation. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and I/O for alarm/event handling. Comes with a 2 m (6.6 ft.) network cable and is powered using Power over Ethernet. Midspan not included.	\$ 549.00	7331021003835	2	8	6	5

AXIS M3026-VE	200		0547-001	Compact, day/night fixed mini dome in a vandal-resistant casing for outdoor or indoor installation. Fixed, 106° lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps or 3 MP resolution at 20 fps. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and I/O for alarm/event handling. Comes with a 2 m (6.6 ft.) network cable and is powered using Power over Ethernet. Midspan not included.	\$ 649.00	7331021007956	2	8	6	5
AXIS M3027-PVE	250	EOL	0556-001	Compact, day/night fixed mini dome in a vandal-resistant casing for outdoor or indoor installation, offering 360°/180° panoramic views as well as quad and digital PTZ views. Multiple, individually configurable H.264 and Motion JPEG streams in up to 5MP resolution at 12 fps. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and I/O for alarm/event handling. Comes with a 2 m (6.6 ft.) cable with a male RJ-45 network connector and is powered using Power over Ethernet. Midspan not included.	\$ 749.00	7331021043343	3	7	6	5
AXIS M3037-PVE	250		0548-001	Compact, day/night fixed mini dome in a vandal-resistant casing for outdoor or indoor installation, offering 360°/270°/180° panoramic views as well as quad and digital PTZ views. Multiple, individually configurable H.264 and Motion JPEG streams in up to 5MP resolution at 12 fps. Two-way, echo-free audio communication with built-in microphone and speaker. SIP support for IP phone system integration. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and I/O for alarm/event handling. Comes with a 2 m (6.6 ft.) cable with a male RJ-45 network connector and is powered using Power over Ethernet. Midspan not included.	\$ 799.00	7331021050303	2	6	8	5
AXIS M3057-PLVE	500		01177-001	360°/180° fixed dome with 6 MP sensor and support for Forensic WDR, Lightfinder and OptimizedIR illumination. Vandal-resistant casing in flat design, for outdoor or indoor installation. Provides complete 360° overview in up to 30 fps with WDR and 60 fps with WDR disabled. Dewarped panorama, quad, corner, corridor and up to four digital PTZ views. Client-side dewarping also supported. Multiple, individually configurable H.264 and Motion JPEG streams, Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Supervised input / digital output for alarm / event handling. Memory card slot for optional local video storage. Power over Ethernet. Includes mounting bracket for wall or junction boxes. Midspan not included.	\$ 649.00	7331021061415	2	7	7	4
AXIS M3058-PLVE	500		01178-001	360°/180° fixed dome with 12 MP sensor and support for Forensic WDR, Lightfinder and OptimizedIR illumination. Vandal-resistant casing in flat design, for outdoor or indoor installation. Provides complete 360° overview in up to 20 fps with WDR and 30 fps with WDR disabled. Dewarped panorama, quad, corner, corridor and up to four digital PTZ views. Client-side dewarping also supported. Multiple, individually configurable H.264 and Motion JPEG streams, Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Supervised input / digital output for alarm / event handling. Memory card slot for optional local video storage. Power over Ethernet. Includes mounting bracket for wall or junction boxes. Midspan not included.	\$ 849.00	7331021061422	2	7	7	4
AXIS M3104-L	50		0865-001	Day/night, compact mini dome with flat-faced design for indoor use. Built-in IR illumination and WDR – Forensic Capture. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	\$ 249.00	7331021050761	1	5	6	5
AXIS M3104-LVE	100		0866-001	Day/night, compact mini dome in a vandal-resistant, outdoor-ready, flat-faced design. Built-in IR illumination and WDR – Forensic Capture. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	\$ 299.00	7331021050778	1	5	6	5
AXIS M3105-L	1000		0867-001	Day/night, compact mini dome with flat-faced design for indoor use. Built-in IR illumination and WDR – Forensic Capture. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	\$ 319.00	7331021050785	1	5	6	5

AXIS M3105-LVE	500		0868-001	Day/night, compact mini dome in a vandal-resistant, outdoor-ready, flat-faced design. Built-in IR illumination and WDR – Forensic Capture. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	\$ 369.00	7331021050792	1	5	6	5
AXIS M3106-L MK II	100		01036-001	Day/night, compact mini dome with flat-faced design for indoor use. Built-in IR illumination and fixed lens. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max 4MP resolution at 30 fps with WDR. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	\$ 419.00	7331021058323	1	5	6	5
AXIS M3106-LVE MK II	200		01037-001	Day/night, compact mini dome in a vandal-resistant, outdoor-ready, flat-faced design. Built-in IR illumination and fixed lens. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max 4 MP resolution at 30 fps with WDR. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	\$ 469.00	7331021058330	1	5	6	5
AXIS P3224-V MKII	2000		0950-001	Day/night fixed dome with support for WDR – Forensic Capture and Lightfinder. Discreet, dust and IK08 vandal-resistant indoor casing. Varifocal 2.8-10 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 720p at 30 fps with WDR, and up to 60 fps with WDR disabled. Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	\$ 419.00	7331021055599	2	10	10	8
AXIS P3224-LV MKII	400		0990-001	Day/night fixed dome with support for WDR – Forensic Capture, Lightfinder and OptimizedIR with built-in IR illumination. Discreet, dust and IK08 vandal-resistant indoor casing. Varifocal 2.8-10 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 720p at 30 fps with WDR, and up to 60 fps with WDR disabled. Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	\$ 499.00	7331021057081	2	10	10	8
AXIS P3225-V MKII	2000		0952-001	Day/night fixed dome with support for WDR – Forensic Capture and Lightfinder. Discreet, dust and IK08 vandal-resistant indoor casing. Varifocal 3-10.5 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR, and up to 60 fps with WDR disabled. Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	\$ 499.00	7331021055612	2	10	10	8
AXIS P3225-VE MKII	1000		0953-001	Day/night fixed dome with support for WDR – Forensic Capture and Lightfinder. IK10 vandal-resistant outdoor casing. Varifocal 3-10.5 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR, and up to 60 fps with WDR disabled. Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	\$ 619.00	7331021055629	3	10	10	8
AXIS P3225-LV MKII	2000		0954-001	Day/night fixed dome with support for WDR – Forensic Capture, Lightfinder and OptimizedIR with built-in IR illumination. Discreet, dust and IK08 vandal-resistant indoor casing. Varifocal 3-10.5 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR, and up to 60 fps with WDR disabled. Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	\$ 579.00	7331021055636	2	10	10	8

AXIS P3225-LVE MKII	2000		0955-001	Day/night fixed dome with support for WDR – Forensic Capture, Lightfinder and OptimizedIR with built-in IR illumination. IK10 vandal-resistant outdoor casing. Varifocal 3-10.5 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR, and up to 60 fps with WDR disabled. Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes and weather shield against sun, rain or snow.	\$ 699.00	7331021055643	3	10	10	8
AXIS P3227-LV	1000		0885-001	Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. Discreet, dust- and IK08 vandal-resistant indoor casing. Varifocal 3.5-10 mm P-Iris lens with remote zoom and focus simplifying the installation. Multiple, individually configurable H.264 and Motion JPEG streams. 5 MP at 30 fps with WDR. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	\$ 779.00	7331021051379	2	9	8	8
AXIS P3227-LVE	1000		0886-001	Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. IK10 vandal-resistant outdoor casing. Varifocal 3.5-10 mm P-Iris lens with remote zoom and focus simplifying the installation. Multiple, individually configurable H.264 and Motion JPEG streams. 5 MP at 30 fps with WDR. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.	\$ 899.00	7331021051393	3	9	8	8
AXIS P3228-LV	500		0887-001	Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. Discreet, dust- and IK08 vandal-resistant indoor casing. Varifocal 3.5-10 mm P-Iris lens with remote zoom and focus simplifying the installation. Multiple, individually configurable H.264 and Motion JPEG streams. 4K (8MP) at 30 fps with WDR. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	\$ 979.00	7331021051416	2	9	8	8
AXIS P3228-LVE	500		0888-001	Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. IK10 vandal-resistant outdoor casing. Varifocal 3.5-10 mm P-Iris lens with remote zoom and focus simplifying the installation. Multiple, individually configurable H.264 and Motion JPEG streams. 4K (8MP) at 30 fps with WDR. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.	\$ 1,099.00	7331021051430	3	9	8	8
AXIS P3235-LV	100		01443-001	Day/night fixed dome with support for WDR – Forensic Capture, Lightfinder and OptimizedIR with built-in IR illumination. Discreet, dust and IK08 vandal-resistant indoor casing. Varifocal 3-10 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR, and up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Two-way audio and audio detection. Supervised digital input / digital output for alarm / event handling. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	\$ 629.00	7331021063365	2	8	8	9
AXIS P3235-LVE	150		01199-001	Day/night fixed dome with support for WDR – Forensic Capture, Lightfinder and OptimizedIR with built-in IR illumination. IK10 vandal-resistant outdoor casing. Varifocal 3-10 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR, and up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Two-way audio and audio detection. Supervised digital input / digital output for alarm / event handling. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	\$ 749.00	7331021062009	3	8	8	9

AXIS P3367-V	400		0406-001	5MP, day/night, fixed dome with discreet, vandal-resistant indoor casing. Varifocal 3-9 mm P-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max 5MP resolution at 12 fps or HDTV 1080p at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	\$ 999.00	7331021033108	3	11	10	5
AXIS P3367-VE	250		0407-001	5MP, day/night, fixed dome with vandal-resistant, IP66-rated outdoor casing. Varifocal 3-9 mm P-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max 5MP resolution at 12 fps or HDTV 1080p at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Operation in -40°C to +55°C powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m Ethernet cable with mounted gasket.	\$ 1,199.00	7331021033115	6	16	12	7
AXIS P3374-V	1000		01056-001	Day/night fixed dome with support for WDR-Forensic Capture and Lightfinder. Discreet, IK10 vandal-resistant indoor casing. Varifocal 3 – 10 mm P-Iris lens with remote zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 720p at 30 fps with WDR, and up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Two-way audio and audio detection. Supervised input / digital output for alarm / event handling. Memory card slot for optional local video storage. Power over Ethernet, midspan not included.	\$ 599.00	7331021059245	2	8	8	7
AXIS P3374-LV	200		01058-001	Day/night fixed dome with support for WDR-Forensic Capture, Lightfinder and OptimizedIR with built-in IR illumination. Discreet, IK10 vandal-resistant indoor casing. Varifocal 3 – 10 mm P-Iris lens with remote zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 720p at 30 fps with WDR, and up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Two-way audio and audio detection. Supervised input / digital output for alarm / event handling. Memory card slot for optional local video storage. Power over Ethernet, midspan not included.	\$ 699.00	7331021059269	2	8	8	8
AXIS P3375-V	500		01060-001	Day/night fixed dome with support for WDR-Forensic Capture and Lightfinder. Discreet, IK10 vandal-resistant indoor casing. Varifocal 3 – 10 mm P-Iris lens with remote zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR, and up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Two-way audio and audio detection. Supervised input / digital output for alarm / event handling. Memory card slot for optional local video storage. Power over Ethernet, midspan not included.	\$ 699.00	7331021059283	2	8	8	7
AXIS P3375-LV	100		01062-001	Day/night fixed dome with support for WDR-Forensic Capture, Lightfinder and OptimizedIR with built-in IR illumination. Discreet, IK10 vandal-resistant indoor casing. Varifocal 3 – 10 mm P-Iris lens with remote zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR, and up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Two-way audio and audio detection. Supervised input / digital output for alarm / event handling. Memory card slot for optional local video storage. Power over Ethernet, midspan not included.	\$ 799.00	7331021059306	2	8	8	8
AXIS P3375-VE	500		01061-001	Day/night fixed dome with support for WDR-Forensic Capture and Lightfinder. IK10 vandal-resistant outdoor casing. Varifocal 3 – 10 mm P-Iris lens with remote zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR, and up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Two-way audio and audio detection. Supervised input / digital output for alarm / event handling. Memory card slot for optional local video storage. Operation in -40 °C to 55 °C (-40 °F to 131 °F) powered by standard Power over Ethernet. Midspan not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.	\$ 899.00	7331021059290	5	10	9	12



AXIS P3375-LVE	400		01063-001	Day/night fixed dome with support for WDR-Forensic Capture, Lightfinder and OptimizedIR with built-in IR illumination. IK10 vandal-resistant outdoor casing. Varifocal 3 – 10 mm P-Iris lens with remote zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR, and up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Two-way audio and audio detection. Supervised input / digital output for alarm / event handling. Memory card slot for optional local video storage. Operation in -40 °C to 55 °C (-40 °F to 131 °F) powered by standard Power over Ethernet. Midspan not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.	\$ 999.00	7331021059313	5	9	10	13
AXIS P3707-PE	1000		0815-001	Flexible multisensor fixed camera with four 1080p sensors. The lenses can be adjusted to provide a 108° to 54° horizontal field of view for either a wide, panoramic view, or detailed, zoomed-in views. The lenses can be rotated to support vertically oriented scenes in Axis' Corridor Format. Supports individually configurable video streams from each camera head, as well as quad view streaming, enabling 4x 1080p resolution videos at 12.5/15 fps or 4x 720p resolution videos at full frame rate. Axis' Zipstream technology is supported to lower bandwidth and storage requirements. PoE Class 2.	\$ 1,199.00	7331021049666	6	13	14	5
AXIS P3717-PLE	1000		01504-001	AXIS P3717-PLE Network Camera is a compact 8-megapixel camera with four varifocal lenses enabling overview and detailed surveillance. With one IP address and one network cable, the four-camera-in-one unit provides a flexible, cost-effective solution for multidirectional surveillance. 360° IR illumination, Forensic WDR and Lightfinder technology provides excellent video quality in any light conditions. Each camera head can be individually positioned (pan, tilt, roll and twist) along a circular track. Remote zoom and focus makes it easy to install and the clear cover, with no sharp edges, ensures undistorted views in all directions. The camera comes with an integrated weathershield.	\$ 1,349.00	7331021064232	6	13	14	5
AXIS P3807-PVE	400		01048-001	AXIS P3807-PVE Network Camera is a fixed dome camera with multiple sensors, providing an easy, reliable and cost-efficient one-camera installation – reducing installation time, cabling and VMS license costs. Thanks to its excellent image sensors, along with Forensic WDR and Lightfinder technology, it provides great video quality in any light conditions. Its four sensors give a seamless 180° panoramic overview, at up to 30 fps in 8 MP resolution. The camera is easy to install as recessed, flush, pendant, back-to-back, and comes with adjustable pre-set camera positions. •Seamlessly stitched images •180° horizontal and 90° vertical coverage •8 MP resolution at full frame rate •Axis Lightfinder and Forensic WDR •Axis Zipstream for reduced bandwidth and storage needs	\$ 1,349.00	7331021058460	7	11	11	12
AXIS P3904-R Mk II	20		01078-001	720p fixed dome onboard camera with male RJ-45 network connector. Equipped with 3.6mm, F2.0 lens in ruggedized IP66/67 casing. Includes lens tool, top cover tool, allen key, and drill template.	\$ 449.00	7331021059696	1	7	5	4
AXIS P3904-R MK II BULK 10PCS	10		01078-021	AXIS P3904-R MkII (RJ45) in bulk 10-pack. 720p fixed dome onboard camera with male RJ-45 network connector.	\$ 4,265.00	7331021062733	8	15	22	12
AXIS P3904-R MK II BULK 50 PCS	2		01078-031	AXIS P3904-R MkII (RJ45) in bulk 50-pack. 720p fixed dome onboard camera with male RJ-45 network connector.	\$ 21,299.00	7331021062740	32	17	25	11
AXIS P3904-R Mk II M12	20		01071-001	720p fixed dome onboard camera with female M12 D-coded connector. Equipped with 3.6mm, F2.0 lens in ruggedized IP66/67 casing. Includes lens tool, top cover tool, allen key, and drill template.	\$ 449.00	7331021059627	1	7	5	4
AXIS P3904-R MK II M12 BULK 10PCS	10		01071-021	AXIS P3904-R MkII (M12) in bulk 10-pack. 720p fixed dome onboard camera with female M12 D-coded connector.	\$ 4,265.00	7331021062719	9	14	22	11
AXIS P3904-R MK II M12 BULK 50PCS	2		01071-031	AXIS P3904-R MkII (M12) in bulk 50-pack. 720p fixed dome onboard camera with female M12 D-coded connector.	\$ 21,299.00	7331021062726	33	17	25	11
AXIS P3905-R Mk II	100		01072-001	1080p fixed dome onboard camera with male RJ-45 network connector. Equipped with 3.6mm, F2.0 lens in ruggedized IP66/67 casing. Includes lens tool, top cover tool, allen key, and drill template.	\$ 549.00	7331021059634	1	7	5	4
AXIS P3905-R MK II BULK 10PCS	10		01072-021	AXIS P3905-R MkII (RJ45) in bulk 10-pack. 1080p fixed dome onboard camera with male RJ-45 network connector.	\$ 5,215.00	7331021062757	8	15	22	12
AXIS P3905-R MK II BULK 50 PCS	2		01072-031	AXIS P3905-R MkII (RJ45) in bulk 50-pack. 1080p fixed dome onboard camera with male RJ-45 network connector.	\$ 25,999.00	7331021062764	32	17	25	11
AXIS P3905-R Mk II M12	20		01073-001	1080p fixed dome onboard camera with female M12 D-coded connector. Equipped with 3.6mm, F2.0 lens in ruggedized IP66/67 casing. Includes lens tool, top cover tool, allen key, and drill template.	\$ 549.00	7331021059641	1	7	5	4

AXIS P3905-R MK II M12 BULK 10 PCS	10		01073-021	AXIS P3905-R MkII (M12) in bulk 10-pack. 1080p fixed dome onboard camera with female M12 D-coded connector.	\$ 5,215.00	7331021062771	9	14	22	11
AXIS P3905-R MK II M12 BULK 50 PCS	2		01073-031	AXIS P3905-R MkII (M12) in bulk 50-pack. 1080p fixed dome onboard camera with female M12 D-coded connector.	\$ 25,999.00	7331021062788	34	17	25	11
AXIS P3905-R MK II BAREBONE 10P	5		01072-041	AXIS P3905-R Mk II (RJ45) with no lens in bulk 10-pack. 1080p fixed dome onboard camera with male RJ-45 network connector. Lenses sold separately. Note: Avoid installing lenses in dusty environments. To reduce the risk of dust falling into the sensor, hold the camera with the lens opening facing down.	\$ 5,025.00	7331021065093	8	14	22	11
AXIS P3915-R Mk II	50		01074-001	1080p fixed dome onboard camera with male RJ-45 network connector, and support for audio and I/O. Equipped with 3.6mm, F2.0 lens in ruggedized IP66/67 casing. Includes lens tool, top cover tool, allen key, and drill template.	\$ 599.00	7331021059658	1	7	5	4
AXIS P3915-R MK II BULK 10 PCS	10		01074-021	AXIS P3915-R MkII (RJ45) in bulk 10-pack. 1080p fixed dome onboard camera with male RJ-45 network connector, and support for audio and I/O.	\$ 5,690.00	7331021062795	9	15	22	12
AXIS P3915-R MK II BULK 50 PCS	2		01074-031	AXIS P3915-R MkII (RJ45) in bulk 50-pack. 1080p fixed dome onboard camera with male RJ-45 network connector, and support for audio and I/O.	\$ 28,399.00	7331021062801	34	17	25	11
AXIS P3915-R Mk II M12	20		01075-001	1080p fixed dome onboard camera with female M12 D-coded connector, and support for audio and I/O. Equipped with 3.6mm, F2.0 lens in ruggedized IP66/67 casing. Includes lens tool, top cover tool, allen key, and drill template.	\$ 599.00	7331021059665	1	7	5	4
AXIS P3915-R MK II M12 BULK 10 PCS	10		01075-021	AXIS P3915-R MkII (M12) in bulk 10-pack. 1080p fixed dome onboard camera with female M12 D-coded connector, and support for audio and I/O.	\$ 5,690.00	7331021062818	10	15	22	12
AXIS P3915-R MK II M12 BULK 50 PCS	2		01075-031	AXIS P3915-R MkII (M12) in bulk 50-pack. 1080p fixed dome onboard camera with female M12 D-coded connector, and support for audio and I/O.	\$ 28,399.00	7331021062825	35	17	25	11
AXIS P3904-R	50	EOL	0640-001	Fixed dome mobile surveillance camera with rugged design. Fixed lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max 720p resolution at 30/25 fps. Video motion detection and active tampering alarm. Male RJ-45 network connector, Power over Ethernet. microSD card slot for Edge storage support. Includes lens tool and top cover tool. Midspan not included.	\$ 449.00	7331021044371	1	7	5	4
AXIS P3904-R BULK 10 PCS	10	EOL	0640-021	AXIS P3904-R (RJ45) in 10-pack/bulk. No midspans or mounting adapters included.	\$ 4,265.00	7331021043657	9	22	14	11
AXIS P3904-R BULK 50 PCS	2	EOL	0640-031	AXIS P3904-R (RJ45) in 50-pack/bulk. No midspans or mounting adapters included.	\$ 21,299.00	7331021043664	33	26	17	12
AXIS P3904-R M12	50	EOL	0638-001	Fixed dome mobile surveillance camera with rugged design. Fixed lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max 720p resolution at 30/25 fps. Video motion detection and active tampering alarm. M12 network connector, Power over Ethernet. microSD card slot for Edge storage support. Includes lens tool and top cover tool. Midspan not included.	\$ 449.00	7331021044654	1	7	5	4
AXIS P3904-R M12 BULK 10 PCS	10	EOL	0638-021	AXIS P3904-R (M12) in 10-pack/bulk. No midspans or mounting adapters included.	\$ 4,265.00	7331021043633	10	22	14	11
AXIS P3904-R M12 BULK 50 PCS	2	EOL	0638-031	AXIS P3904-R (M12) in 50-pack/bulk. No midspans or mounting adapters included.	\$ 21,299.00	7331021043640	34	26	17	12
AXIS P3905-R	20	EOL	0641-001	Fixed dome mobile surveillance camera with rugged design. Fixed lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max 1080p resolution at 30/25 fps. Video motion detection and active tampering alarm. Male RJ-45 network connector, Power over Ethernet. microSD card slot for Edge storage support. Includes lens tool and top cover tool. Midspan not included.	\$ 549.00	7331021044388	1	7	5	4
AXIS P3905-R BULK 10 PCS	10	EOL	0641-021	AXIS P3905-R (RJ-45) in 10-pack/bulk. No midspans or mounting adapters included.	\$ 5,215.00	7331021043671	9	22	14	11
AXIS P3905-R BULK 50 PCS	2	EOL	0641-031	AXIS P3905-R (RJ-45) in 50-pack/bulk. No midspans or mounting adapters included.	\$ 25,999.00	7331021043688	33	26	17	12
AXIS P3905-R MK II M12 BAREBONE 10P	5		01073-041	AXIS P3905-R Mk II (M12) with no lens in bulk 10-pack. 1080p fixed dome onboard camera with female M12 D-coded connector. Lenses sold separately. Note: Avoid installing lenses in dusty environments. To reduce the risk of dust falling into the sensor, hold the camera with the lens opening facing down.	\$ 5,025.00	7331021065109	8	14	22	11
AXIS P3915-R	20	EOL	0643-001	Fixed dome mobile surveillance camera with rugged design. Fixed lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max 1080p resolution at 30/25 fps. Video motion detection and active tampering alarm. Male RJ-45 network connector, Power over Ethernet. Audio-in and I/O. microSD card slot for Edge storage support. Includes lens tool and top cover tool. Midspan not included.	\$ 599.00	7331021044678	1	7	5	4
AXIS P3915-R BULK 10 PCS	10	EOL	0643-021	AXIS P3915-R (RJ-45) in 10-pack/bulk. No midspans or mounting adapters included.	\$ 5,690.00	7331021043718	8	22	14	11
AXIS P3915-R BULK 50 PCS	2	EOL	0643-031	AXIS P3915-R (RJ-45) in 50-pack/bulk. No midspans or mounting adapters included.	\$ 28,399.00	7331021043725	33	26	17	12

AXIS P3915-R M12	20	EOL	0642-001	Fixed dome mobile surveillance camera with rugged design. Fixed lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max 1080p resolution at 30/25 fps. Video motion detection and active tampering alarm. M12 network connector, Power over Ethernet. Audio-in and I/O. microSD card slot for Edge storage support. Includes lens tool and top cover tool. Midspan not included.	\$ 599.00	7331021044395	1	7	5	4
AXIS P3915-R M12 BULK 10 PCS	10	EOL	0642-021	AXIS P3915-R (M12) in 10-pack/bulk. No midspans or mounting adapters included.	\$ 5,690.00	7331021043695	10	22	14	11
AXIS P3915-R M12 BULK 50 PCS	2	EOL	0642-031	AXIS P3915-R (M12) in 50-pack/bulk. No midspans or mounting adapters included.	\$ 28,399.00	7331021043701	34	26	17	12
AXIS P3905-RE	10		0662-001	Fixed dome mobile surveillance camera for outdoors use on buses, trams, trucks and emergency vehicles. IP69K and IK09 rated. Fixed 6 mm lens providing 55° horizontal FOV. Flat, discreet and tamper-resistant casing. Supports H.264 and Motion JPEG streams; max 1080p resolution at 30/25 fps. Video motion detection and active tampering alarm. Male RJ-45 network connector, Power over Ethernet. microSD card slot for Edge storage support. Includes lens tool and top cover tool.	\$ 549.00	7331021048058	2	8	8	4
AXIS P3905-RE BULK 10PCS	10		0662-021	Fixed dome mobile surveillance camera for outdoors use on buses, trams, trucks and emergency vehicles. IP69K and IK09 rated. Fixed 6 mm lens providing 55° horizontal FOV. Flat, discreet and tamper-resistant casing. Supports H.264 and Motion JPEG streams; max 1080p resolution at 30/25 fps. Video motion detection and active tampering alarm. Male RJ-45 network connector, Power over Ethernet. microSD card slot for Edge storage support. Includes lens tool and top cover tool. 10 PCS.	\$ 5,299.00	7331021048065	16	22	14	11
AXIS P3905-RE M12	10		0663-001	Fixed dome mobile surveillance camera for outdoors use on buses, trams, trucks and emergency vehicles. IP69K and IK09 rated. Fixed 6 mm lens providing 55° horizontal FOV. Flat, discreet and tamper-resistant casing. Supports H.264 and Motion JPEG streams; max 1080p resolution at 30/25 fps. Video motion detection and active tampering alarm. M12 network connector, Power over Ethernet. microSD card slot for Edge storage support. Includes lens tool and top cover tool.	\$ 549.00	7331021048072	2	8	8	4
AXIS P3905-RE M12 BULK 10PCS	10		0663-021	Fixed dome mobile surveillance camera for outdoors use on buses, trams, trucks and emergency vehicles. IP69K and IK09 rated. Fixed 6 mm lens providing 55° horizontal FOV. Flat, discreet and tamper-resistant casing. Supports H.264 and Motion JPEG streams; max 1080p resolution at 30/25 fps. Video motion detection and active tampering alarm. M12 network connector, Power over Ethernet. microSD card slot for Edge storage support. Includes lens tool and top cover tool. 10 PCS.	\$ 5,299.00	7331021048089	16	22	14	11
AXIS P9106-V BRUSHED STEEL	20		01553-001	3MP compact and vandal-resistant (IK10) corner-mounted camera with 1.8mm lens for wide field of view without blind spots. Elegant brushed steel design with no visible screws. Dust- and waterproof (IP66) casing. WDR, Zipstream, SD card slot and support for portcast technology. Video motion detection and active tampering alarm. PoE Class 1. Color: Brushed stainless steel.	\$ 649.00	7331021064928	2	6	7	5
AXIS P9106-V WHITE	20		01620-001	3MP compact and vandal-resistant (IK10) corner-mounted camera with 1.8mm lens for wide field of view without blind spots. Ligature-resistant design with dust- and waterproof (IP66) casing. WDR, Zipstream, SD card slot and support for portcast technology. Video motion detection and active tampering alarm. PoE Class 1. White in color.	\$ 599.00	7331021066069	2	6	7	4
AXIS Q3505-V 9MM MkII	200	EOL	0872-001	Day/night fixed dome with support for WDR – Forensic Capture and Lightfinder in a discreet, dust and IK10 vandal-resistant indoor casing. Varifocal 3-9 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p video at 30 fps with WDR, and 1080p at up to 60 fps or 720p at up to 120 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. Electronic image stabilization. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	\$ 899.00	7331021056671	5	11	11	11

AXIS Q3505-V 22MM MkII	200	EOL	0873-001	Day/night fixed dome with support for WDR – Forensic Capture and Lightfinder in a discreet, dust and IK10 vandal-resistant indoor casing. Varifocal 9-22 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p video at 30 fps with WDR, and 1080p at up to 60 fps or 720p at up to 120 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. Electronic image stabilization. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	\$ 999.00	7331021056688	5	10	10	10
AXIS Q3505-VE 9MM MkII	200	EOL	0874-001	Day/night fixed dome with support for WDR – Forensic Capture and Lightfinder in an IK10+ vandal-resistant outdoor casing. Varifocal 3-9 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p video at 30 fps with WDR, and 1080p at up to 60 fps or 720p at up to 120 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. Electronic image stabilization. Memory card slot for optional local video storage. Operation in -50 °C to 60 °C (-58 °F to 140 °F) powered by standard Power over Ethernet. Midspan not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.	\$ 1,049.00	7331021056695	6	11	11	11
AXIS Q3505-SVE 9MM MKII	200	EOL	0773-001	Day/night fixed dome in a stainless steel (marine-grade SS 316L) outdoor casing with nylon dome cover, offering high corrosion resistance and IK10+ (50 joules) vandal resistance. Support for WDR – Forensic Capture and Lightfinder. Varifocal 3-9 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p video at 30 fps with WDR, and 1080p at up to 60 fps or 720p at up to 120 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. Electronic image stabilization. Memory card slot for optional local video storage. Operation in extended temperature range powered by standard Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	\$ 1,349.00	7331021050242	6	11	11	11
AXIS Q3505-VE 22MM MkII	200	EOL	0875-001	Day/night fixed dome with support for WDR – Forensic Capture and Lightfinder in an IK10+ vandal-resistant outdoor casing. Varifocal 9-22 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p video at 30 fps with WDR, and 1080p at up to 60 fps or 720p at up to 120 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. Electronic image stabilization. Memory card slot for optional local video storage. Operation in -50 °C to 60 °C (-58 °F to 140 °F) powered by standard Power over Ethernet. Midspan not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.	\$ 1,149.00	7331021056701	6	11	11	11
AXIS Q3505-SVE 22MM MKII	200	EOL	0774-001	Day/night fixed dome in a stainless steel (marine-grade SS 316L) outdoor casing with nylon dome cover, offering high corrosion resistance and IK10+ (50 joules) vandal resistance. Support for WDR – Forensic Capture and Lightfinder. Varifocal 9-22 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p video at 30 fps with WDR, and 1080p at up to 60 fps or 720p at up to 120 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. Electronic image stabilization. Memory card slot for optional local video storage. Operation in extended temperature range powered by standard Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	\$ 1,449.00	7331021056626	6	11	11	11

AXIS Q3515-LV 9MM	250		01039-001	Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR illumination. Discreet, dust and IK10 vandal-resistant indoor casing. Varifocal 3-9 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. 1080p at 30 fps with WDR and Lightfinder and up to 120 fps without. Zipstream for reduced bandwidth and storage. Fence Guard, Motion Guard, Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. Supervised inputs / digital outputs for alarm / event handling. Electronic image stabilization. Memory card slot for optional local video storage. Power over Ethernet or 8-28V DC power with redundancy. Midspan and power supply not included. Includes mounting bracket for wall or junction boxes.	\$ 849.00	7331021058361	6	8	8	5
AXIS Q3515-LV 22MM	50		01044-001	Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR illumination. Discreet, dust and IK10 vandal-resistant indoor casing. Varifocal 9-22 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. 1080p at 30 fps with WDR and Lightfinder and up to 120 fps without. Zipstream for reduced bandwidth and storage. Fence Guard, Motion Guard, Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. Supervised inputs / digital outputs for alarm / event handling. Electronic image stabilization. Memory card slot for optional local video storage. Power over Ethernet or 8-28V DC power with redundancy. Midspan and power supply not included. Includes mounting bracket for wall or junction boxes.	\$ 899.00	7331021058415	6	8	8	5
AXIS Q3515-LVE 9MM	400		01041-001	Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR illumination. IK10+ vandal-resistant outdoor casing. Varifocal 3-9 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. 1080p at 30 fps with WDR and Lightfinder, and up to 120 fps without. Zipstream for reduced bandwidth and storage. Fence Guard, Motion Guard, Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. Supervised inputs / digital outputs for alarm / event handling. Electronic image stabilization. Memory card slot for optional local video storage. Operation in -50 °C to 60 °C (-58 °F to 140 °F) powered by standard Power over Ethernet or 8-28V DC power with redundancy. Midspan and power supply not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.	\$ 999.00	7331021058385	4	10	9	12
AXIS Q3515-LVE 22MM	50		01046-001	Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR illumination. IK10+ vandal-resistant outdoor casing. Varifocal 9-22 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. 1080p at 30 fps with WDR and Lightfinder, and up to 120 fps without. Zipstream for reduced bandwidth and storage. Fence Guard, Motion Guard, Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. Supervised inputs / digital outputs for alarm / event handling. Electronic image stabilization. Memory card slot for optional local video storage. Operation in -50 °C to 60 °C (-58 °F to 140 °F) powered by standard Power over Ethernet or 8-28V DC power with redundancy. Midspan and power supply not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.	\$ 1,049.00	7331021058439	4	10	9	12
AXIS Q3517-LV	20		01021-001	Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. Discreet, dust and IK10 vandal-resistant indoor casing. Varifocal 4.3 – 8.6 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. 5 MP at 30 fps with WDR, and 4 MP at up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. Supervised inputs / digital outputs for alarm / event handling. Electronic image stabilization. Memory card slot for optional local video storage. Power over Ethernet or 8-28V DC power with redundancy. Midspan and power supply not included. Includes mounting bracket for wall or junction boxes.	\$ 1,099.00	7331021057883	5	8	8	5

AXIS Q3517-LVE	100		01022-001	Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. IK10+ vandal-resistant outdoor casing. Varifocal 4.3 – 8.6 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. 5 MP at 30 fps with WDR, and 4 MP at up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. Supervised inputs / digital outputs for alarm / event handling. Electronic image stabilization. Memory card slot for optional local video storage. Operation in -50 °C to 60 °C (-58 °F to 140 °F) powered by standard Power over Ethernet or 8-28V DC power with redundancy. Midspan and power supply not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.	\$ 1,249.00	7331021057890	6	10	9	12
AXIS Q3517-SLVE	20		01237-001	Day/night fixed dome in a stainless steel (marine-grade SS 316L) outdoor casing, offering high corrosion resistance and IK10+ (50 joules) vandal resistance. Support for Forensic WDR, Lightfinder and OptimizedIR IR illumination. Varifocal 4.3 – 8.6 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. 5 MP at 30 fps with WDR, and 4 MP at up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. Supervised inputs / digital outputs for alarm / event handling. Electronic image stabilization. Memory card slot for optional local video storage. Operation in -50 °C to 60 °C (-58 °F to 140 °F) powered by standard Power over Ethernet or 8-28V DC power with redundancy. Midspan and power supply not included. Includes mounting bracket for wall/ceiling or junction boxes.	\$ 1,349.00	7331021062832	6	9	9	12
AXIS Q3527-LVE	10	New	01565-001	Fixed dome with enhanced security features: signed firmware and secure boot ensure firmware authenticity, and a Trusted Platform Module (TPM) secures certificates and cryptographic keys. Forensic WDR, Lightfinder and OptimizedIR illumination. IK10+ vandal-resistant outdoor casing. Varifocal 4.3 – 8.6 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. 5 MP at 30 fps with WDR, and 4 MP at up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. Supervised inputs / digital outputs for alarm / event handling. Electronic image stabilization. Memory card slot for local storage. Operation in -50 °C to 60 °C (-58 °F to 140 °F) powered by standard Power over Ethernet or 8-28V DC power with redundancy. Midspan and power supply not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.	\$ 1,349.00	7331021065024	6	10	10	13
AXIS Q3518-LVE	20		01493-001	Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. IK10+ vandal-resistant outdoor casing. Varifocal 4.3 – 8.6 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. Up to 4K/8MP at 30 fps. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. Supervised inputs / digital outputs for alarm / event handling. Electronic image stabilization. Memory card slot for optional local video storage. Operation in -50 °C to 60 °C (-58 °F to 140 °F) powered by standard Power over Ethernet or 8-28V DC power with redundancy. Midspan and power supply not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.	\$ 1,349.00	7331021064034	6	10	9	13
AXIS Q3615-VE	10		0743-001	Day/night fixed dome with 1/2" sensor, providing WDR – Forensic Capture and Lightfinder for demanding light conditions. IK10 vandal-resistant outdoor casing. Pan/tilt/roll/zoom for remote installation and readjustment. Motorized varifocal 4.1-9 mm P-Iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; HDTV 1080p at up to 60 fps. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Electronic image stabilization. Memory card slot for optional local video storage. Operation in wide temperature range powered by standard Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes and substantial weather shield against sun, rain or snow.	\$ 1,349.00	7331021046108	7	10	10	13

AXIS Q3617-VE	50		0744-001	Day/night fixed dome with 1/2" sensor, providing WDR – Forensic Capture and Lightfinder for demanding light conditions. IK10 vandal-resistant outdoor casing. Pan/tilt/roll/zoom for remote installation and readjustment. Motorized varifocal 4.1-9 mm P-Iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; up to 4MP @ 30 fps with WDR, 6 MP @ 20 fps without WDR. Zipstream for reduced bandwidth and storage needs. Video motion detection, shock detection and active tampering alarm. Electronic image stabilization. Memory card slot for optional local video storage. Operation in wide temperature range powered by standard Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes and substantial weather shield against sun, rain or snow.	\$ 1,549.00	7331021046122	7	10	10	13
AXIS Q3708-PVE	500		0801-001	180° multi-sensor, day/night fixed dome in an IK10 vandal-resistant outdoor casing. Fixed focal, multi-megapixel lenses, focused from factory. 3 x QHD resolution, up to 15MP total in 4:3 format. WDR Forensic Capture, Zipstream and one single IP address. Operation in wide temperature range powered by standard Power over Ethernet Plus. Midspan not included. Designed for pendant or wall mount arm with same bayonet joint interface as Axis' PTZ domes. Includes weather shield against sun, rain or snow, easily repaintable to blend in with the environment.	\$ 1,999.00	7331021055865	7	11	11	13
AXIS Q3709-PVE	100		0664-001	Multi-sensor, day/night fixed dome in an IK10 vandal-resistant outdoor casing. Fixed focal, multi-megapixel lenses, focused from factory. Multiple, individually configurable H.264 and Motion JPEG streams; high-quality 4K video in 30 fps from each of 3 sensors and up to 33 MP resolution in total, together providing a 180° view. Video motion detection and active tampering alarm. Operation in wide temperature range powered by standard Power over Ethernet Plus. Midspan not included. Designed for pendant or wall mount arm with same bayonet joint interface as Axis' PTZ domes. Includes weather shield against sun, rain or snow, easily repaintable to blend in with the environment.	\$ 2,399.00	7331021043855	7	11	11	13
AXIS Q8414-LVS METAL	250		0709-001	AXIS Q8414-LVS Network Camera Metal is a brushed stainless steel indoor corner camera with an anti-grip/anti-ligature design to prevent self-harm. Ideal for correctional facilities and psychiatric wards. It supports IK10+ 50 joules impact rating. It is IP66- and NEMA 4X-rated for easy and safe cleaning. Superb images day and night with Lightfinder technology and has built-in invisible IR LED (940 nm). It delivers HDTV 720p or 1.3 Megapixel video, supporting a lens with: P-Iris, varifocal 2.5–6 mm, 105°–49° horizontal angle of view, F1.2. It offers 3 masks and I/O ports. Built-in surface mounted high quality microphone.	\$ 1,299.00	7331021045101	10	13	10	8
AXIS Q8414-LVS WHITE	20		0710-001	AXIS Q8414-LVS Network Camera White is a powder coated stainless steel indoor corner camera with an anti-grip/anti-ligature design to prevent self-harm. Ideal for correctional facilities and psychiatric wards. It supports IK10+ 50 joules impact rating. It is IP66- and NEMA 4X-rated for easy and safe cleaning. Superb images day and night with Lightfinder technology and has built-in invisible IR LED (940 nm). It delivers HDTV 720p or 1.3 Megapixel video, supporting a lens with: P-Iris, varifocal 2.5–6 mm, 105°–49° horizontal angle of view, F1.2. It offers 3 masks and I/O ports. Built-in surface mounted high quality microphone.	\$ 1,299.00	7331021045118	10	13	10	8
AXIS COMPANION DOME MINI LE	100	New	01665-001	Day/night full HD mini dome camera for indoor and outdoor use. Built-in IR illumination and WDR technology. Fixed lens with 103° HFOV. HDTV 1080p resolution at 30 fps. Video motion detection and corridor format. Power over Ethernet. Operating conditions -20 °C to 50 °C (-4 °F to 122 °F). For use only with AXIS Companion video management software and mobile apps. AXIS Companion Recorder is required and sold separately.	\$ 159.00	7331021066311	1	4	6	5
AXIS COMPANION DOME V	100		0894-001	Indoor full HD mini dome with dust- and vandal-resistant casing for easy mounting on wall or ceiling. Fixed lens. max HDTV 1080p at 30 fps with WDR. HDMI output (micro). Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection. Power over Ethernet. Midspan not included. For use only with AXIS Companion video management software and mobile apps.	\$ 169.00	7331021051508	1	5	5	3

AXIS COMPANION DOME WV	10		0895-004	AXIS Companion Dome WV is a wireless full HD mini dome for indoor use. It features high quality video in HDTV 1080p / 2 MP resolution and WDR. Dust- and vandal-resistant casing for easy mounting on wall or ceiling. HDMI output (micro). Connects over wireless LAN (IEEE 802.11a/b/g/n) or wired Ethernet. Supports Wi-Fi Protected Setup™. Axis' Zipstream technology ensures maximized recording time. Self-contained recording solution with included 64 GB high endurance microSD card optimized for surveillance. Power supply included. For use only with AXIS Companion video management software and mobile apps.	\$ 249.00	7331021053076	1	6	5	3
AXIS COMPANION EYE MINI L	100		01064-001	Day/night, full HD mini dome with flat-faced design for indoor use. Built-in IR illumination and WDR technology. Fixed lens with 103° HFOV. HDTV 1080p resolution at 30 fps. Video motion detection and corridor format. Power over Ethernet. For use only with AXIS Companion video management software and mobile apps. AXIS Companion Recorder is required and sold separately.	\$ 119.00	7331021059351	0	4	4	3
AXIS COMPANION EYE L	10		0881-001	Day/night, full HD mini dome with flat-faced design for indoor use. Built-in IR illumination and WDR – Forensic Capture. Fixed lens. HDTV 1080p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection. Power over Ethernet. Midspan not included. For use only with AXIS Companion video management software and mobile apps.	\$ 229.00	7331021055001	1	5	6	5
AXIS COMPANION EYE LVE	100		0880-001	Day/night, full HD mini dome in a vandal-resistant, outdoor-ready, flat-faced design. Built-in IR illumination and WDR – Forensic Capture. Fixed lens. HDTV 1080p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection. Power over Ethernet. Midspan not included. For use only with AXIS Companion video management software and mobile apps.	\$ 249.00	7331021054998	1	5	6	5
AXIS COMPANION 360	20		01024-001	Indoor ultra-compact, 360° panoramic mini dome with 6 MP sensor, fixed lens and tamper-resistant casing for easy mounting on wall or ceiling. Client dewarping and digital pan, tilt and zoom. Axis Zipstream technology for reduced bandwidth and storage needs. HDMI output (micro). Memory card slot for optional local video storage. Video motion detection. Power over Ethernet. Midspan not included. For use only with AXIS Companion video management software and mobile apps.	\$ 299.00	7331021058019	1	5	6	3
AXIS Q8641-E 35MM 30 FPS 24V	5		01119-001	High accuracy outdoor PT positioning thermal camera. 384x288 resolution, 30 fps and 35 mm lens with 10.5° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264 and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 5,799.00	7331021060777	35	15	15	28
AXIS Q8642-E 60MM 30 FPS 24V	10		01121-001	High accuracy outdoor PT positioning thermal camera. 640x480 resolution, 30 fps and 60 mm lens with 10° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264 and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 9,499.00	7331021060791	35	15	15	28
AXIS Q8685-E 24V AC/DC	20		0862-001	High accuracy outdoor PTZ positioning camera. HDTV 1080p video, 30x optical zoom, focus recall, extreme light sensitivity and Axis Zipstream. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated long-life silicone wiper for remote maintenance, and integrated SFP slot for long-distance fiber connection. IK10, IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC from external power supply (not included)	\$ 3,599.00	7331021056299	38	12	26	22



AXIS Q8685-LE 24V AC/DC	10		0864-001	High accuracy outdoor PTZ positioning camera with IR illuminators. HDTV 1080p video, 30x optical zoom, built-in IR pass filter for sharper images in mixed lighting conditions. IR range up to 500m. Integrated long-life silicone wiper for remote maintenance, and integrated SFP slot for long-distance fiber connection. IK10, IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC from external power supply (not included)	\$ 5,199.00	7331021056305	38	12	26	22
AXIS Q8741-E 35MM 30 FPS 24V	5		0824-001	High accuracy outdoor PTZ positioning bispectral camera. Thermal sensor features a 384x288 resolution, 30 fps and 35 mm lens with 10.5° angle of view. Visual sensor have HDTV 1080p video resolution, 30x optical zoom, focus recall and are extremely light sensitive. Integrated long-life silicone wiper for remote maintenance. The bispectral camera supports Zipstream, ONVIF, H.264 and local storage. It includes Video motion detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC from external power supply (not included). This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 9,999.00	7331021050013	41	16	20	26
AXIS Q8741-LE 35MM 30 FPS 24V	5		01013-001	High accuracy outdoor PTZ positioning bispectral camera with IR illuminators. Thermal sensor features a 384x288 resolution, 30 fps and 35 mm lens with 10.5° angle of view. Visual sensor have HDTV 1080p video resolution, 30x optical zoom, built-in IR pass filter for sharper images in mixed lighting conditions. IR range up to 500m. Integrated long-life silicone wiper for remote maintenance. The bispectral camera supports Zipstream, ONVIF, H.264 and local storage. It includes Video motion detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC from external power supply (not included). This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 11,599.00	7331021056732	52	20	16	26
AXIS Q8742-E ZOOM 30 FPS 24V	10		0830-001	High accuracy outdoor PTZ positioning Bispectral camera. Thermal sensor features a 640x480 resolution, 30 fps and 35-105 mm thermal zoom lens. Visual sensor have HDTV 1080p video resolution, 30x optical zoom, focus recall and are extremely light sensitive. Integrated long-life silicone wiper for remote maintenance. The bispectral camera supports Zipstream, ONVIF, H.264 and local storage. It includes Video motion detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC from external power supply (not included). This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 21,999.00	7331021050075	41	16	20	26
AXIS Q8742-E 35MM 30 FPS 24V	10		0828-001	High accuracy outdoor PTZ positioning Bispectral camera. Thermal sensor features a 640x480 resolution, 30 fps and 35 mm lens with 17° angle of view. Visual sensor have HDTV 1080p video resolution, 30x optical zoom, focus recall and are extremely light sensitive. Integrated long-life silicone wiper for remote maintenance. The bispectral camera supports Zipstream, ONVIF, H.264 and local storage. It includes Video motion detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC from external power supply (not included). This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 12,999.00	7331021050051	41	16	20	26

AXIS Q8742-LE 35MM 30 FPS 24V	10		01017-001	High accuracy outdoor PTZ positioning bispectral camera with IR illuminators. Thermal sensor features a 640x480 resolution, 30 fps and 35 mm lens with 17° angle of view. Visual sensor have HDTV 1080p video resolution, 30x optical zoom, built-in IR pass filter for sharper images in mixed lighting conditions. IR range up to 500m. Integrated long-life silicone wiper for remote maintenance. The bispectral camera supports Zipstream, ONVIF, H.264 and local storage. It includes Video motion detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC from external power supply (not included). This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 14,599.00	7331021056770	52	20	16	26
AXIS Q8742-LE ZOOM 30 FPS 24V	10		01019-001	High accuracy outdoor PTZ positioning bispectral camera with IR illuminators. Thermal sensor features a 640x480 resolution, 30 fps and and 35-105 mm thermal zoom lens. Visual sensor have HDTV 1080p video resolution, 30x optical zoom, built-in IR pass filter for sharper images in mixed lighting conditions. IR range up to 500m. Integrated long-life silicone wiper for remote maintenance. The bispectral camera supports Zipstream, ONVIF, H.264 and local storage. It includes Video motion detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC from external power supply (not included). This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 23,599.00	7331021056794	52	16	20	26
AXIS M5013	20	EOL	0398-001	Ceiling-mount mini PTZ dome camera with SVGA resolution and 3x digital zoom. 800x600 @ 30fps in H.264 and Motion JPEG. IP51 protection against dust and water. Only PoE, midspan not included. Hard and soft ceiling mounting brackets included.	\$ 449.00	7331021034433	1	7	7	4
AXIS M5013-V	20	EOL	0552-001	Vandal resistant IP66- and IK10-rated. Hard ceiling-mount PTZ dome camera with SVGA resolution and 3x digital zoom. 800x600 @ 30fps in H.264 and Motion JPEG. Only PoE, midspan not included.	\$ 549.00	7331021005495	3	10	10	6
AXIS M5014	20	EOL	0399-001	Ceiling-mount mini PTZ dome camera with HDTV 720p resolution, 16:9 format and 3x digital zoom.1280x720 @ 30fps in H.264 and Motion JPEG. IP51 protection against dust and water. Only PoE, midspan not included. Hard and soft ceiling mounting brackets included.	\$ 499.00	7331021034464	1	7	7	4
AXIS M5014-V	100	EOL	0553-001	Vandal resistant IP66- and IK10-rated. Hard ceiling-mount PTZ dome camera with HDTV 720p resolution and 3x digital zoom. 1280x720 @ 30fps in H.264 and Motion JPEG. Only PoE, midspan not included.	\$ 599.00	7331021005501	3	10	10	6
AXIS M5054	100		01079-001	Ceiling-mount mini PTZ dome camera with 5x Optical zoom and autofocus, HDTV 720p (1280x720) 25/30fps in H.264 with Zipstream and Motion JPEG. IP51 protection against dust and water. Basic analytics are included. Only PoE, midspan not included. Surface ceiling mounting brackets included	\$ 499.00	7331021059894	1	5	7	4
AXIS Q6125-LE 60HZ	250		01234-004	Top of the line PTZ with IR, HDTV 1080 and 30x optical zoom, H264/265 with Zipstream and Motion JPEG. IP66 for both indoor and outdoor use, WDR . Perfect image quality in all directions without distortion. WDR, EIS, Speed dry. Includes Advanced gate keeper analytics. With its compact size and repaintable surface, it will easily blend into the surroundings. Midspan with fiber slot and RJ45 input included.	\$ 2,999.00	7331021062566	9	10	10	15
AXIS M5065 US	100		01107-004	Ceiling-mount mini PTZ dome camera with 5x Optical zoom and autofocus, HDTV 1080p (1920x1080) 30fps in H.264 with Zipstream and Motion JPEG. IP51 protection against dust and water. Basic analytics are included. Only PoE, midspan not included. Surface ceiling mounting brackets included 4 wireless I/O using Z-wave communication.	\$ 599.00	7331021060326	1	5	7	4
AXIS M5525-E 60HZ	500		01146-001	Discreet PTZ with HDTV 1080p, 1920x1080, 10x optical zoom, automatic day/night and autofocus. Continues 360° pan. WDR- Forensic Capture, IP66, PoE and 24V. 30fps in H.264 and Motion JPEG, Zipstream, Scene profiles, two-way audio, 4 I/O. Surface mount or Axis PTZ standard mount. Midspan not included.	\$ 999.00	7331021061040	4	9	10	11

AXIS P5414-E 60HZ	20		0588-001	Intelligent Direct Drive PTZ camera with HDTV 720p, day/night and 18x zoom, designed for mounting on a wall or building. No extra bracket are needed, build in junction box. Audio In/Out, full size SD card, 24 V DC, 4 configurable I/Os and Ethernet connector with PoE. Repaintable sunshield covering the entire unit. Power supply not included.	\$ 1,599.00	7331021006546	9	13	12	15
AXIS P5415-E 60HZ	20		0589-001	Intelligent Direct Drive PTZ camera with HDTV 1080p, day/night and 18x zoom, designed for mounting on a wall or building. No extra bracket are needed, build in junction box. Audio In/Out, full size SD card, 24 V DC, 4 configurable I/Os and Ethernet connector with PoE. Repaintable sunshield covering the entire unit. Power supply not included.	\$ 1,999.00	7331021008076	9	13	12	15
AXIS Q8665-E 120V AC	50	EOL	0717-001	High speed and precision PT-head design PTZ camera with integrated wiper. HDTV 1080p resolution and 18x optical zoom. Pan speed: 0.02°/s to 100°/s, tilt speed: 0.02°/s to 40°/s. Continuous pan rotation, 360° endless and +90° to -40° tilt. IP66-rated and NEMA 4X-rated, operating temperature -40 °C to 55 °C (-40 °F to 131 °F). Power input 120V AC.	\$ 4,999.00	7331021048775	46	23	27	14
AXIS Q8665-LE 24V AC	50	EOL	0718-001	High precision PT-head design PTZ camera with integrated wiper and IR illuminators enabling a viewing range in darkness up to 150m. HDTV 1080p resolution and 18x optical zoom. Pan speed: 0.02°/s to 40°/s, tilt speed: 0.02°/s to 30°/s. Continuous pan rotation, 360° endless and +90° to -40° tilt. IP66-rated and NEMA 4X-rated, operating temperature -40 °C to 55 °C (-40 °F to 131 °F). Power input 24V AC.	\$ 5,199.00	7331021048782	62	23	26	26
AXIS Q8665-LE 120V AC	50	EOL	0720-001	High precision PT-head design PTZ camera with integrated wiper and IR illuminators enabling a viewing range in darkness up to 150m. HDTV 1080p resolution and 18x optical zoom. Pan speed: 0.02°/s to 40°/s, tilt speed: 0.02°/s to 30°/s. Continuous pan rotation, 360° endless and +90° to -40° tilt. IP66-rated and NEMA 4X-rated, operating temperature -40 °C to 55 °C (-40 °F to 131 °F). External power supply with power input 120V AC and integrated light sensor for IR illuminator control included.	\$ 6,499.00	7331021048805	77	23	26	26
AXIS P5514 60HZ	20	EOL	0769-001	Compact PTZ camera, 360° pan with auto-flip, HDTV camera including 12x optical zoom, auto-iris, automatic day/night, and autofocus zoom lens. Up to 720P (1280x720) resolution at 60 fps frame rate. Simultaneous H.264 and Motion JPEG, standard IEEE 802.3af PoE (midspan not included), mounting kit for hard and drop ceiling, smoked and clear transparent cover. IP51 protection SD-card slot, 4 I/O connections for alarm/event handling. Two-way, full duplex audio requires multi connection cable (not included)	\$ 999.00	7331021048218	5	10	10	14
AXIS P5514-E 60HZ	20	EOL	0771-001	Compact outdoor PTZ camera, 360° pan with auto-flip, HDTV camera including 12x optical zoom, auto-iris, automatic day/night, and autofocus zoom lens. Up to 720P (1280x720) resolution at 60 fps frame rate. Simultaneous H.264 and Motion JPEG, standard IEEE 802.3af PoE. SD-card slot, IP66, Advanced Gatekeeper. Midspan and mounting brackets are not included	\$ 1,199.00	7331021050389	4	10	10	14
AXIS P5515 60HZ	20	EOL	0770-001	Compact PTZ camera, 360° pan with auto-flip, HDTV camera including 12x optical zoom, auto-iris, automatic day/night, and autofocus zoom lens. Up to 1080P (1920x1080) resolution at 30 fps frame rate. Simultaneous H.264 and Motion JPEG, standard IEEE 802.3af PoE (midspan not included), mounting kit for hard and drop ceiling, smoked and clear transparent cover. IP51 protection, SD-card slot, 4 I/O connections for alarm/event handling. Two-way, full duplex audio requires multi connection cable (not included)	\$ 1,199.00	7331021048225	5	10	10	14
AXIS P5515-E 60HZ	20	EOL	0772-001	Compact outdoor PTZ camera, 360° pan with-auto flip, HDTV camera including 12x optical zoom, auto-iris, automatic day/night, and autofocus zoom lens. Up to 1080P (1920x1080) resolution at 30 fps frame rate. Simultaneous H.264 and Motion JPEG, standard IEEE 802.3af PoE. SD-card slot, IP66, Advanced Gatekeeper. Midspan and mounting brackets are not included	\$ 1,399.00	7331021048249	4	10	10	14
AXIS P5624-E MK II 60HZ	250		0932-001	PTZ camera with continues 360° pan for both indoor and outdoor with 23x optical zoom. HDTV 720p @ 30fps (1280x720) in H.264, Motion JPEG and Axis Zipstream and Focus Recall, Day & Night, IP66 and NEMA 4X classification. Advanced Gatekeeper, full-size SD-card slot, smoked and clear dome. Mounting brackets and Midspan are not included.	\$ 1,599.00	7331021053281	8	10	10	18

AXIS P5635-E MK II 60HZ	250		0929-001	PTZ camera with continues 360° pan for both indoor and outdoor with 30x optical zoom Autofocus and Focus Recall. HDTV 1080p @ 30fps (1920x1080) in H.264, Motion JPEG and Axis Zipstream. Two-way audio, 4xI/O, 24V and PoE, Day & Night, IP66 and NEMA 4X classification. Advanced Gatekeeper, full-size SD-card slot. Mounting brackets, Midspan/Power supply and connector or cable for audio, I/O and 24V are not included.	\$ 1,999.00	7331021053250	8	10	10	18
AXIS Q6000-E 60HZ MK II	250		01006-001	Outdoor-ready 360° situational awareness camera, comprising 4x2MP sensors @ 30fps in H.264 Zipstream and Motion JPEG. Tilttable sensors with exchangeable lenses. Designed to be integrated with any AXIS Q60-E series camera for large area coverage and simultaneous zoomed-in view, using the one-click PTZ control feature. Full size SD-card slot. No extra equipment required, as it uses the same brackets, power supply and network cable as the connected AXIS Q60-E.	\$ 1,599.00	7331021054745	11	19	19	13
AXIS Q6052 60HZ	100	EOL	0900-004	IP52, PTZ dome camera with 36x optical zoom. Lightfinder, Focus recall, Zipstream, WDR, EIS. Auto day/night functionality; min. illumination down to 0.15 lux in color and 0.008 in black/white. Continuous 360° rotation and 180° tilt with E-flip. Progressive scan, D1 resolution @ 60 fps in H.264 and Motion JPEG. Shock detection, autotracking, Active Gatekeeper, tour recording. Full size SD slot. Two way audio, four I/Os and external power with multi-connector cable (not included). Includes High PoE midspan, smoked and clear dome covers, and mounting kits for hard and drop ceilings	\$ 2,099.00	7331021051737	11	11	11	17
AXIS Q6052-E 60HZ	100	EOL	0902-004	Outdoor-ready, IP66, IK10 and NEMA 4X classification, PTZ dome camera with 36x optical zoom. Arctic Temperature Control enables operation and start up from -50 °C to +50 °C (-58 °F to 122 °F). Lightfinder, Focus recall, Zipstream, WDR, EIS. Auto day/night functionality; min. illumination down to 0.15 lux in color and 0.008 in black/white. Continuous 360° rotation and 220° tilt with E-flip. Progressive scan, D1 resolution @ 60 fps in H.264 and Motion JPEG. Shock detection, Autotracking, Active Gatekeeper, tour recording. Full size SD slot. Power through High PoE only. Includes clear transparent dome cover and High PoE midspan with fiber slot. No mounting bracket included (several different accessories available).	\$ 2,599.00	7331021051812	13	13	13	17
AXIS Q6054 Mk III 60HZ	50		01482-004	HDTV 720p compliant, high-speed PTZ dome camera with 30x optical zoom for indoor use. HDTV 720p @ 30 fps (1280x720) in H.264 and Motion JPEG, Day & Night, IP52. Continuous 360° rotation and 220° tilt with E-flip. Lightfinder, Focus recall, Zipstream, WDR, EIS, Automatic Defogging, shock detection. Full-size SD slot. Two-way audio, four I/Os and external power with multi-connector cable (not included). Includes High PoE midspan, smoked and clear dome covers, and mounting kits for hard and drop ceilings.	\$ 2,099.00	7331021063907	11	11	11	17
AXIS Q6054-E Mk III 60HZ	200		01484-004	HDTV 720p compliant, outdoor-ready, high-speed PTZ dome camera with 30x optical zoom. HDTV 720p @ 30fps (1280x720) in H.264 and Motion JPEG, Day & Night, IP66, IK10 and NEMA 4X classification. Continuous 360° rotation and 220° tilt with E-flip. Lightfinder, Focus recall, Zipstream, WDR, EIS, automatic defogging, shock detection, Arctic Temperature Control enables operation and start up from from -50 °C to +50 °C (-58 °F to 122 °F). Active Gatekeeper, tour recording and autotracking. Includes High PoE midspan with fiber slot and clear dome cover. Mounting brackets are not included (several different accessories available)	\$ 2,599.00	7331021063983	13	13	13	17
AXIS Q6055 60HZ	20		0908-004	HDTV 1080p compliant, high-speed PTZ dome camera with 32x optical zoom for indoor use. HDTV 1080p (1920x1080)@30 fps, 720P@60fps. Continuous 360° rotation and 220° tilt with E-flip. Day & Night, IP52, Zipstream, Shock detection, autotracking, tour recording and Active Gatekeeper. Two-way audio, I/O and external power with multi-connector cable (not included). Basic built-in analytics: object removed, fence detector, object counter, enter/exit detection, video motion detection Includes High PoE midspan, smoked and clear dome covers, and mounting kits for hard and drop ceilings	\$ 2,549.00	7331021052079	11	11	11	17

AXIS Q6055-E 60HZ	500		0910-004	Top performance HDTV 1080p compliant, outdoor-ready, IP66, IK10 and NEMA 4X-rated PTZ dome camera with 32x optical zoom and Zipstream. Arctic Temperature Control enables operation and start up from -50 °C to +50 °C (-58 °F to 122 °F). Auto day/night functionality. Continuous 360° rotation and 220° tilt with E-flip. HDTV 1080p (1920x1080)@30 fps, 720P@60fps. Shock detection, autotracking, tour recording and Active Gatekeeper. Power through High PoE only. Highlight compensation. Basic built-in analytics: object removed, fence detector, object counter, enter/exit detection, video motion detection. Clear transparent dome cover and High PoE midspan with fiber slot are included. No mounting bracket included (several different accessories available).	\$ 3,099.00	7331021052154	13	13	13	17
AXIS Q6055-C 60HZ	10		0943-001	Actively cooled, outdoor-ready high-speed PTZ dome camera with 32x optical zoom. IP66-, MIL-, IK10 and NEMA 4X-rated. Temperature range -20 °C to +75 °C. Auto day/night functionality. Continuous 360° rotation and 220° tilt with E-flip. HDTV 1080p (1920x1080) @ 30 fps, 720P@60 fps. Shock detection, autotracking, tour recording and Active Gatekeeper. Highlight compensation. Basic built-in analytics: object removed, fence detector, object counter, enter/exit detection, video motion detection. Including 5 m cable, media converter switch with 2xSFP slots for optical fiber modules, 2xRJ-45, 2xI/O and 24 V in. Power supply and brackets are not included. (several different accessories available).	\$ 4,099.00	7331021054851	18	13	15	17
AXIS Q6055-S 60HZ	10		0945-001	Stainless steel, (SS-316L) pressurized (5psi) Top performance HDTV 1080p compliant, outdoor-ready, IP66, IK10 and NEMA 4X-rated PTZ dome camera with 32x optical zoom. Auto day/night functionality. Continuous 360° rotation and 220° tilt with E-flip. HDTV 1080p (1920x1080) @ 30 fps, 720@60 fps. Shock detection, autotracking, tour recording and Active Gatekeeper. Highlight compensation. Basic built-in analytics: object removed, fence detector, object counter, enter/exit detection, video motion detection. Including 7 m cable, media converter switch with 2xSFP slots for optical fiber modules, 2xRJ-45, 2xI/O and 24 V in. Brackets and power adapter are not included (several different accessories available).	\$ 4,499.00	7331021054875	18	11	11	17
AXIS Q6114-E 60HZ	20	EOL	0650-004	Lightfinder HDTV PTZ for outdoor as well as indoor use. HDTV 720p resolution in 60fps with 30x zoom and top performance. Perfect image quality in all directions, without distortion. 130db WDR, EIS, automatic defog, Advanced gate keeper. With its compact size and repaintable surface, it will easily blend into the surroundings. Midspan with fiber slot included.	\$ 2,699.00	7331021043084	9	9	9	17
AXIS Q6124-E 60HZ	50		01070-004	Lightfinder HDTV PTZ for outdoor as well as indoor use. HDTV 720p resolution in 60fps with 30x zoom and top performance. Perfect image quality in all directions, without distortion. 130db WDR, EIS, automatic defog, Advanced gate keeper. With its compact size and repaintable surface, it will easily blend into the surroundings. Midspan with fiber slot included.	\$ 2,699.00	7331021059580	10	10	10	15
AXIS Q6115-E 60HZ	10	EOL	0652-004	Top of the line PTZ with HDTV PTZ for outdoor as well as indoor use. HDTV 1080p resolution in 60fps with 30x zoom and top performance. Perfect image quality in all directions without distortion. 115dbWDR, EIS, automatic defog, Advanced gate keeper. With its compact size and repaintable surface, it will easily blend into the surroundings. Midspan with fiber slot included.	\$ 2,999.00	7331021043169	9	9	9	17
AXIS Q6128-E 60HZ	100		0799-004	Compact, top performance 4K Comparable with SMPTE 2036 3840x2160 resolution in 30fps, (8MP). With 12x optical zoom for outdoor as well as indoor use. Day/night, Automatic defog, DNR 2D/3D and EIS. IP66, Active gatekeeper, tour recording and autotracking. Perfect image quality in all directions, without distortion, repaintable surface. Mounting brackets are not included (several different accessories available). Midspan with fiber slot included.	\$ 3,199.00	7331021051119	9	10	10	15
AXIS Q6155-E 60HZ	250		0934-004	Compact top performance HDTV PTZ for outdoor and indoor use with unique Laser Focus giving perfect focus. HDTV 1080p resolution in 30fps, perfect image quality in all directions without distortion due to Axis' Sharpdome technology with hard coating. Repaintable surface, will easily blend into the surroundings. 30x zoom 120dbWDR, EIS, automatic defog, Advanced gate keeper and Lightfinder. Midspan with fiber included	\$ 2,999.00	7331021053656	9	10	10	15
AXIS Q6215-LE 60HZ	50	New	01442-004	PTZ for the toughest conditions. MIL specified, build in IR illumination 300M (984ft), can be mounted face up or face down. IP66/67/68, IK10, MIL 8105 521.  Camera part; ½" sensor with HDTV 1080p, 30x optical zoom, 60fps, H264 with Zipstream and Motion JPEG, WDR. Perfect image quality in all directions without distortion, window wiper. Advanced gate keeper analytics. 90W Midspan included. Color; Urban grey.	\$ 3,499.00	7331021063327	25	13	16	17

AXIS V5914 60HZ	50		0632-004	Generic PTZ camera with 30x zoom, autofocus and HDTV 720p resolution at 60/fps for live streaming of video and audio. "Video conference" design, smooth pan and tilt, WDR, EIS. HDMI, 3G-SDI, XLR-3 for studio connectivity. CD-audio quality in stereo. Compliance with SMPTE 296M Power supply and wall mount bracket are included.	\$ 1,999.00	7331021049291	5	8	9	15
AXIS V5915 60HZ	20		0634-004	Generic PTZ camera with 30x zoom, autofocus and HDTV 1080p resolution at 60/fps for live streaming of video and audio. "Video conference" design, smooth pan and tilt, WDR, EIS. HDMI, 3G-SDI, XLR-3 for studio connectivity. CD-audio quality in stereo. Compliance with SMPTE 274M Power supply and wall mount bracket are included.	\$ 2,599.00	7331021049468	5	8	9	15
CANON SUNSHADE COVER SC640-VB	20		0723C001	Sunshade cover for VB-H651LVE/VE outdoor Domes. Includes securing bolts for easy installation.	\$ 84.00	4549292043570	1	5	9	7
CANON SMOKED DOME UNIT DU10-S-VB	20		0721C001	Smoked dome cover for VB-R1xVE & VB-R1x PTZ Domes	\$ 81.00	4549292043556	1	9	9	8
CANON SMOKED DOME UNIT DU640-S-VB	10		0722C001	Smoked dome cover for VB-H651VE/V & VB-M64xVE/V domes	\$ 44.00	4549292043563	1	7	7	6
CANON PENDANT MOUNTING KIT PC30-VB	10		9919B001	Indoor pendant mounting cap for VB-S30D/S31D/S80xD mini-domes. Comprising of 1.5inch NPSM threaded pipe adaptor / cover - Silver.	\$ 78.00	4549292022575	1	6	6	6
CANON WALL MOUNTING KIT WM10-VB	20		0720C001	Wall mount bracket for VB-R1xVE outdoor PTZ Domes. Consisting of heavy duty metal hinged cable box, right angle extender and PA10-15-VE bayonet camera fitting - 215mm stand-off.	\$ 456.00	4549292043549	7	11	15	8
CANON PLEN REC MOUNTKIT SR640-P-VB	20		0717C001	Indoor recessed ceiling mount kit for VB-H651V/M64xV domes. Comprising of in-ceiling cage and cover - Titanium White	\$ 350.00	4549292043518	7	11	11	10
CANON HEATER UNIT HU641-VB	20		0724C001	Optional heater element for VB-H651VE/M641VE outdoor Domes. Requires 24V AC power.	\$ 128.00	4549292043587	0	4	8	4
CANON PLE. REC MOUNT KIT SR30-P-VB	10		1065C001	Indoor plenum recessed ceiling mount kit for VB-S30D/S31D/S80xD mini-domes. Comprising of fire resistant in-ceiling cage and cover - Titanium White	\$ 121.00	4549292071566	3	8	8	9
CANON CEILIN MOUNT COV S SS40-S-VB	10		4962B001	Indoor surface mount ceiling cover (Silver) for VB-H43/M42 PTZ's Comprising of a metal mounting plate and "skirt" cover - Silver	\$ 62.00	4960999686721	1	7	8	3
CANON CEILING MOUNTING KIT CM10-VB	20		0711C001	Ceiling mount Back Box for VB-R1xVE outdoor PTZ Domes. Consisting of heavy duty metal hinged cable box and PA10-15-VE bayonet camera fitting - 342mm drop.	\$ 367.00	4549292043457	7	11	11	8
CANON RECESSED MOUNT KIT SR600-VB	20		5091B001	Indoor recessed ceiling mount kit for VB-H630VE/D & VB-M620VE/D domes.	\$ 81.00	4960999688671	3	11	11	5
CANON 1.5 IN PIPE ADPT PA10-15-VB	10		0718C001	1.5inch Pipe Adaptor for VB-R1xVE outdoor PTZ Domes with standard NPSM screw thread and bayonet camera fitting - 100mm long.	\$ 86.00	4549292043525	1	4	5	3
CANON PLEN REC MOUNT KIT SR11-P-VB	20		0716C001	Indoor plenum recessed ceiling mount kit for VB-R13/R11 indoor PTZ Domes. Comprising of fire resistant in-ceiling cage and cover - Titanium White	\$ 538.00	4549292043501	8	13	13	10
CANON REC MOUNT KIT SR640-S-VB	20		0715C001	Indoor recessed ceiling mount kit for VB-H651V/M64xV domes. Comprising of in-ceiling cage and cover - Titanium White	\$ 276.00	4549292043495	4	11	12	9
CANON CONDUIT BOX CB740-VB	20		0712C001	Conduit box for VB-H76x/H751LE/M74x outdoor bullets.	\$ 118.00	4549292043464	2	8	8	4
CANON PENDANT MOUNTING KIT PC640-VB	10		0719C001	Indoor pendant mounting cap for VB-R13/11 indoor PTZ Domes, VB-H65x/M64x domes, and VB-H76x/H751LE/M74x bullets. Comprising of 1.5inch NPSM threaded pipe adaptor / cover - Titanium White.	\$ 89.00	4549292043532	2	8	8	5
CANON CONDUIT ADAPTER CA640-VB	20		0713C001	Conduit adaptor for VB-M64xVE outdoor Domes.	\$ 103.00	4549292043471	1	4	7	4
CANON REC MOUNT KIT SR11-S-VB	20		0714C001	Indoor recessed ceiling mount kit for VB-R13/R11 indoor PTZ Domes. Comprising of mounting template, in-ceiling cage and cover - Titanium White	\$ 328.00	4549292043488	5	13	13	10
CANON JUNCT BOX MOUNT KIT PS600-VB	10		5004B001	Indoor junction box mounting plate for VB-H630VE/D & VB-M620VE/D domes.	\$ 34.00	4960999688688	1	9	8	1
CANON CEILIN MOUNT COV B SS40-B-VB	20		4962B002	Indoor surface mount ceiling cover (Black) for VB-H43B/M42B PTZ's. Comprising of a metal mounting plate and "skirt" cover - Black	\$ 62.00	4960999688794	1	7	8	3
CANON HEATER UNIT HU600-VB	20		5092B001	Optional heater element for VB-H630VE/M620VE outdoor Domes. Requires 24V AC power.	\$ 143.00	4960999688695	0	3	7	3
CANON INDOOR DOME HOUSING DR41-C-VB	20		6816B001	Indoor recessed ceiling mount kit for VB-H43(/B) & VB-M42(/B) PTZ's. Comprising of in-ceiling cage and Clear Dome - Silver	\$ 189.00	4960999914558	3	9	9	9
CANON INDOOR DOME HOUSING DR41-S-VB	20		6816B002	Indoor recessed ceiling mount kit for VB-H43(/B) & VB-M42(/B) PTZ's. Comprising of in-ceiling cage and Smoked Dome - Silver	\$ 189.00	4960999914565	3	9	9	9
CANON PENDANT MOUNTING KIT PC600-VB	10		9918B001	Indoor pendant mounting cap for VB-H43(/B), VB-M42(/B) PTZ's, VB-H630VE/D & VB-M620VE/D domes. Comprising of 1.5inch NPSM threaded pipe adaptor / cover - Silver.	\$ 111.00	4549292022551	2	7	7	4
CANON SURFACE MOUNT SPACER SS30-VB	20		9920B001	Indoor surface mount wall/ceiling spacer for VB-S30D/S31D/S80xD mini-domes.	\$ 46.00	4549292022582	1	6	6	6
CANON MOUNT KIT JUNCT BOX PS30-VB	10		9921B001	Indoor junction box mounting plate for VB-S30D/S31D/S80xD mini-domes.	\$ 46.00	4549292022568	0	7	7	1
CANON A-BK3S(OW)	10		1381V106	Pole Mount Adapter and 59" length Non-Tool Stainless Clamp (Minimum Pole Diameter 4")	\$ 122.00	660685011304	6	0	0	0
CANON A-SWD5VCHB	100		1381V120	A-SWD5VC with Heater & Blower	\$ 349.00	660685011441	7	9	9	11
CANON A-SWD5ZWB600	10		2178V433	Wall bracket kit for VB-M641, VB-M640, VB-H630, VB-H610, VB-M620, and VB-M600	\$ 248.00	660685047969	29	19	19	14

CANON A-SWD5WB3	10		2787V308	Wall bracket for VB-H43, VB-H41, VB-M42, VB-M40, VB-S30D, VB-S31D, VB-S800D, VB-S805D	\$ 104.00	660685136991	11	15	15	12
CANON A-ODW7C12S(OW)	20		1923V398	A-ODW7C12(OW) with sunshield	\$ 618.00	660685031180	16	18	15	18
CANON A-ODW7T12(OW)	20		1923V397	Wall mount 7" tinted vandal dome 12VDC with heater & blower (0.126" thickness polycarbonate capsule, IP66 or IPX4 selectable) for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR w/VB-EX50, and VC-C50iR	\$ 468.00	660685031173	15	18	16	18
CANON A-CA15G	20		1381V127	Ceiling mount adapter	\$ 36.00	660685011519	0	7	17	5
CANON A-SY15	20		1381V128	Sunshield	\$ 43.00	660685011526	2	7	17	5
CANON A-SWD5ZWB	20		1968V994	Wall bracket for A-SWD5V & A-SWD5Z	\$ 205.00	660685034013	6	14	9	8
CANON A-CM3	100		1381V107	Corner Mount Adapter	\$ 104.00	660685011311	4	8	13	9
CANON A-VC50BRK	20		1381V108	Adapter bracket for VC-C50iR	\$ 31.00	660685011328	0	5	6	3
CANON A-ODW5C12S(OW)	20		3067V203	A-ODW5C12(OW) with sunshield	\$ 511.00	660685159570	13	14	16	16
CANON A-SWD5ZC	20		2064V111	Tough Dome Lite. Vandal surface mount dome 5" clear for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR. (Capsule made of 0.118" thickness Polycarbonate)	\$ 205.00	660685041202	18	19	20	10
CANON A-BK4	20		3063V605	Pole Mount Adapter and Stainless U-Bolt for 1 1/2" NPT (2x) (Pole Diameter 1.5" - 2.0")	\$ 102.00	660685158764	0	0	0	0
CANON A-ODW5C12(OW)	20		3067V202	Wall mount 6" clear dome 12VDC with heater & blower (IP66 or IPX4 selectable) for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$ 406.00	660685159563	0	0	0	0
CANON A-SWD5ZWB-2	20		2038V642	Attachment Plate for A-SWD5ZWB (Required if installing VB-M641, VB-M640, VB-H630, VB-H610, VB-M620, and VB-M600)	\$ 56.00	660685039209	1	9	5	5
CANON A-ODW5T(OW)	20		3067V201	Wall mount 6" tinted dome 24VAC with heater & blower (IP66 or IPX4 selectable) for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$ 406.00	660685159556	14	14	16	16
CANON A-ODW5TS(OW)	20		3067V212	A-ODW5T(OW) with sunshield	\$ 511.00	660685159662	14	14	16	16
CANON A-ODW5T12S(OW)	20		3067V205	A-ODW5T12(OW) with sunshield	\$ 511.00	660685159594	0	0	0	0
CANON A-H24	20		2038V640	Additional Heater for A-ODW	\$ 32.00	660685039186	15	16	18	18
CANON A-OH15FBHSET-S(OW)	20		2038V641	Outdoor camera housing with heater & blower and Wall bracket in Stainless for VB-H730F, VB-H710F, VB-M720F, VB-M700F, and VB-C50FSi	\$ 287.00	660685039193	8	11	7	17
CANON A-RCP5C	20		2030V463	Replacement capsule, 5" Clear (for A-ODW5 / A-ID5 / A-SWD5)	\$ 97.00	660685038875	1	8	8	7
CANON A-ODW5C(OW)	20		3067V199	Wall mount 6" clear dome 24VAC with heater & blower (IP66 or IPX4 selectable) for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$ 406.00	660685159518	12	14	16	16
CANON A-RCP7C	20		2030V464	Replacement capsule, 7" Clear (for A-ODW7 / A-ID7)	\$ 102.00	660685038882	30	26	25	19
CANON A-CM100NPT	20		1381V101	Ceiling mount bracket for 1 1/2" NPT. Steel construction with powder coat finish	\$ 101.00	660685011250	2	9	5	5
CANON A-SWD5ZT	20		2064V112	Tough Dome Lite. Vandal surface mount dome 5" tinted for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR. (Capsule made of 0.118" thickness Polycarbonate)	\$ 205.00	660685041219	4	9	9	9
CANON A-RCP5VT	20		2384V845	Replacement capsule, 5" Tinted (for A-SWD5V / A-SWD5Z)	\$ 97.00	660685115866	0	0	0	0
CANON A-BK3(OW)	10		2120V066	Pole Mount Adapter and 59" length Non-Tool Aluminum Clamp (Minimum Pole Diameter 4")	\$ 75.00	660685045965	2	5	9	6
CANON A-SWD5BH2	10		2120V067	Blower & Heater for A-SWD5, A-SWD5Z, A-SWD5V	\$ 90.00	660685045972	1	5	9	5
CANON A-RCP5VC	20		2384V844	Replacement capsule, 5" Clear (for A-SWD5V / A-SWD5Z)	\$ 97.00	660685115859	2	9	9	9
CANON A-ODW5CS(OW)	10		3067V200	A-ODW5C(OW) with sunshield	\$ 511.00	660685159532	14	14	16	16
CANON A-CP100NPT	10		1381V102	Coupling for dome housing for 1 1/2" NPT. Steel construction with powder coat finish	\$ 64.00	660685011267	0	4	4	5
CANON A-RCP5T	20		1381V103	Replacement capsule, 5" Tinted (for A-ODW5 / A-ID5 / A-SWD5)	\$ 95.00	660685011274	2	9	9	11
CANON A-ID7TF	20		1381V112	Indoor tinted recessed 7" dome for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50FSi, VB-C50iR w/VB-EX50, and VC-C50iR	\$ 181.00	660685011366	10	15	15	12
CANON A-ID7CF	20		1381V111	Indoor clear recessed 7" dome for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50FSi, VB-C50iR w/VB-EX50, and VC-C50iR	\$ 181.00	660685011359	10	15	15	12
CANON A-ODW7C12(OW)	20		1923V396	Wall mount 7" clear vandal dome 12VDC with heater & blower (0.126" thickness polycarbonate capsule, IP66 or IPX4 selectable) for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR w/VB-EX50, and VC-C50iR	\$ 468.00	660685031166	15	16	18	18
CANON A-OH15F	20		1588V039	Outdoor camera housing with Wall bracket for VB-H730F, VB-H710F, VB-M720F, VB-M700F, and VB-C50FSi	\$ 165.00	660685018754	0	0	0	0

CANON A-SWD5VT	20		1381V119	Tough Dome. Vandal surface mount dome 5" tinted for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR. (Capsule made of 0.118" thickness Polycarbonate with Cast Aluminum Body)	\$ 256.00	660685011434	6	9	9	9
CANON A-SWD5VTHB	20		1381V121	A-SWD5VT with Heater & Blower	\$ 349.00	660685011458	6	9	9	9
CANON A-ODW7T12S(OW)	20		1923V399	A-ODW7T12(OW) with sunshield	\$ 618.00	660685031197	16	16	18	18
CANON A-RCP7T	20		1381V104	Replacement capsule, 7" Tinted (for A-ODW7 / A-ID7)	\$ 102.00	660685011281	2	9	9	9
CANON A-VSM4TL	20		1381V125	Vandal Resistant M4 Screws & Tool Set; consists of 7 vandal resistant M4 screws and 1 tool	\$ 22.00	660685011496	0	4	5	2
CANON A-OH15FBHSET(OW)	20		1381V126	Outdoor camera housing with heater & blower and Wall bracket in Steel for VB-H730F, VB-H710F, VB-M720F, VB-M700F, and VB-C50FSi	\$ 238.00	660685011502	8	11	7	17
CANON A-ODW7C(OW)	20		1381V097	Wall mount 7" clear vandal dome 24VAC with heater & blower (0.126" thickness polycarbonate capsule, IP66 or IPX4 selectable) for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR w/VB-EX50, and VC-C50iR	\$ 468.00	660685011212	15	18	16	18
CANON A-PS2412SWD5	20		1381V122	24VAC-12VDC Converter (for A-SWD5)	\$ 106.00	660685011465	25	12	12	6
CANON A-SWD5CA	20	EOL	1381V124	Ceiling adapter for A-SWD5 (Pipe is not provided)	\$ 102.00	660685011489	3	10	11	7
CANON A-PS2412	20		1381V105	24VAC-12VDC Converter (for A-ODW / A-ID / A-OH15)	\$ 106.00	660685011298	5	12	12	6
CANON A-ODW7CS(OW)	10		1381V099	A-ODW7C(OW) with sunshield	\$ 618.00	660685011236	16	16	18	18
CANON A-ODW7T(OW)	20		1586V919	Wall mount 7" tinted vandal dome 24VAC with heater & blower (0.126" thickness polycarbonate capsule, IP66 or IPX4 selectable) for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR w/VB-EX50, and VC-C50iR	\$ 468.00	660685018679	15	16	18	18
CANON A-ODW7TS(OW)	20		1586V921	A-ODW7T(OW) with sunshield	\$ 618.00	660685018686	16	18	16	18
CANON A-CM100	20		1381V100	Narrow ceiling mount bracket. Steel construction with powder coat finish	\$ 115.00	660685011243	3	6	9	5
CANON A-ODW5T12(OW)	20		3067V204	Wall mount 6" tinted dome 12VDC with heater & blower (IP66 or IPX4 selectable) for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$ 401.00	660685159587	13	14	16	16
CANON A-SWD5C	20		3067V206	Surface mount dome 6" clear for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$ 129.00	660685159600	0	0	0	0
CANON A-SWD5T	20		3067V207	Surface mount dome 6" tinted for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$ 129.00	660685159617	0	0	0	0
CANON A-SWD5CHB	20		3067V208	A-SWD5C w/ heater and blower for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$ 225.00	660685159624	0	0	0	0
CANON A-SWD5THB	20		3067V209	A-SWD5T w/ heater and blower for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$ 225.00	660685159631	0	0	0	0
CANON A-ID5T5	20		3067V210	Indoor tinted recessed 6" dome for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$ 137.00	660685159648	0	0	0	0
CANON A-ID5C5	20		3067V211	Indoor clear recessed 6" dome for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$ 137.00	660685159655	5	9	9	11
CANON A-SWD5VC	20		1381V118	Tough Dome. Vandal surface mount dome 5" clear for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR. (Capsule made of 0.118" thickness Polycarbonate with Cast Aluminum Body)	\$ 256.00	660685011427	6	9	9	9
CANON 12VDC TO POE MIDSPAN	20		2776V312	Single port midspan PoE compliant power injector, 12VDC, IEEE 802.3af (15W) compliant for VB cameras with a power consumption under 12 watts. (Power supply not included)	\$ 60.00	660685136243	0	0	0	0
CANON ITS-S-RK RECESSED KIT	10		2943V528	Recessed Mounting Kit for VB-S30D, VB-S31D, VB-S800D, VB-S805D	\$ 109.00	660685149786	1	0	0	0
CANON PA-V18 US	10		8362B001	EAC certified encapsulated AC Adapter (12V DC Power supply) with US plug	\$ 99.00		7	0	0	0
CANON HEATER UNIT HU652-VB	20		1498C001	Optional heater element for VB-H652LVE outdoor Dome. Requires AC24V power	\$ 150.00	4549292075168	0	8	4	4
CANON SMOKED DOME UNIT DU652-S-VB	20		1497C001	Smoked Dome Unit for VB-H652LVE outdoor dome	\$ 65.00	4549292075137	0	8	8	7
CANON PENDANT CAP PC30VE-VB	10		1736C001	Indoor Pendant mounting Cap for VB-S30VE/S800VE mini-domes	\$ 59.00	4549292079685	1	6	6	5
CANON CONDUIT BOX CB30VE-VB	10		1735C001	Conduit Box for VB-S30VE/S800VE mini-domes	\$ 88.00	4549292078848	1	6	6	4
CANON WEATHER SHIELD WS700-VB	20		2206C001	Weather Shield for VB-M741LE/M740E, VB-H751LE/H761LVE/H760VE	\$ 28.00	4549292090499	0	11	5	4
CANON A-SWD5WB2	20		3072V366	Indoor universal wall mount bracket suitable for VB-R13/R11 indoor PTZ Domes, and VB-H/M domes. 172mm standoff to centre	\$ 112.00	8714574639345	3	9	11	9
CANON A-SWD5CA2	20		3497V728	Ceiling adapter for A-SWD5 (Pipe is not provided)	\$ 172.00	660685194717	3	10	11	7
CANON NETWORK CAMERA VB-S905F	20		9901B001	Indoor compact fixed box network camera. Fixed 2.7mm wide angle lens (96.0° AOV 16:9), digital night mode. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE. (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 349.48	4549292020229	1	5	7	5



CANON NETWORK CAMERA VB-S900F	20		8821B001	Indoor compact fixed box network camera. Fixed 2.7mm wide angle lens (96.0° AOV 16:9) and digital night mode. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 429.31	496099993713	1	7	7	6
CANON NETWORK CAMERA VB-M741LE	20		0312C001	Outdoor fixed box network camera with IR LED illumination up to 30m. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology. 8 in-built video & audio intelligent analytic functions, and linked events. IP66, NEMA250-rated and operating temperature in -50° C to +55° C (-58° F to +131° F). Powered by PoE+, PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Pigtail cable connection. Available in Titanium White. Includes wall/ceiling plate for easy surface mounting.	\$ 1,199.26	4549292032536	8	9	19	9
CANON NETWORK CAMERA VB-M740E	20		0313C001	Outdoor fixed box network camera. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology. 6 in-built video intelligent analytic functions. IP66, NEMA250-rated and operating temperature in -10° C to +55° C (-14° F to +131° F). Powered by PoE (Power supply not included) and SD/SDHC/SDHX Card slot for Edge storage. Pigtail cable connection. Available in Titanium White. Includes wall/ceiling plate for easy surface mounting.	\$ 835.00	4549292032543	7	9	19	9
CANON NETWORK CAMERA VB-M720F	20		9909B001	Indoor fixed box network camera with remote zoom configuration. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 599.08	4549292026177	2	7	10	5
CANON NETWORK CAMERA VB-H730F	20		9905B001	Indoor fixed box network camera with remote Zoom configuration. 2.4x optical zoom and day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports, and SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 649.15	4549292026160	2	6	10	5
CANON NETWORK CAMERA VB-S910F	10		1389C001	Indoor compact fixed box network camera. 3.5x optical zoom, auto focus, digital night mode and built-in Omni-directional microphone. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast, ADSR - Area-specific Data Size Reduction technology. 7 in-built video & audio intelligent analytic functions and linked events. Powered by PoE (Power supply not included). Audio output port and in-built microphone, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White.	\$ 439.00	4549292078381	0	7	5	5
CANON NETWORK CAMERA VB-H761LVE	20		1062C001	Outdoor vandal resistant fixed box network camera with IR LED illumination up to 60m. 20x optical zoom, auto focus, day/night switching, Enhanced Digital Zoom capabilities and Clear IR Mode. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 8 in-built video & audio intelligent analytic functions, and linked events. IP66, NEMA250, IK09-rated and operating temperature in -50° C to +55° C (-58° F to +131° F). Powered by PoE+, PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Includes wall/ceiling plate for easy surface mounting.	\$ 1,451.00	4549292077681	4	8	21	9
CANON NETWORK CAMERA VB-H760VE	20		1063C001	Outdoor vandal resistant fixed box network camera. 20x optical zoom, auto focus, day/night switching and Enhanced Digital Zoom capabilities. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 7 in-built video intelligent analytic functions. IP66, NEMA250, IK09-rated and operating temperature in -10° C to +55° C (-14° F to +131° F). Powered by PoE(Power supply not included) and SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Includes wall/ceiling plate for easy surface mounting.	\$ 1,308.00	4549292077698	4	8	21	9

CANON NETWORK CAMERA VB-H751LE	20		1386C001	Outdoor fixed box network camera with IR LED illumination up to 30m. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 8 in-built video & audio intelligent analytic functions, and linked events. IP66, NEMA250-rated and operating temperature in -50° C to +55° C (-58° F to +131° F). Powered by PoE+, PoE), 24V AC	\$ 1,319.00	4549292078350	4	9	18	9
CANON NETWORK CAMERA VB-S905F MkII	10		2556C001	Indoor compact fixed box network camera. Fixed 2.7mm wide angle lens (96.0° AOV 16:9), digital night mode. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE. (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 349.48		1	5	7	5
CANON NETWORK CAMERA VB-H730F MkII	20		2551C001	Indoor fixed box network camera with remote Zoom configuration. 2.4x optical zoom and day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports, and SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 649.15	4549292106930	2	6	10	5
CANON NETWORK CAMERA VB-S900F MkII	20		2553C001	Indoor compact fixed box network camera. Fixed 2.7mm wide angle lens (96.0° AOV 16:9) and digital night mode. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 429.31	4549292106992	1	7	7	6
CANON NETWORK CAMERA VB-S800D	20		8820B001	Indoor compact fixed dome network camera. Fixed 2.7mm wide-angle lens (95.0° AOV 16:9) and digital night mode. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 398.75	496099993706	1	7	7	6
CANON NETWORK CAMERA VB-M641VE	20		0308C001	Outdoor vandal resistant fixed dome network camera with remote PTRZ configuration. 2.4x optical zoom and day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology. 8 in-built video & audio intelligent analytic functions, and linked events. IP66, NEMA250 and IK10-rated and operating temperature in -40° C to +55° C (-40° F to +131° F) with optional heater fitted. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Pigtail cable connection. Available in Titanium White. Includes wall/ceiling plate for easy surface mounting. Optional heater unit HU641-VB sold separately.	\$ 1,069.11	4549292032499	5	10	10	10
CANON NETWORK CAMERA VB-M641V	20		0309C001	Indoor vandal resistant fixed dome network camera with remote PTRZ configuration. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology. 8 in-built video & audio intelligent analytic functions, and linked events. IK10-rated. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Includes wall/ceiling plate for easy surface mounting.	\$ 759.49	4549292032505	4	10	10	10
CANON NETWORK CAMERA VB-S805D	20		9900B001	Indoor compact fixed dome network camera. Fixed 2.7mm wide-angle lens (95° AOV 16:9) and digital night mode. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 349.06	4549292020212	1	7	7	5

CANON NETWORK CAMERA VB-M640VE	100		0310C001	Outdoor vandal resistant fixed dome network camera with PTRZ configuration. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology. 6 in-built video intelligent analytic functions. IP66, NEMA250 and IK10-rated and operating temperature in -10° C to +55° C (-14° F to +131° F). Powered by PoE (Power supply not included) and micro SD/SDHC/SDHX Card slot for Edge storage. Pigtail cable connection. Available in Titanium White. Includes wall/ceiling plate for easy surface mounting.	\$ 769.05	4549292032512	5	10	10	10
CANON NETWORK CAMERA VB-M640V	20		0311C001	Indoor vandal resistant fixed dome network camera with remote PTRZ configuration. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology. 6 in-built video intelligent analytic functions. IK10-rated. Powered by PoE (Power supply not included) and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Supplied with wall/ceiling mounting plate.	\$ 619.46	4549292032529	4	10	10	10
CANON NETWORK CAMERA VB-M620VE	20		9907B001	Outdoor vandal resistant fixed dome network camera with remote PTRZ configuration. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. IP66 and IK10-rated and operating temperature in -30° C to +50° C (-22° F to + 122° F) with optional heater fitted. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Silver. Optional heater unit HU600-VB sold separately.	\$ 718.59	4549292025651	6	9	9	9
CANON NETWORK CAMERA VB-H651V	20		1385C001	Indoor vandal resistant fixed dome network camera with remote PTRZ configuration. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 8 in-built video & audio intelligent analytic functions, and linked events. IK10-rated. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Includes wall/ceiling plate for easy surface mounting.	\$ 888.85	4549292070620	4	10	10	10
CANON NETWORK CAMERA VB-H630VE	10		9903B001	Outdoor vandal resistant fixed dome network camera with remote PTRZ configuration. 2.4x optical zoom and day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. IP66 and IK10-rated and operating temperature in -30° C to +50° C (-22° F to +122° F) with optional heater fitted. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Silver. Optional heater unit HU600-VB sold separately.	\$ 879.22	4549292025620	6	9	9	9
CANON NETWORK CAMERA VB-H630D	20		9904B001	Indoor fixed dome network camera with remote PTRZ configuration. 2.4x optical zoom and day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 719.02	4549292025606	4	9	9	9
CANON NETWORK CAMERA VB-M620D	20		9908B001	Indoor fixed dome network camera with remote PTRZ configuration. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 579.24	4549292025668	4	9	9	9
CANON NETWORK CAMERA VB-H651VE	10		1384C001	Outdoor vandal resistant fixed dome network camera with remote PTRZ configuration. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 8 in-built video & audio intelligent analytic functions, and linked events. IP66, NEMA250 and IK10-rated and operating temperature in -40° C to +55° C (-40° F to +131° F) with	\$ 1,231.00	4549292077322	4	10	10	10

CANON NETWORK CAMERA VB-S800VE	20		1388C001	Outdoor compact fixed dome network camera. Fixed 2.7mm wide-angle lens (93.8° AOV 16:9), digital night mode and built-in Omni-directional microphone. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast, ADSR - Area-specific Data Size Reduction technology. 7 in-built video & audio intelligent analytic functions and linked events. IP66, IK10-rated and operating temperature in -25° C to +50° C (-14° F to + 122° F). Powered by PoE (Power supply not included). Audio output port and in-built microphone, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. 1m pigtail cable connection. Available in Titanium White.	\$ 505.00	4549292078374	1	9	9	8
CANON NETWORK CAMERA VB-S805D MkII	20		2554C001	Indoor compact fixed dome network camera. Fixed 2.7mm wide-angle lens (95° AOV 16:9) and digital night mode. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 349.06	4549292107005	1	7	7	5
CANON NETWORK CAMERA VB-S30D MkII	20		2545C001	Indoor compact network camera with lite-PTZ operation. 3.5x optical zoom, auto focus, and digital night mode. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 598.78	4549292107296	1	7	7	5
CANON NETWORK CAMERA VB-S31D MkII	20		2546C001	Indoor compact network camera with lite-PT operation. Fixed 2.7mm wide angle lens (95.0° AOV 16:9) and digital night mode. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 569.13	4549292106978	1	7	7	6
CANON NETWORK CAMERA VB-S800D MkII	10		2552C001	Indoor compact fixed dome network camera. Fixed 2.7mm wide-angle lens (95.0° AOV 16:9) and digital night mode. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 398.75	4549292106985	1	7	7	6
CANON NETWORK CAMERA VB-S31D	20		8819B001	Indoor compact network camera with lite-PT operation. Fixed 2.7mm wide angle lens (95.0° AOV 16:9) and digital night mode. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 569.13	4960999993690	1	7	7	6
CANON NETWORK CAMERA VB-S30D	20		8818B001	Indoor compact network camera with lite-PTZ operation. 3.5x optical zoom, auto focus, and digital night mode. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 598.78	4960999993683	1	7	7	5
CANON NETWORK CAMERA VB-R13VE	20		1381C001	Outdoor vandal resistant PTZ Dome network camera with 360° endless rotation, auto-flip, and auto-tracking capabilities. 30x optical zoom, auto focus, day/night switching and Enhanced Digital Zoom capabilities. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 9 in-built video & audio intelligent analytic functions, and linked events. IP66, NEMA250, IK10-rated and operating temperature in -50° C to +55° C (-58° F to +131° F). Powered by PoE+, PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. 12cm Pigtail cable connection. Available in Titanium White. Requires WM10-VB Wall mount, CM10-VB Ceiling mount, or PA10-15-VB Pipe mount - sold separately.	\$ 3,678.61	4549292074994	8	13	15	19

CANON NETWORK CAMERA VB-R13	20		1383C001	Indoor PTZ Dome network camera with 360° endless rotation, auto-flip, and auto-tracking capabilities. 30x optical zoom, auto focus, day/night switching and Enhanced Digital Zoom capabilities. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 9 in-built video & audio intelligent analytic functions, and linked events. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Includes ceiling plate for easy surface mounting.	\$ 2,918.76	4549292075014	5	11	13	12
CANON NETWORK CAMERA VB-R12VE	20		1382C001	Outdoor vandal resistant PTZ Dome network camera with 360° endless rotation, auto-flip, and auto-tracking capabilities. 30x optical zoom, auto focus, day/night switching and Enhanced Digital Zoom capabilities. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 7 in-built video intelligent analytic functions. IP66, NEMA250, IK10-rated and operating temperature in -50° C to +55° C (-58° F to +131° F). Powered by PoE+, PoE, 24V AC and 12V DC (Power supply not included). SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Requires WM10-VB Wall mount, CM10-VB Ceiling mount, or PA10-15-VB Pipe mount - sold separately.	\$ 3,399.40	4549292075007	8	13	15	19
CANON NETWORK CAMERA VB-R11VE	20		0305C001	Outdoor vandal resistant network PTZ Dome camera with 360° endless rotation, auto-flip, and auto-tracking capabilities. 30x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology. 9 in-built video & audio intelligent analytic functions, and linked events. IP66, NEMA250, IK10-rated and operating temperature in -50° C to +55° C (-58° F to +131° F). Powered by PoE+, PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. 12cm Pigtail cable connection. Available in Titanium White. Requires WM10-VB Wall mount, CM10-VB Ceiling mount, or PA10-15-VB Pipe mount - sold separately.	\$ 2,855.75	4549292032468	12	13	14	18
CANON NETWORK CAMERA VB-R11	20		0306C001	Indoor PTZ Dome network camera with 360° endless rotation, auto-flip, and auto-tracking capabilities. 30x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology. 9 in-built video & audio intelligent analytic functions, and linked events. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Includes ceiling plate for easy surface mounting.	\$ 2,689.44	4549292032475	7	11	13	12
CANON NETWORK CAMERA VB-R10VE	100		0307C001	Outdoor vandal resistant network PTZ Dome camera with 360° endless rotation, auto-flip, and auto-tracking capabilities. 30x optical zoom, auto focus and day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology. 7 in-built video intelligent analytic functions. IP66, NEMA250, IK10-rated and operating temperature in -50° C to +55° C (-58° F to +131° F). Powered by PoE+, PoE, 24V AC and 12V DC (Power supply not included). SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Requires WM10-VB Wall mount, CM10-VB Ceiling mount, or PA10-15-VB Pipe mount - sold separately.	\$ 3,029.10	4549292032482	11	13	14	18
CANON NETWORK CAMERA VB-M50B	20		1064C001	Indoor PTZ network camera with 348° rotation and large aperture lens ideal for low light applications. 5x optical zoom, auto focus, day/night switching and Clear IR Mode. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast, ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 9 in-built video & audio intelligent analytic functions and linked events. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Only available in Black.	\$ 3,399.35	4549292065756	4	7	9	8

CANON NETWORK CAMERA VB-M42B	10		9906B002	BLACK VERSION Indoor PTZ network camera with 340° rotation. 20x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Black (/B).	\$ 1,509.00	4549292025644	4	7	9	8
CANON NETWORK CAMERA VB-H652LVE	100		1061C001	Outdoor vandal resistant fixed dome network camera with IR LED illumination up to 20m, and NTSC video out for manual PT configuration. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 8 in-built video & audio intelligent analytic functions, and linked events. IP66, NEMA250 and IK10-rated and operating temperature in -40° C to +55° C (-40° F to +131° F) with optional heater fitted. Powered by PoE+, PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Includes wall/ceiling plate for easy surface mounting. Optional heater unit HU652-VB sold separately.	\$ 1,439.36	4549292071559	5	10	10	10
CANON NETWORK CAMERA VB-H43B	10		9902B002	BLACK VERSION Indoor PTZ network camera with 340° rotation. 20x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Black (/B).	\$ 2,349.35	4549292025583	4	7	9	8
CANON NETWORK CAMERA VB-H43S	20		9902B001	SILVER VERSION Indoor PTZ network camera with 340° rotation. 20x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 2,349.35	4549292025569	4	7	9	8
CANON NETWORK CAMERA VB-S30VE	10		1387C001	Outdoor compact network camera with lite-PTZ operation. 3.5x optical zoom, auto focus, digital night mode and built-in Omni-directional microphone. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast, ADSR - Area-specific Data Size Reduction technology. 7 in-built video & audio intelligent analytic functions and linked events. IP66, IK10-rated and operating temperature in -25° C to +50° C (-14° F to + 122° F). Powered by PoE (Power supply not included). Audio output port and in-built microphone, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. 1m pigtail cable connection. Available in Titanium White.	\$ 736.00	4549292078367	3	9	9	8
CANON NETWORK CAMERA VB-M44B	20		2542C002	BLACK VERSION Indoor PTZ network camera with 340° rotation. 20x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Black (/B).	\$ 1,509.00	4549292106725	4	7	9	8
CANON NETWORK CAMERA VB-M44S	10		2542C001	SILVER VERSION Indoor PTZ network camera with 340° rotation. 20x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 1,509.00	4549292107289	4	7	9	8
CANON NETWORK CAMERA VB-H45B	100		2541C002	BLACK VERSION Indoor PTZ network camera with 340° rotation. 20x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Black (/B).	\$ 2,349.35	4549292106916	4	7	9	8
CANON NETWORK CAMERA VB-H45S	10		2541C001	SILVER VERSION Indoor PTZ network camera with 340° rotation. 20x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 2,349.35	4549292106886	4	7	9	8

AXIS P7701	100		0319-004	1 channel network video decoder. Decodes H.264 and MPEG-4 Part 2 in max. D1 resolution at 30/25 (NTSC/PAL) fps and 720p in Motion JPEG. Decodes AAC, G726 and G.711 audio streams in mono. Supports video source sequencing. Power over Ethernet enabled. Includes power supply.	\$ 499.00	7331021026179	1	10	7	4
AXIS P7701 VIDEO DEC BB BULK 20PCS	5		0319-051	AXIS P7701 BARE BOARD in 20-pack. Cannot be sold separately as single packs. No power supplies.	\$ 9,980.00	7331021032194	11	14	22	11
AXIS P7701 VIDEO DECODER BARE BONE	200		0319-041	Bare bone 1 channel video decoder (PCB without any mechanics). Decodes H.264 and MPEG-4 Part 2 in max. D1 resolution at 30/25 (NTSC/PAL) fps and 720p in Motion JPEG. Decodes AAC, G726 and G.711 audio streams in mono. Supports video source sequencing. Power over Ethernet enabled. No power supply.	\$ 499.00	7331021032187	1	9	6	3
AXIS T8705 VIDEO DECODER	250		01186-004	Network Video Decoder for easy display of video from IP cameras on big screens. With the 1080p HDMI output, Ethernet input and compact size, it is very easy to setup and use. It can display the video both as sequence or multimode and with the integrated VAPIX support, it automatically finds Axis cameras on the network for plug-and-play configuration.	\$ 299.00	7331021061965	1	8	5	3
AXIS M7011 Video Encoder	100		0764-001	Single channel video encoder with H.264 (High, Main and Base profile) and Motion JPEG support. Power over Ethernet (IEEE 802.3af). Edge storage using microSDHC card or NAS. AVHS and ACAP support. No midspan included.	\$ 199.00	7331021049611	0	7	5	2
AXIS M7014 Video Encoder	100		0415-004	Four-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 15 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Power over Ethernet (IEEE 802.3af). Local storage using microSDHC card. PTZ support. Includes power supply.	\$ 299.00	7331021036246	1	4	7	1
AXIS M7014 VIDEO ENCODER BULK 10PCS	2		0415-021	AXIS M7014 in 10-pack. Power supply not included. Cannot be sold separately as single packs.	\$ 2,899.00	7331021003132	18	22	14	11
AXIS M7016 VIDEO ENCODER	250		0541-004	Sixteen-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Unit includes 4 x micro SD card slots for edge storage. PTZ support. Unit has 4 x ARTPEC chips and 4 x IP addresses. Includes power supply.	\$ 999.00	7331021004139	6	22	7	3
AXIS P7214 Video Encoder	50		0417-004	Four-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Two-way audio with audio detection. Power over Ethernet (IEEE 802.3af). Local storage using microSDHC card. PTZ support. Includes power supply.	\$ 399.00	7331021036406	1	4	7	1
AXIS P7214 VIDEO ENCODER BULK 10PCS	10		0417-021	AXIS P7214 in 10-pack. Power supply not included. Cannot be sold separately as single packs.	\$ 3,869.00	7331021003149	18	22	14	11
AXIS P7214 VIDEO ENC BARE BONE	20		0417-031	Four-channel bare bone video encoder (PCB without mechanics). Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Two-way audio with audio detection. Power over Ethernet (IEEE 802.3af). Local storage using microSDHC card. PTZ support. No power supply included.	\$ 399.00	7331021002043	1	9	6	3
AXIS P7224 Video Encoder Blade	50		0418-001	AXIS P7224: Four-channel video encoder blade. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Two-way audio with audio detection. PTZ support. COMPATIBLE WITH AXIS Q7900 RACK AND AXIS 291 1U VIDEO SERVER RACK.	\$ 399.00	7331021033382	0	5	10	1
AXIS P7216 VIDEO ENCODER	50		0542-004	Sixteen-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Two-way audio with audio detection. SFP slot for optional fiber connection and/or network redundancy. Unit includes 4 x micro SD card slots for edge storage. PTZ support. Unit has 4 x ARTPEC chips and 4 x IP addresses. Includes power supply.	\$ 1,299.00	7331021004214	6	22	7	3
AXIS P7224 VID ENC BLADE BULK 10PCS	20		0418-021	AXIS P7224 in 10-pack. Cannot be sold separately as single packs.	\$ 3,869.00	7331021037564	9	22	14	11
AXIS Q7401 VIDEO ENCODER	100		0288-004	1 channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over Ethernet (IEEE 802.3af) with power out for the analog camera. SD/SDHC memory card slot for local storage.. Includes power supply.	\$ 399.00	7331021023383	2	10	7	5
AXIS Q7401 VIDEO ENCODER BARE BONE	100		0288-041	Bare bone 1 channel video encoder (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over Ethernet (IEEE 802.3af) with power out for the analog camera. SD/SDHC memory card slot for local storage.. No power supply.	\$ 399.00	7331021030008	1	9	6	3

AXIS Q7401 VIDEO ENCODER BARE BONE BULK 20PCS	5		0288-051	AXIS Q7401 BARE BONE in 20-pack. Cannot be sold separately as single packs. No power supplies.	\$ 7,980.00	7331021031760	8	22	14	11
AXIS Q7401 VIDEO ENCODER BULK 10PCS	10		0288-021	AXIS Q7401 in 10-pack. Power supply not included. Cannot be sold separately as single packs	\$ 3,990.00	7331021024854	10	22	14	11
AXIS Q7404 VIDEO ENCODER	20	EOL	0291-004	Four-channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams per channel;max. D1 resolution at 30/25 (NTSC/PAL) fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection on one channel. PTZ support. Includes power supply.	\$ 899.00	7331021028425	3	10	7	5
AXIS Q7404 BULK 10PCS	20	EOL	0291-024	AXIS Q7404 in 10-pack. Cannot be sold separately as single packs. Power supplies included.	\$ 8,540.00	7331021029422	30	14	22	11
AXIS Q7411 VIDEO ENCODER	20		0518-004	Video Encoder with H.264 (Main and Base profile) and Motion JPEG support. Supports 60/50 frames per second. Coax PTZ Control, video motion detection, two-way audio, configurable I/O connectors and ACAP support. 8-28 VD and Power over Ethernet (IEEE 802.3af). Edge storage using microSDHC card or NAS.	\$ 399.00	7331021001367	3	9	8	3
AXIS Q7411 VIDEO ENCODER BULK 10PCS	20		0518-021	AXIS Q7411 in 10-pack. Power supply not included. Cannot be sold separately as single packs.	\$ 3,869.00	7331021001428	21	22	14	11
AXIS Q7414 VIDEO ENCODER BLADE	10		0354-001	Four channel video encoder blade. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps per channel. Four bi-directional audio channels with AAC encoding. Video motion detection. Active tampering alarm. COMPATIBLE WITH AXIS Q7900 RACK AND AXIS 291 1U VIDEO SERVER RACK.	\$ 999.00	7331021031050	1	13	8	4
AXIS Q7414 VIDEO ENCODER BULK 10PCS	20		0354-021	AXIS Q7414 in 10-pack. Cannot be sold separately as single packs.	\$ 9,491.00	7331021034853	9	22	14	11
AXIS Q7424-R MKII VIDEO ENCODER	20		0742-001	Rugged Video Encoder with H.264 and Motion JPEG support. 1-4 video channels. Video motion detection. Two-way audio with audio detection. ACAP support on one channel. Ethernet port and SFP slot for fiber connection. Support for Power over Ethernet (IEEE 802.3af) and Power Supply (optional). Edge storage using SDHC card or NAS. PTZ support and configurable I/O connectors. AXIS Q7424-R MkII is an update to the original AXIS Q7424-R. The addition of 100 Mbps on the SFP slot is the only difference. The original product only has support for 1 Gbps.	\$ 899.00	7331021047181	3	9	7	4
AXIS Q7424-R MKII VID ENC BULK 10P	50		0742-021	Rugged Video Encoder with H.264 and Motion JPEG support. 1-4 video channels. Video motion detection. Two-way audio with audio detection. ACAP support on one channel. Ethernet port and SFP slot for fiber connection. Support for Power over Ethernet (IEEE 802.3af) and Power Supply (optional). Edge storage using SDHC card or NAS. PTZ support and configurable I/O connectors. AXIS Q7424-R MkII is an update to the original AXIS Q7424-R. The addition of 100 Mbps on the SFP slot is the only difference. The original product only has support for 1 Gbps. 10 PCS.	\$ 8,541.00	7331021048423	20	14	22	11
AXIS Q7436 VIDEO ENCODER BLADE	100		0584-001	6 channel video encoder blade. Multiple, individually configurable H.264 (Base, Main and High profile) and Motion JPEG streams; max. D1 resolution at 60/50 fps per channel. Video motion detection. Active tampering alarm. Coax PTZ Control (Coaxitron). Compatible with the following video encoder chassis:AXIS Q7920, AXIS Q7900 and AXIS 291 1U	\$ 1,199.00	7331021008250	2	10	7	2
AXIS Q7436 VIDEO ENCODER BLADE BULK 10 PCS	5		0584-021	AXIS Q7436 in 10-pack. Cannot be sold separately as single packs.	\$ 11,399.00	7331021008274	11	22	14	11
AXIS Q7436/Q7920 KIT	10		0656-004	14 x AXIS Q7436 Video Encoder Blade mounted in an AXIS Q7920 Video Encoder Chassis. Country specific power cable.	\$ 18,599.00	7331021042964	37	23	15	14
AXIS 291 1U VIDEO SERV RACK	20		0267-004	1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output.	\$ 399.00	7331021018693	10	22	17	6
AXIS 291 1U VIDEO SERVER RACK < GENERIC >	10		0267-001	1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output. No power cable.	\$ 399.00	7331021020610	11	17	22	6
AXIS Q7920 VIDEO ENCODER CHASSIS	10		0575-004	5 U rack-mount video encoder chassis, providing an expandable solution for migrating large-scale analog installations to network video. Holds up to 14 hot-swappable video encoder blades supporting up to 84 analog cameras.	\$ 2,599.00	7331021006119	27	23	15	14
AXIS S1016 MkII	20	EOL	0202-820	Axis Camera Station S1016 Recorder workstation tested and validated with AXIS products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10IoT. Includes licenses for 16 channels, three year hardware warranty and on-site hardware replacement service. International keyboard and mouse included.	\$ 3,499.00	7331021050907	26	19	21	13



AXIS S9101	10		01173-004	Compact Desktop Terminal with micro form factor to be used with AXIS S1032 or AXIS S1048 recording servers. The terminal is preloaded with AXIS Camera Station software and all other necessary software e.g. Windows 10IoT. Includes three year hardware warranty and on-site hardware replacement service, international keyboard and mouse.	\$ 1,399.00	7331021061477	6	10	20	9
AXIS S9201	5	EOL	01174-004	All-in-one Desktop Terminal with a 22 inch monitor for system overview, to be used with AXIS S1032 or AXIS S1048 recording servers. The terminal is preloaded with AXIS Camera Station software and all other necessary software e.g. Windows 10IoT. Includes three year hardware warranty and on-site hardware replacement service, as well as a universal keyboard and a computer mouse.	\$ 1,549.00	7331021061569	25	8	32	20
AXIS COMPANION REC 8CH 2TB	50		0832-004	AXIS Companion Recorder. Surveillance graded hard disk, 2 TB. Switch with 8 PoE ports, 1 LAN port. Compact, fanless design. Wireless access point for mobile devices. USB port for exporting video. 3 year warranty. Comes with power supply. For use only with AXIS Companion video management software and mobile apps.	\$ 499.00	7331021055070	5	9	9	5
AXIS COMPANION REC 8CH 4TB	100		0893-004	AXIS Companion Recorder. Surveillance graded hard disk, 4 TB. Switch with 8 PoE ports, 1 LAN port. Compact, fanless design. Wireless access point for mobile devices. USB port for exporting video. 3 year warranty. Comes with power supply. For use only with AXIS Companion video management software and mobile apps.	\$ 599.00	7331021055162	5	9	9	5
AXIS COMPANION REC 4CH 1TB	50		01035-004	AXIS Companion Recorder. Surveillance graded hard disk, 1 TB. Switch with 4 PoE ports, 1 LAN port. Compact, fanless design. Wireless access point for mobile devices. USB port for exporting video. 3 year warranty. Comes with power supply. For use only with AXIS Companion video management software and mobile apps.	\$ 399.00	7331021058842	4	9	10	5
AXIS S2008	20		0937-004	AXIS Camera Station S2008 Appliance is an eight channel compact desktop Client/ Server including an integrated managed PoE switch validated and tested with Axis products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10IoT. Includes 4 TB storage, Universal licenses for 8 channels and three year hardware warranty.Supports up to 4k ultra HD.	\$ 2,599.00	7331021054752	14	13	22	5
AXIS S2016	10		0938-004	AXIS Camera Station S2016 Appliance is a sixteen channel Client/ Server for rack-mount including an integrated managed PoE switch validated and tested with Axis products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10IoT. Includes 8 TB storage, Universal licenses for 16 channels and three year hardware warranty.Supports up to 4k ultra HD.	\$ 4,199.00	7331021054783	29	22	25	8
AXIS S2024	10		0939-004	AXIS Camera Station S2024 Appliance is a twenty-four channel Client/ Server for rack-mount including an integrated managed PoE switch validated and tested with Axis products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10IoT. Includes 12 TB storage, Universal licenses for 24 channels and three year hardware warranty.Supports up to 4k ultra HD.	\$ 4,999.00	7331021054813	29	22	25	8
AXIS S1116 MT	20	New	01617-001	AXIS Camera Station S1116 Recorder is an out-of-the-box ready workstation tested and validated with Axis products for reliable surveillance up to 4K video streams. Preconfigured and preloaded with AXIS Camera Station video management software including licenses for 16 channels plus all necessary system software. Includes 3-year hardware warranty, on-site hardware replacement service, and international keyboard and mouse.	\$ 3,299.00	7331021067011	21	20	16	14
AXIS S1116 RACKED	10	New	01618-001	AXIS Camera Station S1116 Recorder is an out-of-the-box ready rack-server tested and validated with Axis products for reliable surveillance up to 4K video streams. Preconfigured and preloaded with AXIS Camera Station video management software including licenses for 16 channels plus all necessary system software. Includes 3-year hardware warranty and on-site hardware replacement service.	\$ 3,799.00	7331021065970	0	0	0	0
AXIS S1132	20		01613-001	AXIS Camera Station S1132 Recorder is an out-of-the-box ready rack server tested and validated with Axis products for reliable surveillance up to 4K video streams. Preconfigured and preloaded with AXIS Camera Station video management software including licenses for 32 channels plus all necessary system software. Includes 3-year hardware warranty and on-site hardware replacement service.	\$ 7,499.00	7331021065857	43	24	36	12

AXIS S1148 24TB	20		01614-001	AXIS Camera Station S1148 Recorder is an out-of-the-box ready rack server tested and validated with Axis products for reliable surveillance up to 4K video streams. Preconfigured and preloaded with AXIS Camera Station video management software including licenses for 48 channels plus all necessary system software. Includes 3-year hardware warranty and on-site hardware replacement service.	\$ 9,599.00	7331021065864	67	24	36	12
AXIS S1148 64TB	10		01615-001	AXIS Camera Station S1148 Recorder is an out-of-the-box ready rack server tested and validated with Axis products for reliable surveillance up to 4K video streams. Preconfigured and preloaded with AXIS Camera Station video management software including licenses for 48 channels plus all necessary system software. Includes 3-year hardware warranty and on-site hardware replacement service. Build to order, 6 weeks lead time	\$ 13,999.00	7331021065871	71	24	36	12
AXIS S1148 140TB	10		01616-001	AXIS Camera Station S1148 Recorder is an out-of-the-box ready rack server tested and validated with Axis products for reliable surveillance up to 4K video streams. Preconfigured and preloaded with AXIS Camera Station video management software including licenses for 48 channels plus all necessary system software. Includes 3-year hardware warranty and on-site hardware replacement service. Build to order, 6 weeks lead time	\$ 20,999.00	7331021065888	80	24	36	12
AXIS S9201 MKII	10	New	01691-001	AXIS Camera Station S9201 Mk II Desktop Terminal is an all-in-one desktop terminal with a 22-inch monitor for system overview, to be used with Axis recorders. The terminal is preloaded with AXIS Camera Station software and all other necessary software. Includes 3-year hardware warranty, on-site hardware replacement service and international keyboard and mouse.	\$ 1,899.00	7331021067035	27	20	33	8
AXIS S9002 MK II	10	New	01619-001	AXIS Camera Station S9002 Mk II Desktop Terminal is a high-performance desktop terminal to be used with Axis recorders. Optimized for surveillance purposes with four monitors and supports up to three 4K video streams. The terminal is preloaded with AXIS Camera Station software and all other necessary software. Includes 3-year hardware warranty, on-site hardware replacement service and international keyboard and mouse.	\$ 2,499.00	7331021067028	0	0	0	0
EXT. WARRANTY AXIS A1001	0		0540-600	2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory ( <a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a> ), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a> Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.	\$ 36.00		0	0	0	0
EXT. WARRANTY AXIS A4010-E READER NO KEYPAD UL	0		01023-600	2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory ( <a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a> ), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a> Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.	\$ 19.00		0	0	0	0

EXT. WARRANTY AXIS A4011-E READER	0		0745-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 22.00		0	0	0	0
EXT. WARRANTY AXIS A8004-VE	0		0673-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 75.00		0	0	0	0
EXT. WARRANTY AXIS A8105-E	0		0871-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 49.00		0	0	0	0
EXT. WARRANTY AXIS C1004-E NETW CAB SPEAK BL	0		0923-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 39.00		0	0	0	0

EXT. WARRANTY AXIS C1004-E NETW CAB SPEAK WH	0		0833-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 39.00		0	0	0	0
EXT. WARRANTY AXIS C2005 NETW CEILING SPEAK WH	0		0834-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 29.00		0	0	0	0
EXT. WARRANTY AXIS C3003-E	0		0767-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 30.00		0	0	0	0
EXT. WARRANTY AXIS C8033 NETWORK AUDIO BRIDGE	0		01025-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 15.00		0	0	0	0

EXT WAR AXIS D2050-VE	0		01033-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 78.00		0	0	0	0
EXT. WARRANTY AXIS F1004 BULLET	0		0935-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 7.00		0	0	0	0
EXT. WARRANTY AXIS F1004 PINHOLE	0		01003-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 7.00		0	0	0	0
EXT. WARRANTY AXIS F1004 SENSOR UNIT 8M	0		0765-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 6.00		0	0	0	0

EXT. WARRANTY AXIS F1005-E SENSOR UNIT 3M	0		0675-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 15.00		0	0	0	0
EXT. WARRANTY AXIS F1015 SENSOR UNIT 3M	0		0677-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 15.00		0	0	0	0
EXT. WARRANTY AXIS F1005-E SENSOR UNIT 12M	0		0676-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 16.00		0	0	0	0
EXT. WARRANTY AXIS F1015 SENSOR UNIT 12M	0		0678-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 16.00		0	0	0	0

EXT. WARRANTY AXIS F1025 SENSOR UNIT 3M	0		0735-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 15.00		0	0	0	0
EXT. WARRANTY AXIS F1025 SENSOR UNIT 12M	0		0734-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 16.00		0	0	0	0
EXT. WARRANTY AXIS F1035-E SENSOR UNIT 3M	0		0737-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 15.00		0	0	0	0
EXT. WARRANTY AXIS F1035-E SENSOR UNIT 12M	0		0736-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 16.00		0	0	0	0

EXT. WARRANTY AXIS F34 MAIN	0		0778-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 24.00		0	0	0	0
EXT. WARRANTY AXIS F34 SURVEILLANCE SYSTEM	0		0779-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 48.00		0	0	0	0
EXT. WARRANTY AXIS F4005-E SENSOR UNIT	0		0775-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 18.00		0	0	0	0
EXT. WARRANTY AXIS F4005 SENSOR UNIT	0		0798-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 17.00		0	0	0	0



EXT. WARRANTY AXIS F41	0		0658-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 27.00		0	0	0	0
EXT. WARRANTY AXIS F44 DUAL AUDIO INPUT	0		0936-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 33.00		0	0	0	0
EXT. WARRANTY AXIS F8804 STEREO SENSOR UNIT	0		0948-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 14.00		0	0	0	0
EXT. WARRANTY AXIS FA1105 SENSOR UNIT	0		0913-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 9.00		0	0	0	0

EXT. WARRANTY AXIS FA1125 SENSOR UNIT	0		0914-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 9.00		0	0	0	0
EXT WAR AXIS FA3105-L EB SENSOR	0		01026-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 9.00		0	0	0	0
EXT. WARRANTY AXIS FA4115 SENSOR UNIT	0		01001-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 51.00		0	0	0	0
EXT. WARRANTY AXIS FA54 MAIN UNIT	0		0878-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 27.00		0	0	0	0

EXT. WARRANTY AXIS M1025	0		0555-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 18.00		0	0	0	0
EXT. WARRANTY AXIS M1045-LW	0		0812-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 14.00		0	0	0	0
EXT. WARRANTY AXIS M1065-L	0		0811-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 17.00		0	0	0	0
EXT. WARRANTY AXIS M1065-LW	0		0810-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 18.00		0	0	0	0

EXT. WARRANTY AXIS M1124	0		0747-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 21.00		0	0	0	0
EXT. WARRANTY AXIS M1124-E	0		0748-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 27.00		0	0	0	0
EXT. WARRANTY AXIS M1125	0		0749-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 25.00		0	0	0	0
EXT. WARRANTY AXIS M1125-E	0		0750-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 31.00		0	0	0	0

EXT. WARRANTY AXIS M1145	0		0590-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 30.00		0	0	0	0
EXT. WARRANTY AXIS M1145-L	0		0591-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 33.00		0	0	0	0
EXT. WARRANTY AXIS M2014-E	0		0549-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 24.00		0	0	0	0
EXT. WARRANTY AXIS M2025-LE	0		0911-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 20.00		0	0	0	0

EXT. WARRANTY AXIS M2025-LE BLACK	0		0988-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 20.00		0	0	0	0
EXT. WARRANTY AXIS M2026-LE	0		0912-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 24.00		0	0	0	0
EXT. WARRANTY AXIS M2026-LE MK II	0		01049-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 29.00		0	0	0	0
EXT. WARRANTY AXIS M2026-LE MK II BLAC	0		01050-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 29.00		0	0	0	0

EXT WAR AXIS M3015	0		01151-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 17.00		0	0	0	0
EXT WAR AXIS M3016	0		01152-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 23.00		0	0	0	0
EXT. WARRANTY AXIS M3106-L Mk II	0		01036-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 29.00		0	0	0	0
EXT. WARRANTY AXIS M3106-LVE Mk II	0		01037-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 29.00		0	0	0	0

EXT. WARRANTY AXIS M3024-LVE	0		0535-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 33.00		0	0	0	0
EXT. WARRANTY AXIS M3025-VE	0		0536-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 33.00		0	0	0	0
EXT. WARRANTY AXIS M3026-VE	0		0547-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 39.00		0	0	0	0
EXT. WARRANTY AXIS M3027-PVE	0		0556-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 45.00		0	0	0	0



EXT. WARRANTY AXIS M3037-PVE	0		0548-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 48.00		0	0	0	0
EXT. WARRANTY AXIS M3044-V	0		0802-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 12.00		0	0	0	0
EXT. WARRANTY AXIS M3044-WV	0		0803-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 14.00		0	0	0	0
EXT. WARRANTY AXIS M3045-V	0		0804-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 16.00		0	0	0	0

EXT. WARRANTY AXIS M3045-WV	0		0805-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 18.00		0	0	0	0
EXT. WARRANTY AXIS M3046-V	0		0806-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 22.00		0	0	0	0
EXT. WARRANTY AXIS M3046-V 1.8MM	0		01116-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 23.00		0	0	0	0
EXT. WARRANTY AXIS M3047-P	0		0808-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 30.00		0	0	0	0

EXT. WARRANTY AXIS M3048-P	0		01004-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 40.00		0	0	0	0
EXT WAR AXIS M3057-PLVE	0		01177-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 39.00		0	0	0	0
EXT WAR AXIS M3058-PLVE	0		01178-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 51.00		0	0	0	0
EXT. WARRANTY AXIS M3104-L	0		0865-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 15.00		0	0	0	0

EXT. WARRANTY AXIS M3104-LVE	0		0866-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 18.00		0	0	0	0
EXT. WARRANTY AXIS M3105-L	0		0867-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 19.00		0	0	0	0
EXT. WARRANTY AXIS M3105-LVE	0		0868-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 22.00		0	0	0	0
EXT. WARRANTY AXIS M5065	0		01107-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 49.00		0	0	0	0

EXT. WARRANTY AXIS M5525-E 60HZ	0		01146-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 80.00		0	0	0	0
EXT. WARRANTY AXIS M7011	0		0764-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 16.00		0	0	0	0
EXT. WARRANTY AXIS M7016 VIDEO ENCODER	0		0541-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 60.00		0	0	0	0
EXT. WARRANTY AXIS M7014 VIDEO ENCODER	0		0415-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 18.00		0	0	0	0

EXT. WARRANTY AXIS P1214	0		0532-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 30.00		0	0	0	0
EXT. WARRANTY AXIS P1214-E	0		0533-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 30.00		0	0	0	0
EXT. WARRANTY AXIS P1224-E	0		0654-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 30.00		0	0	0	0
EXT. WARRANTY AXIS P1244	0		0896-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 18.00		0	0	0	0

EXT. WARRANTY AXIS P1245	0		0926-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 29.00		0	0	0	0
EXT. WARRANTY AXIS P1254	0		0924-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 18.00		0	0	0	0
EXT. WARRANTY AXIS P1264	0		0925-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 18.00		0	0	0	0
EXT. WARRANTY AXIS P1265	0		0927-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 29.00		0	0	0	0

EXT. WARRANTY AXIS P1275	0		0928-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 29.00		0	0	0	0
EXT. WARRANTY AXIS P1364	0		0689-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 39.00		0	0	0	0
EXT. WARRANTY AXIS P1364-E	0		0739-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 54.00		0	0	0	0
EXT. WARRANTY AXIS P1365 Mk II	0		0897-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 45.00		0	0	0	0



EXT. WARRANTY AXIS P1365-E Mk II	0		0898-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 60.00		0	0	0	0
EXT. WARRANTY AXIS P1367	0		0762-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 49.00		0	0	0	0
EXT. WARRANTY AXIS P1367-E	0		0763-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 59.00		0	0	0	0
EXT. WARRANTY AXIS P1368-E	0		01109-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 69.00		0	0	0	0

EXT. WARRANTY AXIS P1405-LE Mk II	0		0961-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 36.00		0	0	0	0
EXT. WARRANTY AXIS P1425-LE Mk II	0		0960-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 39.00		0	0	0	0
EXT. WARRANTY AXIS P1427-LE	0		0625-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 49.00		0	0	0	0
EXT. WARRANTY AXIS P1428-E	0		0637-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 59.00		0	0	0	0

EXT. WARRANTY AXIS P1435-E	0		0776-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 45.00		0	0	0	0
EXT. WARRANTY AXIS P1435-LE	0		0777-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 36.00		0	0	0	0
EXT. WARRANTY AXIS P1435-LE 22MM	0		0890-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 39.00		0	0	0	0
EXT WAR AXIS P1445-LE	0		01506-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 42.00		0	0	0	0

EXT. WARRANTY AXIS P1447-LE	0		01054-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 45.00		0	0	0	0
EXT. WARRANTY AXIS P1448-LE	0		01055-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 59.00		0	0	0	0
EXT. WARRANTY AXIS P3214-V	0		0612-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 30.00		0	0	0	0
EXT. WARRANTY AXIS P3214-VE	0		0613-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 39.00		0	0	0	0

EXT. WARRANTY AXIS P3215-V	0		0614-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 45.00		0	0	0	0
EXT. WARRANTY AXIS P3215-VE	0		0615-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 45.00		0	0	0	0
EXT. WARRANTY AXIS P3224-LV MKII	0		0990-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 36.00		0	0	0	0
EXT. WARRANTY AXIS P3224-V MKII	0		0950-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 30.00		0	0	0	0

EXT. WARRANTY AXIS P3225-LV MKII	0		0954-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 42.00		0	0	0	0
EXT. WARRANTY AXIS P3225-LVE MKII	0		0955-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 51.00		0	0	0	0
EXT. WARRANTY AXIS P3225-V MKII	0		0952-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 36.00		0	0	0	0
EXT. WARRANTY AXIS P3225-VE MKII	0		0953-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 45.00		0	0	0	0

EXT. WARRANTY AXIS P3227-LV	0		0885-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 49.00		0	0	0	0
EXT. WARRANTY AXIS P3227-LVE	0		0886-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 59.00		0	0	0	0
EXT. WARRANTY AXIS P3228-LV	0		0887-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 59.00		0	0	0	0
EXT. WARRANTY AXIS P3228-LVE	0		0888-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 69.00		0	0	0	0

EXT WAR AXIS P3235-LV	0		01443-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 38.00		0	0	0	0
EXT WAR AXIS P3235-LVE	0		01199-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 45.00		0	0	0	0
EXT. WARRANTY AXIS P3367-V	0		0406-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 70.00		0	0	0	0
EXT. WARRANTY AXIS P3367-VE	0		0407-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 72.00		0	0	0	0



EXT. WARRANTY AXIS P3374-LV	0		01058-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 44.00		0	0	0	0
EXT. WARRANTY AXIS P3374-V	0		01056-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 39.00		0	0	0	0
EXT. WARRANTY AXIS P3375-LV	0		01062-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 49.00		0	0	0	0
EXT. WARRANTY AXIS P3375-LVE	0		01063-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 59.00		0	0	0	0

EXT. WARRANTY AXIS P3375-V	0		01060-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 44.00		0	0	0	0
EXT. WARRANTY AXIS P3375-VE	0		01061-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 54.00		0	0	0	0
EXT. WARRANTY AXIS P3384-V	0		0511-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 60.00		0	0	0	0
EXT. WARRANTY AXIS P3384-VE	0		0512-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 70.00		0	0	0	0

EXT. WARRANTY AXIS P3707-PE	0		0815-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 72.00		0	0	0	0
EXT WAR AXIS P3717-PLE	0		01504-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 81.00		0	0	0	0
EXT WAR AXIS P3807-PVE	0		01048-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 81.00		0	0	0	0
EXT. WARRANTY AXIS P3904-R	0		0640-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 27.00		0	0	0	0

EXT. WARRANTY AXIS P3904-R M12	0		0638-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 27.00		0	0	0	0
EXT. WARRANTY AXIS P3905-R	0		0641-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 33.00		0	0	0	0
EXT. WARRANTY AXIS P3905-R M12	0		0639-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 33.00		0	0	0	0
EXT. WARRANTY AXIS P3905-RE	0		0662-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 39.00		0	0	0	0

EXT. WARRANTY AXIS P3905-RE M12	0		0663-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 39.00		0	0	0	0
EXT. WARRANTY AXIS P3915-R	0		0643-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 36.00		0	0	0	0
EXT. WARRANTY AXIS P3915-R M12	0		0642-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 36.00		0	0	0	0
EXT. WARRANTY AXIS P3904-R Mk II	0		01078-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 29.00		0	0	0	0

EXT. WARRANTY AXIS P3904-R Mk II M12	0		01071-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 29.00		0	0	0	0
EXT. WARRANTY AXIS P3905-R Mk II	0		01072-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 34.00		0	0	0	0
EXT. WARRANTY AXIS P3905-R Mk II M12	0		01073-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 33.00		0	0	0	0
EXT. WARRANTY AXIS P3915-R Mk II	0		01074-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 36.00		0	0	0	0

EXT WAR AXIS P3915-R Mk II M12	0		01075-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 36.00		0	0	0	0
EXT. WARRANTY AXIS P5414-E 60HZ	0		0588-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 128.00		0	0	0	0
EXT. WARRANTY AXIS P5415-E 60HZ	0		0589-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 160.00		0	0	0	0
EXT. WARRANTY AXIS P5624-E 60HZ	0		0671-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 128.00		0	0	0	0

EXT. WARRANTY AXIS P5624-E MK II 60HZ	0		0932-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 128.00		0	0	0	0
EXT. WARRANTY AXIS P5635-E MK II 60HZ	0		0929-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 160.00		0	0	0	0
EXT. WARRANTY AXIS 291 1U VIDEO SERV RACK	0		0267-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 24.00		0	0	0	0
EXT. WARRANTY AXIS P7216 VIDEO ENCODER	0		0542-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 78.00		0	0	0	0



EXT. WARRANTY AXIS P7224 VIDEO ENC BLADE	0		0418-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 24.00		0	0	0	0
EXT. WARRANTY AXIS P7214 VIDEO ENCODER	0		0417-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 24.00		0	0	0	0
EXT. WARRANTY AXIS P7701	0		0319-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 30.00		0	0	0	0
EXT. WARRANTY AXIS P8221	0		0321-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 21.00		0	0	0	0

EXT. WARRANTY AXIS P8524 SILVER IMPERIAL	0		0653-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 36.00		0	0	0	0
EXT. WARRANTY AXIS P8535 BLACK IMPERIAL	0		0712-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 48.00		0	0	0	0
EXT. WARRANTY AXIS P8535 BLACK METRIC	0		0714-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 48.00		0	0	0	0
EXT. WARRANTY AXIS P8535 SILVER IMPERIAL	0		0711-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 48.00		0	0	0	0

EXT. WARRANTY AXIS P8535 SILVER METRIC	0		0713-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 48.00		0	0	0	0
EXT. WARRANTY AXIS P8804-2 3D P COUNT KIT	0		01206-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 49.00		0	0	0	0
EXT. WARRANTY AXIS P8804 STEREO SENSOR KIT	0		01007-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 36.00		0	0	0	0
EXT WAR AXIS P9106-V WHITE	0		01620-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 36.00		0	0	0	0

EXT WAR AXIS P9106-V BRUSHED STEEL	0		01553-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 39.00		0	0	0	0
EXT. WARRANTY AXIS Q1615 Mk II	0		0883-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 60.00		0	0	0	0
EXT. WARRANTY AXIS Q1615-E Mk II	0		0884-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 78.00		0	0	0	0
EXT WAR AXIS Q1645	0		01222-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 72.00		0	0	0	0

EXT WAR AXIS Q1645-LE	0		01223-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 90.00		0	0	0	0
EXT WAR AXIS Q1647	0		01051-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 84.00		0	0	0	0
EXT WAR AXIS Q1647-LE	0		01052-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 102.00		0	0	0	0
EXT. WARRANTY AXIS Q1659 10-22MM F	0		0967-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 354.00		0	0	0	0

EXT. WARRANTY AXIS Q1659 24MM F/2.8	0		0962-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 300.00		0	0	0	0
EXT. WARRANTY AXIS Q1659 35MM F/2	0		0963-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 354.00		0	0	0	0
EXT. WARRANTY AXIS Q1659 50MM F/1.4	0		0964-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 324.00		0	0	0	0
EXT. WARRANTY AXIS Q1659 55-250MM F/4-5.6	0		01118-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 519.00		0	0	0	0

EXT. WARRANTY AXIS Q1659 70-200MM F/2.8	0		0968-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 504.00		0	0	0	0
EXT. WARRANTY AXIS Q1659 85MM F/1.2	0		0965-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 489.00		0	0	0	0
EXT. WARRANTY AXIS Q1659 100MM F/2.8	0		0966-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 390.00		0	0	0	0
EXT. WARRANTY AXIS Q1765-LE	0		0509-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 84.00		0	0	0	0

EXT. WARRANTY AXIS Q1765-LE PTMOUNT	0		0644-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 84.00		0	0	0	0
EXT. WARRANTY AXIS Q1775	0		0751-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 78.00		0	0	0	0
EXT. WARRANTY AXIS Q1775-E	0		0752-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 96.00		0	0	0	0
EXT WAR AXIS Q1785-LE	0		01161-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 72.00		0	0	0	0



EXT WAR AXIS Q1786-LE	0		01162-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 84.00		0	0	0	0
EXT. WARRANTY AXIS Q1941-E 13MM 30 FPS	0		0787-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 168.00		0	0	0	0
EXT. WARRANTY AXIS Q1941-E 7MM 30 FPS	0		0786-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 168.00		0	0	0	0
EXT. WARRANTY AXIS Q1941-E 35MM 30 FPS	0		0788-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 228.00		0	0	0	0

EXT. WARRANTY AXIS Q1941-E 60MM 30 FPS	0		0789-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 318.00		0	0	0	0
EXT. WARRANTY AXIS Q1941-E 19MM 30 FPS	0		0877-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 168.00		0	0	0	0
EXT. WARRANTY AXIS Q1941-E PT MOUNT 7MM 30 FPS	0		0973-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 168.00		0	0	0	0
EXT. WARRANTY AXIS Q1941-E PT MOUNT 13MM 30 FPS	0		0974-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 168.00		0	0	0	0

EXT. WARRANTY AXIS Q1941-E PT MOUNT 19MM 30 FPS	0		0979-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 168.00		0	0	0	0
EXT. WARRANTY AXIS Q1941-E PT MOUNT 35MM 30 FPS	0		0975-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 228.00		0	0	0	0
EXT. WARRANTY AXIS Q1941-E PT MOUNT 60MM 30 FPS	0		0977-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 318.00		0	0	0	0
EXT. WARRANTY AXIS Q1942-E 10MM 30 FPS	0		0916-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 300.00		0	0	0	0

EXT. WARRANTY AXIS Q1942-E 19MM 30 FPS	0		0918-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 300.00		0	0	0	0
EXT. WARRANTY AXIS Q1942-E 35MM 30 FPS	0		0920-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 360.00		0	0	0	0
EXT. WARRANTY AXIS Q1942-E 60MM 30 FPS	0		0922-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 450.00		0	0	0	0
EXT. WARRANTY AXIS Q1942-E PT MOUNT 10MM 30 FPS	0		0981-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 300.00		0	0	0	0

EXT. WARRANTY AXIS Q1942-E PT MOUNT 19MM 30 FPS	0		0983-600	2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a> Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.	\$ 300.00		0	0	0	0
EXT. WARRANTY AXIS Q1942-E PT MOUNT 35MM 30 FPS	0		0985-600	2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a> Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.	\$ 360.00		0	0	0	0
EXT. WARRANTY AXIS Q1942-E PT MOUNT 60MM 30 FPS	0		0987-600	2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a> Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.	\$ 450.00		0	0	0	0
EXT. WARRANTY AXIS Q3505-SVE 9MM MKII	0		0773-600	2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a> Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.	\$ 81.00		0	0	0	0

EXT. WARRANTY AXIS Q3505-SVE 22MM MKII	0		0774-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 87.00		0	0	0	0
EXT. WARRANTY AXIS Q3515-LV 9MM	0		01039-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 51.00		0	0	0	0
EXT. WARRANTY AXIS Q3515-LVE 9MM	0		01041-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 59.00		0	0	0	0
EXT. WARRANTY AXIS Q3515-LV 22MM	0		01044-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 54.00		0	0	0	0

EXT. WARRANTY AXIS Q3515-LVE 22MM	0		01046-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 64.00		0	0	0	0
EXT. WARRANTY AXIS Q3517-LV	0		01021-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 69.00		0	0	0	0
EXT. WARRANTY AXIS Q3517-LVE	0		01022-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 79.00		0	0	0	0
EXT WAR AXIS Q3517-SLVE	0		01237-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 81.00		0	0	0	0

EXT WAR AXIS Q3518-LVE	0		01493-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 81.00		0	0	0	0
EXT WAR AXIS Q3527-LVE	0	New	01565-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 81.00		0	0	0	0
EXT. WARRANTY AXIS Q3615-VE	0		0743-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 81.00		0	0	0	0
EXT. WARRANTY AXIS Q3617-VE	0		0744-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 93.00		0	0	0	0



EXT. WARRANTY AXIS Q3708-PVE	0		0801-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 120.00		0	0	0	0
EXT. WARRANTY AXIS Q3709-PVE	0		0664-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 144.00		0	0	0	0
EXT. WARRANTY AXIS Q6000-E 60HZ Mk II	0		01006-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 128.00		0	0	0	0
EXT. WARRANTY AXIS Q6052 60HZ	0		0900-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 168.00		0	0	0	0

EXT. WARRANTY AXIS Q6052-E 60HZ	0		0902-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 208.00		0	0	0	0
EXT. WARRANTY AXIS Q6054-E Mk II 60HZ	0		01068-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 229.00		0	0	0	0
EXT. WARRANTY AXIS Q6054 Mk II 60HZ	0		01066-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 189.00		0	0	0	0
EXT WAR AXIS Q6054 Mk III 60HZ	0		01482-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 168.00		0	0	0	0

EXT WAR AXIS Q6054-E Mk III 60HZ	0		01484-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 208.00		0	0	0	0
EXT. WARRANTY AXIS Q6055 60HZ	0		0908-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 204.00		0	0	0	0
EXT. WARRANTY AXIS Q6055-C 60HZ	0		0943-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 328.00		0	0	0	0
EXT. WARRANTY AXIS Q6055-E 60HZ	0		0910-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 248.00		0	0	0	0

EXT. WARRANTY AXIS Q6055-S 60HZ	0		0945-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 360.00		0	0	0	0
EXT. WARRANTY AXIS Q6115-E 60HZ	0		0652-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 240.00		0	0	0	0
EXT WAR AXIS Q6125-LE 60Hz	0		01234-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 240.00		0	0	0	0
EXT. WARRANTY AXIS Q6128-E 60HZ	0		0799-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 240.00		0	0	0	0

EXT. WARRANTY AXIS Q6155-E 60HZ US	0		0934-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 240.00		0	0	0	0
EXT. WARRANTY AXIS Q7401 VIDEO ENCODER	0		0288-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 24.00		0	0	0	0
EXT. WARRANTY AXIS Q7404 VIDEO ENCODER	0		0291-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 54.00		0	0	0	0
EXT. WARRANTY AXIS Q7411 VIDEO ENCODER	0		0518-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 24.00		0	0	0	0

EXT. WARRANTY AXIS Q7414 VIDEO ENC BLADE	0		0354-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 60.00		0	0	0	0
EXT. WARRANTY AXIS Q7424-R MKII VIDEO ENC	0		0742-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 54.00		0	0	0	0
EXT. WARRANTY AXIS Q7436 VIDEO ENC BLADE	0		0584-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 72.00		0	0	0	0
EXT. WARRANTY AXIS Q7436/Q7920 KIT	0		0656-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 1,116.00		0	0	0	0

EXT. WARRANTY AXIS Q7920	0		0575-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 156.00		0	0	0	0
EXT. WARRANTY AXIS Q8414-LVS WHITE	0		0710-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 78.00		0	0	0	0
EXT. WARRANTY AXIS Q8414-LVS METAL	0		0709-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 78.00		0	0	0	0
EXT. WARRANTY AXIS Q8632-E 230V AC 35MM 8.3 FP	0		0729-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 880.00		0	0	0	0

EXT. WARRANTY AXIS Q8632-E 230V AC 35MM 30 FPS	0		0732-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 880.00		0	0	0	0
EXT. WARRANTY AXIS Q8632-E 120V AC 35MM 30 FPS	0		0733-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 880.00		0	0	0	0
EXT. WARR AXIS Q8641-E 35MM 30 FPS 24V	0		01119-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 469.00		0	0	0	0
EXT. WARR AXIS Q8642-E 60MM 30 FPS 24V	0		01121-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 759.00		0	0	0	0



EXT. WARRANTY AXIS Q8665-E 120V AC	0		0717-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 400.00		0	0	0	0
EXT. WARRANTY AXIS Q8665-E 24V AC	0		0715-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 400.00		0	0	0	0
EXT. WARRANTY AXIS Q8665-LE 100V AC	0		0721-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 520.00		0	0	0	0
EXT. WARRANTY AXIS Q8665-LE 120V AC	0		0720-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 520.00		0	0	0	0

EXT. WARRANTY AXIS Q8665-LE 230V AC	0		0719-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 520.00		0	0	0	0
EXT. WARRANTY AXIS Q8665-LE 24V AC	0		0718-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 480.00		0	0	0	0
EXT. WARRANTY AXIS Q8665-E 230V AC	0		0716-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 400.00		0	0	0	0
EXT. WARRANTY AXIS Q8685-E 24V AC/DC	0		0862-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 288.00		0	0	0	0

EXT. WARRANTY AXIS Q8685-LE 24V AC/DC	0		0864-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 416.00		0	0	0	0
EXT. WARRANTY AXIS Q8741-E 35MM 30 FPS 24V	0		0824-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 800.00		0	0	0	0
EXT. WARRANTY AXIS Q8741-LE 35MM 30 FPS 24V	0		01013-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 929.00		0	0	0	0
EXT. WARRANTY AXIS Q8742-E 35MM 30 FPS 24V	0		0828-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 1,040.00		0	0	0	0

EXT. WARRANTY AXIS Q8742-LE 35MM 30 FPS 24V	0		01017-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 1,170.00		0	0	0	0
EXT. WARRANTY AXIS Q8742-E ZOOM 30 FPS 24V	0		0830-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 1,760.00		0	0	0	0
EXT. WARRANTY AXIS Q8742-LE ZOOM 30 FPS 24V	0		01019-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 1,899.00		0	0	0	0
EXT WAR AXIS S9002 MK II	0	New	01619-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 375.00		0	0	0	0

EXT WAR AXIS S9101	0		01173-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 210.00		0	0	0	0
EXT WAR AXIS S9201 MK II	0	New	01691-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 285.00		0	0	0	0
EXT WAR AXIS S1016 MKII	0		01673-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 525.00		0	0	0	0
EXT WAR AXIS S1116 RACKED	0	New	01618-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 570.00		0	0	0	0

EXT WAR AXIS S1116 MT	0	New	01617-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 495.00		0	0	0	0
EXT WAR AXIS S1032 MkII	0		01674-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 1,035.00		0	0	0	0
EXT WAR AXIS S1048 MkII	0		01675-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 1,440.00		0	0	0	0
EXT WAR AXIS S1132	0		01613-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 1,124.00		0	0	0	0

EXT WAR AXIS S1148 24TB	0		01614-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 1,440.00		0	0	0	0
EXT WAR AXIS S1148 64TB	0		01615-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 2,099.00		0	0	0	0
EXT WAR AXIS S1148 140TB	0		01616-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 3,149.00		0	0	0	0
EXT WAR AXIS T6101 AUDIO AND I/O IF	0		01160-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 6.00		0	0	0	0

EXT WAR AXIS T6112 AUDIO AND I/O IF	0		01230-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 9.00		0	0	0	0
EXT WAR AXIS T8504-E OUTDOOR POE SWITCH	0		01449-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 72.00		0	0	0	0
EXT WAR AXIS T8504-R IL POE SWITCH	0		01633-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 42.00		0	0	0	0
EXT WAR AXIS T8508 POE+ NET SWITCH	0		01191-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 24.00		0	0	0	0



EXT WAR AXIS T8524 POE+ NET SWITCH	0		01192-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 54.00		0	0	0	0
EXT WAR T8643 POE+ OVER COAX COMP	0		01468-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 12.00		0	0	0	0
EXT WAR T8645 PoE+ COAX COMPACT KIT	0		01489-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 25.00		0	0	0	0
EXT WAR T8648 PoE+ COAX BL COMP KIT	0		01490-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 102.00		0	0	0	0

EXT. WARRANTY AXIS T8705 VIDEO DECODER	0		01186-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 19.00		0	0	0	0
EXT. WARRANTY AXIS T99A10 24V AC/DC	0		01226-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 199.00		0	0	0	0
EXT. WARRANTY AXIS T99A11 24V AC/DC	0		01227-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 179.00		0	0	0	0
EXT. WARRANTY AXIS V5914 60HZ < US >	0		0632-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 160.00		0	0	0	0

EXT. WARRANTY AXIS V5915 60HZ < US >	0		0634-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 208.00		0	0	0	0
EXT WAR F101-A XF P1367	0		01703-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 399.00		0	0	0	0
EXT WAR AXIS RELAY MODULE A9188	0		0820-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 29.00		0	0	0	0
EXT WAR AXIS A9188-VE	0		0831-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 48.00		0	0	0	0

EXT WAR A9161 NETW I/O RELAY MODULE	0		0821-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 15.00		0	0	0	0
EXT. WARRANTY AXIS A1601	0		01507-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 42.00		0	0	0	0
EXT WAR. 2N IP VERSO - BLUETOOTH	0		01266-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 19.00		0	0	0	0
EXT WAR 2N IP VERSO - MAIN WO CAM	0		01271-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 32.00		0	0	0	0

EXT WAR 2N IP VERSO-MAIN WO CAM BLK	0		01272-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 32.00		0	0	0	0
EXT WAR 2N IP VERSO - MAIN W CAMERA	0		01273-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 60.00		0	0	0	0
EXT WAR 2N IP VERSO-MAIN W CAM BLK	0		01274-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 60.00		0	0	0	0
EXT WAR 2N IP VERSO - TOUCH DISPLAY	0		01275-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 32.00		0	0	0	0

EXT WAR 2N IP VERSO - TOUCH KEYPAD	0		01277-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 10.00		0	0	0	0
EXT WAR 2N IP SOLO - FLUSH MOUNT	0		01300-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 62.00		0	0	0	0
EXT WAR 2N IP SOLO - SURFACE MOUNT	0		01301-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 61.00		0	0	0	0
EXT WAR 2N IP SOLO-SURFACE MNT BLK	0		01302-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 61.00		0	0	0	0

EST WAR 2N IP SOLO - FLUSH MOUNT BL	0		01303-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 62.00		0	0	0	0
EXT WAR 2N IP VARIO - 1 BTN	0		01306-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 33.00		0	0	0	0
EXT WAR 2N IP VARIO - 3 BTN	0		01307-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 34.00		0	0	0	0
EXT WAR 2N IP VARIO - 3X2 BTN	0		01308-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 35.00		0	0	0	0

EXT WAR 2N IP VARIO - 1 BTN+KEYPAD	0		01309-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 36.00		0	0	0	0
EXT WAR 2N IP VARIO - 3 BTN+KEYPAD	0		01310-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 37.00		0	0	0	0
EXT WAR 2N IP VARIO - 3X2 BTN+KPD	0		01311-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 38.00		0	0	0	0
EXT WAR 2N IP VARIO-3X2 BTN+KPD+DIS	0		01312-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 70.00		0	0	0	0



EXT WAR 2N IP VARIO - 1 BTN+CAMERA	0		01313-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 53.00		0	0	0	0
EXT WAR 2N IP VARIO - 3 BTN+CAMERA	0		01314-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 53.00		0	0	0	0
EXT WAR 2N IP VARIO - 3x2 BTN+CAM	0		01315-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 55.00		0	0	0	0
EXT WAR 2N IP VARIO - 1 BTN+KPD+CAM	0		01316-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 57.00		0	0	0	0

EXT WAR 2N IP VARIO -3BTN+KPD+CAM	0		01317-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 58.00		0	0	0	0
EXT WAR 2N IP VARIO -3x2BTN+KPD+CAM	0		01318-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 59.00		0	0	0	0
EXT WAR 2N IP VARIO-3x2+KPD+DIS+CAM	0		01319-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 87.00		0	0	0	0
EXT WAR 2N IP FORCE-1BTN HD CAM PIC	0		01334-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 80.00		0	0	0	0

EXT WAR 2N IP FORCE - 1 BTN, PICT.	0		01335-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 59.00		0	0	0	0
EXT WAR 2N IP FORCE - 1 BTN	0		01336-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 56.00		0	0	0	0
EXT WAR 2N IP FORCE - 1 BTN+HD CAM	0		01337-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 78.00		0	0	0	0
EXT WAR 2N IP FORCE - 1 BTN+KEYPAD	0		01338-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 63.00		0	0	0	0

EXT WAR 2N IP FORCE-1 BTN+HDCAM+KPD	0		01339-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 79.00		0	0	0	0
EXT WAR 2N IP FORCE - 2 BTN+HD CAM	0		01340-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 79.00		0	0	0	0
EXT WAR 2N IP FORCE - 2 BTN	0		01341-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 58.00		0	0	0	0
EXT WAR 2N IP FORCE - 4 BTN	0		01342-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 62.00		0	0	0	0

EXT WAR 2N IP FORCE - 4 BTN+HD CAM	0		01343-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 80.00		0	0	0	0
EXT WAR 2N IP SAFETY - 1 BTN	0		01353-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 59.00		0	0	0	0
EXT WAR 2N IP SAFETY - 2 BTN	0		01354-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 60.00		0	0	0	0
EXT WAR 2N IP SAFETY - RED BTN	0		01355-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 59.00		0	0	0	0

EXT WAR 2N IP BASE - CAM BLACK	0		01357-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 40.00		0	0	0	0
EXT WAR 2N IP UNI - 2 BTN	0		01362-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 25.00		0	0	0	0
EXT WAR 2N IP UNI - 1 BTN	0		01361-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 24.00		0	0	0	0
EXT WAR 2N IP UNI - 1 BTN, PICTOGR	0		01363-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 26.00		0	0	0	0

EXT WAR 2N AU - RFID 125kHz	0		01365-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 24.00		0	0	0	0
EXT WAR 2N AU - RFID 13.56MHz NFC	0		01366-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 24.00		0	0	0	0
EXT WAR 2N AU - FINGERPRINT	0		01367-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 38.00		0	0	0	0
EXT WAR 2N AU - BLUETOOTH	0		01368-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 26.00		0	0	0	0

EXT WAR 2N AU - TOUCH KEYPAD	0		01370-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 19.00		0	0	0	0
EXT WAR 2N SIP AUDIO CONVERTER	0		01429-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 25.00		0	0	0	0
EXT WAR 2N SIP AUDIO CONVERTER SET	0		01430-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 26.00		0	0	0	0
EXT WAR 2N SIP SPEAKER - WALL MNT B	0		01431-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 28.00		0	0	0	0



EXT WAR 2N SIP SPEAKER - WALL MNT W	0		01432-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 28.00		0	0	0	0
EXT WAR 2N SIP SPEAKER - HORN	0		01433-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 31.00		0	0	0	0
EXT WAR 2N YEALINK SIP T58A	0		01586-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 30.00		0	0	0	0
EXT WAR 2N IDT - PoE, BLACK	0		01416-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 45.00		0	0	0	0

EXT WAR 2N IDT - PoE, WHITE	0		01417-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 45.00		0	0	0	0
EXT WAR 2N IDT - PoE, WIFI, BLACK	0		01419-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 49.00		0	0	0	0
EXT WAR 2N IDT - PoE, WIFI, WHITE	0		01420-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 49.00		0	0	0	0
EXT WAR GXV3275 IP PHONE	0		01421-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 28.00		0	0	0	0

EXT WAR GXV3240 IP PHONE	0		01422-600	2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.	\$ 20.00		0	0	0	0
EXT WAR GXV3370 IP PHONE	0		01695-600	2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.	\$ 35.00		0	0	0	0
EXT WAR 2N IP VERSO - FINGERPRINT	0		01276-600	2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.	\$ 32.00		0	0	0	0
EXT. WARRANTY 2N SIP MIC	0		01208-600	2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.	\$ 67.00		0	0	0	0
ACAP AXIS PERIMETER DEFENDER 1 E-LICENSE	0		0333-608	Single unit e-license for AXIS Perimeter Defender, a scalable and flexible video analytics application for perimeter surveillance and protection. Visit www.axis.com for supported products and application download.	\$ 299.00		0	0	0	0
ACAP AXIS PERIMETER DEFENDER 10 E-LICENSE	0		0333-609	Ten (10) unit e-license for AXIS Perimeter Defender, a scalable and flexible video analytics application for perimeter surveillance and protection. Visit www.axis.com for supported products and application download.	\$ 2,989.00		0	0	0	0
Axis Cross Line Detection	10		0333-011	Single unit license for AXIS Cross Line Detection, a basic cross line video analytic. Visit www.axis.com for supported products and application download.	\$ 29.00		0	13	9	0

Axis Cross Line Detection 10-pack	10		0333-031	Ten (10) unit license for AXIS Cross Line Detection, a basic cross line video analytic. Visit <a href="http://www.axis.com">www.axis.com</a> for supported products and application download.	\$ 279.00		0	13	9	0
Axis Cross Line Detection 50-pack	10		0333-051	Fifty (50) unit license for AXIS Cross Line Detection, a basic cross line video analytic. Visit <a href="http://www.axis.com">www.axis.com</a> for supported products and application download.	\$ 1,359.00		0	13	9	0
ACAP AXIS MOTION GUARD 1 E-LICENSE	0		0333-600	Single unit e-license for AXIS Motion Guard, a robust, installer-friendly motion detection video analytic. Visit <a href="http://www.axis.com">www.axis.com</a> for supported products and application download.	\$ 59.00		0	0	0	0
ACAP AXIS MOTION GUARD 10 E-LICENSE	0		0333-601	Ten (10) unit e-license for AXIS Motion Guard, a robust, installer-friendly motion detection video analytic. Visit <a href="http://www.axis.com">www.axis.com</a> for supported products and application download.	\$ 589.00		0	0	0	0
ACAP AXIS FENCE GUARD 1 E-LICENSE	0		0333-604	Single unit e-license for AXIS Fence Guard, a robust, installer-friendly perimeter protection video analytic. Visit <a href="http://www.axis.com">www.axis.com</a> for supported products and application download.	\$ 59.00		0	0	0	0
ACAP AXIS FENCE GUARD 10 E-LICENSE	0		0333-605	Ten (10) unit e-license for AXIS Fence Guard, a robust, installer-friendly perimeter protection video analytic. Visit <a href="http://www.axis.com">www.axis.com</a> for supported products and application download.	\$ 589.00		0	0	0	0
ACAP AXIS LOITERING GUARD 1 E-LICENSE	0		0333-602	Single unit e-license for AXIS Loitering Guard, a robust, installer-friendly loitering detection video analytic. Visit <a href="http://www.axis.com">www.axis.com</a> for supported products and application download.	\$ 59.00		0	0	0	0
ACAP AXIS LOITERING GUARD 10 E-LICENSE	0		0333-603	Ten (10) unit e-license for AXIS Loitering Guard, a robust, installer-friendly loitering detection video analytic. Visit <a href="http://www.axis.com">www.axis.com</a> for supported products and application download.	\$ 589.00		0	0	0	0
AXIS H. 264 50-user decoder license pack	10		0160-050	A license document that grants installation of AXIS AVC/H.264 decoder onto 50 separate computers. Applicable for all AXIS products that supports H.264 but does not have support for audio.	\$ 45.00	7331021024212	0	13	9	0
AXIS H.264 +AAC decoder 50-user decoder license pack	10		0160-060	A license document that grants installation of AXIS AVC/H.264 and ACC decoder onto 50 separate computers. Applicable for all AXIS products that supports H.264 that also have support for audio.	\$ 55.00	7331021024229	0	13	9	0
AXIS STORE DATA MANAGER 10CH BASE E-LICENSE	0		01147-101	AXIS Store Data Manager is a server side tool that is used to collect and arrange analytics data from retail analytics-enabled cameras.	\$ 499.00		0	0	0	0
AXIS STORE DATA MANAGER 1CH ADD-ON E-LICENSE	0		01147-111	AXIS Store Data Manager is a server side tool that is used to collect and arrange analytics data. This article is for additional channels to be added to AXIS Store Data Mgr 10P Core	\$ 29.00		0	0	0	0
AXIS STORE REPORTER SUBSCRIPT 2019	0		01704-001	AXIS Store Reporter is a web-based tool that is used for graphical representation and reporting of statistical data gathered from Axis retail analytics applications. It is sold on a per channel basis as e-license. A license is valid until 31 Dec 2019. After this date the license will have to be renewed. AXIS Store Data Manager is included in AXIS Store Reporter.	\$ 99.00		0	0	0	0
AXIS PEOPLE COUNTER E-LICENSE	0		01147-011	AXIS People Counter is a cost-efficient and scalable video analytics application for people counting. This business-improving application, installed on a network camera, enables accurate monitoring and analysis of customer flows. It is ideal for e.g. quick evaluation of marketing efforts, improving staff and store planning, or evaluating conversion rate if combined with point-of-sale data.	\$ 379.00		0	0	0	0
AXIS 3D PEOPLE COUNTER E-LICENSE	0	EOL	01147-021	AXIS 3D People Counter is a cost-efficient and scalable video analytics application for people counting in challenging conditions. This business-improving application, installed on a compatible network camera, enables precise monitoring and analysis of customer flows in crowded environments or in difficult lighting situations. The application is designed for AXIS P8804 Stereo Sensor Kit.	\$ 379.00		0	0	0	0
AXIS QUEUE MONITOR E-LICENSE	0		01147-031	AXIS Queue Monitor is a cost-efficient and scalable video analytics application for queue measurement and analysis. This application, installed on a network camera, provides statistics about queue duration and queue fluctuations over the course of the day, facilitating both staff planning and the comparison between store locations.	\$ 459.00		0	0	0	0
AXIS OCCUPANCY ESTIMATOR E-LICENSE	0		01147-051	AXIS Occupancy Estimator is a cost-efficient and scalable video analytics application for gathering and analyzing occupancy data. This application, installed on a network camera, is a valuable tool for improving service planning in places like shopping malls or entertainment venues.	\$ 429.00		0	0	0	0
AXIS TAILGATING DETECTOR E-LICENSE	0		01147-071	AXIS Tailgating Detector is a cost-efficient video analytics application for ensuring that only one person at a time is entering in an automated access control system. Preventing unauthorized entering, the camera-integrated application is ideal for subways, gyms, or other places where access cards are used	\$ 429.00		0	0	0	0

AXIS DIRECTION DETECTOR E-LICENSE	0		01147-081	AXIS Direction Detector is a cost-efficient and scalable video analytics application for detecting people moving in the wrong direction. This camera-integrated application reduces the need for physical barriers or extra staff in for example retail stores or airports, where it registers the number of people passing by and in what direction	\$ 429.00		0	0	0	0
AXIS RANDOM SELECTOR E-LICENSE	0		01147-091	AXIS Random Selector is a camera-integrated video analytics application for randomly singling out individuals for inspection. The application eliminates any bias in the selection and inspection of, for instance, employees leaving a store, and may thereby reduce employees' discomfort.	\$ 429.00		0	0	0	0
ACS CORE DEVICE E-LICENSE	0		0879-010	One (1) AXIS Camera Station version 5.0 and up, Core Device license. Applicable for AXIS devices.  AXIS Camera Station is a monitoring and recording system mid-size installations optimized to take full advantage of Axis leading network cameras and video encoders. It combines easy setup with an intuitive user interface for efficient operation, quick investigation and high definition identification.  Delivered as eLicense key. Note: eLicenses are non-cancellable, non-changeable and non-returnable.	\$ 79.00		0	0	0	0
ACS UNIVERSAL DEVICE E-LICENSE	0		0879-020	One (1) Universal Device license applicable for AXIS Camera Station version 5.0 and up.  AXIS Camera Station is a monitoring and recording system mid-size installations optimized to take full advantage of Axis leading network cameras and video encoders. It combines easy setup with an intuitive user interface for efficient operation, quick investigation and high definition identification.  Delivered as eLicense key. Note: eLicenses are non-cancellable, non-changeable and non-returnable.	\$ 149.00		0	0	0	0
ACS 4 TO UNIVERSAL UPG E-LICENSE	0		0879-040	One (1) upgrade license applicable for existing licenses of AXIS Camera Station, version 1,2,3, 4. Each existing license in combination with this upgrade license enables upgrade to a AXIS Camera Station version 5 Universal Device license.  Delivered as eLicense key. Note: eLicenses are non-cancellable, non-changeable and non-returnable.	\$ 19.00		0	0	0	0
ACS CORE TO UNIVERSAL UPG E-LICENSE	0		0879-030	This license is primarily used for replacing AXIS devices with ONVIF devices. One (1) Upgrade license and one AXIS Camera Station version 5 Core Device license upgrades to one (1) Universal Device license.  Delivered as eLicense key. Note: eLicenses are non-cancellable, non-changeable and non-returnable.	\$ 79.00		0	0	0	0
ACS 1 CORE DEVICE LICENSE	10		0879-050	One (1) AXIS Camera Station version 5.0 and up, Core Device license. Applicable for AXIS devices.  AXIS Camera Station is a monitoring and recording system mid-size installations optimized to take full advantage of Axis leading network cameras and video encoders. It combines easy setup with an intuitive user interface for efficient operation, quick investigation and high definition identification.  Delivered as printed license code in envelope.	\$ 79.00	7331021052611	0	9	13	0
ACS 4 CORE DEVICE LICENSE	10		0879-060	Four (4) AXIS Camera Station version 5.0 and up, Core Device licenses. Applicable for AXIS devices.  AXIS Camera Station is a monitoring and recording system mid-size installations optimized to take full advantage of Axis leading network cameras and video encoders. It combines easy setup with an intuitive user interface for efficient operation, quick investigation and high definition identification.  Delivered as printed license code in envelope.	\$ 316.00	7331021052628	0	9	13	0

ACS 16 CORE DEVICE LICENSE	10		0879-070	Sixteen (16) AXIS Camera Station version 5.0 and up, Core Device licenses. Applicable for AXIS devices.  AXIS Camera Station is a monitoring and recording system mid-size installations optimized to take full advantage of Axis leading network cameras and video encoders. It combines easy setup with an intuitive user interface for efficient operation, quick investigation and high definition identification.  Delivered as printed license code in envelope.	\$ 1,264.00	7331021052635	0	9	13	0
ACS 32 CORE DEVICE LICENSE	10		0879-080	Thirtytwo (32) AXIS Camera Station version 5.0 and up, Core Device licenses. Applicable for AXIS devices.  AXIS Camera Station is a monitoring and recording system mid-size installations optimized to take full advantage of Axis leading network cameras and video encoders. It combines easy setup with an intuitive user interface for efficient operation, quick investigation and high definition identification.  Delivered as printed license code in envelope.	\$ 2,528.00	7331021052642	0	9	13	0
ACS 1 UNIVERSAL DEVICE LICENSE	10		0879-090	One (1) Universal Device license applicable for AXIS Camera Station version 5.0 and up.  AXIS Camera Station is a monitoring and recording system mid-size installations optimized to take full advantage of Axis leading network cameras and video encoders. It combines easy setup with an intuitive user interface for efficient operation, quick investigation and high definition identification.  Delivered as printed license code in envelope.	\$ 149.00	7331021052659	0	9	13	0
ACS 4 UNIVERSAL DEVICE LICENSE	10		0879-100	Four (4) Universal Device licenses applicable for AXIS Camera Station version 5.0 and up.  AXIS Camera Station is a monitoring and recording system mid-size installations optimized to take full advantage of Axis leading network cameras and video encoders. It combines easy setup with an intuitive user interface for efficient operation, quick investigation and high definition identification.  Delivered as printed license code in envelope.	\$ 596.00	7331021052666	0	9	13	0
ACS 10 UNIVERSAL DEVICE LICENSE	10		0879-110	Ten (10) Universal Device licenses applicable for AXIS Camera Station version 5.0 and up.  AXIS Camera Station is a monitoring and recording system mid-size installations optimized to take full advantage of Axis leading network cameras and video encoders. It combines easy setup with an intuitive user interface for efficient operation, quick investigation and high definition identification.  Delivered as printed license code in envelope.	\$ 1,490.00	7331021052673	0	9	13	0
ACS 20 UNIVERSAL DEVICE LICENSE	10		0879-120	Twenty (20) Universal Device licenses applicable for AXIS Camera Station version 5.0 and up.  AXIS Camera Station is a monitoring and recording system mid-size installations optimized to take full advantage of Axis leading network cameras and video encoders. It combines easy setup with an intuitive user interface for efficient operation, quick investigation and high definition identification.  Delivered as printed license code in envelope.	\$ 2,980.00	7331021052680	0	9	13	0
ACS 4 TO UNIVERSAL 1 UPG.LIC	10		0879-170	One (1) upgrade license applicable for existing licenses of AXIS Camera Station, version 1,2,3, 4. Each existing license in combination with this upgrade license enables upgrade to a AXIS Camera Station version 5 Universal Device license.  Delivered as printed license code in envelope.	\$ 19.00	7331021052734	0	9	13	0
ACS 4 TO UNIVERSAL 5 UPG.LIC	10		0879-180	Five (5) upgrade licenses applicable for existing licenses of AXIS Camera Station, version 1,2,3, 4. Each existing license in combination with this upgrade license enables upgrade to a AXIS Camera Station version 5 Universal Device license.  Delivered as printed license code in envelope.	\$ 95.00	7331021052741	0	9	13	0

ACS 4 TO UNIVERSAL 10 UPG.LIC	10		0879-190	Ten (10) upgrade licenses applicable for existing licenses of AXIS Camera Station, version 1,2,3, 4. Each existing license in combination with this upgrade license enables upgrade to a AXIS Camera Station version 5 Universal Device license.  Delivered as printed license code in envelope.	\$ 190.00	7331021052758	0	9	13	0
ACS 4 TO UNIVERSAL 20 UPG.LIC	10		0879-200	Twenty (20) upgrade licenses applicable for existing licenses of AXIS Camera Station, version 1,2,3, 4. Each existing license in combination with this upgrade license enables upgrade to a AXIS Camera Station version 5 Universal Device license.  Delivered as printed license code in envelope.	\$ 380.00	7331021052765	0	9	13	0
ACS CORE TO UNIVERSAL 1 UPG.LIC	10		0879-130	This license is primarily used for replacing AXIS devices with ONVIF devices. One (1) Upgrade license applicable for AXIS Camera Station version 5 Core Device license upgrade to Universal Device license.  Delivered as printed license code in envelope.	\$ 79.00	7331021052697	0	9	13	0
ACS CORE TO UNIVERSAL 5 UPG.LIC	10		0879-140	This license is primarily used for replacing AXIS devices with ONVIF devices. Five (5) Upgrade license applicable for AXIS Camera Station version 5 Core Device license upgrade to Universal Device license.  Delivered as printed license code in envelope.	\$ 395.00	7331021052703	0	9	13	0
ACS CORE TO UNIVERSAL 10 UPG.LIC	10		0879-150	This license is primarily used for replacing AXIS devices with ONVIF devices. Ten (10) Upgrade license applicable for AXIS Camera Station version 5 Core Device license upgrade to Universal Device license. Delivered as printed license code in envelope.	\$ 790.00	7331021052710	0	9	13	0
ACS CORE TO UNIVERSAL 20 UPG.LIC	10		0879-160	This license is primarily used for replacing AXIS devices with ONVIF devices. Twenty (20) Upgrade license applicable for AXIS Camera Station version 5 Core Device license upgrade to Universal Device license.  Delivered as printed license code in envelope.	\$ 1,580.00	7331021052727	0	9	13	0
AXIS Camera Station 4 license base pack eLicense	0	EOL	0202-600	AXIS Camera Station version 1,2,3,4 licenses. Not applicable for version 5. Base pack with a license for 4 Axis network video channels. Note: eLicenses are non-cancellable, non-changeable and non-returnable.	\$ 399.00		0	7	5	1
AXIS Camera Station 10 license base pack eLicense	0	EOL	0202-601	AXIS Camera Station version 1,2,3,4 licenses. Not applicable for version 5. Base pack with a license for 10 Axis network video channels. Note: eLicenses are non-cancellable, non-changeable and non-returnable.	\$ 999.00		0	7	5	1
AXIS Camera Station 1 license add-on eLicense	0	EOL	0202-602	AXIS Camera Station version 1,2,3,4 licenses. Not applicable for version 5. License for 1 additional Axis network video channel to AXIS Camera Station 4 or 10 license base pack. Requires the base pack to be pre-installed. Note: eLicenses are non-cancellable, non-changeable and non-returnable.	\$ 99.00		0	7	5	1
AXIS Camera Station 5 license add-on eLicense	0	EOL	0202-603	AXIS Camera Station version 1,2,3,4 licenses. Not applicable for version 5. License for 5 additional Axis network video channel to AXIS Camera Station 4 or 10 license base pack. Requires the base pack to be pre-installed. Note: eLicenses are non-cancellable, non-changeable and non-returnable.	\$ 499.00		0	7	5	1
AXIS Camera Station 20 license add-on eLicense	0	EOL	0202-607	AXIS Camera Station version 1,2,3,4 licenses. Not applicable for version 5. License for 20 additional Axis network video channel to AXIS Camera Station 4 or 10 license base pack. Requires the base pack to be pre-installed. eLicense. Note: eLicenses are non-cancellable, non-changeable and non-returnable.	\$ 1,979.00		0	7	5	1
AXIS D20 FRONT COVER KIT A	50		01438-001	Replacement front cover for AXIS D2050-VE. Includes anti-loss screws and sealing gaskets.	\$ 79.00	7331021063204	2	8	12	3
AXIS F4005-E CLEAR DOME 5PCS	20		5801-461	Standard clear dome for AXIS F4005-E, 5 pcs	\$ 79.00	7331021053717	1	7	5	4
ACC TOP COVER AXIS 209FD-R 10PCS	5		5500-301	Replaceable cover for AXIS 209FD-R, 10 pcs. Includes dry bags	\$ 249.00	7331021020153	1	9	8	4
SPR DOME CLEAR AXIS 215 PTZ-E	20	EOL	5700-291	Spare clear dome for AXIS 215-PTZ-E. Includes mounting ring, clear bubble, rubber gasket and 4 screws.	\$ 99.00	7331021028395	2	10	10	6
ACC DOME AXIS 216FD GLASS SMOKED	10		5005-001	Casing with smoked transparent cover for AXIS 216FD/216MFD/P3301	\$ 29.00	7331021017047	1	10	7	4
ACC DOME AXIS 216FD GLASS CLEAR	10		5005-011	Casing with clear transparent cover for AXIS 216FD/216MFD/P3301	\$ 29.00	7331021017054	1	10	7	4
ACC DOME AXIS 216FD-V GLASS SMOKED	10		5005-061	Vandal-resistant casing with smoked transparent cover. Can also upgrade an AXIS 216FD/216MFD/P330X/M320X to an AXIS 216FD-V/216MFD-V/P330X-V/M320X-V	\$ 69.00	7331021018952	1	10	7	4
ACC MOUNT KIT 23XD DOME IN SMOKE	20		21774	Smoked dome, indoor for AXIS 231/232D.	\$ 28.00	667026008122	6	7	10	4
ACC DOME 23XD INDOOR PLASTIC CLEAR	5		21777	Clear dome, indoor for AXIS 231/232D (included with AXIS 231D/232D), available as spare part.	\$ 28.00	667026008153	6	7	10	4
AXIS M3004-V/05-V CLEAR DOME	10		5800-631	Original top cover with clear dome for AXIS M3004-V/05-V	\$ 19.00	7331021005433	0	5	5	4

AXIS M3006 CLEAR DOME 5PCS	10		5800-731	Original white top cover with clear dome for AXIS M3006, 5pcs.	\$ 249.00	7331021006775	1	6	6	8
AXIS M3007 CLEAR DOME 5PCS	10		5800-741	Original white top cover with clear dome for AXIS M3007, 5pcs.	\$ 249.00	7331021006782	1	6	6	6
AXIS M3024 CLEAR DOME 5PCS	100		5800-711	Standard clear domes for AXIS M3024, 5 pcs	\$ 249.00	7331021045347	3	11	10	5
AXIS M3025/26 CLEAR DOME 5PCS	10		5800-721	Standard clear domes for AXIS M3025, M3026. 5 pcs	\$ 249.00	7331021045323	1	9	6	3
AXIS M3027 CLEAR DOME 5PCS	10		5800-751	Standard clear domes for AXIS M3027, 5 pcs	\$ 249.00	7331021045330	1	9	6	3
AXIS M3044-V/45-V/46-V CL DOME 5P	10		5801-841	Standard clear dome for AXIS M3044-V/45-V/46-V, 5 pcs	\$ 99.00	7331021056176	0	0	0	0
AXIS M30-PLVE CLEAR DOME A 4P	10		01567-001	Standard clear dome with anti-scratch hard coating. Rubber gaskets included. Compatible with AXISM3057/58-PLVE. 4-piece bulk pack.	\$ 59.00	7331021065048	0	5	5	4
AXIS M30 DOME COVER CASING A 5PCS	10		5901-241	Original white casing with clear dome for M3044/45/46-V/-VV and AXIS Companion Dome cameras. 5 pcs.	\$ 149.00	7331021058828	1	6	16	4
AXIS M30 CASING B WHITE 5P	10		01153-001	Original white casing for AXIS M3047/48-P. 5 pcs.	\$ 79.00	7331021061132	0	0	0	0
TOP COVER AXIS M311X-R 10PCS	20		5700-641	Original dark grey top cover including dome and screws for AXIS M311X-R. 10 pcs	\$ 249.00	7331021032293	2	11	10	5
TOP COVER AXIS M311X-VE	20	EOL	5800-361	ORIGINAL TOP COVER FOR AXIS M311X-VE, INCLUDING OPENING TOOL AND ALLEN KEY.	\$ 29.00	7331021001466	0	9	6	3
TOP COVER M311X-VE NOCAP 10 PCS	20		5800-061	Original top cover including dome and screws for AXIS M311X-VE No Cap. 10 pcs.	\$ 249.00	7331021035492	2	11	10	5
TOP COVER M311X-VE 10 PCS	20	EOL	5800-051	Original top cover including dome and screws for AXIS M311X-VE. 10 pcs.	\$ 249.00	7331021035485	2	11	10	5
AXIS M50 CLEAR DOME COVER A	5		01239-001	Spare part AXIS M50 dome casing cover in white. Included in AXIS M5054/55/65 cameras.	\$ 49.00	7331021062948	0	7	7	3
AXIS M501X DOME	5		5800-111	Spare part AXIS M501X dome, pre-mounted in the white top casing. Opening tool and gasket are included.	\$ 29.00	7331021036741	0	9	6	3
AXIS M55 CLEAR DOME A	10		01606-001	Spare part clear dome in polycarbonate. IK09 vandal resistant. Compatible with AXIS M5525-E. Single pack.	\$ 39.00	7331021065789	0	7	7	2
AXIS P32-V CLEAR DOME A 5P	10		5506-131	Standard clear dome for AXIS P32-V Series, 5 pcs	\$ 169.00	7331021048126	1	5	5	7
AXIS P32-VE CLEAR DOME A 5P	10		5506-121	Standard clear dome for AXIS P32-VE Series, 5 pcs	\$ 169.00	7331021048133	1	5	5	7
AXIS P32-LV SEMI SMOKED DOME A 5P	5		5504-981	Semi smoked domes for AXIS P32-LV Series, 5 pcs	\$ 169.00	7331021050853	1	5	6	7
AXIS P32-LVE SEMI SMOKED DOME A 5P	5		5504-991	Semi smoked domes for AXIS P32-LVE Series, 5 pcs	\$ 169.00	7331021050860	1	5	6	7
SPR AXIS P3343 DOME KIT	10		5700-321	Dome Kit for AXIS P3343, AXIS P3344, AXIS P3353 and AXIS P3354 as spare part. Includes a clear bubble, mounted on o plastic dome cover and a separate smoked bubble.	\$ 29.00	7331021029743	1	10	7	5
SPR AXIS P3343-V DOME KIT	10		5700-311	Dome kit for AXIS P3343-V, AXIS P3344-V, AXIS P3363-V and AXIS P3364-V as spare part. Includes a clear bubble, mounted on an aluminium dome cover and a separate smoked bubble.	\$ 69.00	7331021029736	1	10	7	5
SPR DOME KIT AXIS P3343-VE	10		5700-341	Dome Kit for AXIS P3343-VE, P3344-VE, AXIS P3363-VE and AXIS P3364-VE as spare part. Includes a clear bubble, mounted on an aluminium dome cover and a separate smoked bubble.	\$ 69.00	7331021029767	1	10	7	5
SPR AXIS P3346 DOME KIT	20		5700-901	Dome Kit for AXIS P3346 as spare part. Includes a clear bubble, mounted on o plastic dome cover and a separate smoked bubble.	\$ 34.00	7331021033450	1	10	7	4
SPR AXIS P3346-V DOME KIT	20		5700-911	Dome kit for AXIS P3346-V, P3367-V and AXIS P3384-V as spare part. Includes a clear bubble, mounted on a zinc alloy dome cover and a separate smoked bubble.	\$ 74.00	7331021033467	2	10	7	4
SPR AXIS P3346-VE DOME KIT	10		5700-921	Dome Kit for AXIS P3346-VE, P3367-VE, AXIS P3384-VE as spare part. Includes a clear bubble, mounted on an aluminium dome cover and a separate smoked bubble.	\$ 74.00	7331021033474	1	10	7	4
AXIS P3364-LV DOME KIT	20		5800-691	Dome kit for AXIS P3364-LV. The dome is pre-mounted in the standard white top cover casing.	\$ 74.00	7331021006843	1	10	7	4
AXIS P3364-LVE DOME KIT	10		5800-681	Dome kit for AXIS P3364-LVE. The dome is pre-mounted in a standard white top cover casing.	\$ 74.00	7331021006836	1	10	7	4
AXIS P33 SEMI-SMOKED DOME A 4PCS	50		01548-001	Semi-smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-LV/-LVE cameras. 4x domes per pack.	\$ 119.00	7331021064805	1	5	6	4
AXIS P33 CLEAR DOME A 4PCS	50		01549-001	Clear dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-V/-VE cameras. 4x domes per pack.	\$ 119.00	7331021064812	1	5	6	4
AXIS P3707-PE CLEAR DOME KIT	10		5801-521	Dome kit for AXIS P3707-PE. The dome is pre-mounted in the standard white top cover casing.	\$ 99.00	7331021054158	2	13	13	0
AXIS P37 CLEAR DOME KIT A	10		01515-001	Dome kit for AXIS P3717-PLE. The dome is pre-mounted in the standard white top cover casing.	\$ 99.00	7331021064362	2	13	14	5
SPR TOP COVER AXIS P39-R 10 PCS	20		5801-111	Original top cover including dome and screws for AXIS P39-R Series. 10 pieces.	\$ 249.00	7331021047006	2	11	10	5
AXIS P54 CLEAR DOME	10		5800-771	Clear dome for AXIS P54-series.	\$ 49.00	7331021007420	1	8	8	4
AXIS P5512-E DOME KIT	10		5800-281	Dome kit for AXIS P5512-E. Clear-/smoked dome and dome cover included.	\$ 49.00	7331021037571	1	11	10	5
AXIS Q6128 CLEAR DOME 1P	10		5801-871	Standard clear dome for AXIS Q6128-E.	\$ 64.00	7331021056213	1	7	7	5



AXIS TQ6803 HARD-COATED CLEAR DOME	10	New	01814-001	Standard clear dome with anti-scratch hard coating. Compatible with selected AXIS Q61-LE cameras. Weather-resistant and chemical-resistant. Rubber gasket included. Single pack.	\$ 89.00	7331021068179	617	0	0	0
AXIS P553X CLEAR DOME	10		5800-251	Original clear dome for AXIS P5522/-E, AXIS P5532/-E, AXIS P5534/-E.	\$ 34.00	7331021037526	0	10	7	4
AXIS P553X SMOKED DOME	10		5800-191	Original smoked dome for AXIS P5522/-E, AXIS P5532/-E, AXIS P5534/-E.	\$ 34.00	7331021037465	0	10	7	4
AXIS DOME CLEAR P5544	20		5800-391	Sparepart dome for AXIS P5544. Note that this product does not contain the fisheye lens.	\$ 49.00	7331021003040	0	10	7	4
AXIS P5624-E/35-E CLEAR DOME	20		5506-141	Clear dome for AXIS P56 Series cameras.	\$ 49.00	7331021048102	1	9	9	4
AXIS Q3505-V CLEAR DOME 5P	10		5505-611	Standard clear domes for AXIS Q35-V Series, 5 pcs	\$ 179.00	7331021046283	1	6	5	7
AXIS Q35 CLEAR DOME A 5PCS	5		01180-001	Standard clear dome with anti-scratch hard coating. Compatible with AXIS Q3517-LV/-LVE. 5x domes per pack.	\$ 199.00	7331021061712	2	6	26	3
AXIS Q3505-VE CLEAR DOME 5P	10		5505-631	Standard clear dome for AXIS Q3505-VE. 5pcs	\$ 199.00	7331021046306	1	6	5	7
AXIS Q36-VE CLEAR DOME	20		5801-511	Standard clear dome with anti-scratch hard coating. Compatible with AXIS P38 and Q36 Series.	\$ 49.00	7331021053564	1	7	7	5
AXIS Q37 CLEAR DOME A	10		5507-311	Standard clear dome with anti-scratch hard coating. Compatible with AXIS Q3708-PVE and Q3709-PVE. Single pack.	\$ 49.00	7331021051010	1	7	7	5
AXIS Q6000-E CLEAR DOME	20		5506-641	Clear dome for AXIS Q6000-E	\$ 79.00	7331021048287	2	17	17	4
AXIS Q603X HD DOME KIT	10		5700-811	HD optimized dome kit for AXIS Q603X as spare part. Includes a clear bubble mounted on dome ring and a separate smoked bubble.	\$ 89.00	7331021032880	2	11	13	8
AXIS Q603X-E CLEAR DOME C	10		5800-081	Stand alone HD quality clear dome without line for the AXIS Q603X-E.	\$ 79.00	7331021006744	0	10	5	11
AXIS Q603X-E SMOKED DOME C	20	EOL	5800-341	Stand alone HD quality smoked dome without line for the AXIS Q603X-E.	\$ 79.00	7331021038400	0	10	5	11
AXIS Q60-E/C CLEAR DOME D	20		5800-481	Clear dome cover for AXIS Q60XX-E/-C series	\$ 79.00	7331021004993	1	11	10	5
AXIS Q3517-SLVE CLEAR DOME 2P	20		01584-001	Original clear dome in polycarbonate with anti-scratch hard coating. IK10+ vandal-resistant and high chemical resistance. Compatible with AXIS Q3517-SLVE. 2x domes per pack.	\$ 89.00	7331021065581	1	6	6	8
AXIS Q60-E/C SMOKED DOME D	20		5503-961	Stand alone smoked dome for AXIS Q60XX-E/-C series	\$ 79.00	7331021005525	1	11	10	5
AXIS Q60-S CLEAR DOME A	10		5700-751	Original clear dome in a special nylon blend with superior stress and chemical resistance. Compatible with AXIS Q604x-S and Q6055-S cameras. Single-pack.	\$ 69.00	7331021006829	1	10	7	4
AXIS Q8414-LVS CLEAR DOME 5P	10		5506-331	Standard clear dome for AXIS Q8414-LVS. 5 pcs.	\$ 99.00	7331021047617	0	5	5	4
AXIS Q8414-LVS IR WINDOW A 5P	200		5506-341	Standard IR window with microphone hole and water-stop membrane for AXIS Q8414-LVS. 5 pcs.	\$ 149.00	7331021047624	0	3	4	2
AXIS A8105-E CLEAR DOME 5PCS	10		5801-471	AXIS A8105-E Clear Dome is sold as spare parts to the AXIS A8105-E Network Video Door Station and comes in packs of five clear dome covers. It enables easy on-site replacement in case the original dome cover has been damaged or vandalized.	\$ 35.00	7331021053212	0	4	6	1
ACC ALLEN-KEY M3 TAMP PROOF 10PACK	20		5500-491	Allen-key for AXIS 209FD-R 10-pack	\$ 39.00	7331021021433	0	8	10	9
AXIS D20 MOUNT BRACKET KIT A	50		01439-001	Original stainless steel mounting bracket for AXIS D2050-VE. Includes two pipe adapters, anti-loss screws, two gray cable gaskets, three black cable gaskets, and an M20 cable gland.	\$ 59.00	7331021063211	1	11	7	2
AXIS M10 BRACKET KIT 5P	10		5901-211	Contains 5pcs wall-and-corner mount bracket and 5pcs table-top stand. Compatible with AXIS M10 Series.	\$ 39.00	7331021058262	0	5	5	4
AXIS Q604X RECESSED MOUNT	10		5505-161	Spare part indoor recessed mount for mounting AXIS Q60 indoor cameras in drop ceilings.	\$ 89.00	7331021040649	2	11	11	2
AXIS F82A06 ANGLED PINHOLE MT 5PCS	10		01198-001	Mounting bracket that allows AXIS FA1125 Sensor Unit to be mounted behind a thin metal/plastic/glass panel. 5 pcs.	\$ 29.00	7331021061996	0	4	6	1
P1214/P1214-E/P1224-E MOUNT BRACKET 5PCS	20		5503-991	Mount bracket for AXIS P1214, P1214-E and P1224-E. Allows to mount the sensor unit in different horizontal and vertical angles.	\$ 59.00	7331021005419	0	6	5	2
AXIS M501X MOUNTING KIT	10		5800-121	Original ceiling mount kit for both hard- and drop ceilings for the AXIS M501X.	\$ 15.00	7331021036758	0	7	7	2
AXIS Q3505-SVE SCREW KIT	5	EOL	01200-001	Screw Kit for AXIS Q3505-SVE. Includes 2x anti-loss mounting screws in marine-grade stainless steel SS316, and 1x TR20 resitorx insert bits.	\$ 11.00	7331021062016	0	7	7	2
AXIS Q8414-LVS BACK CHASSIS WHITE	20		5506-311	Spare part powder coated white stainless steel back chassis with gaskets for AXIS Q8414-LVS.	\$ 199.00	7331021047594	6	13	10	8
AXIS Q8414-LVS BACK CHASSIS METAL	10		5506-321	Spare part brushed stainless steel metal back chassis with gaskets for AXIS Q8414-LVS.	\$ 199.00	7331021047600	6	13	10	8
AXIS T98A MOUNTING BRACKET	5		5800-351	Original stainless steel mounting bracket for AXIS T98A-VE Surveillance Cabinet series.	\$ 59.00	7331021001442	3	9	5	14
AXIS STEEL STRAPS TX30 570MM 1PAIR	100		01472-001	1 pair marine-grade (SS316L) stainless steel straps with TX30 screw interface for ease-of-installation. Length 570mm (22.5"). Width 14.3mm (0.57"). Thickness 0.68mm (0.03"). Compatible with a wide range of Axis pole mounts. Pole diameter range 50-150mm (2"-6") when used with AXIS T91B47 Pole Mount.	\$ 29.00	7331021063723	0	7	6	1
AXIS STEEL STRAPS TX30 1450MM 1PAIR	50		01471-001	1 pair marine-grade (SS316L) stainless steel straps with TX30 screw interface for ease-of-installation. Length 1450mm (57"). Width 14.3mm (0.57"). Thickness 0.68mm (0.03"). Compatible with a wide range of Axis pole mounts. Pole diameter range 100-410mm (4"-16") when used with AXIS T91B47 Pole Mount.	\$ 39.00	7331021063716	1	7	6	1

STAINLESS STEEL STRAPS 1450MM 1 PAIR	100		5800-811	Original stainless steel straps for AXIS T91A47 110-400 mm. The straps also fit the AXIS T91A67. Mounting tool (P/N 21776) is required.	\$ 24.00	7331021007062	1	11	9	1
MAIN BODY CUP M3011/14 10PCS	5	EOL	5700-511	Metal cup for AXIS M3011 and AXIS M3014 Network Cameras. 10 pcs.	\$ 210.00	7331021030732	4	14	8	10
SPR AXIS P3343-VE SCREW KIT	10		5700-351	Screw Kit for AXIS P3343-VE and P3344-VE as spare part. Includes mounting screws, plugs and I/O connector.	\$ 5.00	7331021029774	0	8	6	0
SPR AXIS P3343-V SCREW KIT	10		5700-301	Screw kit for AXIS P3343, P3343-V, P3344 and P3344-V as spare part. Includes mounting screws, plugs and I/O connector.	\$ 4.00	7331021029729	0	8	6	0
AXIS T94B02S MOUNTING BRACKET 5P	10		5901-281	Spare part mounting brackets for AXIS M20 Series, 5-pack. Includes 5x mounting brackets with 5x Gasket C M20.	\$ 59.00	7331021059337	1	4	8	4
AXIS T94F01S MOUNTING BRACKET	10		5505-171	Standard mount bracket for AXIS M3006-V, AXIS M3007-P/-PV, AXIS M3024-LVE/3025-VE/3026-VE	\$ 19.00	7331021040663	0	7	7	2
AXIS T94G01S MOUNTING PLATE	10		5506-081	Sparepart mounting bracket for AXIS Q1765-LE, Q1931-E, Q1932-E	\$ 29.00	7331021046412	0	7	7	2
AXIS T94K01S MOUNTING BRACKET 4P	10		5505-551	Sparepart mounting bracket for AXIS Q3505-V. 4 pcs	\$ 119.00	7331021046269	2	8	7	4
AXIS T94M01S MOUNTING BRACKET 4P	20		5505-561	Sparepart mounting bracket for AXIS Q3505-VE. 4 pcs	\$ 139.00	7331021046276	3	9	5	14
AXIS T94S01S MOUNTING BRACKET 4P	10		5506-061	Sparepart mounting bracket for AXIS P32-V Series. 4 pcs	\$ 69.00	7331021046214	1	8	6	3
AXIS T94T01S MOUNTING BRACKET 4P	5		5506-071	Sparepart mounting bracket for AXIS P32-VE Series. 4 pcs	\$ 89.00	7331021046191	1	7	7	3
AXIS T94T02S MOUNTING BRACKET	10		01566-001	Spare part mounting brackets for AXIS M3057/58-PLVE, single pack. Includes spring clips for ease-of-installation.	\$ 25.00	7331021065031	0	7	7	2
MOUNTING BRACKET AXIS P33XX-VE	10		5700-691	Original AXIS P33XX-VE mounting bracket for wall or hard ceiling.	\$ 29.00	7331021032767	1	10	7	4
AXIS T94K01L CAMERA CHANGE KIT A 5P	20	EOL	5506-391	Spare part kit for changing between compatible cameras in AXIS T94K01L Recessed Mount. Included in AXIS T94K01L Recessed Mount. 5 change kits.	\$ 59.00	7331021047167	2	9	9	7
AXIS T94M01L CAMERA CHANGE KIT A 5P	20	EOL	5506-401	Spare part kit for changing between compatible cameras in AXIS T94M01L Recessed Mount. Included in AXIS T94M01L Recessed Mount. 5 change kits.	\$ 59.00	7331021047174	1	7	5	2
AXIS T94V01S MOUNTING BRACKET	20		5801-911	Standard mounting bracket for AXIS Q36 Series Network Cameras.	\$ 39.00	7331021056541	1	7	7	8
AXIS ADAPTER BRACKET B FOR YP3040	5		5901-251	Adapter bracket to YP3040 PAN TILT MOTOR for use with AXIS T93 camera housings. Suitable for indoor and outdoor use. Note that this bracket is included with P/N:5901-201 but not with P/N:5502-461.	\$ 29.00	7331021058859	1	7	7	2
AXIS 3/4" CONDUIT LOCKNUT A 4P	10		01512-001	4-pack of 3/4" conduit locknut. Suitable for AXIS T91B53 Telescopic Ceiling Mount.	\$ 15.00	7331021064331	0	3	2	1
AXIS T94U02S MOUNTING BRACKET	20		5506-671	Standard mounting bracket for AXIS Q3505-SVE made of stainless steel. Including gasket.	\$ 169.00	7331021050839	2	0	0	0
AXIS T94F02S MOUNTING BRACKET	5		5507-131	Standard plastic mounting bracket for AXIS P1405, P1425, P1427, P1428.	\$ 19.00	7331021050884	1	7	7	2
AXIS P91 CLEAR DOME A 2P	10	New	01621-001	Standard clear dome with anti-scratch hard coating. Rubber gaskets included. Compatible with AXIS P9106-V. 2-piece bulk pack.	\$ 39.00	7331021066076	0	0	0	0
AXIS P91 SKIN COVER A BRUSHED STEEL	5		01622-001	Spare part skin cover for AXIS P9106-V. Brushed stainless steel finish. Easy to repaint. Magnetically attached. Suitable for both AXIS P9106-V White and Brushed Steel models.	\$ 59.00	7331021066083	1	6	7	4
AXIS P1204 SENSOR UNIT	20	EOL	5503-801	Original sensor unit for AXIS P1204 with premounted cable. Cover skin and mounting kit is included.	\$ 199.00	7331021004764	1	9	6	3
AXIS P1214 SENSOR UNIT	10		5503-811	Original sensor unit for AXIS P1214 with premounted cable. Flush mount bracket included.	\$ 199.00	7331021004771	1	9	6	3
AXIS P1214-E SENSOR UNIT	20		5503-821	Original sensor unit for AXIS P1214-E with premounted cable. Flush mount bracket and sensor unit housing included.	\$ 199.00	7331021004788	1	9	6	3
SPR P1224-E SENSOR UNIT	10		5800-991	Original sensor unit for AXIS P1224-E with premounted cable. Flush mount bracket included.	\$ 199.00	7331021044418	1	9	6	3
RJ12 PLUG SHIELDED 10 PCS	10		01182-001	Shielded RJ12 connectors for use with AXIS modular cameras. 10-pack.	\$ 29.00	7331021061736	0	7	7	2
ACC MAINS ADAPTOR PS-P	5		5500-704	Power supply PS-P for AXIS 215 PTZ	\$ 39.00	7331021043626	1	9	6	3
AXIS MAINS ADAPTER 12V DC 40W	5		01509-001	Standard power supply for AXIS FA54. IEC-C13 mains cable is not included.	\$ 59.00	7331021064300	1	7	7	2
AXIS MAINS ADAPTER 48V DC 90W	5		01508-001	Standard power supply for AXIS Companion Recorder. IEC-C13 mains cable is not included.	\$ 99.00	7331021064294	1	7	7	2
ACC PS-RACK	20		22512	Power supply for the Axis Video Server Rack	\$ 499.00	667026008351	1	10	6	2
POWER SUPPLY AXIS Q872X-E 120V	20		5503-461	IP66 rated power supply for AXIS Q872X-E with 120 V AC input.	\$ 379.00	7331021004603	11	18	10	7
ACC MALE RJ45 AXIS 209FD-R	10		5502-061	Vibration resistant male RJ-45 connector suitable for RJ-45 version of AXIS M31XX-R and AXIS 209FD-R/MFD-R Network Cameras.	\$ 15.00	7331021023710	0	2	2	1
MAINS CABLE IEC-C13	20		5800-201	Mains cable for AXIS One-Port Midspan, AXIS T8123/24, AXIS 291, AXIS Q7900, AXIS Video Server Rack, AXIS PoE Midspan 8-Port/16-Port, Power Supply AXIS T8412.	\$ 15.00	7331021037472	0	8	6	2
AXIS PATCH CABLE A 200MM 6PCS	10		5506-451	Set of patch cables for AXIS T8085 PS57 RACK MOUNT 500W 1U to connect AXIS T8646 POE+ OVER COAX BLADE	\$ 79.00	7331021047662	0	4	11	1
ACC MALE RJ45 AXIS 209FD-R 10PCS	20		5502-051	Vibration resistant male RJ-45 connector suitable for AXIS 209FD-R/MFD-R Network Camera. 10 pack	\$ 149.00	7331021023703	1	9	6	3
CABLE GLAND A M16 5PCS	10		5800-961	M16 cable gland for cable diameter of 4.5 to 10mm. IP68. 5 pcs.	\$ 19.00	7331021044227	0	4	7	0
ACC STAND PLASTIC AXIS 210/211	20	EOL	23452	Plastic stand for AXIS 210 and 211 (A) Network Cameras	\$ 14.00	667026008689	0	8	6	4

AXIS P3367-VE CASING KIT	10		5800-601	The kit contains a complete AXIS P3367-VE enclosure, heater and cable cover. The kit could also be used for converting an indoor version of AXIS P3346, P3367, P3384 and P3365 to an outdoor VE version.	\$ 215.00	7331021005204	4	11	10	5
AXIS P54-SERIES WEATHER COVER	20		5505-151	Sparepart weather cover for Axis P54-Series.	\$ 39.00	7331021040625	1	12	11	8
CONN KIT AXIS P1311	20		5500-851	Kit for the AXIS P13XX-series. Content: one terminal connector 4P str 250mm BP LF and one 2P STR 3.81MM BP LF.	\$ 9.00	7331021022041	0	2	3	0
CONN KIT AXIS Q7404	5		5700-161	Terminal connectors for AXIS Q7404. Includes 8 pcs 2P 2.50MM, 4 pcs 4P 2.50MM and one 2P 3.81MM. In total 13 connectors.	\$ 35.00	7331021026056	0	4	2	0
AXIS M3004 LENS	20	EOL	5800-641	Original M12 lens for AXIS M3004 2.8mm. Focus tool included.	\$ 49.00	7331021005440	0	6	4	1
AXIS M3005 LENS	20	EOL	5800-651	Original M12 lens for AXIS M3005 2.8mm. Focus tool included.	\$ 49.00	7331021005457	0	6	4	1
AXIS M311X-R 2MM M12 LENS	20	EOL	5700-711	Original lens for AXIS M311X-R as spare part	\$ 79.00	7331021005198	0	5	3	1
LENS M12 2.8-6MM 5PCS	10		5801-651	Varifocal lens 2.8-6MM, F2.0, M12 thread. Standard lens for AXIS F1015.	\$ 249.00	7331021054905	0	7	7	2
LENS M12 2.8MM F2.0 10PCS	20		5801-921	Standard lens for AXIS F4005-E, AXIS F1005-E and AXIS P1214-E.	\$ 199.00	7331021056602	0	7	9	3
LENS PINHOLE M12 3.7MM 10PCS	20		5801-661	Pinhole lens 3.7MM, F2.5, M12 thread. Standard lens for AXIS F1025. 10pcs	\$ 249.00	7331021054912	0	4	6	1
AXIS T93F TOP COVER	10		5505-891	Spare part top part of the housing including window.	\$ 59.00	7331021050297	2	5	6	15
ACC LENS CS VARIF 3-8MM DC-IR D/N	5		5500-061	CS mount Varifocal 3-8 mm DC-Iris for 221	\$ 125.00	667026008986	0	4	2	2
ACC LENS CS VARIF 3-8MM DC-IR	20		5500-051	CS mount Varifocal 3-8 mm DC-Iris for 211	\$ 99.00	667026008979	0	3	3	2
LENS 3-8MM 13VG308ASIR	20		5700-601	Varifocal 3-8mm DC-Iris Lens, CS mount. Original Lens for AXIS P1343	\$ 75.00	7331021031692	0	5	5	4
LENS 3-8MM TG3Z0312FCS-MPIR-12	20	EOL	5700-611	Original DC-IRIS IR-corrected Megapixel lens for P1344.	\$ 195.00	7331021031708	0	5	5	4
LENS CS 2.8-8MM F1.2 DC-I MP	20		5700-881	CS mounted Varifocal 2.8-8 mm DC-iris megapixel lens. Original lens for AXIS M1114.	\$ 149.00	7331021033269	0	5	5	4
POWER SUPPLY AXIS Q872X-E 230V	20		5503-451	IP66 rated power supply for AXIS Q872X-E with 230 V AC input.	\$ 379.00	7331021004597	11	14	10	7
LENS CS VF 2.8-8MM F1.2 P-IRIS	10		5800-671	Original CS mounted varifocal P-Iris lens 2.8-8mm for AXIS Q1604/14 and AXIS P1355/57	\$ 149.00	7331021005983	0	5	5	4
LENS CS VF 2.8-8MM F1.2 DC-IR	20		5800-661	Original CS mounted varifocal DC-Iris lens 2.8-8mm for AXIS Q1602/04 and AXIS P1354/55	\$ 149.00	7331021005976	0	5	5	4
AXIS LENS FUJINON CS 2.8-8MM P-IRIS	5		5506-721	Standard CS mounted varifocal P-Iris lens 2.8-8mm for AXIS Q1615.	\$ 149.00	7331021048386	0	5	5	4
LENS CS 2.8-8.5MM P-IRIS	10		5801-491	Standard CS mounted varifocal P-Iris lens 2.8-8.5mm for AXIS P1364.	\$ 159.00	7331021053458	0	5	5	4
LENS CS 2.8MM M13F02820	5		5700-821	Fixed Iris Megapixel Lens 2.8mm, F2.0, CS mount. Original Lens for AXIS M1103/4.	\$ 49.00	7331021032897	0	8	6	0
LENS CS 2.9-8.2MM F1.4 DC SVGA	5		5700-871	Varifocal 2.9-8.2mm CS mounted SVGA DC-iris lens. Original lens for AXIS M1113	\$ 69.00	7331021033252	0	8	6	0
LENS CS 4-10MM P-IRIS	20		5801-011	Standard lens for AXIS Q1635-E.	\$ 249.00	7331021054394	0	5	5	4
LENS CS 6.0MM F1.8 MP	5		5700-861	CS mounted 6.0 mm megapixel lens. Original lens for AXIS M1103/4	\$ 49.00	7331021033245	0	8	6	0
AXIS LENS TAMRON C 4-13MM DC-IRIS	20		5506-731	Standard C mounted varifocal DC-Iris lens 4-13mm for AXIS Q1635.	\$ 399.00	7331021048393	1	5	5	4
TAMRON 5MP LENS P-IRIS 8-50 MM F1.6	20		01469-001	Varifocal 8-50 MM, 5 MP telephoto IR-corrected lens with P-Iris. Recommended for AXIS P1367 and AXIS P1367-E.	\$ 249.00	7331021063693	0	5	5	4
AXIS Q872x-E SUNSHIELD KIT	20		5800-321	Sunshield for AXIS Q872x-E as sparepart. Including screws and washer	\$ 299.00	7331021004641	5	47	11	11
AXIS P3364-VE CASING KIT	20	EOL	5506-471	The kit contains mounting bracket, bottom casing, heater and cable cover required for converting an indoor version of AXIS P3364-V to an outdoor VE version. Note: Dome kit is not included, has to be ordered separately.	\$ 139.00	7331021047686	3	11	11	6
AXIS Q6000 LENS M12 1.37MM	20	EOL	5506-981	Standard lens kit M12 1.37mm for AXIS Q6000-E. Gasket included.	\$ 59.00	7331021054684	0	4	6	1
SPR BRACKET KIT AXIS Q60XX/P55XX	10		5700-851	Bracket kit for surface mounting a camera on a hard ceiling. Compatible with Q603X and P553X. Content: Bracket, screws with washers and wave springs.	\$ 24.00	7331021033184	0	8	6	0
CONN KIT AXIS M7014	5		5800-621	Terminal connectors for AXIS M7014. Includes 2 pcs TERMINAL CONN 2P STR 2.50MM, rubber feet and mounting screws for the encoder.	\$ 9.00	7331021005402	0	4	2	0
SPR CONN KIT AXIS Q7401	10		5500-831	Connectors for AXIS Q7410 as spare parts. Includes two 2pin STR 2.50MM, one 6pin STR 2.50MM and one 2pin STR 3.81MM. In total 4 connectors.	\$ 19.00	7331021022027	0	4	2	0
CONN KIT AXIS P7214/Q7411	10		5800-611	Terminal connectors for AXIS P7214 and AXIS Q7411. Includes 1 pcs TERMINAL CONN 6P STR 2.50MM, 2 pcs TERMINAL CONN 2P STR 2.50MM, rubber feet and mounting screws for the encoder.	\$ 9.00	7331021005396	0	4	2	0
SPR CONN PUSH PULL PLUG IDC-8 IP67	100		5700-371	Spare RJ45 connector plug for AXIS Q603X-E & AXIS P55XX-E. IP67 rated.	\$ 49.00	7331021029866	0	6	0	8
NETWORK CABLE WITH GASKET 5M	100		5700-331	Shielded outdoor network cable 5 meter. Pre mounted rubber gasket and male RJ45 connectors. For use with AXIS M11-E series, AXIS P13-E series, AXIS Q16-E series, AXIS Q1755-E, AXIS Q19-E series, AXIS P33-VE series and AXIS T92/3-E housings.	\$ 10.00	7331021029750	0	9	9	1
AXIS Q60XX-C MULTI CONNECT CABLE 5M	10		5800-491	Cable between AXIS Q60XX-C and connection box AXIS T8605	\$ 139.00	7331021005006	1	9	10	0
AXIS Q60XX-C MULTI CONNECT CABLE 7M	20		5800-821	Cable between AXIS Q60XX-C and connection box AXIS T8605	\$ 179.00	7331021007161	1	9	10	1
SPR COVERT CAMERA M7001	20	EOL	5700-471	Cover Camera for AXIS M7001 as spare part.	\$ 149.00	7331021030046	0	3	2	4
AXIS T91G61/T91L61 SCREW KIT	20		5901-391	Screw kit for installing AXIS P55-E Series with either AXIS T91L61 or AXIS T91G61 Wall Mounts. Single-pack includes 3x bayonet screws, 3x securing screws, 3x springs and an installation guide.	\$ 10.00	7331021060388	0	0	0	0
AXIS P5512 DOME KIT	20	EOL	5800-141	Dome kit for AXIS P5512. Clear-/smoked dome and ome cover included.	\$ 49.00	7331021037403	1	9	9	11

AXIS P5544 LENS KIT	5		5800-401	Spare part lens kit for AXIS P5544	\$ 399.00	7331021003057	1	10	10	8
AXIS Q6000-E SOLO KIT	20		5801-321	Kit for making a stand-alone AXIS Q6000-E MkII installation without PTZ camera inside. Includes a metal cover lid, an internal adapter plate, and IP66-rated RJ45 push-pull connector. Use this kit together with an AXIS Q6000-E MkII network camera (not included) and the AXIS T8133 Midspan 30 W 1-port (not included).	\$ 119.00	7331021051041	2	11	11	2
AXIS Q603X-E DOME COVER RING	5		5800-101	Dome cover ring for AXIS Q603X-E including screws.	\$ 18.00	7331021036574	1	10	10	2
AXIS T96B05 FRONT KIT 5 PCS	20		5506-851	Spare part window and window holder for AXIS T96B05 Outdoor Housing and AXIS P3905-RE. 5 Pcs. Includes screws.	\$ 169.00	7331021050105	1	7	9	3
AXIS Q60XX-C COOLING MODULE	5		5800-501	Peltier element, inside and outside fan for AXIS Q60XX-C	\$ 999.00	7331021005013	2	6	6	6
SPR ELECTRONIC KIT T95A00	5		5700-081	Electronic boards for replacement in AXIS T95A00 110-230 VAC. Includes 4 boards.	\$ 215.00	7331021025943	0	0	0	0
SPR ELECTRONIC KIT T95A10	20		5700-091	Electronic boards for replacement in AXIS T95A10 24 VAC. Includes 3 boards.	\$ 131.00	7331021025950	0	0	0	0
SPR HEATER/FAN KIT T95A00	5	EOL	5700-101	Replacement kit with 3 heaters and fans for AXIS T95A00	\$ 96.00	7331021025967	1	0	0	0
SPR HEATER/FAN KIT T95A10	20		5700-111	Replacement kit with 3 heaters and fans for AXIS T95A10	\$ 99.00	7331021025974	1	1	5	4
SPR SCREW AND GLAND KIT T95A	20		5700-151	Replacement cable gland plate, cable glands and screws for AXIS T95A	\$ 24.00	7331021026018	0	3	2	5
SPR MAINS ADAPTOR PS-V EUR	10		5700-221	Power supply PS-V for AXIS M10 series. White Sparepart	\$ 39.00	7331021028210	1	6	8	8
AXIS T8005 POWER SUPPLY 5V 5W USB	10		5901-191	Switching power supply, 5W with microUSB connector. Including interchangeable regional power plugs for world wide use.	\$ 39.00	7331021058071	1	7	7	2
SPR POWER SUPPLY 1U 310W FRONT	20		5700-071	Replacement power supply for AXIS Q7900 encoder rack	\$ 329.00	7331021023772	2	0	0	0
SPR POWER SUPPLY 1U 300W BL. FRONT	20		5800-861	Replacement power supply for AXIS Q7920 Video Encoder Chassis	\$ 329.00	7331021007505	3	13	8	4
AXIS T93G TOP COVER	5		5506-971	Spare part top part of the AXIS T93G housing including window.	\$ 49.00	7331021050099	2	12	19	6
AXIS T92G FRONT WINDOW KIT A	10		01578-001	Replacement front window assembly for AXIS T92G Outdoor Housing and AXIS Q16-LE Fixed Box Cameras. Includes front window, adjacent IR windows, mounting screws and sealing gasket.	\$ 99.00	7331021065161	1	6	8	3
AXIS T92G WEATHERSHIELD KIT A	10		01579-001	Original outdoor weathershield for AXIS T92G Outdoor Housing and AXIS Q16-LE cameras. The underside of the cover is specially coated with matte black anti-reflective coating to prevent reflections from IR LEDs and other light source. Mounting screws included.	\$ 59.00	7331021065178	2	9	19	6
AXIS SUNSHIELD B	10		5800-971	Sunshield compatible with AXIS Q1765-LE, Q1931-E/32-E/41-E and Q2901-E	\$ 29.00	7331021044296	0	9	5	2
AXIS SUNSHIELD C	20		5800-981	Sunshield compatible with AXIS Q1765-LE PT Mount	\$ 29.00	7331021044302	0	12	5	2
AXIS P5512-E SUNSHIELD	10		5800-151	Sunshield for AXIS P5512-E.	\$ 24.00	7331021037410	1	10	7	4
SUNSHIELD KIT AXIS P553X-E	5		5700-961	Sunshield for AXIS P553X-E including mounting screws.	\$ 29.00	7331021033818	1	11	10	5
SUNSHIELD AXIS Q603X-E	10		5700-951	Sunshield for AXIS Q603X-E.	\$ 29.00	7331021033801	1	12	11	8
AXIS Q60XX-C SUNSHIELD	20		5800-471	Sunshield for AXIS Q60xx-C series	\$ 39.00	7331021004986	2	11	12	9
AXIS Q604X-S SUNSHIELD	20	EOL	5504-671	Stainless steel sunshield for AXIS Q604X-S	\$ 293.00	7331021006799	3	11	11	12
SUNSHIELD KIT T92E	10		5700-941	Sunshield for AXIS P134X-E, AXIS Q1755-E and AXIS Q192X-E. Includes mounting screws and Torx key.	\$ 35.00	7331021033535	2	17	7	7
AXIS P33 WEATHERSHIELD KIT A	10		01701-001	Original weathershield with anti-loss screws for protecting AXIS P33 outdoor cameras from rain, snow and sun when wall mounted. The underside of the cover is specially coated with matte black anti-reflective coating to prevent reflections from IR LEDs and other light sources. This part is included with AXIS P3375-VE/-LVE Cameras.	\$ 25.00	7331021066663	1	8	9	4
AXIS P38 WEATHERSHIELD KIT A	20		01499-001	Original weathershield with anti-loss screws for protecting AXIS P3807-PVE from rain, snow and sun when wall mounted.	\$ 25.00	7331021064096	1	13	8	4
AXIS Q35 WEATHERSHIELD KIT A	10		01179-001	Original weathershield for AXIS Q35-LVE network camera series. Screws and gasket included.	\$ 24.00	7331021061705	1	8	9	4
AXIS WEATHERSHIELD KIT D	10		5506-761	Weathershield with screws for protecting the dome of an AXIS Q35-VE camera from rain, snow and sun.	\$ 20.00	7331021048645	0	7	7	3
AXIS WEATHERSHIELD KIT E	10		5506-751	Weathershield with screws for protecting the dome of an AXIS P32-VE camera from rain, snow and sun.	\$ 18.00	7331021048638	0	5	5	4
AXIS WEATHERSHIELD KIT M	10		5507-321	Standard weathershield for AXIS Q3709	\$ 34.00	7331021051027	1	11	10	5
AXIS WEATHERSHIELD KIT N	10		5801-851	Standard weather shield for AXIS M2025/26 and AXIS Companion Bullet	\$ 24.00	7331021056183	0	7	7	2
AXIS WEATHERSHIELD KIT Q	10		5801-451	Standard weather shield for Axis Q36 Series, protecting the dome from rain, snow and sun.	\$ 24.00	7331021052895	1	8	13	4
AXIS WEATHERSHIELD KIT R	10		01238-001	Weathershield for protecting wall mounted fixed dome cameras against rain, snow and sun. UV-resistant plastics and matte black anti-reflective coating on the underside to prevent reflection from IR illumination. Equipped with anti-loss screws for ease of installation. Compatible with AXIS P32-VE/-LVE fixed dome cameras.	\$ 39.00	7331021062849	0	8	8	3
WEATHERSHIELD KIT P3343/44-VE	10		5800-011	Original weathershield for AXIS P3343, AXIS P3344-VE, AXIS P3363-VE and AXIS P3364-VE. Screws included.	\$ 20.00	7331021034631	0	8	6	0

WEATHERSHIELD KIT P3346/67-VE	10		5800-021	Original weathershield for AXIS P3346, AXIS P3367-VE and AXIS P3384-VE. Screws included.	\$ 20.00	7331021034648	0	8	6	0
FRONT GLASS KIT AXIS T92E20/21	20		5700-831	Complete Front Kit for AXIS T92E20/21. Content: Front Cover, Front Glass, Gasket & Screws.	\$ 20.00	7331021032903	0	7	1	2
ELECTRONIC KIT AXIS T92E20	20		5700-971	Sparepart including the electronics module of the AXIS T92E20 housing including fan and screws.	\$ 179.00	7331021033887	1	13	8	4
FRONT KIT T92E24	20	EOL	5800-041	Front kit including metal frame, window, heater, gasket and screws for AXIS T92E24 Thermal camera housing. Compatible with the 60mm TA-lens.	\$ 949.00	7331021034877	1	1	1	0
AXIS T92E EXTENSION KIT	200		5506-101	Extension front for AXIS T92E20 outdoor housing, allowing longer lenses than the standard housing. The kit includes aluminum front and extension part, window, gasket and screws.	\$ 39.00	7331021057661	1	7	7	2
AXIS M20 FRONT KIT A	5		5901-291	Replacement front window assembly for AXIS M2025-LE, M2026-LE. The kit comes with both a black and a white front cover ring. Includes one window and sealing gasket.	\$ 29.00	7331021059344	0	6	9	2
AXIS P14 FRONT KIT A	10		5801-151	Standard front for AXIS P1405-E, P1405-LE, P1405-LE MKII, P1425-E, P1425-LE, P1425-LE MKII, P1427-E, P1427-LE, P1435-LE. Includes front ring, window and gasket.	\$ 29.00	7331021057227	0	4	6	1
AXIS P14 FRONT KIT B	10		5801-891	Standard front for AXIS P1428-E and AXIS P1435-E. Includes front ring, window and gasket.	\$ 29.00	7331021056497	0	4	6	1
AXIS Q17 FRONT WINDOW KIT A	10		01686-001	Original front glass window assembly for AXIS Q1785/86-LE, IK08 rated. Provides the clarity required for maximum utilization of the camera's zoom capacity.	\$ 79.00	7331021066465	0	7	6	1
AXIS Q1765-LE FRONT KIT	10		5801-101	Spare part front window for AXIS Q1765-LE	\$ 59.00	7331021046405	0	7	7	2
DROP CEILING KIT AXIS P553X/4X	5	EOL	5800-131	Original kit for mounting a AXIS P553X/4X pan tilt zoom camera in a soft/drop ceiling	\$ 79.00	7331021037199	2	11	2	11
SPR FAN CASSETTE AXIS Q7900 E2	20		5800-271	Original spare part fan cassette for AXIS Q7900 E2.	\$ 199.00	7331021037540	2	9	6	3
SPR FAN CASSETTE AXIS Q7920	20		5800-851	Original spare part fan cassette for AXIS Q7920.	\$ 99.00	7331021007482	1	9	6	3
AXIS T98A05 CABINET DOOR	10		5800-521	Cabinet door for AXIS T98A Surveillance Cabinet. Stand alone. Used in T98A15-VE Cabinets.	\$ 129.00	7331021004948	2	15	13	2
AXIS T98A06 CABINET DOOR	10		5800-531	Cabinet door for AXIS T98A Surveillance Cabinet. Compatible cameras: AXIS M111X-E, AXIS P13XX-E, AXIS Q16XX-E, AXIS Q17XX-E, AXIS Q191X-E, AXIS Q192X-E. Used in T98A16-VE Cabinets.	\$ 129.00	7331021004955	2	15	13	2
AXIS T98A07 CABINET DOOR	10		5800-541	Cabinet door for AXIS T98A Surveillance Cabinet. Compatible cameras: AXIS P33-VE/-LVE and the outdoor bullet-style Q1765 and Q1931 cameras. Used in T98A17-VE Cabinets.	\$ 129.00	7331021004962	2	15	13	2
AXIS T98A08 CABINET DOOR	10		5800-551	Cabinet door for T98A. Compatible products: AXIS T91A61 Wall bracket for use with AXIS P55 and Q60-series or fixed dome pendant kits. Used in T98A18-VE Cabinets.	\$ 129.00	7331021004979	2	15	13	2
AXIS T98A09 CABINET DOOR	20		5800-871	Cabinet door for AXIS T98A. Compatible products: AXIS P54-Series. Used in T98A19-VE Cabinets.	\$ 129.00	7331021007512	2	15	13	2
AXIS P135X CONN KIT	10		5800-381	Terminal connectors for AXIS P135X-series. Includes 1 pcs TERMINAL CONNECTOR 4P STR 2.50MM, 1 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 2.50MM	\$ 9.00	7331021002227	0	4	2	0
AXIS T8123/4-E MIDSPAN SPARE KIT	10		5800-371	2pcs RJ-45 waterproof plugs and 1pcs grounding wire for outdoor midspan T8123/4-E	\$ 29.00	7331021002159	0	4	1	3
FRONT KIT 60MM AXIS Q872X-E	5		5800-311	Frontkit for AXIS Q872X-E with 60mm lens as spare part.	\$ 1,499.00	7331021004634	2	10	6	2
FRONT KIT 35MM AXIS Q872X-E	5		5800-301	Frontkit for AXIS Q872X-E with 30mm lens as spare part	\$ 699.00	7331021004627	1	10	6	2
PT IR ILLUMINATOR KIT B	5		5800-921	Spare part illuminator kit for AXIS Q8665-LE. NOTE: it is not possible to upgrade a Q8665-E to become LE version	\$ 1,299.00	7331021048867	0	12	21	9
AXIS Q86 FRONT KIT A	5		01440-001	Replacement front window assembly for AXIS Q8685-E/-LE. Window in clear tempered glass. Includes built-in heater, wiper mechanism, and heat sink.	\$ 349.00	7331021063228	1	5	6	4
AXIS Q86 WIPER KIT A 5P	5		01441-001	Replacement wiper blades for selected AXIS Q86 and Q87 cameras. Made from long-life, UV-resistant silicone rubber. 5pcs per pack.	\$ 49.00	7331021063235	0	4	6	1
AXIS Q86-E LIGHT SENSOR BOX 120 V	10		5505-771	Light sensor box with integrated power supply for controlling IR illuminators and power AXIS Q8665-LE. Input power 120V AC.	\$ 640.00	7331021048348	17	17	17	7
AXIS Q8665-E BASE UNIT 24 V AC	20		5801-171	Spare part base unit for AXIS Q86-E 24 V AC.	\$ 1,199.00	7331021053304	7	6	10	8
AXIS Q8665-LE BASE UNIT 24V AC	20		5801-191	Spare part base unit for AXIS Q86-LE 24 V AC.	\$ 1,199.00	7331021053328	7	6	10	8
AXIS Q8665-E BASE UNIT 120 V AC	5		5801-181	Spare part base unit for AXIS Q86-E 120 V AC.	\$ 1,199.00	7331021053311	7	6	10	8
AXIS Q8631-E/32-E HOUSING TOP	5		5801-291	Spare part top housing with germanium window for AXIS Q8631-E/32-E.	\$ 599.00	7331021053410	4	8	21	6
AXIS Q8665 HOUSING TOP	5		5801-281	Spare part top housing with glass window for AXIS Q8665-E/-LE.	\$ 399.00	7331021053403	5	8	21	6
AXIS Q8665-LE ILLUMINATOR	5	EOL	5801-261	Spare part IR illuminator for AXIS Q8665-LE. Note. This is a single pack.	\$ 799.00	7331021053380	5	10	12	7
AXIS Q8665-LE ILLUMINATOR BRACKET	5	EOL	5801-271	Spare part IR illuminator bracket for AXIS Q8665-LE	\$ 299.00	7331021053397	4	10	14	10
AXIS Q8631/32/65 SUNSHIELD	5		5801-311	Spare parte sunshield for AXIS Q8631-E/32-E/65-E/65-LE	\$ 59.00	7331021053427	2	8	21	6
AXIS Q8665 WIPER	20		5801-201	Spare part wiper blade for AXIS Q8665-E/-LE including the stainless steel holder	\$ 59.00	7331021053335	0	3	4	2

AXIS Q8631/32/65 SEAL AND GASKET KIT	5	EOL	5801-231	Spare part kit for AXIS Q8631/32/65 consisting of mount bracket gasket, base unit cable glands, IR glands and housing gasket	\$ 79.00	7331021053366	0	6	10	2
AXIS Q8631/32/65 SCREW KIT	20	EOL	5801-211	Spare part screw kit for AXIS Q8631/32/65 consisting of all external screws and washers of the cameras	\$ 69.00	7331021053342	0	3	4	2
AXIS Q8721-E/22-E BASE	20		5800-951	Base assembly for the AXIS Q8721-E/22-E.	\$ 699.00	7331021043879	7	10	6	8
AXIS BISPECTRAL TOP COVER A	5		01497-001	Top cover for Axis bi-spectral cameras. Includes top housing, 38mm Germanium front window for thermal and glass window for visual camera, wiper etc.	\$ 1,199.00	7331021064072	6	13	16	9
AXIS BISPECTRAL TOP COVER B	5		01498-001	Top cover for Axis bi-spectral cameras. Includes top housing, 60mm Germanium front window for thermal and glass window for visual camera, wiper etc.	\$ 1,999.00	7331021064089	6	13	17	9
AXIS WEATHERSHIELD S	10		01496-001	Weathershield from UV-resistant plastics for protecting camera against rain, snow and sun.	\$ 59.00	7331021064065	1	11	15	5
AXIS WIPER KIT B	5		01688-001	Wiper arm with blade for easy replacement. Spare part.	\$ 59.00	7331021066489	0	4	6	1
AXIS CONNECTOR A 2P2.5 STR 10PCS	10		5505-261	Axis male connector for legacy IO port . Pitch: 2.50 mm. 2pos terminal block. 10pack.	\$ 19.00	7331021042865	0	4	2	0
AXIS CONNECTOR A 4P2.5 STR 10PCS	10		5800-891	Axis male connector for limited and full IO port . Pitch: 2.50 mm. 4pos terminal block. 10pack.	\$ 19.00	7331021040595	0	4	2	0
AXIS CONNECTOR A 6P2.5 STR 10PCS	10		5505-271	Axis male connector for extended IO port . Pitch: 2.50 mm. 6pos terminal block. 10pack	\$ 59.00	7331021042872	0	4	2	0
AXIS CONNECTOR A 2P3.81 STR 10PCS	10		5800-901	Axis male connector for low voltage power. Pitch: 3.81 mm. 2pos terminal block. 10pack	\$ 19.00	7331021040601	0	4	2	0
AXIS CONNECTOR A 3P3.81 STR 10PCS	10		5505-281	Axis male connector for low voltage power. Pitch: 3.81 mm. 3pos terminal block. 10pack	\$ 29.00	7331021042889	0	4	2	0
AXIS CONN A 4P3.81 STR IN/OUT 10P	20		5505-291	Axis male connector for audio. Pitch: 3.81 mm. 2+2pos terminal block. 10pack	\$ 39.00	7331021042896	0	4	2	0
AXIS CONNECTOR A 4P3.81 STR 10PCS	20		5505-251	Axis male connector for low voltage power. Pitch: 3.81 mm. 4pos terminal block. 10pack	\$ 29.00	7331021042711	0	4	7	0
AXIS CONNECTOR A 2P5.08 STR 10PCS	10		5505-301	Axis male connector for low voltage power. Pitch: 5.08 mm. 2pos terminal block. 10pack	\$ 29.00	7331021042902	0	3	4	0
SPR 5 PORT GB ETHERNET SWITCH KIT	5		5800-881	Spare part internal switch for the AXIS Q8721-E/22-E Dual cameras,including brackets.	\$ 599.00	7331021040618	1	7	9	3
AXIS Q1765 FOOT CHASSIS	10		5506-091	Sparepart foot chassis for AXIS Q1765-LE and AXIS Q193X-E. Note. This sales part does not include the mounting bracket (5506-081 AXIS T94G01S Mounting plate)	\$ 39.00	7331021046429	1	7	7	2
AXIS ADAPTER RJ45 MALE TO MALE	10		5506-891	Adapter for connecting Q6000-E to PTZ camera	\$ 15.00	7331021049673	0	5	7	1
AXIS ACI CONDUIT COVER A 10PCS	5		01175-001	Spare part plastic side covers for compatible AXIS T91- and AXIS T94- series of mounting accessories. 10 pcs per pack.	\$ 19.00	7331021061392	0	15	5	3
AXIS TQ1801 WEATHERSHIELD	20		01760-001	Original outdoor weathershield for AXIS Q1785/86-LE cameras. The underside of the cover is specially coated with matte black anti-reflective coating to prevent reflections from external light sources. Includes weathershield slider and anti-loss screw.	\$ 49.00	7331021067431	0	0	0	0
AXIS D2050-VE	20		01033-001	Phased array FMCW (Frequency Modulated Continuous Wave), 24 GHz outdoor radar motion detector. 120 degrees horizontal and 5-50 meter detection range (16-164 feet). Serves as a complement to video surveillance and enables filtering on distance, customizable detection zones, and autotracking for PTZ cameras. Trigger events to activate camera recording, audio notification or light for deterrence Open API for software integration, microSD/SDHC memory card slot for edge storage, 4 input/output ports, 24 V DC relay port. Wall mount. Powered by PoE+ (IEEE 802.3af, Type 2 Class 4), IP66, IK08 and NEMA 4X Operating conditions -40°C to 60°C (-40°F to 140°F). Midspan not included	\$ 1,299.00	7331021058293	9	16	12	8
AXIS POE ACTIVE SPLITTER 5V AF	10		5008-001	Power over Ethernet (802.3af) compatible. Use with Power over Ethernet-midspans or PoE-enabled switches to enable Power over Ethernet for AXIS M1011-W, AXIS M1031-W, AXIS M1043-W and AXIS 1044-W.	\$ 59.00	7331021017597	0	0	3	2
AXIS POE MIDSPAN 8-PORT	10		5012-004	802.3af compliant power injector for standard Cat 5 network cables. Maximum cable length is 328ft/100m. Supporting up to eight Axis Network cameras/video servers. Metal casing.	\$ 599.00	7331021022423	10	21	15	5
AXIS POE MIDSPAN 16-PORT	10		5012-014	802.3af compliant power injector for standard Cat 5 network cables. Maximum cable length is 328ft/100m. Supporting up to sixteen Axis Network cameras/video servers. Metal casing.	\$ 799.00	7331021022454	11	21	15	5
AXIS T8120 15W MIDSPAN 1-PORT	500		5026-204	Provides power over Ethernet to Axis network video products with built-in PoE support. AXIS T8120 is IEEE 802.3af compliant, ensuring compatibility with all Axis PoE Class 1-3 products. The midspan can be installed on a wall or shelf.	\$ 59.00	7331021003408	0	6	8	2

AXIS T8120 15W MIDSPAN 10PCS	10		5026-224	Provides power over Ethernet to Axis network video products with built-in PoE support. AXIS T8120 is IEEE 802.3af compliant, ensuring compatibility with all Axis PoE Class 1-3 products. The midspan can be installed on a wall or shelf. 10 pcs.	\$ 529.00	7331021003583	11	22	14	11
AXIS T81B22 DC 30W MIDSPAN	100		5023-121	PoE midspan for PTZ dome- and fixed outdoor cameras. IEEE802.3af compliant (max. 15W) at 12/24V DC input. IEEE802.3at compliant (max. 30W) at 12V DC input. Temp spec: -20 °C to 65 °C (-4 °F to 149 °F).	\$ 99.00	7331021001602	1	6	4	2
AXIS T8123-E OUTDOOR MIDSPAN 30w	50		5030-234	Outdoor ready IP66-rated midspan compliant with IEEE802.3af and 802.3at. Built in surge protection and IP66-rated male RJ45 connector is included. Delivers up to 30W. Temperature specification: -40°C to 55°C (-40° to 131°F) for 30W and -40°C to 65°C (-40°F to 149°F) for 15.4W.	\$ 249.00	7331021002180	3	11	9	4
AXIS T8133 30W MIDSPAN	500		5900-294	Single port midspan for Power over Ethernet Plus (PoE+) IEEE 802.3at Type 2 Class 4. Replaces AXIS T8123.	\$ 79.00	7331021041318	1	6	8	2
AXIS T8134 MIDSPAN 60W	500		5900-334	High PoE 1-port midspan 60W. Compliant with 802.3.at and PoE 802.3af.	\$ 149.00	7331021047402	1	5	8	3
AXIS T8144 60W INDUSTRIAL MIDSPAN	50		01154-001	Industrial midspan with extended temperature range, PoE 60W and dual DC 12/24 V DC power input for redundancy. Operating temperature -40 to +75 degC or -40 to +167 °F. DIN and wall mount included.	\$ 249.00	7331021061149	1	5	6	2
AXIS T8154 60W SFP MIDSPAN	50		5901-004	AXIS T8154 60 W SFP Midspan is a compact, plug-and-play media converter with PoE. With its integrated power supply, it minimizes the amount of cabling and facilitates installation. AXIS T8154 offers data input through SFP or RJ45, and delivers High PoE 60 W. It works with all Axis network products supporting Power over Ethernet	\$ 199.00	7331021053489	2	4	8	4
AXIS T8124-E OUTDOOR MIDSPAN 60W	50		5031-244	Outdoor ready IP66-rated midspan for AXIS Q60-E. Built in surge protection and IP66-rated male RJ45 connector is included. Delivers up to 60W. Temperature specification: -40°C to 50°C (-40° to 122°F).	\$ 319.00	7331021002142	3	11	9	4
AXIS T8125 AC 24V MIDSPAN 60W	50		5900-251	60W PoE midspan for 24V AC input.	\$ 159.00	7331021004665	1	9	4	4
AXIS T8127 60 W SPLITTER 12/24 V DC	20		5500-001	PoE splitter. Can deliver both 12 and 24 V DC (user selectable) from High PoE 60W midspan. Useful to power and connect non-PoE devices like IP cameras, magnetic locks for access control systems, WiFi AP, thin clients etc.	\$ 89.00	7331021052536	1	4	8	2
AXIS T8129 PoE EXTENDER	250		5025-281	Power over Ethernet extender repeats the data signal and forward the PoE to the camera, PoE+ compliant it is compatible with all Axis cameras. No additional power supply is required. The maximum total distance between switch and camera depends on the power input and the power required by the camera, but all cameras can be at least extended to 200 meter connection.	\$ 199.00	7331021003972	0	7	5	2
AXIS T8129-E OUTDOOR POE EXTENDER	20		01148-001	AXIS T8129-E Outdoor PoE Extender repeats the data signal and PoE to the camera. AXIS T8129-E is PoE+ compliant with all Axis cameras and does not require an additional power supply. The maximum total distance between switch and camera depends on the power input and the power required by the camera, but all cameras can be at least extended to 200 meter connection.	\$ 299.00	7331021061071	0	3	6	2
AXIS T8504-E OUTDOOR POE SWITCH	20		01449-001	Outdoor 4-port managed PoE switch for surveillance applications. 4 PoE ports with up to 60W PoE per port and one SFP port for uplink. Robust metal enclosure with wide temperature range , IP67 and surge protection for demanding installations. Managed switch for remote configuration and management.	\$ 1,199.00	7331021063488	6	9	15	4
AXIS T8504-R INDUSTRIAL POE SWITCH	10		01633-001	AXIS T8504-R Industrial PoE Switch is a 4-port managed industrial PoE++ Gigabit switch. In addition, the switch is equipped with 2 x RJ45 and 2x SFP data ports that allows for extra devices to be connected. The switch uses the same intuitive administrator interface as AXIS T85 PoE Network Switch Series, is ruggedized with a wide temperature range and NEMA TS2 compliant.	\$ 699.00	7331021066199	2	8	10	3
AXIS T8508 POE+ NETWORK SWITCH	200		01191-004	PoE+ managed fanless gigabit network switch, optimized for Axis network products. 2 SFP/RJ45 uplink ports and 8 PoE+ ports with 130W power supply. Built in DHCP server for plug-and-play camera setup. Easy system configuration for effective installation of Axis network products	\$ 399.00	7331021061828	6	14	13	4
AXIS T8516 PoE+ NETWORK SWITCH	50		5801-694	PoE+ managed gigabit network switch, optimized for Axis network products. 2 SFP/RJ45 uplink ports and 16 PoE+ ports with 250W power supply. Built in DHCP server for plug-and-play camera setup. Easy system configuration for effective installation of Axis network products.	\$ 699.00	7331021055308	8	12	21	4
AXIS T8524 POE+ NETWORK SWITCH	20		01192-004	PoE+ managed gigabit network switch, optimized for Axis network products. 2 SFP/RJ45 uplink ports and 24 PoE+ ports with 370W power supply. Built in DHCP server for plug-and-play camera setup. Easy system configuration for effective installation of Axis network products.	\$ 899.00	7331021061873	9	20	12	4
AXIS COMPANION SWITCH 4CH	50		5801-354	4 channel 10/100 Mbps PoE+ switch with plug & play installation.	\$ 79.00	7331021052420	2	6	9	3

AXIS T8640 POE+ OVER COAX ADAP	250		5026-401	Pair of Ethernet over COAX adapters that enable use of COAX cables for PoE applications, supports IEEE802.3af/at. Powered by either PoE or power supply, dependent on power requirement at the device end. Diagnostics LEDs for power and link status in both base and device unit. Connectors: BNC and RJ45 connector and power input (for optional power supply). The package contains one base unit and one device unit.	\$ 414.00	7331021001619	1	7	5	1
AXIS T8641 POE+ OVER COAX BASE	10		5028-411	Single Base unit of Ethernet over COAX adapter. The package contains one base unit.	\$ 207.00	7331021001756	0	5	3	1
AXIS T8642 POE+ OVER COAX DEVI	20		5027-421	Single Device unit of Ethernet over COAX adapter. The package contains one device unit.	\$ 207.00	7331021001657	0	5	3	1
AXIS T8643 POE+ OVER COAX COMPACT	10		01468-001	AXIS T8643 PoE+ over Coax Compact enables legacy coax cabling to be kept when converting an analog system to digital. The design allows for improved installation and cable management as it can easily be integrated in housings and backboxes. It delivers standard Power over Ethernet (PoE) and centrally-sourced power through existing coax cabling.	\$ 207.00	7331021063686	0	6	4	1
AXIS T8645 PoE+ COAX COMPACT KIT	20		01489-001	AXIS T8645 PoE+ over Coax Compact Kit enables legacy coax cabling to be kept when converting an analog system to digital, and comprises AXIS T8641 PoE+ Over Coax Base and AXIS T8643 PoE+ over Coax Compact.  It delivers standard Power over Ethernet (PoE) and centrally-sourced power through existing coax cabling. The compact design of the AXIS T8643 PoE+ over Coax Compact allows for improved installation and cable management as it can easily be integrated in housings and backboxes.	\$ 414.00	7331021063839	1	8	6	1
AXIS T8646 POE+ OVER COAX BLADE	10		5026-461	Ethernet over COAX blade (6ch) that enable use of COAX cables for PoE applications, supports IEEE802.3af/at. For use with Axis video encoder chassis together with our AXIS T8082 or AXIS T8085 power supplies. Requires one AXIS T8642 POE+ OVER COAX DEVICE for every channel at the camera end.	\$ 699.00	7331021043947	1	11	7	2
AXIS T8646 POE+ OVER COAX BLADE KIT	20		5026-471	A Kit that contains one (1) AXIS T8646 POE+ OVER COAX BLADE and six (6) AXIS T8642 POE+ OVER COAX DEVICE for a complete 6 channel solution.	\$ 1,699.00	7331021043930	2	15	7	2
AXIS T8648 PoE+ COAX BLADE COMP KIT	10		01490-001	AXIS T8648 PoE+ Coax Blade Compact Kit contains one (1) AXIS T8646 PoE+ over Coax Blade and six (6) AXIS T8643 POE+ over Coax Compact for a complete 6 channel solution with improved installation and cable management as it can easily be integrated in housings and backboxes.	\$ 1,699.00	7331021063846	3	11	7	6
AXIS T6101 AUDIO AND I/O INTERFACE	10		01160-001	AXIS T6101 Audio and I/O Interface enabling two-way audio and configurable supervised inputs / digital outputs for Axis cameras that do not have such functionality built-in. Powered by standard Power over Ethernet, no midspan included. Allows the connected camera to provide one stream for audio and video, without the need for any additional IP address.	\$ 99.00	7331021061200	0	4	5	1
AXIS T6112 AUDIO AND I/O INTERFACE	100		01230-001	AXIS T6112 Audio and I/O Interface combines AXIS T6101 Audio and I/O Interface with an omnidirectional microphone in a discreet casing suitable for indoor installation on wall or ceiling. Powered by standard Power over Ethernet, no midspan included. Two-way audio and configurable supervised inputs / digital outputs for Axis cameras that do not have such functionality built-in. Allows the connected camera to provide one stream for audio and video, without the need for any additional IP address.	\$ 149.00	7331021062375	1	7	10	2
AXIS T8310 CONTROL BOARD	20		5020-001	Modular control board for professional camera and video management. AXIS T8310 Control Board is a complete control board solution which includes AXIS T8311 Joystick, AXIS T8312 Keypad and AXIS T8313 Jog Dial. Includes required USB cables inter-connecting the units and a 2 meter USB cable to the workstation. AXIS T8310 Video Surveillance Control Board is supported in ACS ver. 3.3 or later.	\$ 1,149.00	7331021030428	8	11	11	17
AXIS T8311 JOYSTICK	100		5020-101	Professional joystick for accurate control of Axis pan/tilt/zoom and dome network cameras. Connects to the workstation over USB. Features a three-axis joystick with X/Y-axis for positioning and turning knob for zoom and 6 push-buttons. Includes a 2 meter USB cable for connection to the workstation. AXIS T8311Joystick is supported in ACS ver. 3.3 or later.	\$ 399.00	7331021030435	2	10	8	5
AXIS T8312 KEYPAD	20		5020-201	Professional 22 button keypad for quick navigation between workspaces, camera views and PTZ. Connects to the workstation over USB. Includes a 2 meter USB cable for connection to the workstation. AXIS T8312 Keypad is supported in ACS ver. 3.3 or later.	\$ 449.00		2	10	8	5
AXIS T8313 JOG DIAL	10		5020-301	Professional video surveillance jog dial for high precision playback, facilitating functions such as play, pause, index, image steps and fast search. 6 built-in push buttons additionally simplifies video forensics. AXIS T8313 Jog Dial is supported in ACS ver. 3.3 or later.	\$ 399.00		2	10	8	5



AXIS T8604 MEDIA CONVERTER SWITCH	50		5027-041	Four port media converter switch with 2 RJ45 ports and 2 SFP slots for optical fiber connection (SFP modules not included). Shelf or DIN-rail mount. Temp spec: -40°C to +75°C (-40°F to 167°F).	\$ 399.00	7331021037694	1	8	6	1
AXIS T8606 MEDIA CONV SWITCH 24VDC	10		5901-261	Four port media converter switch with 2 RJ45 ports and 2 SFP slots for optical fiber connection (SFP modules not included). Shelf or DIN-rail mount. Temp spec: -40°C to +75°C (-40°F to 167°F). 24 V DC power in.	\$ 399.00	7331021058958	2	6	9	3
AXIS T8607 MEDIA CONV SWITCH 24VDC	10		5901-271	Media converter switch . 2 RJ45 ports and 2 SFP slots for optical fiber connection (SFP modules not included). Two I/O ports and a combined communication and powering port for the camera. Temp spec. -40 °C to 75 °C (-40 °F to 167 °F). 12 V DC power input. Shelf or DIN-rail mount. 24 V DC power in.	\$ 449.00	7331021058965	2	6	9	3
AXIS T8611 SFP MODULE LC.LX	50		5801-801	Small Form Factor Pluggable (SFP) transceiver module. Single mode 1310nm, 10km. Industrial grade.	\$ 99.00	7331021055704	0	4	6	1
AXIS T8612 SFP MODULE LC.SX	50		5801-811	Small Form Factor Pluggable (SFP) transceiver module. Multi mode 850nm, 550m. Industrial grade.	\$ 79.00	7331021055711	0	4	6	1
AXIS T8613 SFP MODULE 1000BASE-T	10		5801-821	Small Form Factor Pluggable (SFP) transceiver module. Ethernet RJ-45 . Industrial grade	\$ 99.00	7331021055728	0	4	6	1
AXIS T8331 PIR MOTION DETECTOR	10		5506-931	Indoor PIR detector especially made for Axis cameras to enhance motion detection. Easy plug and play connectivity to Axis I/O camera port.	\$ 39.00	7331021049918	1	7	7	3
AXIS T8331-E PIR MOTION DETECTOR	10		5506-941	Outdoor PIR detector especially made for Axis cameras to enhance motion detection. Easy plug and play connectivity to Axis I/O camera port.	\$ 129.00	7331021049925	1	7	7	3
AXIS T8341 PIR MOTION SENSOR	10		01202-004	PIR Motion Sensor for Axis Wireless I/O using Z-wave technology.	\$ 49.00	7331021062023	0	3	3	5
AXIS T8342 DOOR/WINDOW SENSOR	10		01203-004	Door/window sensor for Axis Wireless I/O using Z-wave technology.	\$ 49.00	7331021062047	0	0	0	0
AXIS T8343 ALERT BUTTON	10	Name changed	01204-004	Panic button for Axis Wireless I/O using Z-wave technology.	\$ 49.00	7331021062061	0	0	3	0
AXIS T8344 POWER ON/OFF PLUG	10		01205-004	Power on/off plug for Axis Wireless I/O using Z-wave technology.	\$ 49.00	7331021062085	0	0	0	0
AXIS DEVICE MICROPHONE A	20		01575-001	AXIS Device Microphone A is a omnidirectional microphone for sound pickup. Compatible with indoor Q35 models, to be mounted on the inside of the dome and plugged into the 3.5 mm microphone jack.	\$ 29.00	7331021065130	0	6	4	1
ACC CABLE I/O AUDIO 5M P3343-VE	10		5502-331	Audio and I/O extension cable for AXIS P33 Series. Includes 4 pin terminal connector 2.5mm Female to Male, 2 x stereo plug 3.5mm Male to Female. 5 meter.	\$ 39.00	7331021027145	1	10	5	3
AXIS T8351 MICROPHONE 3.5MM	20		5031-511	AXIS T8351 Microphone 3.5mm is an omnidirectional microphone with a 3.5mm connector, compatible with all Axis network video products supporting a 3.5mm jack for microphone input. Flexible to install, AXIS T8351 adapts to different installation scenarios thanks to a vast range of included accessories and to its dust-and-water proof casing.	\$ 139.00	7331021007079	0	6	4	1
AXIS T8351 MK II MICROPHONE 3.5MM	100		01560-001	AXIS T8351 Mk II Microphone 3.5mm is an omnidirectional microphone with a 3.5mm connector, compatible with all Axis network video products supporting a 3.5mm jack for microphone input. Flexible to install, AXIS T8351 adapts to different installation scenarios thanks to a vast range of included accessories and to its dust-and-water proof casing.	\$ 99.00	7331021064959	0	4	6	2
AXIS T8353A MICROPHONE 3.5MM	20		5032-531	AXIS T8353A Microphone 3.5mm is an omnidirectional microphone with a 3.5mm adaptor, compatible with all Axis network video products supporting a 3.5mm jack for microphone input. AXIS T8353A Microphone offers great details and resolution, the capsule has a neutral sonic character and is very natural sounding. The discreet microphone is very reliable even in demanding environments.	\$ 449.00	7331021005228	0	6	4	1
AXIS T8353B MICROPHONE PHANTOM POWER	10		5033-541	AXIS T8353B Microphone Phantom Power is an omnidirectional microphone with an XLR contact and a pigtail adaptor. Power ranges between 12-48V DC. It is compatible with phantom power devices, such as AXIS P8221 Network I/O Audio Module. AXIS T8353B Microphone offers great details and resolution, the capsule has a neutral sonic character and is very natural sounding. The discreet microphone is very reliable even in demanding environments.	\$ 449.00	7331021005235	0	6	4	1
AXIS T8353 MOUNT	10		5505-041	Mounting accessory for AXIS T8353 Microphones	\$ 19.00	7331021041257	0	2	4	0
AXIS T8355 DIGITAL MICROPHONE	50		01561-001	AXIS T8355 Digital Microphone is an omnidirectional microphone compatible with Axis network product with digital in and ring power supporting both a 3.5mm jack and audio terminal block for microphone input. Axis T8355 could be placed up to 100m (328 ft) away from Axis network products, generating flexibility for installation without deterioration of the audio signal.	\$ 129.00	7331021064966	0	4	6	2
AXIS DIGITAL AUDIO EXTENSION KIT	20		01590-001	AXIS Digital Audio Extension Kit enables AXIS T8355 Digital Microphone to extend to distances up to 100m (328 ft).	\$ 19.00	7331021065635	157	4	6	1
AXIS AUDIO EXTENSION CABLE B 5M	20		01589-001	Audio extension cable for Axis 3.5mm mono microphones. Length 5m (197 in).	\$ 19.00	7331021065628	234	4	6	1
AXIS AUDIO EXTENSION CABLE A 5M	50		5505-131	Audio extension cable for Axis 3.5mm mono microphones. Length 5m (197 in)	\$ 19.00	7331021041288	0	6	4	1
TERMINAL BLOCK TO 3.5MM AUDIO EXT	20		01714-001	3.5mm audio jack extension for Axis Network Video products with terminal block audio connection.	\$ 10.00	7331021066854	97	4	6	1

AXIS MULTICABLE A I/O AUDIO PWR 1M	10		5505-031	Multi-connector cable for power (12VDC), audio and I/O port. 1m (40 in)	\$ 79.00	7331021040588	1	13	8	4
AXIS MULTICABLE A I/O AUDIO PWR 5M	10		5505-021	Multi-connector cable for power (12VDC), audio and I/O port. 5m (197 in)	\$ 99.00	7331021040571	2	9	8	4
AXIS MULTICABLE B I/O AUDIO PWR 2.5M	10		5505-511	Multi-connector cable for AC/DC power, audio in/out and I/O connectivity. 2.5m (8.2 ft)	\$ 79.00	7331021046238	1	11	7	2
AXIS MULTICABLE C I/O AUDIO PWR 1M	20		5506-201	Multi-connector cable for power, audio and I/O connectivity. 1m (3.3 ft)	\$ 109.00	7331021048379	0	12	5	2
AXIS MULTICABLE C I/O AUDIO PWR 5M	10		5506-191	Multi-connector cable for power, audio and I/O connectivity. 5m (16.4 ft)	\$ 139.00	7331021048362	1	8	7	3
AXIS T8415 WIRELESS INSTALLATION TOOL	10		5506-231	Camera installation made easy. Battery driven Wi-Fi access point with PoE+ to camera for use with AXIS Installation application on your iOS or Android device.	\$ 599.00	7331021046702	7	16	9	8
AXIS T8415 WIRELESS INST TOOL KIT	10		5506-881	Kit including AXIS T8415 Wireless Installation Tool, one extra AXIS Installation Tool Battery 12V3.4Ah and one AXIS Installation Bag.	\$ 699.00	7331021049642	14	17	16	11
USB POWER CABLE 1M	20		5505-661	USB power cable to power our M10 cameras. Perfekt to use with AXIS M1025 as PVM. Connect camera to a TV through HDMI and use this cable to the USB port on the TV to power the camera, no need for external power supply. DC plug 1.35x3.5mm. Length 1M (3.3 ft). White color.	\$ 14.00	7331021044623	0	4	7	0
AXIS P55/Q60 MULTI CONN CABLE 5M	20		5502-491	Multi-connector cable for power, audio and I/O. Used for Indoor AXIS P55-series and Indoor Q60-series PTZ Dome Network Camera.	\$ 109.00	7331021031647	2	11	10	5
AXIS T8415 INSTALLATION BAG	10		5506-871	Durable soft bag to carry the AXIS T8415 Wireless Installation Tool, with space for extra battery, charger, network cables etc.	\$ 49.00	7331021049635	2	6	16	5
AXIS INSTALLATION TOOL BATTERY 12V3.4Ah	10		5506-551	Additional battery for AXIS T8415 Wireless Installation Tool.	\$ 99.00	7331021048669	4	6	9	6
ACC MAINS ADAP PS-P T-C	10		5502-261	Power supply PS-P T-C for AXIS Q1755 and AXIS Q7404	\$ 39.00	7331021026360	1	10	6	3
AXIS OUTDOOR RJ45 CABLE 5M	100		5502-731	Outdoor CAT6 Ethernet cable for outdoor AXIS PTZ and panoramic cameras. IP66-rated male push pull connector on one end, IP20 rated male RJ45 connector on the other end. Length: 5m (16ft). Color: black.	\$ 79.00	7331021032309	1	9	6	3
AXIS INSTALLATION CHARGER ADAPTOR 12V1A	10		5506-561	Charging adaptor for AXIS T8415 Wireless Installation Tool.	\$ 49.00	7331021048652	0	5	3	2
AXIS OUTDOOR RJ45 CABLE 15M	20		5504-731	Outdoor CAT6 Ethernet cable for outdoor AXIS PTZ and panoramic cameras. IP66-rated male push pull connector on one end, IP20 rated male RJ45 connector on the other end. Length: 15m (50ft). Color: black.	\$ 149.00	7331021007499	2	10	7	4
AXIS Q60XX-C MULTI CONNECT CABLE 12M	10		5504-651	Cable between AXIS Q60XX-C and connection box AXIS T8605. Lenght: 12m (39ft).	\$ 249.00	7331021006591	1	16	12	2
AXIS CABLE 24 VDC/24-240 VAC 22M	10		5801-741	Heavy duty power cable, 22m (72ft) in length, 3-wire, 12AWG, jacket diameter 10mm (0.4in). Suitable for outdoor installation. UL20626 up to 90°C (194°F) ambient temperature. Designed for use with AXIS Positioning Cameras and Positioning Units, such as AXIS Q8685-E. Material: TPE insulation, copper wire, PVC-free and halogen-free. Color: Black.	\$ 199.00	7331021055667	8	9	9	5
AXIS P8221	200		0321-004	Network I/O and audio module. Eight digital ports configurable as inputs or outputs. Two-way audio configurable to simplex, half or full duplex. Built-in pre-amp, phantom power and gain control for a balanced microphone. Line and speaker output. Serial port RS-232/422/485. Power over Ethernet enabled. Includes power supply.	\$ 349.00	7331021030367	2	10	7	4
AXIS T8006 PS12	20		5030-064	Power supply with extended temperature specification -40°C to +75°C (-40°F to +167°F) providing 12 V DC to units such as AXIS T8604 and AXIS Q7424-R.	\$ 89.00	7331021003897	1	9	6	3
AXIS P8221 BULK 10PCS	20		0321-021	AXIS P8221 in 10-pack/bulk. Cannot be sold separately as single pack. NO midspans. Power supplies not included.	\$ 3,449.00	7331021030312	12	22	14	11
NETWORK CABLE COUPLER INDOOR	250		5503-771	Female/female RJ45 coupler. For indoor use. Perfect when you need to extend a pre-terminated cable.	\$ 11.00	7331021003743	0	5	3	1
NETWORK CABLE COUPLER INDOOR SLIM	10		5503-272	Female/female RJ45 coupler. Slim and compact size. For indoor use. Perfect when you need to extend a pre-terminated cable.	\$ 19.00	7331021005211	0	4	2	0
AXIS SURVEILLANCE CARD 64 GB	250		5801-951	AXIS Surveillance Card 64 GB is a high endurance microSDXC™ card optimized for video surveillance. It has support for health status monitoring with Axis cameras. The card enables flexible edge recording solutions with de-centralized video recording, eliminating the need of an onsite server, DVR or NVR. Optimizes bandwidth usage as video is recorded onboard each camera even when bandwidth is limited or absent. Combined with Axis Zipstream technology, even high quality video or longer retention times can be used effectively. Includes SD card adapter.	\$ 69.00	7331021056909	0	4	6	1
AXIS SURVEILLANCE CARD 64 GB 10P	50		5801-961	AXIS Surveillance Card 64 GB is a high endurance microSDXC™ card optimized for video surveillance. It has support for health status monitoring with Axis cameras. The card enables flexible edge recording solutions with de-centralized video recording, eliminating the need of an onsite server, DVR or NVR. Optimizes bandwidth usage as video is recorded onboard each camera even when bandwidth is limited or absent. Combined with Axis Zipstream technology, even high quality video or longer retention times can be used effectively. Includes SD card adapter. 10pack.	\$ 645.00	7331021056916	0	4	6	1

AXIS COMPANION CARD 64 GB	10		5801-941	AXIS Companion Card 64 GB is a high endurance microSDXC™ card optimized for video surveillance. It has support for health status monitoring with Axis cameras. The card enables flexible edge recording solutions with de-centralized video recording, eliminating the need of an onsite server, DVR or NVR. Optimizes bandwidth usage as video is recorded onboard each camera even when bandwidth is limited or absent. Combined with Axis Zipstream technology, even high quality video or longer retention times can be used effectively.	\$ 59.00	7331021056893	0	3	4	0
AXIS SURVEILLANCE CARD 128 GB	1000		01491-001	AXIS Surveillance Card 128 GB is a high endurance microSDXC™ card optimized for video surveillance. It has support for health status monitoring with Axis cameras. The card enables flexible edge recording solutions with de-centralized video recording, eliminating the need of an onsite server, DVR or NVR. Optimizes bandwidth usage as video is recorded onboard each camera even when bandwidth is limited or absent. Combined with Axis Zipstream technology, even high quality video or longer retention times can be used effectively. Includes SD card adapter.	\$ 109.00	7331021063853	0	3	5	2
AXIS SURVEILLANCE CARD 128 GB 10P	20		01678-001	The 10 pack variant of the AXIS Surveillance Card 128 GB, a high endurance microSDXC™ card optimized for video surveillance. It has support for health status monitoring with Axis cameras.	\$ 1,030.00	7331021066366	0	0	2	2
AXIS SURV MICRO SDXC CARD 256GB	100		01609-001	AXIS Surveillance microSDXC™ Card 256 GB is a high endurance microSDXC™ card optimized for video surveillance. The card enables flexible edge recording solutions with de-centralized video recording, eliminating the need of an onsite server, DVR or NVR. Optimizes bandwidth usage as video is recorded onboard each camera even when bandwidth is limited or absent. Combined with Axis Zipstream technology, even high quality video or longer retention times can be used effectively. Includes SD card adapter.	\$ 249.00	7331021065819	0	2	4	2
NETWORK CABLE COUPLER IP66	50		5503-431	Compact IP66-rated female/female RJ45 cable coupler. Perfect when you need to extend a pre-terminated outdoor cable.	\$ 29.00	7331021037618	0	6	5	1
AXIS T98A15-VE MEDIA CONVERTER CABINET A (120 V AC)	10		5505-351	Pre-assembled T98A Surveillance cabinet with following system components: (1) Breaker and surge protection, (2), 12 VDC DIN PSU, (3)AXIS T8604 Media Converter, (4) Internal cables and mounts. Tested and verified with Axis cameras.	\$ 899.00	7331021043404	12	13	15	7
AXIS T98A16-VE MEDIA CONVERTER CABINET A (120 V AC)	10		5505-361	Pre-assembled T98A Surveillance cabinet with following system components: (1) Breaker and surge protection, (2), 12 VDC DIN PSU, (3)AXIS T8604 Media Converter, (4) Internal cables and mounts. Tested and verified with Axis cameras.	\$ 899.00	7331021043411	12	13	15	7
ACC MAINS ADAP PS-K TERM-CONN	10		5503-681	Power supply for AXIS P1311/43/44 and AXIS Q7401 as a spare part.	\$ 39.00	7331021003316	1	9	6	3
AXIS T98A17-VE MEDIA CONVERTER CABINET A (120 V AC)	10		5505-371	Pre-assembled T98A Surveillance cabinet with following system components: (1) Breaker and surge protection, (2), 12 VDC DIN PSU, (3)AXIS T8604 Media Converter, (4) Internal cables and mounts. Tested and verified with Axis cameras.	\$ 899.00	7331021043428	12	13	15	7
AXIS T98A18-VE MEDIA CONVERTER CABINET A (120 V AC)	20		5505-381	Pre-assembled T98A18-VE Surveillance cabinet with following system components: (1) Breaker and surge protection, (2), 12 VDC DIN PSU, (3) AXIS T8604 Media Converter, (4) Power cable and DIN clip for midspan AXIS T8124, (5) Internal cables and mounts. Tested and verified with Axis cameras.	\$ 899.00	7331021043435	12	13	15	7
AXIS T8007 PS24	10		5503-104	Indoor mains power supply. Output 24V DC 1.5A.	\$ 69.00	7331021035737	1	7	9	3
ACC MAINS ADAPTOR AXIS PS24	10		5000-001	24VAC power adapter for outdoor use. Output max 63VA.	\$ 149.00	7331021015289	4	13	11	9
AXIS T98A19-VE MEDIA CONVERTER CABINET A (120 V AC)	10		5505-391	Pre-assembled T98A Surveillance cabinet with following system components: (1) Breaker and surge protection, (2), 12 VDC DIN PSU, (3)AXIS T8604 Media Converter, (4) Internal cables and mounts. Tested and verified with Axis cameras.	\$ 899.00	7331021043442	12	13	15	7
AXIS T8003 PS57	20		5029-034	Power supply for the AXIS T8640 Coax Over Ethernet Adapter. If connected to the base end COAX adapter part, it powers up the connection, the device end unit and the PoE camera and thereby removes the need for a separate midspan. Can also be connected to the device end, to secure enough power (max 30W) to the connected PoE camera (COAX cable quality/long distance).	\$ 54.00	7331021001688	1	8	6	2
AXIS T8008 PS12	10		5503-661	Power supply for AXIS Q60XX-C series -40 to +75C (-40 to 167F). In 90-264V AC 47-63Hz. Out 12,5V DC 85W.	\$ 399.00	7331021004870	3	13	8	4
AXIS T8008 PS24	10		5801-701	24V DC power supply 250W with extended temperature ( -40 to +75C (-40 to 167F)).	\$ 399.00	7331021055537	4	8	13	4
AXIS T8051 Power Converter AC/DC to DC	5		5505-051	AC/DC to DC power converter for AXIS Q35-VE, 24 V AC or 12/24 V DC input. Backbox designed to match perfectly with camera.	\$ 199.00	7331021044494	1	8	7	3
AXIS T8081 PS57 MODULE 1000W	20		5504-804	Power Supply module (1KW) for use with AXIS T8082 PS57 CHASSIS 2KW 1U	\$ 999.00	7331021043978	3	13	7	3

AXIS T8082 PS57 CHASSIS 2KW 1U	10		5504-844	19" rack power supply solution consisting of a power supply chassis (T8080), 2x1 KW power supply modules (AXIS T8081) and one power distribution board (T8088) for use with AXIS T8646 POE+ OVER COAX BLADE.	\$ 2,999.00	7331021044050	22	24	20	6
AXIS T8085 PS57 500W 1U	10		5504-864	Power supply 500W for use with AXIS T8646 POE+ OVER COAX BLADE in a 1U rack.	\$ 1,299.00	7331021044128	6	0	0	0
AXIS T8061 ETHERNET SURGE PROTECTOR	250		5801-641	Protect your Ethernet networks device, i.e. cameras, switches, midspans, etc..., from lightning. Protects up to 10KV surge, IP66 and UL certified.	\$ 99.00	7331021054899	1	4	9	2
CONNECTOR M12 FEMALE 4P 10PCS	20		5502-141	Rugged, female D-coded M12 connector compatible with Connector M12 male 4P, 209FD-R M12 /209MFD-R M12. Field installable with screw-in contacts. 10 pcs	\$ 149.00	7331021025066	0	7	9	3
CONNECTOR M12 MALE 4P 10PCS	20		5502-131	Rugged, male D-coded M12 connector compatible with AXIS M31XX-R M12 and Connector M12 Female 4P . Field installable with screw-in contacts. 10 pcs	\$ 149.00	7331021025059	1	9	6	3
AXIS 10-PIN PUSH-PULL SYSTEM CONN	10		5506-251	10-pin system connector for power, audio and I/O.	\$ 39.00	7331021046948	1	9	9	4
AXIS T90C10 FIXED DOME IR-LED	10		5024-101	IR-illuminator for AXIS P334X-VE cameras. 18-56 VDC input. Operating temperature -40 °C to 55 °C (-40 °F to 131 °F). IP66-, Nema 4X rated, vandal resistant. Premounted 5m power cable cable with gaskets.	\$ 349.00	7331021033894	2	14	9	3
AXIS T90C20 FIXED DOME IR-LED	5		5024-201	IR-illuminator for AXIS P334X-VE cameras. PoE IEEE802.3af compliant. Operating temperature -40 °C to 55 °C (-40 °F to 131 °F). IP66-, Nema 4X rated, vandal resistant. Premounted 5m network cable cable with gaskets.	\$ 349.00	7331021033900	2	14	9	3
AXIS T90D20 IR-LED	10		01210-001	IR LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 36m to 144m (118 ft to 472 ft). Made of IK09 impact-resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). 12/24 V DC or AC input.	\$ 449.00	7331021062160	3	6	10	5
AXIS T90D20 POE IR-LED	20		01211-001	PoE powered IR LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 36m to 144m (118 ft to 472 ft). Made of IK09 impact-resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). PoE+ IEEE 802.3at required.	\$ 449.00	7331021062177	3	6	10	5
AXIS T90D25 W-LED	10		01215-001	White LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 25 m to 110 m (80 ft to 360 ft). Made of IK09 impact resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). 12/24 V DC or AC input	\$ 449.00	7331021062214	3	6	10	5
AXIS T90D25 POE W-LED	10		01216-001	PoE powered white LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 25 m to 110 m (80 ft to 360 ft). Made of IK09 impact resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). PoE+ IEEE 802.3at required.	\$ 449.00	7331021062221	3	6	10	5
AXIS T90D30 IR-LED	10		01212-001	IR LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 70m to 350m (230ft to 1150 ft). Made of IK09 impact-resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). 12/24 V DC or AC input.	\$ 799.00	7331021062184	5	6	10	5
AXIS T90D30 POE IR-LED	10		01213-001	PoE powered IR LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 70m to 350m (230ft to 1150 ft). Made of IK09 impact-resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). PoE+ IEEE 802.3at required.	\$ 799.00	7331021062191	5	8	12	5
AXIS T90D35 W-LED	10		01217-001	White LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 35m to 180m (115ft to 590ft). Made of IK09 impact-resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). 12/24 V DC or AC input.	\$ 799.00	7331021062238	5	8	12	5
AXIS T90D35 POE W-LED	10		01218-001	PoE powered white LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 35m to 180m (115ft to 590ft). Made of IK09 impact-resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F).PoE+ IEEE 802.3at required.	\$ 799.00	7331021062245	5	8	12	5
AXIS T90D40 IR-LED	10		01214-001	IR LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°-140° beam angles. Beam distance ranges 105m to 500m (345ft to 1640ft). Made of IK09 impact-resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). 12/24 V DC or AC input.	\$ 1,199.00	7331021062207	8	7	13	10

AXIS WL LENS A 120 DEG	20		5505-671	Accessory lens providing 120° beam angle, beam distance 10 m (33 ft). Compatible with AXIS T90B15 W-LED.	\$ 25.00	7331021044432	0	3	2	1
AXIS WL LENS B 120 DEG	20		5505-681	Accessory lens providing 120° beam angle, beam distance is 15 m (49 ft). Compatible with AXIS T90B25 W-LED.	\$ 29.00	7331021044449	0	0	0	0
AXIS IR LENS B 120 DEG	10		5505-701	Accessory lens providing 120° beam angle, beam distance 20 m (66 ft). Compatible with AXIS T90B20 IR-LED.	\$ 29.00	7331021044463	0	5	3	1
AXIS WL LENS C 120 DEG	20		5505-691	Accessory lens providing 120° beam angle, beam distance 20 m (66 ft). Compatible with AXIS T90B35 W-LED.	\$ 34.00	7331021044456	0	7	5	5
AXIS IR LENS C 120 DEG	5		5505-711	Accessory lens compatible with AXIS T90B30 IR-LED providing 120° beam angle, beam distance 30 m (98 ft). Also compatible with AXIS T90B40 IR-LED (two lenses are required as the illuminator has two panels). The beam angle can be adjusted between 120° and 180°, with a beam distance stretching from 65 m to 45 m (213 ft to 148 ft). This sales part includes one lens.	\$ 34.00	7331021044470	0	5	9	1
AXIS IR LENS D 120 DEG	10		01235-001	Accessory lens providing 120° beam angle	\$ 39.00	7331021062665	0	5	9	1
AXIS T90B REMOTE CONTROL	10		5800-931	The remote control is compatible with all Axis T90B illuminators and provides the possibility to adjust settings of light intensity, photocell sensitivity and more conveniently from the ground level. No lift or ladder required. The remote control feature can be disabled after the installation is finalized to avoid tampering.	\$ 39.00	7331021044425	0	0	0	0
AXIS T90 WALL-AND-POLE MOUNT	20		01219-001	Mounting bracket for AXIS T90 illuminators.	\$ 39.00	7331021062252	1	5	7	3
AXIS T90 SINGLE BRACKET	10		01220-001	Mounting bracket for AXIS T90 illuminators.	\$ 49.00	7331021062269	1	5	7	1
AXIS T90 MULTI BRACKET	10		01221-001	Mounting bracket for AXIS T90 illuminators.	\$ 69.00	7331021062276	2	6	16	1
PT IR ILLUMINATOR KIT A	20	EOL	5503-441	Infra red illuminator kit compatible with AXIS Q87-E. Kit contents: One 50 degree and one 10 degree illuminator that together cover the field of view of the camera when zoomed in or out. Range aprox. 100 meters. IR mount brackets for the positioning unit.	\$ 1,679.00	7331021004610	11	14	10	16
AXIS DOOR SWITCH A	5		5503-841	Intrusion door switch for AXIS T98A, connection to I/O port.	\$ 29.00	7331021003781	0	7	5	2
AXIS DOME INTRUSION SWITCH B	10		5505-071	Intrusion switch for AXIS Q35-V and -VE as well as P33-VE cameras. Connects to camera I/O connector.	\$ 19.00	7331021044500	0	6	4	1
MAINS CABLE ANGL C13-OPN 0.5M	10		5506-244	Angled C13 mains cable for use when limited space. Open ends for installation in terminal blocks etc. Use when installing midspan into AXIS T98A Surveillance cabinet.	\$ 14.00	7331021046887	0	12	16	1
AXIS STEREO-TO-MONO ADAPTER	5		5801-681	AXIS Stereo-to-mono Adapter. Spare part to AXIS F44 Dual Audio Input Main Unit. Allows two microphones or line inputs to be connected to AXIS F44 Dual Audio Input.	\$ 29.00	7331021055469	0	4	6	1
AXIS P1280-E 4MM 8.3 FPS	10		0940-001	AXIS P1280-E Thermal Network Camera is a modular thermal camera based on a small-sized main unit (AXIS P12 Thermal) and an outdoor ready thermal sensor unit with a 12 m/ 39.4ft cable. The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations. The camera provides 208x156 resolution, a 4 mm lens with 35.4° horizontal FOV. It supports multiple streams in H.264 and Motion JPEG, Axis' Zipstream technology for lower bandwidth and storage needs, edge storage using microSD card and built-in analytics with support for AXIS Camera Application Platform, which enables the usage of a broad range of third-party applications. The flexible form factor allows it to be placed in locations with limited space and a wide range of mounting accessories enables wall, ceiling and recessed installations. The main unit is powered with PoE. The sensor unit has 12 m/39.4 ft cable.	\$ 799.00	7331021054592	1	6	12	3
AXIS P1290-E 4 MM 8.3 FPS	10		01168-001	AXIS P1290-E Thermal Network Camera is a modular thermal camera based on a small-sized main unit (AXIS P12 Thermal) and an outdoor ready thermal sensor unit with a 12 m/ 39.4ft cable and dome casing. The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations. The camera provides 208x156 resolution, a 4 mm lens with 35.4° horizontal FOV. It supports multiple streams in H.264 and Motion JPEG, Axis' Zipstream technology for lower bandwidth and storage needs, edge storage using microSD card and built-in analytics with support for AXIS Camera Application Platform, which enables the usage of a broad range of third-party applications. The main unit is powered with PoE. The sensor unit has 12 m/39.4 ft cable.	\$ 849.00	7331021061286	2	8	9	5

AXIS Q2901-E 9MM 8.3 FPS	10		0645-001	AXIS Q2901-E Temperature alarm camera for wall and ceiling mount, IP66-rated, 336x256 resolution, 8.3 fps, and 35° angle of view. Six temperature alarm zones, isothermal palettes and spot temperature. It supports ONVIF, H.264, audio, local storage, I/O, PoE, shock detection, AXIS Video Motion Detection 3.0, audio detection and AXIS Camera Application Platform.	\$ 5,199.00	7331021048171	6	16	7	9
AXIS Q2901-E PTMOUNT 9MM 8.3 FPS	10		0646-001	AXIS Q2901-E PT Mount Temperature alarm camera ready for pan/tilt motor head, IP66-rated, 336x256 resolution, 8.3 fps, and 35° angle of view. The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations. Six temperature alarm zones, isothermal palettes and spot temperature. It supports ONVIF, H.264, local storage, RS422/RS485, PoE, shock detection, AXIS Video Motion Detection 3.0, and AXIS Camera Application Platform.	\$ 5,199.00	7331021048188	4	15	7	7
AXIS Q2901-E 19MM 8.3 FPS	10		0647-001	AXIS Q2901-E Temperature alarm camera for wall and ceiling mount, IP66-rated, 336x256 resolution, 8.3 fps, and 17° angle of view. The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations. Six temperature alarm zones, isothermal palettes and spot temperature. It supports ONVIF, H.264, audio, local storage, I/O, PoE, shock detection, AXIS Video Motion Detection 3.0, audio detection and AXIS Camera Application Platform.	\$ 5,199.00	7331021048195	4	16	7	9
AXIS Q2901-E PTMOUNT 19MM 8.3 FPS	10		0648-001	AXIS Q2901-E PT Mount Temperature alarm camera ready for pan/tilt motor head, IP66-rated, 336x256 resolution, 8.3 fps, and 17° angle of view. The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations. Six temperature alarm zones, isothermal palettes and spot temperature. It supports ONVIF, H.264, local storage, RS422/RS485, PoE, shock detection, AXIS Video Motion Detection 3.0, and AXIS Camera Application Platform.	\$ 5,199.00	7331021048201	6	15	7	7
EXT. WARRANTY AXIS P1280-E 4MM 8.3 FPS	0		0940-600	2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a> Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.	\$ 49.00		0	0	0	0
EXT WAR AXIS P1290-E 4 MM 8.3 FPS	0		01168-600	2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a> Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.	\$ 54.00		0	0	0	0

EXT. WARRANTY AXIS Q2901-E 19MM 8.3 FPS	0		0647-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 312.00		0	0	0	0
EXT. WARRANTY AXIS Q2901-E 9MM 8.3 FPS	0		0645-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 312.00		0	0	0	0
EXT. WARRANTY AXIS Q2901-E PT MOUNT 9MM 8.3 FPS	0		0646-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 312.00		0	0	0	0
EXT. WARRANTY AXIS Q2901-E PT MOUNT 19MM 8.3 FPS	0		0648-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (<a href="http://www.axis.com/reg/myinventory">www.axis.com/reg/myinventory</a>), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: <a href="https://www.axis.com/support/warranty-and-rma/extended-warranty">https://www.axis.com/support/warranty-and-rma/extended-warranty</a></p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>	\$ 312.00		0	0	0	0