Data sheet

HP Color LaserJet Enterprise MFP M577 series



Unparalleled performance. Deepest security.

Ideal for enterprises and medium businesses that need a secure, highly productive, energy-efficient colour MFP.







Color laser technology



High-speed performance meets energy efficiency

- Don't wait for documents. Print your first page in as few as 9 seconds from energy-efficient sleep mode.¹
- Speed through jobs. Print two sides as guickly as one up to 38 ipm² and scan both sides of the page at once.
- This MFP uses exceptionally low amounts of energy thanks to its innovative design and toner technology.³
- Choose a maximum capacity of up to 2,300 sheets.⁴ Print up to 59 pages per minute on A5.2

Unparalleled fleet security and management

- Embedded features detect security threats and heal your MFP, protecting it from boot up to shutdown.
- Protect sensitive data on the MFP and in transit, using embedded security features and 256-bit encryption.
- Protect sensitive business data with embedded and optional HP JetAdvantage Security Solutions.6
- Centralise control of your printing environment with HP Web Jetadmin and help build business efficiency.7

More. Pages, Performance, and Protection.

- Make an impression with leading colour quality from HP. Get unparalleled printing for your office needs.
- Get more pages with each Original HP Toner cartridge with JetIntelligence and high-yield cartridges.8,9
- Help ensure the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Print right away with preinstalled toner cartridges. Replace them with cartridges featuring auto seal removal.

Stay connected with secure mobile printing options

- Use optional, 128-bit encrypted wireless direct printing from mobile devices no network needed.10
- Add the option to print with a touch of your NFC-enabled mobile device to this printer no network needed.11
- Easily print from a variety of smartphones and tablets generally no setup or apps required.12
- Easily access, print, and share resources with Ethernet and optional wireless networking.13

Product walkaround

HP Color LaserJet Enterprise Flow MFP M577c shown:

- Intuitive 20.3 cm colour touchscreen tilts up for easier viewing
 Convenience stapler
 Pull-out keyboard for easy, accurate data entry

- Dull-out keyboard for easy, accurate data entry
 Convenient front on/off button
 Right door (access to print path)
 100-sheet multipurpose tray
 Sob-sheet input tray 2
 100-sheet ADF with single-pass, two-sided scanning and HP EveryPage
 Hardware Integration Pocket (for connecting accessory and third-party devices)
 Easy-access USB port to save and print files directly
 Sob-sheet output bin
 Front door (access to HP JetIntelligence Toner cartridges)
 Built-in automatic two-sided printing
 Her Formance Secure Hard Disk
 Fax port
 Heidmet Gigabit Ethernet print server
 Slot for optional cable-type security lock
 Hi-Speed USB 2.0 printing port





Series at a glance







Model	HP Color LaserJet Enterprise MFP M577dn	HP Color LaserJet Enterprise MFP M577f	HP Color LaserJet Enterprise Flow MFP M577c
Product number	B5L46A	B5L47A	B5L54A
100-sheet tray 1, 550-sheet tray 2	Yes	Yes	Yes
550-sheet input trays 3, 4, and 5	Optional	Optional	Optional
Printer cabinet	Optional	Optional	Optional
HP High-Performance Secure Hard Disk	Yes	Yes	Yes
100-page ADF with single-pass, two-sided scanning	Yes	Yes	Yes (Plus HP EveryPage)
Fax capability	Optional	Yes	Yes
Convenience stapler	Not available	Yes	Yes
Advanced workflow features including pull-out keyboard	Not available	Not available	Yes
Wireless direct printing/NFC touch-to-print	Optional	Optional	Optional

Accessories, Supplies and Support

Supplies	B5L36A HP Color Laser Jet B5L36A 220V Fuser Kit (Average vield 150,000 pages)
Supplies	B5L37A HP Color Laser Jet B5L37A Toner Collection Unit (Average vield 54,000 pages)
	CF360A HP 508A Black to ininal Laser let Toner Cartridge (6.000 pages)
	CF360X HP 508X High Yield Black Original LaserJet Toner Cartridge (12,500 pages)
	CF361A HP 508A Cyan Original Laser Jet Toner Cartridge ()
	CF361X HP 508X High Yield Cvan Original LaserJet Toner Cartridge ()
	CF362A HP 508A Yellow Original LaserJet Toner Cartridge ()
	CF362X HP 508X High Yield Yellow Original Laser Jet Toner Cartridge ()
	CF363A HP 508A Magenta Original LaserJet Toner Cartridge ()
	CF363X HP 508X High Yield Magenta Original Laser Jet Toner Cartridge ()
Accessories	A7W14A HP LaserJet Swedish Overlay Keyboard
	B5L28A HP Internal USB Ports
-	B5L31A HP Foreign Interface Harness
	B5L34A P Color LaserJet 550-sheet Media Tray
	B5L51A HP Color LaserJet Printer Cabinet
	B5L53A HP LaserJet MFP Analog Fax Accessory 600
	E5K48A HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM
	FSS62A HP Trusted Platform Module Accessory
Connectivity	J8030A HP Jetdirect 3000w NFC/Wireless Accessory
	J8031A HP Jetdirect 2900nw Print Server
Service and support	U8TH7E HP 3 year Next business day with Defective Media Retention Color Laser Jet M577 MFP Hardware Support U8TH8E HP 4 year Next business day with Defective Media Retention Color Laser Jet M577 MFP Hardware Support U8TH9E HP 5 year Next business day with Defective Media Retention Color Laser Jet M577 MFP Hardware Support U8TJ0E HP 3 year 4 hour 9x5 with Defective Media Retention Color Laser Jet M577 MFP Hardware Support U8TK9PE HP 1 year Post Warranty Next business day with Defective Media Retention Color Laser Jet M577 MFP Hardware Support U8TK9PE HP 2 year Post Warranty Next business day with Defective Media Retention Color Laser Jet M577 MFP Hardware Support U8TK9PE HP 2 year Post Warranty Next business day with Defective Media Retention Color Laser Jet M577 MFP Hardware Support U8TL0PE HP 1 year Post Warranty Next business day with Defective Media Retention Color Laser Jet M577 MFP Hardware Support U8TL0PE HP 1 year Post Warranty Next business day with Defective Media Retention Color Laser Jet M577 MFP Hardware Support

* Flow M577c only

Technical specifications

Model	HP Color LaserJet Enterprise MFP M577dn	HP Color LaserJet Enterprise MFP M577f	HP Color LaserJet Enterprise Flow MFP M577c
Product number	B5L46A	B5L47A	B5L54A
Functions	Print, copy, scan	Print, copy, scan, fax	Print, copy, scan, fax
Control panel	20.3 cm (8.0°) colour touchscreen; Adjustable angle display with gesturing; Illuminated Home button (for quick return to the Home menu)	20.3 cm (8.0°) colour touchscreen; Adjustable angle display with gesturing; Illuminated Home button (for quick return to the Home menu)	8.0" (20.3 cm) colour touchscreen; Adjustable angle display with gesturing; Illuminated Home button (for quick return to the Home menu) and integrated keyboard
Print			
Print technology	Laser		
Print speed ¹	Black (A4, normal): Up to 38 ppm; Colour (A4, normal): Up to 38 ppm; Black (A4, duplex): Up to 38 ipm	Black (A4, normal): Up to 38 ppm; Colour (A4, normal): Up to 38 ppm; Black (A4, duplex): Up to 38 ipm	Black (A4, normal): Up to 38 ppm; Colour (A4, normal): Up to 38 ppm; Black (A4, duplex): Up to 38 ipm
First page out ³	Black (A4, ready): As fast as 5.6 sec; Colour (A4, ready): As fast as 6.9 sec; Black (A4, sleep): As fast as 8.6 sec; Colour (A4, sleep): As fast as 8.8 sec		Black (A4, ready): As fast as 5.9 sec; Colour (A4, ready): As fast as 6.9 sec; Black (A4, sleep): As fast as 9.1 sec; Colour (A4, sleep): As fast as 9.0 sec
Print resolution	Black (best): Up to 600 x 600 dpi (normal), up to 1200 x 120 3600, Pantone Calibrated	10 dpi (fine lines), HP ImageREt 3600, Pantone Calibrated; Colo	ur (best): HP ImageREt 3600; Technology: HP ImageREt
Monthly duty cycle ⁴	Up to 80,000 pages (A4); Recommended monthly page volume ⁵ : 2,000 to 7,500		
Printer smart software features	Print preview; Duplex printing; Print multiple pages per sheet	(2, 4, 6, 9, 16); Collation; Watermarks; Store print jobs; Easy-ac	ccess USB; HP Easy Color
Standard print languages	XPS, HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7)		
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode font (Andale Mono World Type); 2 internal Windows Vista/8 fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/Laserjetfonts		
Print area	Print margins: Top: 2 mm absolute/5 mm assured image, Bottom: 2 mm absolute/5 mm assured image, Left: 2 mm absolute/5 mm assured image, Right: 2 mm absolute/5 mm assured image; Maximum print area: 215.9 x 355.6 mm		
Duplex printing	Automatic (standard)		
Сору			
Copy speed ⁷	Black (A4): Up to 38 cpm; Colour (A4): Up to 38 cpm		
Copier specifications		, contrast, background cleanup, sharpness); N-up; N or Z-orderi different media sizes); Maximum number of copies: Up to 9,99	
Scan			
Scan speed ⁸	Normal (A4): Up to 43 ppm/43 ipm (monochrome), up to 38 ppm/38 ipm (colour); Duplex (A4): Up to 43 ipm (monochrome), up to 38 ipm (colour)	Normal (A4): Up to 43 ppm/43 ipm (monochrome), up to 38 ppm/38 ipm (colour); Duplex (A4): Up to 43 ipm (monochrome), up to 38 ipm (colour)	Normal (A4): Up to 45 ppm/64 ipm (monochrome), up to 45 ppm/58 ipm (colour); Duplex (A4): Up to 64 ipm (monochrome), up to 58 ipm (colour)
Scan file format	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A		
Scanner specifications	Scanner type: Flatbed, ADF (two-sided, single-pass); Scan technology: Contact Image Sensor (CIS); Scan input modes: Front panel applications: Copy, Email, Save to Network Folder, Save to USB, Save to Device Memory, Open Extensibility Platform (OXP) applications; Duplex ADF scanning: Yes; Scan size maximum (flatbed, ADF): 216 x 356 mm; Optical scan resolution: Up to 600 dpi		

Model	HP Color LaserJet Enterprise MFP M577dn	HP Color LaserJet Enterprise MFP M577f	HP Color LaserJet Enterprise Flow MFP M577c
Product number	B5L46A	B5L47A	B5L54A
Scanner Advanced Features ⁹	Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge Erase; Job notification; Blank page suppression; HP Quick Sets	Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge Erase; Job notification; Blank page suppression; HP Quick Sets	Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation Embedded Optical Character Recognition (OCR); Auto crop t page; Auto-tone
Recommended monthly scan volume ⁹	4,150 to 6,900		8,350 to 13,900
Scannable area	Minimum media size (flatbed): No minimum Maximum media size (flatbed): 216 x 356 mm; Minimum media size (ADF): 105 x 127 mm; Maximum media size (ADF): 216 x 356 mm	Minimum media size (flatbed): No minimum Maximum media size (flatbed): 216 x 356 mm; Minimum media size (ADF): 105 x 127 mm; Maximum media size (ADF): 216 x 356 mm	Minimum media size (flatbed): No minimum Maximum media size (flatbed): 216 x 356 mm; Minimum media siz (ADF): 105 x 127 mm; Maximum media size (ADF): 216 x 356 mm
Bit depth/ Grey scale levels	24-bit / 256		
Digital sending	Standard: Scan to Email; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF; Optional : Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book	Standard: Scan to Email; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF; Optional : Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book	Standard: Scan to Email; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to LAN Fax; Send to Internet Fax; OCR; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page; Optional: Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book
Fax			
Fax	Optional	Yes, 33.6 kbps	
Fax specifications		Fax resolution: Standard: 204 x 98 dpi Fine: 204 x 196 dpi Superfine: 300 x 300 dpi; Telecom compliance: Telecom wired: ES 203 021; R&TTE Directive 1999/5/EC with CE markir (Europe); Other Telecom approvals as required by individual countries	
Fax smart software features		Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule	
Processor speed	1.2 GHz		
Connectivity			
Standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabi	it/Fast Ethernet 10/100/1000Base-TX network; 1 Hardware Int	tegration Pocket
Optional	HP Jetdirect 3000w NFC/Wireless Accessory J8030A; HP Jetdi	irect 2900nw Print Server J8031A	
Wireless	Optional, enabled with purchase of hardware accessory.		
Mobile printing capability ¹¹	HP ePrint; Apple AirPrint™; Mopria™-certified; Google Cloud Print 2.0		
Supported network protocols		r), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, W3 ICP, WINS, IP Direct Mode, WS Print; Other: NetWare NDS, Binder	
Network capabilities	(standard)	rd) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE	
Hard disk	Secure Erase-Job Data, Secure ATA Erase-Disk)	, minimum 320 GB; AES 256 hardware encryption or greater; Se	ecure erase capabilities (Secure File Erase-Temporary Job File
Memory	Standard: 1.25 GB (printer), 500 MB (scanner); Maximum: 2.	U GB (printer), 500 MB (scanner)	
Media handling			
Number of paper trays	Standard: 2; Maximum: 5		
Media types	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-we envelope, preprinted, prepunched, coloured, rough, opaque fil	eight glossy, heavy glossy, extra heavy, extra heavy glossy, card	stock, card glossy), colour transparency, labels, letterhead,
Media size	Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 148 to 216 x 297 mm; Optional Trays 3+: 102 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6; custom: 102 x 148 to 216 x 297 mm; Optional Trays 3+: A4, RA4, A5, B5 (JIS); Custom: 102 x 148 to 216 x 356 mm ADF: A4, RA4, A5, A6, B5, B6 (JIS), postcard (JIS), Dpostcard (JIS), 10 x 15 cm	Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 148 to 216 x 297 mm; Optional Trays 3+: 102 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6; Custom: 102 x 148 to 216 x 297 mm; Optional Trays 3+: A4, RA4, A5, B5 (JIS); Custom: 102 x 148 to 216 x 356 mm ADF: A4, RA4, A5, A6, B5, B6 (JIS), postcard (JIS), Dpostcard (JIS), 10 x 15 cm	Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 148 to 216 x 297 mm; Optional Trays 3+: 102 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS) 10 x 15 cm, A6; custom: 102 x 148 to 216 x 297 mm; Optional Trays 3+: A4, RA4, A5, B5 (JIS); Custom: 102 x 148 to 216 x 356 mm ADF: A4, RA4, A5, A6, B5, B6 (JIS), postcard (JIS), Dpostcard (JIS), 10 x 15 cm
Media handling	Standard input: 100-sheet multipurpose tray, 550-sheet input Tray 2 Standard output: 250-sheet output bin Optional input: 550-sheet media input Tray 3, 550-sheet media input Tray 4, 550-sheet media input Tray 5	Standard input: 100-sheet multipurpose tray, 550-sheet input Tray 2 Standard output: 250-sheet output bin, convenience stapler Optional input: 550-sheet media input Tray 3, 550-sheet media input Tray 4, 550-sheet media input Tray 5	Standard input: 100-sheet multipurpose tray, 550-sheet input Tray 2 Standard output: 250-sheet output bin, convenience stapler Optional input: 550-sheet media input Tray 3, 550-sheet media input Tray 4, 550-sheet media input Tray 5
Media weight	Tray 1: 60 to 220 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); Tray 2: 60 to 220 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); Optional Trays 3+: 60 to 220 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); ADF: 45 to 199 g/m ²	Tray 1: 60 to 220 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); Tray 2: 60 to 220 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); Optional Trays 3+: 60 to 220 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); ADF: 45 to 199 g/m ²	Tray 1: 60 to 220 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); Tray 2: 60 to 220 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); Optional Trays 3+: 60 to 220 g/m (plain paper), 105 to 220 g/m ² (glossy paper); ADF: 45 to 199 g/m ²
Input capacity	Tray 1: Sheets (75 g/m ² paper): 100; Transparencies, cardstock (163 g/m ²): 50; Cardstock (216 g/m ²): 30; Envelopes: 10 Tray 2: Sheets (75 g/m ² paper): 550; Labels, cardstock (163 g/m ²); Transparencies: 100 Tray 3: Sheets (75 g/m ² paper): 550; Labels, cardstock (163 g/m ²); Transparencies: 100 Maximum: Up to 2,300 sheets ADF: Standard, 100 sheets	Tray 1: Sheets (75 g/m ² paper): 100; Transparencies, cardstock (163 g/m ²): 50; Cardstock (216 g/m ²): 30; Envelopes: 10 Tray 2: Sheets (75 g/m ² paper): 550; Labels, cardstock (163 g/m ²); Transparencies: 100 Tray 3: Sheets (75 g/m ² paper): 550; Labels, cardstock (163 g/m ²); Transparencies: 100 Maximum: Up to 2,300 sheets ADF: Standard, 100 sheets	Tray 1: Sheets (75 g/m ² paper): 100; Transparencies, cardstock (163 g/m ²): 50; Cardstock (216 g/m ²): 30; Envelopes: 10 Tray 2: Sheets (75 g/m ² paper): 550; Labels, cardstock (16 g/m ²); Transparencies: 100 Tray 3: Sheets (75 g/m ² paper): 550; Labels, cardstock (16 g/m ²); Transparencies: 100 Maximum: Up to 2,300 sheets ADF: Standard, 100 sheets

Model	HP Color LaserJet Enterprise MFP M577dn	HP Color LaserJet Enterprise MFP M577f	HP Color LaserJet Enterprise Flow MFP M577c	
Product number	B5L46A	B5L47A	B5L54A	
Output capacity	Standard: Up to 250 sheets Envelopes: Up to 10 envelopes Transparencies: Up to 100 sheets Maximum: Up to 250 sheets			
Compatible operating systems	Windows OS compatible with In-Box Driver: Windows 10 all 32-bit/64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for tablets), Windows 7 all 32-bit/64-bit editions, Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.); Windows OS compatible with Universal Print Driver (from HP.com): Windows 10 all 32-bit/64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for tablets), Windows 7 all 32-bit/64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for tablets), Windows 7 all 32-bit/64-bit editions, Vindows 7 all 32			
Compatible network operating systems	Windows OS compatible with In-Box Driver: Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 32-bit/64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services); Windows OS compatible with Universal Print Driver (UPD) or product-specific drivers from HP.com: Windows Server 2012/2012 R2 64-bit Standard/Enterprise (+ Cluster & Terminal Services); Windows OS compatible with Universal Print Driver (UPD) or product-specific drivers from HP.com: Windows Server 2012/2012 R2 64-bit Standard/Enderprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-bit/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2, 32-bit/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services); Citrix (on Windows Server 2003/2003 R2), Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3), Citrix XenApp 6.0/6.5/7.5, Citrix XenDesktop 5.6/7.0/7.5, Citrix SenApp 5.0 (Plus Feature Pack 2 & 3), Citrix XenApp 5.0, Citrix XenDesktop 5.0/7.0/7.5, Citrix (on Windows Server 2012/2012 R2), Citrix XenApp 7.0, S, Citrix XenApp 5.0, Citrix XenApp			
Minimum system requirements	Windows: Windows 10 all 32-bit/64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for tablets), Windows Vista all 32-bit/64-bit editions (Home Basic, Premium, Professional, etc.), CD-ROM/DVD drive or Internet connection, dedicated USB or network connection or wireless connection, 200 MB available hard disk space, OS compatible hardware (for OS hardware requirements see http://www.microsoft.com); Mac: Mac OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Yosemite, Internet, USB, 1 GB available hard disk space, OS compatible hardware (for OS hardware requirements see http://www.apple.com)			
Software included	For Windows OS: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Send Fax, HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals; For Mac OS: Welcome Screen (directs users to HP.com or OS App Soure for LaserJet Software)			
Security management	Identity management: Kerberos authentication, LDAP authentication, 1,000 user PIN codes, optional HP and 3rd party advanced authentication solutions (e.g. badge readers, Trusted Platform Module); Network: IPsec/firewall with Certificate, Pre-Shared Key, and Kerberos authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP, EAP-TLS), SNMPV3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, Encrypted PDF & Email (uses FIPS 140-2 validated cryptographic libraries), Secure Erase, SSL/TLS (HTTPS), Encrypted Credentials; Device: Security lock slot, USB port disablement, Hardware Integration Pocket for security solutions; Security management: Compatible with optional HP JetAVantage Security Manager			
Printer management	Printer Administrator Resource Kit (Driver Configuration Utility JetAdvantage Security Manager	r, Driver Deployment Utility, Managed Printing Administrator); H	P Web JetAdmin Software; HP Proxy Agent Software; HP	
Dimensions and Weight				
Printer dimensions (W x D x H) ¹²	Minimum: 482 x 504 x 583 mm; Maximum: 699 x 504 x 583 mm	Minimum: 482 x 504 x 583 mm; Maximum: 699 x 504 x 583 mm	Minimum: 482 x 504 x 583 mm; Maximum: 699 x 504 x 583 mm	
Package dimensions (W x D x H)	755 x 600 x 650 mm	755 x 600 x 650 mm	755 x 600 x 650 mm	
Printer weight ¹³	38.1 kg	38.3 kg	38.6 kg	
Package weight	44.4 kg	44.6 kg	45 kg	
Operating environment	Temperature: 15 to 30°C; Humidity: 30 to 70% RH			
Storage	Temperature: 0 to 35°C; Humidity: 10 to 90% RH			
Acoustics ¹⁴	Acoustic power emissions: 6.5 B(A) (printing at 38 ppm); Ac	oustic pressure emissions: 51 dB(A) (printing at 38 ppm)		
Power	Requirements: Input voltage: 200 to 240 VAC, 50 Hz; Consumption ¹⁵ : 592 watts (printing), 47.3 watts (ready), 3.48 watts (sleep), 0.08 watts (auto-off/manual on), 0.49 watts (Auto-Off/Auto-On/Wake on LAN); Typical Electricity Consumption (TEC) ¹⁵ : 1.58 kWh/Week (Energy Star), 1.51 kWh/Week (Blue Angel); Power supply type: Built-in power supply	Requirements: Input voltage: 200 to 240 VAC, 50 Hz; Consumption ¹⁵ : 592 watts (printing), 47.3 watts (ready), 3.48 watts (sleep), 0.08 watts (auto-off/manual on), 0.49 watts (Auto-Off/Auto-On/Wake on LAN); Typical Electricity Consumption (TEC) ¹⁶ : 1.58 kWh/Week (Energy Star), 1.51 kWh/Week (Blue Angel); Power supply type: Built-in power supply	Requirements: Input voltage: 200 to 240 VAC, 50 Hz; Consumption ¹⁵ : 592 watts (printing), 47.3 watts (ready), 3.48 watts (sleep), 0.08 watts (auto-off/manual on), 0.49 watts (Auto-Off/Auto-On/Wake on LAN); Typical Electricity Consumption (TEC) ¹⁶ : 1.58 kWh/Week (Energy Star), 1.51 kWh/Week (Blue Angel); Power supply type: Built-in power supply	
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology; Inst	tant-on Copy		
Certifications	CISPR 22:2008 (International) - Class A; EN 55022:2010 (EU) - Class A; EN 61000-3-2:2006 +A1:2009 +A2:2009; EN 61000-3-3:2008; EN 55024:2010; EMC Directive 2004/108/EC; Other EMC approvals as required by individual countries ENERGY STAR®; EPEAT® Silver; CECP Blue Angel compliant: No; Please refer to the ECI document			
What's in the box ¹⁷	HP Color Laser Jet Enterprise MFP M577dn; Four preinstalled HP Laser Jet toner cartridges (6,000 pages black, 5,000 pages colour); Toner collection unit; In-box documentation; Software CD; Power cord	HP Color LaserJet Enterprise MFP M577f; Four preinstalled HP LaserJet toner cartridges (6,000 pages black, 5,000 pages colour); Toner collection unit; In-box documentation; Software CD; Power cord; Fax cable	HP Color LaserJet Enterprise Flow MFP M577c; Four preinstalled HP LaserJet toner cartridges (6,000 pages black, 5,000 pages colour); Toner collection unit; In-box documentation; Software CD; Power cord; Fax cable	
Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.			

Footnotes

¹ Based on HP internal testing of top three leading competitors' first page out from sleep mode and duplex print and copy speed completed 8/2015. Subject to device settings. Actual results may vary. For details, see http://www.hp.com/go/Liclaim

² Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see http://www.hp.com/go/Ljclaims

⁴ Purchase of optional paper travs required to reach maximum input capacity

⁶ Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at http://www.hp.com/go/printsecurity.
⁶ Some solutions require download or additional purchase. Learn more at http://www.hp.com/go/printigsolutions.

⁷ Universal device plug-in is offered with HP Web Jetadmin 10.3 SR4 and higher. HP Web Jetadmin is free and available for download at http://www.hp.com/go/webjetadmin ^a More pages versus predecessor cartridges claim based on page-yield comparison of HP 507A High Yield Original LaserJet Toner Cartridges with HP 508X High Yield Original LaserJet Toner Cartridges. For more information, see

⁹ HP 508X High Yield Original LaserJet Toner Cartridges not included; please purchase separately.

⁹ IP / SUBX High Yield Original Laser Jet foner Cartriages not included; please purchase separately.
 ¹⁰ Wireless direct printing requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see http://www.hp.com/go/businessmobileprinting.
 ¹¹ Touch-to-print capability requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see http://www.hp.com/go/businessmobileprinting.

12 Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at

http://www.hp.com/go/mobileprinting. 13 Wireless networking requires purchase of the HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.

Technical specifications disclaimers

¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

² Measured using ISO 24734 Feature Test, AS Landscape Feed. Speed may vary based on content, PC, media orientation, and media type

³ Measured using ISO/IEC 17629. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁴ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP Laser Jet or HP Color Laser Jet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

⁵ HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. ⁶ Maximum memory is with 1 GB DIMM installed. The maximum the Firmware can use is 2 GB so 250 MB is unused in this configuration.

⁷ First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁸ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
⁹ HP recommends that the number of scanned pages per month be within the stated range for optimum device performance.

¹⁰ Not all "Compatible Operating Systems" are supported with INBOX software. Full solution software available only for Windows 7 and newer. Legacy Windows Operating Systems (Vista and equivilant servers) get print and scan drivers only. Windows RT OS for tablets (32-bit/64-bit) uses a simplified HP print driver built into the RT OS. UNIX modelscripts are available on HP.com (modelscripts are printer drivers for UNIX operating systems). Linux systems use in-OS HPLIP software. ¹¹ Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at http://www.hp.com/go/mobileprinting.

² Without Tray 1 or Legal extension extended.

¹³ With printer cartridges.

¹⁴ Configuration tested: simplex printing, A4 paper at an average of 38 ppm, f bundle (B5L46A, B5L47A)/z bundle (B5L54A).

¹⁵ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

⁶ Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

17 Toner cartridge yields established using ISO/IEC test standards. Actual yields and costs vary considerably depending on images printed, number of colour pages printed, and other factors.



http://www.hp.com/uk

The product could differ from the images shown. © Copyright 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herei



Published in EMEA 4AA6-1516EEE, April 2018