

Be Your Window To The World

The streamlined and edgeless shapes are elegant and generous; the composition of every line and the mastery of every circle demonstrates a high degree of perseverance and persistence. It is no longer just a functional product solely focused on meeting users' demands. It is the representation of a craftsman's spirit of excellence and the unrestrained freedom of fashion attitude. Likewise, the Modern Series have functions that fully meet the needs of users and the appearance that can be integrated into various environments. No matter where you are, you must retain your style and persistence in life.



Selling Points

- Elegant and personalized design fits any corners of your house
- TÜV certified display protects your eyesight and keeps your eyes healthy
- Anti-Flicker and Less Blue Light technologies prevent your eyes from strain & fatigue
- Ergonomically work with the most comfortable position while focusing on your courses and works
- 75 Hz refresh rate provides a better viewing experience
- Keep the flexibility for your different devices with multiple input sources, Type-C & HDMI ports
- Standard VESA mountable design
- Always allow you to join an online conference call with built-in speakers



Picture and logos

System I/O-Ports



1. 1x Type C (DisplayPort Alternate)
2. 1x HDMI (1.4)
3. 1x Headphone-out
4. 1x DC Jack

Specification

Display	Screen Size	27" (69 cm)
	Active Display Area (mm)	597.888(H) X 336.312(V)
	Curvature	Flat
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Pixel pitch	0.3114(H)X0.3114(V)
	Aspect Ratio	16:9
	SDR Brightness (nits)	250
	Contrast Ratio	1000:1
	DCR (Dynamic Contrast Ratio)	100000:1
	Signal Frequency	30~112 KHz(H) / 48~75 Hz(V)
	Refresh Rate	75Hz
	Response Time (GTG)	5ms
	Response Time (Tr + Tf)	14ms
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-glare
	NTSC (CIE1976 area percentageoverlap)	91.25%/78.60%
	NTSC (CIE1931 area percentageoverlap)	73.78%/70.40%
	sRGB (CIE1976 area percentageoverlap)	104.61%/96.90%
	sRGB (CIE1931 area percentageoverlap)	104.17%/95.60%
	Adobe RGB (CIE1976 area percentageoverlap)	89.57%/84.40%
	Adobe RGB (CIE1931 area percentageoverlap)	77.22%/73.90%
	DCI-P3 (CIE1976 area percentageoverlap)	83.41%/82.10%
	DCI-P3 (CIE1931 area percentageoverlap)	76.79%/76.50%
	Rec.2020 (CIE1976 area percentageoverlap)	N/A
	Rec.2020 (CIE1931 area percentageoverlap)	N/A
	Display Colors	16.7M
Color bit	8 bits	
Note_HDMI	1920 x 1080 (Up to 75Hz)	
Note_DVI	N/A	
I/O Ports	HDMI	1
	HDMI version	1.4
	HDMI HDCP version	1.4
	USB Type C (DisplayPort Alternate)	1
	Headphone-out	1
	Lock type	Kensington Lock
Power	Power Type	External Adaptor 19V 3.42A
	Power Input	100~240V, 50/60Hz
	Power Cord Type	C13
Accessories	DisplayPort Cable	0
	HDMI Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Power Cord	1
	AC Adaptor	1
	Warranty Card	1
	Quick Guide	1
Design	Adjustment (Tilt)	-5° ~ 20°
	Adjustment (Swivel)	-30° ~ 30°
	Adjustment (Height)	0 ~ 110 mm
	Adjustment (Pivot)	-90° ~ 90°
	VESA Mounting	75x75mm
	Frameless Design	Yes



Modern MD271PW

MODERN MD271PW

Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (mm)	893 x 167 x 464
	Outer Carton Dimension (WxDxH) (inch)	35.16 x 6.57 x 18.27
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	613 x 200 x 401
	Product Dimension with Stand (WxDxH) (inch)	24.13 x 7.87 x 15.79
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	613 x 72 x 362
	Product Dimension without Stand (WxDxH) (inch)	24.13 x 2.83 x 14.25
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	230 x 200 x 415
	Stand Dimension (WxDxH) (inch)	9.06 x 7.87 x 16.34
Dimension&Weight	Inside Carton Dimension (WxDxH) (mm)	883 x 157 x 442
	Inside Carton Dimension (WxDxH) (inch)	34.76 x 6.18 x 17.4
	Weight (Net kg)	5.6
	Weight (Gross kg)	8.44
Weight	Weight Without Stand (kg)	N/A
Warranty	Warranty	36M
Model	Part No	9S6-3PA4FH-044
	Entity MKT Name	Modern MD271PW
	Color	ID1/White-White
Barcode Info	EAN	4719072817664