Fujitsu recommends Windows® 7.



Data Sheet Fujitsu LIFEBOOK S761 Notebook

Boundless Mobility on the Road

If you need a lightweight but fully-equipped notebook for office-based or mobile working, choose the Fujitsu LIFEBOOK S761. This 1.6 kg notebook offers excellent mobility through its small form factor and 33.8 cm (13.3-inch) display. Its modular bay for increased battery runtime and Fujitsu's optional patented bay projector guarantee you maximum flexibility on a business trip.

Slim mobility

Enjoy permanent access to all your data thanks to a mobile device that is both, easy and flexible to

 Lightweight notebook starting from only 1.6 kg, long battery runtime, extra-thin modular bay for a second battery, an optical drive or world's first bay projector from Fujitsu, optional embeded 3G/ UMTS

Latest performance

The latest Intel® technology ensures high performance and mobile productivity.

■ Up to 2nd generation Intel® Core™i7 processors, Intel® QM67 chipset, Intel® vPro™ technology as option

Ergonomic working

Enjoy constant access to all your data thanks to a versatile mobile device. The ScrollWheel enables comfortable scrolling, the independent scroll pad doesn't disturb pointing operation.

- Anti-glare display, 16:9 aspect ratio, HDMI interface, ScrollWheel, optional fingerprint sensor and webcam, optional port replicator
- Anytime USB Charge to charge phones/media devices even when the system is turned off

Reliable companion

Secure and effective working even for the most demanding of users in all situations.

- Spill-resistant keyboard, ShockSensor, optional magnesium lid and further innovative highlights
- Optional 0-Watt AC Adapter guarantees that the notebook does not consume electricity when switched off

Maximum security

Protect your company data against unauthorized third-party access.

■ Advanced Theft Protection (Intel® Anti Theft & Computrace®), optional TPM module and optional fingerprint sensor including Omnipass Security Software































Components

Processor	Intel® Core™ i7-2640M processor (2.8 GHz, 4 MB)
	Intel® Core™ i5-2520M processor (2.5 GHz, 3 MB)
	Intel® Core™ i5-2450M processor (2.5 GHz, 3 MB) *
	Intel® Core™ i3-2350M processor (2.3 GHz, 3 MB) *
	Intel® Core™ i5-2540M processor (2.60 GHz, 3 MB)
	Intel® Celeron® processor B810 (1.6 GHz, 2 MB)
Operating systems	
Operating system	Windows® 7 Professional 64-bit
	Windows® 7 Home Premium 64-bit
	Windows® 7 Home Basic (EM) 64-bit
Operating system compatible	Windows® XP 32-bit Windows Vista® Business 32-bit
Operating system notes	Limited Windows® XP support. Microsoft discontinued Windows® XP certification on system level, basic drivers via
operating system notes	http://support.ts.fujitsu.com
Memory modules	2 GB (1 module(s) 2 GB) DDR3, 1333 MHz, PC3-10600, SO DIMM
	4 GB (1 module(s) 4 GB) DDR3, 1333 MHz, PC3-10600, SO DIMM
Base unit memory	LIFEBOOK S761 vPro, 13.3-inch HD LIFEBOOK S761, 13.3-inch HD (for projects only)
Supported capacity RAM (max.)	8 GB
Memory slots total	2
Memory slot type	DIMM (DDR3)
Hard disk drives (internal)	SSD SATA III, 128 GB, 2.5-inch
	SSD SATA, 128 GB, 2.5-inch
	SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.
	SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
	SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T.
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. (Windows® XP optimized)
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
	SATA, 5400 rpm, 250 GB, 2.5-inch, S.M.A.R.T.
	FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
Hard disk notes	ShockSensor for HDD shock protection
	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.
	Accessible capacity may vary, also depending on used software.
	Up to 18 GB of HDD space is reserved for system recovery Internal HDD interface: S-ATA III (6GBit/s)
M// ANI /ankianal)	<u> </u>
WLAN (optional)	Atheros Minicard b/g/n Intel® Centrino® 6205 802.11 a/b/g/n
	inter Centrino" 0203 002.11 arbryni
Wireless technologies	20 11 19/14/1 2 21/475 1 / 1/ 1/ 1/ 1/ 1/ 1
Antennas	2 Dual band WLAN antennas, 2 UMTS antennas (optional), 1 Bluetooth antenna
WLAN notes	Import and usage according to country-specific regulations.
WiDi support	Yes (with Intel W-LAN)
3G/4G (optional)	Sierra Wireless Gobi 3000 (UMTS downlink speed 14.4 Mbit/s, UMTS uplink speed 5.76 Mbit/s)
Bluetooth (optional)	Bluetooth 3.0
Display	33.8 cm (13.3-inch), LED backlight, (HD), Anti-glare display, magnesium, 1366 x 768 pixel, 300:1, 200 cd/m
•	33.8 cm (13.3-inch), LED backlight, (HD), Anti-glare display, compound, 1366 x 768 pixel, 300:1, 200 cd/m

Page 2 / 8 www.fujitsu.com/fts/mobile

Modular bay options	2nd battery		
	Bay Projector		
	Blu-ray Disc [™] Triple Writer		
	DVD Super Multi		
	Weight saver		
Base unit	LIFEBOOK S761 vPro, 13.3-inch HD	LIFEBOOK S761, 13.3-inch HD (for projects only)	
General system information			
hipset	Intel® QM67	Intel® HM65	
Chipset notes	supports iAMT 7.0, Intel® vPro™ requires Core i5-25xx / i7 processor, Intel W-LAN 6205 & TPM module		
BIOS features	BIOS based on Phoenix SecureCore		
 Graphics			
TFT resolution (HDMI)	up to 1920 x 1080		
FT resolution (VGA)	up to 1920 x 1200		
FT resolution (DVI on Port Replicator)	up to 1920 x 1200		
Max. resolution external display	1920 x 1200 / true color / 60 Hz		
Graphics brand name	Intel® HD Graphics or HD Graphics 3000 (depending on CF	PU)	
Graphics features	DualView		
Graphics notes	Shared memory depending on main memory size and operating system		
nterfaces	, , , , , , , , , , , , , , , , , , , ,	- 1	
Memory card slots	1 (SD)	1 (SD)	
ExpressCard slots	1 (34mm and 54mm supported)	1 (34mm and 54mm supported)	
SIM card slot	1 (usable only with 3G/UMTS)	1 (usable only with 3G/UMTS)	
Modem (RJ-11)	1 (optional)	1 (optional)	
JSB 3.0 total	1	ι (ορασιαί)	
JSB 2.0 total	2 (1 with Anytime USB Charge functionality)	3 (1 with Anytime USB Charge functionality)	
/GA	1	1	
1DMI	1	1	
Ethernet (RJ-45)	1	1	
OC-in	1	1	
Audio: line-in / microphone	1	1	
Audio: line-out / headphone	1	1	
nternal microphones	1 (digital)	1 (digital)	
Docking connector for Port Replicator	1	1	
Kensington Lock support	1	1	
Wired communication			
Modem type	Optional: 56 K V.92 modem		
LAN	Built-in 10/100/1000 MBit/s Intel® 82579 LM	Built-in 10/100/1000 MBit/s Intel® 82579 V	
Keyboard and pointing devices			
	Spill-resistant keyboard or optional anti-bacterial spill-resi	istant keyboard	
	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm		
	Multi-gesture touchpad with two mouse buttons and ergo		
	Optional: Fingerprint sensor		
	Application buttons		
Multimedia			
Audio type	On board		
Audio cype Audio codec	Realtek ALC269		
Audio features	Stereo speakers, 1x built-in microphone		
Camera	Optional: Built-in webcam, 1.3 megapixel		

Page 3 / 8 www.fujitsu.com/fts/mobile

Power supply	
AC Adapter	19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, 0-Watt AC Adapter technology
	19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Standard Adapter
1st battery options	Li-lon battery 6-cell, 5600 or 5800 mAh, 63 Wh
	Li-lon battery 6-cell, 6200 mAh, 67 Wh
2nd battery (optional)	Li-lon battery 3-cell, 2500 mAh, 27 Wh
Runtime 1st battery	Up to 11:30 h
Runtime 1st + 2nd battery	Up to 16:30 h
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity slightly decreases with every charging cycle and over the lifetime. Rapid charge with 5,800 mAh batteries
Power consumption	
Power consumption note	See white paper Energy Consumption
Link to Energy White Paper	http://docs.ts.fujitsu.com/dl.aspx?id=1e990b41-cd6c-41c8-9995-3094b6654025
Dimensions / Weight / Environmental	
Dimensions (W x D x H)	321 x 228 x 27.1-35.5 mm (depending on display) mm
Weight	1.6-1.8 kg (depending on display)
Weight notes	Incl. weight saver. Weight may vary depending on actual configuration.
Operating ambient temperature	5 - 35°C
Operating ambient temperature Operating relative humidity	20 - 85 % (running)
· · ·	20-05 % (tullilling)
Additional Software Additional software (preinstalled)	Adobe Acrobat Reader
	Application Panel Display Manager ShockSensor Utility Power Saving Utility Plugfree Network EasyGuide online user documentation Nero Essentials S (burning software) Norton Internet Security (incl. Firewall) 60 days version Fujitsu Recovery (Hard Disk Based Recovery) Microsoft® Office Starter: reduced-functionality Word and Excel® only, with advertising. No PowerPoint® or Outlook®. Buy Office 2010 to use the full-featured software.
Additional software (optional)	Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS)
Manageability	
Manageability technology	DeskUpdate Driver management iAMT 7.0 Intel® vPro™ technology
Manageability software	DeskView 10.x client management including:
DeskView components	On/Offline remote client management Detailed system inventory management and reports BIOS Management Remote power management System notifications Security Remote Control DeskView Helpdesk Integration WoL (Wake on LAN)
Supported standards	WMI PXE BootP (made4you)
Manageability link	http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html

Page 4 / 8 www.fujitsu.com/fts/mobile

Security	
System protection	Kensington Lock support
Audit proof protection	Advanced Theft Protection (Intel® Anti Theft & Computrace®)
	Optional: Trusted platform module (TPM 1.2)
	Norton Internet Security (incl. Firewall) 60 days version
Access protection	Optional: Integrated fingerprint sensor including Omnipass software
	Optional: Access protection via external SmartCard reader
	Hard disk password
	User and supervisor BIOS password
Compliance	
Germany	GS
Europe	CE!
	Nordic Swan
Global	RoHS (Restriction of hazardous substances)
	WEEE (Waste electrical and electronic equipment)
	Microsoft Operating Systems (HCT / HCL entry / WHQL)
	WiFi certified Wireless LAN modules
	ENERGY STAR® 5.0
	Compliant with ISO 9241-307 (Pixel fault class II)
	EPEAT® Gold (dedicated regions) with magnesium display lid
- 10 10 1	EPEAT® Silver (dedicated regions) with compound display lid
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/
Port Replicator interfaces (option	nal)
, , ,	Portreplicator
DC-in	1
Power on switch	1
Audio: line-out / headphone	1
USB 2.0 total	4
VGA	1
DVI	1
Serial (RS-232)	1
Ethernet (RJ-45)	1
Parallel	1
Kensington Lock support	1
eSATA	1
Notes	Port replicator does not support 0-Watt technology
Warranty	
Standard Warranty	2 years
Service level	Collect & Return Service / Bring-in Service (depending on country specific requirements)
Maintenance and Support Service	•
Recommended Service	5x9, Response Time: Next Business Day
Spare Parts availability	5 years
Service Weblink	http://www.fujitsu.com/fts/services/support





Page 5 / 8 www.fujitsu.com/fts/mobile

Recommended Accessories

LIFEBOOK bundle (Port rep\AC Adapter\EU-Cable Kit)



The combination of our Port Replicator and AC adapter is the perfect docking solutions for the LIFEBOOK Series and CELSIUS Mobile workstation - our professional notebooks - to simplify your mobile life. In the office or at home it takes just a second to attach your notebook to the Port Replicator and get connected to your peripherals.

Order Code: S26391-F655-L100

Port Replicator for LIFEBOOK S761



Flexibility, expandability, desktop replacement to name just a few benefits Order Code: of Fujitsu docking options.

S26391-F655-L300

2nd battery



the power socket!

With a second battery you can maximize the working time of your notebook Order Code: and work wherever you want for a whole working day. Just put the 2nd S26391-F954-L500 battery into the modular bay and enjoy truly mobile working – free from

Car / Truck / Air Adapter



People who are often on business or private trips want to power up their handhelds, tablet PCs and notebooks anywhere and anytime. The Fujitsu Car / truck / air adapter will charge your Tablet PC or notebook anywhere a 12 V or 24 V power supply is available.

Order Code: S26391-F2613-L600

Microsaver® DS Ultra thin



The Fujitsu Kensington MicroSaver® DS Ultra-Thin notebook lock is the ultimate defense for even the thinnest notebooks. The patented T-bar locking mechanism along with an advanced carbon-tempered steel cable design provides excellent security. It also includes Kensington Master Access so you can manage an unlimited number of locks with a single master key.

Order Code: S26361-F1650-L900

Privacy filter



Privacy filters help block the screen view from anyone viewing the computer Order Code: from a side view. 3M's unique microlouver privacy technology allows persons directly in front of the computer to see on-screen data clearly. 3M offers the broadest line of computer filters available.

S26391-F6097-L134

Prestige Case Midi 16



The Prestige Case Midi 16 protects notebooks with up to 16-inch screens. The front half of the bag has compartments for your notebook, power cord and office supplies. It features nylon mesh pockets so you can see your modular bay accessories. The back half of the bag has a divided file compartment.

Order Code: S26391-F1191-L60

Fujitsu Bay Projector



The Fujitsu Bay Projector is the first projector which can be inserted in the modular bay of a notebook. The patented projector offers mobility and convenience in the office as well as at home. The Bay Projector converts your notebook into a fully-mobile office, granting you the flexibility you demand. Show your colleagues the latest figures, videos and illustrations and profit from spontaneous presentations without cables, simplifying your way of working.

Order Code: S26391-F954-L600

Page 6 / 8 www.fujitsu.com/fts/mobile

SOUNDSYSTEM DS P2100 Tube



Taking inspiration from a hi-fi sound bar, the Fujitsu SOUNDSYSTEM DS P2100 Tube presents you with living room design art pieces for acoustic enjoyment. Automatic amplifier adjustment ensures extremely low distortion, which will protect the hearing and avoid speaker damage. With new convenient volume control- Fade-in & Fade-out audio effect. The small & robust satellite speaker is decorated with a deluxe piano finish and the aluminum tube is adorned with a fine print of an exotic motif at its base.

Order Code: S26391-F7128-L500

HS S2000NC Headset



The HS S2000NC Headset offers more than current headsets. Besides superb Order Code: sound quality, the headset provides an impressive feature: a button to switch off noise and disburden your ears of unwanted noise level. Thanks to a special technology based on wave inversion this headset reduces unwanted noise by up to 70 % for a quieter audio experience. The sponge cushion specially made by BioProtein ensures optimum comfort for long hours travelling by rail or air.

S26391-F7139-L3

Page 7 / 8 www.fujitsu.com/fts/mobile

More information

Fujitsu platform solutions

In addition to Fujitsu LIFEBOOK S761, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK S761, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT.

Please find further information at http://www.fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/

Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

FUJITSU Technology Solutions Website: www.fujitsu.com/fts 2012-05-08 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

Copyright © Fujitsu Technology Solutions