

2023 Clean & Green Use Values

County	Map unit symbol	Map unit name	Soil capability class	Acres in AOI	Percent of AOI	2023 C&G Use Value
Adams	AtA	Athol gravelly silt loam, 0 to 3 percent slopes	1	340.9	0.001	\$ 1,536.10
Adams	Be	Bermudian silt loam	1	256.3	0.001	\$ 1,616.32
Adams	BgA	Birdsboro silt loam, 0 to 3 percent slopes	1	292.4	0.001	\$ 1,599.57
Adams	CnA	Conestoga silt loam, 0 to 3 percent slopes	1	1288.8	0.004	\$ 1,800.84
Adams	ArB	Arendtsville gravelly loam, 3 to 8 percent slopes	2	3503.2	0.01	\$ 1,466.59
Adams	AtB	Athol gravelly silt loam, 3 to 8 percent slopes	2	786.6	0.002	\$ 1,540.39
Adams	BgB	Birdsboro silt loam, 3 to 8 percent slopes	2	1974.6	0.006	\$ 1,593.95
Adams	BrB	Brecknock channery silt loam, 3 to 8 percent slopes	2	3565.4	0.011	\$ 1,471.78
Adams	BuB	Buchanan channery loam, 3 to 8 percent slopes	2	1482.8	0.004	\$ 1,337.52
Adams	CcB	Catoctin channery silt loam, 3 to 8 percent slopes	2	128.7	0	\$ 1,273.45
Adams	CkA	Clarksburg silt loam, 0 to 3 percent slopes	2	3025.5	0.009	\$ 1,486.56
Adams	CkB	Clarksburg silt loam, 3 to 8 percent slopes	2	521.9	0.002	\$ 1,485.78
Adams	Cm	Codorus silt loam	2	2195.5	0.007	\$ 1,492.44
Adams	CnB	Conestoga silt loam, 3 to 8 percent slopes	2	4133.9	0.012	\$ 1,800.84
Adams	EdB	Edgemont channery loam, 3 to 8 percent slopes	2	314.7	0.001	\$ 1,482.33
Adams	GbB	Glenelg channery loam, 3 to 8 percent slopes	2	3670.2	0.011	\$ 1,638.34
Adams	GdA	Glenville silt loam, 0 to 3 percent slopes	2	126.2	0	\$ 1,504.91
Adams	GdB	Glenville silt loam, 3 to 8 percent slopes	2	625.8	0.002	\$ 1,608.90
Adams	HgB	Highfield channery silt loam, 3 to 8 percent slopes	2	7848.9	0.024	\$ 1,436.03
Adams	LeB	Lansdale loam, 3 to 8 percent slopes	2	1950.5	0.006	\$ 1,674.30
Adams	LgB	Legore channery silt loam, 3 to 8 percent slopes	2	1915.3	0.006	\$ 1,316.40
Adams	LhA	Lehigh channery silt loam, 0 to 3 percent slopes	2	1933.9	0.006	\$ 1,261.88
Adams	LhB	Lehigh channery silt loam, 3 to 8 percent slopes	2	16321	0.049	\$ 1,261.88
Adams	Lw	Lindside silt loam	2	438	0.001	\$ 1,705.91
Adams	MdA	Mount Lucas silt loam, 0 to 3 percent slopes	2	1639.8	0.005	\$ 1,354.14
Adams	MdB	Mount Lucas silt loam, 3 to 8 percent slopes	2	4621.2	0.014	\$ 1,353.12
Adams	MtB	Mt. Zion gravelly silt loam, 3 to 8 percent slopes	2	334.3	0.001	\$ 1,385.93
Adams	MyB	Myersville silt loam, 3 to 8 percent slopes	2	2125.5	0.006	\$ 1,544.28
Adams	NaB	Neshaminy channery silt loam, 3 to 8 percent slopes	2	7822.2	0.023	\$ 1,494.10
Adams	PcB	Penn silt loam, 3 to 8 percent slopes	2	22619	0.068	\$ 1,493.55
Adams	PoB	Penn-Klinesville channery silt loams, 3 to 8 percent slopes	2	10404	0.031	\$ 1,445.02
Adams	RaA	Raritan silt loam, 0 to 3 percent slopes	2	219.3	0.001	\$ 1,531.80
Adams	RaB	Raritan silt loam, 3 to 8 percent slopes	2	51.9	0	\$ 1,501.01
Adams	ReA	Readington silt loam, 0 to 3 percent slopes	2	6360	0.019	\$ 1,494.38
Adams	ReB	Readington silt loam, 3 to 8 percent slopes	2	10283	0.031	\$ 1,482.16
Adams	Rw	Rowland silt loam	2	4825	0.014	\$ 1,516.43
Adams	StB	Steinsburg channery sandy loam, 3 to 8 percent slopes	2	443.6	0.001	\$ 1,238.20
Adams	AbA	Abbottstown silt loam, 0 to 3 percent slopes	3	15173	0.045	\$ 1,317.99
Adams	AbB	Abbottstown silt loam, 3 to 8 percent slopes	3	7495.8	0.022	\$ 1,315.24
Adams	ArC	Arendtsville gravelly loam, 8 to 15 percent slopes	3	4470.2	0.013	\$ 1,410.34
Adams	AtC	Athol gravelly silt loam, 8 to 15 percent slopes	3	154.6	0	\$ 1,482.33
Adams	BgC	Birdsboro silt loam, 8 to 15 percent slopes	3	226.5	0.001	\$ 1,480.07
Adams	Bo	Bowmansville silt loam	3	11383	0.034	\$ 1,667.18

Adams	BrC	Brecknock channery silt loam, 8 to 15 percent slopes	3	1769.9	0.005	\$ 1,444.48
Adams	CcC	Catoctin channery silt loam, 8 to 15 percent slopes	3	777.8	0.002	\$ 1,199.15
Adams	CnC	Conestoga silt loam, 8 to 15 percent slopes	3	415.5	0.001	\$ 1,744.26
Adams	Dy	Dunning silty clay loam	3	968.4	0.003	\$ 1,460.76
Adams	EdC	Edgemont channery loam, 8 to 15 percent slopes	3	397.3	0.001	\$ 1,391.46
Adams	GbC	Glenelg channery silt loam, 8 to 15 percent slopes	3	1734.3	0.005	\$ 1,486.56
Adams	HgC	Highfield channery silt loam, 8 to 15 percent slopes	3	12038	0.036	\$ 1,403.68
Adams	KnB	Klinesville channery silt loam, 3 to 8 percent slopes	3	7517.6	0.023	\$ 1,060.52
Adams	LfC	Lansdale channery loam, 8 to 15 percent slopes	3	187.6	0.001	\$ 1,375.05
Adams	LgC	Legore channery silt loam, 8 to 15 percent slopes	3	1851	0.006	\$ 1,305.27
Adams	LhC	Lehigh channery silt loam, 8 to 15 percent slopes	3	2607	0.008	\$ 1,253.99
Adams	MOB	Mt. Airy and Manor channery loams, 3 to 8 percent slopes	3	176.9	0.001	\$ 1,310.75
Adams	MtC	Mt. Zion gravelly silt loam, 8 to 15 percent slopes	3	947.6	0.003	\$ 1,312.56
Adams	MyC	Myersville silt loam, 8 to 15 percent slopes	3	2791.1	0.008	\$ 1,480.92
Adams	NaC	Neshaminy channery silt loam, 8 to 15 percent slopes	3	2585.2	0.008	\$ 1,465.14
Adams	Pa	Penlaw silt loam	3	3600.4	0.011	\$ 1,341.71
Adams	PcC	Penn silt loam, 8 to 15 percent slopes	3	1392	0.004	\$ 1,470.63
Adams	PoC	Penn-Klinesville channery silt loams, 8 to 15 percent slopes	3	3646.7	0.011	\$ 1,226.08
Adams	RfA	Reaville channery silt loam, 0 to 3 percent slopes	3	708.7	0.002	\$ 1,164.67
Adams	RfB	Reaville channery silt loam, 3 to 8 percent slopes	3	3174.4	0.01	\$ 1,164.67
Adams	RfC	Reaville channery silt loam, 8 to 15 percent slopes	3	656.6	0.002	\$ 1,117.04
Adams	RoB	Rohrersville silt loam, 3 to 8 percent slopes	3	2638.5	0.008	\$ 1,236.20
Adams	StC	Steinsburg channery sandy loam, 8 to 15 percent slopes	3	191.8	0.001	\$ 1,160.25
Adams	ArD	Arendtsville gravelly loam, 15 to 25 percent slopes	4	1769.4	0.005	\$ 1,221.59
Adams	BrD	Brecknock channery silt loam, 15 to 25 percent slopes	4	586.7	0.002	\$ 1,414.74
Adams	CrA	Croton silt loam, occasionally ponded, 0 to 3 percent slopes	4	18256	0.055	\$ 1,238.20
Adams	CrB	Croton silt loam, 3 to 8 percent slopes	4	1254.5	0.004	\$ 1,166.87
Adams	EdD	Edgemont channery loam, 15 to 25 percent slopes	4	32.3	0	\$ 1,267.30
Adams	GbD	Glenelg channery silt loam, 15 to 25 percent slopes	4	136.1	0	\$ 1,394.44
Adams	Hc	Hatboro silt loam	4	5199.1	0.016	\$ 1,325.15
Adams	HHH	Highfield and Catoctin channery silt loams, 15 to 25 percent slopes	4	4642.2	0.014	\$ 1,210.61
Adams	KnC	Klinesville channery silt loam, 8 to 15 percent slopes	4	5304.3	0.016	\$ 1,018.54
Adams	Lc	Lamington silt loam	4	831.4	0.002	\$ 1,115.17
Adams	LgD	Legore channery silt loam, 15 to 25 percent slopes	4	1295.3	0.004	\$ 1,151.35
Adams	MOC	Mt. Airy and Manor channery loams, 8 to 15 percent slopes	4	1179.9	0.004	\$ 1,230.14
Adams	MtD	Mt. Zion gravelly silt loam, 15 to 25 percent slopes	4	314.1	0.001	\$ 1,229.82
Adams	MyD	Myersville silt loam, 15 to 25 percent slopes	4	1178.5	0.004	\$ 1,397.92
Adams	PsD	Pequea silt loam, 15 to 25 percent slopes	4	55.5	0	\$ 1,357.56
Adams	StD	Steinsburg channery sandy loam, 15 to 25 percent slopes	4	98	0	\$ 1,121.70
Adams	WaA	Watchung silt loam, 0 to 3 percent slopes	4	5913.2	0.018	\$ 1,254.07
Adams	Ba	Baile silt loam	5	645	0.002	\$ 891.33
Adams	ArE	Arendtsville gravelly loam, 25 to 40 percent slopes	6	399.9	0.001	\$ 891.33
Adams	EeB	Edgemont channery loam, 0 to 8 percent slopes, very stony	6	3615.6	0.011	\$ 891.33
Adams	EeD	Edgemont channery loam, 8 to 25 percent slopes, very stony	6	10692	0.032	\$ 891.33
Adams	HKB	Highfield, Catoctin, and Myersville soils, 0 to 8 percent slopes	6	1902.9	0.006	\$ 891.33
Adams	KnD	Klinesville channery silt loam, 15 to 25 percent slopes	6	1179.7	0.004	\$ 891.33
Adams	MeB	Mount Lucas silt loam, 0 to 8 percent slopes, very bouldery	6	447.3	0.001	\$ 891.33

Adams	MOD	Mt. Airy and Manor channery loams, 15 to 25 percent slopes	6	315.4	0.001	\$ 891.33
Adams	PbD	Penn loam, 8 to 25 percent slopes, very stony	6	104.5	0	\$ 891.33
Adams	RcC	Ravenrock-Highfield-Rock outcrop complex, 8 to 15 percent slopes	6	524.9	0.002	\$ 891.33
Adams	RdC	Ravenrock-Rohrersville complex, 3 to 15 percent slopes, extremely stony	6	100.5	0	\$ 891.33
Adams	RsB	Rohrersville silt loam, 0 to 15 percent slopes, very stony	6	1650.9	0.005	\$ 891.33
Adams	WaB	Watchung silt loam, 3 to 8 percent slopes	6	809.2	0.002	\$ 1,230.95
Adams	BvB	Buchanan channery loam, 0 to 8 percent slopes, extremely stony	7	673.2	0.002	\$ 891.33
Adams	CcE	Catoctin channery silt loam, 25 to 35 percent slopes	7	617.5	0.002	\$ 891.33
Adams	EeF	Edgemont channery loam, 25 to 70 percent slopes, very stony	7	5991.9	0.018	\$ 891.33
Adams	HKD	Highfield, Catoctin, and Myersville soils, 8 to 25 percent slopes	7	8303.4	0.025	\$ 891.33
Adams	HMF	Highfield and Catoctin channery silt loams, 25 to 70 percent slopes	7	9307.5	0.028	\$ 891.33
Adams	KnE	Klinesville channery silt loam, 25 to 40 percent slopes	7	299.1	0.001	\$ 891.33
Adams	LkB	Lehigh channery silt loam, 0 to 8 percent slopes, very stony	7	559.7	0.002	\$ 891.33
Adams	NdB	Neshaminy channery silt loam, 0 to 8 percent slopes, extremely stony	7	1555.1	0.005	\$ 891.33
Adams	NdD	Neshaminy channery silt loam, 8 to 25 percent slopes, extremely stony	7	2334.9	0.007	\$ 891.33
Adams	NdE	Neshaminy channery silt loam, 25 to 45 percent slopes, extremely stony	7	1183.1	0.004	\$ 891.33
Adams	RcD	Ravenrock-Highfield-Rock outcrop complex, 15 to 25 percent slopes	7	2751.8	0.008	\$ 891.33
Adams	RcF	Ravenrock-Highfield-Rock outcrop complex, 25 to 65 percent slopes	7	414.6	0.001	\$ 891.33
Adams	WbB	Watchung silt loam, 0 to 8 percent slopes, extremely bouldery	7	512.4	0.002	\$ 891.33
Adams	DAM	Dams	8	14.1	0	\$ 891.33
Adams	Uc	Urban land	8	1707.3	0.005	\$ 891.33
Adams	UeB	Urban land-Conestoga complex, 0 to 8 percent slopes	8	846.1	0.003	\$ 1,144.15
Adams	UgB	Urban land-Penn complex, 0 to 8 percent slopes	8	280.6	0.001	\$ 891.33
Allegheny	Hu	Huntington silt loam	1	293.7	0.001	\$ 1,536.49
Allegheny	AgB	Allegheny silt loam, 3 to 8 percent slopes	2	1051.9	0.002	\$ 1,439.96
Allegheny	CkB	Clarksburg silt loam, 3 to 8 percent slopes	2	892.7	0.002	\$ 1,420.67
Allegheny	CmB	Clymer silt loam, 3 to 8 percent slopes	2	950.5	0.002	\$ 1,466.59
Allegheny	CoB	Cookport loam, 3 to 8 percent slopes	2	0.9	0	\$ 1,358.24
Allegheny	CuB	Culleoka channery silt loam, 3 to 8 percent slopes	2	1580.8	0.003	\$ 1,492.16
Allegheny	CwB	Culleoka-Weikert shaly silt loams, 3 to 8 percent slopes	2	757.4	0.002	\$ 1,291.22
Allegheny	DoB	Dormont silt loam, 3 to 8 percent slopes	2	7173.3	0.015	\$ 1,493.55
Allegheny	ErB	Ernest silt loam, 2 to 8 percent slopes	2	3844.7	0.008	\$ 1,470.92
Allegheny	EvB	Ernest-Vandergrift silt loams, 3 to 8 percent slopes	2	139.3	0	\$ 1,323.37
Allegheny	GLB	Gilpin silt loam, 3 to 8 percent slopes	2	9196	0.019	\$ 1,337.52
Allegheny	GpB	Gilpin-Upshur complex, 3 to 8 percent slopes	2	1446.6	0.003	\$ 1,282.95
Allegheny	GuB	Guernsey silt loam, 2 to 8 percent slopes	2	2885.6	0.006	\$ 1,445.97
Allegheny	GvB	Guernsey-Vandergrift silt loams, 3 to 8 percent slopes	2	1424.5	0.003	\$ 1,405.91
Allegheny	HaB	Hazleton loam, 3 to 8 percent slopes	2	208.2	0	\$ 1,490.76
Allegheny	Ln	Lindside silt loam, 0 to 3 percent slopes, occasionally flooded	2	1405.5	0.003	\$ 1,518.81
Allegheny	Ne	Newark silt loam	2	2890.8	0.006	\$ 1,356.53
Allegheny	Ph	Philo silt loam, 0 to 3 percent slopes, occasionally flooded	2	3512.8	0.007	\$ 1,470.92
Allegheny	RaA	Rainsboro silt loam, 0 to 3 percent slopes	2	1221.8	0.003	\$ 1,433.90
Allegheny	RaB	Rainsboro silt loam, 3 to 8 percent slopes	2	4399.1	0.009	\$ 1,405.91
Allegheny	RyB	Rayne silt loam, 2 to 8 percent slopes	2	611.8	0.001	\$ 1,401.13
Allegheny	TaB	Tilsit silt loam, 3 to 8 percent slopes	2	82.5	0	\$ 1,228.12
Allegheny	VcB	Vandergrift-Cavode silt loams, 3 to 8 percent slopes	2	18	0	\$ 1,265.37
Allegheny	WhB	Wharton silt loam, 3 to 8 percent slopes	2	11757	0.025	\$ 1,338.92

Allegheny	AgC	Allegheny silt loam, 8 to 15 percent slopes	3	671.6	0.001	\$ 1,376.71
Allegheny	At	Atkins silt loam, 0 to 3 percent slopes, frequently flooded	3	8219.1	0.017	\$ 1,326.93
Allegheny	CaB	Cavode silt loam, 2 to 8 percent slopes	3	834.5	0.002	\$ 1,250.14
Allegheny	CaC	Cavode silt loam, 8 to 15 percent slopes	3	414.9	0.001	\$ 1,215.83
Allegheny	CeB	Caneadea silt loam, 3 to 8 percent slopes	3	1.2	0	\$ 1,304.61
Allegheny	CkC	Clarksburg silt loam, 8 to 15 percent slopes	3	1765.3	0.004	\$ 1,322.65
Allegheny	CmC	Clymer silt loam, 8 to 15 percent slopes	3	1462.5	0.003	\$ 1,461.93
Allegheny	CuC	Culleoka channery silt loam, 8 to 15 percent slopes	3	4760.1	0.01	\$ 1,418.49
Allegheny	CwC	Culleoka-Weikert shaly silt loams, 8 to 15 percent slopes	3	1307.9	0.003	\$ 1,239.81
Allegheny	DoC	Dormont silt loam, 8 to 15 percent slopes	3	16883	0.035	\$ 1,423.15
Allegheny	ErC	Ernest silt loam, 8 to 15 percent slopes	3	5289.1	0.011	\$ 1,396.31
Allegheny	EvC	Ernest-Vandergrift silt loams, 8 to 15 percent slopes	3	847.6	0.002	\$ 1,282.95
Allegheny	GlC	Gilpin silt loam, 8 to 15 percent slopes	3	16525	0.035	\$ 1,321.58
Allegheny	GpC	Gilpin-Upshur complex, 8 to 15 percent slopes	3	7143	0.015	\$ 1,282.95
Allegheny	GuC	Guernsey silt loam, 8 to 15 percent slopes	3	6363.5	0.013	\$ 1,301.60
Allegheny	GvC	Guernsey-Vandergrift silt loams, 8 to 15 percent slopes	3	6293.5	0.013	\$ 1,330.48
Allegheny	GwC	Gilpin-Wharton silt loams, 8 to 15 percent slopes	3	47.1	0	\$ 1,194.92
Allegheny	HaC	Hazleton loam, 8 to 15 percent slopes	3	770.3	0.002	\$ 1,430.23
Allegheny	LbB	Library silty clay loam, 3 to 8 percent slopes	3	1065.3	0.002	\$ 1,375.05
Allegheny	LbC	Library silty clay loam, 8 to 15 percent slopes	3	1230.4	0.003	\$ 1,297.91
Allegheny	RaC	Rainsboro silt loam, 8 to 15 percent slopes	3	770.8	0.002	\$ 1,354.83
Allegheny	RyC	Rayne silt loam, 8 to 15 percent slopes	3	223.3	0	\$ 1,346.23
Allegheny	SmB	Strip mines, 0 to 8 percent slopes	3	2524.6	0.005	\$ 891.33
Allegheny	UaB	Upshur silty clay loam, 3 to 8 percent slopes	3	417.4	0.001	\$ 1,394.70
Allegheny	VcC	Vandergrift-Cavode silt loams, 8 to 15 percent slopes	3	30.5	0	\$ 1,211.69
Allegheny	WhC	Wharton silt loam, 8 to 15 percent slopes	3	13421	0.028	\$ 1,347.96
Allegheny	BrB	Brinkerton silt loam, 2 to 8 percent slopes	4	593.4	0.001	\$ 1,326.93
Allegheny	BrC	Brinkerton silt loam, 8 to 15 percent slopes	4	2.2	0	\$ 1,245.78
Allegheny	CmD	Clymer silt loam, 15 to 25 percent slopes	4	1458.5	0.003	\$ 1,312.56
Allegheny	CoD	Cookport loam, 15 to 25 percent slopes	4	9.4	0	\$ 1,203.35
Allegheny	CuD	Culleoka channery silt loam, 15 to 25 percent slopes	4	8176.8	0.017	\$ 1,288.60
Allegheny	DoD	Dormont silt loam, 15 to 25 percent slopes	4	13230	0.028	\$ 1,301.60
Allegheny	ErD	Ernest silt loam, 15 to 25 percent slopes	4	948.2	0.002	\$ 1,205.44
Allegheny	EvD	Ernest-Vandergrift silt loams, 15 to 25 percent slopes	4	575.5	0.001	\$ 1,210.03
Allegheny	GlD	Gilpin silt loam, 15 to 25 percent slopes	4	16227	0.034	\$ 1,269.61
Allegheny	GpD	Gilpin-Upshur complex, 15 to 25 percent slopes	4	12664	0.027	\$ 1,036.19
Allegheny	GrE	Gilpin-Vandergrift silt loams, slumped, 15 to 35 percent sl	4	737.9	0.002	\$ 1,004.79
Allegheny	GuD	Guernsey silt loam, 15 to 25 percent slopes	4	6066.3	0.013	\$ 1,240.21
Allegheny	GvD	Guernsey-Vandergrift silt loams, 15 to 25 percent slopes	4	3246.5	0.007	\$ 1,158.03
Allegheny	GwD	Gilpin-Wharton complex, 15 to 25 percent slopes	4	79.8	0	\$ 1,158.03
Allegheny	HaD	Hazleton loam, 15 to 25 percent slopes	4	944.4	0.002	\$ 1,389.19
Allegheny	LbD	Library silty clay loam, 15 to 25 percent slopes	4	495.4	0.001	\$ 1,183.39
Allegheny	SmD	Strip mines, 8 to 25 percent slopes	4	10231	0.021	\$ 891.33
Allegheny	UaC	Upshur silty clay loam, 8 to 15 percent slopes	4	344	0.001	\$ 1,334.01
Allegheny	VcD	Vandergrift-Cavode silt loams, 15 to 25 percent slopes	4	117.2	0	\$ 1,167.31
Allegheny	WhD	Wharton silt loam, 15 to 25 percent slopes	4	4341	0.009	\$ 1,285.97
Allegheny	CwD	Culleoka-Weikert shaly silt loams, 15 to 25 percent slopes	6	2582.9	0.005	\$ 891.33

Allegheny	DoE	Dormont silt loam, 25 to 35 percent slopes	6	1842.5	0.004	\$ 891.33
Allegheny	GQF	Gilpin-Upshur complex, very steep	7	50613	0.106	\$ 891.33
Allegheny	GSF	Gilpin, Weikert, and Culleoka shaly silt loams, very steep	7	47103	0.099	\$ 891.33
Allegheny	HTE	Hazleton loam, steep	7	4176.5	0.009	\$ 891.33
Allegheny	SmF	Strip mines, 25 to 75 percent slopes	7	6825.6	0.014	\$ 891.33
Allegheny	WEF	Weikert-Rock outcrop complex, very steep	7	1063	0.002	\$ 891.33
Allegheny	Du	Dumps, coal wastes	8	1263.1	0.003	\$ 891.33
Allegheny	Dw	Dumps, industrial wastes	8	1468.3	0.003	\$ 891.33
Allegheny	GP	Gravel pits	8	2.6	0	\$ 891.33
Allegheny	UB	Urban land	8	20808	0.044	\$ 891.33
Allegheny	UCB	Urban land-Culleoka complex, gently sloping	8	12755	0.027	\$ 891.33
Allegheny	UCD	Urban land-Culleoka complex, moderately steep	8	23565	0.049	\$ 891.33
Allegheny	UCE	Urban land-Culleoka complex, steep	8	7952	0.017	\$ 891.33
Allegheny	UGB	Urban land-Guernsey complex, gently sloping	8	6543.8	0.014	\$ 891.33
Allegheny	UGD	Urban land-Guernsey complex, moderately steep	8	12075	0.025	\$ 891.33
Allegheny	URB	Urban land-Rainsboro complex, gently sloping	8	18587	0.039	\$ 891.33
Allegheny	URC	Urban land-Rainsboro complex, sloping	8	3151.1	0.007	\$ 891.33
Allegheny	UWB	Urban land-Wharton complex, gently sloping	8	3336.7	0.007	\$ 891.33
Allegheny	UWD	Urban land-Wharton complex, moderately steep	8	2634.5	0.006	\$ 891.33
Armstrong	CeA	Chavies fine sandy loam, 0 to 2 percent slopes	1	200.4	0	\$ 1,567.42
Armstrong	PmA	Pope fine sandy loam, 0 to 2 percent slopes, rarely flooded	1	825.5	0.002	\$ 1,524.73
Armstrong	PoA	Pope loam, 0 to 2 percent slopes, occasionally flooded	1	1984	0.005	\$ 1,514.85
Armstrong	AhB	Allegheny silt loam, 3 to 8 percent slopes	2	870.4	0.002	\$ 1,439.96
Armstrong	ChB	Chenango gravelly silt loam, 3 to 8 percent slopes	2	35.5	0	\$ 1,349.96
Armstrong	CkB	Clarksburg silt loam, 3 to 8 percent slopes	2	19.6	0	\$ 1,420.67
Armstrong	CtA	Cotaco silt loam, 0 to 3 percent slopes, rarely flooded	2	906.2	0.002	\$ 1,432.37
Armstrong	CuB	Culleoka channery silt loam, 3 to 8 percent slopes	2	125.7	0	\$ 1,492.16
Armstrong	DoB	Dormont silt loam, 3 to 8 percent slopes	2	44.7	0	\$ 1,493.55
Armstrong	ErA	Ernest silt loam, 0 to 3 percent slopes	2	244.3	0.001	\$ 1,308.93
Armstrong	ErB	Ernest silt loam, 3 to 8 percent slopes	2	17622	0.041	\$ 1,470.92
Armstrong	GcB	Gilpin channery silt loam, 3 to 8 percent slopes	2	11684	0.027	\$ 1,334.01
Armstrong	GuB	Gilpin-Upshur silt loams, 3 to 8 percent slopes	2	410.6	0.001	\$ 1,365.01
Armstrong	GwB	Gilpin-Weikert channery silt loams, 3 to 8 percent slopes	2	6744.2	0.016	\$ 1,261.11
Armstrong	GyB	Guernsey silt loam, 3 to 8 percent slopes	2	107.6	0	\$ 1,501.83
Armstrong	HaB	Hazleton channery loam, 3 to 8 percent slopes	2	5484.7	0.013	\$ 1,440.27
Armstrong	LoA	Lobdell silt loam, 0 to 3 percent slopes, occasionally flood	2	3963.6	0.009	\$ 1,451.93
Armstrong	MeB	Matewan channery loam, 3 to 8 percent slopes	2	68.4	0	\$ 1,267.69
Armstrong	MoA	Monongahela silt loam, 0 to 2 percent slopes	2	464.1	0.001	\$ 1,485.16
Armstrong	MoB	Monongahela silt loam, 2 to 6 percent slopes	2	2755.4	0.006	\$ 1,485.16
Armstrong	PhA	Philo silt loam, 0 to 3 percent slopes, occasionally flooded	2	1761.1	0.004	\$ 1,470.92
Armstrong	RnB	Rayne-Gilpin channery silt loams, 3 to 8 percent slopes	2	7829.3	0.018	\$ 1,354.83
Armstrong	ScA	Sciotoville silt loam, 0 to 2 percent slopes	2	316.2	0.001	\$ 1,479.50
Armstrong	ScB	Sciotoville silt loam, 2 to 6 percent slopes	2	2603.5	0.006	\$ 1,493.55
Armstrong	TaA	Tilsit silt loam, 0 to 3 percent slopes	2	310.7	0.001	\$ 1,269.61
Armstrong	TaB	Tilsit silt loam, 3 to 8 percent slopes	2	896	0.002	\$ 1,228.12
Armstrong	WhB	Wharton silt loam, 3 to 8 percent slopes	2	12961	0.03	\$ 1,338.92
Armstrong	WsB	Wheeling silt loam, 3 to 8 percent slopes	2	261.4	0.001	\$ 1,462.22

Armstrong	WtB	Wharton-Gilpin silt loams, 3 to 8 percent slopes	2	2709.1	0.006	\$ 1,330.48
Armstrong	WvB	Wharton-Vandergrift complex, 3 to 8 percent slopes	2	1093.5	0.003	\$ 1,275.36
Armstrong	AhC	Allegheny silt loam, 8 to 15 percent slopes	3	464.6	0.001	\$ 1,376.71
Armstrong	BeB	Bethesda very channery silt loam, 0 to 8 percent slopes	3	1585.2	0.004	\$ 1,004.79
Armstrong	CaB	Cavode silt loam, 3 to 8 percent slopes	3	8958.6	0.021	\$ 1,250.14
Armstrong	CaC	Cavode silt loam, 8 to 15 percent slopes	3	6947.4	0.016	\$ 1,215.83
Armstrong	ChC	Chenango gravelly silt loam, 8 to 15 percent slopes	3	294	0.001	\$ 1,282.65
Armstrong	CkC	Clarksburg silt loam, 8 to 15 percent slopes	3	26.5	0	\$ 1,322.65
Armstrong	CuC	Culleoka channery silt loam, 8 to 15 percent slopes	3	164.3	0	\$ 1,418.49
Armstrong	DoC	Dormont silt loam, 8 to 15 percent slopes	3	33.2	0	\$ 1,423.15
Armstrong	ErC	Ernest silt loam, 8 to 15 percent slopes	3	30332	0.071	\$ 1,396.31
Armstrong	GcC	Gilpin channery silt loam, 8 to 15 percent slopes	3	3433.5	0.008	\$ 1,332.25
Armstrong	GuC	Gilpin-Upshur silt loams, 8 to 15 percent slopes	3	552.5	0.001	\$ 1,310.75
Armstrong	GwC	Gilpin-Weikert channery silt loams, 8 to 15 percent slopes	3	7353.4	0.017	\$ 1,217.48
Armstrong	GyC	Guernsey silt loam, 8 to 15 percent slopes	3	36.1	0	\$ 1,413.80
Armstrong	HaC	Hazleton channery loam, 8 to 15 percent slopes	3	3178.5	0.007	\$ 1,335.06
Armstrong	ItB	Itmann extremely channery loam, 0 to 8 percent slopes	3	20.5	0	\$ 1,004.79
Armstrong	MeC	Matewan channery loam, 8 to 15 percent slopes	3	98.8	0	\$ 1,203.35
Armstrong	MoC	Monongahela silt loam, 6 to 12 percent slopes	3	1372.8	0.003	\$ 1,404.32
Armstrong	Pi	Pits, clay	3	4.4	0	\$ 1,004.79
Armstrong	RnC	Rayne-Gilpin channery silt loams, 8 to 15 percent slopes	3	16434	0.039	\$ 1,297.91
Armstrong	ScC	Sciotoville silt loam, 6 to 12 percent slopes	3	1827.7	0.004	\$ 1,409.07
Armstrong	TaC	Tilsit silt loam, 8 to 15 percent slopes	3	92.5	0	\$ 1,308.93
Armstrong	TyA	Tyler silt loam, 0 to 2 percent slopes	3	459.5	0.001	\$ 1,328.71
Armstrong	TyB	Tyler silt loam, 2 to 6 percent slopes	3	626	0.001	\$ 1,328.71
Armstrong	WeB	Weikert channery silt loam, 3 to 8 percent slopes	3	2747.3	0.006	\$ 1,066.50
Armstrong	WhC	Wharton silt loam, 8 to 15 percent slopes	3	6560.1	0.015	\$ 1,347.96
Armstrong	WsC	Wheeling silt loam, 8 to 15 percent slopes	3	412.4	0.001	\$ 1,472.64
Armstrong	WtC	Wharton-Gilpin silt loams, 8 to 15 percent slopes	3	7043.3	0.017	\$ 1,275.36
Armstrong	WvC	Wharton-Vandergrift complex, 8 to 15 percent slopes	3	1632.1	0.004	\$ 1,203.35
Armstrong	AtA	Atkins-Philo complex, 0 to 2 percent slopes, frequently flc	4	2325.9	0.005	\$ 1,426.24
Armstrong	BkA	Brinkerton silt loam, 0 to 3 percent slopes	4	494.6	0.001	\$ 1,314.38
Armstrong	BkB	Brinkerton silt loam, 3 to 8 percent slopes	4	630.2	0.001	\$ 1,326.93
Armstrong	CaD	Cavode silt loam, 15 to 25 percent slopes	4	1022.5	0.002	\$ 1,194.92
Armstrong	CuD	Culleoka channery silt loam, 15 to 25 percent slopes	4	51.1	0	\$ 1,288.60
Armstrong	DrD	Dormont-Culleoka complex, 15 to 25 percent slopes	4	116	0	\$ 1,270.00
Armstrong	ErD	Ernest silt loam, 15 to 25 percent slopes	4	6430.9	0.015	\$ 1,205.44
Armstrong	GcD	Gilpin channery silt loam, 15 to 25 percent slopes	4	377.6	0.001	\$ 1,203.35
Armstrong	GuD	Gilpin-Upshur silt loams, 15 to 25 percent slopes	4	766.2	0.002	\$ 1,252.11
Armstrong	GwD	Gilpin-Weikert channery silt loams, 15 to 25 percent slopes	4	38623	0.091	\$ 1,004.79
Armstrong	HaD	Hazleton channery loam, 15 to 25 percent slopes	4	4517.6	0.011	\$ 1,269.61
Armstrong	HoA	Holly silt loam, 0 to 2 percent slopes, frequently flooded	4	3503.5	0.008	\$ 1,373.39
Armstrong	ItD	Itmann extremely channery loam, 8 to 25 percent slopes	4	136.9	0	\$ 1,004.79
Armstrong	MeD	Matewan channery loam, 15 to 25 percent slopes	4	77.4	0	\$ 1,107.65
Armstrong	PuA	Purdy silt loam, 0 to 2 percent slopes	4	212.8	0.001	\$ 1,250.14
Armstrong	RnD	Rayne-Gilpin channery silt loams, 15 to 25 percent slopes	4	2346	0.006	\$ 1,228.12
Armstrong	WeC	Weikert channery silt loam, 8 to 15 percent slopes	4	1427.7	0.003	\$ 1,023.25

Armstrong	WtD	Wharton-Gilpin silt loams, 15 to 25 percent slopes	4	9994.7	0.024	\$ 1,209.62
Armstrong	WvD	Wharton-Vandergrift complex, 15 to 25 percent slopes	4	556	0.001	\$ 1,128.64
Armstrong	BeD	Bethesda very channery silt loam, 8 to 25 percent slopes	6	12356	0.029	\$ 891.33
Armstrong	BhD	Bethesda very channery silt loam, 8 to 25 percent slopes,	6	7935	0.019	\$ 891.33
Armstrong	EsB	Ernest silt loam, 0 to 8 percent slopes, very stony	6	380.8	0.001	\$ 891.33
Armstrong	EsD	Ernest silt loam, 8 to 25 percent slopes, very stony	6	1012.3	0.002	\$ 891.33
Armstrong	FaD	Fairpoint very channery silt loam, 8 to 25 percent slopes	6	2276.3	0.005	\$ 891.33
Armstrong	HlB	Hazleton channery sandy loam, 0 to 8 percent slopes, ext	6	26.6	0	\$ 891.33
Armstrong	RsD	Rayne-Gilpin channery silt loams, 8 to 25 percent slopes, \	6	1067.2	0.003	\$ 891.33
Armstrong	UdB	Udorthents, 0 to 8 percent slopes	6	170.1	0	\$ 891.33
Armstrong	BhF	Bethesda very channery silt loam, 25 to 75 percent slopes	7	9310.4	0.022	\$ 891.33
Armstrong	DrE	Dormont-Culleoka complex, 25 to 50 percent slopes	7	138.9	0	\$ 891.33
Armstrong	GoF	Gilpin-Rock outcrop complex, 45 to 100 percent slopes	7	141.1	0	\$ 891.33
Armstrong	GuE	Gilpin-Upshur silt loams, 25 to 35 percent slopes	7	488.7	0.001	\$ 891.33
Armstrong	GwF	Gilpin-Weikert channery silt loams, 25 to 60 percent slope	7	110389	0.26	\$ 891.33
Armstrong	HlD	Hazleton channery sandy loam, 8 to 25 percent slopes, ex	7	604.5	0.001	\$ 891.33
Armstrong	IxF	Iltmann extremely channery loam, 25 to 70 percent slopes	7	42.1	0	\$ 891.33
Armstrong	ShF	Shelocta-Gilpin channery silt loams, 25 to 75 percent slop	7	602.9	0.001	\$ 891.33
Armstrong	SxF	Shelocta-Gilpin channery silt loams, 25 to 75 percent slop	7	4935.6	0.012	\$ 891.33
Armstrong	DAM	Dam	8	22.3	0	\$ 891.33
Armstrong	DU	Dumps, fly ash	8	359.2	0.001	\$ 891.33
Armstrong	Pk	Pits, quarries	8	211.1	0	\$ 891.33
Armstrong	Pl	Pits, sand	8	41.6	0	\$ 891.33
Armstrong	Ur	Urban land	8	1264.2	0.003	\$ 891.33
Beaver	Cg	Chagrin silt loam	1	219.5	0.001	\$ 1,564.81
Beaver	Po	Pope silt loam	1	1247	0.004	\$ 1,516.83
Beaver	AgB	Allegheny silt loam, 3 to 8 percent slopes	2	936.6	0.003	\$ 1,439.96
Beaver	BcB	Braceville loam, 3 to 8 percent slopes	2	567.9	0.002	\$ 1,351.40
Beaver	CdB	Canfield silt loam, 3 to 8 percent slopes	2	3301.2	0.012	\$ 1,347.96
Beaver	ChB	Chili silt loam, 3 to 8 percent slopes	2	303.2	0.001	\$ 1,272.91
Beaver	CmB	Clymer loam, 3 to 8 percent slopes	2	2874.2	0.01	\$ 1,464.84
Beaver	CuB	Culleoka channery silt loam, 3 to 8 percent slopes	2	1516.9	0.005	\$ 1,492.16
Beaver	ErB	Ernest silt loam, 3 to 8 percent slopes	2	1624.3	0.006	\$ 1,470.92
Beaver	FcA	Fitchville silt loam, 0 to 2 percent slopes	2	1.7	0	\$ 1,399.84
Beaver	GnB	Gilpin silt loam, 3 to 8 percent slopes	2	8658.5	0.03	\$ 1,337.52
Beaver	GpB	Gilpin-Upshur complex, 3 to 8 percent slopes	2	939.9	0.003	\$ 1,282.95
Beaver	GsB	Gilpin-Weikert complex, 3 to 8 percent slopes	2	2102	0.007	\$ 1,261.11
Beaver	GtB	Guernsey silt loam, 3 to 8 percent slopes	2	1181.2	0.004	\$ 1,445.97
Beaver	GvB	Guernsey-Vandergrift complex, 3 to 8 percent slopes	2	1225	0.004	\$ 1,405.91
Beaver	HaB	Hazleton channery loam, 3 to 8 percent slopes	2	901	0.003	\$ 1,440.27
Beaver	KeB	Keene silt loam, 3 to 8 percent slopes	2	263.4	0.001	\$ 1,347.96
Beaver	Lb	Lobdell silt loam	2	665.4	0.002	\$ 1,462.22
Beaver	LoB	Loudonville gravelly silt loam, 3 to 8 percent slopes	2	96.6	0	\$ 1,312.56
Beaver	McB	Mechanicsburg silt loam, 2 to 6 percent slopes	2	2.3	0	\$ 1,389.51
Beaver	MoA	Monongahela silt loam, 0 to 3 percent slopes	2	461.3	0.002	\$ 1,407.49
Beaver	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	4601	0.016	\$ 1,407.49
Beaver	Ph	Philo silt loam, 0 to 3 percent slopes, occasionally flooded	2	2699.5	0.009	\$ 1,470.92

Beaver	TeB	Teegarden silt loam, 2 to 6 percent slopes	2	1.8	0	\$ 1,468.03
Beaver	TsB	Tilsit silt loam, 3 to 8 percent slopes	2	5729.5	0.02	\$ 1,228.12
Beaver	WhA	Wharton silt loam, 0 to 3 percent slopes	2	398.3	0.001	\$ 1,341.02
Beaver	WhB	Wharton silt loam, 3 to 8 percent slopes	2	6711.7	0.024	\$ 1,338.92
Beaver	WoB	Wooster gravelly silt loam, 3 to 8 percent slopes	2	487.9	0.002	\$ 1,407.49
Beaver	AgC	Allegheny silt loam, 8 to 15 percent slopes	3	306.2	0.001	\$ 1,376.71
Beaver	At	Atkins silt loam, 0 to 3 percent slopes, frequently flooded	3	5929.5	0.021	\$ 1,326.93
Beaver	BaB	Bethesda channery silt loam, 0 to 8 percent slopes	3	367.1	0.001	\$ 1,004.79
Beaver	BcC	Braceville loam, 8 to 15 percent slopes	3	178.6	0.001	\$ 1,323.37
Beaver	CdC	Canfield silt loam, 8 to 15 percent slopes	3	2805.2	0.01	\$ 1,316.18
Beaver	CeA	Cavode silt loam, 0 to 3 percent slopes	3	558.5	0.002	\$ 1,250.14
Beaver	CeB	Cavode silt loam, 3 to 8 percent slopes	3	3648.1	0.013	\$ 1,250.14
Beaver	CeC	Cavode silt loam, 8 to 15 percent slopes	3	3436.3	0.012	\$ 1,215.83
Beaver	ChC	Chili silt loam, 8 to 15 percent slopes	3	142.1	0	\$ 1,198.39
Beaver	CmC	Clymer loam, 8 to 15 percent slopes	3	4090.7	0.014	\$ 1,457.83
Beaver	CoB	Conotton gravelly loam, 3 to 8 percent slopes	3	1152	0.004	\$ 1,192.79
Beaver	CuC	Culleoka channery silt loam, 8 to 15 percent slopes	3	1623.3	0.006	\$ 1,418.49
Beaver	DoC	Dormont silt loam, 8 to 15 percent slopes	3	7.8	0	\$ 1,423.15
Beaver	ErC	Ernest silt loam, 8 to 15 percent slopes	3	3988.9	0.014	\$ 1,396.31
Beaver	FaB	Fairpoint channery silt loam, 0 to 8 percent slopes	3	547.8	0.002	\$ 1,004.79
Beaver	FnA	Frenchtown silt loam, 0 to 3 percent slopes	3	55.8	0	\$ 1,287.32
Beaver	FnB	Frenchtown silt loam, 3 to 8 percent slopes	3	173.8	0.001	\$ 1,279.17
Beaver	GnC	Gilpin silt loam, 8 to 15 percent slopes	3	15039	0.053	\$ 1,321.58
Beaver	GpC	Gilpin-Upshur complex, 8 to 15 percent slopes	3	3364.4	0.012	\$ 1,282.95
Beaver	GsC	Gilpin-Weikert complex, 8 to 15 percent slopes	3	6313.4	0.022	\$ 1,217.48
Beaver	GtC	Guernsey silt loam, 8 to 15 percent slopes	3	2295.5	0.008	\$ 1,301.60
Beaver	GvC	Guernsey-Vandergrift complex, 8 to 15 percent slopes	3	4171.4	0.015	\$ 1,330.48
Beaver	HaC	Hazleton channery loam, 8 to 15 percent slopes	3	2758.4	0.01	\$ 1,335.06
Beaver	Ho	Holly silt loam	3	1538.5	0.005	\$ 1,361.63
Beaver	KnC	Kensington silt loam, 6 to 15 percent slopes	3	11.1	0	\$ 1,323.72
Beaver	LoC	Loudonville gravelly silt loam, 8 to 15 percent slopes	3	458.1	0.002	\$ 1,236.20
Beaver	MoC	Monongahela silt loam, 8 to 15 percent slopes	3	1304.4	0.005	\$ 1,344.49
Beaver	RaA	Ravenna silt loam, 0 to 3 percent slopes	3	294.2	0.001	\$ 1,343.80
Beaver	RaB	Ravenna silt loam, 3 to 8 percent slopes	3	866.3	0.003	\$ 1,344.49
Beaver	RaC	Ravenna silt loam, 8 to 15 percent slopes	3	405.2	0.001	\$ 1,242.60
Beaver	ReB	Rexford silt loam, 3 to 8 percent slopes	3	189.8	0.001	\$ 1,215.83
Beaver	Sn	Sloan silt loam	3	91.2	0	\$ 1,508.89
Beaver	TeC	Teegarden silt loam, 6 to 15 percent slopes	3	13.8	0	\$ 1,341.02
Beaver	TsC	Tilsit silt loam, 8 to 15 percent slopes	3	2248.2	0.008	\$ 1,308.93
Beaver	TyA	Tyler silt loam, 0 to 3 percent slopes	3	1343.5	0.005	\$ 1,328.71
Beaver	TyB	Tyler silt loam, 3 to 8 percent slopes	3	1697	0.006	\$ 1,232.17
Beaver	UAB	Udorthents, strip mine, gently sloping	3	847.4	0.003	\$ 891.33
Beaver	WhC	Wharton silt loam, 8 to 15 percent slopes	3	8893.3	0.031	\$ 1,347.96
Beaver	WoC	Wooster gravelly silt loam, 8 to 15 percent slopes	3	399.3	0.001	\$ 1,373.39
Beaver	BaD	Bethesda channery silt loam, 8 to 25 percent slopes	4	1001.2	0.004	\$ 1,004.79
Beaver	BkA	Brinkerton silt loam, 0 to 3 percent slopes	4	356.2	0.001	\$ 1,314.38
Beaver	BkB	Brinkerton silt loam, 3 to 8 percent slopes	4	792.7	0.003	\$ 1,326.93

Beaver	BkC	Brinkerton silt loam, 8 to 15 percent slopes	4	249.8	0.001	\$ 1,245.78
Beaver	Ca	Canadice silt loam	4	1406.2	0.005	\$ 1,173.43
Beaver	CdD	Canfield silt loam, 15 to 25 percent slopes	4	419.7	0.001	\$ 1,004.79
Beaver	CeD	Cavode silt loam, 15 to 25 percent slopes	4	1000.6	0.004	\$ 1,194.92
Beaver	CmD	Clymer loam, 15 to 25 percent slopes	4	630.4	0.002	\$ 1,271.53
Beaver	CoC	Conotton gravelly loam, 8 to 15 percent slopes	4	504.8	0.002	\$ 1,023.25
Beaver	CuD	Culleoka channery silt loam, 15 to 25 percent slopes	4	605.9	0.002	\$ 1,288.60
Beaver	DoD	Dormont silt loam, 15 to 25 percent slopes	4	27.2	0	\$ 1,301.60
Beaver	ErD	Ernest silt loam, 15 to 25 percent slopes	4	812.4	0.003	\$ 1,205.44
Beaver	FaD	Fairpoint channery silt loam, 8 to 25 percent slopes	4	1192.4	0.004	\$ 1,004.79
Beaver	GnD	Gilpin silt loam, 15 to 25 percent slopes	4	11391	0.04	\$ 1,269.61
Beaver	GpD	Gilpin-Upshur complex, 15 to 25 percent slopes	4	7097.5	0.025	\$ 1,036.19
Beaver	GsD	Gilpin-Weikert complex, 15 to 25 percent slopes	4	13076	0.046	\$ 1,004.79
Beaver	GvD	Guernsey-Vandergrift complex, 15 to 25 percent slopes	4	3092.4	0.011	\$ 1,158.03
Beaver	HaD	Hazleton channery loam, 15 to 25 percent slopes	4	3391.3	0.012	\$ 1,269.61
Beaver	KnD	Kensington silt loam, 15 to 25 percent slopes	4	5.8	0	\$ 1,004.79
Beaver	LoD	Loudonville gravelly silt loam, 15 to 25 percent slopes	4	736.1	0.003	\$ 1,004.79
Beaver	Pu	Purdy silt loam	4	685.8	0.002	\$ 1,250.14
Beaver	WnD	Wharton-Gilpin silt loams, 15 to 25 percent slopes	4	3355	0.012	\$ 1,209.62
Beaver	WoD	Wooster gravelly silt loam, 15 to 25 percent slopes	4	656.7	0.002	\$ 1,309.66
Beaver	CoD	Conotton gravelly loam, 15 to 25 percent slopes	6	380.9	0.001	\$ 891.33
Beaver	DoE	Dormont silt loam, 25 to 35 percent slopes	6	2.8	0	\$ 891.33
Beaver	EsD	Ernest silt loam, 8 to 25 percent slopes, extremely stony	6	629.2	0.002	\$ 891.33
Beaver	LoF	Loudonville gravelly silt loam, 25 to 50 percent slopes	6	337.6	0.001	\$ 891.33
Beaver	UAD	Udorthents, strip mine, moderately steep	6	1128.4	0.004	\$ 891.33
Beaver	VgD	Vandergrift-Gilpin complex, 15 to 35 percent slopes	6	1906.5	0.007	\$ 953.00
Beaver	BbF	Bethesda and Fairpoint channery silt loams, 25 to 70 perc	7	2619.8	0.009	\$ 891.33
Beaver	GpF	Gilpin-Upshur complex, 25 to 60 percent slopes	7	11464	0.04	\$ 891.33
Beaver	GsF	Gilpin-Weikert complex, 25 to 70 percent slopes	7	50738	0.178	\$ 891.33
Beaver	UAE	Udorthents, strip mine, steep	7	1430.1	0.005	\$ 891.33
Beaver	WeF	Weikert-Rock outcrop complex, 25 to 80 percent slopes	7	4968	0.017	\$ 891.33
Beaver	UgB	Urban land-Gilpin complex, 0 to 8 percent slopes	8	794.1	0.003	\$ 891.33
Beaver	UgD	Urban land-Gilpin complex, 8 to 25 percent slopes	8	1336.2	0.005	\$ 891.33
Beaver	UwB	Urban land-Wharton complex, 0 to 8 percent slopes	8	1192.8	0.004	\$ 891.33
Beaver	UwD	Urban land-Wharton complex, 8 to 25 percent slopes	8	476.7	0.002	\$ 891.33
Bedford	Bm	Birdsboro silt loam, rarely flooded	1	2872	0.004	\$ 1,484.82
Bedford	Pp	Pope fine sandy loam	1	1470.4	0.002	\$ 1,540.39
Bedford	AbB	Albrights silt loam, 3 to 8 percent slopes	2	2689.6	0.004	\$ 1,344.29
Bedford	AeB	Allegheny loam, 3 to 8 percent slopes	2	1561.5	0.002	\$ 1,502.65
Bedford	Ba	Basher silt loam	2	5293.5	0.008	\$ 1,465.72
Bedford	BbB	Basher-Birdsboro complex, 0 to 8 percent slopes	2	6384	0.01	\$ 1,508.89
Bedford	BkB	Berks channery silt loam, 3 to 8 percent slopes	2	6511.9	0.01	\$ 1,190.67
Bedford	BrB	Blairton channery silt loam, 3 to 8 percent slopes	2	3783.5	0.006	\$ 1,190.67
Bedford	BuB	Buchanan cobbly loam, 3 to 8 percent slopes	2	4695.2	0.007	\$ 1,342.76
Bedford	CaB	Calvin channery silt loam, 3 to 8 percent slopes	2	7376.2	0.011	\$ 1,163.96
Bedford	CkB	Clarksburg silt loam, 3 to 8 percent slopes	2	5321.4	0.008	\$ 1,344.29
Bedford	CoB	Cookport loam, 3 to 8 percent slopes	2	88.6	0	\$ 1,194.92

Bedford	EdB	Edom silty clay loam, 3 to 8 percent slopes	2	576.9	0.001	\$ 1,345.81
Bedford	EIB	Elliber very channery loam, 3 to 8 percent slopes	2	970.1	0.001	\$ 1,376.71
Bedford	ErB	Ernest silt loam, 0 to 8 percent slopes	2	4148.8	0.006	\$ 1,328.71
Bedford	HeB	Hagerstown silt loam, 3 to 8 percent slopes	2	3875.2	0.006	\$ 1,642.70
Bedford	HuB	Hublersburg cherty silt loam, 3 to 8 percent slopes	2	9055.8	0.014	\$ 1,528.03
Bedford	HwB	Hustontown silt loam, 3 to 8 percent slopes	2	4.5	0	\$ 1,342.41
Bedford	LdB	Laidig cobbly loam, 3 to 8 percent slopes	2	550.9	0.001	\$ 1,355.17
Bedford	LkB	Leck kill-Calvin complex, 3 to 8 percent slopes	2	2366.4	0.004	\$ 1,326.08
Bedford	Lx	Lobdell loam	2	2878.7	0.004	\$ 1,337.52
Bedford	McB	Meckesville gravelly loam, 3 to 8 percent slopes	2	347.1	0.001	\$ 1,347.96
Bedford	MoA	Monongahela silt loam, 0 to 3 percent slopes	2	1296	0.002	\$ 1,410.02
Bedford	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	2442.9	0.004	\$ 1,352.09
Bedford	MrB	Morrison channery sandy loam, 3 to 8 percent slopes	2	1972.2	0.003	\$ 1,366.69
Bedford	MuB	Murrill channery loam, 3 to 8 percent slopes	2	3983.1	0.006	\$ 1,458.54
Bedford	Nd	Nolin silt loam	2	721.8	0.001	\$ 1,445.38
Bedford	Ph	Philo silt loam	2	5643.1	0.009	\$ 1,516.83
Bedford	ReB	Rayne channery silt loam, 3 to 8 percent slopes	2	24.2	0	\$ 1,401.13
Bedford	TaB	Tilsit silt loam, 3 to 8 percent slopes	2	236.2	0	\$ 1,347.96
Bedford	WsB	Westmoreland channery silt loam, 3 to 8 percent slopes	2	726.5	0.001	\$ 1,396.12
Bedford	AbC	Albrights silt loam, 8 to 15 percent slopes	3	5334	0.008	\$ 1,273.37
Bedford	AeC	Allegheny loam, 8 to 15 percent slopes	3	573.9	0.001	\$ 1,308.93
Bedford	Aw	Atkins silt loam	3	3391.8	0.005	\$ 1,348.30
Bedford	Ax	Atkins-Ernest complex, 0 to 8 percent slopes	3	5891.5	0.009	\$ 1,357.49
Bedford	BcC	Bedington-Berks complex, 8 to 15 percent slopes	3	3223.3	0.005	\$ 1,371.18
Bedford	BkC	Berks channery silt loam, 8 to 15 percent slopes	3	19534	0.03	\$ 1,153.58
Bedford	BuC	Buchanan cobbly loam, 8 to 15 percent slopes	3	5602.4	0.009	\$ 1,277.26
Bedford	CaC	Calvin channery silt loam, 8 to 15 percent slopes	3	17004	0.026	\$ 1,079.49
Bedford	EdC	Edom silty clay loam, 8 to 15 percent slopes	3	2140	0.003	\$ 1,272.22
Bedford	EIC	Elliber very channery loam, 8 to 15 percent slopes	3	3189	0.005	\$ 1,346.23
Bedford	ErC	Ernest silt loam, 8 to 15 percent slopes	3	8644.2	0.013	\$ 1,278.41
Bedford	HeC	Hagerstown silt loam, 8 to 15 percent slopes	3	3103	0.005	\$ 1,562.05
Bedford	HgC	Hagerstown silty clay loam, 8 to 15 percent slopes	3	4063.5	0.006	\$ 1,531.01
Bedford	HnB	Hagerstown silty clay loam, 3 to 8 percent slopes, very roc	3	504.4	0.001	\$ 1,426.86
Bedford	Hy	Holly silt loam	3	3214.2	0.005	\$ 1,344.49
Bedford	LdC	Laidig cobbly loam, 8 to 15 percent slopes	3	2115	0.003	\$ 1,315.53
Bedford	LeC	Leck kill channery silt loam, 8 to 15 percent slopes	3	12.4	0	\$ 1,459.30
Bedford	LkC	Leck kill-Calvin complex, 8 to 15 percent slopes	3	4867.9	0.007	\$ 1,251.16
Bedford	McC	Meckesville gravelly loam, 8 to 15 percent slopes	3	3125.3	0.005	\$ 1,300.49
Bedford	MhC	Mertz channery silt loam, 8 to 15 percent slopes	3	1792.3	0.003	\$ 1,388.54
Bedford	MrC	Morrison channery sandy loam, 8 to 15 percent slopes	3	4100.8	0.006	\$ 1,326.93
Bedford	MuC	Murrill channery loam, 8 to 15 percent slopes	3	3945.2	0.006	\$ 1,400.42
Bedford	PeB	Penlaw silt loam, 0 to 8 percent slopes	3	3271.9	0.005	\$ 1,203.77
Bedford	RgC	Rayne-Gilpin channery silt loams, 8 to 15 percent slopes	3	36.2	0	\$ 1,294.20
Bedford	TgA	Tyler silt loam, 0 to 3 percent slopes	3	1986.9	0.003	\$ 1,312.56
Bedford	TgB	Tyler silt loam, 3 to 8 percent slopes	3	1543.4	0.002	\$ 1,244.99
Bedford	WsC	Westmoreland channery silt loam, 8 to 15 percent slopes	3	2979.6	0.005	\$ 1,308.93
Bedford	ArB	Andover cobbly loam, 3 to 8 percent slopes	4	2045.6	0.003	\$ 1,248.79

Bedford	ArC	Andover cobbly loam, 8 to 15 percent slopes	4	565.2	0.001	\$ 1,240.45
Bedford	BcD	Bedington-Berks complex, 15 to 25 percent slopes	4	4254	0.007	\$ 1,282.20
Bedford	BkD	Berks channery silt loam, 15 to 25 percent slopes	4	18665	0.029	\$ 1,114.71
Bedford	BrC	Blairton channery silt loam, 8 to 15 percent slopes	4	10858	0.017	\$ 1,107.65
Bedford	BtA	Brinkerton silt loam, 0 to 3 percent slopes	4	1327.3	0.002	\$ 1,295.68
Bedford	BtB	Brinkerton silt loam, 3 to 8 percent slopes	4	6151.3	0.009	\$ 1,291.22
Bedford	BtC	Brinkerton silt loam, 8 to 15 percent slopes	4	821	0.001	\$ 1,244.59
Bedford	CaD	Calvin channery silt loam, 15 to 25 percent slopes	4	5971.8	0.009	\$ 1,031.04
Bedford	EdD	Edom silty clay loam, 15 to 25 percent slopes	4	1115.8	0.002	\$ 1,199.31
Bedford	EID	Elliber very channery loam, 15 to 25 percent slopes	4	3325	0.005	\$ 1,303.44
Bedford	HgD	Hagerstown silty clay loam, 15 to 25 percent slopes	4	930.4	0.001	\$ 1,469.19
Bedford	HnC	Hagerstown silty clay loam, 8 to 15 percent slopes, very r	4	2142.7	0.003	\$ 1,370.38
Bedford	HnD	Hagerstown silty clay loam, 15 to 25 percent slopes, very	4	794	0.001	\$ 1,367.37
Bedford	KIC	Klinesville channery silt loam, 8 to 15 percent slopes	4	1532.7	0.002	\$ 1,018.54
Bedford	LdD	Laidig cobbly loam, 15 to 25 percent slopes	4	976.7	0.002	\$ 1,201.76
Bedford	LkD	Leck kill-Calvin complex, 15 to 25 percent slopes	4	4607.8	0.007	\$ 1,180.80
Bedford	MrD	Morrison channery sandy loam, 15 to 25 percent slopes	4	1165.5	0.002	\$ 1,284.84
Bedford	MuD	Murrill channery loam, 15 to 25 percent slopes	4	970.2	0.001	\$ 1,310.68
Bedford	NoA	Nolo loam, 0 to 3 percent slopes	4	17.2	0	\$ 1,207.03
Bedford	NoB	Nolo loam, 3 to 8 percent slopes	4	25.3	0	\$ 1,207.03
Bedford	OpB	Opequon-Hagerstown complex, 3 to 8 percent slopes, ver	4	602.6	0.001	\$ 1,294.94
Bedford	OpC	Opequon-Hagerstown complex, 8 to 15 percent slopes, ve	4	3553	0.005	\$ 1,245.39
Bedford	OpD	Opequon-Hagerstown complex, 15 to 25 percent slopes, v	4	5058.7	0.008	\$ 1,234.18
Bedford	Ps	Purdy silty clay loam, 0 to 3 percent slopes	4	2886.1	0.004	\$ 1,279.92
Bedford	ReD	Rayne channery silt loam, 15 to 25 percent slopes	4	25.5	0	\$ 1,312.56
Bedford	RgD	Rayne-Gilpin channery silt loams, 15 to 25 percent slopes	4	42.1	0	\$ 1,244.19
Bedford	WkC	Weikert channery silt loam, 8 to 15 percent slopes	4	8479.2	0.013	\$ 1,126.33
Bedford	WwD	Westmoreland-Klinesville complex, 15 to 25 percent slope	4	5092.5	0.008	\$ 1,095.75
Bedford	BdC	Bedington-Berks complex, 8 to 15 percent slopes, very stc	6	3548.5	0.005	\$ 891.33
Bedford	BdD	Bedington-Berks complex, 15 to 25 percent slopes, very st	6	6246.3	0.01	\$ 891.33
Bedford	BdE	Bedington-Berks complex, 25 to 35 percent slopes, very st	6	11878	0.018	\$ 891.33
Bedford	BkE	Berks channery silt loam, 25 to 35 percent slopes	6	14296	0.022	\$ 891.33
Bedford	BrD	Blairton channery silt loam, 15 to 25 percent slopes	6	5638.9	0.009	\$ 1,050.87
Bedford	CeC	Cedarcreek extremely channery loam, 3 to 25 percent slo	6	571.4	0.001	\$ 891.33
Bedford	CpB	Cookport very stony loam, 3 to 8 percent slopes	6	138.3	0	\$ 891.33
Bedford	HTB	Hazleton very stony sandy loam, 3 to 8 percent slopes	6	532.5	0.001	\$ 891.33
Bedford	KID	Klinesville channery silt loam, 15 to 25 percent slopes	6	3230.3	0.005	\$ 891.33
Bedford	MdC	Meckesville gravelly loam, 8 to 15 percent slopes, very stc	6	7170.3	0.011	\$ 891.33
Bedford	MdD	Meckesville gravelly loam, 15 to 25 percent slopes, very st	6	11141	0.017	\$ 891.33
Bedford	MsB	Morrison channery sandy loam, 3 to 8 percent slopes, ver	6	431.5	0.001	\$ 891.33
Bedford	MsC	Morrison channery sandy loam, 8 to 15 percent slopes, ve	6	2162.5	0.003	\$ 891.33
Bedford	MsD	Morrison channery sandy loam, 15 to 25 percent slopes, v	6	1908.8	0.003	\$ 891.33
Bedford	MtB	Morrison-Murrill complex, 3 to 8 percent slopes, very stor	6	1257.1	0.002	\$ 891.33
Bedford	MtC	Morrison-Murrill complex, 8 to 15 percent slopes, very stc	6	3832.2	0.006	\$ 891.33
Bedford	MtD	Morrison-Murrill complex, 15 to 25 percent slopes, very s	6	1733.9	0.003	\$ 891.33
Bedford	RpB	Rayne-Gilpin very stony silt loams, 3 to 8 percent slopes	6	7.6	0	\$ 891.33
Bedford	RpD	Rayne-Gilpin very stony silt loams, 8 to 25 percent slopes	6	58.7	0	\$ 891.33

Bedford	WkD	Weikert channery silt loam, 15 to 25 percent slopes	6	7786.2	0.012	\$ 891.33
Bedford	WsE	Westmoreland channery silt loam, 25 to 35 percent slope	6	659.2	0.001	\$ 891.33
Bedford	WxB	Wharton channery silt loam, 3 to 8 percent slopes, very st	6	1808.1	0.003	\$ 891.33
Bedford	WxC	Wharton channery silt loam, 8 to 15 percent slopes, very :	6	2311.4	0.004	\$ 891.33
Bedford	AvB	Andover cobbly sandy loam, 0 to 8 percent slopes, very st	7	2567.9	0.004	\$ 891.33
Bedford	AvC	Andover cobbly sandy loam, 8 to 15 percent slopes, very s	7	602.1	0.001	\$ 891.33
Bedford	BwB	Buchanan cobbly loam, 3 to 8 percent slopes, extremely s	7	6279.2	0.01	\$ 891.33
Bedford	BwC	Buchanan cobbly loam, 8 to 15 percent slopes, extremely	7	18146	0.028	\$ 891.33
Bedford	BwD	Buchanan cobbly loam, 15 to 25 percent slopes, extremel	7	16366	0.025	\$ 891.33
Bedford	CeF	Cedarcreek extremely channery loam, 25 to 80 percent sl	7	2477.8	0.004	\$ 891.33
Bedford	CpD	Cookport channery loam, 8 to 25 percent slopes, extreme	7	3430.3	0.005	\$ 891.33
Bedford	CrF	Cedarcreek extremely channery loam, 25 to 80 percent sl	7	2.9	0	\$ 891.33
Bedford	DkC	Dystrocrepts-Rock outcrop complex, 3 to 15 percent slope	7	4984.1	0.008	\$ 891.33
Bedford	DkE	Dystrocrepts-Rock outcrop complex, 15 to 35 percent slop	7	6388.8	0.01	\$ 891.33
Bedford	DkF	Dystrocrepts-Rock outcrop complex, 35 to 70 percent slop	7	34742	0.053	\$ 891.33
Bedford	EIE	Elliber very channery loam, 25 to 45 percent slopes	7	4993.3	0.008	\$ 891.33
Bedford	GpB	Gilpin channery silt loam, 3 to 8 percent slopes, extremely	7	101.9	0	\$ 891.33
Bedford	GpD	Gilpin channery silt loam, 8 to 25 percent slopes, extreme	7	360.7	0.001	\$ 891.33
Bedford	HTC	Hazleton-Clymer association, 8 to 25 percent slopes, extre	7	19645	0.03	\$ 891.33
Bedford	HTE	Hazleton-Clymer association, 25 to 45 percent slopes, ext	7	13663	0.021	\$ 891.33
Bedford	KmE	Klinesville and Calvin soils, 25 to 50 percent slopes	7	25957	0.04	\$ 891.33
Bedford	KoF	Klinesville-Rock outcrop complex, 35 to 80 percent slopes	7	7774.3	0.012	\$ 891.33
Bedford	LgC	Laidig cobbly loam, 8 to 15 percent slopes, extremely stor	7	2384.7	0.004	\$ 891.33
Bedford	LgD	Laidig cobbly loam, 15 to 25 percent slopes, extremely stc	7	6556.3	0.01	\$ 891.33
Bedford	LgE	Laidig cobbly loam, 25 to 35 percent slopes, extremely stc	7	10465	0.016	\$ 891.33
Bedford	MdE	Meckesville gravelly loam, 25 to 35 percent slopes, very s	7	9466.4	0.015	\$ 891.33
Bedford	NsB	Nolo very stony loam, 0 to 8 percent slopes	7	9	0	\$ 891.33
Bedford	OpE	Opequon-Hagerstown complex, 25 to 45 percent slopes, v	7	8642.3	0.013	\$ 891.33
Bedford	RgF	Rayne-Gilpin channery silt loams, 25 to 65 percent slopes	7	1197.4	0.002	\$ 891.33
Bedford	UgF	Ungers-Lehew complex, 35 to 60 percent slopes, very ston	7	8307.2	0.013	\$ 891.33
Bedford	VdF	Vanderlip-Rock outcrop complex, 35 to 60 percent slopes	7	2612.7	0.004	\$ 891.33
Bedford	WkE	Weikert channery silt loam, 25 to 35 percent slopes	7	13841	0.021	\$ 891.33
Bedford	WkF	Weikert channery silt loam, 35 to 65 percent slopes	7	24706	0.038	\$ 891.33
Bedford	WIF	Weikert very flaggy silt loam, 25 to 60 percent slopes	7	1840.1	0.003	\$ 891.33
Bedford	DAM	Dams	8	6.9	0	\$ 891.33
Bedford	Pm	Pits and Quarries	8	213.7	0	\$ 891.33
Bedford	Ue	Udorthents, loamy	8	1894.9	0.003	\$ 891.33
Berks	BmA	Birdsboro silt loam, 0 to 3 percent slopes	1	88.5	0	\$ 1,599.57
Berks	DbA	Duffield silt loam, 0 to 3 percent slopes	1	3553.1	0.006	\$ 1,747.30
Berks	Lv	Linden loam	1	865.4	0.002	\$ 1,470.29
Berks	MuA	Murrill gravelly loam, 0 to 3 percent slopes	1	979.7	0.002	\$ 1,441.47
Berks	AsB	Athol silt loam, 3 to 8 percent slopes	2	1717.9	0.003	\$ 1,501.83
Berks	BfB	Bedington-Berks complex, 3 to 8 percent slopes	2	6483.2	0.012	\$ 1,388.60
Berks	BkB	Berks-Weikert complex, 3 to 8 percent slopes	2	29156	0.053	\$ 1,220.77
Berks	BmB	Birdsboro silt loam, 3 to 8 percent slopes	2	2866.9	0.005	\$ 1,593.95
Berks	BpB	Brecknock channery silt loam, 3 to 8 percent slopes	2	966.8	0.002	\$ 1,471.78
Berks	BuB	Buchanan gravelly loam, 3 to 8 percent slopes	2	2081.4	0.004	\$ 1,460.76

Berks	CmA	Clarksburg silt loam, 0 to 3 percent slopes	2	4343.5	0.008	\$ 1,486.56
Berks	CmB	Clarksburg silt loam, 3 to 8 percent slopes	2	2742.8	0.005	\$ 1,485.78
Berks	CpA	Comly silt loam, 0 to 3 percent slopes	2	492.9	0.001	\$ 1,344.29
Berks	CpB	Comly silt loam, 3 to 8 percent slopes	2	2907.7	0.005	\$ 1,344.29
Berks	DbB	Duffield silt loam, 3 to 8 percent slopes	2	40209	0.073	\$ 1,756.37
Berks	EhB	Edgemont channery loam, 3 to 8 percent slopes	2	1110.5	0.002	\$ 1,463.10
Berks	Gc	Gibraltar silt loam	2	1067.5	0.002	\$ 1,468.03
Berks	GeB	Gladstone gravelly loam, 3 to 8 percent slopes	2	13435	0.024	\$ 1,516.83
Berks	GnA	Glenville silt loam, 0 to 3 percent slopes	2	1566.4	0.003	\$ 1,504.91
Berks	GnB	Glenville silt loam, 3 to 8 percent slopes	2	1367.6	0.002	\$ 1,608.90
Berks	HaB	Hagerstown-Duffield silt loams, 3 to 8 percent slopes	2	1044.2	0.002	\$ 1,539.22
Berks	JnB	Joanna loam, 3 to 8 percent slopes	2	7501.1	0.014	\$ 1,454.89
Berks	LaB	Laidig gravelly loam, 3 to 8 percent slopes	2	3449.1	0.006	\$ 1,347.96
Berks	LmA	Lehigh silt loam, 0 to 3 percent slopes	2	46.2	0	\$ 1,455.18
Berks	LmB	Lehigh silt loam, 3 to 8 percent slopes	2	217.6	0	\$ 1,431.15
Berks	Me	Middlebury silt loam	2	3934.9	0.007	\$ 1,468.03
Berks	MgB	Monongahela silt loam, 3 to 8 percent slopes	2	922.2	0.002	\$ 1,335.13
Berks	MIb	Mount Lucas silt loam, 3 to 8 percent slopes	2	351.4	0.001	\$ 1,373.72
Berks	MuB	Murrill gravelly loam, 3 to 8 percent slopes	2	6281.5	0.011	\$ 1,457.54
Berks	NaB	Neshaminy silt loam, 3 to 8 percent slopes	2	963.8	0.002	\$ 1,567.42
Berks	PeB	Penn channery silt loam, 3 to 8 percent slopes	2	10731	0.019	\$ 1,475.34
Berks	RaB	Raritan silt loam, 3 to 8 percent slopes	2	1172.6	0.002	\$ 1,501.01
Berks	ReA	Readington silt loam, 0 to 3 percent slopes	2	2316.1	0.004	\$ 1,494.38
Berks	ReB	Readington silt loam, 3 to 8 percent slopes	2	2009.1	0.004	\$ 1,482.16
Berks	Ro	Rowland silt loam	2	412.2	0.001	\$ 1,494.38
Berks	AbA	Abbottstown silt loam, 0 to 3 percent slopes	3	2308	0.004	\$ 1,317.99
Berks	AbB	Abbottstown silt loam, 3 to 8 percent slopes	3	502.5	0.001	\$ 1,315.24
Berks	AsC	Athol silt loam, 8 to 15 percent slopes	3	1250.8	0.002	\$ 1,476.37
Berks	BfC	Bedington-Berks complex, 8 to 15 percent slopes	3	6583.1	0.012	\$ 1,330.27
Berks	BkA	Berks-Weikert complex, 0 to 3 percent slopes	3	705.4	0.001	\$ 1,232.17
Berks	BkC	Berks-Weikert complex, 8 to 15 percent slopes	3	57677	0.104	\$ 1,220.77
Berks	BpC	Brecknock channery silt loam, 8 to 15 percent slopes	3	1028.7	0.002	\$ 1,444.48
Berks	CaB	Calvin-Klinesville channery silt loams, 3 to 8 percent slope	3	1335	0.002	\$ 1,142.34
Berks	DfC	Duffield-Ryder silt loams, 8 to 15 percent slopes	3	8567.4	0.015	\$ 1,532.19
Berks	EhC	Edgemont channery loam, 8 to 15 percent slopes	3	979.5	0.002	\$ 1,406.54
Berks	GeC	Gladstone gravelly loam, 8 to 15 percent slopes	3	14675	0.026	\$ 1,469.59
Berks	Ho	Holly silt loam	3	10028	0.018	\$ 1,352.09
Berks	JnC	Joanna loam, 8 to 15 percent slopes	3	10741	0.019	\$ 1,427.78
Berks	LaC	Laidig gravelly loam, 8 to 15 percent slopes	3	3952.1	0.007	\$ 1,308.93
Berks	MuC	Murrill gravelly loam, 8 to 15 percent slopes	3	1351.9	0.002	\$ 1,402.40
Berks	NaC	Neshaminy silt loam, 8 to 15 percent slopes	3	1558.9	0.003	\$ 1,490.76
Berks	PaA	Penlaw silt loam, 0 to 3 percent slopes	3	1848.6	0.003	\$ 1,312.56
Berks	PeC	Penn channery silt loam, 8 to 15 percent slopes	3	2322	0.004	\$ 1,416.24
Berks	PkC	Penn-Klinesville channery silt loams, 8 to 15 percent slope	3	4734.9	0.009	\$ 1,226.08
Berks	RhA	Reaville silt loam, 0 to 3 percent slopes	3	78.8	0	\$ 1,479.78
Berks	RhB	Reaville silt loam, 3 to 8 percent slopes	3	68.1	0	\$ 1,465.72
Berks	WeB	Weikert-Berks complex, 3 to 8 percent slopes	3	5138.3	0.009	\$ 1,142.34

Berks	AnA	Andover-Buchanan gravelly loams, 0 to 3 percent slopes	4	218.8	0	\$ 1,273.45
Berks	AnB	Andover-Buchanan gravelly loams, 3 to 8 percent slopes	4	2352.9	0.004	\$ 1,273.45
Berks	AuD	Athol-Oatlands silt loams, 15 to 25 percent slopes	4	365.7	0.001	\$ 1,334.01
Berks	BhD	Berks-Bedington complex, 15 to 25 percent slopes	4	3071.4	0.006	\$ 1,273.83
Berks	BkD	Berks-Weikert complex, 15 to 25 percent slopes	4	11314	0.02	\$ 1,136.89
Berks	Bo	Bowmansville-Knauers silt loams	4	1815.6	0.003	\$ 1,375.05
Berks	BpD	Brecknock channery silt loam, 15 to 25 percent slopes	4	539.2	0.001	\$ 1,414.74
Berks	BtA	Brinkerton-Comly silt loams, 0 to 3 percent slopes	4	10835	0.02	\$ 1,291.29
Berks	BtB	Brinkerton-Comly silt loams, 3 to 8 percent slopes	4	2411.7	0.004	\$ 1,291.29
Berks	CaC	Calvin-Klinesville channery silt loams, 8 to 15 percent slop	4	2737.6	0.005	\$ 1,100.53
Berks	CwA	Croton silt loam, occasionally ponded, 0 to 3 percent slop	4	2157.9	0.004	\$ 1,238.20
Berks	CwB	Croton silt loam, 3 to 8 percent slopes	4	20.5	0	\$ 1,122.54
Berks	DfD	Duffield-Ryder silt loams, 15 to 25 percent slopes	4	1211.3	0.002	\$ 1,319.42
Berks	EhD	Edgemont channery loam, 15 to 25 percent slopes	4	581.3	0.001	\$ 1,311.84
Berks	GeD	Gladstone gravelly loam, 15 to 25 percent slopes	4	6726.2	0.012	\$ 1,410.65
Berks	JnD	Joanna loam, 15 to 25 percent slopes	4	6027	0.011	\$ 1,339.27
Berks	LaD	Laidig gravelly loam, 15 to 25 percent slopes	4	903.3	0.002	\$ 1,236.20
Berks	LfA	Lamington silt loam, 0 to 3 percent slopes	4	898	0.002	\$ 1,115.17
Berks	NaD	Neshaminy silt loam, 15 to 25 percent slopes	4	906.9	0.002	\$ 1,463.68
Berks	PeD	Penn channery silt loam, 15 to 25 percent slopes	4	256.5	0	\$ 1,223.63
Berks	PkD	Penn-Klinesville channery silt loams, 15 to 25 percent slop	4	2053.6	0.004	\$ 1,216.66
Berks	ThA	Thorndale-Penlaw silt loams, 0 to 3 percent slopes	4	2473.8	0.004	\$ 1,207.53
Berks	ToA	Towhee silt loam, 0 to 3 percent slopes	4	5640.1	0.01	\$ 1,242.60
Berks	ToB	Towhee silt loam, 3 to 8 percent slopes	4	46.9	0	\$ 1,252.11
Berks	CaD	Calvin-Klinesville channery silt loams, 15 to 25 percent slo	6	1007.9	0.002	\$ 1,010.10
Berks	GfB	Gladstone gravelly loam, 0 to 8 percent slopes, very boulc	6	3209	0.006	\$ 891.33
Berks	GfD	Gladstone gravelly loam, 8 to 25 percent slopes, very bou	6	20055	0.036	\$ 891.33
Berks	JnE	Joanna loam, 25 to 35 percent slopes	6	272	0	\$ 891.33
Berks	WeD	Weikert-Berks complex, 15 to 25 percent slopes	6	16143	0.029	\$ 1,056.51
Berks	AoB	Andover-Buchanan gravelly loams, 0 to 8 percent slopes, i	7	1312.9	0.002	\$ 891.33
Berks	AwD	Athol-Oatlands silt loams, 8 to 25 percent slopes, extreme	7	159.3	0	\$ 891.33
Berks	BkF	Berks-Weikert complex, 25 to 60 percent slopes	7	15020	0.027	\$ 891.33
Berks	BsB	Brecknock channery silt loam, 0 to 8 percent slopes, extre	7	175.4	0	\$ 891.33
Berks	BsD	Brecknock channery silt loam, 15 to 25 percent slopes, ex	7	1222.5	0.002	\$ 891.33
Berks	BvB	Buchanan gravelly loam, 0 to 8 percent slopes, extremely	7	2346.1	0.004	\$ 891.33
Berks	BvD	Buchanan gravelly loam, 8 to 25 percent slopes, extremel	7	5.2	0	\$ 891.33
Berks	EdB	Edgemont channery sandy loam, 0 to 8 percent slopes, ex	7	636.5	0.001	\$ 891.33
Berks	EdD	Edgemont channery sandy loam, 8 to 25 percent slopes, e	7	1808.6	0.003	\$ 891.33
Berks	EdF	Edgemont channery sandy loam, 25 to 60 percent slopes,	7	430.4	0.001	\$ 891.33
Berks	GfF	Gladstone gravelly loam, 25 to 55 percent slopes, very bo	7	4199.6	0.008	\$ 891.33
Berks	HeB	Hazleton very channery loam, 0 to 8 percent slopes, extre	7	1593	0.003	\$ 891.33
Berks	HeD	Hazleton very channery loam, 8 to 25 percent slopes, extr	7	6432.7	0.012	\$ 891.33
Berks	HeF	Hazleton very channery loam, 25 to 60 percent slopes, exi	7	14460	0.026	\$ 891.33
Berks	HgF	Hazleton-Rubble land complex, 25 to 60 percent slopes	7	266.2	0	\$ 891.33
Berks	JpB	Joanna loam, 0 to 8 percent slopes, extremely stony	7	2180	0.004	\$ 891.33
Berks	JpD	Joanna loam, 8 to 25 percent slopes, extremely stony	7	18871	0.034	\$ 891.33
Berks	JpF	Joanna loam, 25 to 60 percent slopes, extremely stony	7	3094	0.006	\$ 891.33

Berks	KIF	Klinesville-Calvin channery silt loams, 25 to 60 percent slo	7	541	0.001	\$ 891.33
Berks	LbB	Laidig very gravelly loam, 0 to 8 percent slopes, extremely	7	3106.5	0.006	\$ 891.33
Berks	LbD	Laidig very gravelly loam, 8 to 25 percent slopes, extreme	7	23846	0.043	\$ 891.33
Berks	LbF	Laidig very gravelly loam, 25 to 55 percent slopes, extrem	7	541.7	0.001	\$ 891.33
Berks	LdF	Laidig-Rubble land complex, 25 to 55 percent slopes	7	80.9	0	\$ 891.33
Berks	MmB	Mount Lucas silt loam, 0 to 8 percent slopes, extremely st	7	241.8	0	\$ 891.33
Berks	NhB	Neshaminy gravelly silt loam, 0 to 8 percent slopes, extre	7	276.3	0	\$ 891.33
Berks	NhD	Neshaminy gravelly silt loam, 8 to 25 percent slopes, extr	7	4058.8	0.007	\$ 891.33
Berks	NhF	Neshaminy gravelly silt loam, 25 to 60 percent slopes, ext	7	1816.7	0.003	\$ 891.33
Berks	TwB	Towhee silt loam, 0 to 8 percent slopes, very stony	7	5220.1	0.009	\$ 891.33
Berks	Ua	Udorthents	7	2780.3	0.005	\$ 891.33
Berks	Udp	Udorthents, sanitary landfill	7	20.1	0	\$ 891.33
Berks	DAM	Dams and impoundment structures	8	15.1	0	\$ 891.33
Berks	Qu	Quarries	8	1443.8	0.003	\$ 891.33
Berks	Ru	Rubble land	8	47.8	0	\$ 891.33
Berks	UgB	Urban land, 0 to 8 percent slopes	8	4647.3	0.008	\$ 891.33
Berks	UgC	Urban land, 8 to 15 percent slopes	8	266.3	0	\$ 891.33
Berks	UKB	Urban land-Berks complex, 0 to 8 percent slopes	8	2827	0.005	\$ 891.33
Berks	UkD	Urban land-Berks complex, 8 to 25 percent slopes	8	523.9	0.001	\$ 891.33
Berks	UmB	Urban land-Duffield complex, 0 to 8 percent slopes	8	13071	0.024	\$ 896.75
Berks	UmD	Urban land-Duffield complex, 8 to 25 percent slopes	8	2337.2	0.004	\$ 891.33
Berks	UnB	Urban land-Gladstone complex, 0 to 8 percent slopes	8	162.2	0	\$ 891.33
Berks	UnD	Urban land-Gladstone complex, 8 to 25 percent slopes	8	134.9	0	\$ 891.33
Berks	UpB	Urban land-Joanna complex, 0 to 8 percent slopes	8	192.6	0	\$ 891.33
Berks	UpD	Urban land-Joanna complex, 8 to 25 percent slopes	8	413.3	0.001	\$ 891.33
Berks	UsB	Urban land-Laidig complex, 0 to 8 percent slopes	8	356.7	0.001	\$ 891.33
Berks	UsD	Urban land-Laidig complex, 8 to 25 percent slopes	8	957.3	0.002	\$ 891.33
Berks	UxB	Urban land-Penn complex, 0 to 8 percent slopes	8	1439.3	0.003	\$ 891.33
Berks	UxD	Urban land-Penn complex, 8 to 25 percent slopes	8	564.1	0.001	\$ 891.33
Blair	Lo	Linden soils	1	1393.4	0.004	\$ 1,434.39
Blair	AbB	Albrights gravelly silt loam, 3 to 8 percent slopes	2	1063	0.003	\$ 1,344.29
Blair	BeB	Bedington channery silt loam, 3 to 8 percent slopes	2	671.7	0.002	\$ 1,492.44
Blair	BkB	Berks channery silt loam, 3 to 8 percent slopes	2	1351.3	0.004	\$ 1,190.67
Blair	BuB	Buchanan gravelly silt loam, 3 to 8 percent slopes	2	2273.3	0.007	\$ 1,347.96
Blair	CbB	Clarksburg silt loam, 3 to 8 percent slopes	2	3548	0.011	\$ 1,485.78
Blair	CvB	Clymer loam, 3 to 8 percent slopes	2	983.2	0.003	\$ 1,482.33
Blair	EdB	Edom silty clay loam, 3 to 8 percent slopes	2	1396.2	0.004	\$ 1,347.96
Blair	EIB	Elliber very channery loam, 3 to 8 percent slopes	2	34.8	0	\$ 1,376.71
Blair	ErB	Ernest silt loam, 3 to 8 percent slopes	2	1809.4	0.005	\$ 1,355.51
Blair	GpB	Gilpin channery silt loam, 3 to 8 percent slopes	2	745	0.002	\$ 1,335.77
Blair	HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	26.4	0	\$ 1,642.70
Blair	HgB	Hazleton channery sandy loam, 3 to 8 percent slopes	2	1057.7	0.003	\$ 1,485.16
Blair	HuB	Hublersburg cherty silt loam, 3 to 8 percent slopes	2	19650	0.058	\$ 1,528.03
Blair	LaB	Laidig channery loam, 3 to 8 percent slopes	2	1175.1	0.003	\$ 1,347.96
Blair	LkB	Leck kill channery silt loam, 3 to 8 percent slopes	2	1655.3	0.005	\$ 1,469.48
Blair	Lp	Lobdell silt loam	2	916.1	0.003	\$ 1,462.22
Blair	MeB	Meckesville gravelly silt loam, 3 to 8 percent slopes	2	1322.2	0.004	\$ 1,347.96

Blair	MnB	Mertz channery silt loam, 3 to 8 percent slopes	2	818.3	0.002	\$ 1,420.36
Blair	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	2052.5	0.006	\$ 1,352.09
Blair	MrB	Morrison sandy loam, 3 to 8 percent slopes	2	1801.7	0.005	\$ 1,344.49
Blair	MuB	Murrill gravelly silt loam, 3 to 8 percent slopes	2	3012.4	0.009	\$ 1,467.74
Blair	WhB	Wharton silt loam, 3 to 8 percent slopes	2	824.2	0.002	\$ 1,160.25
Blair	AbC	Albrights gravelly silt loam, 8 to 15 percent slopes	3	501.7	0.001	\$ 1,273.37
Blair	Ba	Basher soils	3	3693.2	0.011	\$ 1,462.22
Blair	BeC	Bedington channery silt loam, 8 to 15 percent slopes	3	1374.9	0.004	\$ 1,430.85
Blair	BkC	Berks channery silt loam, 8 to 15 percent slopes	3	4214.7	0.012	\$ 1,153.58
Blair	BoB	Blairton silt loam, 3 to 8 percent slopes	3	783.6	0.002	\$ 1,158.39
Blair	BuC	Buchanan gravelly silt loam, 8 to 15 percent slopes	3	1415	0.004	\$ 1,283.33
Blair	CaB	Cavode silt loam, 3 to 8 percent slopes	3	566.6	0.002	\$ 1,282.95
Blair	CbC	Clarksburg silt loam, 8 to 15 percent slopes	3	811.8	0.002	\$ 1,410.65
Blair	EdC	Edom silty clay loam, 8 to 15 percent slopes	3	1915.2	0.006	\$ 1,275.36
Blair	EmB	Edom-Weikert complex, 3 to 8 percent slopes	3	284.2	0.001	\$ 1,279.85
Blair	EmC	Edom-Weikert complex, 8 to 15 percent slopes	3	736.1	0.002	\$ 1,062.12
Blair	ErC	Ernest silt loam, 8 to 15 percent slopes	3	2536.3	0.008	\$ 1,278.41
Blair	GpC	Gilpin channery silt loam, 8 to 15 percent slopes	3	675.3	0.002	\$ 1,301.60
Blair	HcC	Hagerstown silty clay loam, 8 to 15 percent slopes	3	53.5	0	\$ 1,531.01
Blair	HgC	Hazleton channery sandy loam, 8 to 15 percent slopes	3	246.2	0.001	\$ 1,429.31
Blair	Ho	Holly silt loam	3	4104.4	0.012	\$ 1,352.09
Blair	HuC	Hublersburg cherty silt loam, 8 to 15 percent slopes	3	4791.1	0.014	\$ 1,501.83
Blair	HxB2	Hublersburg cherty silty clay loam, 3 to 8 percent slopes, c	3	1463.4	0.004	\$ 1,494.55
Blair	LaC	Laidig channery loam, 8 to 15 percent slopes	3	1589.1	0.005	\$ 1,312.56
Blair	LkC	Leck kill channery silt loam, 8 to 15 percent slopes	3	3281.1	0.01	\$ 1,459.30
Blair	LmB	Leetonia flaggy loamy sand, 3 to 8 percent slopes	3	1874.2	0.006	\$ 1,026.99
Blair	MeC	Meckesville gravelly silt loam, 8 to 15 percent slopes	3	1740.8	0.005	\$ 1,310.68
Blair	MnC	Mertz channery silt loam, 8 to 15 percent slopes	3	724.2	0.002	\$ 1,388.54
Blair	MrC	Morrison sandy loam, 8 to 15 percent slopes	3	2501.3	0.007	\$ 1,308.93
Blair	MuC	Murrill gravelly silt loam, 8 to 15 percent slopes	3	2218.8	0.007	\$ 1,407.17
Blair	PeB	Penlaw silt loam, 0 to 8 percent slopes	3	1.8	0	\$ 1,203.77
Blair	Ty	Tyler silt loam	3	1057.8	0.003	\$ 1,312.56
Blair	WeB	Weikert channery silt loam, 3 to 8 percent slopes	3	1246.7	0.004	\$ 1,335.42
Blair	WhC	Wharton silt loam, 8 to 15 percent slopes	3	220	0.001	\$ 1,086.11
Blair	WvB	Wharton variant silt loam, 3 to 8 percent slopes	3	1919.2	0.006	\$ 1,448.07
Blair	AnB	Andover variant loam, 3 to 8 percent slopes	4	480	0.001	\$ 1,248.16
Blair	BkD	Berks channery silt loam, 15 to 25 percent slopes	4	9143.9	0.027	\$ 1,114.71
Blair	BmC	Berks-Weikert channery silt loams, 8 to 15 percent slopes	4	957.2	0.003	\$ 1,028.45
Blair	BoC	Blairton silt loam, 8 to 15 percent slopes	4	843.8	0.002	\$ 1,112.74
Blair	BrB	Brinkerton silt loam, 3 to 8 percent slopes	4	6238.8	0.018	\$ 1,291.22
Blair	BrC	Brinkerton silt loam, 8 to 15 percent slopes	4	642.3	0.002	\$ 1,244.59
Blair	EdD	Edom silty clay loam, 15 to 25 percent slopes	4	1310.7	0.004	\$ 1,194.92
Blair	EID	Elliber very channery loam, 15 to 25 percent slopes	4	14.6	0	\$ 1,303.44
Blair	GpD	Gilpin channery silt loam, 15 to 25 percent slopes	4	611.7	0.002	\$ 1,265.76
Blair	HxC2	Hublersburg cherty silty clay loam, 8 to 15 percent slopes,	4	3288.3	0.01	\$ 1,407.17
Blair	LaD	Laidig channery loam, 15 to 25 percent slopes	4	561	0.002	\$ 1,234.18
Blair	LkD	Leck kill channery silt loam, 15 to 25 percent slopes	4	4477.9	0.013	\$ 1,314.38

Blair	MnD	Mertz channery silt loam, 15 to 25 percent slopes	4	409	0.001	\$ 1,357.01
Blair	MrD	Morrison sandy loam, 15 to 25 percent slopes	4	1141.4	0.003	\$ 1,269.61
Blair	MuD	Murrill gravelly silt loam, 15 to 25 percent slopes	4	454.6	0.001	\$ 1,308.71
Blair	OuC	Opequon silty clay loam, 8 to 15 percent slopes	4	4047.4	0.012	\$ 1,332.25
Blair	Pu	Purdy silt loam	4	1995	0.006	\$ 1,279.92
Blair	VaC	Vanderlip loamy sand, 3 to 25 percent slopes	4	370.6	0.001	\$ 1,132.22
Blair	WeC	Weikert channery silt loam, 8 to 15 percent slopes	4	2021.1	0.006	\$ 1,126.33
Blair	AcB	Albrights very stony silt loam, 3 to 8 percent slopes	6	853.2	0.003	\$ 891.33
Blair	AcD	Albrights very stony silt loam, 8 to 25 percent slopes	6	1527.5	0.005	\$ 891.33
Blair	BdD	Bedington very stony silt loam, 8 to 25 percent slopes	6	1234	0.004	\$ 891.33
Blair	BmD	Berks-Weikert channery silt loams, 15 to 25 percent slope	6	1170.8	0.003	\$ 891.33
Blair	CyB	Clymer very stony loam, 3 to 8 percent slopes	6	3200.1	0.009	\$ 891.33
Blair	CyD	Clymer very stony loam, 8 to 25 percent slopes	6	1822.1	0.005	\$ 891.33
Blair	EmD	Edom-Weikert complex, 15 to 25 percent slopes	6	666.9	0.002	\$ 930.70
Blair	HeB	Hagerstown-Rock outcrop complex, 0 to 8 percent slopes	6	625.4	0.002	\$ 1,177.25
Blair	HeD	Hagerstown-Rock outcrop complex, 8 to 25 percent slope	6	2830.2	0.008	\$ 1,053.60
Blair	HhB	Hazleton very stony sandy loam, 3 to 8 percent slopes	6	4031.2	0.012	\$ 891.33
Blair	HhC	Hazleton very stony sandy loam, 8 to 15 percent slopes	6	6947.6	0.021	\$ 891.33
Blair	HxD2	Hublersburg cherty silty clay loam, 15 to 25 percent slope	6	2015.5	0.006	\$ 891.33
Blair	LnD	Lehew very stony loam, 8 to 25 percent slopes	6	1406.5	0.004	\$ 891.33
Blair	MkB	Meckesville very stony silt loam, 3 to 8 percent slopes	6	2580.1	0.008	\$ 891.33
Blair	MkD	Meckesville very stony silt loam, 8 to 25 percent slopes	6	13911	0.041	\$ 891.33
Blair	MsB	Morrison very stony sandy loam, 3 to 8 percent slopes	6	2267.6	0.007	\$ 891.33
Blair	MsD	Morrison very stony sandy loam, 8 to 25 percent slopes	6	5350.5	0.016	\$ 891.33
Blair	OuD	Opequon silty clay loam, 15 to 25 percent slopes	6	1626.3	0.005	\$ 1,332.25
Blair	WeD	Weikert channery silt loam, 15 to 25 percent slopes	6	3116.1	0.009	\$ 891.33
Blair	AoB	Andover variant extremely stony loam, 3 to 8 percent slopes	7	1196.7	0.004	\$ 891.33
Blair	BmF	Berks-Weikert channery silt loams, 25 to 70 percent slope	7	18313	0.054	\$ 891.33
Blair	BxB	Buchanan extremely stony silt loam, 3 to 8 percent slopes	7	4550	0.013	\$ 891.33
Blair	BxD	Buchanan extremely stony silt loam, 8 to 25 percent slopes	7	9121.6	0.027	\$ 891.33
Blair	HhF	Hazleton very stony sandy loam, 25 to 70 percent slopes	7	15955	0.047	\$ 891.33
Blair	LeB	Laidig extremely stony loam, 3 to 8 percent slopes	7	5907.3	0.017	\$ 891.33
Blair	LeD	Laidig extremely stony loam, 8 to 25 percent slopes	7	17548	0.052	\$ 891.33
Blair	LeF	Laidig extremely stony loam, 25 to 45 percent slopes	7	26550	0.079	\$ 891.33
Blair	LLF	Leck kill channery silt loam, very steep	7	7916.3	0.023	\$ 891.33
Blair	LnF	Lehew very stony loam, 25 to 50 percent slopes	7	3269.8	0.01	\$ 891.33
Blair	MsF	Morrison very stony sandy loam, 25 to 50 percent slopes	7	1622.6	0.005	\$ 891.33
Blair	MxB	Murrill extremely stony silt loam, 3 to 8 percent slopes	7	854.1	0.003	\$ 891.33
Blair	MxD	Murrill extremely stony silt loam, 8 to 25 percent slopes	7	1000.3	0.003	\$ 891.33
Blair	OxF	Opequon-Hagerstown-Rock outcrop complex, 25 to 50 percent slopes	7	5667.4	0.017	\$ 891.33
Blair	UD	Udifluents-Dystrochrepts complex	7	7747.1	0.023	\$ 891.33
Blair	US	Udorthents, strip mine	7	1600.3	0.005	\$ 891.33
Blair	VdD	Vanderlip very stony loamy sand, 3 to 25 percent slopes	7	325.9	0.001	\$ 891.33
Blair	Ux	Urban land	8	2017.9	0.006	\$ 891.33
Blair	UYB	Urban land-Berks complex, 0 to 8 percent slopes	8	1221.8	0.004	\$ 891.33
Blair	UYD	Urban land-Berks complex, 8 to 25 percent slopes	8	937.1	0.003	\$ 891.33
Bradford/Sullivan	Ln	Linden soils	1	6864.6	0.007	\$ 1,434.39

Bradford/Sullivan	AgB	Alton gravelly sandy loam, 0 to 8 percent slopes	2	8414.3	0.008	\$ 1,335.77
Bradford/Sullivan	BaB	Braceville silt loam, 0 to 8 percent slopes	2	2101.2	0.002	\$ 1,365.01
Bradford/Sullivan	CnB	Chenango gravelly loam, 0 to 8 percent slopes	2	10394	0.01	\$ 1,312.56
Bradford/Sullivan	LoB	Lordstown channery silt loam, 3 to 8 percent slopes	2	11474	0.011	\$ 1,342.76
Bradford/Sullivan	MaB	Mardin channery silt loam, 3 to 8 percent slopes	2	11153	0.011	\$ 1,399.52
Bradford/Sullivan	OgB	Oquaga channery silt loam, 3 to 8 percent slopes	2	11307	0.011	\$ 1,194.92
Bradford/Sullivan	Po	Pope soils	2	8501	0.008	\$ 1,474.36
Bradford/Sullivan	UnB	Unadilla silt loam, 3 to 8 percent slopes	2	1637.5	0.002	\$ 1,463.97
Bradford/Sullivan	WbB	Wellsboro channery silt loam, 3 to 8 percent slopes	2	21314	0.021	\$ 1,394.70
Bradford/Sullivan	WrB	Wurtsboro channery loam, 3 to 8 percent slopes	2	23.5	0	\$ 1,248.16
Bradford/Sullivan	CnC	Chenango gravelly loam, 8 to 15 percent slopes	3	49.3	0	\$ 1,281.44
Bradford/Sullivan	LaC	Lackawanna channery silt loam, 8 to 15 percent slopes	3	14.9	0	\$ 1,376.71
Bradford/Sullivan	LoC	Lordstown channery silt loam, 8 to 15 percent slopes	3	17826	0.017	\$ 1,310.75
Bradford/Sullivan	MaC	Mardin channery silt loam, 8 to 15 percent slopes	3	27846	0.027	\$ 1,308.20
Bradford/Sullivan	MoB	Morris channery silt loam, 3 to 8 percent slopes	3	41753	0.04	\$ 1,166.87
Bradford/Sullivan	MoC	Morris channery silt loam, 8 to 15 percent slopes	3	41713	0.04	\$ 1,164.67
Bradford/Sullivan	OgC	Oquaga channery silt loam, 8 to 15 percent slopes	3	17683	0.017	\$ 1,004.79
Bradford/Sullivan	ReA	Rexford silt loam, 0 to 3 percent slopes	3	2487	0.002	\$ 1,208.03
Bradford/Sullivan	ReB	Rexford silt loam, 3 to 8 percent slopes	3	2732.8	0.003	\$ 1,218.14
Bradford/Sullivan	ReC	Rexford silt loam, 8 to 12 percent slopes	3	1275.7	0.001	\$ 1,194.92
Bradford/Sullivan	UnC	Unadilla silt loam, 8 to 15 percent slopes	3	970.3	0.001	\$ 1,391.20
Bradford/Sullivan	VaC	Valois gravelly loam, 8 to 15 percent slopes	3	2	0	\$ 1,117.04
Bradford/Sullivan	VoB	Volusia channery silt loam, 3 to 8 percent slopes	3	77247	0.075	\$ 1,205.44
Bradford/Sullivan	VoC	Volusia channery silt loam, 8 to 15 percent slopes	3	113828	0.11	\$ 1,208.37
Bradford/Sullivan	WbC	Wellsboro channery silt loam, 8 to 15 percent slopes	3	25233	0.024	\$ 1,308.93
Bradford/Sullivan	WmB	Wyoming gravelly sandy loam, 3 to 8 percent slopes	3	1197.8	0.001	\$ 1,286.72
Bradford/Sullivan	WrC	Wurtsboro channery loam, 8 to 15 percent slopes	3	2.3	0	\$ 1,219.54
Bradford/Sullivan	ArC	Arnot very channery loam, rocky, 3 to 15 percent slopes	4	5713.4	0.006	\$ 1,036.19
Bradford/Sullivan	CaA	Canadice silty clay loam, 0 to 3 percent slopes	4	632.7	0.001	\$ 1,043.87
Bradford/Sullivan	CpA	Chippewa silt loam, 0 to 3 percent slopes	4	8860.2	0.009	\$ 1,004.79
Bradford/Sullivan	CpB	Chippewa silt loam, 3 to 8 percent slopes	4	9950.6	0.01	\$ 1,004.79
Bradford/Sullivan	LoD	Lordstown channery silt loam, 15 to 25 percent slopes	4	19007	0.018	\$ 1,236.20
Bradford/Sullivan	MaD	Mardin channery silt loam, 15 to 25 percent slopes	4	16047	0.016	\$ 1,164.67
Bradford/Sullivan	OgD	Oquaga channery silt loam, 15 to 25 percent slopes	4	14568	0.014	\$ 1,004.79
Bradford/Sullivan	VoD	Volusia channery silt loam, 15 to 25 percent slopes	4	17810	0.017	\$ 1,095.27
Bradford/Sullivan	WbD	Wellsboro channery silt loam, 15 to 25 percent slopes	4	9229	0.009	\$ 1,207.53
Bradford/Sullivan	WmC	Wyoming gravelly sandy loam, 8 to 15 percent slopes	4	2153.3	0.002	\$ 1,175.60
Bradford/Sullivan	WmD	Wyoming gravelly sandy loam, 15 to 25 percent slopes	4	2168.4	0.002	\$ 1,004.79
Bradford/Sullivan	WrD	Wurtsboro channery loam, 15 to 25 percent slopes	4	2.5	0	\$ 1,194.92
Bradford/Sullivan	Ho	Holly soils	5	15731	0.015	\$ 891.33
Bradford/Sullivan	AsD	Arnot-Rock outcrop complex, 3 to 25 percent slopes	6	15561	0.015	\$ 891.33
Bradford/Sullivan	LpB	Lordstown very stony silt loam, 3 to 8 percent slopes	6	905.4	0.001	\$ 891.33
Bradford/Sullivan	LpD	Lordstown very stony silt loam, 8 to 25 percent slopes	6	9624.7	0.009	\$ 891.33
Bradford/Sullivan	VaE	Valois gravelly loam, 25 to 40 percent slopes	6	3.6	0	\$ 891.33
Bradford/Sullivan	WoC	Wyoming very stony sandy loam, 3 to 15 percent slopes	6	1718.4	0.002	\$ 891.33
Bradford/Sullivan	Ao	Aquepts, rubbly	7	2521.3	0.002	\$ 891.33
Bradford/Sullivan	DyF	Dystrudepts, deep-Wellsboro-Oquaga association, steep,	7	132994	0.129	\$ 891.33

Bradford/Sullivan	LbB	Lackawanna channery silt loam, 0 to 8 percent slopes, ext	7	67.4	0	\$ 891.33
Bradford/Sullivan	LbD	Lackawanna channery silt loam, 8 to 25 percent slopes, ex	7	63.7	0	\$ 891.33
Bradford/Sullivan	MbB	Mardin channery silt loam, 3 to 8 percent slopes, extreme	7	160.6	0	\$ 891.33
Bradford/Sullivan	MbD	Mardin channery silt loam, 8 to 25 percent slopes, extrem	7	2029.6	0.002	\$ 891.33
Bradford/Sullivan	MsB	Morris channery silt loam, 3 to 8 percent slopes, extremel	7	41806	0.04	\$ 891.33
Bradford/Sullivan	MsD	Morris channery silt loam, 8 to 25 percent slopes, extrem	7	23045	0.022	\$ 891.33
Bradford/Sullivan	NoB	Norwich channery silt loam, 0 to 8 percent slopes, extrem	7	7676.1	0.007	\$ 891.33
Bradford/Sullivan	OsB	Oquaga extremely stony silt loam, 3 to 8 percent slopes	7	28897	0.028	\$ 891.33
Bradford/Sullivan	OsD	Oquaga extremely stony silt loam, 8 to 25 percent slopes	7	46561	0.045	\$ 891.33
Bradford/Sullivan	SxB	Swartswood extremely stony loam, 3 to 8 percent slopes	7	75	0	\$ 891.33
Bradford/Sullivan	SxD	Swartswood extremely stony loam, 8 to 25 percent slopes	7	1.4	0	\$ 891.33
Bradford/Sullivan	Uc	Udifluvents, cobbly	7	23312	0.023	\$ 891.33
Bradford/Sullivan	VsB	Volusia channery silt loam, 3 to 8 percent slopes, extreme	7	716.2	0.001	\$ 891.33
Bradford/Sullivan	VsD	Volusia channery silt loam, 8 to 25 percent slopes, extrem	7	2180.8	0.002	\$ 891.33
Bradford/Sullivan	WgB	Wellsboro channery silt loam, 3 to 8 percent slopes, extre	7	25913	0.025	\$ 891.33
Bradford/Sullivan	WgD	Wellsboro channery silt loam, 8 to 25 percent slopes, extr	7	40839	0.04	\$ 891.33
Bradford/Sullivan	WmF	Wyoming gravelly sandy loam, 25 to 45 percent slopes	7	1809	0.002	\$ 891.33
Bradford/Sullivan	WtB	Wurtsboro extremely stony loam, 3 to 8 percent slopes	7	36.3	0	\$ 891.33
Bradford/Sullivan	WtD	Wurtsboro extremely stony loam, 8 to 25 percent slopes	7	16.5	0	\$ 891.33
Bradford/Sullivan	Md	Medisaprists, ponded	8	2147.5	0.002	\$ 891.33
Bucks	BeA	Bedington channery silt loam, 0 to 3 percent slopes	1	685.8	0.002	\$ 1,678.06
Bucks	BsA	Brownsburg silt loam, 0 to 3 percent slopes	1	344.7	0.001	\$ 1,728.09
Bucks	CdA	Chester silt loam, 0 to 3 percent slopes	1	191.9	0	\$ 1,803.10
Bucks	DaA	Delaware fine sandy loam, 0 to 3 percent slopes	1	3627.5	0.009	\$ 1,783.16
Bucks	DuA	Duncannon silt loam, 0 to 3 percent slopes	1	2870.3	0.007	\$ 1,594.70
Bucks	LgA	Lansdale loam, 0 to 3 percent slopes	1	647.6	0.002	\$ 1,654.64
Bucks	Lt	Linden loam	1	403.5	0.001	\$ 1,470.29
Bucks	McA	Matapeake silt loam, 0 to 3 percent slopes	1	384.9	0.001	\$ 1,811.17
Bucks	AlA	Alton gravelly loam, 0 to 3 percent slopes	2	2238.1	0.006	\$ 1,472.59
Bucks	AlB	Alton gravelly loam, 3 to 8 percent slopes	2	336.3	0.001	\$ 1,453.41
Bucks	ArB	Arendtsville gravelly silt loam, 3 to 8 percent slopes	2	1702.5	0.004	\$ 1,607.93
Bucks	BeB	Bedington channery silt loam, 3 to 8 percent slopes	2	1312.4	0.003	\$ 1,492.44
Bucks	BrB	Brecknock channery silt loam, 3 to 8 percent slopes	2	212.8	0.001	\$ 1,471.78
Bucks	BsB	Brownsburg silt loam, 3 to 8 percent slopes	2	2088.2	0.005	\$ 1,721.38
Bucks	CaB	Califon loam, 3 to 8 percent slopes	2	109.7	0	\$ 1,445.68
Bucks	CdB	Chester silt loam, 3 to 8 percent slopes	2	1263.1	0.003	\$ 1,794.99
Bucks	CmB	Clarksburg silt loam, 3 to 8 percent slopes	2	1004.8	0.003	\$ 1,485.78
Bucks	CyB	Culleoka-Weikert channery silt loams, 3 to 8 percent slope	2	1208.2	0.003	\$ 1,469.48
Bucks	DaB	Delaware fine sandy loam, 3 to 8 percent slopes	2	224.9	0.001	\$ 1,758.04
Bucks	DfB	Duffield silt loam, 3 to 8 percent slopes	2	1794.6	0.005	\$ 1,703.82
Bucks	DuB	Duncannon silt loam, 3 to 8 percent slopes	2	1310.2	0.003	\$ 1,598.45
Bucks	EcB	Edgemont channery loam, 3 to 8 percent slopes	2	92.2	0	\$ 1,463.10
Bucks	FoA	Fountainville silt loam, 0 to 3 percent slopes	2	147.6	0	\$ 1,525.04
Bucks	FoB	Fountainville silt loam, 3 to 8 percent slopes	2	1243.2	0.003	\$ 1,532.35
Bucks	GIB	Gladstone gravelly loam, 3 to 8 percent slopes	2	1235.2	0.003	\$ 1,516.83
Bucks	GrA	Glenville silt loam, 0 to 3 percent slopes	2	959.2	0.002	\$ 1,504.91
Bucks	GrB	Glenville silt loam, 3 to 8 percent slopes	2	1286.4	0.003	\$ 1,504.91

Bucks	LgB	Lansdale loam, 3 to 8 percent slopes	2	5642.5	0.014	\$ 1,674.30
Bucks	LkA	Lawrenceville silt loam, 0 to 3 percent slopes	2	5295.6	0.013	\$ 1,548.16
Bucks	LkB	Lawrenceville silt loam, 3 to 8 percent slopes	2	5133.7	0.013	\$ 1,549.71
Bucks	LmA	Lehigh channery silt loam, 0 to 3 percent slopes	2	911.1	0.002	\$ 1,467.40
Bucks	LmB	Lehigh channery silt loam, 3 to 8 percent slopes	2	4034.1	0.01	\$ 1,456.60
Bucks	MaB	Manor loam, 3 to 8 percent slopes	2	241.9	0.001	\$ 1,534.93
Bucks	McB	Matapeake silt loam, 3 to 8 percent slopes	2	235.1	0.001	\$ 1,678.63
Bucks	MdA	Mattapex silt loam, 0 to 3 percent slopes	2	273.5	0.001	\$ 1,636.52
Bucks	MIA	Mount Lucas silt loam, 0 to 3 percent slopes	2	856.7	0.002	\$ 1,372.39
Bucks	MIB	Mount Lucas silt loam, 3 to 8 percent slopes	2	3372.3	0.008	\$ 1,373.72
Bucks	NbB	Neshaminy silt loam, 3 to 8 percent slopes	2	1829.1	0.005	\$ 1,567.42
Bucks	PeA	Penn channery silt loam, 0 to 3 percent slopes	2	440.8	0.001	\$ 1,494.38
Bucks	PeB	Penn channery silt loam, 3 to 8 percent slopes	2	4335	0.011	\$ 1,475.34
Bucks	PkB	Penn-Klinesville channery silt loams, 3 to 8 percent slopes	2	2166.6	0.005	\$ 1,445.02
Bucks	PnB	Penn-Lansdale complex, 3 to 8 percent slopes	2	2338.5	0.006	\$ 1,501.83
Bucks	RaA	Raritan silt loam, 0 to 3 percent slopes	2	46.4	0	\$ 1,531.80
Bucks	RaB	Raritan silt loam, 3 to 8 percent slopes	2	70.3	0	\$ 1,501.01
Bucks	ReA	Readington silt loam, 0 to 3 percent slopes	2	3307.5	0.008	\$ 1,494.38
Bucks	ReB	Readington silt loam, 3 to 8 percent slopes	2	10014	0.025	\$ 1,482.16
Bucks	Ro	Rowland silt loam	2	1383.6	0.003	\$ 1,494.38
Bucks	StB	Steinsburg gravelly loam, 3 to 8 percent slopes	2	857.6	0.002	\$ 1,420.36
Bucks	WaB	Washington silt loam, 3 to 8 percent slopes	2	844.1	0.002	\$ 1,672.03
Bucks	AbA	Abbottstown silt loam, 0 to 3 percent slopes	3	9291.6	0.023	\$ 1,317.99
Bucks	AbB	Abbottstown silt loam, 3 to 8 percent slopes	3	18361	0.046	\$ 1,315.24
Bucks	AbC	Abbottstown silt loam, 8 to 15 percent slopes	3	1453.7	0.004	\$ 1,450.15
Bucks	AmA	Amwell silt loam, 0 to 3 percent slopes	3	3646.1	0.009	\$ 1,461.58
Bucks	AmB	Amwell silt loam, 3 to 8 percent slopes	3	5133.9	0.013	\$ 1,467.05
Bucks	AmC	Amwell silt loam, 8 to 15 percent slopes	3	116.5	0	\$ 1,438.33
Bucks	ArC	Arendtsville gravelly silt loam, 8 to 15 percent slopes	3	1742.8	0.004	\$ 1,473.51
Bucks	BeC	Bedington channery silt loam, 8 to 15 percent slopes	3	424.2	0.001	\$ 1,430.85
Bucks	BrC	Brecknock channery silt loam, 8 to 15 percent slopes	3	301.1	0.001	\$ 1,444.48
Bucks	BsC	Brownsburg silt loam, 8 to 15 percent slopes	3	221.9	0.001	\$ 1,638.34
Bucks	BwB	Buckingham silt loam, 3 to 8 percent slopes	3	5988.1	0.015	\$ 1,462.22
Bucks	CbA	Chalfont silt loam, 0 to 3 percent slopes	3	4742.7	0.012	\$ 1,518.41
Bucks	CbB	Chalfont silt loam, 3 to 8 percent slopes	3	1918.5	0.005	\$ 1,493.55
Bucks	CdC	Chester silt loam, 8 to 15 percent slopes	3	638.9	0.002	\$ 1,783.55
Bucks	CyC	Culleoka-Weikert channery silt loams, 8 to 15 percent slopes	3	1661.2	0.004	\$ 1,402.72
Bucks	DgC	Duffield-Ryder silt loams, 8 to 15 percent slopes	3	1358.6	0.003	\$ 1,532.19
Bucks	EcC	Edgemont channery loam, 8 to 15 percent slopes	3	168.9	0	\$ 1,406.54
Bucks	FoC	Fountainville silt loam, 8 to 15 percent slopes	3	74.6	0	\$ 1,464.26
Bucks	GlC	Gladstone gravelly loam, 8 to 15 percent slopes	3	1221.2	0.003	\$ 1,469.59
Bucks	Ho	Holly silt loam	3	90.3	0	\$ 1,352.09
Bucks	KIB	Klinesville very channery silt loam, 3 to 8 percent slopes	3	3181.1	0.008	\$ 1,178.29
Bucks	LgC	Lansdale loam, 8 to 15 percent slopes	3	1876.1	0.005	\$ 1,607.41
Bucks	LmC	Lehigh channery silt loam, 8 to 15 percent slopes	3	778	0.002	\$ 1,416.37
Bucks	MaC	Manor loam, 8 to 15 percent slopes	3	556.7	0.001	\$ 1,430.85
Bucks	MIC	Mount Lucas silt loam, 8 to 15 percent slopes	3	538.6	0.001	\$ 1,342.76

Bucks	NbC	Neshaminy silt loam, 8 to 15 percent slopes	3	724.1	0.002	\$ 1,490.76
Bucks	NkA	Nockamixon silt loam, 0 to 3 percent slopes	3	431.2	0.001	\$ 1,472.59
Bucks	NkB	Nockamixon silt loam, 3 to 8 percent slopes	3	1184.7	0.003	\$ 1,472.59
Bucks	NkC	Nockamixon silt loam, 8 to 15 percent slopes	3	179.1	0	\$ 1,443.58
Bucks	Ot	Othello silt loams, 0 to 2 percent slopes, Northern Coastal	3	1445.1	0.004	\$ 1,102.91
Bucks	PeC	Penn channery silt loam, 8 to 15 percent slopes	3	1576.5	0.004	\$ 1,416.24
Bucks	PkC	Penn-Klinesville channery silt loams, 8 to 15 percent slopes	3	1539.1	0.004	\$ 1,226.08
Bucks	PnC	Penn-Lansdale complex, 8 to 15 percent slopes	3	879.5	0.002	\$ 1,453.41
Bucks	RaC	Raritan silt loam, 8 to 15 percent slopes	3	11.6	0	\$ 1,479.21
Bucks	ReC	Readington silt loam, 8 to 15 percent slopes	3	1012.7	0.003	\$ 1,470.63
Bucks	RIA	Reaville channery silt loam, 0 to 3 percent slopes	3	3086.3	0.008	\$ 1,322.36
Bucks	RIB	Reaville channery silt loam, 3 to 8 percent slopes	3	1551.3	0.039	\$ 1,320.65
Bucks	RIC	Reaville channery silt loam, 8 to 15 percent slopes	3	4187.1	0.011	\$ 1,286.95
Bucks	StC	Steinsburg gravelly loam, 8 to 15 percent slopes	3	995.7	0.003	\$ 1,331.40
Bucks	WaC	Washington silt loam, 8 to 15 percent slopes	3	38.4	0	\$ 1,566.96
Bucks	WeB	Weikert channery silt loam, 0 to 8 percent slopes	3	25.2	0	\$ 1,188.45
Bucks	ArD	Arendtsville gravelly silt loam, 15 to 25 percent slopes	4	683.3	0.002	\$ 1,411.85
Bucks	Bo	Bowmansville-Knauers silt loams	4	1659.9	0.042	\$ 1,375.05
Bucks	BrD	Brecknock channery silt loam, 15 to 25 percent slopes	4	36.8	0	\$ 1,414.74
Bucks	CwA	Croton silt loam, occasionally ponded, 0 to 3 percent slopes	4	9569.2	0.024	\$ 1,238.20
Bucks	CwB	Croton silt loam, 3 to 8 percent slopes	4	6372.6	0.016	\$ 1,122.54
Bucks	DdA	Doylestown silt loam, 0 to 3 percent slopes	4	5394.5	0.014	\$ 1,314.38
Bucks	DdB	Doylestown silt loam, 3 to 8 percent slopes	4	3374.9	0.008	\$ 1,314.38
Bucks	GD	Gladstone gravelly loam, 15 to 25 percent slopes	4	520	0.001	\$ 1,410.65
Bucks	GnD	Gladstone-Parker gravelly loams, 15 to 25 percent slopes	4	65.9	0	\$ 1,358.92
Bucks	Ha	Hatboro silt loam	4	4846.1	0.012	\$ 1,325.15
Bucks	KIC	Klinesville very channery silt loam, 8 to 15 percent slopes	4	4157.6	0.01	\$ 1,135.15
Bucks	LfA	Lamington silt loam, 0 to 3 percent slopes	4	279.4	0.001	\$ 1,115.17
Bucks	LgD	Lansdale loam, 15 to 25 percent slopes	4	243.2	0.001	\$ 1,501.83
Bucks	MaD	Manor loam, 15 to 25 percent slopes	4	187.1	0	\$ 1,380.48
Bucks	PeD	Penn channery silt loam, 15 to 25 percent slopes	4	304.1	0.001	\$ 1,223.63
Bucks	PkD	Penn-Klinesville channery silt loams, 15 to 25 percent slopes	4	250.5	0.001	\$ 1,216.66
Bucks	PnD	Penn-Lansdale complex, 15 to 25 percent slopes	4	1338.3	0.003	\$ 1,386.32
Bucks	StD	Steinsburg gravelly loam, 15 to 25 percent slopes	4	272.1	0.001	\$ 1,295.16
Bucks	ToA	Towhee silt loam, 0 to 3 percent slopes	4	3556.8	0.009	\$ 1,242.60
Bucks	ToB	Towhee silt loam, 3 to 8 percent slopes	4	2807.3	0.007	\$ 1,252.11
Bucks	WeC	Weikert channery silt loam, 8 to 15 percent slopes	4	63.7	0	\$ 1,004.79
Bucks	Fl	Fluvaquents	5	125.9	0.003	\$ 891.33
Bucks	GmB	Gladstone gravelly loam, 0 to 8 percent slopes, very bouldery	6	9.8	0	\$ 891.33
Bucks	GmD	Gladstone gravelly loam, 8 to 25 percent slopes, very bouldery	6	1239.6	0.003	\$ 891.33
Bucks	KID	Klinesville very channery silt loam, 15 to 25 percent slopes	6	2743.4	0.007	\$ 1,006.92
Bucks	MbD	Manor loam, 8 to 25 percent slopes, extremely stony	6	185.1	0	\$ 891.33
Bucks	WeD	Weikert channery silt loam, 15 to 25 percent slopes	6	13.5	0	\$ 891.33
Bucks	WfD	Weikert-Culleoka complex, 15 to 25 percent slopes	6	706.3	0.002	\$ 1,156.88
Bucks	BrxD	Brecknock channery silt loam, 8 to 25 percent slopes, extremely stony	7	116.7	0	\$ 891.33
Bucks	BrxF	Brecknock channery silt loam, 25 to 60 percent slopes, extremely stony	7	224.2	0.001	\$ 891.33
Bucks	CwxB	Croton silt loam, 0 to 8 percent slopes, extremely stony	7	62.3	0.002	\$ 891.33

Bucks	EdB	Edgemont channery sandy loam, 0 to 8 percent slopes, ex	7	257.9	0.001	\$	891.33
Bucks	EdD	Edgemont channery sandy loam, 8 to 25 percent slopes, e	7	691.9	0.002	\$	891.33
Bucks	EdF	Edgemont channery sandy loam, 25 to 60 percent slopes,	7	334.1	0.001	\$	891.33
Bucks	GmF	Gladstone gravelly loam, 25 to 55 percent slopes, very bo	7	48.4	0	\$	891.33
Bucks	KIE	Klinesville very channery silt loam, 25 to 45 percent slope	7	409.1	0.001	\$	891.33
Bucks	LhB	Lansdale loam, 0 to 8 percent slopes, extremely stony	7	637.3	0.002	\$	891.33
Bucks	LhD	Lansdale loam, 8 to 25 percent slopes, extremely stony	7	1563.8	0.004	\$	891.33
Bucks	LhE	Lansdale loam, 25 to 50 percent slopes, extremely stony	7	1243.3	0.003	\$	891.33
Bucks	LnB	Lehigh channery silt loam, 0 to 8 percent slopes, extremel	7	79.7	0	\$	891.33
Bucks	LnD	Lehigh channery silt loam, 8 to 25 percent slopes, extrem	7	520.2	0.001	\$	891.33
Bucks	MbF	Manor loam, 25 to 60 percent slopes, extremely stony	7	104.5	0	\$	891.33
Bucks	MmB	Mount Lucas silt loam, 0 to 8 percent slopes, extremely st	7	7053.5	0.018	\$	891.33
Bucks	MmD	Mount Lucas silt loam, 8 to 25 percent slopes, extremely s	7	2293.7	0.006	\$	891.33
Bucks	NhB	Neshaminy gravelly silt loam, 0 to 8 percent slopes, extre	7	5160.6	0.013	\$	891.33
Bucks	NhD	Neshaminy gravelly silt loam, 8 to 25 percent slopes, extre	7	7156.3	0.018	\$	891.33
Bucks	NhF	Neshaminy gravelly silt loam, 25 to 60 percent slopes, ext	7	1048.6	0.003	\$	891.33
Bucks	PIE	Penn-Klinesville channery silt loams, 25 to 45 percent slop	7	3656	0.009	\$	891.33
Bucks	Ps	Psammments, dredged river material	7	681.2	0.002	\$	891.33
Bucks	TrB	Towhee silt loam, 0 to 8 percent slopes, extremely stony	7	10382	0.026	\$	891.33
Bucks	Ua	Udorthents, gravelly	7	2301.7	0.006	\$	891.33
Bucks	Ub	Udorthents, loamy	7	984.9	0.002	\$	891.33
Bucks	UcB	Udorthents, sandy	7	2122.9	0.005	\$	891.33
Bucks	UdB	Udorthents, shale and sandstone	7	1506.4	0.004	\$	891.33
Bucks	UeB	Udorthents, sanitary landfill	7	472.1	0.001	\$	891.33
Bucks	UfB	Udorthents, schist and gneiss	7	592.3	0.001	\$	891.33
Bucks	DAM	Dams	8	40.6	0	\$	891.33
Bucks	Na	Nanticoke-Hatboro silt loams	8	603.4	0.002	\$	931.51
Bucks	UfuB	Urban land, 0 to 8 percent slopes	8	13658	0.034	\$	891.33
Bucks	Ufw	Urban land, occasionally flooded	8	408.3	0.001	\$	891.33
Bucks	UgB	Urban land-Abbottstown complex, 0 to 8 percent slopes	8	11437	0.029	\$	891.33
Bucks	UhB	Urban land-Berks complex, 0 to 8 percent slopes	8	166.7	0	\$	891.33
Bucks	UKB	Urban land-Chester complex, 0 to 8 percent slopes	8	8271.6	0.021	\$	898.91
Bucks	UkD	Urban land-Chester complex, 8 to 25 percent slopes	8	2403.8	0.006	\$	921.04
Bucks	UIB	Urban land-Delaware complex, 0 to 8 percent slopes	8	1008.2	0.003	\$	891.33
Bucks	UmB	Urban land-Doylestown complex, 0 to 8 percent slopes	8	1178	0.003	\$	891.33
Bucks	UnB	Urban land-Duffield complex, 0 to 8 percent slopes	8	5743	0.014	\$	896.75
Bucks	UoB	Urban land-Gladstone complex, 0 to 8 percent slopes	8	76.2	0	\$	891.33
Bucks	UoD	Urban land-Gladstone complex, 8 to 25 percent slopes	8	64.2	0	\$	891.33
Bucks	UpB	Urban land-Glenville complex, 0 to 8 percent slopes	8	685.7	0.002	\$	891.33
Bucks	UrB	Urban land-Lansdale complex, 0 to 8 percent slopes	8	7464.4	0.019	\$	891.33
Bucks	UrC	Urban land-Lansdale complex, 8 to 15 percent slopes	8	2926.4	0.007	\$	1,028.14
Bucks	UsB	Urban land-Lawrenceville complex, 0 to 8 percent slopes	8	9193.7	0.023	\$	891.33
Bucks	UtB	Urban land-Matapeake complex, 0 to 8 percent slopes	8	12119	0.03	\$	891.33
Bucks	UuB	Urban land-Mattapex complex, 0 to 8 percent slopes	8	72.6	0	\$	891.33
Bucks	UvB	Urban land-Neshaminy complex, 0 to 8 percent slopes	8	581	0.001	\$	891.33
Bucks	UvD	Urban land-Neshaminy complex, 8 to 25 percent slopes	8	135.5	0	\$	891.33
Bucks	Uw	Urban land-Othello complex	8	198.3	0	\$	891.33

Bucks	UxB	Urban land-Penn complex, 0 to 8 percent slopes	8	1262.4	0.003	\$ 891.33
Bucks	UxD	Urban land-Penn complex, 8 to 25 percent slopes	8	572.7	0.001	\$ 891.33
Bucks	UyB	Urban land-Reaville complex, 0 to 8 percent slopes	8	1585.2	0.004	\$ 891.33
Bucks	UzaB	Urban land-Udorthents, gravelly complex, 0 to 8 percent slopes	8	419.3	0.001	\$ 891.33
Bucks	UzbB	Urban land-Udorthents, sandy complex, 0 to 8 percent slopes	8	1027.1	0.003	\$ 891.33
Bucks	UzcaB	Urban land-Udorthents, schist and gneiss complex, 0 to 8 percent slopes	8	32	0	\$ 891.33
Bucks	Uzcb	Urban land-Udorthents, shale and sandstone complex, 0 to 8 percent slopes	8	963.4	0.002	\$ 891.33
Bucks	Uzcd	Urban land-Udorthents, shale and sandstone complex, 8 to 15 percent slopes	8	14.6	0	\$ 891.33
Butler	Po	Pope loam	1	408.4	0.001	\$ 1,514.85
Butler	WhA	Wheeling silt loam, 0 to 3 percent slopes	1	308.5	0.001	\$ 1,489.37
Butler	BeA	Braceville loam, 0 to 3 percent slopes	2	419.2	0.001	\$ 1,397.60
Butler	BeB	Braceville loam, 3 to 8 percent slopes	2	1854.7	0.004	\$ 1,351.40
Butler	BuB	Buchanan loam, 3 to 8 percent slopes	2	6274.1	0.012	\$ 1,337.17
Butler	CfB	Canfield silt loam, 3 to 8 percent slopes	2	1646.3	0.003	\$ 1,347.96
Butler	CmB	Clymer loam, 3 to 8 percent slopes	2	3080.7	0.006	\$ 1,457.83
Butler	CoA	Cookport loam, 0 to 3 percent slopes	2	1281.7	0.003	\$ 1,347.96
Butler	CoB	Cookport loam, 3 to 8 percent slopes	2	9986.5	0.02	\$ 1,358.24
Butler	ErB	Ernest silt loam, 3 to 8 percent slopes	2	10256	0.02	\$ 1,470.92
Butler	GlB	Gilpin silt loam, 3 to 8 percent slopes	2	9718.5	0.019	\$ 1,337.52
Butler	GoB	Gilpin-Weikert channery silt loams, 3 to 8 percent slopes	2	5976.7	0.012	\$ 1,261.11
Butler	GrA	Gresham silt loam, 0 to 3 percent slopes	2	507.7	0.001	\$ 1,221.18
Butler	GrB	Gresham silt loam, 3 to 8 percent slopes	2	6019.6	0.012	\$ 1,187.25
Butler	HaB	Hazleton channery loam, 3 to 8 percent slopes	2	13159	0.026	\$ 1,440.27
Butler	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	1517	0.003	\$ 1,407.49
Butler	MrB	Morristown channery silt loam, 0 to 8 percent slopes	2	659.5	0.001	\$ 1,004.79
Butler	Ph	Philo loam	2	2802.1	0.006	\$ 1,486.56
Butler	RdB	Riverhead sandy loam, 3 to 8 percent slopes	2	1028.5	0.002	\$ 1,328.71
Butler	TaA	Tilsit silt loam, 0 to 3 percent slopes	2	1288.4	0.003	\$ 1,269.61
Butler	TaB	Tilsit silt loam, 3 to 8 percent slopes	2	8533.8	0.017	\$ 1,228.12
Butler	TeB	Titusville silt loam, 3 to 8 percent slopes	2	3995.3	0.008	\$ 1,319.42
Butler	VcB	Vandergrift-Cavode silt loams, 3 to 8 percent slopes	2	790.5	0.002	\$ 1,265.37
Butler	WaA	Wharton silt loam, 0 to 3 percent slopes	2	730.8	0.001	\$ 1,341.02
Butler	WaB	Wharton silt loam, 3 to 8 percent slopes	2	20014	0.039	\$ 1,338.92
Butler	WhB	Wheeling silt loam, 3 to 8 percent slopes	2	688.9	0.001	\$ 1,489.37
Butler	WoB	Wooster gravelly silt loam, 3 to 8 percent slopes	2	139.3	0	\$ 1,407.49
Butler	At	Atkins silt loam, 0 to 3 percent slopes, frequently flooded	3	26325	0.052	\$ 1,326.93
Butler	BaB	Bethesda channery silt loam, 0 to 8 percent slopes	3	463.4	0.001	\$ 1,004.79
Butler	BeC	Braceville loam, 8 to 15 percent slopes	3	348.2	0.001	\$ 1,323.37
Butler	BuC	Buchanan loam, 8 to 15 percent slopes	3	10340	0.02	\$ 1,278.79
Butler	CeA	Caneadea silt loam, 0 to 3 percent slopes	3	769.7	0.002	\$ 1,281.44
Butler	CeB	Caneadea silt loam, 3 to 8 percent slopes	3	1803.4	0.004	\$ 1,304.61
Butler	CfC	Canfield silt loam, 8 to 15 percent slopes	3	543.2	0.001	\$ 1,316.18
Butler	CIA	Cavode silt loam, 0 to 3 percent slopes	3	1247.3	0.002	\$ 1,250.14
Butler	ClB	Cavode silt loam, 3 to 8 percent slopes	3	11661	0.023	\$ 1,250.14
Butler	CIC	Cavode silt loam, 8 to 15 percent slopes	3	14042	0.028	\$ 1,215.83
Butler	CmC	Clymer silt loam, 8 to 15 percent slopes	3	0.5	0	\$ 1,461.93
Butler	CoC	Cookport loam, 8 to 15 percent slopes	3	6782	0.013	\$ 1,294.20

Butler	ErC	Ernest silt loam, 8 to 15 percent slopes	3	13287	0.026	\$ 1,396.31
Butler	FaB	Fairpoint channery silt loam, 0 to 8 percent slopes	3	2288.4	0.004	\$ 1,004.79
Butler	FeA	Fredon loam, 0 to 3 percent slopes	3	557.3	0.001	\$ 1,328.49
Butler	FeB	Fredon loam, 3 to 8 percent slopes	3	716	0.001	\$ 1,328.28
Butler	GlC	Gilpin silt loam, 8 to 15 percent slopes	3	6766.5	0.013	\$ 1,321.58
Butler	GnC	Gilpin-Upshur complex, 8 to 15 percent slopes	3	277.8	0.001	\$ 1,282.95
Butler	GoC	Gilpin-Weikert channery silt loams, 8 to 15 percent slopes	3	7047.1	0.014	\$ 1,217.48
Butler	GpC	Gilpin-Wharton silt loams, 8 to 15 percent slopes	3	25399	0.05	\$ 1,194.92
Butler	GrC	Gresham silt loam, 8 to 15 percent slopes	3	1037.8	0.002	\$ 1,148.65
Butler	HaC	Hazleton channery loam, 8 to 15 percent slopes	3	16881	0.033	\$ 1,335.06
Butler	MoC	Monongahela silt loam, 8 to 15 percent slopes	3	231.6	0	\$ 1,344.49
Butler	RaA	Ravenna silt loam, 0 to 3 percent slopes	3	213	0	\$ 1,343.80
Butler	RaB	Ravenna silt loam, 3 to 8 percent slopes	3	2678.3	0.005	\$ 1,344.49
Butler	RaC	Ravenna silt loam, 8 to 15 percent slopes	3	177.1	0	\$ 1,242.60
Butler	RdC	Riverhead sandy loam, 8 to 15 percent slopes	3	888.2	0.002	\$ 1,263.82
Butler	TeC	Titusville silt loam, 8 to 15 percent slopes	3	2452.1	0.005	\$ 1,280.68
Butler	UaB	Udorthents, acid material, gently sloping	3	1557.7	0.003	\$ 891.33
Butler	VcC	Vandergrift-Cavode silt loams, 8 to 15 percent slopes	3	2306.1	0.005	\$ 1,211.69
Butler	WaC	Wharton silt loam, 8 to 15 percent slopes	3	7474.2	0.015	\$ 1,347.96
Butler	WoC	Wooster gravelly silt loam, 8 to 15 percent slopes	3	105.4	0	\$ 1,373.39
Butler	AnA	Andover loam, 0 to 3 percent slopes	4	1013.8	0.002	\$ 1,259.94
Butler	AnB	Andover loam, 3 to 8 percent slopes	4	3125.5	0.006	\$ 1,265.76
Butler	AnC	Andover loam, 8 to 15 percent slopes	4	717.9	0.001	\$ 1,262.66
Butler	BaD	Bethesda channery silt loam, 8 to 25 percent slopes	4	2864.4	0.006	\$ 1,004.79
Butler	BrA	Brinkerton silt loam, 0 to 3 percent slopes	4	2832.6	0.006	\$ 1,314.38
Butler	BrB	Brinkerton silt loam, 3 to 8 percent slopes	4	14023	0.028	\$ 1,326.93
Butler	BrC	Brinkerton silt loam, 8 to 15 percent slopes	4	4404.1	0.009	\$ 1,245.78
Butler	Cd	Canadice silty clay loam	4	2965.3	0.006	\$ 1,170.37
Butler	CeC	Caneadea silt loam, 8 to 15 percent slopes	4	306.4	0.001	\$ 1,244.19
Butler	CfD	Canfield silt loam, 15 to 25 percent slopes	4	67.3	0	\$ 1,004.79
Butler	CID	Cavode silt loam, 15 to 25 percent slopes	4	4141.3	0.008	\$ 1,194.92
Butler	CoD	Cookport loam, 15 to 25 percent slopes	4	6191.8	0.012	\$ 1,203.35
Butler	ErD	Ernest silt loam, 15 to 25 percent slopes	4	5.9	0	\$ 1,205.44
Butler	FaD	Fairpoint channery silt loam, 8 to 25 percent slopes	4	2039.4	0.004	\$ 1,004.79
Butler	FrA	Frenchtown silt loam, 0 to 3 percent slopes	4	1455.8	0.003	\$ 1,248.16
Butler	FrB	Frenchtown silt loam, 3 to 8 percent slopes	4	1871.3	0.004	\$ 1,282.95
Butler	GmD	Gilpin channery silt loam, 15 to 25 percent slopes	4	5036.8	0.01	\$ 1,203.35
Butler	GnD	Gilpin-Upshur complex, 15 to 30 percent slopes	4	670.2	0.001	\$ 1,252.11
Butler	GoD	Gilpin-Weikert channery silt loams, 15 to 25 percent slopes	4	11369	0.022	\$ 1,004.79
Butler	GpD	Gilpin-Wharton complex, 15 to 25 percent slopes	4	25979	0.051	\$ 1,158.03
Butler	HaD	Hazleton channery loam, 15 to 25 percent slopes	4	18773	0.037	\$ 1,269.61
Butler	MrD	Morristown channery silt loam, 8 to 25 percent slopes	4	274.6	0.001	\$ 1,004.79
Butler	TrD	Titusville and Riverhead soils, 15 to 30 percent slopes	4	1196.4	0.002	\$ 1,004.79
Butler	VcD	Vandergrift-Cavode silt loams, 15 to 25 percent slopes	4	1542.2	0.003	\$ 1,167.31
Butler	WoD	Wooster gravelly silt loam, 15 to 25 percent slopes	4	196.4	0	\$ 1,309.66
Butler	BxB	Buchanan loam, 0 to 8 percent slopes, extremely stony	6	2370.4	0.005	\$ 891.33
Butler	BxD	Buchanan loam, 8 to 25 percent slopes, extremely stony	6	18763	0.037	\$ 891.33

Butler	HaE	Hazleton channery loam, 25 to 35 percent slopes	6	7174.7	0.014	\$ 891.33
Butler	HbB	Hazleton loam, 0 to 8 percent slopes, extremely stony	6	2337.6	0.005	\$ 891.33
Butler	HgD	Hazleton and Gilpin soils, 8 to 25 percent slopes, extreme	6	15158	0.03	\$ 891.33
Butler	UaD	Udorthents, acid material, moderately steep	6	11568	0.023	\$ 891.33
Butler	UcD	Udorthents, calcareous material, moderately steep	6	169.3	0	\$ 891.33
Butler	WoF	Wooster gravelly silt loam, 25 to 50 percent slopes	6	149.2	0	\$ 1,277.26
Butler	AoB	Andover loam, 0 to 8 percent slopes, extremely stony	7	2082.4	0.004	\$ 891.33
Butler	AoC	Andover loam, 8 to 15 percent slopes, extremeley stony	7	1728	0.003	\$ 891.33
Butler	BbF	Bethesda and Fairpoint channery silt loams, 25 to 70 perc	7	812.5	0.002	\$ 891.33
Butler	CeD	Caneadea silt loam, 15 to 25 percent slopes	7	828.7	0.002	\$ 1,177.77
Butler	GoF	Gilpin-Weikert channery silt loams, 25 to 70 percent slope	7	12247	0.024	\$ 891.33
Butler	HgF	Hazleton and Gilpin soils, 25 to 70 percent slopes, extrem	7	14602	0.029	\$ 891.33
Butler	UaF	Udorthents, acid material, very steep	7	10170	0.02	\$ 891.33
Butler	UcF	Udorthents, calcareous material, very steep	7	108.8	0	\$ 891.33
Butler	DAM	Dams	8	5.6	0	\$ 891.33
Butler	Dd	Dumps, industrial waste	8	309.4	0.001	\$ 891.33
Butler	Dm	Dumps, mine	8	329.3	0.001	\$ 891.33
Butler	Pn	Pits, sand and gravel	8	412.2	0.001	\$ 891.33
Butler	UB	Urban land	8	31.7	0	\$ 891.33
Butler	UeB	Urban land-Ernest complex, 0 to 8 percent slopes	8	2368.2	0.005	\$ 891.33
Butler	UeC	Urban land-Ernest complex, 8 to 15 percent slopes	8	433.4	0.001	\$ 891.33
Butler	UgD	Urban land-Gilpin complex, 15 to 25 percent slopes	8	316.8	0.001	\$ 891.33
Cambria	AbB	Albrights silt loam, 3 to 8 percent slopes	2	667.7	0.002	\$ 1,370.05
Cambria	BeB	Berks channery silt loam, 3 to 8 percent slopes	2	1297.4	0.003	\$ 1,275.36
Cambria	CeA	Cookport and Ernest soils, 0 to 3 percent slopes	2	847.4	0.002	\$ 1,341.02
Cambria	CeB	Cookport and Ernest soils, 3 to 8 percent slopes	2	30563	0.069	\$ 1,341.02
Cambria	GnB	Gilpin silt loam, 3 to 8 percent slopes	2	15638	0.035	\$ 1,290.47
Cambria	GwB	Gilpin-Weikert channery silt loams, 3 to 8 percent slopes	2	2799	0.006	\$ 1,256.03
Cambria	HaB	Hazleton channery loam, 3 to 8 percent slopes	2	11687	0.026	\$ 1,487.97
Cambria	LaB	Laidig loam, 3 to 8 percent slopes	2	10705	0.024	\$ 1,347.96
Cambria	LkB	Leck kill silt loam, 3 to 8 percent slopes	2	283.8	0.001	\$ 1,501.83
Cambria	Ph	Philo silt loam, 0 to 3 percent slopes, occasionally flooded	2	2607.4	0.006	\$ 1,416.93
Cambria	Po	Pope silt loam, 0 to 3 percent slopes, occasionally flooded	2	640.6	0.001	\$ 1,416.93
Cambria	RaB	Rayne silt loam, 3 to 8 percent slopes	2	437.5	0.001	\$ 1,401.13
Cambria	WaB	Wharton silt loam, 3 to 8 percent slopes	2	16393	0.037	\$ 1,160.25
Cambria	AbC	Albrights silt loam, 8 to 15 percent slopes	3	370.1	0.001	\$ 1,341.02
Cambria	BeC	Berks channery silt loam, 8 to 15 percent slopes	3	826.9	0.002	\$ 1,201.25
Cambria	BmB	Blairton silt loam, 3 to 8 percent slopes	3	7470.3	0.017	\$ 1,158.39
Cambria	CaA	Cavode silt loam, 0 to 3 percent slopes	3	938.6	0.002	\$ 1,279.17
Cambria	CaB	Cavode silt loam, 3 to 8 percent slopes	3	15269	0.034	\$ 1,282.95
Cambria	CaC	Cavode silt loam, 8 to 15 percent slopes	3	2359.7	0.005	\$ 1,246.18
Cambria	CeC	Cookport and Ernest soils, 8 to 15 percent slopes	3	17845	0.04	\$ 1,310.75
Cambria	GtC	Gilpin-Rayne silt loams, 8 to 15 percent slopes	3	11519	0.026	\$ 1,312.56
Cambria	GwC	Gilpin-Weikert channery silt loams, 8 to 15 percent slopes	3	3689.4	0.008	\$ 1,205.44
Cambria	HaC	Hazleton channery loam, 8 to 15 percent slopes	3	4905	0.011	\$ 1,432.37
Cambria	LaC	Laidig loam, 8 to 15 percent slopes	3	5869.6	0.013	\$ 1,312.56
Cambria	LkC	Leck kill silt loam, 8 to 15 percent slopes	3	559.4	0.001	\$ 1,473.79

Cambria	RaC	Rayne silt loam, 8 to 15 percent slopes	3	313.1	0.001	\$ 1,346.23
Cambria	WaC	Wharton silt loam, 8 to 15 percent slopes	3	3514.3	0.008	\$ 1,086.11
Cambria	WgC	Wharton-Gilpin silt loams, 8 to 15 percent slopes	3	21065	0.047	\$ 1,158.03
Cambria	AmB	Armagh silt loam, 0 to 8 percent slopes	4	1344.9	0.003	\$ 1,164.67
Cambria	At	Atkins silt loam, 0 to 3 percent slopes, frequently flooded	4	10604	0.024	\$ 1,236.20
Cambria	BeD	Berks channery silt loam, 15 to 25 percent slopes	4	999.3	0.002	\$ 1,164.67
Cambria	BmC	Blairton silt loam, 8 to 15 percent slopes	4	2427.4	0.005	\$ 1,112.74
Cambria	BpC	Blairton-Berks channery silt loams, 8 to 15 percent slopes	4	1624.1	0.004	\$ 1,158.03
Cambria	BtB	Brinkerton soils, 3 to 8 percent slopes	4	23452	0.053	\$ 1,296.06
Cambria	CeD	Cookport and Ernest soils, 15 to 25 percent slopes	4	1956.2	0.004	\$ 1,275.36
Cambria	GtD	Gilpin-Rayne silt loams, 15 to 25 percent slopes	4	5421.7	0.012	\$ 1,236.20
Cambria	GwD	Gilpin-Weikert channery silt loams, 15 to 25 percent slopes	4	3618.6	0.008	\$ 1,004.79
Cambria	HaD	Hazleton channery loam, 15 to 25 percent slopes	4	3389.7	0.008	\$ 1,404.32
Cambria	LkD	Leck kill silt loam, 15 to 25 percent slopes	4	300.6	0.001	\$ 1,381.66
Cambria	RaD	Rayne silt loam, 15 to 25 percent slopes	4	803.9	0.002	\$ 1,312.56
Cambria	WgD	Wharton-Gilpin silt loams, 15 to 25 percent slopes	4	17774	0.04	\$ 1,095.75
Cambria	BnB	Blairton very stony silt loam, 3 to 8 percent slopes	6	707.7	0.002	\$ 1,056.51
Cambria	CbB	Cavode very stony silt loam, 0 to 8 percent slopes	6	948	0.002	\$ 891.33
Cambria	CvB	Cookport and Ernest very stony soils, 0 to 8 percent slopes	6	21689	0.049	\$ 891.33
Cambria	CvD	Cookport and Ernest very stony soils, 8 to 25 percent slopes	6	25503	0.057	\$ 891.33
Cambria	GpB	Gilpin very stony silt loam, 3 to 8 percent slopes	6	2924.9	0.007	\$ 891.33
Cambria	GpD	Gilpin very stony silt loam, 8 to 25 percent slopes	6	4641.5	0.01	\$ 891.33
Cambria	HbB	Hazleton channery sandy loam, 3 to 8 percent slopes, extremely	6	11251	0.025	\$ 891.33
Cambria	LtB	Leetonia very stony loamy sand, 3 to 8 percent slopes	6	3727.6	0.008	\$ 891.33
Cambria	UDC	Udorthents, strip mine, sloping	6	9137.3	0.021	\$ 891.33
Cambria	BvB	Brinkerton mucky silt loam, 0 to 8 percent slopes, extremely	7	2895.2	0.007	\$ 891.33
Cambria	GWF	Gilpin-Weikert channery silt loams, 25 to 70 percent slopes	7	9093.4	0.02	\$ 891.33
Cambria	HbD	Hazleton channery sandy loam, 8 to 25 percent slopes, extremely	7	17785	0.04	\$ 891.33
Cambria	HbF	Hazleton channery sandy loam, 25 to 70 percent slopes, extremely	7	235.9	0.001	\$ 891.33
Cambria	Hx	Hazleton extremely bouldery sandy loam	7	492.8	0.001	\$ 891.33
Cambria	LDF	Laidig soils, 25 to 70 percent slopes	7	33650	0.076	\$ 891.33
Cambria	McF	Macove-Gilpin channery silt loams, 35 to 70 percent slopes	7	1458.1	0.003	\$ 891.33
Cambria	NoB	Nolo very stony sandy loam, 0 to 8 percent slopes	7	3998.1	0.009	\$ 891.33
Cambria	UDF	Udorthents, strip mine, steep	7	10257	0.023	\$ 891.33
Cambria	DAM	Dams and impoundment structures	8	9	0	\$ 891.33
Cambria	Du	Dumps, mine	8	2400.4	0.005	\$ 891.33
Cameron/Elk	Ba	Barbour fine sandy loam	1	417.7	0.001	\$ 1,733.41
Cameron/Elk	AbB	Albrights silt loam, 3 to 8 percent slopes	2	1249.8	0.002	\$ 1,370.05
Cameron/Elk	Bb	Basher silt loam	2	2512	0.003	\$ 1,465.72
Cameron/Elk	BuB	Buchanan silt loam, 3 to 8 percent slopes	2	14488	0.018	\$ 1,377.04
Cameron/Elk	CeB	Clymer channery loam, 3 to 8 percent slopes	2	26.2	0	\$ 1,460.76
Cameron/Elk	CoA	Cookport channery loam, 0 to 3 percent slopes	2	6802.6	0.009	\$ 1,236.20
Cameron/Elk	CoB	Cookport channery loam, 3 to 8 percent slopes	2	29074	0.037	\$ 1,236.20
Cameron/Elk	Cr	Craigsville gravelly loam	2	17	0	\$ 1,228.12
Cameron/Elk	GpB	Gilpin silt loam, 3 to 8 percent slopes	2	13.9	0	\$ 1,290.47
Cameron/Elk	HaB	Hartleton channery silt loam, 3 to 8 percent slopes	2	17343	0.022	\$ 1,211.69
Cameron/Elk	HoB	Hazleton channery loam, 3 to 8 percent slopes	2	33409	0.042	\$ 1,487.97

Cameron/Elk	LeB	Leck Kill channery silt loam, 3 to 8 percent slopes	2	2171.3	0.003	\$ 1,465.14
Cameron/Elk	Ph	Philo silt loam, 0 to 3 percent slopes, occasionally flooded	2	7988	0.01	\$ 1,416.93
Cameron/Elk	Po	Pope silt loam, 0 to 3 percent slopes, occasionally flooded	2	1289.2	0.002	\$ 1,416.93
Cameron/Elk	WaB	Wharton silt loam, 3 to 8 percent slopes	2	29428	0.037	\$ 1,160.25
Cameron/Elk	AbC	Albrights silt loam, 8 to 15 percent slopes	3	3426.3	0.004	\$ 1,341.02
Cameron/Elk	BuC	Buchanan silt loam, 8 to 15 percent slopes	3	24570	0.031	\$ 1,346.57
Cameron/Elk	CaA	Cavode silt loam, 0 to 3 percent slopes	3	2034.8	0.003	\$ 1,279.17
Cameron/Elk	CaB	Cavode silt loam, 3 to 8 percent slopes	3	12087	0.015	\$ 1,282.95
Cameron/Elk	CaC	Cavode silt loam, 8 to 15 percent slopes	3	3098.3	0.004	\$ 1,246.18
Cameron/Elk	CeC	Clymer channery loam, 8 to 15 percent slopes	3	217.6	0	\$ 1,427.78
Cameron/Elk	CoC	Cookport channery loam, 8 to 15 percent slopes	3	8598.7	0.011	\$ 1,201.25
Cameron/Elk	HaC	Hartleton channery silt loam, 8 to 15 percent slopes	3	14222	0.018	\$ 1,158.03
Cameron/Elk	HoC	Hazleton channery loam, 8 to 15 percent slopes	3	14265	0.018	\$ 1,432.37
Cameron/Elk	LeC	Leck Kill channery silt loam, 8 to 15 percent slopes	3	2624.5	0.003	\$ 1,436.03
Cameron/Elk	WaC	Wharton silt loam, 8 to 15 percent slopes	3	17583	0.022	\$ 1,086.11
Cameron/Elk	AbD	Albrights silt loam, 15 to 25 percent slopes	4	1391.1	0.002	\$ 1,162.91
Cameron/Elk	At	Atkins silt loam, 0 to 3 percent slopes, frequently flooded	4	6862.7	0.009	\$ 1,236.20
Cameron/Elk	BrA	Brinkerton soils, 0 to 3 percent slopes	4	6194.8	0.008	\$ 1,296.06
Cameron/Elk	BrB	Brinkerton soils, 3 to 8 percent slopes	4	17108	0.022	\$ 1,296.06
Cameron/Elk	BuD	Buchanan silt loam, 15 to 25 percent slopes	4	11531	0.015	\$ 1,303.44
Cameron/Elk	HaD	Hartleton channery silt loam, 15 to 25 percent slopes	4	14968	0.019	\$ 1,124.02
Cameron/Elk	HoD	Hazleton channery loam, 15 to 25 percent slopes	4	8937.2	0.011	\$ 1,404.32
Cameron/Elk	LeD	Leck Kill channery silt loam, 15 to 25 percent slopes	4	6274.2	0.008	\$ 1,361.63
Cameron/Elk	NoA	Nolo loam, 0 to 3 percent slopes	4	3129	0.004	\$ 1,207.03
Cameron/Elk	NoB	Nolo loam, 3 to 8 percent slopes	4	1388.4	0.002	\$ 1,207.03
Cameron/Elk	WaD	Wharton silt loam, 15 to 25 percent slopes	4	3924.1	0.005	\$ 1,004.79
Cameron/Elk	BxB	Buchanan silt loam, 0 to 8 percent, very stony	6	7735	0.01	\$ 891.33
Cameron/Elk	BxD	Buchanan silt loam, 8 to 25 percent slopes, very stony	6	30139	0.038	\$ 891.33
Cameron/Elk	CdB	Cavode silt loam, 0 to 8 percent slopes, very stony	6	2662.8	0.003	\$ 891.33
Cameron/Elk	CdD	Cavode silt loam, 8 to 25 percent slopes, very stony	6	1226.6	0.002	\$ 891.33
Cameron/Elk	CfC	Clymer channery loam, 8 to 15 percent slopes, extremely	6	29.8	0	\$ 891.33
Cameron/Elk	CpB	Cookport channery loam, 0 to 8 percent slopes, very stony	6	36249	0.046	\$ 891.33
Cameron/Elk	CpD	Cookport channery loam, 8 to 25 percent slopes, very stony	6	29875	0.038	\$ 891.33
Cameron/Elk	HeB	Hartleton channery silt loam, 0 to 8 percent slopes, very stony	6	1353.8	0.002	\$ 891.33
Cameron/Elk	HeD	Hartleton channery silt loam, 8 to 25 percent slopes, very stony	6	2523.3	0.003	\$ 891.33
Cameron/Elk	HxB	Hazleton channery loam, 0 to 8 percent slopes, very stony	6	29080	0.037	\$ 891.33
Cameron/Elk	HxD	Hazleton channery loam, 8 to 25 percent slopes, very stony	6	37814	0.048	\$ 891.33
Cameron/Elk	MhD	Meckesville channery loam, 8 to 25 percent slopes, very stony	6	334.3	0	\$ 891.33
Cameron/Elk	WxB	Wharton silt loam, 0 to 8 percent slopes, very stony	6	2979	0.004	\$ 891.33
Cameron/Elk	WxD	Wharton silt loam, 8 to 25 percent slopes, very stony	6	3208.1	0.004	\$ 891.33
Cameron/Elk	BsB	Brinkerton mucky silt loam, 0 to 8 percent slopes, extremely	7	6246.8	0.008	\$ 891.33
Cameron/Elk	CfB	Clymer channery loam, 0 to 8 percent slopes, extremely stony	7	41.6	0	\$ 891.33
Cameron/Elk	HaF	Hartleton channery silt loam, 25 to 60 percent slopes	7	121307	0.154	\$ 891.33
Cameron/Elk	HxF	Hazleton channery loam, 25 to 60 percent slopes, very stony	7	73086	0.093	\$ 891.33
Cameron/Elk	HyE	Hazleton channery loam, 8 to 35 percent slopes, extremely	7	1547.9	0.002	\$ 891.33
Cameron/Elk	LeF	Leck Kill channery silt loam, 25 to 60 percent slopes	7	41856	0.053	\$ 891.33
Cameron/Elk	NxB	Nolo loam, 0 to 8 percent slopes, very stony	7	4000.1	0.005	\$ 891.33

Cameron/Elk	Ub	Udifluents-Buchanan complex	7	6377.9	0.008	\$ 891.33
Cameron/Elk	Ud	Udorthents, sandstone and shale	7	7644.7	0.01	\$ 891.33
Cameron/Elk	UpF	Ungers-Meckesville complex, 25 to 50 percent slopes, ext	7	757.8	0.001	\$ 891.33
Cameron/Elk	Us	Udorthents, sandstone and shale, smoothed	7	4329.4	0.005	\$ 891.33
Cameron/Elk	DAM	Dam	8	57.5	0	\$ 891.33
Carbon	AdA	Allenwood gravelly loam and silt loam, 0 to 3 percent slop	1	457	0.002	\$ 1,578.85
Carbon	AgA	Allenwood gravelly silt loam, 0 to 3 percent slopes	1	583.8	0.002	\$ 1,578.85
Carbon	FtA	Fleetwood sandy loam, 0 to 3 percent slopes	1	171.3	0.001	\$ 1,473.79
Carbon	HtA	Hazleton loam, 0 to 3 percent slopes	1	1520.1	0.006	\$ 1,501.83
Carbon	MbA	Meckesville channery loam, 0 to 3 percent slopes	1	303.8	0.001	\$ 1,347.96
Carbon	Tf	Tioga fine sandy loam	1	439	0.002	\$ 1,468.03
Carbon	Tg	Tioga silt loam	1	193.2	0.001	\$ 1,468.03
Carbon	TmB	Tioga and Middlebury very stony loams, 0 to 8 percent slc	1	1878.6	0.008	\$ 1,468.03
Carbon	AaA	Albrights channery loam, 0 to 3 percent slopes	2	32.5	0	\$ 1,326.93
Carbon	AaB2	Albrights channery loam, 3 to 8 percent slopes moderatel	2	55.9	0	\$ 1,354.83
Carbon	AbA	Albrights silt loam, 0 to 3 percent slopes	2	728.2	0.003	\$ 1,326.93
Carbon	AbB2	Albrights silt loam 3 to 8 percent slopes moderately erode	2	1919.5	0.008	\$ 1,354.83
Carbon	AdB2	Allenwood gravelly loam and silt loam, 3 to 8 percent slop	2	1993.6	0.008	\$ 1,578.85
Carbon	AgB2	Allenwood gravelly silt loam, 3 to 8 percent slopes, moder	2	2955.3	0.012	\$ 1,578.85
Carbon	BcB2	Buchanan gravelly loam, 3 to 10 percent slopes, moderate	2	764.8	0.003	\$ 1,236.20
Carbon	CmA	Comly silt loam, 0 to 3 percent slopes	2	277	0.001	\$ 1,337.52
Carbon	CmB2	Comly silt loam, 3 to 8 percent slopes, moderately erodec	2	1033.2	0.004	\$ 1,337.52
Carbon	DrA	Drifton loam, 0 to 3 percent slopes	2	1627.5	0.007	\$ 1,342.76
Carbon	DrB2	Drifton loam, 3 to 8 percent slopes, moderately eroded	2	352.8	0.001	\$ 1,342.76
Carbon	FtB2	Fleetwood sandy loam, 3 to 8 percent slopes, moderately	2	190.8	0.001	\$ 1,473.79
Carbon	HaA	Hartleton channery silt loam, 0 to 3 percent slopes	2	287.2	0.001	\$ 1,236.20
Carbon	HaB2	Hartleton channery silt loam, 3 to 8 percent slopes, mode	2	3420.2	0.014	\$ 1,194.92
Carbon	HtB	Hazleton loam, 3 to 8 percent slopes	2	1516.8	0.006	\$ 1,501.83
Carbon	HtB2	Hazleton loam, 3 to 8 percent slopes, moderately eroded	2	725.1	0.003	\$ 1,501.83
Carbon	LaB2	Laidig gravelly loam, 3 to 8 percent slopes, moderately er	2	465.3	0.002	\$ 1,347.96
Carbon	MbB2	Meckesville channery loam, 3 to 8 percent slopes, moder	2	3407.8	0.014	\$ 1,347.96
Carbon	MdA	Middlebury silt loam, 0 to 3 percent slopes	2	1557.3	0.006	\$ 1,462.22
Carbon	MdB	Middlebury silt loam, 3 to 8 percent slopes	2	1152.1	0.005	\$ 1,462.22
Carbon	MeA3	Middlebury and Tioga silt loams, 0 to 3 percent slopes, se	2	287.1	0.001	\$ 1,435.42
Carbon	PkA	Pekin silt loam, 0 to 3 percent slopes	2	36.1	0	\$ 1,378.36
Carbon	SsB	Swartswood channery silt loam, 0 to 8 percent slopes	2	108.8	0	\$ 1,347.96
Carbon	TuA	Tunkhannock gravelly loam, 0 to 3 percent slopes	2	48.8	0	\$ 1,275.36
Carbon	TuB	Tunkhannock gravelly loam, 3 to 8 percent slopes	2	1807.4	0.007	\$ 1,275.36
Carbon	WaB2	Watson gravelly silt loam, 0 to 8 percent slopes, moderate	2	521.1	0.002	\$ 1,337.52
Carbon	WsA	Watson silt loam, 0 to 3 percent slopes	2	880.8	0.004	\$ 1,332.25
Carbon	WsB2	Watson silt loam, 3 to 8 percent slopes, moderately erode	2	1212.5	0.005	\$ 1,337.52
Carbon	WuA	Wurtsboro channery loam, 0 to 3 percent slopes	2	39.5	0	\$ 1,236.20
Carbon	WuB2	Wurtsboro channery loam, 3 to 8 percent slopes, modera	2	32.8	0	\$ 1,248.16
Carbon	AdC2	Allenwood gravelly loam and silt loam, 8 to 15 percent slc	3	188.1	0.001	\$ 1,501.83
Carbon	AgC2	Allenwood gravelly silt loam, 8 to 15 percent slopes, mod	3	427.8	0.002	\$ 1,501.83
Carbon	AnB	Alvira gravelly silt loam, 0 to 8 percent slopes	3	485.4	0.002	\$ 1,294.20
Carbon	CmC	Comly silt loam, 8 to 15 percent slopes	3	44.3	0	\$ 1,273.45

Carbon	CnC3	Comly silty clay loam, 8 to 15 percent slopes, severely ero	3	189.5	0.001	\$ 1,273.45
Carbon	CtA	Conotton gravelly loam, 0 to 3 percent slopes	3	333.9	0.001	\$ 1,194.92
Carbon	CtB	Conotton gravelly loam, 3 to 8 percent slopes	3	51.2	0	\$ 1,194.92
Carbon	FtC2	Fleetwood sandy loam, 8 to 15 percent slopes, moderatel	3	310	0.001	\$ 1,413.80
Carbon	HaC2	Hartleton channery silt loam, 8 to 15 percent slopes, mod	3	716.2	0.003	\$ 1,151.35
Carbon	HtC2	Hazleton loam, 8 to 15 percent slopes, moderately erodec	3	381.4	0.002	\$ 1,444.48
Carbon	Hy	Holly silt loam	3	4243.9	0.017	\$ 1,347.96
Carbon	KcB2	Klinesville channery silt loam, 3 to 8 percent slopes, mode	3	1731.5	0.007	\$ 1,004.79
Carbon	LaC2	Laidig gravelly loam, 8 to 15 percent slopes, moderately e	3	1073.3	0.004	\$ 1,312.56
Carbon	LeA	Leck kill channery silt loam, 0 to 3 percent slopes	3	218.7	0.001	\$ 1,151.35
Carbon	LeB2	Leck kill channery silt loam, 3 to 8 percent slopes, modera	3	2890.9	0.012	\$ 1,151.35
Carbon	MbC2	Meckesville channery loam, 8 to 15 percent slopes, mode	3	739.3	0.003	\$ 1,312.56
Carbon	MoA	Montevallo channery silt loam, 0 to 3 percent slopes	3	167	0.001	\$ 1,004.79
Carbon	MoB2	Montevallo channery silt loam, 3 to 8 percent slopes, moc	3	6950.7	0.028	\$ 1,004.79
Carbon	MoB3	Montevallo channery silt loam, 3 to 8 percent slopes, seve	3	2.7	0	\$ 1,004.79
Carbon	RsB	Rushtown shaly silt loam, 3 to 8 percent slopes	3	1.6	0	\$ 1,151.35
Carbon	SsC2	Swartswood channery silt loam, 8 to 15 percent slopes, m	3	13.5	0	\$ 1,275.36
Carbon	TuC	Tunkhannock gravelly loam, 8 to 15 percent slopes	3	1497.5	0.006	\$ 1,151.35
Carbon	VoB	Volusia silt loam, 3 to 8 percent slopes	3	40.9	0	\$ 1,205.44
Carbon	WsC2	Watson silt loam, 8 to 15 percent slopes, moderately eroc	3	18.7	0	\$ 1,273.45
Carbon	WtC3	Watson silty clay loam, 8 to 15 percent slopes, severely er	3	10.9	0	\$ 1,273.45
Carbon	AgD2	Allenwood gravelly silt loam, 15 to 25 percent slopes, mo	4	14.5	0	\$ 1,413.80
Carbon	AmC3	Allenwood gravelly silty clay loam, 8 to 15 percent slopes,	4	236.9	0.001	\$ 1,413.80
Carbon	AmD3	Allenwood gravelly silty clay loam, 15 to 25 percent slope:	4	59.3	0	\$ 1,413.80
Carbon	AsA	Alvira and Shelmadine silt loams, 0 to 3 percent slopes	4	1147.2	0.005	\$ 1,275.36
Carbon	AsB2	Alvira and Shelmadine silt loams, 3 to 8 percent slopes, m	4	212.4	0.001	\$ 1,275.36
Carbon	HaC3	Hartleton channery silt loam, 8 to 15 percent slopes, seve	4	761.6	0.003	\$ 1,105.28
Carbon	HaD2	Hartleton channery silt loam, 15 to 25 percent slopes, mo	4	42.6	0	\$ 1,105.28
Carbon	KcC2	Klinesville channery silt loam, 8 to 15 percent slopes, moc	4	1796.7	0.007	\$ 1,004.79
Carbon	LaD3	Laidig gravelly loam, 15 to 25 percent slopes, severely ero	4	175.3	0.001	\$ 1,236.20
Carbon	LeC2	Leck kill channery silt loam, 8 to 15 percent slopes, moder	4	2227.5	0.009	\$ 1,105.28
Carbon	LeC3	Leck kill channery silt loam, 8 to 15 percent slopes, severe	4	630.9	0.003	\$ 1,105.28
Carbon	MoC2	Montevallo channery silt loam, 8 to 15 percent slopes, mc	4	8206.4	0.033	\$ 1,004.79
Carbon	Pa	Papakating silty clay loam	4	814.9	0.003	\$ 1,004.79
Carbon	RsC	Rushtown shaly silt loam, 8 to 15 percent slopes	4	7.3	0	\$ 1,105.28
Carbon	ShA	Shelmadine silt loam, 0 to 3 percent slopes	4	974.5	0.004	\$ 1,236.20
Carbon	ShB2	Shelmadine silt loam, 3 to 8 percent slopes, moderately e	4	280.7	0.001	\$ 1,236.20
Carbon	TuD	Tunkhannock gravelly loam, 15 to 25 percent slopes	4	1823.8	0.007	\$ 1,105.28
Carbon	LsA	Lickdale and Tughill loams and silt loams, 0 to 3 percent sl	5	72.6	0	\$ 891.33
Carbon	NoA	Norwich mucky silt loam, 0 to 3 percent slopes	5	42.6	0	\$ 891.33
Carbon	NoB	Norwich mucky silt loam, 3 to 8 percent slopes	5	14.8	0	\$ 891.33
Carbon	AcB	Albrights very stony loam, 0 to 8 percent slopes	6	6639.6	0.027	\$ 891.33
Carbon	AcD	Albrights very stony loam, 8 to 25 percent slopes	6	205.5	0.001	\$ 891.33
Carbon	ArB	Alvira very stony silt loam, 0 to 8 percent slopes	6	1973.3	0.008	\$ 891.33
Carbon	BhB	Buchanan very stony loam, 0 to 8 percent slopes	6	3897.1	0.016	\$ 891.33
Carbon	BhD	Buchanan very stony loam, 8 to 25 percent slopes	6	2142.7	0.009	\$ 891.33
Carbon	CoB	Comly very stony silt loam, 0 to 8 percent slopes	6	371.7	0.001	\$ 891.33

Carbon	CoD	Comly very stony silt loam, 8 to 25 percent slopes	6	168.6	0.001	\$	891.33
Carbon	DeB	Dekalb very stony loam, 0 to 8 percent slopes	6	2240.9	0.009	\$	891.33
Carbon	DeD	Dekalb very stony loam, 8 to 25 percent slopes	6	9866.2	0.04	\$	891.33
Carbon	DsB	Drifton very stony loam, 0 to 8 percent slopes	6	4596.5	0.018	\$	891.33
Carbon	FvB	Fleetwood very stony loam, shallow, 0 to 8 percent slopes	6	621.9	0.002	\$	891.33
Carbon	FvD	Fleetwood very stony loam, shallow, 8 to 25 percent slopes	6	2112.7	0.008	\$	891.33
Carbon	FwB	Fleetwood very stony sandy loam, 0 to 8 percent slopes	6	659	0.003	\$	891.33
Carbon	FwD	Fleetwood very stony sandy loam, 8 to 25 percent slopes	6	1137.8	0.005	\$	891.33
Carbon	HaD3	Hartleton channery silt loam, 15 to 25 percent slopes, severe	6	146.3	0.001	\$	891.33
Carbon	HsB	Hartleton very stony loam, 0 to 8 percent slopes	6	185.7	0.001	\$	891.33
Carbon	HsD	Hartleton very stony loam, 8 to 25 percent slopes	6	183.6	0.001	\$	891.33
Carbon	HvB	Hazleton very stony loam, 0 to 8 percent slopes	6	13667	0.055	\$	891.33
Carbon	HvD	Hazleton very stony loam, 8 to 25 percent slopes	6	6701.3	0.027	\$	891.33
Carbon	KcC3	Klinesville channery silt loam, 8 to 15 percent slopes, severe	6	1019.5	0.004	\$	891.33
Carbon	KcD2	Klinesville channery silt loam, 15 to 25 percent slopes, moderate	6	1086.3	0.004	\$	891.33
Carbon	KvD	Klinesville very stony silt loam, 8 to 25 percent slopes	6	255.2	0.001	\$	891.33
Carbon	LdB	Laidig very stony loam, 3 to 8 percent slopes	6	1987.1	0.008	\$	891.33
Carbon	LdD	Laidig very stony loam, 8 to 25 percent slopes	6	6017	0.024	\$	891.33
Carbon	LeD2	Leck kill channery silt loam, 15 to 25 percent slopes, moderate	6	324.5	0.001	\$	891.33
Carbon	LeD3	Leck kill channery silt loam, 15 to 25 percent slopes, severe	6	482.4	0.002	\$	891.33
Carbon	LkB	Leck kill very stony loam, 0 to 8 percent slopes	6	1599.2	0.006	\$	891.33
Carbon	LkD	Leck kill very stony loam, 8 to 25 percent slopes	6	7018.9	0.028	\$	891.33
Carbon	LvB	Lordstown very stony silt loam, 0 to 8 percent slopes	6	825.2	0.003	\$	891.33
Carbon	LvD	Lordstown very stony silt loam, 8 to 25 percent slopes	6	1903.3	0.008	\$	891.33
Carbon	Ma	Made land	6	1969.7	0.008	\$	891.33
Carbon	McB	Meckesville very stony loam, 0 to 8 percent slopes	6	9333.4	0.037	\$	891.33
Carbon	McD	Meckesville very stony loam, 8 to 25 percent slopes	6	4600.8	0.018	\$	891.33
Carbon	MoC3	Montevallo channery silt loam, 8 to 15 percent slopes, severe	6	84.7	0	\$	949.83
Carbon	MoD2	Montevallo channery silt loam, 15 to 25 percent slopes, moderate	6	5934.7	0.024	\$	891.33
Carbon	NaB	Natalie very stony loam, 0 to 8 percent slopes	6	689.3	0.003	\$	891.33
Carbon	RsD	Rushtown shaly silt loam, 15 to 25 percent slopes	6	1.5	0	\$	891.33
Carbon	SwB	Swartswood very stony loam, 0 to 8 percent slopes	6	2343.1	0.009	\$	891.33
Carbon	SwD	Swartswood very stony loam, 8 to 25 percent slopes	6	1091.2	0.004	\$	891.33
Carbon	WvB	Wurtsboro very stony loam, 0 to 8 percent slopes	6	2503.9	0.01	\$	891.33
Carbon	WvD	Wurtsboro very stony loam, 8 to 25 percent slopes	6	240.3	0.001	\$	891.33
Carbon	AtB	Alvira and Shelmadine very stony silt loams, 0 to 8 percent slopes	7	1490.5	0.006	\$	891.33
Carbon	AvA	Andover very stony loam, 0 to 3 percent slopes	7	586.1	0.002	\$	891.33
Carbon	CtD	Conotton gravelly loam, 15 to 25 percent slopes	7	27.2	0	\$	891.33
Carbon	DeF	Dekalb very stony loam, 25 to 100 percent slopes	7	12779	0.051	\$	891.33
Carbon	FvF	Fleetwood very stony loam, shallow, 25 to 100 percent slopes	7	1870.1	0.008	\$	891.33
Carbon	KcD3	Klinesville channery silt loam, 15 to 25 percent slopes, severe	7	1315.7	0.005	\$	891.33
Carbon	KcE2	Klinesville channery silt loam, 25 to 35 percent slopes, moderate	7	953.6	0.004	\$	891.33
Carbon	KcE3	Klinesville channery silt loam, 25 to 35 percent slopes, severe	7	1055.6	0.004	\$	891.33
Carbon	KcF	Klinesville channery silt loam, 35 to 80 percent slopes	7	806.2	0.003	\$	891.33
Carbon	KcF3	Klinesville channery silt loam, 35 to 80 percent slopes, severe	7	120.2	0	\$	891.33
Carbon	KvF	Klinesville very stony silt loam, 25 to 80 percent slopes	7	5141.1	0.021	\$	891.33
Carbon	LkF	Leck kill very stony loam, 25 to 100 percent slopes	7	1582	0.006	\$	891.33

Carbon	LtA	Lickdale and Tughill very stony loams, 0 to 8 percent slopes	7	1573.3	0.006	\$ 891.33
Carbon	LvF	Lordstown very stony silt loam, 25 to 80 percent slopes	7	361.3	0.001	\$ 891.33
Carbon	Mm	Mine dumps	7	987	0.004	\$ 891.33
Carbon	Mn	Mine dumps, coal	7	547.5	0.002	\$ 891.33
Carbon	MoD3	Montevallo channery silt loam, 15 to 25 percent slopes, s	7	153.5	0.001	\$ 891.33
Carbon	MoE2	Montevallo channery silt loam, 25 to 35 percent slopes, n	7	3869.7	0.016	\$ 891.33
Carbon	MoE3	Montevallo channery silt loam, 25 to 35 percent slopes, s	7	504.7	0.002	\$ 891.33
Carbon	MoF2	Montevallo channery silt loam, 35 to 100 percent slopes,	7	2589.4	0.01	\$ 891.33
Carbon	MrB	Morris channery silt loam, 0 to 8 percent slopes, extremel	7	1498.7	0.006	\$ 891.33
Carbon	NvB	Norwich soils, 0 to 8 percent slopes, extremely stony	7	643.1	0.003	\$ 891.33
Carbon	Ra	Riverwash	7	268.3	0.001	\$ 891.33
Carbon	Rc	Riverwash, coal	7	434.6	0.002	\$ 891.33
Carbon	RsE	Rushtown shaly silt loam, 25 to 35 percent slopes	7	8.4	0	\$ 891.33
Carbon	SmB	Shelmadine very stony silt loam, 0 to 8 percent slopes	7	3189	0.013	\$ 891.33
Carbon	Sr	Strip mines	7	4462.8	0.018	\$ 891.33
Carbon	VeB	Very stony land, 0 to 8 percent slopes	7	188.3	0.001	\$ 891.33
Carbon	VeD	Very stony land, 8 to 25 percent slopes	7	467.4	0.002	\$ 891.33
Carbon	VsB	Volusia very stony loam, 0 to 8 percent slopes	7	1271.6	0.005	\$ 891.33
Carbon	GP	Gravel pit	8	13.5	0	\$ 891.33
Carbon	Mu	Muck and Peat	8	577.3	0.002	\$ 891.33
Carbon	QU	Quarry	8	46	0	\$ 891.33
Carbon	SP	Sand pit	8	13.9	0	\$ 891.33
Carbon	VeF	Very stony land, 25 to 120 percent slopes	8	7465	0.03	\$ 891.33
Centre	Ch	Chagrín soils	1	1943.2	0.003	\$ 1,482.33
Centre	HaA	Hagerstown silt loam, 0 to 3 percent slopes	1	4823.6	0.007	\$ 1,641.98
Centre	HuA	Hublersburg silt loam, 0 to 3 percent slopes	1	727	0.001	\$ 1,520.78
Centre	MuA	Murrill channery silt loam, 0 to 3 percent slopes	1	1745.7	0.002	\$ 1,486.56
Centre	No	Nolin silt loam, local alluvium, 0 to 5 percent slopes	1	4942.6	0.007	\$ 1,538.44
Centre	AbB	Albrights silt loam, 3 to 8 percent slopes	2	1672.1	0.002	\$ 1,370.05
Centre	AlB	Allegheny silt loam, 2 to 8 percent slopes	2	461.7	0.001	\$ 1,433.90
Centre	Ba	Basher loam	2	3506.1	0.005	\$ 1,456.36
Centre	Bb	Barbour-Craigsville complex	2	297.6	0	\$ 1,442.80
Centre	BkB	Berks channery silt loam, 3 to 8 percent slopes	2	1432	0.002	\$ 1,190.67
Centre	BtB	Buchanan loam, 2 to 8 percent slopes	2	1387.1	0.002	\$ 1,304.54
Centre	BuB	Buchanan channery loam, 3 to 8 percent slopes	2	3232	0.005	\$ 1,337.52
Centre	CkA	Clarksburg silt loam, 0 to 3 percent slopes	2	434	0.001	\$ 1,486.56
Centre	CkB	Clarksburg silt loam, 3 to 8 percent slopes	2	1316.4	0.002	\$ 1,485.78
Centre	CIB	Clymer sandy loam, 3 to 8 percent slopes	2	2826.7	0.004	\$ 1,463.68
Centre	CoB	Cookport loam, 3 to 8 percent slopes	2	163.3	0	\$ 1,194.92
Centre	Cr	Craigsville gravelly loam	2	34.5	0	\$ 1,228.12
Centre	EdB	Edom silt loam, 2 to 8 percent slopes	2	2903.1	0.004	\$ 1,351.40
Centre	ErB	Ernest channery silt loam, 3 to 8 percent slopes	2	1370.7	0.002	\$ 1,337.52
Centre	ErC	Ernest channery silt loam, 8 to 15 percent slopes	2	2792.6	0.004	\$ 1,334.01
Centre	GIB	Gilpin channery silt loam, 3 to 8 percent slopes	2	5636.7	0.008	\$ 1,335.77
Centre	HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	24965	0.035	\$ 1,642.70
Centre	HcB	Hagerstown silty clay loam, 3 to 8 percent slopes	2	6434.5	0.009	\$ 1,653.19
Centre	HhB	Hazleton channery sandy loam, 3 to 8 percent slopes	2	2436.1	0.003	\$ 1,485.16

Centre	HuB	Hublersburg silt loam, 3 to 8 percent slopes	2	9168	0.013	\$ 1,520.78
Centre	LaB	Laidig channery loam, 3 to 8 percent slopes	2	601	0.001	\$ 1,347.96
Centre	LkB	Leck Kill channery silt loam, 3 to 8 percent slopes	2	1293.4	0.002	\$ 1,469.48
Centre	Lx	Lindside soils	2	3141.3	0.004	\$ 1,489.37
Centre	MeB	Meckesville silt loam, 3 to 8 percent slopes	2	391.4	0.001	\$ 1,354.83
Centre	MnB	Millheim silt loam, 2 to 8 percent slopes	2	1872.3	0.003	\$ 1,341.02
Centre	MoB	Monongahela silt loam, 2 to 8 percent slopes	2	379.9	0.001	\$ 1,339.27
Centre	MrB	Morrison sandy loam, 2 to 8 percent slopes	2	9282.7	0.013	\$ 1,344.49
Centre	MuB	Murrill channery silt loam, 3 to 8 percent slopes	2	8707.1	0.012	\$ 1,486.56
Centre	Ph	Philo loam	2	2498.6	0.004	\$ 1,516.83
Centre	Po	Pope soils	2	1454.3	0.002	\$ 1,520.78
Centre	RaB	Rayne silt loam, 2 to 10 percent slopes	2	566.8	0.001	\$ 1,401.13
Centre	TaA	Tilsit silt loam, 0 to 3 percent slopes	2	39.6	0	\$ 1,347.96
Centre	TaB	Tilsit silt loam, 3 to 8 percent slopes	2	324.2	0	\$ 1,347.96
Centre	UmB	Ungers channery loam, 3 to 8 percent slopes	2	1792.1	0.003	\$ 1,436.51
Centre	WhA	Wharton silt loam, 0 to 3 percent slopes	2	374.2	0.001	\$ 1,160.25
Centre	WhB	Wharton silt loam, 3 to 8 percent slopes	2	11303	0.016	\$ 1,160.25
Centre	AbC	Albrights silt loam, 8 to 15 percent slopes	3	1446.4	0.002	\$ 1,341.02
Centre	At	Atkins silt loam	3	4662.7	0.007	\$ 1,354.83
Centre	BkC	Berks channery silt loam, 8 to 15 percent slopes	3	7426.6	0.01	\$ 1,153.58
Centre	BuC	Buchanan channery loam, 8 to 15 percent slopes	3	2436.1	0.003	\$ 1,277.26
Centre	CdA	Cavode silt loam, 0 to 3 percent slopes	3	373.6	0.001	\$ 1,279.17
Centre	CdB	Cavode silt loam, 3 to 8 percent slopes	3	4175.3	0.006	\$ 1,282.95
Centre	CIC	Clymer sandy loam, 8 to 15 percent slopes	3	658.3	0.001	\$ 1,412.23
Centre	EdC	Edom silt loam, 8 to 15 percent slopes	3	1833.9	0.003	\$ 1,277.26
Centre	GlC	Gilpin channery silt loam, 8 to 15 percent slopes	3	4255.4	0.006	\$ 1,301.60
Centre	HaC	Hagerstown silt loam, 8 to 15 percent slopes	3	2696.3	0.004	\$ 1,562.05
Centre	HcC	Hagerstown silty clay loam, 8 to 15 percent slopes	3	2076.3	0.003	\$ 1,531.01
Centre	HhC	Hazleton channery sandy loam, 8 to 15 percent slopes	3	1626.2	0.002	\$ 1,429.31
Centre	HuC	Hublersburg silt loam, 8 to 15 percent slopes	3	1376.9	0.002	\$ 1,482.05
Centre	LaC	Laidig channery loam, 8 to 15 percent slopes	3	1334	0.002	\$ 1,312.56
Centre	LkC	Leck Kill channery silt loam, 8 to 15 percent slopes	3	4942.1	0.007	\$ 1,459.30
Centre	MeC	Meckesville silt loam, 8 to 15 percent slopes	3	1652.7	0.002	\$ 1,316.18
Centre	Mm	Melvin silt loam	3	4474	0.006	\$ 1,261.88
Centre	MnC	Millheim silt loam, 8 to 15 percent slopes	3	2083.3	0.003	\$ 1,269.61
Centre	MrC	Morrison sandy loam, 8 to 15 percent slopes	3	8649.8	0.012	\$ 1,308.93
Centre	MuC	Murrill channery silt loam, 8 to 15 percent slopes	3	2174	0.003	\$ 1,410.65
Centre	OhB	Opequon-Hagerstown complex, 3 to 8 percent slopes	3	13581	0.019	\$ 1,322.58
Centre	Ty	Tyler silt loam	3	483.1	0.001	\$ 1,303.44
Centre	UmC	Ungers channery loam, 8 to 15 percent slopes	3	1994.2	0.003	\$ 1,341.02
Centre	WhC	Wharton silt loam, 8 to 15 percent slopes	3	2005.1	0.003	\$ 1,086.11
Centre	WyA	Wyoming gravelly sandy loam, rarely flooded, 0 to 5 percent slopes	3	1118.9	0.002	\$ 1,290.47
Centre	AnB	Andover channery silt loam, 0 to 8 percent slopes	4	6427.5	0.009	\$ 1,254.07
Centre	AnC	Andover channery silt loam, 8 to 15 percent slopes	4	4348.2	0.006	\$ 1,248.16
Centre	ArA	Armagh silt loam, 0 to 3 percent slopes	4	755.2	0.001	\$ 1,203.35
Centre	ArB	Armagh silt loam, 3 to 8 percent slopes	4	1840.3	0.003	\$ 1,203.35
Centre	BkD	Berks channery silt loam, 15 to 25 percent slopes	4	10357	0.015	\$ 1,114.71

Centre	BrA	Brinkerton silt loam, 0 to 3 percent slopes	4	469.8	0.001	\$ 1,295.68
Centre	BrB	Brinkerton silt loam, 3 to 8 percent slopes	4	3778.1	0.005	\$ 1,291.22
Centre	BrC	Brinkerton silt loam, 8 to 15 percent slopes	4	2548.2	0.004	\$ 1,242.20
Centre	Du	Dunning silty clay loam	4	1563.6	0.002	\$ 1,463.68
Centre	EdD	Edom silt loam, 15 to 25 percent slopes	4	198	0	\$ 1,124.48
Centre	ErD	Ernest channery silt loam, 15 to 25 percent slopes	4	582.2	0.001	\$ 1,266.14
Centre	GI D	Gilpin channery silt loam, 15 to 25 percent slopes	4	1801.2	0.003	\$ 1,265.76
Centre	HcD	Hagerstown silty clay loam, 15 to 25 percent slopes	4	594.9	0.001	\$ 1,469.19
Centre	HhD	Hazleton channery sandy loam, 15 to 25 percent slopes	4	295.1	0	\$ 1,301.60
Centre	HuD	Hublersburg silt loam, 15 to 25 percent slopes	4	202.8	0	\$ 1,368.71
Centre	LaD	Laidig channery loam, 15 to 25 percent slopes	4	1025.7	0.001	\$ 1,234.18
Centre	LkD	Leck Kill channery silt loam, 15 to 25 percent slopes	4	6531.3	0.009	\$ 1,314.38
Centre	LvB	Leetonia sand, variant, 3 to 8 percent slopes	4	564.3	0.001	\$ 1,040.50
Centre	LvC	Leetonia sand, variant, 8 to 15 percent slopes	4	321.8	0	\$ 1,004.79
Centre	MaB	Markes silt loam, 2 to 10 percent slopes	4	212.4	0	\$ 1,133.23
Centre	MnD	Millheim silt loam, 15 to 25 percent slopes	4	340.1	0	\$ 1,190.67
Centre	MrD	Morrison sandy loam, 15 to 25 percent slopes	4	1120.7	0.002	\$ 1,269.61
Centre	MuD	Murrill channery silt loam, 15 to 25 percent slopes	4	177.6	0	\$ 1,299.76
Centre	NoA	Nolo silt loam, 0 to 3 percent slopes	4	1033.5	0.001	\$ 1,282.95
Centre	OhC	Opequon-Hagerstown complex, 8 to 15 percent slopes	4	12181	0.017	\$ 1,260.41
Centre	Pu	Purdy silt loam	4	413.9	0.001	\$ 1,211.69
Centre	UmD	Ungers channery loam, 15 to 25 percent slopes	4	415.5	0.001	\$ 1,240.21
Centre	VaC	Vanderlip loamy sand, 5 to 20 percent slopes	4	314.4	0	\$ 1,095.75
Centre	WeC	Weikert shaly silt loam, 5 to 15 percent slopes	4	2556.7	0.004	\$ 1,004.79
Centre	OxB	Opequon-Rock outcrop complex, 0 to 8 percent slopes	5	977.3	0.001	\$ 1,089.89
Centre	BI D	Berks very stony silt loam, 8 to 25 percent slopes	6	1152.3	0.002	\$ 891.33
Centre	BsB	Brinkerton very stony silt loam, 0 to 8 percent slopes	6	496.6	0.001	\$ 891.33
Centre	CvB	Clymer very stony sandy loam, 0 to 8 percent slopes	6	26246	0.037	\$ 891.33
Centre	CvD	Clymer very stony sandy loam, 8 to 25 percent slopes	6	9647.1	0.014	\$ 891.33
Centre	EvB	Ernest very stony silt loam, 3 to 8 percent slopes	6	439	0.001	\$ 891.33
Centre	EvD	Ernest very stony silt loam, 8 to 25 percent slopes	6	449.9	0.001	\$ 891.33
Centre	LI B	Leck Kill very stony silt loam, 0 to 8 percent slopes	6	366.7	0.001	\$ 891.33
Centre	LI D	Leck Kill very stony silt loam, 8 to 25 percent slopes	6	2227.9	0.003	\$ 891.33
Centre	MkB	Meckesville very stony silt loam, 0 to 8 percent slopes	6	463	0.001	\$ 891.33
Centre	MkD	Meckesville very stony silt loam, 8 to 25 percent slopes	6	1956.7	0.003	\$ 891.33
Centre	MsB	Morrison very stony sandy loam, 0 to 8 percent slopes	6	1924.3	0.003	\$ 891.33
Centre	MsD	Morrison very stony sandy loam, 8 to 25 percent slopes	6	6091.9	0.009	\$ 891.33
Centre	MvB	Murrill very stony silt loam, 0 to 8 percent slopes	6	1504.4	0.002	\$ 891.33
Centre	MvD	Murrill very stony silt loam, 8 to 25 percent slopes	6	287.3	0	\$ 891.33
Centre	OhD	Opequon-Hagerstown complex, 15 to 25 percent slopes	6	4623.5	0.006	\$ 891.33
Centre	OxD	Opequon-Rock outcrop complex, 8 to 25 percent slopes	6	2153.7	0.003	\$ 891.33
Centre	Pk	Philo and Atkins very stony soils	6	7083.7	0.01	\$ 1,458.30
Centre	UnB	Ungers very stony loam, 0 to 8 percent slopes	6	2500.2	0.004	\$ 891.33
Centre	UnD	Ungers very stony loam, 8 to 25 percent slopes	6	8919.9	0.013	\$ 891.33
Centre	WeD	Weikert channery silt loam, 15 to 25 percent slopes	6	1737.2	0.002	\$ 891.33
Centre	AcB	Albrights silt loam, 0 to 8 percent slopes, extremely stony	7	787.5	0.001	\$ 891.33
Centre	AcC	Albrights silt loam, 8 to 15 percent slopes, extremely ston	7	1705.6	0.002	\$ 891.33

Centre	AoB	Andover very stony loam, 0 to 8 percent slopes	7	7036.7	0.01	\$ 891.33
Centre	AoC	Andover very stony loam, 8 to 15 percent slopes	7	13168	0.018	\$ 891.33
Centre	BMF	Berks and Weikert soils, steep	7	28255	0.04	\$ 891.33
Centre	BxB	Buchanan extremely stony loam, 0 to 8 percent slopes	7	4297.8	0.006	\$ 891.33
Centre	BxD	Buchanan extremely stony loam, 8 to 25 percent slopes	7	11060	0.016	\$ 891.33
Centre	CA	Carlisle muck	7	650.3	0.001	\$ 1,510.88
Centre	CpB	Cookport channery loam, 0 to 8 percent slopes, extremely	7	9825.1	0.014	\$ 891.33
Centre	CpD	Cookport channery loam, 8 to 25 percent slopes, extreme	7	2747.2	0.004	\$ 891.33
Centre	HKE	Hazleton channery sandy loam, 25 to 80 percent slopes, r	7	4174.4	0.006	\$ 891.33
Centre	HSB	Hazleton extremely stony sandy loam, gently sloping	7	30890	0.043	\$ 891.33
Centre	HSD	Hazleton extremely stony sandy loam, moderately steep	7	41479	0.058	\$ 891.33
Centre	HTF	Hazleton-Dekalb association, very steep	7	41767	0.059	\$ 891.33
Centre	LcB	Laidig extremely stony loam, 0 to 8 percent slopes	7	2480	0.003	\$ 891.33
Centre	LcD	Laidig extremely stony loam, 8 to 25 percent slopes	7	28941	0.041	\$ 891.33
Centre	LDF	Laidig extremely stony loam, steep	7	13255	0.019	\$ 891.33
Centre	LMF	Leck Kill and Calvin soils, steep	7	15670	0.022	\$ 891.33
Centre	LtB	Leetonia extremely stony loamy sand, 0 to 12 percent slo	7	13654	0.019	\$ 891.33
Centre	MTF	Morrison very stony sandy loam, steep	7	1929.3	0.003	\$ 891.33
Centre	NsA	Nolo silt loam, 0 to 3 percent slopes, extremely stony	7	1223.6	0.002	\$ 891.33
Centre	ORF	Opequon-Hagerstown complex, steep	7	2857.4	0.004	\$ 891.33
Centre	Sm	Strip mines, acid	7	14593	0.021	\$ 891.33
Centre	QU	Quarry	8	886.6	0.001	\$ 891.33
Centre	Ru	Rubble land	8	7081.7	0.01	\$ 891.33
Centre	URB	Urban land-Hagerstown complex, gently sloping	8	2466.8	0.003	\$ 983.21
Centre	VrF	Varilla-Laidig complex, 25 to 60 percent slopes, very rubbl	8	49773	0.07	\$ 891.33
Chester	CdA	Chester silt loam, 0 to 3 percent slopes	1	1030.3	0.002	\$ 1,803.10
Chester	Cs	Comus silt loam	1	824.4	0.002	\$ 1,811.49
Chester	CtA	Conestoga silt loam, 0 to 3 percent slopes	1	1262	0.003	\$ 1,800.84
Chester	DfA	Duffield silt loam, 0 to 3 percent slopes	1	122.3	0	\$ 1,701.87
Chester	GgA	Glenelg silt loam, 0 to 3 percent slopes	1	2884.7	0.006	\$ 1,853.89
Chester	MaA	Manor loam, 0 to 3 percent slopes	1	152.7	0	\$ 1,757.04
Chester	NeA	Neshaminy silt loam, 0 to 3 percent slopes	1	220.8	0	\$ 1,578.85
Chester	NvA	Neshaminy silt loam, very deep over mafic gneiss, 0 to 3 p	1	903	0.002	\$ 1,578.85
Chester	BrB	Brecknock channery silt loam, 3 to 8 percent slopes	2	402.7	0.001	\$ 1,471.78
Chester	CaA	Califon loam, 0 to 3 percent slopes	2	1579.2	0.003	\$ 1,426.24
Chester	CaB	Califon loam, 3 to 8 percent slopes	2	9521.9	0.02	\$ 1,445.68
Chester	CdB	Chester silt loam, 3 to 8 percent slopes	2	4168	0.009	\$ 1,794.99
Chester	CIA	Clarksburg silt loam, 0 to 3 percent slopes	2	605.8	0.001	\$ 1,486.56
Chester	CIB	Clarksburg silt loam, 3 to 8 percent slopes	2	1038	0.002	\$ 1,485.78
Chester	Co	Codorus silt loam	2	7359.9	0.015	\$ 1,492.44
Chester	CtB	Conestoga silt loam, 3 to 8 percent slopes	2	8090.4	0.017	\$ 1,800.84
Chester	CwA	Conowingo silt loam, 0 to 3 percent slopes	2	413	0.001	\$ 1,312.56
Chester	DfB	Duffield silt loam, 3 to 8 percent slopes	2	164.4	0	\$ 1,703.82
Chester	EdB	Edgemont channery loam, 3 to 8 percent slopes	2	10107	0.021	\$ 1,463.10
Chester	Gb	Gibraltar silt loam	2	849.3	0.002	\$ 1,468.03
Chester	GdA	Gladstone gravelly loam, 0 to 3 percent slopes	2	1635.4	0.003	\$ 1,602.04
Chester	GdB	Gladstone gravelly loam, 3 to 8 percent slopes	2	46611	0.096	\$ 1,516.83

Chester	GgB	Glenelg silt loam, 3 to 8 percent slopes	2	60917	0.125	\$ 1,573.52
Chester	GI A	Glenville silt loam, 0 to 3 percent slopes	2	1198.8	0.002	\$ 1,504.91
Chester	GIB	Glenville silt loam, 3 to 8 percent slopes	2	9375.1	0.019	\$ 1,608.90
Chester	HIB	Hollinger silt loam, 3 to 8 percent slopes	2	123.1	0	\$ 1,797.92
Chester	JoB	Joanna loam, 3 to 8 percent slopes	2	1848.2	0.004	\$ 1,454.89
Chester	LcB	Lawrenceville silt loam, 3 to 8 percent slopes	2	6.2	0	\$ 1,549.71
Chester	LeA	Legore silt loam, 0 to 3 percent slopes	2	198	0	\$ 1,316.40
Chester	LeB	Legore silt loam, 3 to 8 percent slopes	2	2973.8	0.006	\$ 1,316.40
Chester	LhB	Lehigh channery silt loam, 3 to 8 percent slopes	2	51.9	0	\$ 1,456.60
Chester	Ln	Lindside silt loam	2	781.3	0.002	\$ 1,705.91
Chester	MaB	Manor loam, 3 to 8 percent slopes	2	12243	0.025	\$ 1,534.93
Chester	McA	Mattapex silt loam, 0 to 3 percent slopes	2	139.5	0	\$ 1,636.52
Chester	MIA	Mount Lucas silt loam, 0 to 3 percent slopes	2	375.1	0.001	\$ 1,372.39
Chester	MIB	Mount Lucas silt loam, 3 to 8 percent slopes	2	2836.5	0.006	\$ 1,373.72
Chester	MuB	Murrill gravelly loam, 3 to 8 percent slopes	2	30.5	0	\$ 1,457.54
Chester	NeB	Neshaminy silt loam, 3 to 8 percent slopes	2	1650.9	0.003	\$ 1,567.42
Chester	NvB	Neshaminy silt loam, very deep over mafic gneiss, 3 to 8 p	2	6230.2	0.013	\$ 1,578.85
Chester	PaB	Parker gravelly loam, 3 to 8 percent slopes	2	1042.2	0.002	\$ 1,356.19
Chester	PeB	Penn silt loam, 3 to 8 percent slopes	2	12979	0.027	\$ 1,493.55
Chester	RaB	Raritan silt loam, 3 to 8 percent slopes	2	11.8	0	\$ 1,501.01
Chester	ReA	Readington silt loam, 0 to 3 percent slopes	2	911.1	0.002	\$ 1,494.38
Chester	ReB	Readington silt loam, 3 to 8 percent slopes	2	1936.1	0.004	\$ 1,482.16
Chester	Ro	Rowland silt loam	2	816.8	0.002	\$ 1,494.38
Chester	BrC	Brecknock channery silt loam, 8 to 15 percent slopes	3	148.7	0	\$ 1,444.48
Chester	CaC	Califon loam, 8 to 15 percent slopes	3	213.5	0	\$ 1,403.87
Chester	CdC	Chester silt loam, 8 to 15 percent slopes	3	60.4	0	\$ 1,783.55
Chester	CtC	Conestoga silt loam, 8 to 15 percent slopes	3	1764	0.004	\$ 1,744.26
Chester	CwB	Conowingo silt loam, 3 to 8 percent slopes	3	999.9	0.002	\$ 1,312.56
Chester	CwC	Conowingo silt loam, 8 to 15 percent slopes	3	20.2	0	\$ 1,275.36
Chester	DfC	Duffield silt loam, 8 to 15 percent slopes	3	71	0	\$ 1,669.32
Chester	EdC	Edgemont channery loam, 8 to 15 percent slopes	3	8697	0.018	\$ 1,406.54
Chester	GdC	Gladstone gravelly loam, 8 to 15 percent slopes	3	26223	0.054	\$ 1,469.59
Chester	GgC	Glenelg silt loam, 8 to 15 percent slopes	3	19002	0.039	\$ 1,478.30
Chester	GI C	Glenville silt loam, 8 to 15 percent slopes	3	107.9	0	\$ 1,312.56
Chester	HIC	Hollinger silt loam, 8 to 15 percent slopes	3	168.6	0	\$ 1,735.79
Chester	Ho	Holly silt loam	3	1435.7	0.003	\$ 1,352.09
Chester	JoC	Joanna loam, 8 to 15 percent slopes	3	2832.2	0.006	\$ 1,427.78
Chester	LeC	Legore silt loam, 8 to 15 percent slopes	3	1149.2	0.002	\$ 1,236.20
Chester	LhC	Lehigh channery silt loam, 8 to 15 percent slopes	3	32.4	0	\$ 1,416.37
Chester	MaC	Manor loam, 8 to 15 percent slopes	3	23668	0.049	\$ 1,430.85
Chester	MIC	Mount Lucas silt loam, 8 to 15 percent slopes	3	40.7	0	\$ 1,342.76
Chester	NeC	Neshaminy silt loam, 8 to 15 percent slopes	3	519.8	0.001	\$ 1,490.76
Chester	NvC	Neshaminy silt loam, very deep over mafic gneiss, 8 to 15	3	1267	0.003	\$ 1,501.83
Chester	PaC	Parker gravelly loam, 8 to 15 percent slopes	3	3160.9	0.007	\$ 1,317.99
Chester	PdA	Penlaw silt loam, 0 to 3 percent slopes	3	716.5	0.001	\$ 1,312.56
Chester	PdB	Penlaw silt loam, 3 to 8 percent slopes	3	717.4	0.001	\$ 1,275.36
Chester	PeC	Penn silt loam, 8 to 15 percent slopes	3	5363.4	0.011	\$ 1,470.63

Chester	PfC	Penn channery silt loam, 8 to 15 percent slopes	3	21.5	0	\$ 1,416.24
Chester	Bo	Bowmansville-Knauers silt loams	4	860.5	0.002	\$ 1,375.05
Chester	BrD	Brecknock channery silt loam, 15 to 25 percent slopes	4	40.2	0	\$ 1,414.74
Chester	CpA	Cokesbury silt loam, 0 to 3 percent slopes	4	7148	0.015	\$ 1,411.66
Chester	CpB	Cokesbury silt loam, 3 to 8 percent slopes	4	3078.4	0.006	\$ 1,347.96
Chester	CyA	Croton silt loam, occasionally ponded, 0 to 3 percent slop	4	974.4	0.002	\$ 1,238.20
Chester	CyB	Croton silt loam, 3 to 8 percent slopes	4	751.4	0.002	\$ 1,122.54
Chester	EdD	Edgemont channery loam, 15 to 25 percent slopes	4	3756.1	0.008	\$ 1,311.84
Chester	GaD	Gaila silt loam, 15 to 25 percent slopes	4	1460.5	0.003	\$ 1,312.56
Chester	GdD	Gladstone gravelly loam, 15 to 25 percent slopes	4	3681.4	0.008	\$ 1,410.65
Chester	GdE	Gladstone gravelly loam, 25 to 35 percent slopes	4	519	0.001	\$ 1,411.54
Chester	GeD	Gladstone-Parker gravelly loams, 15 to 25 percent slopes	4	4107.3	0.008	\$ 1,358.92
Chester	GgD	Glenelg silt loam, 15 to 25 percent slopes	4	1024.1	0.002	\$ 1,540.39
Chester	Ha	Hatboro silt loam	4	12858	0.026	\$ 1,325.15
Chester	HID	Hollinger silt loam, 15 to 25 percent slopes	4	192.2	0	\$ 1,610.39
Chester	JoD	Joanna loam, 15 to 25 percent slopes	4	422.9	0.001	\$ 1,339.27
Chester	LbA	Lamington silt loam, 0 to 3 percent slopes	4	40.3	0	\$ 1,115.17
Chester	LfD	Legore gravelly silt loam, 15 to 25 percent slopes	4	269.6	0.001	\$ 1,194.92
Chester	MaD	Manor loam, 15 to 25 percent slopes	4	14445	0.03	\$ 1,380.48
Chester	NeD	Neshaminy silt loam, 15 to 25 percent slopes	4	12.6	0	\$ 1,463.68
Chester	NvD	Neshaminy silt loam, very deep over mafic gneiss, 15 to 2.	4	444.7	0.001	\$ 1,501.83
Chester	PaD	Parker gravelly loam, 15 to 25 percent slopes	4	2913	0.006	\$ 1,284.46
Chester	PeD	Penn silt loam, 15 to 25 percent slopes	4	1139.4	0.002	\$ 1,201.76
Chester	PeE	Penn silt loam, 25 to 35 percent slopes	4	115.9	0	\$ 1,201.76
Chester	Th	Thorndale silt loam	4	1081.3	0.002	\$ 1,105.28
Chester	ToA	Towhee silt loam, 0 to 3 percent slopes	4	1131.4	0.002	\$ 1,242.60
Chester	ToB	Towhee silt loam, 3 to 8 percent slopes	4	916.1	0.002	\$ 1,252.11
Chester	WaA	Watchung silt loam, 0 to 3 percent slopes	4	642.8	0.001	\$ 1,254.07
Chester	Ba	Baile silt loam	5	3616.4	0.007	\$ 891.33
Chester	BaB	Baile silt loam, 3 to 8 percent slopes	5	3037.9	0.006	\$ 891.33
Chester	CbB	Califon loam, 0 to 8 percent slopes, extremely stony	6	193.6	0	\$ 891.33
Chester	ChB	Chrome silt loam, 3 to 8 percent slopes	6	1916	0.004	\$ 1,121.70
Chester	ChC	Chrome silt loam, 8 to 15 percent slopes	6	1007.8	0.002	\$ 1,121.70
Chester	ChD	Chrome silt loam, 15 to 25 percent slopes	6	383.6	0.001	\$ 891.33
Chester	ChE	Chrome silt loam, 25 to 45 percent slopes	6	443.1	0.001	\$ 891.33
Chester	GfB	Gladstone gravelly loam, 0 to 8 percent slopes, very boulc	6	417.8	0.001	\$ 891.33
Chester	GfD	Gladstone gravelly loam, 8 to 25 percent slopes, very bou	6	2136.9	0.004	\$ 891.33
Chester	GxB	Glenville silt loam, 0 to 8 percent slopes, extremely stony	6	23.8	0	\$ 891.33
Chester	LgB	Legore gravelly silt loam, 0 to 8 percent slopes, extremely	6	206.4	0	\$ 891.33
Chester	LgD	Legore gravelly silt loam, 8 to 25 percent slopes, extremel	6	205.9	0	\$ 891.33
Chester	MaE	Manor loam, 25 to 35 percent slopes	6	6755.5	0.014	\$ 891.33
Chester	MbB	Manor loam, 0 to 8 percent slopes, very stony	6	27.3	0	\$ 891.33
Chester	MbD	Manor loam, 8 to 25 percent slopes, very stony	6	209.7	0	\$ 891.33
Chester	PaE	Parker gravelly loam, 25 to 35 percent slopes	6	1782.1	0.004	\$ 891.33
Chester	PaF	Parker gravelly loam, 35 to 60 percent slopes	6	551.7	0.001	\$ 891.33
Chester	PbB	Parker loam, 0 to 8 percent slopes, extremely stony	6	82.1	0	\$ 891.33
Chester	PbD	Parker loam, 8 to 25 percent slopes, extremely stony	6	385.2	0.001	\$ 891.33

Chester	PgB	Penn silt loam, 0 to 8 percent slopes, very stony	6	94.7	0	\$ 891.33
Chester	PgD	Penn silt loam, 8 to 25 percent slopes, very stony	6	159.6	0	\$ 891.33
Chester	WaB	Watchung silt loam, 3 to 8 percent slopes	6	417.1	0.001	\$ 1,230.95
Chester	BbB	Baile silt loam, 0 to 8 percent slopes, very stony	7	1367.4	0.003	\$ 891.33
Chester	BxB	Brecknock channery silt loam, 0 to 8 percent slopes, extre	7	56.5	0	\$ 891.33
Chester	BxD	Brecknock channery silt loam, 8 to 25 percent slopes, extr	7	53.7	0	\$ 891.33
Chester	CqB	Cokesbury silt loam, 0 to 8 percent slopes, very stony	7	332.7	0.001	\$ 891.33
Chester	ExB	Edgemont channery sandy loam, 0 to 8 percent slopes, ex	7	888.1	0.002	\$ 891.33
Chester	ExD	Edgemont channery sandy loam, 8 to 25 percent slopes, e	7	1209.4	0.002	\$ 891.33
Chester	ExF	Edgemont channery sandy loam, 25 to 60 percent slopes,	7	1082.6	0.002	\$ 891.33
Chester	GfF	Gladstone gravelly loam, 25 to 50 percent slopes, very bo	7	870.1	0.002	\$ 891.33
Chester	HIE	Hollinger silt loam, 25 to 35 percent slopes	7	82.2	0	\$ 891.33
Chester	JpB	Joanna loam, 0 to 8 percent slopes, extremely stony	7	311.5	0.001	\$ 891.33
Chester	JpD	Joanna loam, 8 to 25 percent slopes, extremely stony	7	1213.2	0.002	\$ 891.33
Chester	JpF	Joanna loam, 25 to 50 percent slopes, extremely stony	7	97.7	0	\$ 891.33
Chester	LgF	Legore gravelly silt loam, 25 to 50 percent slopes, extrem	7	38.4	0	\$ 891.33
Chester	LkB	Lehigh channery silt loam, 0 to 8 percent slopes, extremel	7	6.8	0	\$ 891.33
Chester	MaF	Manor loam, 35 to 60 percent slopes	7	1804.7	0.004	\$ 891.33
Chester	MbF	Manor loam, 25 to 60 percent slopes, very stony	7	1171.2	0.002	\$ 891.33
Chester	MnB	Mount Lucas silt loam, 0 to 8 percent slopes, extremely st	7	321	0.001	\$ 891.33
Chester	NfB	Neshaminy gravelly silt loam, 0 to 8 percent slopes, extre	7	696.5	0.001	\$ 891.33
Chester	NfD	Neshaminy gravelly silt loam, 8 to 25 percent slopes, extre	7	772.2	0.002	\$ 891.33
Chester	NfF	Neshaminy gravelly silt loam, 25 to 60 percent slopes, ext	7	87.1	0	\$ 891.33
Chester	NxB	Neshaminy silt loam, very deep over mafic gneiss, 0 to 8 p	7	221.9	0	\$ 891.33
Chester	NxD	Neshaminy silt loam, very deep over mafic gneiss, 8 to 25	7	494.5	0.001	\$ 891.33
Chester	NxF	Neshaminy silt loam, very deep over mafic gneiss, 25 to 6	7	288.2	0.001	\$ 891.33
Chester	PbF	Parker loam, 25 to 60 percent slopes, extremely stony	7	164.6	0	\$ 891.33
Chester	PgF	Penn silt loam, 25 to 50 percent slopes, very stony	7	70.6	0	\$ 891.33
Chester	TxB	Towhee silt loam, 0 to 8 percent slopes, very stony	7	495.4	0.001	\$ 891.33
Chester	UdIB	Udorthents, limestone, 0 to 8 percent slopes	7	309.6	0.001	\$ 891.33
Chester	Udp	Udorthents, sanitary landfill	7	86.6	0	\$ 891.33
Chester	UdsB	Udorthents, schist and gneiss, 0 to 8 percent slopes	7	421.5	0.001	\$ 891.33
Chester	UdsD	Udorthents, schist and gneiss, 8 to 25 percent slopes	7	19.8	0	\$ 891.33
Chester	UdtB	Udorthents, shale and sandstone, 0 to 8 percent slopes	7	454.3	0.001	\$ 891.33
Chester	DAM	Dams	8	8.2	0	\$ 891.33
Chester	Ura	Urban land, occasionally flooded	8	48.6	0	\$ 891.33
Chester	UrbB	Urban land, 0 to 8 percent slopes	8	4883.5	0.01	\$ 891.33
Chester	UrbB	Urban land-Baile complex, 0 to 8 percent slopes	8	62.6	0	\$ 891.33
Chester	UrcB	Urban land-Califon complex, 0 to 8 percent slopes	8	366.2	0.001	\$ 891.33
Chester	UrdB	Urban land-Chester complex, 0 to 8 percent slopes	8	627.4	0.001	\$ 898.91
Chester	UrdD	Urban land-Chester complex, 8 to 25 percent slopes	8	30.9	0	\$ 921.04
Chester	UreB	Urban land-Chrome complex, 0 to 8 percent slopes	8	127.6	0	\$ 891.33
Chester	UrfB	Urban land-Cokesbury complex, 0 to 8 percent slopes	8	120.4	0	\$ 891.33
Chester	UrfD	Urban land-Cokesbury complex, 8 to 25 percent slopes	8	23.9	0	\$ 891.33
Chester	UrgB	Urban land-Conestoga complex, 0 to 8 percent slopes	8	3350.9	0.007	\$ 1,144.15
Chester	UrgD	Urban land-Conestoga complex, 8 to 25 percent slopes	8	365.8	0.001	\$ 921.04
Chester	UrhB	Urban land-Duffield complex, 0 to 8 percent slopes	8	58.1	0	\$ 896.75

Chester	UrkB	Urban land-Edgemont complex, 0 to 8 percent slopes	8	993.7	0.002	\$ 891.33
Chester	UrkD	Urban land-Edgemont complex, 8 to 25 percent slopes	8	607.4	0.001	\$ 891.33
Chester	UrlB	Urban land-Gladstone complex, 0 to 8 percent slopes	8	7281.4	0.015	\$ 891.33
Chester	UrlD	Urban land-Gladstone complex, 8 to 25 percent slopes	8	1615.5	0.003	\$ 891.33
Chester	UrmB	Urban land-Glenelg complex, 0 to 8 percent slopes	8	8271.6	0.017	\$ 891.33
Chester	UrmD	Urban land-Glenelg complex, 8 to 25 percent slopes	8	2569.5	0.005	\$ 891.33
Chester	UrnB	Urban land-Glenville complex, 0 to 8 percent slopes	8	230.4	0	\$ 891.33
Chester	Uro	Urban land-Hatboro complex	8	169.6	0	\$ 891.33
Chester	Urp	Urban land-Holly complex	8	21.4	0	\$ 891.33
Chester	UrqB	Urban land-Legore complex, 0 to 8 percent slopes	8	80.7	0	\$ 891.33
Chester	Urr	Urban land-Lindsay complex	8	74.4	0	\$ 1,004.79
Chester	UrsB	Urban land-Manor complex, 0 to 8 percent slopes	8	610.7	0.001	\$ 1,004.79
Chester	UrsD	Urban land-Manor complex, 8 to 25 percent slopes	8	485.6	0.001	\$ 891.33
Chester	UrtB	Urban land-Mount Lucas complex, 0 to 8 percent slopes	8	26.7	0	\$ 891.33
Chester	UruB	Urban land-Neshaminy complex, 0 to 8 percent slopes	8	319.3	0.001	\$ 891.33
Chester	UrvB	Urban land-Parker complex, 0 to 8 percent slopes	8	22.4	0	\$ 891.33
Chester	UrvD	Urban land-Parker complex, 8 to 25 percent slopes	8	79.4	0	\$ 891.33
Chester	UrwB	Urban land-Penlaw complex, 0 to 8 percent slopes	8	183.7	0	\$ 891.33
Chester	UrxB	Urban land-Penn complex, 0 to 8 percent slopes	8	4317.2	0.009	\$ 891.33
Chester	UrxD	Urban land-Penn complex, 8 to 25 percent slopes	8	444.5	0.001	\$ 891.33
Chester	UryB	Urban land-Towhee complex, 0 to 8 percent slopes	8	30.9	0	\$ 891.33
Chester	UudB	Urban land-Udorthents, limestone complex, 0 to 8 percent slopes	8	5091.2	0.01	\$ 891.33
Chester	UudD	Urban land-Udorthents, limestone complex, 8 to 25 percent slopes	8	171	0	\$ 891.33
Chester	UugB	Urban land-Udorthents, schist and gneiss complex, 0 to 8 percent slopes	8	12762	0.026	\$ 891.33
Chester	UugD	Urban land-Udorthents, schist and gneiss complex, 8 to 25 percent slopes	8	3476.1	0.007	\$ 891.33
Chester	UuhB	Urban land-Udorthents, serpentine complex, 0 to 8 percent slopes	8	116.2	0	\$ 891.33
Chester	UusB	Urban land-Udorthents, shale and sandstone complex, 0 to 8 percent slopes	8	861.5	0.002	\$ 891.33
Chester	UusD	Urban land-Udorthents, shale and sandstone complex, 8 to 25 percent slopes	8	68.9	0	\$ 891.33
Clarion	AhA	Allegheny silt loam, 0 to 3 percent slopes	1	226.2	0.001	\$ 1,501.83
Clarion	CIA	Clymer channery loam, 0 to 3 percent slopes	1	893	0.002	\$ 1,459.30
Clarion	PmA	Pope fine sandy loam, 0 to 2 percent slopes, rarely flooded	1	865.2	0.002	\$ 1,524.73
Clarion	PoA	Pope silt loam, 0 to 2 percent slopes, occasionally flooded	1	510.5	0.001	\$ 1,516.83
Clarion	WsA	Wheeling silt loam, 0 to 3 percent slopes	1	597.5	0.002	\$ 1,459.30
Clarion	AhB	Allegheny silt loam, 3 to 8 percent slopes	2	525	0.001	\$ 1,453.41
Clarion	ClB	Clymer channery loam, 3 to 8 percent slopes	2	5468.4	0.014	\$ 1,459.30
Clarion	CmB	Clymer loam, 0 to 8 percent slopes	2	473.4	0.001	\$ 1,465.14
Clarion	CoA	Cookport loam, 0 to 3 percent slopes	2	1519.4	0.004	\$ 1,236.20
Clarion	CoB	Cookport loam, 3 to 8 percent slopes	2	16944	0.043	\$ 1,194.92
Clarion	CuB	Culleoka channery silt loam, 3 to 8 percent slopes	2	56.7	0	\$ 1,492.16
Clarion	ErB	Ernest silt loam, 3 to 8 percent slopes	2	16070	0.041	\$ 1,470.92
Clarion	GcB	Gilpin channery silt loam, 3 to 8 percent slopes	2	2190.9	0.006	\$ 1,334.01
Clarion	GgB	Gilpin silt loam, 3 to 8 percent slopes	2	1631.2	0.004	\$ 1,337.52
Clarion	GwB	Gilpin-Weikert channery silt loams, 3 to 8, percent slopes	2	1902.1	0.005	\$ 1,261.11
Clarion	GyB	Guernsey silt loam, 3 to 8 percent slopes	2	348.3	0.001	\$ 1,445.97
Clarion	HaB	Hazleton channery loam, 3 to 8 percent slopes	2	127.3	0	\$ 1,487.97
Clarion	HnB	Hazleton channery sandy loam, 3 to 8 percent slopes	2	1621	0.004	\$ 1,485.16
Clarion	MoA	Monongahela silt loam, 0 to 3 percent slopes	2	235.1	0.001	\$ 1,407.49

Clarion	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	1359.4	0.003	\$ 1,407.49
Clarion	PeA	Philo loam, 0 to 3 percent slopes, occasionally flooded	2	2074.1	0.005	\$ 1,416.93
Clarion	PhA	Philo silt loam, 0 to 2 percent slopes, occasionally flooded	2	3679.9	0.009	\$ 1,528.66
Clarion	RnB	Rayne-Gilpin channery silt loams, 3 to 8 percent slopes	2	1348.3	0.003	\$ 1,354.83
Clarion	ScA	Sciotoville silt loam, 0 to 2 percent slopes	2	1292.2	0.003	\$ 1,479.50
Clarion	ScB	Sciotoville silt loam, 2 to 6 percent slopes	2	1208.2	0.003	\$ 1,493.55
Clarion	ShB	Shelocta silt loam, 3 to 8 percent slopes	2	66.8	0	\$ 1,394.70
Clarion	WhA	Wharton silt loam, 0 to 3 percent slopes	2	552.3	0.001	\$ 1,341.02
Clarion	WhB	Wharton silt loam, 3 to 8 percent slopes	2	5723.5	0.015	\$ 1,338.92
Clarion	WIB	Wheeling gravelly loam, 2 to 6 percent slopes	2	46.3	0	\$ 1,494.94
Clarion	WsB	Wheeling silt loam, 3 to 8 percent slopes	2	866.6	0.002	\$ 1,462.22
Clarion	AhC	Allegheny silt loam, 8 to 15 percent slopes	3	335.2	0.001	\$ 1,386.58
Clarion	BeB	Bethesda very channery silt loam, 0 to 8 percent slopes	3	11427	0.029	\$ 1,004.79
Clarion	CaA	Cavode silt loam, 0 to 3 percent slopes	3	2532.7	0.006	\$ 1,250.14
Clarion	CaB	Cavode silt loam, 3 to 8 percent slopes	3	25758	0.066	\$ 1,250.14
Clarion	CaC	Cavode silt loam, 8 to 15 percent slopes	3	10975	0.028	\$ 1,215.83
Clarion	ChC	Chenango gravelly silt loam, 8 to 15 percent slopes	3	394.8	0.001	\$ 1,282.65
Clarion	ClC	Clymer channery loam, 8 to 15 percent slopes	3	2461.3	0.006	\$ 1,402.72
Clarion	CmC	Clymer loam, 8 to 15 percent slopes	3	64.5	0	\$ 1,402.72
Clarion	CoC	Cookport loam, 8 to 15 percent slopes	3	6392.9	0.016	\$ 1,160.25
Clarion	CuC	Culleoka channery silt loam, 8 to 15 percent slopes	3	64.8	0	\$ 1,418.49
Clarion	ErC	Ernest silt loam, 8 to 15 percent slopes	3	14874	0.038	\$ 1,396.31
Clarion	GcC	Gilpin channery silt loam, 8 to 15 percent slopes	3	4589.7	0.012	\$ 1,332.25
Clarion	GgC	Gilpin silt loam, 8 to 15 percent slopes	3	3549.1	0.009	\$ 1,321.58
Clarion	GwC	Gilpin-Weikert channery silt loams, 8 to 15 percent slopes	3	5013.1	0.013	\$ 1,217.48
Clarion	GyC	Guernsey silt loam, 8 to 15 percent slopes	3	235.9	0.001	\$ 1,301.60
Clarion	HaC	Hazleton channery loam, 8 to 15 percent slopes	3	412.1	0.001	\$ 1,432.37
Clarion	HnC	Hazleton channery sandy loam, 8 to 15 percent slopes	3	1400.1	0.004	\$ 1,429.31
Clarion	ItB	Itmann extremely channery loam, 0 to 8 percent slopes	3	14	0	\$ 1,004.79
Clarion	MoC	Monongahela silt loam, 8 to 15 percent slopes	3	228.4	0.001	\$ 1,344.49
Clarion	RnC	Rayne-Gilpin channery silt loams, 8 to 15 percent slopes	3	604.4	0.002	\$ 1,297.91
Clarion	ScC	Sciotoville silt loam, 6 to 12 percent slopes	3	221.6	0.001	\$ 1,409.07
Clarion	ShC	Shelocta silt loam, 8 to 15 percent slopes	3	105.9	0	\$ 1,349.68
Clarion	TyA	Tyler silt loam, 0 to 2 percent slopes	3	203.6	0.001	\$ 1,328.71
Clarion	TyB	Tyler silt loam, 2 to 6 percent slopes	3	99.4	0	\$ 1,328.71
Clarion	WgC	Wharton-Gilpin silt loams, 8 to 15 percent slopes	3	255.7	0.001	\$ 1,275.36
Clarion	WhC	Wharton silt loam, 8 to 15 percent slopes	3	5446	0.014	\$ 1,347.96
Clarion	WIC	Wheeling gravelly loam, 6 to 12 percent slopes	3	131.5	0	\$ 1,435.42
Clarion	WsC	Wheeling silt loam, 8 to 15 percent slopes	3	339.8	0.001	\$ 1,472.64
Clarion	ArA	Armagh silt loam, 0 to 3 percent slopes	4	2490.9	0.006	\$ 1,124.02
Clarion	ArB	Armagh silt loam, 3 to 8 percent slopes	4	2399.9	0.006	\$ 1,124.02
Clarion	AtA	Atkins-Philo complex, 0 to 3 percent slopes, frequently flc	4	4787.2	0.012	\$ 1,290.47
Clarion	BkA	Brinkerton silt loam, 0 to 3 percent slopes	4	3473.3	0.009	\$ 1,314.38
Clarion	BkB	Brinkerton silt loam, 3 to 8 percent slopes	4	1207.2	0.003	\$ 1,326.93
Clarion	ChD	Chenango gravelly silt loam, 15 to 25 percent slopes	4	179.6	0	\$ 1,234.18
Clarion	EkA	Elkins silt loam, 0 to 3 percent slopes, occasionally floodec	4	934.3	0.002	\$ 1,004.79
Clarion	ErD	Ernest silt loam, 15 to 25 percent slopes	4	489.4	0.001	\$ 1,232.17

Clarion	GcD	Gilpin channery silt loam, 15 to 25 percent slopes	4	5938.5	0.015	\$ 1,203.35
Clarion	GgD	Gilpin silt loam, 15 to 25 percent slopes	4	3933.2	0.01	\$ 1,269.61
Clarion	GxA	Ginat silt loam, 0 to 2 percent slopes	4	341.3	0.001	\$ 1,240.21
Clarion	GyD	Guernsey silt loam, 15 to 25 percent slopes	4	78.1	0	\$ 1,240.21
Clarion	HaD	Hazleton channery loam, 15 to 25 percent slopes	4	394.5	0.001	\$ 1,404.32
Clarion	HnD	Hazleton channery sandy loam, 15 to 25 percent slopes	4	3784	0.01	\$ 1,301.60
Clarion	ItD	Itmann extremely channery loam, 8 to 25 percent slopes	4	92.5	0	\$ 1,004.79
Clarion	RnD	Rayne-Gilpin channery silt loams, 15 to 25 percent slopes	4	206.8	0.001	\$ 1,228.12
Clarion	WgD	Wharton-Gilpin silt loams, 15 to 25 percent slopes	4	8560.5	0.022	\$ 1,209.62
Clarion	WhD	Wharton silt loam, 15 to 25 percent slopes	4	1885.7	0.005	\$ 1,285.97
Clarion	AeB	Aeric Epiaquents, 0 to 8 percent slopes	6	2757.6	0.007	\$ 891.33
Clarion	AsB	Armagh silt loam, 0 to 8 percent slopes, very stony	6	322	0.001	\$ 891.33
Clarion	BeD	Bethesda very channery silt loam, 8 to 25 percent slopes	6	29935	0.077	\$ 891.33
Clarion	BsB	Brinkerton mucky silt loam, 0 to 8 percent slopes, very stc	6	924.2	0.002	\$ 891.33
Clarion	CdB	Cavode silt loam, 0 to 8 percent slopes, very stony	6	2202.6	0.006	\$ 891.33
Clarion	CdD	Cavode silt loam, 8 to 25 percent slopes, very stony	6	589	0.002	\$ 891.33
Clarion	CnB	Clymer loam, 0 to 8 percent slopes, very stony	6	1903.2	0.005	\$ 891.33
Clarion	CpB	Cookport loam, 0 to 8 percent slopes, very stony	6	11019	0.028	\$ 891.33
Clarion	CpD	Cookport loam, 8 to 25 percent slopes, very stony	6	7859	0.02	\$ 891.33
Clarion	HsB	Hazleton channery sandy loam, 0 to 8 percent slopes, extr	6	3430.7	0.009	\$ 891.33
Clarion	LF	Land fill	6	74.8	0	\$ 891.33
Clarion	RsB	Rayne-Gilpin channery silt loams, 0 to 8 percent slopes, ve	6	107.9	0	\$ 891.33
Clarion	RsD	Rayne-Gilpin channery silt loams, 8 to 25 percent slopes, v	6	2212.2	0.006	\$ 891.33
Clarion	SeB	Sewell very channery sandy loam, 0 to 8 percent slopes	6	992.9	0.003	\$ 891.33
Clarion	SeD	Sewell very channery sandy loam, 8 to 25 percent slopes	6	1093.8	0.003	\$ 891.33
Clarion	UdB	Udorthents, 0 to 8 percent slopes	6	1281.9	0.003	\$ 891.33
Clarion	BhD	Bethesda very channery silt loam, 8 to 25 percent slopes,	7	29432	0.075	\$ 891.33
Clarion	BhF	Bethesda very channery silt loams, 25 to 75 percent slope	7	3406.9	0.009	\$ 891.33
Clarion	BxB	Buchanan loam, 0 to 8 percent slopes, extremely stony	7	7523	0.019	\$ 891.33
Clarion	BxD	Buchanan loam, 8 to 25 percent slopes, extremely stony	7	13187	0.034	\$ 891.33
Clarion	DkB	Dekalb-Hazleton channery sandy loams, 0 to 8 percent slc	7	111.3	0	\$ 891.33
Clarion	DkD	Dekalb-Hazleton channery sandy loams, 8 to 25 percent sl	7	143.6	0	\$ 891.33
Clarion	GcF	Gilpin channery silt loam, 25 to 60 percent slopes	7	320.4	0.001	\$ 891.33
Clarion	GwF	Gilpin-Weikert channery silt loams, 35 to 60 percent slope	7	10295	0.026	\$ 891.33
Clarion	HnF	Hazleton channery sandy loam, 25 to 70 percent slopes	7	821.9	0.002	\$ 891.33
Clarion	HsD	Hazleton channery sandy loam, 8 to 25 percent slopes, ex	7	17283	0.044	\$ 891.33
Clarion	HsF	Hazleton channery sandy loam, 25 to 60 percent slopes, e	7	9013.1	0.023	\$ 891.33
Clarion	LaD	Laidig gravelly loam, 8 to 25 percent slopes, extremely stc	7	417.5	0.001	\$ 891.33
Clarion	LaF	Laidig gravelly loam, 25 to 50 percent slopes, extremely b	7	10864	0.028	\$ 891.33
Clarion	RvA	Riverwash, 0 to 3 percent slopes	7	35.8	0	\$ 891.33
Clarion	ShF	Shelocta-Gilpin channery silt loams, 25 to 75 percent slop	7	98.4	0	\$ 891.33
Clarion	SxF	Shelocta-Gilpin channery silt loams, 25 to 75 percent slop	7	2066.3	0.005	\$ 891.33
Clarion	DAM	Dam	8	1.5	0	\$ 891.33
Clarion	Pk	Pits, quarries	8	16.7	0	\$ 891.33
Clarion	UgB	Urban land-Gilpin complex, 0 to 8 percent slopes	8	171.9	0	\$ 891.33
Clarion	UIA	Urban land, 0 to 3 percent slopes	8	31.3	0	\$ 891.33
Clarion	UIB	Urban land, 3 to 8 percent slopes	8	445.3	0.001	\$ 891.33

Clarion	UwB	Urban land-Wharton complex, 0 to 8 percent slopes	8	683.9	0.002	\$ 891.33
Clarion	UwD	Urban land-Wharton complex, 8-25 percent slopes	8	65.8	0	\$ 891.33
Clarion	VrG	Varilla very channery sandy loam, 50 to 80 percent slopes	8	1504.1	0.004	\$ 891.33
Clearfield	AIB	Allegheny silt loam, 3 to 8 percent slopes	2	653.1	0.001	\$ 1,453.41
Clearfield	BeB	Berks channery silt loam, 3 to 8 percent slopes	2	1379.4	0.002	\$ 1,275.36
Clearfield	CIB	Clymer channery loam, 3 to 8 percent slopes	2	13575	0.018	\$ 1,459.30
Clearfield	CoB	Cookport channery loam, 3 to 8 percent slopes	2	31178	0.042	\$ 1,236.20
Clearfield	DeB	Dekalb channery loam, 3 to 8 percent slopes	2	939.2	0.001	\$ 1,194.92
Clearfield	ErB	Ernest silt loam, 3 to 8 percent slopes	2	22445	0.03	\$ 1,407.49
Clearfield	GIB	Gilpin channery silt loam, 3 to 8 percent slopes	2	24650	0.033	\$ 1,335.77
Clearfield	HcB	Hazleton-Clymer channery loams, 3 to 8 percent slopes	2	8862.8	0.012	\$ 1,456.36
Clearfield	HrB	Hartleton channery silt loam, 3 to 8 percent slopes	2	385.1	0.001	\$ 1,211.69
Clearfield	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	4224.7	0.006	\$ 1,412.23
Clearfield	Ph	Philo silt loam, 0 to 3 percent slopes, occasionally flooded	2	9506.4	0.013	\$ 1,416.93
Clearfield	Po	Pope loam, 0 to 3 percent slopes, occasionally flooded	2	1442.7	0.002	\$ 1,416.93
Clearfield	RaB	Rayne silt loam, 3 to 8 percent slopes	2	4383.8	0.006	\$ 1,401.13
Clearfield	WhB	Wharton silt loam, 3 to 8 percent slopes	2	25532	0.035	\$ 1,160.25
Clearfield	92B	Bethesda very channery silt loam, 0 to 8 percent slopes	3	5897.6	0.008	\$ 1,004.79
Clearfield	BeC	Berks channery silt loam, 8 to 15 percent slopes	3	1354	0.002	\$ 1,201.25
Clearfield	CaB	Cavode silt loam, 3 to 8 percent slopes	3	7451.3	0.01	\$ 1,282.95
Clearfield	CaC	Cavode silt loam, 8 to 15 percent slopes	3	2232	0.003	\$ 1,246.18
Clearfield	CIC	Clymer channery loam, 8 to 15 percent slopes	3	4171.4	0.006	\$ 1,402.72
Clearfield	CoC	Cookport channery loam, 8 to 15 percent slopes	3	9467.9	0.013	\$ 1,201.25
Clearfield	DeC	Dekalb channery loam, 8 to 15 percent slopes	3	683.3	0.001	\$ 1,151.35
Clearfield	ErC	Ernest silt loam, 8 to 15 percent slopes	3	38394	0.052	\$ 1,351.40
Clearfield	GIC	Gilpin channery silt loam, 8 to 15 percent slopes	3	39219	0.053	\$ 1,301.60
Clearfield	HcC	Hazleton-Clymer channery loams, 8 to 15 percent slopes	3	6416.4	0.009	\$ 1,436.94
Clearfield	HrC	Hartleton channery silt loam, 8 to 15 percent slopes	3	54.8	0	\$ 1,158.03
Clearfield	RaC	Rayne silt loam, 8 to 15 percent slopes	3	2390.9	0.003	\$ 1,346.23
Clearfield	TyA	Tyler silt loam, 0 to 3 percent slopes	3	475.5	0.001	\$ 1,328.71
Clearfield	TyB	Tyler silt loam, 3 to 6 percent slopes	3	1122.3	0.002	\$ 1,232.17
Clearfield	WhC	Wharton silt loam, 8 to 15 percent slopes	3	22926	0.031	\$ 1,086.11
Clearfield	Ar	Armagh silt loam	4	321.5	0	\$ 1,124.02
Clearfield	At	Atkins silt loam, 0 to 3 percent slopes, frequently flooded	4	12639	0.017	\$ 1,236.20
Clearfield	BeD	Berks channery silt loam, 15 to 25 percent slopes	4	1063.7	0.001	\$ 1,164.67
Clearfield	BrA	Brinkerton soils, 0 to 3 percent slopes	4	2249.8	0.003	\$ 1,296.06
Clearfield	BrB	Brinkerton soils, 3 to 8 percent slopes	4	12334	0.017	\$ 1,296.06
Clearfield	DeD	Dekalb channery loam, 15 to 25 percent slopes	4	391.3	0.001	\$ 1,105.28
Clearfield	ErD	Ernest silt loam, 15 to 25 percent slopes	4	7428.5	0.01	\$ 1,312.20
Clearfield	HaD	Hazleton channery loam, 15 to 25 percent slopes	4	4253.6	0.006	\$ 1,404.32
Clearfield	HrD	Hartleton channery silt loam, 15 to 25 percent slopes	4	41.9	0	\$ 1,124.02
Clearfield	NoA	Nolo loam, 0 to 3 percent slopes	4	668.2	0.001	\$ 1,207.03
Clearfield	NoB	Nolo loam, 3 to 8 percent slopes	4	1157.9	0.002	\$ 1,207.03
Clearfield	Pu	Purdy silt loam	4	485.7	0.001	\$ 1,250.14
Clearfield	RcD	Rayne-Gilpin complex, 15 to 25 percent slopes	4	45635	0.062	\$ 1,244.19
Clearfield	WhD	Wharton silt loam, 15 to 25 percent slopes	4	4355.6	0.006	\$ 1,004.79
Clearfield	92D	Bethesda very channery silt loam, 8 to 25 percent slopes	6	40429	0.055	\$ 891.33

Clearfield	94B	Aeric Epiaquents, gently sloping	6	797.9	0.001	\$ 891.33
Clearfield	CmB	Clymer very stony loam, 0 to 8 percent slopes	6	6808	0.009	\$ 891.33
Clearfield	CmC	Clymer very stony loam, 8 to 15 percent slopes	6	2606.7	0.004	\$ 891.33
Clearfield	CxB	Cookport channery loam, 0 to 8 percent slopes, very stony	6	20035	0.027	\$ 891.33
Clearfield	CxD	Cookport channery loam, 8 to 25 percent slopes, very stony	6	10166	0.014	\$ 891.33
Clearfield	DxB	Dekalb very stony loam, 0 to 8 percent slopes	6	1904.6	0.003	\$ 891.33
Clearfield	DxD	Dekalb very stony loam, 8 to 25 percent slopes	6	3127.9	0.004	\$ 891.33
Clearfield	HbD	Hazleton very stony loam, 8 to 25 percent slopes	6	22434	0.03	\$ 891.33
Clearfield	HdB	Hazleton-Clymer very stony loams, 0 to 8 percent slopes	6	23016	0.031	\$ 891.33
Clearfield	LeB	Leetonia very stony loamy fine sand, 0 to 12 percent slopes	6	228	0	\$ 891.33
Clearfield	95C	Cedarcreek extremely channery loam, strongly sloping	7	1647.4	0.002	\$ 891.33
Clearfield	95D	Cedarcreek extremely channery loam, moderately steep	7	70089	0.095	\$ 891.33
Clearfield	BvB	Buchanan silt loam, 0 to 8 percent slopes, extremely stony	7	3718.1	0.005	\$ 891.33
Clearfield	BvD	Buchanan silt loam, 8 to 25 percent slopes, extremely stony	7	8568.6	0.012	\$ 891.33
Clearfield	BxB	Brinkerton mucky silt loam, 0 to 8 percent slopes, extremely stony	7	1479.7	0.002	\$ 891.33
Clearfield	GmB	Gilpin channery silt loam, 3 to 8 percent slopes, extremely stony	7	906.2	0.001	\$ 891.33
Clearfield	GmD	Gilpin channery silt loam, 8 to 25 percent slopes, extremely stony	7	2878	0.004	\$ 891.33
Clearfield	HbF	Hazleton very stony loam, 25 to 80 percent slopes	7	49351	0.067	\$ 891.33
Clearfield	NxB	Nolo very stony loam, 0 to 8 percent slopes	7	1602.5	0.002	\$ 891.33
Clearfield	RbF	Rayne channery silt loam, 25 to 65 percent slopes	7	64700	0.088	\$ 891.33
Clearfield	Ud	Udifluvents, sandy	7	1719.1	0.002	\$ 891.33
Clearfield	Uo	Udorthents, shale	7	462.4	0.001	\$ 891.33
Clearfield	Up	Udorthents, smoothed	7	2312	0.003	\$ 891.33
Clearfield	DAM	Dams and impoundment structures	8	48.4	0	\$ 891.33
Clearfield	QU	Quarries	8	3.5	0	\$ 891.33
Clearfield	Ru	Rubble land-Dystrochrepts complex	8	1163.6	0.002	\$ 891.33
Clearfield	Ur	Urban land	8	998.8	0.001	\$ 891.33
Clinton	Ba	Barbour fine sandy loam	1	1809.9	0.003	\$ 1,733.41
Clinton	CeA	Clymer channery loam, 0 to 3 percent slopes	1	355.4	0.001	\$ 1,499.08
Clinton	HeA	Hagerstown silt loam, 0 to 3 percent slopes	1	1346.9	0.002	\$ 1,641.98
Clinton	Lo	Linden silt loam, occasionally flooded	1	4151.9	0.007	\$ 1,494.94
Clinton	Lr	Linden silt loam, rarely flooded	1	2851.1	0.005	\$ 1,555.90
Clinton	MuA	Murrill silt loam, 0 to 3 percent slopes	1	147.3	0	\$ 1,473.79
Clinton	TmA	Timberville silt loam, 0 to 3 percent slopes	1	350.6	0.001	\$ 1,555.90
Clinton	WhA	Wheeling silt loam, 0 to 3 percent slopes	1	124.2	0	\$ 1,555.90
Clinton	AgB	Allenwood gravelly silt loam, 3 to 8 percent slopes	2	876	0.002	\$ 1,571.24
Clinton	Bb	Barbour-Craigsville complex	2	3894.7	0.007	\$ 1,442.80
Clinton	Bc	Basher silt loam	2	1054	0.002	\$ 1,723.16
Clinton	BeB	Berks channery silt loam, 3 to 8 percent slopes	2	934.2	0.002	\$ 1,190.67
Clinton	BhB	Buchanan gravelly loam, 3 to 8 percent slopes	2	393	0.001	\$ 1,269.61
Clinton	BuB	Buchanan-Andover gravelly loams, 3 to 8 percent slopes	2	5525.3	0.01	\$ 1,421.91
Clinton	CcA	Chenango gravelly loam, 0 to 3 percent slopes	2	32.8	0	\$ 1,479.50
Clinton	CcB	Chenango gravelly loam, 3 to 8 percent slopes	2	281.7	0	\$ 1,485.16
Clinton	CdB	Clymer loam, 3 to 8 percent slopes	2	2257.1	0.004	\$ 1,482.33
Clinton	CeB	Clymer channery loam, 3 to 8 percent slopes	2	2668.1	0.005	\$ 1,460.76
Clinton	CmA	Comly silt loam, 0 to 3 percent slopes	2	145.7	0	\$ 1,424.70
Clinton	CmB	Comly silt loam, 3 to 8 percent slopes	2	936.6	0.002	\$ 1,423.15

Clinton	CnB	Cookport silt loam, 3 to 8 percent slopes	2	1187.2	0.002	\$ 1,194.92
Clinton	CoA	Cookport loam, 0 to 3 percent slopes	2	98.6	0	\$ 1,456.36
Clinton	CoB	Cookport loam, 3 to 8 percent slopes	2	337.1	0.001	\$ 1,347.96
Clinton	Cr	Craigsville gravelly loam	2	3739.6	0.007	\$ 1,228.12
Clinton	GpB	Gilpin silt loam, 3 to 8 percent slopes	2	1379.4	0.002	\$ 1,290.47
Clinton	HeB	Hagerstown silt loam, 3 to 8 percent slopes	2	9453.4	0.016	\$ 1,642.70
Clinton	HfB	Hagerstown silty clay loam, 3 to 8 percent slopes	2	247.2	0	\$ 1,653.19
Clinton	HhA	Hartleton channery silt loam, 0 to 3 percent slopes	2	88.3	0	\$ 1,459.30
Clinton	HhB	Hartleton channery silt loam, 3 to 8 percent slopes	2	344	0.001	\$ 1,459.30
Clinton	HB	Hazleton-Clymer channery loams, 3 to 8 percent slopes	2	2127.8	0.004	\$ 1,456.36
Clinton	HuB	Hustontown silt loam, 3 to 8 percent slopes	2	2011.5	0.004	\$ 1,389.84
Clinton	KrA	Kreamer silt loam, 0 to 3 percent slopes	2	438.7	0.001	\$ 1,347.96
Clinton	LaB	Laidig gravelly loam, 3 to 8 percent slopes	2	134.6	0	\$ 1,381.66
Clinton	LkB	Leck kill channery silt loam, 3 to 8 percent slopes	2	166.6	0	\$ 1,347.96
Clinton	MeB	Meckesville silt loam, 3 to 8 percent slopes	2	654.6	0.001	\$ 1,347.96
Clinton	MoB	Morrison channery sandy loam, 3 to 8 percent slopes	2	225.5	0	\$ 1,347.96
Clinton	MuB	Murrill silt loam, 3 to 8 percent slopes	2	309	0.001	\$ 1,429.31
Clinton	Pb	Philo silt loam	2	1683	0.003	\$ 1,516.83
Clinton	Pc	Philo-Linden silt loams	2	280.2	0	\$ 1,536.49
Clinton	TaA	Tilsit silt loam, 0 to 3 percent slopes	2	1543.2	0.003	\$ 1,347.96
Clinton	TaB	Tilsit silt loam, 3 to 8 percent slopes	2	1738.2	0.003	\$ 1,347.96
Clinton	TmB	Timberville silt loam, 3 to 8 percent slopes	2	546.5	0.001	\$ 1,555.90
Clinton	UnB	Ungers loam, 3 to 8 percent slopes	2	2471.1	0.004	\$ 1,303.44
Clinton	WaA	Watson silt loam, 0 to 5 percent slopes	2	717.5	0.001	\$ 1,347.96
Clinton	WbB	Wharton silt loam, 3 to 8 percent slopes	2	2368.7	0.004	\$ 1,160.25
Clinton	ZoA	Zoar silt loam, 0 to 3 percent slopes	2	182.7	0	\$ 1,407.49
Clinton	AgC	Allenwood gravelly silt loam, 8 to 15 percent slopes	3	211.7	0	\$ 1,499.08
Clinton	BeC	Berks channery silt loam, 8 to 15 percent slopes	3	4122.4	0.007	\$ 1,153.58
Clinton	BuC	Buchanan-Andover gravelly loams, 8 to 15 percent slopes	3	5766	0.01	\$ 1,368.71
Clinton	CaB	Calvin channery silt loam, 3 to 8 percent slopes	3	804.6	0.001	\$ 1,282.95
Clinton	CeC	Clymer channery loam, 8 to 15 percent slopes	3	380.9	0.001	\$ 1,427.78
Clinton	CmC	Comly silt loam, 8 to 15 percent slopes	3	484.6	0.001	\$ 1,310.75
Clinton	GpC	Gilpin silt loam, 8 to 15 percent slopes	3	325.4	0.001	\$ 1,259.94
Clinton	HeC	Hagerstown silt loam, 8 to 15 percent slopes	3	2579.3	0.004	\$ 1,562.05
Clinton	HgC	Hagerstown-Opequon silty clay loams, 8 to 15 percent slo	3	1380.6	0.002	\$ 1,473.79
Clinton	HhC	Hartleton channery silt loam, 8 to 15 percent slopes	3	243.1	0	\$ 1,381.66
Clinton	HIC	Hazleton-Clymer channery loams, 8 to 15 percent slopes	3	1466.8	0.003	\$ 1,436.94
Clinton	HuC	Hustontown silt loam, 8 to 15 percent slopes	3	299.1	0.001	\$ 1,404.32
Clinton	LaC	Laidig gravelly loam, 8 to 15 percent slopes	3	839.5	0.001	\$ 1,319.78
Clinton	LkC	Leck kill channery silt loam, 8 to 15 percent slopes	3	597.9	0.001	\$ 1,319.78
Clinton	MeC	Meckesville silt loam, 8 to 15 percent slopes	3	1458.3	0.003	\$ 1,319.78
Clinton	Mn	Melvin and Newark silt loams	3	2270.8	0.004	\$ 1,351.40
Clinton	MoC	Morrison channery sandy loam, 8 to 15 percent slopes	3	96.2	0	\$ 1,319.78
Clinton	MuC	Murrill silt loam, 8 to 15 percent slopes	3	41.3	0	\$ 1,381.66
Clinton	TaC	Tilsit silt loam, 8 to 15 percent slopes	3	269.2	0	\$ 1,290.47
Clinton	UnC	Ungers loam, 8 to 15 percent slopes	3	352.2	0.001	\$ 1,290.47
Clinton	WbC	Wharton silt loam, 8 to 15 percent slopes	3	395.8	0.001	\$ 1,086.11

Clinton	WyA	Wyoming very gravelly loam, 0 to 3 percent slopes	3	2275.1	0.004	\$ 1,389.84
Clinton	WyB	Wyoming very gravelly loam, 3 to 8 percent slopes	3	857.1	0.001	\$ 1,389.84
Clinton	AfD	Allegheny silt loam, 8 to 25 percent slopes	4	288.5	0.001	\$ 1,319.78
Clinton	AgD	Allenwood gravelly silt loam, 15 to 25 percent slopes	4	13.3	0	\$ 1,501.83
Clinton	At	Atkins silt loam, 0 to 3 percent slopes, frequently flooded	4	3772.5	0.007	\$ 1,236.20
Clinton	BeD	Berks-Weikert complex, 15 to 25 percent slopes	4	5738.2	0.01	\$ 1,004.79
Clinton	BgA	Brinkerton silt loam, 0 to 3 percent slopes	4	311.2	0.001	\$ 1,326.93
Clinton	BhD	Buchanan gravelly loam, 8 to 25 percent slopes	4	1168.7	0.002	\$ 1,269.61
Clinton	CaC	Calvin channery silt loam, 8 to 15 percent slopes	4	330.8	0.001	\$ 1,222.00
Clinton	CdD	Clymer loam, 8 to 25 percent slopes	4	78.9	0	\$ 1,473.79
Clinton	GwD	Gilpin-Wharton silt loams, 15 to 25 percent slopes	4	648.6	0.001	\$ 1,308.93
Clinton	HID	Hazleton-Clymer channery loams, 15 to 25 percent slopes	4	308.7	0.001	\$ 1,399.52
Clinton	HuD	Hustontown silt loam, 15 to 25 percent slopes	4	2833.2	0.005	\$ 1,301.60
Clinton	LaD	Laidig gravelly loam, 15 to 25 percent slopes	4	404.7	0.001	\$ 1,259.94
Clinton	LkD	Leck kill channery silt loam, 15 to 25 percent slopes	4	858.2	0.001	\$ 1,259.94
Clinton	MeD	Meckesville silt loam, 15 to 25 percent slopes	4	550.3	0.001	\$ 1,259.94
Clinton	MuD	Murrill silt loam, 15 to 25 percent slopes	4	198.5	0	\$ 1,375.05
Clinton	NoA	Nolo silt loam, 0 to 3 percent slopes	4	4521.1	0.008	\$ 1,282.95
Clinton	Pu	Purdy silt loam, 0 to 3 percent slopes	4	343.3	0.001	\$ 1,124.02
Clinton	Fr	Freetown mucky peat	5	305	0.001	\$ 891.33
Clinton	Pt	Potomac gravelly sandy loam	5	125.5	0	\$ 891.33
Clinton	AeB	Aeric Epiaquents, gently sloping	6	631.4	0.001	\$ 891.33
Clinton	KcD	Klinesville channery silt loam, 15 to 25 percent slopes	6	27.1	0	\$ 891.33
Clinton	LkE	Leck kill channery silt loam, 25 to 35 percent slopes	6	1230.6	0.002	\$ 891.33
Clinton	LmD	Leck kill channery silt loam, 8 to 25 percent slopes, very st	6	75.6	0	\$ 891.33
Clinton	MhD	Meckesville channery loam, 8 to 25 percent slopes, very s	6	1722.8	0.003	\$ 891.33
Clinton	OhD	Opequon-Hagerstown silty clay loams, 15 to 25 percent sl	6	1007.3	0.002	\$ 891.33
Clinton	OsD	Opequon-Hagerstown silty clay loams, 15 to 25 percent sl	6	321.3	0.001	\$ 891.33
Clinton	WeB	Wharton silt loam, 0 to 8 percent slopes, very stony	6	4366.5	0.008	\$ 891.33
Clinton	WgB	Wharton-Cookport complex, 0 to 8 percent slopes, very st	6	6580.5	0.011	\$ 891.33
Clinton	BeE	Berks-Weikert complex, 25 to 60 percent slopes	7	9919.8	0.017	\$ 891.33
Clinton	BmB	Buchanan gravelly loam, 0 to 8 percent slopes, extremely	7	2782.9	0.005	\$ 891.33
Clinton	BmC	Buchanan gravelly loam, 8 to 25 percent slopes, extreme	7	9636.8	0.017	\$ 891.33
Clinton	BxB	Buchanan-Andover gravelly loams, 0 to 8 percent slopes, e	7	1265.6	0.002	\$ 891.33
Clinton	BxC	Buchanan-Andover gravelly loams, 8 to 25 percent slopes,	7	1020.3	0.002	\$ 891.33
Clinton	CbC	Cedarcreek extremely channery loam, strongly sloping	7	2375.3	0.004	\$ 891.33
Clinton	CbD	Cedarcreek extremely channery loam, moderately steep	7	2543	0.004	\$ 891.33
Clinton	CbE	Cedarcreek extremely channery loam, steep	7	1897.2	0.003	\$ 891.33
Clinton	CfB	Clymer channery loam, 0 to 8 percent slopes, extremely s	7	28768	0.05	\$ 891.33
Clinton	CgB	Clymer-Cookport channery loams, 0 to 8 percent slopes, e	7	19118	0.033	\$ 891.33
Clinton	ChB	Clymer-Hazleton sandy loams, 0 to 8 percent slopes, extre	7	5544.5	0.01	\$ 891.33
Clinton	CpB	Cookport channery loam, 0 to 8 percent slopes, extremely	7	27903	0.049	\$ 891.33
Clinton	CpD	Cookport channery loam, 8 to 25 percent slopes, extreme	7	34575	0.06	\$ 891.33
Clinton	HjC	Hazleton channery sandy loam, 8 to 25 percent slopes, ex	7	8128.3	0.014	\$ 891.33
Clinton	HkE	Hazleton channery sandy loam, 25 to 80 percent slopes, ri	7	54969	0.096	\$ 891.33
Clinton	HmB	Hazleton-Clymer channery loams, 0 to 8 percent slopes, e	7	5791.6	0.01	\$ 891.33
Clinton	HmD	Hazleton-Clymer channery loams, 8 to 25 percent slopes,	7	54906	0.096	\$ 891.33

Clinton	HoF	Hazleton-Laidig complex, 25 to 50 percent slopes, extrem	7	107959	0.188	\$ 891.33
Clinton	KcE	Klinesville channery silt loam, 25 to 80 percent slopes	7	113	0	\$ 891.33
Clinton	LdB	Laidig gravelly loam, 0 to 8 percent slopes, extremely stor	7	276.1	0	\$ 891.33
Clinton	LdC	Laidig gravelly loam, 8 to 25 percent slopes, extremely stc	7	6499.8	0.011	\$ 891.33
Clinton	LnB	Leetonia channery sandy loam, 0 to 8 percent slopes, extr	7	4598.6	0.008	\$ 891.33
Clinton	LnC	Leetonia channery sandy loam, 8 to 25 percent slopes, ex	7	3572.9	0.006	\$ 891.33
Clinton	NsA	Nolo silt loam, 0 to 3 percent slopes, extremely stony	7	30.7	0	\$ 891.33
Clinton	OeE	Opequon silty clay loam, 25 to 60 percent slopes, very roc	7	318	0.001	\$ 891.33
Clinton	PaE	Pennval silt loam, 15 to 35 percent slopes, very stony	7	799.8	0.001	\$ 891.33
Clinton	UoB	Ungers loam, 0 to 8 percent slopes, extremely stony	7	134.4	0	\$ 891.33
Clinton	UoC	Ungers loam, 8 to 25 percent slopes, extremely stony	7	1755.1	0.003	\$ 891.33
Clinton	UoE	Ungers loam, 25 to 50 percent slopes, extremely stony	7	3503.9	0.006	\$ 891.33
Clinton	UpF	Ungers-Meckesville complex, 25 to 50 percent slopes, ext	7	21998	0.038	\$ 891.33
Clinton	RaF	Rock outcrop-Rubble land complex, 50 to 90 percent slop	8	4730.6	0.008	\$ 891.33
Clinton	Rb	Rubble land	8	8450.7	0.015	\$ 891.33
Clinton	UrC	Urban land-Berks complex, 3 to 15 percent slopes	8	131.7	0	\$ 891.33
Clinton	UsB	Urban land-Comly complex, 0 to 8 percent slopes	8	221.8	0	\$ 891.33
Clinton	UsC	Urban land-Comly complex, 8 to 15 percent slopes	8	156.7	0	\$ 891.33
Clinton	Ut	Urban land-Linden complex	8	1337.6	0.002	\$ 891.33
Columbia	AeA	Allenwood silt loam, 0 to 3 percent slopes	1	282.5	0.001	\$ 1,556.98
Columbia	Ba	Barbour fine sandy loam	1	1055	0.003	\$ 1,471.49
Columbia	Bb	Barbour gravelly loam	1	1377.3	0.004	\$ 1,470.34
Columbia	Bc	Barbour silt loam	1	1174.6	0.004	\$ 1,468.03
Columbia	ChA	Chenango silt loam, 0 to 3 percent slopes	1	1762	0.006	\$ 1,413.80
Columbia	LIA	Leck kill channery silt loam, deep, 0 to 3 percent slopes	1	540.3	0.002	\$ 1,473.79
Columbia	Tf	Tioga fine sandy loam	1	674.8	0.002	\$ 1,468.03
Columbia	Tg	Tioga gravelly loam	1	57.4	0	\$ 1,471.49
Columbia	Ts	Tioga silt loam	1	1585.6	0.005	\$ 1,468.03
Columbia	Tt	Tioga silt loam, high bottom	1	367.4	0.001	\$ 1,471.44
Columbia	WaA	Washington silt loam, 0 to 3 percent slopes	1	97	0	\$ 1,616.32
Columbia	AaA	Albrights gravelly silt loam, 0 to 3 percent slopes	2	258.6	0.001	\$ 1,345.81
Columbia	AaB2	Albrights gravelly silt loam, 3 to 8 percent slopes, modera	2	3526.8	0.011	\$ 1,378.83
Columbia	AeB2	Allenwood silt loam, 3 to 12 percent slopes, moderately e	2	2557.9	0.008	\$ 1,556.98
Columbia	BaB	Bath channery silt loam, 3 to 8 percent slopes	2	133.9	0	\$ 1,436.94
Columbia	Bd	Basher fine sandy loam	2	742.2	0.002	\$ 1,468.03
Columbia	BeB2	Belmont silt loam, 3 to 12 percent slopes, moderately ero	2	1735.9	0.006	\$ 1,449.91
Columbia	BkB2	Berks shaly silt loam, 3 to 12 percent slopes, moderately e	2	4353.1	0.014	\$ 1,179.33
Columbia	BrA	Braceville loam, 0 to 3 percent slopes	2	839.9	0.003	\$ 1,396.31
Columbia	BrB	Braceville loam, 3 to 8 percent slopes	2	292.4	0.001	\$ 1,368.37
Columbia	BuB	Buchanan cobbly loam, 3 to 8 percent slopes	2	424.6	0.001	\$ 1,263.82
Columbia	CaB2	Calvin shaly silt loam, neutral substratum, 3 to 12 percent	2	670.1	0.002	\$ 1,139.07
Columbia	CfB2	Canfield channery silt loam, 3 to 8 percent slopes, modera	2	1855.9	0.006	\$ 1,341.02
Columbia	CgA	Chenango gravelly sandy loam, 0 to 3 percent slopes	2	3409.7	0.011	\$ 1,354.21
Columbia	CgB2	Chenango gravelly sandy loam, 3 to 12 percent slopes, mc	2	925.5	0.003	\$ 1,351.06
Columbia	ChB2	Chenango silt loam, 3 to 12 percent slopes, moderately er	2	1049.6	0.003	\$ 1,410.97
Columbia	DaB2	Dekalb channery loam, 3 to 12 percent slopes, moderatel	2	469.5	0.001	\$ 1,210.20
Columbia	EoB	Edom complex, 3 to 8 percent slopes	2	63.2	0	\$ 1,388.21

Columbia	HhA	Hartleton channery silt loam, 0 to 3 percent slopes	2	419.7	0.001	\$ 1,261.88
Columbia	HhB2	Hartleton channery silt loam, 3 to 12 percent slopes, mod	2	25711	0.082	\$ 1,226.08
Columbia	LaB2	Lackawanna channery loam, 3 to 12 percent slopes, erode	2	1258.3	0.004	\$ 1,405.91
Columbia	LeB2	Laidig gravelly loam, 3 to 12 percent slopes, moderately e	2	249.1	0.001	\$ 1,347.96
Columbia	LgB	Lawrenceville and Duncannon silt loams, 3 to 8 percent sl	2	2176.6	0.007	\$ 1,386.84
Columbia	LkA	Leck kill channery silt loam, 0 to 3 percent slopes	2	340.5	0.001	\$ 1,473.79
Columbia	LkB2	Leck kill channery silt loam, 3 to 12 percent slopes, moder	2	14033	0.045	\$ 1,473.79
Columbia	LIB2	Leck kill channery silt loam, deep, 3 to 12 percent slopes,	2	10880	0.035	\$ 1,473.79
Columbia	LsB2	Lordstown channery silt loam, 3 to 12 percent slopes, mo	2	3389.2	0.011	\$ 1,342.76
Columbia	MaB	Mardin channery silt loam, 3 to 8 percent slopes	2	236	0.001	\$ 1,399.52
Columbia	Mb	Middlebury fine sandy loam	2	784.2	0.003	\$ 1,468.03
Columbia	Md	Middlebury silt loam	2	3220.7	0.01	\$ 1,468.03
Columbia	Ocb2	Oquaga channery silt loam, 3 to 12 percent slopes, moder	2	1525.3	0.005	\$ 1,004.79
Columbia	PkA	Pekin silt loam, cobbly variant, 0 to 3 percent slopes	2	400.3	0.001	\$ 1,371.72
Columbia	PkB2	Pekin silt loam, cobbly variant, 3 to 8 percent slopes, mod	2	255.7	0.001	\$ 1,371.72
Columbia	WaB2	Washington silt loam, 3 to 12 percent slopes, moderately	2	1321	0.004	\$ 1,616.32
Columbia	WbA	Watson silt loam, 0 to 3 percent slopes	2	425.9	0.001	\$ 1,365.01
Columbia	WbB2	Watson silt loam, 3 to 8 percent slopes, moderately erode	2	5289.1	0.017	\$ 1,365.01
Columbia	Wfb2	Wellsboro channery silt loam, 3 to 8 percent slopes, erode	2	653.4	0.002	\$ 1,394.70
Columbia	WmB2	Westmoreland silt loam, 3 to 12 percent slopes, moderat	2	330.4	0.001	\$ 1,413.80
Columbia	WnA	Wiltshire silt loam, 0 to 3 percent slopes	2	243.9	0.001	\$ 1,337.52
Columbia	WnB2	Wiltshire silt loam, 3 to 8 percent slopes, moderately eroc	2	1544.9	0.005	\$ 1,337.52
Columbia	WoB2	Wooster channery silt loam, 3 to 12 percent slopes, mode	2	2642.2	0.008	\$ 1,381.66
Columbia	AaC	Albrights gravelly silt loam, 8 to 15 percent slopes	3	551.9	0.002	\$ 1,302.12
Columbia	AeC2	Allenwood silt loam, 12 to 20 percent slopes, moderately	3	213.5	0.001	\$ 1,403.49
Columbia	ArA	Alvira silt loam, 0 to 3 percent slopes	3	364.9	0.001	\$ 1,308.93
Columbia	ArB	Alvira silt loam, 3 to 8 percent slopes	3	319.1	0.001	\$ 1,310.38
Columbia	AsB2	Alvira shaly silt loam, 3 to 8 percent slopes, moderately er	3	1797.7	0.006	\$ 1,307.10
Columbia	AsC2	Alvira shaly silt loam, 8 to 15 percent slopes, moderately e	3	471.5	0.002	\$ 1,271.53
Columbia	At	Atherton loam	3	627.3	0.002	\$ 1,197.03
Columbia	BaC	Bath channery silt loam, 8 to 15 percent slopes	3	11.2	0	\$ 1,378.36
Columbia	BeC2	Belmont silt loam, 12 to 20 percent slopes, moderately er	3	349.6	0.001	\$ 1,247.05
Columbia	BkC2	Berks shaly silt loam, 12 to 20 percent slopes, moderately	3	1393.7	0.004	\$ 1,042.75
Columbia	CaC2	Calvin shaly silt loam, neutral substratum, 12 to 20 percer	3	482.1	0.002	\$ 1,004.79
Columbia	CgC2	Chenango gravelly sandy loam, 12 to 20 percent slopes, n	3	270.2	0.001	\$ 1,215.83
Columbia	DaC2	Dekalb channery loam, 12 to 20 percent slopes, moderate	3	199.3	0.001	\$ 1,118.07
Columbia	EoC	Edom complex, 8 to 15 percent slopes	3	12.8	0	\$ 1,326.93
Columbia	HhC2	Hartleton channery silt loam, 12 to 20 percent slopes, mo	3	10737	0.034	\$ 1,111.89
Columbia	KaB2	Klinesville shaly silt loam, 3 to 12 percent slopes, moderat	3	4511.8	0.014	\$ 1,019.17
Columbia	LeC2	Laidig gravelly loam, 12 to 20 percent slopes, moderately	3	200.2	0.001	\$ 1,236.20
Columbia	LgC2	Lawrenceville and Duncannon silt loams, 8 to 12 percent s	3	457.1	0.001	\$ 1,327.71
Columbia	LkC2	Leck kill channery silt loam, 12 to 20 percent slopes, mode	3	3964	0.013	\$ 1,381.66
Columbia	LIC2	Leck kill channery silt loam, deep, 12 to 20 percent slopes	3	1503.4	0.005	\$ 1,381.66
Columbia	LpB2	Litz silt loam, 3 to 12 percent slopes, moderately eroded	3	1977.1	0.006	\$ 1,056.51
Columbia	LsC2	Lordstown channery silt loam, 12 to 20 percent slopes, m	3	2336.3	0.007	\$ 1,310.75
Columbia	MaC	Mardin channery silt loam, 8 to 15 percent slopes	3	48.8	0	\$ 1,308.20
Columbia	MrB	Morris channery silt loam, 3 to 8 percent slopes	3	234.7	0.001	\$ 1,046.41

Columbia	OcC2	Oquaga channery silt loam, 12 to 20 percent slopes, moderate	3	1029.9	0.003	\$ 1,004.79
Columbia	RaA	Ravenna channery silt loam, 0 to 3 percent slopes	3	206.4	0.001	\$ 1,341.02
Columbia	RaB	Ravenna channery silt loam, 3 to 8 percent slopes	3	812.7	0.003	\$ 1,307.10
Columbia	VoB	Volusia channery silt loam, 0 to 8 percent slopes	3	35.7	0	\$ 1,211.69
Columbia	WaC2	Washington silt loam, 12 to 20 percent slopes, moderately eroded	3	311.7	0.001	\$ 1,473.79
Columbia	WbC2	Watson silt loam, 8 to 15 percent slopes, moderately eroded	3	1100.2	0.004	\$ 1,312.93
Columbia	WcB2	Weikert channery silt loam, 3 to 12 percent slopes, moderately eroded	3	8467.5	0.027	\$ 1,004.79
Columbia	WfC2	Wellsboro channery silt loam, 8 to 15 percent slopes, eroded	3	86.9	0	\$ 1,308.93
Columbia	WmC2	Westmoreland silt loam, 12 to 20 percent slopes, moderately eroded	3	192.8	0.001	\$ 1,236.20
Columbia	WnC2	Wiltshire silt loam, 8 to 15 percent slopes, moderately eroded	3	181.1	0.001	\$ 1,267.69
Columbia	WoC2	Wooster channery silt loam, 12 to 20 percent slopes, moderately eroded	3	1011.9	0.003	\$ 1,312.56
Columbia	Zp	Zipp silt loam	3	525	0.002	\$ 1,435.42
Columbia	AnB2	Allis silt loam, neutral substratum, 3 to 8 percent slopes, moderately eroded	4	509.6	0.002	\$ 1,100.53
Columbia	BaD	Bath channery silt loam, 15 to 25 percent slopes	4	4	0	\$ 1,240.21
Columbia	CbD2	Calvin and Klinesville soils, neutral substrata, 20 to 35 percent slopes, moderately eroded	4	351.7	0.001	\$ 1,004.79
Columbia	CgD3	Chenango gravelly sandy loam, 20 to 35 percent slopes, severely eroded	4	165.8	0.001	\$ 1,004.79
Columbia	CIA	Chippewa silt loam, 0 to 3 percent slopes	4	8.5	0	\$ 1,004.79
Columbia	HhC3	Hartleton channery silt loam, 12 to 20 percent slopes, severely eroded	4	2363.8	0.008	\$ 1,004.79
Columbia	HhD2	Hartleton channery silt loam, 20 to 35 percent slopes, moderately eroded	4	3438.3	0.011	\$ 1,004.79
Columbia	Hs	Holly silt loam	4	2519.9	0.008	\$ 1,319.78
Columbia	KaC2	Klinesville shaly silt loam, 12 to 20 percent slopes, moderately eroded	4	1915.3	0.006	\$ 1,004.79
Columbia	LaC2	Lackawanna channery loam, 12 to 20 percent slopes, eroded	4	472.6	0.002	\$ 1,339.27
Columbia	LkC3	Leck kill channery silt loam, 12 to 20 percent slopes, severely eroded	4	1186.6	0.004	\$ 1,381.66
Columbia	LkD2	Leck kill channery silt loam, 20 to 35 percent slopes, moderately eroded	4	1146	0.004	\$ 1,004.79
Columbia	LIC3	Leck kill channery silt loam, deep, 12 to 20 percent slopes	4	578.5	0.002	\$ 1,381.66
Columbia	Ln	Lickdale silt loam	4	403.3	0.001	\$ 1,194.92
Columbia	LpC2	Litz silt loam, 12 to 20 percent slopes, moderately eroded	4	543	0.002	\$ 1,004.79
Columbia	LsD2	Lordstown channery silt loam, 20 to 35 percent slopes, moderately eroded	4	1435.4	0.005	\$ 1,004.79
Columbia	OcD2	Oquaga channery silt loam, 20 to 35 percent slopes, moderately eroded	4	452.4	0.001	\$ 1,004.79
Columbia	Pa	Papakating silty clay loam	4	733.3	0.002	\$ 1,004.79
Columbia	SdA	Shelmadine silt loam, 0 to 3 percent slopes	4	1104.2	0.004	\$ 1,256.03
Columbia	SdB2	Shelmadine silt loam, 3 to 8 percent slopes, moderately eroded	4	4368.9	0.014	\$ 1,257.99
Columbia	WcC2	Weikert channery silt loam, 12 to 20 percent slopes, moderately eroded	4	8726.9	0.028	\$ 1,004.79
Columbia	WoD2	Wooster channery silt loam, 20 to 35 percent slopes, moderately eroded	4	275.9	0.001	\$ 1,004.79
Columbia	ASD	Arnot-Rock outcrop complex, 3 to 25 percent slopes	6	38	0	\$ 891.33
Columbia	BvB	Buchanan very stony loam, 0 to 8 percent slopes	6	1756.9	0.006	\$ 891.33
Columbia	DkB	Dekalb very stony loam, 0 to 12 percent slopes	6	4550.4	0.015	\$ 891.33
Columbia	DkD	Dekalb very stony loam, 12 to 35 percent slopes	6	13997	0.045	\$ 891.33
Columbia	EdB	Edgemont very stony loam, 0 to 12 percent slopes	6	1167.6	0.004	\$ 891.33
Columbia	EdD	Edgemont very stony loam, 12 to 35 percent slopes	6	230.7	0.001	\$ 891.33
Columbia	HhD3	Hartleton channery silt loam, 20 to 35 percent slopes, severely eroded	6	2502.4	0.008	\$ 891.33
Columbia	HrB	Hartleton very stony silt loam, 0 to 12 percent slopes	6	304.9	0.001	\$ 891.33
Columbia	HrD	Hartleton very stony silt loam, 12 to 35 percent slopes	6	304.6	0.001	\$ 891.33
Columbia	KaC3	Klinesville shaly silt loam, 12 to 20 percent slopes, severely eroded	6	1114.3	0.004	\$ 891.33
Columbia	KaD2	Klinesville shaly silt loam, 20 to 35 percent slopes, moderately eroded	6	1521.2	0.005	\$ 891.33
Columbia	KIB	Klinesville and leck kill very stony silt loams, 0 to 12 percent slopes	6	274.4	0.001	\$ 891.33
Columbia	KID	Klinesville and leck kill very stony silt loams, 12 to 35 percent slopes	6	1994.3	0.006	\$ 891.33

Columbia	LaD2	Lackawanna channery loam, 20 to 35 percent slopes, eroc	6	128.6	0	\$	891.33
Columbia	LcB	Lackawanna very stony loam, 0 to 12 percent slopes, very	6	2003.4	0.006	\$	891.33
Columbia	LcD	Lackawanna very stony loam, 12 to 35 percent slopes, ver	6	2243.3	0.007	\$	891.33
Columbia	LfB	Laidig very stony loam, 0 to 12 percent slopes	6	1428.1	0.005	\$	891.33
Columbia	LfD	Laidig very stony loam, 12 to 35 percent slopes	6	675.2	0.002	\$	891.33
Columbia	LkD3	Leck kill channery silt loam, 20 to 35 percent slopes, sever	6	751.1	0.002	\$	891.33
Columbia	LmB	Leck kill very stony silt loam, deep, 0 to 12 percent slopes	6	2525.9	0.008	\$	891.33
Columbia	LmD	Leck kill very stony silt loam, deep, 12 to 35 percent slope	6	5156.4	0.016	\$	891.33
Columbia	LtB	Lordstown very stony silt loam, 0 to 12 percent slopes	6	679.2	0.002	\$	891.33
Columbia	LtD	Lordstown very stony silt loam, 12 to 35 percent slopes	6	1194	0.004	\$	891.33
Columbia	Ma	Made land	6	469.6	0.001	\$	891.33
Columbia	MkB	Meckesville very stony loam, 3 to 8 percent slopes	6	340.3	0.001	\$	891.33
Columbia	MkC	Meckesville very stony loam, 8 to 25 percent slopes	6	564.3	0.002	\$	891.33
Columbia	OsB	Oquaga very stony silt loam, 0 to 12 percent slopes	6	875	0.003	\$	891.33
Columbia	OsD	Oquaga very stony silt loam, 12 to 35 percent slopes	6	1974.5	0.006	\$	891.33
Columbia	WcD2	Weikert channery silt loam, 20 to 35 percent slopes, mod	6	14953	0.048	\$	891.33
Columbia	WeD	Weikert very stony silt loam, 12 to 35 percent slopes	6	294.4	0.001	\$	891.33
Columbia	WhB	Wellsboro channery silt loam, 0 to 8 percent slopes, very :	6	138.8	0	\$	891.33
Columbia	WpD	Wooster very stony silt loam, 12 to 35 percent slopes	6	557.6	0.002	\$	891.33
Columbia	WsB	Wooster and Canfield very stony loams, 0 to 12 percent sl	6	628.7	0.002	\$	891.33
Columbia	BbD	Bath channery silt loam, 8 to 25 percent slopes, extremely	7	4.5	0	\$	891.33
Columbia	CbE2	Calvin and Klinesville soils, neutral substrata, 35 to 50 per	7	198.5	0.001	\$	891.33
Columbia	CnB	Chippewa silt loam, 0 to 8 percent slopes, extremely ston	7	69.5	0	\$	891.33
Columbia	DkF	Dekalb very stony loam, 35 to 100 percent slopes	7	9077.2	0.029	\$	891.33
Columbia	HGB	Hazleton-Clymer association, gently sloping	7	705.6	0.002	\$	891.33
Columbia	HGC	Hazleton-Clymer association, sloping	7	380.7	0.001	\$	891.33
Columbia	KaD3	Klinesville shaly silt loam, 20 to 35 percent slopes, severel	7	2365.3	0.008	\$	891.33
Columbia	KkE	Klinesville and leck kill shaly silt loams, 35 to 70 percent sl	7	2634.7	0.008	\$	891.33
Columbia	KIF	Klinesville and leck kill very stony silt loams, 35 to 100 per	7	2599	0.008	\$	891.33
Columbia	LdF	Lackawanna and Oquaga soils, 35 to 100 percent slopes, v	7	2295.8	0.007	\$	891.33
Columbia	LmE	Leck kill very stony silt loam, deep, 35 to 60 percent slope	7	3912.4	0.012	\$	891.33
Columbia	Lo	Lickdale very stony silt loam	7	126.9	0	\$	891.33
Columbia	LrC3	Litz and weikert shaly silt loams, 12 to 20 percent slopes, :	7	290.4	0.001	\$	891.33
Columbia	LrD3	Litz and weikert shaly silt loams, 20 to 35 percent slopes, :	7	728	0.002	\$	891.33
Columbia	LrE2	Litz and weikert shaly silt loams, 35 to 50 percent slopes, :	7	595.5	0.002	\$	891.33
Columbia	LtF	Lordstown very stony silt loam, 35 to 100 percent slopes	7	2477.5	0.008	\$	891.33
Columbia	Mn	Mine dumps	7	368.1	0.001	\$	891.33
Columbia	MsB	Morris very stony silt loam, 0 to 8 percent slopes	7	226.1	0.001	\$	891.33
Columbia	Rw	Riverwash	7	416.7	0.001	\$	891.33
Columbia	Sh	Shelmadine very stony silt loam	7	1231.6	0.004	\$	891.33
Columbia	St	Strip mine spoil	7	3457.3	0.011	\$	891.33
Columbia	WcF2	Weikert channery silt loam, 35 to 80 percent slopes, mod	7	15428	0.049	\$	891.33
Columbia	WeF	Weikert very stony silt loam, 35 to 80 percent slopes	7	2291.3	0.007	\$	891.33
Columbia	WhD	Wellsboro channery silt loam, 8 to 25 percent slopes, extr	7	206.8	0.001	\$	891.33
Columbia	GP	Gravel pit	8	11.9	0	\$	891.33
Columbia	Mu	Mucky peat	8	187.3	0.001	\$	891.33
Columbia	Qu	Quarries	8	146.9	0	\$	891.33

Crawford	HnA	Hanover silt loam, 0 to 3 percent slopes	1	703	0.001	\$ 1,484.03
Crawford	HvA	Haven silt loam, 0 to 3 percent slopes	1	4994.2	0.008	\$ 1,347.96
Crawford	426B	Mardin silt loam, 3 to 8 percent slopes	2	373.7	0.001	\$ 1,290.47
Crawford	BrA	Braceville gravelly loam, 0 to 3 percent slopes	2	1387.8	0.002	\$ 1,397.92
Crawford	BrB	Braceville gravelly loam, 3 to 8 percent slopes	2	7581.2	0.011	\$ 1,374.38
Crawford	CaA	Cambridge silt loam, 0 to 3 percent slopes	2	4310.8	0.006	\$ 1,317.63
Crawford	CaB	Cambridge silt loam, 3 to 8 percent slopes	2	53123	0.08	\$ 1,347.96
Crawford	CcB	Cambridge-Venango silt loams, 3 to 8 percent slopes	2	2226.5	0.003	\$ 1,341.02
Crawford	CoA	Chenango gravelly silt loam, 0 to 3 percent slopes	2	2311.4	0.003	\$ 1,349.47
Crawford	CoB	Chenango gravelly silt loam, 3 to 8 percent slopes	2	8252.7	0.012	\$ 1,349.96
Crawford	HnB	Hanover silt loam, 3 to 8 percent slopes	2	5936	0.009	\$ 1,458.13
Crawford	HvB	Haven silt loam, 3 to 8 percent slopes	2	5950	0.009	\$ 1,347.96
Crawford	Ot	Otego silt loam	2	57.3	0	\$ 1,386.58
Crawford	PeB	Pierpont silt loam, 2 to 6 percent slopes	2	89.8	0	\$ 1,216.00
Crawford	Ph	Philo silt loam	2	2473.9	0.004	\$ 1,516.83
Crawford	Po	Pope loam	2	3796.8	0.006	\$ 1,371.05
Crawford	ScA	Scio silt loam, 0 to 3 percent slopes	2	1999	0.003	\$ 1,399.20
Crawford	ScB	Scio silt loam, 3 to 8 percent slopes	2	3915.7	0.006	\$ 1,398.88
Crawford	VaB	Valois gravelly silt loam, 3 to 8 percent slopes	2	5164.1	0.008	\$ 1,339.27
Crawford	VmB	Valois-Cambridge complex, 3 to 8 percent slopes	2	8313.5	0.013	\$ 1,347.96
Crawford	426C	Mardin silt loam, 8 to 15 percent slopes	3	180.3	0	\$ 1,290.47
Crawford	AvA	Alvira silt loam, 0 to 3 percent slopes	3	1652.9	0.002	\$ 1,319.78
Crawford	AvB	Alvira silt loam, 3 to 8 percent slopes	3	6547.6	0.01	\$ 1,317.99
Crawford	CaC	Cambridge silt loam, 8 to 15 percent slopes	3	32005	0.048	\$ 1,286.72
Crawford	CeA	Caneadea silt loam, 0 to 3 percent slopes	3	1043.2	0.002	\$ 1,281.44
Crawford	CeB	Caneadea silt loam, 3 to 8 percent slopes	3	2277.9	0.003	\$ 1,304.61
Crawford	CoC	Chenango gravelly silt loam, 8 to 15 percent slopes	3	2000.4	0.003	\$ 1,282.65
Crawford	HnC	Hanover silt loam, 8 to 15 percent slopes	3	2252.7	0.003	\$ 1,400.81
Crawford	Hy	Holly silt loam	3	31663	0.048	\$ 1,361.63
Crawford	MaC	Mardin gravelly silt loam, 8 to 15 percent slopes	3	36.2	0	\$ 1,236.20
Crawford	PeC	Pierpont silt loam, 6 to 12 percent slopes	3	232.9	0	\$ 1,210.20
Crawford	PIA	Platea silt loam, 0 to 2 percent slopes	3	2264.1	0.003	\$ 1,290.84
Crawford	PIB	Platea silt loam, 2 to 6 percent slopes	3	11585	0.017	\$ 1,289.05
Crawford	PIC	Platea silt loam, 6 to 12 percent slopes	3	897.5	0.001	\$ 1,285.59
Crawford	Rh	Red Hook loam	3	23866	0.036	\$ 1,304.69
Crawford	St	Stanhope silt loam	3	889.5	0.001	\$ 1,282.95
Crawford	VaC	Valois gravelly silt loam, 8 to 15 percent slopes	3	7425.5	0.011	\$ 1,308.93
Crawford	VmC	Valois-Cambridge complex, 8 to 15 percent slopes	3	1175.2	0.002	\$ 1,323.37
Crawford	VnA	Venango silt loam, 0 to 3 percent slopes	3	28907	0.044	\$ 1,330.48
Crawford	VnB	Venango silt loam, 3 to 8 percent slopes	3	136776	0.206	\$ 1,339.27
Crawford	VnC	Venango silt loam, 8 to 15 percent slopes	3	10246	0.015	\$ 1,332.25
Crawford	WyA	Wyoming gravelly sandy loam, 0 to 3 percent slopes	3	1515.6	0.002	\$ 1,273.07
Crawford	WyB	Wyoming gravelly sandy loam, 3 to 8 percent	3	5060.3	0.008	\$ 1,269.23
Crawford	320A	Fredon silt loam, 0 to 3 percent slopes	4	60.6	0	\$ 1,210.03
Crawford	426D	Mardin silt loam, 15 to 25 percent slopes	4	107.7	0	\$ 1,290.09
Crawford	AaA	Alden mucky silt loam, 0 to 2 percent slopes	4	1663.4	0.003	\$ 1,110.95
Crawford	Ad	Alden silt loam	4	16214	0.024	\$ 1,098.62

Crawford	Ax	Aquolls-Eutrudepts complex, frequently flooded	4	869.8	0.001	\$ 1,004.79
Crawford	BeD	Bethesda channery silt loam, 8 to 25 percent slopes	4	36.3	0	\$ 1,004.79
Crawford	CaD	Cambridge silt loam, 15 to 25 percent slopes	4	10899	0.016	\$ 1,004.79
Crawford	Cd	Canadice silt loam	4	1755.6	0.003	\$ 1,173.43
Crawford	CpB	Chippewa silt loam, 0 to 8 percent slopes	4	6	0	\$ 1,203.35
Crawford	FhA	Frenchtown silt loam, 0 to 3 percent slopes	4	49756	0.075	\$ 1,248.16
Crawford	FhB	Frenchtown silt loam, 3 to 8 percent slopes	4	21671	0.033	\$ 1,282.95
Crawford	Ha	Halsey silt loam	4	8646.9	0.013	\$ 1,004.79
Crawford	Hx	Holly silty clay loam	4	15163	0.023	\$ 1,321.94
Crawford	Mh	Mill silt loam	4	32143	0.048	\$ 1,138.25
Crawford	PeD	Pierpont silt loam, 12 to 18 percent slopes	4	164.4	0	\$ 1,004.79
Crawford	SmA	Shelmadine silt loam, 0 to 3 percent slopes	4	730	0.001	\$ 1,240.21
Crawford	SmB	Shelmadine silt loam, 3 to 8 percent slopes	4	785.7	0.001	\$ 1,240.21
Crawford	VaD	Valois gravelly silt loam, 15 to 25 percent slopes	4	7530.3	0.011	\$ 1,240.21
Crawford	Wc	Wick silt loam	4	1209	0.002	\$ 1,142.34
Crawford	WyC	Wyoming gravelly sandy loam, 8 to 15 percent slopes	4	4181.4	0.006	\$ 1,145.95
Crawford	WyD	Wyoming gravelly sandy loam, 15 to 25 percent slopes	4	2754	0.004	\$ 1,109.07
Crawford	348A	Canandaigua mucky silt loam	5	55.7	0	\$ 891.33
Crawford	CM	Carlisle muck	5	9197.7	0.014	\$ 891.33
Crawford	CbB	Cambridge silt loam, 0 to 8 percent slopes, very stony	6	1070	0.002	\$ 891.33
Crawford	CbD	Cambridge silt loam, 8 to 25 percent slopes, very stony	6	2794.5	0.004	\$ 891.33
Crawford	FvB	Frenchtown silt loam, 0 to 8 percent slopes, very stony	6	3097.9	0.005	\$ 891.33
Crawford	HoB	Hanover silt loam, 0 to 8 percent slopes, very stony	6	509.7	0.001	\$ 891.33
Crawford	HoD	Hanover silt loam, 8 to 25 percent slopes, very stony	6	1935.6	0.003	\$ 891.33
Crawford	VoB	Venango silt loam, 0 to 8 percent slopes, very stony	6	1978.6	0.003	\$ 891.33
Crawford	VoC	Venango silt loam, 8 to 15 percent slopes, very stony	6	940	0.001	\$ 891.33
Crawford	GaF	Gageville silt loam, 18 to 50 percent slopes	7	647.8	0.001	\$ 891.33
Crawford	VLF	Valois soils, very steep	7	12217	0.018	\$ 891.33
Crawford	DAM	Dams	8	30.4	0	\$ 891.33
Crawford	QU	Quarries	8	18.7	0	\$ 891.33
Cumberland	AgA	Allegheny silt loam, 0 to 3 percent slopes	1	467.3	0.001	\$ 1,501.83
Cumberland	BoA	Birdsboro silt loam, 0 to 5 percent slopes	1	179.4	0.001	\$ 1,616.32
Cumberland	Ch	Chavies fine sandy loam	1	306.8	0.001	\$ 1,567.42
Cumberland	DuA	Duffield silt loam, 0 to 3 percent slopes	1	2344.4	0.007	\$ 1,599.57
Cumberland	DxA	Duncannon very fine sandy loam, 0 to 3 percent slopes	1	132.2	0	\$ 1,413.80
Cumberland	HaA	Hagerstown silt loam, 0 to 3 percent slopes	1	5602.9	0.016	\$ 1,641.98
Cumberland	HuA	Huntington silt loam, 0 to 5 percent slopes	1	12977	0.037	\$ 1,528.03
Cumberland	MuA	Murrill channery loam, 0 to 3 percent slopes	1	1872	0.005	\$ 1,470.05
Cumberland	Tg	Tioga soils	1	82.3	0	\$ 1,467.74
Cumberland	AgB	Allegheny silt loam, 3 to 8 percent slopes	2	378.7	0.001	\$ 1,453.41
Cumberland	AtB	Athol gravelly loam, 3 to 8 percent slopes	2	781.1	0.002	\$ 1,552.65
Cumberland	BdB	Bedington shaly silt loam, 3 to 8 percent slopes	2	4634	0.013	\$ 1,492.44
Cumberland	BeB	Berks channery silt loam, 3 to 8 percent slopes	2	22895	0.065	\$ 1,190.67
Cumberland	BhB	Berks stony silt loam, 3 to 8 percent slopes	2	1943.4	0.006	\$ 1,194.92
Cumberland	BuB	Buchanan gravelly loam, 3 to 8 percent slopes	2	3881.4	0.011	\$ 1,460.76
Cumberland	DuB	Duffield silt loam, 3 to 8 percent slopes	2	15710	0.045	\$ 1,567.42
Cumberland	DxB	Duncannon very fine sandy loam, 3 to 8 percent slopes	2	32.7	0	\$ 1,413.80

Cumberland	EbB	Edgemont channery loam, 3 to 8 percent slopes	2	32.7	0	\$ 1,482.33
Cumberland	EdB	Edom silty clay loam, 3 to 8 percent slopes	2	3004.1	0.009	\$ 1,347.96
Cumberland	EtB	Ernest silt loam, 3 to 8 percent slopes	2	610.9	0.002	\$ 1,355.51
Cumberland	GnB	Glenville silt loam, 3 to 8 percent slopes	2	1301.2	0.004	\$ 1,504.91
Cumberland	HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	33253	0.095	\$ 1,642.70
Cumberland	HcB	Hagerstown silt loam, rocky, 3 to 8 percent slopes	2	14276	0.041	\$ 1,578.85
Cumberland	HeB	Hazleton channery sandy loam, 3 to 8 percent slopes	2	95.5	0	\$ 1,485.16
Cumberland	HgB	Highfield channery silt loam, 3 to 8 percent slopes	2	2444.3	0.007	\$ 1,436.03
Cumberland	LdB	Laidig channery loam, 3 to 8 percent slopes	2	3372.5	0.01	\$ 1,347.96
Cumberland	Ls	Lindside silt loam	2	1075.3	0.003	\$ 1,459.30
Cumberland	Mf	Middlebury soils	2	1372.5	0.004	\$ 1,468.03
Cumberland	MnA	Monongahela silt loam, 0 to 3 percent slopes	2	2768.9	0.008	\$ 1,410.02
Cumberland	MnB	Monongahela silt loam, 3 to 8 percent slopes	2	3675.4	0.01	\$ 1,352.09
Cumberland	MoB	Morrison sandy loam, 3 to 8 percent slopes	2	151.9	0	\$ 1,344.49
Cumberland	MuB	Murrill channery loam, 3 to 8 percent slopes	2	10240	0.029	\$ 1,470.05
Cumberland	NeB	Neshaminy gravelly silt loam, 3 to 8 percent slopes	2	833.7	0.002	\$ 1,546.23
Cumberland	SeB	Sideling gravelly loam, 3 to 8 percent slopes	2	2.4	0	\$ 1,358.24
Cumberland	AtC	Athol gravelly loam, 8 to 15 percent slopes	3	623.9	0.002	\$ 1,501.83
Cumberland	Aw	Atkins silt loam	3	5469.3	0.016	\$ 1,354.90
Cumberland	BdC	Bedington shaly silt loam, 8 to 15 percent slopes	3	2668.8	0.008	\$ 1,430.85
Cumberland	BeC	Berks shaly silt loam, 8 to 15 percent slopes	3	20056	0.057	\$ 1,115.64
Cumberland	BpB	Blairton silt loam, 3 to 8 percent slopes	3	4134.9	0.012	\$ 1,158.39
Cumberland	BuC	Buchanan gravelly loam, 8 to 15 percent slopes	3	370.4	0.001	\$ 1,279.17
Cumberland	CcC	Catoctin channery silt loam, 8 to 15 percent slopes	3	649.1	0.002	\$ 1,199.15
Cumberland	DuC	Duffield silt loam, 8 to 15 percent slopes	3	4721.1	0.013	\$ 1,669.32
Cumberland	EbC	Edgemont channery loam, 8 to 15 percent slopes	3	20.5	0	\$ 1,391.46
Cumberland	EdC	Edom silty clay loam, 8 to 15 percent slopes	3	2457.6	0.007	\$ 1,275.36
Cumberland	EtC	Ernest silt loam, 8 to 15 percent slopes	3	3.1	0	\$ 1,278.41
Cumberland	HaC	Hagerstown silt loam, 8 to 15 percent slopes	3	4254.9	0.012	\$ 1,562.05
Cumberland	HcC	Hagerstown silt loam, rocky, 8 to 15 percent slopes	3	8977.7	0.026	\$ 1,501.83
Cumberland	HgC	Highfield channery silt loam, 8 to 15 percent slopes	3	2527.1	0.007	\$ 1,403.68
Cumberland	LdC	Laidig channery loam, 8 to 15 percent slopes	3	2374.9	0.007	\$ 1,312.56
Cumberland	Me	Melvin silt loam	3	3164	0.009	\$ 1,351.40
Cumberland	MnC	Monongahela silt loam, 8 to 15 percent slopes	3	564.8	0.002	\$ 1,273.68
Cumberland	MoC	Morrison sandy loam, 8 to 15 percent slopes	3	247.1	0.001	\$ 1,308.93
Cumberland	MuC	Murrill channery loam, 8 to 15 percent slopes	3	2356.3	0.007	\$ 1,412.42
Cumberland	NeC	Neshaminy gravelly silt loam, 8 to 15 percent slopes	3	818.5	0.002	\$ 1,482.33
Cumberland	Pe	Penlaw silt loam	3	1849.8	0.005	\$ 1,308.93
Cumberland	SeC	Sideling gravelly loam, 8 to 15 percent slopes	3	1.6	0	\$ 1,228.12
Cumberland	Ty	Tyler silt loam	3	832.3	0.002	\$ 1,312.56
Cumberland	Wa	Warners silt loam	3	749.1	0.002	\$ 1,310.68
Cumberland	AnB	Andover gravelly loam, 0 to 8 percent slopes	4	998.7	0.003	\$ 1,248.16
Cumberland	AtD	Athol gravelly loam, 15 to 25 percent slopes	4	293.5	0.001	\$ 1,413.80
Cumberland	BdD	Bedington shaly silt loam, 15 to 25 percent slopes	4	695.1	0.002	\$ 1,346.23
Cumberland	BeD	Berks channery silt loam, 15 to 25 percent slopes	4	1543.2	0.004	\$ 1,114.71
Cumberland	BrA	Brinkerton silt loam, 0 to 3 percent slopes	4	2980.4	0.008	\$ 1,295.68
Cumberland	BrB	Brinkerton silt loam, 3 to 8 percent slopes	4	3219.8	0.009	\$ 1,291.22

Cumberland	EdD	Edom silty clay loam, 15 to 25 percent slopes	4	1082.6	0.003	\$ 1,194.92
Cumberland	Fa	Fairplay marl	4	1.3	0	\$ 1,386.58
Cumberland	HaD	Hagerstown silt loam, 15 to 25 percent slopes	4	128	0	\$ 1,494.94
Cumberland	Hc	Hatboro silt loam	4	9.2	0	\$ 1,325.15
Cumberland	HcD	Hagerstown silt loam, rocky, 15 to 25 percent slopes	4	380.5	0.001	\$ 1,004.79
Cumberland	Pu	Purdy silt loam	4	2139.1	0.006	\$ 1,279.92
Cumberland	WeB	Weikert very channery silt loam, 3 to 8 percent slopes	4	2249.3	0.006	\$ 1,015.91
Cumberland	WeC	Weikert very channery silt loam, 8 to 15 percent slopes	4	8069.2	0.023	\$ 1,021.68
Cumberland	BhD	Berks stony silt loam, 8 to 25 percent slopes	6	2329.5	0.007	\$ 1,194.92
Cumberland	BxB	Buchanan very stony loam, 0 to 8 percent slopes	6	4902.7	0.014	\$ 891.33
Cumberland	BxC	Buchanan very stony loam, 8 to 25 percent slopes	6	1140.5	0.003	\$ 891.33
Cumberland	CmB	Clymer very stony loam, 0 to 8 percent slopes	6	847	0.002	\$ 891.33
Cumberland	CmD	Clymer very stony loam, 8 to 25 percent slopes	6	4107.5	0.012	\$ 891.33
Cumberland	De	Deposit gravelly loam, 0 to 8 percent slopes, very stony	6	9.9	0	\$ 891.33
Cumberland	EcB	Edgemont channery loam, 0 to 8 percent slopes, very stor	6	1043.2	0.003	\$ 891.33
Cumberland	EcD	Edgemont channery loam, 8 to 25 percent slopes, very stc	6	3795.3	0.011	\$ 891.33
Cumberland	EdE	Edom silty clay loam, 25 to 40 percent slopes	6	226.9	0.001	\$ 891.33
Cumberland	GoB	Glenville very stony silt loam, 0 to 8 percent slopes	6	2887.5	0.008	\$ 891.33
Cumberland	HdB	Hagerstown-Rock outcrop complex, 0 to 8 percent slopes	6	2645.9	0.008	\$ 1,177.25
Cumberland	HdD	Hagerstown-Rock outcrop complex, 8 to 25 percent slope	6	4455.5	0.013	\$ 1,053.60
Cumberland	HhB	Highfield very stony silt loam, 0 to 8 percent slopes	6	1140.3	0.003	\$ 891.33
Cumberland	HhD	Highfield very stony silt loam, 8 to 25 percent slopes	6	4083.7	0.012	\$ 891.33
Cumberland	LgB	Laidig very stony loam, 0 to 8 percent slopes	6	615.4	0.002	\$ 891.33
Cumberland	LgD	Laidig very stony loam, 8 to 25 percent slopes	6	10720	0.03	\$ 891.33
Cumberland	LpB	Lehew very stony loam, 0 to 8 percent slopes	6	49	0	\$ 891.33
Cumberland	LpD	Lehew very stony loam, 8 to 25 percent slopes	6	177.3	0.001	\$ 891.33
Cumberland	NhB	Neshaminy very stony silt loam, 0 to 8 percent slopes	6	304.3	0.001	\$ 891.33
Cumberland	NhD	Neshaminy very stony silt loam, 8 to 25 percent slopes	6	289.4	0.001	\$ 891.33
Cumberland	TsB	Trego gravelly silt loam, 3 to 8 percent slopes, very stony	6	21.5	0	\$ 891.33
Cumberland	TsC	Trego gravelly silt loam, 8 to 15 percent slopes, very stony	6	12.8	0	\$ 891.33
Cumberland	WeD	Weikert very channery silt loam, 15 to 25 percent slopes	6	7164.9	0.02	\$ 891.33
Cumberland	AoB	Andover very stony loam, 0 to 8 percent slopes	7	3351	0.01	\$ 891.33
Cumberland	BbB	Bagtown cobbly loam, 0 to 8 percent slopes, extremely st	7	24.6	0	\$ 891.33
Cumberland	BbD	Bagtown cobbly loam, 8 to 25 percent slopes, extremely s	7	19.1	0	\$ 891.33
Cumberland	DbE	Dekalb-Bagtown complex, 25 to 65 percent slopes, extren	7	360.1	0.001	\$ 891.33
Cumberland	EcF	Edgemont channery loam, 25 to 70 percent slopes, very s	7	1710.2	0.005	\$ 891.33
Cumberland	HdF	Hagerstown-Rock outcrop complex, 25 to 60 percent slop	7	546.9	0.002	\$ 891.33
Cumberland	HfB	Hazleton extremely stony sandy loam, 0 to 8 percent slop	7	3886.8	0.011	\$ 891.33
Cumberland	HfD	Hazleton extremely stony sandy loam, 8 to 25 percent slo	7	11229	0.032	\$ 891.33
Cumberland	HfF	Hazleton extremely stony sandy loam, 25 to 60 percent sl	7	15108	0.043	\$ 891.33
Cumberland	HhF	Highfield very stony silt loam, 25 to 50 percent slopes	7	1613	0.005	\$ 891.33
Cumberland	LCE	Laidig and Hazleton soils, 25 to 60 percent slopes, extrem	7	297.3	0.001	\$ 891.33
Cumberland	WkF	Weikert and Klinesville very shaly silt loams, 25 to 75 perc	7	5513.8	0.016	\$ 891.33
Cumberland	Dy	Dystrochrepts, bouldery	8	2092.1	0.006	\$ 891.33
Cumberland	Pt	Pits and quarries	8	913.1	0.003	\$ 891.33
Cumberland	Ub	Urban land and Udorthents	8	3712.3	0.011	\$ 891.33
Cumberland	UhB	Urban land-Hagerstown complex, 0 to 8 percent slopes	8	5.4	0	\$ 891.33

Dauphin	Bb	Barbour silt loam	1	998	0.003	\$ 1,465.72
Dauphin	BeA	Bedington shaly silt loam, 0 to 3 percent slopes	1	322.2	0.001	\$ 1,678.06
Dauphin	CnA	Chavies fine sandy loam, 0 to 3 percent slopes	1	625.4	0.002	\$ 1,470.92
Dauphin	DvA	Duncannon very fine sandy loam, 0 to 3 percent slopes	1	708.8	0.002	\$ 1,413.80
Dauphin	HaA	Hagerstown silt loam, 0 to 3 percent slopes	1	940	0.003	\$ 1,641.98
Dauphin	Ta	Tioga fine sandy loam	1	1344.9	0.004	\$ 1,538.44
Dauphin	Tg	Tioga fine sandy loam, high bottom	1	2012.5	0.006	\$ 1,538.44
Dauphin	AbA	Albrights silt loam, 0 to 3 percent slopes	2	637.6	0.002	\$ 1,344.49
Dauphin	AbB2	Albrights silt loam, 3 to 10 percent slopes, moderately erc	2	1717.1	0.005	\$ 1,312.56
Dauphin	AbgB	Albrights silt loam, 3 to 8 percent slopes	2	164.5	0	\$ 1,349.68
Dauphin	AsB2	Athol silt loam, 3 to 8 percent slopes, moderately eroded	2	1129.8	0.003	\$ 1,501.83
Dauphin	Bc	Basher silt loam	2	3277.7	0.009	\$ 1,465.72
Dauphin	BeB2	Bedington shaly silt loam, 3 to 8 percent slopes, moderate	2	6403.8	0.018	\$ 1,492.44
Dauphin	BegB	Bedington channery silt loam, 3 to 8 percent slopes	2	94.5	0	\$ 1,492.44
Dauphin	BhB2	Berks channery silt loam, 3 to 8 percent slopes, moderate	2	831.4	0.002	\$ 1,206.45
Dauphin	BkB2	Berks shaly silt loam, 3 to 8 percent slopes, moderately er	2	24336	0.068	\$ 1,206.45
Dauphin	BkgB	Berks channery silt loam, 3 to 8 percent slopes	2	4.2	0	\$ 1,190.67
Dauphin	BrB2	Brecknock channery silt loam, 3 to 8 percent slopes, mod	2	2880.7	0.008	\$ 1,471.78
Dauphin	BuB	Buchanan gravelly loam, 3 to 8 percent slopes	2	429.4	0.001	\$ 1,460.76
Dauphin	CIA	Calvin-Leck Kill shaly silt loams, 0 to 3 percent slopes	2	1636.6	0.005	\$ 1,334.43
Dauphin	ClB2	Calvin-Leck Kill shaly silt loams, 3 to 8 percent slopes, mo	2	39426	0.11	\$ 1,327.64
Dauphin	CmB2	Captina silt loam, 3 to 8 percent slopes, moderately erode	2	298	0.001	\$ 1,363.32
Dauphin	CnB2	Chavies fine sandy loam, 3 to 8 percent slopes, moderatel	2	1111.7	0.003	\$ 1,444.48
Dauphin	CoB2	Comly silt loam, 2 to 8 percent slopes, moderately erodec	2	1665.7	0.005	\$ 1,336.82
Dauphin	DcB2	Dekalb channery sandy loam, 3 to 8 percent slopes, mode	2	1030.7	0.003	\$ 1,179.94
Dauphin	DuB2	Duffield silt loam, 3 to 8 percent slopes, moderately erode	2	1798.3	0.005	\$ 1,756.37
Dauphin	DvB2	Duncannon very fine sandy loam, 3 to 8 percent slopes, r	2	1804	0.005	\$ 1,413.80
Dauphin	HaB2	Hagerstown silt loam, 3 to 8 percent slopes, moderately e	2	7681	0.022	\$ 1,546.61
Dauphin	Hu	Huntington silt loam, local alluvium	2	463.8	0.001	\$ 1,370.05
Dauphin	HugB	Hustontown silt loam, 3 to 8 percent slopes	2	146.2	0	\$ 1,342.41
Dauphin	LaB2	Laidig gravelly loam, 3 to 8 percent slopes, moderately er	2	2383.1	0.007	\$ 1,347.96
Dauphin	LeB2	Lawrenceville very fine sandy loam, 2 to 8 percent slopes,	2	674.3	0.002	\$ 1,391.46
Dauphin	LegB	Leck Kill channery silt loam, 3 to 8 percent slopes	2	352.9	0.001	\$ 1,476.65
Dauphin	LhB2	Lehigh silt loam, 3 to 8 percent slopes, moderately erodec	2	434.2	0.001	\$ 1,431.15
Dauphin	LrB2	Lewisberry gravelly sandy loam, 3 to 8 percent slopes, mo	2	1990.7	0.006	\$ 1,246.18
Dauphin	Lt	Lindside silt loam	2	1184.1	0.003	\$ 1,459.30
Dauphin	Lw	Lindside silt loam, coal overwash	2	1391.3	0.004	\$ 1,496.05
Dauphin	NeC2	Neshaminy gravelly silt loam, 3 to 12 percent slopes, mod	2	2460	0.007	\$ 1,496.32
Dauphin	PeB2	Penn shaly silt loam, 3 to 8 percent slopes, moderately er	2	5999	0.017	\$ 1,475.34
Dauphin	Ph	Philo silt loam	2	984.2	0.003	\$ 1,516.83
Dauphin	RdB	Readington silt loam, 3 to 8 percent slopes, moderately er	2	648.6	0.002	\$ 1,482.16
Dauphin	At	Atkins silt loam	3	6446.3	0.018	\$ 1,354.90
Dauphin	BeC2	Bedington shaly silt loam, 8 to 15 percent slopes, modera	3	2212.9	0.006	\$ 1,430.85
Dauphin	BegC	Bedington channery silt loam, 8 to 15 percent slopes	3	9.6	0	\$ 1,430.85
Dauphin	BhC2	Berks channery silt loam, 8 to 15 percent slopes, moderat	3	826.5	0.002	\$ 1,115.64
Dauphin	BkC2	Berks shaly silt loam, 8 to 15 percent slopes, moderately e	3	11731	0.033	\$ 1,115.64
Dauphin	BrC2	Brecknock channery silt loam, 8 to 20 percent slopes, mo	3	1086.2	0.003	\$ 1,444.48

Dauphin	CIC2	Calvin-Leck Kill shaly silt loams, 8 to 15 percent slopes, mc	3	17620	0.049	\$ 1,253.84
Dauphin	CnC2	Chavies fine sandy loam, 8 to 15 percent slopes, moderat	3	338.8	0.001	\$ 1,354.83
Dauphin	DcC2	Dekalb channery sandy loam, 8 to 15 percent slopes, mod	3	1640.1	0.005	\$ 1,135.52
Dauphin	HaC2	Hagerstown silt loam, 8 to 15 percent slopes, moderately	3	1172.2	0.003	\$ 1,476.65
Dauphin	KaB2	Klinesville shaly silt loam, 3 to 8 percent slopes, moderate	3	536.5	0.002	\$ 1,015.07
Dauphin	LaC2	Laidig gravelly loam, 8 to 20 percent slopes, moderately e	3	3213.3	0.009	\$ 1,308.93
Dauphin	LegC	Leck Kill channery silt loam, 8 to 15 percent slopes	3	536.4	0.002	\$ 1,448.96
Dauphin	LrC2	Lewisberry gravelly sandy loam, 8 to 15 percent slopes, m	3	2289.2	0.006	\$ 1,171.25
Dauphin	PeC2	Penn shaly silt loam, 8 to 15 percent slopes, moderately e	3	1359.6	0.004	\$ 1,416.24
Dauphin	AnB	Andover gravelly loam, 3 to 8 percent slopes	4	299.1	0.001	\$ 1,209.62
Dauphin	BegD	Bedington channery silt loam, 15 to 25 percent slopes	4	18.1	0	\$ 1,346.23
Dauphin	BkD2	Berks shaly silt loam, 15 to 25 percent slopes, moderately	4	3995.2	0.011	\$ 1,024.29
Dauphin	BrgA	Brinkerton silt loam, 0 to 3 percent slopes	4	71.9	0	\$ 1,295.68
Dauphin	BtA	Brinkerton and Armagh silt loams, 0 to 3 percent slopes	4	1747.2	0.005	\$ 1,248.16
Dauphin	BtB2	Brinkerton and Armagh silt loams, 3 to 8 percent slopes, r	4	2724.1	0.008	\$ 1,248.16
Dauphin	CkC2	Calvin-Klinesville shaly silt loams, 8 to 15 percent slopes, r	4	4703.4	0.013	\$ 1,100.53
Dauphin	Cr	Croton silt loam, occasionally ponded, 0 to 3 percent slop	4	804.3	0.002	\$ 1,238.20
Dauphin	KaC2	Klinesville shaly silt loam, 8 to 15 percent slopes, moderat	4	727.6	0.002	\$ 1,004.79
Dauphin	LfgD	Leck Kill-Calvin channery silt loams, 15 to 25 percent slop	4	497.5	0.001	\$ 1,180.80
Dauphin	LrD2	Lewisberry gravelly sandy loam, 15 to 25 percent slopes, r	4	1263	0.004	\$ 1,098.15
Dauphin	Wa	Watchung silt loam	4	627.3	0.002	\$ 1,254.07
Dauphin	WeC2	Weikert shaly silt loam, 5 to 15 percent slopes, moderatel	4	594	0.002	\$ 1,004.79
Dauphin	Rv	Riverwash	5	2059.6	0.006	\$ 891.33
Dauphin	BvB	Buchanan very stony loam, 0 to 8 percent slopes	6	1433.5	0.004	\$ 891.33
Dauphin	CaB	Calvin very stony silt loam, 0 to 8 percent slopes	6	628.1	0.002	\$ 891.33
Dauphin	CaD	Calvin very stony silt loam, 8 to 25 percent slopes	6	5498.7	0.015	\$ 891.33
Dauphin	CkD2	Calvin-Klinesville shaly silt loams, 15 to 25 percent slopes,	6	5292.9	0.015	\$ 1,010.10
Dauphin	CkgD	Calvin-Klinesville channery silt loams, 15 to 25 percent slo	6	32.3	0	\$ 1,010.10
Dauphin	DIB	Dekalb and Lehew very stony sandy loams, 0 to 8 percent	6	6853.9	0.019	\$ 891.33
Dauphin	DID	Dekalb and Lehew very stony sandy loams, 8 to 25 percen	6	18375	0.051	\$ 891.33
Dauphin	DlgB	Dekalb and Lehew sandy loams, 0 to 8 percent slopes, ver	6	122.3	0	\$ 891.33
Dauphin	HvgB	Hustontown silt loam, 0 to 8 percent slopes, very stony	6	26.8	0	\$ 1,316.90
Dauphin	KaD2	Klinesville shaly silt loam, 15 to 25 percent slopes, moder	6	2938.7	0.008	\$ 891.33
Dauphin	LdB	Laidig very stony loam, 0 to 8 percent slopes	6	2391.7	0.007	\$ 891.33
Dauphin	LdD	Laidig very stony loam, 8 to 25 percent slopes	6	24994	0.07	\$ 891.33
Dauphin	LggB	Leck Kill channery silt loam, 0 to 8 percent slopes, very stc	6	33.9	0	\$ 891.33
Dauphin	LggD	Leck Kill channery silt loam, 8 to 25 percent slopes, very st	6	115	0	\$ 891.33
Dauphin	LsD	Lewisberry very stony sandy loam, 5 to 25 percent slopes	6	761.6	0.002	\$ 891.33
Dauphin	MfgB	Meckesville gravelly loam, 3 to 8 percent slopes, extreme	6	238.7	0.001	\$ 891.33
Dauphin	NsB	Neshaminy very stony silt loam, 0 to 8 percent slopes	6	927.6	0.003	\$ 891.33
Dauphin	NsD	Neshaminy very stony silt loam, 8 to 25 percent slopes	6	1100.2	0.003	\$ 891.33
Dauphin	WeD2	Weikert shaly silt loam, 15 to 25 percent slopes, moderat	6	613.2	0.002	\$ 891.33
Dauphin	AoB	Andover very stony loam, 0 to 8 percent slopes	7	1181.3	0.003	\$ 891.33
Dauphin	AogB	Andover gravelly loam, 0 to 8 percent slopes, extremely s	7	56.6	0	\$ 891.33
Dauphin	BxBG	Buchanan gravelly loam, 0 to 8 percent slopes, extremely	7	101	0	\$ 891.33
Dauphin	BxDG	Buchanan gravelly loam, 8 to 25 percent slopes, extremel	7	205.1	0.001	\$ 891.33
Dauphin	CaF	Calvin very stony silt loam, 25 to 75 percent slopes	7	1143.4	0.003	\$ 891.33

Dauphin	DIF	Dekalb and Lehigh very stony sandy loams, 25 to 80 percent slopes, extreme	7	34503	0.097	\$ 891.33
Dauphin	DlgF	Dekalb and Lehigh sandy loams, 25 to 80 percent slopes, extreme	7	110.7	0	\$ 891.33
Dauphin	HegB	Hazleton very channery loam, 0 to 8 percent slopes, extreme	7	60.5	0	\$ 891.33
Dauphin	HegD	Hazleton very channery loam, 8 to 25 percent slopes, extreme	7	257.3	0.001	\$ 891.33
Dauphin	HegF	Hazleton very channery loam, 25 to 60 percent slopes, extreme	7	604.3	0.002	\$ 891.33
Dauphin	KaE2	Klinesville shaly silt loam, 25 to 50 percent slopes, moderate	7	5629.4	0.016	\$ 891.33
Dauphin	LdgD	Laidig gravelly loam, 8 to 25 percent slopes, extremely stony	7	1717.8	0.005	\$ 891.33
Dauphin	LdgF	Laidig gravelly loam, 25 to 60 percent slopes, extremely stony	7	112	0	\$ 891.33
Dauphin	LfgF	Leck Kill-Calvin channery silt loams, 25 to 50 percent slopes, extreme	7	75.1	0	\$ 891.33
Dauphin	LsF	Lewisberry very stony sandy loam, 25 to 60 percent slopes, extreme	7	557.2	0.002	\$ 891.33
Dauphin	Ma	Made land, sanitary fill	7	121.8	0	\$ 891.33
Dauphin	Md	Mine dumps	7	841.1	0.002	\$ 891.33
Dauphin	MfgD	Meckesville gravelly loam, 8 to 25 percent slopes, extremely stony	7	528.5	0.001	\$ 891.33
Dauphin	MfgF	Meckesville gravelly loam, 25 to 35 percent slopes, extremely stony	7	13.5	0	\$ 891.33
Dauphin	Mu	Muck	7	174.8	0	\$ 891.33
Dauphin	St	Strip mine spoil	7	319.6	0.001	\$ 891.33
Dauphin	UdgB	Udorthents, shale and sandstone, 0 to 8 percent slopes	7	40.2	0	\$ 891.33
Dauphin	UdgD	Udorthents, shale and sandstone, 8 to 25 percent slopes	7	6.2	0	\$ 891.33
Dauphin	Wc	Watchung very stony silt loam	7	379.7	0.001	\$ 891.33
Dauphin	WeE2	Weikert shaly silt loam, 25 to 40 percent slopes, moderate	7	4191	0.012	\$ 891.33
Dauphin	GP	Gravel pits	8	62.2	0	\$ 891.33
Dauphin	VsC	Very stony land, sloping	8	625.8	0.002	\$ 891.33
Delaware	CdA	Chester silt loam, 0 to 3 percent slopes	1	179.5	0.001	\$ 1,803.10
Delaware	Cn	Congaree silt loam	1	264.7	0.002	\$ 1,811.49
Delaware	GeA	Glenelg channery loam, 0 to 3 percent slopes	1	227.1	0.002	\$ 1,679.62
Delaware	NaA	Neshaminy gravelly silt loam, 0 to 3 percent slopes	1	221.8	0.002	\$ 1,578.85
Delaware	SaA	Sassafras loam, 0 to 2 percent slopes	1	38.3	0	\$ 1,516.83
Delaware	AgB2	Aldino silt loam, 3 to 8 percent slopes, moderately eroded	2	26.8	0	\$ 1,291.22
Delaware	BeA	Beltsville silt loam, 0 to 3 percent slopes	2	673.4	0.006	\$ 1,344.49
Delaware	BeB2	Beltsville silt loam, 3 to 8 percent slopes, moderately eroded	2	732.1	0.006	\$ 1,242.20
Delaware	BrB2	Brandywine loam, 3 to 8 percent slopes, moderately eroded	2	26.4	0	\$ 1,228.12
Delaware	ByA	Butlertown silt loam, 0 to 3 percent slopes	2	267.4	0.002	\$ 1,508.49
Delaware	CaaA	Califon loam, 0 to 3 percent slopes	2	25.3	0	\$ 1,426.24
Delaware	CdB	Chester silt loam, 3 to 8 percent slopes	2	1588.1	0.013	\$ 1,794.99
Delaware	Ch	Chewacla silt loam	2	2012.1	0.016	\$ 1,494.55
Delaware	Cm	Codorus silt loam	2	24.4	0	\$ 1,492.44
Delaware	CoA	Conowingo silt loam, 0 to 3 percent slopes	2	6.1	0	\$ 1,312.56
Delaware	GdB	Gladstone gravelly loam, 3 to 8 percent slopes	2	21.1	0	\$ 1,516.83
Delaware	GeB	Glenelg channery loam, 3 to 8 percent slopes	2	13566	0.111	\$ 1,638.34
Delaware	GnA	Glenville silt loam 0 to 3 percent slopes	2	293.6	0.002	\$ 1,504.91
Delaware	GnB	Glenville silt loam, 3 to 8 percent slopes	2	2075	0.017	\$ 1,504.91
Delaware	GnB2	Glenville silt loam, 3 to 8 percent slopes, moderately eroded	2	5013.8	0.041	\$ 1,318.35
Delaware	MgB2	Manor loam, 3 to 8 percent slopes, moderately eroded	2	1346.4	0.011	\$ 1,534.93
Delaware	MoB2	Montalto channery silt loam, 3 to 8 percent slopes, moderately eroded	2	2.4	0	\$ 1,482.33
Delaware	NaB2	Neshaminy gravelly silt loam, 3 to 8 percent slopes, moderately eroded	2	2902.2	0.024	\$ 1,546.23
Delaware	SaB2	Sassafras loam, 2 to 5 percent slopes	2	134.9	0.001	\$ 1,516.83
Delaware	WnA	Woodstown loam, 0 to 2 percent slopes, Northern Coastal	2	208.9	0.002	\$ 1,503.20

Delaware	BrC	Brandywine loam, 8 to 15 percent slopes	3	102.3	0.001	\$ 1,205.44
Delaware	BrC2	Brandywine loam, 8 to 15 percent slopes, moderately ero	3	12.7	0	\$ 1,203.35
Delaware	ByB2	Butlertown silt loam, 3 to 8 percent slopes, moderately er	3	878.5	0.007	\$ 1,453.71
Delaware	CdC	Chester silt loam, 8 to 15 percent slopes	3	118.4	0.001	\$ 1,783.55
Delaware	CoB2	Conowingo silt loam, 3 to 8 percent slopes, moderately er	3	228.6	0.002	\$ 1,312.56
Delaware	GdC	Gladstone gravelly loam, 8 to 15 percent slopes	3	21.7	0	\$ 1,438.45
Delaware	GeB3	Glenelg channery silt loam, 3 to 8 percent slopes, severely	3	796.2	0.007	\$ 1,485.16
Delaware	GeC	Glenelg channery silt loam, 8 to 15 percent slopes	3	2351.5	0.019	\$ 1,486.56
Delaware	GeC2	Glenelg channery silt loam, 8 to 15 percent slopes, moder	3	7928.3	0.065	\$ 1,492.94
Delaware	GnC2	Glenville silt loam, 8 to 15 percent slopes, moderately ero	3	112.3	0.001	\$ 1,312.56
Delaware	MgB3	Manor loam, 3 to 8 percent slopes, severely eroded	3	7.7	0	\$ 1,356.53
Delaware	MgC	Manor loam, 8 to 15 percent slopes	3	3173.7	0.026	\$ 1,430.85
Delaware	Mn	Melvin silt loam	3	398.4	0.003	\$ 1,351.40
Delaware	NaC2	Neshaminy gravelly silt loam, 8 to 15 percent slopes, mod	3	1107.6	0.009	\$ 1,482.33
Delaware	OtA	Othello silt loams, 0 to 2 percent slopes, Northern Coastal	3	490.9	0.004	\$ 1,102.91
Delaware	BrC3	Brandywine loam, 8 to 15 percent slopes, severely erodec	4	765.5	0.006	\$ 1,153.58
Delaware	BrD	Brandywine loam, 15 to 25 percent slopes	4	261.4	0.002	\$ 1,162.46
Delaware	BrD2	Brandywine loam, 15 to 25 percent slopes, moderately er	4	40.3	0	\$ 1,004.79
Delaware	CkC3	Chrome gravelly silty clay loam, 8 to 15 percent slopes, se	4	311.4	0.003	\$ 1,062.82
Delaware	GeC3	Glenelg channery silt loam, 8 to 15 percent slopes, severe	4	4180.2	0.034	\$ 1,409.07
Delaware	GeD	Glenelg channery silt loam, 15 to 25 percent slopes	4	1494	0.012	\$ 1,394.44
Delaware	GeD2	Glenelg channery silt loam, 15 to 25 percent slopes, mode	4	856.9	0.007	\$ 1,418.49
Delaware	Ha	Hatboro silt loam	4	2.7	0	\$ 1,325.15
Delaware	MgD	Manor loam, 15 to 25 percent slopes	4	2105	0.017	\$ 1,380.48
Delaware	NaC3	Neshaminy gravelly silt loam, 8 to 15 percent slopes, seve	4	149.2	0.001	\$ 1,409.39
Delaware	NaD	Neshaminy gravelly silt loam, 15 to 25 percent slopes	4	138.6	0.001	\$ 1,463.68
Delaware	WaA	Watchung silt loam, 0 to 3 percent slopes	4	6.2	0	\$ 1,254.07
Delaware	We	Wehadkee silt loam	4	3350.9	0.027	\$ 1,004.79
Delaware	CaA	Calvert silt loam, 0 to 3 percent slopes	5	7.2	0	\$ 891.33
Delaware	Tm	Tidal marsh	5	1039.1	0.009	\$ 891.33
Delaware	WoA	Worsham silt loam, 0 to 3 percent slopes	5	1439.6	0.012	\$ 891.33
Delaware	BrD3	Brandywine loam, 15 to 25 percent slopes, severely erode	6	725.5	0.006	\$ 1,102.91
Delaware	BrE	Brandywine loam, 25 to 40 percent slopes	6	635.4	0.005	\$ 891.33
Delaware	BsB	Brandywine very stony loam, 0 to 8 percent slopes	6	2.6	0	\$ 891.33
Delaware	BsD	Brandywine very stony loam, 8 to 25 percent slopes	6	271.4	0.002	\$ 891.33
Delaware	CaB	Calvert silt loam, 3 to 8 percent slopes	6	12.9	0	\$ 891.33
Delaware	CaB2	Calvert silt loam, 3 to 8 percent slopes, moderately erode	6	0.7	0	\$ 891.33
Delaware	CkB	Chrome silt loam, 3 to 8 percent slopes	6	213.2	0.002	\$ 1,121.70
Delaware	CkC	Chrome silt loam, 8 to 15 percent slopes	6	170.5	0.001	\$ 1,121.70
Delaware	CkD	Chrome silt loam, 15 to 25 percent slopes	6	71	0.001	\$ 891.33
Delaware	CkD3	Chrome gravelly silty clay loam, 15 to 25 percent slopes, s	6	112.4	0.001	\$ 891.33
Delaware	GeD3	Glenelg channery silt loam, 15 to 25 percent slopes, sever	6	1258.7	0.01	\$ 891.33
Delaware	GeE	Glenelg channery silt loam, 25 to 35 percent slopes	6	709.3	0.006	\$ 891.33
Delaware	GmD	Glenelg very stony silt loam, 15 to 25 percent slopes	6	0.1	0	\$ 891.33
Delaware	GsB	Glenville very stony silt loam, 0 to 8 percent slopes	6	1166.3	0.01	\$ 891.33
Delaware	Mc	Made land, silt and clay materials	6	12225	0.1	\$ 891.33
Delaware	Md	Made land, gabbro and diabase materials	6	2671.7	0.022	\$ 891.33

Delaware	MhE	Manor loam and channery loam, 25 to 35 percent slopes	6	1005.9	0.008	\$ 891.33
Delaware	MmD	Manor very stony loam, 8 to 25 percent slopes	6	117.8	0.001	\$ 891.33
Delaware	NaD3	Neshaminy gravelly silt loam, 15 to 25 percent slopes, sev	6	152.6	0.001	\$ 891.33
Delaware	WoB	Worsham silt loam, 3 to 8 percent slopes	6	15	0	\$ 891.33
Delaware	WoB2	Worsham silt loam, 3 to 8 percent slopes, moderately ero	6	10.3	0	\$ 891.33
Delaware	BsF	Brandywine very stony loam, 25 to 50 percent slopes	7	262.2	0.002	\$ 891.33
Delaware	BvF	Brecknock very stony loam, 25 to 50 percent slopes	7	5.4	0	\$ 891.33
Delaware	GeE3	Glenelg channery silt loam, 25 to 35 percent slopes, sever	7	202.2	0.002	\$ 891.33
Delaware	Ma	Made land, gravelly materials	7	10216	0.084	\$ 891.33
Delaware	Me	Made land, schist and gneiss materials	7	14642	0.12	\$ 891.33
Delaware	Mf	Made land, sanitary land fill	7	211.9	0.002	\$ 891.33
Delaware	MhE3	Manor loam and channery loam, 25 to 35 percent slopes,	7	398	0.003	\$ 891.33
Delaware	MkF	Manor soils, 35 to 60 percent slopes	7	581.5	0.005	\$ 891.33
Delaware	MmF	Manor very stony loam, 25 to 60 percent slopes	7	2.1	0	\$ 891.33
Delaware	MrD	Montalto very stony silt loam, 8 to 25 percent slopes	7	2	0	\$ 891.33
Delaware	NsB	Neshaminy very stony silt loam, 0 to 8 percent slopes	7	116.9	0.001	\$ 891.33
Delaware	NsD	Neshaminy very stony silt loam, 8 to 25 percent slopes	7	1114.6	0.009	\$ 891.33
Delaware	NsF	Neshaminy very stony silt loam, 25 to 45 percent slopes	7	758.3	0.006	\$ 891.33
Delaware	WcB	Watchung very stony silt loam, 0 to 8 percent slopes	7	2.3	0	\$ 891.33
Delaware	WsB	Worsham very stony silt loam, 0 to 8 percent slopes	7	315.1	0.003	\$ 891.33
Delaware	UgB	Urban land, 0 to 8 percent slopes	8	22	0	\$ 891.33
Delaware	UrIB	Urban land-Gladstone complex, 0 to 8 percent slopes	8	61	0.001	\$ 891.33
Delaware	UrID	Urban land-Gladstone complex, 8 to 25 percent slopes	8	45	0	\$ 891.33
Delaware	UrmB	Urban land-Glenelg complex, 0 to 8 percent slopes	8	576.3	0.005	\$ 891.33
Delaware	UrmD	Urban land-Glenelg complex, 8 to 25 percent slopes	8	58.4	0	\$ 891.33
Delaware	UugB	Urban land-Udorthents, schist and gneiss complex, 0 to 8	8	155.2	0.001	\$ 891.33
Delaware	UugD	Urban land-Udorthents, schist and gneiss complex, 8 to 2!	8	15.9	0	\$ 891.33
Erie	Ha	Hamlin silt loam	1	1095.7	0.002	\$ 1,439.96
Erie	UdA	Unadilla silt loam, 0 to 3 percent slopes	1	729.9	0.001	\$ 1,384.62
Erie	CaB	Cambridge silt loam, 3 to 8 percent slopes	2	2703.1	0.005	\$ 1,347.96
Erie	CnA	Chenango gravelly silt loam, 0 to 3 percent slopes	2	3536.4	0.007	\$ 1,349.47
Erie	CnB	Chenango gravelly silt loam, 3 to 8 percent slopes	2	9882.4	0.019	\$ 1,349.96
Erie	CsB	Colonie loamy fine sand, 3 to 8 percent slopes	2	1823.9	0.004	\$ 1,153.58
Erie	EnA	Elnora fine sandy loam, 0 to 3 percent slopes	2	1647.2	0.003	\$ 1,201.67
Erie	EnB	Elnora fine sandy loam, 3 to 8 percent slopes	2	1685.8	0.003	\$ 1,201.67
Erie	FcA	Fitchville silt loam, 0 to 2 percent slopes	2	1272.3	0.002	\$ 1,399.84
Erie	FcB	Fitchville silt loam, 2 to 6 percent slopes	2	1089.4	0.002	\$ 1,399.84
Erie	GfB	Glenford silt loam, 2 to 6 percent slopes	2	851.7	0.002	\$ 1,413.80
Erie	HbA	Harbor fine sandy loam, 0 to 2 percent slopes	2	497.8	0.001	\$ 1,286.72
Erie	HbB	Harbor fine sandy loam, 2 to 6 percent slopes	2	475.3	0.001	\$ 1,244.19
Erie	MaB	Mardin gravelly silt loam, 3 to 8 percent slopes	2	535.8	0.001	\$ 1,271.53
Erie	MdB	Mardin silt loam, 3 to 8 percent slopes	2	9714.2	0.019	\$ 1,290.47
Erie	Ot	Otego silt loam	2	4810.9	0.009	\$ 1,386.58
Erie	PeB	Pierpont silt loam, 2 to 6 percent slopes	2	1286.8	0.002	\$ 1,216.00
Erie	PtA	Pompton silt loam, 0 to 3 percent slopes	2	4521.6	0.009	\$ 1,394.70
Erie	PtB	Pompton silt loam, 3 to 8 percent slopes	2	19539	0.038	\$ 1,397.28
Erie	ScA	Scio silt loam, 0 to 3 percent slopes	2	1046.3	0.002	\$ 1,399.20

Erie	ScB	Scio silt loam, 3 to 8 percent slopes	2	933.1	0.002	\$ 1,398.88
Erie	TyA	Tyner sandy loam, 0 to 3 percent slopes	2	395.8	0.001	\$ 1,137.80
Erie	TyB	Tyner sandy loam, 3 to 8 percent slopes	2	350.3	0.001	\$ 1,133.23
Erie	VaB	Valois silt loam, 3 to 8 percent slopes	2	1430.9	0.003	\$ 1,336.82
Erie	CaC	Cambridge silt loam, 8 to 15 percent slopes	3	3139.7	0.006	\$ 1,286.72
Erie	CeA	Caneadea silt loam, 0 to 3 percent slopes	3	89	0	\$ 1,281.44
Erie	CeB	Caneadea silt loam, 3 to 8 percent slopes	3	933	0.002	\$ 1,304.61
Erie	CnC	Chenango gravelly silt loam, 8 to 15 percent slopes	3	3136.4	0.006	\$ 1,282.65
Erie	CoC	Collamer silt loam, 8 to 15 percent slopes	3	39.7	0	\$ 1,332.25
Erie	CsC	Colonie loamy fine sand, 8 to 15 percent slopes	3	235.8	0	\$ 1,108.12
Erie	GfC	Glenford silt loam, 6 to 12 percent slopes	3	146.9	0	\$ 1,384.94
Erie	HbC	Harbor fine sandy loam, 6 to 12 percent slopes	3	108.6	0	\$ 1,197.03
Erie	HKB	Harborcreek-Tyner complex, 0 to 8 percent slopes	3	9232.9	0.018	\$ 1,051.48
Erie	HkC	Harborcreek-Tyner complex, 8 to 15 percent slopes	3	1047.9	0.002	\$ 1,061.52
Erie	HnA	Hornell silt loam, 0 to 2 percent slopes	3	6.8	0	\$ 1,164.67
Erie	HnB	Hornell silt loam, 2 to 6 percent slopes	3	12.8	0	\$ 1,086.11
Erie	MaC	Mardin gravelly silt loam, 8 to 15 percent slopes	3	748.1	0.001	\$ 1,236.20
Erie	MdC	Mardin silt loam, 8 to 15 percent slopes	3	10728	0.021	\$ 1,290.47
Erie	MnA	Minoa fine sandy loam, 0 to 3 percent slopes	3	2765.9	0.005	\$ 1,228.12
Erie	MnB	Minoa fine sandy loam, 3 to 8 percent slopes	3	553.5	0.001	\$ 1,241.00
Erie	NgA	Niagara silt loam, 0 to 3 percent slopes	3	1348.9	0.003	\$ 1,170.37
Erie	NgB	Niagara silt loam, 3 to 8 percent slopes	3	671.7	0.001	\$ 1,206.70
Erie	NgC	Niagara silt loam, 8 to 15 percent slopes	3	24.8	0	\$ 1,233.78
Erie	OkB	Oakville fine sand, 0 to 8 percent slopes	3	405.9	0.001	\$ 1,004.79
Erie	PaA	Painesville fine sandy loam, 0 to 2 percent slopes	3	1698.7	0.003	\$ 1,304.91
Erie	PeC	Pierpont silt loam, 6 to 12 percent slopes	3	1265.9	0.002	\$ 1,210.20
Erie	PIA	Platea silt loam, 0 to 2 percent slopes	3	2554.9	0.005	\$ 1,290.84
Erie	PIB	Platea silt loam, 2 to 6 percent slopes	3	22049	0.043	\$ 1,289.05
Erie	PIC	Platea silt loam, 6 to 12 percent slopes	3	5120	0.01	\$ 1,285.59
Erie	PtC	Pompton silt loam, 8 to 15 percent slopes	3	4045.8	0.008	\$ 1,390.81
Erie	RhA	Red Hook silt loam, 0 to 3 percent slopes	3	6348.4	0.012	\$ 1,321.22
Erie	RhB	Red Hook silt loam, 3 to 8 percent slopes	3	15428	0.03	\$ 1,327.64
Erie	ScC	Scio silt loam, 8 to 15 percent slopes	3	233.8	0	\$ 1,408.88
Erie	Se	Sebring silt loam, 0 to 2 percent slopes	3	1368.6	0.003	\$ 1,290.47
Erie	St	Stanhope silt loam	3	5935	0.011	\$ 1,282.95
Erie	VaC	Valois silt loam, 8 to 15 percent slopes	3	2181.1	0.004	\$ 1,329.77
Erie	VeA	Venango silt loam, 0 to 3 percent slopes	3	12765	0.025	\$ 1,330.48
Erie	VeB	Venango silt loam, 3 to 8 percent slopes	3	105972	0.205	\$ 1,339.27
Erie	VeC	Venango silt loam, 8 to 15 percent slopes	3	28394	0.055	\$ 1,332.25
Erie	VIA	Volusia gravelly silt loam, 0 to 3 percent slopes	3	74.6	0	\$ 1,186.39
Erie	VIB	Volusia gravelly silt loam, 3 to 8 percent slopes	3	1232.6	0.002	\$ 1,188.10
Erie	VIC	Volusia gravelly silt loam, 8 to 15 percent slopes	3	574.6	0.001	\$ 1,105.28
Erie	VmA	Volusia-Fremont silt loams, 0 to 3 percent slopes	3	1558.5	0.003	\$ 1,169.06
Erie	VmB	Volusia-Fremont silt loams, 3 to 8 percent slopes	3	7286.8	0.014	\$ 1,190.67
Erie	VmC	Volusia-Fremont silt loams, 8 to 15 percent slopes	3	947.1	0.002	\$ 1,173.43
Erie	Wa	Wakeville silt loam	3	2003.4	0.004	\$ 1,248.16
Erie	AdA	Alden mucky silt loam, 0 to 2 percent slopes	4	1692	0.003	\$ 1,110.95

Erie	Ax	Aquolls-Eutrudepts complex, frequently flooded	4	9747.7	0.019	\$ 1,004.79
Erie	CaD	Cambridge silt loam, 15 to 25 percent slopes	4	1994.2	0.004	\$ 1,004.79
Erie	Cb	Canadice silt loam	4	1895	0.004	\$ 1,173.43
Erie	Cd	Canandaigua silt loam, loamy substratum	4	631.7	0.001	\$ 1,237.80
Erie	CnD	Chenango gravelly silt loam, 15 to 25 percent slopes	4	1913.2	0.004	\$ 1,218.96
Erie	CoD	Collamer silt loam, 15 to 25 percent slopes	4	81.7	0	\$ 1,236.20
Erie	CsD	Colonie loamy fine sand, 15 to 25 percent slopes	4	205.2	0	\$ 1,061.52
Erie	CtA	Conneaut silt loam, 0 to 2 percent slopes	4	2783.6	0.005	\$ 1,222.00
Erie	FrA	Fredon silt loam, 0 to 3 percent slopes	4	9287.8	0.018	\$ 1,210.03
Erie	Ge	Getzville silt loam	4	2743.5	0.005	\$ 1,246.58
Erie	HkD	Harborcreek-Tyner complex, 15 to 25 percent slopes	4	417.3	0.001	\$ 1,061.52
Erie	La	Lamson silt loam	4	4473.5	0.009	\$ 1,004.79
Erie	MaD	Mardin gravelly silt loam, 15 to 25 percent slopes	4	467.6	0.001	\$ 1,199.15
Erie	MdD	Mardin silt loam, 15 to 25 percent slopes	4	11842	0.023	\$ 1,290.09
Erie	Mh	Mill silt loam	4	50574	0.098	\$ 1,138.25
Erie	PeD	Pierpont silt loam, 12 to 18 percent slopes	4	968.3	0.002	\$ 1,004.79
Erie	VaD	Valois silt loam, 15 to 25 percent slopes	4	2563.6	0.005	\$ 1,328.07
Erie	VID	Volusia gravelly silt loam, 15 to 25 percent slopes	4	35	0	\$ 1,059.02
Erie	Wc	Wick silt loam	4	4412	0.009	\$ 1,142.34
Erie	Aa	Adrian muck	5	449.9	0.001	\$ 891.33
Erie	Cc	Canandaigua mucky silt loam	5	7675.1	0.015	\$ 891.33
Erie	Cm	Carlisle muck	5	1593.2	0.003	\$ 891.33
Erie	MdE	Mardin silt loam, 25 to 40 percent slopes	6	1112.2	0.002	\$ 1,292.34
Erie	VaE	Valois silt loam, 25 to 40 percent slopes	6	2389.2	0.005	\$ 1,334.01
Erie	GaF	Gageville silt loam, 18 to 50 percent slopes	7	6799.7	0.013	\$ 891.33
Erie	LtF	Lordstown channery silt loam, 40 to 70 percent slopes	7	2092.2	0.004	\$ 891.33
Erie	RoF	Rock outcrop-Lordstown complex, 45 to 100 percent slopes	7	363.1	0.001	\$ 891.33
Erie	TvF	Towerville and Valois soils, 40 to 70 percent slopes	7	5231.4	0.01	\$ 891.33
Erie	TxF	Tyner and Harborcreek soils, 25 to 60 percent slopes	7	1732.8	0.003	\$ 1,004.79
Erie	UaC	Udorthents, loamy, 0 to 15 percent slopes	7	5883.4	0.011	\$ 891.33
Erie	UbC	Udorthents, sandy, 0 to 15 percent slopes	7	2752	0.005	\$ 891.33
Erie	DAM	Dams	8	12.5	0	\$ 891.33
Erie	Rv	Riverwash	8	43.7	0	\$ 891.33
Erie	Ue	Urban land	8	7445.9	0.014	\$ 891.33
Erie	UhB	Urban land-Chenango complex, 0 to 8 percent slopes	8	230.5	0	\$ 891.33
Erie	UIB	Urban land-Elnora complex, 0 to 8 percent slopes	8	861.3	0.002	\$ 891.33
Erie	UmB	Urban land-Fremont complex, 0 to 8 percent slopes	8	1830.7	0.004	\$ 891.33
Erie	UpB	Urban land-Pompton complex, 0 to 8 percent slopes	8	3306.7	0.006	\$ 921.04
Erie	UrA	Urban land-Red Hook complex, 0 to 3 percent slopes	8	793.9	0.002	\$ 891.33
Erie	UtB	Urban land-Tyner-Harborcreek complex, 0 to 8 percent slopes	8	4421.8	0.009	\$ 891.33
Erie	UuB	Urban land-Udorthents complex, 0 to 8 percent slopes	8	751.2	0.001	\$ 891.33
Erie	UvB	Urban land-Venango complex, 0 to 8 percent slopes	8	6275.3	0.012	\$ 891.33
Erie	UvC	Urban land-Venango complex, 8 to 15 percent slopes	8	583.7	0.001	\$ 891.33
Fayette	ChA	Chavies fine sandy loam, 0 to 2 percent slopes	1	958.2	0.002	\$ 1,567.42
Fayette	AbB	Albrights silt loam, 3 to 8 percent slopes	2	1673.9	0.003	\$ 1,370.05
Fayette	AgB	Allegheny silt loam, 3 to 8 percent slopes	2	448.9	0.001	\$ 1,439.96
Fayette	BnB	Buchanan loam, 3 to 8 percent slopes	2	639.6	0.001	\$ 1,304.54

Fayette	ChB	Chavies fine sandy loam, 3 to 8 percent slopes, rarely floo	2	360.5	0.001	\$ 1,401.13
Fayette	ClB	Clarksburg silt loam, 3 to 8 percent slopes	2	11303	0.022	\$ 1,420.67
Fayette	CmB	Clymer channery loam, 3 to 8 percent slopes	2	3906.2	0.008	\$ 1,459.30
Fayette	CoA	Cookport loam, 0 to 3 percent slopes	2	90.5	0	\$ 1,236.20
Fayette	CoB	Cookport loam, 3 to 8 percent slopes	2	2929.6	0.006	\$ 1,194.92
Fayette	CuB	Culleoka channery silt loam, 3 to 8 percent slopes	2	6960.3	0.014	\$ 1,492.16
Fayette	DoB	Dormont silt loam, 3 to 8 percent slopes	2	4623.8	0.009	\$ 1,493.55
Fayette	ErB	Ernest silt loam, 3 to 8 percent slopes	2	9113.3	0.018	\$ 1,407.49
Fayette	GcA	Gilpin channery silt loam, 0 to 3 percent slopes	2	336.8	0.001	\$ 1,301.60
Fayette	GcB	Gilpin channery silt loam, 3 to 8 percent slopes	2	10912	0.021	\$ 1,335.77
Fayette	GwB	Gilpin-Weikert channery silt loams, 3 to 8 percent slopes	2	259.1	0.001	\$ 1,261.11
Fayette	GyB	Guernsey silt loam, 3 to 8 percent slopes	2	8319.2	0.016	\$ 1,445.97
Fayette	HaB	Hazleton channery sandy loam, 3 to 8 percent slopes	2	810.4	0.002	\$ 1,485.16
Fayette	LeB	Leck Kill channery silt loam, 3 to 8 percent slopes	2	474.4	0.001	\$ 1,470.92
Fayette	Ln	Lindside silt loam, 0 to 3 percent slopes, occasionally floo	2	3109.2	0.006	\$ 1,518.81
Fayette	Lo	Lobdell silt loam, 0 to 3 percent slopes, occasionally flood	2	1570.9	0.003	\$ 1,451.93
Fayette	LwB	Lowell silty clay loam, 3 to 8 percent slopes	2	1306.6	0.003	\$ 1,501.83
Fayette	MeB	Matewan channery loam, 3 to 8 percent slopes	2	1310.3	0.003	\$ 1,267.69
Fayette	MIB	Meckesville silt loam, 3 to 8 percent slopes	2	77.7	0	\$ 1,490.76
Fayette	MoA	Monongahela silt loam, 0 to 3 percent slopes	2	1004.7	0.002	\$ 1,407.49
Fayette	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	5330.9	0.01	\$ 1,407.49
Fayette	Ph	Philo loam, 0 to 3 percent slopes, occasionally flooded	2	3197.3	0.006	\$ 1,416.93
Fayette	RnB	Rayne-Gilpin channery silt loams, 3 to 8 percent slopes	2	254.4	0	\$ 1,365.01
Fayette	WgB	Wharton-Gilpin silt loams, 3 to 8 percent slopes	2	463.7	0.001	\$ 1,177.77
Fayette	WrA	Wharton silt loam, 0 to 3 percent slopes	2	245.2	0	\$ 1,160.25
Fayette	WrB	Wharton silt loam, 3 to 8 percent slopes	2	9987.9	0.02	\$ 1,160.25
Fayette	AbC	Albrights silt loam, 8 to 15 percent slopes	3	2072.9	0.004	\$ 1,341.02
Fayette	AgC	Allegheny silt loam, 8 to 15 percent slopes	3	305.1	0.001	\$ 1,376.71
Fayette	BeB	Bethesda very channery silt loam, 0 to 8 percent slopes	3	874.5	0.002	\$ 1,004.79
Fayette	BhB	Bethesda very channery silt loam, 0 to 8 percent slopes, v	3	268.8	0.001	\$ 1,004.79
Fayette	BnC	Buchanan loam, 8 to 15 percent slopes	3	519.6	0.001	\$ 1,269.61
Fayette	CaA	Cavode silt loam, 0 to 3 percent slopes	3	105.5	0	\$ 1,279.17
Fayette	CaB	Cavode silt loam, 3 to 8 percent slopes	3	2970	0.006	\$ 1,282.95
Fayette	CaC	Cavode silt loam, 8 to 15 percent slopes	3	886.5	0.002	\$ 1,246.18
Fayette	ClC	Clarksburg silt loam, 8 to 15 percent slopes	3	9983.4	0.02	\$ 1,322.65
Fayette	CmC	Clymer channery loam, 8 to 15 percent slopes	3	2391.3	0.005	\$ 1,402.72
Fayette	CoC	Cookport loam, 8 to 15 percent slopes	3	1056.5	0.002	\$ 1,160.25
Fayette	Cq	Craigsville gravelly sandy loam	3	65.7	0	\$ 1,004.79
Fayette	CuC	Culleoka channery silt loam, 8 to 15 percent slopes	3	9169.7	0.018	\$ 1,418.49
Fayette	DoC	Dormont silt loam, 8 to 15 percent slopes	3	13181	0.026	\$ 1,423.15
Fayette	ErC	Ernest silt loam, 8 to 15 percent slopes	3	9831	0.019	\$ 1,351.40
Fayette	FaB	Fairpoint very channery silt loam, 0 to 8 percent slopes	3	2214.8	0.004	\$ 1,004.79
Fayette	FpB	Fairpoint very channery silt loam, 0 to 8 percent slopes, v	3	1299.1	0.003	\$ 1,004.79
Fayette	GcC	Gilpin channery silt loam, 8 to 15 percent slopes	3	11813	0.023	\$ 1,301.60
Fayette	GwC	Gilpin-Weikert channery silt loams, 8 to 15 percent slopes	3	319.8	0.001	\$ 1,217.48
Fayette	GyC	Guernsey silt loam, 8 to 15 percent slopes	3	13675	0.027	\$ 1,301.60
Fayette	HaC	Hazleton channery sandy loam, 8 to 15 percent slopes	3	536.9	0.001	\$ 1,429.31

Fayette	ItB	Itmann extremely channery loam, 0 to 8 percent slopes	3	775.8	0.002	\$ 1,004.79
Fayette	LeC	Leck Kill channery silt loam, 8 to 15 percent slopes	3	624.4	0.001	\$ 1,441.47
Fayette	LIB	Library silt loam, 0 to 8 percent slopes	3	1076.7	0.002	\$ 1,375.05
Fayette	LIC	Library silt loam, 8 to 15 percent slopes	3	84.8	0	\$ 1,297.91
Fayette	LwC	Lowell silty clay loam, 8 to 15 percent slopes, eroded	3	1411.6	0.003	\$ 1,404.32
Fayette	MeC	Matewan channery loam, 8 to 15 percent slopes	3	1051.9	0.002	\$ 1,203.35
Fayette	MIC	Meckesville silt loam, 8 to 15 percent slopes	3	600.9	0.001	\$ 1,462.22
Fayette	MoC	Monongahela silt loam, 8 to 15 percent slopes	3	1251.1	0.002	\$ 1,344.49
Fayette	RnC	Rayne-Gilpin channery silt loams, 8 to 15 percent slopes	3	104.8	0	\$ 1,294.20
Fayette	TyA	Tyler silt loam, 0 to 2 percent slopes	3	338.2	0.001	\$ 1,328.71
Fayette	WeA	Weinbach silt loam, 0 to 2 percent slopes	3	866.3	0.002	\$ 1,326.93
Fayette	WgC	Wharton-Gilpin silt loams, 8 to 15 percent slopes	3	2054.3	0.004	\$ 1,158.03
Fayette	WrC	Wharton silt loam, 8 to 15 percent slopes	3	10057	0.02	\$ 1,086.11
Fayette	At	Atkins silt loam, 0 to 3 percent slopes, frequently flooded	4	2425.7	0.005	\$ 1,236.20
Fayette	BkA	Brinkerton soils, 0 to 3 percent slopes	4	1887.2	0.004	\$ 1,296.06
Fayette	BkB	Brinkerton soils, 3 to 8 percent slopes	4	3056.8	0.006	\$ 1,296.06
Fayette	BnD	Buchanan loam, 15 to 25 percent slopes	4	146.3	0	\$ 1,210.86
Fayette	CaD	Cavode silt loam, 15 to 25 percent slopes	4	335.1	0.001	\$ 1,164.67
Fayette	CmD	Clymer channery loam, 15 to 25 percent slopes	4	1247.2	0.002	\$ 1,160.25
Fayette	CoD	Cookport loam, 15 to 25 percent slopes	4	124.6	0	\$ 1,164.67
Fayette	CuD	Culleoka channery silt loam, 15 to 25 percent slopes	4	2739.1	0.005	\$ 1,288.60
Fayette	DoD	Dormont silt loam, 15 to 25 percent slopes	4	4179.6	0.008	\$ 1,301.60
Fayette	DrD	Dormont-Culleoka complex, 15 to 25 percent slopes	4	14677	0.029	\$ 1,270.00
Fayette	Ek	Elkins silt loam, 0 to 3 percent slopes, occasionally flooded	4	352.8	0.001	\$ 1,004.79
Fayette	ErD	Ernest silt loam, 15 to 25 percent slopes	4	1730.6	0.003	\$ 1,312.20
Fayette	FaC	Fairpoint very channery silt loam, 8 to 15 percent slopes	4	851.7	0.002	\$ 1,132.31
Fayette	GcD	Gilpin channery silt loam, 15 to 25 percent slopes	4	12126	0.024	\$ 1,265.76
Fayette	GwD	Gilpin-Weikert channery silt loams, 15 to 25 percent slopes	4	808.5	0.002	\$ 1,004.79
Fayette	GxA	Ginat silt loam, 0 to 2 percent slopes	4	255.9	0.001	\$ 1,240.21
Fayette	GyD	Guernsey silt loam, 15 to 25 percent slopes	4	3543.3	0.007	\$ 1,240.21
Fayette	HaD	Hazleton channery sandy loam, 15 to 25 percent slopes	4	473.3	0.001	\$ 1,301.60
Fayette	Hy	Holly silt loam, 0 to 2 percent slopes	4	1471.6	0.003	\$ 1,373.39
Fayette	ItD	Itmann extremely channery loam, 8 to 25 percent slopes	4	1177.9	0.002	\$ 1,004.79
Fayette	LeD	Leck Kill channery silt loam, 15 to 25 percent slopes	4	1039.6	0.002	\$ 1,337.52
Fayette	LwD	Lowell silty clay loam, 15 to 25 percent slopes, eroded	4	391.7	0.001	\$ 1,271.53
Fayette	MeD	Matewan channery loam, 15 to 25 percent slopes	4	517.5	0.001	\$ 1,107.65
Fayette	MID	Meckesville silt loam, 15 to 25 percent slopes	4	457.8	0.001	\$ 1,404.32
Fayette	Mn	Melvin and Newark silt loams	4	2390	0.005	\$ 1,250.14
Fayette	Pu	Purdy silt loam, 0 to 2 percent slopes	4	104.4	0	\$ 1,250.14
Fayette	RnD	Rayne-Gilpin channery silt loams, 15 to 25 percent slopes	4	151.4	0	\$ 1,244.19
Fayette	ThA	Thorndale silt loam, 0 to 3 percent slopes	4	465.5	0.001	\$ 1,004.79
Fayette	ThB	Thorndale silt loam, 3 to 8 percent slopes	4	1081.8	0.002	\$ 1,004.79
Fayette	WgD	Wharton-Gilpin silt loams, 15 to 25 percent slopes	4	4039.5	0.008	\$ 1,095.75
Fayette	WrD	Wharton silt loam, 15 to 25 percent slopes	4	4997	0.01	\$ 1,004.79
Fayette	AeB	Albrights silt loam, 0 to 8 percent slopes, very stony	6	1049.5	0.002	\$ 891.33
Fayette	AeD	Albrights silt loam, 8 to 25 percent slopes, very stony	6	2230.8	0.004	\$ 891.33
Fayette	BeD	Bethesda very channery silt loam, 8 to 25 percent slopes	6	3120.4	0.006	\$ 891.33

Fayette	BhD	Bethesda very channery silt loam, 8 to 25 percent slopes,	6	1515.1	0.003	\$	891.33
Fayette	BIB	Brinkerton mucky silt loam, 0 to 8 percent slopes, very stc	6	80.9	0	\$	891.33
Fayette	CeB	Cavode silt loam, 0 to 8 percent slopes, very stony	6	201.2	0	\$	891.33
Fayette	CeD	Cavode silt loam, 8 to 25 percent slopes, very stony	6	48	0	\$	891.33
Fayette	CnB	Clymer loam, 0 to 8 percent slopes, very stony	6	286.9	0.001	\$	891.33
Fayette	CnD	Clymer loam, 8 to 25 percent slopes, very stony	6	1000.5	0.002	\$	891.33
Fayette	CpB	Cookport loam, 0 to 8 percent slopes, very stony	6	3348.2	0.007	\$	891.33
Fayette	CpD	Cookport loam, 8 to 25 percent slopes, very stony	6	2784	0.005	\$	891.33
Fayette	FaD	Fairpoint very channery silt loam, 15 to 25 percent slopes	6	7532.8	0.015	\$	891.33
Fayette	FpD	Fairpoint very channery silt loam, 8 to 25 percent slopes, '	6	7978.8	0.016	\$	891.33
Fayette	HeB	Hazleton channery sandy loam, 3 to 8 percent slopes, extr	6	803.7	0.002	\$	891.33
Fayette	HsB	Hazleton channery sandy loam, 0 to 8 percent slopes, ven	6	199.3	0	\$	891.33
Fayette	HsD	Hazleton channery sandy loam, 8 to 25 percent slopes, ve	6	1326.8	0.003	\$	891.33
Fayette	HxD	Hazleton-Clymer complex, 8 to 25 percent slopes, extrem	6	8553.7	0.017	\$	891.33
Fayette	MkB	Meckesville channery silt loam, 0 to 8 percent slopes, extr	6	80.2	0	\$	891.33
Fayette	RgB	Rayne channery silt loam, 0 to 8 percent slopes, very ston	6	1663.2	0.003	\$	891.33
Fayette	RgD	Rayne channery silt loam, 8 to 25 percent slopes, very sto	6	5440.8	0.011	\$	891.33
Fayette	UaB	Udorthents, 0 to 8 percent slopes	6	1265	0.002	\$	891.33
Fayette	UaD	Udorthents, 8 to 25 percent slopes	6	395.9	0.001	\$	891.33
Fayette	WrE	Wharton silt loam, 25 to 35 percent slopes	6	657.3	0.001	\$	891.33
Fayette	WsB	Wharton silt loam, 0 to 8 percent slopes, very stony	6	1467.4	0.003	\$	891.33
Fayette	WsD	Wharton silt loam, 8 to 25 percent slopes, very stony	6	2864	0.006	\$	891.33
Fayette	AnB	Andover gravelly loam, 0 to 8 percent slopes, very stony	7	1874.6	0.004	\$	891.33
Fayette	BeF	Bethesda very channery silt loam, 25 to 75 percent slopes	7	1008	0.002	\$	891.33
Fayette	BhF	Bethesda very channery silt loam, 25 to 75 percent slopes	7	652.4	0.001	\$	891.33
Fayette	BuB	Buchanan loam, 0 to 8 percent slopes, extremely stony	7	5654.8	0.011	\$	891.33
Fayette	BuD	Buchanan loam, 8 to 25 percent slopes, extremely stony	7	15395	0.03	\$	891.33
Fayette	CrB	Craigsville-Buchanan complex, 0 to 8 percent slopes, extre	7	2881.6	0.006	\$	891.33
Fayette	DeB	Dekalb-Hazleton channery sandy loams, 0 to 8 percent slc	7	1146.8	0.002	\$	891.33
Fayette	DeD	Dekalb-Hazleton channery sandy loams, 8 to 25 percent sl	7	1845.2	0.004	\$	891.33
Fayette	DeF	Dekalb-Hazleton channery sandy loams, 25 to 80 percent	7	865.8	0.002	\$	891.33
Fayette	DrE	Dormont-Culleoka complex, 25 to 50 percent slopes	7	12623	0.025	\$	891.33
Fayette	FaF	Fairpoint very channery silt loam, 25 to 75 percent slopes	7	835.4	0.002	\$	891.33
Fayette	FpF	Fairpoint very channery silt loam, 25 to 75 percent slopes,	7	3937.6	0.008	\$	891.33
Fayette	GoF	Gilpin-Rock outcrop complex, 45 to 100 percent slopes	7	1901.2	0.004	\$	891.33
Fayette	GwF	Gilpin-Weikert channery silt loams, 25 to 60 percent slope	7	14154	0.028	\$	891.33
Fayette	HeD	Hazleton channery sandy loam, 15 to 25 percent slopes, e	7	4865	0.01	\$	891.33
Fayette	HeF	Hazleton channery sandy loam, 25 to 70 percent slopes, e	7	8073.2	0.016	\$	891.33
Fayette	HxB	Hazleton-Clymer complex, 0 to 8 percent slopes, extreme	7	3208.6	0.006	\$	891.33
Fayette	IxF	Iltmann extremely channery loam, 25 to 70 percent slopes	7	652.8	0.001	\$	891.33
Fayette	LaB	Laidig gravelly loam, 0 to 8 percent slopes, extremely stor	7	106.8	0	\$	891.33
Fayette	LaD	Laidig gravelly loam, 8 to 25 percent slopes, extremely stc	7	7535.5	0.015	\$	891.33
Fayette	LaE	Laidig gravelly loam, 25 to 35 percent slopes, extremely st	7	5043.2	0.01	\$	891.33
Fayette	LbF	Laidig-Hazleton complex, 35 to 80 percent slopes, boulder	7	2965.7	0.006	\$	891.33
Fayette	LkB	Leck Kill channery silt loam, 0 to 8 percent slopes, extrem	7	479.2	0.001	\$	891.33
Fayette	LkD	Leck Kill channery silt loam, 8 to 25 percent slopes, extren	7	2548	0.005	\$	891.33
Fayette	LkF	Leck Kill channery silt loam, 25 to 60 percent slopes, extre	7	4132.1	0.008	\$	891.33

Fayette	LxF	Lowell-Culleoka complex, 25 to 80 percent slopes, very ro	7	6107.8	0.012	\$ 891.33
Fayette	MbF	Macove-Gilpin channery silt loams, 35 to 70 percent slope	7	3898	0.008	\$ 891.33
Fayette	McF	Macove-Gilpin channery silt loams, 35 to 70 percent slope	7	28289	0.055	\$ 891.33
Fayette	MeF	Matewan channery loam, 25 to 50 percent slopes	7	787.9	0.002	\$ 891.33
Fayette	MkD	Meckesville channery silt loam, 8 to 25 percent slopes, ex	7	4704.6	0.009	\$ 891.33
Fayette	MkF	Meckesville channery silt loam, 25 to 70 percent slopes, e	7	10134	0.02	\$ 891.33
Fayette	NoB	Nolo loam, 0 to 8 percent slopes, very stony	7	49.5	0	\$ 891.33
Fayette	ShF	Shelocta-Gilpin channery silt loams, 25 to 75 percent slop	7	9350.2	0.018	\$ 891.33
Fayette	SxF	Shelocta-Gilpin channery silt loams, 25 to 75 percent slop	7	2498.3	0.005	\$ 891.33
Fayette	WsE	Wharton silt loam, 25 to 35 percent slopes, very stony	7	277.4	0.001	\$ 891.33
Fayette	DAM	Dam	8	27.4	0	\$ 891.33
Fayette	Qu	Quarries	8	479.5	0.001	\$ 891.33
Fayette	UbB	Urban land, 0 to 8 percent slopes	8	5090	0.01	\$ 891.33
Fayette	UbC	Urban land, 8 to 15 percent slopes	8	1531	0.003	\$ 891.33
Fayette	UeB	Urban land-Culleoka complex, 0 to 8 percent slopes	8	670.1	0.001	\$ 891.33
Fayette	UeD	Urban land-Culleoka complex, 8 to 25 percent slopes	8	199.4	0	\$ 891.33
Fayette	UgB	Urban land-Gilpin complex, 0 to 8 percent slopes	8	43.2	0	\$ 891.33
Fayette	UgD	Urban land-Gilpin complex, 8 to 25 percent slopes	8	126.6	0	\$ 891.33
Fayette	UhB	Urban land-Guernsey complex, 0 to 8 percent slopes	8	1293.3	0.003	\$ 891.33
Fayette	UhD	Urban land-Guernsey complex, 8 to 25 percent slopes	8	1074.4	0.002	\$ 891.33
Fayette	UmB	Urban land-Monongahela complex, 0 to 8 percent slopes	8	2339.8	0.005	\$ 891.33
Fayette	UwB	Urban land-Wharton complex, 0 to 8 percent slopes	8	145.3	0	\$ 891.33
Fayette	UwD	Urban land-Wharton complex, 8 to 25 percent slopes	8	56.9	0	\$ 891.33
Franklin	DsA	Duffield silt loam, 0 to 3 percent slopes	1	802.5	0.002	\$ 1,599.57
Franklin	HaA	Hagerstown silt loam, 0 to 3 percent slopes	1	8044.9	0.016	\$ 1,641.98
Franklin	MrA	Murrill gravelly loam, 0 to 3 percent slopes	1	1194	0.002	\$ 1,441.47
Franklin	Po	Pope silt loam	1	625.5	0.001	\$ 1,504.91
Franklin	AgB	Allegheny loam, 3 to 8 percent slopes	2	2080.3	0.004	\$ 1,502.65
Franklin	Bf	Basher fine sandy loam	2	980.3	0.002	\$ 1,465.72
Franklin	BhB	Bedington channery silt loam, 3 to 8 percent slopes	2	6711.1	0.014	\$ 1,438.45
Franklin	BkB	Berks channery silt loam, 3 to 8 percent slopes	2	23434	0.047	\$ 1,190.67
Franklin	BIA	Blairton channery silt loam, 0 to 3 percent slopes	2	599.3	0.001	\$ 1,154.03
Franklin	BIB	Blairton channery silt loam, 3 to 8 percent slopes	2	5305.5	0.011	\$ 1,188.96
Franklin	BuB	Buchanan gravelly loam, 3 to 8 percent slopes	2	6199.6	0.013	\$ 1,347.96
Franklin	CaB	Calvin channery loam, 3 to 8 percent slopes	2	94.1	0	\$ 1,202.09
Franklin	CoB	Carbo silty clay loam, 3 to 8 percent slopes	2	3186.9	0.006	\$ 1,295.68
Franklin	CsA	Clarksburg silt loam, 0 to 3 percent slopes	2	10511	0.021	\$ 1,451.34
Franklin	CvA	Covegap cobbly sandy loam, 0 to 3 percent slopes	2	97.9	0	\$ 1,464.55
Franklin	CvB	Covegap cobbly sandy loam, 3 to 8 percent slopes	2	3645.2	0.007	\$ 1,464.55
Franklin	Dg	Deposit gravelly loam	2	264.2	0.001	\$ 1,436.64
Franklin	DoB	Downsville gravelly loam, 3 to 8 percent slopes	2	720.9	0.001	\$ 1,502.11
Franklin	DrB	Dryrun gravelly loam, 3 to 8 percent slopes	2	2360	0.005	\$ 1,409.39
Franklin	DsB	Duffield silt loam, 3 to 8 percent slopes	2	10805	0.022	\$ 1,567.42
Franklin	EcB	Edgemont channery loam, 3 to 8 percent slopes	2	97.2	0	\$ 1,207.53
Franklin	EeB	Edom-Carbo silty clay loams, 3 to 8 percent slopes	2	2790.1	0.006	\$ 1,312.56
Franklin	ErB	Ernest silt loam, 3 to 8 percent slopes	2	1324.5	0.003	\$ 1,355.51
Franklin	Fu	Funkstown silt loam	2	6357.8	0.013	\$ 1,603.46

Franklin	HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	22589	0.046	\$ 1,642.70
Franklin	HbB	Hagerstown-Carbo silty clay loams, 3 to 8 percent slopes	2	16948	0.034	\$ 1,468.90
Franklin	HcB	Hagerstown-Carbo silty clay loams, 3 to 8 percent slopes,	2	10922	0.022	\$ 1,450.15
Franklin	HSB	Highfield and Catoctin channery silt loams, 3 to 8 percent	2	1142.9	0.002	\$ 1,331.19
Franklin	HwB	Hustontown silt loam, 3 to 8 percent slopes	2	352.5	0.001	\$ 1,342.41
Franklin	Jg	Jugtown silt loam	2	3001.8	0.006	\$ 1,473.79
Franklin	LaB	Laidig gravelly loam, 3 to 8 percent slopes	2	557.6	0.001	\$ 1,336.82
Franklin	Ln	Lindside silt loam	2	310.9	0.001	\$ 1,459.30
Franklin	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	2421.7	0.005	\$ 1,352.09
Franklin	MrB	Murrill gravelly loam, 3 to 8 percent slopes	2	16416	0.033	\$ 1,476.65
Franklin	MuB	Murrill cobbly sandy loam, 3 to 8 percent slopes	2	1480.9	0.003	\$ 1,469.48
Franklin	MyB	Myersville silt loam, 3 to 8 percent slopes	2	284.2	0.001	\$ 1,544.28
Franklin	PcB	Pecktonville gravelly silt loam, 3 to 8 percent slopes	2	39.9	0	\$ 1,461.93
Franklin	Ph	Philo silt loam	2	4714.2	0.01	\$ 1,454.00
Franklin	RyB	Ryder-Nollville channery silt loams, 3 to 8 percent slopes	2	1380.1	0.003	\$ 1,401.13
Franklin	SeB	Sideling gravelly loam, 3 to 8 percent slopes	2	3138.7	0.006	\$ 1,358.24
Franklin	SwB	Swanpond-Edom complex, 0 to 8 percent slopes	2	2213.9	0.004	\$ 1,351.06
Franklin	TrB	Trego gravelly silt loam, 3 to 8 percent slopes	2	1329.9	0.003	\$ 1,236.20
Franklin	WuB	Wurno-Nollville channery silt loams, 3 to 8 percent slopes	2	79.5	0	\$ 1,279.17
Franklin	As	Atkins silt loam	3	5836.7	0.012	\$ 1,348.30
Franklin	BhC	Bedington channery silt loam, 8 to 15 percent slopes	3	1912.3	0.004	\$ 1,360.96
Franklin	BkC	Berks channery silt loam, 8 to 15 percent slopes	3	8671.7	0.018	\$ 1,153.58
Franklin	BuC	Buchanan gravelly loam, 8 to 15 percent slopes	3	1354.1	0.003	\$ 1,283.33
Franklin	CaC	Calvin channery loam, 8 to 15 percent slopes	3	390.5	0.001	\$ 1,166.43
Franklin	CtB	Clearbrook channery silt loam, 0 to 8 percent slopes	3	3759.5	0.008	\$ 1,184.25
Franklin	CvC	Covegap cobbly sandy loam, 8 to 15 percent slopes	3	1347.7	0.003	\$ 1,445.08
Franklin	DsC	Duffield silt loam, 8 to 15 percent slopes	3	1141.3	0.002	\$ 1,669.32
Franklin	EcC	Edgemont channery loam, 8 to 15 percent slopes	3	159.9	0	\$ 1,203.35
Franklin	EeC	Edom-Carbo silty clay loams, 8 to 15 percent slopes	3	2013.1	0.004	\$ 1,232.17
Franklin	HaC	Hagerstown silt loam, 8 to 15 percent slopes	3	1549.7	0.003	\$ 1,562.05
Franklin	HbC	Hagerstown-Carbo silty clay loams, 8 to 15 percent slopes	3	6490.2	0.013	\$ 1,411.60
Franklin	Hm	Hatboro silt loam	3	136.4	0	\$ 1,273.45
Franklin	HSC	Highfield and Catoctin channery silt loams, 8 to 15 percen	3	344.8	0.001	\$ 1,312.20
Franklin	LaC	Laidig gravelly loam, 8 to 15 percent slopes	3	1565.9	0.003	\$ 1,298.28
Franklin	Me	Melvin silt loam	3	3299.1	0.007	\$ 1,351.40
Franklin	MrC	Murrill gravelly loam, 8 to 15 percent slopes	3	5783.8	0.012	\$ 1,424.70
Franklin	MuC	Murrill cobbly sandy loam, 8 to 15 percent slopes	3	1217	0.002	\$ 1,416.93
Franklin	MyC	Myersville silt loam, 8 to 15 percent slopes	3	149.5	0	\$ 1,480.92
Franklin	PcC	Pecktonville gravelly silt loam, 8 to 15 percent slopes	3	77.4	0	\$ 1,407.49
Franklin	Pg	Penlaw silt loam, 0 to 3 percent slopes	3	2107.1	0.004	\$ 1,277.26
Franklin	RaB	Rohrersville silt loam, 3 to 8 percent slopes	3	808.4	0.002	\$ 1,236.20
Franklin	RyC	Ryder-Nollville channery silt loams, 8 to 15 percent slopes	3	6377.6	0.013	\$ 1,347.96
Franklin	SeC	Sideling gravelly loam, 8 to 15 percent slopes	3	4333.7	0.009	\$ 1,228.12
Franklin	TrC	Trego gravelly silt loam, 8 to 15 percent slopes	3	163.9	0	\$ 1,164.67
Franklin	Ty	Tyler silt loam, 0 to 3 percent slopes	3	1591.7	0.003	\$ 1,307.10
Franklin	WeB	Weikert channery silt loam, 3 to 8 percent slopes	3	13084	0.026	\$ 1,335.42
Franklin	WuC	Wurno-Nollville channery silt loams, 8 to 15 percent slope	3	295.9	0.001	\$ 1,244.19

Franklin	AnB	Andover gravelly loam, 3 to 8 percent slopes	4	3222	0.007	\$ 1,209.62
Franklin	BrA	Brinkerton silt loam, 0 to 3 percent slopes	4	3391.5	0.007	\$ 1,295.68
Franklin	BrB	Brinkerton silt loam, 3 to 8 percent slopes	4	5076.5	0.01	\$ 1,291.22
Franklin	CaD	Calvin channery loam, 15 to 25 percent slopes	4	354.2	0.001	\$ 1,084.17
Franklin	DoD	Downsville gravelly loam, 8 to 25 percent slopes	4	93.5	0	\$ 1,398.88
Franklin	Du	Dunning silt loam	4	1095.9	0.002	\$ 1,366.36
Franklin	EeD	Edom-Carbo silty clay loams, 15 to 25 percent slopes	4	206.2	0	\$ 1,155.81
Franklin	Fa	Fairplay marl	4	1053.3	0.002	\$ 1,386.58
Franklin	HbD	Hagerstown-Carbo silty clay loams, 15 to 25 percent slopes	4	918.5	0.002	\$ 1,389.19
Franklin	HcC	Hagerstown-Carbo silty clay loams, 8 to 15 percent slopes	4	5793.1	0.012	\$ 1,353.80
Franklin	HSD	Highfield and Catoctin channery silt loams, 15 to 25 percent slopes	4	69.1	0	\$ 1,261.49
Franklin	Ma	Markes channery silt loam, 0 to 8 percent slopes	4	76.1	0	\$ 1,168.62
Franklin	Mb	Maurertown silt loam	4	1830.7	0.004	\$ 1,241.00
Franklin	MyD	Myersville silt loam, 15 to 25 percent slopes	4	24.9	0	\$ 1,397.92
Franklin	PcD	Pecktonville gravelly silt loam, 15 to 25 percent slopes	4	129.9	0	\$ 1,342.41
Franklin	Pu	Purdy silty clay loam	4	1703.9	0.003	\$ 1,279.92
Franklin	RyD	Ryder-Nollville channery silt loams, 15 to 25 percent slopes	4	1466.8	0.003	\$ 1,252.11
Franklin	WeC	Weikert channery silt loam, 8 to 15 percent slopes	4	12287	0.025	\$ 1,126.33
Franklin	WkB	Weikert very channery silt loam, 3 to 8 percent slopes	4	3119.5	0.006	\$ 1,015.91
Franklin	WkC	Weikert very channery silt loam, 8 to 15 percent slopes	4	7594.4	0.015	\$ 1,021.68
Franklin	WuD	Wurno-Nollville channery silt loams, 15 to 25 percent slopes	4	394.8	0.001	\$ 1,190.67
Franklin	LeA	Lantz silt loam, 0 to 3 percent slopes	5	153.5	0	\$ 891.33
Franklin	BaB	Bagtown cobbly loam, 3 to 8 percent slopes, very stony	6	391.2	0.001	\$ 891.33
Franklin	BaC	Bagtown cobbly loam, 8 to 15 percent slopes, very stony	6	746.5	0.002	\$ 891.33
Franklin	Dm	Deposit gravelly loam, 0 to 8 percent slopes, very stony	6	1998.6	0.004	\$ 891.33
Franklin	EdB	Edgemont channery loam, 0 to 8 percent slopes, very stony	6	317.4	0.001	\$ 891.33
Franklin	EdD	Edgemont channery loam, 8 to 25 percent slopes, very stony	6	952	0.002	\$ 891.33
Franklin	HkB	Hagerstown-Rock outcrop complex, 3 to 8 percent slopes	6	6085.4	0.012	\$ 891.33
Franklin	HkD	Hagerstown-Rock outcrop complex, 8 to 35 percent slopes	6	8689.6	0.018	\$ 891.33
Franklin	RcB	Rohrersville silt loam, 0 to 15 percent slopes, very stony	6	881	0.002	\$ 891.33
Franklin	SrB	Sideling gravelly loam, 0 to 8 percent slopes, extremely stony	6	1290.2	0.003	\$ 891.33
Franklin	ThB	Thurmont gravelly loam, 3 to 8 percent slopes, stony	6	354	0.001	\$ 891.33
Franklin	ThC	Thurmont gravelly loam, 8 to 15 percent slopes, stony	6	183.2	0	\$ 891.33
Franklin	ToD	Thurmont gravelly loam, 8 to 25 percent slopes, very stony	6	1350.7	0.003	\$ 891.33
Franklin	TsB	Trego gravelly silt loam, 3 to 8 percent slopes, very stony	6	1609.4	0.003	\$ 891.33
Franklin	TsC	Trego gravelly silt loam, 8 to 15 percent slopes, very stony	6	1281.5	0.003	\$ 891.33
Franklin	VaD	Vanderlip cobbly loamy sand, 0 to 25 percent slopes	6	852.7	0.002	\$ 891.33
Franklin	WeD	Weikert channery silt loam, 15 to 25 percent slopes	6	8488.5	0.017	\$ 891.33
Franklin	WkD	Weikert very channery silt loam, 15 to 25 percent slopes	6	6109.3	0.012	\$ 891.33
Franklin	WtB	Weverton very flaggy loam, 0 to 8 percent slopes	6	256.3	0.001	\$ 891.33
Franklin	WtC	Weverton very flaggy loam, 8 to 25 percent slopes	6	543.1	0.001	\$ 891.33
Franklin	AoB	Andover gravelly loam, 0 to 8 percent slopes, very stony	7	1726.9	0.003	\$ 891.33
Franklin	BbB	Bagtown cobbly loam, 0 to 8 percent slopes, extremely stony	7	2422.3	0.005	\$ 891.33
Franklin	BbD	Bagtown cobbly loam, 8 to 25 percent slopes, extremely stony	7	8881.2	0.018	\$ 891.33
Franklin	BcE	Bagtown cobbly loam, 15 to 45 percent slopes, rubbly	7	2264.8	0.005	\$ 891.33
Franklin	BxB	Buchanan cobbly loam, 0 to 8 percent slopes, extremely stony	7	2673.4	0.005	\$ 891.33
Franklin	BxD	Buchanan cobbly loam, 8 to 25 percent slopes, extremely stony	7	3863.6	0.008	\$ 891.33

Franklin	DbE	Dekalb-Bagtown complex, 25 to 65 percent slopes, extreme	7	4032.3	0.008	\$ 891.33
Franklin	DED	Dekalb and Hazleton soils, 3 to 25 percent slopes, rubbly	7	2274.8	0.005	\$ 891.33
Franklin	DEF	Dekalb and Hazleton soils, 25 to 75 percent slopes, rubbly	7	15598	0.032	\$ 891.33
Franklin	EdF	Edgemont channery loam, 25 to 70 percent slopes, very s	7	311.3	0.001	\$ 891.33
Franklin	HRB	Hazleton and Dekalb soils, 0 to 8 percent slopes, extreme	7	1722.3	0.003	\$ 891.33
Franklin	HRD	Hazleton and Dekalb soils, 8 to 25 percent slopes, extreme	7	5979.9	0.012	\$ 891.33
Franklin	HRF	Hazleton and Dekalb soils, 25 to 75 percent slopes, extreme	7	11545	0.023	\$ 891.33
Franklin	HTB	Highfield and Catoctin channery silt loams, 0 to 8 percent	7	348.6	0.001	\$ 891.33
Franklin	HTD	Highfield and Catoctin channery silt loams, 8 to 25 percent	7	790.4	0.002	\$ 891.33
Franklin	HTF	Highfield and Catoctin channery silt loams, 25 to 50 percent	7	551.8	0.001	\$ 891.33
Franklin	LbB	Laidig gravelly loam, 0 to 8 percent slopes, extremely stony	7	651.4	0.001	\$ 891.33
Franklin	LbD	Laidig gravelly loam, 8 to 25 percent slopes, extremely stony	7	4799.4	0.01	\$ 891.33
Franklin	LCE	Laidig and Hazleton soils, 25 to 60 percent slopes, extreme	7	2850.9	0.006	\$ 891.33
Franklin	LgB	Leetonia gravelly loamy sand, 0 to 15 percent slopes, extremely	7	961.3	0.002	\$ 891.33
Franklin	LhD	Lehew very channery fine sandy loam, 8 to 25 percent slopes	7	1409.4	0.003	\$ 891.33
Franklin	MvB	Murrill gravelly loam, 3 to 8 percent slopes, extremely stony	7	1192.8	0.002	\$ 891.33
Franklin	MvD	Murrill gravelly loam, 8 to 25 percent slopes, extremely stony	7	1770.6	0.004	\$ 891.33
Franklin	PeE	Pecktonville-Rock outcrop complex, 25 to 45 percent slopes	7	35.4	0	\$ 891.33
Franklin	SrD	Sideling gravelly loam, 8 to 25 percent slopes, extremely stony	7	23708	0.048	\$ 891.33
Franklin	SSF	Sideling and Hazleton soils 25 to 60 percent slopes, extremely	7	13431	0.027	\$ 891.33
Franklin	VaE	Vanderlip cobbly loamy sand, 25 to 50 percent slopes	7	718.6	0.001	\$ 891.33
Franklin	WkF	Weikert very channery silt loam, 25 to 60 percent slopes	7	9776.2	0.02	\$ 891.33
Franklin	WtF	Weverton-Rock outcrop complex, 25 to 45 percent slopes	7	497.1	0.001	\$ 891.33
Franklin	DAM	Dam	8	2.7	0	\$ 891.33
Franklin	Q	Quarries	8	936.8	0.002	\$ 891.33
Franklin	UbB	Urban land-Berks complex, 0 to 8 percent slopes	8	1119.7	0.002	\$ 891.33
Franklin	UbC	Urban land-Berks complex, 8 to 15 percent slopes	8	194.3	0	\$ 891.33
Franklin	UdB	Urban land-Duffield complex, 0 to 8 percent slopes	8	879.3	0.002	\$ 891.33
Franklin	UdC	Urban land-Duffield complex, 8 to 15 percent slopes	8	113.5	0	\$ 891.33
Franklin	UhB	Urban land-Hagerstown complex, 0 to 8 percent slopes	8	3479.3	0.007	\$ 891.33
Fulton	Be	Barbour fine sandy loam	1	1213.1	0.004	\$ 1,722.82
Fulton	Po	Pope silt loam	1	564.1	0.002	\$ 1,504.91
Fulton	AgB	Allegheny loam, 3 to 8 percent slopes	2	335	0.001	\$ 1,502.65
Fulton	Bf	Basher fine sandy loam	2	4616	0.016	\$ 1,465.72
Fulton	BhB	Bedington channery silt loam, 3 to 8 percent slopes	2	92.6	0	\$ 1,438.45
Fulton	BkB	Berks channery silt loam, 3 to 8 percent slopes	2	3068.3	0.011	\$ 1,190.67
Fulton	BuB	Buchanan gravelly loam, 3 to 8 percent slopes	2	1047.7	0.004	\$ 1,347.96
Fulton	CaB	Calvin channery loam, 3 to 8 percent slopes	2	3845.2	0.014	\$ 1,202.09
Fulton	CkB	Calvin-Leck kill channery silt loams, 3 to 8 percent slopes	2	7040.9	0.025	\$ 1,327.64
Fulton	CsB	Clarksburg silt loam, 3 to 8 percent slopes	2	3074.4	0.011	\$ 1,386.91
Fulton	EgB	Elliber very channery silt loam, 3 to 8 percent slopes	2	111.8	0	\$ 1,400.49
Fulton	ErB	Ernest silt loam, 3 to 8 percent slopes	2	1905.4	0.007	\$ 1,355.51
Fulton	FrB	Frankstown channery silt loam, 3 to 8 percent slopes	2	401.2	0.001	\$ 1,472.36
Fulton	Fu	Funkstown silt loam	2	68.5	0	\$ 1,553.97
Fulton	HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	2546.3	0.009	\$ 1,642.70
Fulton	HbB	Hagerstown-Carbo silty clay loams, 3 to 8 percent slopes	2	222.3	0.001	\$ 1,468.90
Fulton	HwB	Hustontown silt loam, 3 to 8 percent slopes	2	3847.8	0.014	\$ 1,342.41

Fulton	Jg	Jugtown-Lindside silt loams	2	593.4	0.002	\$ 1,462.22
Fulton	LaB	Laidig gravelly loam, 3 to 8 percent slopes	2	298.5	0.001	\$ 1,336.82
Fulton	Ln	Lindside silt loam	2	35.2	0	\$ 1,459.30
Fulton	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	1736.1	0.006	\$ 1,352.09
Fulton	MrB	Murrill gravelly loam, 3 to 8 percent slopes	2	2209.2	0.008	\$ 1,476.65
Fulton	PcB	Pecktonville gravelly silt loam, 3 to 8 percent slopes	2	54.5	0	\$ 1,461.93
Fulton	Ph	Philo silt loam	2	1102.9	0.004	\$ 1,454.00
Fulton	SeB	Sideling gravelly loam, 3 to 8 percent slopes	2	335	0.001	\$ 1,358.24
Fulton	WuB	Wurno-Nollville channery silt loams, 3 to 8 percent slopes	2	616.8	0.002	\$ 1,279.17
Fulton	As	Atkins silt loam	3	3053.5	0.011	\$ 1,348.30
Fulton	BhC	Bedington channery silt loam, 8 to 15 percent slopes	3	251.2	0.001	\$ 1,360.96
Fulton	BkC	Berks channery silt loam, 8 to 15 percent slopes	3	6708.4	0.024	\$ 1,153.58
Fulton	BuC	Buchanan gravelly loam, 8 to 15 percent slopes	3	856.2	0.003	\$ 1,283.33
Fulton	CaC	Calvin channery loam, 8 to 15 percent slopes	3	12943	0.046	\$ 1,166.43
Fulton	CoC	Carbo silty clay loam, 8 to 15 percent slopes	3	213.8	0.001	\$ 1,338.57
Fulton	EgC	Elliber very channery silt loam, 8 to 15 percent slopes	3	365.3	0.001	\$ 1,396.63
Fulton	FrC	Frankstown channery silt loam, 8 to 15 percent slopes	3	809.8	0.003	\$ 1,445.97
Fulton	HaC	Hagerstown silt loam, 8 to 15 percent slopes	3	1951.7	0.007	\$ 1,562.05
Fulton	KaB	Klinesville channery silt loam, 3 to 8 percent slopes	3	2214.1	0.008	\$ 1,060.52
Fulton	LaC	Laidig gravelly loam, 8 to 15 percent slopes	3	651.9	0.002	\$ 1,298.28
Fulton	Me	Melvin silt loam	3	786.2	0.003	\$ 1,351.40
Fulton	MrC	Murrill gravelly loam, 8 to 15 percent slopes	3	1659.9	0.006	\$ 1,424.70
Fulton	PcC	Pecktonville gravelly silt loam, 8 to 15 percent slopes	3	163	0.001	\$ 1,407.49
Fulton	Pg	Penlaw silt loam, 0 to 3 percent slopes	3	1523	0.005	\$ 1,277.26
Fulton	SeC	Sideling gravelly loam, 8 to 15 percent slopes	3	920.5	0.003	\$ 1,228.12
Fulton	Ty	Tyler silt loam, 0 to 3 percent slopes	3	456.9	0.002	\$ 1,307.10
Fulton	WeB	Weikert channery silt loam, 3 to 8 percent slopes	3	1390	0.005	\$ 1,335.42
Fulton	WuC	Wurno-Nollville channery silt loams, 8 to 15 percent slope	3	1998.9	0.007	\$ 1,244.19
Fulton	AnB	Andover gravelly loam, 3 to 8 percent slopes	4	589.1	0.002	\$ 1,209.62
Fulton	BhD	Bedington channery silt loam, 15 to 25 percent slopes	4	389.6	0.001	\$ 1,310.75
Fulton	BkD	Berks channery silt loam, 15 to 25 percent slopes	4	4734.5	0.017	\$ 1,114.71
Fulton	BrA	Brinkerton silt loam, 0 to 3 percent slopes	4	212.7	0.001	\$ 1,295.68
Fulton	BrB	Brinkerton silt loam, 3 to 8 percent slopes	4	1292	0.005	\$ 1,291.22
Fulton	CaD	Calvin channery loam, 15 to 25 percent slopes	4	5996.1	0.021	\$ 1,084.17
Fulton	CoD	Carbo silty clay loam, 15 to 25 percent slopes	4	553.5	0.002	\$ 1,318.71
Fulton	EgD	Elliber very channery silt loam, 15 to 25 percent slopes	4	259.7	0.001	\$ 1,234.59
Fulton	FrD	Frankstown channery silt loam, 15 to 25 percent slopes	4	547	0.002	\$ 1,373.39
Fulton	HkE	Hagerstown-Rock outcrop complex, 8 to 35 percent slope	4	668	0.002	\$ 1,004.79
Fulton	KaC	Klinesville channery silt loam, 8 to 15 percent slopes	4	17684	0.063	\$ 1,018.54
Fulton	Pu	Purdy silty clay loam	4	158.4	0.001	\$ 1,279.92
Fulton	SeD	Sideling gravelly loam, 15 to 25 percent slopes	4	675.2	0.002	\$ 1,173.43
Fulton	WeC	Weikert channery silt loam, 8 to 15 percent slopes	4	9407.3	0.034	\$ 1,126.33
Fulton	WuD	Wurno-Nollville channery silt loams, 15 to 25 percent slope	4	1955.3	0.007	\$ 1,190.67
Fulton	CrC	Cedarcreek very channery loam, 3 to 25 percent slopes	6	323.9	0.001	\$ 891.33
Fulton	FrE	Frankstown channery silt loam, 25 to 35 percent slopes	6	731.5	0.003	\$ 891.33
Fulton	KaD	Klinesville channery silt loam, 15 to 25 percent slopes	6	14301	0.051	\$ 891.33
Fulton	SrB	Sideling gravelly loam, 0 to 8 percent slopes, extremely st	6	272.6	0.001	\$ 891.33

Fulton	WeD	Weikert channery silt loam, 15 to 25 percent slopes	6	6615.4	0.024	\$ 891.33
Fulton	AoB	Andover gravelly loam, 0 to 8 percent slopes, very stony	7	1071.2	0.004	\$ 891.33
Fulton	BxB	Buchanan cobbly loam, 0 to 8 percent slopes, extremely s	7	1970.2	0.007	\$ 891.33
Fulton	BxD	Buchanan cobbly loam, 8 to 25 percent slopes, extremely	7	6718.4	0.024	\$ 891.33
Fulton	CpB	Cookport channery loam, 0 to 8 percent slopes, extremely	7	1360.1	0.005	\$ 891.33
Fulton	CpD	Cookport channery loam, 8 to 25 percent slopes, extreme	7	25.7	0	\$ 891.33
Fulton	CrF	Cedarcreek extremely channery loam, 25 to 80 percent sl	7	321.8	0.001	\$ 891.33
Fulton	DEF	Dekalb and Hazleton soils, 25 to 75 percent slopes, rubbly	7	2004.8	0.007	\$ 891.33
Fulton	HOD	Hazleton and Clymer soils, 8 to 25 percent slopes, extrem	7	2056.3	0.007	\$ 891.33
Fulton	HRB	Hazleton and Dekalb soils, 0 to 8 percent slopes, extremel	7	2378	0.008	\$ 891.33
Fulton	HRD	Hazleton and Dekalb soils, 8 to 25 percent slopes, extrem	7	7061.5	0.025	\$ 891.33
Fulton	HRF	Hazleton and Dekalb soils, 25 to 75 percent slopes, extren	7	19204	0.068	\$ 891.33
Fulton	KWF	Klinesville and Weikert soils, 25 to 60 percent slopes	7	41996	0.15	\$ 891.33
Fulton	LbB	Laidig gravelly loam, 0 to 8 percent slopes, extremely stor	7	492.8	0.002	\$ 891.33
Fulton	LbD	Laidig gravelly loam, 8 to 25 percent slopes, extremely stc	7	17411	0.062	\$ 891.33
Fulton	LCE	Laidig and Hazleton soils, 25 to 60 percent slopes, extrem	7	6437.4	0.023	\$ 891.33
Fulton	MvD	Murrill gravelly loam, 8 to 25 percent slopes, extremely st	7	568.6	0.002	\$ 891.33
Fulton	PeE	Pecktonville-Rock outcrop complex, 25 to 45 percent slop	7	39	0	\$ 891.33
Fulton	SrD	Sideling gravelly loam, 8 to 25 percent slopes, extremely s	7	8928.4	0.032	\$ 891.33
Fulton	SSF	Sideling and Hazleton soils 25 to 60 percent slopes, extrer	7	11636	0.041	\$ 891.33
Fulton	Q	Quarries	8	255.1	0.001	\$ 891.33
Greene/Washin	GdA	Glenford silt loam, 0 to 3 percent slopes	1	1797.3	0.002	\$ 1,492.16
Greene/Washin	Hu	Huntington silt loam	1	6830.8	0.007	\$ 1,536.49
Greene/Washin	AgB	Allegheny silt loam, 3 to 8 percent slopes	2	1155.1	0.001	\$ 1,439.96
Greene/Washin	CaB	Culleoka channery silt loam, 3 to 8 percent slopes	2	17111	0.019	\$ 1,492.16
Greene/Washin	Cg	Chagrin silt loam, 0 to 3 percent slopes, occasionally flood	2	4	0	\$ 1,490.76
Greene/Washin	DaB	Dekalb channery loam, 3 to 8 percent slopes	2	1063.5	0.001	\$ 1,194.92
Greene/Washin	DoB	Dormont silt loam, 3 to 8 percent slopes	2	17625	0.019	\$ 1,493.55
Greene/Washin	GdB	Glenford silt loam, 3 to 8 percent slopes	2	16711	0.018	\$ 1,492.16
Greene/Washin	GeB	Guernsey silt loam, 3 to 8 percent slopes	2	10797	0.012	\$ 1,445.97
Greene/Washin	Nw	Newark silt loam	2	25281	0.027	\$ 1,356.53
Greene/Washin	Sk	Skidmore gravelly loam	2	42.3	0	\$ 1,108.88
Greene/Washin	AgC	Allegheny silt loam, 8 to 15 percent slopes	3	400.6	0	\$ 1,376.71
Greene/Washin	BoB	Brooke silty clay loam, 3 to 8 percent slopes	3	3437.1	0.004	\$ 1,312.56
Greene/Washin	CaC	Culleoka channery silt loam, 8 to 15 percent slopes	3	25743	0.028	\$ 1,418.49
Greene/Washin	CkB	Culleoka-Upshur complex, 3 to 8 percent slopes	3	671.1	0.001	\$ 1,439.96
Greene/Washin	DaC	Dekalb channery loam, 8 to 15 percent slopes	3	614.5	0.001	\$ 1,151.35
Greene/Washin	DoC	Dormont silt loam, 8 to 15 percent slopes	3	88169	0.096	\$ 1,423.15
Greene/Washin	GdC	Glenford silt loam, 8 to 15 percent slopes	3	6545.8	0.007	\$ 1,418.49
Greene/Washin	GeC	Guernsey silt loam, 8 to 15 percent slopes	3	25300	0.027	\$ 1,301.60
Greene/Washin	LbA	Library silty clay loam, 0 to 3 percent slopes	3	1096.6	0.001	\$ 1,317.99
Greene/Washin	LbB	Library silty clay loam, 3 to 8 percent slopes	3	2447.7	0.003	\$ 1,375.05
Greene/Washin	LbC	Library silty clay loam, 8 to 15 percent slopes	3	522.7	0.001	\$ 1,297.91
Greene/Washin	UKB	Udorthents, strip mine, gently sloping	3	4013.2	0.004	\$ 891.33
Greene/Washin	WeB	Weikert-Culleoka complex, 3 to 8 percent slopes	3	15193	0.016	\$ 1,218.72
Greene/Washin	BoC	Brooke silty clay loam, 8 to 15 percent slopes	4	2972	0.003	\$ 1,275.36
Greene/Washin	CaD	Culleoka channery silt loam, 15 to 25 percent slopes	4	41174	0.045	\$ 1,288.60

Greene/Washin	CkC	Culleoka-Upshur complex, 8 to 15 percent slopes	4	1687.5	0.002	\$ 1,371.72
Greene/Washin	CkD	Culleoka-Upshur complex, 15 to 25 percent slopes	4	2332.1	0.003	\$ 1,257.99
Greene/Washin	DaD	Dekalb channery loam, 15 to 25 percent slopes	4	818.4	0.001	\$ 1,105.28
Greene/Washin	DoD	Dormont silt loam, 15 to 25 percent slopes	4	47844	0.052	\$ 1,301.60
Greene/Washin	DtD	Dormont-Culleoka complex, 15 to 25 percent slopes	4	145538	0.158	\$ 1,270.00
Greene/Washin	Fa	Fluvaquents, loamy	4	25459	0.028	\$ 1,004.79
Greene/Washin	GeD	Guernsey silt loam, 15 to 25 percent slopes	4	13066	0.014	\$ 1,240.21
Greene/Washin	Py	Purdy silt loam	4	1192.6	0.001	\$ 1,250.14
Greene/Washin	UdB	Udorthents, smoothed, gently sloping	4	3896.7	0.004	\$ 1,004.79
Greene/Washin	UkD	Udorthents, strip mine, moderately steep	4	7306.4	0.008	\$ 891.33
Greene/Washin	WeC	Weikert-Culleoka complex, 8 to 15 percent slopes	4	11566	0.013	\$ 1,288.60
Greene/Washin	BoD	Brooke silty clay loam, 15 to 25 percent slopes	6	2644.3	0.003	\$ 1,105.28
Greene/Washin	DbD	Dekalb very stony loam, 8 to 25 percent slopes	6	980.4	0.001	\$ 891.33
Greene/Washin	UdD	Udorthents, smoothed, moderately steep	6	822.4	0.001	\$ 891.33
Greene/Washin	WeD	Weikert-Culleoka complex, 15 to 25 percent slopes	6	23363	0.025	\$ 1,144.60
Greene/Washin	DaF	Dekalb channery loam, 25 to 80 percent slopes	7	1138.8	0.001	\$ 891.33
Greene/Washin	DtF	Dormont-Culleoka complex, 25 to 50 percent slopes	7	287608	0.312	\$ 891.33
Greene/Washin	UdF	Udorthents, smoothed, steep	7	1006.9	0.001	\$ 891.33
Greene/Washin	UkF	Udorthents, strip mine, steep	7	10224	0.011	\$ 891.33
Greene/Washin	DAM	Dam	8	43.6	0	\$ 891.33
Greene/Washin	Du	Dumps, mine	8	4029	0.004	\$ 891.33
Greene/Washin	Us	Urban land	8	5614.3	0.006	\$ 891.33
Huntingdon	Ba	Barbour soils	1	1579.7	0.003	\$ 1,471.44
Huntingdon	Bb	Barbour soils, high bottom	1	1525	0.003	\$ 1,467.74
Huntingdon	AbB	Albrights silt loam, 3 to 8 percent slopes	2	2515	0.004	\$ 1,344.29
Huntingdon	Bc	Basher silt loam, neutral variant	2	2023.3	0.004	\$ 1,476.82
Huntingdon	BeB	Bedington channery silt loam, 3 to 8 percent slopes	2	343.5	0.001	\$ 1,438.45
Huntingdon	BkB	Berks channery silt loam, 3 to 8 percent slopes	2	7224.5	0.013	\$ 1,190.67
Huntingdon	BnB	Birdsboro gravelly loam, 2 to 10 percent slopes	2	1127.1	0.002	\$ 1,584.53
Huntingdon	BuB	Buchanan gravelly loam, 3 to 8 percent slopes	2	5906.8	0.01	\$ 1,460.76
Huntingdon	CaB	Calvin shaly silt loam, 3 to 8 percent slopes	2	4054.4	0.007	\$ 1,163.96
Huntingdon	CbB	Clarksburg silt loam, 2 to 8 percent slopes	2	3583.4	0.006	\$ 1,485.78
Huntingdon	CIB	Clymer channery loam, 3 to 8 percent slopes	2	562.4	0.001	\$ 1,460.76
Huntingdon	ErB	Ernest silt loam, 3 to 8 percent slopes	2	6325.4	0.011	\$ 1,355.51
Huntingdon	HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	3422	0.006	\$ 1,642.70
Huntingdon	HhB	Hazleton channery loam, 3 to 8 percent slopes	2	1628.6	0.003	\$ 1,493.55
Huntingdon	HuB	Hublersburg silt loam, 2 to 8 percent slopes	2	3873.5	0.007	\$ 1,520.78
Huntingdon	HxB	Hublersburg cherty silt loam, 3 to 8 percent slopes	2	989.3	0.002	\$ 1,528.03
Huntingdon	LaB	Laidig gravelly loam, 3 to 8 percent slopes	2	538.9	0.001	\$ 1,347.96
Huntingdon	MoB	Monongahela silt loam, 2 to 10 percent slopes	2	3215.1	0.006	\$ 1,337.52
Huntingdon	MrB	Morrison sandy loam, 2 to 8 percent slopes	2	4031.1	0.007	\$ 1,344.49
Huntingdon	MuB	Murrill gravelly loam, 3 to 8 percent slopes	2	2420.4	0.004	\$ 1,457.54
Huntingdon	Ne	Newark silt loam	2	5801.6	0.01	\$ 1,485.16
Huntingdon	Ph	Philo and Basher silt loams	2	6751.1	0.012	\$ 1,496.32
Huntingdon	Po	Philo and Basher silt loams, high bottom	2	2982.4	0.005	\$ 1,480.92
Huntingdon	RaB	Raritan silt loam, 2 to 10 percent slopes	2	629.8	0.001	\$ 1,397.92
Huntingdon	ReB	Rayne channery silt loam, 3 to 8 percent slopes	2	252.6	0	\$ 1,401.13

Huntingdon	TaB	Tilsit silt loam, 3 to 8 percent slopes	2	90.6	0	\$ 1,347.96
Huntingdon	AbC	Albrights silt loam, 8 to 15 percent slopes	3	809.1	0.001	\$ 1,273.37
Huntingdon	At	Atkins silt loam	3	11925	0.021	\$ 1,354.90
Huntingdon	BeC	Bedington channery silt loam, 8 to 15 percent slopes	3	761.9	0.001	\$ 1,360.96
Huntingdon	BkC	Berks channery silt loam, 8 to 15 percent slopes	3	22758	0.04	\$ 1,153.58
Huntingdon	BoB	Blairton silt loam, 2 to 8 percent slopes	3	1079.4	0.002	\$ 1,158.39
Huntingdon	BuC	Buchanan gravelly loam, 8 to 15 percent slopes	3	2934.4	0.005	\$ 1,279.17
Huntingdon	CaC	Calvin shaly silt loam, 8 to 15 percent slopes	3	7936.3	0.014	\$ 1,079.49
Huntingdon	ClC	Clymer channery loam, 8 to 15 percent slopes	3	404.6	0.001	\$ 1,427.78
Huntingdon	EeB	Edom-Opequon complex, 3 to 8 percent slopes	3	209.8	0	\$ 1,306.52
Huntingdon	EgB	Edom-Weikert complex, 3 to 8 percent slopes	3	2384.7	0.004	\$ 1,279.85
Huntingdon	EgC	Edom-Weikert complex, 8 to 15 percent slopes	3	8812.5	0.015	\$ 1,062.12
Huntingdon	ErC	Ernest silt loam, 8 to 15 percent slopes	3	2796.6	0.005	\$ 1,278.41
Huntingdon	HhC	Hazleton channery loam, 8 to 15 percent slopes	3	2406.8	0.004	\$ 1,435.42
Huntingdon	HuC	Hublersburg silt loam, 8 to 15 percent slopes	3	1880.5	0.003	\$ 1,482.05
Huntingdon	HxC	Hublersburg cherty silt loam, 8 to 15 percent slopes	3	2645.2	0.005	\$ 1,501.83
Huntingdon	LaC	Laidig gravelly loam, 8 to 15 percent slopes	3	1030.9	0.002	\$ 1,308.93
Huntingdon	MeC	Meckesville silt loam, 8 to 15 percent slopes	3	1101.9	0.002	\$ 1,319.78
Huntingdon	MrC	Morrison sandy loam, 8 to 15 percent slopes	3	5127.9	0.009	\$ 1,308.93
Huntingdon	MuC	Murrill gravelly loam, 8 to 15 percent slopes	3	2379	0.004	\$ 1,402.40
Huntingdon	OpB3	Opequon clay loam, 3 to 8 percent slopes, eroded	3	319.9	0.001	\$ 1,158.03
Huntingdon	ReC	Rayne channery silt loam, 8 to 15 percent slopes	3	107.9	0	\$ 1,346.23
Huntingdon	Ty	Tyler silt loam	3	926.8	0.002	\$ 1,312.56
Huntingdon	WeB	Weikert channery silt loam, 3 to 8 percent slopes	3	811.2	0.001	\$ 1,335.42
Huntingdon	WhB	Wharton silt loam, 2 to 10 percent slopes	3	511.4	0.001	\$ 1,292.11
Huntingdon	AnB	Andover cobbly loam, 0 to 8 percent slopes	4	1858.2	0.003	\$ 1,250.14
Huntingdon	BeD	Bedington channery silt loam, 15 to 25 percent slopes	4	652	0.001	\$ 1,310.75
Huntingdon	BoC	Blairton silt loam, 8 to 15 percent slopes	4	613.3	0.001	\$ 1,112.74
Huntingdon	BrA	Brinkerton silt loam, 0 to 3 percent slopes	4	2010.2	0.004	\$ 1,295.68
Huntingdon	BrB	Brinkerton silt loam, 3 to 8 percent slopes	4	7688.6	0.014	\$ 1,291.22
Huntingdon	BuD	Buchanan gravelly loam, 15 to 25 percent slopes	4	320	0.001	\$ 1,236.20
Huntingdon	EeC	Edom-Opequon complex, 8 to 15 percent slopes	4	628.2	0.001	\$ 1,220.44
Huntingdon	EeD	Edom-Opequon complex, 15 to 25 percent slopes	4	594.6	0.001	\$ 1,013.59
Huntingdon	ElC	Elliber very cherty loam, 5 to 15 percent slopes	4	778.7	0.001	\$ 1,319.78
Huntingdon	HcC3	Hagerstown silty clay loam, 8 to 15 percent slopes, eroded	4	5406.9	0.01	\$ 1,418.74
Huntingdon	HcD3	Hagerstown silty clay loam, 15 to 25 percent slopes	4	2534.7	0.004	\$ 1,469.19
Huntingdon	HeD	Hagerstown-Rock outcrop complex, 5 to 25 percent slope	4	1769.1	0.003	\$ 1,402.66
Huntingdon	HhD	Hazleton channery loam, 15 to 25 percent slopes	4	2147.5	0.004	\$ 1,405.46
Huntingdon	HuD	Hublersburg silt loam, 15 to 25 percent slopes	4	171.9	0	\$ 1,368.71
Huntingdon	HxD	Hublersburg cherty silt loam, 15 to 25 percent slopes	4	1824.9	0.003	\$ 1,416.93
Huntingdon	KlC	Klinesville shaly silt loam, 8 to 15 percent slopes	4	3521.6	0.006	\$ 1,004.79
Huntingdon	LaD	Laidig gravelly loam, 15 to 25 percent slopes	4	802.4	0.001	\$ 1,236.20
Huntingdon	MrD	Morrison sandy loam, 15 to 25 percent slopes	4	1230.4	0.002	\$ 1,269.61
Huntingdon	MuD	Murrill gravelly loam, 15 to 25 percent slopes	4	922.6	0.002	\$ 1,323.37
Huntingdon	OpC3	Opequon clay loam, 8 to 15 percent slopes, eroded	4	1830.3	0.003	\$ 1,004.79
Huntingdon	Pu	Purdy silt loam	4	995.5	0.002	\$ 1,279.92
Huntingdon	ReD	Rayne channery silt loam, 15 to 25 percent slopes	4	74.2	0	\$ 1,312.56

Huntingdon	VaD	Vanderlip loamy sand, 5 to 25 percent slopes	4	6252	0.011	\$ 1,083.69
Huntingdon	WeC	Weikert channery silt loam, 8 to 15 percent slopes	4	3241	0.006	\$ 1,126.33
Huntingdon	AcB	Albrights very stony silt loam, 0 to 8 percent slopes	6	420.9	0.001	\$ 891.33
Huntingdon	AcD	Albrights very stony silt loam, 8 to 25 percent percent slope	6	3264.2	0.006	\$ 891.33
Huntingdon	BID	Berks-Weikert channery silt loams, 15 to 25 percent slope	6	20927	0.037	\$ 891.33
Huntingdon	CaD	Calvin shaly silt loam, 15 to 25 percent slopes	6	5850	0.01	\$ 891.33
Huntingdon	CvB	Clymer very stony loam, 3 to 8 percent slopes	6	3063.6	0.005	\$ 891.33
Huntingdon	CvC	Clymer very stony loam, 8 to 15 percent slopes	6	6956.8	0.012	\$ 891.33
Huntingdon	EgD	Edom-Weikert complex, 15 to 25 percent slopes	6	10864	0.019	\$ 930.70
Huntingdon	EID	Elliber very cherty loam, 15 to 30 percent slopes	6	918.5	0.002	\$ 891.33
Huntingdon	HsB	Hazleton-Dekalb extremely stony sandy loams, 0 to 8 perc	6	5065.7	0.009	\$ 891.33
Huntingdon	KID	Klinesville shaly silt loam, 15 to 25 percent slopes	6	4729.5	0.008	\$ 891.33
Huntingdon	MkB	Meckesville very stony silt loam, 3 to 8 percent slopes	6	258.2	0	\$ 891.33
Huntingdon	MkD	Meckesville very stony silt loam, 8 to 25 percent slopes	6	10250	0.018	\$ 891.33
Huntingdon	MsB	Morrison very stony sandy loam, 2 to 8 percent slopes	6	1837.9	0.003	\$ 891.33
Huntingdon	MsD	Morrison very stony sandy loam, 8 to 25 percent slopes	6	7349.6	0.013	\$ 891.33
Huntingdon	OpD3	Opequon clay loam, 15 to 25 percent slopes, eroded	6	4107.1	0.007	\$ 891.33
Huntingdon	WeD	Weikert channery silt loam, 15 to 25 percent slopes	6	8797.4	0.015	\$ 891.33
Huntingdon	AoB	Andover extremely stony loam, 0 to 8 percent slopes	7	9265.3	0.016	\$ 891.33
Huntingdon	BMF	Berks-Weikert association, steep	7	64096	0.113	\$ 891.33
Huntingdon	BxB	Buchanan extremely stony loam, 3 to 8 percent slopes	7	2950.3	0.005	\$ 891.33
Huntingdon	BxD	Buchanan extremely stony loam, 8 to 25 percent slopes	7	25237	0.044	\$ 891.33
Huntingdon	CpB	Cookport channery loam, 0 to 8 percent slopes, extremely	7	2600.7	0.005	\$ 891.33
Huntingdon	CpD	Cookport channery loam, 8 to 25 percent slopes, extreme	7	492	0.001	\$ 891.33
Huntingdon	DEF	Dekalb and Hazleton soils, 25 to 75 percent slopes, rubbly	7	14.4	0	\$ 891.33
Huntingdon	EgF	Edom-Weikert complex, 25 to 60 percent slopes	7	5285.2	0.009	\$ 891.33
Huntingdon	GpB	Gilpin channery silt loam, 3 to 8 percent slopes, extremely	7	268.8	0	\$ 891.33
Huntingdon	GpD	Gilpin channery silt loam, 8 to 25 percent slopes, extreme	7	355	0.001	\$ 891.33
Huntingdon	HTD	Hazleton-Dekalb association, moderately steep	7	21654	0.038	\$ 891.33
Huntingdon	HTF	Hazleton-Dekalb association, steep	7	59128	0.104	\$ 891.33
Huntingdon	KoF	Klinesville-Rock outcrop complex, 35 to 80 percent slopes	7	585.1	0.001	\$ 891.33
Huntingdon	LcD	Laidig extremely stony loam, 8 to 30 percent slopes	7	22997	0.04	\$ 891.33
Huntingdon	LDF	Laidig extremely stony loam, steep	7	5410.9	0.01	\$ 891.33
Huntingdon	LeB	Leetonia extremely stony loamy sand, 0 to 12 percent slop	7	2924.5	0.005	\$ 891.33
Huntingdon	NsB	Nolo stony silt loam, 0 to 8 percent slopes, extremely stor	7	273.3	0	\$ 891.33
Huntingdon	ORF	Opequon soils, steep	7	6956.9	0.012	\$ 891.33
Huntingdon	RgF	Rayne-Gilpin channery silt loams, 25 to 65 percent slopes	7	166.9	0	\$ 891.33
Huntingdon	Ru	Rubble land	7	20144	0.035	\$ 891.33
Huntingdon	SM	Strip mines	7	2435.9	0.004	\$ 891.33
Huntingdon	VrF	Vanderlip-Rock outcrop complex, 25 to 60 percent slopes	7	3979.2	0.007	\$ 891.33
Huntingdon	Qu	Quarries	8	1153.6	0.002	\$ 891.33
Huntingdon	Ur	Urban land	8	1654.1	0.003	\$ 891.33
Indiana	AhA	Allegheny silt loam, 0 to 3 percent slopes	1	1151.3	0.002	\$ 1,501.83
Indiana	ChA	Chavies fine sandy loam, 0 to 2 percent slopes	1	483	0.001	\$ 1,567.42
Indiana	PmA	Pope fine sandy loam, 0 to 2 percent slopes, rarely flood	1	1818.4	0.003	\$ 1,524.73
Indiana	PoA	Pope silt loam, 0 to 2 percent slopes, occasionally flood	1	1622.8	0.003	\$ 1,516.83
Indiana	AhB	Allegheny silt loam, 3 to 8 percent slopes	2	1630.8	0.003	\$ 1,439.96

Indiana	BuB	Buchanan loam, 3 to 8 percent slopes	2	858.3	0.002	\$ 1,304.54
Indiana	CkB	Clarksburg silt loam, 3 to 8 percent slopes	2	205	0	\$ 1,420.67
Indiana	ClB	Clymer channery loam, 3 to 8 percent slopes	2	11646	0.022	\$ 1,459.30
Indiana	CoA	Cookport loam, 0 to 3 percent slopes	2	2485.5	0.005	\$ 1,236.20
Indiana	CoB	Cookport loam, 3 to 8 percent slopes	2	9292.9	0.017	\$ 1,194.92
Indiana	CtA	Cotaco silt loam, 0 to 3 percent slopes, rarely flooded	2	969.6	0.002	\$ 1,432.37
Indiana	CuB	Culleoka channery silt loam, 3 to 8 percent slopes	2	1410.3	0.003	\$ 1,492.16
Indiana	DoB	Dormont silt loam, 3 to 8 percent slopes	2	69.8	0	\$ 1,493.55
Indiana	ErA	Ernest silt loam, 0 to 3 percent slopes	2	726.4	0.001	\$ 1,383.30
Indiana	ErB	Ernest silt loam, 3 to 8 percent slopes	2	34347	0.064	\$ 1,470.92
Indiana	GcA	Gilpin channery silt loam, 0 to 3 percent slopes	2	4300.6	0.008	\$ 1,330.48
Indiana	GcB	Gilpin channery silt loam, 3 to 8 percent slopes	2	37286	0.07	\$ 1,334.01
Indiana	GuB	Gilpin-Upshur complex, 3 to 8 percent slopes	2	2588.1	0.005	\$ 1,282.95
Indiana	GwB	Gilpin-Weikert channery silt loams, 3 to 8 percent slopes	2	2695.1	0.005	\$ 1,261.11
Indiana	GyB	Guernsey silt loam, 3 to 8 percent slopes	2	507.5	0.001	\$ 1,445.97
Indiana	HnB	Hazleton channery sandy loam, 3 to 8 percent slopes	2	8602.3	0.016	\$ 1,485.16
Indiana	LoA	Lobdell silt loam, 0 to 2 percent slopes, occasionally flood	2	2973.7	0.006	\$ 1,480.92
Indiana	MeB	Matewan channery loam, 3 to 8 percent slopes	2	256.9	0	\$ 1,267.69
Indiana	MoA	Monongahela silt loam, 0 to 2 percent slopes	2	2356.1	0.004	\$ 1,485.16
Indiana	MoB	Monongahela silt loam, 2 to 6 percent slopes	2	3593.3	0.007	\$ 1,485.16
Indiana	PhA	Philo silt loam, 0 to 3 percent slopes, occasionally flooded	2	5805.1	0.011	\$ 1,470.92
Indiana	RnB	Rayne-Gilpin channery silt loams, 3 to 8 percent slopes	2	357.7	0.001	\$ 1,354.83
Indiana	VaB	Vandergrift silt loam, 3 to 8 percent slopes	2	451.4	0.001	\$ 1,404.32
Indiana	WhA	Wharton silt loam, 0 to 3 percent slopes	2	5313.2	0.01	\$ 1,341.02
Indiana	WhB	Wharton silt loam, 3 to 8 percent slopes	2	15361	0.029	\$ 1,338.92
Indiana	AhC	Allegheny silt loam, 8 to 15 percent slopes	3	437.9	0.001	\$ 1,376.71
Indiana	BeB	Bethesda very channery silt loam, 0 to 8 percent slopes	3	3621.8	0.007	\$ 1,004.79
Indiana	BhB	Bethesda very channery silt loam, 0 to 8 percent slopes, v	3	720.4	0.001	\$ 1,004.79
Indiana	BuC	Buchanan loam, 8 to 15 percent slopes	3	6139.8	0.011	\$ 1,269.61
Indiana	CaA	Cavode silt loam, 0 to 3 percent slopes	3	1767.1	0.003	\$ 1,250.14
Indiana	CaB	Cavode silt loam, 3 to 8 percent slopes	3	8002.4	0.015	\$ 1,250.14
Indiana	CaC	Cavode silt loam, 8 to 15 percent slopes	3	5028.5	0.009	\$ 1,215.83
Indiana	CkC	Clarksburg silt loam, 8 to 15 percent slopes	3	654.9	0.001	\$ 1,322.65
Indiana	ClC	Clymer channery loam, 8 to 15 percent slopes	3	4051	0.008	\$ 1,402.72
Indiana	CoC	Cookport loam, 8 to 15 percent slopes	3	2401.6	0.004	\$ 1,160.25
Indiana	CuC	Culleoka channery silt loam, 8 to 15 percent slopes	3	2026.2	0.004	\$ 1,418.49
Indiana	DoC	Dormont silt loam, 8 to 15 percent slopes	3	30.4	0	\$ 1,423.15
Indiana	ErC	Ernest silt loam, 8 to 15 percent slopes	3	23163	0.043	\$ 1,396.31
Indiana	FaB	Fairpoint very channery silt loam, 0 to 8 percent slopes	3	455.4	0.001	\$ 1,004.79
Indiana	GcC	Gilpin channery silt loam, 8 to 15 percent slopes	3	36658	0.069	\$ 1,332.25
Indiana	GuC	Gilpin-Upshur complex, 8 to 15 percent slopes	3	3463.6	0.006	\$ 1,282.95
Indiana	GwC	Gilpin-Weikert channery silt loams, 8 to 15 percent slopes	3	12298	0.023	\$ 1,217.48
Indiana	GyC	Guernsey silt loam, 8 to 15 percent slopes	3	644	0.001	\$ 1,301.60
Indiana	HnC	Hazleton channery sandy loam, 8 to 15 percent slopes	3	8041.6	0.015	\$ 1,429.31
Indiana	ItB	Itmann extremely channery loam, 0 to 8 percent slopes	3	340.5	0.001	\$ 1,004.79
Indiana	MeC	Matewan channery loam, 8 to 15 percent slopes	3	172.8	0	\$ 1,203.35
Indiana	MoC	Monongahela silt loam, 6 to 12 percent slopes	3	600.3	0.001	\$ 1,404.32

Indiana	RnC	Rayne-Gilpin channery silt loams, 8 to 15 percent slopes	3	12626	0.024	\$ 1,297.91
Indiana	TyA	Tyler silt loam, 0 to 2 percent slopes	3	1201.6	0.002	\$ 1,328.71
Indiana	TyB	Tyler silt loam, 2 to 6 percent slopes	3	664.6	0.001	\$ 1,328.71
Indiana	VaC	Vandergrift silt loam, 8 to 15 percent slopes	3	171.4	0	\$ 1,288.60
Indiana	WhC	Wharton silt loam, 8 to 15 percent slopes	3	7338	0.014	\$ 1,347.96
Indiana	ArA	Armagh silt loam, 0 to 3 percent slopes	4	221.5	0	\$ 1,124.02
Indiana	ArB	Armagh silt loam, 3 to 8 percent slopes	4	299.7	0.001	\$ 1,124.02
Indiana	AtA	Atkins-Philo complex, 0 to 3 percent slopes, frequently flc	4	8967.8	0.017	\$ 1,290.47
Indiana	BkA	Brinkerton silt loam, 0 to 3 percent slopes	4	3010.8	0.006	\$ 1,314.38
Indiana	BkB	Brinkerton silt loam, 3 to 8 percent slopes	4	4982.7	0.009	\$ 1,326.93
Indiana	BuD	Buchanan loam, 15 to 25 percent slopes	4	166.9	0	\$ 1,210.86
Indiana	CaD	Cavode silt loam, 15 to 25 percent slopes	4	879.4	0.002	\$ 1,194.92
Indiana	CuD	Culleoka channery silt loam, 15 to 25 percent slopes	4	415.7	0.001	\$ 1,288.60
Indiana	DrD	Dormont-Culleoka complex, 15 to 25 percent slopes	4	937.2	0.002	\$ 1,270.00
Indiana	ErD	Ernest silt loam, 15 to 25 percent slopes	4	610.3	0.001	\$ 1,205.44
Indiana	GcD	Gilpin channery silt loam, 15 to 25 percent slopes	4	19721	0.037	\$ 1,203.35
Indiana	GuD	Gilpin-Upshur complex, 15 to 25 percent slopes	4	3037.5	0.006	\$ 1,036.19
Indiana	GwD	Gilpin-Weikert channery silt loams, 15 to 25 percent slope	4	28020	0.052	\$ 1,004.79
Indiana	HnD	Hazleton channery sandy loam, 15 to 25 percent slopes	4	7542.8	0.014	\$ 1,301.60
Indiana	HoA	Holly silt loam, 0 to 2 percent slopes, frequently flooded	4	3381.3	0.006	\$ 1,373.39
Indiana	ItD	Itmann extremely channery loam, 8 to 25 percent slopes	4	1132.4	0.002	\$ 1,004.79
Indiana	MeD	Matewan channery loam, 15 to 25 percent slopes	4	233.8	0	\$ 1,107.65
Indiana	NoA	Nolo silt loam, 0 to 3 percent slopes	4	398.9	0.001	\$ 1,282.95
Indiana	NoB	Nolo silt loam, 3 to 8 percent slopes	4	438.9	0.001	\$ 1,211.69
Indiana	PuA	Purdy silt loam, 0 to 2 percent slopes	4	785.6	0.001	\$ 1,250.14
Indiana	RnD	Rayne-Gilpin channery silt loams, 15 to 25 percent slopes	4	7501.8	0.014	\$ 1,228.12
Indiana	WhD	Wharton silt loam, 15 to 25 percent slopes	4	718.7	0.001	\$ 1,285.97
Indiana	BeD	Bethesda very channery silt loam, 8 to 25 percent slopes	6	12509	0.023	\$ 891.33
Indiana	BhD	Bethesda very channery silt loam, 8 to 25 percent slopes,	6	10065	0.019	\$ 891.33
Indiana	BsB	Brinkerton mucky silt loam, 0 to 8 percent slopes, very stc	6	263.2	0	\$ 891.33
Indiana	CdB	Cavode silt loam, 0 to 8 percent slopes, very stony	6	365.7	0.001	\$ 891.33
Indiana	CdD	Cavode silt loam, 8 to 25 percent slopes, very stony	6	69.3	0	\$ 891.33
Indiana	CpB	Cookport loam, 0 to 8 percent slopes, very stony	6	799.9	0.001	\$ 891.33
Indiana	CpD	Cookport loam, 8 to 25 percent slopes, very stony	6	668.2	0.001	\$ 891.33
Indiana	EsB	Ernest silt loam, 0 to 8 percent slopes, very stony	6	1421.8	0.003	\$ 891.33
Indiana	EsD	Ernest silt loam, 8 to 25 percent slopes, very stony	6	1166.8	0.002	\$ 891.33
Indiana	FaD	Fairpoint very channery silt loam, 8 to 25 percent slopes	6	1447.1	0.003	\$ 891.33
Indiana	GnB	Gilpin channery silt loam, 0 to 8 percent slopes, very ston	6	1236.6	0.002	\$ 891.33
Indiana	GnD	Gilpin channery silt loam, 8 to 25 percent slopes, very ston	6	4064.9	0.008	\$ 891.33
Indiana	HsB	Hazleton channery sandy loam, 0 to 8 percent slopes, extr	6	213.4	0	\$ 891.33
Indiana	HxD	Hazleton-Clymer complex, 8 to 25 percent slopes, extrem	6	4256.6	0.008	\$ 891.33
Indiana	RsB	Rayne-Gilpin channery silt loams, 0 to 8 percent slopes, ve	6	1189.8	0.002	\$ 891.33
Indiana	RsD	Rayne-Gilpin channery silt loams, 8 to 25 percent slopes, v	6	5146.1	0.01	\$ 891.33
Indiana	UdB	Udorthents, 0 to 8 percent slopes	6	52.9	0	\$ 891.33
Indiana	BhF	Bethesda very channery silt loam, 25 to 75 percent slopes	7	13492	0.025	\$ 891.33
Indiana	BxB	Buchanan loam, 0 to 8 percent slopes, extremely stony	7	4152.4	0.008	\$ 891.33
Indiana	BxD	Buchanan loam, 8 to 25 percent slopes, extremely stony	7	3671.3	0.007	\$ 891.33

Indiana	DkB	Dekalb-Hazleton channery sandy loams, 0 to 8 percent slc	7	877.5	0.002	\$ 891.33
Indiana	DkD	Dekalb-Hazleton channery sandy loams, 8 to 25 percent sl	7	1681.8	0.003	\$ 891.33
Indiana	DkF	Dekalb-Hazleton channery sandy loams, 25 to 80 percent	7	1055.6	0.002	\$ 891.33
Indiana	DrE	Dormont-Culleoka complex, 25 to 50 percent slopes	7	307.2	0.001	\$ 891.33
Indiana	FaF	Fairpoint very channery silt loam, 25 to 75 percent slopes	7	106.2	0	\$ 891.33
Indiana	GcF	Gilpin channery silt loam, 25 to 60 percent slopes	7	12240	0.023	\$ 891.33
Indiana	GoF	Gilpin-Rock outcrop complex, 45 to 100 percent slopes	7	562	0.001	\$ 891.33
Indiana	GuE	Gilpin-Upshur complex, 25 to 45 percent slopes	7	1219	0.002	\$ 891.33
Indiana	GwF	Gilpin-Weikert channery silt loams, 25 to 60 percent slope	7	18381	0.034	\$ 891.33
Indiana	GxF	Gilpin-Weikert channery silt loams, 25 to 100 percent slop	7	1886.4	0.004	\$ 891.33
Indiana	HnF	Hazleton channery sandy loam, 25 to 70 percent slopes	7	3108.4	0.006	\$ 891.33
Indiana	HsD	Hazleton channery sandy loam, 8 to 25 percent slopes, ex	7	784.4	0.001	\$ 891.33
Indiana	HsF	Hazleton channery sandy loam, 25 to 70 percent slopes, e	7	3662.4	0.007	\$ 891.33
Indiana	HxB	Hazleton-Clymer complex, 0 to 8 percent slopes, extreme	7	5030.4	0.009	\$ 891.33
Indiana	IxF	Iltmann extremely channery loam, 25 to 70 percent slopes	7	270.9	0.001	\$ 891.33
Indiana	LaB	Laidig gravelly loam, 0 to 8 percent slopes, extremely stor	7	37.7	0	\$ 891.33
Indiana	LaD	Laidig gravelly loam, 8 to 25 percent slopes, extremely stc	7	1011.2	0.002	\$ 891.33
Indiana	LaE	Laidig gravelly loam, 25 to 35 percent slopes, extremely st	7	172.5	0	\$ 891.33
Indiana	LkF	Leck Kill channery silt loam, 25 to 60 percent slopes, extre	7	450.9	0.001	\$ 891.33
Indiana	McF	Macove-Gilpin channery silt loams, 35 to 70 percent slope	7	943.2	0.002	\$ 891.33
Indiana	MeF	Matewan channery loam, 25 to 50 percent slopes	7	156.3	0	\$ 891.33
Indiana	MkD	Meckesville channery silt loam, 8 to 25 percent slopes, ex	7	269.7	0.001	\$ 891.33
Indiana	ShF	Shelocta-Gilpin channery silt loams, 25 to 75 percent slop	7	3377.4	0.006	\$ 891.33
Indiana	SxF	Shelocta-Gilpin channery silt loams, 25 to 75 percent slop	7	7215	0.014	\$ 891.33
Indiana	DAM	Dam	8	4.6	0	\$ 891.33
Indiana	DU	Dumps, fly ash	8	749	0.001	\$ 891.33
Indiana	Pk	Pits, quarries	8	63.5	0	\$ 891.33
Jefferson	AhA	Allegheny silt loam, 0 to 3 percent slopes	1	105.6	0	\$ 1,501.83
Jefferson	ChA	Chavies fine sandy loam, 0 to 3 percent slopes, rarely floo	1	1518.7	0.004	\$ 1,442.98
Jefferson	PmA	Pope fine sandy loam, 0 to 2 percent slopes, rarely flood	1	282.1	0.001	\$ 1,524.73
Jefferson	PoA	Pope silt loam, 0 to 2 percent slopes, occasionally flooded	1	194.2	0	\$ 1,516.83
Jefferson	AhB	Allegheny silt loam, 3 to 8 percent slopes	2	258.5	0.001	\$ 1,453.41
Jefferson	BuB	Buchanan loam, 3 to 8 percent slopes	2	2060.9	0.005	\$ 1,377.04
Jefferson	ClB	Clymer channery loam, 3 to 8 percent slopes	2	1494.4	0.004	\$ 1,459.30
Jefferson	CoA	Cookport loam, 0 to 3 percent slopes	2	2156.2	0.005	\$ 1,236.20
Jefferson	CoB	Cookport loam, 3 to 8 percent slopes	2	4832.5	0.011	\$ 1,194.92
Jefferson	CtA	Cotaco silt loam, 0 to 3 percent slopes, rarely flooded	2	558.1	0.001	\$ 1,432.37
Jefferson	CuB	Culleoka channery silt loam, 3 to 8 percent slopes	2	255.2	0.001	\$ 1,492.16
Jefferson	ErA	Ernest silt loam, 0 to 3 percent slopes	2	1304.2	0.003	\$ 1,383.30
Jefferson	ErB	Ernest silt loam, 3 to 8 percent slopes	2	28664	0.068	\$ 1,407.49
Jefferson	GcA	Gilpin channery silt loam, 0 to 3 percent slopes	2	1612.1	0.004	\$ 1,330.48
Jefferson	GcB	Gilpin channery silt loam, 3 to 8 percent slopes	2	13547	0.032	\$ 1,335.77
Jefferson	GgA	Gilpin silt loam, 0 to 3 percent slopes	2	3259.4	0.008	\$ 1,314.38
Jefferson	GgB	Gilpin silt loam, 3 to 8 percent slopes	2	18626	0.044	\$ 1,290.47
Jefferson	GuB	Gilpin-Upshur complex, 3 to 8 percent slopes	2	48.3	0	\$ 1,282.95
Jefferson	GwB	Gilpin-Weikert channery silt loams, 3 to 8 percent slopes	2	1966.4	0.005	\$ 1,261.11
Jefferson	GyB	Guernsey silt loam, 3 to 8 percent slopes	2	1175.9	0.003	\$ 1,501.83

Jefferson	HIB	Hartleton channery silt loam, 3 to 8 percent slopes	2	912.3	0.002	\$ 1,211.69
Jefferson	HnB	Hazleton channery sandy loam, 3 to 8 percent slopes	2	10655	0.025	\$ 1,485.16
Jefferson	MoA	Monongahela silt loam, 0 to 3 percent slopes	2	1064.1	0.003	\$ 1,409.71
Jefferson	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	305.9	0.001	\$ 1,407.49
Jefferson	PhA	Philo silt loam, 0 to 3 percent slopes, occasionally flooded	2	3568	0.008	\$ 1,416.93
Jefferson	RnB	Rayne-Gilpin channery silt loams, 3 to 8 percent slopes	2	1464.1	0.003	\$ 1,354.83
Jefferson	ShB	Shelocta silt loam, 3 to 8 percent slopes	2	170	0	\$ 1,394.70
Jefferson	WhA	Wharton silt loam, 0 to 3 percent slopes	2	967.6	0.002	\$ 1,160.25
Jefferson	WhB	Wharton silt loam, 3 to 8 percent slopes	2	1605.1	0.004	\$ 1,160.25
Jefferson	AhC	Allegheny silt loam, 8 to 15 percent slopes	3	170.3	0	\$ 1,386.58
Jefferson	BeB	Bethesda very channery silt loam, 0 to 8 percent slopes	3	5773	0.014	\$ 1,004.79
Jefferson	BhB	Bethesda very channery silt loam, 0 to 8 percent slopes, v	3	904.3	0.002	\$ 1,004.79
Jefferson	BuC	Buchanan loam, 8 to 15 percent slopes	3	1341.8	0.003	\$ 1,346.57
Jefferson	CaA	Cavode silt loam, 0 to 3 percent slopes	3	2889	0.007	\$ 1,279.17
Jefferson	CaB	Cavode silt loam, 3 to 8 percent slopes	3	14904	0.035	\$ 1,282.95
Jefferson	CaC	Cavode silt loam, 8 to 15 percent slopes	3	9493.1	0.023	\$ 1,246.18
Jefferson	CIC	Clymer channery loam, 8 to 15 percent slopes	3	1210.9	0.003	\$ 1,402.72
Jefferson	CoC	Cookport loam, 8 to 15 percent slopes	3	758	0.002	\$ 1,160.25
Jefferson	CuC	Culleoka channery silt loam, 8 to 15 percent slopes	3	118.3	0	\$ 1,418.49
Jefferson	ErC	Ernest silt loam, 8 to 15 percent slopes	3	11771	0.028	\$ 1,351.40
Jefferson	GcC	Gilpin channery silt loam, 8 to 15 percent slopes	3	17969	0.043	\$ 1,301.60
Jefferson	GgC	Gilpin silt loam, 8 to 15 percent slopes	3	22830	0.054	\$ 1,259.94
Jefferson	GuC	Gilpin-Upshur complex, 8 to 15 percent slopes	3	26.8	0	\$ 1,282.95
Jefferson	GwC	Gilpin-Weikert channery silt loams, 8 to 15 percent slopes	3	1841.5	0.004	\$ 1,217.48
Jefferson	GyC	Guernsey silt loam, 8 to 15 percent slopes	3	96.8	0	\$ 1,301.60
Jefferson	HIC	Hartleton channery silt loam, 8 to 15 percent slopes	3	464.3	0.001	\$ 1,158.03
Jefferson	HnC	Hazleton channery sandy loam, 8 to 15 percent slopes	3	6168.8	0.015	\$ 1,429.31
Jefferson	RnC	Rayne-Gilpin channery silt loams, 8 to 15 percent slopes	3	345.9	0.001	\$ 1,297.91
Jefferson	TyA	Tyler silt loam, 0 to 2 percent slopes	3	237.4	0.001	\$ 1,328.71
Jefferson	WhC	Wharton silt loam, 8 to 15 percent slopes	3	352.2	0.001	\$ 1,086.11
Jefferson	ArA	Armagh silt loam, 0 to 3 percent slopes	4	1147.4	0.003	\$ 1,124.02
Jefferson	ArB	Armagh silt loam, 3 to 8 percent slopes	4	1088.9	0.003	\$ 1,124.02
Jefferson	AtA	Atkins-Philo complex, 0 to 3 percent slopes, frequently floc	4	9659.7	0.023	\$ 1,290.47
Jefferson	BkA	Brinkerton soils, 0 to 3 percent slopes	4	7255.7	0.017	\$ 1,296.06
Jefferson	BkB	Brinkerton soils, 3 to 8 percent slopes	4	9262.6	0.022	\$ 1,296.06
Jefferson	GcD	Gilpin channery silt loam, 15 to 25 percent slopes	4	17352	0.041	\$ 1,265.76
Jefferson	GgD	Gilpin silt loam, 15 to 25 percent slopes	4	13905	0.033	\$ 1,194.92
Jefferson	GuD	Gilpin-Upshur complex, 15 to 25 percent slopes	4	20.5	0	\$ 1,036.19
Jefferson	GwD	Gilpin-Weikert channery silt loams, 15 to 25 percent slopes	4	4006.2	0.01	\$ 1,004.79
Jefferson	HID	Hartleton channery silt loam, 15 to 25 percent slopes	4	826.8	0.002	\$ 1,124.02
Jefferson	HnD	Hazleton channery sandy loam, 15 to 25 percent slopes	4	3905	0.009	\$ 1,301.60
Jefferson	NoA	Nolo silt loam, 0 to 3 percent slopes	4	475.2	0.001	\$ 1,282.95
Jefferson	NoB	Nolo silt loam, 3 to 8 percent slopes	4	356.5	0.001	\$ 1,211.69
Jefferson	PuA	Purdy silt loam, 0 to 2 percent slopes	4	1193.4	0.003	\$ 1,250.14
Jefferson	RnD	Rayne-Gilpin channery silt loams, 15 to 25 percent slopes	4	699.9	0.002	\$ 1,228.12
Jefferson	WhD	Wharton silt loam, 15 to 25 percent slopes	4	710.2	0.002	\$ 1,190.67
Jefferson	BeD	Bethesda very channery silt loam, 8 to 25 percent slopes	6	15671	0.037	\$ 891.33

Jefferson	BhD	Bethesda very channery silt loam, 8 to 25 percent slopes,	6	11844	0.028	\$ 891.33
Jefferson	BsB	Brinkerton mucky silt loam, 0 to 8 percent slopes, very stc	6	3409.1	0.008	\$ 891.33
Jefferson	CdB	Cavode silt loam, 0 to 8 percent slopes, very stony	6	1847.9	0.004	\$ 891.33
Jefferson	CdD	Cavode silt loam, 8 to 25 percent slopes, very stony	6	906.3	0.002	\$ 891.33
Jefferson	CpB	Cookport loam, 0 to 8 percent slopes, very stony	6	10244	0.024	\$ 891.33
Jefferson	CpD	Cookport loam, 8 to 25 percent slopes, very stony	6	2738.4	0.007	\$ 891.33
Jefferson	EsB	Ernest silt loam, 0 to 8 percent slopes, very stony	6	4962.8	0.012	\$ 891.33
Jefferson	EsD	Ernest silt loam, 8 to 25 percent slopes, very stony	6	2668	0.006	\$ 891.33
Jefferson	HsB	Hazleton channery sandy loam, 0 to 8 percent slopes, extr	6	8769.1	0.021	\$ 891.33
Jefferson	RsB	Rayne-Gilpin channery silt loams, 0 to 8 percent slopes, ve	6	2904.4	0.007	\$ 891.33
Jefferson	RsD	Rayne-Gilpin channery silt loams, 8 to 25 percent slopes, v	6	7871.6	0.019	\$ 891.33
Jefferson	UdB	Udorthents, 0 to 8 percent slopes	6	613.5	0.001	\$ 891.33
Jefferson	BhF	Bethesda very channery silt loam, 25 to 75 percent slopes	7	8890.2	0.021	\$ 891.33
Jefferson	BxB	Buchanan loam, 0 to 8 percent slopes, extremely stony	7	7362.5	0.018	\$ 891.33
Jefferson	BxD	Buchanan loam, 8 to 25 percent slopes, extremely stony	7	5940.8	0.014	\$ 891.33
Jefferson	DkB	Dekalb-Hazleton channery sandy loams, 0 to 8 percent slc	7	2253.1	0.005	\$ 891.33
Jefferson	DkD	Dekalb-Hazleton channery sandy loams, 8 to 25 percent sl	7	813.8	0.002	\$ 891.33
Jefferson	GcF	Gilpin channery silt loam, 25 to 60 percent slopes	7	5528.4	0.013	\$ 891.33
Jefferson	GwF	Gilpin-Weikert channery silt loams, 25 to 60 percent slope	7	7227.3	0.017	\$ 891.33
Jefferson	HlF	Hartleton channery silt loam, 25 to 60 percent slopes	7	185.5	0	\$ 891.33
Jefferson	HnF	Hazleton channery sandy loam, 25 to 70 percent slopes	7	1669.1	0.004	\$ 891.33
Jefferson	HsD	Hazleton channery sandy loam, 8 to 25 percent slopes, ex	7	17097	0.041	\$ 891.33
Jefferson	HsF	Hazleton channery sandy loam, 25 to 70 percent slopes, e	7	4591	0.011	\$ 891.33
Jefferson	IxF	Iltmann extremely channery loam, 25 to 70 percent slopes	7	159.3	0	\$ 891.33
Jefferson	LaF	Laidig channery loam, 25 to 50 percent slopes, extremely	7	929.1	0.002	\$ 891.33
Jefferson	NsB	Nolo silt loam, 0 to 8 percent slopes, very stony	7	766.5	0.002	\$ 891.33
Jefferson	ShF	Shelocta-Gilpin channery silt loams, 25 to 75 percent slop	7	951.1	0.002	\$ 891.33
Jefferson	SxF	Shelocta-Gilpin channery silt loams, 25 to 75 percent slop	7	2521.2	0.006	\$ 891.33
Jefferson	Pk	Pits, quarry	8	63.7	0	\$ 891.33
Jefferson	VrG	Varilla very channery sandy loam, 50 to 80 percent slopes	8	600.1	0.001	\$ 891.33
Juniata/Mifflin	As	Ashton silt loam	1	916.7	0.002	\$ 1,595.83
Juniata/Mifflin	AbB	Allegheny loam, 2 to 8 percent slopes	2	4744.1	0.009	\$ 1,502.65
Juniata/Mifflin	AdB	Allenwood gravelly silt loam, 2 to 8 percent slopes	2	1294.4	0.003	\$ 1,571.24
Juniata/Mifflin	BkB	Berks channery silt loam, 3 to 8 percent slopes	2	9144.4	0.018	\$ 1,190.67
Juniata/Mifflin	BuB	Buchanan gravelly loam, 3 to 8 percent slopes	2	4267.4	0.008	\$ 1,460.76
Juniata/Mifflin	CaB	Chavies loam, 2 to 8 percent slopes	2	1598.8	0.003	\$ 1,439.72
Juniata/Mifflin	EdB	Edom silty clay loam, 3 to 8 percent slopes	2	3907.7	0.008	\$ 1,347.96
Juniata/Mifflin	EeB	Edom-Klinesville complex, 3 to 8 percent slopes	2	1748.8	0.003	\$ 1,220.44
Juniata/Mifflin	ErB	Ernest silt loam, 2 to 8 percent slopes	2	6062.1	0.012	\$ 1,485.16
Juniata/Mifflin	HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	9911.7	0.019	\$ 1,642.70
Juniata/Mifflin	HcB	Hagerstown silty clay loam, 3 to 8 percent slopes	2	4521.3	0.009	\$ 1,653.19
Juniata/Mifflin	HhB	Hazleton channery loam, 3 to 8 percent slopes	2	679.1	0.001	\$ 1,493.55
Juniata/Mifflin	KrB	Kreamer cherty silt loam, 2 to 8 percent slopes	2	3454.6	0.007	\$ 1,279.17
Juniata/Mifflin	LaB	Laidig channery loam, 3 to 8 percent slopes	2	1257.9	0.002	\$ 1,347.96
Juniata/Mifflin	MeB	Mertz cherty silt loam, 3 to 8 percent slopes	2	4319.6	0.008	\$ 1,420.36
Juniata/Mifflin	MnB	Millheim silt loam, 3 to 8 percent slopes	2	369.4	0.001	\$ 1,341.02
Juniata/Mifflin	MoA	Monongahela silt loam, 0 to 3 percent slopes	2	1434.7	0.003	\$ 1,410.02

Juniata/Mifflin	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	5332.2	0.01	\$ 1,352.09
Juniata/Mifflin	MrB	Morrison gravelly sandy loam, 3 to 8 percent slopes	2	3680.2	0.007	\$ 1,312.56
Juniata/Mifflin	MuB	Murrill gravelly loam, 3 to 8 percent slopes	2	4356.3	0.008	\$ 1,457.54
Juniata/Mifflin	Ne	Newark silt loam	2	734	0.001	\$ 1,485.16
Juniata/Mifflin	No	Nolin silt loam	2	2458.8	0.005	\$ 1,445.38
Juniata/Mifflin	Ph	Philo silt loam	2	3244.5	0.006	\$ 1,516.83
Juniata/Mifflin	Po	Pope soils	2	1059.9	0.002	\$ 1,520.78
Juniata/Mifflin	WaB	Watson gravelly silt loam, 2 to 8 percent slopes	2	1239.7	0.002	\$ 1,355.31
Juniata/Mifflin	AdC	Allenwood gravelly silt loam, 8 to 15 percent slopes	3	785.3	0.002	\$ 1,499.08
Juniata/Mifflin	AlB	Alvira silt loam, 2 to 8 percent slopes	3	985.4	0.002	\$ 1,310.38
Juniata/Mifflin	At	Atkins silt loam	3	6919.8	0.013	\$ 1,354.90
Juniata/Mifflin	BkC	Berks channery silt loam, 8 to 15 percent slopes	3	21040	0.041	\$ 1,153.58
Juniata/Mifflin	BuC	Buchanan gravelly loam, 8 to 15 percent slopes	3	2862.3	0.006	\$ 1,279.17
Juniata/Mifflin	EdC	Edom silty clay loam, 8 to 15 percent slopes	3	5629.2	0.011	\$ 1,275.36
Juniata/Mifflin	EeC	Edom-Klinesville complex, 8 to 15 percent slopes	3	2793.3	0.005	\$ 1,004.79
Juniata/Mifflin	EfB	Edom-Weikert complex, 3 to 8 percent slopes	3	3026.8	0.006	\$ 1,279.85
Juniata/Mifflin	EfC	Edom-Weikert complex, 8 to 15 percent slopes	3	5014.8	0.01	\$ 1,062.12
Juniata/Mifflin	EIB	Elliber very cherty loam, 3 to 8 percent slopes	3	523.6	0.001	\$ 1,354.83
Juniata/Mifflin	ErC	Ernest silt loam, 8 to 15 percent slopes	3	2306.3	0.004	\$ 1,278.41
Juniata/Mifflin	Ev	Evendale cherty silt loam	3	898	0.002	\$ 1,243.16
Juniata/Mifflin	HcC	Hagerstown silty clay loam, 8 to 15 percent slopes	3	5497.1	0.011	\$ 1,531.01
Juniata/Mifflin	HhC	Hazleton channery loam, 8 to 15 percent slopes	3	1631.1	0.003	\$ 1,435.42
Juniata/Mifflin	KIB	Klinesville shaly silt loam, 3 to 8 percent slopes	3	960.1	0.002	\$ 1,015.07
Juniata/Mifflin	KrC	Kreamer cherty silt loam, 8 to 15 percent slopes	3	730.2	0.001	\$ 1,212.94
Juniata/Mifflin	LaC	Laidig channery loam, 8 to 15 percent slopes	3	2763.1	0.005	\$ 1,312.56
Juniata/Mifflin	Ma	Melvin silt loam	3	2118	0.004	\$ 1,261.88
Juniata/Mifflin	MeC	Mertz cherty silt loam, 8 to 15 percent slopes	3	8339.6	0.016	\$ 1,388.54
Juniata/Mifflin	MnC	Millheim silt loam, 8 to 15 percent slopes	3	359.6	0.001	\$ 1,275.36
Juniata/Mifflin	MrC	Morrison gravelly sandy loam, 8 to 15 percent slopes	3	7670.8	0.015	\$ 1,277.26
Juniata/Mifflin	MuC	Murrill gravelly loam, 8 to 15 percent slopes	3	2203.9	0.004	\$ 1,402.40
Juniata/Mifflin	OpB	Opequon silty clay loam, 3 to 8 percent slopes-mlra147	3	2277.8	0.004	\$ 1,351.40
Juniata/Mifflin	Pe	Penlaw silt loam	3	1700.8	0.003	\$ 1,308.93
Juniata/Mifflin	Ty	Tyler silt loam	3	2739.3	0.005	\$ 1,312.56
Juniata/Mifflin	WaC	Watson gravelly silt loam, 8 to 15 percent slopes	3	258	0	\$ 1,289.65
Juniata/Mifflin	WeB	Weikert channery silt loam, 3 to 8 percent slopes	3	1291.5	0.002	\$ 1,335.42
Juniata/Mifflin	AdD	Allenwood gravelly silt loam, 15 to 25 percent slopes	4	140.1	0	\$ 1,373.39
Juniata/Mifflin	AnB	Andover gravelly loam, 2 to 8 percent slopes	4	2865.8	0.006	\$ 1,209.62
Juniata/Mifflin	BrA	Brinkerton silt loam, 0 to 3 percent slopes	4	2400.1	0.005	\$ 1,295.68
Juniata/Mifflin	BrB	Brinkerton silt loam, 3 to 8 percent slopes	4	11051	0.021	\$ 1,291.22
Juniata/Mifflin	EdD	Edom silty clay loam, 15 to 25 percent slopes	4	2540	0.005	\$ 1,194.92
Juniata/Mifflin	EeD	Edom-Klinesville complex, 15 to 25 percent slopes	4	931.4	0.002	\$ 1,004.79
Juniata/Mifflin	EIC	Elliber very cherty loam, 8 to 15 percent slopes	4	1924.4	0.004	\$ 1,319.78
Juniata/Mifflin	HcD	Hagerstown silty clay loam, 15 to 25 percent slopes	4	824.1	0.002	\$ 1,469.19
Juniata/Mifflin	HhD	Hazleton channery loam, 15 to 25 percent slopes	4	1184.1	0.002	\$ 1,405.46
Juniata/Mifflin	KIC	Klinesville shaly silt loam, 8 to 15 percent slopes	4	3580.9	0.007	\$ 1,004.79
Juniata/Mifflin	LaD	Laidig channery loam, 15 to 25 percent slopes	4	559.4	0.001	\$ 1,234.18
Juniata/Mifflin	MeD	Mertz cherty silt loam, 15 to 25 percent slopes	4	3960.8	0.008	\$ 1,357.01

Juniata/Mifflin	MrD	Morrison gravelly sandy loam, 15 to 25 percent slopes	4	5773.3	0.011	\$ 1,242.20
Juniata/Mifflin	OpC	Opequon silty clay loam, 8 to 15 percent slopes	4	4054.2	0.008	\$ 1,332.25
Juniata/Mifflin	Pu	Purdy silt loam	4	3215.7	0.006	\$ 1,211.69
Juniata/Mifflin	VaC	Vanderlip loamy sand, 5 to 15 percent slopes	4	583.2	0.001	\$ 1,135.52
Juniata/Mifflin	WeC	Weikert channery silt loam, 8 to 15 percent slopes	4	2684.3	0.005	\$ 1,126.33
Juniata/Mifflin	BID	Berks-Weikert channery silt loams, 15 to 25 percent slope	6	17704	0.034	\$ 891.33
Juniata/Mifflin	EfD	Edom-Weikert complex, 15 to 25 percent slopes	6	2940.7	0.006	\$ 930.70
Juniata/Mifflin	EID	Elliber very cherty loam, 15 to 25 percent slopes	6	1968	0.004	\$ 891.33
Juniata/Mifflin	HeB	Hagerstown-Rock outcrop complex, 0 to 8 percent slopes	6	295.9	0.001	\$ 1,177.25
Juniata/Mifflin	HeD	Hagerstown-Rock outcrop complex, 8 to 25 percent slope	6	1181.7	0.002	\$ 1,053.60
Juniata/Mifflin	KID	Klinesville shaly silt loam, 15 to 25 percent slopes	6	2286	0.004	\$ 891.33
Juniata/Mifflin	OpD	Opequon silty clay loam, 15 to 25 percent slopes	6	2985.2	0.006	\$ 1,332.25
Juniata/Mifflin	WeD	Weikert channery silt loam, 15 to 25 percent slopes	6	4118.3	0.008	\$ 891.33
Juniata/Mifflin	AoB	Andover extremely stony loam, 0 to 8 percent slopes	7	10061	0.019	\$ 891.33
Juniata/Mifflin	AoC	Andover extremely stony loam, 8 to 15 percent slopes	7	2920.4	0.006	\$ 891.33
Juniata/Mifflin	BMF	Berks-Weikert association, steep	7	35606	0.069	\$ 891.33
Juniata/Mifflin	BxB	Buchanan extremely stony loam, 3 to 8 percent slopes	7	5570.4	0.011	\$ 891.33
Juniata/Mifflin	BxD	Buchanan extremely stony loam, 8 to 15 percent slopes	7	13619	0.026	\$ 891.33
Juniata/Mifflin	EIF	Elliber very cherty loam, 25 to 60 percent slopes	7	5328.8	0.01	\$ 891.33
Juniata/Mifflin	HSB	Hazleton-Dekalb extremely stony sandy loams, gently slop	7	6846.8	0.013	\$ 891.33
Juniata/Mifflin	HSD	Hazleton-Dekalb extremely stony sandy loams, moderatel	7	17067	0.033	\$ 891.33
Juniata/Mifflin	HTF	Hazleton-Dekalb association, steep	7	84866	0.164	\$ 891.33
Juniata/Mifflin	KIF	Klinesville shaly silt loam, 25 to 50 percent slopes	7	603.6	0.001	\$ 891.33
Juniata/Mifflin	LcB	Laidig extremely stony loam, 3 to 8 percent slopes	7	1785.9	0.003	\$ 891.33
Juniata/Mifflin	LcD	Laidig extremely stony loam, 8 to 25 percent slopes	7	43149	0.083	\$ 891.33
Juniata/Mifflin	LDF	Laidig extremely stony loam, steep	7	7073.4	0.014	\$ 891.33
Juniata/Mifflin	LtB	Leetonia extremely stony loamy sand, 0 to 12 percent slop	7	3219.1	0.006	\$ 891.33
Juniata/Mifflin	ORF	Opequon-Hagerstown complex, steep	7	5968.4	0.012	\$ 891.33
Juniata/Mifflin	Ru	Rubble land	7	12127	0.023	\$ 891.33
Juniata/Mifflin	GP	Gravel pit	8	3.5	0	\$ 891.33
Juniata/Mifflin	IW	Industrial waste	8	9.6	0	\$ 891.33
Juniata/Mifflin	QU	Quarry	8	477.2	0.001	\$ 891.33
Lackawana	Po	Pope soils	1	659.7	0.002	\$ 1,530.31
Lackawana	Pp	Pope soils, rarely flooded	1	369.8	0.001	\$ 1,530.86
Lackawana	BaB	Bath channery silt loam, 3 to 8 percent slopes	2	540.6	0.002	\$ 1,436.94
Lackawana	BcB	Braceville gravelly loam, 2 to 6 percent slopes	2	133.6	0	\$ 1,362.92
Lackawana	LaB	Lackawanna channery loam, 3 to 8 percent slopes	2	783.9	0.003	\$ 1,430.23
Lackawana	LeB	Lordstown channery silt loam, 3 to 8 percent slopes	2	541.1	0.002	\$ 1,342.76
Lackawana	LfB	Lordstown flaggy silt loam, 3 to 8 percent slopes	2	292.8	0.001	\$ 1,310.75
Lackawana	McB	Mardin channery silt loam, 3 to 8 percent slopes	2	1048.4	0.004	\$ 1,399.52
Lackawana	OcB	Oquaga channery loam, 3 to 8 percent slopes	2	1676.3	0.006	\$ 1,207.53
Lackawana	OfB	Oquaga flaggy loam, 3 to 8 percent slopes	2	1351.5	0.005	\$ 1,207.53
Lackawana	Ph	Philo silt loam	2	603.9	0.002	\$ 1,524.73
Lackawana	SwB	Swartswood channery loam, 3 to 8 percent slopes	2	1023.3	0.003	\$ 1,344.49
Lackawana	UnB	Unadilla silt loam, 3 to 8 percent slopes	2	30.4	0	\$ 1,376.71
Lackawana	WcB	Wellsboro channery loam, 3 to 8 percent slopes	2	4284.5	0.014	\$ 1,394.70
Lackawana	WkB	Wurtsboro channery loam, 3 to 8 percent slopes	2	1684.5	0.006	\$ 1,248.16

Lackawana	BaC	Bath channery silt loam, 8 to 15 percent slopes	3	544.3	0.002	\$ 1,378.36
Lackawana	Hm	Holly silt loam	3	1921.3	0.006	\$ 1,290.47
Lackawana	LaC	Lackawanna channery loam, 8 to 15 percent slopes	3	849.5	0.003	\$ 1,350.37
Lackawana	LeC	Lordstown channery silt loam, 8 to 15 percent slopes	3	416.5	0.001	\$ 1,310.75
Lackawana	LfC	Lordstown flaggy silt loam, 8 to 15 percent slopes	3	382.4	0.001	\$ 1,277.26
Lackawana	McC	Mardin channery silt loam, 8 to 15 percent slopes	3	1331.4	0.004	\$ 1,308.20
Lackawana	MfB	Mardin flaggy silt loam, 3 to 8 percent slopes	3	540.5	0.002	\$ 1,397.92
Lackawana	MrA	Morris channery loam, 0 to 3 percent slopes	3	1426.8	0.005	\$ 1,171.25
Lackawana	MrB	Morris channery loam, 3 to 8 percent slopes	3	11603	0.039	\$ 1,166.87
Lackawana	MrC	Morris channery loam, 8 to 15 percent slopes	3	4895.4	0.016	\$ 1,199.15
Lackawana	MsB	Morris flaggy loam, 3 to 8 percent slopes	3	3213.2	0.011	\$ 1,124.02
Lackawana	MsC	Morris flaggy loam, 8 to 15 percent slopes	3	1554.6	0.005	\$ 1,164.67
Lackawana	OcC	Oquaga channery loam, 8 to 15 percent slopes	3	1687.9	0.006	\$ 1,209.62
Lackawana	OfC	Oquaga flaggy loam, 8 to 15 percent slopes	3	1806.4	0.006	\$ 1,205.44
Lackawana	ReA	Rexford loam, 0 to 5 percent slopes	3	259.7	0.001	\$ 1,182.09
Lackawana	SwC	Swartswood channery loam, 8 to 15 percent slopes	3	889.2	0.003	\$ 1,275.36
Lackawana	VcA	Volusia channery silt loam, 0 to 3 percent slopes	3	1100.6	0.004	\$ 1,173.43
Lackawana	VcB	Volusia channery silt loam, 3 to 8 percent slopes	3	4662.4	0.016	\$ 1,205.44
Lackawana	VcC	Volusia channery silt loam, 8 to 18 percent slopes	3	2073	0.007	\$ 1,208.37
Lackawana	VfB	Volusia flaggy silt loam, 3 to 8 percent slopes	3	1723.1	0.006	\$ 1,211.69
Lackawana	VfC	Volusia flaggy silt loam, 8 to 15 percent slopes	3	672.3	0.002	\$ 1,218.30
Lackawana	WcC	Wellsboro channery loam, 8 to 15 percent slopes	3	6013.7	0.02	\$ 1,308.93
Lackawana	WfB	Wellsboro flaggy loam, 3 to 8 percent slopes	3	1092.8	0.004	\$ 1,393.08
Lackawana	WkC	Wurtsboro channery loam, 8 to 15 percent slopes	3	1655.2	0.006	\$ 1,219.54
Lackawana	WyA	Wyoming gravelly sandy loam, 0 to 3 percent slopes	3	428.7	0.001	\$ 1,286.72
Lackawana	WyB	Wyoming gravelly sandy loam, 3 to 8 percent slopes	3	1642.9	0.006	\$ 1,286.72
Lackawana	BaD	Bath channery silt loam, 15 to 25 percent slopes	4	467.5	0.002	\$ 1,240.21
Lackawana	LaD	Lackawanna channery loam, 15 to 25 percent slopes	4	883.8	0.003	\$ 1,310.75
Lackawana	LeD	Lordstown channery silt loam, 15 to 25 percent slopes	4	765.9	0.003	\$ 1,234.18
Lackawana	McD	Mardin channery silt loam, 15 to 25 percent slopes	4	770.2	0.003	\$ 1,164.67
Lackawana	MfC	Mardin flaggy silt loam, 8 to 15 percent slopes	4	711	0.002	\$ 1,294.94
Lackawana	NcA	Norwich and Chippewa channery silt loams, 0 to 3 percent	4	2626.4	0.009	\$ 1,004.79
Lackawana	NcB	Norwich and Chippewa channery silt loams, 3 to 8 percent	4	1869.7	0.006	\$ 1,004.79
Lackawana	OcD	Oquaga channery loam, 15 to 25 percent slopes	4	1694.7	0.006	\$ 1,164.67
Lackawana	SwD	Swartswood channery loam, 15 to 25 percent slopes	4	449.5	0.002	\$ 1,201.25
Lackawana	WcD	Wellsboro channery loam, 15 to 25 percent slopes	4	2477.8	0.008	\$ 1,207.53
Lackawana	WfC	Wellsboro flaggy loam, 8 to 15 percent slopes	4	1762	0.006	\$ 1,307.10
Lackawana	Wy	Wyalusing silt loam	4	31.1	0	\$ 1,194.92
Lackawana	WyC	Wyoming gravelly sandy loam, 8 to 15 percent slopes	4	790.3	0.003	\$ 1,175.60
Lackawana	WyD	Wyoming gravelly sandy loam, 15 to 25 percent slopes	4	684.6	0.002	\$ 1,004.79
Lackawana	At	Atherton loam, ponded	5	242.4	0.001	\$ 891.33
Lackawana	HO	Holly silt loam, ponded	5	1793.4	0.006	\$ 891.33
Lackawana	ArC	Arnot very channery silt loam, very rocky, 3 to 15 percent	6	3712.9	0.012	\$ 891.33
Lackawana	DYD	Dystrochrepts and Rock outcrop, moderately steep	6	10273	0.035	\$ 891.33
Lackawana	111B	Edgemere-Shohola complex, 3 to 15 percent slopes, very	7	412	0.001	\$ 891.33
Lackawana	11A	Edgemere extremely stony loam, 0 to 3 percent slopes, ve	7	8.3	0	\$ 891.33
Lackawana	7B	Shohola-Edgemere complex, 0 to 8 percent slopes, very ru	7	491.9	0.002	\$ 891.33

Lackawana	7C	Shohola-Edgemere complex, 8 to 15 percent slopes, very	7	57.1	0	\$ 891.33
Lackawana	AsB	Arnot-Rock outcrop complex, 0 to 8 percent slopes	7	3563	0.012	\$ 891.33
Lackawana	AsD	Arnot-Rock outcrop complex, 8 to 25 percent slopes	7	12897	0.043	\$ 891.33
Lackawana	ASE	Arnot-Rock outcrop complex, steep	7	8849.9	0.03	\$ 891.33
Lackawana	BbB	Bath channery silt loam, 3 to 8 percent slopes, rubbly	7	3010.4	0.01	\$ 891.33
Lackawana	BbD	Bath channery silt loam, 8 to 25 percent slopes, rubbly	7	4231.7	0.014	\$ 891.33
Lackawana	DYE	Dystrochrepts and Rock outcrop, steep	7	8837.7	0.03	\$ 891.33
Lackawana	FA	Fluvents and Fluvaquents	7	1437.1	0.005	\$ 891.33
Lackawana	FF	Fluvents and Fluvaquents, cobbly	7	28.5	0	\$ 891.33
Lackawana	LbB	Lackawanna channery loam, 3 to 8 percent slopes, rubbly	7	1402.8	0.005	\$ 891.33
Lackawana	LbD	Lackawanna channery loam, 8 to 25 percent slopes, rubbl	7	4311.5	0.014	\$ 891.33
Lackawana	LCE	Lackawanna and Bath soils, steep, rubbly	7	2907.3	0.01	\$ 891.33
Lackawana	LxB	Lordstown extremely stony silt loam, 3 to 8 percent slope	7	2238.8	0.008	\$ 891.33
Lackawana	LxD	Lordstown extremely stony silt loam, 8 to 25 percent slop	7	8498.4	0.029	\$ 891.33
Lackawana	MhB	Mardin channery silt loam, 3 to 8 percent slopes, rubbly	7	3705.4	0.012	\$ 891.33
Lackawana	MhD	Mardin channery silt loam, 8 to 25 percent slopes, rubbly	7	3915.8	0.013	\$ 891.33
Lackawana	MxB	Morris channery loam, 0 to 8 percent slopes, rubbly	7	9383.2	0.032	\$ 891.33
Lackawana	MxD	Morris channery loam, 8 to 25 percent slopes, rubbly	7	2231.4	0.007	\$ 891.33
Lackawana	NxB	Norwich and Chippewa channery silt loams, 0 to 8 percent	7	12771	0.043	\$ 891.33
Lackawana	OxB	Oquaga extremely stony loam, 3 to 8 percent slopes	7	2992	0.01	\$ 891.33
Lackawana	OxD	Oquaga extremely stony loam, 8 to 25 percent slopes	7	13443	0.045	\$ 891.33
Lackawana	OYE	Oquaga and Lordstown extremely stony loams, steep	7	9098.9	0.031	\$ 891.33
Lackawana	RoD	Rock outcrop-Arnot complex, 3 to 25 percent slopes	7	83.2	0	\$ 891.33
Lackawana	SxB	Swartswood extremely stony loam, 3 to 8 percent slopes	7	2371.4	0.008	\$ 891.33
Lackawana	SxD	Swartswood extremely stony loam, 8 to 25 percent slopes	7	4809.7	0.016	\$ 891.33
Lackawana	VxB	Volusia channery silt loam, 0 to 8 percent slopes, rubbly	7	8587.3	0.029	\$ 891.33
Lackawana	VxD	Volusia channery silt loam, 8 to 25 percent slopes, rubbly	7	1640.7	0.006	\$ 891.33
Lackawana	WgB	Wellsboro channery loam, 3 to 8 percent slopes, rubbly	7	4696.9	0.016	\$ 891.33
Lackawana	WgD	Wellsboro channery loam, 8 to 25 percent slopes, rubbly	7	8943.7	0.03	\$ 891.33
Lackawana	WxB	Wurtsboro extremely stony loam, 3 to 8 percent slopes	7	1305.9	0.004	\$ 891.33
Lackawana	WxD	Wurtsboro extremely stony loam, 8 to 25 percent slopes	7	1020.4	0.003	\$ 891.33
Lackawana	WyE	Wyoming gravelly sandy loam, 25 to 45 percent slopes	7	255.3	0.001	\$ 891.33
Lackawana	MK	Medisapristis and Medihemists	8	1873	0.006	\$ 891.33
Lancaster	BdA	Bedington silt loam, 0 to 3 percent slopes	1	1956.9	0.003	\$ 1,745.28
Lancaster	BuA	Bucks silt loam, 0 to 3 percent slopes	1	364	0.001	\$ 1,800.84
Lancaster	CbA	Chester silt loam, 0 to 3 percent slopes	1	4567.9	0.007	\$ 1,803.10
Lancaster	Cm	Comus silt loam	1	2132.2	0.003	\$ 1,811.49
Lancaster	CnA	Conestoga silt loam, 0 to 3 percent slopes	1	2046.3	0.003	\$ 1,800.84
Lancaster	DbA	Duffield silt loam, 0 to 3 percent slopes	1	21491	0.034	\$ 1,701.87
Lancaster	EcA	Elk silt loam, 0 to 3 percent slopes	1	1208.6	0.002	\$ 1,522.76
Lancaster	HaA	Hagerstown silt loam, 0 to 3 percent slopes	1	14917	0.024	\$ 1,819.50
Lancaster	HfA	Hollinger silt loam, 0 to 3 percent slopes	1	200.2	0	\$ 1,797.92
Lancaster	LdA	Letort silt loam, 0 to 3 percent slopes	1	807.3	0.001	\$ 1,800.84
Lancaster	Lg	Linden silt loam	1	1537	0.002	\$ 1,468.61
Lancaster	1GeB	Gladstone gravelly loam, 3 to 8 percent slopes	2	223.5	0	\$ 1,516.83
Lancaster	1JnB	Joanna loam, 3 to 8 percent slopes	2	96	0	\$ 1,454.89
Lancaster	1LmB	Lehigh silt loam, 3 to 8 percent slopes	2	289.7	0	\$ 1,431.15

Lancaster	1Me	Middlebury silt loam	2	183.4	0	\$ 1,468.03
Lancaster	1MB	Mount Lucas silt loam, 3 to 8 percent slopes	2	1.6	0	\$ 1,373.72
Lancaster	1MuB	Murrill gravelly loam, 3 to 8 percent slopes	2	24.7	0	\$ 1,457.54
Lancaster	1NaB	Neshaminy silt loam, 3 to 8 percent slopes	2	20.8	0	\$ 1,567.42
Lancaster	BdB	Bedington silt loam, 3 to 8 percent slopes	2	18206	0.029	\$ 1,423.15
Lancaster	BrB	Brecknock gravelly silt loam, 3 to 8 percent slopes	2	1986	0.003	\$ 1,480.92
Lancaster	BuB	Bucks silt loam, 3 to 8 percent slopes	2	13830	0.022	\$ 1,800.84
Lancaster	CbB	Chester silt loam, 3 to 8 percent slopes	2	42015	0.067	\$ 1,794.99
Lancaster	CkA	Clarksburg silt loam, 0 to 5 percent slopes	2	12698	0.02	\$ 1,486.56
Lancaster	CnB	Conestoga silt loam, 3 to 8 percent slopes	2	10017	0.016	\$ 1,800.84
Lancaster	DbB	Duffield silt loam, 3 to 8 percent slopes	2	50769	0.081	\$ 1,703.82
Lancaster	EcB	Elk silt loam, 3 to 8 percent slopes	2	2098.9	0.003	\$ 1,484.59
Lancaster	Eu	Elk-Urban land complex	2	514.9	0.001	\$ 1,460.18
Lancaster	GbB	Glenelg silt loam, 3 to 8 percent slopes	2	17393	0.028	\$ 1,573.52
Lancaster	GdB	Glenville silt loam, 3 to 8 percent slopes	2	17243	0.027	\$ 1,608.90
Lancaster	HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	40715	0.065	\$ 1,705.91
Lancaster	HfB	Hollinger silt loam, 3 to 8 percent slopes	2	3264.2	0.005	\$ 1,797.92
Lancaster	LaB	Lansdale loam, 3 to 8 percent slopes	2	7898	0.013	\$ 1,674.30
Lancaster	LbB	Lehigh silt loam, 3 to 8 percent slopes	2	1089.2	0.002	\$ 1,431.15
Lancaster	LdB	Letort silt loam, 3 to 8 percent slopes	2	15621	0.025	\$ 1,800.84
Lancaster	Ln	Lindside silt loam	2	8795.9	0.014	\$ 1,705.91
Lancaster	MaB	Manor silt loam, 3 to 8 percent slopes	2	8124.9	0.013	\$ 1,481.77
Lancaster	MdB	Mount Lucas silt loam, 3 to 8 percent slopes	2	1002.3	0.002	\$ 1,373.72
Lancaster	Nc	Newark silt loam	2	4202.6	0.007	\$ 1,404.32
Lancaster	Nd	Newark silt loam, schist substratum	2	6123.2	0.01	\$ 1,606.29
Lancaster	Ne	Nolin silt loam	2	2507.1	0.004	\$ 1,445.38
Lancaster	RaB	Readington silt loam, 3 to 10 percent slopes	2	5360.5	0.009	\$ 1,482.16
Lancaster	Rd	Rowland silt loam	2	2760.7	0.004	\$ 1,765.71
Lancaster	UaB	Ungers loam, 3 to 8 percent slopes	2	8972.6	0.014	\$ 1,461.93
Lancaster	1DfC	Duffield-Ryder silt loams, 8 to 15 percent slopes	3	0.6	0	\$ 1,532.19
Lancaster	1GeC	Gladstone gravelly loam, 8 to 15 percent slopes	3	66.5	0	\$ 1,469.59
Lancaster	1JnC	Joanna loam, 8 to 15 percent slopes	3	172.7	0	\$ 1,427.78
Lancaster	1MuC	Murrill gravelly loam, 8 to 15 percent slopes	3	4.6	0	\$ 1,402.40
Lancaster	1NaC	Neshaminy silt loam, 8 to 15 percent slopes	3	3.2	0	\$ 1,490.76
Lancaster	AbB	Abbottstown silt loam, 3 to 8 percent slopes	3	2043.8	0.003	\$ 1,315.24
Lancaster	BdC	Bedington silt loam, 8 to 15 percent slopes	3	12929	0.021	\$ 1,366.69
Lancaster	Bm	Blairton silt loam, 3 to 10 percent slopes	3	1651.9	0.003	\$ 1,301.97
Lancaster	Bo	Bowmansville silt loam	3	4389	0.007	\$ 1,667.18
Lancaster	BrC	Brecknock gravelly silt loam, 8 to 15 percent slopes	3	1112.6	0.002	\$ 1,453.11
Lancaster	BuC	Bucks silt loam, 8 to 15 percent slopes	3	5669.1	0.009	\$ 1,741.22
Lancaster	CbC	Chester silt loam, 8 to 15 percent slopes	3	11881	0.019	\$ 1,783.55
Lancaster	CnC	Conestoga silt loam, 8 to 15 percent slopes	3	472.8	0.001	\$ 1,744.26
Lancaster	EcC	Elk silt loam, 8 to 15 percent slopes	3	657.1	0.001	\$ 1,629.20
Lancaster	GbC	Glenelg silt loam, 8 to 15 percent slopes	3	22879	0.036	\$ 1,478.30
Lancaster	HbC	Hagerstown silty clay loam, 8 to 15 percent slopes	3	11335	0.018	\$ 1,684.92
Lancaster	HfC	Hollinger silt loam, 8 to 15 percent slopes	3	2384.4	0.004	\$ 1,735.79
Lancaster	Hg	Holly silt loam	3	2786.8	0.004	\$ 1,352.09

Lancaster	LaC	Lansdale loam, 8 to 15 percent slopes	3	5718	0.009	\$ 1,607.41
Lancaster	LbC	Lehigh silt loam, 8 to 15 percent slopes	3	276	0	\$ 1,400.81
Lancaster	LdC	Letort silt loam, 8 to 15 percent slopes	3	3728.2	0.006	\$ 1,741.22
Lancaster	MaC	Manor silt loam, 8 to 15 percent slopes	3	13208	0.021	\$ 1,463.68
Lancaster	Pa	Penlaw silt loam	3	1100.7	0.002	\$ 1,341.71
Lancaster	PeC	Pequea silt loam, 8 to 15 percent slopes	3	5077.1	0.008	\$ 1,454.89
Lancaster	UaC	Ungers loam, 8 to 15 percent slopes	3	5239.5	0.008	\$ 1,408.13
Lancaster	1DfD	Duffield-Ryder silt loams, 15 to 25 percent slopes	4	1.7	0	\$ 1,319.42
Lancaster	1JnD	Joanna loam, 15 to 25 percent slopes	4	8.4	0	\$ 1,339.27
Lancaster	1ToA	Towhee silt loam, 0 to 3 percent slopes	4	0.6	0	\$ 1,242.60
Lancaster	BeD	Bedington channery silt loam, 15 to 25 percent slopes	4	9815.6	0.016	\$ 1,346.23
Lancaster	BuD	Bucks silt loam, 15 to 25 percent slopes	4	918.7	0.001	\$ 1,613.72
Lancaster	Ff	Fluvaquents and Udifluvents, loamy	4	1418	0.002	\$ 1,004.79
Lancaster	GbD	Glenelg silt loam, 15 to 25 percent slopes	4	6749.1	0.011	\$ 1,540.39
Lancaster	HbD	Hagerstown silty clay loam, 15 to 30 percent slopes	4	2149.9	0.003	\$ 1,620.01
Lancaster	HfD	Hollinger silt loam, 15 to 25 percent slopes	4	283.3	0	\$ 1,610.39
Lancaster	LaD	Lansdale loam, 15 to 25 percent slopes	4	2268	0.004	\$ 1,501.83
Lancaster	MaD	Manor silt loam, 15 to 25 percent slopes	4	13551	0.022	\$ 1,380.01
Lancaster	PeD	Pequea silt loam, 15 to 25 percent slopes	4	6070.1	0.01	\$ 1,357.56
Lancaster	UaD	Ungers loam, 15 to 25 percent slopes	4	916.6	0.001	\$ 1,322.29
Lancaster	Ba	Baile silt loam	5	1473.4	0.002	\$ 891.33
Lancaster	1GfD	Gladstone gravelly loam, 8 to 25 percent slopes, very bou	6	57.9	0	\$ 891.33
Lancaster	BsB	Brecknock very stony silt loam, 3 to 8 percent slopes	6	808	0.001	\$ 891.33
Lancaster	BsC	Brecknock very stony silt loam, 8 to 25 percent slopes	6	1299.1	0.002	\$ 891.33
Lancaster	BxC	Bucks very stony silt loam, 8 to 25 percent slopes	6	477.6	0.001	\$ 891.33
Lancaster	CIB	Clymer very stony loam, 3 to 8 percent slopes	6	1779.3	0.003	\$ 891.33
Lancaster	CID	Clymer very stony loam, 8 to 25 percent slopes	6	3722.7	0.006	\$ 891.33
Lancaster	MbB	Manor very stony silt loam, 3 to 8 percent slopes	6	1450.5	0.002	\$ 891.33
Lancaster	MbD	Manor very stony silt loam, 8 to 25 percent slopes	6	7971.9	0.013	\$ 891.33
Lancaster	MeB	Mount Lucas very stony silt loam, 3 to 12 percent slopes	6	2048.3	0.003	\$ 891.33
Lancaster	1EdB	Edgemont channery sandy loam, 0 to 8 percent slopes, ex	7	156.8	0	\$ 891.33
Lancaster	1EdD	Edgemont channery sandy loam, 8 to 25 percent slopes, e	7	1105.9	0.002	\$ 891.33
Lancaster	1EdF	Edgemont channery sandy loam, 25 to 60 percent slopes,	7	212.6	0	\$ 891.33
Lancaster	1GfF	Gladstone gravelly loam, 25 to 55 percent slopes, very bo	7	11.8	0	\$ 891.33
Lancaster	1JpB	Joanna loam, 0 to 8 percent slopes, extremely stony	7	269.8	0	\$ 891.33
Lancaster	1JpD	Joanna loam, 8 to 25 percent slopes, extremely stony	7	1103.1	0.002	\$ 891.33
Lancaster	1JpF	Joanna loam, 25 to 60 percent slopes, extremely stony	7	136.4	0	\$ 891.33
Lancaster	1NhB	Neshaminy gravelly silt loam, 0 to 8 percent slopes, extre	7	43.8	0	\$ 891.33
Lancaster	1NhD	Neshaminy gravelly silt loam, 8 to 25 percent slopes, extr	7	552.5	0.001	\$ 891.33
Lancaster	AsB	Abbottstown extremely stony silt loam, 3 to 8 percent slo	7	326.5	0.001	\$ 891.33
Lancaster	CIF	Clymer very stony loam, 25 to 50 percent slopes	7	770.9	0.001	\$ 891.33
Lancaster	MbF	Manor very stony silt loam, 25 to 60 percent slopes	7	18250	0.029	\$ 891.33
Lancaster	PeE	Pequea silt loam, 25 to 50 percent slopes	7	2685.6	0.004	\$ 891.33
Lancaster	RbB	Readington extremely stony silt loam, 3 to 8 percent slope	7	1230.4	0.002	\$ 891.33
Lancaster	UbB	Ungers extremely stony loam, 3 to 8 percent slopes	7	2783.5	0.004	\$ 891.33
Lancaster	UbD	Ungers extremely stony loam, 8 to 25 percent slopes	7	15722	0.025	\$ 891.33
Lancaster	UbE	Ungers extremely stony loam, 25 to 50 percent slopes	7	4024.7	0.006	\$ 891.33

Lancaster	Ud	Udorthents, loamy	7	1358.7	0.002	\$ 891.33
Lancaster	WbB	Watchung extremely stony silt loam, 0 to 8 percent slopes	7	48.1	0	\$ 891.33
Lancaster	DAM	Dams	8	2	0	\$ 891.33
Lancaster	Rc	Rock outcrop	8	102.6	0	\$ 891.33
Lancaster	Uc	Urban land	8	8550.4	0.014	\$ 891.33
Lawrence	Cg	Chagrin silt loam	1	1172.6	0.005	\$ 1,564.81
Lawrence	Po	Pope silt loam	1	23.9	0	\$ 1,516.83
Lawrence	AgB	Allegheny silt loam, 3 to 8 percent slopes	2	27.4	0	\$ 1,439.96
Lawrence	BcB	Braceville loam, 3 to 8 percent slopes	2	2258	0.01	\$ 1,351.40
Lawrence	BgB	Bogart loam, 2 to 6 percent slopes	2	7.6	0	\$ 1,379.02
Lawrence	CdB	Canfield silt loam, 3 to 8 percent slopes	2	29668	0.128	\$ 1,347.96
Lawrence	ChB	Chili silt loam, 3 to 8 percent slopes	2	5109.6	0.022	\$ 1,272.91
Lawrence	CmB	Clymer loam, 3 to 8 percent slopes	2	213.6	0.001	\$ 1,464.84
Lawrence	CuB	Culleoka channery silt loam, 3 to 8 percent slopes	2	2.3	0	\$ 1,492.16
Lawrence	ErB	Ernest silt loam, 3 to 8 percent slopes	2	117.2	0.001	\$ 1,470.92
Lawrence	GnB	Gilpin silt loam, 3 to 8 percent slopes	2	444	0.002	\$ 1,337.52
Lawrence	GsB	Gilpin-Weikert complex, 3 to 8 percent slopes	2	63.3	0	\$ 1,261.11
Lawrence	GtB	Guernsey silt loam, 3 to 8 percent slopes	2	4.7	0	\$ 1,445.97
Lawrence	HaB	Hazleton channery loam, 3 to 8 percent slopes	2	24.6	0	\$ 1,440.27
Lawrence	JtB	Jimtown loam, 2 to 6 percent slopes	2	4.1	0	\$ 1,292.04
Lawrence	JwB	Jimtown-Urban land complex	2	5.8	0	\$ 1,004.79
Lawrence	Lb	Lobdell silt loam	2	4307.3	0.019	\$ 1,462.22
Lawrence	LoB	Loudonville gravelly silt loam, 3 to 8 percent slopes	2	211.4	0.001	\$ 1,312.56
Lawrence	MoA	Monongahela silt loam, 0 to 3 percent slopes	2	55.7	0	\$ 1,407.49
Lawrence	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	705	0.003	\$ 1,407.49
Lawrence	MrB	Morristown channery silt loam, 0 to 8 percent slopes	2	1634.6	0.007	\$ 1,004.79
Lawrence	Ph	Philo silt loam, 0 to 3 percent slopes, occasionally flooded	2	277	0.001	\$ 1,470.92
Lawrence	TsB	Tilsit silt loam, 3 to 8 percent slopes	2	5.2	0	\$ 1,228.12
Lawrence	WhA	Wharton silt loam, 0 to 3 percent slopes	2	13	0	\$ 1,341.02
Lawrence	WhB	Wharton silt loam, 3 to 8 percent slopes	2	617	0.003	\$ 1,338.92
Lawrence	WoB	Wooster gravelly silt loam, 3 to 8 percent slopes	2	1207.7	0.005	\$ 1,407.49
Lawrence	At	Atkins silt loam, 0 to 3 percent slopes, frequently flooded	3	408.5	0.002	\$ 1,326.93
Lawrence	BaB	Bethesda channery silt loam, 0 to 8 percent slopes	3	1207.2	0.005	\$ 1,004.79
Lawrence	BcC	Braceville loam, 8 to 15 percent slopes	3	1077.4	0.005	\$ 1,323.37
Lawrence	BgC	Bogart loam, 6 to 12 percent slopes	3	0.9	0	\$ 1,317.99
Lawrence	CdC	Canfield silt loam, 8 to 15 percent slopes	3	19737	0.085	\$ 1,316.18
Lawrence	CeB	Cavode silt loam, 3 to 8 percent slopes	3	339.5	0.001	\$ 1,250.14
Lawrence	CeC	Cavode silt loam, 8 to 15 percent slopes	3	576.5	0.002	\$ 1,215.83
Lawrence	ChC	Chili silt loam, 8 to 15 percent slopes	3	2331.8	0.01	\$ 1,198.39
Lawrence	CmC	Clymer loam, 8 to 15 percent slopes	3	183	0.001	\$ 1,457.83
Lawrence	CoB	Conotton gravelly loam, 3 to 8 percent slopes	3	1853.2	0.008	\$ 1,192.79
Lawrence	CuC	Culleoka channery silt loam, 8 to 15 percent slopes	3	16.6	0	\$ 1,418.49
Lawrence	ErC	Ernest silt loam, 8 to 15 percent slopes	3	545	0.002	\$ 1,396.31
Lawrence	FaB	Fairpoint channery silt loam, 0 to 8 percent slopes	3	5948.5	0.026	\$ 1,004.79
Lawrence	GnC	Gilpin silt loam, 8 to 15 percent slopes	3	1051.2	0.005	\$ 1,321.58
Lawrence	GsC	Gilpin-Weikert complex, 8 to 15 percent slopes	3	141.1	0.001	\$ 1,217.48
Lawrence	GtC	Guernsey silt loam, 8 to 15 percent slopes	3	20.3	0	\$ 1,301.60

Lawrence	HaC	Hazleton channery loam, 8 to 15 percent slopes	3	94.1	0	\$ 1,335.06
Lawrence	Ho	Holly silt loam	3	8811.7	0.038	\$ 1,361.63
Lawrence	LoC	Loudonville gravelly silt loam, 8 to 15 percent slopes	3	711.9	0.003	\$ 1,236.20
Lawrence	MoC	Monongahela silt loam, 8 to 15 percent slopes	3	104.4	0	\$ 1,344.49
Lawrence	RaA	Ravenna silt loam, 0 to 3 percent slopes	3	9052.7	0.039	\$ 1,343.80
Lawrence	RaB	Ravenna silt loam, 3 to 8 percent slopes	3	33988	0.146	\$ 1,344.49
Lawrence	RaC	Ravenna silt loam, 8 to 15 percent slopes	3	7270.6	0.031	\$ 1,242.60
Lawrence	ReB	Rexford silt loam, 3 to 8 percent slopes	3	1267.6	0.005	\$ 1,215.83
Lawrence	Sn	Sloan silt loam	3	2256.7	0.01	\$ 1,508.89
Lawrence	TsC	Tilsit silt loam, 8 to 15 percent slopes	3	20.3	0	\$ 1,308.93
Lawrence	TyA	Tyler silt loam, 0 to 3 percent slopes	3	158.8	0.001	\$ 1,328.71
Lawrence	TyB	Tyler silt loam, 3 to 8 percent slopes	3	229.8	0.001	\$ 1,232.17
Lawrence	UAB	Udorthents, strip mine, gently sloping	3	185.9	0.001	\$ 891.33
Lawrence	WhC	Wharton silt loam, 8 to 15 percent slopes	3	1493.2	0.006	\$ 1,347.96
Lawrence	WoC	Wooster gravelly silt loam, 8 to 15 percent slopes	3	2630.9	0.011	\$ 1,373.39
Lawrence	BaD	Bethesda channery silt loam, 8 to 25 percent slopes	4	3622	0.016	\$ 1,004.79
Lawrence	BkB	Brinkerton silt loam, 3 to 8 percent slopes	4	53.1	0	\$ 1,326.93
Lawrence	BkC	Brinkerton silt loam, 8 to 15 percent slopes	4	10.5	0	\$ 1,245.78
Lawrence	Ca	Canadice silt loam	4	2944	0.013	\$ 1,173.43
Lawrence	CdD	Canfield silt loam, 15 to 25 percent slopes	4	4881.3	0.021	\$ 1,004.79
Lawrence	CeD	Cavode silt loam, 15 to 25 percent slopes	4	171.8	0.001	\$ 1,194.92
Lawrence	CmD	Clymer loam, 15 to 25 percent slopes	4	73.5	0	\$ 1,271.53
Lawrence	CoC	Conotton gravelly loam, 8 to 15 percent slopes	4	4845.2	0.021	\$ 1,023.25
Lawrence	CuD	Culleoka channery silt loam, 15 to 25 percent slopes	4	61.4	0	\$ 1,288.60
Lawrence	ErD	Ernest silt loam, 15 to 25 percent slopes	4	468.9	0.002	\$ 1,205.44
Lawrence	FaD	Fairpoint channery silt loam, 8 to 25 percent slopes	4	5063.7	0.022	\$ 1,004.79
Lawrence	FnA	Frenchtown silt loam, 0 to 3 percent slopes	4	7201.5	0.031	\$ 1,248.16
Lawrence	FnB	Frenchtown silt loam, 3 to 8 percent slopes	4	3474.6	0.015	\$ 1,282.95
Lawrence	GnD	Gilpin silt loam, 15 to 25 percent slopes	4	1733.7	0.007	\$ 1,269.61
Lawrence	GsD	Gilpin-Weikert complex, 15 to 25 percent slopes	4	778.3	0.003	\$ 1,004.79
Lawrence	HaD	Hazleton channery loam, 15 to 25 percent slopes	4	272.8	0.001	\$ 1,269.61
Lawrence	LoD	Loudonville gravelly silt loam, 15 to 25 percent slopes	4	2058.3	0.009	\$ 1,004.79
Lawrence	MrD	Morristown channery silt loam, 8 to 25 percent slopes	4	1022.4	0.004	\$ 1,004.79
Lawrence	WnD	Wharton-Gilpin silt loams, 15 to 25 percent slopes	4	1410.2	0.006	\$ 1,209.62
Lawrence	WoD	Wooster gravelly silt loam, 15 to 25 percent slopes	4	2398	0.01	\$ 1,309.66
Lawrence	CoD	Conotton gravelly loam, 15 to 25 percent slopes	6	3606.7	0.016	\$ 891.33
Lawrence	EsD	Ernest silt loam, 8 to 25 percent slopes, extremely stony	6	42.9	0	\$ 891.33
Lawrence	LoF	Loudonville gravelly silt loam, 25 to 50 percent slopes	6	6110.7	0.026	\$ 891.33
Lawrence	UAD	Udorthents, strip mine, moderately steep	6	767	0.003	\$ 891.33
Lawrence	BbF	Bethesda and Fairpoint channery silt loams, 25 to 70 perc	7	3388.4	0.015	\$ 891.33
Lawrence	CoF	Conotton gravelly loam, 25 to 50 percent slopes	7	1437.9	0.006	\$ 891.33
Lawrence	GsF	Gilpin-Weikert complex, 25 to 70 percent slopes	7	4934.3	0.021	\$ 891.33
Lawrence	UAE	Udorthents, strip mine, steep	7	589.8	0.003	\$ 891.33
Lawrence	WeF	Weikert-Rock outcrop complex, 25 to 80 percent slopes	7	2496.7	0.011	\$ 891.33
Lawrence	UcB	Urban land-Canfield complex, 0 to 8 percent slopes	8	1965.6	0.008	\$ 891.33
Lawrence	UcD	Urban land-Canfield complex, 8 to 25 percent slopes	8	411.8	0.002	\$ 891.33
Lawrence	UgB	Urban land-Gilpin complex, 0 to 8 percent slopes	8	39.2	0	\$ 891.33

Lawrence	UgD	Urban land-Gilpin complex, 8 to 25 percent slopes	8	170.3	0.001	\$ 891.33
Lawrence	UwB	Urban land-Wharton complex, 0 to 8 percent slopes	8	40.5	0	\$ 891.33
Lawrence	UwD	Urban land-Wharton complex, 8 to 25 percent slopes	8	70.2	0	\$ 891.33
Lebanon	BeA	Bedington shaly silt loam, 0 to 3 percent slopes	1	1935.1	0.008	\$ 1,678.06
Lebanon	DfA	Duffield silt loam, 0 to 3 percent slopes	1	2596.6	0.011	\$ 1,747.30
Lebanon	HaA	Hagerstown silt loam, 0 to 3 percent slopes	1	1934.4	0.008	\$ 1,641.98
Lebanon	Po	Pope loam	1	525.4	0.002	\$ 1,485.16
Lebanon	1BkB	Berks-Weikert complex, 3 to 8 percent slopes	2	447.3	0.002	\$ 1,220.77
Lebanon	1GeB	Gladstone gravelly loam, 3 to 8 percent slopes	2	57.3	0	\$ 1,516.83
Lebanon	1JnB	Joanna loam, 3 to 8 percent slopes	2	426.9	0.002	\$ 1,454.89
Lebanon	1Me	Middlebury silt loam	2	19.5	0	\$ 1,468.03
Lebanon	Bcg	Basher silt loam	2	43.7	0	\$ 1,465.72
Lebanon	BeB	Bedington shaly silt loam, 3 to 8 percent slopes	2	11794	0.051	\$ 1,492.44
Lebanon	BegB	Bedington channery silt loam, 3 to 8 percent slopes	2	413.3	0.002	\$ 1,492.44
Lebanon	BkB	Berks channery silt loam, 3 to 8 percent slopes	2	15431	0.067	\$ 1,190.67
Lebanon	BnB	Brecknock channery silt loam, 3 to 8 percent slopes	2	802.9	0.003	\$ 1,471.78
Lebanon	BwB	Buchanan gravelly loam, 3 to 8 percent slopes	2	870.8	0.004	\$ 1,460.76
Lebanon	ByB	Bucks silt loam, 3 to 8 percent slopes	2	1808.2	0.008	\$ 1,800.84
Lebanon	CeB	Chester channery loam, 3 to 8 percent slopes	2	573.4	0.002	\$ 1,543.12
Lebanon	CkA	Clarksburg silt loam, 0 to 3 percent slopes	2	4184.6	0.018	\$ 1,486.56
Lebanon	CkB	Clarksburg silt loam, 3 to 8 percent slopes	2	4936.4	0.021	\$ 1,485.78
Lebanon	CmA	Comly silt loam, 0 to 3 percent slopes	2	1246.3	0.005	\$ 1,344.29
Lebanon	CmB	Comly silt loam, 3 to 8 percent slopes	2	4185	0.018	\$ 1,344.29
Lebanon	DfB	Duffield silt loam, 3 to 8 percent slopes	2	17151	0.074	\$ 1,756.37
Lebanon	HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	17223	0.074	\$ 1,642.70
Lebanon	HugA	Hustontown silt loam, 0 to 3 percent slopes	2	115	0	\$ 1,316.90
Lebanon	HugB	Hustontown silt loam, 3 to 8 percent slopes	2	113.1	0	\$ 1,342.41
Lebanon	LaB	Laidig channery loam, 3 to 8 percent slopes	2	834.1	0.004	\$ 1,347.96
Lebanon	LagB	Laidig gravelly loam, 3 to 8 percent slopes	2	44.9	0	\$ 1,347.96
Lebanon	LeB	Leck kill shaly silt loam, 3 to 8 percent slopes	2	832.3	0.004	\$ 1,469.48
Lebanon	LegA	Leck kill channery silt loam, 0 to 3 percent slopes	2	34.4	0	\$ 1,473.79
Lebanon	LegB	Leck kill channery silt loam, 3 to 8 percent slopes	2	119.5	0.001	\$ 1,476.65
Lebanon	Ls	Lindside silt loam	2	1045.2	0.005	\$ 1,459.30
Lebanon	MoB	Mount Lucas silt loam, 3 to 8 percent slopes	2	353.5	0.002	\$ 1,373.72
Lebanon	MuB	Murrill gravelly silt loam, 3 to 8 percent slopes	2	1074.7	0.005	\$ 1,467.74
Lebanon	NeB	Neshaminy gravelly silt loam, 3 to 8 percent slopes	2	2012	0.009	\$ 1,546.23
Lebanon	No	Nolin variant silt loam	2	1491.3	0.006	\$ 1,445.38
Lebanon	PeB	Penn channery silt loam, 3 to 8 percent slopes	2	638.7	0.003	\$ 1,475.34
Lebanon	Ph	Philo silt loam	2	1441.7	0.006	\$ 1,516.83
Lebanon	ReB	Readington silt loam, 3 to 8 percent slopes	2	882.1	0.004	\$ 1,482.16
Lebanon	Ro	Rowland silt loam	2	413.2	0.002	\$ 1,494.38
Lebanon	UnB	Ungers loam, 3 to 8 percent slopes	2	2383.8	0.01	\$ 1,461.93
Lebanon	1BkC	Berks-Weikert complex, 8 to 15 percent slopes	3	72.6	0	\$ 1,220.77
Lebanon	1GeC	Gladstone gravelly loam, 8 to 15 percent slopes	3	147.6	0.001	\$ 1,469.59
Lebanon	1WeB	Weikert-Berks complex, 3 to 8 percent slopes	3	5.6	0	\$ 1,142.34
Lebanon	AbA	Abbottstown silt loam, 0 to 3 percent slopes	3	345.8	0.001	\$ 1,317.99
Lebanon	AbB	Abbottstown silt loam, 3 to 8 percent slopes	3	610.6	0.003	\$ 1,315.24

Lebanon	Atg	Atkins silt loam	3	153.1	0.001	\$ 1,354.90
Lebanon	BeC	Bedington shaly silt loam, 8 to 15 percent slopes	3	1142.7	0.005	\$ 1,430.85
Lebanon	BegC	Bedington channery silt loam, 8 to 15 percent slopes	3	440.6	0.002	\$ 1,430.85
Lebanon	BkC	Berks channery silt loam, 8 to 15 percent slopes	3	9082.1	0.039	\$ 1,153.58
Lebanon	Bm	Bowmansville silt loam	3	2200	0.009	\$ 1,667.18
Lebanon	BnC	Brecknock channery silt loam, 8 to 15 percent slopes	3	445.1	0.002	\$ 1,444.48
Lebanon	CeC	Chester channery loam, 8 to 15 percent slopes	3	546.7	0.002	\$ 1,453.41
Lebanon	DfC	Duffield silt loam, 8 to 15 percent slopes	3	1425.2	0.006	\$ 1,501.83
Lebanon	HbC	Hagerstown silty clay loam, 8 to 15 percent slopes	3	1925.6	0.008	\$ 1,531.01
Lebanon	Ho	Holly silt loam	3	8151.5	0.035	\$ 1,352.09
Lebanon	KnB	Klinesville shaly silt loam, 3 to 8 percent slopes	3	1858.1	0.008	\$ 1,015.07
Lebanon	LaC	Laidig channery loam, 8 to 15 percent slopes	3	671.8	0.003	\$ 1,312.56
Lebanon	LagC	Laidig gravelly loam, 8 to 15 percent slopes	3	35.2	0	\$ 1,308.93
Lebanon	LeC	Leck kill shaly silt loam, 8 to 15 percent slopes	3	1001.8	0.004	\$ 1,459.30
Lebanon	LegC	Leck kill channery silt loam, 8 to 15 percent slopes	3	309.7	0.001	\$ 1,448.96
Lebanon	LhB	Lehigh silt loam, 2 to 10 percent slopes	3	493.1	0.002	\$ 1,318.99
Lebanon	Me	Melvin variant silt loam	3	1807.7	0.008	\$ 1,359.94
Lebanon	NeC	Neshaminy gravelly silt loam, 8 to 15 percent slopes	3	2218.6	0.01	\$ 1,482.33
Lebanon	PeC	Penn channery silt loam, 8 to 15 percent slopes	3	586.3	0.003	\$ 1,416.24
Lebanon	UnC	Ungers loam, 8 to 15 percent slopes	3	2899.4	0.012	\$ 1,408.13
Lebanon	WeB	Weikert channery silt loam, 3 to 8 percent slopes	3	2959.5	0.013	\$ 1,335.42
Lebanon	1BhD	Berks-Bedington complex, 15 to 25 percent slopes	4	13.8	0	\$ 1,273.83
Lebanon	1JnD	Joanna loam, 15 to 25 percent slopes	4	7	0	\$ 1,339.27
Lebanon	AngB	Andover gravelly loam, 3 to 8 percent slopes	4	77.7	0	\$ 1,209.62
Lebanon	BeD	Bedington shaly silt loam, 15 to 25 percent slopes	4	340	0.001	\$ 1,346.23
Lebanon	BegD	Bedington channery silt loam, 15 to 25 percent slopes	4	216.7	0.001	\$ 1,346.23
Lebanon	BkD	Berks channery silt loam, 15 to 25 percent slopes	4	2804.7	0.012	\$ 1,114.71
Lebanon	BrA	Brinkerton silt loam, 0 to 3 percent slopes	4	1884.8	0.008	\$ 1,295.68
Lebanon	BrB	Brinkerton silt loam, 3 to 8 percent slopes	4	2252.5	0.01	\$ 1,291.22
Lebanon	HeB	Hagerstown-Rock outcrop complex, 3 to 8 percent slopes	4	1167.9	0.005	\$ 1,004.79
Lebanon	KnC	Klinesville shaly silt loam, 8 to 15 percent slopes	4	1271.7	0.005	\$ 1,004.79
Lebanon	LagD	Laidig gravelly loam, 15 to 25 percent slopes	4	8.1	0	\$ 1,227.30
Lebanon	LfgD	Leck kill-Calvin channery silt loams, 15 to 25 percent slopes	4	116.2	0.001	\$ 1,180.80
Lebanon	MaA	Markes silt loam, 0 to 5 percent slopes	4	814.5	0.004	\$ 1,131.76
Lebanon	MagB	Markes silt loam, 3 to 8 percent slopes	4	407.3	0.002	\$ 1,131.76
Lebanon	ThA	Thorndale silt loam, 0 to 3 percent slopes	4	685.3	0.003	\$ 1,105.28
Lebanon	ThB	Thorndale silt loam, 3 to 8 percent slopes	4	206.7	0.001	\$ 1,004.79
Lebanon	UnD	Ungers loam, 15 to 25 percent slopes	4	1046.3	0.005	\$ 1,322.29
Lebanon	WeC	Weikert channery silt loam, 8 to 15 percent slopes	4	2131.8	0.009	\$ 1,126.33
Lebanon	1GfB	Gladstone gravelly loam, 0 to 8 percent slopes, very bould	6	5	0	\$ 891.33
Lebanon	1GfD	Gladstone gravelly loam, 8 to 25 percent slopes, very bould	6	810.9	0.003	\$ 891.33
Lebanon	1WeD	Weikert-Berks complex, 15 to 25 percent slopes	6	1.4	0	\$ 1,056.51
Lebanon	CagB	Calvin channery silt loam, 0 to 8 percent slopes, very stony	6	2.9	0	\$ 891.33
Lebanon	CagD	Calvin channery silt loam, 8 to 25 percent slopes, very stony	6	15.3	0	\$ 891.33
Lebanon	DlgB	Dekalb and Lehew sandy loams, 0 to 8 percent slopes, very stony	6	13.6	0	\$ 891.33
Lebanon	HeC	Hagerstown-Rock outcrop complex, 8 to 25 percent slopes	6	3519.3	0.015	\$ 1,053.60
Lebanon	HvgB	Hustontown silt loam, 0 to 8 percent slopes, very stony	6	6.3	0	\$ 1,316.90

Lebanon	KnD	Klinesville shaly silt loam, 15 to 25 percent slopes	6	912.9	0.004	\$	891.33
Lebanon	LfC	Leck kill very stony silt loam, 8 to 25 percent slopes	6	1991.2	0.009	\$	891.33
Lebanon	LggD	Leck kill channery silt loam, 8 to 25 percent slopes, very st	6	25	0	\$	891.33
Lebanon	MfgB	Meckesville gravelly loam, 3 to 8 percent slopes, extreme	6	289.2	0.001	\$	891.33
Lebanon	WaA	Watchung silt loam, 0 to 5 percent slopes	6	810.1	0.003	\$	891.33
Lebanon	WeD	Weikert channery silt loam, 15 to 25 percent slopes	6	3597.9	0.016	\$	891.33
Lebanon	1BkF	Berks-Weikert complex, 25 to 60 percent slopes	7	4.8	0	\$	891.33
Lebanon	1JpB	Joanna loam, 0 to 8 percent slopes, extremely stony	7	91.4	0	\$	891.33
Lebanon	1JpD	Joanna loam, 8 to 25 percent slopes, extremely stony	7	1755.5	0.008	\$	891.33
Lebanon	AogB	Andover gravelly loam, 0 to 8 percent slopes, extremely s	7	53.6	0	\$	891.33
Lebanon	BxB	Buchanan extremely stony loam, 3 to 8 percent slopes	7	448.5	0.002	\$	891.33
Lebanon	BxC	Buchanan extremely stony loam, 8 to 25 percent slopes	7	680.9	0.003	\$	891.33
Lebanon	BxB	Buchanan gravelly loam, 0 to 8 percent slopes, extremely	7	334.2	0.001	\$	891.33
Lebanon	BxD	Buchanan gravelly loam, 8 to 25 percent slopes, extremel	7	605.3	0.003	\$	891.33
Lebanon	ChC	Chester extremely stony loam, 8 to 25 percent slopes	7	884.1	0.004	\$	891.33
Lebanon	HeD	Hazleton very channery loam, 8 to 25 percent slopes, extr	7	663.8	0.003	\$	891.33
Lebanon	HeF	Hazleton very channery loam, 25 to 60 percent slopes, exi	7	1764.9	0.008	\$	891.33
Lebanon	HegB	Hazleton very channery loam, 0 to 8 percent slopes, extre	7	11.6	0	\$	891.33
Lebanon	HHB	Hazleton sandy loam, 0 to 8 percent slopes, rubbly	7	1339.5	0.006	\$	891.33
Lebanon	HHE	Hazleton sandy loam, 25 to 50 percent slopes, rubbly	7	5948.9	0.026	\$	891.33
Lebanon	HLD	Hazleton-Laidig association, moderately steep	7	2923.2	0.013	\$	891.33
Lebanon	LdB	Laidig extremely stony loam, 3 to 8 percent slopes	7	576.3	0.002	\$	891.33
Lebanon	LdC	Laidig extremely stony loam, 8 to 25 percent slopes	7	7844.8	0.034	\$	891.33
Lebanon	LdB	Laidig gravelly loam, 0 to 8 percent slopes, extremely stor	7	97.3	0	\$	891.33
Lebanon	LdG	Laidig gravelly loam, 8 to 25 percent slopes, extremely stc	7	3880.4	0.017	\$	891.33
Lebanon	LdG	Laidig gravelly loam, 25 to 60 percent slopes, extremely st	7	199.5	0.001	\$	891.33
Lebanon	MfgD	Meckesville gravelly loam, 8 to 25 percent slopes, extrem	7	731	0.003	\$	891.33
Lebanon	MfgF	Meckesville gravelly loam, 25 to 35 percent slopes, extren	7	26.3	0	\$	891.33
Lebanon	MsB	Mount Lucas extremely stony silt loam, 3 to 8 percent slop	7	552.1	0.002	\$	891.33
Lebanon	NhB	Neshaminy extremely stony silt loam, 3 to 8 percent slope	7	744.5	0.003	\$	891.33
Lebanon	NhC	Neshaminy extremely stony silt loam, 8 to 25 percent slop	7	2856.5	0.012	\$	891.33
Lebanon	NHE	Neshaminy extremely stony silt loam, steep	7	923	0.004	\$	891.33
Lebanon	UdgB	Udorthents, shale and sandstone, 0 to 8 percent slopes	7	582.5	0.003	\$	891.33
Lebanon	UdgD	Udorthents, shale and sandstone, 8 to 25 percent slopes	7	90.4	0	\$	891.33
Lebanon	UegD	Udorthents, sanitary landfill, 0 to 25 percent slopes	7	87.6	0	\$	891.33
Lebanon	UoB	Ungers extremely stony loam, 3 to 8 percent slopes	7	1035.7	0.004	\$	891.33
Lebanon	UoC	Ungers extremely stony loam, 8 to 25 percent slopes	7	6604.6	0.028	\$	891.33
Lebanon	UPE	Ungers and Calvin soils, steep	7	2180.5	0.009	\$	891.33
Lebanon	WbB	Watchung extremely stony silt loam, 0 to 8 percent slopes:	7	972.3	0.004	\$	891.33
Lebanon	WeE	Weikert shaly silt loam, 25 to 50 percent slopes	7	2416.7	0.01	\$	891.33
Lebanon	IW	Industrial waste	8	24.2	0	\$	891.33
Lebanon	Ru	Rubble land	8	2159.8	0.009	\$	891.33
Lebanon	UggB	Urban land, 0 to 8 percent slopes	8	276.1	0.001	\$	891.33
Lebanon	UkgB	Urban land-Berks complex, 0 to 8 percent slopes	8	552.9	0.002	\$	891.33
Lebanon	UkgD	Urban land-Berks complex, 8 to 25 percent slopes	8	73.8	0	\$	891.33
Lebanon	UR	Urban land-Berks complex	8	105.3	0	\$	891.33
Lebanon	US	Urban land-Hagerstown complex	8	3754.9	0.016	\$	891.33

Lebanon	UzCB	Urban land-Udorthents, shale and sandstone complex, 0 t	8	38.8	0	\$ 891.33
Lehigh	AfA	Allenwood silt loam, 0 to 3 percent slopes	1	150.3	0.001	\$ 1,560.13
Lehigh	ArA	Arendtsville gravelly silt loam, 0 to 3 percent slopes	1	197.1	0.001	\$ 1,401.13
Lehigh	BfA	Bedington-Berks complex, 0 to 3 percent slopes	1	956.1	0.004	\$ 1,404.19
Lehigh	BmA	Birdsboro silt loam, 0 to 3 percent slopes	1	27.5	0	\$ 1,599.57
Lehigh	DbA	Duffield silt loam, 0 to 3 percent slopes	1	1704.7	0.008	\$ 1,747.30
Lehigh	Lv	Linden loam	1	559.1	0.003	\$ 1,470.29
Lehigh	WaA	Washington silt loam, 0 to 3 percent slopes	1	6110	0.027	\$ 1,780.60
Lehigh	AfB	Allenwood silt loam, 3 to 8 percent slopes	2	365	0.002	\$ 1,560.13
Lehigh	ArB	Arendtsville gravelly silt loam, 3 to 8 percent slopes	2	3082.7	0.014	\$ 1,607.93
Lehigh	BfB	Bedington-Berks complex, 3 to 8 percent slopes	2	6188.9	0.028	\$ 1,388.60
Lehigh	BkB	Berks-Weikert complex, 3 to 8 percent slopes	2	20130	0.09	\$ 1,220.77
Lehigh	BmB	Birdsboro silt loam, 3 to 8 percent slopes	2	362.4	0.002	\$ 1,593.95
Lehigh	BuB	Buchanan gravelly loam, 3 to 8 percent slopes	2	581.9	0.003	\$ 1,460.76
Lehigh	CmA	Clarksburg silt loam, 0 to 3 percent slopes	2	1618.6	0.007	\$ 1,486.56
Lehigh	CmB	Clarksburg silt loam, 3 to 8 percent slopes	2	1173.6	0.005	\$ 1,485.78
Lehigh	CpA	Comly silt loam, 0 to 3 percent slopes	2	637.7	0.003	\$ 1,344.29
Lehigh	CpB	Comly silt loam, 3 to 8 percent slopes	2	3140.8	0.014	\$ 1,344.29
Lehigh	DbB	Duffield silt loam, 3 to 8 percent slopes	2	5613.5	0.025	\$ 1,756.37
Lehigh	EhB	Edgemont channery loam, 3 to 8 percent slopes	2	363.4	0.002	\$ 1,463.10
Lehigh	Gc	Gibraltar silt loam	2	203.6	0.001	\$ 1,468.03
Lehigh	GeA	Gladstone gravelly loam, 0 to 3 percent slopes	2	85.6	0	\$ 1,602.04
Lehigh	GeB	Gladstone gravelly loam, 3 to 8 percent slopes	2	4760.7	0.021	\$ 1,516.83
Lehigh	GnA	Glenville silt loam, 0 to 3 percent slopes	2	121	0.001	\$ 1,504.91
Lehigh	GnB	Glenville silt loam, 3 to 8 percent slopes	2	1150.1	0.005	\$ 1,504.91
Lehigh	LaB	Laidig gravelly loam, 3 to 8 percent slopes	2	680.5	0.003	\$ 1,347.96
Lehigh	LmB	Lehigh channery silt loam, 3 to 8 percent slopes	2	10.3	0	\$ 1,456.60
Lehigh	Me	Middlebury silt loam	2	2332.3	0.01	\$ 1,468.03
Lehigh	MgB	Monongahela silt loam, 3 to 8 percent slopes	2	215.1	0.001	\$ 1,335.13
Lehigh	MIB	Mount Lucas silt loam, 3 to 8 percent slopes	2	15.5	0	\$ 1,373.72
Lehigh	MuB	Murrill gravelly loam, 3 to 8 percent slopes	2	498.4	0.002	\$ 1,457.54
Lehigh	NaB	Neshaminy silt loam, 3 to 8 percent slopes	2	410.2	0.002	\$ 1,567.42
Lehigh	PeB	Penn channery silt loam, 3 to 8 percent slopes	2	989.5	0.004	\$ 1,475.34
Lehigh	ReA	Readington silt loam, 0 to 3 percent slopes	2	172.6	0.001	\$ 1,494.38
Lehigh	ReB	Readington silt loam, 3 to 8 percent slopes	2	411.2	0.002	\$ 1,482.16
Lehigh	WaB	Washington silt loam, 3 to 8 percent slopes	2	16687	0.075	\$ 1,672.03
Lehigh	AbC	Abbottstown silt loam, 8 to 15 percent slopes	3	0.3	0	\$ 1,450.15
Lehigh	ArC	Arendtsville gravelly silt loam, 8 to 15 percent slopes	3	1800.3	0.008	\$ 1,473.51
Lehigh	BfC	Bedington-Berks complex, 8 to 15 percent slopes	3	2126.3	0.01	\$ 1,330.27
Lehigh	BkA	Berks-Weikert complex, 0 to 3 percent slopes	3	1339.9	0.006	\$ 1,232.17
Lehigh	BkC	Berks-Weikert complex, 8 to 15 percent slopes	3	18812	0.084	\$ 1,220.77
Lehigh	BwB	Buckingham silt loam, 3 to 8 percent slopes	3	2.6	0	\$ 1,462.22
Lehigh	CaB	Calvin-Klinesville channery silt loams, 3 to 8 percent slope	3	55.1	0	\$ 1,142.34
Lehigh	DfC	Duffield-Ryder silt loams, 8 to 15 percent slopes	3	1343.7	0.006	\$ 1,532.19
Lehigh	EhC	Edgemont channery loam, 8 to 15 percent slopes	3	323.2	0.001	\$ 1,406.54
Lehigh	GeC	Gladstone gravelly loam, 8 to 15 percent slopes	3	5115	0.023	\$ 1,469.59
Lehigh	GnC	Glenville silt loam, 8 to 15 percent slopes	3	83.9	0	\$ 1,312.56

Lehigh	Ho	Holly silt loam	3	5048.1	0.023	\$ 1,352.09
Lehigh	LaC	Laidig gravelly loam, 8 to 15 percent slopes	3	597.8	0.003	\$ 1,308.93
Lehigh	LmC	Lehigh channery silt loam, 8 to 15 percent slopes	3	23.4	0	\$ 1,416.37
Lehigh	MIC	Mount Lucas silt loam, 8 to 15 percent slopes	3	4.1	0	\$ 1,342.76
Lehigh	MuC	Murrill gravelly loam, 8 to 15 percent slopes	3	351.4	0.002	\$ 1,402.40
Lehigh	NaC	Neshaminy silt loam, 8 to 15 percent slopes	3	158.7	0.001	\$ 1,490.76
Lehigh	PeC	Penn channery silt loam, 8 to 15 percent slopes	3	350	0.002	\$ 1,416.24
Lehigh	PkC	Penn-Klinesville channery silt loams, 8 to 15 percent slopes	3	312.6	0.001	\$ 1,226.08
Lehigh	WaC	Washington silt loam, 8 to 15 percent slopes	3	2764.2	0.012	\$ 1,566.96
Lehigh	WeB	Weikert-Berks complex, 3 to 8 percent slopes	3	263.9	0.001	\$ 1,142.34
Lehigh	AnA	Andover-Buchanan gravelly loams, 0 to 3 percent slopes	4	41.7	0	\$ 1,273.45
Lehigh	AnB	Andover-Buchanan gravelly loams, 3 to 8 percent slopes	4	77.4	0	\$ 1,273.45
Lehigh	ArD	Arendtsville gravelly silt loam, 15 to 25 percent slopes	4	669.8	0.003	\$ 1,411.85
Lehigh	BhD	Berks-Bedington complex, 15 to 25 percent slopes	4	767.7	0.003	\$ 1,273.83
Lehigh	BkD	Berks-Weikert complex, 15 to 25 percent slopes	4	11534	0.052	\$ 1,136.89
Lehigh	Bo	Bowmansville-Knauers silt loams	4	298.1	0.001	\$ 1,375.05
Lehigh	BtA	Brinkerton-Comly silt loams, 0 to 3 percent slopes	4	1184.7	0.005	\$ 1,291.29
Lehigh	BtB	Brinkerton-Comly silt loams, 3 to 8 percent slopes	4	1639.9	0.007	\$ 1,291.29
Lehigh	CaC	Calvin-Klinesville channery silt loams, 8 to 15 percent slopes	4	38.9	0	\$ 1,100.53
Lehigh	CnB	Cokesbury silt loam, 3 to 8 percent slopes	4	20.1	0	\$ 1,347.96
Lehigh	CwA	Croton silt loam, occasionally ponded, 0 to 3 percent slopes	4	243.9	0.001	\$ 1,238.20
Lehigh	CwB	Croton silt loam, 3 to 8 percent slopes	4	364.7	0.002	\$ 1,122.54
Lehigh	DfD	Duffield-Ryder silt loams, 15 to 25 percent slopes	4	735.4	0.003	\$ 1,319.42
Lehigh	EhD	Edgemont channery loam, 15 to 25 percent slopes	4	55.8	0	\$ 1,311.84
Lehigh	GeD	Gladstone gravelly loam, 15 to 25 percent slopes	4	2013.9	0.009	\$ 1,410.65
Lehigh	GgD	Gladstone-Parker gravelly loams, 15 to 25 percent slopes	4	23.7	0	\$ 1,358.92
Lehigh	LaD	Laidig gravelly loam, 15 to 25 percent slopes	4	56.8	0	\$ 1,236.20
Lehigh	LfA	Lamington silt loam, 0 to 3 percent slopes	4	39.9	0	\$ 1,115.17
Lehigh	NaD	Neshaminy silt loam, 15 to 25 percent slopes	4	37.9	0	\$ 1,463.68
Lehigh	PeD	Penn channery silt loam, 15 to 25 percent slopes	4	122.6	0.001	\$ 1,223.63
Lehigh	PkD	Penn-Klinesville channery silt loams, 15 to 25 percent slopes	4	192	0.001	\$ 1,216.66
Lehigh	ThA	Thorndale-Penlaw silt loams, 0 to 3 percent slopes	4	983.7	0.004	\$ 1,207.53
Lehigh	ToA	Towhee silt loam, 0 to 3 percent slopes	4	740.2	0.003	\$ 1,242.60
Lehigh	ToB	Towhee silt loam, 3 to 8 percent slopes	4	980.8	0.004	\$ 1,252.11
Lehigh	WaD	Washington silt loam, 15 to 25 percent slopes	4	257.1	0.001	\$ 1,468.15
Lehigh	Fb	Fluvaquents	5	36.7	0	\$ 891.33
Lehigh	CaD	Calvin-Klinesville channery silt loams, 15 to 25 percent slopes	6	69.9	0	\$ 1,010.10
Lehigh	GfB	Gladstone gravelly loam, 0 to 8 percent slopes, very bouldery	6	1003.8	0.005	\$ 891.33
Lehigh	GfD	Gladstone gravelly loam, 8 to 25 percent slopes, very bouldery	6	5005.3	0.022	\$ 891.33
Lehigh	WeD	Weikert-Berks complex, 15 to 25 percent slopes	6	1706.1	0.008	\$ 1,056.51
Lehigh	AoB	Andover-Buchanan gravelly loams, 0 to 8 percent slopes, very bouldery	7	572	0.003	\$ 891.33
Lehigh	BkF	Berks-Weikert complex, 25 to 60 percent slopes	7	14345	0.064	\$ 891.33
Lehigh	BvB	Buchanan gravelly loam, 0 to 8 percent slopes, extremely bouldery	7	1843.1	0.008	\$ 891.33
Lehigh	BvD	Buchanan gravelly loam, 8 to 25 percent slopes, extremely bouldery	7	84.9	0	\$ 891.33
Lehigh	CoB	Cokesbury silt loam, 0 to 8 percent slopes, very stony	7	228.5	0.001	\$ 891.33
Lehigh	EdD	Edgemont channery sandy loam, 8 to 25 percent slopes, extremely bouldery	7	79.7	0	\$ 891.33
Lehigh	GfF	Gladstone gravelly loam, 25 to 55 percent slopes, very bouldery	7	2493.2	0.011	\$ 891.33

Lehigh	HeB	Hazleton very channery loam, 0 to 8 percent slopes, extre	7	339	0.002	\$ 891.33
Lehigh	HeD	Hazleton very channery loam, 8 to 25 percent slopes, extr	7	1076.2	0.005	\$ 891.33
Lehigh	HeF	Hazleton very channery loam, 25 to 60 percent slopes, exi	7	887.2	0.004	\$ 891.33
Lehigh	HgF	Hazleton-Rubble land complex, 25 to 60 percent slopes	7	245.9	0.001	\$ 891.33
Lehigh	KIF	Klinesville-Calvin channery silt loams, 25 to 50 percent slo	7	103.8	0	\$ 891.33
Lehigh	LbB	Laidig very gravelly loam, 0 to 8 percent slopes, extremely	7	2312.6	0.01	\$ 891.33
Lehigh	LbD	Laidig very gravelly loam, 8 to 25 percent slopes, extreme	7	4882.4	0.022	\$ 891.33
Lehigh	LbF	Laidig very gravelly loam, 25 to 55 percent slopes, extrem	7	466.1	0.002	\$ 891.33
Lehigh	LdF	Laidig-Rubble land complex, 25 to 55 percent slopes	7	449.9	0.002	\$ 891.33
Lehigh	NhB	Neshaminy gravelly silt loam, 0 to 8 percent slopes, extren	7	306.3	0.001	\$ 891.33
Lehigh	NhD	Neshaminy gravelly silt loam, 8 to 25 percent slopes, extre	7	464.6	0.002	\$ 891.33
Lehigh	NhF	Neshaminy gravelly silt loam, 25 to 60 percent slopes, ext	7	131.5	0.001	\$ 891.33
Lehigh	TrB	Towhee silt loam, 0 to 8 percent slopes, extremely stony	7	145	0.001	\$ 891.33
Lehigh	Ua	Udorthents	7	2262.5	0.01	\$ 891.33
Lehigh	UdIB	Udorthents, limestone, 0 to 8 percent slopes	7	58.8	0	\$ 891.33
Lehigh	UgB	Urban land, 0 to 8 percent slopes	8	5357.6	0.024	\$ 891.33
Lehigh	UgC	Urban land, 8 to 15 percent slopes	8	559.3	0.003	\$ 891.33
Lehigh	Uh	Urban land, occasionally flooded	8	113.7	0.001	\$ 891.33
Lehigh	UkB	Urban land-Berks complex, 0 to 8 percent slopes	8	1075.9	0.005	\$ 891.33
Lehigh	UkD	Urban land-Berks complex, 8 to 25 percent slopes	8	228.9	0.001	\$ 891.33
Lehigh	UmB	Urban land-Duffield complex, 0 to 8 percent slopes	8	21227	0.095	\$ 896.75
Lehigh	UmD	Urban land-Duffield complex, 8 to 25 percent slopes	8	2321.6	0.01	\$ 891.33
Lehigh	UnB	Urban land-Gladstone complex, 0 to 8 percent slopes	8	996.4	0.004	\$ 891.33
Lehigh	UnD	Urban land-Gladstone complex, 8 to 25 percent slopes	8	523.4	0.002	\$ 891.33
Lehigh	UsB	Urban land-Laidig complex, 0 to 8 percent slopes	8	21.4	0	\$ 891.33
Lehigh	UsD	Urban land-Laidig complex, 8 to 25 percent slopes	8	171.2	0.001	\$ 891.33
Lehigh	UvB	Urban land-Neshaminy complex, 0 to 8 percent slopes	8	5.4	0	\$ 891.33
Lehigh	UxB	Urban land-Penn complex, 0 to 8 percent slopes	8	535.1	0.002	\$ 891.33
Luzerne	Ln	Linden soils	1	4065.2	0.007	\$ 1,464.55
Luzerne	Ps	Pope soils	1	8978.3	0.015	\$ 1,528.03
Luzerne	Bf	Basher soils	2	4116.3	0.007	\$ 1,462.22
Luzerne	BkB	Bath channery silt loam, 3 to 8 percent slopes	2	1072.4	0.002	\$ 1,436.94
Luzerne	BrA	Braceville gravelly loam, 0 to 3 percent slopes	2	404.5	0.001	\$ 1,401.13
Luzerne	BrB	Braceville gravelly loam, 3 to 8 percent slopes	2	3411.8	0.006	\$ 1,373.39
Luzerne	BuB	Buchanan channery loam, 3 to 8 percent slopes	2	877	0.002	\$ 1,342.48
Luzerne	ChA	Chenango gravelly loam, 0 to 3 percent slopes	2	2868.5	0.005	\$ 1,344.49
Luzerne	ChB	Chenango gravelly loam, 3 to 8 percent slopes	2	8721.7	0.015	\$ 1,344.49
Luzerne	KdB	Kedron channery silt loam, 3 to 8 percent slopes	2	3098.3	0.005	\$ 1,342.48
Luzerne	LaB	Lackawanna channery silt loam, 3 to 8 percent slopes	2	6342.9	0.011	\$ 1,428.39
Luzerne	LkB	Leck kill channery silt loam, 3 to 8 percent slopes	2	2111.3	0.004	\$ 1,501.83
Luzerne	MaB	Mardin channery silt loam, 3 to 8 percent slopes	2	6088.7	0.01	\$ 1,399.52
Luzerne	MeB	Meckesville channery silt loam, 3 to 8 percent slopes	2	7684.6	0.013	\$ 1,347.96
Luzerne	OIB	Oquaga and Lordstown channery silt loams, 3 to 8 percen	2	11809	0.02	\$ 1,262.50
Luzerne	WIB	Wellsboro channery silt loam, 3 to 8 percent slopes	2	17069	0.029	\$ 1,394.70
Luzerne	WrB	Wurtsboro channery loam, 3 to 8 percent slopes	2	3744.9	0.006	\$ 1,248.16
Luzerne	AlB	Alvira silt loam, 3 to 8 percent slopes	3	247.4	0	\$ 1,310.38
Luzerne	BkC	Bath channery silt loam, 8 to 15 percent slopes	3	1024	0.002	\$ 1,378.36

Luzerne	BrC	Braceville gravelly loam, 8 to 15 percent slopes	3	1400.2	0.002	\$ 1,340.67
Luzerne	ChC	Chenango gravelly loam, 8 to 15 percent slopes	3	5024.5	0.009	\$ 1,281.44
Luzerne	Ho	Holly silt loam	3	3432.5	0.006	\$ 1,354.83
Luzerne	KdC	Kedron channery silt loam, 8 to 15 percent slopes	3	742	0.001	\$ 1,274.14
Luzerne	KwB	Kedron channery silt loam, somewhat poorly drained, 0 to 8 percent slopes	3	1142.9	0.002	\$ 1,329.42
Luzerne	LaC	Lackawanna channery silt loam, 8 to 15 percent slopes	3	5305.6	0.009	\$ 1,376.71
Luzerne	LkC	Leck kill channery silt loam, 8 to 15 percent slopes	3	2299.1	0.004	\$ 1,473.79
Luzerne	MaC	Mardin channery silt loam, 8 to 15 percent slopes	3	4668.2	0.008	\$ 1,308.20
Luzerne	MeC	Meckesville channery silt loam, 8 to 15 percent slopes	3	3012.5	0.005	\$ 1,312.56
Luzerne	MoB	Morris channery silt loam, 0 to 8 percent slopes	3	7339.2	0.013	\$ 1,166.87
Luzerne	MoC	Morris channery silt loam, 8 to 15 percent slopes	3	1410	0.002	\$ 1,164.67
Luzerne	OIC	Oquaga and Lordstown channery silt loams, 8 to 15 percent slopes	3	13764	0.024	\$ 1,236.20
Luzerne	PoB	Pocono gravelly sandy loam, 3 to 8 percent slopes	3	2401	0.004	\$ 1,194.92
Luzerne	PoC	Pocono gravelly sandy loam, 8 to 15 percent slopes	3	486.8	0.001	\$ 1,151.35
Luzerne	RdA	Rexford loam, 0 to 3 percent slopes	3	1198.5	0.002	\$ 1,194.92
Luzerne	RdB	Rexford loam, 3 to 8 percent slopes	3	2190.4	0.004	\$ 1,194.92
Luzerne	VoB	Volusia channery silt loam, 0 to 8 percent slopes	3	3700.9	0.006	\$ 1,211.69
Luzerne	VoC	Volusia channery silt loam, 8 to 15 percent slopes	3	940.8	0.002	\$ 1,208.37
Luzerne	WeB	Weikert and Klinesville channery silt loams, 3 to 8 percent slopes	3	520.8	0.001	\$ 1,004.79
Luzerne	WIC	Wellsboro channery silt loam, 8 to 15 percent slopes	3	11144	0.019	\$ 1,308.93
Luzerne	WrC	Wurtsboro channery loam, 8 to 15 percent slopes	3	2342.5	0.004	\$ 1,219.54
Luzerne	At	Atherton silt loam, gray subsoil variant	4	838.5	0.001	\$ 1,182.09
Luzerne	BkD	Bath channery silt loam, 15 to 25 percent slopes	4	733.1	0.001	\$ 1,240.21
Luzerne	CIA	Chippewa silt loam, 0 to 3 percent slopes	4	6043.1	0.01	\$ 1,004.79
Luzerne	CIB	Chippewa silt loam, 3 to 8 percent slopes	4	2153.1	0.004	\$ 1,004.79
Luzerne	LaD	Lackawanna channery silt loam, 15 to 25 percent slopes	4	1835.6	0.003	\$ 1,310.75
Luzerne	LkD	Leck kill channery silt loam, 15 to 25 percent slopes	4	1155.8	0.002	\$ 1,381.66
Luzerne	MaD	Mardin channery silt loam, 15 to 25 percent slopes	4	626.9	0.001	\$ 1,164.67
Luzerne	MeD	Meckesville channery silt loam, 15 to 25 percent slopes	4	738.7	0.001	\$ 1,236.20
Luzerne	OID	Oquaga and Lordstown channery silt loams, 15 to 25 percent slopes	4	7914.1	0.014	\$ 1,194.92
Luzerne	ShA	Shelmadine silt loam, 0 to 5 percent slopes	4	280.5	0	\$ 1,240.45
Luzerne	SwD	Swartswood channery loam, 15 to 25 percent slopes	4	5	0	\$ 1,201.25
Luzerne	Wa	Wayland silt loam	4	1617.5	0.003	\$ 1,004.79
Luzerne	WeC	Weikert and Klinesville channery silt loams, 8 to 15 percent slopes	4	677.4	0.001	\$ 1,004.79
Luzerne	WID	Wellsboro channery silt loam, 15 to 25 percent slopes	4	2383.4	0.004	\$ 1,207.53
Luzerne	WrD	Wurtsboro channery loam, 15 to 25 percent slopes	4	381.6	0.001	\$ 1,194.92
Luzerne	WyD	Wyoming gravelly loam, 15 to 25 percent slopes	4	2784.8	0.005	\$ 1,105.28
Luzerne	Mu	Muck	5	2635.6	0.005	\$ 891.33
Luzerne	AnB	Alvira very stony silt loam, 0 to 8 percent slopes	6	1257.3	0.002	\$ 891.33
Luzerne	ASD	Arnot-Rock outcrop complex, 3 to 25 percent slopes	6	5.5	0	\$ 891.33
Luzerne	KeB	Kedron very stony silt loam, 3 to 8 percent slopes	6	862.4	0.001	\$ 891.33
Luzerne	KeC	Kedron very stony silt loam, 8 to 20 percent slopes	6	354.3	0.001	\$ 891.33
Luzerne	McB	Mardin channery silt loam, 3 to 8 percent slopes, very stony	6	2712.7	0.005	\$ 891.33
Luzerne	McD	Mardin channery silt loam, 8 to 25 percent slopes, very stony	6	3189.2	0.005	\$ 891.33
Luzerne	MfB	Meckesville very stony silt loam, 3 to 8 percent slopes	6	577.8	0.001	\$ 891.33
Luzerne	MfD	Meckesville very stony silt loam, 8 to 25 percent slopes	6	1109	0.002	\$ 891.33
Luzerne	WeD	Weikert and Klinesville channery silt loams, 15 to 25 percent slopes	6	445.4	0.001	\$ 891.33

Luzerne	Ag	Alluvial land	7	1636.7	0.003	\$	891.33
Luzerne	ArB	Arnot-Rock outcrop complex, 0 to 8 percent slopes	7	5768	0.01	\$	891.33
Luzerne	ArD	Arnot-Rock outcrop complex, 8 to 25 percent slopes	7	11524	0.02	\$	891.33
Luzerne	ASF	Arnot-Rock outcrop complex, steep	7	16319	0.028	\$	891.33
Luzerne	BnB	Bath channery silt loam, 3 to 8 percent slopes, extremely	7	428.8	0.001	\$	891.33
Luzerne	BnD	Bath channery silt loam, 8 to 25 percent slopes, extremely	7	975.3	0.002	\$	891.33
Luzerne	BxB	Buchanan extremely stony loam, 3 to 8 percent slopes	7	4161.1	0.007	\$	891.33
Luzerne	BxD	Buchanan extremely stony loam, 8 to 25 percent slopes	7	679.8	0.001	\$	891.33
Luzerne	CnB	Chippewa silt loam, 0 to 8 percent slopes, extremely stony	7	8861.7	0.015	\$	891.33
Luzerne	DdB	Dekalb extremely stony sandy loam, 0 to 8 percent slopes	7	4097.1	0.007	\$	891.33
Luzerne	DdD	Dekalb extremely stony sandy loam, 8 to 25 percent slopes	7	6249.5	0.011	\$	891.33
Luzerne	DEF	Dekalb extremely stony sandy loam, steep	7	5306.8	0.009	\$	891.33
Luzerne	KxB	Kedron very stony silt loam, somewhat poorly drained, 0 to 8	7	318.1	0.001	\$	891.33
Luzerne	LcB	Lackawanna channery silt loam, 3 to 8 percent slopes, extremely	7	11490	0.02	\$	891.33
Luzerne	LcD	Lackawanna channery silt loam, 8 to 25 percent slopes, extremely	7	18538	0.032	\$	891.33
Luzerne	LEF	Lackawanna and Bath soils, steep, extremely stony	7	3545.1	0.006	\$	891.33
Luzerne	LxB	Lordstown extremely stony silt loam, 3 to 8 percent slopes	7	2.1	0	\$	891.33
Luzerne	LxD	Lordstown extremely stony silt loam, 8 to 25 percent slopes	7	8.8	0	\$	891.33
Luzerne	Mg	Mine dump	7	6325.1	0.011	\$	891.33
Luzerne	Mh	Mine dump, burned	7	515.3	0.001	\$	891.33
Luzerne	Mm	Mine wash	7	937.8	0.002	\$	891.33
Luzerne	MsB	Morris channery silt loam, 0 to 8 percent slopes, extremely	7	16444	0.028	\$	891.33
Luzerne	MsC	Morris channery silt loam, 8 to 15 percent slopes, extremely	7	1199.6	0.002	\$	891.33
Luzerne	OpB	Oquaga and Lordstown extremely stony silt loams, 3 to 8	7	20149	0.035	\$	891.33
Luzerne	OpD	Oquaga and Lordstown extremely stony silt loams, 8 to 25	7	49534	0.085	\$	891.33
Luzerne	OXF	Oquaga and Lordstown extremely stony silt loams steep	7	46864	0.081	\$	891.33
Luzerne	PpB	Pocono extremely stony sandy loam, 3 to 8 percent slopes	7	10331	0.018	\$	891.33
Luzerne	PpD	Pocono extremely stony sandy loam, 8 to 25 percent slopes	7	7278.9	0.013	\$	891.33
Luzerne	SkB	Shelmadine very stony silt loam, 0 to 5 percent slopes	7	1249.8	0.002	\$	891.33
Luzerne	Sm	Strip mine	7	25309	0.044	\$	891.33
Luzerne	SxB	Swartswood extremely stony loam, 3 to 8 percent slopes	7	29.4	0	\$	891.33
Luzerne	SxD	Swartswood extremely stony loam, 8 to 25 percent slopes	7	82.8	0	\$	891.33
Luzerne	VrB	Volusia channery silt loam, 0 to 8 percent slopes, extremely	7	3332.9	0.006	\$	891.33
Luzerne	VrC	Volusia channery silt loam, 8 to 15 percent slopes, extremely	7	676	0.001	\$	891.33
Luzerne	WmB	Wellsboro channery silt loam, 3 to 8 percent slopes, extremely	7	31323	0.054	\$	891.33
Luzerne	WmD	Wellsboro channery silt loam, 8 to 25 percent slopes, extremely	7	13939	0.024	\$	891.33
Luzerne	WtB	Wurtsboro extremely stony loam, 3 to 8 percent slopes	7	4003	0.007	\$	891.33
Luzerne	WtD	Wurtsboro extremely stony loam, 8 to 25 percent slopes	7	2852.7	0.005	\$	891.33
Luzerne	WyF	Wyoming gravelly loam, 25 to 60 percent slopes	7	2528.2	0.004	\$	891.33
Luzerne	GP	Gravel pits	8	717.3	0.001	\$	891.33
Lycoming	Bb	Barbour fine sandy loam, occasionally flooded	1	7678.1	0.01	\$	1,468.21
Lycoming	HaA	Hagerstown silt loam, 0 to 3 percent slopes	1	728.2	0.001	\$	1,641.98
Lycoming	Lm	Linden loam	1	1586	0.002	\$	1,464.67
Lycoming	Ln	Linden loam, occasionally flooded	1	7013.9	0.009	\$	1,468.61
Lycoming	WaA	Washington silt loam, 0 to 3 percent slopes	1	822.6	0.001	\$	1,616.32
Lycoming	WsA	Wheeling silt loam, 0 to 3 percent slopes	1	1438.3	0.002	\$	1,501.83
Lycoming	AbB	Albrights silt loam, 3 to 8 percent slopes	2	2996.3	0.004	\$	1,370.05

Lycoming	AIB	Allenwood gravelly silt loam, 3 to 8 percent slopes	2	6064.7	0.008	\$ 1,578.85
Lycoming	Ba	Barbour fine sandy loam	2	2481.1	0.003	\$ 1,407.17
Lycoming	Bc	Basher silt loam	2	3884.8	0.005	\$ 1,456.36
Lycoming	Bd	Basher silt loam, occasionally flooded	2	2806.1	0.004	\$ 1,464.67
Lycoming	BeB	Berks channery silt loam, 3 to 8 percent slopes	2	3751.4	0.005	\$ 1,190.67
Lycoming	BtB	Buchanan-Andover gravelly loams, 3 to 8 percent slopes	2	31.4	0	\$ 1,421.91
Lycoming	ChA	Chenango gravelly loam, 0 to 3 percent slopes	2	2203.5	0.003	\$ 1,344.49
Lycoming	CIA	Clarksburg silt loam, 0 to 3 percent slopes	2	697.5	0.001	\$ 1,486.56
Lycoming	CIB	Clarksburg silt loam, 3 to 8 percent slopes	2	1549.3	0.002	\$ 1,485.78
Lycoming	CmB	Clymer channery loam, 3 to 8 percent slopes	2	15746	0.02	\$ 1,460.76
Lycoming	CoB	Cookport loam, 3 to 8 percent slopes	2	4578	0.006	\$ 1,194.92
Lycoming	DeB	Dekalb channery loam, 3 to 8 percent slopes	2	1900.6	0.002	\$ 1,194.92
Lycoming	DuB	Duncannon loam, 3 to 8 percent slopes	2	2275.6	0.003	\$ 1,413.80
Lycoming	HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	1738.3	0.002	\$ 1,642.70
Lycoming	HhB	Hartleton channery silt loam, 3 to 8 percent slopes	2	4669.9	0.006	\$ 1,232.17
Lycoming	HIB	Hazleton-Clymer channery loams, 3 to 8 percent slopes	2	58.6	0	\$ 1,456.36
Lycoming	LaB	Lackawanna channery silt loam, 3 to 8 percent slopes	2	3898.2	0.005	\$ 1,428.39
Lycoming	LdB	Laidig channery silt loam, 3 to 8 percent slopes	2	984.6	0.001	\$ 1,347.96
Lycoming	LkB	Leck kill channery silt loam, 3 to 8 percent slopes	2	11957	0.015	\$ 1,469.48
Lycoming	OgB	Oquaga channery loam, 3 to 8 percent slopes	2	3740.8	0.005	\$ 1,207.53
Lycoming	TuA	Tunkhannock gravelly loam, 0 to 3 percent slopes	2	2679.1	0.003	\$ 1,275.36
Lycoming	TuB	Tunkhannock gravelly loam, 3 to 8 percent slopes	2	2172.6	0.003	\$ 1,275.36
Lycoming	WaB	Washington silt loam, 3 to 8 percent slopes	2	3294.6	0.004	\$ 1,616.32
Lycoming	WbA	Watson silt loam, 0 to 3 percent slopes	2	991.8	0.001	\$ 1,337.52
Lycoming	WbB	Watson silt loam, 3 to 8 percent slopes	2	6938.8	0.009	\$ 1,342.48
Lycoming	WIB	Wellsboro channery silt loam, 3 to 8 percent slopes	2	3702.3	0.005	\$ 1,394.70
Lycoming	WsB	Wheeling silt loam, 3 to 8 percent slopes	2	1612.9	0.002	\$ 1,501.83
Lycoming	AbC	Albrights silt loam, 8 to 15 percent slopes	3	1938.8	0.002	\$ 1,341.02
Lycoming	AIC	Allenwood gravelly silt loam, 8 to 15 percent slopes	3	2387.5	0.003	\$ 1,501.83
Lycoming	AvA	Alvira silt loam, 0 to 3 percent slopes	3	1212	0.002	\$ 1,308.93
Lycoming	AvB	Alvira silt loam, 3 to 8 percent slopes	3	3624.8	0.005	\$ 1,310.38
Lycoming	AvC	Alvira silt loam, 8 to 15 percent slopes	3	1620.3	0.002	\$ 1,280.68
Lycoming	BeC	Berks channery silt loam, 8 to 15 percent slopes	3	12199	0.015	\$ 1,153.58
Lycoming	CmC	Clymer channery loam, 8 to 15 percent slopes	3	1669	0.002	\$ 1,427.78
Lycoming	DeC	Dekalb channery loam, 8 to 15 percent slopes	3	1212.4	0.002	\$ 1,151.35
Lycoming	HaC	Hagerstown silt loam, 8 to 15 percent slopes	3	526.2	0.001	\$ 1,562.05
Lycoming	HhC	Hartleton channery silt loam, 8 to 15 percent slopes	3	11405	0.014	\$ 1,158.03
Lycoming	HIC	Hazleton-Clymer channery loams, 8 to 15 percent slopes	3	30.7	0	\$ 1,436.94
Lycoming	KIB	Klinesville shaly silt loam, 3 to 8 percent slopes	3	1084	0.001	\$ 1,015.07
Lycoming	LaC	Lackawanna channery silt loam, 8 to 15 percent slopes	3	2906.9	0.004	\$ 1,376.71
Lycoming	LdC	Laidig channery silt loam, 8 to 15 percent slopes	3	1926.4	0.002	\$ 1,312.56
Lycoming	LkC	Leck kill channery silt loam, 8 to 15 percent slopes	3	23903	0.03	\$ 1,459.30
Lycoming	MoB	Morris channery silt loam, 3 to 8 percent slopes	3	2571.1	0.003	\$ 1,166.87
Lycoming	MoC	Morris channery silt loam, 8 to 15 percent slopes	3	650	0.001	\$ 1,164.67
Lycoming	OgC	Oquaga channery loam, 8 to 15 percent slopes	3	6787.1	0.009	\$ 1,209.62
Lycoming	Re	Rexford gravelly loam	3	938.9	0.001	\$ 1,004.79
Lycoming	TuC	Tunkhannock gravelly loam, 8 to 15 percent slopes	3	1080.4	0.001	\$ 1,151.35

Lycoming	WaC	Washington silt loam, 8 to 15 percent slopes	3	1007.6	0.001	\$ 1,540.39
Lycoming	WbC	Watson silt loam, 8 to 15 percent slopes	3	4388.2	0.006	\$ 1,273.76
Lycoming	WeB	Weikert channery silt loam, 3 to 8 percent slopes	3	658.3	0.001	\$ 1,335.42
Lycoming	WIC	Wellsboro channery silt loam, 8 to 15 percent slopes	3	2182.2	0.003	\$ 1,308.93
Lycoming	Wy	Wyoming gravelly sandy loam, occasionally flooded	3	2582.5	0.003	\$ 1,275.36
Lycoming	BeD	Berks channery silt loam, 15 to 25 percent slopes	4	18486	0.023	\$ 1,114.71
Lycoming	HhD	Hartleton channery silt loam, 15 to 25 percent slopes	4	4297.6	0.005	\$ 1,124.02
Lycoming	KIC	Klinesville shaly silt loam, 8 to 15 percent slopes	4	1957.2	0.002	\$ 1,004.79
Lycoming	LkD	Leck kill channery silt loam, 15 to 25 percent slopes	4	21040	0.026	\$ 1,314.38
Lycoming	NrA	Norwich silt loam, 0 to 3 percent slopes	4	633.6	0.001	\$ 1,004.79
Lycoming	OgD	Oquaga channery loam, 15 to 25 percent slopes	4	6075.5	0.008	\$ 1,164.67
Lycoming	ShA	Shelmadine silt loam, 0 to 3 percent slopes	4	2374.7	0.003	\$ 1,244.19
Lycoming	ShB	Shelmadine silt loam, 3 to 8 percent slopes	4	890.8	0.001	\$ 1,244.19
Lycoming	TuD	Tunkhannock gravelly loam, 15 to 25 percent slopes	4	642.2	0.001	\$ 1,105.28
Lycoming	WeC	Weikert channery silt loam, 8 to 15 percent slopes	4	1730.7	0.002	\$ 1,126.33
Lycoming	Ho	Holly silt loam	5	6133.5	0.008	\$ 1,275.36
Lycoming	AsD	Arnot-Rock outcrop complex, 3 to 25 percent slopes	6	41.2	0	\$ 891.33
Lycoming	AxB	Alvira very stony loam, 0 to 8 percent slopes	6	1826.9	0.002	\$ 891.33
Lycoming	BuB	Buchanan very stony loam, 0 to 8 percent slopes	6	1921.5	0.002	\$ 891.33
Lycoming	BuD	Buchanan very stony loam, 8 to 25 percent slopes	6	2996.4	0.004	\$ 891.33
Lycoming	CnB	Clymer very stony loam, 0 to 8 percent slopes	6	14497	0.018	\$ 891.33
Lycoming	CnD	Clymer very stony loam, 8 to 25 percent slopes	6	13935	0.018	\$ 891.33
Lycoming	CxB	Cookport very stony loam, 0 to 8 percent slopes	6	6765.1	0.008	\$ 891.33
Lycoming	CxD	Cookport very stony loam, 8 to 25 percent slopes	6	2983.2	0.004	\$ 891.33
Lycoming	DkB	Dekalb very stony sandy loam, 0 to 8 percent slopes	6	20943	0.026	\$ 891.33
Lycoming	DkD	Dekalb very stony sandy loam, 8 to 25 percent slopes	6	36247	0.046	\$ 891.33
Lycoming	KID	Klinesville shaly silt loam, 15 to 25 percent slopes	6	5396.6	0.007	\$ 891.33
Lycoming	LgB	Laidig very stony loam, 0 to 8 percent slopes	6	1195.8	0.002	\$ 891.33
Lycoming	LgD	Laidig very stony loam, 8 to 25 percent slopes	6	12577	0.016	\$ 891.33
Lycoming	OxB	Oquaga and Lordstown very stony loams, 0 to 8 percent s	6	12663	0.016	\$ 891.33
Lycoming	OxD	Oquaga and Lordstown very stony loams, 8 to 25 percent	6	44326	0.056	\$ 891.33
Lycoming	SxD	Swartswood very stony sandy loam, 8 to 25 percent slope	6	1787.1	0.002	\$ 891.33
Lycoming	WeD	Weikert channery silt loam, 15 to 25 percent slopes	6	3205.1	0.004	\$ 891.33
Lycoming	WxB	Wurtsboro very stony sandy loam, 0 to 8 percent slopes	6	4079.3	0.005	\$ 891.33
Lycoming	WxD	Wurtsboro very stony sandy loam, 8 to 25 percent slopes	6	1839.3	0.002	\$ 891.33
Lycoming	DIE	Dekalb and Lehew very stony sandy loams, 25 to 80 perce	7	84706	0.106	\$ 891.33
Lycoming	HkE	Hazleton channery sandy loam, 25 to 80 percent slopes, r	7	2505.7	0.003	\$ 891.33
Lycoming	HmB	Hazleton-Clymer channery loams, 0 to 8 percent slopes, e	7	298.6	0	\$ 891.33
Lycoming	HmD	Hazleton-Clymer channery loams, 8 to 25 percent slopes,	7	1736.4	0.002	\$ 891.33
Lycoming	KIE	Klinesville channery silt loam, 25 to 80 percent slopes	7	19.2	0	\$ 891.33
Lycoming	LbB	Lackawanna channery silt loam, 0 to 8 percent slopes, ext	7	3024.6	0.004	\$ 891.33
Lycoming	LbD	Lackawanna channery silt loam, 8 to 25 percent slopes, ex	7	7698.6	0.01	\$ 891.33
Lycoming	LgE	Laidig very stony loam, 25 to 70 percent slopes	7	1796	0.002	\$ 891.33
Lycoming	MrB	Morris channery silt loam, 0 to 8 percent slopes, extremel	7	5379.6	0.007	\$ 891.33
Lycoming	NoB	Nolo very stony loam, 0 to 8 percent slopes	7	1124.1	0.001	\$ 891.33
Lycoming	NxB	Norwich channery silt loam, 0 to 8 percent slopes, extrem	7	946.2	0.001	\$ 891.33
Lycoming	OxE	Oquaga and Lordstown very stony loams, 25 to 70 percen	7	131802	0.166	\$ 891.33

Lycoming	SvB	Shelmadine very stony silt loam, 0 to 8 percent slopes	7	688.5	0.001	\$ 891.33
Lycoming	Ud	Udifluvents, loamy	7	7851.6	0.01	\$ 891.33
Lycoming	Uo	Udorthents, sandstone	7	973.5	0.001	\$ 891.33
Lycoming	WkE	Weikert and Klinesville shaly silt loams, 25 to 80 percent s	7	53801	0.068	\$ 891.33
Lycoming	WmB	Wellsboro channery silt loam, 0 to 8 percent slopes, extre	7	4834.8	0.006	\$ 891.33
Lycoming	WmD	Wellsboro channery silt loam, 8 to 25 percent slopes, extr	7	5665.3	0.007	\$ 891.33
Lycoming	Md	Medisaprists, ponded	8	5.2	0	\$ 891.33
Lycoming	Ru	Rubble land-Dystrochrepts complex, 15 to 80 percent slop	8	4099.8	0.005	\$ 891.33
McKean	Ba	Barbour loam	1	806.9	0.001	\$ 1,465.72
McKean	AbB	Albrights silt loam, 3 to 8 percent slopes	2	8624.7	0.014	\$ 1,370.05
McKean	Bb	Basher silt loam	2	4454.2	0.007	\$ 1,465.72
McKean	BeB	Braceville silt loam, 3 to 8 percent slopes	2	1525.4	0.002	\$ 1,346.23
McKean	BuB	Buchanan silt loam, 3 to 8 percent slopes	2	10104	0.016	\$ 1,377.04
McKean	CbB	Castile gravelly silt loam, 3 to 8 percent slopes	2	93	0	\$ 1,332.25
McKean	ChB	Chenango gravelly loam, 3 to 8 percent slopes	2	1105	0.002	\$ 1,344.49
McKean	ClB	Clymer loam, 3 to 8 percent slopes	2	3327.2	0.005	\$ 1,482.33
McKean	CoA	Cookport loam, 0 to 3 percent slopes	2	9415.7	0.015	\$ 1,236.20
McKean	CoB	Cookport loam, 3 to 8 percent slopes	2	57907	0.092	\$ 1,194.92
McKean	EdB	Eldred silt loam, 3 to 8 percent slopes	2	18.7	0	\$ 1,086.11
McKean	EIB	Elko silt loam, 3 to 8 percent slopes	2	572.4	0.001	\$ 1,086.11
McKean	GnB	Gilpin channery silt loam, 3 to 8 percent slopes	2	4.5	0	\$ 1,335.77
McKean	HaB	Hartleton channery silt loam, 3 to 8 percent slopes	2	5804.8	0.009	\$ 1,211.69
McKean	HbB	Hazleton channery loam, 3 to 8 percent slopes	2	19458	0.031	\$ 1,487.97
McKean	KnB	Kinzua channery silt loam, 3 to 8 percent slopes	2	132.6	0	\$ 1,164.67
McKean	LeB	Leck Kill channery silt loam, 3 to 8 percent slopes	2	1222.4	0.002	\$ 1,465.14
McKean	MaB	Mandy channery silt loam, 3 to 8 percent slopes	2	20	0	\$ 1,086.11
McKean	Ph	Philo silt loam, 0 to 3 percent slopes, occasionally flooded	2	11213	0.018	\$ 1,416.93
McKean	Po	Pope loam	2	3015.7	0.005	\$ 1,416.93
McKean	WaB	Wharton silt loam, 3 to 8 percent slopes	2	3908.1	0.006	\$ 1,160.25
McKean	AbC	Albrights silt loam, 8 to 15 percent slopes	3	23973	0.038	\$ 1,341.02
McKean	BuC	Buchanan silt loam, 8 to 15 percent slopes	3	15386	0.024	\$ 1,346.57
McKean	CaA	Cavode silt loam, 0 to 3 percent slopes	3	875.5	0.001	\$ 1,279.17
McKean	CaB	Cavode silt loam, 3 to 8 percent slopes	3	3031.7	0.005	\$ 1,282.95
McKean	CeC	Ceres channery silt loam, 8 to 15 percent slopes	3	41.3	0	\$ 1,126.33
McKean	CoC	Cookport loam, 8 to 15 percent slopes	3	4050.9	0.006	\$ 1,160.25
McKean	EIC	Elko silt loam, 8 to 15 percent slopes	3	382.9	0.001	\$ 1,043.87
McKean	GnC	Gilpin channery silt loam, 8 to 15 percent slopes	3	8.1	0	\$ 1,301.60
McKean	HaC	Hartleton channery silt loam, 8 to 15 percent slopes	3	9474.8	0.015	\$ 1,158.03
McKean	HbC	Hazleton channery loam, 8 to 15 percent slopes	3	9337.9	0.015	\$ 1,432.37
McKean	KnC	Kinzua channery silt loam, 8 to 15 percent slopes	3	137.8	0	\$ 1,126.33
McKean	LeC	Leck Kill channery silt loam, 8 to 15 percent slopes	3	5849.2	0.009	\$ 1,436.03
McKean	MaC	Mandy channery silt loam, 8 to 15 percent slopes	3	15.7	0	\$ 1,043.87
McKean	OnC	Onoville silt loam, 8 to 15 percent slopes	3	47.3	0	\$ 1,043.87
McKean	PoB	Portville silty clay loam, 3 to 8 percent slopes	3	36.9	0	\$ 1,086.11
McKean	ReA	Rexford silt loam, 0 to 3 percent slopes	3	390.3	0.001	\$ 1,214.59
McKean	ShB	Shongo silt loam, 3 to 8 percent slopes	3	8.7	0	\$ 1,004.79
McKean	WaC	Wharton silt loam, 8 to 15 percent slopes	3	19.8	0	\$ 1,086.11

McKean	At	Atkins silt loam, 0 to 3 percent slopes, frequently flooded	4	9520.4	0.015	\$ 1,236.20
McKean	BrA	Brinkerton soils, 0 to 3 percent slopes	4	4648.3	0.007	\$ 1,296.06
McKean	BrB	Brinkerton soils, 3 to 8 percent slopes	4	3815.7	0.006	\$ 1,296.06
McKean	BuD	Buchanan silt loam, 15 to 25 percent slopes	4	24.3	0	\$ 1,303.44
McKean	CaD	Cavode silt loam, 15 to 25 percent slopes	4	3.5	0	\$ 1,164.67
McKean	CeD	Ceres channery silt loam, 15 to 25 percent slopes	4	83.2	0	\$ 1,043.87
McKean	HaD	Hartleton channery silt loam, 15 to 25 percent slopes	4	10216	0.016	\$ 1,124.02
McKean	KnD	Kinzua channery silt loam, 15 to 25 percent slopes	4	230.6	0	\$ 1,043.87
McKean	LeD	Leck Kill channery silt loam, 15 to 25 percent slopes	4	17600	0.028	\$ 1,361.63
McKean	MeD	Meckesville channery silt loam, 15 to 25 percent slopes	4	1506.1	0.002	\$ 1,209.62
McKean	WaD	Wharton silt loam, 15 to 25 percent slopes	4	6.3	0	\$ 1,004.79
McKean	Pa	Palms muck	5	265.8	0	\$ 891.33
McKean	BxB	Buchanan silt loam, 0 to 8 percent slopes, very stony	6	15863	0.025	\$ 891.33
McKean	BxD	Buchanan silt loam, 8 to 25 percent slopes, very stony	6	55959	0.089	\$ 891.33
McKean	CeE	Ceres channery silt loam, 25 to 35 percent slopes	6	2351.6	0.004	\$ 891.33
McKean	CpB	Cookport loam, 0 to 8 percent slopes, very stony	6	33757	0.054	\$ 891.33
McKean	CpD	Cookport loam, 8 to 25 percent slopes, very stony	6	16120	0.026	\$ 891.33
McKean	GsC	Gilpin very stony silt loam, 8 to 15 percent slopes	6	45.4	0	\$ 891.33
McKean	HdB	Hazleton channery loam, 0 to 8 percent slopes, very stony	6	24450	0.039	\$ 891.33
McKean	HdD	Hazleton channery loam, 8 to 25 percent slopes, very stor	6	30262	0.048	\$ 891.33
McKean	HeD	Hartleton channery silt loam, 8 to 25 percent slopes, very	6	24	0	\$ 891.33
McKean	KnE	Kinzua channery silt loam, 25 to 35 percent slopes	6	642.4	0.001	\$ 891.33
McKean	MaE	Mandy channery silt loam, 25 to 35 percent slopes	6	191.2	0	\$ 891.33
McKean	WxB	Wharton silt loam, 0 to 8 percent slopes, very stony	6	334.1	0.001	\$ 891.33
McKean	AdC	Albrights silt loam, 8 to 15 percent slopes, extremely ston	7	1338.8	0.002	\$ 891.33
McKean	BsB	Brinkerton mucky silt loam, 0 to 8 percent slopes, extrem	7	5542.1	0.009	\$ 891.33
McKean	CeF	Ceres channery silt loam, 35 to 50 percent slopes	7	628.6	0.001	\$ 891.33
McKean	GpF	Gilpin channery silt loam, 35 to 65 percent slopes	7	931.5	0.001	\$ 891.33
McKean	HdF	Hazleton very stony sandy loam, 25 to 80 percent slopes	7	4030.3	0.006	\$ 891.33
McKean	HeF	Hartleton and Buchanan soils, 25 to 60 percent slopes	7	135738	0.215	\$ 891.33
McKean	KnF	Kinzua channery silt loam, 35 to 60 percent slopes	7	3340.1	0.005	\$ 891.33
McKean	LeF	Leck Kill channery silt loam, 25 to 50 percent slopes	7	30391	0.048	\$ 891.33
McKean	MbC	Mandy channery silt loam, 3 to 15 percent slopes, extrem	7	125	0	\$ 891.33
McKean	MbD	Mandy channery silt loam, 15 to 25 percent slopes, extrer	7	112.2	0	\$ 891.33
McKean	OxD	Onoville silt loam, 15 to 25 percent slopes, extremely bou	7	72	0	\$ 891.33
McKean	Sm	Udorthents, extremely channery	7	1190.1	0.002	\$ 891.33
Mercer	Un	Unadilla silt loam	1	177.8	0	\$ 1,381.66
Mercer	BrB2	Braceville gravelly loam, 3 to 8 percent slopes, moderatel	2	3107.8	0.007	\$ 1,374.38
Mercer	BvA	Braceville silt loam, 0 to 3 percent slopes	2	1176.4	0.003	\$ 1,371.72
Mercer	BvB2	Braceville silt loam, 3 to 8 percent slopes, moderately ero	2	9269.3	0.021	\$ 1,346.23
Mercer	CdA	Canfield silt loam, 0 to 3 percent slopes	2	2519.9	0.006	\$ 1,312.56
Mercer	CdB2	Canfield silt loam, 3 to 8 percent slopes	2	35007	0.08	\$ 1,347.96
Mercer	CeB	Canfield-Urban land complex, 2 to 6 percent slopes	2	4.2	0	\$ 1,004.79
Mercer	Cf	Chenango fine sandy loam, flooded	2	657.7	0.002	\$ 1,347.96
Mercer	Ch	Chenango fine sandy loam, low terrace	2	473.2	0.001	\$ 1,347.96
Mercer	CIA	Chenango gravelly loam, 0 to 3 percent slopes	2	670.5	0.002	\$ 1,350.71
Mercer	ClB2	Chenango gravelly loam, 3 to 8 percent slopes, moderatel	2	9697.5	0.022	\$ 1,349.34

Mercer	CoA	Chenango silt loam, 0 to 3 percent slopes	2	483.4	0.001	\$ 1,352.43
Mercer	CoB2	Chenango silt loam, 3 to 8 percent slopes, moderately er	2	2721	0.006	\$ 1,381.33
Mercer	CpA	Chili loam, 0 to 2 percent slopes	2	8.9	0	\$ 1,396.63
Mercer	CpB	Chili loam, 2 to 6 percent slopes	2	17.8	0	\$ 1,413.80
Mercer	CsB	Chili-Urban land complex, 2 to 6 percent slopes	2	15	0	\$ 1,084.76
Mercer	JtA	Jimtown loam, 0 to 2 percent slopes	2	13.7	0	\$ 1,292.71
Mercer	JtB	Jimtown loam, 2 to 6 percent slopes	2	10.4	0	\$ 1,292.04
Mercer	Or	Orrville silt loam, frequently flooded	2	54.6	0	\$ 1,201.25
Mercer	Rf	Red Hook silt loam, flooded	2	1380.2	0.003	\$ 1,347.96
Mercer	Rh	Red Hook silt loam, low terrace	2	847.4	0.002	\$ 1,312.56
Mercer	BeB	Bethesda channery silt loam, 0 to 8 percent slopes	3	739.3	0.002	\$ 1,004.79
Mercer	BrC2	Braceville gravelly loam, 8 to 15 percent slopes, moderate	3	616.5	0.001	\$ 1,341.71
Mercer	BvC2	Braceville silt loam, 8 to 15 percent slopes, moderately er	3	1333.7	0.003	\$ 1,326.93
Mercer	Ca	Caneadea silt loam	3	316.8	0.001	\$ 1,281.44
Mercer	CdC2	Canfield silt loam, 8 to 15 percent slopes	3	18786	0.043	\$ 1,316.18
Mercer	CIC2	Chenango gravelly loam, 8 to 15 percent slopes, moderate	3	5318.8	0.012	\$ 1,279.17
Mercer	CoC2	Chenango silt loam, 8 to 15 percent slopes, moderately er	3	1185.6	0.003	\$ 1,279.17
Mercer	CpC	Chili loam, 6 to 12 percent slopes	3	13.8	0	\$ 1,341.02
Mercer	FaB	Fairpoint channery silt loam, 0 to 8 percent slopes	3	3270.6	0.007	\$ 1,004.79
Mercer	Ho	Holly silt loam	3	1519.8	0.003	\$ 1,361.63
Mercer	LoC	Lordstown silt loam, 5 to 15 percent slopes	3	627.6	0.001	\$ 1,240.21
Mercer	LzC2	Loudonville loam, 6 to 12 percent slopes, moderately ero	3	45.8	0	\$ 1,126.33
Mercer	RaA	Ravenna silt loam, 0 to 3 percent slopes	3	29846	0.068	\$ 1,343.80
Mercer	RaB2	Ravenna silt loam, 3 to 8 percent slopes	3	123572	0.283	\$ 1,344.49
Mercer	RaC2	Ravenna silt loam, 8 to 15 percent slopes	3	7948.7	0.018	\$ 1,242.60
Mercer	RoB2	Red Hook silt loam, 3 to 8 percent slopes, moderately ero	3	8734	0.02	\$ 1,312.56
Mercer	Sb	Sebring silt loam, 0 to 2 percent slopes	3	2.1	0	\$ 1,290.47
Mercer	Wa	Wayland silt loam, coarse variant	3	21261	0.049	\$ 1,347.96
Mercer	BeD	Bethesda channery silt loam, 8 to 25 percent slopes	4	1788.5	0.004	\$ 1,004.79
Mercer	CdC3	Canfield silt loam, 8 to 15 percent slopes, severely eroded	4	678.4	0.002	\$ 1,252.11
Mercer	CdD2	Canfield silt loam, 15 to 25 percent slopes	4	5483.5	0.013	\$ 1,004.79
Mercer	CID2	Chenango gravelly loam, 15 to 25 percent slopes, modera	4	1379	0.003	\$ 1,203.35
Mercer	CnC2	Chenango gravelly loam, moderately eroded, rolling	4	3459.5	0.008	\$ 1,276.12
Mercer	CoD2	Chenango silt loam, 15 to 25 percent slopes, moderately e	4	354.2	0.001	\$ 1,203.35
Mercer	CrD	Chili gravelly loam, 12 to 18 percent slopes	4	16.7	0	\$ 1,301.60
Mercer	FaD	Fairpoint channery silt loam, 8 to 25 percent slopes	4	842.4	0.002	\$ 1,004.79
Mercer	FeA	Frenchtown silt loam, 0 to 3 percent slopes	4	54865	0.126	\$ 1,248.16
Mercer	FeB	Frenchtown silt loam, 3 to 8 percent slopes	4	15575	0.036	\$ 1,282.95
Mercer	Fr	Frenchtown and Luray silt loams, 0 to 3 percent slopes	4	8200.4	0.019	\$ 1,379.02
Mercer	Ha	Halsey silt loam	4	13741	0.031	\$ 1,004.79
Mercer	LoD	Lordstown silt loam, 15 to 25 percent slopes	4	502.9	0.001	\$ 1,147.30
Mercer	Pa	Papakating silt loam	4	6236.9	0.014	\$ 1,275.36
Mercer	RaC3	Ravenna silt loam, 8 to 15 percent slopes, severely erodec	4	338.5	0.001	\$ 1,078.32
Mercer	RaD2	Ravenna silt loam, 15 to 25 percent slopes, eroded	4	663.5	0.002	\$ 1,004.79
Mercer	Mp	Muck and Peat	5	1931.5	0.004	\$ 891.33
Mercer	CdE	Canfield silt loam, 25 to 35 percent slopes	6	1533.8	0.004	\$ 891.33
Mercer	CnD2	Chenango gravelly loam, moderately eroded, hilly	6	1049.1	0.002	\$ 1,203.35

Mercer	FhB	Frenchtown silt loam, 0 to 8 percent slopes, very stony	6	392	0.001	\$ 891.33
Mercer	ReC	Ravenna silt loam, 0 to 15 percent slopes, very stony	6	2426.3	0.006	\$ 891.33
Mercer	BfF	Bethesda and Fairpoint channery silt loams, 25 to 70 perc	7	1377.1	0.003	\$ 891.33
Mercer	LrD	Lordstown silt loam, 8 to 25 percent slopes, very stony	7	1336.3	0.003	\$ 891.33
Mercer	LrE	Lordstown silt loam, 25 to 45 percent slopes, extremely st	7	3740.5	0.009	\$ 891.33
Mercer	LxF	Lordstown-Rock outcrop complex, 18 to 50 percent slope:	7	51.6	0	\$ 891.33
Mercer	UaC	Udorthents, loamy, 0 to 15 percent slopes	7	630.4	0.001	\$ 891.33
Mercer	UbC	Udorthents, sandy, 0 to 15 percent slopes	7	2168.3	0.005	\$ 891.33
Mercer	DAM	Dams	8	5.2	0	\$ 891.33
Mercer	Ur	Urban land	8	1934.3	0.004	\$ 891.33
Mercer	UuB	Urban land-Udorthents complex, 0 to 8 percent slopes	8	1563.5	0.004	\$ 891.33
Monroe	AnA	Allenwood gravelly silt loam, 0 to 3 percent slopes	1	452.1	0.001	\$ 1,578.85
Monroe	CpA	Clymer loam, 0 to 3 percent slopes	1	1262.6	0.003	\$ 1,473.79
Monroe	MeA	Meckesville gravelly loam, 0 to 3 percent slopes	1	661.2	0.002	\$ 1,413.80
Monroe	Po	Pope silt loam	1	1886.7	0.005	\$ 1,556.67
Monroe	Pp	Pope silt loam, high bottom	1	1720.6	0.004	\$ 1,552.04
Monroe	AnB	Allenwood gravelly silt loam, 3 to 8 percent slopes	2	737	0.002	\$ 1,578.85
Monroe	BaB	Bath channery silt loam, 3 to 8 percent slopes	2	1565.8	0.004	\$ 1,436.94
Monroe	BrA	Braceville gravelly loam, 0 to 3 percent slopes	2	1331.1	0.003	\$ 1,401.13
Monroe	BrB	Braceville gravelly loam, 3 to 8 percent slopes	2	1415	0.004	\$ 1,373.39
Monroe	BuB	Buchanan loam, 3 to 8 percent slopes	2	838.9	0.002	\$ 1,344.49
Monroe	ChA	Chenango gravelly loam, 0 to 3 percent slopes	2	1413.6	0.004	\$ 1,344.49
Monroe	ChB	Chenango gravelly loam, 3 to 8 percent slopes	2	1678.5	0.004	\$ 1,344.49
Monroe	CpB	Clymer loam, 3 to 8 percent slopes	2	1069	0.003	\$ 1,473.79
Monroe	HaB	Hartleton channery silt loam, 2 to 8 percent slopes	2	2941	0.007	\$ 1,275.36
Monroe	KaB	Kedron silt loam, 2 to 8 percent slopes	2	1379.2	0.004	\$ 1,342.76
Monroe	LaB	Lackawanna channery loam, 2 to 8 percent slopes	2	2753.3	0.007	\$ 1,430.23
Monroe	Lh	Lawrenceville silt loam	2	633.5	0.002	\$ 1,365.01
Monroe	LkB	Leck kill channery silt loam, 2 to 8 percent slopes	2	2712.5	0.007	\$ 1,501.83
Monroe	LsB	Lordstown channery silt loam, 3 to 8 percent slopes	2	1484.3	0.004	\$ 1,342.76
Monroe	MaB	Mardin channery silt loam, 2 to 8 percent slopes	2	3128.8	0.008	\$ 1,252.11
Monroe	MeB	Meckesville gravelly loam, 3 to 8 percent slopes	2	2266.4	0.006	\$ 1,413.80
Monroe	OkB	Oquaga-Lackawanna channery loams, 3 to 8 percent slope	2	1908.9	0.005	\$ 1,310.75
Monroe	Ph	Philo silt loam	2	2027.1	0.005	\$ 1,518.81
Monroe	SwB	Swartswood channery sandy loam, 3 to 8 percent slopes	2	724	0.002	\$ 1,344.49
Monroe	WaB	Watson silt loam, 2 to 8 percent slopes	2	1261.1	0.003	\$ 1,339.62
Monroe	WmB	Wellsboro channery loam, 3 to 8 percent slopes	2	3332.4	0.008	\$ 1,394.70
Monroe	WsB	Wurtsboro channery loam, 2 to 12 percent slopes	2	869.8	0.002	\$ 1,267.69
Monroe	AnC	Allenwood gravelly silt loam, 8 to 20 percent slopes	3	194.4	0	\$ 1,501.83
Monroe	AvB	Alvira gravelly silt loam, 3 to 8 percent slopes	3	350.5	0.001	\$ 1,305.27
Monroe	BaC	Bath channery silt loam, 8 to 15 percent slopes	3	1752.8	0.004	\$ 1,378.36
Monroe	ChC	Chenango gravelly loam, 8 to 15 percent slopes	3	798.1	0.002	\$ 1,281.44
Monroe	CpC	Clymer loam, 8 to 15 percent slopes	3	650.6	0.002	\$ 1,413.80
Monroe	HaC	Hartleton channery silt loam, 8 to 20 percent slopes	3	1312.5	0.003	\$ 1,236.20
Monroe	Hy	Holly silt loam	3	3626.5	0.009	\$ 1,347.96
Monroe	KaC	Kedron silt loam, 8 to 15 percent slopes	3	228.4	0.001	\$ 1,274.21
Monroe	KvB	Klinesville channery silt loam, 3 to 8 percent slopes	3	680.3	0.002	\$ 1,004.79

Monroe	LaC	Lackawanna channery loam, 8 to 15 percent slopes	3	1540.4	0.004	\$ 1,350.37
Monroe	LkC	Leck kill channery silt loam, 8 to 15 percent slopes	3	2178.2	0.006	\$ 1,473.79
Monroe	LsC	Lordstown channery silt loam, 8 to 15 percent slopes	3	2485.9	0.006	\$ 1,310.75
Monroe	MaC	Mardin channery silt loam, 8 to 15 percent slopes	3	1511.7	0.004	\$ 1,308.20
Monroe	MeC	Meckesville gravelly loam, 8 to 15 percent slopes	3	900.8	0.002	\$ 1,381.66
Monroe	MgB	Morris channery silt loam, 2 to 10 percent slopes	3	1360.2	0.003	\$ 1,166.87
Monroe	OkC	Oquaga-Lackawanna channery loams, 8 to 15 percent slopes	3	2195	0.006	\$ 1,226.08
Monroe	ReA	Rexford gravelly silt loam, 0 to 3 percent slopes	3	1512.3	0.004	\$ 1,219.95
Monroe	ReB	Rexford gravelly silt loam, 3 to 8 percent slopes	3	410.4	0.001	\$ 1,232.17
Monroe	Sh	Sheffield silt loam	3	1618.1	0.004	\$ 1,151.35
Monroe	SwC	Swartswood channery sandy loam, 8 to 15 percent slopes	3	483.4	0.001	\$ 1,279.17
Monroe	VoA	Volusia gravelly silt loam, 0 to 3 percent slopes	3	327.2	0.001	\$ 1,173.43
Monroe	VoB	Volusia gravelly silt loam, 3 to 8 percent slopes	3	950.9	0.002	\$ 1,205.44
Monroe	WeB3	Weikert channery silt loam, 3 to 8 percent slopes, eroded	3	555.8	0.001	\$ 1,004.79
Monroe	WhB	Weikert-Hartleton channery silt loams, 3 to 8 percent slopes	3	2820.8	0.007	\$ 1,086.11
Monroe	WmC	Wellsboro channery loam, 8 to 15 percent slopes	3	988.4	0.003	\$ 1,308.93
Monroe	WyA	Wyoming gravelly sandy loam, 0 to 3 percent slopes	3	1915	0.005	\$ 1,286.72
Monroe	WyB	Wyoming gravelly sandy loam, 3 to 8 percent slopes	3	4097.1	0.01	\$ 1,286.72
Monroe	Ad	Alden mucky silt loam	4	745	0.002	\$ 1,004.79
Monroe	BaD	Bath channery silt loam, 15 to 25 percent slopes	4	283.7	0.001	\$ 1,240.21
Monroe	CmA	Chippewa and Norwich silt loams, 0 to 5 percent slopes	4	1564.6	0.004	\$ 1,004.79
Monroe	KvC	Klinesville channery silt loam, 8 to 15 percent slopes	4	682.3	0.002	\$ 1,004.79
Monroe	LaD	Lackawanna channery loam, 15 to 25 percent slopes	4	676.8	0.002	\$ 1,310.75
Monroe	LkD	Leck kill channery silt loam, 15 to 25 percent slopes	4	743.5	0.002	\$ 1,381.66
Monroe	LsD	Lordstown channery silt loam, 15 to 25 percent slopes	4	1704.3	0.004	\$ 1,234.18
Monroe	OkD	Oquaga-Lackawanna channery loams, 15 to 25 percent slopes	4	1032.6	0.003	\$ 1,166.87
Monroe	RuC	Rushtown shaly silt loam, 5 to 15 percent slopes	4	561.7	0.001	\$ 1,105.28
Monroe	SmA	Shelmadine silt loam, 0 to 3 percent slopes	4	509.8	0.001	\$ 1,244.19
Monroe	Wb	Wayland silty clay loam	4	2346.2	0.006	\$ 1,004.79
Monroe	WeC3	Weikert channery silt loam, 8 to 15 percent slopes, eroded	4	625.2	0.002	\$ 1,004.79
Monroe	WhC	Weikert-Hartleton channery silt loams, 8 to 15 percent slopes	4	2804.4	0.007	\$ 1,004.79
Monroe	WyC	Wyoming gravelly sandy loam, 8 to 15 percent slopes	4	5159.9	0.013	\$ 1,175.60
Monroe	WyD	Wyoming gravelly sandy loam, 15 to 25 percent slopes	4	1991.3	0.005	\$ 1,004.79
Monroe	18	Paupack mucky peat	5	28.4	0	\$ 891.33
Monroe	20	Freetown mucky peat	5	301.5	0.001	\$ 891.33
Monroe	Mp	Mucky peat, deep	5	3592.4	0.009	\$ 891.33
Monroe	Ms	Mucky peat, shallow	5	5586.2	0.014	\$ 891.33
Monroe	239B	Oquaga very stony loam, 0 to 8 percent slopes, extremely	6	4.7	0	\$ 891.33
Monroe	239C	Oquaga very stony loam, 8 to 15 percent slopes, extremely	6	402.3	0.001	\$ 891.33
Monroe	239D	Oquaga very stony loam, 15 to 30 percent slopes, extremely	6	443.8	0.001	\$ 891.33
Monroe	30B	Wurtsboro stony fine sandy loam, 0 to 8 percent slopes, extremely	6	482.7	0.001	\$ 891.33
Monroe	30C	Wurtsboro stony fine sandy loam, 8 to 15 percent slopes, extremely	6	6.4	0	\$ 891.33
Monroe	9B	Craigsville-Wyoming complex, 0 to 8 percent slopes, extremely	6	24.1	0	\$ 891.33
Monroe	AwB	Alvira and Watson very stony loams, 0 to 12 percent slopes	6	713	0.002	\$ 891.33
Monroe	BeB	Benson-Rock outcrop complex, 0 to 8 percent slopes	6	1774.5	0.005	\$ 1,010.10
Monroe	BeC	Benson-Rock outcrop complex, 8 to 25 percent slopes	6	6007.7	0.015	\$ 891.33
Monroe	KdB	Kedron very stony loam, 0 to 8 percent slopes	6	1230.5	0.003	\$ 891.33

Monroe	KvD	Klinesville channery silt loam, 15 to 25 percent slopes	6	533.1	0.001	\$	891.33
Monroe	MbB	Mardin very stony silt loam, 0 to 8 percent slopes	6	2066.9	0.005	\$	891.33
Monroe	MbC	Mardin very stony silt loam, 8 to 25 percent slopes	6	868.8	0.002	\$	891.33
Monroe	MfB	Meckesville very stony loam, 0 to 8 percent slopes	6	2296.5	0.006	\$	891.33
Monroe	MfC	Meckesville very stony loam, 8 to 25 percent slopes	6	1411.4	0.004	\$	891.33
Monroe	RuD	Rushtown shaly silt loam, 15 to 30 percent slopes	6	346	0.001	\$	891.33
Monroe	WeD3	Weikert channery silt loam, 15 to 25 percent slopes, erod	6	836.1	0.002	\$	891.33
Monroe	WhD	Weikert-Hartleton channery silt loams, 15 to 25 percent s	6	1051.6	0.003	\$	891.33
Monroe	111B	Edgemere-Shohola complex, 3 to 15 percent slopes, very	7	186.4	0	\$	891.33
Monroe	11A	Edgemere extremely stony loam, 0 to 3 percent slopes, ve	7	255.8	0.001	\$	891.33
Monroe	240F	Oquaga-Arnot-Rock outcrop complex, 20 to 60 percent slc	7	187	0	\$	891.33
Monroe	321D	Lackawanna channery loam, 15 to 30 percent slopes, extr	7	1.4	0	\$	891.33
Monroe	7B	Shohola-Edgemere complex, 0 to 8 percent slopes, very ri	7	47.6	0	\$	891.33
Monroe	7C	Shohola-Edgemere complex, 8 to 15 percent slopes, very	7	1.4	0	\$	891.33
Monroe	BbB	Bath channery silt loam, 0 to 8 percent slopes, extremely	7	513.2	0.001	\$	891.33
Monroe	BbC	Bath channery silt loam, 8 to 25 percent slopes, extremely	7	920	0.002	\$	891.33
Monroe	BeF	Benson-Rock outcrop complex, 25 to 70 percent slopes	7	5686.8	0.014	\$	891.33
Monroe	BxB	Buchanan extremely stony loam, 0 to 8 percent slopes	7	3421.5	0.009	\$	891.33
Monroe	BxC	Buchanan extremely stony loam, 8 to 25 percent slopes	7	416.8	0.001	\$	891.33
Monroe	CnB	Chippewa and Norwich soils, 0 to 8 percent slopes, extren	7	18240	0.046	\$	891.33
Monroe	CxB	Clymer extremely stony loam, 0 to 8 percent slopes	7	8386.7	0.021	\$	891.33
Monroe	CxC	Clymer extremely stony loam, 8 to 25 percent slopes	7	1281.2	0.003	\$	891.33
Monroe	DxB	Dekalb extremely stony loam, 0 to 8 percent slopes	7	2771.2	0.007	\$	891.33
Monroe	DxC	Dekalb extremely stony loam, 8 to 25 percent slopes	7	3561	0.009	\$	891.33
Monroe	DxE	Dekalb extremely stony loam, 25 to 80 percent slopes	7	4603.7	0.012	\$	891.33
Monroe	ExB	Empeyville extremely stony sandy loam, 0 to 8 percent slc	7	4589.2	0.012	\$	891.33
Monroe	HxB	Hazleton extremely stony sandy loam, 0 to 8 percent slop	7	462.8	0.001	\$	891.33
Monroe	HxC	Hazleton extremely stony sandy loam, 8 to 25 percent slo	7	2677.4	0.007	\$	891.33
Monroe	LbB	Lackawanna channery loam, 0 to 8 percent slopes, extrerr	7	13413	0.034	\$	891.33
Monroe	LbC	Lackawanna channery loam, 8 to 25 percent slopes, rubbl	7	8259.7	0.021	\$	891.33
Monroe	LBE	Lackawanna and Bath soils, steep, rubbly	7	2656.4	0.007	\$	891.33
Monroe	LgB	Laidig extremely stony loam, 0 to 8 percent slopes	7	2015.6	0.005	\$	891.33
Monroe	LgC	Laidig extremely stony loam, 8 to 25 percent slopes	7	723.8	0.002	\$	891.33
Monroe	LxB	Lordstown extremely stony silt loam, 0 to 8 percent slope	7	3096.6	0.008	\$	891.33
Monroe	LxC	Lordstown extremely stony silt loam, 8 to 25 percent slop	7	9845.1	0.025	\$	891.33
Monroe	LyE	Lordstown and Oquaga extremely stony soils, 25 to 70 pe	7	14984	0.038	\$	891.33
Monroe	MoB	Morris channery silt loam, 0 to 8 percent slopes, extremel	7	13839	0.035	\$	891.33
Monroe	MoC	Morris channery silt loam, 8 to 25 percent slopes, extrem	7	865.1	0.002	\$	891.33
Monroe	OxB	Oquaga-Lackawanna complex, 0 to 8 percent slopes, extr	7	8320.7	0.021	\$	891.33
Monroe	OxC	Oquaga-Lackawanna complex, 8 to 25 percent slopes, ext	7	17198	0.044	\$	891.33
Monroe	SpB	Shelmadine very stony silt loam, 0 to 8 percent slopes	7	762.4	0.002	\$	891.33
Monroe	SxB	Swartswood extremely stony sandy loam, 0 to 8 percent s	7	12293	0.031	\$	891.33
Monroe	SxC	Swartswood extremely stony sandy loam, 8 to 25 percent	7	4658.5	0.012	\$	891.33
Monroe	VaC	Very stony land and Rock outcrops, sloping	7	2677.1	0.007	\$	891.33
Monroe	VaE	Very stony land and Rock outcrops, steep	7	2347.5	0.006	\$	891.33
Monroe	VxB	Volusia channery silt loam, 0 to 8 percent slopes, rubbly	7	13844	0.035	\$	891.33
Monroe	WKE	Weikert and Klinesville soils, steep	7	6028.8	0.015	\$	891.33

Monroe	WpB	Wellsboro channery loam, 0 to 8 percent slopes, extreme	7	19164	0.049	\$ 891.33
Monroe	WpC	Wellsboro channery loam, 8 to 25 percent slopes, extrem	7	4969	0.013	\$ 891.33
Monroe	WrB	Worth extremely stony sandy loam, 0 to 8 percent slopes	7	2008.1	0.005	\$ 891.33
Monroe	WrC	Worth extremely stony sandy loam, 8 to 25 percent slope	7	1306.9	0.003	\$ 891.33
Monroe	WxB	Wurtsboro extremely stony loam, 0 to 8 percent slopes	7	17265	0.044	\$ 891.33
Monroe	WxC	Wurtsboro extremely stony loam, 8 to 25 percent slopes	7	2475.4	0.006	\$ 891.33
Monroe	WyE	Wyoming gravelly sandy loam, 25 to 70 percent slopes	7	2358.7	0.006	\$ 891.33
Monroe	As	Alluvial land	8	3333.2	0.008	\$ 891.33
Monroe	GP	Pit, Shale, and Gravel	8	304.6	0.001	\$ 891.33
Montgomery	BnA	Birdsboro silt loam, 0 to 3 percent slopes	1	292.2	0.001	\$ 1,599.57
Montgomery	CgA	Chester silt loam, 0 to 3 percent slopes	1	25.9	0	\$ 1,803.10
Montgomery	LaA	Lansdale loam, 0 to 3 percent slopes	1	140.2	0	\$ 1,654.64
Montgomery	AsB	Athol silt loam, 3 to 8 percent slopes	2	40.2	0	\$ 1,501.83
Montgomery	BnB	Birdsboro silt loam, 3 to 8 percent slopes	2	184	0.001	\$ 1,593.95
Montgomery	BsB	Brecknock channery silt loam, 3 to 8 percent slopes	2	266.3	0.001	\$ 1,471.78
Montgomery	CaA	Califon loam, 0 to 3 percent slopes	2	85	0	\$ 1,426.24
Montgomery	CaB	Califon loam, 3 to 8 percent slopes	2	881.6	0.003	\$ 1,445.68
Montgomery	CgB	Chester silt loam, 3 to 8 percent slopes	2	69.5	0	\$ 1,794.99
Montgomery	Ch	Codorus silt loam	2	1439	0.005	\$ 1,492.44
Montgomery	DuB	Duffield silt loam, 3 to 8 percent slopes	2	1572.7	0.005	\$ 1,703.82
Montgomery	EcB	Edgemont channery loam, 3 to 8 percent slopes	2	627.6	0.002	\$ 1,463.10
Montgomery	Gc	Gibraltar silt loam	2	1798.2	0.006	\$ 1,468.03
Montgomery	GdB	Gladstone gravelly loam, 3 to 8 percent slopes	2	1473.2	0.005	\$ 1,516.83
Montgomery	GnB	Glenelg silt loam, 3 to 8 percent slopes	2	1179.1	0.004	\$ 1,573.52
Montgomery	GsA	Glenville silt loam, 0 to 3 percent slopes	2	108	0	\$ 1,504.91
Montgomery	GsB	Glenville silt loam, 3 to 8 percent slopes	2	660.6	0.002	\$ 1,608.90
Montgomery	LaB	Lansdale loam, 3 to 8 percent slopes	2	1997.3	0.006	\$ 1,674.30
Montgomery	LeA	Lawrenceville silt loam, 0 to 3 percent slopes	2	4039.6	0.013	\$ 1,548.16
Montgomery	LeB	Lawrenceville silt loam, 3 to 8 percent slopes	2	3731.8	0.012	\$ 1,549.71
Montgomery	LhA	Lehigh silt loam, 0 to 3 percent slopes	2	467.4	0.001	\$ 1,455.18
Montgomery	LhB	Lehigh silt loam, 3 to 8 percent slopes	2	6697.6	0.021	\$ 1,431.15
Montgomery	MaB	Manor loam, 3 to 8 percent slopes	2	437.4	0.001	\$ 1,534.93
Montgomery	MoA	Mount Lucas silt loam, 0 to 3 percent slopes	2	216.7	0.001	\$ 1,372.39
Montgomery	MoB	Mount Lucas silt loam, 3 to 8 percent slopes	2	2351.6	0.008	\$ 1,373.72
Montgomery	NhB	Neshaminy silt loam, 3 to 8 percent slopes	2	909.7	0.003	\$ 1,567.42
Montgomery	PaB	Parker gravelly loam, 3 to 8 percent slopes	2	196.5	0.001	\$ 1,356.19
Montgomery	PcA	Penn channery silt loam, 0 to 3 percent slopes	2	197.5	0.001	\$ 1,494.38
Montgomery	PcB	Penn channery silt loam, 3 to 8 percent slopes	2	1579.2	0.005	\$ 1,475.34
Montgomery	PeB	Penn silt loam, 3 to 8 percent slopes	2	7713.8	0.025	\$ 1,493.55
Montgomery	PIB	Penn-Lansdale complex, 3 to 8 percent slopes	2	3449.7	0.011	\$ 1,501.83
Montgomery	RaA	Raritan silt loam, 0 to 3 percent slopes	2	655.3	0.002	\$ 1,531.80
Montgomery	RaB	Raritan silt loam, 3 to 8 percent slopes	2	459.2	0.001	\$ 1,501.01
Montgomery	ReA	Readington silt loam, 0 to 3 percent slopes	2	4473.8	0.014	\$ 1,494.38
Montgomery	ReB	Readington silt loam, 3 to 8 percent slopes	2	22824	0.073	\$ 1,482.16
Montgomery	Rt	Rowland silt loam, terrace	2	5114.9	0.016	\$ 1,494.38
Montgomery	RwA	Rowland silt loam, 0 to 3 percent slopes	2	512.8	0.002	\$ 1,373.39
Montgomery	RwB	Rowland silt loam, 3 to 8 percent slopes	2	533.6	0.002	\$ 1,370.05

Montgomery	AbA	Abbottstown silt loam, 0 to 3 percent slopes	3	3075.1	0.01	\$ 1,317.99
Montgomery	AbB	Abbottstown silt loam, 3 to 8 percent slopes	3	7791.3	0.025	\$ 1,315.24
Montgomery	AsC	Athol silt loam, 8 to 15 percent slopes	3	23.1	0	\$ 1,476.37
Montgomery	BsC	Brecknock channery silt loam, 8 to 15 percent slopes	3	574.7	0.002	\$ 1,444.48
Montgomery	BwA	Buckingham silt loam, 0 to 3 percent slopes	3	2268.3	0.007	\$ 1,461.35
Montgomery	BwB	Buckingham silt loam, 3 to 8 percent slopes	3	465.1	0.001	\$ 1,462.22
Montgomery	CfA	Chalfont silt loam, 0 to 3 percent slopes	3	2140.9	0.007	\$ 1,518.41
Montgomery	CfB	Chalfont silt loam, 3 to 8 percent slopes	3	1527.9	0.005	\$ 1,493.55
Montgomery	DuC	Duffield silt loam, 8 to 15 percent slopes	3	382.7	0.001	\$ 1,669.32
Montgomery	EcC	Edgemont channery loam, 8 to 15 percent slopes	3	659.3	0.002	\$ 1,406.54
Montgomery	GdC	Gladstone gravelly loam, 8 to 15 percent slopes	3	884	0.003	\$ 1,469.59
Montgomery	GnC	Glenelg silt loam, 8 to 15 percent slopes	3	300.7	0.001	\$ 1,478.30
Montgomery	LaC	Lansdale loam, 8 to 15 percent slopes	3	316.1	0.001	\$ 1,607.41
Montgomery	LhC	Lehigh silt loam, 8 to 15 percent slopes	3	3482.4	0.011	\$ 1,400.81
Montgomery	MaC	Manor loam, 8 to 15 percent slopes	3	1014.2	0.003	\$ 1,430.85
Montgomery	MoC	Mount Lucas silt loam, 8 to 15 percent slopes	3	401.9	0.001	\$ 1,342.76
Montgomery	NhC	Neshaminy silt loam, 8 to 15 percent slopes	3	941.7	0.003	\$ 1,490.76
Montgomery	PaC	Parker gravelly loam, 8 to 15 percent slopes	3	613.5	0.002	\$ 1,317.99
Montgomery	PcC	Penn channery silt loam, 8 to 15 percent slopes	3	728.9	0.002	\$ 1,416.24
Montgomery	PeC	Penn silt loam, 8 to 15 percent slopes	3	4903.3	0.016	\$ 1,470.63
Montgomery	PIC	Penn-Lansdale complex, 8 to 15 percent slopes	3	1778.4	0.006	\$ 1,453.41
Montgomery	ReC	Readington silt loam, 8 to 15 percent slopes	3	1528.1	0.005	\$ 1,470.63
Montgomery	RhA	Reaville silt loam, 0 to 3 percent slopes	3	2007.2	0.006	\$ 1,479.78
Montgomery	RhB	Reaville silt loam, 3 to 8 percent slopes	3	15845	0.051	\$ 1,465.72
Montgomery	RhC	Reaville silt loam, 8 to 15 percent slopes	3	3901.8	0.013	\$ 1,440.87
Montgomery	AuD	Athol-Oatlands silt loams, 15 to 25 percent slopes	4	49.8	0	\$ 1,334.01
Montgomery	Bo	Bowmansville-Knauers silt loams	4	9900.9	0.032	\$ 1,375.05
Montgomery	BsD	Brecknock channery silt loam, 15 to 25 percent slopes	4	656.9	0.002	\$ 1,414.74
Montgomery	CrA	Croton silt loam, occasionally ponded, 0 to 3 percent slop	4	3618.9	0.012	\$ 1,238.20
Montgomery	CrB	Croton silt loam, 3 to 8 percent slopes	4	5440.6	0.017	\$ 1,253.68
Montgomery	DsA	Doylestown silt loam, 0 to 3 percent slopes	4	1003.5	0.003	\$ 1,314.38
Montgomery	DsB	Doylestown silt loam, 3 to 8 percent slopes	4	296.9	0.001	\$ 1,314.38
Montgomery	EcD	Edgemont channery loam, 15 to 25 percent slopes	4	476.1	0.002	\$ 1,311.84
Montgomery	GdD	Gladstone gravelly loam, 15 to 25 percent slopes	4	130.3	0	\$ 1,410.65
Montgomery	GnD	Glenelg silt loam, 15 to 25 percent slopes	4	82.4	0	\$ 1,540.39
Montgomery	Ha	Hatboro silt loam	4	1962.1	0.006	\$ 1,325.15
Montgomery	KIB	Klinesville channery silt loam, 3 to 8 percent slopes	4	1119.1	0.004	\$ 1,378.36
Montgomery	LaD	Lansdale loam, 15 to 25 percent slopes	4	889.4	0.003	\$ 1,501.83
Montgomery	MaD	Manor loam, 15 to 25 percent slopes	4	1210.3	0.004	\$ 1,380.48
Montgomery	NhD	Neshaminy silt loam, 15 to 25 percent slopes	4	256.3	0.001	\$ 1,463.68
Montgomery	PaD	Parker gravelly loam, 15 to 25 percent slopes	4	294.1	0.001	\$ 1,284.46
Montgomery	PcD	Penn channery silt loam, 15 to 25 percent slopes	4	10.9	0	\$ 1,223.63
Montgomery	PkD	Penn-Klinesville channery silt loams, 15 to 25 percent slop	4	4422.8	0.014	\$ 1,216.66
Montgomery	ToA	Towhee silt loam, 0 to 3 percent slopes	4	144.9	0	\$ 1,242.60
Montgomery	ToB	Towhee silt loam, 3 to 8 percent slopes	4	90.1	0	\$ 1,252.11
Montgomery	WaA	Watchung silt loam, 0 to 3 percent slopes	4	325.5	0.001	\$ 1,254.07
Montgomery	LsB	Lehigh silt loam, 0 to 8 percent slopes, very stony	6	396.9	0.001	\$ 891.33

Montgomery	LsD	Lehigh silt loam, 8 to 25 percent slopes, very stony	6	651.9	0.002	\$ 891.33
Montgomery	MaE	Manor loam, 25 to 35 percent slopes	6	1114.2	0.004	\$ 891.33
Montgomery	PaE	Parker gravelly loam, 25 to 35 percent slopes	6	361.1	0.001	\$ 891.33
Montgomery	PbB	Parker loam, 0 to 8 percent slopes, extremely stony	6	49.7	0	\$ 891.33
Montgomery	PbD	Parker loam, 8 to 25 percent slopes, extremely stony	6	531.2	0.002	\$ 891.33
Montgomery	WaB	Watchung silt loam, 3 to 8 percent slopes	6	534.1	0.002	\$ 1,230.95
Montgomery	BvD	Brecknock channery silt loam, 8 to 25 percent slopes, extr	7	393.5	0.001	\$ 891.33
Montgomery	BvF	Brecknock channery silt loam, 25 to 60 percent slopes, ex	7	219	0.001	\$ 891.33
Montgomery	CsB	Croton silt loam, 0 to 8 percent slopes, extremely stony	7	213.6	0.001	\$ 891.33
Montgomery	ExD	Edgemont channery sandy loam, 8 to 25 percent slopes, e	7	172.3	0.001	\$ 891.33
Montgomery	ExF	Edgemont channery sandy loam, 25 to 60 percent slopes,	7	121.2	0	\$ 891.33
Montgomery	KIC	Klinesville channery silt loam, 8 to 15 percent slopes	7	1792.9	0.006	\$ 1,323.37
Montgomery	KIF	Klinesville channery silt loam, 35 to 60 percent slopes	7	444.4	0.001	\$ 891.33
Montgomery	LbD	Lansdale loam, 8 to 25 percent slopes, very stony	7	111.3	0	\$ 891.33
Montgomery	LbF	Lansdale loam, 25 to 60 percent slopes, very stony	7	367.4	0.001	\$ 891.33
Montgomery	MnF	Manor loam, 25 to 60 percent slopes, very stony	7	741.5	0.002	\$ 891.33
Montgomery	MpB	Mount Lucas silt loam, 0 to 8 percent slopes, extremely st	7	2312.1	0.007	\$ 891.33
Montgomery	MpD	Mount Lucas silt loam, 8 to 25 percent slopes, extremely s	7	1670.4	0.005	\$ 891.33
Montgomery	NkB	Neshaminy gravelly silt loam, 0 to 8 percent slopes, extre	7	1713.6	0.005	\$ 891.33
Montgomery	NkD	Neshaminy gravelly silt loam, 8 to 25 percent slopes, extr	7	4530.3	0.015	\$ 891.33
Montgomery	NkF	Neshaminy gravelly silt loam, 25 to 60 percent slopes, ext	7	882.5	0.003	\$ 891.33
Montgomery	PbF	Parker loam, 25 to 60 percent slopes, extremely stony	7	225.5	0.001	\$ 891.33
Montgomery	TrB	Towhee silt loam, 0 to 8 percent slopes, extremely stony	7	1042.1	0.003	\$ 891.33
Montgomery	UdIB	Udorthents, limestone, 0 to 8 percent slopes	7	311.3	0.001	\$ 891.33
Montgomery	UdID	Udorthents, limestone, 8 to 25 percent slopes	7	175.1	0.001	\$ 891.33
Montgomery	Udp	Udorthents, sanitary landfill	7	324	0.001	\$ 891.33
Montgomery	UdsB	Udorthents, schist and gneiss, 0 to 8 percent slopes	7	132.1	0	\$ 891.33
Montgomery	UdsD	Udorthents, schist and gneiss, 8 to 25 percent slopes	7	61.7	0	\$ 891.33
Montgomery	UdtB	Udorthents, shale and sandstone, 0 to 8 percent slopes	7	1160	0.004	\$ 891.33
Montgomery	UdtD	Udorthents, shale and sandstone, 8 to 25 percent slopes	7	218.9	0.001	\$ 891.33
Montgomery	WcB	Watchung silt loam, 0 to 8 percent slopes, extremely ston	7	1415.7	0.005	\$ 891.33
Montgomery	DAM	Dams	8	5.4	0	\$ 891.33
Montgomery	UgB	Urban land, 0 to 8 percent slopes	8	13543	0.043	\$ 891.33
Montgomery	UgD	Urban land, 8 to 25 percent slopes	8	1114.1	0.004	\$ 891.33
Montgomery	Ura	Urban land, occasionally flooded	8	558.6	0.002	\$ 891.33
Montgomery	UrcB	Urban land-Abbottstown complex, 0 to 8 percent slopes	8	962.3	0.003	\$ 891.33
Montgomery	UrhB	Urban land-Duffield complex, 0 to 8 percent slopes	8	4225.6	0.014	\$ 896.75
Montgomery	UrhD	Urban land-Duffield complex, 8 to 25 percent slopes	8	40.7	0	\$ 891.33
Montgomery	UrkB	Urban land-Edgemont complex, 0 to 8 percent slopes	8	949.4	0.003	\$ 891.33
Montgomery	UrKD	Urban land-Edgemont complex, 8 to 25 percent slopes	8	1192.5	0.004	\$ 891.33
Montgomery	UrIB	Urban land-Gladstone complex, 0 to 8 percent slopes	8	5069.4	0.016	\$ 891.33
Montgomery	UrID	Urban land-Gladstone complex, 8 to 25 percent slopes	8	854.8	0.003	\$ 891.33
Montgomery	UrmB	Urban land-Glenelg complex, 0 to 8 percent slopes	8	3178.3	0.01	\$ 891.33
Montgomery	UrmD	Urban land-Glenelg complex, 8 to 25 percent slopes	8	634.6	0.002	\$ 891.33
Montgomery	UroB	Urban land-Lawrenceville complex, 0 to 8 percent slopes	8	4712.1	0.015	\$ 891.33
Montgomery	UruB	Urban land-Neshaminy complex, 0 to 8 percent slopes	8	452.2	0.001	\$ 891.33
Montgomery	UrxB	Urban land-Penn complex, 0 to 8 percent slopes	8	13209	0.042	\$ 891.33

Montgomery	UrxD	Urban land-Penn complex, 8 to 25 percent slopes	8	2340.3	0.008	\$ 891.33
Montgomery	UryB	Urban land-Readington complex, 0 to 8 percent slopes	8	6899	0.022	\$ 891.33
Montgomery	UudB	Urban land-Udorthents, limestone complex, 0 to 8 percent	8	2657	0.009	\$ 891.33
Montgomery	UudD	Urban land-Udorthents, limestone complex, 8 to 25 percent	8	539.1	0.002	\$ 891.33
Montgomery	UugB	Urban land-Udorthents, schist and gneiss complex, 0 to 8	8	9749.5	0.031	\$ 891.33
Montgomery	UugD	Urban land-Udorthents, schist and gneiss complex, 8 to 25	8	6635.5	0.021	\$ 891.33
Montgomery	UusB	Urban land-Udorthents, shale and sandstone complex, 0 to 8	8	24798	0.08	\$ 891.33
Montgomery	UusD	Urban land-Udorthents, shale and sandstone complex, 8 to 15	8	9217.8	0.03	\$ 891.33
Montour	AnA	Allenwood gravelly silt loam, 0 to 3 percent slopes	1	137.3	0.002	\$ 1,540.39
Montour	Lw	Linden silt loam	1	288	0.003	\$ 1,465.14
Montour	WsA	Wheeling soils, 0 to 3 percent slopes	1	181.1	0.002	\$ 1,472.36
Montour	AbB	Albrights silt loam, 3 to 8 percent slopes	2	132.8	0.002	\$ 1,349.68
Montour	AoB	Allenwood and Washington soils, 3 to 8 percent slopes	2	538.8	0.006	\$ 1,540.39
Montour	Bc	Basher soils	2	551.7	0.007	\$ 1,465.14
Montour	BeB	Bedington silt loam, 3 to 8 percent slopes	2	752.1	0.009	\$ 1,423.15
Montour	BkB	Berks channery silt loam, 3 to 8 percent slopes	2	2245.2	0.027	\$ 1,190.67
Montour	BuB	Buchanan gravelly loam, 3 to 8 percent slopes	2	374	0.004	\$ 1,335.77
Montour	CaB	Calvin-Klinesville shaly silt loams, 3 to 8 percent slopes	2	237.6	0.003	\$ 1,137.80
Montour	EdB	Edom complex, 3 to 8 percent slopes	2	1217.5	0.014	\$ 1,388.21
Montour	EsB	Elliber cherty silt loam, 3 to 8 percent slopes	2	564.5	0.007	\$ 1,420.05
Montour	HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	1730.4	0.02	\$ 1,642.70
Montour	HtB	Hartleton channery silt loam, 3 to 8 percent slopes	2	1748.7	0.021	\$ 1,232.17
Montour	KmB	Kreamer cherty silt loam, 3 to 8 percent slopes	2	969	0.011	\$ 1,279.17
Montour	LaB	Laidig gravelly loam, 3 to 8 percent slopes	2	29.9	0	\$ 1,347.96
Montour	LnB	Leck Kill shaly silt loam, 3 to 8 percent slopes	2	83.2	0.001	\$ 1,469.48
Montour	MkB	Meckesville silt loam, 3 to 8 percent slopes	2	109.8	0.001	\$ 1,349.68
Montour	MoA	Monongahela silt loam, 0 to 3 percent slopes	2	1358.8	0.016	\$ 1,410.02
Montour	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	507	0.006	\$ 1,352.09
Montour	UnB	Unadilla silt loam, 3 to 8 percent slopes	2	252.4	0.003	\$ 1,391.46
Montour	WaB	Washington silt loam, wet substratum, 3 to 8 percent slopes	2	1420.1	0.017	\$ 1,483.46
Montour	WbA	Watson silt loam, 0 to 3 percent slopes	2	2088	0.025	\$ 1,365.01
Montour	WbB	Watson silt loam, 3 to 8 percent slopes	2	4352.8	0.051	\$ 1,365.01
Montour	WsB	Wheeling soils, 3 to 8 percent slopes	2	84.7	0.001	\$ 1,469.48
Montour	AoC	Allenwood and Washington soils, 8 to 15 percent slopes	3	100.1	0.001	\$ 1,493.55
Montour	ArA	Alvira silt loam, 0 to 3 percent slopes	3	2362.6	0.028	\$ 1,308.93
Montour	ArB	Alvira silt loam, 3 to 8 percent slopes	3	3688.5	0.044	\$ 1,310.38
Montour	ArC	Alvira silt loam, 8 to 15 percent slopes	3	441.7	0.005	\$ 1,280.68
Montour	Bd	Basher soils, frequently flooded	3	1027.7	0.012	\$ 1,462.22
Montour	BeC	Bedington silt loam, 8 to 15 percent slopes	3	503.5	0.006	\$ 1,366.69
Montour	BkC	Berks channery silt loam, 8 to 15 percent slopes	3	5140.7	0.061	\$ 1,153.58
Montour	BuC	Buchanan gravelly loam, 8 to 15 percent slopes	3	292.9	0.003	\$ 1,279.17
Montour	CaC	Calvin-Klinesville shaly silt loams, 8 to 15 percent slopes	3	480.6	0.006	\$ 1,004.79
Montour	EdC	Edom complex, 8 to 15 percent slopes	3	728.2	0.009	\$ 1,326.93
Montour	EsC	Elliber cherty silt loam, 8 to 15 percent slopes	3	1155.6	0.014	\$ 1,383.30
Montour	EtB	Elliber very cherty silt loam, 3 to 8 percent slopes	3	59.2	0.001	\$ 1,326.93
Montour	EvB	Evendale cherty silt loam, 3 to 8 percent slopes	3	1600.9	0.019	\$ 1,240.21
Montour	HaC	Hagerstown silt loam, 8 to 15 percent slopes	3	1245.3	0.015	\$ 1,562.05

Montour	HtC	Hartleton channery silt loam, 8 to 15 percent	3	3605.5	0.043	\$ 1,140.07
Montour	Hz	Holly silt loam, rarely flooded	3	2664.4	0.031	\$ 1,356.53
Montour	KmC	Kreamer cherty silt loam, 8 to 15 percent slopes	3	153.6	0.002	\$ 1,212.94
Montour	LaC	Laidig gravelly loam, 8 to 15 percent slopes	3	36.9	0	\$ 1,308.93
Montour	LnC	Leck Kill shaly silt loam, 8 to 15 percent slopes	3	125.1	0.001	\$ 1,459.30
Montour	MkC	Meckesville silt loam, 8 to 15 percent slopes	3	38.3	0	\$ 1,319.78
Montour	OpB	Opequon silty clay loam, 3 to 8 percent slopes-mlra147	3	200.9	0.002	\$ 1,351.40
Montour	UnC	Unadilla silt loam, 8 to 15 percent slopes	3	145	0.002	\$ 1,337.52
Montour	WbC	Watson silt loam, 8 to 15 percent slopes	3	1019.4	0.012	\$ 1,312.93
Montour	WeB	Weikert channery silt loam, 3 to 8 percent slopes	3	1213.8	0.014	\$ 1,335.42
Montour	WyA	Wyoming gravelly sandy loam, 0 to 3 percent slopes	3	66.4	0.001	\$ 1,319.78
Montour	WyB	Wyoming gravelly sandy loam, 3 to 8 percent slopes	3	39.5	0	\$ 1,319.78
Montour	BeD	Bedington silt loam, 15 to 25 percent slopes	4	166.6	0.002	\$ 1,286.72
Montour	BkD	Berks channery silt loam, 15 to 25 percent slopes	4	4122.5	0.049	\$ 1,114.71
Montour	CaD	Calvin-Klinesville shaly silt loams, 15 to 25 percent slopes	4	493.5	0.006	\$ 1,004.79
Montour	EdD	Edom complex, 15 to 25 percent slopes	4	220.4	0.003	\$ 1,160.25
Montour	EsD	Elliber cherty silt loam, 15 to 25 percent slopes	4	314.6	0.004	\$ 1,279.17
Montour	EtC	Elliber very cherty silt loam, 8 to 15 percent slopes	4	52.7	0.001	\$ 1,234.18
Montour	HaD	Hagerstown silt loam, 15 to 25 percent slopes	4	71.5	0.001	\$ 1,494.94
Montour	HtD	Hartleton channery silt loam, 15 to 25 percent slopes	4	1774	0.021	\$ 1,038.76
Montour	Hv	Holly silt loam	4	1208.2	0.014	\$ 1,319.78
Montour	LnD	Leck Kill shaly silt loam, 15 to 25 percent slopes	4	100.2	0.001	\$ 1,314.38
Montour	ShA	Shelmadine silt loam, 0 to 3 percent slopes	4	1542.2	0.018	\$ 1,256.03
Montour	ShB	Shelmadine silt loam, 3 to 8 percent slopes	4	229.6	0.003	\$ 1,257.99
Montour	UnD	Unadilla silt loam, 15 to 25 percent slopes	4	158.4	0.002	\$ 1,219.95
Montour	WeC	Weikert channery silt loam, 8 to 15 percent slopes	4	2927.5	0.035	\$ 1,126.33
Montour	Hy	Holly silt loam, ponded	5	361.6	0.004	\$ 891.33
Montour	AsB	Alvira very stony silt loam, 0 to 8 percent slopes	6	106.2	0.001	\$ 891.33
Montour	BxB	Buchanan very stony loam, 0 to 8 percent slopes	6	167.5	0.002	\$ 891.33
Montour	BxD	Buchanan very stony loam, 8 to 25 percent slopes	6	277.7	0.003	\$ 891.33
Montour	EtD	Elliber very cherty silt loam, 15 to 25 percent slopes	6	106.6	0.001	\$ 891.33
Montour	OpD	Opequon silty clay loam, 8 to 25 percent slopes	6	620.2	0.007	\$ 1,282.95
Montour	OpE	Opequon silty clay loam, 25 to 45 percent slopes	6	148.6	0.002	\$ 891.33
Montour	WeD	Weikert channery silt loam, 15 to 25 percent slopes	6	3398.5	0.04	\$ 891.33
Montour	DeB	Dekalb extremely stony sandy loam, 0 to 8 percent slopes	7	11	0	\$ 891.33
Montour	DeD	Dekalb extremely stony sandy loam, 8 to 25 percent slope	7	209.1	0.002	\$ 891.33
Montour	DeF	Dekalb extremely stony sandy loam, steep	7	148.8	0.002	\$ 891.33
Montour	EtF	Elliber very cherty silt loam, 25 to 70 percent slopes	7	80	0.001	\$ 891.33
Montour	HuB	Hazleton and Clymer extremely stony sandy loams, 0 to 8	7	281.9	0.003	\$ 891.33
Montour	HuD	Hazleton and Clymer extremely stony sandy loams, 8 to 2	7	244.6	0.003	\$ 891.33
Montour	LdD	Laidig and Meckesville extremely stony soils, 8 to 25 perc	7	543.9	0.006	\$ 891.33
Montour	LdF	Laidig and Meckesville extremely stony soils, steep	7	179.1	0.002	\$ 891.33
Montour	Ug	Udifluvents and Fluvaquents, gravelly	7	386.1	0.005	\$ 891.33
Montour	WkE	Weikert and Klinesville shaly silt loams, steep	7	11854	0.14	\$ 891.33
Montour	DAM	Dams	8	5.6	0	\$ 891.33
Northampton	AfA	Allenwood silt loam, 0 to 3 percent slopes	1	711.5	0.003	\$ 1,560.13
Northampton	BfA	Bedington-Berks complex, 0 to 3 percent slopes	1	615.1	0.003	\$ 1,404.19

Northampton	CtA	Conotton gravelly loam, 0 to 3 percent slopes	1	906.4	0.004	\$ 1,790.10
Northampton	DaA	Delaware fine sandy loam, 0 to 3 percent slopes	1	930.4	0.004	\$ 1,783.16
Northampton	DuA	Duffield silt loam, 0 to 3 percent slopes	1	356.4	0.001	\$ 1,747.30
Northampton	WaA	Washington silt loam, 0 to 3 percent slopes	1	7686.2	0.032	\$ 1,780.60
Northampton	AfB	Allenwood silt loam, 3 to 8 percent slopes	2	5289.9	0.022	\$ 1,560.13
Northampton	ArB	Arendtsville gravelly loam, 3 to 8 percent slopes	2	215.7	0.001	\$ 1,466.59
Northampton	BfB	Bedington-Berks complex, 3 to 8 percent slopes	2	2198.2	0.009	\$ 1,388.60
Northampton	BkB	Berks-Weikert complex, 3 to 8 percent slopes	2	16545	0.068	\$ 1,220.77
Northampton	BuB	Buchanan gravelly loam, 3 to 8 percent slopes	2	1702	0.007	\$ 1,460.76
Northampton	CaB	Califon loam, 3 to 8 percent slopes	2	1322.5	0.005	\$ 1,445.68
Northampton	ClA	Clarksburg silt loam, 0 to 3 percent slopes	2	2456.5	0.01	\$ 1,486.56
Northampton	ClB	Clarksburg silt loam, 3 to 8 percent slopes	2	2562.5	0.011	\$ 1,485.78
Northampton	CpA	Comly silt loam, 0 to 3 percent slopes	2	1329.3	0.006	\$ 1,344.29
Northampton	CpB	Comly silt loam, 3 to 8 percent slopes	2	8605.3	0.036	\$ 1,344.29
Northampton	CtB	Conotton gravelly loam, 3 to 8 percent slopes	2	2752.8	0.011	\$ 1,473.79
Northampton	DaB	Delaware fine sandy loam, 3 to 8 percent slopes	2	17.7	0	\$ 1,758.04
Northampton	DuB	Duffield silt loam, 3 to 8 percent slopes	2	1876.5	0.008	\$ 1,756.37
Northampton	Gb	Gibraltar silt loam	2	699.9	0.003	\$ 1,468.03
Northampton	GlB	Gladstone gravelly loam, 3 to 8 percent slopes	2	2594.3	0.011	\$ 1,516.83
Northampton	LaB	Laidig gravelly loam, 3 to 8 percent slopes	2	503.4	0.002	\$ 1,347.96
Northampton	MaB	Manlius channery silt loam, 3 to 8 percent slopes	2	2272.5	0.009	\$ 1,273.07
Northampton	Mb	Middlebury silt loam	2	907.9	0.004	\$ 1,468.03
Northampton	PgB	Penargyl channery silt loam, 3 to 8 percent slopes	2	620.8	0.003	\$ 1,473.79
Northampton	PhB	Phelps gravelly silt loam, 3 to 8 percent slopes	2	638.4	0.003	\$ 1,380.34
Northampton	ReB	Readington silt loam, 3 to 8 percent slopes	2	26.8	0	\$ 1,482.16
Northampton	RyB	Ryder-Duffield silt loams, 3 to 8 percent slopes	2	702.3	0.003	\$ 1,403.23
Northampton	SvB	Swartswood gravelly loam, 3 to 8 percent slopes	2	3882.8	0.016	\$ 1,319.06
Northampton	WaB	Washington silt loam, 3 to 8 percent slopes	2	12828	0.053	\$ 1,672.03
Northampton	WuB	Wurtsboro gravelly silt loam, 3 to 8 percent slopes	2	2633.8	0.011	\$ 1,316.90
Northampton	AfC	Allenwood silt loam, 8 to 15 percent slopes	3	267.7	0.001	\$ 1,499.85
Northampton	ArC	Arendtsville gravelly loam, 8 to 15 percent slopes	3	195.9	0.001	\$ 1,410.34
Northampton	AtB	Arnot channery silt loam, 3 to 8 percent slopes	3	332	0.001	\$ 1,137.80
Northampton	BfC	Bedington-Berks complex, 8 to 15 percent slopes	3	142.4	0.001	\$ 1,330.27
Northampton	BkA	Berks-Weikert complex, 0 to 3 percent slopes	3	2346.9	0.01	\$ 1,232.17
Northampton	BkC	Berks-Weikert complex, 8 to 15 percent slopes	3	12095	0.05	\$ 1,220.77
Northampton	CtC	Conotton gravelly loam, 8 to 15 percent slopes	3	1252.7	0.005	\$ 1,347.96
Northampton	DvC	Duffield-Ryder silt loams, 8 to 15 percent slopes	3	825.6	0.003	\$ 1,532.19
Northampton	GlC	Gladstone gravelly loam, 8 to 15 percent slopes	3	4170.9	0.017	\$ 1,469.59
Northampton	Ho	Holly silt loam	3	3801.6	0.016	\$ 1,352.09
Northampton	MaC	Manlius channery silt loam, 8 to 15 percent slopes	3	2643.9	0.011	\$ 1,191.52
Northampton	PgC	Penargyl channery silt loam, 8 to 15 percent slopes	3	100.2	0	\$ 1,413.80
Northampton	Rh	Red Hook silt loam	3	1453.4	0.006	\$ 1,310.68
Northampton	SvC	Swartswood gravelly loam, 8 to 15 percent slopes	3	1408.5	0.006	\$ 1,242.60
Northampton	VoB	Volusia gravelly silt loam, 3 to 8 percent slopes	3	726.2	0.003	\$ 1,133.23
Northampton	WaC	Washington silt loam, 8 to 15 percent slopes	3	2609.4	0.011	\$ 1,566.96
Northampton	WkB	Weikert-Berks complex, 3 to 8 percent slopes	3	1007.6	0.004	\$ 1,142.34
Northampton	WuC	Wurtsboro gravelly silt loam, 8 to 15 percent slopes	3	741.8	0.003	\$ 1,207.53

Northampton	AnA	Andover-Buchanan gravelly loams, 0 to 3 percent slopes	4	479.1	0.002	\$ 1,273.45
Northampton	AnB	Andover-Buchanan gravelly loams, 3 to 8 percent slopes	4	1107.6	0.005	\$ 1,273.45
Northampton	ArD	Arendtsville gravelly loam, 15 to 25 percent slopes	4	158	0.001	\$ 1,221.59
Northampton	AtC	Arnot channery silt loam, 8 to 15 percent slopes	4	628.3	0.003	\$ 1,043.87
Northampton	BkD	Berks-Weikert complex, 15 to 25 percent slopes	4	4790	0.02	\$ 1,136.89
Northampton	BtA	Brinkerton-Comly silt loams, 0 to 3 percent slopes	4	1344.3	0.006	\$ 1,291.29
Northampton	BtB	Brinkerton-Comly silt loams, 3 to 8 percent slopes	4	1782.1	0.007	\$ 1,291.29
Northampton	ChA	Chippewa silt loam, 0 to 3 percent slopes	4	267.2	0.001	\$ 1,004.79
Northampton	ChB	Chippewa silt loam, 3 to 8 percent slopes	4	762.3	0.003	\$ 1,004.79
Northampton	CnB	Cokesbury silt loam, 3 to 8 percent slopes	4	671.8	0.003	\$ 1,347.96
Northampton	GnD	Gladstone-Parker gravelly loams, 15 to 25 percent slopes	4	1890.4	0.008	\$ 1,358.92
Northampton	MaD	Manlius channery silt loam, 15 to 25 percent slopes	4	1428.3	0.006	\$ 1,041.32
Northampton	SvD	Swartswood gravelly loam, 15 to 25 percent slopes	4	246.2	0.001	\$ 1,147.75
Northampton	WaD	Washington silt loam, 15 to 25 percent slopes	4	573	0.002	\$ 1,468.15
Northampton	WkC	Weikert-Berks complex, 8 to 15 percent slopes	4	1729.8	0.007	\$ 1,022.41
Northampton	Cd	Catden muck	5	162.5	0.001	\$ 891.33
Northampton	Fl	Fluvaquents	5	180.7	0.001	\$ 891.33
Northampton	Ha	Halsey silt loam	5	669.8	0.003	\$ 891.33
Northampton	AtD	Arnot channery silt loam, 15 to 25 percent slopes	6	658.7	0.003	\$ 946.99
Northampton	CbB	Califon loam, 0 to 8 percent slopes, extremely stony	6	109.7	0	\$ 891.33
Northampton	CtD	Conotton gravelly loam, 15 to 25 percent slopes	6	316	0.001	\$ 1,194.92
Northampton	GmB	Gladstone gravelly loam, 0 to 8 percent slopes, very bouldery	6	349.7	0.001	\$ 891.33
Northampton	GmD	Gladstone gravelly loam, 8 to 25 percent slopes, very bouldery	6	4233.2	0.018	\$ 891.33
Northampton	WkD	Weikert-Berks complex, 15 to 25 percent slopes	6	1526.1	0.006	\$ 1,056.51
Northampton	AoB	Andover-Buchanan gravelly loams, 0 to 8 percent slopes, extremely stony	7	933.3	0.004	\$ 891.33
Northampton	BkF	Berks-Weikert complex, 25 to 60 percent slopes	7	5863.2	0.024	\$ 891.33
Northampton	BvB	Buchanan gravelly loam, 0 to 8 percent slopes, extremely stony	7	1999.4	0.008	\$ 891.33
Northampton	CkB	Chippewa silt loam, 0 to 8 percent slopes, extremely stony	7	2521.2	0.01	\$ 891.33
Northampton	CoB	Cokesbury-Califon channery silt loams, 0 to 8 percent slopes, extremely stony	7	461	0.002	\$ 891.33
Northampton	CrB	Comly silt loam, 0 to 8 percent slopes, extremely stony	7	663.1	0.003	\$ 891.33
Northampton	CtF	Conotton gravelly loam, 25 to 65 percent slopes	7	336.5	0.001	\$ 891.33
Northampton	GmF	Gladstone gravelly loam, 25 to 55 percent slopes, very bouldery	7	3899.7	0.016	\$ 891.33
Northampton	HeB	Hazleton very channery loam, 0 to 8 percent slopes, extremely stony	7	1067.3	0.004	\$ 891.33
Northampton	HeD	Hazleton very channery loam, 8 to 25 percent slopes, extremely stony	7	1123	0.005	\$ 891.33
Northampton	HeF	Hazleton very channery loam, 25 to 60 percent slopes, extremely stony	7	863.4	0.004	\$ 891.33
Northampton	HgF	Hazleton-Rubble land complex, 25 to 60 percent slopes	7	1106.4	0.005	\$ 891.33
Northampton	LbB	Laidig very gravelly loam, 0 to 8 percent slopes, extremely stony	7	2135.9	0.009	\$ 891.33
Northampton	LbD	Laidig very gravelly loam, 8 to 25 percent slopes, extremely stony	7	2328.7	0.01	\$ 891.33
Northampton	LbF	Laidig very gravelly loam, 25 to 65 percent slopes, extremely stony	7	521.2	0.002	\$ 891.33
Northampton	LcD	Laidig very channery loam, 8 to 25 percent slopes, rubbly	7	1301.5	0.005	\$ 891.33
Northampton	LdF	Laidig-Rubble land complex, 25 to 60 percent slopes	7	537.2	0.002	\$ 891.33
Northampton	SwB	Swartswood and Wurtsboro soils, 0 to 8 percent slopes, extremely stony	7	2635.3	0.011	\$ 891.33
Northampton	SwD	Swartswood and Wurtsboro soils, 8 to 25 percent slopes, extremely stony	7	1360.8	0.006	\$ 891.33
Northampton	UbB	Udorthents, limestone, 0 to 8 percent slopes	7	3654.2	0.015	\$ 891.33
Northampton	UbD	Udorthents, limestone, 8 to 25 percent slopes	7	421	0.002	\$ 891.33
Northampton	Uc	Udorthents, loamy	7	190	0.001	\$ 891.33
Northampton	UdB	Udorthents, sandy	7	384.7	0.002	\$ 891.33

Northampton	UfB	Udorthents, sanitary landfill	7	181.4	0.001	\$ 891.33
Northampton	UgB	Udorthents, schist and gneiss, 0 to 8 percent slopes	7	212.6	0.001	\$ 891.33
Northampton	UgD	Udorthents, schist and gneiss, 8 to 25 percent slopes	7	98.5	0	\$ 891.33
Northampton	UhB	Udorthents, shale and sandstone, 0 to 8 percent slopes	7	753.1	0.003	\$ 891.33
Northampton	UhD	Udorthents, shale and sandstone, 8 to 25 percent slopes	7	465.2	0.002	\$ 891.33
Northampton	VuB	Volusia gravelly silt loam, 0 to 8 percent slopes, extremely	7	1869.7	0.008	\$ 891.33
Northampton	RU	Rubble land	8	229.1	0.001	\$ 891.33
Northampton	UkaB	Urban land, 0 to 8 percent slopes	8	6100.1	0.025	\$ 891.33
Northampton	UkaD	Urban land, 8 to 25 percent slopes	8	140.5	0.001	\$ 891.33
Northampton	Ukb	Urban land, occasionally flooded	8	1072.4	0.004	\$ 891.33
Northampton	UIB	Urban land-Berks complex, 0 to 8 percent slopes	8	4575.1	0.019	\$ 891.33
Northampton	UID	Urban land-Berks complex, 8 to 25 percent slopes	8	395.1	0.002	\$ 891.33
Northampton	UmB	Urban land-Conotton complex, 0 to 8 percent slopes	8	225.4	0.001	\$ 891.33
Northampton	UnB	Urban land-Delaware complex, 0 to 8 percent slopes	8	706.7	0.003	\$ 891.33
Northampton	UoB	Urban land-Duffield complex, 0 to 8 percent slopes	8	14394	0.06	\$ 896.75
Northampton	UoD	Urban land-Duffield complex, 8 to 25 percent slopes	8	2509.4	0.01	\$ 891.33
Northampton	UpB	Urban land-Gladstone complex, 0 to 8 percent slopes	8	672.6	0.003	\$ 891.33
Northampton	UpD	Urban land-Gladstone complex, 8 to 25 percent slopes	8	784.1	0.003	\$ 891.33
Northampton	UrB	Urban land-Laidig complex, 0 to 8 percent slopes	8	768.9	0.003	\$ 891.33
Northampton	UrD	Urban land-Laidig complex, 8 to 25 percent slopes	8	142.8	0.001	\$ 891.33
Northampton	UsB	Urban land-Swartswood complex, 0 to 8 percent slopes	8	1028.8	0.004	\$ 891.33
Northampton	UsD	Urban land-Swartswood complex, 8 to 25 percent slopes	8	394.1	0.002	\$ 891.33
Northampton	UudB	Urban land-Udorthents, limestone complex, 0 to 8 percent	8	8926	0.037	\$ 891.33
Northampton	UudD	Urban land-Udorthents, limestone complex, 8 to 25 perce	8	796.8	0.003	\$ 891.33
Northampton	UulB	Urban land-Udorthents, loamy complex, 0 to 8 percent slc	8	316.4	0.001	\$ 891.33
Northampton	UunB	Urban land-Udorthents, sandy complex, 0 to 8 percent slc	8	46.3	0	\$ 891.33
Northampton	UupB	Urban land-Udorthents, schist and gneiss complex, 0 to 8	8	391.6	0.002	\$ 891.33
Northampton	UupD	Urban land-Udorthents, schist and gneiss complex, 8 to 25	8	477.1	0.002	\$ 891.33
Northampton	UusB	Urban land-Udorthents, shale and sandstone complex, 0 to	8	1627.1	0.007	\$ 891.33
Northampton	UusD	Urban land-Udorthents, shale and sandstone complex, 8 to	8	153.8	0.001	\$ 891.33
Northumberland	AnA	Allenwood gravelly silt loam, 0 to 3 percent slopes	1	467.4	0.002	\$ 1,540.39
Northumberland	Bb	Barbour-Linden complex, rarely flooded	1	3464.8	0.011	\$ 1,460.76
Northumberland	Lw	Linden silt loam	1	1329.8	0.004	\$ 1,465.14
Northumberland	WsA	Wheeling soils, 0 to 3 percent slopes	1	1237.6	0.004	\$ 1,472.36
Northumberland	AbB	Albrights silt loam, 3 to 8 percent slopes	2	1990	0.007	\$ 1,349.68
Northumberland	AoB	Allenwood and Washington soils, 3 to 8 percent slopes	2	3594.7	0.012	\$ 1,540.39
Northumberland	Ba	Barbour soils, frequently flooded	2	374.4	0.001	\$ 1,378.36
Northumberland	Bc	Basher soils	2	1398.2	0.005	\$ 1,465.14
Northumberland	BeB	Bedington silt loam, 3 to 8 percent slopes	2	2653.4	0.009	\$ 1,423.15
Northumberland	BkB	Berks channery silt loam, 3 to 8 percent slopes	2	6829.1	0.022	\$ 1,190.67
Northumberland	BuB	Buchanan gravelly loam, 3 to 8 percent slopes	2	230.1	0.001	\$ 1,335.77
Northumberland	CaB	Calvin-Klinesville shaly silt loams, 3 to 8 percent slopes	2	3494.8	0.011	\$ 1,137.80
Northumberland	EdB	Edom complex, 3 to 8 percent slopes	2	3524.4	0.012	\$ 1,388.21
Northumberland	EsB	Elliber cherty silt loam, 3 to 8 percent slopes	2	1306.6	0.004	\$ 1,420.05
Northumberland	HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	2403.3	0.008	\$ 1,642.70
Northumberland	HtB	Hartleton channery silt loam, 3 to 8 percent slopes	2	5761.9	0.019	\$ 1,232.17
Northumberland	KmB	Kreamer cherty silt loam, 3 to 8 percent slopes	2	1635.9	0.005	\$ 1,279.17

Northumberland	LaB	Laidig gravelly loam, 3 to 8 percent slopes	2	199.2	0.001	\$ 1,347.96
Northumberland	LnB	Leck kill shaly silt loam, 3 to 8 percent slopes	2	2764.9	0.009	\$ 1,469.48
Northumberland	MkB	Meckesville silt loam, 3 to 8 percent slopes	2	1913.3	0.006	\$ 1,349.68
Northumberland	MoA	Monongahela silt loam, 0 to 3 percent slopes	2	1542.2	0.005	\$ 1,410.02
Northumberland	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	1228.2	0.004	\$ 1,352.09
Northumberland	UnB	Unadilla silt loam, 3 to 8 percent slopes	2	429.9	0.001	\$ 1,391.46
Northumberland	WaB	Washington silt loam, wet substratum, 3 to 8 percent slopes	2	1577.6	0.005	\$ 1,483.46
Northumberland	WbA	Watson silt loam, 0 to 3 percent slopes	2	1754.6	0.006	\$ 1,365.01
Northumberland	WbB	Watson silt loam, 3 to 8 percent slopes	2	6738.3	0.022	\$ 1,365.01
Northumberland	WsB	Wheeling soils, 3 to 8 percent slopes	2	1602.2	0.005	\$ 1,469.48
Northumberland	AoC	Allenwood and Washington soils, 8 to 15 percent slopes	3	1426.4	0.005	\$ 1,493.55
Northumberland	ArA	Alvira silt loam, 0 to 3 percent slopes	3	2182.4	0.007	\$ 1,308.93
Northumberland	ArB	Alvira silt loam, 3 to 8 percent slopes	3	5433	0.018	\$ 1,310.38
Northumberland	ArC	Alvira silt loam, 8 to 15 percent slopes	3	934.4	0.003	\$ 1,280.68
Northumberland	Bd	Basher soils, frequently flooded	3	4042.5	0.013	\$ 1,462.22
Northumberland	BeC	Bedington silt loam, 8 to 15 percent slopes	3	2266.5	0.007	\$ 1,366.69
Northumberland	BkC	Berks channery silt loam, 8 to 15 percent slopes	3	13391	0.044	\$ 1,153.58
Northumberland	BuC	Buchanan gravelly loam, 8 to 15 percent slopes	3	185.1	0.001	\$ 1,279.17
Northumberland	CaC	Calvin-Klinesville shaly silt loams, 8 to 15 percent slopes	3	7968.8	0.026	\$ 1,004.79
Northumberland	EdC	Edom complex, 8 to 15 percent slopes	3	2163.1	0.007	\$ 1,326.93
Northumberland	EsC	Elliber cherty silt loam, 8 to 15 percent slopes	3	1571.3	0.005	\$ 1,383.30
Northumberland	EtB	Elliber very cherty silt loam, 3 to 8 percent slopes	3	196.1	0.001	\$ 1,326.93
Northumberland	EvB	Evendale cherty silt loam, 3 to 8 percent slopes	3	865.8	0.003	\$ 1,240.21
Northumberland	HaC	Hagerstown silt loam, 8 to 15 percent slopes	3	819.5	0.003	\$ 1,562.05
Northumberland	HtC	Hartleton channery silt loam, 8 to 15 percent slopes	3	11338	0.037	\$ 1,140.07
Northumberland	HZ	Holly silt loam, rarely flooded	3	2205.9	0.007	\$ 1,356.53
Northumberland	KmC	Kreamer cherty silt loam, 8 to 15 percent slopes	3	140.5	0	\$ 1,212.94
Northumberland	LaC	Laidig gravelly loam, 8 to 15 percent slopes	3	375.2	0.001	\$ 1,308.93
Northumberland	LkB	Lakin loamy fine sand, 3 to 8 percent slopes	3	1707.1	0.006	\$ 1,222.00
Northumberland	LnC	Leck kill shaly silt loam, 8 to 15 percent slopes	3	3666.5	0.012	\$ 1,459.30
Northumberland	MkC	Meckesville silt loam, 8 to 15 percent slopes	3	4705.1	0.015	\$ 1,319.78
Northumberland	OpB	Opequon silty clay loam, 3 to 8 percent slopes-mlra147	3	204.7	0.001	\$ 1,351.40
Northumberland	RwB	Rushtown very shaly silt loam, 3 to 8 percent slopes	3	118.9	0	\$ 1,066.50
Northumberland	UnC	Unadilla silt loam, 8 to 15 percent slopes	3	479.7	0.002	\$ 1,337.52
Northumberland	WbC	Watson silt loam, 8 to 15 percent slopes	3	1684.1	0.006	\$ 1,312.93
Northumberland	WeB	Weikert channery silt loam, 3 to 8 percent slopes	3	4334.5	0.014	\$ 1,335.42
Northumberland	WsC	Wheeling soils, 8 to 15 percent slopes	3	378.7	0.001	\$ 1,418.49
Northumberland	WyA	Wyoming gravelly sandy loam, 0 to 3 percent slopes	3	632.7	0.002	\$ 1,319.78
Northumberland	WyB	Wyoming gravelly sandy loam, 3 to 8 percent slopes	3	501.1	0.002	\$ 1,319.78
Northumberland	AnD	Allenwood gravelly silt loam, 15 to 25 percent slopes	4	242.5	0.001	\$ 1,373.39
Northumberland	BeD	Bedington silt loam, 15 to 25 percent slopes	4	461.4	0.002	\$ 1,286.72
Northumberland	BkD	Berks channery silt loam, 15 to 25 percent slopes	4	7931.5	0.026	\$ 1,114.71
Northumberland	CaD	Calvin-Klinesville shaly silt loams, 15 to 25 percent slopes	4	4398.9	0.014	\$ 1,004.79
Northumberland	EdD	Edom complex, 15 to 25 percent slopes	4	657.9	0.002	\$ 1,160.25
Northumberland	EsD	Elliber cherty silt loam, 15 to 25 percent slopes	4	273.4	0.001	\$ 1,279.17
Northumberland	EtC	Elliber very cherty silt loam, 8 to 15 percent slopes	4	298.9	0.001	\$ 1,234.18
Northumberland	HaD	Hagerstown silt loam, 15 to 25 percent slopes	4	56	0	\$ 1,494.94

Northumberland	HtD	Hartleton channery silt loam, 15 to 25 percent slopes	4	4245.7	0.014	\$ 1,038.76
Northumberland	Hv	Holly silt loam	4	3602.3	0.012	\$ 1,319.78
Northumberland	LkC	Lakin loamy fine sand, 8 to 15 percent slopes	4	298	0.001	\$ 1,146.85
Northumberland	LnD	Leck kill shaly silt loam, 15 to 25 percent slopes	4	636.5	0.002	\$ 1,314.38
Northumberland	MkD	Meckesville silt loam, 15 to 25 percent slopes	4	461.6	0.002	\$ 1,256.03
Northumberland	ShA	Shelmadine silt loam, 0 to 3 percent slopes	4	1904.5	0.006	\$ 1,256.03
Northumberland	ShB	Shelmadine silt loam, 3 to 8 percent slopes	4	907.8	0.003	\$ 1,257.99
Northumberland	UnD	Unadilla silt loam, 15 to 25 percent slopes	4	161.3	0.001	\$ 1,219.95
Northumberland	WeC	Weikert channery silt loam, 8 to 15 percent slopes	4	7704	0.025	\$ 1,126.33
Northumberland	Hy	Holly silt loam, ponded	5	649.3	0.002	\$ 891.33
Northumberland	AsB	Alvira very stony silt loam, 0 to 8 percent slopes	6	482.1	0.002	\$ 891.33
Northumberland	BxB	Buchanan very stony loam, 0 to 8 percent slopes	6	1136.5	0.004	\$ 891.33
Northumberland	BxD	Buchanan very stony loam, 8 to 25 percent slopes	6	1556.1	0.005	\$ 891.33
Northumberland	EtD	Elliber very cherty silt loam, 15 to 25 percent slopes	6	271.8	0.001	\$ 891.33
Northumberland	OpD	Opequon silty clay loam, 8 to 25 percent slopes	6	623.7	0.002	\$ 1,282.95
Northumberland	OpE	Opequon silty clay loam, 25 to 45 percent slopes	6	178.6	0.001	\$ 891.33
Northumberland	RwC	Rushtown very shaly silt loam, 8 to 25 percent slopes	6	133.8	0	\$ 891.33
Northumberland	WeD	Weikert channery silt loam, 15 to 25 percent slopes	6	8418.6	0.028	\$ 891.33
Northumberland	DeB	Dekalb extremely stony sandy loam, 0 to 8 percent slopes	7	376.7	0.001	\$ 891.33
Northumberland	DeD	Dekalb extremely stony sandy loam, 8 to 25 percent slopes	7	1595.9	0.005	\$ 891.33
Northumberland	DeF	Dekalb extremely stony sandy loam, steep	7	10398	0.034	\$ 891.33
Northumberland	EtF	Elliber very cherty silt loam, 25 to 70 percent slopes	7	440.3	0.001	\$ 891.33
Northumberland	HuB	Hazleton and Clymer extremely stony sandy loams, 0 to 8 percent slopes	7	2086.5	0.007	\$ 891.33
Northumberland	HuD	Hazleton and Clymer extremely stony sandy loams, 8 to 25 percent slopes	7	8874.9	0.029	\$ 891.33
Northumberland	HuF	Hazleton and Clymer extremely stony sandy loams, 25 to 70 percent slopes	7	6310.4	0.021	\$ 891.33
Northumberland	LbB	Laidig extremely stony loam, 0 to 8 percent slopes	7	465.7	0.002	\$ 891.33
Northumberland	LdD	Laidig and Meckesville extremely stony soils, 8 to 25 percent slopes	7	14841	0.049	\$ 891.33
Northumberland	LdF	Laidig and Meckesville extremely stony soils, steep	7	4034.9	0.013	\$ 891.33
Northumberland	SmB	Shelmadine very stony silt loam, 0 to 8 percent slopes	7	1023.7	0.003	\$ 891.33
Northumberland	Uf	Udifluvents, coal overwash	7	4259.4	0.014	\$ 891.33
Northumberland	Ug	Udifluvents and Fluvaquents, gravelly	7	689.6	0.002	\$ 891.33
Northumberland	Uh	Udorthents, sandstone and shale	7	14086	0.046	\$ 891.33
Northumberland	WkE	Weikert and Klinesville shaly silt loams, steep	7	33639	0.11	\$ 891.33
Northumberland	DAM	Dams	8	3	0	\$ 891.33
Perry	AgA	Allegheny silt loam, 0 to 3 percent slopes	1	228	0.001	\$ 1,501.83
Perry	Bb	Barbour soils	1	1150	0.003	\$ 1,467.74
Perry	BoA	Birdsboro silt loam, 0 to 5 percent slopes	1	1753.9	0.005	\$ 1,616.32
Perry	Ch	Chavies fine sandy loam	1	575.7	0.002	\$ 1,567.42
Perry	DuA	Duffield silt loam, 0 to 3 percent slopes	1	369.3	0.001	\$ 1,599.57
Perry	DxA	Duncannon very fine sandy loam, 0 to 3 percent slopes	1	184.6	0.001	\$ 1,413.80
Perry	HaA	Hagerstown silt loam, 0 to 3 percent slopes	1	288.7	0.001	\$ 1,641.98
Perry	HuA	Huntington silt loam, 0 to 5 percent slopes	1	2098.7	0.006	\$ 1,528.03
Perry	MuA	Murrill channery loam, 0 to 3 percent slopes	1	215.2	0.001	\$ 1,470.05
Perry	Tg	Tioga soils	1	528.3	0.001	\$ 1,467.74
Perry	AbB	Albrights silt loam, 3 to 8 percent slopes	2	6935.3	0.02	\$ 1,349.68
Perry	AgB	Allegheny silt loam, 3 to 8 percent slopes	2	472.3	0.001	\$ 1,453.41
Perry	Bc	Basher soils	2	2275.7	0.006	\$ 1,465.14

Perry	BdB	Bedington shaly silt loam, 3 to 8 percent slopes	2	182.2	0.001	\$ 1,492.44
Perry	BeB	Berks channery silt loam, 3 to 8 percent slopes	2	7389.5	0.021	\$ 1,190.67
Perry	BhB	Berks stony silt loam, 3 to 8 percent slopes	2	699.9	0.002	\$ 1,194.92
Perry	BuB	Buchanan gravelly loam, 3 to 8 percent slopes	2	1582	0.004	\$ 1,460.76
Perry	CaB	Calvin shaly silt loam, 3 to 8 percent slopes	2	9280.8	0.026	\$ 1,163.96
Perry	CbB	Calvin-Berks shaly silt loams, 3 to 8 percent slopes	2	3955.2	0.011	\$ 1,333.59
Perry	DuB	Duffield silt loam, 3 to 8 percent slopes	2	1119	0.003	\$ 1,567.42
Perry	DxB	Duncannon very fine sandy loam, 3 to 8 percent slopes	2	273.3	0.001	\$ 1,413.80
Perry	EdB	Edom silty clay loam, 3 to 8 percent slopes	2	2504.7	0.007	\$ 1,347.96
Perry	EtB	Ernest silt loam, 3 to 8 percent slopes	2	3847.3	0.011	\$ 1,355.51
Perry	HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	537.2	0.002	\$ 1,642.70
Perry	HcB	Hagerstown silt loam, rocky, 3 to 8 percent slopes	2	5.9	0	\$ 1,578.85
Perry	HeB	Hazleton channery sandy loam, 3 to 8 percent slopes	2	842.6	0.002	\$ 1,485.16
Perry	KrA	Kreamer cherty silt loam, 0 to 3 percent slopes	2	725.1	0.002	\$ 1,203.35
Perry	KrB	Kreamer cherty silt loam, 3 to 8 percent slopes	2	4568.3	0.013	\$ 1,279.17
Perry	LdB	Laidig channery loam, 3 to 8 percent slopes	2	935	0.003	\$ 1,347.96
Perry	Ls	Lindside silt loam	2	854.6	0.002	\$ 1,459.30
Perry	McB	Meckesville silt loam, 3 to 8 percent slopes	2	700.9	0.002	\$ 1,349.68
Perry	Mf	Middlebury soils	2	3468.7	0.01	\$ 1,468.03
Perry	MnA	Monongahela silt loam, 0 to 3 percent slopes	2	1006.9	0.003	\$ 1,410.02
Perry	MnB	Monongahela silt loam, 3 to 8 percent slopes	2	1552.7	0.004	\$ 1,352.09
Perry	MoB	Morrison sandy loam, 3 to 8 percent slopes	2	365.6	0.001	\$ 1,344.49
Perry	MuB	Murrill channery loam, 3 to 8 percent slopes	2	859.2	0.002	\$ 1,470.05
Perry	NeB	Neshaminy gravelly silt loam, 3 to 8 percent slopes	2	27.7	0	\$ 1,546.23
Perry	RaA	Raritan silt loam, 0 to 5 percent slopes	2	853.5	0.002	\$ 1,367.63
Perry	AbC	Albrights silt loam, 8 to 15 percent slopes	3	1890.3	0.005	\$ 1,273.37
Perry	Aw	Atkins silt loam	3	3074.6	0.009	\$ 1,354.90
Perry	BdC	Bedington shaly silt loam, 8 to 15 percent slopes	3	204.8	0.001	\$ 1,430.85
Perry	BeC	Berks shaly silt loam, 8 to 15 percent slopes	3	15271	0.043	\$ 1,115.64
Perry	BpB	Blairton silt loam, 3 to 8 percent slopes	3	343.7	0.001	\$ 1,158.39
Perry	BuC	Buchanan gravelly loam, 8 to 15 percent slopes	3	872.7	0.002	\$ 1,279.17
Perry	CaC	Calvin shaly silt loam, 8 to 15 percent slopes	3	18319	0.052	\$ 1,079.49
Perry	CbC	Calvin-Berks shaly silt loams, 8 to 15 percent slopes	3	6531.7	0.018	\$ 1,252.58
Perry	DuC	Duffield silt loam, 8 to 15 percent slopes	3	310.2	0.001	\$ 1,669.32
Perry	EdC	Edom silty clay loam, 8 to 15 percent slopes	3	1720	0.005	\$ 1,275.36
Perry	EeB	Elliber very cherty silt loam, 3 to 8 percent slopes	3	4511.9	0.013	\$ 1,444.48
Perry	EtC	Ernest silt loam, 8 to 15 percent slopes	3	2046.6	0.006	\$ 1,278.41
Perry	EvA	Evendale cherty silt loam, 0 to 3 percent slopes	3	713.5	0.002	\$ 1,242.20
Perry	EvB	Evendale cherty silt loam, 3 to 8 percent slopes	3	257.5	0.001	\$ 1,240.21
Perry	HaC	Hagerstown silt loam, 8 to 15 percent slopes	3	582.2	0.002	\$ 1,562.05
Perry	HcC	Hagerstown silt loam, rocky, 8 to 15 percent slopes	3	22.9	0	\$ 1,501.83
Perry	HeC	Hazleton channery sandy loam, 8 to 15 percent slopes	3	1092.2	0.003	\$ 1,429.31
Perry	KnB	Klinesville very shaly silt loam, 3 to 8 percent slopes	3	602.1	0.002	\$ 1,178.29
Perry	KrC	Kreamer cherty silt loam, 8 to 15 percent slopes	3	712.5	0.002	\$ 1,212.94
Perry	LdC	Laidig channery loam, 8 to 15 percent slopes	3	3425.6	0.01	\$ 1,312.56
Perry	Me	Melvin silt loam	3	913.6	0.003	\$ 1,351.40
Perry	MnC	Monongahela silt loam, 8 to 15 percent slopes	3	307.9	0.001	\$ 1,273.68

Perry	MoC	Morrison sandy loam, 8 to 15 percent slopes	3	516.8	0.001	\$ 1,308.93
Perry	MuC	Murrill channery loam, 8 to 15 percent slopes	3	345	0.001	\$ 1,412.42
Perry	Pe	Penlaw silt loam	3	399.1	0.001	\$ 1,308.93
Perry	Ty	Tyler silt loam	3	950.1	0.003	\$ 1,312.56
Perry	AnB	Andover gravelly loam, 0 to 8 percent slopes	4	214.6	0.001	\$ 1,248.16
Perry	BdD	Bedington shaly silt loam, 15 to 25 percent slopes	4	11.1	0	\$ 1,346.23
Perry	BeD	Berks channery silt loam, 15 to 25 percent slopes	4	5073.7	0.014	\$ 1,114.71
Perry	BrA	Brinkerton silt loam, 0 to 3 percent slopes	4	1409	0.004	\$ 1,295.68
Perry	BrB	Brinkerton silt loam, 3 to 8 percent slopes	4	2649.2	0.007	\$ 1,291.22
Perry	CbD	Calvin-Berks shaly silt loams, 15 to 25 percent slopes	4	2055.8	0.006	\$ 1,236.20
Perry	EdD	Edom silty clay loam, 15 to 25 percent slopes	4	1183.4	0.003	\$ 1,194.92
Perry	EeC	Elliber very cherty silt loam, 8 to 15 percent slopes	4	7313	0.021	\$ 1,413.80
Perry	HaD	Hagerstown silt loam, 15 to 25 percent slopes	4	524.9	0.001	\$ 1,494.94
Perry	HcD	Hagerstown silt loam, rocky, 15 to 25 percent slopes	4	151.7	0	\$ 1,004.79
Perry	HeD	Hazleton channery sandy loam, 15 to 25 percent slopes	4	1186.4	0.003	\$ 1,301.60
Perry	KnC	Klinesville very shaly silt loam, 8 to 15 percent slopes	4	1143.8	0.003	\$ 1,135.15
Perry	MoD	Morrison sandy loam, 15 to 25 percent slopes	4	389	0.001	\$ 1,269.61
Perry	Pu	Purdy silt loam	4	648.2	0.002	\$ 1,279.92
Perry	WeB	Weikert very channery silt loam, 3 to 8 percent slopes	4	1880.5	0.005	\$ 1,015.91
Perry	WeC	Weikert very channery silt loam, 8 to 15 percent slopes	4	4180.2	0.012	\$ 1,021.68
Perry	BhD	Berks stony silt loam, 8 to 25 percent slopes	6	5237.9	0.015	\$ 1,194.92
Perry	BxB	Buchanan very stony loam, 0 to 8 percent slopes	6	7289.1	0.02	\$ 891.33
Perry	BxC	Buchanan very stony loam, 8 to 25 percent slopes	6	5853.2	0.016	\$ 891.33
Perry	CaD	Calvin shaly silt loam, 15 to 25 percent slopes	6	3959.1	0.011	\$ 891.33
Perry	EdE	Edom silty clay loam, 25 to 40 percent slopes	6	571.8	0.002	\$ 891.33
Perry	EeD	Elliber very cherty silt loam, 15 to 25 percent slopes	6	2022.1	0.006	\$ 891.33
Perry	EfB	Elliber very stony silt loam, 0 to 8 percent slopes	6	1313.9	0.004	\$ 891.33
Perry	EfD	Elliber very stony silt loam, 8 to 25 percent slopes	6	3912.4	0.011	\$ 891.33
Perry	HdB	Hagerstown-Rock outcrop complex, 0 to 8 percent slopes	6	8.9	0	\$ 1,177.25
Perry	HdD	Hagerstown-Rock outcrop complex, 8 to 25 percent slope	6	30.9	0	\$ 1,053.60
Perry	KnD	Klinesville very shaly silt loam, 15 to 25 percent slopes	6	5676.9	0.016	\$ 1,006.92
Perry	LgB	Laidig very stony loam, 0 to 8 percent slopes	6	1112.2	0.003	\$ 891.33
Perry	LgD	Laidig very stony loam, 8 to 25 percent slopes	6	22912	0.064	\$ 891.33
Perry	LpB	Lehew very stony loam, 0 to 8 percent slopes	6	798.5	0.002	\$ 891.33
Perry	LpD	Lehew very stony loam, 8 to 25 percent slopes	6	2767.9	0.008	\$ 891.33
Perry	MdB	Meckesville very stony silt loam, 0 to 8 percent slopes	6	282.4	0.001	\$ 891.33
Perry	MdD	Meckesville very stony silt loam, 8 to 25 percent slopes	6	4843.5	0.014	\$ 891.33
Perry	NhB	Neshaminy very stony silt loam, 0 to 8 percent slopes	6	26	0	\$ 891.33
Perry	WeD	Weikert very channery silt loam, 15 to 25 percent slopes	6	8513.6	0.024	\$ 891.33
Perry	AoB	Andover very stony loam, 0 to 8 percent slopes	7	3080.4	0.009	\$ 891.33
Perry	DED	Dekalb and Hazleton soils, 3 to 25 percent slopes, rubbly	7	26.9	0	\$ 891.33
Perry	DEF	Dekalb and Hazleton soils, 25 to 75 percent slopes, rubbly	7	2471.9	0.007	\$ 891.33
Perry	Eff	Elliber very stony silt loam, 25 to 50 percent slopes	7	1962.2	0.006	\$ 891.33
Perry	HdF	Hagerstown-Rock outcrop complex, 25 to 60 percent slop	7	497.1	0.001	\$ 891.33
Perry	HfB	Hazleton extremely stony sandy loam, 0 to 8 percent slop	7	8138.3	0.023	\$ 891.33
Perry	HfD	Hazleton extremely stony sandy loam, 8 to 25 percent slo	7	19959	0.056	\$ 891.33
Perry	HfF	Hazleton extremely stony sandy loam, 25 to 60 percent sl	7	41673	0.117	\$ 891.33

Perry	LCE	Laidig and Hazleton soils, 25 to 60 percent slopes, extrem	7	38	0	\$ 891.33
Perry	LhB	Leetonia gravelly loamy sand, 0 to 15 percent slopes, extr	7	288.4	0.001	\$ 891.33
Perry	SrD	Sideling gravelly loam, 8 to 25 percent slopes, extremely s	7	818.7	0.002	\$ 891.33
Perry	SSF	Sideling and Hazleton soils 25 to 60 percent slopes, extrer	7	69.2	0	\$ 891.33
Perry	WkF	Weikert and Klinesville very shaly silt loams, 25 to 75 perc	7	29213	0.082	\$ 891.33
Perry	Dy	Dystrochrepts, bouldery	8	6585.4	0.019	\$ 891.33
Perry	Pt	Pits and quarries	8	63.2	0	\$ 891.33
Perry	Ub	Urban land and Udorthents	8	362.7	0.001	\$ 891.33
Philadelphia	CeA	Chester silt loam, 0 to 3 percent slopes	1	41.9	0	\$ 1,803.10
Philadelphia	DuA	Duncannon silt loam, 0 to 3 percent slopes	1	576.6	0.006	\$ 1,594.70
Philadelphia	PpA	Pope loam, terrace, 0 to 3 percent slopes	1	18.2	0	\$ 1,508.89
Philadelphia	AgA	Alton gravelly loam, 0 to 3 percent slopes	2	7.9	0	\$ 1,472.59
Philadelphia	CeB	Chester silt loam, 3 to 8 percent slopes	2	837.3	0.009	\$ 1,794.99
Philadelphia	Ch	Codorus silt loam	2	64.5	0.001	\$ 1,492.44
Philadelphia	DsB	Duffield silt loam, 3 to 8 percent slopes	2	3.2	0	\$ 1,703.82
Philadelphia	DuB	Duncannon silt loam, 3 to 8 percent slopes	2	300.4	0.003	\$ 1,598.45
Philadelphia	EcB	Edgemont channery loam, 3 to 8 percent slopes	2	4.2	0	\$ 1,463.10
Philadelphia	GnB	Glenelg silt loam, 3 to 8 percent slopes	2	41.7	0	\$ 1,573.52
Philadelphia	GoB	Glenville silt loam, 3 to 8 percent slopes	2	87.8	0.001	\$ 1,608.90
Philadelphia	LgA	Lawrenceville silt loam, 0 to 3 percent slopes	2	104.2	0.001	\$ 1,548.16
Philadelphia	LgB	Lawrenceville silt loam, 3 to 8 percent slopes	2	48.6	0.001	\$ 1,549.71
Philadelphia	MaB	Manor loam, 3 to 8 percent slopes	2	888.4	0.01	\$ 1,534.93
Philadelphia	Ro	Rowland silt loam	2	385	0.004	\$ 1,494.38
Philadelphia	UrA	Urbana silt loam, 0 to 3 percent slopes	2	81.7	0.001	\$ 1,288.22
Philadelphia	Bo	Bowmansville silt loam	3	37.3	0	\$ 1,199.15
Philadelphia	CaA	Chalfont silt loam, 0 to 3 percent slopes	3	58.2	0.001	\$ 1,518.41
Philadelphia	CaB	Chalfont silt loam, 3 to 8 percent slopes	3	29.4	0	\$ 1,493.55
Philadelphia	CeC	Chester silt loam, 8 to 15 percent slopes	3	148.4	0.002	\$ 1,783.55
Philadelphia	GnC	Glenelg silt loam, 8 to 15 percent slopes	3	5.8	0	\$ 1,478.30
Philadelphia	MaC	Manor loam, 8 to 15 percent slopes	3	1179.6	0.013	\$ 1,430.85
Philadelphia	CeD	Chester silt loam, 15 to 25 percent slopes	4	15.9	0	\$ 1,341.02
Philadelphia	DoA	Doylestown silt loam, 0 to 3 percent slopes	4	93.3	0.001	\$ 1,314.38
Philadelphia	GnD	Glenelg silt loam, 15 to 25 percent slopes	4	12.9	0	\$ 1,540.39
Philadelphia	Ha	Hatboro silt loam	4	771.6	0.008	\$ 1,325.15
Philadelphia	MaD	Manor loam, 15 to 25 percent slopes	4	709.3	0.008	\$ 1,380.48
Philadelphia	Ae	Alluvial land	5	114.7	0.001	\$ 891.33
Philadelphia	MaE	Manor loam, 25 to 35 percent slopes	6	10.8	0	\$ 891.33
Philadelphia	MbD	Manor extremely stony loam, 8 to 25 percent slopes	6	756.4	0.008	\$ 891.33
Philadelphia	MbF	Manor loam, 25 to 60 percent slopes, very stony	7	3.9	0	\$ 891.33
Philadelphia	McE	Manor and Chester extremely stony loams, 25 to 50 perc	7	1381.6	0.015	\$ 891.33
Philadelphia	UdsB	Udorthents, schist and gneiss, 0 to 8 percent slopes	7	1.3	0	\$ 891.33
Philadelphia	GP	Gravel pit	8	5	0	\$ 891.33
Philadelphia	Mh	Marsh	8	436.8	0.005	\$ 891.33
Philadelphia	Ub	Urban land	8	48096	0.527	\$ 891.33
Philadelphia	Uc	Urban land-Abbottstown complex	8	26.1	0	\$ 891.33
Philadelphia	UdB	Urban land-Chester complex, 0 to 8 percent slopes	8	21146	0.232	\$ 898.91
Philadelphia	UdC	Urban land-Chester complex, 8 to 15 percent slopes	8	2096	0.023	\$ 921.04

Philadelphia	Uh	Urban land-Howell complex	8	4305.8	0.047	\$ 891.33
Philadelphia	UrlB	Urban land-Gladstone complex, 0 to 8 percent slopes	8	152.3	0.002	\$ 891.33
Philadelphia	UrlD	Urban land-Gladstone complex, 8 to 25 percent slopes	8	70.6	0.001	\$ 891.33
Philadelphia	UrmB	Urban land-Glenelg complex, 0 to 8 percent slopes	8	18	0	\$ 891.33
Philadelphia	UrmD	Urban land-Glenelg complex, 8 to 25 percent slopes	8	1.5	0	\$ 891.33
Philadelphia	UugB	Urban land-Udorthents, schist and gneiss complex, 0 to 8	8	703.7	0.008	\$ 891.33
Philadelphia	UugD	Urban land-Udorthents, schist and gneiss complex, 8 to 25	8	62.2	0.001	\$ 891.33
Pike	27	Barbour fine sandy loam	1	751	0.002	\$ 1,472.64
Pike	75	Unadilla silt loam	1	278.5	0.001	\$ 1,401.13
Pike	24A	Delaware fine sandy loam, 0 to 3 percent slopes	1	1710.4	0.005	\$ 1,563.20
Pike	14	Braceville fine sandy loam	2	195.7	0.001	\$ 1,365.68
Pike	15	Pope fine sandy loam	2	214	0.001	\$ 1,373.39
Pike	26	Philo loam	2	1374.9	0.004	\$ 1,509.69
Pike	108B	Wyoming and Chenango soils, 0 to 8 percent slopes	2	1688.6	0.005	\$ 1,210.03
Pike	24B	Delaware fine sandy loam, 3 to 8 percent slopes	2	768.1	0.002	\$ 1,509.69
Pike	25B	Wurtsboro channery fine sandy loam, 0 to 8 percent slopes	2	2225.3	0.006	\$ 1,218.30
Pike	29B	Wellsboro channery loam, 0 to 8 percent slopes, stony	2	2095.4	0.006	\$ 1,341.02
Pike	320B	Lackawanna channery loam, 3 to 8 percent slopes, stony	2	1456.7	0.004	\$ 1,332.25
Pike	60B	Mardin channery silt loam, 0 to 8 percent slopes, stony	2	1464	0.004	\$ 1,201.25
Pike	89B	Chenango gravelly fine sandy loam, 0 to 8 percent slopes	2	4404.3	0.012	\$ 1,348.65
Pike	108C	Wyoming and Chenango soils, 8 to 15 percent slopes	3	402.3	0.001	\$ 1,025.85
Pike	25C	Wurtsboro channery fine sandy loam, 8 to 15 percent slopes	3	478.1	0.001	\$ 1,179.51
Pike	29C	Wellsboro channery loam, 8 to 15 percent slopes, stony	3	673.6	0.002	\$ 1,247.76
Pike	320C	Lackawanna channery loam, 8 to 15 percent slopes, rocky	3	458.2	0.001	\$ 1,274.98
Pike	442B	Wyoming very cobbly sandy loam, 3 to 8 percent slopes	3	3323.4	0.009	\$ 1,266.14
Pike	5B	Suncook loamy sand, 0 to 8 percent slopes	3	282.9	0.001	\$ 1,109.25
Pike	60C	Mardin channery silt loam, 8 to 15 percent slopes, stony	3	646.4	0.002	\$ 1,126.33
Pike	89C	Chenango gravelly fine sandy loam, 8 to 15 percent slopes	3	517.9	0.001	\$ 1,153.13
Pike	143	Wyalusing fine sandy loam	4	634.5	0.002	\$ 1,182.09
Pike	24C	Delaware fine sandy loam, 8 to 20 percent slopes	4	409	0.001	\$ 1,455.18
Pike	442C	Wyoming very cobbly sandy loam, 8 to 15 percent slopes	4	1407.9	0.004	\$ 1,081.25
Pike	442D	Wyoming very cobbly sandy loam, 15 to 30 percent slopes	4	575.4	0.002	\$ 1,036.19
Pike	89D	Chenango gravelly fine sandy loam, 15 to 25 percent slopes	4	399.5	0.001	\$ 1,060.52
Pike	12	Gleneyre-Kimbles complex, 0 to 2 percent slopes	5	3403.9	0.009	\$ 891.33
Pike	18	Paupack mucky peat	5	2878.7	0.008	\$ 891.33
Pike	20	Freetown mucky peat	5	10719	0.03	\$ 891.33
Pike	19B	Morris very channery loam, 0 to 8 percent slopes, very stony	6	7851.2	0.022	\$ 891.33
Pike	19C	Morris very channery loam, 8 to 15 percent slopes, very stony	6	733.2	0.002	\$ 891.33
Pike	21B	Manlius very channery silt loam, 3 to 8 percent slopes, very stony	6	1716.8	0.005	\$ 891.33
Pike	21C	Manlius very channery silt loam, 8 to 15 percent slopes, very stony	6	1519.6	0.004	\$ 891.33
Pike	239B	Oquaga very stony loam, 0 to 8 percent slopes, extremely stony	6	9492.3	0.026	\$ 891.33
Pike	239C	Oquaga very stony loam, 8 to 15 percent slopes, extremely stony	6	6660.1	0.018	\$ 891.33
Pike	239D	Oquaga very stony loam, 15 to 30 percent slopes, extremely stony	6	8193.3	0.023	\$ 891.33
Pike	30B	Wurtsboro stony fine sandy loam, 0 to 8 percent slopes, extremely stony	6	40943	0.113	\$ 891.33
Pike	30C	Wurtsboro stony fine sandy loam, 8 to 15 percent slopes, extremely stony	6	20268	0.056	\$ 891.33
Pike	30D	Wurtsboro stony fine sandy loam, 15 to 25 percent slopes, extremely stony	6	3200.9	0.009	\$ 891.33
Pike	38B	Swartswood stony fine sandy loam, 0 to 8 percent slopes, extremely stony	6	30325	0.084	\$ 891.33

Pike	38C	Swartswood stony fine sandy loam, 8 to 15 percent slopes	6	11000	0.03	\$	891.33
Pike	38D	Swartswood stony fine sandy loam, 15 to 30 percent slopes	6	3285	0.009	\$	891.33
Pike	402C	Arnot very channery loam, 3 to 15 percent slopes, very rocky	6	5126.3	0.014	\$	891.33
Pike	50C	Wasnot very flaggy sandy loam, 3 to 15 percent slopes, very rocky	6	632.5	0.002	\$	891.33
Pike	61B	Mardin stony loam, 0 to 8 percent slopes, extremely stony	6	3983.4	0.011	\$	891.33
Pike	61C	Mardin stony loam, 8 to 15 percent slopes, extremely stony	6	3500.2	0.01	\$	891.33
Pike	97B	Lordstown very channery loam, 3 to 8 percent slopes, very rocky	6	6500.9	0.018	\$	891.33
Pike	97C	Lordstown very channery loam, 8 to 15 percent slopes, very rocky	6	754.6	0.002	\$	891.33
Pike	9B	Craigsville-Wyoming complex, 0 to 8 percent slopes, extremely stony	6	1991.2	0.005	\$	891.33
Pike	111B	Edgemere-Shohola complex, 3 to 15 percent slopes, very rocky	7	13259	0.037	\$	891.33
Pike	11A	Edgemere extremely stony loam, 0 to 3 percent slopes, very rocky	7	9198.7	0.025	\$	891.33
Pike	121D	Manlius-Arnot-Rock outcrop complex, 15 to 30 percent slopes	7	3901.3	0.011	\$	891.33
Pike	121F	Manlius-Arnot-Rock outcrop complex, 30 to 80 percent slopes	7	7616.4	0.021	\$	891.33
Pike	240F	Oquaga-Arnot-Rock outcrop complex, 20 to 60 percent slopes	7	22620	0.062	\$	891.33
Pike	258F	Skytop-Wasnot-Rock outcrop complex, 15 to 60 percent slopes	7	870.4	0.002	\$	891.33
Pike	28B	Wellsboro stony loam, 0 to 8 percent slopes, extremely stony	7	14198	0.039	\$	891.33
Pike	28C	Wellsboro stony loam, 8 to 15 percent slopes, extremely stony	7	8370.2	0.023	\$	891.33
Pike	28D	Wellsboro stony loam, 15 to 25 percent slopes, extremely stony	7	1464.1	0.004	\$	891.33
Pike	321B	Lackawanna channery loam, 3 to 8 percent slopes, extremely rocky	7	7010.1	0.019	\$	891.33
Pike	321C	Lackawanna channery loam, 8 to 15 percent slopes, extremely rocky	7	4371.5	0.012	\$	891.33
Pike	321D	Lackawanna channery loam, 15 to 30 percent slopes, extremely rocky	7	2144.7	0.006	\$	891.33
Pike	402E	Arnot very channery loam, 15 to 35 percent slopes, very rocky	7	3283	0.009	\$	891.33
Pike	50E	Wasnot very flaggy sandy loam, 15 to 35 percent slopes, very rocky	7	210.7	0.001	\$	891.33
Pike	58C	Skytop very flaggy sandy loam, 8 to 15 percent slopes, extremely rocky	7	1097.8	0.003	\$	891.33
Pike	58E	Skytop very flaggy sandy loam, 15 to 35 percent slopes, extremely rocky	7	328.5	0.001	\$	891.33
Pike	7B	Shohola-Edgemere complex, 0 to 8 percent slopes, very rocky	7	6106.9	0.017	\$	891.33
Pike	7C	Shohola-Edgemere complex, 8 to 15 percent slopes, very rocky	7	4969.6	0.014	\$	891.33
Pike	897B	Lordstown-Swartswood complex, 0 to 8 percent slopes, extremely rocky	7	12987	0.036	\$	891.33
Pike	897C	Lordstown-Swartswood complex, 8 to 15 percent slopes, extremely rocky	7	8098.2	0.022	\$	891.33
Pike	897D	Lordstown-Swartswood complex, 15 to 30 percent slopes, extremely rocky	7	2313.4	0.006	\$	891.33
Pike	BP	Pits, Shale, and Gravel	8	595.9	0.002	\$	891.33
Potter	Ba	Barbour fine sandy loam, 0 to 3 percent slopes	1	1269.5	0.002	\$	1,733.41
Potter	Bb	Barbour fine sandy loam, high bottom phase, 0 to 3 percent slopes	1	1064.6	0.002	\$	1,462.22
Potter	ThA	Tioga fine sandy loam, high bottom phase, 0 to 3 percent slopes	1	328.4	0	\$	1,462.22
Potter	UfA	Unadilla fine sandy loam, 0 to 3 percent slopes	1	329.6	0	\$	1,473.79
Potter	UnA	Unadilla silt loam, 0 to 3 percent slopes	1	194.1	0	\$	1,473.79
Potter	AbB	Albrights silt loam, 3 to 8 percent slopes	2	2234.3	0.003	\$	1,370.05
Potter	Bc	Barbour gravelly fine sandy loam, 0 to 3 percent slopes	2	1113.5	0.002	\$	1,407.49
Potter	Bd	Basher sandy loam, 0 to 3 percent slopes	2	1492.2	0.002	\$	1,401.13
Potter	Be	Basher silt loam, 0 to 3 percent slopes	2	982.3	0.001	\$	1,723.16
Potter	Bf	Basher silt loam, high bottom phase, 0 to 3 percent slopes	2	958.5	0.001	\$	1,401.13
Potter	BhB	Bath channery silt loam, 0 to 12 percent slopes	2	6363.4	0.009	\$	1,436.94
Potter	Bn	Braceville gravelly silt loam, 0 to 5 percent slopes	2	830	0.001	\$	1,413.80
Potter	CfB	Chenango gravelly loam, 0 to 12 percent slopes	2	1538.6	0.002	\$	1,347.96
Potter	CIB	Clymer channery loam, 0 to 12 percent slopes	2	8349.3	0.012	\$	1,473.79
Potter	CoB	Cookport channery loam, 0 to 8 percent slopes	2	9068.1	0.013	\$	1,331.54
Potter	CrA	Craigsville gravelly loam	2	87.1	0	\$	1,228.12

Potter	DfB	Dekalb fine sandy loam, 0 to 12 percent slopes	2	1500.3	0.002	\$ 1,194.92
Potter	DkB	Dekalb channery loam, 10 to 25 inches deep, 0 to 12 perc	2	3281.2	0.005	\$ 1,194.92
Potter	HaB	Hartleton channery silt loam, 3 to 15 percent slopes	2	6719.2	0.01	\$ 1,459.30
Potter	HuB	Hustontown channery silt loam, 3 to 8 percent slopes	2	8967	0.013	\$ 1,389.84
Potter	HxB	Hazleton channery loam, 3 to 15 percent slopes	2	7761.8	0.011	\$ 1,323.37
Potter	LaB	Lackawanna channery loam, 3 to 8 percent slopes	2	5433.9	0.008	\$ 1,430.23
Potter	LkB	Leck Kill channery loam, 3 to 15 percent slopes	2	16153	0.023	\$ 1,319.78
Potter	LoB	Lordstown channery silt loam, 0 to 12 percent slopes	2	1588.5	0.002	\$ 1,236.20
Potter	LwB	Lehew silt loam, 3 to 8 percent slopes	2	332.5	0	\$ 1,222.00
Potter	LwC	Lehew silt loam, 8 to 15 percent slopes	2	1760.5	0.003	\$ 1,179.94
Potter	MaB	Mardin channery silt loam, 0 to 8 percent slopes	2	12105	0.017	\$ 1,393.08
Potter	Me	Middlebury sandy loam, 0 to 3 percent slopes	2	1495.7	0.002	\$ 1,462.22
Potter	Mf	Middlebury silt loam, 0 to 3 percent slopes	2	867.4	0.001	\$ 1,401.13
Potter	Mg	Middlebury silt loam, high bottom phase, 0 to 3 percent s	2	1023.5	0.001	\$ 1,401.13
Potter	OaB	Oquaga channery loam, 0 to 12 percent slopes	2	1388.1	0.002	\$ 1,004.79
Potter	ScA	Scio fine sandy loam-silt loam, 0 to 3 percent slopes	2	1112.2	0.002	\$ 1,341.02
Potter	TaA	Tioga fine sandy loam, 0 to 3 percent slopes	2	590.4	0.001	\$ 1,341.02
Potter	TgA	Tioga gravelly loam, 0 to 3 percent slopes	2	257.1	0	\$ 1,341.02
Potter	TuB	Tunkhannock gravelly loam, 0 to 12 percent slopes	2	2938.5	0.004	\$ 1,275.36
Potter	WeB	Wellsboro channery silt loam, 0 to 8 percent slopes	2	7423.5	0.011	\$ 1,393.08
Potter	WhB	Wharton channery silt loam, 0 to 12 percent slopes	2	2502.4	0.004	\$ 1,271.30
Potter	AbA	Albrights silt loam, 0 to 3 percent slopes	3	16.8	0	\$ 1,369.45
Potter	AbC	Albrights silt loam, 8 to 15 percent slopes	3	1711.5	0.002	\$ 1,341.02
Potter	CaB	Cavode silt loam, 0 to 8 percent slopes	3	439.2	0.001	\$ 1,232.17
Potter	CaC	Cavode silt loam, 8 to 15 percent slopes	3	193	0	\$ 1,194.92
Potter	CbB	Cavode channery silt loam, 0 to 8 percent slopes	3	1691.3	0.002	\$ 1,232.17
Potter	CbC	Cavode channery silt loam, 8 to 15 percent slopes	3	487.5	0.001	\$ 1,194.92
Potter	CoC	Cookport channery loam, 8 to 15 percent slopes	3	3739.3	0.005	\$ 1,271.30
Potter	HuC	Hustontown channery silt loam, 8 to 15 percent slopes	3	11503	0.017	\$ 1,404.32
Potter	LaC	Lackawanna channery loam, 8 to 15 percent slopes	3	749.8	0.001	\$ 1,350.37
Potter	MaC	Mardin channery silt loam, 8 to 15 percent slopes	3	8346.9	0.012	\$ 1,308.93
Potter	MoA	Morris silt loam, 0 to 3 percent slopes	3	467.6	0.001	\$ 1,173.43
Potter	MoB	Morris silt loam, 3 to 8 percent slopes	3	7073	0.01	\$ 1,205.44
Potter	MoC	Morris silt loam, 8 to 15 percent slopes	3	4272.2	0.006	\$ 1,203.35
Potter	TkC	Tunkhannock channery loam, 3 to 20 percent slopes, extr	3	2192.2	0.003	\$ 1,151.35
Potter	VoA	Volusia channery silt loam, 0 to 3 percent slopes	3	133.9	0	\$ 1,173.43
Potter	VoB	Volusia channery silt loam, 3 to 8 percent slopes	3	3851.3	0.006	\$ 1,205.44
Potter	VoC	Volusia channery silt loam, 8 to 15 percent slopes	3	3772.6	0.005	\$ 1,208.37
Potter	WeC	Wellsboro channery silt loam, 8 to 15 percent slopes	3	7031.6	0.01	\$ 1,308.93
Potter	AbD	Albrights silt loam, 15 to 35 percent slopes	4	417.8	0.001	\$ 1,338.08
Potter	At	Atkins silt loam, 0 to 3 percent slopes, frequently flooded	4	416.6	0.001	\$ 1,286.72
Potter	BhD	Bath channery silt loam, 12 to 20 percent slopes	4	3164.2	0.005	\$ 1,349.68
Potter	BrB	Brinkerton and Armagh silt loams, 0 to 15 percent slopes	4	905.7	0.001	\$ 1,236.20
Potter	CaD	Cavode silt loam, 15 to 25 percent slopes	4	9.8	0	\$ 1,155.81
Potter	CbD	Cavode channery silt loam, 15 to 25 percent slopes	4	134.1	0	\$ 1,155.81
Potter	CfD	Chenango gravelly loam, 12 to 20 percent slopes	4	688.7	0.001	\$ 1,194.92
Potter	ClD	Clymer channery loam, 12 to 20 percent slopes	4	1741.1	0.003	\$ 1,312.56

Potter	CoD	Cookport channery loam, 15 to 25 percent slopes	4	1707.6	0.002	\$ 1,271.30
Potter	CvB	Chippewa silt loam, 0 to 8 percent slopes	4	533.3	0.001	\$ 1,004.79
Potter	DfD	Dekalb fine sandy loam, 12 to 20 percent slopes	4	208.1	0	\$ 1,105.28
Potter	DkD	Dekalb channery loam, 10 to 25 inches deep, 12 to 20 per	4	1524.5	0.002	\$ 1,105.28
Potter	Ha	Holly sandy loam, 0 to 3 percent slopes, frequently floode	4	1604.2	0.002	\$ 1,275.36
Potter	HaD	Hartleton channery silt loam, 15 to 25 percent slopes	4	3870.7	0.006	\$ 1,381.66
Potter	Hb	Holly silt loam, 0 to 3 percent slopes, frequently flooded	4	5002	0.007	\$ 1,275.36
Potter	HuD	Hustontown channery silt loam, 15 to 25 percent slopes	4	6205.1	0.009	\$ 1,404.32
Potter	HxD	Hazleton channery loam, 15 to 25 percent slopes	4	4358.1	0.006	\$ 1,404.32
Potter	LaD	Lackawanna channery loam, 15 to 25 percent slopes	4	5015	0.007	\$ 1,310.75
Potter	LdC	Laidig channery loam, 0 to 15 percent slopes	4	1264.8	0.002	\$ 1,312.56
Potter	LdD	Laidig channery loam, 15 to 25 percent slopes	4	1130.9	0.002	\$ 1,234.18
Potter	LkD	Leck Kill channery loam, 15 to 25 percent slopes	4	17890	0.026	\$ 1,259.94
Potter	LoD	Lordstown channery silt loam, 12 to 20 percent slopes	4	644	0.001	\$ 1,194.92
Potter	LwD	Lehew silt loam, 15 to 25 percent slopes	4	1088.2	0.002	\$ 1,135.52
Potter	MaD	Mardin channery silt loam, 15 to 25 percent slopes	4	5117.3	0.007	\$ 1,164.67
Potter	MoD	Morris silt loam, 15 to 25 percent slopes	4	865.5	0.001	\$ 1,051.48
Potter	NoB	Nolo channery silt loam, 0 to 8 percent slopes	4	719.1	0.001	\$ 1,194.92
Potter	NwB	Norwich silt loam, 0 to 15 percent slopes	4	755.7	0.001	\$ 1,004.79
Potter	OaD	Oquaga channery loam, 12 to 20 percent slopes	4	1016.4	0.001	\$ 1,004.79
Potter	SoB	Solon channery silt loam, 0 to 15 percent slopes	4	124.8	0	\$ 1,004.79
Potter	SoD	Solon channery silt loam, 15 to 35 percent slopes	4	205	0	\$ 1,004.79
Potter	TuD	Tunkhannock gravelly loam, 12 to 20 percent slopes	4	236.3	0	\$ 1,105.28
Potter	VoD	Volusia channery silt loam, 15 to 25 percent slopes	4	876.9	0.001	\$ 1,095.27
Potter	WeD	Wellsboro channery silt loam, 15 to 25 percent slopes	4	3365.3	0.005	\$ 1,207.53
Potter	WhD	Wharton channery silt loam, 12 to 20 percent slopes	4	553.7	0.001	\$ 1,110.29
Potter	Fr	Freetown mucky peat	5	42.9	0	\$ 891.33
Potter	McA	Melvin silt loam	5	494.4	0.001	\$ 1,194.92
Potter	Mn	Mixed alluvium, 0 to 5 percent slopes	5	7436.9	0.011	\$ 891.33
Potter	Rh	Red Hook silt loam, 0 to 3 percent slopes	5	1429.3	0.002	\$ 891.33
Potter	Rv	Riverwash	5	910.6	0.001	\$ 891.33
Potter	Wa	Wayland soils complex, non-calcareous substratum, 0 to 5	5	403.1	0.001	\$ 891.33
Potter	AcC	Albrights channery silt loam, 0 to 15 percent, extremely st	6	182.4	0	\$ 891.33
Potter	AcD	Albrights channery silt loam, 15 to 25 percent, extremely	6	19.4	0	\$ 891.33
Potter	BhE	Bath channery silt loam, 20 to 30 percent slopes	6	3750.9	0.005	\$ 891.33
Potter	BrF	Brinkerton and Armagh silt loams, 15 to 50 percent slopes	6	53	0	\$ 891.33
Potter	CdC	Cavode channery silt loam, 0 to 15 percent slopes, extren	6	1129.9	0.002	\$ 891.33
Potter	CdF	Cavode channery silt loam, 15 to 50 percent slopes, extren	6	110.1	0	\$ 891.33
Potter	CeC	Cadosia channery loam, 0 to 15 percent slopes, extremely	6	949.5	0.001	\$ 891.33
Potter	CIE	Clymer channery loam, 20 to 30 percent slopes	6	945.3	0.001	\$ 891.33
Potter	CmC	Clymer channery loam, 0 to 20 percent slopes, extremely	6	9835.4	0.014	\$ 891.33
Potter	CoE	Cookport channery loam, 25 to 35 percent slopes	6	546.2	0.001	\$ 1,275.36
Potter	CpB	Cookport channery loam, 3 to 15 percent, extremely ston	6	13217	0.019	\$ 891.33
Potter	CpD	Cookport channery loam, 15 to 25 percent, extremely sto	6	2566.1	0.004	\$ 891.33
Potter	DfE	Dekalb fine sandy loam, 20 to 30 percent slopes	6	54.8	0	\$ 891.33
Potter	DkE	Dekalb channery loam, 10 to 25 inches deep, 20 to 30 per	6	1036.7	0.001	\$ 891.33
Potter	DxD	Dekalb channery loam, 10 to 25 inches deep, 0 to 20 perc	6	2902.9	0.004	\$ 891.33

Potter	HaE	Hartleton channery silt loam, 25 to 35 percent slopes	6	4420.1	0.006	\$ 1,381.66
Potter	HbD	Hartleton channery silt loam, 8 to 25 percent slopes, extreme	6	429	0.001	\$ 1,381.66
Potter	HuE	Hustontown channery silt loam, 25 to 35 percent slopes	6	1339.4	0.002	\$ 1,404.32
Potter	HvC	Hustontown channery silt loam, 3 to 15 percent slopes, extreme	6	1055.5	0.002	\$ 1,347.96
Potter	HvD	Hustontown channery silt loam, 15 to 25 percent slopes, extreme	6	784.5	0.001	\$ 1,347.96
Potter	HxE	Hazleton channery loam, 25 to 35 percent slopes	6	15981	0.023	\$ 891.33
Potter	HxD	Hazleton channery loam, 8 to 25 percent slopes, extremely st	6	3895.5	0.006	\$ 891.33
Potter	LaE	Lackawanna channery loam, 25 to 35 percent slopes	6	5968.1	0.009	\$ 891.33
Potter	LdE	Laidig channery loam, 25 to 35 percent slopes	6	3286.5	0.005	\$ 891.33
Potter	LkE	Leck Kill channery loam, 25 to 35 percent slopes	6	59939	0.087	\$ 891.33
Potter	LmC	Leck Kill channery loam, 8 to 15 percent slopes, extremely	6	201.2	0	\$ 891.33
Potter	LmD	Leck Kill channery loam, 15 to 25 percent slopes, extreme	6	740.6	0.001	\$ 891.33
Potter	LoE	Lordstown channery silt loam, 20 to 30 percent slopes	6	801.8	0.001	\$ 891.33
Potter	LpC	Lordstown channery loam, 0 to 20 percent slopes, extreme	6	1247.5	0.002	\$ 891.33
Potter	LsC	Leetonia channery loamy sand, 0 to 20 percent slopes, extreme	6	11898	0.017	\$ 891.33
Potter	LwE	Lehew silt loam, 25 to 35 percent slopes	6	1366.3	0.002	\$ 1,135.52
Potter	LxD	Lehew channery loam, 8 to 25 percent slopes, extremely st	6	433.2	0.001	\$ 1,179.94
Potter	MaE	Mardin channery silt loam, 25 to 35 percent slopes	6	3176.3	0.005	\$ 891.33
Potter	MhD	Meckesville channery loam, 8 to 25 percent slopes, very st	6	86.4	0	\$ 891.33
Potter	OaE	Oquaga channery loam, 20 to 30 percent slopes	6	1092.4	0.002	\$ 891.33
Potter	OxC	Oquaga channery loam, 0 to 20 percent slopes, extremely	6	304	0	\$ 891.33
Potter	TkE	Tunkhannock channery loam, 20 to 30 percent slopes, extreme	6	450.2	0.001	\$ 891.33
Potter	WeE	Wellsboro channery silt loam, 25 to 35 percent slopes	6	582.7	0.001	\$ 891.33
Potter	WgB	Wharton-Cookport complex, 0 to 8 percent slopes, very st	6	109.3	0	\$ 891.33
Potter	WhE	Wharton channery silt loam, 20 to 30 percent slopes	6	249.1	0	\$ 891.33
Potter	AbF	Albrights channery silt loam, 25 to 45 percent slopes	7	102.6	0	\$ 1,338.08
Potter	AcF	Albrights channery silt loam, 25 to 50 percent, extremely	7	4.8	0	\$ 891.33
Potter	BhF	Bath channery silt loam, 30 to 40 percent slopes	7	3367.2	0.005	\$ 891.33
Potter	BkD	Bath channery silt loam, 8 to 25 percent slopes, extremely	7	401.2	0.001	\$ 891.33
Potter	BkE	Bath channery silt loam, 25 to 35 percent slopes, extreme	7	360.6	0.001	\$ 891.33
Potter	BKF	Bath and Lackawanna channery loams, 30 to 60 percent s	7	7685.5	0.011	\$ 891.33
Potter	CeE	Cadosia channery loam, 15 to 35 percent slopes, extreme	7	460.3	0.001	\$ 891.33
Potter	CfF	Chenango gravelly loam, 20 to 50 percent slopes	7	1432.9	0.002	\$ 891.33
Potter	CgB	Clymer-Cookport channery loams, 0 to 8 percent slopes, extreme	7	1506.6	0.002	\$ 891.33
Potter	ChB	Clymer-Hazleton sandy loams, 0 to 8 percent slopes, extreme	7	36.3	0	\$ 891.33
Potter	CmE	Clymer channery loam, 20 to 30 percent slopes, extremely	7	1972.9	0.003	\$ 891.33
Potter	CpE	Cookport channery loam, 25 to 35 percent, extremely st	7	1023.8	0.001	\$ 891.33
Potter	CTF	Cookport and Hustontown channery silt loams, 35 to 50 p	7	162.4	0	\$ 1,381.66
Potter	CwB	Chippewa channery silt loam, 0 to 8 percent slopes, extreme	7	665.3	0.001	\$ 891.33
Potter	DxE	Dekalb channery loam, 10 to 25 inches deep, 20 to 30 per	7	1050.6	0.002	\$ 891.33
Potter	HaF	Hartleton channery silt loam, 35 to 45 percent slopes	7	6005.9	0.009	\$ 1,381.66
Potter	HbE	Hartleton channery silt loam, 25 to 35 percent slopes, ext	7	342.6	0	\$ 1,381.66
Potter	HLF	Hartleton and Leck Kill channery loams, 30 to 60 percent s	7	76625	0.111	\$ 949.83
Potter	HvE	Hustontown channery silt loam, 25 to 35 percent slopes, extreme	7	289.7	0	\$ 1,347.96
Potter	HwF	Hazleton-Laidig complex, 25 to 50 percent slopes, extreme	7	3354.4	0.005	\$ 891.33
Potter	HyB	Hazleton-Clymer channery loams, 0 to 8 percent slopes, extreme	7	213.7	0	\$ 891.33
Potter	HyD	Hazleton-Clymer channery loams, 8 to 25 percent slopes,	7	361	0.001	\$ 891.33

Potter	HzE	Hazleton channery loam, 25 to 35 percent slopes, extreme	7	2858.7	0.004	\$ 891.33
Potter	HzF	Hazleton channery loam, 35 to 45 percent slopes, extreme	7	5767.3	0.008	\$ 891.33
Potter	LaF	Lackawanna channery loam, 35 to 45 percent slopes	7	8029.6	0.012	\$ 891.33
Potter	LbD	Lackawanna channery loam, 8 to 25 percent slopes, extreme	7	696.9	0.001	\$ 891.33
Potter	LbE	Lackawanna channery loam, 25 to 35 percent slopes, extreme	7	674.4	0.001	\$ 891.33
Potter	LkF	Leck Kill channery loam, 35 to 45 percent slopes	7	18147	0.026	\$ 891.33
Potter	LmE	Leck Kill channery loam, 25 to 35 percent slopes, extreme	7	945.1	0.001	\$ 891.33
Potter	LoF	Lordstown channery silt loam, 30 to 40 percent slopes	7	1823.1	0.003	\$ 891.33
Potter	LpD	Lordstown channery loam, 20 to 30 percent slopes, extreme	7	467.5	0.001	\$ 891.33
Potter	LPF	Lordstown and Bath channery silt loams, 40 to 60 percent	7	5162.3	0.007	\$ 891.33
Potter	LsE	Leetonia channery loamy sand, 20 to 30 percent slopes, extreme	7	1299.8	0.002	\$ 891.33
Potter	LTC	Leetonia and Dekalb soils, 0 to 20 percent slopes, extreme	7	1060.6	0.002	\$ 891.33
Potter	LTE	Leetonia and Dekalb soils, 20 to 30 percent slopes, extreme	7	551.2	0.001	\$ 891.33
Potter	LTF	Leetonia and Dekalb soils, 30 to 60 percent slopes, extreme	7	51227	0.074	\$ 891.33
Potter	LwF	Lehew channery loam, 35 to 60 percent slopes	7	19704	0.028	\$ 1,135.52
Potter	LxE	Lehew channery loam, 25 to 35 percent slopes, extremely	7	173.9	0	\$ 1,135.52
Potter	LxF	Lehew channery loam, 35 to 60 percent slopes, extremely	7	11378	0.016	\$ 1,135.52
Potter	MbC	Mardin channery silt loam, 3 to 15 percent slopes, extreme	7	2694.9	0.004	\$ 891.33
Potter	MbD	Mardin channery silt loam, 15 to 25 percent slopes, extreme	7	443.3	0.001	\$ 891.33
Potter	MbE	Mardin channery silt loam, 25 to 35 percent slopes, extreme	7	230.1	0	\$ 891.33
Potter	MBF	Mardin and Wellsboro channery silt loam, 35 to 50 percent	7	139.4	0	\$ 891.33
Potter	MoF	Morris silt loam, 25 to 50 percent slopes	7	115	0	\$ 891.33
Potter	MsC	Morris channery silt loam, 0 to 15 percent slopes, extreme	7	5677.2	0.008	\$ 891.33
Potter	MsD	Morris channery silt loam, 15 to 25 percent slopes, extreme	7	481.2	0.001	\$ 891.33
Potter	MsF	Morris channery silt loam, 25 to 50 percent slopes, extreme	7	63.1	0	\$ 891.33
Potter	NsB	Nolo channery sandy loam, sandy variant, 0 to 12 percent	7	2117.5	0.003	\$ 891.33
Potter	NxB	Norwich channery silt loam, 0 to 15 percent slopes, extreme	7	1037.9	0.001	\$ 891.33
Potter	OaF	Oquaga channery loam, 30 to 50 percent slopes	7	4160.6	0.006	\$ 891.33
Potter	OxD	Oquaga channery loam, 20 to 30 percent slopes, extreme	7	359	0.001	\$ 891.33
Potter	OxF	Oquaga channery loam, 30 to 60 percent slopes, extreme	7	4852.3	0.007	\$ 891.33
Potter	TkF	Tunkhannock channery loam, 30 to 50 percent slopes, extreme	7	140.7	0	\$ 891.33
Potter	UmF	Ungers-Meckesville complex, 25 to 50 percent slopes, extreme	7	1381.5	0.002	\$ 891.33
Potter	VoE	Volusia channery silt loam, 25 to 35 percent slopes, erode	7	774.3	0.001	\$ 891.33
Potter	VsB	Volusia channery silt loam, 0 to 8 percent slopes, extreme	7	750.1	0.001	\$ 891.33
Potter	VsC	Volusia channery silt loam, 8 to 15 percent slopes, extreme	7	1275.9	0.002	\$ 891.33
Potter	VsD	Volusia channery silt loam, 15 to 25 percent slopes, extreme	7	876	0.001	\$ 891.33
Potter	WfC	Wellsboro channery loam, 3 to 15 percent slopes, extreme	7	3645.4	0.005	\$ 891.33
Potter	WfD	Wellsboro channery loam, 15 to 25 percent slopes, extreme	7	1812	0.003	\$ 891.33
Potter	WfE	Wellsboro channery loam, 25 to 35 percent slopes, extreme	7	474.2	0.001	\$ 891.33
Schuylkill	Ln	Linden silt loam	1	467.4	0.001	\$ 1,555.90
Schuylkill	Po	Pope silt loam	1	163.3	0	\$ 1,449.38
Schuylkill	AeB	Allenwood gravelly silt loam, 3 to 8 percent slopes	2	2244.3	0.004	\$ 1,571.24
Schuylkill	Ba	Basher silt loam	2	6157.9	0.012	\$ 1,465.72
Schuylkill	BeB	Berks channery silt loam, 3 to 8 percent slopes	2	6946.7	0.014	\$ 1,190.67
Schuylkill	BuB	Buchanan gravelly loam, 3 to 8 percent slopes	2	3243.5	0.006	\$ 1,460.76
Schuylkill	CaB	Calvin shaly silt loam, 3 to 8 percent slopes	2	5664.1	0.011	\$ 1,163.96
Schuylkill	DeB	Dekalb channery sandy loam, 3 to 8 percent slopes	2	565.8	0.001	\$ 1,179.94

Schuylkill	HaB	Hartleton channery silt loam, 3 to 8 percent slopes	2	8110.3	0.016	\$ 1,232.17
Schuylkill	HeB	Hazleton channery fine sandy loam, 3 to 8 percent slopes	2	1136.8	0.002	\$ 1,482.33
Schuylkill	KeB	Kedron silt loam, 3 to 8 percent slopes	2	9603.8	0.019	\$ 1,319.78
Schuylkill	LaB	Laidig gravelly loam, 3 to 8 percent slopes	2	2349.6	0.005	\$ 1,347.96
Schuylkill	LeB	Leck kill channery silt loam, 3 to 8 percent slopes	2	19140	0.038	\$ 1,469.48
Schuylkill	LgB	Lehew channery loam, 3 to 8 percent slopes	2	753.6	0.002	\$ 1,222.00
Schuylkill	MeB	Meckesville loam, 3 to 8 percent slopes	2	13688	0.027	\$ 1,357.01
Schuylkill	Ph	Philo silt loam	2	1421.5	0.003	\$ 1,516.83
Schuylkill	WaB	Watson silt loam, 3 to 8 percent slopes	2	6206.1	0.012	\$ 1,353.12
Schuylkill	AeC	Allenwood gravelly silt loam, 8 to 15 percent slopes	3	2004.4	0.004	\$ 1,499.08
Schuylkill	AgA	Alvira silt loam, 0 to 3 percent slopes	3	1630.2	0.003	\$ 1,308.93
Schuylkill	AgB	Alvira silt loam, 3 to 8 percent slopes	3	1701.3	0.003	\$ 1,310.38
Schuylkill	At	Atkins silt loam	3	8819	0.018	\$ 1,354.90
Schuylkill	BeC	Berks channery silt loam, 8 to 15 percent slopes	3	11249	0.022	\$ 1,153.58
Schuylkill	BuC	Buchanan gravelly loam, 8 to 15 percent slopes	3	590.4	0.001	\$ 1,279.17
Schuylkill	CaC	Calvin shaly silt loam, 8 to 15 percent slopes	3	9796.9	0.02	\$ 1,079.49
Schuylkill	DeC	Dekalb channery sandy loam, 8 to 15 percent slopes	3	578.8	0.001	\$ 1,135.52
Schuylkill	HaC	Hartleton channery silt loam, 8 to 15 percent slopes	3	7349.8	0.015	\$ 1,140.07
Schuylkill	HeC	Hazleton channery fine sandy loam, 8 to 15 percent slope	3	708.5	0.001	\$ 1,426.24
Schuylkill	KeC	Kedron silt loam, 8 to 15 percent slopes	3	508.2	0.001	\$ 1,267.61
Schuylkill	LaC	Laidig gravelly loam, 8 to 15 percent slopes	3	1279.4	0.003	\$ 1,308.93
Schuylkill	LeC	Leck kill channery silt loam, 8 to 15 percent slopes	3	19147	0.038	\$ 1,459.30
Schuylkill	LgC	Lehew channery loam, 8 to 15 percent slopes	3	747.6	0.001	\$ 1,179.94
Schuylkill	MeC	Meckesville loam, 8 to 15 percent slopes	3	6497.8	0.013	\$ 1,320.14
Schuylkill	WaC	Watson silt loam, 8 to 15 percent slopes	3	1337.9	0.003	\$ 1,288.60
Schuylkill	AnA	Andover gravelly loam, 0 to 3 percent slopes	4	141.7	0	\$ 1,252.03
Schuylkill	AnB	Andover gravelly loam, 3 to 8 percent slopes	4	277.5	0.001	\$ 1,209.62
Schuylkill	BeD	Berks channery silt loam, 15 to 25 percent slopes	4	8548.3	0.017	\$ 1,114.71
Schuylkill	CaD	Calvin shaly silt loam, 15 to 25 percent slopes	4	14450	0.029	\$ 1,031.04
Schuylkill	DeD	Dekalb channery sandy loam, 15 to 25 percent slopes	4	725.8	0.001	\$ 1,090.95
Schuylkill	HaD	Hartleton channery silt loam, 15 to 25 percent slopes	4	2943	0.006	\$ 1,124.02
Schuylkill	HeD	Hazleton channery fine sandy loam, 15 to 25 percent slop	4	526.1	0.001	\$ 1,396.31
Schuylkill	LgD	Lehew channery loam, 15 to 25 percent slopes	4	697.4	0.001	\$ 1,135.52
Schuylkill	MeD	Meckesville loam, 15 to 25 percent slopes	4	595.7	0.001	\$ 1,252.97
Schuylkill	ShA	Shelmadine silt loam, 0 to 3 percent slopes	4	1515.2	0.003	\$ 1,248.79
Schuylkill	ShB	Shelmadine silt loam, 3 to 8 percent slopes	4	882.9	0.002	\$ 1,254.07
Schuylkill	KvB	Kedron very stony silt loam, 3 to 8 percent slopes	6	2836.1	0.006	\$ 891.33
Schuylkill	KvC	Kedron very stony silt loam, 8 to 25 percent slopes	6	1777.9	0.004	\$ 891.33
Schuylkill	MkB	Meckesville very stony loam, 3 to 8 percent slopes	6	2346.4	0.005	\$ 891.33
Schuylkill	MkC	Meckesville very stony loam, 8 to 25 percent slopes	6	13659	0.027	\$ 891.33
Schuylkill	ArB	Andover extremely stony loam, 0 to 8 percent slopes	7	4071.5	0.008	\$ 891.33
Schuylkill	BxB	Buchanan extremely stony loam, 3 to 8 percent slopes	7	19968	0.04	\$ 891.33
Schuylkill	BxD	Buchanan extremely stony loam, 8 to 25 percent slopes	7	11087	0.022	\$ 891.33
Schuylkill	DkB	Dekalb extremely stony sandy loam, 3 to 8 percent slopes	7	5331.9	0.011	\$ 891.33
Schuylkill	DkC	Dekalb extremely stony sandy loam, 8 to 25 percent slope	7	13674	0.027	\$ 891.33
Schuylkill	DMF	Dekalb and Lehew extremely stony soils, steep	7	66238	0.132	\$ 891.33
Schuylkill	DR	Dekalb-Rubble land association	7	4151.1	0.008	\$ 891.33

Schuylkill	HfB	Hazleton extremely stony fine sandy loam, 3 to 8 percent	7	2531.7	0.005	\$ 891.33
Schuylkill	HfC	Hazleton extremely stony fine sandy loam, 8 to 25 percent	7	5090.1	0.01	\$ 891.33
Schuylkill	HGB	Hazleton-Clymer association, gently sloping	7	16033	0.032	\$ 891.33
Schuylkill	HGC	Hazleton-Clymer association, sloping	7	16780	0.033	\$ 891.33
Schuylkill	LdB	Laidig extremely stony loam, 3 to 8 percent slopes	7	1714.9	0.003	\$ 891.33
Schuylkill	LdC	Laidig extremely stony loam, 8 to 25 percent slopes	7	14337	0.029	\$ 891.33
Schuylkill	LhB	Lehew extremely stony loam, 3 to 8 percent slopes	7	1483.3	0.003	\$ 891.33
Schuylkill	LhC	Lehew extremely stony loam, 8 to 25 percent slopes	7	6510.8	0.013	\$ 891.33
Schuylkill	SmB	Shelmadine very stony silt loam, 0 to 8 percent slopes	7	1370.4	0.003	\$ 891.33
Schuylkill	UD	Udifluvents, coal overwash	7	2378.7	0.005	\$ 891.33
Schuylkill	UF	Udifluvents, gravelly	7	1496.7	0.003	\$ 891.33
Schuylkill	UM	Udorthents, strip mine	7	38305	0.076	\$ 891.33
Schuylkill	WKF	Weikert and Klinesville shaly silt loams, steep	7	31321	0.063	\$ 891.33
Schuylkill	DAM	Dams and impoundment structures	8	8.4	0	\$ 891.33
Snyder	AnA	Allenwood gravelly silt loam, 0 to 3 percent slopes	1	769.1	0.004	\$ 1,540.39
Snyder	Bb	Barbour-Linden complex, rarely flooded	1	660.7	0.003	\$ 1,460.76
Snyder	WsA	Wheeling soils, 0 to 3 percent slopes	1	1587.4	0.007	\$ 1,472.36
Snyder	AbB	Albrights silt loam, 3 to 8 percent slopes	2	626.7	0.003	\$ 1,349.68
Snyder	AoB	Allenwood and Washington soils, 3 to 8 percent slopes	2	5294.2	0.025	\$ 1,540.39
Snyder	Ba	Barbour soils, frequently flooded	2	1224.4	0.006	\$ 1,378.36
Snyder	BeB	Bedington silt loam, 3 to 8 percent slopes	2	1364.9	0.006	\$ 1,423.15
Snyder	BkB	Berks channery silt loam, 3 to 8 percent slopes	2	2389.7	0.011	\$ 1,190.67
Snyder	BuB	Buchanan gravelly loam, 3 to 8 percent slopes	2	1532.8	0.007	\$ 1,335.77
Snyder	CaB	Calvin-Klinesville shaly silt loams, 3 to 8 percent slopes	2	1008.1	0.005	\$ 1,137.80
Snyder	EsB	Elliber cherty silt loam, 3 to 8 percent slopes	2	1276.7	0.006	\$ 1,420.05
Snyder	HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	819.9	0.004	\$ 1,642.70
Snyder	HtB	Hartleton channery silt loam, 3 to 8 percent slopes	2	5269.8	0.025	\$ 1,232.17
Snyder	KmB	Kreamer cherty silt loam, 3 to 8 percent slopes	2	2310.9	0.011	\$ 1,279.17
Snyder	LaB	Laidig gravelly loam, 3 to 8 percent slopes	2	1368.7	0.006	\$ 1,347.96
Snyder	LnB	Leck kill shaly silt loam, 3 to 8 percent slopes	2	2817.3	0.013	\$ 1,469.48
Snyder	MkB	Meckesville silt loam, 3 to 8 percent slopes	2	668.5	0.003	\$ 1,349.68
Snyder	MoA	Monongahela silt loam, 0 to 3 percent slopes	2	1307.9	0.006	\$ 1,410.02
Snyder	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	636.4	0.003	\$ 1,352.09
Snyder	MrB	Morrison gravelly sandy loam, 3 to 8 percent slopes	2	0.2	0	\$ 1,312.56
Snyder	WaB	Washington silt loam, wet substratum, 3 to 8 percent slopes	2	628.6	0.003	\$ 1,483.46
Snyder	WbA	Watson silt loam, 0 to 3 percent slopes	2	706.8	0.003	\$ 1,365.01
Snyder	WbB	Watson silt loam, 3 to 8 percent slopes	2	3479.5	0.016	\$ 1,365.01
Snyder	WsB	Wheeling soils, 3 to 8 percent slopes	2	1235.6	0.006	\$ 1,469.48
Snyder	AoC	Allenwood and Washington soils, 8 to 15 percent slopes	3	1631.5	0.008	\$ 1,493.55
Snyder	ArA	Alvira silt loam, 0 to 3 percent slopes	3	1317	0.006	\$ 1,308.93
Snyder	ArB	Alvira silt loam, 3 to 8 percent slopes	3	3494.1	0.016	\$ 1,310.38
Snyder	ArC	Alvira silt loam, 8 to 15 percent slopes	3	649.2	0.003	\$ 1,280.68
Snyder	Bd	Basher soils, frequently flooded	3	2812.2	0.013	\$ 1,462.22
Snyder	BkC	Berks channery silt loam, 8 to 15 percent slopes	3	3410.9	0.016	\$ 1,153.58
Snyder	BuC	Buchanan gravelly loam, 8 to 15 percent slopes	3	174.2	0.001	\$ 1,279.17
Snyder	CaC	Calvin-Klinesville shaly silt loams, 8 to 15 percent slopes	3	2010.2	0.009	\$ 1,004.79
Snyder	EsC	Elliber cherty silt loam, 8 to 15 percent slopes	3	1308	0.006	\$ 1,383.30

Snyder	EtB	Elliber very cherty silt loam, 3 to 8 percent slopes	3	493.5	0.002	\$ 1,326.93
Snyder	EvB	Evendale cherty silt loam, 3 to 8 percent slopes	3	1981.3	0.009	\$ 1,240.21
Snyder	HaC	Hagerstown silt loam, 8 to 15 percent slopes	3	820.5	0.004	\$ 1,562.05
Snyder	HtC	Hartleton channery silt loam, 8 to 15 percent slopes	3	7780.8	0.037	\$ 1,140.07
Snyder	HZ	Holly silt loam, rarely flooded	3	837.9	0.004	\$ 1,356.53
Snyder	KmC	Kreamer cherty silt loam, 8 to 15 percent slopes	3	1642.6	0.008	\$ 1,212.94
Snyder	LaC	Laidig gravelly loam, 8 to 15 percent slopes	3	766.8	0.004	\$ 1,308.93
Snyder	LnC	Leck kill shaly silt loam, 8 to 15 percent slopes	3	3736.1	0.018	\$ 1,459.30
Snyder	MkC	Meckesville silt loam, 8 to 15 percent slopes	3	134.2	0.001	\$ 1,319.78
Snyder	MrC	Morrison gravelly sandy loam, 8 to 15 percent slopes	3	1.9	0	\$ 1,277.26
Snyder	OpB	Opequon silty clay loam, 3 to 8 percent slopes-mlra147	3	122.6	0.001	\$ 1,351.40
Snyder	WbC	Watson silt loam, 8 to 15 percent slopes	3	1042.8	0.005	\$ 1,312.93
Snyder	WeB	Weikert channery silt loam, 3 to 8 percent slopes	3	6133.6	0.029	\$ 1,335.42
Snyder	WsC	Wheeling soils, 8 to 15 percent slopes	3	316.2	0.001	\$ 1,418.49
Snyder	AnD	Allenwood gravelly silt loam, 15 to 25 percent slopes	4	227.9	0.001	\$ 1,373.39
Snyder	AvB	Andover gravelly loam, 2 to 8 percent slopes	4	8.6	0	\$ 1,242.52
Snyder	BkD	Berks channery silt loam, 15 to 25 percent slopes	4	1049.7	0.005	\$ 1,114.71
Snyder	BrA	Brinkerton silt loam, 0 to 3 percent slopes	4	16.7	0	\$ 1,275.36
Snyder	BrB	Brinkerton silt loam, 3 to 8 percent slopes	4	44.4	0	\$ 1,279.24
Snyder	CaD	Calvin-Klinesville shaly silt loams, 15 to 25 percent slopes	4	2337.8	0.011	\$ 1,004.79
Snyder	EsD	Elliber cherty silt loam, 15 to 25 percent slopes	4	732.6	0.003	\$ 1,279.17
Snyder	EtC	Elliber very cherty silt loam, 8 to 15 percent slopes	4	919.9	0.004	\$ 1,234.18
Snyder	HaD	Hagerstown silt loam, 15 to 25 percent slopes	4	370.5	0.002	\$ 1,494.94
Snyder	HtD	Hartleton channery silt loam, 15 to 25 percent slopes	4	1951.1	0.009	\$ 1,038.76
Snyder	Hv	Holly silt loam	4	4101.9	0.019	\$ 1,319.78
Snyder	LnD	Leck kill shaly silt loam, 15 to 25 percent slopes	4	592.4	0.003	\$ 1,314.38
Snyder	ShA	Shelmadine silt loam, 0 to 3 percent slopes	4	2770.6	0.013	\$ 1,256.03
Snyder	ShB	Shelmadine silt loam, 3 to 8 percent slopes	4	2298.3	0.011	\$ 1,257.99
Snyder	WeC	Weikert channery silt loam, 8 to 15 percent slopes	4	13937	0.066	\$ 1,126.33
Snyder	Hy	Holly silt loam, ponded	5	307.8	0.001	\$ 891.33
Snyder	AsB	Alvira very stony silt loam, 0 to 8 percent slopes	6	419.8	0.002	\$ 891.33
Snyder	BxB	Buchanan very stony loam, 0 to 8 percent slopes	6	3432.1	0.016	\$ 891.33
Snyder	BxD	Buchanan very stony loam, 8 to 25 percent slopes	6	1786.4	0.008	\$ 891.33
Snyder	EtD	Elliber very cherty silt loam, 15 to 25 percent slopes	6	1156.7	0.005	\$ 891.33
Snyder	OpD	Opequon silty clay loam, 8 to 25 percent slopes	6	566.5	0.003	\$ 1,282.95
Snyder	OpE	Opequon silty clay loam, 25 to 45 percent slopes	6	482.9	0.002	\$ 891.33
Snyder	RwC	Rushtown very shaly silt loam, 8 to 25 percent slopes	6	242.1	0.001	\$ 891.33
Snyder	UoB	Ungers very stony loam, 3 to 8 percent slopes	6	329.9	0.002	\$ 891.33
Snyder	UoD	Ungers very stony loam, 8 to 25 percent slopes	6	583.8	0.003	\$ 891.33
Snyder	UoE	Ungers very stony loam, 25 to 50 percent slopes	6	127.7	0.001	\$ 891.33
Snyder	WeD	Weikert channery silt loam, 15 to 25 percent slopes	6	16688	0.079	\$ 891.33
Snyder	AxB	Andover extremely stony loam, 0 to 8 percent slopes	7	219.2	0.001	\$ 891.33
Snyder	BMF	Berks-Weikert association, steep	7	35	0	\$ 891.33
Snyder	DeF	Dekalb extremely stony sandy loam, steep	7	4860	0.023	\$ 891.33
Snyder	EtF	Elliber very cherty silt loam, 25 to 70 percent slopes	7	3190.2	0.015	\$ 891.33
Snyder	HuaF	Hazleton-Dekalb association, steep	7	82.9	0	\$ 891.33
Snyder	HuB	Hazleton and Clymer extremely stony sandy loams, 0 to 8	7	2277.8	0.011	\$ 891.33

Snyder	HuD	Hazleton and Clymer extremely stony sandy loams, 8 to 2	7	9303.8	0.044	\$ 891.33
Snyder	HuF	Hazleton and Clymer extremely stony sandy loams, 25 to 1	7	9536.5	0.045	\$ 891.33
Snyder	LbB	Laidig extremely stony loam, 0 to 8 percent slopes	7	1376.5	0.006	\$ 891.33
Snyder	LdD	Laidig and Meckesville extremely stony soils, 8 to 25 perc	7	9782.5	0.046	\$ 891.33
Snyder	LtC	Leetonia extremely stony loamy sand, 0 to 15 percent slop	7	2432.1	0.011	\$ 891.33
Snyder	Ru	Rubble land	7	205.5	0.001	\$ 891.33
Snyder	SmB	Shelmadine very stony silt loam, 0 to 8 percent slopes	7	1458.7	0.007	\$ 891.33
Snyder	Ug	Udifluents and Fluvaquents, gravelly	7	247	0.001	\$ 891.33
Snyder	WkE	Weikert and Klinsville shaly silt loams, steep	7	23608	0.111	\$ 891.33
Snyder	DAM	Dams	8	16.5	0	\$ 891.33
Somerset	Bm	Birdsboro silt loam, rarely flooded	1	65.7	0	\$ 1,484.82
Somerset	ChA	Chavies silt loam, 0 to 3 percent slopes	1	2030.3	0.003	\$ 1,471.49
Somerset	AbB	Albrights silt loam, 3 to 8 percent slopes	2	2543.5	0.004	\$ 1,370.05
Somerset	AhB	Allegheny silt loam, gravelly substratum, 3 to 8 percent slo	2	256.7	0	\$ 1,472.07
Somerset	Ba	Basher silt loam	2	94.8	0	\$ 1,465.72
Somerset	BbB	Basher-Birdsboro complex, 0 to 8 percent slopes	2	14.7	0	\$ 1,562.05
Somerset	BeB	Berks channery silt loam, 3 to 8 percent slopes	2	2773.1	0.004	\$ 1,190.67
Somerset	BkB	Berks-Weikert channery silt loams, 3 to 8 percent slopes	2	2841.3	0.004	\$ 1,107.65
Somerset	BnB	Blairton channery silt loam, 3 to 8 percent slopes	2	2823.2	0.004	\$ 1,190.67
Somerset	ChB	Chavies silt loam, 3 to 8 percent slopes	2	734.8	0.001	\$ 1,444.48
Somerset	CoB	Cookport loam, 3 to 8 percent slopes	2	4730.4	0.007	\$ 1,194.92
Somerset	DhB	Dekalb-Hazleton channery sandy loams, 3 to 8 percent slo	2	365.8	0.001	\$ 1,310.02
Somerset	ErB	Ernest silt loam, 3 to 8 percent slopes	2	18156	0.026	\$ 1,407.49
Somerset	HaB	Hazleton channery sandy loam, 3 to 8 percent slopes	2	7496.2	0.011	\$ 1,485.16
Somerset	LeB	Leck kill channery silt loam, 3 to 8 percent slopes	2	4245.3	0.006	\$ 1,448.78
Somerset	McC	Meckesville gravelly loam, 8 to 15 percent slopes	2	3.4	0	\$ 1,347.96
Somerset	MoA	Monongahela silt loam, 0 to 3 percent slopes	2	554.1	0.001	\$ 1,409.71
Somerset	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	494.4	0.001	\$ 1,412.23
Somerset	Ph	Philo silt loam, 0 to 3 percent slopes, occasionally flooded	2	3086.1	0.004	\$ 1,416.93
Somerset	Po	Pope fine sandy loam, 0 to 3 percent slopes, occasionally	2	1570	0.002	\$ 1,375.05
Somerset	RgB	Rayne-Gilpin channery silt loams, 3 to 8 percent slopes	2	33762	0.049	\$ 1,365.01
Somerset	WhB	Wharton silt loam, 3 to 8 percent slopes	2	24646	0.036	\$ 1,160.25
Somerset	AbC	Albrights silt loam, 8 to 15 percent slopes	3	1124.7	0.002	\$ 1,341.02
Somerset	AhC	Allegheny silt loam, gravelly substratum, 8 to 15 percent s	3	80.5	0	\$ 1,421.29
Somerset	BeC	Berks channery silt loam, 8 to 15 percent slopes	3	5757.8	0.008	\$ 1,153.58
Somerset	CaA	Cavode silt loam, 0 to 3 percent slopes	3	2980.8	0.004	\$ 1,279.17
Somerset	CaB	Cavode silt loam, 3 to 8 percent slopes	3	23272	0.034	\$ 1,282.95
Somerset	CaC	Cavode silt loam, 8 to 15 percent slopes	3	7323.5	0.011	\$ 1,246.18
Somerset	CoC	Cookport loam, 8 to 15 percent slopes	3	669.3	0.001	\$ 1,160.25
Somerset	ErC	Ernest silt loam, 8 to 15 percent slopes	3	9705.7	0.014	\$ 1,351.40
Somerset	HaC	Hazleton channery sandy loam, 8 to 15 percent slopes	3	3922.5	0.006	\$ 1,429.31
Somerset	LeC	Leck kill channery silt loam, 8 to 15 percent slopes	3	7449.3	0.011	\$ 1,459.30
Somerset	RgC	Rayne-Gilpin channery silt loams, 8 to 15 percent slopes	3	40665	0.059	\$ 1,294.20
Somerset	Ty	Tyler silt loam	3	1298.2	0.002	\$ 1,328.71
Somerset	UDA	Udorthents, mine spoil, 0 to 8 percent slopes	3	7627.9	0.011	\$ 891.33
Somerset	WhC	Wharton silt loam, 8 to 15 percent slopes	3	11757	0.017	\$ 1,086.11
Somerset	Ar	Armagh silt loam	4	2809.1	0.004	\$ 1,124.02

Somerset	At	Atkins silt loam, 0 to 3 percent slopes, frequently flooded	4	10674	0.015	\$ 1,236.20
Somerset	BeD	Berks channery silt loam, 15 to 25 percent slopes	4	6197.8	0.009	\$ 1,114.71
Somerset	BkC	Berks-Weikert channery silt loams, 8 to 15 percent slopes	4	4168.4	0.006	\$ 1,028.45
Somerset	BnC	Blairton channery silt loam, 8 to 15 percent slopes	4	521.7	0.001	\$ 1,107.65
Somerset	BrA	Brinkerton soils, 0 to 3 percent slopes	4	10631	0.015	\$ 1,296.06
Somerset	BrB	Brinkerton soils, 3 to 8 percent slopes	4	6791.2	0.01	\$ 1,296.06
Somerset	HaD	Hazleton channery sandy loam, 15 to 25 percent slopes	4	1822.1	0.003	\$ 1,301.60
Somerset	LeD	Leck kill channery silt loam, 15 to 25 percent slopes	4	6954	0.01	\$ 1,314.38
Somerset	NoA	Nolo loam, 0 to 3 percent slopes	4	2252.3	0.003	\$ 1,207.03
Somerset	NoB	Nolo loam, 3 to 8 percent slopes	4	1029.3	0.001	\$ 1,207.03
Somerset	Pu	Purdy silt loam	4	1520.7	0.002	\$ 1,250.14
Somerset	RgD	Rayne-Gilpin channery silt loams, 15 to 25 percent slopes	4	24522	0.035	\$ 1,244.19
Somerset	WhD	Wharton silt loam, 15 to 25 percent slopes	4	3237.5	0.005	\$ 1,004.79
Somerset	FV	Fluvaquents	5	3404.2	0.005	\$ 891.33
Somerset	AgB	Albrights silt loam, 0 to 8 percent slopes, very stony	6	1271.4	0.002	\$ 891.33
Somerset	AgD	Albrights silt loam, 8 to 25 percent slopes, very stony	6	1054.4	0.002	\$ 891.33
Somerset	AsB	Armagh very stony silt loam, 0 to 8 percent slopes	6	854	0.001	\$ 891.33
Somerset	BkD	Berks-Weikert channery silt loams, 15 to 25 percent slope	6	6696.6	0.01	\$ 891.33
Somerset	CbB	Cavode very stony silt loam, 0 to 8 percent slopes	6	5593.9	0.008	\$ 891.33
Somerset	CpB	Cookport loam, 0 to 8 percent slopes, very stony	6	22941	0.033	\$ 891.33
Somerset	CpD	Cookport loam, 8 to 25 percent slopes, very stony	6	5005.8	0.007	\$ 891.33
Somerset	DkB	Dekalb-Hazleton very stony sandy loams, 3 to 8 percent sl	6	2095.2	0.003	\$ 891.33
Somerset	HbB	Hazleton channery sandy loam, 3 to 8 percent slopes, extr	6	24381	0.035	\$ 891.33
Somerset	HzB	Hazleton channery sandy loam, 0 to 8 percent slopes, extr	6	8712.6	0.013	\$ 891.33
Somerset	HzD	Hazleton channery sandy loam, 8 to 25 percent slopes, ex	6	7235.5	0.01	\$ 891.33
Somerset	LkB	Leck kill very stony silt loam, 3 to 8 percent slopes	6	772	0.001	\$ 891.33
Somerset	LkD	Leck kill very stony silt loam, 8 to 25 percent slopes	6	5397	0.008	\$ 891.33
Somerset	MdD	Meckesville gravelly loam, 15 to 25 percent slopes, very s	6	189.9	0	\$ 891.33
Somerset	RpB	Rayne-Gilpin very stony silt loams, 3 to 8 percent slopes	6	11858	0.017	\$ 891.33
Somerset	RpD	Rayne-Gilpin very stony silt loams, 8 to 25 percent slopes	6	34317	0.05	\$ 891.33
Somerset	UDD	Udorthents, mine spoil, 8 to 25 percent slopes	6	13856	0.02	\$ 891.33
Somerset	WvB	Wharton very stony silt loam, 3 to 8 percent slopes	6	7115.6	0.01	\$ 891.33
Somerset	WvD	Wharton very stony silt loam, 8 to 25 percent slopes	6	5689.8	0.008	\$ 891.33
Somerset	BkF	Berks and Weikert soils, 25 to 70 percent slopes	7	23301	0.034	\$ 891.33
Somerset	BtB	Brinkerton mucky silt loam, 0 to 8 percent slopes, extrem	7	5919.6	0.009	\$ 891.33
Somerset	BxB	Buchanan silt loam, 0 to 8 percent slopes, extremely ston	7	14791	0.021	\$ 891.33
Somerset	BxD	Buchanan silt loam, 8 to 25 percent slopes, extremely sto	7	12771	0.018	\$ 891.33
Somerset	HbD	Hazleton channery sandy loam, 8 to 25 percent slopes, ex	7	31562	0.046	\$ 891.33
Somerset	HbF	Hazleton channery sandy loam, 25 to 70 percent slopes, e	7	18270	0.026	\$ 891.33
Somerset	HzF	Hazleton channery sandy loam, 25 to 60 percent slopes, e	7	5153.3	0.007	\$ 891.33
Somerset	LmF	Leck kill soils, 25 to 60 percent slopes	7	18341	0.027	\$ 891.33
Somerset	NsB	Nolo very stony loam, 0 to 8 percent slopes	7	9737.8	0.014	\$ 891.33
Somerset	RgF	Rayne-Gilpin channery silt loams, 25 to 65 percent slopes	7	45031	0.065	\$ 891.33
Somerset	UDF	Udorthents, mine spoil, 25 to 70 percent slopes	7	10331	0.015	\$ 891.33
Somerset	UOA	Udorthents, smoothed	7	1545.1	0.002	\$ 891.33
Somerset	DAM	Dams and impoundment structures	8	8.4	0	\$ 891.33
Susquehanna	Ba	Barbour fine sandy loam	1	2195.7	0.004	\$ 1,461.58

Susquehanna	Us	Unadilla silt loam	1	1558.2	0.003	\$ 1,401.13
Susquehanna	Bc	Basher silt loam	2	2775.4	0.005	\$ 1,461.58
Susquehanna	BeB2	Bath channery loam, 3 to 12 percent slopes, moderately erod	2	1132.3	0.002	\$ 1,347.96
Susquehanna	CnA	Chenango gravelly silt loam, 0 to 3 percent slopes	2	1799.2	0.003	\$ 1,347.96
Susquehanna	CnB2	Chenango gravelly silt loam, 3 to 12 percent slopes, mode	2	5489.9	0.01	\$ 1,347.96
Susquehanna	LaB2	Lackawanna channery silt loam, 3 to 12 percent slopes, er	2	2395.6	0.004	\$ 1,420.98
Susquehanna	LdB	Lordstown channery loam, 3 to 8 percent slopes	2	18.6	0	\$ 1,335.42
Susquehanna	LeB	Lordstown channery silt loam, 3 to 8 percent slopes	2	44.1	0	\$ 1,342.76
Susquehanna	LkB2	Lordstown and Oquaga channery silt loams, 3 to 12 perce	2	8521.6	0.016	\$ 1,236.20
Susquehanna	McB2	Mardin channery silt loam, 3 to 8 percent slopes, eroded	2	7371.4	0.014	\$ 1,308.93
Susquehanna	OaB	Oquaga channery loam, 3 to 8 percent slopes	2	32.3	0	\$ 1,207.53
Susquehanna	OfB	Oquaga flaggy loam, 3 to 8 percent slopes	2	23.1	0	\$ 1,207.53
Susquehanna	WeB2	Wellsboro channery silt loam, 3 to 8 percent slopes, erode	2	11781	0.022	\$ 1,394.70
Susquehanna	WIB2	Wellsboro flaggy silt loam, 3 to 8 percent slopes, eroded	2	4352.8	0.008	\$ 1,393.08
Susquehanna	BeC2	Bath channery loam, 12 to 20 percent slopes, moderately	3	1634.6	0.003	\$ 1,275.36
Susquehanna	BfB2	Bath flaggy loam, 3 to 12 percent slopes, moderately erod	3	477.3	0.001	\$ 1,347.96
Susquehanna	CnC2	Chenango gravelly silt loam, 12 to 20 percent slopes, mod	3	1166.1	0.002	\$ 1,194.92
Susquehanna	LdC	Lordstown channery loam, 8 to 15 percent slopes	3	20.5	0	\$ 1,301.60
Susquehanna	LfB	Lackawanna flaggy silt loam, 3 to 12 percent slopes	3	842.9	0.002	\$ 1,404.00
Susquehanna	LkC2	Lordstown and Oquaga channery silt loams, 12 to 20 perc	3	5473.6	0.01	\$ 1,215.83
Susquehanna	LoB	Lordstown and Oquaga flaggy silt loams, 3 to 12 percent s	3	10274	0.019	\$ 1,215.83
Susquehanna	McC2	Mardin channery silt loam, 8 to 15 percent slopes, erodec	3	13021	0.024	\$ 1,273.45
Susquehanna	MfB2	Mardin flaggy silt loam, 3 to 8 percent slopes, eroded	3	4186.4	0.008	\$ 1,307.10
Susquehanna	MoA	Morris channery silt loam, 0 to 3 percent slopes	3	2112	0.004	\$ 1,171.25
Susquehanna	MoB2	Morris channery silt loam, 3 to 8 percent slopes, eroded	3	21485	0.04	\$ 1,166.87
Susquehanna	MoC2	Morris channery silt loam, 8 to 15 percent slopes, eroded	3	12927	0.024	\$ 1,164.67
Susquehanna	MrB2	Morris flaggy silt loam, 3 to 8 percent slopes, eroded	3	13404	0.025	\$ 1,090.95
Susquehanna	MrC2	Morris flaggy silt loam, 8 to 15 percent slopes, eroded	3	7986.4	0.015	\$ 1,175.60
Susquehanna	OaC	Oquaga channery loam, 8 to 15 percent slopes	3	5.8	0	\$ 1,209.62
Susquehanna	VcA	Volusia channery silt loam, 0 to 3 percent slopes	3	2378.5	0.004	\$ 1,173.43
Susquehanna	VcB2	Volusia channery silt loam, 3 to 8 percent slopes, eroded	3	19503	0.037	\$ 1,164.67
Susquehanna	VfB	Volusia flaggy silt loam, 3 to 8 percent slopes	3	13682	0.026	\$ 1,211.69
Susquehanna	VfC	Volusia flaggy silt loam, 8 to 15 percent slopes	3	13699	0.026	\$ 1,218.30
Susquehanna	WeC2	Wellsboro channery silt loam, 8 to 15 percent slopes, erod	3	17136	0.032	\$ 1,308.93
Susquehanna	WkC	Wurtsboro channery loam, 8 to 15 percent slopes	3	0.6	0	\$ 1,219.54
Susquehanna	WIC2	Wellsboro flaggy silt loam, 8 to 15 percent slopes, eroded	3	9105.3	0.017	\$ 1,299.76
Susquehanna	WyB	Wyoming gravelly sandy loam, 3 to 8 percent slopes	3	10	0	\$ 1,286.72
Susquehanna	BfC2	Bath flaggy loam, 12 to 20 percent slopes, moderately erc	4	1466.4	0.003	\$ 1,275.36
Susquehanna	BfD2	Bath flaggy loam, 20 to 30 percent slopes, moderately erc	4	2199.4	0.004	\$ 1,004.79
Susquehanna	CnD2	Chenango gravelly silt loam, 20 to 30 percent slopes, mod	4	463	0.001	\$ 1,004.79
Susquehanna	LaC2	Lackawanna channery silt loam, 12 to 20 percent slopes, e	4	2665.8	0.005	\$ 1,344.49
Susquehanna	LfC2	Lackawanna flaggy silt loam, 12 to 20 percent slopes, erod	4	1606.7	0.003	\$ 1,310.75
Susquehanna	LkD2	Lordstown and Oquaga channery silt loams, 20 to 30 perc	4	1652.1	0.003	\$ 1,004.79
Susquehanna	LoC2	Lordstown and Oquaga flaggy silt loams, 12 to 20 percent	4	9034.9	0.017	\$ 1,194.92
Susquehanna	LoD2	Lordstown and Oquaga flaggy silt loams, 20 to 30 percent	4	6071.1	0.011	\$ 1,004.79
Susquehanna	McD2	Mardin channery silt loam, 15 to 25 percent slopes, erode	4	4206	0.008	\$ 1,166.87
Susquehanna	MfC2	Mardin flaggy silt loam, 8 to 15 percent slopes, eroded	4	9809.4	0.018	\$ 1,259.55

Susquehanna	MfD2	Mardin flaggy silt loam, 15 to 25 percent slopes, eroded	4	6520.4	0.012	\$ 1,166.87
Susquehanna	MrD2	Morris flaggy silt loam, 15 to 25 percent slopes, eroded	4	777.6	0.001	\$ 1,086.11
Susquehanna	NcA	Norwich and Chippewa soils, 0 to 3 percent slopes	4	2489.4	0.005	\$ 1,004.79
Susquehanna	NcB	Norwich and Chippewa soils, 3 to 8 percent slopes	4	1449.5	0.003	\$ 1,004.79
Susquehanna	VcC2	Volusia channery silt loam, 8 to 15 percent slopes, eroded	4	17125	0.032	\$ 1,167.31
Susquehanna	VfD	Volusia flaggy silt loam, 15 to 25 percent slopes	4	1334.9	0.003	\$ 1,036.19
Susquehanna	WeD2	Wellsboro channery silt loam, 15 to 25 percent slopes, ero	4	2914	0.005	\$ 1,207.53
Susquehanna	WID2	Wellsboro flaggy silt loam, 15 to 25 percent slopes, erode	4	3916.7	0.007	\$ 1,234.18
Susquehanna	Wy	Wyalusing silt loam	4	8112.1	0.015	\$ 1,194.92
Susquehanna	Pt	Peat	5	1154.5	0.002	\$ 891.33
Susquehanna	9B	Craigsville-Wyoming complex, 0 to 8 percent slopes, extre	6	14.6	0	\$ 891.33
Susquehanna	BsB	Bath very stony loam, 0 to 12 percent slopes	6	1076.1	0.002	\$ 891.33
Susquehanna	BsD	Bath very stony loam, 12 to 30 percent slopes	6	6429	0.012	\$ 891.33
Susquehanna	Hw	Holly silt loam	6	2827.8	0.005	\$ 1,347.96
Susquehanna	LaD2	Lackawanna channery silt loam, 20 to 30 percent slopes, €	6	985.8	0.002	\$ 891.33
Susquehanna	LfD2	Lackawanna flaggy silt loam, 20 to 30 percent slopes, eroc	6	1676.1	0.003	\$ 891.33
Susquehanna	LgB	Lackawanna very stony silt loam, 0 to 12 percent slopes, v	6	1164.1	0.002	\$ 891.33
Susquehanna	LgD	Lackawanna very stony silt loam, 12 to 30 percent slopes,	6	6755	0.013	\$ 891.33
Susquehanna	LsB	Lordstown and Oquaga very stony silt loams, 0 to 12 perc	6	19577	0.037	\$ 891.33
Susquehanna	LsD	Lordstown and Oquaga very stony silt loams, 12 to 30 per	6	46294	0.087	\$ 891.33
Susquehanna	MgB	Mardin channery silt loam, 0 to 8 percent slopes, very sto	6	4472.1	0.008	\$ 891.33
Susquehanna	MgD	Mardin channery silt loam, 8 to 25 percent slopes, very st	6	16296	0.031	\$ 891.33
Susquehanna	Mn	Mixed alluvial land	6	5544.1	0.01	\$ 891.33
Susquehanna	VcD2	Volusia channery silt loam, 15 to 25 percent slopes, erode	6	861.4	0.002	\$ 1,047.43
Susquehanna	WsB	Wellsboro channery silt loam, 0 to 8 percent slopes, very :	6	5617	0.011	\$ 891.33
Susquehanna	WsD	Wellsboro channery silt loam, 8 to 25 percent slopes, very	6	14281	0.027	\$ 891.33
Susquehanna	111B	Edgemere-Shohola complex, 3 to 15 percent slopes, very	7	16.4	0	\$ 891.33
Susquehanna	7B	Shohola-Edgemere complex, 0 to 8 percent slopes, very ru	7	28.5	0	\$ 891.33
Susquehanna	7C	Shohola-Edgemere complex, 8 to 15 percent slopes, very	7	122.1	0	\$ 891.33
Susquehanna	AsD	Arnot-Rock outcrop complex, 8 to 25 percent slopes	7	26.8	0	\$ 891.33
Susquehanna	ASE	Arnot-Rock outcrop complex, steep	7	39.3	0	\$ 891.33
Susquehanna	BsF	Bath very stony loam, 30 to 60 percent slopes	7	4698.3	0.009	\$ 891.33
Susquehanna	FF	Fluents and Fluvaquents, cobbly	7	66.1	0	\$ 891.33
Susquehanna	LgF	Lackawanna very stony silt loam, 30 to 50 percent slopes,	7	4110.5	0.008	\$ 891.33
Susquehanna	LsF	Lordstown and Oquaga very stony silt loams, 30 to 70 per	7	36193	0.068	\$ 891.33
Susquehanna	LxB	Lordstown extremely stony loam, 3 to 8 percent slopes	7	10.9	0	\$ 891.33
Susquehanna	LxC	Lordstown extremely stony loam, 8 to 25 percent slopes	7	97.8	0	\$ 891.33
Susquehanna	MD	Mine dump	7	13	0	\$ 891.33
Susquehanna	MgF	Mardin channery silt loam, 25 to 50 percent slopes, very s	7	5391.9	0.01	\$ 891.33
Susquehanna	MsB	Morris channery silt loam, 0 to 8 percent slopes, extremel	7	8374.4	0.016	\$ 891.33
Susquehanna	MsD	Morris channery silt loam, 8 to 25 percent slopes, extrem	7	5041.1	0.009	\$ 891.33
Susquehanna	NsB	Norwich and Chippewa soils, 0 to 8 percent slopes, extren	7	701.6	0.001	\$ 891.33
Susquehanna	NxB	Norwich and Chippewa channery silt loams, 0 to 8 percen	7	6.4	0	\$ 891.33
Susquehanna	OxB	Oquaga extremely stony loam, 3 to 8 percent slopes	7	8	0	\$ 891.33
Susquehanna	OxD	Oquaga extremely stony loam, 8 to 25 percent slopes	7	7.4	0	\$ 891.33
Susquehanna	OyF	Oquaga and Lordstown extremely stony loams, 25 to 70 p	7	494.1	0.001	\$ 891.33
Susquehanna	SxD	Swartwood extremely stony loam, 8 to 25 percent slopes	7	4.2	0	\$ 891.33

Susquehanna	Te	Terrace escarpments	7	440	0.001	\$ 891.33
Susquehanna	VsB	Volusia channery silt loam, 0 to 8 percent slopes, extreme	7	7526.1	0.014	\$ 891.33
Susquehanna	VsD	Volusia channery silt loam, 8 to 25 percent slopes, extreme	7	7552.2	0.014	\$ 891.33
Susquehanna	WsF	Wellsboro channery silt loam, 25 to 50 percent slopes, very	7	2606.3	0.005	\$ 891.33
Susquehanna	GP	Pits, Shale, and Gravel	8	36.4	0	\$ 891.33
Tioga	Pp	Pope fine sandy loam, high bottom	1	1354.9	0.002	\$ 1,479.50
Tioga	BaB	Bath channery silt loam, 3 to 12 percent slopes	2	1464.8	0.002	\$ 1,435.42
Tioga	BvB	Braceville gravelly loam, 3 to 8 percent slopes	2	1515.4	0.002	\$ 1,373.39
Tioga	ChB	Chenango gravelly loam, 2 to 12 percent slopes	2	10354	0.014	\$ 1,347.96
Tioga	CmB	Clymer channery loam, 3 to 12 percent slopes	2	2640.9	0.004	\$ 1,473.79
Tioga	DkB	Dekalb channery loam, 3 to 12 percent slopes	2	2417.4	0.003	\$ 1,194.92
Tioga	LaB	Lackawanna channery loam, 3 to 12 percent slopes	2	1460.1	0.002	\$ 1,405.91
Tioga	LoB	Lordstown channery loam, 3 to 12 percent slopes	2	26788	0.037	\$ 1,316.18
Tioga	MaA	Mardin channery silt loam, 0 to 3 percent slopes	2	1012	0.001	\$ 1,396.31
Tioga	MaB	Mardin channery silt loam, 3 to 8 percent slopes	2	9519.2	0.013	\$ 1,399.52
Tioga	OgB	Oquaga channery loam, 3 to 12 percent slopes	2	24233	0.033	\$ 1,194.92
Tioga	Ow	Orrville silt loam	2	9449.6	0.013	\$ 1,308.93
Tioga	Ph	Philo silt loam	2	2783.2	0.004	\$ 1,479.50
Tioga	Po	Pope soils	2	9436.3	0.013	\$ 1,346.23
Tioga	WeA	Wellsboro channery loam, 0 to 3 percent slopes	2	1347	0.002	\$ 1,397.92
Tioga	WeB	Wellsboro channery loam, 3 to 8 percent slopes	2	9606.2	0.013	\$ 1,394.70
Tioga	AoB	Arnot channery loam, 3 to 12 percent slopes	3	2079.6	0.003	\$ 1,133.23
Tioga	ArB	Arnot-Rock outcrop complex, 3 to 12 percent slopes	3	891.2	0.001	\$ 1,004.79
Tioga	KaB	Kanona silt loam, 3 to 8 percent slopes	3	2507.8	0.003	\$ 1,004.79
Tioga	KaC	Kanona silt loam, 8 to 15 percent slopes	3	1760.8	0.002	\$ 1,004.79
Tioga	MaC	Mardin channery silt loam, 8 to 15 percent slopes	3	11346	0.016	\$ 1,308.20
Tioga	MoA	Morris gravelly silt loam, 0 to 3 percent slopes	3	2235.5	0.003	\$ 1,173.43
Tioga	MoB	Morris gravelly silt loam, 3 to 8 percent slopes	3	14849	0.02	\$ 1,166.87
Tioga	MoC	Morris gravelly silt loam, 8 to 15 percent slopes	3	16526	0.023	\$ 1,201.25
Tioga	RxA	Rexford silt loam, 0 to 3 percent slopes	3	725.8	0.001	\$ 1,206.03
Tioga	RxB	Rexford silt loam, 3 to 10 percent slopes	3	1067.1	0.001	\$ 1,206.03
Tioga	VoA	Volusia channery silt loam, 0 to 3 percent slopes	3	2707.9	0.004	\$ 1,173.43
Tioga	VoB	Volusia channery silt loam, 3 to 8 percent slopes	3	39143	0.054	\$ 1,205.44
Tioga	VoC	Volusia channery silt loam, 8 to 15 percent slopes	3	72521	0.1	\$ 1,208.37
Tioga	VvB	Volusia channery silt loam, silty substratum, 3 to 8 percent	3	1317.4	0.002	\$ 1,045.91
Tioga	VvC	Volusia channery silt loam, silty substratum, 8 to 15 percent	3	1145.5	0.002	\$ 1,026.99
Tioga	WeC	Wellsboro channery loam, 8 to 15 percent slopes	3	11083	0.015	\$ 1,308.93
Tioga	Wz	Wyoming gravelly loam, flooded	3	2844.5	0.004	\$ 1,275.36
Tioga	ChC	Chenango gravelly loam, 12 to 20 percent slopes	4	2026.8	0.003	\$ 1,194.92
Tioga	CkA	Chippewa silt loam, 0 to 3 percent slopes	4	3113	0.004	\$ 1,004.79
Tioga	CkB	Chippewa silt loam, 3 to 8 percent slopes	4	4303.8	0.006	\$ 1,004.79
Tioga	DkC	Dekalb channery loam, 12 to 20 percent slopes	4	632	0.001	\$ 1,105.28
Tioga	KcD3	Kanona silty clay loam, 15 to 25 percent slopes, eroded	4	823.3	0.001	\$ 1,004.79
Tioga	LaC	Lackawanna channery loam, 12 to 20 percent slopes	4	584.6	0.001	\$ 1,339.27
Tioga	LoC	Lordstown channery loam, 12 to 20 percent slopes	4	13279	0.018	\$ 1,246.18
Tioga	MaD	Mardin channery silt loam, 15 to 25 percent slopes	4	15551	0.021	\$ 1,164.67
Tioga	MoD	Morris gravelly silt loam, 15 to 25 percent slopes	4	2578.1	0.004	\$ 1,004.79

Tioga	No	Norwich silt loam, 0 to 5 percent slopes	4	1196.7	0.002	\$ 1,004.79
Tioga	OgC	Oquaga channery loam, 12 to 20 percent slopes	4	26268	0.036	\$ 1,004.79
Tioga	VoD	Volusia channery silt loam, 15 to 25 percent slopes	4	16381	0.023	\$ 1,095.27
Tioga	Wa	Wayland silty clay loam	4	1385.1	0.002	\$ 1,004.79
Tioga	WeD	Wellsboro channery loam, 15 to 25 percent slopes	4	3466.1	0.005	\$ 1,207.53
Tioga	WyC	Wyoming gravelly sandy loam, 12 to 20 percent slopes	4	1000.6	0.001	\$ 1,105.28
Tioga	Ab	Alluvial land	5	5560.9	0.008	\$ 891.33
Tioga	Ca	Carlisle silt loam	5	802.1	0.001	\$ 891.33
Tioga	ChD	Chenango gravelly loam, 20 to 30 percent slopes	6	878.6	0.001	\$ 891.33
Tioga	CsB	Clymer very stony loam, 3 to 12 percent slopes	6	3557.2	0.005	\$ 891.33
Tioga	CvB	Cookport very stony loam, 0 to 8 percent slopes	6	1288.3	0.002	\$ 891.33
Tioga	LoD	Lordstown channery loam, 20 to 30 percent slopes	6	15200	0.021	\$ 1,205.44
Tioga	LsB	Lordstown very stony loam, 3 to 12 percent slopes	6	16919	0.023	\$ 891.33
Tioga	LsD	Lordstown very stony loam, 12 to 30 percent slopes	6	26270	0.036	\$ 891.33
Tioga	MdB	Mardin channery silt loam, 0 to 8 percent slopes, very sto	6	18611	0.026	\$ 891.33
Tioga	MdD	Mardin channery silt loam, 8 to 25 percent slopes, very st	6	5583.1	0.008	\$ 891.33
Tioga	OgD	Oquaga channery loam, 20 to 30 percent slopes	6	27151	0.037	\$ 891.33
Tioga	OsB	Oquaga very stony loam, 3 to 12 percent slopes	6	1796.5	0.002	\$ 891.33
Tioga	OsD	Oquaga very stony loam, 12 to 30 percent slopes	6	18926	0.026	\$ 891.33
Tioga	VoD3	Volusia channery silt loam, 15 to 25 percent slopes, erode	6	3976.8	0.005	\$ 1,047.43
Tioga	VvD3	Volusia channery silt loam, silty substratum, 15 to 25 perc	6	919.7	0.001	\$ 891.33
Tioga	WyD	Wyoming gravelly sandy loam, 20 to 30 percent slopes	6	1041.4	0.001	\$ 891.33
Tioga	BsB	Bath channery silt loam, 3 to 12 percent slopes, extremely	7	14677	0.02	\$ 891.33
Tioga	CIB	Chippewa silt loam, 0 to 8 percent slopes, extremely ston	7	2902	0.004	\$ 891.33
Tioga	DsB	Dekalb extremely stony loam, 3 to 12 percent slopes	7	937.3	0.001	\$ 891.33
Tioga	DsD	Dekalb extremely stony loam, 12 to 30 percent slopes	7	2362.3	0.003	\$ 891.33
Tioga	DsF	Dekalb extremely stony loam, 30 to 70 percent slopes	7	4722	0.006	\$ 891.33
Tioga	MD	Mine dump	7	214	0	\$ 891.33
Tioga	MsB	Morris gravelly silt loam, 0 to 8 percent slopes, extremely	7	3419.6	0.005	\$ 891.33
Tioga	MsD	Morris gravelly silt loam, 8 to 25 percent slopes, extremel	7	3662	0.005	\$ 891.33
Tioga	Ns	Norwich channery silt loam, 0 to 5 percent slopes, extrem	7	819.5	0.001	\$ 891.33
Tioga	OTF	Oquaga and Lordstown soils, very steep	7	120475	0.166	\$ 891.33
Tioga	OVF	Oquaga-Rock outcrop complex, very steep	7	3892.9	0.005	\$ 891.33
Tioga	SM	Strip mine	7	2613.9	0.004	\$ 891.33
Tioga	Sw	Stony land, wet	7	1687.2	0.002	\$ 891.33
Tioga	VoE3	Volusia channery silt loam, 25 to 35 percent slopes, erode	7	1868.6	0.003	\$ 891.33
Tioga	VsB	Volusia channery silt loam, 0 to 8 percent slopes, extreme	7	6880.8	0.009	\$ 891.33
Tioga	VsD	Volusia channery silt loam, 8 to 25 percent slopes, extrem	7	1666.9	0.002	\$ 891.33
Tioga	VtB	Volusia channery silt loam, 0 to 8 percent slopes, rubbly	7	470.4	0.001	\$ 891.33
Tioga	WsB	Wellsboro channery loam, 0 to 8 percent slopes, extreme	7	2757.1	0.004	\$ 891.33
Tioga	WsD	Wellsboro channery loam, 8 to 25 percent slopes, extrem	7	2608.7	0.004	\$ 891.33
Tioga	WyF	Wyoming gravelly sandy loam, 30 to 50 percent slopes	7	2156.3	0.003	\$ 891.33
Tioga	DAM	Dams and impoundment structures	8	191.2	0	\$ 891.33
Tioga	GP	Gravel pit	8	59.3	0	\$ 891.33
Union	AnA	Allenwood gravelly silt loam, 0 to 3 percent slopes	1	293.7	0.001	\$ 1,540.39
Union	Bb	Barbour-Linden complex, rarely flooded	1	313.6	0.002	\$ 1,460.76
Union	Lw	Linden silt loam	1	777.5	0.004	\$ 1,465.14

Union	WsA	Wheeling soils, 0 to 3 percent slopes	1	504.5	0.002	\$ 1,472.36
Union	AbB	Albrights silt loam, 3 to 8 percent slopes	2	2001.9	0.01	\$ 1,349.68
Union	AoB	Allenwood and Washington soils, 3 to 8 percent slopes	2	7195.8	0.035	\$ 1,540.39
Union	Ba	Barbour soils, frequently flooded	2	241.6	0.001	\$ 1,378.36
Union	Bc	Basher soils	2	1034.4	0.005	\$ 1,465.14
Union	BeB	Bedington silt loam, 3 to 8 percent slopes	2	528.1	0.003	\$ 1,423.15
Union	BkB	Berks channery silt loam, 3 to 8 percent slopes	2	2034.8	0.01	\$ 1,190.67
Union	BuB	Buchanan gravelly loam, 3 to 8 percent slopes	2	600.6	0.003	\$ 1,335.77
Union	CaB	Calvin-Klinesville shaly silt loams, 3 to 8 percent slopes	2	2094.1	0.01	\$ 1,137.80
Union	EdB	Edom complex, 3 to 8 percent slopes	2	10045	0.049	\$ 1,388.21
Union	EsB	Elliber cherty silt loam, 3 to 8 percent slopes	2	1255.7	0.006	\$ 1,420.05
Union	HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	2845.9	0.014	\$ 1,642.70
Union	HtB	Hartleton channery silt loam, 3 to 8 percent slopes	2	1778.4	0.009	\$ 1,232.17
Union	KmB	Kreamer cherty silt loam, 3 to 8 percent slopes	2	546	0.003	\$ 1,279.17
Union	LaB	Laidig gravelly loam, 3 to 8 percent slopes	2	183.5	0.001	\$ 1,347.96
Union	LnB	Leck kill shaly silt loam, 3 to 8 percent slopes	2	181.1	0.001	\$ 1,469.48
Union	MkB	Meckesville silt loam, 3 to 8 percent slopes	2	1753	0.009	\$ 1,349.68
Union	MoA	Monongahela silt loam, 0 to 3 percent slopes	2	1115.8	0.005	\$ 1,410.02
Union	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	1026.6	0.005	\$ 1,352.09
Union	WaB	Washington silt loam, wet substratum, 3 to 8 percent slopes	2	1702.7	0.008	\$ 1,483.46
Union	WbA	Watson silt loam, 0 to 3 percent slopes	2	1113.8	0.005	\$ 1,365.01
Union	WbB	Watson silt loam, 3 to 8 percent slopes	2	2463	0.012	\$ 1,365.01
Union	WsB	Wheeling soils, 3 to 8 percent slopes	2	1213.9	0.006	\$ 1,469.48
Union	AoC	Allenwood and Washington soils, 8 to 15 percent slopes	3	2214.3	0.011	\$ 1,493.55
Union	ArA	Alvira silt loam, 0 to 3 percent slopes	3	1959.2	0.01	\$ 1,308.93
Union	ArB	Alvira silt loam, 3 to 8 percent slopes	3	2487.2	0.012	\$ 1,310.38
Union	ArC	Alvira silt loam, 8 to 15 percent slopes	3	87.3	0	\$ 1,280.68
Union	Bd	Basher soils, frequently flooded	3	1945.1	0.01	\$ 1,462.22
Union	BeC	Bedington silt loam, 8 to 15 percent slopes	3	192.4	0.001	\$ 1,366.69
Union	BkC	Berks channery silt loam, 8 to 15 percent slopes	3	2934.4	0.014	\$ 1,153.58
Union	CaC	Calvin-Klinesville shaly silt loams, 8 to 15 percent slopes	3	3069	0.015	\$ 1,004.79
Union	EdC	Edom complex, 8 to 15 percent slopes	3	9128.5	0.045	\$ 1,326.93
Union	EsC	Elliber cherty silt loam, 8 to 15 percent slopes	3	801.1	0.004	\$ 1,383.30
Union	EtB	Elliber very cherty silt loam, 3 to 8 percent slopes	3	336.8	0.002	\$ 1,326.93
Union	EvB	Evendale cherty silt loam, 3 to 8 percent slopes	3	1013.9	0.005	\$ 1,240.21
Union	HaC	Hagerstown silt loam, 8 to 15 percent slopes	3	1507.8	0.007	\$ 1,562.05
Union	HtC	Hartleton channery silt loam, 8 to 15 percent slopes	3	1462.9	0.007	\$ 1,140.07
Union	Hz	Holly silt loam, rarely flooded	3	2356.4	0.012	\$ 1,356.53
Union	LaC	Laidig gravelly loam, 8 to 15 percent slopes	3	292.4	0.001	\$ 1,308.93
Union	LnC	Leck kill shaly silt loam, 8 to 15 percent slopes	3	159.7	0.001	\$ 1,459.30
Union	MkC	Meckesville silt loam, 8 to 15 percent slopes	3	532.7	0.003	\$ 1,319.78
Union	OpB	Opequon silty clay loam, 3 to 8 percent slopes-mlra147	3	288.8	0.001	\$ 1,351.40
Union	WbC	Watson silt loam, 8 to 15 percent slopes	3	146.8	0.001	\$ 1,312.93
Union	WeB	Weikert channery silt loam, 3 to 8 percent slopes	3	1335.6	0.007	\$ 1,335.42
Union	WsC	Wheeling soils, 8 to 15 percent slopes	3	141.8	0.001	\$ 1,418.49
Union	WyB	Wyoming gravelly sandy loam, 3 to 8 percent slopes	3	92.7	0	\$ 1,319.78
Union	AnD	Allenwood gravelly silt loam, 15 to 25 percent slopes	4	176.9	0.001	\$ 1,373.39

Union	BkD	Berks channery silt loam, 15 to 25 percent slopes	4	1970.9	0.01	\$ 1,114.71
Union	CaD	Calvin-Klinesville shaly silt loams, 15 to 25 percent slopes	4	1528.3	0.008	\$ 1,004.79
Union	EdD	Edom complex, 15 to 25 percent slopes	4	3847.8	0.019	\$ 1,160.25
Union	EsD	Elliber cherty silt loam, 15 to 25 percent slopes	4	125.8	0.001	\$ 1,279.17
Union	EtC	Elliber very cherty silt loam, 8 to 15 percent slopes	4	611.3	0.003	\$ 1,234.18
Union	HaD	Hagerstown silt loam, 15 to 25 percent slopes	4	248.9	0.001	\$ 1,494.94
Union	HtD	Hartleton channery silt loam, 15 to 25 percent slopes	4	656.7	0.003	\$ 1,038.76
Union	Hv	Holly silt loam	4	5911.9	0.029	\$ 1,319.78
Union	MkD	Meckesville silt loam, 15 to 25 percent slopes	4	55.6	0	\$ 1,256.03
Union	ShA	Shelmadine silt loam, 0 to 3 percent slopes	4	1904.9	0.009	\$ 1,256.03
Union	ShB	Shelmadine silt loam, 3 to 8 percent slopes	4	2654.9	0.013	\$ 1,257.99
Union	WeC	Weikert channery silt loam, 8 to 15 percent slopes	4	2054.4	0.01	\$ 1,126.33
Union	Hy	Holly silt loam, ponded	5	130.8	0.001	\$ 891.33
Union	BxB	Buchanan very stony loam, 0 to 8 percent slopes	6	6502.7	0.032	\$ 891.33
Union	BxD	Buchanan very stony loam, 8 to 25 percent slopes	6	4930	0.024	\$ 891.33
Union	EtD	Elliber very cherty silt loam, 15 to 25 percent slopes	6	460.1	0.002	\$ 891.33
Union	OpD	Opequon silty clay loam, 8 to 25 percent slopes	6	512.7	0.003	\$ 1,282.95
Union	OpE	Opequon silty clay loam, 25 to 45 percent slopes	6	435.9	0.002	\$ 891.33
Union	UoB	Ungers very stony loam, 3 to 8 percent slopes	6	1897.7	0.009	\$ 891.33
Union	UoD	Ungers very stony loam, 8 to 25 percent slopes	6	3515.6	0.017	\$ 891.33
Union	UoE	Ungers very stony loam, 25 to 50 percent slopes	6	5735.8	0.028	\$ 891.33
Union	WeD	Weikert channery silt loam, 15 to 25 percent slopes	6	2068	0.01	\$ 891.33
Union	DeB	Dekalb extremely stony sandy loam, 0 to 8 percent slopes	7	1139.4	0.006	\$ 891.33
Union	DeD	Dekalb extremely stony sandy loam, 8 to 25 percent slopes	7	2122	0.01	\$ 891.33
Union	DeF	Dekalb extremely stony sandy loam, steep	7	9445	0.047	\$ 891.33
Union	EtF	Elliber very cherty silt loam, 25 to 70 percent slopes	7	76.5	0	\$ 891.33
Union	HuB	Hazleton and Clymer extremely stony sandy loams, 0 to 8 percent slopes	7	3003.3	0.015	\$ 891.33
Union	HuD	Hazleton and Clymer extremely stony sandy loams, 8 to 25 percent slopes	7	3859.1	0.019	\$ 891.33
Union	HuF	Hazleton and Clymer extremely stony sandy loams, 25 to 50 percent slopes	7	8568	0.042	\$ 891.33
Union	LbB	Laidig extremely stony loam, 0 to 8 percent slopes	7	2833.5	0.014	\$ 891.33
Union	LdD	Laidig and Meckesville extremely stony soils, 8 to 25 percent slopes	7	14183	0.07	\$ 891.33
Union	LdF	Laidig and Meckesville extremely stony soils, steep	7	8321.3	0.041	\$ 891.33
Union	LtC	Leetonia extremely stony loamy sand, 0 to 15 percent slopes	7	244.1	0.001	\$ 891.33
Union	Ru	Rubble land	7	126.1	0.001	\$ 891.33
Union	SmB	Shelmadine very stony silt loam, 0 to 8 percent slopes	7	1997.3	0.01	\$ 891.33
Union	Ug	Udifluvents and Fluvaquents, gravelly	7	2524.5	0.012	\$ 891.33
Union	WkE	Weikert and Klinesville shaly silt loams, steep	7	8484.2	0.042	\$ 891.33
Venango	AgA	Allegheny silt loam, 0 to 3 percent slopes	1	375.9	0.001	\$ 1,501.83
Venango	HaA	Hanover silt loam, 0 to 3 percent slopes	1	2589.2	0.006	\$ 1,484.03
Venango	AgB	Allegheny silt loam, 3 to 8 percent slopes	2	914.9	0.002	\$ 1,450.45
Venango	AhA	Alton gravelly loam, 0 to 3 percent slopes	2	351.1	0.001	\$ 1,499.08
Venango	AhB	Alton gravelly loam, 3 to 8 percent slopes	2	1745.5	0.004	\$ 1,499.08
Venango	CdB	Canfield gravelly silt loam, 3 to 8 percent slopes	2	11617	0.027	\$ 1,347.96
Venango	CoA	Cookport loam, 0 to 3 percent slopes	2	2129.1	0.005	\$ 1,236.20
Venango	CoB	Cookport loam, 3 to 8 percent slopes	2	27103	0.062	\$ 1,194.92
Venango	ErB	Ernest silt loam, 3 to 8 percent slopes	2	776.7	0.002	\$ 1,407.49
Venango	GIB	Gilpin silt loam, 3 to 8 percent slopes	2	724.6	0.002	\$ 1,337.52

Venango	HaB	Hanover silt loam, 3 to 8 percent slopes	2	28175	0.064	\$ 1,458.13
Venango	HeB	Hazleton channery loam, 3 to 8 percent slopes	2	2416.9	0.006	\$ 1,487.97
Venango	MoA	Monongahela silt loam, 0 to 3 percent slopes	2	1021.8	0.002	\$ 1,485.16
Venango	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	1672.5	0.004	\$ 1,485.16
Venango	Ph	Philo silt loam, 0 to 3 percent slopes, occasionally flooded	2	6532.9	0.015	\$ 1,416.93
Venango	Po	Pope loam, 0 to 3 percent slopes, occasionally flooded	2	3851.5	0.009	\$ 1,416.93
Venango	WhB	Wharton silt loam, 3 to 8 percent slopes	2	8052.6	0.018	\$ 1,338.92
Venango	WoB	Wooster gravelly silt loam, 3 to 8 percent slopes	2	125	0	\$ 1,407.49
Venango	AhC	Alton gravelly loam, 8 to 15 percent slopes	3	1779.9	0.004	\$ 1,248.16
Venango	AlA	Alvira silt loam, 0 to 3 percent slopes	3	5608.8	0.013	\$ 1,319.78
Venango	AlB	Alvira silt loam, 3 to 8 percent slopes	3	23100	0.053	\$ 1,317.99
Venango	AlC	Alvira silt loam, 8 to 15 percent slopes	3	3000.2	0.007	\$ 1,287.47
Venango	BaB	Bethesda channery silt loam, 0 to 8 percent slopes	3	753.9	0.002	\$ 1,004.79
Venango	BeB	Bethesda very channery silt loam, 0 to 8 percent slopes	3	19.5	0	\$ 1,004.79
Venango	CdC	Canfield gravelly silt loam, 8 to 15 percent slopes	3	8994.7	0.021	\$ 1,316.18
Venango	ClA	Cavode silt loam, 0 to 3 percent slopes	3	2309.3	0.005	\$ 1,250.14
Venango	ClB	Cavode silt loam, 3 to 8 percent slopes	3	19609	0.045	\$ 1,250.14
Venango	ClC	Cavode silt loam, 8 to 15 percent slopes	3	3102.8	0.007	\$ 1,215.83
Venango	CoC	Cookport loam, 8 to 15 percent slopes	3	8349.9	0.019	\$ 1,160.25
Venango	FaB	Fairpoint channery silt loam, 0 to 8 percent slopes	3	1253.6	0.003	\$ 1,004.79
Venango	GlC	Gilpin silt loam, 8 to 15 percent slopes	3	2299.7	0.005	\$ 1,321.58
Venango	HaC	Hanover silt loam, 8 to 15 percent slopes	3	15728	0.036	\$ 1,400.81
Venango	HeC	Hazleton channery loam, 8 to 15 percent slopes	3	1451.8	0.003	\$ 1,432.37
Venango	RaA	Ravenna silt loam, 0 to 3 percent slopes	3	846	0.002	\$ 1,343.80
Venango	RaB	Ravenna silt loam, 3 to 8 percent slopes	3	5051.5	0.012	\$ 1,344.49
Venango	RaC	Ravenna silt loam, 8 to 15 percent slopes	3	916.8	0.002	\$ 1,242.60
Venango	Re	Rexford silt loam	3	1404.4	0.003	\$ 1,222.00
Venango	Ty	Tyler silt loam	3	826.8	0.002	\$ 1,328.71
Venango	WhC	Wharton silt loam, 8 to 15 percent slopes	3	3171.8	0.007	\$ 1,347.96
Venango	WoC	Wooster gravelly silt loam, 8 to 15 percent slopes	3	320.8	0.001	\$ 1,373.39
Venango	AhD	Alton gravelly loam, 15 to 25 percent slopes	4	719.8	0.002	\$ 1,124.02
Venango	As	Armagh silt loam	4	593.1	0.001	\$ 1,124.02
Venango	At	Atkins silt loam, 0 to 3 percent slopes, frequently flooded	4	7725.6	0.018	\$ 1,236.20
Venango	BaD	Bethesda channery silt loam, 8 to 25 percent slopes	4	1684.7	0.004	\$ 1,004.79
Venango	BrA	Brinkerton silt loam, 0 to 3 percent slopes	4	3670.2	0.008	\$ 1,314.38
Venango	BrB	Brinkerton silt loam, 3 to 8 percent slopes	4	3492.8	0.008	\$ 1,326.93
Venango	FaD	Fairpoint channery silt loam, 8 to 25 percent slopes	4	877.7	0.002	\$ 1,004.79
Venango	FeA	Frenchtown silt loam, 0 to 3 percent slopes	4	3743.1	0.009	\$ 1,248.16
Venango	FeB	Frenchtown silt loam, 3 to 8 percent slopes	4	1511.3	0.003	\$ 1,282.95
Venango	GlD	Gilpin silt loam, 15 to 25 percent slopes	4	742.5	0.002	\$ 1,269.61
Venango	HeD	Hazleton channery loam, 15 to 25 percent slopes	4	1263.8	0.003	\$ 1,404.32
Venango	WoD	Wooster gravelly silt loam, 15 to 25 percent slopes	4	1546.2	0.004	\$ 1,309.66
Venango	Rv	Riverwash	5	162	0	\$ 891.33
Venango	AhF	Alton gravelly loam, 25 to 80 percent slopes	6	456.7	0.001	\$ 891.33
Venango	CpB	Cookport loam, 0 to 8 percent slopes, very stony	6	25509	0.058	\$ 891.33
Venango	CpC	Cookport loam, 8 to 15 percent slopes, very stony	6	27747	0.063	\$ 891.33
Venango	HaD	Hanover silt loam, 15 to 25 percent slopes	6	3273.3	0.007	\$ 891.33

Venango	HdB	Hanover silt loam, 0 to 8 percent slopes, extremely stony	6	12252	0.028	\$ 891.33
Venango	HdD	Hanover silt loam, 8 to 25 percent slopes, extremely stony	6	26853	0.061	\$ 891.33
Venango	HB	Hazleton channery loam, 0 to 8 percent slopes, extremely stony	6	3935.7	0.009	\$ 891.33
Venango	HnD	Hazleton and Gilpin soils, 8 to 25 percent slopes, extremely stony	6	8664.5	0.02	\$ 891.33
Venango	ML	Made land	6	12.7	0	\$ 891.33
Venango	Sm	Strip mines	6	2853.5	0.007	\$ 891.33
Venango	WsD	Wooster gravelly silt loam, 8 to 25 percent slopes, extremely stony	6	621	0.001	\$ 891.33
Venango	ArB	Alvira and Ravenna silt loams, 0 to 8 percent slopes, extremely stony	7	6391.1	0.015	\$ 891.33
Venango	BeD	Bethesda very channery silt loam, 8 to 25 percent slopes	7	25.7	0	\$ 891.33
Venango	BfF	Bethesda and Fairpoint channery silt loams, 25 to 70 percent slopes	7	133.9	0	\$ 891.33
Venango	Bt	Brinkerton and Frenchtown silt loams, 0 to 8 percent slopes	7	3777.5	0.009	\$ 897.35
Venango	BxB	Buchanan silt loam, 0 to 8 percent slopes, extremely stony	7	3837.4	0.009	\$ 891.33
Venango	BxD	Buchanan silt loam, 8 to 25 percent slopes, extremely stony	7	3849.3	0.009	\$ 891.33
Venango	CeB	Canfield gravelly silt loam, 3 to 8 percent slopes, extremely stony	7	1458.4	0.003	\$ 891.33
Venango	CeD	Canfield gravelly silt loam, 8 to 25 percent slopes, extremely stony	7	7098.5	0.016	\$ 891.33
Venango	HdE	Hanover silt loam, 25 to 45 percent slopes, extremely stony	7	2955.7	0.007	\$ 891.33
Venango	HnF	Hazleton and Gilpin soils, 25 to 70 percent slopes, extremely stony	7	49067	0.112	\$ 891.33
Venango	WsE	Wooster gravelly silt loam, 25 to 45 percent slopes, extremely stony	7	427.8	0.001	\$ 891.33
Venango	BP	Borrow pits	8	12	0	\$ 891.33
Venango	GP	Gravel pits	8	92.6	0	\$ 891.33
Venango	Qu	Quarries	8	123.6	0	\$ 891.33
Venango	Um	Urban land-Monongahela complex	8	1471.5	0.003	\$ 891.33
Warren/Forest	HtA	Hazleton channery sandy loam, 0 to 3 percent slopes	1	5889.4	0.007	\$ 1,448.96
Warren/Forest	UnA	Unadilla silt loam, 0 to 3 percent slopes	1	2434.1	0.003	\$ 1,384.62
Warren/Forest	BcB	Braceville gravelly silt loam, 0 to 8 percent slopes	2	5646.4	0.007	\$ 1,371.72
Warren/Forest	ChA	Chenango gravelly silt loam, 0 to 3 percent slopes	2	3140.1	0.004	\$ 1,349.47
Warren/Forest	ChB	Chenango gravelly silt loam, 3 to 8 percent slopes	2	3247.6	0.004	\$ 1,349.96
Warren/Forest	CtA	Cookport silt loam, 0 to 3 percent slopes	2	13322	0.016	\$ 1,236.20
Warren/Forest	CtB	Cookport silt loam, 3 to 8 percent slopes	2	20642	0.024	\$ 1,194.92
Warren/Forest	EsB	Ernest silt loam, 3 to 8 percent slopes	2	3886.1	0.005	\$ 1,407.49
Warren/Forest	GnB	Gilpin channery silt loam, 3 to 8 percent slopes	2	3361.4	0.004	\$ 1,335.77
Warren/Forest	HaB	Hartleton channery silt loam, 3 to 8 percent slopes	2	4.7	0	\$ 1,211.69
Warren/Forest	HnB	Hanover silt loam, 3 to 8 percent slopes	2	4340.5	0.005	\$ 1,458.13
Warren/Forest	HtB	Hazleton channery sandy loam, 3 to 8 percent slopes	2	9429.3	0.011	\$ 1,485.16
Warren/Forest	KnB	Kinzua channery silt loam, 3 to 8 percent slopes	2	248.1	0	\$ 1,164.67
Warren/Forest	LdB	Lordstown channery silt loam, 3 to 8 percent slopes	2	1048.4	0.001	\$ 1,252.11
Warren/Forest	MaA	Mardin gravelly silt loam, 0 to 3 percent slopes	2	1278.2	0.002	\$ 1,271.53
Warren/Forest	MaB	Mardin gravelly silt loam, 3 to 8 percent slopes	2	9917.5	0.012	\$ 1,271.53
Warren/Forest	Ph	Philo silt loam, 0 to 3 percent slopes, occasionally flooded	2	6621.4	0.008	\$ 1,416.93
Warren/Forest	Po	Pope loam, 0 to 3 percent slopes, occasionally flooded	2	1859.3	0.002	\$ 1,416.93
Warren/Forest	Sc	Scio silt loam	2	1526.7	0.002	\$ 1,399.20
Warren/Forest	WhB	Wharton silt loam, 3 to 8 percent slopes	2	8058.1	0.009	\$ 1,160.25
Warren/Forest	WoB	Wooster gravelly silt loam, 3 to 8 percent slopes	2	3007.8	0.004	\$ 1,407.49
Warren/Forest	AaA	Alvira silt loam, 0 to 3 percent slopes	3	2820.6	0.003	\$ 1,319.78
Warren/Forest	AaB	Alvira silt loam, 3 to 8 percent slopes	3	12938	0.015	\$ 1,317.99
Warren/Forest	AaC	Alvira silt loam, 8 to 15 percent slopes	3	18320	0.022	\$ 1,287.47
Warren/Forest	At	Atkins silty clay loam	3	1271.4	0.001	\$ 1,350.71

Warren/Forest	CaC	Carrollton channery silt loam, 8 to 15 percent slopes	3	6.6	0	\$ 1,004.79
Warren/Forest	CdB	Cavode silt loam, 0 to 8 percent slopes	3	17732	0.021	\$ 1,236.20
Warren/Forest	CdC	Cavode silt loam, 8 to 15 percent slopes	3	11245	0.013	\$ 1,246.18
Warren/Forest	ChC	Chenango gravelly silt loam, 8 to 15 percent slopes	3	1456.3	0.002	\$ 1,282.65
Warren/Forest	CtC	Cookport silt loam, 8 to 15 percent slopes	3	8507.7	0.01	\$ 1,194.92
Warren/Forest	EkC	Elko silt loam, 8 to 15 percent slopes	3	27.9	0	\$ 1,043.87
Warren/Forest	EsC	Ernest silt loam, 8 to 15 percent slopes	3	9947.5	0.012	\$ 1,351.40
Warren/Forest	GnC	Gilpin channery silt loam, 8 to 15 percent slopes	3	5655.8	0.007	\$ 1,301.60
Warren/Forest	HaC	Hartleton channery silt loam, 8 to 15 percent slopes	3	114.3	0	\$ 1,158.03
Warren/Forest	HnC	Hanover silt loam, 8 to 15 percent slopes	3	6975.1	0.008	\$ 1,400.81
Warren/Forest	HtC	Hazleton channery sandy loam, 8 to 15 percent slopes	3	6999.1	0.008	\$ 1,429.31
Warren/Forest	IvB	Ivory silt loam, 3 to 8 percent slopes	3	25.5	0	\$ 1,004.79
Warren/Forest	KnC	Kinzua channery silt loam, 8 to 15 percent slopes	3	10.1	0	\$ 1,126.33
Warren/Forest	LdC	Lordstown channery silt loam, 8 to 15 percent slopes	3	1328.3	0.002	\$ 1,246.18
Warren/Forest	MaC	Mardin gravelly silt loam, 8 to 15 percent slopes	3	13444	0.016	\$ 1,236.20
Warren/Forest	ReA	Rexford loam, 0 to 8 percent slopes	3	7055.5	0.008	\$ 1,196.61
Warren/Forest	VeA	Venango silt loam, 0 to 3 percent slopes	3	7391.9	0.009	\$ 1,330.48
Warren/Forest	VeB	Venango silt loam, 3 to 8 percent slopes	3	30513	0.036	\$ 1,339.27
Warren/Forest	VeC	Venango silt loam, 8 to 15 percent slopes	3	19750	0.023	\$ 1,332.25
Warren/Forest	Wa	Wayland silt loam	3	17492	0.021	\$ 1,004.79
Warren/Forest	WhC	Wharton silt loam, 8 to 15 percent slopes	3	4869.4	0.006	\$ 1,086.11
Warren/Forest	WoC	Wooster gravelly silt loam, 8 to 15 percent slopes	3	1453.7	0.002	\$ 1,373.39
Warren/Forest	AgB	Armagh silt loam, 0 to 8 percent slopes	4	3010.9	0.004	\$ 1,164.67
Warren/Forest	BkB	Brinkerton soils, 3 to 8 percent slopes	4	4863.6	0.006	\$ 1,296.06
Warren/Forest	BuD	Buchanan silt loam, 15 to 25 percent slopes	4	17.8	0	\$ 1,303.44
Warren/Forest	Ca	Canadice silt loam	4	1025.1	0.001	\$ 1,173.43
Warren/Forest	CaD	Carrollton channery silt loam, 15 to 25 percent slopes	4	89.7	0	\$ 1,004.79
Warren/Forest	CdD	Cavode silt loam, 15 to 25 percent slopes	4	3380.4	0.004	\$ 1,164.67
Warren/Forest	ChD	Chenango gravelly silt loam, 15 to 25 percent slopes	4	626.8	0.001	\$ 1,218.96
Warren/Forest	CpB	Chippewa silt loam, 0 to 8 percent slopes	4	4050.8	0.005	\$ 1,203.35
Warren/Forest	GnD	Gilpin channery silt loam, 15 to 25 percent slopes	4	13006	0.015	\$ 1,265.76
Warren/Forest	HaD	Hartleton channery silt loam, 15 to 25 percent slopes	4	195	0	\$ 1,124.02
Warren/Forest	HtD	Hazleton channery sandy loam, 15 to 25 percent slopes	4	9363.7	0.011	\$ 1,301.60
Warren/Forest	KnD	Kinzua channery silt loam, 15 to 25 percent slopes	4	145.4	0	\$ 1,043.87
Warren/Forest	LdD	Lordstown channery silt loam, 15 to 25 percent slopes	4	2160.9	0.003	\$ 1,203.35
Warren/Forest	MaD	Mardin gravelly silt loam, 15 to 25 percent slopes	4	12102	0.014	\$ 1,199.15
Warren/Forest	ShC	Shelmadine silt loam, 3 to 15 percent slopes	4	8219.5	0.01	\$ 1,239.49
Warren/Forest	WhD	Wharton silt loam, 15 to 25 percent slopes	4	1772.8	0.002	\$ 1,004.79
Warren/Forest	WoD	Wooster gravelly silt loam, 15 to 25 percent slopes	4	575.5	0.001	\$ 1,309.66
Warren/Forest	AbC	Alvira silt loam, 0 to 15 percent slopes, extremely stony	6	13062	0.015	\$ 891.33
Warren/Forest	AhB	Armagh silt loam, 0 to 8 percent slopes, extremely stony	6	843.7	0.001	\$ 891.33
Warren/Forest	CeC	Cavode silt loam, 0 to 25 percent slopes, extremely stony	6	17018	0.02	\$ 891.33
Warren/Forest	HnD	Hanover silt loam, 15 to 25 percent slopes	6	14757	0.017	\$ 891.33
Warren/Forest	HsD	Hanover silt loam, 0 to 25 percent slopes, extremely stony	6	9950.3	0.012	\$ 891.33
Warren/Forest	HvB	Hazleton channery sandy loam, 0 to 8 percent slopes, extremely stony	6	32825	0.039	\$ 891.33
Warren/Forest	HvD	Hazleton channery sandy loam, 8 to 25 percent slopes, extremely stony	6	70917	0.083	\$ 891.33
Warren/Forest	LF	Landfill	6	34.1	0	\$ 891.33

Warren/Forest	MdD	Mardin silt loam, 0 to 25 percent slopes, extremely stony	6	2384.5	0.003	\$ 891.33
Warren/Forest	BnB	Brinkerton mucky silt loam, 0 to 8 percent slopes, extreme	7	4401.6	0.005	\$ 891.33
Warren/Forest	BxB	Buchanan silt loam, 0 to 8 percent slopes, extremely stony	7	68.8	0	\$ 891.33
Warren/Forest	BxD	Buchanan silt loam, 8 to 25 percent slopes, extremely stony	7	63947	0.075	\$ 891.33
Warren/Forest	CvC	Cookport silt loam, 0 to 15 percent slopes, extremely stony	7	93492	0.11	\$ 891.33
Warren/Forest	GpF	Gilpin channery silt loam, 35 to 65 percent slopes	7	44521	0.052	\$ 891.33
Warren/Forest	GsC	Gilpin channery silt loam, 8 to 15 percent slopes, extreme	7	4844.6	0.006	\$ 891.33
Warren/Forest	HaF	Hartleton channery silt loam, 35 to 50 percent slopes	7	923.6	0.001	\$ 891.33
Warren/Forest	HoF	Hanover soils, steep	7	7001.6	0.008	\$ 891.33
Warren/Forest	HvF	Hazleton channery sandy loam, 25 to 80 percent slopes, e	7	51892	0.061	\$ 891.33
Warren/Forest	KnF	Kinzua channery silt loam, 35 to 60 percent slopes	7	946.2	0.001	\$ 891.33
Warren/Forest	LaF	Laidig channery loam, 25 to 50 percent slopes, extremely	7	270.8	0	\$ 891.33
Warren/Forest	LtF	Lordstown soils, 25 to 70 percent slopes	7	15685	0.018	\$ 891.33
Warren/Forest	OnD	Onoville silt loam, 15 to 25 percent slopes, extremely bou	7	158.6	0	\$ 891.33
Warren/Forest	SvC	Shelmadine silt loam, 0 to 15 percent slopes, extremely st	7	3034	0.004	\$ 891.33
Warren/Forest	VsC	Venango silt loam, 8 to 15 percent slopes, extremely stony	7	2464.9	0.003	\$ 891.33
Warren/Forest	DAM	Dams	8	24.1	0	\$ 891.33
Warren/Forest	Mm	Medihemists and Medisaprists, ponded	8	964.6	0.001	\$ 891.33
Wayne	Ba	Barbour loam	1	2448.3	0.005	\$ 1,347.96
Wayne	La	Linden fine sandy loam, rarely flooded	1	1297.5	0.003	\$ 1,450.45
Wayne	26	Philo loam	2	23	0	\$ 1,509.69
Wayne	Bh	Basher silt loam	2	6828.6	0.014	\$ 1,410.02
Wayne	LaB	Lackawanna channery loam, 3 to 8 percent slopes	2	5.1	0	\$ 1,430.23
Wayne	LdB	Lordstown channery loam, 3 to 8 percent slopes	2	1281.3	0.003	\$ 1,335.42
Wayne	MaB	Mardin channery loam, 3 to 8 percent slopes	2	8647.4	0.018	\$ 1,203.35
Wayne	OaB	Oquaga channery loam, 3 to 8 percent slopes	2	6723.9	0.014	\$ 1,207.53
Wayne	SwB	Swartswood channery sandy loam, 3 to 8 percent slopes	2	1147	0.002	\$ 1,344.49
Wayne	WeB	Wellsboro channery loam, 3 to 8 percent slopes	2	24219	0.05	\$ 1,394.70
Wayne	WkB	Wurtsboro channery loam, 3 to 8 percent slopes	2	7	0	\$ 1,248.16
Wayne	320C	Lackawanna channery loam, 8 to 15 percent slopes, rocky	3	2.8	0	\$ 1,274.98
Wayne	ArB	Arnot channery loam, very rocky, 3 to 8 percent slopes	3	9385.2	0.02	\$ 1,004.79
Wayne	Ho	Holly silt loam	3	9048.9	0.019	\$ 1,354.83
Wayne	LdC	Lordstown channery loam, 8 to 15 percent slopes	3	1108.4	0.002	\$ 1,301.60
Wayne	MaC	Mardin channery loam, 8 to 15 percent slopes	3	6179.4	0.013	\$ 1,201.25
Wayne	MoA	Morris channery loam, 0 to 3 percent slopes	3	1032.9	0.002	\$ 1,171.25
Wayne	MoB	Morris channery loam, 3 to 8 percent slopes	3	19997	0.042	\$ 1,166.87
Wayne	MoC	Morris channery loam, 8 to 15 percent slopes	3	5882.9	0.012	\$ 1,199.15
Wayne	OaC	Oquaga channery loam, 8 to 15 percent slopes	3	7450.5	0.016	\$ 1,209.62
Wayne	Re	Rexford loam	3	748.9	0.002	\$ 1,124.02
Wayne	SwC	Swartswood channery sandy loam, 8 to 15 percent slopes	3	872.1	0.002	\$ 1,279.17
Wayne	VoA	Volusia channery silt loam, 0 to 3 percent slopes	3	898.9	0.002	\$ 1,173.43
Wayne	VoB	Volusia channery silt loam, 3 to 8 percent slopes	3	7625.5	0.016	\$ 1,205.44
Wayne	VoC	Volusia channery silt loam, 8 to 15 percent slopes	3	2254.6	0.005	\$ 1,208.37
Wayne	WeC	Wellsboro channery loam, 8 to 15 percent slopes	3	19123	0.04	\$ 1,308.93
Wayne	WkC	Wurtsboro channery loam, 8 to 15 percent slopes	3	1.6	0	\$ 1,219.54
Wayne	WyB	Wyoming gravelly sandy loam, 3 to 8 percent slopes	3	1723.6	0.004	\$ 1,286.72
Wayne	143	Wyalusing fine sandy loam	4	1	0	\$ 1,182.09

Wayne	ArC	Arnot channery loam, very rocky, 8 to 15 percent slopes	4	7018.6	0.015	\$ 1,004.79
Wayne	LaD	Lackawanna channery loam, 15 to 25 percent slopes	4	0.9	0	\$ 1,310.75
Wayne	LdD	Lordstown channery loam, 15 to 25 percent slopes	4	474	0.001	\$ 1,234.18
Wayne	MaD	Mardin channery loam, 15 to 25 percent slopes	4	1030.5	0.002	\$ 1,199.15
Wayne	NcA	Norwich and Chippewa channery silt loams, 0 to 3 percent slopes	4	1363.7	0.003	\$ 1,004.79
Wayne	OaD	Oquaga channery loam, 15 to 25 percent slopes	4	3254.6	0.007	\$ 1,164.67
Wayne	SwD	Swartswood channery sandy loam, 15 to 25 percent slopes	4	250.6	0.001	\$ 1,211.69
Wayne	WeD	Wellsboro channery loam, 15 to 25 percent slopes	4	2595.8	0.005	\$ 1,207.53
Wayne	Wy	Wyalusing silt loam	4	62.5	0	\$ 1,194.92
Wayne	WyC	Wyoming gravelly sandy loam, 8 to 15 percent slopes	4	2312.7	0.005	\$ 1,175.60
Wayne	WyD	Wyoming gravelly sandy loam, 15 to 25 percent slopes	4	1123.9	0.002	\$ 1,004.79
Wayne	12	Gleneyre-Kimbles complex, 0 to 2 percent slopes	5	23.1	0	\$ 891.33
Wayne	18	Paupack mucky peat	5	12.3	0	\$ 891.33
Wayne	20	Freetown mucky peat	5	57.7	0	\$ 891.33
Wayne	239B	Oquaga very stony loam, 0 to 8 percent slopes, extremely stony	6	79.9	0	\$ 891.33
Wayne	239D	Oquaga very stony loam, 15 to 30 percent slopes, extremely stony	6	81.5	0	\$ 891.33
Wayne	30B	Wurtsboro stony fine sandy loam, 0 to 8 percent slopes, extremely stony	6	155.8	0	\$ 891.33
Wayne	30C	Wurtsboro stony fine sandy loam, 8 to 15 percent slopes, extremely stony	6	13.4	0	\$ 891.33
Wayne	9B	Craigsville-Wyoming complex, 0 to 8 percent slopes, extremely stony	6	40.6	0	\$ 891.33
Wayne	ArD	Arnot channery loam, very rocky, 15 to 25 percent slopes	6	12577	0.026	\$ 891.33
Wayne	111B	Edgemere-Shohola complex, 3 to 15 percent slopes, very rocky	7	391	0.001	\$ 891.33
Wayne	11A	Edgemere extremely stony loam, 0 to 3 percent slopes, very rocky	7	198.5	0	\$ 891.33
Wayne	240F	Oquaga-Arnot-Rock outcrop complex, 20 to 60 percent slopes, extremely stony	7	125.7	0	\$ 891.33
Wayne	28B	Wellsboro stony loam, 0 to 8 percent slopes, extremely stony	7	53.8	0	\$ 891.33
Wayne	321B	Lackawanna channery loam, 3 to 8 percent slopes, extremely stony	7	32.9	0	\$ 891.33
Wayne	321C	Lackawanna channery loam, 8 to 15 percent slopes, extremely stony	7	129.6	0	\$ 891.33
Wayne	321D	Lackawanna channery loam, 15 to 30 percent slopes, extremely stony	7	11.5	0	\$ 891.33
Wayne	7B	Shohola-Edgemere complex, 0 to 8 percent slopes, very rocky	7	667.8	0.001	\$ 891.33
Wayne	7C	Shohola-Edgemere complex, 8 to 15 percent slopes, very rocky	7	84.7	0	\$ 891.33
Wayne	FF	Fluvents and Fluvaquents, cobbly	7	2515	0.005	\$ 891.33
Wayne	LbB	Lackawanna channery loam, 3 to 8 percent slopes, rubbly	7	3.3	0	\$ 891.33
Wayne	LbD	Lackawanna channery loam, 8 to 25 percent slopes, rubbly	7	14.7	0	\$ 891.33
Wayne	LxB	Lordstown extremely stony loam, 3 to 8 percent slopes	7	7469.6	0.016	\$ 891.33
Wayne	LxC	Lordstown extremely stony loam, 8 to 25 percent slopes	7	16427	0.034	\$ 891.33
Wayne	MdB	Mardin extremely stony loam, 3 to 8 percent slopes	7	12869	0.027	\$ 891.33
Wayne	MdD	Mardin extremely stony loam, 8 to 25 percent slopes	7	16091	0.034	\$ 891.33
Wayne	MxB	Morris channery loam, 0 to 8 percent slopes, rubbly	7	40032	0.083	\$ 891.33
Wayne	MxC	Morris channery loam, 8 to 15 percent slopes, rubbly	7	11171	0.023	\$ 891.33
Wayne	NxA	Norwich and Chippewa channery silt loams, 0 to 3 percent slopes	7	11458	0.024	\$ 891.33
Wayne	OxB	Oquaga extremely stony loam, 3 to 8 percent slopes	7	12404	0.026	\$ 891.33
Wayne	OxD	Oquaga extremely stony loam, 8 to 25 percent slopes	7	33127	0.069	\$ 891.33
Wayne	OyF	Oquaga and Lordstown extremely stony loams, 25 to 70 percent slopes	7	27608	0.057	\$ 891.33
Wayne	RoD	Rock outcrop-Arnot complex, 3 to 25 percent slopes	7	1076.2	0.002	\$ 891.33
Wayne	SxB	Swartswood extremely stony sandy loam, 3 to 8 percent slopes	7	4234.1	0.009	\$ 891.33
Wayne	SxD	Swartswood extremely stony sandy loam, 8 to 25 percent slopes	7	3375.6	0.007	\$ 891.33
Wayne	VxB	Volusia channery silt loam, 0 to 8 percent slopes, rubbly	7	20006	0.042	\$ 891.33
Wayne	VxC	Volusia channery silt loam, 8 to 15 percent slopes, rubbly	7	4645.7	0.01	\$ 891.33

Wayne	WoB	Wellsboro channery loam, 3 to 8 percent slopes, rubbly	7	17755	0.037	\$ 891.33
Wayne	WoD	Wellsboro channery loam, 8 to 25 percent slopes, rubbly	7	32206	0.067	\$ 891.33
Wayne	WxF	Wellsboro and Mardin extremely stony loams, 25 to 50 pe	7	3678.7	0.008	\$ 891.33
Wayne	WyE	Wyoming gravelly sandy loam, 25 to 45 percent slopes	7	358.8	0.001	\$ 891.33
Wayne	ME	Medihemists and Medifibrists	8	5263	0.011	\$ 891.33
Westmoreland	ChA	Chavies fine sandy loam, 0 to 2 percent slopes	1	1099	0.002	\$ 1,567.42
Westmoreland	CIB	Clarksburg silt loam, 3 to 8 percent slopes	2	10427	0.016	\$ 1,420.67
Westmoreland	CuB	Culleoka channery silt loam, 3 to 8 percent slopes	2	4310.1	0.006	\$ 1,492.16
Westmoreland	DoB	Dormont silt loam, 3 to 8 percent slopes	2	6724	0.01	\$ 1,493.55
Westmoreland	ErB	Ernest silt loam, 3 to 8 percent slopes	2	28111	0.042	\$ 1,470.92
Westmoreland	GcB	Gilpin channery silt loam, 3 to 8 percent slopes	2	29929	0.045	\$ 1,334.01
Westmoreland	GuB	Gilpin-Upshur complex, 3 to 8 percent slopes	2	4491.4	0.007	\$ 1,282.95
Westmoreland	GwB	Gilpin-Weikert channery silt loams, 3 to 8 percent slopes	2	2100.6	0.003	\$ 1,261.11
Westmoreland	GyB	Guernsey silt loam, 3 to 8 percent slopes	2	9491.9	0.014	\$ 1,445.97
Westmoreland	LeB	Leck Kill channery silt loam, 3 to 8 percent slopes	2	273.3	0	\$ 1,470.92
Westmoreland	Ln	Lindside silt loam, 0 to 3 percent slopes, occasionally flood	2	3007.4	0.005	\$ 1,518.81
Westmoreland	Lo	Lobdell silt loam, 0 to 3 percent slopes, occasionally flood	2	10107	0.015	\$ 1,451.93
Westmoreland	LwB	Lowell silty clay loam, 3 to 8 percent slopes	2	5319.3	0.008	\$ 1,501.83
Westmoreland	MeB	Matewan channery loam, 3 to 8 percent slopes	2	3409.5	0.005	\$ 1,267.69
Westmoreland	MoA	Monongahela silt loam, 0 to 3 percent slopes	2	817.4	0.001	\$ 1,407.49
Westmoreland	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	10477	0.016	\$ 1,407.49
Westmoreland	Ph	Philo loam, 0 to 3 percent slopes, occasionally flooded	2	3907	0.006	\$ 1,416.93
Westmoreland	ScB	Sciotoville silt loam, 2 to 6 percent slopes	2	292.6	0	\$ 1,493.55
Westmoreland	VaB	Vandergrift silt loam, 3 to 8 percent slopes	2	2146.2	0.003	\$ 1,404.32
Westmoreland	WrB	Wharton silt loam, 3 to 8 percent slopes	2	24107	0.036	\$ 1,338.92
Westmoreland	BeB	Bethesda very channery silt loam, 0 to 8 percent slopes	3	1188.6	0.002	\$ 1,004.79
Westmoreland	CaB	Cavode silt loam, 3 to 8 percent slopes	3	6663.5	0.01	\$ 1,250.14
Westmoreland	CaC	Cavode silt loam, 8 to 15 percent slopes	3	1533.4	0.002	\$ 1,215.83
Westmoreland	CIC	Clarksburg silt loam, 8 to 15 percent slopes	3	2634.2	0.004	\$ 1,322.65
Westmoreland	CuC	Culleoka channery silt loam, 8 to 15 percent slopes	3	2667.6	0.004	\$ 1,418.49
Westmoreland	DoC	Dormont silt loam, 8 to 15 percent slopes	3	14260	0.021	\$ 1,423.15
Westmoreland	ErC	Ernest silt loam, 8 to 15 percent slopes	3	14827	0.022	\$ 1,407.49
Westmoreland	FaB	Fairpoint very channery silt loam, 0 to 8 percent slopes	3	1690.2	0.003	\$ 1,004.79
Westmoreland	GcC	Gilpin channery silt loam, 8 to 15 percent slopes	3	31893	0.048	\$ 1,332.25
Westmoreland	GuC	Gilpin-Upshur complex, 8 to 15 percent slopes	3	9269.2	0.014	\$ 1,282.95
Westmoreland	GwC	Gilpin-Weikert channery silt loams, 8 to 15 percent slopes	3	1860.2	0.003	\$ 1,217.48
Westmoreland	GyC	Guernsey silt loam, 8 to 15 percent slopes	3	11340	0.017	\$ 1,301.60
Westmoreland	ItB	Itmann extremely channery loam, 0 to 8 percent slopes	3	333.6	0.001	\$ 1,004.79
Westmoreland	LeC	Leck Kill channery silt loam, 8 to 15 percent slopes	3	540.7	0.001	\$ 1,441.47
Westmoreland	LIB	Library silt loam, 0 to 8 percent slopes	3	2846.6	0.004	\$ 1,375.05
Westmoreland	LIC	Library silt loam, 8 to 15 percent slopes	3	693.7	0.001	\$ 1,297.91
Westmoreland	LwC	Lowell silty clay loam, 8 to 15 percent slopes, eroded	3	2284.6	0.003	\$ 1,404.32
Westmoreland	MeC	Matewan channery loam, 8 to 15 percent slopes	3	1528.6	0.002	\$ 1,203.35
Westmoreland	MoC	Monongahela silt loam, 8 to 15 percent slopes	3	1965.9	0.003	\$ 1,344.49
Westmoreland	ScC	Sciotoville silt loam, 6 to 12 percent slopes	3	303.4	0	\$ 1,409.07
Westmoreland	TyA	Tyler silt loam, 0 to 2 percent slopes	3	1087.8	0.002	\$ 1,328.71
Westmoreland	UcB	Upshur silty clay loam, 3 to 8 percent slopes	3	490	0.001	\$ 1,394.70

Westmoreland	VaC	Vandergrift silt loam, 8 to 15 percent slopes	3	3884.3	0.006	\$ 1,288.60
Westmoreland	WeA	Weinbach silt loam, 0 to 2 percent slopes	3	2840.4	0.004	\$ 1,326.93
Westmoreland	WrC	Wharton silt loam, 8 to 15 percent slopes	3	35073	0.053	\$ 1,347.96
Westmoreland	At	Atkins silt loam, 0 to 3 percent slopes, frequently flooded	4	2925.8	0.004	\$ 1,236.20
Westmoreland	BkA	Brinkerton silt loam, 0 to 3 percent slopes	4	941.4	0.001	\$ 1,314.38
Westmoreland	BkB	Brinkerton silt loam, 3 to 8 percent slopes	4	590.9	0.001	\$ 1,326.93
Westmoreland	CuD	Culleoka channery silt loam, 15 to 25 percent slopes	4	1280.2	0.002	\$ 1,288.60
Westmoreland	DoD	Dormont silt loam, 15 to 25 percent slopes	4	10457	0.016	\$ 1,301.60
Westmoreland	DrD	Dormont-Culleoka complex, 15 to 25 percent slopes	4	10045	0.015	\$ 1,270.00
Westmoreland	FaC	Fairpoint very channery silt loam, 8 to 15 percent slopes	4	4162.7	0.006	\$ 1,132.31
Westmoreland	GcD	Gilpin channery silt loam, 15 to 25 percent slopes	4	35842	0.054	\$ 1,203.35
Westmoreland	GuD	Gilpin-Upshur complex, 15 to 25 percent slopes	4	13780	0.021	\$ 1,036.19
Westmoreland	GwD	Gilpin-Weikert channery silt loams, 15 to 25 percent slopes	4	1843.4	0.003	\$ 1,004.79
Westmoreland	GxA	Ginat silt loam, 0 to 2 percent slopes	4	1043.8	0.002	\$ 1,240.21
Westmoreland	GyD	Guernsey silt loam, 15 to 25 percent slopes	4	1586.3	0.002	\$ 1,240.21
Westmoreland	Ho	Holly silt loam, 0 to 2 percent slopes	4	3999.1	0.006	\$ 1,373.39
Westmoreland	ItD	Itmann extremely channery loam, 8 to 25 percent slopes	4	465.8	0.001	\$ 1,004.79
Westmoreland	LwD	Lowell silty clay loam, 15 to 25 percent slopes, eroded	4	221.1	0	\$ 1,271.53
Westmoreland	MeD	Matewan channery loam, 15 to 25 percent slopes	4	1404.2	0.002	\$ 1,107.65
Westmoreland	Mn	Melvin and Newark silt loams, 0 to 2 percent slopes	4	2130.2	0.003	\$ 1,250.14
Westmoreland	Pu	Purdy silt loam, 0 to 2 percent slopes	4	349.3	0.001	\$ 1,250.14
Westmoreland	ThA	Thorndale silt loam, 0 to 3 percent slopes	4	30	0	\$ 1,004.79
Westmoreland	ThB	Thorndale silt loam, 3 to 8 percent slopes	4	114.9	0	\$ 1,004.79
Westmoreland	UcC	Upshur silty clay loam, 8 to 15 percent slopes	4	190.1	0	\$ 1,334.01
Westmoreland	UuD	Urban land-Upshur complex, 8 to 25 percent slopes	4	2337.8	0.004	\$ 1,004.79
Westmoreland	VaD	Vandergrift silt loam, 15 to 25 percent slopes	4	385.5	0.001	\$ 1,215.83
Westmoreland	WrD	Wharton silt loam, 15 to 25 percent slopes	4	6302.7	0.01	\$ 1,285.97
Westmoreland	Pa	Palms muck, 0 to 3 percent slopes	5	29.3	0	\$ 891.33
Westmoreland	AlB	Albrights silt loam, 0 to 8 percent slopes, very stony	6	358.9	0.001	\$ 891.33
Westmoreland	AlD	Albrights silt loam, 8 to 25 percent slopes, very stony	6	1181.9	0.002	\$ 891.33
Westmoreland	BeD	Bethesda very channery silt loam, 8 to 25 percent slopes	6	5294.8	0.008	\$ 891.33
Westmoreland	CeB	Cavode silt loam, 0 to 8 percent slopes, very stony	6	1542.8	0.002	\$ 891.33
Westmoreland	CeD	Cavode silt loam, 8 to 25 percent slopes, very stony	6	253.7	0	\$ 891.33
Westmoreland	CoB	Cookport loam, 0 to 8 percent slopes, very stony	6	781.8	0.001	\$ 891.33
Westmoreland	CoD	Cookport loam, 8 to 25 percent slopes, very stony	6	174.7	0	\$ 891.33
Westmoreland	DoE	Dormont silt loam, 25 to 35 percent slopes	6	491.3	0.001	\$ 891.33
Westmoreland	FaD	Fairpoint very channery silt loam, 15 to 25 percent slopes	6	4474.6	0.007	\$ 891.33
Westmoreland	HcD	Hazleton-Clymer complex, 8 to 25 percent slopes, extremely stony	6	6709.6	0.01	\$ 891.33
Westmoreland	Ld	Land fill	6	500.8	0.001	\$ 891.33
Westmoreland	RgB	Rayne channery silt loam, 0 to 8 percent slopes, very stony	6	4152.8	0.006	\$ 891.33
Westmoreland	RgD	Rayne channery silt loam, 8 to 25 percent slopes, very stony	6	10375	0.016	\$ 891.33
Westmoreland	UaB	Udorthents, 0 to 8 percent slopes	6	1075.4	0.002	\$ 891.33
Westmoreland	UaD	Udorthents, 8 to 25 percent slopes	6	2431.1	0.004	\$ 891.33
Westmoreland	WsB	Wharton silt loam, 0 to 8 percent slopes, very stony	6	2003.1	0.003	\$ 891.33
Westmoreland	WsD	Wharton silt loam, 8 to 25 percent slopes, very stony	6	1788.7	0.003	\$ 891.33
Westmoreland	BeF	Bethesda very channery silt loam, 25 to 75 percent slopes	7	915.7	0.001	\$ 891.33
Westmoreland	BuB	Buchanan loam, 0 to 8 percent slopes, extremely stony	7	9500.7	0.014	\$ 891.33

Westmoreland	BuD	Buchanan loam, 8 to 25 percent slopes, extremely stony	7	11572	0.017	\$ 891.33
Westmoreland	CrB	Craigsville-Buchanan complex, 0 to 8 percent slopes, extreme	7	1064.3	0.002	\$ 891.33
Westmoreland	DeB	Dekalb-Hazleton channery sandy loams, 0 to 8 percent slopes	7	708.3	0.001	\$ 891.33
Westmoreland	DeD	Dekalb-Hazleton channery sandy loams, 8 to 25 percent slopes	7	734.4	0.001	\$ 891.33
Westmoreland	DrE	Dormont-Culleoka complex, 25 to 50 percent slopes	7	7450.2	0.011	\$ 891.33
Westmoreland	FaF	Fairpoint very channery silt loam, 25 to 75 percent slopes	7	1361.6	0.002	\$ 891.33
Westmoreland	GoF	Gilpin-Rock outcrop complex, 45 to 100 percent slopes	7	3940.4	0.006	\$ 891.33
Westmoreland	GuF	Gilpin-Upshur complex, 25 to 75 percent slopes	7	11219	0.017	\$ 891.33
Westmoreland	GwF	Gilpin-Weikert channery silt loams, 25 to 60 percent slopes	7	11072	0.017	\$ 891.33
Westmoreland	HcB	Hazleton-Clymer complex, 0 to 8 percent slopes, extreme	7	3182.1	0.005	\$ 891.33
Westmoreland	IxF	Iltmann extremely channery loam, 25 to 70 percent slopes	7	1240.1	0.002	\$ 891.33
Westmoreland	LaB	Laidig gravelly loam, 0 to 8 percent slopes, extremely stony	7	448.1	0.001	\$ 891.33
Westmoreland	LaD	Laidig gravelly loam, 8 to 25 percent slopes, extremely stony	7	22278	0.034	\$ 891.33
Westmoreland	LaE	Laidig gravelly loam, 25 to 35 percent slopes, extremely stony	7	4537.7	0.007	\$ 891.33
Westmoreland	LbF	Laidig-Hazleton complex, 35 to 80 percent slopes, extremely	7	2038.4	0.003	\$ 891.33
Westmoreland	LkB	Leck Kill channery silt loam, 0 to 8 percent slopes, extremely	7	416.7	0.001	\$ 891.33
Westmoreland	LkD	Leck Kill channery silt loam, 8 to 25 percent slopes, extremely	7	2124.6	0.003	\$ 891.33
Westmoreland	LxF	Lowell-Culleoka complex, 25 to 80 percent slopes, very rocky	7	4279.5	0.006	\$ 891.33
Westmoreland	MaF	Macove-Gilpin channery silt loams, 35 to 70 percent slopes	7	11916	0.018	\$ 891.33
Westmoreland	MeF	Matewan channery loam, 25 to 50 percent slopes	7	176	0	\$ 891.33
Westmoreland	MkD	Meckesville channery silt loam, 8 to 25 percent slopes, extremely	7	2610.8	0.004	\$ 891.33
Westmoreland	MkF	Meckesville channery silt loam, 25 to 70 percent slopes, extremely	7	6240.1	0.009	\$ 891.33
Westmoreland	NoB	Nolo loam, 0 to 8 percent slopes, very stony	7	139.2	0	\$ 891.33
Westmoreland	ShF	Shelocta-Gilpin channery silt loams, 25 to 75 percent slopes	7	32372	0.049	\$ 891.33
Westmoreland	SxF	Shelocta-Gilpin channery silt loams, 25 to 75 percent slopes	7	1643.3	0.002	\$ 891.33
Westmoreland	UaF	Udorthents, 25 to 75 percent slopes	7	35.9	0	\$ 891.33
Westmoreland	DAM	Dam	8	17.4	0	\$ 891.33
Westmoreland	Qu	Quarries	8	497.2	0.001	\$ 891.33
Westmoreland	UdA	Urban land, 0 to 3 percent slopes	8	1954.7	0.003	\$ 891.33
Westmoreland	UdB	Urban land, 3 to 8 percent slopes	8	3345.9	0.005	\$ 891.33
Westmoreland	UdC	Urban land, 8 to 15 percent slopes	8	288.8	0	\$ 891.33
Westmoreland	UeB	Urban land-Culleoka complex, 0 to 8 percent slopes	8	3301.7	0.005	\$ 891.33
Westmoreland	UeD	Urban land-Culleoka complex, 8 to 25 percent slopes	8	3553.8	0.005	\$ 891.33
Westmoreland	UgB	Urban land-Gilpin complex, 0 to 8 percent slopes	8	2095.6	0.003	\$ 891.33
Westmoreland	UgD	Urban land-Gilpin complex, 8 to 25 percent slopes	8	3220.1	0.005	\$ 891.33
Westmoreland	UhB	Urban land-Guernsey complex, 0 to 8 percent slopes	8	3905.4	0.006	\$ 891.33
Westmoreland	UhD	Urban land-Guernsey complex, 8 to 25 percent slopes	8	4963	0.007	\$ 891.33
Westmoreland	UmB	Urban land-Monongahela complex, 0 to 8 percent slopes	8	6786.9	0.01	\$ 891.33
Westmoreland	UuB	Urban land-Upshur complex, 0 to 8 percent slopes	8	1335.5	0.002	\$ 891.33
Westmoreland	UwB	Urban land-Wharton complex, 0 to 8 percent slopes	8	2901.1	0.004	\$ 891.33
Westmoreland	UwD	Urban land-Wharton complex, 8 to 25 percent slopes	8	2317.6	0.003	\$ 891.33
Wyoming	Po	Pope soils	1	599.3	0.002	\$ 1,530.31
Wyoming	Pp	Pope soils, rarely flooded	1	3931.1	0.015	\$ 1,530.86
Wyoming	BaB	Bath channery silt loam, 3 to 8 percent slopes	2	956.2	0.004	\$ 1,436.94
Wyoming	BcB	Braceville gravelly loam, 2 to 6 percent slopes	2	761.7	0.003	\$ 1,362.92
Wyoming	LaB	Lackawanna channery loam, 3 to 8 percent slopes	2	973.4	0.004	\$ 1,430.23
Wyoming	LeB	Lordstown channery silt loam, 3 to 8 percent slopes	2	1191	0.005	\$ 1,342.76

Wyoming	LfB	Lordstown flaggy silt loam, 3 to 8 percent slopes	2	944.7	0.004	\$ 1,310.75
Wyoming	McB	Mardin channery silt loam, 3 to 8 percent slopes	2	5457.2	0.021	\$ 1,399.52
Wyoming	OcB	Oquaga channery loam, 3 to 8 percent slopes	2	1079	0.004	\$ 1,207.53
Wyoming	OfB	Oquaga flaggy loam, 3 to 8 percent slopes	2	421.9	0.002	\$ 1,207.53
Wyoming	Ph	Philo silt loam	2	1257	0.005	\$ 1,524.73
Wyoming	SwB	Swartswood channery loam, 3 to 8 percent slopes	2	63.2	0	\$ 1,344.49
Wyoming	UnB	Unadilla silt loam, 3 to 8 percent slopes	2	809	0.003	\$ 1,376.71
Wyoming	WcB	Wellsboro channery loam, 3 to 8 percent slopes	2	5069.7	0.02	\$ 1,394.70
Wyoming	WkB	Wurtsboro channery loam, 3 to 8 percent slopes	2	98.5	0	\$ 1,248.16
Wyoming	BaC	Bath channery silt loam, 8 to 15 percent slopes	3	2005.2	0.008	\$ 1,378.36
Wyoming	ChC	Chenango gravelly loam, 8 to 15 percent slopes	3	37.1	0	\$ 1,281.44
Wyoming	Hm	Holly silt loam	3	1617.5	0.006	\$ 1,290.47
Wyoming	LaC	Lackawanna channery loam, 8 to 15 percent slopes	3	2876.8	0.011	\$ 1,350.37
Wyoming	LeC	Lordstown channery silt loam, 8 to 15 percent slopes	3	1650.5	0.006	\$ 1,310.75
Wyoming	LfC	Lordstown flaggy silt loam, 8 to 15 percent slopes	3	868.1	0.003	\$ 1,277.26
Wyoming	McC	Mardin channery silt loam, 8 to 15 percent slopes	3	5839.9	0.023	\$ 1,308.20
Wyoming	MfB	Mardin flaggy silt loam, 3 to 8 percent slopes	3	665.3	0.003	\$ 1,397.92
Wyoming	MrA	Morris channery loam, 0 to 3 percent slopes	3	463.4	0.002	\$ 1,171.25
Wyoming	MrB	Morris channery loam, 3 to 8 percent slopes	3	5248.5	0.02	\$ 1,166.87
Wyoming	MrC	Morris channery loam, 8 to 15 percent slopes	3	4652.2	0.018	\$ 1,199.15
Wyoming	MsB	Morris flaggy loam, 3 to 8 percent slopes	3	2764.4	0.011	\$ 1,124.02
Wyoming	MsC	Morris flaggy loam, 8 to 15 percent slopes	3	1036.5	0.004	\$ 1,164.67
Wyoming	OcC	Oquaga channery loam, 8 to 15 percent slopes	3	1974.8	0.008	\$ 1,209.62
Wyoming	OfC	Oquaga flaggy loam, 8 to 15 percent slopes	3	617.6	0.002	\$ 1,205.44
Wyoming	ReA	Rexford loam, 0 to 5 percent slopes	3	836.1	0.003	\$ 1,182.09
Wyoming	SwC	Swartswood channery loam, 8 to 15 percent slopes	3	140	0.001	\$ 1,275.36
Wyoming	UnC	Unadilla silt loam, 8 to 15 percent slopes	3	730.6	0.003	\$ 1,339.27
Wyoming	VcA	Volusia channery silt loam, 0 to 3 percent slopes	3	721.2	0.003	\$ 1,173.43
Wyoming	VcB	Volusia channery silt loam, 3 to 8 percent slopes	3	4460.6	0.017	\$ 1,205.44
Wyoming	VcC	Volusia channery silt loam, 8 to 18 percent slopes	3	2550.6	0.01	\$ 1,208.37
Wyoming	VfB	Volusia flaggy silt loam, 3 to 8 percent slopes	3	815.1	0.003	\$ 1,211.69
Wyoming	VfC	Volusia flaggy silt loam, 8 to 15 percent slopes	3	812.4	0.003	\$ 1,218.30
Wyoming	WcC	Wellsboro channery loam, 8 to 15 percent slopes	3	8858.3	0.034	\$ 1,308.93
Wyoming	WfB	Wellsboro flaggy loam, 3 to 8 percent slopes	3	846.2	0.003	\$ 1,393.08
Wyoming	WkC	Wurtsboro channery loam, 8 to 15 percent slopes	3	215.1	0.001	\$ 1,219.54
Wyoming	WyA	Wyoming gravelly sandy loam, 0 to 3 percent slopes	3	1597.3	0.006	\$ 1,286.72
Wyoming	WyB	Wyoming gravelly sandy loam, 3 to 8 percent slopes	3	3482.8	0.013	\$ 1,286.72
Wyoming	BaD	Bath channery silt loam, 15 to 25 percent slopes	4	2370.3	0.009	\$ 1,240.21
Wyoming	LaD	Lackawanna channery loam, 15 to 25 percent slopes	4	4114.7	0.016	\$ 1,310.75
Wyoming	LeD	Lordstown channery silt loam, 15 to 25 percent slopes	4	1429.8	0.006	\$ 1,234.18
Wyoming	McD	Mardin channery silt loam, 15 to 25 percent slopes	4	1540.8	0.006	\$ 1,164.67
Wyoming	MfC	Mardin flaggy silt loam, 8 to 15 percent slopes	4	1715.9	0.007	\$ 1,294.94
Wyoming	NcA	Norwich and Chippewa channery silt loams, 0 to 3 percent	4	2157	0.008	\$ 1,004.79
Wyoming	NcB	Norwich and Chippewa channery silt loams, 3 to 8 percent	4	1486.8	0.006	\$ 1,004.79
Wyoming	OcD	Oquaga channery loam, 15 to 25 percent slopes	4	3193.1	0.012	\$ 1,164.67
Wyoming	SwD	Swartswood channery loam, 15 to 25 percent slopes	4	176.1	0.001	\$ 1,201.25
Wyoming	WcD	Wellsboro channery loam, 15 to 25 percent slopes	4	4202.9	0.016	\$ 1,207.53

Wyoming	WfC	Wellsboro flaggy loam, 8 to 15 percent slopes	4	2015.2	0.008	\$ 1,307.10
Wyoming	WyC	Wyoming gravelly sandy loam, 8 to 15 percent slopes	4	2135.9	0.008	\$ 1,175.60
Wyoming	WyD	Wyoming gravelly sandy loam, 15 to 25 percent slopes	4	1782	0.007	\$ 1,004.79
Wyoming	At	Atherton loam, ponded	5	252.1	0.001	\$ 891.33
Wyoming	Ho	Holly silt loam, ponded	5	295.9	0.001	\$ 891.33
Wyoming	ArC	Arnot very channery silt loam, very rocky, 3 to 15 percent	6	9269.4	0.036	\$ 891.33
Wyoming	DYD	Dystrochrepts and Rock outcrop, moderately steep	6	1231.6	0.005	\$ 891.33
Wyoming	AsB	Arnot-Rock outcrop complex, 0 to 8 percent slopes	7	529	0.002	\$ 891.33
Wyoming	AsD	Arnot-Rock outcrop complex, 8 to 25 percent slopes	7	5176.4	0.02	\$ 891.33
Wyoming	ASE	Arnot-Rock outcrop complex, steep	7	4783.9	0.018	\$ 891.33
Wyoming	BbB	Bath channery silt loam, 3 to 8 percent slopes, rubbly	7	529.8	0.002	\$ 891.33
Wyoming	BbD	Bath channery silt loam, 8 to 25 percent slopes, rubbly	7	3843.9	0.015	\$ 891.33
Wyoming	DYE	Dystrochrepts and Rock outcrop, steep	7	856.1	0.003	\$ 891.33
Wyoming	FA	Fluvents and Fluvaquents	7	3379	0.013	\$ 891.33
Wyoming	HA	Haplaquents, stony	7	1555.2	0.006	\$ 891.33
Wyoming	LbB	Lackawanna channery loam, 3 to 8 percent slopes, rubbly	7	250.4	0.001	\$ 891.33
Wyoming	LbD	Lackawanna channery loam, 8 to 25 percent slopes, rubbl	7	4618.9	0.018	\$ 891.33
Wyoming	LCE	Lackawanna and Bath soils, steep, rubbly	7	15454	0.06	\$ 891.33
Wyoming	LxB	Lordstown extremely stony silt loam, 3 to 8 percent slope	7	1437.1	0.006	\$ 891.33
Wyoming	LxD	Lordstown extremely stony silt loam, 8 to 25 percent slop	7	7429.9	0.029	\$ 891.33
Wyoming	MhB	Mardin channery silt loam, 3 to 8 percent slopes, rubbly	7	2755	0.011	\$ 891.33
Wyoming	MhD	Mardin channery silt loam, 8 to 25 percent slopes, rubbly	7	3863	0.015	\$ 891.33
Wyoming	MxB	Morris channery loam, 0 to 8 percent slopes, rubbly	7	7401.2	0.029	\$ 891.33
Wyoming	MxD	Morris channery loam, 8 to 25 percent slopes, rubbly	7	1063.7	0.004	\$ 891.33
Wyoming	NxB	Norwich and Chippewa channery silt loams, 0 to 8 percent	7	7608.1	0.029	\$ 891.33
Wyoming	OxB	Oquaga extremely stony loam, 3 to 8 percent slopes	7	4421.8	0.017	\$ 891.33
Wyoming	OxD	Oquaga extremely stony loam, 8 to 25 percent slopes	7	10637	0.041	\$ 891.33
Wyoming	OYE	Oquaga and Lordstown extremely stony loams, steep	7	25326	0.098	\$ 891.33
Wyoming	SxB	Swartswood extremely stony loam, 3 to 8 percent slopes	7	163	0.001	\$ 891.33
Wyoming	SxD	Swartswood extremely stony loam, 8 to 25 percent slopes	7	412.3	0.002	\$ 891.33
Wyoming	VxB	Volusia channery silt loam, 0 to 8 percent slopes, rubbly	7	3136.2	0.012	\$ 891.33
Wyoming	VxD	Volusia channery silt loam, 8 to 25 percent slopes, rubbly	7	631.6	0.002	\$ 891.33
Wyoming	WgB	Wellsboro channery loam, 3 to 8 percent slopes, rubbly	7	2744	0.011	\$ 891.33
Wyoming	WgD	Wellsboro channery loam, 8 to 25 percent slopes, rubbly	7	8308.2	0.032	\$ 891.33
Wyoming	WxB	Wurtsboro extremely stony loam, 3 to 8 percent slopes	7	177.8	0.001	\$ 891.33
Wyoming	WxD	Wurtsboro extremely stony loam, 8 to 25 percent slopes	7	72	0	\$ 891.33
Wyoming	WyE	Wyoming gravelly sandy loam, 25 to 45 percent slopes	7	1267.2	0.005	\$ 891.33
Wyoming	MK	Medisaprists and Medihemists	8	1513	0.006	\$ 891.33
York	Be	Bermudian silt loam	1	459.5	0.001	\$ 1,616.32
York	BgA	Birdsboro silt loam, 0 to 3 percent slopes	1	155.8	0	\$ 1,599.57
York	CnA	Conestoga silt loam, 0 to 3 percent slopes	1	241.6	0	\$ 1,800.84
York	DuA	Duffield silt loam, 0 to 3 percent slopes	1	808.3	0.001	\$ 1,701.87
York	EkA	Elk silt loam, 0 to 3 percent slopes	1	455.5	0.001	\$ 1,522.76
York	HaA	Hagerstown silt loam, 0 to 3 percent slopes	1	275	0	\$ 1,819.50
York	ArB	Arendtsville gravelly loam, 3 to 8 percent slopes	2	128.5	0	\$ 1,466.59
York	AtB	Athol gravelly silt loam, 3 to 8 percent slopes	2	583.5	0.001	\$ 1,540.39
York	BgB	Birdsboro silt loam, 3 to 8 percent slopes	2	997.5	0.002	\$ 1,593.95

York	BrB	Brecknock channery silt loam, 3 to 8 percent slopes	2	188.3	0	\$ 1,471.78
York	Cd	Chagrin silt loam	2	1501	0.003	\$ 1,502.65
York	CeB	Chester silt loam, 3 to 8 percent slopes	2	72920	0.125	\$ 1,794.99
York	CkA	Clarksburg silt loam, 0 to 3 percent slopes	2	2249.1	0.004	\$ 1,486.56
York	CkB	Clarksburg silt loam, 3 to 8 percent slopes	2	886.2	0.002	\$ 1,485.78
York	Cm	Codorus silt loam	2	16125	0.028	\$ 1,492.44
York	CnB	Conestoga silt loam, 3 to 8 percent slopes	2	5131.5	0.009	\$ 1,800.84
York	DuB	Duffield silt loam, 3 to 8 percent slopes	2	4028	0.007	\$ 1,703.82
York	EdB	Edgemont channery loam, 3 to 8 percent slopes	2	807.3	0.001	\$ 1,482.33
York	EkB	Elk silt loam, 3 to 8 percent slopes	2	867.9	0.001	\$ 1,484.59
York	GbB	Glenelg channery loam, 3 to 8 percent slopes	2	17485	0.03	\$ 1,638.34
York	GdA	Glenville silt loam, 0 to 3 percent slopes	2	6017.4	0.01	\$ 1,504.91
York	GdB	Glenville silt loam, 3 to 8 percent slopes	2	5543.8	0.01	\$ 1,608.90
York	HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	1560.8	0.003	\$ 1,705.91
York	HgB	Highfield channery silt loam, 3 to 8 percent slopes	2	367	0.001	\$ 1,436.03
York	LeB	Lansdale loam, 3 to 8 percent slopes	2	3406.8	0.006	\$ 1,674.30
York	LgB	Legore channery silt loam, 3 to 8 percent slopes	2	1618.7	0.003	\$ 1,316.40
York	LhA	Lehigh channery silt loam, 0 to 3 percent slopes	2	196.4	0	\$ 1,261.88
York	LhB	Lehigh channery silt loam, 3 to 8 percent slopes	2	7179.5	0.012	\$ 1,261.88
York	LrB	Lewisberry gravelly sandy loam, 3 to 8 percent slopes	2	951.8	0.002	\$ 1,246.18
York	Lw	Lindside silt loam	2	2860.3	0.005	\$ 1,705.91
York	MdA	Mount Lucas silt loam, 0 to 3 percent slopes	2	438.2	0.001	\$ 1,374.72
York	MdB	Mount Lucas silt loam, 3 to 8 percent slopes	2	1759.2	0.003	\$ 1,374.72
York	MvB	Murrill gravelly loam, 3 to 8 percent slopes	2	1605.7	0.003	\$ 1,457.54
York	NaB	Neshaminy channery silt loam, 3 to 8 percent slopes	2	3279.2	0.006	\$ 1,494.10
York	PeB	Penn silt loam, 3 to 8 percent slopes	2	21846	0.038	\$ 1,493.55
York	PoB	Penn-Klinesville channery silt loams, 3 to 8 percent slopes	2	7946.2	0.014	\$ 1,445.02
York	PpB	Penn-Lansdale complex, 3 to 8 percent slopes	2	5387.3	0.009	\$ 1,501.83
York	PsB	Pequea silt loam, 3 to 8 percent slopes	2	166.1	0	\$ 1,275.36
York	RaA	Raritan silt loam, 0 to 3 percent slopes	2	516.2	0.001	\$ 1,531.80
York	RaB	Raritan silt loam, 3 to 8 percent slopes	2	1053.6	0.002	\$ 1,501.01
York	ReA	Readington silt loam, 0 to 3 percent slopes	2	3447.3	0.006	\$ 1,494.38
York	ReB	Readington silt loam, 3 to 8 percent slopes	2	4646.9	0.008	\$ 1,482.16
York	Rw	Rowland silt loam	2	6282.9	0.011	\$ 1,516.43
York	ArC	Arendtsville gravelly loam, 8 to 15 percent slopes	3	228.4	0	\$ 1,410.34
York	AtC	Athol gravelly silt loam, 8 to 15 percent slopes	3	766.3	0.001	\$ 1,482.33
York	BgC	Birdsboro silt loam, 8 to 15 percent slopes	3	31.6	0	\$ 1,480.07
York	Bo	Bowmansville silt loam	3	2075.6	0.004	\$ 1,667.18
York	BrC	Brecknock channery silt loam, 8 to 15 percent slopes	3	1137	0.002	\$ 1,444.48
York	CcC	Catoclin channery silt loam, 8 to 15 percent slopes	3	72.8	0	\$ 1,199.15
York	CeC	Chester silt loam, 8 to 15 percent slopes	3	29496	0.051	\$ 1,783.55
York	CnC	Conestoga silt loam, 8 to 15 percent slopes	3	1089.5	0.002	\$ 1,744.26
York	DuC	Duffield silt loam, 8 to 15 percent slopes	3	1287.5	0.002	\$ 1,669.32
York	EdC	Edgemont channery loam, 8 to 15 percent slopes	3	2229.2	0.004	\$ 1,391.46
York	GbC	Glenelg channery silt loam, 8 to 15 percent slopes	3	48430	0.083	\$ 1,486.56
York	HaC	Hagerstown silt loam, 8 to 15 percent slopes	3	396.7	0.001	\$ 1,501.83
York	HgC	Highfield channery silt loam, 8 to 15 percent slopes	3	443.8	0.001	\$ 1,403.68

York	LfC	Lansdale channery loam, 8 to 15 percent slopes	3	2280.5	0.004	\$ 1,375.05
York	LgC	Legore channery silt loam, 8 to 15 percent slopes	3	1954.5	0.003	\$ 1,305.27
York	LhC	Lehigh channery silt loam, 8 to 15 percent slopes	3	4934.1	0.008	\$ 1,253.99
York	LrC	Lewisberry gravelly sandy loam, 8 to 15 percent slopes	3	1439	0.002	\$ 1,171.25
York	MOB	Mt. Airy and Manor soils, 3 to 8 percent slopes	3	9341.6	0.016	\$ 1,344.49
York	MvC	Murrill gravelly loam, 8 to 15 percent slopes	3	749.2	0.001	\$ 1,402.40
York	NaC	Neshaminy channery silt loam, 8 to 15 percent slopes	3	1975.9	0.003	\$ 1,465.14
York	Pa	Penlaw silt loam	3	970.8	0.002	\$ 1,341.71
York	PeC	Penn silt loam, 8 to 15 percent slopes	3	5623.9	0.01	\$ 1,470.63
York	PoC	Penn-Klinesville channery silt loams, 8 to 15 percent slope	3	18446	0.032	\$ 1,226.08
York	PpC	Penn-Lansdale complex, 8 to 15 percent slopes	3	2770	0.005	\$ 1,453.41
York	PsC	Pequea silt loam, 8 to 15 percent slopes	3	559.2	0.001	\$ 1,454.89
York	RfB	Reaville channery silt loam, 3 to 8 percent slopes	3	705.5	0.001	\$ 1,320.65
York	RfC	Reaville channery silt loam, 8 to 15 percent slopes	3	79	0	\$ 1,286.95
York	StC	Steinsburg channery sandy loam, 8 to 15 percent slopes	3	112.9	0	\$ 1,160.25
York	ArD	Arendtsville gravelly loam, 15 to 25 percent slopes	4	108.8	0	\$ 1,221.59
York	BrD	Brecknock channery silt loam, 15 to 25 percent slopes	4	585.1	0.001	\$ 1,414.74
York	CrA	Croton silt loam, occasionally ponded, 0 to 3 percent slop	4	5362.1	0.009	\$ 1,238.20
York	CrB	Croton silt loam, 3 to 8 percent slopes	4	701.3	0.001	\$ 1,253.68
York	DWD	Duffield and Hagerstown silt loams, 15 to 25 percent slop	4	149.1	0	\$ 1,406.48
York	EdD	Edgemont channery loam, 15 to 25 percent slopes	4	900.2	0.002	\$ 1,267.30
York	GbD	Glenelg channery silt loam, 15 to 25 percent slopes	4	4181.4	0.007	\$ 1,394.44
York	Hc	Hatboro silt loam	4	1766.7	0.003	\$ 1,325.15
York	HHD	Highfield and Catoctin channery silt loams, 15 to 25 perce	4	208.1	0	\$ 1,210.61
York	Lc	Lamington silt loam	4	191.6	0	\$ 1,115.17
York	LgD	Legore channery silt loam, 15 to 25 percent slopes	4	1678.3	0.003	\$ 1,151.35
York	LhD	Lehigh channery silt loam, 15 to 25 percent slopes	4	225.3	0	\$ 1,178.90
York	MOC	Mt. Airy and Manor soils, 8 to 15 percent slopes	4	43464	0.075	\$ 1,351.40
York	PsD	Pequea silt loam, 15 to 25 percent slopes	4	411.8	0.001	\$ 1,357.56
York	StD	Steinsburg channery sandy loam, 15 to 25 percent slopes	4	1984.2	0.003	\$ 1,121.70
York	WaA	Watchung silt loam, 0 to 3 percent slopes	4	1964.6	0.003	\$ 1,254.07
York	Ba	Baile silt loam	5	628.4	0.001	\$ 891.33
York	BsD	Brecknock channery silt loam, 8 to 25 percent slopes, very	6	1815.4	0.003	\$ 891.33
York	EeB	Edgemont channery loam, 0 to 8 percent slopes, very stor	6	647.9	0.001	\$ 891.33
York	EeD	Edgemont channery loam, 8 to 25 percent slopes, very stc	6	5933.8	0.01	\$ 891.33
York	KnD	Klinesville channery silt loam, 15 to 25 percent slopes	6	5577	0.01	\$ 891.33
York	LSD	Lewisberry and Lansdale soils, 8 to 25 percent slopes, ver	6	1242.3	0.002	\$ 891.33
York	MeB	Mount Lucas silt loam, 0 to 8 percent slopes, very boulder	6	923.9	0.002	\$ 891.33
York	MOD	Mt. Airy and Manor soils, 15 to 25 percent slopes	6	48641	0.084	\$ 1,351.40
York	MPD	Mt. Airy and Manor soils, 8 to 25 percent slopes, very stor	6	3192.9	0.005	\$ 891.33
York	MRF	Mt. Airy and Manor soils, 25 to 60 percent slopes, extrem	6	12536	0.022	\$ 891.33
York	PbB	Penn loam, 0 to 8 percent slopes, very stony	6	740.2	0.001	\$ 891.33
York	PbD	Penn loam, 8 to 25 percent slopes, very stony	6	8891.3	0.015	\$ 891.33
York	WaB	Watchung silt loam, 3 to 8 percent slopes	6	266.9	0	\$ 1,230.95
York	BsF	Brecknock channery silt loam, 25 to 60 percent slopes, ve	7	885	0.002	\$ 891.33
York	EeF	Edgemont channery loam, 25 to 70 percent slopes, very s	7	2741.1	0.005	\$ 891.33
York	HKD	Highfield, Catoctin, and Myersville soils, 8 to 25 percent sl	7	490.2	0.001	\$ 891.33

York	KnE	Klinesville channery silt loam, 25 to 40 percent slopes	7	854.3	0.001	\$ 891.33
York	LkB	Lehigh channery silt loam, 0 to 8 percent slopes, very stor	7	130.5	0	\$ 891.33
York	MOE	Mt. Airy and Manor soils, 25 to 35 percent slopes	7	10946	0.019	\$ 891.33
York	NdB	Neshaminy channery silt loam, 0 to 8 percent slopes, extr	7	1147.2	0.002	\$ 891.33
York	NdD	Neshaminy channery silt loam, 8 to 25 percent slopes, ext	7	7575.3	0.013	\$ 891.33
York	NdE	Neshaminy channery silt loam, 25 to 45 percent slopes, e)	7	2579.4	0.004	\$ 891.33
York	PcF	Penn channery loam, 25 to 50 percent slopes, very stony	7	3647.8	0.006	\$ 891.33
York	WbB	Watchung silt loam, 0 to 8 percent slopes, extremely boul	7	4295.8	0.007	\$ 891.33
York	DAM	Dams and Impoundment Structures	8	5.3	0	\$ 891.33
York	Uc	Urban land	8	16810	0.029	\$ 891.33
York	UdB	Urban land-Chester complex, 0 to 8 percent slopes	8	4017	0.007	\$ 898.91
York	UeB	Urban land-Conestoga complex, 0 to 8 percent slopes	8	3829.8	0.007	\$ 1,144.15
York	UfC	Urban land-Mt. Airy complex, 8 to 15 percent slopes	8	2386.5	0.004	\$ 891.33
York	UgB	Urban land-Penn complex, 0 to 8 percent slopes	8	3729.4	0.006	\$ 891.33