



अखिल भारतीय आयुर्विज्ञान संस्थान ,रायपुर) छत्तीसगढ़
(All India Institute of Medical Sciences, Raipur (Chhattisgarh)

Tatibandh, GE Road, Raipur-492 099 (CG)

www.aiimsraipur.edu.in

No. AIIMS/R/CS/RC/4439/OBGY/19/ LPC/

Dated: 19/06/2019

QUOTATION NOTICE

Notice Inviting Quotation for procurement of Non Consumable i.e. **UPS 5KVA with 6 to 7 hours of Battery Backup** for Department of Obstetrics & Gynaecology, at AIIMS Raipur.

Sealed quotations are invited from intending registered Stockist / Distributors having GST number and relevant documents for Non-Consumable i.e. **UPS 5KVA with 6 to 7 hours of Battery Backup for Department of OBGY**, at AIIMS Raipur. The quotation should be submitted to Medical College Building, 2nd Floor, Gate no.05 office of Store Officer up **to 3:00pm on 26.06.2019**. The quotations will be opened on the same day at 3:30pm. Details of item are given as under:-

S.no.	Item Detail	Qty. Req.	Make	Unit	HSN Code	Unit Price	GST @	Unit Price with Tax	Total Amount
1	UPS 5KVA with 6 to 7 hours of Battery Backup Specification (Annexure A)	01 Nos.							

नियम और शर्तें:

Terms and Condition:

1. Rate should be mentioned in word and figures both.
2. Delivery Schedule – within 15 days from the date of issue of PO.
3. Price should be F.O.R. Destination basis (Department of OBGY, AIIMS Raipur).
4. LD @ 0.5% of delayed supply per week or part of week for delay of supply of material subject to maximum up to 10% of delayed supply should be deducted. After expiry of delivery period material cannot be accepted without extension of delivery period.
5. Quotation No./Name and Due date of opening must be written on top of envelop.
6. GST rates applicable on your quoted item may please be confirmed. HSN code should be clearly mentioned.
7. Please confirm if there any change (Upward/Reduction) in your Basic Price structure. And you are also requested to pass the Input Credit as per the following Anti Profiteering Clause of GST.

“Upon Implementation of GST, any reduction in the rate of tax on supply of goods or service or the benefit of input tax credit shall be passed on to AIIMS Raipur by way of commensurate reduction in the prices”.

8. The GST registration details may please be furnished.
9. RTGS details required for payment purpose.
10. 100% payment against received and acceptance of material.
11. No part supply or part payment will be entertained.
12. No claim will be entertained regarding interest on any payment of any circumstance.
13. Supply, installation and commissioning will be done by firm (if applicable).
14. Where there is statutory requirement for tax deduction at source, such deduction towards income tax and other tax as applicable will be made from the bills payable to the supplier at rates as notified from time to time.

15. No payment shall be made for rejected stores. Rejected equipment's must be removed by the supplier within two weeks of the dated of issue of rejection advice at their own cost & replace immediately. In case these are not removed these will auctioned at the risk and responsibility of the suppliers without notice.
16. **Brand and Make should be clearly mentioned in offer as well as tender/quotation specific authorization may be submit with the offer/Bid.**
17. AIIMS Raipur reserves the right to place the order for full or part quantity to one or more items.
18. Validity of offer should not be less than 90 days.
19. The Quantity of above column is totally tentative. It can be increased or decreased at the time of placement of order.

भंडार अधिकारी
अखिल भारतीय आयुर्विज्ञान संस्थान,
रायपुर (छ.ग.)

Annexure A

Specification:

- Topology – True on-line Double conversion UPS
- Output Power Capacity – 4000 W
- Phase – Single Phase
- Voltage -230V AC
- Voltage Range – 160V -300V AC
- Power Factor -0.99
- Current THD -10%
- Battery 12V 100AH
- Battery Charging – Constant current & constant Voltage
- Nominal Output Voltage -230VAC
- Frequency – 50HZ + 0.1HZ
- RS232 – available
- USB Com Port – available
- Operating Temperature -0-40 C continuous
- Input Terminal – Input Breaker + Terminal
- Output Terminal – Terminal
- Converter Mode – Available
- Bypass parameters configurable – Available
- Display – LED+LCD Display
- Ingress Protection – IP20
- Safety – EN62040-1
- EMI/EMC – ZEN62040-2
- Performance – IEC -62040-3
- Dimension for FM W x D x H -260 X 482 X 488 IN MM
- Dimension for FMI W x D x H -260 X 482 X 488 IN MM
- Weight in KG FM and FMI -18.9/51
- Certification – CE.