AB-8 & AB-9 Air Brake Air Chamber Hose



Assembly Assortment of 3/8" and 1/2" I.D. Lines

Each selection of fourteen ready-made air chamber hose assemblies facilitate replacement of hoses. Eliminates time and cost of making special assemblies. Wall rack keeps assemblies handy and ready to use.

AB-8 • 1/2" I.D. Air Brake Air Chamber Lines

Length	Quantity	Part Number	
18-1/2"	1	38353-01800	
20-3/8"	2	38353-02037	
24-1/8"	2	38353-02400	
28-3/8"	2	38353-02837	
30-1/8"	2	38353-03000	
32"	1	38353-03200	
34-3/8"	1	38353-03437	
36-1/8"	2	38353-03600	
41-1/8"	1	38353-04112	
	1	AB-8X (rack only)	

Replacement Labels: AB-8L

Length	Quantity	Part Number
18-1/2"	1	38166-01812
20-3/8"	2	38166-02137
24-1/8"	2	38166-02412
28-3/8"	2	38166-02837
30-1/8"	2	38166-03012
32"	1	38166-03200
34-3/8"	1	38166-03437
36-1/8"	2	38166-03612
41-1/8"	1	38166-04112
	1	AB-9X (rack only)

Replacement Labels: AB-9L

CA-130 & CA-230 **Clamp Assortments**



You can now increase your all-stainless steel or partstainless steel clamp sales with these all-purpose clamp assortments. These rugged assortments can be wall mounted or stand free using less than 2 sq. ft. of counter space. They load easily and organize your merchandise effectively.

CA-130 **Part-Stainless Steel**

Part Number	Quantity	Part Num
6205-004	20	6206-
6205-006	10	6206-
6203-010	20	6204-
6203-016	20	6204-
6203-020	20	6204-
6203-024	10	6204-
6203-036	10	6204-
CA-10X (rack only)	1	CA-10

CA-230 **All-Stainless Steel**

Part Number	Quantity
6206-004	20
6206-006	10
6204-010	20
6204-016	20
6204-020	20
6204-024	10
6204-036	10
CA-10X (rack only)	1

RG-24 Hydraulic O-Ring Assortment



The Weatherhead RG-24 assortment is your solution to storing a useful inventory of hydraulic o-rings. This kit contains o-rings for Weatherhead straight thread and FOR-SEAL® tube fitting applications as well as popular split flange hydraulic applications. The RG-24 comes enclosed in a handy steel case with a carrying handle. Consider an RG-24 for an over-the-counter sales merchandiser or keep one in your equipment shop or maintenance trailer to prepare for those critical "got-to-have-it" applications.

Twenty-four individual compartments keep your

hydraulic o-ring inventory separated by part number, and labeled illustrations on the inside of the assortment prevent the mix-up of o-rings. Compact, organized, and reasonably priced, if you specialize in hydraulic applications that call for o-rings — we've got your number — RG-24.

RG-24 • O-Ring Assortment Contents

Part Number	Split Flange Quantity	Part Number	FOR-SEAL Quantity	Part Number	Straight Thread Quantity
8x252	12	4629x4	12	7629x4	12
12x252	12	4629x6	12	7629x5	12
16x252	12	4629x8	12	7629x6	12
20x252	12	4629x10	12	7629x8	12
24x252	12	4629x12	12	7629x10	12
32x252	12	4629x16	12	7629x12	12
		4629x20	12	7629x16	12
		4629x24	12	7629x20	12
				7629x24	12
				7629x32	12

FL-310 Fuel Hose and Fittings Assortment



FL-310 contains 250' of Weatherhead fuel line hose, a variety of brass hose end fittings, and gear-type clamps for easy, instant service on fuel and oil line assemblies.

A well-designed cabinet keeps 1/4", 5/16", or 3/8"I.D. hose on reels free of k inks and tangles ready for instant use. Ten clear plastic drawers with color-coded illustrated labels are provided for storing hose end fittings and clamps. H057 hose is compatible with unleaded gasolines and low pressure fuel systems.

Size

30" wide, 13-1/2" high, 13" deep

Part Number	Quantity	Part Number	Quantity
05704B-102	10	05706B-104	10
05704B-104	5	05706B-106	5
05704B-C02	5	05706B-1568	5
05705B-102	10	05706B-1570	5
05705B-104	10	05706B-C02	5
05705B-1560	5	05706B-C04	5
05705B-1561	5	6205-004	20
05705B-C02	5	CL-434	1
05705B-C04	5	FL-310X	1
05706B-102	10	H05704	100′
		H05705	100′
		H05706	50'

SR3100W Weatherhead Air **Conditioning Assortment**



Air conditioning assortment kit; containing the most popular steel air conditioning hose ends for use with H757 air conditioning hose.

Qtv.

4

4

4

4

4

Included in Kit (various sizes)

- Bumped tube o-ring male swivels
- Bumped tube o-ring male ٠ swivel 90° tube elbows

Part Number

75708E-Z08

75710E-Z10

75712E-Z12

75706E-Z66

75708E-Z68

75710E-Z70

• Bumped tube o-ring female swivels

Qtv.

4

4

4

4

4

4

Part Number

75706E-Z87

75708E-Z89

75710E-Z91

75712E-Z91

75712E-Z93

75706E-Z06

- Bumped tube o-ring female swivel 90° tube elbows
- O-Ring Assortment
- Stackable sturdy steel case (18" x 12" x 3")

Part Number

ZW74706

ZW74708

ZW74710

ZW74712

Qty.

4

4

4

4

FF12139	
E-Z Clip Svstem [™]	



BL-456 Barb-Tite Fittings and Hose Assortment



The E-Z Clip System is designed for assembly with weatherhead multi-Refrigerant hose GH134. It's engineered connection exceeds SAE J2064 and has been vibration and impulse tested.

Note:

Part Number

10004B-102

10004B-104

10004B-304

10004B-305

10004B-605

10004B-604

10004B-A04

10004B-A05

10004B-B03

Part Number

75706E-Z47

75708E-Z49

75710E-Z51

75712E-Z51

75712E-Z53

The E-Z Clip System has been designed to work exclusively with Weatherhead GH134W Hose.

Making up an air line oil line transmission, or power steering return line? The BL-456 assortment puts Eaton Barb-Tite fittings and 1/4", 5/16", and 3/8" I.D. 350 psi maximum operating pressure H101 hose at your fingertips for quick and easy assembly. Simply push ends on hose, and you have a

Qtv.

4

4

4

4

4

4

4

4

4

Part Number

10004B-B04

10004B-B05

10004B-Y04

10005B-102

10005B-104

10005B-605

10005B-B05

10005B-B06

Kit Contents Components

Part Number	Description	Qty/Per Kit
1F40104-size	Clips	20 each size
1F40105-size	Cages	10 each size
FT1357	Assy. Tool	1
T-135	Hose Cutter	1
T-135B	Replacement Blade	1

Qtv.

4

4

4

4

4

4

hose assembly. No clamps required!

Measure the hose on top of the cabinet with the rule provided and then select the proper hose ends from the assortment in the two metal drawers. Within minutes the hose assembly is ready for installation.

Part Number

10005B-C02

10005B-C04

10005B-Y05

10006B-102

10006B-104

10006B-106

10006B-306

10006B-406

Size

Qtv.

4

4

4

4

4

4

4

4

15" wide 16-1/2" high 13-3/16" deep 16 compartments in each drawer

Part Number

10006B-606

10006B-B06

10006B-Y06

H10104

H10105

H10106

FS-500

BL-456X

Assembly Equipment

Qtv.

4

4

4

25'

25'

25'

1

1

Qtv.

4

4

4

4

4

4

4

4

N-51

Fleet Hose and Fitting Assortment



These assortments are ideal for servicing fleet accounts. The DOT-approved hose and fittings will enable the user to make up chamber

lines, connect to gladhand couplings, and provide routing for air brake lines. The general purpose H069 provides for fuel, oil, water, power steering, and transmission lines. A selfcontained assortment in a super cabinet, all set up for easy serviceability!

FA-100 • Fleet Hose and Fitting Assortment (with Cabinet) FA-100-CO • Fleet Hose and Fitting Assortment (Contents Only)

Number	Quantity	Number	Quantity	Part Number	Quantity
H06904	50'	24706N-106	5	33806-A	20
H06906	50'	24706N-406	5	33806-B	5
H06908	50'	24706N-604	5	33806B-Y06	5
H06910	50'	24706N-605	5	33806B-Y24	5
H16606	50'	24706N-606	5	33806B-Y26	2
H16608	50'	24706N-608	5	33806B-Y28	5
H33806	50'	24706N-756	5	33806B-Y34	5
24704N-102	5	24706N-B06	5	33806B-Y36	5
24704N-104	5	24708N-106	5	33806B-Y38	5
24704N-604	5	24708N-108	5	FH-15X	1
24704N-B04	5	24708N-406	5	HD-1X	1
24705N-104	5	24708N-608	5		
24705N-605	5	24710N-108	5		
24705N-B05	5	24710N-608	5		
24706N-104	5	24710N-610	2		

HA-574 **Fuel Hose Merchandiser**

Ν



Now you can make those custom hose assemblies in minutes for instant service on fuel and oil line replacements. The attractive HA-574 includes H057 hose in all popular sizes for low

pressure fuel, EEC and PCV lines. Weatherhead H057 low pressure fuel line hose has Nitrile inner tube, fiber braid reinforcement, and Hypalon cover for long life compatibility with gasohol,

leaded, and unleaded fuels. The HC-574X rack can be easily installed on pegboard, wall, or metal shelving with the included hardware.

Part Number	Quantity	Description
H05703	25'	Hose
H05704	25'	Hose
H05705	25'	Hose
H05706	25'	Hose
HC-574X	1	Rack + 4 Dowels

MA-100 • Metric Adapter Assortment

(with Cabinet)



The MA-100 is an ideal assortment to begin a metric adapter inventory. Offered are a variety of male British Standard Tapered Pipe (BSTP) and British Standard Parallel (BSPP) fittings in straight and 90° elbow configurations, sizes ranging from 1/8" through 1-1/4". Two male DIN (German metric) fittings adapt SAE fittings and hose ends to metric size tubing, and a third DIN fitting connects SAE fittings with metric female swivel adapters, sizes ranging from 6mm through 42mm. The C5165X metric sleeves adapt metric tubing used with standard JIC fittings. The MA-100 is supplied with cabinet for accurate and easy access to your metric fittings.

Replacement Drawers PD-49 (one drawer)

Replacement Dividers

PD-75 Set

MA-100 Contents

Part Number	Qty.	Part Number	Qty.	Part Number	Qty.	Part Number	Qty.	Part Number	Qty
7165X6MM	5	M9600X8X8	2	MB5315X20X20	2	MC5315X4X12	2	ML7105X15	5
7165X8MM	2	M9600X10X8	2	MB5515X4X4	5	MC5315X6X14	2	ML7105X18	5
7165X10MM	5	M9600X12X12	2	MB5515X6X4	5	MC5315X6X16	2	ML7105X22	5
7165X12MM	5	M9600X16X16	2	MB5515X6X6	5	MC5315X8X8	5	ML7105X28	5
7165X14MM	5	M9600X20X20	1	MB5515X8X6	5	MC5405X4X4	5		
7165X15MM	5	M9700X4X6	2	MB5515X8X8	5	MC5405X5X4	5		
7165X16MM	5	M9700X5X8	2	MB5515X10X12	5	MC5405X6X4	5		
7165X18MM	5	M9700X6X10	2	MB5515X12X12	5	MC5405X6X6	5		
7165X20MM	5	M9700X8X12	2	MB5515X16X16	2	MC5405X8X6	5		
7165X22MM	5	M9700X10X14	2	MB5515X20X20	2	MC5405X8X8	5		
7165X25MM	5	M9700X12X20	2	MC5205X10X8	5	MC5405X10X12	5		
7165X28MM	5	M9700X16X25	2	MC5205X12X12	5	MC5405X12X12	5		
7165X30MM	5	M9700X20X32	1	MC5205X8X8	5	MC5405X16X16	2		
C5165X4X6MM	5	M9800X4X4	2	MC5206X4X6	2	MC5405X20X20	2		
C5165X5X8MM	5	M9800X5X4	2	MC5206X6X8	2	MC5515X10X20	2		
C5165X6X10MM	5	M9800X6X4	2	MC5206X8X10	2	MC5515X12X22	2		
C5165X8X12MM	5	M9800X8X4	2	MC5206X8X12	2	MC5515X12X27	2		
C5165X10X14MM	5	M9800X8X6	2	MC5206X10X15	2	MC5515X16X33	1		
C5165X10X15MM	5	M9800X8X8	2	MC5206X12X18	2	MC5515X4X12	2		
C5165X10X16MM	5	M9800X10X8	2	MC5207X4X6	2	MC5515X6X14	2		
C5165X12X18MM	5	M9800X12X12	2	MC5207X6X10	2	MC5515X6X16	2		
C5165X14X20MM	5	M9800X12X8	2	MC5207X6X8	2	MC5515X8X18	2		
C5165X16X25MM	5	M9800X16X12	2	MC5207X8X12	2	MH7105X6	5		
C5165X20X30MM	5	M9800X16X16	2	MC5207X10X15	2	MH7105X8	5		
C5165X20X32MM	5	M9800X20X20	1	MC5207X12X18	2	MH7105X10	5		
C-5X	1	MB5315X4X2	5	MC5208X10X14	2	MH7105X12	5		
C-63X	1	MB5315X4X4	5	MC5208X12X16	2	MH7105X14	5		
CL-502	1	MB5315X5X4	5	MC5208X6X6	2	MH7105X16	5		
FT1341	1	MB5315X6X4	5	MC5208X8X10	2	MH7105X20	5		
M5515X5X4	5	MB5315X6X6	5	MC5315X10X20	2	MH7105X25	5		
M9600X4X4	2	MB5315X8X18	2	MC5315X12X22	2	MH7105X30	5		
M9600X5X4	2	MB5315X8X6	5	MC5315X12X27	2	ML7105X6	5		
M9600X6X4	2	MB5315X10X12	5	MC5315X16X33	2	ML7105X8	5		
M9600X6X6	2	MB5315X12X12	5	MC5315X20X42	1	ML7105X10	5		
M9600X8X6	2	MB5315X16X16	2	MC5315X4X10	2	ML7105X12	5		

MA-200 • Metric Hose End Assortment

(with Cabinet)

	WEATH	ERHEAD	
		1-	
	-1-	-	-
-	1	1	_

The MA-200 hose end assortment offers an excellent introductory stock of metric hose ends. Coverage includes 'U' Series British Standard Tapered Pipe (BSPT) and British Standard Parallel Pipe (BSPP) in male straight, and female swivel in

straight and 90° tube elbow connections, swivels, and split flange ends for Komatsu and Link Belt applications and DIN standpipe hose ends in light and heavy series. One FH-15X stock cabinet is supplied for storage.

MA-200 Contents

IVIA-200	Content	S			otraight, a				
Part Number	Qty.	Part Number	Qty.	Part Number	Qty.	Part Number	Qty.	Part Number	Qty.
04U-14K	2	06U-76P	2	12U-162	2	16U-P66	2	MH7105X14	2
04U-154	5	08U-158	5	12U-30K	2	7165X8MM	5	MH7105X16	2
04U-354	5	08U-22K	2	12U-362	2	7165X10MM	4	MH7105X20	2
04U-38T	2	08U-358	5	12U-52T	2	7165X12MM	2	MH7105X25	2
04U-40T	2	08U-360	5	12U-55T	2	7165X14MM	2	MH7105X30	1
04U-P54	5	08U-45T	2	12U-G12	2	7165X15MM	2	ML7105X8	2
04U-74P	2	08U-46T	2	12U-G42	2	7165X16MM	2	ML7105X10	2
06U-156	5	08U-P56	2	12U-P62	2	7165X18MM	2	ML7105X12	2
06U-18K	2	08U-P58	2	12U-82P	2	7165X20MM	2	ML7105X15	2
06U-356	5	08U-78P	2	16U-166	2	7165X22MM	2	ML7105X18	2
06U-358	2	08U-80P	5	16U-33K	2	7165X25MM	2	ML7105X22	2
06U-40T	2	10U-24K	2	16U-366	2	7165X28MM	2	ML7105X28	2
06U-42T	2	10U-48T	2	16U-58T	2	7165X30MM	1	FH-15X	2
06U-44T	2	10U-50T	2	16U-60T	1	MH7105X8	2	FS-2500	1
06U-P56	2	10U-G09	2	16U-G16	2	MH7105X10	2		
06U-P58	2	10U-G69	2	16U-G46	2	MH7105X12	2		

FA-15 Portable Coll-O-Crimp Assortment

FA-15 Contents

(with Cabinet)



This portable assortment includes everything you need to service your hydraulic hose needs on the job site. Three sizes of 2 wire hose plus a variety of hose ends and adapters and a crimping system that requires no electrical power source makes this assortment the ultimate for field repairs. A 15-drawer cabinet is included for storage. Also available are assortments with a cut-off saw or less the equipment.

FA-15

Includes contents listed below.

FA-15-CO

Includes contents listed below less equipment and cabinet.

FA-15-NH

Includes contents listed below less hose.

Part Number	Qty.	Part Number	Qty.	Part Number	Qty.	Part Number	Qty	Part Number	Qty.
04U-102	5	06U-406	5	06U-J06	5	08U-612	5	9405X8X8	5
04U-104	10	06U-506	5	06U-J08	5	08U-668	5	FH-15X	1
04U-106	5	06U-508	5	06U-P08	5	08U-J08	5	H42504	50'
04U-604	10	06U-606	10	08U-106	5	08U-P08	5	H42506	50'
04U-605	5	06U-608	5	08U-108	10	08U-P10	5	H42508	50'
04U-606	5	06U-666	5	08U-112	5	9205X2X2	5	T-465-HPU	1
04U-B04	5	06U-668	5	08U-508	5	9205X4X4	5	FS-1100	1
04U-J04	5	06U-755	5	08U-510	5	9205X6X6	5	FS-100	1
06U-104	10	06U-756	5	08U-512	5	9205X8X8	5		
06U-106	10	06U-B06	5	08U-608	10	9405X4X4	5		
06U-108	5	06U-B66	5	08U-610	5	9405X6X6	5		

Ν

FA-135 Coll-O-Crimp I Assortment

(with Cabinet)



This assortment includes everything you need to start servicing hydraulic hose applications in your own shop. Five sizes of 2 wire hose along with a variety of hose ends and adapters gives you the versatility you need. In addition there is hose for power steering applications and a cabinet for storage. Also available are assortments with a cut-off saw or less the equipment.

FA-135

Includes contents listed below.

FA-135-CO

Includes contents listed below less equipment and cabinet.

FA-135-NH

Includes contents listed below less hose.

FA-135-10B

Includes contents listed below plus T-10B Saw.

FA-135 Contents

Part Number	Qty.	Part Number	Qty.	Part Number	Qty.
04U-102	5	06U-J08	5	12U-P12	5
04U-104	10	06U-P06	5	16U-116	5
04U-106	5	06U-P08	5	16U-516	2
04U-504	5	08U-058	5	16U-616	5
04U-505	5	08U-106	5	16U-676	1
04U-506	5	08U-108	10	16U-J16	1
04U-604	10	08U-112	5	41157X6	5
04U-605	5	08U-208	2	9205X2X2	5
04U-606	5	08U-508	5	9205X4X4	5
04U-664	5	08U-510	5	9205X6X6	5
04U-B04	5	08U-512	5	9205X6X8	5
04U-J04	5	08U-608	10	9205X8X6	5
06U-104	10	08U-610	5	9205X8X8	5
D6U-106	10	08U-612	5	9405X4X4	5
D6U-108	5	08U-668	5	9405X6X6	5
D6U-206	5	08U-670	5	9405X8X8	5
D6U-406	5	08U-758	5	9405X12X12	2
06U-446	5	08U-760	5	C5205X4X4	2
06U-506	5	08U-J08	5	C5205X6	4
D6U-508	5	08U-P08	5	C5205X6X6	4
06U-606	10	08U-P10	5	C5205X8	4
D6U-608	5	08U-R70	5	C5205X10	2
06U-610	5	12U-112	10	FH-135X	1
06U-666	5	12U-116	2	FS-1100	1
D6U-668	5	12U-412	5	FS-100	1
06U-686	5	12U-512	5	FS-200	1
06U-755	5	12U-514	2	H32406	50'
06U-756	5	12U-516	2	H42504	50'
06U-B05	5	12U-610	5	H42506	50'
06U-B06	5	12U-612	10	H42508	50'
06U-B46	5	12U-614	5	H42512	50'
06U-B66	5	12U-616	2	H42516	50'
06U-J04	5	12U-672	2	T-401	1
06U-J06	5	12U-J12	5		

CA-50 Coll-O-Crimp Super I Assortment

(with Cabinet)



The CA-50 assortment includes everything you need to service your larger hydraulic applications. Five sizes of 2 wire hose and four sizes of 4 wire hose combined with a variety of hose ends and adapters gives you the coverage you need. Included with this assortment is a 40-drawer cabinet for mounting your press and storage. Also available are assortments with a cut-off saw or less the equipment.

CA-50

Includes contents listed below.

CA-50-CO

Includes contents listed below less equipment and cabinet.

CA-50-NH

Includes contents listed below less hose.


CA-50-60A

Includes contents listed below plus T-60A Saw.

CA-50 Contents

Catalog Number	Qty.	Catalog Number	Qty.	Catalog Number	Qty.	Catalog Number	Qty.
04U-102	5	08U-510	5	43012U-112	2	C5165X6	10
04U-104	10	08U-512	5	43012U-612	2	C5165X8	10
04U-106	5	08U-608	10	3012U-G12	1	C5165X12	5
04U-504	5	08U-610	5	43012U-G42	1	C5205X4	4
04U-506	5	08U-612	5	43012U-G72	1	C5205X4X4	2
04U-604	10	08U-668	5	43016U-116	2	C5205X6	4
04U-605	5	08U-670	5	43016U-616	2	C5205X6X6	4
04U-606	5	08U-688	5	43016U-G16	1	C5205X8	4
04U-664	5	08U-758	5	43016U-G46	1	C5205X8X8	4
04U-B04	5	08U-760	5	43016U-G76	1	C5205X10	2
04U-J04	5	80L-J08	5	43020U-120	1	C5205X12	2
06U-104	10	08U-P08	5	43020U-620	1	C5205X16	1
06U-106	10	08U-P10	5	43020U-G20	1	C5315X8	1
06U-108	5	12U-112	10	43020U-G50	1	C5405X6	2
06U-406	5	12U-116	2	43020U-G80	1	C5405X6X6	2
06U-506	5	12U-412	5	9205X2X2	5	C5405X8	2
06U-508	5	12U-512	5	9205X4X4	5	C5405X8X8	2
06U-604	5	12U-610	5	9205X6X6	5	C5405X10	1
06U-606	10	12U-612	10	9205X6X8	5	C5515X8	1
06U-608	5	12U-614	5	9205X8X6	5	H24504	50'
06U-610	5	12U-616	2	9205X8X8	5	H24506	50'
06U-666	5	12U-672	2	9205X12X12	2	H24508	50'
06U-668	5	12U-692	2	9205X16X16	1	H24512	50'
06U-755	5	12U-J12	5	9405X4X4	5	H24516	50'
06U-756	5	16U-116	5	9405X6X6	5	H43008	50'
06U-B06	5	16U-516	2	9405X8X8	5	H43012	50'
06U-B66	5	16U-616	5	9405X12X12	2	H43016	50'
06U-J06	5	16U-676	1	9405X16X16	1	H43020	50'
06U-J08	5	16U-J16	1	C-40X	1	T-420-N	1
06U-P08	5	43008U-108	2	C5105X4	2	FS-1100	1
08U-106	5	43008U-608	2	C5105X6	2	FS-100	1
08U-108	10	43008U-G08	1	C5105X8	2	FS-200	1
08U-112	5	43008U-G41	1	C5105X12	1	FS-3100	1
08U-508	5	43008U-G71	1	C5165X4	10		

FT1341 Thread Measuring Kit



Measuring tube and pipe fitting threads can be a most difficult task if not completely understood. Tools needed include a thread pitch gauge, calipers and seat angle gauges. To aid you, Eaton has a kit to fit your needs; the FT1341 thread measuring kit.

This handy kit includes:

- Thread pitch gauge (Imperial and metric)
- Inside/outside caliper (inches and millimeters)
- 2 seat angle gauges (37°/45° and a 12°/30°)
- How to identify fluid ports and connectors bulletin
- Carrying case for easy convenient and storage

Weight: .5 lb.

TA-1004 Metric Thread Identification Kit



Contained in a durable steel carrying case, TA-1004 will help you with identification of metric, British pipe, and JIS thread configurations. Identification pieces are configured for 20 metric and 8 British pipe sizes.

This handy kit includes:

- Steel carrying case
- Stainless steel caliper
- Metric and british thread pitch gauges
- British thread measuring templates (4 measuring 8 sizes) made of durable aircraft grade aluminum
- Metric Thread Measuring Templates (10 measuring 20 sizes) made of durable aircraft grade aluminum
- Kit content identification chart

SS-85 • Standard Brass **Fittings Assortment**



Instant service for service stations, car dealers, and repair shops. Contains 85 of the fastest moving Weatherhead brass fittings.

Compact, lightweight plastic box stores easily in a drawer, shelf or service truck. Saves you time and money by having the right fitting when it is needed. Eliminates searching and make-shift repairs by giving you the right part when you need it most.

Size

11" wide, 1-3/4" high, 6-3/4" deep.

Weight 3-1/4 lbs.

SS-86 • Compression **Fittings Assortment**



Assortment contains 80 of the fastest moving compression fittings.


Size

11" wide, 1-3/4" high, 6-3/4" deep.

Weight 3-1/2 lbs.

Number	Qty.
105x3	5
105x4	5
105x5	10
202x4	5
202x5	5
3151x2	2
3220x4x2	5
3300x2	5
402x4	2
60x3	5
60x4	10

Part



Part Number	Qty.	Part Number
60x3	5	62x4
60x4	10	62x5
60x5	5	62x6
60x6	5	68x3
61x3	5	68x4
61x4	5	68x5
61x5	5	69x3
61x6	5	69x4
62x3	5	69x5
		BF-40X

Part		
Number	Qty.	
62x4	5	
62x5	5	
62x6	2	
68x3	2	
68x4	5	
68x5	2	
69x3	2	
69x4	5	
69x5	2	
BF-40X	1	

SS-87 • Inverted Flare Assortment

14 119

(AL)

the fastest moving inverted fittings.

Size

11" wide, 1-3/4" high, 6-3/4" deep.

Assortment contains 84 of

Weight

3-1/2 lbs.

Part Number	Qty.	
105x3	5	
105x4	5	
105x5	5	
105x6	5	
202x3	5	
202x4	5	
202x5	5	
202x6	2	
302x3	5	

Part Number	Qty.
302x4	5
302x5	5
302x6	2
402x3	5
402x4	5
402x5	5
402x6	5
7896x3	5
7896x4	5
BF-40X	1

SS-88 • Brass Pipe Assortment



Assortment contains 59 of the fastest moving brass pipe fittings.

Size

11" wide, 1-3/4" high, 6-3/4" deep.

Weight 3-1/2 lbs.

Part Number	Qty.	Part Numbe
3152x2	5	3326x6
3152x4	5	3350x2
3152x6	2	3350x4
3220x4x2	2	3350x6
3220x6x4	2	3400x2
3300x2	5	3400x4
3300x4	2	3400x6
3326x2	5	3500x2
3326x4	5	3500x4

Qty. er 2 5 4 2 5 2 2 2 2 1 BF-40X

BF-40 • Hydraulic Brake **Fittings Assortment**



The BF-40 assortment of fast moving hydraulic brake fittings is a must for any shop doing brake service work. Contains the adapters needed to convert large size ports in master cylinders to accept standard steel brake lines plus the brass tees used in the installation of electric towed trailer brakes.

Assortment is organized in a compact, handy plastic box for easy selection.

Size

1" wide, 1-3/4" high, 6-3/4" deep.

Weight

4 lbs. (approx.)

BF-41 • Hydraulic Brake Line Adapter Assortment



The BF-41 assortment contains the adapters needed to convert the oversize master cylinder ports to accept the inverted flare nut used on standard replacement steel brake lines. The adapters eliminate the need to cut line, install oversize nut and double flare tubing as well as converting the port to standard size threads for the life of the car. Extra standard nuts and the unions needed to connect two steel brake lines when a non-standard length is required are also included in the assortment. The contents including the illustrations of parts are shown on the inside cover of the box.

Part Number	Qty.	Part Number	Qty
7818	2	7906	2
7828	2	7908	2
7829	2	7910	2
7897	2	7911	2
7898	2	7912	2
7900	2	7913	2
7901	2	7914	2
7904	2	7917	2
7905	2	7933	2

BF-40X

Part

Size	
11" wide, 1-3/4" high, 6-3/4"	
deep.	
Weight	

	- cig	
4	lbs.	(approx.)

Number	Qty.
105x3	10
105x4	10
105x5	10
105x6	5
105x6x7	2
302x3	5
302x4	5
302x5	5
302x6	2
7818	2
7828	2
7829	2
7896x3	5
7896x4	5
7897	2
7908	2
7917	2
BF-40X	1

BF-42 • RV Brake Line Adapter Assortment



The BF-42 assortment contains the adapter tees required to install the control switch used to coordinate the electric trailer brakes with the hydraulic brakes on towing vehicle. The assortment also contains inverted brake line nuts and unions needed to make up non-standard steel brake line lengths.

Size

11" wide, 1-3/4" high, 6-3/4" deep.

Weight 4 lbs.

Part Number	Qty.	
105x3	10	
105x4	10	
105x5	10	
105x6	5	
105x6x7	2	
302x3	5	
302x4	5	
302x5	5	
7898	1	

Part	
Number	Qty.
7900	1
7901	1
7904	1
7905	1
7906	1
7914	1
7921	1
7933	1
BF-40X	1

BF-43 • Metric Adapter and **Tee Assortment**



The BF-43 assortment contains metric thread connectors to adapt the three port sizes in late model GM cars to use a steel brake line with metric threads (M10x1.0) and standard flare (Weatherhead J series). Included as well are metric adapters to convert European Bubble flare type ports to accept standard 3/16" U.S. steel brake lines, and metric towed trailer brake tees used in controls of electric trailer brakes. The 3/16" unions are used for joining metric and U.S. steel brake lines to make up non-standard lengths.

Size

11" wide, 1-3/4" high, 6-3/4" deep.

Weight

4 lbs. (approx.)

Part	
Number	Qty.
105x3	10
105x4	5
1442	5
1443	5
302x3	5
7921	1
7934A	5
7935	1
7936	1

Part		
Number	Qty.	
7937	1	
7940	5	
7941	5	
7896x3	5	
7896x4	5	
BF-40X	1	

DC-121 • Plastic Drain Cock Assortment



This kit can address all your plastic drain cock needs with a full assortment of Weatherhead domestic and offshore drain cocks. This kit comes complete with a plastic box and a label with part number and application information.

Part Number	Qty.	
110	2	
111	2	
112	2	
113	2	
114	2	
115	2	
116	2	
117	2	
135	2	
145	2	

PC-48 • Push Connect Fittings Assortment

- 1980	/eath	Timette	1.000
And and a second se	Transit I	- United in	The second
-		-	1
C. Trans.	- Incare	- Million	-

Weatherhead PUSH > CONNECT fittings are designed for quick assembly without the need for a wrench. Ideal for pneumatic applications where space is tight. Then fittings are also easily disconnected; simply depress the collet ring with two fingers and withdraw the tube. The PC-48 provides the 48 most popular PUSH > CONNECT fittings in a compact, handy plastic box to make your assortment organized and accessible.

Part		Part	
Number	Qty.	Number	Qty.
1162x2	5	1168x6	5
1162x4	5	1168x6x6	5
1162x6	5	1168x6x8	2
1164x2.5	5	1168x8	5
1164x4	5	1168x8x8	2
1164x6	5	1169x2.5S	5
1164x8	2	1169x2S	5
1165x2.5	5	1169x2x4S	5
1165x4	5	1169x4S	5
1165x6	5	1169x4x4S	5
1165x8	2	1169x4x6S	5
1166x4	5	1169x6S	5
1166x4x4	5	1169x6x6S	5
1166x6	5	1169x8S	2
1166x6x6	2	1169x8x4S	2
1168x2	2	1171x4S	5
1168x2.5	5	1171x4x4S	5
1168x2.5A	5	1171x6S	5
1168x2.5x4	5	1172x4S	5
1168x2x4	5	1172x4x4S	5
1168x4	5	1174x2	5
1168x4A	5	1174x4	5
1168x4x4	5	CL-499	1
1168x4x6	5	FC-16X	1
1168x5	5		
1168x5x4	5		

BA-84 • Steel Brake Line Assortment



The BA-84 attractive lobby merchandiser displays domestic as well as import car (British, European, and Japanese) steel brake lines. The BA-84 puts brake lines where users can make fast and easy selection from a complete inventory protected by sturdy cardboard colorcoded tubes.

The corrosion- and vibrationresistant double wall steel brake lines are easily formed into the configurations you need without kinking. Longer or non-standard lengths can be made up by joining two lines with a Weatherhead union of the proper thread size.

The BA-84 includes all sizes of the 3/16", 1/4" and 5/16" Weatherhead steel brake lines for domestic cars and trucks plus a sturdy steel rack. Order the SB series (Jaguar, M.G., Triumph), SC series (BMW, Mercedes, Peugeot, Porsche, Volkswagen), SJ series (Mazda, Nissan, Toyota) and Weatherhead import car steel brake lines and unions from listings in brake line section of this catalog. See page 431.

Increase your sales— Organize your inventory— Make selections easy— Discover the results of putting this proven money maker to work for you— Install a BA-84.

Part Length	Number	Qty.
3/16" LINES		
6"	S306	4
8"	S308	4
12"	S312	4
20"	S320	4
30"	S330	4
40"	S340	4
51"	S351	4
60"	S360	4
72"	S372	4
1/4" LINES		
12"	S412	4
20"	S420	4
30"	S430	4
40"	S440	4
51"	S451	4
60"	S460	4
5/16" LINES		
12"	S512	4
20"	S520	4
30"	S530	4
40"	S540	4
51"	S551	4
60"	S560	4
Rack	BA-84X	1



BA-24 • Steel Brake Line Assortment

The BA-24 assortment includes an assortment of 5/16" steel brake lines and a rack for wall or bin installation. The multi-walled corrosion-resistant tubing can be easily formed for time saving installation.

BA-28 • Steel Brake Line Assortment

BA-28 contains 3/16" easy to form, anti-corrosive, multi-walled steel brake lines for Japanese vehicles. The SJ lines with 10–1.0mm threads (standard flare) can be joined

BA-38 • Steel Brake Line Assortment

BA-38 contains six different lengths made of 3/8" anticorrosive non-standard multi-walled, easily formed, steel tubing with inverted flare nuts attached. All lines have color-coded label for

BA-48 • Steel Brake Line Assortment

BA-48 contains the most popular steel brake lines and an easy to install rack. The 3/16" and 1/4" steel brake lines are available in six different lengths. Each steel brake line has a standard inverted flare nut on one end and a long thread inverted flare nut on the other end for better sealing. Easy to

BA-56 • Steel Brake Line Assortment

BA-56 contains 3/16" easy to form, anti-corrosive, multiwalled steel brake lines for British and European cars. The SB lines with 3/8-24 threads (Bubble Flare) can be joined to form longer lines by using the 7940 metric union. SC lines with 10X1.0mm threads (Bubble Flare) can be joined with the 7941 metric union. The handy wall rack is included.

Weight

10 lbs.

All lines have color-coded label attached for easy identification. Non-standard lengths can be made up by joining two standard lengths with a 302x5 union.

Weight 6 lbs

to form longer lines by using the 7934A Japanese metric union. The handy wall rack is included.

Weight 6 lbs

easy identification. Nonstandard length lines may be fabricated by joining two 3/8" steel lines with a 302x6 union.

Weight 8 lbs.

form, multi-walled steel tubing resists corrosion and vibration.

Non-standard length lines may be fabricated by joining two 3/16" lines with a 302x3 and two 1/4" lines with a 302x4.

Weight

10-1/2 lbs.

Length	Part Number	Qty.
British 3/8	-24 Thread	
8"	SB308	4
12"	SB312	4
20"	SB320	4
30"	SB330	4
40"	SB340	4
51"	SB351	4
60"	SB360	4

Part Number	Qty.
S512	4
S520	4
S530	4
S540	4
S551	4
S560	4
BA-24X	1
	Number S512 S520 S530 S540 S551 S550

Length	Part Number	Qty.
3"	SJ308	4
12"	SJ312	4
20"	SJ320	4
30"	SJ330	4
40"	SJ340	4
51"	SJ351	4
60"	SJ360	4
Rack	BA-28X	1

l

8

P F


Part Number	Qty.
S612	4
S620	4
S630	4
S640	4
S651	4
S660	4
BA-38X	1
	Number S612 S620 S630 S640 S651 S660

Length	Part Number	Qty.
3/16" LINES		
12"	S312	4
20"	S320	4
30"	S330	4
40"	S340	4
51"	S351	4
60"	S360	4
1/4" LINES		
12"	S412	4
20"	S420	4
30"	S430	4
40"	S440	4
51"	S451	4
60"	S460	4
Rack	BA-48X	1

Length	Part Number	Qty.	
European 10-1.0mm Thread			
8"	SC308	4	
12"	SC312	4	
20"	SC320	4	
30"	SC330	4	
40"	SC340	4	
51"	SC351	4	
60"	SC360	4	
Rack	BA-56X	1	

Ν





AB-1400 • Air Brake Fittings Assortment

The AB-1400 contains DOT approved brass air brake fittings for servicing nylon brake and secondary air lines. Selecting the proper fittings from the 63-drawer cabinet included with the assortment is easy. Clear, wide plastic drawers with color-coded labels make identification of shapes and sizes quick and simple. Order Weatherhead NT100 nylon air brake tubing to complete your nylon air brake line service center.

Part Number	Qty.
1460x4	10
1460x6	20
1460x8	10
1460x10	10
1460x12	10
1461x4	5
1461x6	10
1461x8	5
1461x10	5
1461x12	5
1462x4	5
1462x6	10
1462x8	5
1462x10	4
1462x12	2
1464x6	5
1464x8	5
1466x6	5
1466x6x6	5
1466x8	5
1468x4	5
1468x4x4	5
1468x6	10
1468x6x2	5
1468x8	5
1468x10	5
1468x12	4
1469x4	5

Part	
Number	Qty.
1469x4x4	5
1469x6	10
1469x6L	5
1469x6x2	5
1469x6x6	5
1469x8	5
1469x8x4	5
1469x10	5
1469x10x6	4
1469x12	4
1471x4	5
1471x6	5
1472x6	5
1472x8	5
1480x6	5
1480x6x6	5
1480x8	5
1480x10	4
1484x4	20
1484x6	20
1484x8	20
1484x10	10
1484x12	10
C-63X	1
CL-497	1

Dout

Assembly Equipment

AB-140 • 1400 Series Air Brake Fittings Assortment

		d
rates and	and the second second	
1921	1400	1 144094
Laser In	19805	1991
he	- Participant	
	1911	Land Transfer

This assortment of 1/4", 3/8", and 1/2" air brake fittings designed for use with NT100 nylon air brake tubing provides the coverage needed for service work by fleets, repair shops, and farm implement dealers. The DOT-approved air brake fittings are easily selected from the cabinet with 16 plastic drawers and colorcoded labels included in the assortment.

Part Number	Qty.
1460x4	20
1460x6	20
1460x8	20
1461x4	10
1461x6	10
1461x8	5
1462x4	5
1462x6	10
1462x8	4
1468x4	10
1468x6	10
1468x8	5
1469x4	5

5

Part Number	Qty.
1469x8	5
1484x4	20
1484x6	20
1484x8	20
145	10
CL-16-3	1
FC-16X	1
W15310	5

1469x6

QC-18



Designed as a glove box sized emergency repair kit, the QC-18 assortment contains Q-CAB[®] tube unions in 5/32", 1/4", 3/8", and 1/2" sizes, also included is a T-191 tubing cutter. The contents are contained in a convenient carrying case measuring 1-1/4" x 3-3/4" x 7".

Component Part No. 1862x2.5

1802X2.0	Z
1862x4	2
1862x6	2
1862x8	2
T-191	1
QC-18X	1

Qty.

QC-180



The QC180 contains tube unions, male connectors, swivel male 45° elbow, male 90° elbows, and repair kits in popular 1/4", 3/8", and 1/2" tube sizes designed for DOT Truck and Trailer Air Brake System needs (see complete listing at right in table). The Q-CAB[®] fittings are field proven with over millions of miles of leak free performance. Their design can save up to 75 percent of the assembly time over conventional compression fittings. These fittings are contained in a case measuring 1-3/4" × 6-3/4" × 1-3/4".

Component Part No.	Qty.
1869x6x6	2
1862x4	2
1869x8x8	1
1862x6	2
1880x4x4	2
1862x8	2
1880x6x6	2
1868x2.5	2
1880x8x8	1
1868x3	2
1800Kx4	2
1868x4x4	2
1800Kx6	2

Component Part No.	Qty.
1868x6x6	2
1800Kx8	2
1868x8x8	2
1800TRK	1
1869x4x4	2
BF-40X	1

QC-1800



This assortment contains a solid inventory of popular Weatherhead Q-CAB® fittings designed for DOT Truck and Trailer Air Brake System needs (see complete listing at right in table). The Q-CAB® fittings are field proven with over millions of of leak free performance. Their design can save up to 75 percent of the assembly time over conventional compression fittings.

Component Part No.	Qty.	Component Part No.	Qty.
1800Kx2.5	4	1800Kx12	2
1862x10	2	1868x6	5
1868x12	2	1869x10	2
1874x6x6	1	1880x12	2
1800Kx3	4	1862x2.5	2
1868x2.5x1	5	1868x6x6	5
1869x4	5	1869x4S	5
1874x8x8	1	1800T	1
1800Kx4	4	1862x3	5
1868x2.5	5	1868x8	5
1869x4x4	5	1869x4x4S	5
1880x4x4	5	CL-503	1
1800Kx6	4	1862x4	5
1868x3	5	1868x8x8	5
1869x6	5	1869x6S	5
1880x6x6	5	FC-16X	1
1800Kx8	4	1862x6	5
1868x4	5	1868x10x6	2
1869x8	5	1869x8S	5
1880x8x8	5	T-191	1
1800Kx10 1868x4x4 1869x8x8 1880x10	2 5 5 2	1862x8 1868x10 1874x4x4	5 2 1

Assembly Equipment

AB-45 • Air Brake Fittings Assortment



This assortment of draincocks, shutoffs, and air brake fittings for use with 1/4", 3/8", and 1/2" copper tubing is a must for jobbers and fleet service shops. Provides excellent coverage for air brake tube and hose service requirements. The large plastic drawers and the illustrated labels for the 15 drawer cabinet included in the assortment make positive part selection simple and quick.

Part Number	Qty.
1360x6	20
1360x8	20
1360x10	10
1360x12	10
1361x6	20
1361x8	5
1361x10	5
1362x4	5
1362x6	10
1362x8	5
1362x10	5
1368x6	10
1368x6x2	5
1368x6x6	5
1368x8	5
1368x10	5
1369x4x4	5
1369x6	10
1369x8	5
1380x6	5
1390x6	5
1391x6	5
145	10

Part	
Number	Qty.
33806-A	20
33806-B	5
33806B-Y06	2
33806B-Y24	5
33806B-Y28	5
33806B-Y34	5
33806B-Y38	5
6707	1
6708	1
6709	1
6747	1
6748	1
6749	1
FH-15X	1
FS-800	1
W05465	5
W14630	10
W15310	5
W76150	5
W79850	3
W79851	3

SA-1 • Secondary Air Systems Kit



Ideal for fleet repair shops, truck dealers, garages and truck stops. SA-1 contains an assortment of popular 1/8" and 1/4" brass fittings plus 200' of Weatherhead NT100 SAE J844 Nylon tubing. The 1/8" fittings are Weatherhead SELFALIGN[®] and 1/4" fittings are Weatherhead 1400 series air brake. The sturdy box keeps the tubing and fittings together for quick and easy servicing of the tubing used on shifters, PTO's, wipers, horns, remote air, instrumentation, etc. All of the parts are organized at your finger tips. The SA-1 is a must for all vehicle air system maintenance facilities.

Size

15" wide, 3-1/2" high, 14-1/2" deep.

Part Number	Qty.	Part Number
1460x4	10	611x2
1461x4	5	621x2
1462x4	2	661x2
1464x4	1	681x2
1468x4	2	681x2x1
1468x4x1	2	691x2
1468x4x4	2	691x2x1
1469x4	2	BF-40X
1469x4x4	2	NT10002
1484x4	5	NT10004
601x2	10	

Part Number	Qty.
611x2	5
621x2	2
661x2	2
681x2	2
681x2x1	2
691x2	2
691x2x1	2
BF-40X	1
NT10002BK-100	100'
NT10004BK-100	100'

SA-2 • Secondary Air Systems Kit



The SA-2 assortment enables you to supply fleets and dealers with fittings and tubing for 1/4" and 3/8" O.D. air brake applications. 1/8" O.D. tubing and fittings are also supplied for applications such as transmission shifter, air horn, gauge and flat adjustment. A cabinet is also supplied for easy storage on shelves and bench tops.

Part Number	Qty.	Part Number	Qty.
1460x4	10	1468x6x2	5
1460x6	20	1468x6x6	5
1461x4	5	1468x6x8	5
1461x6	10	1469x4	5
1462x4	5	1469x4x4	5
1462x6	10	1469x6	10
1464x4	2	1469x6x6	5
1464x6	2	601x2	10
1466x6	5	611x2	10
1468x4	5	621x2	5
1468x4x4	5	661x2	5
1468x4x6	2	681x2	5
1472x4	5	681x2x1	2
1472x6	5	691x2	5
1472x6x6x6	5	691x2x1	2
1484x4	10	BL-456-X	1
1484x6	10	FS-SA-2	1
1485x4	10	NT10002BK-100	100'
1485x6	10	NT10004BK-100	100'
1468x6	10	NT10006BK-100	100'

Equipment - Cabinets

Cabinets

C-40X Stock Cabinet



FH-135X Stock Cabinet



FH-15X Stock Cabinet



hose ends and adapters. The rugged FH-15X Cabinet contains 15 plastic drawers for stocking hose ends and adapters.

Here is the ideal way to

organize your inventory of

Assembly Equipment

Ν

FH-40X

Stock Cabinet



Provides convenient storage areas for those large size fittings and hose ends. This durable 20 guage steel cabinet is made to handle abuse.

Drawers

PD-40 (one drawer)

Dividers PD-20 (individual)

Size 46-1/2" high, 40" wide, 26" deep at base, 18" deep at top

Weight 228 lbs.

The sturdy FH-135X Cabinet contains 50 heavy-duty plastic drawers that can be divided into one, two, or three compartments allowing you ample space for a large selection of Coll-O-Crimp hose ends and adapters. Ideal for mounting the Coll-O-Crimp I Press and Pump.

Ideal for mounting the T-400-1

Pump or T-420-1 Coll-O-Crimp

Coll-O-Crimp I Press and

Super I. The sturdy C-40X

Cabinet contains 40 heavy-

be divided into one, two,

ends and adapters.

duty plastic drawers that can

three, or four compartments providing space for a large

selection of Coll-O-Crimp hose

Drawers

PD-95 (one drawer)

Dividers PD-15 (individual)

Size 46-1/2" high, 33" wide, 14-1/2" deep

Weight 115 lbs.

Drawers PD-95 (one drawer) Dividers (individual)

PD-15 Size

13-5/8" high, 14-3/8" deep, 30-1/4" wide

Weight 45 lbs.

Size

35" wide, 42" high, 12" deep


Weight 200 lbs.

Note: Will not support Weatherhead Coll-O-Crimp equipment.

Equipment - Cabinets

Cabinets

FH-72X Stock Cabinet



Large capacity all-welded cabinet provides 72 storage compartments. Fabricated from 20 guage steel, the FH-72X will provide years of continued service.

Size

35" wide, 42" high, 12" deep

Weight 200 lbs.

Note: Will not support Weatherhead Coll-O-Crimp equipment.

C-5X Stock Cabinet



This mini-cabinet is designed to contain your oversized Weatherhead hose ends which may not currently have an organized home.

Size

30" wide, 5-7/8" high, 9-5/16" deep

Weight 10 lbs.

TC-20 Collet Cabinet



The TC-20 Cabinet provides you easy access to all of your tooling needs. There is ample space for collets, spacer rings, and related Coll-O-Crimp tooling. Size 28-1/2" high, 26-1/2" wide, 12-3/4" deep

Weight 37-1/2 lbs.

HD-1X Hose Cabinet



The HD-1X Cabinet offers you the ideal solution for keeping 50 foot lengths of hose off your floor. Vertical slots in the cabinet keep your hoses organized and clean. Consider bolting an FH-15X Stocking Cabinet on top of the HD-1X to keep an inventory of hose ends readily available.

Size

36" high, 24" deep, 31" wide

Weight

83 lbs.

Equipment - Cabinets & Bags

Cabinets and Bags

HD-2X Hose Center Display



The HD-2X hose display is built with a heavy steel inner frame which supports the weight of the hose reels, while its tough wooden sides provide additional durability. It is designed to hold both Weatherhead bulk reels and boxed product. Handles are even provided to make loading the hose as safe and easy as possible.

Measurements

22" wide x 30" deep x 57" tall Weight

54 lbs. (UPS Shipping)

Maximum Capabilities (3) Reels or (2) Reels & (4) Boxes

(Hose not included)





The T-460-10BB Tool Box complements our T-460 and T-462 portable crimpers by offering you storage for your collets, spacer rings, and perhaps an assortment of hose ends.

Measurements

25"x9"x8"

T-460-TR Tool Rack

Ν



The T-460-TR wall-mounted tool rack is rugged and built to last! The perfect shop accessory for Coll-O-Crimp machines, the T-460-TR stores up to 10 collets and 4 spacer rings–organized and within easy reach. (The T-460-TR rack does not include tooling)

Measurements 24 -1/2" Wide x 16" High x

7-1/2" Deep

Weight 16 lbs.

Plastic Bags



Weatherhead heavy duty plastic bags for Weatherhead fittings come in sizes 5"x6", 6"x10", and 8"x12". The bags include convenient spaces for labeling.

Catalog Number	Description	Qty	
5x6 PB	Plastic Bag	100	
6x10 PB	Plastic Bag	100	
8x12 PB	Plastic Bag	100	

Equipment - Labels

Label Sets

Self Adhesive Label Sets



For C-40X, FH-15X, and FH-135X Cabinets

Label Number	Description
FS-100	Swivel Adapters
FS-200	JIC Steel Adapters
FS-300	Split Flange Adapters
FS-400	Field Attachable Hose Ends – 009 'B' Series
FS-500	Barb-Tite® 100 'B' and 105 'B' Series Hose Ends
FS-600	Field Attachable Hose Ends – 069 'D' & 247 'N' Series
FS-700	Field Attachable Hose Ends – 425 'N' Series
FS-800	Field Attachable Hose Ends – 338 'B' Series & Brass
	Air Brake Fittings for Copper Tubing
FS-1100	Coll-O-Crimp Hose Ends – 'U' Series
FS-1200	Coll-O-Crimp Hose Ends – 'E' Series
FS-1500	Coll-O-Crimp Hose Ends – 069 'E' Series
FS-1600	7000 Series Flareless Fitting
FS-1800	Coll-O-Crimp Hose Ends – 470 'E' Series and 570 'S' Series
FS-2000	Steel Pipe
FS-2200	Ready-Lok Hose Ends and Adapters
FS-2300	Drain Cocks, Valves and Select 338 'B' Series Hose Ends
FS-2400	FOR-SEAL Adapters Label Set
FS-2500	Metric Hose Ends ('U' Series) and Metric Flareless Nuts/Sleeves
FS-2800	Field Attachable Hose Ends – 213 'N' Series
FS-2900	Coll-O-Crimp Hose Ends – 338 'P' Series
FS-3100	Coll-O-Crimp Hose Ends – 430 'U' Series No-Skive
FS-3200	Coll-O-Crimp Hose Ends – 757 'E' Series
FS-3300	Quick Connect Air Brake 1800 Series
FS-3500	Coll-O-Crimp Hose Ends – 336 'E' Series
FF90645	WeatherGRIP Hose Ends - 'Z' Series
FF90646	E-Z Clip Label Set
FF90686	4SP/6SP Hose Ends Label Set

A2103 Mylar Hose Labels



Eaton now offers Mylar labels for marking hose assemblies. They are self-adhesive Mylar strips, 1" wide by 3-3/4" long, with a 1" x 1" white area on one end for printed information. They are supplied on a roll of 2000 labels with each perforated page containing eight labels. The format is suitable for use in typewriters and tractorfeed or friction- drive printers.

Whether for compliance with federal hose assembly labeling requirements, or for simply meeting customer demands for labeling hose assemblies, we strongly recommend labeling become part of your hose assembly "manufacturing" procedure. The National Highway Traffic Safety Administration places responsibility for labeling an air brake hose assembly in the hands of the "manufacturer" of the hose assembly. (Not the manufacturer of the hose or hose ends.) For a summary

of air brake hose assembly labeling recommendations, see "Air Brake Hose Assembly Guidelines." For specific air brake hose assembly regulations, consult "Federal Motor Vehicle Safety Standard (FMVSS) 571.106," available from NHTSA, at the address listed below. For use other than air brake applications, customers may want additional information on the labels. Generally, the labels will accept 9-10 characters per row, on 4 or 5 rows. The information can be handwritten, typed, or printed on the labels. The main concern is resistance to the elements. Procedure for applying the labels is simple:

- 1. Print the appropriate information on the label.
- 2. Wrap the tag around the hose assembly; printed end first.
- 3. Cover the printed end with the clear mylar tail of the label.
- 4. The clear tail will protect the printed area from the elements.

Office Of Vehicle Safety Standards National Highway Traffic Safety Administration 400 Seventh Street SW Washington, DC 20590

Phone (202) 366-5317 www.nhtsa.dot.gov