

AXIS Camera Station

AXIS COMMUNICATIONS



AXIS Camera Station is IP surveillance software for recording and viewing video from AXIS network cameras and video servers.

FEATURES

- PC software that offers professional video monitoring and surveillance functionality
- Recording and live video viewing from remote locations
- Can be expanded up to 50 cameras, in steps of one at a time

BASE LICENSE

Anixter No.	Vendor No.	Description
479231	0202-600	Four-camera base license
479237	0202-601	10-camera base license

ADD-ONS

Anixter No.	Vendor No.	Description
479238	0202-602	One-camera add-on license
479239	0202-603	Five-camera add-on license
479241	0202-607	20-camera add-on license

Video Management Software

Bosch Security Systems Inc.

MVM-BVRM Video Recording Manager V2.30

BOSCH SECURITY SYSTEMS



Bosch Video Recording Manager (VRM) provides a Distributed Network Video Recorder solution, eliminating the need for dedicated NVRs and signaling the second generation of IP network video recording. VRM supports iSCSI-based storage systems and Bosch Video over IP devices (IP cameras and IP video encoders). VRM introduces the concept of a storage virtualization layer. This abstraction layer enables VRM to manage all of the individual disk arrays in the entire system as a single "virtual" common pool of storage, which is intelligently allocated as needed. VRM eliminates the need for Network Video Recorders (NVRs) and their associated server hardware, operating systems and antivirus software, as well as the ongoing software patches and updates these systems require. This new technology makes installation, operation and maintenance much easier while reducing the total cost of ownership.

FEATURES

- Distributed storage and configurable load balancing
- iSCSI disk array failover for extra reliability
- Used with all Bosch Video over IP cameras and encoders
- Configuration support for all Bosch disk arrays (DVA, DSA and DLA series)

Anixter No.	Vendor No.	Description
368236	MVM-XVRM-016	16-channel expansion
368234	MVM-XVRM-032	32-channel expansion
368232	MVM-XVRM-064	64-channel expansion
363348	MVM-XVRM-128	128-channel expansion
368228	MVM-XVRM-256	256-channel expansion
368225	MVM-XVRM-512	512-channel expansion
368224	MVM-XVRM-1024	1,024-channel expansion
368221	MVM-XVRM-2048	2,048-channel expansion

ACCESSORIES

Anixter No.	Vendor No.	Description
498183	MVMOSVRM-BAK	Secondary server (backup)
499587	MVM-BVRM-016	Base system with 16 channels

Bosch Video Client

BOSCH SECURITY SYSTEMS



The Bosch Video Client is a Windows PC application for live viewing and playback of network-connected cameras. The software package consists of a live viewing and playback application and a configuration manager. The configuration manager allows the settings for supported devices to be configured. A stand-alone archive player will allow archive playback and authentication without any other workstation software. A setup wizard is included with the package to help with the installation of the system. The Bosch Video Client software is optimized for use in small- to medium-size CCTV installations. It supports up to 16 cameras free of charge. This number can be increased to 64 by purchasing additional licenses.

FEATURES

- Live viewing of multiple cameras
- Local recording and snapshots
- PTZ control and digital zoom
- Playback and export from on-camera storage and VRM
- Motion and forensic search
- Instant replay and trick mode playback

Anixter No.	Vendor No.	Description
498192	BVC-ESIP01A	1-channel IP BVC license
449336	BVC-ESIP08A	8-channel IP BVC license
449338	BVC-ESIP16A	16-channel IP BVC license
500723	BVC-ESIP32A	32-channel IP BVC license
500724	BVC-ESIP48A	48-channel IP BVC license
500725	BVC-ESIP64A	64-channel IP BVC license
498189	BVC-ESIP80A	80-channel IP BVC license
498190	BVC-ESIP96A	96-channel IP BVC license
498191	BVC-ESIP112A	112-channel IP BVC license

Bosch Security Systems Inc.

Bosch Recording Station

BOSCH SECURITY SYSTEMS



Building on DiBos technology, the Recording Station uses Bosch's proven video management, recording and communications technology and takes IP-based video surveillance to a new level. It forms an integral part of overall security solutions for many applications - including banks, large retailers, railway stations, city centers, industrial facilities and office buildings. With the Recording Station you can retrieve live and recorded video from anywhere in the network. Whether they are on site or at a remote network location, authorized personnel have quick, convenient access to all information, making the Recording Station the perfect solution for surveillance over distributed networks.

FEATURES

- Connect up to 64 video sources per station
- Supports Bosch H.264/MPEG-4, third-party MPEG-4 and JPEG devices
- HD/megapixel camera support
- Unlimited remote receiver stations
- Web browser remote access and viewing
- Low-bandwidth (WAN) support
- Interfaces with Bosch intrusion, fire and access solutions

BASE SOFTWARE (SERVER)

Anixter No.	Vendor No.	Description
449366	BRS-DVD-00A	Software DVD and installation manual
449367	BRS-DVD-16A	Software DVD, 16 IP channels, four remote stations, license and installation manual
449368	BRS-DVD-32A	Software DVD, 32 IP channels, license and installation manual
449369	BRS-BASE-04A	Base license, four IP channels, four remote stations (e-license)
449371	BRS-BASE-08A	Base license, eight IP channels, four remote stations (e-license)
449372	BRS-BASE-16A	Base license, 16 IP channels, four remote stations (e-license)
449373	BRS-BASE-32A	Base license, 32 IP channels, four remote stations (e-license)
449374	BRS-XCAM-04A	Expansion license, four IP channels (e-license)
449379	BRS-DEMO-32A	Demo recording station expansion license, four IP channels (e-license)

REMOTE STATION SOFTWARE LICENSE (CLIENT)

Anixter No.	Vendor No.	Description
449382	BRS-XREM-01A	One remote station connection (e-license)
449383	BRS-XREM-04A	Four remote station connections (e-license)
449384	BRS-FWRI-A	Receiver station, direct to CD/DVD export (e-license)

ATM/POS INTERFACE LICENSE

Anixter No.	Vendor No.	Description
458049	BRS-FATM-A	Receiver station, direct to CD/DVD export (e-license)

IP SERVER INTERFACE

Anixter No.	Vendor No.	Description
498193	BRS-FIPS-A	E-license

SECURITY PANEL INTERFACE LICENSE

Anixter No.	Vendor No.	Description
498194	BRS-FPAN-A	E-license

HYBRID KITS (TOWER ALL-IN-ONE WORKSTATION/RECORDER MODELS)

Includes IP video management kit, integrated workstation, 4U (4-bay) tower chassis, JBOD, 4 TB (4 x 1 TB) HDD, internal DVD writer, includes one VIP-1600 B chassis and psu.

Anixter No.	Vendor No.	Description
498195	BRS-T410-S0E108	8-channel, 8-channel license, two XFM4A H.264 encoder modules
498196	BRS-T410-S2E116	16-channel, 16-channel license, four XFM4A H.264 encoder modules

HYBRID KITS (RACK-MOUNT RECORDER MODELS)

Anixter No.	Vendor No.	Description
498197	BRS-R410-S0E108	8-channel, IP video management kit, recorder server, 1U (4-bay)
500714	BRS-R410-S2E116	16-channel, IP video management kit, recorder server, 1U (4-bay)
500715	BRS-R810-S2E116	16-channel, IP video management kit, recorder server, 2U (8-bay)
500716	BRS-R810-S6E232	32-channel, IP video management kit, recorder server, 2U (8-bay)
500718	BRS-R820-S2E116	16-channel, IP video management kit, recorder server, 2U (8-bay)
500719	BRS-R820-S6E232	32-channel, IP video management kit, recorder server, 2U (8-bay)

Bosch Security Systems Inc.

IVA 5.50 Intelligent Video Analysis

BOSCH SECURITY SYSTEMS



The fourth generation of the Bosch Intelligent Video Analysis system, IVA 5.50 is the guard-assistant system of choice when you need reliable video motion detection for indoor or outdoor use. The IVA 5.50 is state-of-the-art intelligent video analysis that reliably detects, tracks and analyzes moving objects while suppressing unwanted alarms from spurious sources in the image. The IVA 5.50 is a licensed option already fully prepared in DION IP, Extreme IP, FLEXIDOME IP and AUTODOME IP cameras, as well as the VIP X1600 and VideoJet X family of encoders. The functionality built into the IVA 5.50 cameras and encoders is the ability to detect idle and removed objects as well as loitering, multiple line crossing and trajectories. The IVA 5.50 supports head detection as a new feature. This product also supports optical flow detections of objects in a video surveillance scene. Configurable detection filters and advanced tracking improve reliability and reduce operator workload. The IVA 5.50 comes with the new enhanced calibration tool to allow the calibration of the camera within a few minutes.

FEATURES

- Embedded analytics eliminates dedicated PCs and associated software maintenance
- Displays/detects object trajectories, speed, direction and color
- Creates metadata for forensic searching of recorded video
- Configuration wizard and pick-object function for quick setup
- FIR/thermal camera support

Anixter No.	Vendor No.	Description
410270	VIP-X1-FS1	IVMD (intelligent video motion detection) v1.0 license for VIP-X1 single-channel encoders
410271	VIP-X2-FS1	IVMD (intelligent video motion detection) v1.0 license for VIP-X2 2-channel encoders (valid for two channels)
410258	MVC-FIVA4-CAM	IVA 4.0 VCA software license for IP camera/dome (e-license)
410259	MVC-FIVA4-ENC1	IVA 4.0 VCA software license for single-channel encoder (e-license)
410260	MVC-FIVA4-ENC2	IVA 4.0 VCA software license for dual-channel encoder (e-license)
410261	MVC-FIVA4-ENC4	IVA 4.0 VCA software license for quad-channel encoder (e-license)

Exacq Technologies Inc.

exacqVision Start IP Camera Software - Licenses and SSA

EXACQ TECHNOLOGIES



The exacqVision Start VMS software provides essential VMS features for a complete solution when teamed with the latest IP video surveillance cameras. exacqVision Start server software is available on exacqVision EL-Series hybrid (analog and IP cameras) and IP camera servers. It can also be installed on commercial off-the-shelf servers. The powerful, easy-to-operate, freely distributed client-user interface installs on any standard computer running Windows, Linux or Mac OS X. Video from all exacqVision systems can also be accessed via Web browsers and free mobile apps.

FEATURES

- Cross platform client/server architecture
 - Free server software - Windows/Linux (IP camera licenses purchased separately)
 - Free client software - Windows/Linux/Mac
 - Small footprint client - 14 MB total including help files
- Intuitive-yet-powerful user interface requires little to no training
- Common client connects to a single exacqVision VMS Start server
 - Easy to switch from one server to another
- Easy to use multicamera and audio search, playback and export
 - Graphical search display for all cameras and recorded audio
 - Pre- and post-alarm recording
 - DVD export
 - Video expiration
 - exacqReplay - fast playback
- PTZ control and presets - analog (on exacqVision hybrid servers) and IP PTZ cameras
- Digital PTZ control and presets on live and recorded video
- Bandwidth throttling - real-time configurability of resolution enables use in bandwidth-restricted environments
- Discrete-event linking
- Views - personalize multicamera views (regardless of server location) and save for live and recorded viewing
- Event search and event monitoring
- POS and ATM serial text search
- Analog and IP camera support
 - Up to 16 analog cameras on exacqVision EL-Series Start hybrid servers
 - Up to 16 IP cameras per exacqVision Start server
 - EL-Series hybrid and IP camera servers - 16 IP cameras
 - Supports latest IP cameras and encoders from major manufacturers
 - H.264, megapixel/HD, edge-analytics, panoramic cameras and lenses

- Easy and cost-efficient to add additional IP camera licenses - IP camera licenses are tied to the MAC address of the server; easy to add licenses, nothing required to switch out cameras as long as they are supported
- Includes exacqVision Web server - Run the Web server on an exacqVision server to provide browser (thin client) and mobile app access
 - Free Web or thin client runs on any Internet-enabled device (computers, netbooks, mobile devices)
 - Includes view, search and playback video from any standard browsers, no ActiveX support required
 - View, search and playback from any Javascript-enabled mobile browser
 - Free mobile apps for iPhone, iPad and Android devices
- International language localization: English, French, German, Norwegian, Danish, Swedish, Dutch, Spanish, Catalan/Valencian, Polish, Slovak, Arabic, Chinese, Japanese (list grows regularly)
- Designed and manufactured in USA

Anixter No.	Vendor No.	Description
450665	START-01	Single camera exacqVision Start license
450667	SSA-START-01	Each additional software subscription agreement (SSA)
450669	SSA-EL08-START-01	For eight-input hybrid server
450672	SSA-EL16-START-01	For 16-input hybrid server
450673	START-PRO-UPGRADE	exacqVision Start to Pro upgrade (per IP camera)

FLAT RATE SSA EL-S OR EL-SR WITH START SOFTWARE

Provided for up to 16 licenses.

Anixter No.	Vendor No.	Description
450669	SSA-EL08-START-01	For eight-input hybrid server
450672	SSA-EL16-START-01	For 16-input hybrid server

Easy to upgrade Start software to exacqVision Pro software - only requires the purchase of a new license key. Exacq updates software regularly throughout the year, making a software subscription very useful. However, licenses continue working even when software subscription has expired. Three-year SSA included when exacqVision Start is installed on an EL-Series server, 90-days SSA included on third-party servers. Exacq does not charge for client software, Web server software or the Exacq mobile apps.

Exacq Technologies Inc.

exacqVision Pro IP Camera Software Licenses

EXACQ TECHNOLOGIES



The exacqVision Pro VMS software creates an advanced security solution, providing recording of the latest IP video surveillance cameras. exacqVision server software is available on all exacqVision hybrid (analog and IP cameras) and IP camera servers (Windows or Linux). It can also be installed on commercial off-the-shelf servers. The powerful, easy-to-operate, freely distributed client-user interface installs on any standard computer running Windows, Linux or Mac OS X and can connect to multiple exacqVision hybrid and IP camera servers, creating a virtually unlimited amount of cameras and protection. Video from all exacqVision systems can also be accessed via Web browsers and free mobile apps.

FEATURES

- Cross-platform client/server architecture
- - Free server software - Windows/Linux (IP camera licenses purchased separately)
- - Free client software - Windows/Linux/Mac
- - Small footprint client - 14 MB total including help files
- Intuitive yet powerful user interface requires little to no training
- Common client connects to all servers running exacqVision VMS for completely scalable solution
 - Virtually unlimited number of clients can connect to every server
- Easy to use multicamera and audio search, playback and export
 - Graphical search display for all cameras and recorded audio
 - Pre- and post-alarm recording
 - Video expiration
 - Time-lapse recording
 - exacqRecall - single-button export
 - SmartSearch
 - DVD export
 - exacqReplay - fast playback
- PTZ control and presets - analog (on exacqVision hybrid servers) and IP PTZ cameras
- Digital PTZ control and presets on live and recorded video
- Bandwidth throttling
- Real-time configurability of resolution enables use in bandwidth-restricted environments
- Client joystick configuration
- Soft triggers
- Audit trail
- Third-party integrations (including access control, retail analytics, wireless networking, iSCSI)
- Event-driven video switching
- Event linking
- Maps - add any number of maps from any image source, place cameras and alarms on map, watch interactive activity on map

- Groups - arrange groups of cameras (regardless of server location) for powerful monitoring capabilities
- Views - personalize multicamera views (regardless of server location) and save for live and recorded viewing
- Event notifications - text/e-mail
- Event search and event monitoring
- POS and ATM serial text search
- Multimonitor client display: drag and drop cameras and maps between monitors
- Up to 64 analog cameras on exacqVision hybrid servers
 - EL-Series hybrid and IP camera servers - eight or 16 analog cameras + IP cameras
 - A-Series hybrid and IP camera servers - four, eight, 16, 32, 48 or 64 analog cameras + IP cameras
 - Z-Series hybrid and IP camera servers - 16, 32, 48 or 64 analog cameras + IP cameras
- Video-capture cards designed and manufactured by Exacq
 - Hybrid systems utilize existing analog infrastructure
- Up to 96 IP cameras per exacqVision server
 - EL-Series hybrid and IP camera servers - 24 IP cameras
 - A-Series hybrid and IP camera servers - 64 IP cameras
 - Z-Series hybrid and IP camera servers - 96 IP cameras
 - Supports latest IP cameras and encoders from major manufacturers (H.264, megapixel/HD, edge-analytics, panoramic cameras and lenses)
- Easy and cost-efficient to add additional IP camera licenses
 - IP camera licenses are tied to the MAC address of the server; easy to add licenses, nothing required to switch out cameras as long as they are supported
- Included exacqVision Web server - Run the Web server on an exacqVision server to provide browser (thin client) and mobile app access
 - Free Web or thin client runs on any Internet-enabled device (computers, netbooks, mobile devices)
 - Includes view, search and playback video from any standard browsers; no ActiveX support required
 - View, search and playback from any Javascript-enabled mobile browser
 - Free mobile apps for iPhone, iPad and Android devices
- International language localization: English, French, German, Norwegian, Danish, Swedish, Dutch, Spanish, Catalan/Valencian, Polish, Slovak, Arabic, Chinese, Japanese (list grows regularly)
- Easy to upgrade to Enterprise server option
- Designed and manufactured in USA

Anixter No.	Vendor No.	Description
386797	EVIP-01	Single IP camera license
405624	SSA-EVIP-01	Software upgrade subscription
420552	SSAR-EVIP-0X	Renewal of expired exacqVision Pro license
418704	EVIP-TRANSFER	Server license transfer fee to new MAC address

Exacq updates software regularly throughout the year, making a software subscription very useful. However, licenses continue working even when software subscription has expired; the first year's subscription is included in the price. The Enterprise Server Option is a useful addition, especially for Active Directory/LDAP administrator environments. Exacq does not charge for client software or the free Web server option.

Milestone XProtect Corporate

MILESTONE SYSTEMS INC



Milestone XProtect Corporate is a powerful, open-platform IP video-management software. It's designed for large-scale, mission-critical security implementations, supporting unlimited cameras, users and sites. The XProtect Corporate provides the ultimate peace of mind for high-risk security installations. The Edge storage support, combined with the XProtect Corporate's failover recording servers and redundant management server, ensures video recordings are never interrupted and access to the system is always maintained.

The XProtect Corporate has new features such as bookmarking, alarm manager and multistage storage to help efficiently manage complex installations.

FEATURES

- Milestone Federated Architecture - System concept that enables multiple individual XProtect Corporate 4.0 systems to be interconnected into a hierarchical architecture
- Limitless multiserver and multisite solution - XProtect Corporate supports an unlimited number of cameras, servers, sites and users allowing you to grow your installation according to your needs
- Bookmarking - Allows users to mark video sections of particular interest and add descriptive notes, for later analysis or sharing with other users
- Edge storage - Allows cameras to function as failover devices to ensure uninterrupted video recording in the event of network or server failure
- Centralized management - Full configuration of all devices, recording servers and users from a central manager console connected to the management server holding all configuration settings in a Microsoft SQL database
- Intuitive map function - Multilayered map environment provides interactive access and control of the complete surveillance system, at-a-glance overview of the system integrity and seamless drag-and-drop integration with the new Smart Wall product option
- Smart Wall add-on video-wall product option - Flexible and hardware agnostic video-wall option that is seamlessly integrated with the XProtect's management and Smart Client environments
- High-availability, recording failover server - a redundancy option that provides standby support for recording servers with automatic synchronization to ensure maximum uptime and minimize the risk of lost recording data
- Versatile rule system - Set up scheduled or event-driven camera and output actions with numerous options including support for time profiles
- Multicast support - Send one video stream to multiple smart clients. The infrastructure must support IGMP to reach remote networks
- Multistreaming support - Establish two independent streams from a supported camera to the recording server with different resolutions, encodings and frame rates. For example, a video stream optimized for live view and another optimized for recording
- Archiving - Optimized recording storage. Unique data-storage solution that combines superior performance and scalability with cost-efficient long-term video storage

BASE LICENSE

Anixter No.	Vendor No.	Description
398851	XPCOBT	XProtect Corporate Base Server License

BASE LICENSE SOFTWARE UPGRADE PLAN

Anixter No.	Vendor No.	Description
398853	YXPCOBT	One-year plan
398854	Y2XPCOBT	Two-year plan
398855	Y3XPCOBT	Three-year plan
398856	Y4XPCOBT	Four-year plan
398857	Y5XPCOBT	Five-year plan

DEVICE LICENSE

Anixter No.	Vendor No.	Description
354480	XPCODL	XProtect Corporate Device Channel License

DEVICE LICENSE SOFTWARE UPGRADE PLAN

Anixter No.	Vendor No.	Description
354487	YXPCODL	One-year plan
354490	Y2XPCODL	Two-year plan
354493	Y3XPCODL	Three-year plan
394614	Y4XPCODL	Four-year plan
394615	Y5XPCODL	Five-year plan

A one-year software upgrade plan is mandatory with original purchase.

Software upgrade plans entitle the customer to install all product upgrades free of charge.

Milestone XProtect Enterprise

MILESTONE SYSTEMS INC



Milestone's XProtect Enterprise is a comprehensive, open-platform IP video-management software. It is designed for medium- and large-scale installations, including multisite deployments. Quick to set up and easy to manage, the XProtect Enterprise's powerful features - such as system configuration wizards and auto-detection of cameras - significantly reduce the time and cost of deploying large security installations. The consolidated single-management interface provides an efficient way to view and control an unlimited number of cameras, giving real-time situational awareness for quick response and accurate investigation. The XProtect Enterprise also supports multiple integration possibilities using the Milestone Integration Platform Software Development Kit (MIP SDK), allowing users to future-proof their investment and adds customized functionality for specific security solutions.

Continued on next page >>

Video Management Software

Milestone

(continued) Milestone XProtect Enterprise

FEATURES

- Multiserver and multisite video surveillance solution - Unlimited recording of video from IP cameras, IP video encoders and selected DVRs with analog cameras
- Optimized recording-storage management - Unique data-storage and archiving solution that combines superior performance and scalability with cost-efficient long-term video storage
- Automatic camera discovery - Enables fast discovery of cameras to be connected to the system
- System configuration wizards - Guides the user through the process of adding cameras, configuring video and recording, adjusting motion detection and user configuration
- Built-in video motion detection - Independent of camera model and supporting up to 64 cameras simultaneously per server
- Multiple-language support - Lets operators use the system in their native language with support for 24 different languages
- Map Function - Interactive, multilayered maps provide a comprehensive visual overview of cameras and layouts, providing supreme situational awareness and improved response time
- Alarm Manager - Integrated with the map function, it gives a consolidated overview of security and system alarms, providing immediate visual verification and decreasing the number of false alarms
- Camera Navigator - Industry-exclusive feature that collects camera locations, names and view areas, making complex locations easy to navigate, allowing efficient tracking of moving objects
- ImmerVision enables 360-degree panomorph lens support - Gain a 360-degree surround view that eliminates blind spots and increases the video surveillance capabilities of existing cameras, giving you more video coverage with fewer cameras
- Dual streaming - Two independent, configurable video streams for live and recorded viewing can be individually optimized for stream compression, resolution and frame rate
- Configure access privileges - Ensure system consistency and global user management with single-sign on Microsoft Active Directory credentials and control privileges and allowed camera actions
- Open Platform for integration with third-party applications

BASE LICENSE

Anixter No.	Vendor No.	Description
325652	XPEBL	XProtect Enterprise Base License

BASE LICENSE SOFTWARE UPGRADE PLAN

Anixter No.	Vendor No.	Description
329500	YXPEBL	One-year plan
369582	Y2XPEBL	Two-year plan
369587	Y3XPEBL	Three-year plan
394602	Y4XPEBL	Four-year plan
394603	Y5XPEBL	Five-year plan

CAMERA LICENSE

Anixter No.	Vendor No.	Description
325653	XPECL	XProtect Enterprise Camera License

CAMERA LICENSE SOFTWARE UPGRADE PLAN

Anixter No.	Vendor No.	Description
328687	YXPECL	One-year plan
369597	Y2XPECL	Two-year plan
366037	Y3XPECL	Three-year plan
394606	Y4XPECL	Four-year plan
394607	Y5XPECL	Five-year plan

The XProtect Enterprise XPECL (camera license) allows you to expand your current system one camera at a time. The Software Upgrade Plan entitles the customer to future XProtect product upgrades and access to device packs providing site support for all the latest drivers - free of charge.

Milestone XProtect Professional

MILESTONE SYSTEMS INC



The XProtect Professional is designed for small- to mid-size installations that need robust multi-server surveillance software with the full functionality of advanced management, flexible scheduling, fast searching and analysis. The XProtect Professional supports up to five servers, with 64 cameras per server, simultaneously with the widest choice of network video and hardware equipment.

FEATURES

- Powerful single-server solution
- Unlimited users
- Wider selection of access clients and mobile-device support
- Hourly network archiving
- Advanced evidence handling
- Open platform for integration with third-party applications
- Support for analytics

BASE LICENSE

Anixter No.	Vendor No.	Description
398847	XPPBL	XProtect Professional Base License

BASE LICENSE SOFTWARE UPGRADE PLAN

Anixter No.	Vendor No.	Description
398849	YXPPBL	One-year plan
403433	Y2XPPBL	Two-year plan
403435	Y3XPPBL	Three-year plan
403437	Y4XPPBL	Four-year plan
403438	Y5XPPBL	Five-year plan

CAMERA LICENSE

Anixter No.	Vendor No.	Description
398848	XPPCL	XProtect Professional Camera License

CAMERA LICENSE SOFTWARE UPGRADE PLAN

Anixter No.	Vendor No.	Description
398850	YXPPCL	One-year plan
403440	Y2XPPCL	Two-year plan
403441	Y3XPPCL	Three-year plan
403442	Y4XPPCL	Four-year plan
403444	Y5XPPCL	Five-year plan

The XProtect Professional XPPCL (camera license) allows you to expand your current system one camera at a time. The Software Upgrade Plan entitles the customer to future XProtect product upgrades and access to device packs providing site support for all the latest drivers - free of charge.

Milestone XProtect Express

MILESTONE SYSTEMS INC

Milestone XProtect Express is an affordable IP VMS for small, single-server businesses that want to video enable their surveillance installation. With an open platform, businesses can integrate solutions, building management systems and third-party applications directly into the software. Flexible licensing options and open platform support ensure upgrades and system expansions are seamless if security and business needs change.

FEATURES

- Supports up to 48 cameras
- Network storage archiving
- Web client for remote viewing
- Easily upgrade to the entire XProtect product suite

BASE LICENSE

Anixter No.	Vendor No.	Description
454112	XPEXBL	XProtect Express Base Server License

BASE LICENSE SOFTWARE UPGRADE PLAN

Anixter No.	Vendor No.	Description
454114	YXPEXBL	One-year plan
454115	Y2XPEXBL	Two-year plan
454116	Y3XPEXBL	Three-year plan
454117	Y4XPEXBL	Four-year plan
454118	Y5XPEXBL	Five-year plan

CAMERA LICENSE

Anixter No.	Vendor No.	Description
454187	XPEXCL	XProtect Express Camera License

CAMERA LICENSE SOFTWARE UPGRADE PLAN

Anixter No.	Vendor No.	Description
454120	YXPEXCL	One-year plan
454121	Y2XPEXCL	Two-year plan
454122	Y3XPEXCL	Three-year plan
454123	Y4XPEXCL	Four-year plan
454124	Y5XPEXCL	Five-year plan

Milestone XProtect Essential

MILESTONE SYSTEMS INC



Designed for small businesses, the XProtect Essential is an IP video-management software, supporting up to 26 cameras. Providing the optimal combination of advanced video surveillance capabilities and ease-of-use, the XProtect Essential offers unbeatable value. Also, with the XProtect Essential's flexible licensing model, upgrades and system expansion are seamless.

FEATURES

- Full-featured VMS solution
- Configuration wizards, automated device discovery and GUI interfaces deliver trouble-free installations
- Easily upgrade to the entire XProtect product suite

BASE LICENSE

Anixter No.	Vendor No.	Description
423703	XPESBL	XProtect Essential Base License

BASE LICENSE SOFTWARE UPGRADE PLAN

Anixter No.	Vendor No.	Description
423705	YXPESBL	One-year plan
423707	Y2XPESBL	Two-year plan
423711	Y3XPESBL	Three-year plan
423715	Y4XPESBL	Four-year plan
423718	Y5XPESBL	Five-year plan

CAMERA LICENSE

Anixter No.	Vendor No.	Description
423704	XPESCL	XProtect Essential Camera License

CAMERA LICENSE SOFTWARE UPGRADE PLAN

Anixter No.	Vendor No.	Description
423706	YXPESCL	One-year plan
423708	Y2XPESCL	Two-year plan
423712	Y3XPESCL	Three-year plan
423717	Y4XPESCL	Four-year plan
423719	Y5XPESCL	Five-year plan

The XProtect Essential XPESCL (camera license) allows you to expand your current system one camera at a time. The Software Upgrade Plan entitles the customer to all future version and access to device packs providing site support for all the latest drivers - free of charge.

Milestone

Milestone XProtect Central

MILESTONE SYSTEMS INC



The XProtect Central is an add-on system-monitoring and alarm-management solution for video surveillance systems based on the Milestone's XProtect video platforms: Corporate, Enterprise and Professional. The XProtect Central provides continuous monitoring of the operational status and event-triggered alarms from the XProtect recording servers, video surveillance cameras and external devices.

This powerful solution gives you instant overview of alarms and possible technical problems for immediate verification and troubleshooting to resolve incidents quickly.

FEATURES

- Centralized overview and control of operational status and alarms from multiple XProtect surveillance installations
- Hierarchical multilevel maps make it easy to navigate and identify an incident location and the system entities that are involved
- Visual and audible alerting supports busy environments like alarm centrals
- Instant access to servers and camera devices for visual verification ensures quick response
- The broad range of events available for triggering alarms allows customization to fit the requirements of each organization
- Full alarm management provides surveillance operators with the option to acknowledge or reassign alarms or to "snooze" specific incidents in case of scheduled maintenance
- Integration with third-party access control or intruder devices via the XProtect Enterprise and the XProtect Corporate gives interoperability for the most comprehensive overview of your security installation

SERVER LICENSE AND SOFTWARE UPGRADE PLAN

Anixter No.	Vendor No.	Description
344815	XPCBS	XProtect Central Server, includes one connection
344825	YXPCBS	One-year SUP for XProtect Central Server, includes one connection

CONNECTION LICENSE AND SOFTWARE UPGRADE PLAN

Anixter No.	Vendor No.	Description
354309	XPCC1	XProtect Central Connection License
354333	YXPCC1	One-year SUP for XProtect Central Connection License

Software upgrade plans entitle the customer to install upgrades free of charge and are highly recommended.

Milestone XProtect Smart Wall

MILESTONE SYSTEMS INC



The Smart Wall for XProtect Corporate is an advanced add-on video-wall product that provides supreme situation awareness in larger surveillance centers through its unique flexibility and hardware independence. This results in higher efficiency and increased actionable response. Easily populate layouts by using the Smart Wall builder which provides dynamic control of the viewed layout and content by dragging and dropping cameras into the monitor views, resulting in powerful situation management. Set up rules to handle events and configure views to gain real-time situational awareness for efficient incident response.

FEATURES

- Hardware agnostic - Runs on standard servers and displays; no special video-wall hardware or network configurations required
- Flexible and seamlessly scalable - Supports any number of the Smart Walls with any number and any combination of monitors at any location
- View presets - For each Smart Wall, one or several presets can be defined, such as view layout (grid) and actual content/camera. The preset layouts are easily populated by dragging and dropping cameras or by using the powerful rules engine
- Dynamic user control of the Smart Wall layout and content through manual drag and drop of cameras and views into the Smart Wall via the Smart Client
- Automatic event-driven control of the Smart Wall layout and content based on rules, such as motion detection, I/O, integrated third-party applications, time or video analytics events
- Individual Smart Client users can view the Smart Wall as a part of the available view selection, which enables the Smart Wall to be used as an operator collaboration tool

SERVER LICENSE

Anixter No.	Vendor No.	Description
403429	XPSWBL	XProtect Smart Wall Base License

SOFTWARE UPGRADE PLAN

Anixter No.	Vendor No.	Description
403448	YXPSWBL	One-year plan
403449	Y2XPSWBL	Two-year plan
403450	Y3XPSWBL	Three-year plan
403452	Y4XPSWBL	Four-year plan
403453	Y5XPSWBL	Five-year plan

Software upgrade plans entitle the customer to install upgrades free of charge and are highly recommended.

Milestone XProtect Transact

MILESTONE SYSTEMS INC



The XProtect Transact is a transaction-management system for searching and viewing transaction data from virtually any source that is time-linked with digital video recordings. It enables fast searching in the transaction data and extraction of correlated video sequences. The XProtect Transact enables you to effectively combat fraud and loss occurring in transactions. You can track and video any abnormal or suspicious transactions instantly. The XProtect Transact combines the advanced functionality of the XProtect Essential, Basis +, Professional, Enterprise and Corporate software with effective data-mining of your transactions.

FEATURES

- Integrates with transaction system via an open interface-supporting serial server, serial cable or IP connection
- Compatible with any RS-232 serial ASCII or XML data source
- Intuitive editor filters out irrelevant code such as printer escape codes received from serial devices
- View live, browse or search transaction data and video
- Fast search on transactions by source, camera, date, time or free text
- Transactions time-linked with video images of each transaction source
- Display multiple transaction sources and cameras in one view

BASE SERVER LICENSE AND SOFTWARE UPGRADE PLAN

Anixter No.	Vendor No.	Description
344836	XPTBS	XProtect Transact Base Server, includes one connection
344846	YXPTBS	One-year SUP for XProtect Transact Base Server, includes one connection

CONNECTION LICENSE AND SOFTWARE UPGRADE PLAN

Anixter No.	Vendor No.	Description
354352	XPTC1	XProtect Transact Connection License
354354	YXPTC1	One-year SUP for XProtect Transact Connection License

Milestone XProtect Analytics - License Plate Recognition (LPR)

MILESTONE SYSTEMS INC



The XProtect Analytics is an add-on product to Milestone's high-end XProtect IP video-management software enabling effortless integration of multiple third-party video-analytics applications under a single, easy-to-manage user interface. A sophisticated query engine enables correlation of alerts and related video across different video-analytics tools, providing a more accurate analysis that reduces the risk of false alerts, lowering operational cost. Both edge- (camera) and server-based analytics applications are seamlessly supported. This gives a powerful, future-proof framework for implementing and managing different analytics applications that addresses industry-specific needs for surveillance automation and alerts.

The XProtect Analytics - License Plate Recognition is Milestone's video-analytics product that detects, reads, alerts and stores license-plate information from a video stream. LPR is typically used to control vehicle access, such as gates or barriers, parking facilities, toll gates and traffic-enforcement environments. The applications of LPR range from protecting assets and reducing cost to improving customer experience and generating additional revenue streams. License-plate information is detected and read from a digital-video stream and stored in a searchable database synchronized with the associated video frames.

Initiate actions automatically - User-defined positive/negative lists can be created that will initiate predefined actions based on the license-plate information detected. For example, opening a parking lot barrier for an authorized vehicle, sounding an alarm for others or sending an e-mail when a specified vehicle passes a control point.

Search and view specific license plates - The stored video and license-plate data enable security staff to quickly find video frames from certain license plates, time/date or simply browse through the data.

Integrate to build intelligent systems - Integrating LPR with other business or security systems, for example, gates or barriers, to enable more efficient and effective access control for facilities.

FEATURES

- Flexible integration of video-analytics applications: server-based integration, library-based (embedded in the Milestone software), edge-based (in the camera)
- Event correlation between different video-analytics applications
- Generic video-analytics interface provides an accessible interface for integrating third-party analytics modules
- Solution-specific views in the Smart Client and generic alert plug-in enable the operator to easily gain an overview of alerts and corresponding video
- High-yield recognition with extremely low error rate, suitable for fully automated traffic enforcement or video tolling
- Store information about recognized license plates in the XProtect Transact Database
- XProtect Smart Client plug-in to browse historical video data
- Handle multiple libraries simultaneously

Continued on next page >>

Milestone

(continued) Milestone XProtect Analytics - License Plate Recognition (LPR)

- Support for single-line, double-line, black on white, white on black or multicolored license plates
- Automatic correction of perspective distortions
- Decide: positive and negative list - unlimited number of lists, unlimited numbers of events
- Action: alerts; send events to trigger I/O controls such as a parking barrier

BASE AND CHANNEL LICENSES AND SOFTWARE UPGRADE PLAN

Anixter No.	Vendor No.	Description
386590	XPASBL	Analytics Base License (1)
386595	YXPASBL	One-year SUP for Analytics Base License
386591	XPALIF	Channel License for LPR (2)
386596	YXPALIF	One-year SUP for Channel License for LPR

GENERAL LICENSES AND SOFTWARE UPGRADE PLAN

Anixter No.	Vendor No.	Description
386592	XPAGIF	Channel License: Generic API Integration (3)
386597	YXPAGIF	One-year SUP for Channel License: Generic API Integration
386593	XPAAIF	Channel License: Agent Vi Integration (4)
386598	YXPAAIF	One-year SUP for Channel License: Agent Vi Integration
386594	XPABIF	Channel License: Bosch Integration (5)
386599	YXPABIF	One-year SUP for Channel License: Bosch Integration

LICENSE PLATE RECOGNITION ANALYTICS BEHAVIORS AND SOFTWARE UPGRADE PLAN

Anixter No.	Vendor No.	Description
367696	XPALC	Analytics LPR Camera License (6)
367705	YXPALC	One-year SUP for Analytics LPR Camera License
367697	XPALP	Analytics LPR License Plate Library
367706	YXPALP	One-year SUP for Analytics LPR License Plate Library

- (1) One XPA Base License is required for each server equipped with video analytics.
- (2) One Channel License is required for each Milestone LPR camera connected to the server.
- (3) One Channel License is required for each analytics camera connected to the server. The actual video analytics behavior must be purchased separately from the analytics vendor.
- (4) One Channel License is required for each Agent Vi analytics camera connected to the server. The actual video analytics behavior must be purchased separately from the analytics vendor.
- (5) One Channel License is required for each Bosch analytics camera connected to the server. The actual video analytics behavior must be purchased separately from the analytics vendor.
- (6) One generic LPR License Plate Library is included with each LPR camera license XPALC.

Milestone XProtect Retail

MILESTONE SYSTEMS INC



The XProtect Retail is Milestone's project-based software integration linking video with point-of-sale (POS) data deriving directly from an enterprise-wide resource planning system (ERP). It provides you with full video documentation on selected transaction IDs, item numbers, terminal numbers and employees in any combination. Whether your specific challenge is shrinkage, fraud, clerical errors, shoplifting or you simply want to protect innocent employees and customers, a tailor-made XProtect Retail solution will help you protect your business, your customers and your employees.

Functionality - The XProtect Retail is fully integrated with the XProtect Enterprise and the XProtect Corporate software and can be installed locally or centrally.

Local installation - The main dialogue requires the setup of transactions (transaction types are optional), schedules for transactions and recorded image analysis, the address to the Transaction Receiver and the POS terminal-to-camera assignment. All parameters are fully customizable.

Remote (central server) installation - On remote sites there are two main dialogues: the search dialogue and the view dialogue. The search dialogue allows you to search between the recorded transactions, as well as make queries across the database, for example, to cross-reference and establish patterns throughout the organization. The view dialogue allows you to view transactions and video clips simultaneously.

FEATURES

- Built-in transaction-scanner interface
- Automatic AVI creation
- Automatic file transfer to central server location
- Transaction viewer on central server
- User interface for setup of POS scan profiles
- Fully customer configurable items in scanning profiles

Anixter No.	Vendor No.	Description
325663	XPRSI	XProtect Retail server with integration
325664	XPRTL	XProtect Retail cash register license
325665	XPRCL	XProtect Retail camera license

Milestone XProtect NVR

MILESTONE SYSTEMS INC



The XProtect Essential NVR is a unique IP video-management solution composed of a workstation preinstalled with Milestone's market-leading XProtect Essential video-management software ensuring minimal setup and IT configuration. It is designed for the small-business market supporting eight or 16 cameras and the software features unique configuration wizards to guide the administrator through the process of adding cameras, configuring video, scheduling recordings and managing systems.

FEATURES

- Trouble-free installation and wizard-driven configuration
- Intel Core i3 processor
- Configured hardware for optimal performance

Anixter No.	Vendor No.	Description
459826	XPNVR08	XProtect NVR 1.0, eight channels
459827	XPNVR16	XProtect NVR 1.0, 16 channels

Video Management Software

OnSSI

Ocularis - Video Surveillance and Security Platform


ONSSI



Ocularis, OnSSI's flagship product, is an open-architecture, nonproprietary, video-management software (VMS) solution platform with PSIM functionality that allows you to view, manage and record video from an unlimited number of IP and non-IP video-surveillance cameras. Ocularis enables you to manage short- and long-term video storage and correlate and fuse video and nonvideo events/alerts, resulting in automatic video delivery to subscribers of interest.

Ocularis is now available in four feature sets, designed to meet the needs of organizations of all sizes and structures, from single-location retail outlets or schools to multiple-site, complex municipal and campus installations.

OCULARIS PS



Ocularis PS is an advanced video-surveillance platform (VMS) scalable from a single site with few cameras to multisite with large number of cameras. One license required per entire system.

Anixter No.	Vendor No.	Description
442938	OC-PS	Ocularis PS Base License

OCULARIS PS UPGRADE PLANS

Anixter No.	Vendor No.	Description
442939	SUP-OC-PS-1Y	One-year Software
442940	SUP-OC-PS-2Y	Two-year Software
442941	SUP-OC-PS-3Y	Three-year Software
442943	SUP-OC-PS-4Y	Four-year Software
442944	SUP-OC-PS-5Y	Five-year Software
442945	SUP-OC-PS-1D	One-day Software

OCULARIS PS - CAMERA LICENSES

Minimum two camera licenses per recording server required. One license required per camera or encoder MAC address.

Anixter No.	Vendor No.	Description
442946	OC-PS-1C	Ocularis PS Camera License

OCULARIS PS - CAMERA LICENSES UPGRADE PLANS

Anixter No.	Vendor No.	Description
442947	SUP-OC-PS-1C-1Y	One-year Software
442948	SUP-OC-PS-1C-2Y	Two-year Software
442949	SUP-OC-PS-1C-3Y	Three-year Software
442950	SUP-OC-PS-1C-4Y	Four-year Software
442951	SUP-OC-PS-1C-5Y	Five-year Software
442952	SUP-OC-PS-1C-1D	One-day Software

OCULARIS IS



Ocularis IS - Designed for multiuser active live monitoring and alerting, featuring integration with access control, video analytics and other third-party systems. One license required per entire system.

Anixter No.	Vendor No.	Description
442924	OC-IS	Ocularis IS Base License

OCULARIS IS UPGRADE PLANS

Anixter No.	Vendor No.	Description
442925	SUP-OC-IS-1Y	One-year Software
442926	SUP-OC-IS-2Y	Two-year Software
442927	SUP-OC-IS-3Y	Three-year Software
442928	SUP-OC-IS-4Y	Four-year Software
442929	SUP-OC-IS-5Y	Five-year Software
442930	SUP-OC-IS-1D	One-day Software

OCULARIS IS - CAMERA LICENSES

Minimum two camera licenses per recording server required. One license required per camera or encoder MAC address.

Anixter No.	Vendor No.	Description
442931	OC-IS-1C	Ocularis IS Camera License

OCULARIS IS - CAMERA LICENSES UPGRADE PLANS

Anixter No.	Vendor No.	Description
442932	SUP-OC-IS-1C-1Y	One-year Software
442933	SUP-OC-IS-1C-2Y	Two-year Software
442934	SUP-OC-IS-1C-3Y	Three-year Software
442935	SUP-OC-IS-1C-4Y	Four-year Software
442936	SUP-OC-IS-1C-5Y	Five-year Software
442937	SUP-OC-IS-1C-1D	One-day Software

OCULARIS CS



Ocularis CS - Designed for large distributed organizations with extended command-and-control needs. Supports VideoWall and OpenSight add-ons, allowing control of video walls at multiple command-and-control centers, incorporating camera streams from other Ocularis installations. One license required per entire system.

Anixter No.	Vendor No.	Description
442909	OC-CS	Ocularis CS Base License

OCULARIS CS UPGRADE PLANS

Anixter No.	Vendor No.	Description
442910	SUP-OC-CS-1Y	One-year Software
442911	SUP-OC-CS-2Y	Two-year Software
442912	SUP-OC-CS-3Y	Three-year Software
442913	SUP-OC-CS-4Y	Four-year Software
442914	SUP-OC-CS-5Y	Five-year Software
442915	SUP-OC-CS-1D	One-day Software

OCULARIS CS - CAMERA LICENSES

One license required per camera or encoder MAC address.

Anixter No.	Vendor No.	Description
442916	OC-CS-1C	Ocularis CS Camera License

OCULARIS CS - CAMERA LICENSES UPGRADE PLANS

Anixter No.	Vendor No.	Description
442917	SUP-OC-CS-1C-1Y	One-year Software
442918	SUP-OC-CS-1C-2Y	Two-year Software
442920	SUP-OC-CS-1C-3Y	Three-year Software
442921	SUP-OC-CS-1C-4Y	Four-year Software
442922	SUP-OC-CS-1C-5Y	Five-year Software
442923	SUP-OC-CS-1C-1D	One-day Software

OCULARIS ES



One license required per entire system.

Anixter No.	Vendor No.	Description
401826	OC-ES	Ocularis ES Base License

OCULARIS ES UPGRADE PLANS

Anixter No.	Vendor No.	Description
371594	SUP-OC-ES-1Y	One-year Software
371595	SUP-OC-ES-2Y	Two-year Software
371597	SUP-OC-ES-3Y	Three-year Software
396918	SUP-OC-ES-4Y	Four-year Software
396919	SUP-OC-ES-5Y	Five-year Software
401829	SUP-OC-ES-1D	One-day Software

OCULARIS ES - CAMERA LICENSES

One license required per camera or encoder MAC address.

Anixter No.	Vendor No.	Description
442900	OC-ES-1C	Ocularis ES Camera License

OCULARIS ES - CAMERA LICENSES UPGRADE PLANS

Anixter No.	Vendor No.	Description
442901	SUP-OC-ES-1C-1Y	One-year Software
442902	SUP-OC-ES-1C-2Y	Two-year Software
442903	SUP-OC-ES-1C-3Y	Three-year Software
442904	SUP-OC-ES-1C-4Y	Four-year Software
442907	SUP-OC-ES-1C-5Y	Five-year Software
442908	SUP-OC-ES-1C-1D	One-day Software

OCULARIS VIDEO WALL BASE LICENSES

Ocularis Video Wall - Controller for multiple remote video walls, directly from Ocularis' map-based interface. One license required per entire system.

Anixter No.	Vendor No.	Description
371698	OC-VWM-B	Ocularis Video Wall Base

OCULARIS VIDEO WALL BASE LICENSES UPGRADE PLANS

Anixter No.	Vendor No.	Description
371700	SUP-OC-VWM-B-1Y	One-year Software
371701	SUP-OC-VWM-B-2Y	Two-year Software
371703	SUP-OC-VWM-B-3Y	Three-year Software
422457	SUP-OC-VWM-B-4Y	Four-year Software
422458	SUP-OC-VWM-B-5Y	Five-year Software

OCULARIS VIDEO WALL CONTROLLER ADD-ON CAMERA LICENSES

Anixter No.	Vendor No.	Description
371705	OC-VWM-1C	Connected Camera License for Ocularis Video Wall

OCULARIS VIDEO WALL CONTROLLER ADD-ON CAMERA LICENSES UPGRADE PLANS

Anixter No.	Vendor No.	Description
371707	SUP-OC-VWM-1C-1Y	One-year Software
371750	SUP-OC-VWM-1C-2Y	Two-year Software
371752	SUP-OC-VWM-1C-3Y	Three-year Software
410557	SUP-OC-VWM-1C-4Y	Four-year Software
410558	SUP-OC-VWM-1C-5Y	Five-year Software

OCULARIS OPENSIGHT LICENSES AND SOFTWARE UPGRADE PLAN

Ocularis OpenSight - Allows access to multiple Ocularis systems from an Ocularis-equipped central-monitoring system.

Anixter No.	Vendor No.	Description
434297	OC-OS-1C	Ocularis OpenSight license

OCULARIS OPENSIGHT LICENSES AND SOFTWARE UPGRADE PLAN

Upgrade provided per connected camera.

Anixter No.	Vendor No.	Description
434298	SUP-OC-OS-1C-1Y	One-year Software
434299	SUP-OC-OS-1C-2Y	Two-year Software
434300	SUP-OC-OS-1C-3Y	Three-year Software
434301	SUP-OC-OS-1C-4Y	Four-year Software
434302	SUP-OC-OS-1C-5Y	Five-year Software

OnSSI

Ocularis C-CURE 9000 Software Modules

ONSSI

MODULE LICENSE		
Requires one license required per site.		
Anixter No.	Vendor No.	Description
434303	OC-CC9000-B	For integration activation

UPGRADE PLANS		
Provided for one Ocularis C-CURE 9000 Software Module add-on option.		
Anixter No.	Vendor No.	Description
434304	SUP-OC-CC9000-BASE-1Y	One-year Software
434306	SUP-OC-CC9000-BASE-2Y	Two-year Software
434307	SUP-OC-CC9000-BASE-3	Three-year Software
434308	SUP-OC-CC9000-BASE-4Y	Four-year Software
434309	SUP-OC-CC9000-BASE-5Y	Five-year Software

OnSSI's Software Upgrade Plan keeps your system up to date with all the new features and functionality introduced during the coverage period. Available for one to five years for most products, it offers significant savings when you buy a plan for two years or longer.

The SUP option, if selected, requires purchasing the SUP for all system components and licenses.

SUP coverage is required for all camera licenses added to an existing system under SUP. This will extend the entire systems' SUP expiration date in proportion to the number of newly purchased camera licenses.

The Flexible (daily) SUP is available only to customers with current SUP coverage. A minimum one-year SUP is required upon initial purchase.

Agent Video Intelligence - Analytics

AGENT VI



Agent Vi's comprehensive video-analytics solutions extend from real-time video analysis and alerts to forensic search and post-event analysis, and are fully integrated with a range of third-party edge devices and video-management systems.

Vi-System - Agent Vi's real-time video-analytics software transforms standard surveillance networks into intelligent and effective detection and alert systems. By performing real-time analysis of the video stream, Vi-System identifies and generates alerts for a variety of user-defined events relating to people, vehicles and static objects. Used for applications such as security, safety and business intelligence, Vi-System offers effective monitoring of multiple video sources in parallel, enabling automatic detections, alerts and responses to events, as they emerge.

Vi-Search - Agent Vi's video search and analysis software enables rapid retrieval and presentation of specific video segments, events and data from vast amounts of recorded video. Through Vi-Search, all video streams in a surveillance network are analyzed during recording, and events and features are indexed and stored. Users can search for specific events and data which are retrieved automatically, replacing time-consuming and ineffective manual review. Additionally, Vi-Search enables offline search by analyzing video files exported from any video-recording system. Vi-Search allows true leveraging of recorded video by enabling instantaneous forensic searches, analysis of motion patterns, presentation of heat maps and site maps (high- and low-traffic areas), and extraction of statistical data for applications such as security, post-event analysis and business intelligence.

FEATURES

- **Vi-System**
 - Comprehensive set of detection rules relating to people, vehicles and static objects
 - Unlimited number of detection rules of any kind and any combination can be applied to each video channel
 - Rules can be applied to any number of video channels simultaneously
 - Complex detection scenarios can be generated by combining or linking detection rules
 - High-detection performance
 - i-LIDS certification as a Primary Detection System for operational alert use in sterile zone monitoring applications; graded "Primary Detection System" by i-LIDS for reliability as sole detection system with no need for additional detection layers
 - A quad-core server can support up to 200 video channels, running unlimited analytics functionalities simultaneously for optimized hardware deployment
 - Fully integrated with market-leading edge devices and video-management systems
- **Vi-Search**
 - Comprehensive search capabilities offer high-end and accurate queries
 - Rich and robust set of search parameters and filters, including target classification, search targets by color, search for specific targets, search by behavior, complex queries and more

- Rapid search capabilities enable search through 24 hours of video in only 5 seconds
- Can be utilized for forensic analysis, business intelligence, operational-efficiency applications, time-critical security and law enforcement operations
- Multiple viewing options include thumbnails of video playback, statistical reports, target path/location analysis (graphical presentation of motion paths/object location), video summary for rapid debriefing, and heat map (illustrating high-density and motion/activity areas), site map (target path and heat map views from the perspective of an entire site, like a store floor), and video summary for rapid debriefing
- A quad-core server can support up to 200 video channels for hardware optimization
- Fully integrated with market-leading edge devices and video-management systems
- Offline search available to reduce the time required to review footage during an investigation. Video files exported from recording systems can be imported into Vi-Search for quick indexing and analysis. Replaces manual review of footage, post-event

Anixter No.	Vendor No.	Description
396420	VI-ZONE	Moving in an Area; detects a person or vehicle moving in a predefined area
396421	VI-LINE	Crossing a Line; detects a person or vehicle crossing a predefined line
396422	VI-CNTG	Counting; counts people or vehicles crossing a predefined line
422083	VI-STOP	Stopped Vehicle; detects a vehicle stopped in a predefined area
422084	VI-TOBS	Traffic Obstacle; detects a target of any size that has entered and stopped in a predefined area for longer than a predefined time
422085	VI-SOBJ	Suspicious Object; detects an object unattended for longer than a predefined time in a predefined area
396424	VI-LOIT	Loitering; detects person(s) lingering or standing idly in a predefined area for longer than a predefined time
396426	VI-CRWD	Crowding; detects if people in a predefined area exceed a predefined density percentage
396425	VI-GRPG	Grouping; detects if people in a predefined area exceed a predefined number
396423	VI-TLGT	Tailgating; detects a person/vehicle illegally following an authorized person/vehicle through a secured entry point
396427	VI-STCK	Stickiness; counts people dwelling in a predefined area for longer than a predefined time
396433	VI-ASST	Asset Protection; detects the removal of a predefined asset from the field of view
396428	VI-VSSL	Moving Water Vessel; detects a vessel moving over water
422087	VI-002	Bundle - Two Rules; two rules per camera
422088	VI-ENT	Bundle - All Rules; all rules per camera

Continued on next page >>

Video Analytics

Agent Vi

(continued)

Agent Video Intelligence - Analytics

Anixter No.	Vendor No.	Description
407763	VI-TOUR	PTZ - Virtual Tour; detects person/vehicle moving in a predefined area or crossing a predefined line on PTZ presets
407764	VI-TRCK	PTZ - Auto-tracking; tracks moving target
396436	VI-PTZ-BNDL	Bundle - PTZ; VI-TOUR and VI-TRCK
433659	VI-RPT	Moving in an Area; detects a person or vehicle moving in a predefined area
433660	VI-DISP	VI-System Event Dispatcher; license which allows receipt of event notification on mobile communication applications such as e-mail and SMS
422090	VI-SEARCH-BASE	Vi-Search Basic User License; one license required per user workstation, offers results in Thumbnails view, capabilities exclude My Queries and Search for Similar
422091	VI-SEARCH-PRO	Vi-Search Professional User License; one license required per user workstation, offers results in Thumbnails, Statistics, Report, Target Path/Location, Heat Map and Video Summary views, includes all Vi-Search capabilities
450623	VI-SEARCH-OL	Vi-Search Offline User License; one license required per user workstation, offers ability to perform search and analysis on imported video clips
422093	VI-SEARCH-INDX1	Video Indexing License - bundle of 10 cameras; a license is required for every camera that is powered by Vi-Search, licenses are sold in bundles of 10 cameras
422097	VI-RDNT	Redundant Server License; license for failover redundancy server, cost is per server
450624	VI-SUP1	Allows upgrade to newer version of software released while SUP is in effect. License price calculated per installation based on the installed components. One year; 18% of total product purchase cost
450635	VI-SUP2	Allows upgrade to newer version of software released while SUP is in effect. License price calculated per installation based on the installed components. Two year; 30% of total product purchase cost
450636	VI-SUP3	Allows upgrade to newer version of software released while SUP is in effect. License price calculated per installation based on the installed components. Three year; 39% of total product purchase cost

Anixter No.	Vendor No.	Description
450637	VI-SUP4	Allows upgrade to newer version of software released while SUP is in effect. License price calculated per installation based on the installed components. Four year; 47% of total product purchase cost
450638	VI-SUP5	Allows upgrade to newer version of software released while SUP is in effect. License price calculated per installation based on the installed components. Five year; 55% of total product purchase cost

Contact your sales representative for more details.