DISPLAY MOUNTS





Tripp Lite Display Mounts for Flat-Panel Displays, HDTVs and Tablets

- Fixed, tilt and full-motion mounts with sturdy metal frames support a wide range of displays
- VESA[®] compliance and included mounting hardware make installs quick, easy and secure



Lite Display Mounts for Flat-Panel Displays, HDTVs and Tablets • Tripp Lite Disp y Mounts for Flat-Panel Displays, HDTVs and Tablets • Tripp Lite Display Mounts s for Flat-Panel Displays, HDTVs and Tablets • Tripp Lite Display Mounts HDTVs and Tablets • Tripp Lite Display Mounts for Flat-Panel Display and Table • Tripp Display Mounts for Flat-Panel Display Display Mounts for Flat-Panel Displays, HDTVs and Tablets • Tripp

ets	CONTENTS	or Flat-F
> L	Specifications 3	iel Disp
ay	Desktop & 4-5 Clamp-On Mounts	HDTVs
r Fl	CPU Mount 4	blets • '
spl	Tablet Mounts 6	Lite Di
√s	Monitor Risers 6	/ Mount
ets	Wall Mounts (Fixed) 7	or Flat-f
	Ceiling Mounts 8	
> L	Wall Mounts (Tilt) 8-9	nel Disp
	Wall Mounts 10-11 (Swivel/Tilt/Rotate)	, HDTVs
r Fl		blets • '

Mounts for Flat-Pa Flat-Panel Displays, HDTVs and Ta Displays, HDTVs and Tablets • Tri HDTVs and Tablets • Tripp Lite Dis Tablets • Tripp Lite Display Mounts

Lite Display Mounts for Flat-Panel Displays, HDTVs and Tablets • Tripp Lite Disp Mounts for Flat-Panel Displays, HDTVs and Tablets • Tripp Lite Display Mounts

TRIPPILITE DISPLAY MOUNTS



High-Quality Display Mounts from a Manufacturer with a Worldwide Reputation for Reliability, Value and Service

Easy Installation

Tripp Lite Display Mounts come with all the hardware you need for installation. Wall mounts include fasteners that allow you to install on walls with timber or masonry construction, including wooden studs, cinder blocks, bricks and concrete. Installation is a simple three-step process: mount the wall frame, connect the display bracket and hang the display. Select models have a built-in bubble level for accurate placement and an open frame for easy access to wiring, cables and conduit.

VESA Compliance

VESA compliance makes it easy to choose a Display Mount that's guaranteed to work with your display. Select models include an adjustable bracket that fits a wider range of VESA-compliant displays.

Optimized Viewing

Tripp Lite Display Mounts adjust to optimize viewing angles and make the most of your display environment. You can use them to upgrade existing displays with enhanced ergonomics to reduce glare, provide comfortable viewing angles, reduce fatigue and increase productivity. You can also fine-tune the positioning of digital signage and point-of-purchase displays to communicate your message more effectively to your audience.

Durable Construction

Sturdy steel or aluminum frames support displays securely and withstand the stress of repeated adjustments and use in common areas. Scratch-resistant powder-coat finishes tolerate frequent handling and blend with any décor.

Flexible Applications

Tripp Lite Display Mounts are suitable for digital signage, informational displays, conference areas, meeting rooms, pointof-purchase displays, office workstations, security stations, control rooms, instructional settings, public areas, production studios, HDTVs, home theaters and other audio/visual display applications.

Ready for Business

Since 1922, Tripp Lite has established a reputation for reliability, value and service throughout the business community. Tripp Lite is ISO 9001 certified to meet the highest standards of design, manufacturing, distribution, marketing, sales and service. As a market leader in display solutions for digital signage, Tripp Lite's expertise and experience ensure that our Display Mounts are designed to get the job done effectively and efficiently in any business environment. All models are rated for commercial use and backed by Tripp Lite's 5-year limited warranty.

TRIPP-LITE DISPLAY MOUNTS

Specifications


Model #	Old Model #	Supported Screen Sizes	Weight Capacity	Mounting Profile (Surface to Display)	VESA Compliance	Tilt	Swivel	Rotate/ Screen Level	Feature Focus (pp. 4-11)
Desktop Mounts			1 /	. ,,	•				,
DDR1032SE	N/A	10 to 32 in.	36 lb.	_	75x75, 100x100	-15° to +15°	180°	360°	4A
DDR1026SD	N/A	10 to 26 in.	2 x 30 lb.		75x75, 100x100	-15° to +15°	180°	360°	4B
DDR1026MQ	N/A	10 to 26 in.	4 x 30 lb.	_	75x75, 100x100	-15° to +15°	180°	360°	4C
DDR1527SDC*	N/A	15 to 27 in.	2 x 20 lb.	_	75x75, 100x100	-20° to +20°	20°	360°	4D
CPU Mount	N/A	10 10 27 11.	2 X 20 ID.		10/10, 100/100	20 10 1 20	20	000	
DCPU1	N/A		40 lb.		N/A				4E
	-	_	40 10.	_	IV/A	_			46
Clamp-On Mounts		10 to 07 in			75-75-400-400	400 to 1 000	1.000	0000	
DDR1327S	DDR1323S	13 to 27 in.	20 lb.	_	75x75, 100x100	-40° to +90°	180°	360°	5A
DDR1327SFC	N/A	13 to 27 in.	22 lb.	_	75x75, 100x100	-15° to +15°	180°	360°	5B
DDR1327SDFC	N/A	13 to 27 in.	2 x 22 lb.	—	75x75, 100x100	-15° to +15°	180°	360°	5C
DDR1327SQFC	N/A	13 to 27 in.	4 x 22 lb.	_	75x75, 100x100	-15° to +15°	180°	360°	5D
DDR1327DCS	N/A	13 to 27 in.	2 x 22 lb.	—	75x75, 100x100	-80° to $+90^{\circ}$	180°	360°	5E
DDR1327NBMSC	N/A	13 to 27 in. (monitor)/ Up to 15 in. (laptop)	22 lb. (monitor)/ 11 lb. (laptop)	_	75x75, 100x100	-80° to +90° (monitor)/ 25° (laptop)	180°	360°	5F
DDR1527SDC*	N/A	15 to 27 in.	2 x 20 lb.	_	75x75, 100x100	-20° to $+20^{\circ}$	20°	360°	4D
Tablet Mounts									
DDR0310SC	N/A	3.5 to 10 in.	2.2 lb.	9.8 in.	N/A	—	_	360°	6A
DDR1013SC	N/A	10 to 13.5 in.	3.1 lb.	23.4 in.	N/A	—	—	360°	6B
DDR0710SC	N/A	7 to 10 in.	2.2 lb.	4.8 in.	N/A	-180° to+180°	360°	360°	6C
DDR0810TRI	N/A	8 to 10 in.	2.2 lb.	_	N/A	-30° to $+30^{\circ}$	30°	360°	6D
Monitor Risers									
MR1612	N/A	_	40 lb.	_	N/A	_	—	_	6E
MR1208TRAY	N/A	—	40 lb.	_	N/A	—		—	6F
Wall Mounts (Fixe	ed)								
DWF1327M	DWF1323M	13 to 27 in.	88 lb.	0.6 in.	50x50, 75x75, 100x100	—	—	—	7 A
DWF2655X	DWF2647X	26 to 55 in.	165 lb.	1.2 in.	200x200, 300x300 ,400x200, 400x400	—	_	_	7B
DWF3270X	DWF3260X	32 to 70 in.	165 lb.	1.2 in.	200x200, 300x300, 400x200, 400x400, 600x400	_	_	_	7C
DWF3770L	N/A	37 to 70 in.	143 lb.	0.8 in.	300x300, 400x200, 400x400, 600x400, 800x400	_	_	—	7D
DWF4585X	N/A	45 to 85 in.	200 lb.	1.4 in.	200x200, 300x300, 400x200,	—		—	7E
DWF60100XX	N/A	60 to 100 in.	350 lb.	1.3 in.	400x400, 600x400, 800x400 200x200, 300x300, 400x200, 400x400, 600x400, 800x400, 800x600, 900x600	—			7F
Ceiling Mounts									
DCTM	N/A	10 to 37 in.	80 lb.	11 to 21 in.	75x75,100x100,100x200, 200x200	-30° to 0°	90°	—	8A
DUNVPJT	N/A	N/A	55 lb.	—	N/A	-20° to $+20^\circ$	360°	_	8B
Wall Mounts (Tilt)									
DWT1327S	DWT1323S	13 to 27 in.	88 lb.	1.4 in.	75x75, 100x100	-15° to +10°		—	8C
DWT2655XE	DWT2647XE	26 to 55 in.	165 lb.	1.8 in.	200x200, 300x300, 400x200, 400x400	-10° to 0°			8D
DWT2655XP	DWT2647XP	26 to 55 in.	165 lb.	2.5 in.	200x200, 300x300, 400x200, 400x400	-10° to $+10^{\circ}$		—	9A
DWT3270X DWT3770X	DWT3260X DWT3763X	32 to 70 in. 37 to 70 in.	165 lb. 200 lb.	1.8 in. 1.8 in.	200x200, 300x300, 400x200, 400x400, 600x400 200x200, 300x300, 400x200, 400x400, 600x400, 800x400	-10° to 0° -10° to 0°			9B 9C
DWT4585X	N/A	45 to 85 in.	200 lb.	2.5 in.	200x200, 300x300, 400x200, 400x400, 600x400, 800x400	-10° to +10°		_	9D
DWT60100XX Wall Mounts (Swir	N/A	60 to 100 in.	350 lb.	5.1 in.	200x200, 300x300, 400x200, 400x400, 600x400, 800x400, 800x600, 1000X400, 1000x600, 1000x800	-15° to +15°		_	9E
DWM1327SE	DWM1323SE	13 to 27 in.	33 lb.	4.1 to 15.9 in.	75x75, 100x100	-15° to +15°	180°		10A
DWM1327SE	DWM1323SP	13 to 27 in.	33 lb.	2.2 to 22.8 in.	75x75, 100x100	-15° to +15°	180°	-2° to +2°	10A
DWM132731	DWM132331	17 to 42 in.	44 lb.	2.2 to 22.8 in.	100x100, 200x100, 200x200	-15° to +15°	180°	-3° to $+3^{\circ}$	10E
DWM17420 DWM1742MA	DWM1737MA	17 to 42 in.	77 lb.	2.2 to 22.0 in.	75x75, 100x100, 200x100, 200x200	-15° to +15°	180°	-3° to $+3^{\circ}$	10C
DWM1742MA	DWM1737MN	17 to 42 in.	115 lb.	3.5 in.	75x75, 100x100, 200x100, 200x200	-15° to +15°	80°	-4° to $+4^{\circ}$	11A
DWM3750S	N/A	37 to 50 in.	44 lb.	2.7 to 25.3 in.	75x75, 100x100, 200x200, 400x400	-15° to +15°	180°	360°	11B
DWM2655M	DWM2342M	26 to 55 in.	110 lb.	4.9 to 20.3 in.	200x200, 300x300, 400x200, 400x400	-15° to +15°	120°	-5° to +5°	11C
DWM3770X	N/A	37 to 70 in.	165 lb.	4.6 to 20.6 in.	200x200, 300x300, 400x200, 400x400, 600x400	-15° to +15°	120°	-3° to +3°	11D
DWM60100XX	N/A	60 to 100 in.	275 lb.	2.8 to 24.6 in.	200x200, 300x300, 400x200, 400x400, 600x400, 600x900, 800x400, 800x600	-15° to +15°	90°	-3° to $+3^{\circ}$	11E

* DDR1527SDC includes a desktop stand and a desk clamp.

Desktop & Clamp-On Mounts

- Increase available desk/table space in office workstation applications
- Convenient one-touch display adjustment provides easy view optimization and improved ergonomics for varied tasks throughout the workday





ИАХ


40 lb.

• Open frame for easy access to CPU

4E DCPU1

Fits Most CPUs from 4 to 6.25 in







Tablet Mounts (Full Motion)

- View your tablet without using desk/table space
- Convenient one-touch display adjustment provides easy view optimization and improved ergonomics for varied tasks throughout the day








Wall Mounts (Fixed)

- Low-profile mounting keeps the unit out of sight for a sleek, professional appearance
- Horizontal adjustment compensates for off-center wall studs





Ceiling Mounts (Full Motion)

- Full-motion articulation provides the most flexible view optimization
- Mount for displays frees up wall and floor space in digital signage applications
- Mount for projectors allows precise image positioning in classroom, boardroom and commercial settings

11 to 21 in.

90°

75x75, 100x100, 100x200, 200x200





Wall Mounts (Tilt)

10 to 37 in.

DCTM (For Displays)

-30

8A

• Tilt adjustment provides improved viewing angles for applications where the audience is below the display


80 lb.

- Low-profile mounting keeps the unit out of sight for a sleek, professional appearance
- Horizontal adjustment compensates for off-center wall studs






100x100





8


Wall Mounts (Tilt) continued




Wall Mounts (Swivel/Tilt/Rotate)

- Full-motion articulation provides the most flexible view optimization
- Increase available desk/table space in office applications
- One-touch repositioning provides convenient display adjustment for varied tasks throughout the workday







TRIPP-LITE DISPLAY SOLUTIONS

Tripp Lite makes hundreds of solutions for all display, distributed video and digital signage applications!

Connect high-resolution video sources (with or without audio) to displays and projectors up to 2,000 ft. away with high-quality cables, extenders, wall plates, adapters, splitters and switches. Choose from a wide range of solutions to complete any installation:



- Direct-Connect Cables connect computers and other sources directly to HDTVs, displays and projectors
- Easy Pull Cables include detachable connectors and integrated pull rings for long cable runs through conduit and other tight spaces
- Over-Cat5 Solutions offer the longest cable runs, support the most connected displays and use convenient, cost-effective Cat5/5e/6/6a (UTP) cabling
- VGA, DVI, HDMI[®], Analog Video and DisplayPort[®] Solutions support the latest industry standards and can be ordered à la carte or as complete kits
- HDBaseT Solutions can transmit HDMI video and audio, RS-232 serial and IR remote signals over a single Cat5e/6/6a cable



- **Surge Protectors** protect valuable displays from damaging spikes and surges, while eliminating disruptive line noise so connected components can perform at their peak
 - o New models in stock!
 - o High-amp USB charging for multiple devices
 - o Options include built-in timers and rotatable outlets
- Power Strips provide convenient multiple outlets to power equipment



ABOUT TRIPP LITE

Since 1922, Tripp Lite has established a global reputation for quality manufacturing, superior value and excellent service. Tripp Lite makes more than 3,000 products to power, protect and connect electronic equipment, including UPS systems, replacement batteries, power distribution units, rack systems, cooling solutions, surge protectors, KVM switches, cables, display solutions, power strips and inverters. Learn more at www.tripplite.com.

Distributed By:





Copyright © 2015 Tripp Lite. All trademarks are the sole property of their respective owners. Photos and illustrations may differ from actual products. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.

Tripp Lite World Headquarters

1111 W. 35th Street, Chicago, IL 60609 USA 773.869.1773 • www.tripplite.com