


CHARGING STATIONS & CARTS



USB and AC Charging Stations and Carts

Charge, sync, secure and organize up to 48 tablets or 36 laptops in a locking steel enclosure.

Recommended for:

- iPad® • Android™ • Kindle™ • Surface® • Chromebook™
- MacBook® • Ultrabook™ • Full-Size Laptops



Introduction	2
Features and Benefits	3
Specifications	6
Other Charging Solutions	8




Charge, Sync, Secure and Organize All Your Mobile Devices

Mobile devices like tablets, Chromebooks, laptops and smartphones have influenced every organization. As devices continue to multiply, charging and storing them becomes a difficult problem that calls for a purpose-built solution.

Tripp Lite charging stations and carts deliver outstanding value everywhere mobile devices are in use, including education, healthcare, retail, commercial, industrial and office settings. They secure up to 48 devices inside a locking steel enclosure, providing high-speed USB or AC charging, convenient syncing, comprehensive protection, clutter-reducing organization and flexible deployment.

winner!
2016 AWARDS
of
EXCELLENCE
TECH & LEARNING

CSC36AC 36-Device AC Charging Cart



HIGH-SPEED CHARGING

- Models with USB charging provide up to 2.4A per device.
- Models with AC charging provide an outlet for each device.

USB models provide the fastest charging supported by each device, up to 2.4 amps per port, increasing device availability. Capable of charging 16, 32 or 48 tablets, USB models can also charge smartphones and other USB devices.

AC models provide an outlet for each device's power adapter. They can charge 16, 32 or 36 Chromebooks, laptops or tablets, supporting up to 1,440 watts. Models with dual-zone charging can support more devices and higher wattages through a single input cord—up to 1,440 watts per zone.

CONVENIENT SYNCING (USB Models)


Wired syncing updates software, backs up data and returns devices to standard configurations without taxing busy Wi-Fi networks. USB and AC models also allow wireless syncing.



USB models provide up to 2.4 amps per port.




AC models provide a dedicated outlet for each device.



The USB uplink port connects to a computer for device syncing.


CSC32USB 32-Device USB Charging Cart



COMPREHENSIVE PROTECTION

- Steel enclosure locks securely with included keys to discourage device theft, damage or tampering.
- Powder-coated finish promotes long-term durability.
- Flow-through ventilation moderates temperatures.
- Protective shelf finish helps prevent device scratches.
- Rubber grommets reduce cord wear.
- Extra-secure 3-point lock latches doors at top, middle and bottom (most models).
- Padlock hasp and cable/chain lock ports support supplemental user-supplied locks (select models).


CS16USB 16-Device USB Charging Station



CLUTTER-REDUCING ORGANIZATION

- Device slots fit full-size laptops (select models).
- Removable dividers accommodate larger devices.
- Built-in cord management reduces cable clutter.
- Doors open at least 180° for improved access to devices.
- Toolless access panels conceal cord slack, outlets/ports and power adapters, but remove easily for access (select models).
- Outlets on AC models accommodate bulky power adapters without blocking adjacent outlets (most models).

CSC16AC 16-Device AC Charging Station



FLEXIBLE DEPLOYMENT

- Most models are available as mobile charging carts or charging stations that support optional cart conversion.
- Most models include rear wall-mount slots and support placement on a desk, table, counter or floor.
- All models arrive ready for quick deployment, with minimal assembly requirements.

CONVENIENT MOBILITY (CARTS)

- Wide-grip handle assists cart control.
- Swivel casters with large, non-marking wheels improve handling over uneven surfaces.
- Casters lock to help prevent unwanted movement when cart is at rest.
- Input cord wrap keeps cord out of the way when moving cart from room to room.

CS48USB 48-Device USB Charging Station with CSHANDLEKIT Mobile Cart Conversion Kit



CSC32ACW 32-Device AC Charging Cart





Recommended Use	Charging and Syncing Tablets (iPad, Android, Kindle, Surface)				
Model (Black, Shown)	CSC32USB	CSC16USB	CS48USB	CS32USB	CS16USB
Model (White)	CSC32USBW	CSC16USBW	CS48USBW	—	CS16USBW
Form Factor	USB Cart	USB Station	USB Station	USB Station	USB Station
Device Capacity	32 Tablets	16 Tablets	48 Tablets	32 Tablets	16 Tablets
Charging Method	32 USB Ports	16 USB Ports	48 USB Ports	32 USB Ports	16 USB Ports
Charging Capacity ⁽¹⁾	2.4A per Port	2.4A per Port	2.4A per Port	2.4A per Port	2.4A per Port
Maximum Screen Size ⁽²⁾	≤17 in. Laptop	≤17 in. Laptop	≤12 in. Tablet	≤12 in. Tablet	≤12 in. Tablet
Device Slot Size (HWD) ⁽³⁾	10.5 x 1.5 x 15.4 in.	10.5 x 1.5 x 15.4 in.	8.0 x 0.8 x 13.9 in.	8.0 x 0.8 x 13.9 in.	8.1 x 0.8 x 13.9 in.
Cart Configuration with Locking Casters and Non-Marking Wheels	Included	Add CSHANDLEKIT2	Add CSHANDLEKIT	Add CSHANDLEKIT	—
Wall-Mount Slots	✓	✓	✓	✓	✓
Primary Construction	Powder-Coated Steel	Powder-Coated Steel	Powder-Coated Steel	Powder-Coated Steel	Powder-Coated Steel
Security	3-Point Lock, Optional Padlock/Cable Lock	3-Point Lock, Optional Padlock/Cable Lock	3-Point Lock, Locking Side Panels	3-Point Lock, Locking Side Panels	Locking Door, Locking Side Panels
Tablet Compatible	✓	✓	✓	✓	✓
Wired USB Syncing	✓	✓	✓	✓	✓
Wireless Syncing	Compatible	Compatible	Compatible	Compatible	Compatible
AC Input	110-240V, 50/60 Hz	110-120V, 50/60 Hz	110-240V, 50/60 Hz	110-240V, 50/60 Hz	110-240V, 50/60 Hz
Input Cord Length	10 ft.	10 ft.	10 ft.	10 ft.	10 ft.
Front Door Type	Split/Double	Split/Double	Single	Single	Single
Flow-Through Ventilation	✓	✓	✓	✓	✓
Built-in Cord Management	✓	✓	✓	✓	✓
Toolless Access Panel(s)	✓	✓	—	—	—
Protective Shelves	✓	✓	✓	✓	✓
Removable Dividers	✓	✓	✓	✓	✓
Presentation/Productivity Workstation Features	Solid Steel Worktop	Solid Steel Worktop	—	—	—
Unit Dimensions (HWD)	36.1 x 34.8 x 21.6 in.	18.8 x 30.3 x 21.6 in.	35.6 x 23.6 x 21.6 in.	25.1 x 23.6 x 21.6 in.	14.6 x 23.6 x 17.7 in.
Limited Warranty (Extended warranty available.)	2 years	2 years	2 years	2 years	2 years

Certifications vary with model. (1) 1.5A per port during wired syncing. (2) Depends on device dimensions. (3) CSC models have extra 1.1 in. clearance inside door. Other models have extra 1.5 in.



Recommended Use	Charging Chromebooks and Laptops			Charging Tablets	
Model (Black, Shown)	CSC36AC	CSC32AC	CSC16AC	CS32AC	CS16AC
Model (White)	—	CSC32ACW	CSC16ACW	—	—
Form Factor	AC Cart	AC Cart	AC Station	AC Station	AC Station
Device Capacity	36 Laptops	32 Laptops	16 Laptops	32 Tablets	16 Tablets
Charging Method	36 AC Outlets with Dual-Zone Charging ⁽¹⁾	32 AC Outlets	16 AC Outlets	32 AC Outlets	16 AC Outlets
Charging Capacity	1,440W per Zone	1,440W Total	1,440W Total	1,440W Total	1,440W Total
Maximum Screen Size ⁽²⁾	≤15 in. Laptop	≤17 in. Laptop	≤17 in. Laptop	≤13 in. Tablet	≤14 in. Tablet
Device Slot Size (HWD) ⁽³⁾	10.5 x 1.5 x 15.4 in.	10.5 x 1.5 x 15.4 in.	10.6 x 1.5 x 15.4 in.	9.7 x 0.8 x 13.9 in.	11.6 x 0.8 x 13.9 in.
Cart Configuration with Locking Casters and Non-Marking Wheels	Included	Included	Add CSHANDLEKIT2	Add CSHANDLEKIT	Add CSHANDLEKIT
Wall-Mount Slots	—	✓	✓	✓	✓
Primary Construction	Powder-Coated Steel	Powder-Coated Steel	Powder-Coated Steel	Powder-Coated Steel	Powder-Coated Steel
Security	3-Point Locks (Front and Back)	3-Point Lock, Optional Padlock/Cable Lock	3-Point Lock, Optional Padlock/Cable Lock	3-Point Lock, Locking Side Panels	3-Point Lock, Locking Side Panels
Tablet Compatible	✓	✓	✓	✓	✓
Wired USB Syncing	—	—	—	—	—
Wireless Syncing	Compatible	Compatible	Compatible	Compatible	Compatible
AC Input	120V, 60 Hz	120V, 50/60 Hz	120V, 50/60 Hz	120V, 50/60 Hz	120V, 50/60 Hz
Input Cord Length	10 ft.	10 ft.	10 ft.	10 ft.	10 ft.
Front Door Type	Single	Split/Double	Split/Double	Single	Single
Flow-Through Ventilation	✓	✓	✓	✓	✓
Built-in Cord Management	✓	✓	✓	✓	✓
Toolless Access Panel(s)	Locking Rear Compartment	✓	✓	✓	✓
Protective Shelves	✓	✓	✓	✓	✓
Removable Dividers	✓	✓	✓	✓	✓
Presentation/Productivity Workstation Features	Solid Laminate Worktop, RJ45 Pass-Through, 3 Auxiliary Outlets (2 External) ⁽⁴⁾	Solid Steel Worktop	Solid Steel Worktop	—	—
Unit Dimensions (HWD)	42.3 x 28 x 26.1 in.	42.3 x 34.8 x 21.6 in.	18.8 x 30.3 x 21.6 in.	35.6 x 23.6 x 21.6 in.	21.6 x 23.6 x 21.6 in.
Limited Warranty (Extended warranty available.)	2 years	2 years	2 years	2 years	2 years

Certifications vary with model. **(1)** Active charging alternates between zones hourly. **(2)** Depends on device dimensions. **(3)** CSC models have extra 1.1 in. clearance inside door. Other models have extra 1.5 in. **(4)** Two external auxiliary outlets support projectors and other devices; one internal auxiliary outlet and RJ45 Ethernet pass-through support user-supplied wireless access point.

Desktop Charging Stations



NEW!

CSD1006USB 10-Device
USB Desktop Charging Station

Tripp Lite's compact desktop charging stations provide secure storage, convenient organization and high-speed USB or AC charging for up to 10 laptops or tablets. In addition to a locking cover, desktop charging stations also include a combination cable lock to discourage theft.

Desktop Charging Stations

CSD1006AC	10-Device AC Charging Station with Surge Protection (2880 Joules)
CSD1006USB	10-Device USB Charging Station (2.4A per Port)

USB Chargers and Surge Protectors with USB Charging



U280-016-RM 16-Port USB Charger

Tripp Lite's compact USB chargers can be used for stand-alone charging applications or upgrading existing carts, cabinets and rack enclosures. Tripp Lite also makes surge protectors with convenient USB charging ports.

USB Chargers

U280-016-RM	16-Port USB Charger with Sync, 1U (2.4A per Port, 200W Max)
U280-004	4-Port USB Charger (2.4A per Port, 30W Max)
U280-004-OTG	4-Port USB Charger with OTG Hub (1A or 2A per Port, 30W Max)
U280-010	10-Port USB Charger (2.4A per Port, 105W Max)
U280-010-ST	10-Port USB Charger with Device Slots (2.4A per Port, 96W Max)
U280-002-W12	2-Port USB Wall/Travel Charger (1A or 2.4A per Port, 17W Max)

Surge Protectors with USB Charging

MT-6PLUS	6 Outlets, 2 USB Ports, 3150 Joules, 8 ft. Cord, Under-Monitor
SK120USB	3 Outlets, 2 USB Ports, 540 Joules, Folding/Direct Plug-in, Portable
SK30USB	3 Outlets, 2 USB Ports, 540 Joules, Direct Plug-in, Portable
TLP26USBB	2 Outlets, 4 USB Ports, 1080 Joules, 6 ft. Cord, Device Slot
TLP606DMUSB	6 Outlets, 2 USB Ports, 2100 Joules, 6 ft. Cord, Mounting Clamps
TRAVELER3USB	3 Outlets, 2 USB Ports, 1050 Joules, 18 in. Cord, Portable

Visit www.tripplite.com for Tripp Lite's full selection of USB charging solutions, including durable USB charge/sync cords in a wide variety of types and lengths.



U280-010-ST 10-Port USB Charger



TLP26USBB Surge Protector

Tripp Lite manufactures more than 3,500 different IT solutions. Learn more at www.tripplite.com.

Distributed By:

For More Information, Contact: Tripp Lite United Kingdom
+44.01635.887396 • info-uk@tripplite.com



Tripp Lite World Headquarters
1111 W. 35th Street, Chicago, IL 60609 USA
773.869.1236 • www.tripplite.com/cs