

SD5700T Thunderbolt™ 4 Dual 4K Docking Station with 90W Power Delivery

Part Number: K35175EU | EAN Code: 5028252620239

The first
Thunderbolt™ 4
dock to offer full
power delivery,
regardless of how
many devices are
connected.

The first of a new generation, the SD5700T Thunderbolt™ 4 Dual 4K Docking Station with 90W Power Delivery offers premium Thunderbolt benefits now and into the future. Compatible with Thunderbolt™ 4-enabled Windows 10 laptops and backwards compatible with Thunderbolt™ 3 MacBooks running macOS 11 (Big Sur*) or later, the SD5700T supports Thunderbolt™ 3, Thunderbolt™ 4, USB-C® and USB4™ accessories and provides full Power Delivery, regardless of how many devices are connected. Features include 4 x Thunderbolt™ 4 ports, 4 x USB-A ports (1 x 5V/1.5A charging port on the front and 3 x Gen2 @ 10Gbps ports on the rear), 1 x Gigabit Ethernet port, 1 x audio combo jack, 1 x UHS-II SD 4.0 card reader, single 8K @ 30Hz or up to dual 4K @ 60Hz video, 40Gbps data transfer speeds, secure and manageable Intel VT-d DMA protection, a zero-footprint mounting option, security cable lock slots, free Kensington DockWorks™ software and a three-year warranty.

Features include:

- Windows 10 and macOS 11+ compatible
- Thunderbolt™ 4 technology
- Single 8K or Dual 4K video output
- 90W Power Delivery
- Helps future-proof your desktop setup
- UHS II SD 4.0 card reader

- · Zero-footprint mounting option
- Security cable slots
- Free Kensington DockWorks™ software
- Secure and manageable Intel VT-d DMA protection
- · Three-year warranty



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries. © 2020 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. CBT31636EN





 $^{^{\}ast}$ We recommend updating to Big Sur to ensure compatibility with the SD5700T.

SD5700T Thunderbolt™ 4 Dual 4K Docking Station with 90W Power Delivery

Part Number: K35175EU | EAN Code: 5028252620239







ogy Single 8K or Dual 4K Video underbolt™ 4 Output for Thunderbolt™ 4-Enabled

Devices

Extend visual productivity with the resolution, contrast and colour depth of Ultra HD (Single 8K 30Hz or Dual 4K 60Hz) via the available Thunderbolt™ 4 ports.

Compatibility

This Thunderbolt™ 4 desktop docking station is the first of its kind, providing the ultimate plug-and-play solution for Thunderbolt™ 4 Windows 10 laptops and Thunderbolt™ 3 MacBooks running macOS 11 (Big Sur*) or later. The SD5700T is also compatible with accessories that support Thunderbolt™ 3, Thunderbolt™ 4, USB-C® and USB4™. For Thunderbolt™ 3 based Windows 10 laptops, we recommend that you refer to our range of Thunderbolt™ 3 docks for optimal performance.

Thunderbolt™ 4 Technology

For the first time, this Thunderbolt™ 4 modern docking station can connect up to three additional Thunderbolt devices directly (up to five in total) while providing transfer speeds up to 40Gbps, up to Dual 4K video output and audio; all through the included 0.8m Thunderbolt™ 4 cable, for a quick and powerful plug-and-play experience. Intel VT-d DMA protection blocks peripheral devices from unauthorised access to system memory.

90W Power Delivery

Quickly and easily charge any
Thunderbolt™ 4 Windows 10 laptop
or Thunderbolt™ 3-enabled MacBook
running macOS 11 (Big Sur*) or later, in
addition to providing full support for
your Thunderbolt™ 3, Thunderbolt™ 4,
USB-C® and USB4™ accessories. No
need to worry about what you have
connected to the dock - our solution
provides the only full powered offering
on the market, so you can connect
anything, and be sure to receive
optimal performance.



Helps Future-Proof Your Desktop Setup

11-Ports of connectivity provide you the power to get the job done today and well into the future. This dock offers four Thunderbolt™ 4 ports, each capable of data, video and audio; four USB-A ports (one 5V/1.5A charging port on the front and three Gen2@10Gbps ports on the rear); one Gigabit Ethernet port; one audio combo jack and one UHS-II SD 4.0 card reader.



UHS II SD 4.0 Card Reader

Transfer files at ultra fast speeds using the built-in SD card reader.



Zero-Footprint Mounting Option and Security Cable Lock Slots

Maximise desktop space and reduce cable clutter by mounting your docking station out of the way.

Mounting bracket sold separately (K34050WW). Lock slots allow you to protect your investment with a Kensington cable lock, sold separately (K65020EU or K64444WW).





Free Kensington DockWorks™ Software and Three-Year Warranty

DockWorks™ WiFi Auto-Switch guarantees the fastest, most reliable internet connection; while MAC Address ID Pass-Through and Reset, and Device Connection Monitoring give IT managers maximum network monitoring and visibility. A threeyear warranty lets you rest assured knowing you're covered by Kensington.

^{*} We recommend updating to Big Sur to ensure compatibility with the SD5700T.


SD5700T Thunderbolt™ 4 Dual 4K Docking Station with 90W Power Delivery

Part Number: K35175EU | EAN Code: 5028252620239

	Systems Supported	Compatible with Windows 10 laptops equipped with Thunderbolt™ 4 and Thunderbolt™ 3 MacBook running macOS 11 (Big Sur*) or later
	Operating Systems Supported	Windows 10/ macOS 11 or later
	Plug & Play	Yes
	Software	For Windows, need to enable Intel Thunderbolt™ software
	System Resource Requirement	CPU: Intel® Core™ i5 6th generation or above Memory: 8GB or above GPU: Intel® HD Graphics 620 or above
	Additional Software Information	Kensington DockWorks compatible
	USB-C Power Delivery	5V/9V/15V@3A & 20V@4.5A
USB Interface		
	Type of USB Connector	USB-C Connector
	Host Connector	Support Thunderbolt™ 4 / Thunderbolt™ 3
USB Connections		
	Ports	Front Panel : - 1 x USB-A 2.0 (5V/1.5A ; BC1.2 charging) - 1 x Thunderbolt™ 4 Host Port (up to 90W charging - 1 x 3.5mm Audio Combo Jack - 1 x UHS-II SD 4.0 Card Reader
		Back Panel: - 3 x Thunderbolt™ 4 Downstream Facing Port - 3 x USB-A 3.2 Gen2 (up to 10Gbps and 5V/0.9A charging) - 1 x Ethernet 10/100/1000Mbps
Network Connections		
	Ethernet Port	RJ45
	Compatible Ethernet Speeds	10/100/1000Mbps
Host Connectivity		
	Host Docking Connector	1 x Thunderbolt™ 4 upstream port (PD 90W , 5V/9V/15V@3A & 20V@4.5A)

^{*} We recommend updating to Big Sur to ensure compatibility with the SD5700T.







SD5700T Thunderbolt™ 4 Dual 4K Docking Station with 90W Power Delivery

Part Number: K35175EU | EAN Code: 5028252620239

	_	
Video	(onr	nections
VIGCO	COIII	ICCLIOIIS

	Video Connectors	Thunderbolt™ 4	
	Maximum Resolution Supported	Thunderbolt 4 - Single Monitor : 8K@60Hz (with DSC enabled), 8K@30Hz (without DSC) - Dual Monitor : 4K@60Hz	
		Thunderbolt 3 - Single Monitor : 5K@60Hz - Dual Monitor : 4K@60Hz	
Audio Connections			
	Audio Connectors	1 x 3.5mm audio combo jack	
	Audio Channels Supported	Stereo LR	
LED Indicator			
	Blue LED	Link LED	
	Green LED	Power LED	
Material Specifications			
	Exterior	Aluminium / PC+ABS	
	Bottom	Aluminium	
	Product Colour	OTS Cool Gray 8c	
Product Dimensions			
	Unit Weight	0.435kg	
	Unit Dimensions without Peripherals	Width: 195mm (7.7") Depth: 75mm (3.0") Height: 30mm (1.2")	
	Enclosure Colour & Material	OTS Cool Gray 8c, Aluminium (Anodising Fine Brushed Finish)	
		OTS black, PC + ABS (MT11005)	
	Desktop Footprint	146.25cm² (22.7in²)	





SD5700T Thunderbolt™ 4 Dual 4K Docking Station with 90W Power Delivery

Part Number: K35175EU | EAN Code: 5028252620239

			- .		•
レって	120	Ina	Dim	anc	IODC
гац	Ka2	אווו	1 / 1 1 1 1	-112	ハルコン

	Packaging Style	Brown box	
	Packaging Dimensions	Each: Width: 215mm (8.4") Depth: 140mm (5.5") Height: 105mm (4.1")	
		Case: Width: 450mm (17.7") Depth: 230mm (9.0") Height: 155mm (6.1")	
	Packaging Weight	Each: 1.70kg (3.7lbs) Case: 6.80kg (15.0lbs)	
	Packaging Content	1 x SD5700T Dock 1 x Thunderbolt™ 4 passive cable (0.8m) 1 x Power Supply Unit (170W) 1 x Instruction Guide 1 x Warranty Card 1 x Compliance Sheet	
	Master Carton	4	
Power and Environ	mental		
	Power Adapter Rating	Input: 100-240V; 2.5A / Output: 20V DC 9A (180W)	
	Relative Humidity	55% operating temperature @ 25°C	
	Operating Temperature	0° to +45°C	
	Storage Temperature	0° to +60°C	
Country of Origin, F	Regulatory, and Warranty		
	Country of Origin	China	
	Certifications & Compliance	FCC, IC, CB, RoHS, ACCO RSL	
	Warranty	3-Year Limited - worldwide	



