



# 

# Voyager



2024 CATALOG



For over 40 years, ASA Electronics<sup>®</sup> has provided the RV industry with mobile electronics made to perform in any environment. Everything from televisions and stereos to observation systems has been designed to withstand extreme conditions, including vibration, temperature swings, and moisture.

Our product line comprises stereos, speakers, and televisions from JENSEN®, observation systems from Voyager®, and rooftop air conditioners from Advent® Air. Our line of marine products from JENSEN completes our premium product offering for those who live life on the edge. Engineered at our two-million-dollar, in-house testing facility, all of our products are backed by our Hassle-Free Warranty and Dealer Bill of Rights. They are warranted to be free of defects for 12 months, and our highly trained customer and technical service departments are available to answer any questions.

ASA Electronics<sup>®</sup> stands by its products every step of the way to ensure that they can handle any adventure.

## Contents.

## 04

iN•COMMAND® CONTROL SYSTEMS

- TIRE PRESSURE MONITORING
- SMART RVING

## 07

### VOYAGER

- WIRED OBSERVATION SYSTEMS & COMPONENTS
- MONITORS & MOUNTS
- WIRELESS OBSERVATION COMPONENTS
- ALA CARTE OPTIONS

## 13

### JENSEN

- RV WALL MOUNT STEREOS/ACCESSORIES
- INTERIOR SPEAKERS
- SOUND BARS, SUBWOOFERS, & AMPLIFIERS
- AM/FM ANTENNAS
- 12V TELEVISIONS & ACCESSORIES
- 110V TELEVISIONS & ACCESSORIES
- MARINE STEREOS
- WATERPROOF EXTERIOR GRADE SPEAKERS



ADVENT AC & ADVENT AC COMPONENTS

## IN.Command

iN-Command<sup>®</sup> Control Systems ushers in the next generation of campsite control, acting as your RV's central hub of operations. Control and monitor an array of systems, including slides, awnings, tank levels, and even Climate control and scheduling. iN-Command Global Connect allows you to control select functions of your RV using your smart device from anywhere in the world. Features like our innovative Unified Wiring Diagram and changeable relays allow easy maintenance at the campsite or dealership to keep your trip moving. For more information about iN-Command Control Systems, please visit www.in-command.net.



N·Command

### GLOBAL CONNECT™

Control select functions of your RV from anywhere in the world using a smart device with Wi-Fi or cellular data connection.



GENERATOR Control and monitor generator functions including auto-start and fault code reporting.



### CLIMATE CONTROL™

Control your heart and air conditioning, including the ability to set schedules for day and night and control roof vents.



Monitor and receive notifications regarding air pressure and temperature in each tire, receiving alerts and other information through the iN-Command app.



### TIRE PRESSURE MONITORING

IN-Command EDE<sup>A</sup>TPMS Repeater



NCTP100 FOUR TPMS SENSOR KIT

Front -

Monitor the air pressure and temperature of up to 22 tires at once with the iN•Command® Tire Pressure Monitoring System. The waterproof sensors use Bluetooth® technology to communicate important safety information right to your smart device through the iN•Command TPMS app.

## Tire Pressure Monitoring System

iN·Command

Bluetooth App Ready.

1

NCTP1002 TWO TPMS SENSOR KIT

### IN-Command Control System Tire Pressure Monitoring System Monitors the pressure and temperature with four Bluetoothi-enabled sensors through the INCommand TPMS aco.

Other systems available

Bluetooth

NCTP100

TPMS TPMS

IN-COMMAND® TPMS CAN ALSO BE USED INDEPENDENTLY WITHOUT AN IN-COMMAND CONTROL SYSTEM

### SMART RVing

### NCSP3DCCT

COMPATIBLE WITH SELECT MODELS ONLY.




SCAN HERE For more information & install instructions



### **7" TOUCHSCREEN**

Upgrade your iN•Command system with Global Connect features and a 7" display commander.

NCSP60SP



NCSP60SYS2B

### **IN-COMMAND KIT W/ TWO-BUTTON SWITCH PLATE**

Join the smart RVing club with this easy-to-install iN•Command kit. This package allows you to upgrade your RV from a prep plate to a Bluetooth<sup>®</sup> operated system using your mobile device as the remote with a two-button switchplate and body control module.



### iN•COMMAND KIT W/ 7" TOUCHSCREEN

Experience complete control with this easyto-install iN-Command kit. This package allows you to upgrade your RV from a prep plate to a complete system with a 7" touchscreen and body control module.

6



You've never been safer with Voyager observation systems. With RVs prewired for WiSight® technology, our factory-installed, 12-volt DC socket is already connected to the existing wiring at the rear of the coach. WiSight® technology allows the camera to transmit to a wireless Voyager monitor even at high freeway speeds. Never guess your surroundings again.

» EASY INSTALLATION
» SAFETY
» OBSERVATION

### WIRELESS OBSERVATION SYSTEMS



### WVSXP43

### VOYAGER WIRELESS WISIGHT 2.0, 4.3" MONITOR W/ CAMERA FOR PREWIRE SYSTEM

WVSXC150

SUPPORTS UP TO FOUR WIRELESS CAMERAS	MODEL	PANEL SIZE	BRIGHTNESS	CONTRAST	CAMERA INPUTS	DIMENSIONS
SIMULTANEOUSLY IN A QUAD VIEW DISPLAY	WVSXM43	4.3"	500 NIT	500 TO 1	4	1.0"X 5.8" X 4.1"
FOR ULTIMATE VISIBILITY AND AWARENESS.	WVSXM70	7"	400 NIT	500 TO 1	4	1.06"X 4.88" X 8.19"



### VOYAGER WIRELESS WISIGHT 2.0, 7" MONITOR W/ CAMERA

WVSXC150

MODEL	VIEWING ANGLES	WATER-RESISTANT	MICROPHONE	PLACEMENT	LED LOW-LIGHT ASSIST	IMAGE	SENSOR
WVSXC150	115°, 98°, 73°	IPX6	YES	REAR	YES	MIRROR	CMOS

### WIRELESS OBSERVATION SYSTEMS



### WVSXS43

WVSXS70

**VOYAGER WIRELESS WISIGHT 2.0, 4.3" MONITOR** W/ CAMERA FOR PREWIRE SYSTEM

WVSXC160



### VOYAGER WIRELESS WISIGHT 2.0, 7" MONITOR W/ CAMERA

WVSXC160

MODEL	VIEWING ANGLES	WATER-RESISTANT	MICROPHONE	PLACEMENT	LED LOW-LIGHT ASSIST	IMAGE	SENSOR
WVSXC160	122°, 91°, 65°	IPX6	YES	REAR	YES	MIRROR	CMOS

### WIRELESS OBSERVATION SYSTEMS



### WVSXS43

**VOYAGER WIRELESS WISIGHT 2.0 4.3" MONITOR** 



### WVSXS70

**VOYAGER WIRELESS WISIGHT 2.0 7" MONITOR** 



WVSXC150

**VOYAGER WIRELESS WISIGHT 2.0 CAMERA** 



WVSXC160 **VOYAGER WIRELESS WISIGHT 2.0 CAMERA** 



**VOYAGER PREP PLATE** 

**\*COMPATIBLE WITH WVSXC160** 

### WIRED OBSERVATION SYSTEMS & COMPONENTS



VCMS1/BK

**CAMERA, VOYAGER LOW PROFILE, BLACK** 



**CAMERA, VOYAGER CMOS, WHITE** 



VCAHD150 CAMERA, VOYAGER & FIXED MOUNT



VCAHD142RWT/VCAHD142LWT CAMERA, SIDE-BODY, LEFT, WHITE/ RIGHT



CAMERA , SIDE-BODY, LEFT, WHITE/ RIGHT





CEC25 25' CAMERA CABLE WVOSAPANTEXT ANTENNA EXTENSION FOR WVCMS130AP WIRELESS CAMERA

MODEL	VIEWING ANGLES	PLACEMENT	MICROPHONE	LED LOW-LIGHT ASSIST	WATER-RESISTANT	SENSOR
VCMS12L/VCMS12R	131°, 108°, 78°	SIDE BODY, LEFT OR RIGHT	NO	NO	IPX6	CMOS
VCAHD150	160°, 135°, 85°	REAR	YES	YES	IPX6	CMOS
VCMS24	154°, 123°, 95°	REAR	YES	YES	IPX6	CMOS
VCMS24B	154°, 123°, 95°	REAR	YES	YES	IPX6	CMOS
VCMS172B	125°, 84°, 67°	REAR	YES	YES	IPX6	CMOS
VCAHD142RWT	141°, 125°, 68°	SIDE BODY, RIGHT	NO	YES	IPX6	CMOS
VCAHD142LWT	141°, 125°, 68°	SIDE BODY, LEFT	NO	YES	IPX6	CMOS



VOM73MMT 7" MIRRORED MONITOR



MONITOR, 7" MIRROR 3-CAM MULTI

VOM74MM

**7" LCD COLOR OBSERVATION MONITOR** 





MODEL	PANEL SIZE	BRIGHTNESS	CONTRAST	CAMERA INPUTS	DIMENSIONS
VOM719WP	7"	500 NIT	500 TO 1	4	1.2" X 5.3" X 7.8"
V0M718	7"	450 NIT	400 TO 1	3	7.56" X 5.06" X 1.10"
VOM73MMT	7"	400 NIT	500 TO 1	3	10.04" X 4.72" X 1.24"
VOM74MM	7"	400 NIT	500 TO 1	3	10.04" X 4.72" X 1.24"

### **4" UNIVERSAL PEDESTAL MOUNT**



### **6" UNIVERSAL PEDESTAL MOUNT**



### MONITORS & MOUNTS



JENSEN wall mount stereos are designed to bring home entertainment to your home-away-from-home.



14

### DIMENSIONS MAX POWER **RMS POWER** SPEAKER ZONES APP CONTROL HDMI OUTPUTS BLUETOOTH **REMOTE INCLUDED** 8.25" W X 4.4" H X 6" D 24 W 5W 2 NO YES YES 1 10.4" W X 3.75" H X 6.5" D 50 W 8W 3 YES 2 YES YES 2 17" W X 3.75" H X 6.5" D 160 W 8W 3 YES YES YES

2

3

2

3



AM/FM/CD/DVD/USB/AUX/HDMI/BLUETOOTH/APP CONTROL/3 ZONE/ 160 WATTS

1

1

1

1

NO

YES

NO

NO



## JWM72A



YES

YES

YES

YES

YES

YES

YES

YES

### JWM62A AM/FM/CD/DVD/USB/BLUETOOTH/APP CONTROL/3 ZONE



### AM/FM/CD/DVD/USB/AUX/HDMI/BLUETOOTH/2 ZONE

METTE

П

.....

(IENSES)

BT

JWM41



### JWM30

JWM452

### AM/FM/CD/DVD/USB/AUX/HDMI PASSTHROUGH/BLUETOOTH/3 ZONE/MULTI-**SOURCE/DUAL BLUETOOTH ZONES**

FΜ

AM/FM/CD/DVD/USB/AUX/HDMI/ **BLUETOOTH/REAR HDMI/2 ZONE** 

CENSE O

-

AM/FM/USB/AUX/HDMI/

6

**FII** 2

JWM22

MODEL

JWM41

JWM72A

JWM92A

**JWM452** 

JWM62A

JWM22

JWM30

4 3 × 4 0 5 B 6 B

**BLUETOOTH/ CUBE-SHAPED/2 ZONE** 

8.25" W X 4.4" H X 6.5" D

10.43" W X 7" H X 5" D

5.25" W X 4.6" H X 3.5" D

8.23" W X 4.37" H X 6.52"

ann,



95

10 10

JWM92A

5W

5W

7W

6W

7.62 W

50 W

24 W

36 W

### **RV WALL MOUNT STEREOS/ACCESSORIES**

### INTERIOR SPEAKERS







### PANEL MOUNT SPEAKER \*SOLD INDIVIDUALLY

MODEL	SIZE	MAX POWER	RMS POWER	IMPEDANCE	SPEAKER TYPE, SPEAKER DESIGN
JXHD35	3.5"	30W	15W	4 Ω	WOOFER
JXHD40	4"	120W	40W	4 Ω	WOOFER
1103050*	4"	30W	15W	4 Ω	DUAL
JXHD54	5.25"	135W	45W	4 Ω	WOOFER
HDS3000	5.25"	40W	20W	4 Ω	DUAL
HDS1000	5.25"	30W	15W	4 Ω	WOOFER
JWMS350HP	3.5"	80W	20W	4 Ω	2-WAY
JWMS437	3"	12W	6W	4 Ω	2-WAY

## 5.25" HEAVY-DUTY DUAL CONE SURFACE MOUNT SPEAKERS, PAIR



**4" HEAVY DUTY SPEAKER** 

1103050



JXHD35 3.5" HD SPEAKER, PAIR





**4" HD HIGH PERFORMANCE SPEAKER** 

D (IENSEN)

JXHD54 5.25" HD SPEAKER

15

### INTERIOR SPEAKERS







1102094

**5" DUAL CONE SPEAKERS BLACK** 

**5" DUAL CONE SPEAKERS WHITE** 

### 4" BLACK SPEAKER GRILLE, (USE W/ 1103050)

1022097

MODEL	SIZE	MAX POWER	RMS POWER	IMPEDANCE	SPEAKER TYPE, SPEAKER DESIGN
1102094	5"	25W	20W	4 Ω	DUAL
1102094W	5"	25W	20W	4 Ω	DUAL
1103030*	5.25"	50W	25W	4 Ω	2-WAY COAXIAL
5203**	5.25"	30W	15W	4 Ω	WOOFER

MODEL	SIZE	MAX POWER	RMS POWER	IMPEDANCE	SPEAKER TYPE, SPEAKER DESIGN
1102094	5"	25W	20W	4 Ω	DUAL
1102094W	5"	25W	20W	4 Ω	DUAL
1103030*	5.25"	50W	25W	4 Ω	2-WAY COAXIAL
5203**	5.25"	30W	15W	4 Ω	WOOFER

GR600B / GR60W **6" BLACK / WHITE SPEAKER GRILLE** 

5.25" SPEAKERS (GRILLE SOLD SEPARATELY)

5203






5.25" SPEAKERS

(GRILLE SOLD SEPARATELY)

### SOUND BARS, SUBWOOFERS, & AMPLIFIERS



### JAHD240BTR

### **AMPLIFIER, 2 CHANNEL - 80 WATTS**

Connect this 80-watt amplifier to speakers to stream music and control its playback and volume from any Bluetooth<sup>®</sup> enabled device. Waterproof and corrosion resistant.



JMPSW800

### 200W MARINE AMPLIFIED SUBWOOFER - 8"

200-watt, 8" amplified subwoofer. Can be mounted vertically or horizontally. Magnet measures 4"x6".

### 18

### 10" BLACK REMOVABLE SPORT GRILLE FOR MSW10SWW

RG10SB



10" SILVER REMOVABLE SPORT GRILLE FOR MSW10S MSW10S

F

1

EL

L

RG10SS

10" WHITE REMOVABLE SPORT GRILLE FOR MSW10S



RG10HW

POWER760 760W 4-CHANNEL AMPLIFIER

τ

### SOUND BARS, SUBWOOFERS, & AMPLIFIERS

### AM/FM ANTENNAS



### 12V TELEVISIONS & ACCESSORIES

JENSEN® televisions are specially engineered for the RV lifestyle. Our 12-volt DC LED TVs are designed from the inside and out to be more durable than TVs from big box stores. Lightweight metal housings and reinforced circuit boards allow our TVs to withstand the vibrations of a moving vehicle while delivering a high-quality picture for years to come.



JTV1917DVDC 19" TV/DVD COMBO W/ STAND



JE3223 24" SMART DC TELEVISION



### **12V DC POWER ADAPTER FOR LED TV'S**



MODEL	SCREEN SIZE	HDMI INPUTS	VIEWING ANGLES	CONTRAST RADIO	DIMENSIONS	VESA PATTERN
JTV1917DVDC**	19"	1	178/178	1000T01	17.5"W X 11"H X 1.8"D	75 X 75
JTV2423DCS	24"	2	178/178	3000T01	22.01"W X 13.55"H X 2.09"D	100 X 100
JTV3223DCS	32"	2	178/178	3000T01	28.8"W X 17.1"H X 3.2"D	100 X 100
JTV4023DCS	40"	2	178/178	5000T01	35.8"W X 20.4"H X 3.2"H	200 X 200
JVE3223	32"	2	178/178	3000T01	28.9"W X 17.1"H X 3.2"D	100 X 100
JE4023	40"	3	178/178	5000T01	35.8"W X 20.4"H X 3.2"D	200 X 200
JE5023	50"	3	178/178	3500T01	44.3"W X 25.8"H X 3.3" D	200 X 400

\*All LED TVs include an Optional 12V DC Power Adapter: DCCIG09 \*\*Includes built-in DVD player and TV stand

### **50" 110V WALL MOUNT TV**

JE5023



### 32" 110V WALL MOUNT TV

JE3223



### 40″ 110V WALL MOUNT TV

JE4023



### JE3223 32" SMART DC TELEVISION



JE3223 40" SMART DC TELEVISION



### 110V TELEVISIONS & ACCESSORIES

### MARINE STEREOS

JENSEN® Marine products are tested to survive harsh elements such as salt, fog, rain, extreme humidity, and rough water. Our marine products meet boat builders' high standards, making them ideal for your outdoor sound system.



AMS602W

**6" MARINE SPEAKER, WHITE** 



MARINE DIGITAL RECEIVER



CPM50

### 2-CHANNEL BLUETOOTH AMPLIFIER AND PAIR OF 5" WATERPROOF SPEAKERS



JMS3SPKG

### 160 WATT, WATERPROOF, BLUETOOTH STEREO, TWO 6.5" DUAL CONES, 60-WATT SPEAKERS

MODEL	SIZE	MAX POWER	RMS POWER	IMPEDANCE	SPEAKER TYPE, SPEAKER DESIGN
AMS602W	6.5"	60W	30W	4 Ω	2-WAY
MS5006BR	5"	30W	12W	4 Ω	LOW PROFILE
MS5006WR	5.25"	30W	30W	4 Ω	LOW PROFILE
MS5250B	5.25"	36W	18W	4 Ω	COAXIAL
MS6007WR	6.5"	60W	30W	4 Ω	COAXIAL
MSX60BR	6.5"	75W	35W	4 Ω	2-WAY COAXIAL
MSX65R*	6.5"	75W	35W	4 Ω	2-WAY
MSX60RVR	6.5"	75W	30W	4 Ω	COAXIAL
MS6007SR	6.5"	60W	30W	4 Ω	COAXIAL

\*GRILLE SOLD SEPARATELY: RG65SS OR RG65HGS

### MARINE STEREOS



USB INTERFACE & 3.5MM AUX-IN JACK



1/8" AUXILIARY AUDIO INPUT JACK



XMH300

160 WATT, WATERPROOF STEREO W/ BLUETOOTH, AM/FM, USB W/ APP CONTROL



MAAUXFR

MAAUXF, RETAIL PACK



MAAUXUSB, RETAIL PACK



**6 METER CABLE EXT JENSEN** 

### WATERPROOF EXTERIOR GRADE SPEAKERS



MS5006BR

### 5" MARINE SPEAKERS BLACK, PAIR (1.5" TOTAL DEPTH)



MS5006WR

### 5" MARINE SPEAKERS WHITE, PAIR (1.5" TOTAL DEPTH)



**5.25" MARINE SPEAKER, BLACK** 



6.5" COAXIAL MARINE SPEAKERS BLACK, PAIR



6.5" COAXIAL MARINE SPEAKERS WHITE, PAIR



24

### WATERPROOF EXTERIOR GRADE SPEAKERS



MSX60BR

### 6.5" MARINE COAXIAL SPEAKERS, BLACK, PAIR



RG65HGS

### 6.5" SILVER SPEAKER GRILLE (USE W/ MS650 & MSX65), PAIR



6.5" MARINE SPEAKERS, GRAPHITE, PAIR



### 6.5" SILVER REMOVABLE SPORT GRILLE FOR MSX65, PAIR



**6.5" MARINE HI-PERFORMANCE SPEAKERS, PAIR** 



## 

Our ACs are designed for maximum airflow and efficiency while reducing compressor noise for a cool, quiet campout.



### **NON-DUCTED CEILING ASSEMBLY**

ACDB

15,000 BTU ROOF TOP AC, WHITE, BLACK





ACM150LP 15,000 BTU ROOF TOP LOW PROFILE AC, WHITE, BLACK

13,500 BTU ROOF TOP LOW PROFILE AC, WHITE, BLACK



ACM135B / ACM135W 13,500 BTU ROOF TOP AC, WHITE, BLACK

ACRG15 **DUCTED/NON-DUCTED CEILING ASSEMBLY W/ DIGITAL THERMOSTAT** 



INDVEST

ADVENT AC & ADVENT AC COMPONENTS

### ADVENT AC & ADVENT AC COMPONENTS



ACMHD 5,500 BTU HEAT STRIP



**START CAPACITOR KIT** 

ACMSCKIT



ACTF2 AC/HP TEST KIT W/ HARNESS



ADVENT2021

ADVENT AIR CONDITIONER DISPLAY. DISPLAYS ADVENT AC'S ITEM NUMBERS: ACM135 / ACM150



ACCARKIT

**TEST FIXTURE - FOR TROUBLESHOOTING COMPRESSOR** 

AND FAN MOTOR (ADVENT & DOMETIC COMPATIBLE)



ACCOLKIT

ACTF


## Capabilities.


We have worked hard to build a team with the skills necessary to handle every stage of production. Our diverse range of capabilities allows us to better serve the needs of our customers throughout the process, whether that means designing an entirely new product, customizing an existing product to fit their application, or simply answering questions in a timely manner.

## Engineering

Our on-site engineering lab is equipped with a multi-million dollar testing facility where we test all our products to withstand the unique applications and environments where they will be used.







## Fabrication

Our highly-skilled fabrication team is able to modify existing products and even create new products to fulfill the needs of our customers on a regular basis.

## **Customer Service**

Our award-winning customer support team is highly knowledgeable about all our products passionate about helping customers find quick solutions. ASA Electronics<sup>®</sup> is proud to offer our Hassle-Free Warranty and exclusive Dealer Bill of Rights to accompany our top-of-the-line products.

All JENSEN®, Voyager®, iN•Command® Control Systems, and Advent® Air products are backed by a unique no-hassle program that guarantees our products will be defect-free for 12 months.

FOLLOW ASA ELECTRONICS ON



### THE ONLY ELECTRONICS DESIGNED, ENGINEERED, & TESTED EXCLUSIVELY FOR MOBILE USE



2602 MARINE DRIVE • ELKHART INDIANA • 46514 WWW.ASAELECTRONICS.COM

FOLLOW ASA ELECTRONICS ON



FEATURES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.