Data sheet

HP PageWide Managed Color MFP E77650zs-E77660zs Printer series



HP PageWide delivers a breakthrough low color cost, maximum uptime, and the strongest security.

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copying costs. See your HP Authorized Reseller for details.



HP PageWide Managed Color Flow MFP E77660zs - Bundle Product 60 ppm



HP PageWide Managed Color Flow MFP E77650zs - Bundle Product 50 ppm

Affordable color printing for every office

- Depend on lasting value. Get the results you expect for a game-changing low cost per color page.
- Print more pages and replace cartridges less often with optional high-yield cartridges.²
- Print even faster—and save even more per page—by setting this printer to General Office mode.³
- Help keep energy costs down with the most efficient printer in its class.4

Minimal interruptions. Maximum uptime.

- Minimize interruptions with an HP PageWide Managed MFP designed for the least maintenance in its class.5
- Print speeds up to 50% faster than competitors—as fast as 80 ppm in color and black-and-white.
- Tailor this MFP to the needs of your business with a wide range of paper-handling accessories.
- Scan files directly to Microsoft® Office 365 and SharePoint, plus email, USB, and network folders.

The world's most secure printing¹

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Protect information on the MFP and in transit over the network, and store data on the encrypted hard disk.8
- Monitor activity to detect and stop attacks, then automatically reboot with run-time intrusion detection.
- Whitelisting checks firmware during startup to help ensure it's authentic, good code—digitally signed by HP.

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages—every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 200 pages into the automatic document feeder for fast, unattended scanning.

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, wish thtp://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/PrintersChatProtect. For more information: http://www.hp.com/go/pragewideclaims of in-class A3 color laser printers (\$1500-\$2599) and HFB (\$3000-\$7499) as of February 2017, excluding other HP PageWide products. Subject to device settings. Actual results may vary. Fewer service parts claim based on BLI analysis of leading in-class A3 MFPs as of August 2016; calculations use publicly available and/or published manufacturer rated yields for long-life consumables and assept printed using a 60% black/40% color ratio). Learn more at http://www.hp.com/go/pragewideclaims ⁶ Comparison of HP PageWide A3 devices with the majority of in-class color ink/laser MFPs (\$3000-\$7499 and £2820-£7049), and color ink/laser single function printers (\$1500-\$2599 and £1410-£2819) as of April 2017; market share as reported by IDC as of Q4 2016, excluding other HP PageWide products. HP BageWide pegedwide speeds based on General Office mode and exclude first page. Learn more at http://www.hp.com/go/printsecurity ⁹ Scan speeds measured from ADF. A

Product walkaround

- 1. 8.0 inch (20.3 cm) pivoting color touchscreen
- 2. Hardware Integration Pocket¹
- 3. Easy-access USB printing port
- 4. Retractable keyboard ²
- 5. Front door access to cartridges
- 6. 100-sheet multipurpose tray 1 supports media up to 12 x 18 inches (305 x 457 mm)
- 7. Automatic two-sided printing
- 8. 550-sheet tray 2 supports media up to 11.7 \times 17 inches $(297 \times 432 \text{ mm})^3$
- 9. 200-sheet ADF with single-pass, two-sided scanning with HP EveryPage⁴ supports media up to 11.7 x 17 inches (297 x 432 mm)
- 10. Flatbed scanner handles sheets up to 11.7×17 inches (297 \times 432 mm)
- 11. 350-sheet inner finisher with stapler⁵
- 12. 500-sheet output bin
- 13. Ethernet port, 2 Hi-Speed USB 2.0 Host ports, Hi-Speed USB 2.0 Device port

HP PageWide Managed Color Flow MFP E77660zs - Bundle Product 60 ppm



Series at a glance





Model	HP PageWide Managed Color Flow MFP E77650zs	HP PageWide Managed Color Flow MFP E77660zs
Product number	J7Z14A	J7Z07A
Functions	Print, scan, copy	Print, scan, copy
Print speeds, black and color, letter and A46	Up to 50/70 ppm, Professional/General Office mode	Up to 60/80 ppm, Professional/General Office mode
300-sheet inner finisher with stapler⁵	√	V
Retractable keyboard ²	√	V
HP EveryPage with ultrasonic detection, embedded OCR4	V	√
Automatic page orientation, cropping, and tone adjustment	V	√
Control panel display	8.0 inch (20.3 cm) pivoting color touchscreen	8.0 inch (20.3 cm) pivoting color touchscreen
Paper input trays (standard)	100-sheet multipurpose tray 1, 550-sheet tray 2	100-sheet multipurpose tray 1, 550-sheet tray 2
Optional paper handling accessories ³	100-sheet multipurpose tray 1, 550-sheet tray 2, Cabinet, 3 x 550-sheet Paper Tray and Stand, 4,000-sheet HCI Paper Tray and Stand	550-sheet Paper Tray, 550 sheet Paper Tray and Cabinet, 3 x 550-sheet Paper Tray and Stand, 4,000-sheet HCl Paper Tray and Stand
Input capacity (standard/maximum ⁷)	Up to 650/4,650 sheets	Up to 650/4,650 sheets
Output capacity	Up to 500-sheet output bin, Up to 350-sheet stapler stacker; Staple up to 50 sheets	Up to 500-sheet output bin, Up to 350-sheet stapler stacker; Staple up to 50 sheets

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. 2The retractable keyboard is available with HP PageWide Managed Color Flow MFP E77650zs and Color Flow MFP E77650 series comes standard with a 100-sheet multipurpose tray that supports up to 12 x 18 inches (205 x 457 mm) and one 550 sheet tray that supports up to 11.7 x 17 inches (297 x 432 mm). The optional HCl tray supports up to 1etter (A4).

4 HP EveryPage, ultrasonic detection, and embedded OCR are available with HP PageWide Managed Color Flow MFP E77650zs and Color Flow MFP E77650zs models. The 300-sheet inner finisher with stapler is available with the HP PageWide Managed Color Flow MFP E77650zs model only. Measured using ISO/IEC 24734, excludes first set of text documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Purchase of optional paper trays required to reach maximum input capacity.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

Next Business Day Onsite with Defective Media Retention:

Customers can retain their hard disk drive and keep control of sensitive data.

For carepack availability visit: hp.com/go/cpc









Top features

Color printing is within every business' budget with HP PageWide Technology. Print professional-quality color for a breakthrough low cost—results you expect from HP for an exceptional value you can rely on.

Annoying interruptions and complex maintenance can slow down printing, and ultimately, the pace of business. Avoid pauses in productivity with an HP PageWide device designed for maximum uptime—so you can count on reliable results day in and day out.

Only HP Enterprise printers repair themselves from attacks in real time, with built-in security to help keep your network safe. Automatically monitor threats, detect intrusions, and validate operating software with security offered only by HP.

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs super-fast—up to 240 ipm⁹—and avoid extra steps with a Flow MFP designed for maximum productivity.

Accessories	
B5L28A	HP Internal USB Ports
B5L29A	HP High-Performance Secure Hard Disk
B5L31A	HP Foreign Interface Harness
CC487A	HP LaserJet MFP Analog Fax Accessory 500
E5K48A	HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM
J8030A	HP Jetdirect 3000w NFC/Wireless Accessory
J8031A	HP Jetdirect 2900nw Print Server
P1V16A	HP PageWide Managed 550-sheet Paper Tray
P1V17A	HP PageWide Managed 550-sheet Paper Tray and Cabinet
P1V18A	HP PageWide Managed 3x550 sheet Paper Tray and Stand
P1V19A	HP PageWide Managed 4000 sheet High-capacity Paper Tray and Stand
Supplies	
MOK28XC	HP 990XC Black Contract PageWide Cartridges (~22,000 pages)
M0K05XC	HP 990XC Cyan Contract PageWide Cartridges (~16,000 pages)
M0K09XC	HP 990XC Magenta Contract PageWide Cartridges (~16,000 pages)
M0K24XC	HP 990XC Yellow Contract PageWide Cartridges (~16,000 pages)
Services	
U9RL2E	HP 3 year Next Business Day w/Disk Media Retention PgWd Color 776xx Managed Service
U9RL3E	HP 4 year Next Business Day w/Disk Media Retention PgWd Color 776xx Managed Service
U9RL4E	HP 5 year Next Business Day w/Disk Media Retention PgWd Color 776xx Managed Service

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/PrintersThatP

HP PageWide Managed Color MFP E77650zs-E77660zs Printer series

Technical Specifications	HP PageWide Managed Color Flow MFP E77660zs - Bundle Product 60 ppm (J7Z07A)	HP PageWide Managed Color Flow MFP E77650zs - Bundle Product 50 ppm (J7Z14A)		
AIO functions	Print, copy, scan, fax (optional)	; AIO multitasking supported: Yes		
Print speed	A4: Up to 60 ppm; Letter: Up to 60 ppm black; Up to 60 ppm; Letter: Up to 60 ppm color ⁵ ; First Page Out Black: As fast as 7.1 sec; First Page Out Color: As fast as 7.1 sec ⁶	A4: Up to 50 ppm; Letter: Up to 50 ppm black; Up to 50 ppm; Letter: Up to 50 ppm color ⁵ ; First Page Out Black: As fast as 7.1 sec; First Page Out Color: As fast as 7.1 sec ⁶		
Print resolution		Black (best): Up to 1200 x 1200 optimized dpi from 600 x 600 input dpi (on Unspecified, Plain, HP Premium Presentation Matte, and HP Brochure Matte); Colour (best): Up to 2400 x 1200 optimized dpi from 600 x 600 input dpi (on HP Advanced Photo Papers)		
Print Technology	HP PageWide Technology; Print Resolution Technologies: HP PageWi	de Technology up to 1200 x 1200 optimized dpi from 600 x 600 input dpi		
Print Cartridges Number		an, magenta, yellow)		
Standard Print Languages	HP PCL 6; HP PCL 5c; HP posts	HP PCL 6; HP PCL Sc; HP postscript level 3 emulation; PDF 1.7		
Printer Smart Software Features	Platform, FutureSmart Firmware, HP ePrint, Apple AirPrint™, HP Auto-On// printing, store print jobs, HP EasyColor, print preview, automatic two-sided p cover pages, tray selection, scaling, Portrait/Landscape orientation, High Qu	HP SureStart; Run-time Intrusion detection; Whitelisting; HP Trusted Platform Module; HP JetAdvantage Security Manager; HP Web Jetadmin; Open Extensibility Platform, FutureSmart Firmware, HP ePrint, Apple AirPrint ¹⁷⁴ , HP Auto-On/Auto-Off technology, HP Color Access Control, HP EasyColor, Front-facing USB printing, store print jobs, HP EasyColor, print preview, automatic two-sided printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, booklet printing, cover pages, tray selection, scaling, Portrait/Landscape orientation, High Quality Grayscale and Black Ink Only, General Office/Professional/Presentation dpi print modes, Optional: HP and third party extensibility solutions; wireless		
Printer Management	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdn HP Universa	nin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for Il Print Driver		
Scan Type / Technology	Type: Flatbed, ADF; Technology: Charge Cou	Type: Flatbed, ADF; Technology: Charge Coupled Device (CCD) & Contact Image Sensor (CIS)		
Scan Resolution		opi; Optical: Up to 600 ppi		
Scan File Format	(OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR),	Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)		
Scan Size		ADF: 297 x 432 mm; Up to 297 x 864 mm when "long scan size" selected; 11.7 x 17 in; Up to 11.7 x 34 in when "long scan size" selected Maximum; 68 x 148 mm; 2.7 x 5.8 in Minimum; Flatbed: 11.7 x 17 in; Up to 120 ipm simplex and up to 240 ipm duplex		
Scan Speed		plex: Up to 120 ipm simplex and up to 240 ipm duplex		
Scanner Advanced Features		Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto-tone		
Bit depth / Grayscale levels	24-b	it/ 256		
Digital Sending Standard Features	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Pac Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF		
Copy Speed	Copy Speed Black (best A4): Up to 60 cpm; Copy Speed Black (best, letter): Up to 60 cpm; Copy Speed Color (best A4): Up to 60 cpm; Copy Speed Color (best, letter): Up to 60 cpm	Copy Speed Black (best A4): Up to 50 cpm; Copy Speed Black (best, letter): Up to 50 cpm; Copy Speed Color (best A4): Up to 50 cpm; Copy Speed Color (best, letter): Up to 50 cpm		
Copy Resolution	Black (text and Graphics): Up to 600 x 600 dp	i; Color (text and Graphics): Up to 600 x 600 dpi		
Maximum Number of Copies	Up to 99	999 copies		
Copier Resize	25 to	400%		
Copier Settings	booklet, ID Scan, job build	Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, ID Scan, job build, edge-to-edge, job storage		
Fax Speed	-	3.6 kbps ⁴		
Fax Resolution	(standard)	Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Color (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 204 x 98 dpi		
Fax Smart Software Features		Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule		
Fax Features	Phone TAM Interface Supported: No; Fax Polling Supported: Yes (poll to receive Speed Dialing Numbers: Up to 1000 numbers (each with 210 destinations); PC	Auto Fax Reduction Supported: Yes; Auto-Redialing: Yes; Fax Delayed Sending: No; Distinctive Ring Detection Supported: No; Fax Forwarding Supported: Yes; Fax Phone TAM Interface Supported: No; Fax Polling Supported: Yes; Maximum Speed Dialing Numbers: Up to 1000 numbers (each with 210 destinations); PC Interface Supported: Yes; Remote Retrieval Capability Supported: No; Telephone Handset Supported: No		
Standard Connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/10	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket		
Network Capabilities		Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard)		
Wireless Capability	Optional, enabled with purc	Optional, enabled with purchase of a hardware accessory		
Mobile Printing Capability	HP ePrint, Apple AirPr	int™, Google Cloud Print		
Memory	Standard: 5632 ME	; Maximum: 5632 MB		
Processor Speed	1.2 GHz / Hard disk: 320 GB High-Performance Secure Hard Disk (AES	1.2 GHz / Hard disk: 320 GB High-Performance Secure Hard Disk (AES 256 hardware encryption or greater; Secure erase capabilities: Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)		
Duty Cycle	Monthly, A4: Up to 250,000 pages; Recommend	Monthly, A4: Up to 250,000 pages; Recommended Monthly Page Volume: 2500 to 50,000 pages		
Paper Handling	Input Capacities: 100-sheet multipurpose tray, 550-sheet input tray; Up to 650 sheets (MP: up to 100 sheets, Tray 2: up to 550 sheets) standard; Up to 10 envelopes Up to 240 cards; Up to 1,840 sheets labels; Up to 650 sheets legal; Output Capacities: 500-sheet output bin; 350-sheet stapler stacker; staples up to 50 sheets; Up to 850 sheets standard; Up to 50 envelopes Up to 325 cards; Up to 200 labels labels legal; Duplex Options: Automatic (standard) Manual (driver support provided); Auto Document Feeder Capacity; Standard, 200 sheets; Envelope Feeder; No; Standard Paper Trays; 2; Media Types Supported: Paper (Plain, Inkjet, Inkjet Brochure/Glossy), Photo Paper, Envelopes, Labels, Cards; Media Weight Supported: Tray 1: 16 to 58 lb, 80 lb Photo Paper Only; Trays 2 to 5: 16 to 58 lb; HCI Trays 3 & 4: 16 to 58 lb; Media Sizes Supported: Letter, Letter-R, Legal, Executive, Statement, Oficio (8.5x13), 11x17, 12x18, 4x6, 5x7, 5x8, Envelope #10, Envelope B5, Envelope C5, Envelope C6, Envelope DL, Envelop Chou #3; Media Sizes Custom: Tray 1: 3.9 x 5 to 12 x 18; Tray 2-5: 8.27 x 5.83 to 11.70 x 17 in HCI Trays 3 & 4: A4 & Letter Only;			

HP PageWide Managed Color MFP E77650zs-E77660zs Printer series

Technical Specifications	HP PageWide Managed Color Flow MFP E77660zs - Bundle Product 60 ppm (J7Z07A)	HP PageWide Managed Color Flow MFP E77650zs - Bundle Product 50 ppm (J7Z14A)		
Product Dimensions	WxDxH: 32 x 24.25 x 31.125 in; 813 x 616 x 791 mm; M	WxDxH: 32 x 24.25 x 31.125 in; 813 x 616 x 791 mm; Maximum: 35.25 x 28.25 x 31.125 in; 896 x 718 x 791 mm		
Product Weight	181	181 lb 82 kg		
Warranty Features		90 days parts only warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.		
Energy Efficiency Compliance	ENERGY STAR® qu	ualified; EPEAT® Gold		
Control Panel		8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket		
Display Description	8.0 in (20.3 cm) touchscr	een, XVA Color Graphic Display (CGD)		
Software Included		HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals		
Fonts and Typefaces	Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, C	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts		
Compatible Operating Systems	17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42 X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Window	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)		
Compatible Network Operating Systems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows Server 2012/2012R2, Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 R2 Terminal Services 32- and 64-bit, Citrix XenApp 6.0/6.5/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenApp 7.5 [for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit], Citrix XenDesktop 5.6 [for Windows Server 2008 R2 Terminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5 [for Windows Server 2012 and 2012 R2 Terminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5 [for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit], Novell NetWare 6.5/SP8 Novell Clients www.novell.com/pirint, Novell iPrint Appliance v1.0, Novell Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2016 (64-bit Standard/Enterprise)			
Minimum System Requirements		PC: 2GB available hard disk space, OS hardware requirements see microsoft.com; MAC: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info		
Power	copy), 42 watts (ready), 1.6 watts (sleep), 0.2 watts (auto-off), 0.2 watts (o	Power Supply Type: Internal (Built-in) power supply; Power Requirements: Input voltage: 100 to 240 VAC, 50/60 Hz; Power Consumption: 660 watts (print/copy), 42 watts (ready), 1.6 watts (sleep), 0.2 watts (auto-off), 0.2 watts (off) ¹ ; Typical Electricity Consumption (TEC) number: BA: 1.97 kWh/Week; ES: 2.03 kWh/Week ² ; Blue Angel (Sleep mode): 1.6 watts		
Acoustics	Acoustic Power Emissions: 6.6 B(A)	Acoustic Power Emissions: 6.6 B(A)		
Operating Environment	-40 to 60°C; After initial setup (Purged): 0 to 60°C. If stored below the low operating temperature (HP recommends waiting 24 hours at approved oper	Operating Temperature Range: 15 to 30°C; Recommended Operating Temperature: 17 to 25°C; Storage Temperature Range: Before initial setup (Non-Purged) -40 to 60°C; After initial setup (Purged): 0 to 60°C. If stored below the lowest specified operating temperature, unit must slowly warm up to an approved operating temperature (HP recommends waiting 24 hours at approved operating temperature prior to using the printer); Non-Operating Humidity Range: 10 to 80% RH; Recommended Humidity Operating Range: 30 to 70% RH		
Security Management	Identity Management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and third-party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-Shared Key, and Kerberos authentication, Supports WJA-10 IPsec configuration Plug in, 802.1X authentication (EAP-PEAP, EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List, HP Trusted Platform Module (TPM) comes standard; Data: Storage Encryption, Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft), Secure Erase, SSL/TLS (HTTPS), Encrypted Credentials; Device: Security lock slot, USB port disablement, Hardware Integration Pocket for security solutions, 18 Intrusion Detection with Red Balloon Security Technology (Constant in-device monitoring for attacks), HP Sure Start Secure Boot (BIOS integrity checking with self-healing capability), Whitelisting (loads only known good code (DLLs, EXEs, etc.); Security Management: Compatible with HP JetAdvantage Security Manager,21 Device Security Syslog Messages processed and accessible in ArcSight and Splunk SIEMs; For more security settings go to http://h10032.www1.hp.com/ctg/Manual/c03602120			



575 University Avenue Suite D Norwood, MA 02062

617.782.3800 sales@makepeace.com www.makepeace.com

¹ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power Consumption and Energy Star TEC values typically based on measurement of 115V device. ² Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled. ³ Average color composite (C/M/Y) and black declared yields based on ISO/IEC 24711 and continuous printing. Actual yields vary considerably based on images printed and other factors: For details see help://www.hp.com/go/learnaboustusplies. ⁴ Based on standard ITU-1 test image #1 at 1 standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17 ⁵ ISO speeds measured using ISO/IEC 24734. Excludes first page or first set of ISO test pages. For details see http://www.hp.com/go/printerclaims ⁶ Exact speed varies depending on the system configuration, software application, driver and document complexity.

Learn more at hp.com

