# IN119HDxa

Value-packed HD Projector

Part #: IN119HDxa

**InFocus** 

Confidently project your most important content with the high brightness, high-quality, incredibly affordable IN119HDxa. Built to perform with HDMI input, high brightness, high contrast, and BrilliantColor technology, the IN119HDxa features a compact, light weight design so it's easy to move and easy to install.

## **Key Features**

- Full 1920 x 1080 HD resolution for exceptional image quality
- 3,600 lumens and high 28,000:1 contrast ratio make details pop
- Vivid and accurate color with BrilliantColor technology
- Display 3D content from Blu-ray, game consoles, and more
- Lamp life up to an amazing 15,000 hours, plus no filters to replace









### Full native HD resolution

Achieve quality images and true-to-life colors with DLP technology with InFocus BrilliantColor implementation. 3,600 lumens mean bright, clear images even with the lights on, while the 28,000:1 contrast ratio adds sharpness with darker blacks and whiter whites. Preset modes ensure quality images on a beige wall, whiteboard, blackboard, or any surface that suits your presentation.

#### Advanced 3D Support

Powered by the latest DLP technology, the IN119HDxa displays stunning 3D content from PCs, Xbox, PlayStation, Blu-ray, and many other sources. Just add 144Hz DLP Link 3D glasses (sold separately) to seamlessly synchronize with the image for an awesome 3D experience.

# **HDMI CEC Compatible**

The IN119HDxa is an HDMI Consumer Electronics Control (CEC) compatible device, so you can control it, and up to 14 other HDMI CEC compatible devices, with one remote.

#### Specifications\*

Projector	IN119HDxa
Display Technology	DLP
Video Standard Compatibility	NTSC, PAL, SECAM, 480i, 480p, 576i, 576p, 720p, 1080i, 1080p
Speakers	Mono 10W x 1
Lamp Brightness	3,600 lumens
Lamp Brightness – Eco Mode	2,800 lumens
Lamp Life	5,000 hours
Lamp Life – Eco Mode	7,000 hours
Lamp Life – Dynamic Mode	15,000 hours
Lamp Power	195W
Lamp Power – Eco Mode	160W
Lamp Power – Dynamic Mode	83W
Replacement Lamp	SP-LAMP-100
Contrast Ratio	28,000:1
Number of Colors	1.07 billion
Synch Scan Frequency – Horizontal	15.375 - 91.146 KHz
Synch Scan Frequency – Vertical	24 - 85 KHz
Aspect Ratio	16:9
Aspect Ratio Compatibility	4:3, 16:10
Projection Distance – Minimum	2 m
Projection Distance – Minimum  Projection Distance – Maximum	10 m
Projection Distance – Maximum  Projection Lens F-Stop – Minimum	2.43
Projection Lens F-Stop – Maximum	2.78
•	
Lens Type	Manual zoom and focus
Lens Shift – Vertical (max)	16%
Lens Shift – Horizontal (max)	N/A 42 in
Image Size – Minimum	42 in 300 in
Image Size – Maximum	
Projection Offset	116% ±5%
Keystone Correction	± 40°
Connectors – Inputs	3D Sync Out (5V), 12V Screen trigger, USB service, HDMI x2 (1.4a 3D support) + MHL v2.1
Connectors – Outputs	3.5mm audio output
Audible Noise – Eco Mode	< 24 dBA at 0°F / -17.8°C
Included Accessories	Power cord, Remote, Documentation
3D Support	DLP Link 3D glasses required
Product Warranty	2 years
Lamp Warranty	6 months
Accessories Warranty	90 days
Computer Compatibility	PC, Mac
Power Standard	AC 100 to 240V, 50/60
Operating Conditions	41 to 104°F at 0 to 10000 ft / 5 to 40°C at 0 to 3048 m
Menu Languages	English, French, German, Spanish, Italian, Norwegian, Dutch, Simplified Chinese, Traditional Chinese, Korean, Swedish, Russian, Finnish, Polish, Turkish, Danish, Arabic, Indonesian, Portuguese, Vietnamese, Czech, Romanian, Hungarian, Farsi, Japanese, Thai, Greek
Security Features	Kensington lock port, Security bar
Throw and Zoom	
Throw Ratio – Minimum	1.12:1
Throw Ratio – Maximum	1.47:1
Zoom Ratio	1.3:1
Shipping	
Product Dimensions	4 x 12.4 x 8.8 in / 101.6 x 315 x 223.5 mm
Product Weight	5.5 lbs / 2.5 kg
Shipping Dimensions	7.5 x 14.3 x 12 in /
	190.5 x 362 x 304.8 mm
Shipping Weight	7.3 lbs / 3.3 kg
UPC	797212988454

<sup>\*</sup> Product specifications, terms, and offerings are subject to change at any time without notice.

## **Accessories**

SimpleShare (INA-SIMS1)

Manual Pull Down Projector Screen: 106 in., 16:9 (SC-PDHD-106)

Projector Lamp for the IN119HDxa (SP-LAMP-100)

LiteShow 4 DB+ Dual Band Wireless Adapter (INLITESHOW4DB+)

Replacement Remote for Select InFocus Projectors (INA-REMPJ001)

Replacement Remote for Select InFocus Projectors (INA-REMPJ001a)

SimpleShare Touch Presentation System (INA-SIMINT1)

SimpleShare Presentation System (INA-SIMPS1)

Universal Projector Ceiling Mount (PRJ-MNT-UNIV)

LiteShow Mount Adapter (PRJ-MNT-LS3)

DLP Link 3D Glasses by XPAND (X103-EDUX3-R1)

Soft Carry Case for Value Projectors (CA-SOFTVAL-2)

Manual Pull Down Projector Screen: 92 in., 16:9 (SC-PDHD-92)

Manual Pull Up Projector Screen: 73 in., 16:9 (SC-PUW-73)

Manual Pull Up Projector Screen: 90 in., 16:9 (SC-PUW-90)

1 Year Extended Warranty for IN1XX Projectors (EPW-PJV1)

2 Year Extended Warranty for IN1XX Projectors (EPW-PJV2)