



LCD Displays / Moniteurs LCD

Garantie LCD-Displays / Garantie sur les moniteurs LCD

Standard Displays / Moniteurs Standards: 36 Monate vor Ort / 36 mois sur site
Speziallösungen / Moniteurs avec solutions spéciales: 36 Monate Repair & Return-Service / 36 mois Repair & Return-Service

Bitte verlangen Sie unsere Projektpreise. / S.v.p. demandez nos prix des projects.
Für Bestellungen / Pour la commande: No Fax: 044 732 16 07

Helpdesk / Service Info

LCD Displays und Signage Software

Telefon: +49 (0)89 99699 233 (deutsch)
+33 (0) 470587303 (français)
E-Mail: hotline@nec-displays.com



Projektoren und Plasma Displays

Telefon: +49 (0)89 99699 233 (deutsch)
+33 (0) 470587303 (français)
E-Mail: hotline@nec-displays.com



Medical Displays

Telefon: +49 (0)89 99699 666



Helpdesk / Service Info

SpectraView Profiler

Telefon: +49 (0)89 99699 330
E-Mail: spectraview@nec-displays.com



Hiperwall

Telefon: +49 (0)89 99699 611
E-Mail: hiperwall-support@nec-displays.com



Projektoren / Projecteurs

Garantie Projektoren / Garantie sur Projecteurs

Gerät / Appareil 36 Monate Garantie auf Gerät / 36 mois de garantie sur l'appareil
Lampe / Lampe 6 Monate, max. 1'000 Std. auf Lampe (ohne L102W) / 6 mois de garantie, max. 1'000 heures sur la lampe (sans L102W)

Lasereinheit / sur l'unité laser 10'000 Stunden und max. 3 Jahre / 10'000 heures et, au max. 3 ans

Regelung Edu-Geräte / Conditions Edu-Modèles

M-Serie / Série-M: 3 Jahre Lampengarantie, resp. max. 3'000 Std.
Verschleiss ausgenommen. / 3 ans de garantie ou max. 3'000 heures sur la lampe, la première des deux conditions faisant foi. A part usure.

U-Serie / Série-U: 3 Jahre Lampengarantie, resp. max. 2'000 Std.
Verschleiss ausgenommen. / 3 ans de garantie ou max. 2'000 heures sur la lampe, la première des deux conditions faisant foi. A part usure.

Lampen-Garantieverlängerung für Bildungseinrichtungen / Extension de la garantie de lampe pour institutions de formation

NEC bietet exklusiv für Bildungseinrichtungen gratis eine Erweiterung der Lampengarantie von 6 Monaten auf 3 Jahre (oder max. 3000 Betriebsstunden), jedoch ausschliesslich bei Online-Registrierung der Geräte. Mehr Informationen sowie Registration finden Sie unter www.education-nec.com.

Veuillez prendre note que NEC offre aux institutions de formation une extension de garantie sur la lampe de 3 ans ou max. 3'000 heures (uniquement lors de l'inscription online après réception de la marchandise). Veuillez trouver plus d'informations sur la site du fabricant :

Projektoren / Projecteurs

Garantieverlängerung +1 / +2 Jahre auf Anfrage / Prolongation de la garantie sur demande

Ausschluss / Exclusion:

Die Lampengarantie wird nicht geändert. Verbrauchskomponenten wie Optical Base, Panels, Analyser, Lüfter, Polarizer, Farbrad u.s.w. sind ausgeschlossen. / La garantie de lampe reste inchangée. Les matériels consommables tels que Optical Base, Panels, Analyser, Ventilateurs, Polarizer, Roue de couleur etc., sont exclus.

Servicetyp / Type de service:

Repair und Return. Die Garantieerweiterung kann bis zu maximal 6 Wochen nach Lieferung und Nennung der Seriennummer erfolgen. / Repair and Return. La garantie allongée peut s'effectuer au maximum 6 semaines après livraison et indication du numéro de série.

Universal Halterungen Displays & Beamer - Verlangen Sie unsere separate Dokumentation und Preisliste / Système de fixation universelle pour displays et projecteurs - Voir notre documentation et liste de prix séparée



PROJEKTOREN / PROJECTEURS

GARANTIEVERLÄNGERUNGEN

PROJEKTOR GARANTIE	GARANTIE REGELN		Exceptions: No extended warranty for lamps for the 4th and 5th year. Consumption parts like optical base, panels, analyser, fan, polarizer, PS-converter, lens, WV-film, mirror, colour wheel etc. are excluded! Wall-mounts and interactive kits are excluded. Service Type: Depending on area: "Collect repair and return" or "Return to Base" service Note: Transport case service chargeable! Terms: Extended Warranty has to be placed within 6 weeks after Projector delivery. Extended Warranty is only valid if serial numbers are provided.		
PROJEKTOR GARANTIE	WARR EXT LAMP V-SERIES PROJ (1-3RD YEAR)	200003907	Lampengarantie 1-3 Jahre, V-SERIES. Terms: Lamp Warranty 3 Years or Lamp life time max. 3.000 hours - whatever comes first	53.00	49.05
PROJEKTOR GARANTIE	Garantie PX (10000 HOURS/5 YEARS)	200004653	WARRANTY EXTENSION LASER PROJECTOR PX-SERIES (10000 HOURS/5 YEARS). Models: PX602UL, PX602WL. Laser warranty up to 10.000 hours or 5 years, whatever comes first. Consumption parts are excluded. Please refer to the terms and conditions on our website.	159.00	147.20
PROJEKTOR GARANTIE	Garantie PX (20000 HOURS/5 YEARS)	200004654	WARRANTY EXTENSION LASER PROJECTOR PX-SERIES (20000 HOURS/5 YEARS). Models: PX602UL, PX602WL. Laser warranty up to 20.000 hours or 5 years, whatever comes first. Please refer to the terms and conditions on our website.	4'990.00	4'620.35
PROJEKTOR GARANTIE	Garantie PX (36500 HOURS/5 YEARS)	200004655	WARRANTY EXTENSION LASER PROJECTOR PX-SERIES (36500 HOURS/5 YEARS). Models: PX602UL, PX602WL. Laser warranty up to 36.500 hours or 5 years, whatever comes first. Please refer to the terms and conditions on our website.	9'790.00	9'064.80
PROJEKTOR GARANTIE	Garantie PH1202HL (10000 HOURS/5 YEARS)	200004656	WARRANTY EXTENSION PROJECTOR PH1202HL (10000 HOURS/5 YEARS). Laser warranty up to 10.000 hours or 5 years, whatever comes first. Consumption parts are excluded. Please refer to the terms and conditions on our website.	1'750.00	1'625.25
PROJEKTOR GARANTIE	Garantie PH1202HL (20000 HOURS/5 YEARS)	200004657	WARRANTY EXTENSION PROJECTOR PH1202HL (20000 HOURS/5 YEARS). Laser warranty up to 20.000 hours or 5 years, whatever comes first. Please refer to the terms and conditions on our website.	7'290.00	6'770.25
PROJEKTOR GARANTIE	Garantie PH1202HL (36500 HOURS/5 YEARS)	200004658	WARRANTY EXTENSION PROJECTOR PH1202HL (36500 HOURS/5 YEARS). Laser warranty up to 36.500 hours or 5 years, whatever comes first. Please refer to the terms and conditions on our website.	25'900.00	24'053.45
PROJEKTOR GARANTIE	WARR EXT PROJECTOR GROUP 1 (4+5TH YEAR)	200004678	WARRANTY EXTENSION (4TH+5TH YEAR). Model: V-Series (except V302H), M271X, M311W, M311X, M323W, M323X, M333XS, M363W, M363X, M403X.. Please refer to the terms and conditions on our website.	42.00	38.90
PROJEKTOR GARANTIE	WARR EXT PROJECTOR GROUP 2 (4+5TH YEAR)	200004679	WARRANTY EXTENSION (4TH+5TH YEAR). Model: L102W LED, V302H, M322H, M303WS, M352WS, M353WS, M363W, M333XS, M402H, M402W, M403H, M403W, P401W, P451W, P501X, UM-Series (except UM352Wi). Please refer to the terms and conditions on our website.	66.00	61.30
PROJEKTOR GARANTIE	WARR EXT PROJECTOR GROUP 3 (4+5TH YEAR)	200004680	WARRANTY EXTENSION (4TH+5TH YEAR). Model: P502H, P502W, PA572W, PA671W, PA672W, PA722X, UM352Wi. Please refer to the terms and conditions on our website.	92.00	85.45
PROJEKTOR GARANTIE	WARR EXT PROJECTOR GROUP 4 (4+5TH YEAR)	200004681	WARRANTY EXTENSION (4TH+5TH YEAR). Model: U321H, PA522U, PA621U, PA622U. Please refer to the terms and conditions on our website.	129.00	119.80
PROJEKTOR GARANTIE	WARR EXT PROJECTOR GROUP 5 (4+5TH YEAR)	200004682	WARRANTY EXTENSION (4TH+5TH YEAR). Model: PX700W, PX750U, PX800X. Please refer to the terms and conditions on our website.	348.00	322.20
PROJEKTOR GARANTIE	WARR EXT PROJECTOR GROUP 6 (4+5TH YEAR)	200004683	WARRANTY EXTENSION (4TH+5TH YEAR). Model: PH1000U, PH1400U. Please refer to the terms and conditions on our website.	1'990.00	1'842.60
PROJEKTOR GARANTIE	WARR EXT P506QL (20000 HOURS/5 YEARS)	200005494	WARRANTY EXTENSION PROJECTOR P506QL (20000 HOURS/5 YEARS). Laser warranty up to 20.000 hours or 5 years, whatever comes first. Please refer to the terms and conditions on our website.	1'190.00	1'105.15
PROJEKTOR GARANTIE	WARR EXT P525UL/WL (10000 HOURS/5 YEARS)	200005276	WARRANTY EXTENSION PROJECTOR P525UL/WL (10000 HOURS/5 YEARS). Laser warranty up to 10.000 hours or 5 years, whatever comes first. Please refer to the terms and conditions on our website.	119.00	110.50
PROJEKTOR GARANTIE	WARR EXT P525UL/WL (20000 HOURS/5 YEARS)	200005277	WARRANTY EXTENSION PROJECTOR P525UL/WL (20000 HOURS/5 YEARS). Laser warranty up to 20.000 hours or 5 years, whatever comes first. Please refer to the terms and conditions on our website.	798.00	741.10
PROJEKTOR GARANTIE	WARR EXT P525UL/WL (36500 HOURS/5 YEARS)	200005278	WARRANTY EXTENSION PROJECTOR P525UL/WL (36500 HOURS/5 YEARS). Laser warranty up to 36.500 hours or 5 years, whatever comes first. Please refer to the terms and conditions on our website.	2'690.00	2'498.20
PROJEKTOR GARANTIE	WARR EXT P605UL (10000 HOURS/5 YEARS)	200005359	WARRANTY EXTENSION PROJECTOR P605UL (10000 HOURS/5 YEARS). Laser warranty up to 10.000 hours or 5 years, whatever comes first. Please refer to the terms and conditions on our website.	139.00	129.10
PROJEKTOR GARANTIE	WARR EXT P605UL (20000 HOURS/5 YEARS)	200005360	WARRANTY EXTENSION PROJECTOR P605UL (20000 HOURS/5 YEARS). Laser warranty up to 20.000 hours or 5 years, whatever comes first. Please refer to the terms and conditions on our website.	990.00	919.40

SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/VRG)	UVP* PIR* (EXKL. MWST)
PROJEKTOR GARANTIE	WARR EXT P605UL (36500 HOURS/5 YEARS)	200005361 WARRANTY EXTENSION PROJECTOR P605UL (36500 HOURS/5 YEARS). Laser warranty up to 36.500 hours or 5 years, whatever comes first. Please refer to the terms and conditions on our website.	3'090.00	2'869.70
PROJEKTOR GARANTIE	WARR EXT PA653UL (12000 HOURS/5 YEARS)	200005028 WARRANTY EXTENSION PROJECTOR PA653UL (12000 HOURS/5 YEARS). Laser warranty up to 12.000 hours or 5 years, whatever comes first. Please refer to the terms and conditions on our website.	628.00	583.25
PROJEKTOR GARANTIE	WARR EXT PA653UL (20000 HOURS/5 YEARS)	200005021 WARRANTY EXTENSION PROJECTOR PA653UL (20000 HOURS/5 YEARS). Laser warranty up to 20.000 hours or 5 years, whatever comes first. Please refer to the terms and conditions on our website.	2'199.00	2'042.20
PROJEKTOR GARANTIE	WARR EXT PA703UL (12000 HOURS/5 YEARS)	200005373 WARRANTY EXTENSION PROJECTOR PA703UL (12000 HOURS/5 YEARS). Laser warranty up to 12.000 hours or 5 years, whatever comes first. Please refer to the terms and conditions on our website.	545.00	506.15
PROJEKTOR GARANTIE	WARR EXT PA703UL (20000 HOURS/5 YEARS)	200005374 WARRANTY EXTENSION PROJECTOR PA703UL (20000 HOURS/5 YEARS). Laser warranty up to 20.000 hours or 5 years, whatever comes first. Please refer to the terms and conditions on our website.	1'990.00	1'848.10
PROJEKTOR GARANTIE	WARR EXT PA803UL (12000 HOURS/5 YEARS)	200005029 WARRANTY EXTENSION PROJECTOR PA803UL (12000 HOURS/5 YEARS). Laser warranty up to 12.000 hours or 5 years, whatever comes first. Please refer to the terms and conditions on our website.	698.00	648.25
PROJEKTOR GARANTIE	WARR EXT PA803UL (20000 HOURS/5 YEARS)	200005030 WARRANTY EXTENSION PROJECTOR PA803UL (20000 HOURS/5 YEARS). Laser warranty up to 20.000 hours or 5 years, whatever comes first. Please refer to the terms and conditions on our website.	2'398.00	2'227.05
PROJEKTOR GARANTIE	WARR EXT PA804UL (10000 HOURS/5 YEARS)	200005481 WARRANTY EXTENSION PROJECTOR PA804UL (10000 HOURS/5 YEARS). Laser warranty up to 10.000 hours or 5 years, whatever comes first. Consumption parts are excluded. Please refer to the terms and conditions on our website.	365.00	339.00
PROJEKTOR GARANTIE	WARR EXT PA804UL (20000 HOURS/5 YEARS)	200005561 WARRANTY EXTENSION PROJECTOR PA804UL (20000 HOURS/5 YEARS). Laser warranty up to 20.000 hours or 5 years, whatever comes first. Please refer to the terms and conditions on our website.	2'295.00	2'131.40
PROJEKTOR GARANTIE	WARR EXT PA1004UL (20000 HOURS/5 YEARS)	200005582 WARRANTY EXTENSION PROJECTOR PA1004UL (20000 HOURS/5 YEARS). Laser warranty up to 20.000 hours or 5 years, whatever comes first. Please refer to the terms and conditions on our website.	2'590.00	2'405.35
PROJEKTOR GARANTIE	WARR EXT PE455UL/WL (10000 HOURS/5 YRS)	200005376 WARRANTY EXTENSION PROJECTOR PE455UL/WL (10000 HOURS/5 YEARS). Laser warranty up to 10.000 hours or 5 years, whatever comes first. Consumption parts are excluded. Please refer to the terms and conditions on our website.	115.00	106.80
PROJEKTOR GARANTIE	WARR EXT PE455UL/WL (20000 HOURS/5 YRS)	200005395 WARRANTY EXTENSION PROJECTOR PE455UL/WL (20000 HOURS/5 YEARS). Laser warranty up to 20.000 hours or 5 years, whatever comes first. Please refer to the terms and conditions on our website.	695.00	645.45
PROJEKTOR GARANTIE	WARR EXT PE455UL/WL (36500 HOURS/5 YRS)	200005396 WARRANTY EXTENSION PROJECTOR PE455UL/WL (36500 HOURS/5 YEARS). Laser warranty up to 36.500 hours or 5 years, whatever comes first. Please refer to the terms and conditions on our website.	2'698.00	2'505.65
PROJEKTOR GARANTIE	WARR EXT PH1201QL (10000 HOURS/5 YEARS)	200004737 WARRANTY EXTENSION PROJECTOR PH1201QL (10000 HOURS/5 YEARS). Laser warranty up to 10.000 hours or 5 years, whatever comes first. Consumption parts are excluded. Please refer to the terms and conditions on our website.	4'795.00	4'439.80
PROJEKTOR GARANTIE	WARR EXT PH1201QL (20000 HOURS/5 YEARS)	200004788 WARRANTY EXTENSION PROJECTOR PH1201QL (20000 HOURS/5 YEARS). Laser warranty up to 20.000 hours or 5 years, whatever comes first. Please refer to the terms and conditions on our website.	38'995.00	36'106.50
PROJEKTOR GARANTIE	WARR EXT PH2601QL (10000 HOURS/5 YEARS)	200005309 WARRANTY EXTENSION PROJECTOR PH2601QL (10000 HOURS/5 YEARS). Laser warranty up to 10.000 hours or 5 years, whatever comes first. Consumption parts are excluded. Please refer to the terms and conditions on our website.	5'290.00	4'912.85
PROJEKTOR GARANTIE	WARR EXT PH2601QL (20000 HOURS/5 YEARS)	200005310 WARRANTY EXTENSION PROJECTOR PH2601QL (20000 HOURS/5 YEARS). Laser warranty up to 20.000 hours or 5 years, whatever comes first. Please refer to the terms and conditions on our website.	18'990.00	17'636.10
PROJEKTOR GARANTIE	WARR EXT PH3501QL (10000 HOURS/5 YEARS)	200005311 WARRANTY EXTENSION PROJECTOR PH3501QL (10000 HOURS/5 YEARS). Laser warranty up to 10.000 hours or 5 years, whatever comes first. Consumption parts are excluded. Please refer to the terms and conditions on our website.	6'290.00	5'841.55
PROJEKTOR GARANTIE	WARR EXT PH3501QL (20000 HOURS/5 YEARS)	200005312 WARRANTY EXTENSION PROJECTOR PH3501QL (20000 HOURS/5 YEARS). Laser warranty up to 20.000 hours or 5 years, whatever comes first. Please refer to the terms and conditions on our website.	34'990.00	32'495.35
PROJEKTOR GARANTIE	WARR EXT PX1004UL (10000 HOURS/5 YEARS)	200004902 WARRANTY EXTENSION PROJECTOR PX1004UL (10000 HOURS/5 YEARS). Laser warranty up to 10.000 hours or 5 years, whatever comes first. Consumption parts are excluded. Please refer to the terms and conditions on our website.	549.00	509.85
PROJEKTOR GARANTIE	WARR EXT PX1004UL (20000 HOURS/5 YEARS)	200004903 WARRANTY EXTENSION PROJECTOR PX1004UL (20000 HOURS/5 YEARS). Laser warranty up to 20.000 hours or 5 years, whatever comes first. Please refer to the terms and conditions on our website.	6'290.00	5'841.55
PROJEKTOR GARANTIE	WARR EXT PX1004UL (36500 HOURS/5 YRS)	200004904 WARRANTY EXTENSION PROJECTOR PX1004UL (36500 HOURS/5 YEARS). Laser warranty up to 36.500 hours or 5 years, whatever comes first. Please refer to the terms and conditions on our website.	14'490.00	13'456.90
PROJEKTOR GARANTIE	WARR EXT PX1005QL (10000 HOURS/5 YEARS)	200005124 WARRANTY EXTENSION PROJECTOR PX1005QL (10000 HOURS/5 YEARS). Laser warranty up to 10.000 hours or 5 years, whatever comes first. Consumption parts are excluded. Please refer to the terms and conditions on our website.	779.00	723.45
PROJEKTOR GARANTIE	WARR EXT PX1005QL (20000 HOURS/5 YEARS)	200005281 WARRANTY EXTENSION PROJECTOR PX1005QL (20000 HOURS/5 YEARS). Laser warranty up to 20.000 hours or 5 years, whatever comes first. Please refer to the terms and conditions on our website.	9'290.00	8'627.65

SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/VRG)	UVP* PIR* (EXKL. MWST)
PROJEKTOR GARANTIE	WARR EXT PX1005QL 200005282 (36500 HOURS/5 YEARS)	WARRANTY EXTENSION PROJECTOR PX1005QL (36500 HOURS/5 YEARS). Laser warranty up to 36.500 hours or 5 years, whatever comes first. Please refer to the terms and conditions on our website.	21'490.00	19'957.85
PROJEKTOR GARANTIE	WARR EXT PX2000UL 200005453 (10000 HOURS/5 YEARS)	WARRANTY EXTENSION PROJECTOR PX2000UL (10000 HOURS/5 YEARS). Laser warranty up to 10.000 hours or 5 years, whatever comes first. Consumption parts are excluded. Please refer to the terms and conditions on our website.	1'645.00	1'458.83
PROJEKTOR GARANTIE	WARR EXT PX803UL 200004786 (10000 HOURS/5 YEARS)	WARRANTY EXTENSION PROJECTOR PX803UL (10000 HOURS/5 YEARS). Laser warranty up to 10.000 hours or 5 years, whatever comes first. Consumption parts are excluded. Please refer to the terms and conditions on our website.	479.00	444.85
PROJEKTOR GARANTIE	WARR EXT PX803UL 200004787 (20000 HOURS/5 YEARS)	WARRANTY EXTENSION PROJECTOR PX803UL (20000 HOURS/5 YEARS). Laser warranty up to 20.000 hours or 5 years, whatever comes first. Please refer to the terms and conditions on our website.	5'790.00	5'377.20
PROJEKTOR GARANTIE	WARR EXT PX803UL 200005280 (36500 HOURS/5 YEARS)	WARRANTY EXTENSION PROJECTOR PX803UL (36500 HOURS/5 YEARS). Laser warranty up to 36.500 hours or 5 years, whatever comes first. Please refer to the terms and conditions on our website.	13'990.00	12'992.55

LED MIT LAMPEN-LICHTQUELLE

WXGA PROJEKTOR ULTRA PORTABLE LED	L102W LED 60003452	Professional Mobile LED, 1'000 ANSI, WXGA 1280x800, Keystone vertikal +/-40°, 10'000:1 Kontrast, Faktor 1.4:1, 1xHDMI, 1xRGB, 1xUSB Typ A USB 2.0, 1x Mini USB, 1.36kg, LED-Leuchtmittel (keine Lampe erforderlich), 0.5 Watt stand-by, 1x 2 Watt Mono, Optional: DLP-Link 3D Glasses (NP02GL); WLAN Modul (NP02LM2), Professional Mobile LED, 1'000 ANSI, WXGA 1280x800, Keystone vertical +/-40°, contraste 10'000:1, facteur 1.4:1, 1xHDMI, 1xRGB, 1xUSB Typ A USB 2.0, 1x Mini USB, 1.36kg, Source lumineuse LED (pas de lampe requise), 1x2 W hp, 0.5 W en mode stand-by, en option: DLP-Link 3D Glasses (NP02GL); WLAN Modul (NP02LM2)	999.00	925.00
---	---------------------------	---	---------------	---------------



LCD MIT LAMPEN-LICHTQUELLE

3'300 ANSI, WXGA PROJEKTOR PORTABLE LCD	MC332W 60004704	Commodity Projector, WXGA, 3300AL, 3LCD, Lamp	695.00	645.45
3'400 ANSI, XGA PROJEKTOR PORTABLE LCD	MC342X 60004705	Commodity Projector, XGA, 3400AL, 3LCD, Lamp	635.00	589.75
3'700 ANSI, WXGA PROJEKTOR PORTABLE LCD	ME372W 60004597	Standard Projector, WXGA, 3700AL, 3LCD, Lamp	815.00	756.90
3'600 ANSI, XGA PROJEKTOR PORTABLE LCD	ME382U	3LCD-Projektor, Lichtquelle Lampe, Auflösung 1920 x 1200 (WUXGA), Seitenverhältnis 16:10, Kontrast 16000:1, Helligkeit 3800 ANSI Lumen, Lampen-Lebensdauer 10000h (15000h Eco Mode), Projektionsfaktor 1,2 – 2 : 1, Abmessungen (B x H x T) 345 x 104,6 x 261mm (ohne Füße u. Optik), Betriebsgeräusch 29 / 37 (ECO / Normal), Gewicht 3,5 kg, Farbe Weiss. Optionales Zubehör: Ersatzlampe (NP47LP); Universelle Deckenbefestigungen (PPC1500/PPC1500W); W-LAN-Modul (NP05LM2), MultiPresenter Stick (MP10RX2) Projecteur 3LCD, lampe, résolution native 1920 x 1200 (WUXGA), format d'image 16:10, contraste 16000:1, luminosité 3800 ANSI lumen, durée de vie des lampes 10000h (15000h Eco Mode), ratio de projection 1,2 – 2 : 1, dimensions (B x H x T) 345 x 104,6 x 261mm (sans pieds ni optique), bruit de fonctionnement 29 / 37 (ECO / normal), poids 3,5 kg, couleur blanc. Accessoires optionnels: Lampe de remplacement (NP47LP); Montages plafond universels (PPC1500/PPC1500W); Module réseau local sans fil (NP05LM2), MultiPresenter Stick (MP10RX2)	1'095.00	1'016.95
4'000 ANSI, XGA PROJEKTOR PORTABLE LCD	ME402X 60004506	Standard Projector, XGA, 4000AL, 3LCD, Lamp	775.00	719.75
5'300 ANSI, WUXGA PROJEKTOR INSTALLATION, 1-Chip LCD	P554U 60004329	Installations LCD Projektor, 5'300 ANSI-Lumen, Auflösung WUXGA 1920x1200 (16:10), 330 W UHP AC Lampe (4'000 h resp. 8'000 h im ECO), Kontrast 20'000:1, Projektions-Faktor F = 1.20- 2.00:1, Lens Shift h: +55% / -0% v: +/-30%, Keystone Korrektur, HDMI (2x in), HDBaseT (1x in), VGA (1x in & 1x out), RS232 (1x in), LAN (1x in), Audio (1x in & 1x out), Auto Eco Mode, Auto Power ON/OFF, Direct Power OFF, Geometrical Correction, 37 dB (34 dB im ECO), 1x 20 Watt Lautsprecher, Gewicht 4.8 kg, 420 x 133 x 322 mm (LxBxH), 3 Jahre Herstellergarantie. Projecteur d'installation LCD, 5'300 ANSI lumen, résolution WUXGA 1920x1200 (16:10), contraste de 20'000:1, ratio de projection F = 1.20- 2.00:1, lens shift h: +55%/ -0% v: +/-15%, correction keystone, HDMI (2x in), HDBaseT (1x in), VGA (1x in & 1x out), RS232 (1x in), LAN (1x in), Audio (1x in & 1x out), Auto Eco Mode, Auto Power ON/OFF, Direct Power OFF, Geometrical Correction, 37 dB (34 dB en ECO), 1x 20 watt haut-parleur, poids de 4.8 kg, 420 x 133 x 322 mm (LxPxH).	1'645.00	1'527.70
5'500 ANSI, WUXGA PROJEKTOR INSTALLATION 1 Chip-DLP	P554U Projektor + MultiPresenter 40001306 BUNDLE	P554U WUXGA Projektor, MultiPresenter Stick	1'695.00	1'574.15

SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/VRG)	UVP* PIR* (EXKL MWST)
5'500 ANSI, WUXGA PROJEKTOR INSTALLATION 1 Chip- DLP	P554U Projector + MultiPresenter + Cover	40001186 BUNDLE	P554U WUXGA Projector, MultiPresenter Stick and Cable Cover	1'695.00 1'574.15
5'500 ANSI, WXGA PROJEKTOR INSTALLATION 1 Chip- DLP	P554U Projector + MultiPresenter + Cover	40001186 BUNDLE	P554U WUXGA Projector, MultiPresenter Stick and Cable Cover	2'590.00 2'398.15
5'500 ANSI, WXGA PROJEKTOR INSTALLATION 1 Chip- DLP	P554W	60004330	Installation Projector, WXGA, 5500AL, 3LCD, Lamp based, vert. and horiz. Lens Shift	1'495.00 1'388.40
5'500 ANSI, WXGA PROJEKTOR INSTALLATION 1 Chip- DLP	P554W Projector + MultiPresenter	40001307 BUNDLE	P554W WXGA Projector, MultiPresenter Stick	1'495.00 1'388.40
5'500 ANSI, WXGA PROJEKTOR INSTALLATION 1 Chip- DLP	P554W Projector + MultiPresenter + Cover	40001187 BUNDLE	P554W WXGA Projector, MultiPresenter Stick and Cable Cover	1'445.00 1'342.00



6'000 ANSI, XGA PROJEKTOR INSTALLATION, 1- Chip LCD	P603X	60004331	Installations LCD Projektor, 6'000 ANSI-Lumen, Auflösung XGA 1024x768 (4:3), 330W UHP Lampe (Lebensdauer ca. 4'000 h oder 8'000h im ECO), Kontrast 20'000:1, Projektions- Faktor F = 1.30- 2.20:1, Lens Shift v: +50°/-0° h: +/-15°, Keystone Korrektur, HDMI (2x in), VGA (1x in & 1x out), RS232 (1x in), LAN (1x in), Audio (1x in & 1x out), Auto Eco Mode, Auto Power ON/OFF, USB Viever (für JPEG), 37 dB (34 dB im ECO), 1x 20 Watt Lautsprecher, Gewicht 4.7 kg, 420 x 133 x 322 mm (LxBxH). Projecteur d'installation LCD, 6'000 ANSI lumen, résolution XGA 1024x768 (4:3), lampe 330W UHP (durée de vie 4'000 heures ou 8'000h en mode ECO), contraste de 20'000:1, ratio de projection F = 1.30- 2.20:1, lens shift v: +50°/-0° h: +/-15°, correction keystone, HDMI (2x in), VGA (1x in & 1x out), RS232 (1x in), LAN (1x in), Audio (1x in & 1x out), Auto Eco Mode, Auto Power ON/OFF, USB Viever (pour JPEG), 37 dB (34 dB en ECO), 1x 20 watt haut-parleur, poids de 4.7 kg, 420 x 133 x 322mm (LxPxH).	1'498.00 1'387.05
--	--------------	----------	---	---------------------------------



1 CHIP DLP MIT LAMPEN-LICHTQUELLE





3'000 ANSI, FULL-HD PROJEKTOR PORTABLE DLP	V302H	60003897	Portable DLP, 3'000 ANSI, FullHD 1920x1080, 3D-ready, 2.7 kg, VGA 1xin/1xout, 2x HDMI, Audio 1xin/1x out, RS-232, LAN, Lampe 6'000 Std. (ECO), 10'000:1 Kontrast, Faktor 1.55 – 1.70:1, 1x 8W LS, 30 dB (ECO), 310 x 95 x 247 (L x B x H) Portable DLP, 3'000 ANSI, FullHD 1920x1080, 3D-ready, 2.7 kg, VGA 1xin/1xout, 2x HDMI, Audio 1xin/1x out, RS-232, LAN, lampe 6'000 heures (ECO), contraste 10'000 :1, facteur 1.55 – 1.70:1, 1x8W hp, 30 dB (ECO), 310 x 95 x 247 (l x h x p)	1'195.00 1'106.50
4'000 ANSI, FULL-HD PROJEKTOR PORTABLE DLP	M403H	60003977	Desktop DLP Projektor, 4'000 ANSI-Lumen, FullHD 1920x1080 (16:9), Keystone v: +/-30° h: +/-25°, Auto Eco Mode, 10'000:1 Kontrast, Projektions-Faktor F = 1.20-2.10:1, HDMI 2x, VGA 1xin/1xout, RS-232 1x, LAN 1x, Audio 1xin/1xout, 3.70 kg, Lampe 3'500 Std. (5'500h Normal, 8'000h ECO), 0.4 Watt stand-by, 30 dB ECO, 1x 20 Watt Mono, 368 x 108 x 292 mm (L x B x H), Optional: Ersatzlampe (NP30LP), 3D-Starter-Kit (NP02SK3D), DLP- Link 3D Glasses (VPOP1000), Wireless LAN Modul (NP06LM), Kabelabdeckung (NP05CV) Desktop DLP projector, 4'000 ANSI-Lumen, FullHD 1920x1080 (16:9), Keystone v: +/-30° h: +/-25°, Auto Eco Mode, contraste 10'000:1, facteur de projection F = 1.20-2.10:1, HDMI 2x, VGA 1xin/1xout, RS-232 1x, LAN 1x, Audio 1xin/1xout, 3.70 kg, lampe 3'500 heures, (5'500 h normale, 8'000 h éco), 0.4 W en mode stand-by, 30 dB mode éco, 1x20W mono hp, 368 x 108 x 292 mm (l x p x h), en option: lampe de rechange (NP30LP), 3D-Starter-Kit (NP02SK3D), DLP-Link 3D Glasses (VPOP1000), Wireless LAN Modul (NP05LM2), Gaine de câble (NP05CV)	1'298.00 1'201.85



1 CHIP DLP MIT LASER-LICHTQUELLE

8'000 ANSI, WUXGA PROJEKTOR INSTALLATION, LASER	P506QL	60004812	Professional Projector, 4K UHD, DLP, 5.000lm, Laser, Lens- shift, HDBaseT	5'990.00 5'562.95
z10'000 ANSI, LASER PROJEKTOR INSTALLATION, 1- Chip DLP, LASER BUNDLE	PX1004UL black Projector incl. NP18ZL	40001151	Installation Projector, WUXGA, 10000 AL,Laser Light Source, black cabinet incl. NP18ZL lens (1.73-2,27:1)	22'995.00 21'291.65
z10'000 ANSI, LASER PROJEKTOR INSTALLATION, 1- Chip DLP, LASER BUNDLE	PX1004UL white Projector incl. NP18ZL	40001152	Installation Projector, WUXGA, 10000 AL,Laser Light Source, white cabinet incl. NP18ZL lens (1.73-2,27:1)	22'995.00 21'291.65



SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/WRG)	UVP* PIR* (EKKL MWST)
10'000 ANSI, LASER PROJEKTOR INSTALLATION, 1- Chip DLP, LASER	PX1004ULB	60004235	20'995.00	19'439.80
		Installation Laser Projektor, 1-Chip DLP, 10'000 ANSI-Lumen, Auflösung WUXGA 1920 x 1080 (16:10), Kontrast 10'000:1, Laser-Lichtquelle ohne Lampe (20'000h Wartungsfrei), Installation 360° vertikal & horizontal, ohne Standard-Optik, Lens-Shift v: +50/-30% h: +/-15% (motorisiert), HDMI (1x in & 1x out), DisplayPort (1x in), HDBaseT (1x in - inkl. LAN), VGA (1x in), RS232 (1x in & 1x out), 3D Sync (1x out), Gewicht 28.0 kg, 500 x 211 x 577 mm, Betriebsgeräusch 41 dB, in Farbe schwarz, 4K-Schnittstelle, Edge Blending Funktion, Multi-Display & Multi-Screen Support, Projecteur d'installation laser, 1 chip DLP, 10'000 ANSI lumen, résolution WUXGA 1920 x 1080 (16:10), contraste 10'000:1, source lumineuse laser sans lampe (20'000h sans maintenance), installation 360° verticale & horizontale, sans objectif standard, lens shift v: +50/-30% h: +/-15% (motorisé), HDMI (1x in & 1x out), DisplayPort (1x in), HDBaseT (1x in - inkl. LAN), VGA (1x in), RS232 (1x in & 1x out), 3D Sync (1x out), poids de 28.0 kg, 500 x 211 x 577 mm, 40 dB (35 dB en ECO), en couleur noir, interface 4K, fonction Edge Blending, support Multi-Display et Multi-Screen.		
z10'000 ANSI, LASER PROJEKTOR INSTALLATION, 1- Chip DLP, LASER	PX1004ULW	60004077	20'995.00	19'439.80
		Dito in Weiss / Blanc		
z10'000 ANSI, LASER PROJEKTOR INSTALLATION, 1- Chip DLP, LASER BUNDLE	PX1005QL black Projector	60004489	27'990.00	25'916.65
z10'000 ANSI, LASER PROJEKTOR INSTALLATION, 1- Chip DLP, LASER BUNDLE	PX1005QL white Projector	60004490	27'990.00	25'916.65
z19'000 ANSI, LASER PROJEKTOR INSTALLATION, 1- Chip DLP, LASER BUNDLE	PX2000UL	60004511	34'950.00	32'458.20
PROJEKTOR 1 DLP MIT LASER- LICHTQUELLE BUNDLE	PX803UL black Projector incl. NP18ZL	40001153	16'990.00	15'731.50
PROJEKTOR 1 DLP MIT LASER- LICHTQUELLE BUNDLE	PX803UL white Projector incl. NP18ZL	40001154	16'990.00	15'731.50
8'000 ANSI, WUXGA PROJEKTOR INSTALLATION, LASER	PX803ULBK	60004009	15'495.00	14'347.20
		Installation Laser Projektor, 8'000 ANSI-Lumen, Auflösung WUXGA 1920 x 1200, Kontrast 10'000:1, Laserlicht-Quelle ohne Lampe (20'000h wartungsfrei), Installation 360° vertikal & horizontal, ohne Objektiv, Lens Shift, 4K Interface und Multiscreen Funktion, HDMI in/out, DisplayPort, HD-BaseT, VGA, OPS-Slot in (STV2), 5x BNC, RS232, USB, 3D Sync, Gewicht 26.0 kg, Lüfter 38db, 500 x 205 x 580 mm, in schwarzer Farbe, optionales Zubehör: Wechselobjektive, OPS Module, DLP-Link 3D Brille Installation laser projecteur, 8'000 ANSI-Lumen, résolution WUXGA 1920 x 1200, contraste 10'000:1, source de lumière laser sans lampe (20'000h sans maintenance), installation 360° verticale & horizontale, sans objectif, Lens Shift, interface 4K et fonction multiscreen, HDMI in/out, DisplayPort, HD-BaseT, VGA, OPS-Slot in (STV2), 5x BNC, RS232, USB, 3D Sync, poids 26.0 kg, ventilateur 38db, 500 x 205 x 580 mm, couleur en noir, en option: objectifs interchangeable, module OPS, lunettes 3D DLP-Link		
8'000 ANSI, WUXGA PROJEKTOR INSTALLATION, LASER	PX803ULWH	60004010	15'495.00	14'347.20
		Installation Laser Projektor, 8'000 ANSI-Lumen, Auflösung WUXGA 1920 x 1200, Kontrast 10'000:1, Laserlicht-Quelle ohne Lampe (20'000h wartungsfrei), Installation 360° vertikal & horizontal, ohne Objektiv, Lens Shift, 4K Interface und Multiscreen Funktion, HDMI in/out, DisplayPort, HD-BaseT, VGA, OPS-Slot in (STV2), 5x BNC, RS232, USB, 3D Sync, Gewicht 26.0 kg, Lüfter 38db, 500 x 205 x 580 mm, in weisser Farbe, optionales Zubehör: Wechselobjektive, OPS Module, DLP-Link 3D Brille Installation laser projecteur, 8'000 ANSI-Lumen, résolution WUXGA 1920 x 1200, contraste 10'000:1, source de lumière laser sans lampe (20'000h sans maintenance), installation 360° verticale & horizontale, sans objectif, Lens Shift, interface 4K et fonction multiscreen, HDMI in/out, DisplayPort, HD-BaseT, VGA, OPS-Slot in (STV2), 5x BNC, RS232, USB, 3D Sync, poids 26.0 kg, ventilateur 38db, 500 x 205 x 580 mm, couleur en blanc, en option: objectifs interchangeable, module OPS, lunettes 3D DLP-Link		
3 LCD MIT LAMPEN-LICHTQUELLE				
7'000 ANSI, WXGA PROJEKTOR INSTALLATION, 3- Chip LCD	PA703W	60004080	3'995.00	3'710.15
		Installations Lampen Projektor, 3LCD Technologie, 7'000 ANSI-Lumen, Auflösung WXGA 1280 x 800 (16:10), Kontrast 8'000:1, 370 W UHP Lampe mit Laufzeit 4'000 Stunden (oder 5'000 h im ECO Modus), ohne Standardobjektiv, Lens-Shift v: +-50% / -10% h: +/-30% (manuell), HDMI (2x in), DisplayPort (1x in), HDBaseT (1x in & 1x out), VGA (1x in & 1x out), RS232 (1x in), LAN (1x in), Audio (in & out), Gewicht 10.2 kg, 499 x 164 x 406 mm, 39 dB (33 dB ECO), in Farbe Weiss, Installation vertikal 360° sowie Portrait Mode, Edge Blending, Multi-Screen Support (via HDBaseT), Lens Memory. Projecteur d'installation à lampe, technologie 3LCD, 7'000 ANSI lumen, résolution WXGA 1280 x 800 (16:10), contraste 8'000:1, lampe 370 W UHP (avec durée de 4'000 h normale / 5'000 h eco), sans objectif standard, lens shift v : +-50% / -10% h: +/-30% (manuellement), HDMI (2x in), DisplayPort (1x in), HDBaseT (1x in & 1x out), VGA (1x in & 1x out), RS232 (1x in), LAN (1x in), Audio (in & out), poids 10.2 kg, 499 x 164 x 406 mm, 39 dB (33 dB ECO), en couleur blanc, installation 360° vertical et en mode portrait, Edge Blending, support Multi-Screen (par HDBaseT), Lens Memory.		

SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/VRG)	UVP* PIR* (EXKL. MWST)
7'000 ANSI PROJEKTOR 1 LCD MIT LAMPEN- LICHTQUELLE BUNDLE	PA703W Projector incl. NP13ZL lens	40001120	Installation Projector, WXGA, 7000AL, LCD, Lamp Light Source incl. NP13ZL lens (1.46-2.95:1)	4'295.00 3'976.85
9'000 ANSI, XGA PROJEKTOR INSTALLATION, 3- Chip LCD	PA903X	60004118	Installations Lampen Projektor, 3LCD Technologie, 9'000 ANSI-Lumen, Auflösung XGA 1024 x 768 (4:3), Kontrast 10'000:1, 420 W UHP Lampe mit Laufzeit 3'000 Stunden (oder 5'000 h im ECO Modus), ohne Standardobjektiv, Lens-Shift v: +-50% /-10% h: +/-30% (manuell), HDMI (2x in), DisplayPort (1x in), HDBaseT (1x in & 1x out), VGA (1x in & 1x out), RS232 (1x in), LAN (1x in), Audio (in & out), Gewicht 10.2 kg, 499 x 164 x 406 mm, 39 dB (33 dB ECO), in Farbe Weiss, Installation vertikal 360° sowie Portrait Mode, Edge Blending, Multi-Screen Support (via HDBaseT), Lens Memory. Projecteur d'installation à lampe, technologie 3LCD, 9'000 ANSI lumen, résolution XGA 1024 x 768 (4:3), contraste 10'000:1, lampe 420 W UHP (avec durée de 3'000 h normale / 5'000 h eco), sans objectif standard, lens shift v : +-50% / -10% h: +/-30% (manuellement), HDMI (2x in), DisplayPort (1x in), HDBaseT (1x in & 1x out), VGA (1x in & 1x out), RS232 (1x in), LAN (1x in), Audio (in & out), poids 10.2 kg, 499 x 164 x 406 mm, 39 dB (33 dB ECO), en couleur blanc, installation 360° vertical et en mode portrait, Edge Blending, support Multi-Screen (par HDBaseT), Lens Memory.	4'995.00 4'625.00
6'500 ANSI, WUXGA PROJEKTOR INSTALLATION, 3- Chip LCD	PA653U	60004120	Installations Lampen Projektor, 3LCD Technologie, 6'500 ANSI-Lumen, Auflösung WUXGA 1920 x 1200 (16:10), Kontrast 8'000:1, 370 W UHP Lampe mit Laufzeit 4'000 Stunden (oder 5'000 h im ECO Modus), ohne Standardobjektiv, Lens-Shift v: +-50% / -10% h: +/-30% (manuell), HDMI (2x in), DisplayPort (1x in), HDBaseT (1x in & 1x out), VGA (1x in & 1x out), RS232 (1x in), LAN (1x in), Audio (in & out), Gewicht 10.2 kg, 499 x 164 x 406 mm, 39 dB (33 dB ECO), in Farbe Weiss, Installation vertikal 360° sowie Portrait Mode, Edge Blending, Multi-Screen Support (via HDBaseT), Lens Memory. Projecteur d'installation à lampe, technologie 3LCD, 6'500 ANSI lumen, résolution WUXGA 1920 x 1200 (16:10), contraste 8'000:1, lampe 370 W UHP (avec durée de 4'000 h normale / 5'000 h eco), sans objectif standard, lens shift v : +-50% / -10% h: +/-30% (manuellement), HDMI (2x in), DisplayPort (1x in), HDBaseT (1x in & 1x out), VGA (1x in & 1x out), RS232 (1x in), LAN (1x in), Audio (in & out), poids 10.2 kg, 499 x 164 x 406 mm, 39 dB (33 dB ECO), en couleur blanc, installation 360° vertical et en mode portrait, Edge Blending, support Multi-Screen (par HDBaseT), Lens Memory.	5'295.00 4'917.50
6'500 ANSI, PROJEKTOR 1 LCD MIT LAMPEN- LICHTQUELLE BUNDLE	PA653U Projector incl. NP13ZL lens	40001119	Installation Projector, WUXGA, 6500AL, LCD, Lamp Light Source incl. NP13ZL lens (1.46-2.95:1)	5'999.00 5'554.65
9'000 ANSI PROJEKTOR 1 LCD MIT LAMPEN- LICHTQUELLE BUNDLE	PA903X Projector incl. NP13ZL lens	40001123	Installation Projector, XGA, 9000AL, LCD, Lamp Light Source incl. NP13ZL lens (1.46-2.95:1)	5'299.00 4'906.50
8'500 ANSI, PROJEKTOR 1 LCD MIT LAMPEN- LICHTQUELLE BUNDLE	PA853W Projector incl. NP13ZL lens	40001122	Installation Projector, WXGA, 8500AL, LCD, Lamp Light Source incl. NP13ZL lens (1.46-2.95:1)	5'495.00 5'087.95
8'500 ANSI, WXGA PROJEKTOR INSTALLATION, 3- Chip LCD	PA853W	60004119	Installations Lampen Projektor, 3LCD Technologie, 8'500 ANSI-Lumen, Auflösung WXGA 1280 x 800 (16:10), Kontrast 10'000:1, 420 W UHP Lampe mit Laufzeit 3'000 Stunden (oder 5'000 h im ECO Modus), ohne Standardobjektiv, Lens-Shift v: +-50% /-10% h: +/-30% (manuell), HDMI (2x in), DisplayPort (1x in), HDBaseT (1x in & 1x out), VGA (1x in & 1x out), RS232 (1x in), LAN (1x in), Audio (in & out), Gewicht 10.2 kg, 499 x 164 x 406 mm, 39 dB (33 dB ECO), in Farbe Weiss, Installation vertikal 360° sowie Portrait Mode, Edge Blending, Multi-Screen Support (via HDBaseT), Lens Memory. Projecteur d'installation à lampe, technologie 3LCD, 8'500 ANSI lumen, résolution WXGA 1280 x 800 (16:10), contraste 10'000:1, lampe 420 W UHP (avec durée de 3'000 h normale / 5'000 h eco), sans objectif standard, lens shift v : +-50% / -10% h: +/-30% (manuellement), HDMI (2x in), DisplayPort (1x in), HDBaseT (1x in & 1x out), VGA (1x in & 1x out), RS232 (1x in), LAN (1x in), Audio (in & out), poids 10.2 kg, 499 x 164 x 406 mm, 39 dB (33 dB ECO), en couleur blanc, installation 360° vertical et en mode portrait, Edge Blending, support Multi-Screen (par HDBaseT), Lens Memory.	5'695.00 5'273.15
8'000 ANSI, WUXGA PROJEKTOR INSTALLATION, 3- Chip LCD	PA803U	60004121	Installations Lampen Projektor, 3LCD Technologie, 8'000 ANSI-Lumen, Auflösung WUXGA 1920 x 1200 (16:10), Kontrast 10'000:1, 420 W UHP Lampe mit Laufzeit 3'000 Stunden (oder 5'000 h im ECO Modus), ohne Standardobjektiv, Lens-Shift v: +-50% / -10% h: +/-30% (manuell), HDMI (2x in), DisplayPort (1x in), HDBaseT (1x in & 1x out), VGA (1x in & 1x out), RS232 (1x in), LAN (1x in), Audio (in & out), Gewicht 10.2 kg, 499 x 164 x 406 mm, 39 dB (33 dB ECO), in Farbe Weiss, Installation vertikal 360° sowie Portrait Mode, Edge Blending, Multi-Screen Support (via HDBaseT), Lens Memory. Projecteur d'installation à lampe, technologie 3LCD, 8'000 ANSI lumen, résolution WUXGA 1920 x 1200 (16:10), contraste 10'000:1, lampe 420 W UHP (avec durée de 3'000 h normale / 5'000 h eco), sans objectif standard, lens shift v : +-50% / -10% h: +/-30% (manuellement), HDMI (2x in), DisplayPort (1x in), HDBaseT (1x in & 1x out), VGA (1x in & 1x out), RS232 (1x in), LAN (1x in), Audio (in & out), poids 10.2 kg, 499 x 164 x 406 mm, 39 dB (33 dB ECO), en couleur blanc, installation 360° vertical et en mode portrait, Edge Blending, support Multi-Screen (par HDBaseT), Lens Memory.	7'695.00 7'125.00
8'000 ANSI, PROJEKTOR 1 LCD MIT LAMPEN- LICHTQUELLE BUNDLE	PA803U Projector incl. NP13ZL lens	40001121	Installation Projector, WUXGA, 8000AL, LCD, Lamp Light Source incl. NP13ZL lens (1.46-2.95:1)	8'329.00 7'712.05

SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/VRG)	UVP* PIR* (EKKL MWST)
8'000 ANSI, WUXGA PROJEKTOR INSTALLATION, 3- Chip LCD	PA804UL-BK	60005161 Installation Projektor, WUXGA , 8000Lm, LCD, Laser Light Source, black cabinet	9'750.00	9'054.85
8'000 ANSI, WUXGA PROJEKTOR INSTALLATION, 3- Chip LCD	PA804UL-WH	60005035 Installation Projektor, WUXGA , 8000Lm, LCD, Laser Light Source, white cabinet	9'750.00	9'054.85
8'000 ANSI, WUXGA PROJEKTOR INSTALLATION, 3- Chip LCD	PA804UL-BK incl. NP13ZL lens	40001459 Installation Projektor, WUXGA, 8200 AL,Laser Light Source, black cabinet incl. NP13ZL lens (1.46-2,95:1)	9'990.00	9'277.75
8'000 ANSI, WUXGA PROJEKTOR INSTALLATION, 3- Chip LCD	PA804UL-WH incl. NP13ZL lens	40001461 Installation Projektor, WUXGA, 8200 AL,Laser Light Source, white cabinet incl. NP13ZL lens (1.46-2,95:1)	10'045.00	9'328.85
10'000 ANSI, WUXGA PROJEKTOR INSTALLATION, 3- Chip LCD	PA1004UL-BK	60005160 Installation Projektor, WUXGA , 10000Lm, LCD, Laser Light Source, black cabinet	14'450.00	13'419.75
10'000 ANSI, WUXGA PROJEKTOR INSTALLATION, 3- Chip LCD	PA1004UL-WH	60004512 Installation Projektor, WUXGA , 10000Lm, LCD, Laser Light Source, white cabinet	14'450.00	13'419.75
10'000 ANSI, WUXGA PROJEKTOR INSTALLATION, 3- Chip LCD	PA1004UL-BK incl. NP13ZL lens	40001455 Installation Projektor, WUXGA, 10.000 AL,Laser Light Source, black cabinet incl. NP13ZL lens (1.46-2,95:1)	14'490.00	13'456.90
10'000 ANSI, WUXGA PROJEKTOR INSTALLATION, 3- Chip LCD	PA1004UL-BK incl. NP41ZL lens	40001456 Installation Projektor, WUXGA, 10.000 AL,Laser Light Source, black cabinet incl. NP41ZL lens (1.30-3,02:1)	14'900.00	13'837.70
10'000 ANSI, WUXGA PROJEKTOR INSTALLATION, 3- Chip LCD	PA1004UL-WH Projektor incl. NP13ZL lens	40001457 Installation Projektor, WUXGA, 10.000 AL,Laser Light Source, white cabinet incl. NP13ZL lens (1.46-2,95:1)	14'490.00	13'456.90
10'000 ANSI, WUXGA PROJEKTOR INSTALLATION, 3- Chip LCD	PA1004UL-WH Projektor incl. NP41ZL lens	40001458 Installation Projektor, WUXGA, 10.000 AL,Laser Light Source, white cabinet incl. NP41ZL lens (1.30-3,02:1)	14'990.00	13'921.25

3 CHIP MIT LASER-LICHTQUELLE

5'200 ANSI, WUXGA PROJEKTOR INSTALLATION 1 Chip- LCD	P525UL	60004708 Installation Laser Projektor, 3LCD Panels, 5'200 ANSI- Lumen, Auflösung WUXGA 1920 x 1200 (16:10), Kontrast 520'000:1, Laser-Lichtquelle ohne Lampe (20'000h wartungsfrei), Installation 360° vertikal & horizontal, Projektionsfaktor F = 1.23 – 2.00:1, Lens-Shift v: +60%/-0% h: +/- 29% (manuell), HDMI (2x in), HDBaseT (1x in), VGA (1x in), RS232 (1x in), LAN (1x in), Audio (in & out), MultiPresenter Function, USB Memory Viewer, Auto Power On/Off, NaviSet Administrator 2, Gewicht 9.7 kg, 480 x 122 x 407 mm, Betriebsgeräusch 26 dB (22 dB im ECO), in Farbe weiss. Projecteur d'installation laser, 3LCD Panels, 5'200 ANSI lumen, résolution WUXGA 1920 x 1200 (16:10), contraste 520'000:1, source lumineuse laser sans lampe (20'000h sans maintenance), installation 360° verticale & horizontale, ratio de projectio de F = 1.23 – 2.00:1, lens shift v: +60%/-0% h: +/-29% (manuellement), HDMI (2x in), VGA (1x in & 1x out), RS232 (1x in & 1x out), LAN/Digital Link (1x), Audio (3x in & 1x out), fonction MultiPresenter, USB memory viewer, auto power On/Off, NaviSet Administrator 2, poids de 9.7 kg, 480 x 122 x 407 mm, bruit de fonctionnement 26 dB (22 en mode ECO), en couleur blanc.	3'595.00	3'338.70
5'200 ANSI, WXGA PROJEKTOR INSTALLATION 1 Chip- LCD	P525WL	60004328 Semi-Professional Projektor, WXGA, 5200AL, 3LCD, SSL	2'795.00	2'595.75
6'000 ANSI, WUXGA PROJEKTOR INSTALLATION 1 Chip- LCD	P605UL	60004811 Semi-Professional Projektor, WUXGA, 6000AL, 3LCD, SSL, F= 1.5–2.1, f= 17.2–27.6 mm	4'450.00	4'132.75
7'000 ANSI, PROJEKTOR 1 LCD MIT LAMPEN- LICHTQUELLE BUNDLE	PA703UL	60004921 Installation Projektor, WUXGA , 7000AL, LCD, Laser Light Source	6'695.00	6'217.65
7'000 ANSI, PROJEKTOR 1 LCD MIT LAMPEN- LICHTQUELLE BUNDLE	PA703UL Projektor incl. NP41ZL lens	40001330 Installation Projektor, WUXGA , 7000AL, LCD, Laser Light Source incl. NP41ZL lens (1.3-3.02:1)	7'295.00	6'774.90
8'000 ANSI, PROJEKTOR 3 LCD MIT LASER- LICHTQUELLE BUNDLE	PA803UL	60004323 Installation Laser Projektor, 3LCD Technologie, 8'000 ANSI- Lumen, Auflösung WUXGA 1920 x 1200 (16:10), Kontrast 250'000:1, Laser-Lichtquelle ohne Lampe (20'000h wartungsfrei), Installation 360° horizontal, ohne Wechseloptik (optional), Lens-Shift v: +50/-10% h: +/-20% (motorisiert), HDMI (2x in), DisplayPort (1x in), HDBaseT (1x in), VGA (1x in), RS232 (1x in), LAN (1x in), Gewicht 18.2 kg, 580 x 208 x 494 mm, Betriebsgeräusch 39 dB (33 im ECO Modus), in Farbe weiss. Projecteur d'installation laser, technologie 3LCD, 8'000 ANSI- Lumen, résolution WUXGA 1920 x 1200 (16:10), contraste 250'000:1, source lumineuse laser sans lampe (20'000h sans maintenance), installation 360°horizontale, sans objectif interchangeable (en option), lens shift +50/-10% h: +/-20% (motorisé), HDMI (2x in), DisplayPort (1x in), HDBaseT (1x in), VGA (1x in), RS232 (1x in), LAN (1x in), poids 18.2 kg, 580 x 208 x 494 mm, bruit de fonctionnement 39 dB (33 en mode ECO), en couleur blanc.	9'990.00	9'277.75
8'000 ANSI, PROJEKTOR 3 LCD MIT LASER- LICHTQUELLE BUNDLE	PA803UL Projektor incl. NP41ZL lens	40001150 Installation Laser Projektor, 3LCD Technologie, 8'000 ANSI- Lumen, Auflösung WUXGA 1920 x 1200 (16:10), Projecteur d'installation laser, technologie 3LCD, 8'000 ANSI- Lumen, résolution WUXGA 1920 x 1200 (16:10),	10'990.00	10'175.95
8'000 ANSI, PROJEKTOR 3 LCD MIT LASER- LICHTQUELLE BUNDLE	PA804UL-BK incl. NP13ZL lens	40001459 Installation Projektor, WUXGA, 8200 AL,Laser Light Source, black cabinet incl. NP13ZL lens (1.46-2,95:1)	9'490.00	8'813.40
8'000 ANSI, PROJEKTOR 3 LCD MIT LASER- LICHTQUELLE BUNDLE	PA804ULB Projektor incl. NP41ZL lens	40001460 Installation Projektor, WUXGA, 8.200 AL,Laser Light Source, black cabinet incl. NP41ZL lens (1.30-3,02:1)	9'990.00	9'277.75

SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/MVST)	UVP* PIR* (EXKL. MWST)
8'000 ANSI, PROJEKTOR 3 LCD MIT LASER- LICHTQUELLE BUNDLE	PA804UL-WH incl. NP13ZL lens 40001461	Installation Projector, WUXGA, 8200 AL, Laser Light Source, white cabinet incl. NP13ZL lens (1.46-2,95:1)	9'190.00	8'534.80
7'000 ANSI, PROJEKTOR 1 LCD MIT LAMPEN- LICHTQUELLE BUNDLE	PA804ULW Projector incl. NP41ZL lens 40001462	Installation Projector, WUXGA, 8.200 AL, Laser Light Source, white cabinet incl. NP41ZL lens (1.30-3,02:1)	9'990.00	9'277.75
4'500 ANSI, WUXGA PROJEKTOR INSTALLATION, 3- Chip LCD	PE455UL 60004912	Professional Projector, WUXGA, 4500AL, 3LCD, SSL	2'895.00	2'688.60
4'500 ANSI, WUXGA PROJEKTOR INSTALLATION, 3- Chip LCD	PE455UL Projector + NP01SW2 Bundle 40001412	Professional Projector, WUXGA, 4500AL, 3LCD, SSL plus + NP01SW2 HDBaseT Switcher & Receiver Bundle	2'790.00	2'591.10
4'500 ANSI, WXGA PROJEKTOR INSTALLATION, 3- Chip LCD	PE455WL 60004913	Professional Projector, WXGA, 4500AL, 3LCD, SSL	2'495.00	2'317.10
12'000 ANSI, 4K PROJEKTOR INSTALLATION 3-Chip DLP, LASER	PH1201QL 60003698	Installation Laser 3-Chip DLP Projektor, 12'000 ANSI-Lumen, Auflösung 4KDCI 4'096 x 2'160 (19:10), Kontrast 2'000:1, ohne Lampe (20'000h Wartungsfrei), Installation 360° vertikal & horizontal, ohne Objektiv, Lens Shift, 2x HDMI in, 2x DP in, RS232, LAN, 67,5 kg, 700 x 323 x 935 mm, in Schwarz, optionales Zubehör: Wechselobjektive Installation laser projecteur 3 chip DLP, 12'000 ANSI-Lumen, résolution 4KDCI 4'096 x 2'160 (19:10), contraste 2'000:1, système sans lampe (20'000 h sans maintenance), installation 360° verticale & horizontale, sans objectif, Lens Shift, 2x HDMI in, 2x DP in, RS232, LAN, 67,5 kg, 700 x 323 x 935 mm, couleur: noir, en option: objectifs interchangeable	104'990.00	97'212.95
				
12'000 ANSI, FULL-HD PROJEKTOR INSTALLATION 3-Chip DLP, LASER	PH1202HL 60003902	Installation Laser 3-Chip DLP Projektor, 12'000 ANSI-Lumen, Auflösung FullHD 1'920 x 1'080 (16:9), Kontrast 10'000:1, ohne Lampe (20'000h Wartungsfrei), Installation 360° vertikal & horizontal, ohne Objektiv, Lens Shift, 1x VGA (D-sub), 1x DP, 1x HDMI, 1x HDBaseT, 1x HDMI out, 1x OPS Slot in, 1x RS232, 1x LAN (kombiniert mit HDBaseT), 48 dB (44 dB Eco), 68.0 kg, 680 x 333 x 860 mm, in Schwarz, optionales Zubehör: Wechselobjektive, 3D Brille (Volfonifit), alle OPS Module Installation laser projecteur 3 chip DLP, 12'000 ANSI-Lumen, résolution FullHD 1'920 x 1'080 (16:9), contraste 10'000:1, système sans lampe (20'000 h sans maintenance), installation 360° verticale & horizontale, sans objectif, Lens Shift, 1x VGA (D-sub), 1x DP, 1x HDMI, 1x HDBaseT, 1x HDMI out, 1x OPS Slot in, 1x RS232, 1x LAN (combiné avec HDBaseT), 48 dB (44 dB Eco), 68.0 kg, 680 x 333 x 860 mm, couleur: noir, en option: objectifs interchangeable, lunette 3D (Volfonifit), tous les modules OPS	46'990.00	43'509.25
				
26'000 ANSI, 4K PROJEKTOR INSTALLATION 3-Chip DLP, LASER	PH2601QL Projector 60004621	Large Venue Projector, 4K , 26.000AL, 3DLP, RB Laser Light Source	139'000.00	128'703.70
35'000 ANSI, 4K PROJEKTOR INSTALLATION 3-Chip DLP, LASER	PH3501QL Projector 60004622	Large Venue Projector, 4K , 35.000AL, 3DLP, RB Laser Light Source	159'000.00	147'222.20
ULTRA SHORT - THROW ROJEKTOREN				
3'000 ANSI, WXGA PROJEKTOR ULTRA KURZDISTANZ	UM301W 60003840 Projector including: Wallmount (NP04WK)	Ultra Short Throw LCD, 3'000 ANSI, WXGA 1280x800 (16:10), RJ45, 1xRGB in, 1x RGB out, 2xHDMI, RS-232, 5.5 kg, Projektions-Faktor 0.36:1 (fix), 4'000:1 Kontrast, 20 Watt LS, Eco 27 dB, Lampe 5'000 Std. (8'000 Std. Eco Mode), inkl. Wandhalterung (NP04WK). Optionales Zubehör: Interactive Unit (NP04Wi), Lamp (NP32LP), Wireless LAN module (NP05LM) Ultra Short Throw LCD, 3'000 ANSI, WXGA 1280x800 (16:10), RJ45, 1xRGB in, 1x RGB out, 2xHDMI, RS-232, 5.5 kg, facteur de projection 0.36:1 (fix), rapport de contraste 4'000:1, hp 20 W, 27 dB en mode éco, lampe 5'000 heures, (8'000h en mode éco), support mural (NP04WK) incluse. Accessoires en option: Interactive Unit (NP04Wi), Lamp (NP32LP), Wireless LAN module (NP05LM)	1'399.00	1'295.35
				
3'000 ANSI, WXGA PROJEKTOR ULTRA KURZDISTANZ BUNDLE	UM301Wi-WBK 40000901 Projector including: Wallmount (NP04WK) Multipen (NP03Wi) 88" Whiteboard	Bundle mit Projektor inclusive Wandhalterung (für Projektor), Interaktiv Modul Multipen (NP03Wi) und 88 Zoll (223.5 cm) Whiteboard. Optional und nicht im Lieferumfang enthalten: Multi-Touch Modul (NP01TM) sowie Wandhalterung für Whiteboard: PJ03WHM (manuell höhenverstellbar), PJ03WHA (motorisiert höhenverstellbar), NP02HM (mobiler, höhenverstellbarer Trolley) Bundle qui contient le projecteur, le support mural et le module interactif Multipen (NP03Wi) et un Whiteboard 88 pouces (223.5 cm). En option et n'est pas fourni: module multi-touch (NP01TM) et support mural pour le Whiteboard: PJ03WHM (réglable en hauteur manuel), PJ03WHA (réglable en hauteur motorisé), NP02HM (chariot réglable en hauteur motorisé)	2'595.00	2'402.80
				
3'000 ANSI, XGA PROJEKTOR ULTRA KURZDISTANZ	UM301X 60003841 Projector including: Wallmount (NP04WK)	Ultra Short Throw LCD, 3'000 ANSI, XGA 1024x768 (4:3), 1xRGB in, 1x RGB out, 2xHDMI, RS-232, RJ45, 5.5 kg, Projektions-Faktor 0.36:1 (fix), 4'000:1 Kontrast, 20 Watt LS, Eco 27 dB, Lampe 5'000 Std. (8'000 Std. Eco Mode), inkl. Wandhalterung (NP04WK). Optionales Zubehör: Interactive Unit (NP04Wi), Lamp (NP32LP), Wireless LAN module (NP05LM) Ultra Short Throw LCD, 3'000 ANSI, XGA 1024x768 (4:3), 1xRGB in, 1x RGB out, 2xHDMI, RS-232, RJ45, 5.5 kg, facteur de projection 0.36:1 (fix), rapport de contraste 4'000:1, hp 20 W, 27 dB en mode éco, lampe 5'000 heures, (8'000h en mode éco), support mural (NP04WK) incluse. Accessoires en option: Interactive Unit (NP04Wi), Lamp (NP32LP), Wireless LAN module (NP05LM)	1'399.00	1'295.35
				

SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/MVST)	UVP* PIR* (EXKL. MWST)
3'000 ANSI, XGA PROJEKTOR ULTRA KURZDISTANZ	UM301Xi-MPNEW Projector including: Wallmount (NP04WK) Multipen (NP03Wi)	60004206 Ultra Short Throw LCD, 3'000 ANSI, XGA 1024x768 (4:3), 1xRGB in, 1x RGB out, 2xHDMI, RS-232, RJ45, 5.5 kg, Projektions- Faktor 0.36:1 (fix), 4'000:1 Kontrast, 20 Watt LS, Eco 27 dB, Lampe 5'000 Std. (8'000 Std. Eco Mode), Wandhalterung (NP04WK) und Interaktiv Modul (NP04Wi) im Lieferumfang enthalten. Optionales Zubehör: Ersatzlampe (NP32LP) Ultra Short Throw LCD, 3'000 ANSI, XGA 1024x768 (4:3), 1xRGB in, 1x RGB out, 2xHDMI, RS-232, RJ45, 5.5 kg, facteur de projection 0.36:1 (fix), rapport de contraste 4'000:1, hp 20 W, 27 dB en mode éco, lampe 5'000 heures, (8'000h en mode éco), support mural (NP04WK) et module interactif (NP04Wi) contenu dans l'emballage. Accessoires en option: lampe de remplace (NP32LP)	2'098.00	1'942.60
3'500 ANSI, WXGA PROJEKTOR ULTRA KURZDISTANZ	UM351W Projector including: Wallmount (NP04WK)	60003842 Ultra Short Throw LCD, 3'500 ANSI, WXGA 1280x800 (16:10) , RJ45, 1xRGB in, 1x RGB out, 2xHDMI, RS-232, 5.6 kg, Projektions-Faktor 0.36:1 (fix), 4'000:1 Kontrast, 20 Watt LS, Eco 27 dB, Lampe 5'000 Std. (6'000 Std. Eco Mode), inkl. Wandhalterung (NP04WK). Optionales Zubehör: Interactive Unit (NP04Wi), Lamp (NP32LP), Wireless LAN module (NP05LM) Ultra Short Throw LCD, 3'500 ANSI, WXGA 1280x800 (16:10) , RJ45, 1xRGB in, 1x RGB out, 2xHDMI, RS-232, 5.6 kg, facteur de projection 0.36:1 (fix), rapport de contraste 4'000:1, hp 20 W, 27 dB en mode éco, lampe 5'000 heures, (6'000h en mode éco), support mural (NP04WK) incluse. Accessoires en option: Interactive Unit (NP04Wi), Lamp (NP32LP), Wireless LAN module (NP05LM)	1'595.00	1'476.85
3'500 ANSI, WXGA PROJEKTOR ULTRA KURZDISTANZ BUNDLE	UM351Wi-MPNEW Projector including: Wallmount (NP04WK) Multipen (NP03Wi)	60004205 Ultra Short Throw LCD, 3'500 ANSI, WXGA 1280x800 (16:10) , RJ45, 1xRGB in, 1x RGB out, 2xHDMI, RS-232, 5.6 kg, Projektions-Faktor 0.36:1 (fix), 4'000:1 Kontrast, 20 Watt LS, Eco 27 dB, Lampe 5'000 Std. (6'000 Std. Eco Mode), Wandhalterung (NP04WK) und Interaktiv Modul (NP03Wi) im Lieferumfang enthalten. Optionales Zubehör: Ersatzlampe (NP32LP) Ultra Short Throw LCD, 3'500 ANSI, WXGA 1280x800 (16:10) , RJ45, 1xRGB in, 1x RGB out, 2xHDMI, RS-232, 5.6 kg, facteur de projection 0.36:1 (fix), rapport de contraste 4'000:1, hp 20 W, 27 dB en mode éco, lampe 5'000 heures, (6'000h en mode éco), support mural (NP04WK) et module interactif (NP03Wi) contenu dans l'emballage. Accessoires en option: lampe de remplace (NP32LP)	2'495.00	2'310.20
3'500 ANSI, WXGA PROJEKTOR ULTRA KURZDISTANZ BUNDLE	UM351Wi-MTNEW Multi-Touch	60004204 Ultra Short Throw LCD, 3'500 ANSI, WXGA 1280x800 (16:10) , RJ45, 1xRGB in, 1x RGB out, 2xHDMI, RS-232, 5.6 kg, Projektions-Faktor 0.36:1 (fix), 4'000:1 Kontrast, 20 Watt LS, Eco 27 dB, Lampe 5'000 Std. (6'000 Std. Eco Mode), Wandhalterung (NP04WK), Interaktiv Modul (NP04Wi) und Touch Module (NP01TM) sind Lieferumfang enthalten. Ultra Short Throw LCD, 3'500 ANSI, WXGA 1280x800 (16:10) , RJ45, 1xRGB in, 1x RGB out, 2xHDMI, RS-232, 5.6 kg, facteur de projection 0.36:1 (fix), rapport de contraste 4'000:1, hp 20 W, 27 dB en mode éco, lampe 5'000 heures, (6'000h en mode éco), support mural (NP04WK), module interactif (NP04Wi) et module touch (NP01TM) sont contenus dans l'emballage.	2'648.00	2'451.85
3'500 ANSI, WXGA PROJEKTOR ULTRA KURZDISTANZ BUNDLE	UM352WIHDBT	60004251 Ultra-short throw projector, LCD, WXGA, 3500AL, integrated whiteboard function incl. Wall-mount+ NP01SW2 HDBase-T Switcher/Receiver	3'498.00	3'238.90
3'600 ANSI, XGA PROJEKTOR ULTRA KURZDISTANZ	UM361X Projector including: Wallmount (NP04WK)	60003843 Ultra Short Throw LCD, 3'600 ANSI, XGA 1024x768 (4:3), 1xRGB in, 1x RGB out, 2xHDMI, RS-232, RJ45, 5.5 kg, Projektions- Faktor 0.36:1 (fix), 4'000:1 Kontrast, 20 Watt LS, Eco 28 dB, Lampe 3'800 Std. (6'000 Std. Eco Mode), inkl. Wandhalterung (NP04WK). Optionales Zubehör: Interactive Unit (NP04Wi), Lamp (NP32LP), Wireless LAN module (NP05LM) Ultra Short Throw LCD, 3'600 ANSI, XGA 1024x768 (4:3), 1xRGB in, 1x RGB out, 2xHDMI, RS-232, RJ45, 5.5 kg, facteur de projection 0.36:1 (fix), rapport de contraste 4'000:1, hp 20 W, 28 dB en mode éco, lampe 3'800 heures, (6'000h en mode éco), support mural (NP04WK) incluse. Accessoires en option: Interactive Unit (NP04Wi), Lamp (NP32LP), Wireless LAN module (NP05LM)	1'545.00	1'430.55

OBJEKTIVE

PA-PROJEKTOR OBJEKTIVE	NP11FL	60003222	Lens fixes Weitwinkel-Wechselobjektiv 0.8:1 (PA500X/PA600X/PA550W/PA500U)	2'195.00	2'032.40
PA-PROJEKTOR OBJEKTIVE	NP12ZL	60003220	Lens Short Zoom-Wechselobjektiv 1.2-1.56:1 (PA500X/PA600X/PA550W/PA500U)	2'095.00	1'939.80
PA-PROJEKTOR OBJEKTIVE	NP13ZL	60003217	Lens Standard Zoom-Wechselobjektiv 1.5-3.0:1 (PA500X/PA600X/PA550W/PA500U)	555.00	513.90
PA-PROJEKTOR OBJEKTIVE	NP14ZL	60003221	Lens Middle Zoom-Wechselobjektiv 2.97-4.79:1 (PA500X/PA600X/PA550W/PA500U)	2'195.00	2'032.40
PA-PROJEKTOR OBJEKTIVE	NP15ZL	60003219	Lens Long Zoom-Wechselobjektiv 4.7-7.2:1 (PA500X/PA600X/PA550W/PA500U)	2'195.00	2'032.40
PA-PROJEKTOR OBJEKTIVE	NP30ZL	100013349	Lens short Zoom-interchangeable lense 0,79-1,04:1, (PA500X/PA600X/PA550W/PA500U)	2'195.00	2'032.40
PA-PROJEKTOR OBJEKTIVE	NP40ZL	100014472	Short Zoom Lens for PA3 Series - 0.79-1.35:1	2'295.00	2'125.00
PA-PROJEKTOR OBJEKTIVE	NP41ZL	100014473	Middle Zoom Lens for PA3 Series - 1.30-3.02:1	1'190.00	1'101.85
PA-PROJEKTOR OBJEKTIVE	NP45ZL	100015400	NP45ZL Short Zoom Lens (0.9-1.2:1) for PX2000UL	7'990.00	7'420.35
PA-PROJEKTOR OBJEKTIVE	NP46ZL	100015402	NP46ZL Short Zoom Lens (1.2-1.56:1) for PX2000UL	6'790.00	6'305.90
PA-PROJEKTOR OBJEKTIVE	NP47ZL	100015403	NP47ZL Standard Zoom Lens (1.5-2.0:1) for PX2000UL	3'990.00	3'705.55
PA-PROJEKTOR OBJEKTIVE	NP48ZL	100015404	NP48ZL Long Zoom Lens (2.0-4.0:1) for PX2000UL	5'290.00	4'912.85
PA-PROJEKTOR OBJEKTIVE	NP49ZL	100015405	NP49ZL Long Zoom Lens (4.0-7.0:1) for PX2000UL	6'690.00	6'213.05
PA-PROJEKTOR OBJEKTIVE	NP44ML	100015167	NP44ML UST Lens (0.33:1) for PA3 Series	7'490.00	6'935.20
PH-PROJEKTOR OBJEKTIVE	L2K-10F1	100014026	Lens L2K-10F1 0.9:1 FOR 4K PROJECTORS	15'490.00	14'342.60
PH-PROJEKTOR OBJEKTIVE	L2K-30ZM Lens	50029929	Lens L2K-30ZM Digital Cinema and LV (PH1201QL)	12'990.00	12'027.80
PH-PROJEKTOR OBJEKTIVE	L2K-43ZM1 LENS	100014016	Lens L2K-43ZM 3.7-5.3:1 FOR 4K PROJECTORS	14'990.00	13'879.65

SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/VRG)	UVP* PIR* (EXKL. MWST)
PH-PROJEKTOR OBJEKTIVE	L2K-55ZM1 LENS	100014017 Lens L2K-55ZM 4.8-7.4:1 FOR 4K PROJECTORS	16'990.00	15'731.50
PH-PROJEKTOR OBJEKTIVE	NC-50LS12 Lens	60003270 Lens NC-50LS12Z Digital Cinema and LV (PH1201QL)	10'990.00	10'175.95
PH-PROJEKTOR OBJEKTIVE	NC-50LS14Z Lens	60002565 Lens NC-50LS14Z Digital Cinema and LV (PH1201QL)	10'990.00	10'175.95
PH-PROJEKTOR OBJEKTIVE	NC-50LS16Z Lens	60002493 Lens NC-50LS16Z Digital Cinema and LV (PH1201QL)	10'990.00	10'175.95
PH-PROJEKTOR OBJEKTIVE	NC-50LS18Z Lens	60002621 Lens NC-50LS18Z Digital Cinema and LV (PH1201QL)	10'990.00	10'175.95
PH-PROJEKTOR OBJEKTIVE	NC-50LS21Z Lens	60002566 Lens NC-50LS21Z Digital Cinema and LV (PH1201QL)	10'990.00	10'175.95
PX-PROJEKTOR OBJEKTIVE	NP16FL	60003216 Lens fixes Weitwinkel-Wechselobjektiv 0,74:1 (PX800X/PX700W/PX750U)	3'795.00	3'513.90
PX-PROJEKTOR OBJEKTIVE	NP16FL-4K Lens	100014962 Short Lens NP16FL-4K , (0,76:1) for 4KUHD PX Series	4'742.39	4'391.10
PX-PROJEKTOR OBJEKTIVE	NP17ZL	60003225 Lens Short Zoom-Wechselobjektiv 1,25-1,79:1 (PX800X/PX700W/PX750U)	3'795.00	3'513.90
PX-PROJEKTOR OBJEKTIVE	NP17ZL-4K Lens	100014963 NP17ZL-4K Short Zoom Lens (1.25-1.79:1) for 4KUHD PX Series	4'742.39	4'391.10
PX-PROJEKTOR OBJEKTIVE	NP18ZL	60003226 Lens Standard Zoom-Wechselobjektiv 1,73-2,27:1 (PX800X/PX700W/PX750U)	1'995.00	1'847.20
PX-PROJEKTOR OBJEKTIVE	NP18ZL-4K Lens	100014964 NP18ZL-4K Standard Zoom Lens (1.73-2.27:1) for 4KUHD PX Series	2'249.10	2'082.50
PX-PROJEKTOR OBJEKTIVE	NP19ZL	60003227 Lens Middle Zoom-Wechselobjektiv 2,22-3,67:1 (PX800X/PX700W/PX750U)	3'795.00	3'513.90
PX-PROJEKTOR OBJEKTIVE	NP19ZL-4K Lens	100014965 NP19ZL-4K Long Zoom Lens (2.22-3.67:1) for 4KUHD PX Series	4'742.39	4'391.10
PX-PROJEKTOR OBJEKTIVE	NP20ZL	60003228 Lens Long Zoom-Wechselobjektiv - 3,6-5,4:1 (PX800X/PX700W/PX750U)	3'795.00	3'513.90
PX-PROJEKTOR OBJEKTIVE	NP20ZL-4K Lens	100014966 NP20ZL-4K Long Zoom Lens (3.6-5.4:1) for 4KUHD PX Series	4'742.39	4'391.10
PX-PROJEKTOR OBJEKTIVE	NP21ZL	60003229 Lens Long Zoom-Wechselobjektiv - 5,3-8,3:1 (PX800X/PX700W/PX750U)	3'795.00	3'513.90
PX-PROJEKTOR OBJEKTIVE	NP21ZL-4K Lens	100014967 NP21ZL-4K Long Zoom Lens (5.3-8.3:1) for 4KUHD PX Series	4'742.39	4'391.10
PX-PROJEKTOR OBJEKTIVE	NP31ZL-4K Lens	100014968 NP31ZL-4K Short Zoom Lens (0.8-1.0:1) for 4KUHD PX Series	4'742.39	4'391.10
PX-PROJEKTOR OBJEKTIVE	NP33ZL	100013970 LENS-NP33ZL FOR PX602UL/PX602WL, 0.79-1.00:1/0.75-0.95:1	4'295.00	3'976.85
PX-PROJEKTOR OBJEKTIVE	NP34ZL	100013844 Lens Option for PX602UL/PX602WL, 0.95-1.22:1/1.0-1.28:1	2'995.00	2'773.15
PX-PROJEKTOR OBJEKTIVE	NP35ZL	100013763 Lens Option for PX602UL/PX602WL, 1.22-1.52:1	2'295.00	2'125.00
PX-PROJEKTOR OBJEKTIVE	NP36ZL	100013846 Lens Option for PX602WL, 1.28-1.61:1	1'098.00	1'016.65
PX-PROJEKTOR OBJEKTIVE	NP37ZL	100013847 Lens Option for PX602UL/PX602WL, 1.52-2.92:1/1.6-3.07:1	2'995.00	2'773.15
PX-PROJEKTOR OBJEKTIVE	NP38ZL	100013971 Lens For PX602UL/PX602WL, 3.04-5.78:1/2.90-5.50:1	2'995.00	2'773.15
PX-PROJEKTOR OBJEKTIVE	NP39ML	100014132 Lens NP39ML for PX803UL Projectors, 0.38:1	8'990.00	8'324.05
PX-PROJEKTOR OBJEKTIVE	NP39ML-4K Lens	100014969 Ultra short Lens NP39ML-4K , (0,38:1) for 4KUHD PX Series	10'275.17	9'514.05

ERSATZLAMPEN GARANTIEVERLÄNGERUNG

PROJEKTOR GARANTIE LAMPEN	Garantie 1-3 V-SERIES	200003907	Lampengarantie 1-3 Jahre, V-SERIES. Terms: Lamp Warranty 3 Years or Lamp life time max. 3.000 hours - whatever comes first	62.00	57.40
PROJEKTOR GARANTIE LAMPEN	Garantie 1-3 M/U/UM/P/PA-Series	200004104	Lampengarantie 1-3 Jahre, M-SERIES, U-SERIES, UM-SERIES, P-SERIES, PA-SERIES, Lamp Warranty 3 Years or Lamp life time max. 2.000 hours (U-/ P350W/ P420X/ PE401H/ PA-Series) Lamp life time max. 3.000 hours (M-/ UM-/ P451W/ P501X) - whatever comes first	62.00	57.05
PROJEKTOR GARANTIE LAMPEN	Garantie-LP PA	200003987	NEC Lampengarantie für PA-Serie, 3 Jahre, resp.1500 Std.	245.00	226.85

ERSATZLAMPEN

PROJEKTOR ERSATZLAMPEN	LH02LP	50028199	Replacement lamp LH02LP für LT180,	555.00	510.60
PROJEKTOR ERSATZLAMPEN	LT30LP	50029555	Replacement lamp LT30LP für LT25/30,	525.00	483.00
PROJEKTOR ERSATZLAMPEN	LT35LP	50029556	Replacement lamp LT35LP für LT35,	525.00	483.00
PROJEKTOR ERSATZLAMPEN	LT40LP	50018690	Replacement lamp LT40LP für LT84/LT140	555.00	510.60
PROJEKTOR ERSATZLAMPEN	LT70LP	50024095	Replacement lamp LT70LP für LT170	565.00	519.80
PROJEKTOR ERSATZLAMPEN	MT60LP	50022277	Replacement lamp MT60LP für MT860/1060/1065	565.00	519.80
PROJEKTOR ERSATZLAMPEN	MT60LPS	50022279	Replacement lamp MT60LPS für MT860/1060/1065/1075, Long Life Lampe*	565.00	519.80
PROJEKTOR ERSATZLAMPEN	MT70LP	50025482	Replacement lamp MT70LP für MT1075	565.00	519.80
PROJEKTOR ERSATZLAMPEN	MT810/1000	50015942	Replacement lamp MT810/1000 für MT810/1000	735.00	676.20
PROJEKTOR ERSATZLAMPEN	NP01LP	50030850	Replacement lamp NP01LP für NP1000/2000	565.00	519.80
PROJEKTOR ERSATZLAMPEN	NP02LP	50031755	Replacement lamp NP02LP für NP40/50	335.00	308.20
PROJEKTOR ERSATZLAMPEN	NP03LP	50031756	Replacement lamp NP03LP für NP60	365.00	335.80
PROJEKTOR ERSATZLAMPEN	NP04LP	60002027	Replacement lamp NP04LP für NP4000 / NP4001	515.00	473.80
PROJEKTOR ERSATZLAMPEN	NP05LP	60002094	Replacement lamp NP05LP für VT700/800 / NP901W/905	395.00	363.40
PROJEKTOR ERSATZLAMPEN	NP06LP	60002234	Replacement lamp NP06LP für NP1150/ 2150/ 3150/ 3151/ 1250/2250/3250/3250W	455.00	418.60
PROJEKTOR ERSATZLAMPEN	NP07LP	60002447	Replacement lamp NP07LP für NP300/ 400/ 410W/ 500/ 500W/510W/500WS/510WS/600/610/600S/610S	435.00	400.20
PROJEKTOR ERSATZLAMPEN	NP08LP	60002446	Replacement lamp NP08LP für NP41/52/43	365.00	337.95
PROJEKTOR ERSATZLAMPEN	NP09LP	60002444	Replacement lamp NP09LP für NP61/62/64	335.00	308.20
PROJEKTOR ERSATZLAMPEN	NP10LP	60002407	Replacement lamp NP10LP für NP100/200	185.00	170.20
PROJEKTOR ERSATZLAMPEN	NP13LP	60002853	Replacement lamp NP13LP für NP115/ 210/ 215/ 216/ V260/ V230X/V260X/V260W	305.00	280.60
PROJEKTOR ERSATZLAMPEN	NP14LP	60002852	Replacement lamp NP14LP für NP 305/310/405/410/510	355.00	326.60
PROJEKTOR ERSATZLAMPEN	NP15LP	60003121	Replacement lamp NP15LP für M230X, M260X, M260W, M260XS, M300X, M271W	355.00	326.60

SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/VRG)	UVP* PIR* (EXKL. MWST)
PROJEKTOR ERSATZLAMPEN	NP16LP	60003120 Replacement lamp NP16LP für M260WS, M300W, M300XS, M350X, M311W und M361X	435.00	400.20
PROJEKTOR ERSATZLAMPEN	NP16LP-UM	100013229 Replacement lamp NP16LP-UM für UM280x/280W	335.00	308.20
PROJEKTOR ERSATZLAMPEN	NP17LP-UM	100013230 Replacement lamp NP17LP-UM für UM330x/330w	395.00	363.40
PROJEKTOR ERSATZLAMPEN	NP18LP	60003259 Replacement lamp NP18LP für V300X/V300W	335.00	308.20
PROJEKTOR ERSATZLAMPEN	NP19LP	60003129 Replacement lamp NP19LP für U250X/U260W	375.00	345.00
PROJEKTOR ERSATZLAMPEN	NP20LP	60003130 Replacement lamp NP20LP für U300X/U310W	445.00	409.40
PROJEKTOR ERSATZLAMPEN	NP22LP	60003223 Replacement lamp NP22LP für PX800X/PX750W/PX750U und PX1000U	695.00	639.40
PROJEKTOR ERSATZLAMPEN	NP23LP	100013284 Replacement lamp NP23LP für P451/501X	495.00	455.40
PROJEKTOR ERSATZLAMPEN	NP24LP	100013352 Replacement lamp NP24LP für PE401H	485.00	446.20
PROJEKTOR ERSATZLAMPEN	NP25LP	100013280 Replacement lamp NP25LP für PH1400U	799.00	739.80
PROJEKTOR ERSATZLAMPEN	NP26LP	100013748 Replacement lamp for new PA Series	445.00	409.40
PROJEKTOR ERSATZLAMPEN	NP28LP	100013541 Replacement lamp NP28LP for M302WS/M322W	395.00	363.40
PROJEKTOR ERSATZLAMPEN	NP29LP	100013542 Replacement lamp NP29LP for M362W	415.00	381.80
PROJEKTOR ERSATZLAMPEN	NP30LP	100013543 Replacement lamp NP30LP for M332XS/M352WS/M403W	435.00	400.20
PROJEKTOR ERSATZLAMPEN	NP32LP	100013962 Replacement lamp NP32LP 230W for UM301X/W	325.00	299.00
PROJEKTOR ERSATZLAMPEN	NP33LP	100013963 Replacement lamp NP33LP 250W for UM351W/352W/361X	375.00	345.00
PROJEKTOR ERSATZLAMPEN	NP34LP	100013979 Replacement lamp U321H/U322Hi	375.00	345.00
PROJEKTOR ERSATZLAMPEN	NP35LP	100014090 Replacement lamp V302H, V332X, V332W	349.00	323.15
PROJEKTOR ERSATZLAMPEN	NP36LP	100014091 Replacement lamp V302X, V302W	329.00	304.65
PROJEKTOR ERSATZLAMPEN	NP39LP	100014157 Replacement lamp P502H, P502W	499.00	462.10
PROJEKTOR ERSATZLAMPEN	VT40LP	50019497 Replacement lamp VT40LP für VT440/540	535.00	492.20
PROJEKTOR ERSATZLAMPEN	VT45LPK	50022215 Replacement lamp VT45LPK für VT45	535.00	492.20
PROJEKTOR ERSATZLAMPEN	VT60LP	50022792 Replacement lamp VT60LP für VT46/460/560/660	485.00	446.20
PROJEKTOR ERSATZLAMPEN	VT70LP	50025479 Replacement lamp VT70LP für VT37/47/570/576	325.00	299.00
PROJEKTOR ERSATZLAMPEN	VT75LPE	50030763 Replacement lamp VT75LPE für VT470/ 670/ 676/ LT280/ LT380	535.00	492.20
PROJEKTOR ERSATZLAMPEN	VT77LP	50024558 Replacement lamp VT77LP für VT770	535.00	492.20
PROJEKTOR ERSATZLAMPEN	VT80LP	50029923 Replacement lamp VT80LP für VT48, VT57/58, VT49, VT59	309.00	286.10
PROJEKTOR ERSATZLAMPEN	VT85LP	50029924 Replacement lamp VT85LP für VT480, VT580, VT590, VT595, VT695	435.00	400.20
PROJEKTOR ERSATZLAMPEN	WT61LPK	50030764 Replacement lamp WT61LPE für WT610/615	445.00	409.40

COLLABORATION - DISPLAYNOTE

SOFTWARE SOLUTIONS PROJECTOR	DisplayNote 10 incl. 1 y cloud connect	200004572 DisplayNote 10, max. 10 connections, incl. 1 year cloud	149.00	137.95
SOFTWARE SOLUTIONS PROJECTOR	DisplayNote 20 incl. 1 y cloud connect	200004573 DisplayNote 20, max. 20 connections, incl. 1 year cloud	299.00	276.85
SOFTWARE SOLUTIONS PROJECTOR	DisplayNote 40 incl. 1 y cloud connect	200004574 DisplayNote 40, max. 40 connections, incl. 1 year cloud	595.00	550.95

ZUBEHÖR

PROJEKTOR HALTERUNGEN	CM01EX	100014001 Medium extension column for PJ01UCM, 418-618mm, white	59.00	54.65
PROJEKTOR HALTERUNGEN	CM02EX	100014002 Large extension column for PJ01UCM, 685-1085mm, white	69.00	63.90
PROJEKTOR HALTERUNGEN	NP01GP	100012593 NP01GP Wandhalterungsplatte für Gipskartonwand	58.00	53.36
PROJEKTOR HALTERUNGEN	NP01TK	100013978 NP01TK Table Mount Kit for UMxx1/2 Series	249.00	230.55
PROJEKTOR HALTERUNGEN	NP01UCM	100012432 NP01UCM Universal Deckenhalterung, 250mm, bis 7kg	105.00	96.60
PROJEKTOR HALTERUNGEN	NP02CM	50031907 NP02CM Deckenhalterung für NP40/41/50/52/60/61/62	336.00	309.12
PROJEKTOR HALTERUNGEN	NP02UCM	100012433 NP02UCM Universal Deckenhalterung, 500mm, bis 7kg	125.00	115.00
PROJEKTOR HALTERUNGEN	NP02WM	40000442 NP02WM Wandhalterung, 145cm, für NP600S/610S bis 84" Diagonale, 4:3	250.00	230.00
PROJEKTOR HALTERUNGEN	NP03WM	40000443 NP03WM Wandhalterung, 160cm, für NP510WS/NP610S bis 110" Diagonale, 16:10	265.00	243.80
PROJEKTOR HALTERUNGEN	NP04CV	100013477 NP04CV Cable Cover for New PA Series Projectors	65.00	60.20
PROJEKTOR HALTERUNGEN	NP04WK	100013142 Wall-mount Kit for UM Series	145.00	134.25
PROJEKTOR HALTERUNGEN	NP06UCM	100012648 NP06UCM Universaldeckenhalterung, 430 - 695mm, für NP600/610 Serie, besonders für Short Throw geeignet	255.00	234.60
PROJEKTOR HALTERUNGEN	NP07CM	100012901 NP07CM Deckenhalterung für PX-Serie	255.00	234.60
PROJEKTOR HALTERUNGEN	NP08CV	100014134 Portrait Mode Cover Option for P502HL	69.00	63.90
PROJEKTOR HALTERUNGEN	NP12CV	100014749 Cable Cover for P554U, P554W and P603X	71.00	65.75
PROJEKTOR HALTERUNGEN	NP30UCM	100012437 NP30UCM Universaldeckenhalterung, 280 - 380mm, bis 30kg	135.00	124.20
PROJEKTOR HALTERUNGEN	NP70CM	100012901 NP70CM ceiling mount for PX series with 250mm length	289.00	267.60
PROJEKTOR HALTERUNGEN	PJ01UCM	100014003 Universal ceiling mount for NEC projectors, up to 20kg, white, optional extension columns available	139.00	128.70
PROJEKTOR HALTERUNGEN	PJ03WHA	100012976 PJ03WHA Wandhalterung höhenverstellbar motorisiert für interaktive Tafeln, für U-Serie und M-Serie (ShortThrow)	1'245.00	1'152.80
PROJEKTOR PRESENTER	MP10RX2	100014365 MultiPresenter Stick, EURO Plug Version	599.00	554.65
PROJEKTOR ZUBEHÖR	78" DUO Whiteboard	100014575 78" DUO Whiteboard for NEC interactive projectors using multi-touch module NP01TM, 16:10	795.00	736.10
PROJEKTOR ZUBEHÖR	78" Whiteboard	100013012 78" Whiteboard	255.00	236.10

SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/VRG)	UVP* PIR* (EXKL. MWST)	
PROJEKTOR ZUBEHÖR	88" DUO Whiteboard	100014576	88" DUO Whiteboard for NEC interactive projectors using multi-touch module NP01TM, 16:9	875.00	810.20
PROJEKTOR ZUBEHÖR	88" Whiteboard	100013013	88" Whiteboard	345.00	319.45
PROJEKTOR ZUBEHÖR	FLIGHTCASE PH-SERIE	100012934	Flightcase für PH-Serie	1'095.00	1'013.90
PROJEKTOR ZUBEHÖR	FLIGHTCASE PX-SERIE	100012933	Flightcase für PX-Serie	845.00	782.40
PROJEKTOR ZUBEHÖR	MP10RX2 - MultiPresenter Stick	100014365	MultiPresenter Stick, EURO Plug Version	599.00	554.65
PROJEKTOR ZUBEHÖR	NP01BA	60002448	NP01BA Bluetooth USB-Adapter für NP52/62/64, Übertragung von Bildern und Präsentationen via Bluetooth	115.00	106.50
PROJEKTOR ZUBEHÖR	NP01FT	60003128	NP01FT Long Life Filter für U-Serie, 5000 Stunden Intervall	78.00	72.20
PROJEKTOR ZUBEHÖR	NP01MR	50030587	NP01MR Mouse receiver für LT25/30 /35, NP41/50/61, NP400/500/500W/600 und VTs	43.00	39.80
PROJEKTOR ZUBEHÖR	NP01PI	60003316	STYLUS pen for interactive whiteboard module	95.00	87.95
PROJEKTOR ZUBEHÖR	NP01SW1	100014161	HDBase-T Transmitter	775.00	717.60
PROJEKTOR ZUBEHÖR	NP01SW2	100014160	HDBase-T Transmitter & Receiver	925.00	856.50
PROJEKTOR ZUBEHÖR	NP01TM	100013936	Multi-touch module for UMI Series or NP03Wi Multi-pen Module	495.00	458.35
PROJEKTOR ZUBEHÖR	NP01Wi1 + NP02WK	40000575	Interaktiv Kit NP01Wi1 + NP02WK Wandhalterung + 77,7" (4:3) Whiteboard, für M-Serie Short Throw XGA	1'045.00	967.60
PROJEKTOR ZUBEHÖR	NP01Wi1 + NP03WK	40000572	Interaktiv Kit NP01Wi1 + NP03WK Wandhalterung + 93,3" (16:10) Whiteboard, für M-Serie Short Throw WXGA	1'095.00	1'013.90
PROJEKTOR ZUBEHÖR	NP02CV	60003218	NP02CV Kabelabdeckung für PA-Serie	99.00	91.65
PROJEKTOR ZUBEHÖR	NP02FT	60003263	NP02FT Long Life Filter für PX-Serie	109.00	100.95
PROJEKTOR ZUBEHÖR	NP02GL	100012946	NP02GL DLP-Link 3D Brille	78.00	72.20
PROJEKTOR ZUBEHÖR	NP02Pi	100013601	NP02Pi Pen for Interactive Module NP03Wi	55.00	50.95
PROJEKTOR ZUBEHÖR	NP02Pi Stylus Pack (10 Pens)	40000850	Pack of 10x NP02Pi 100013601 Pens for Interactive Module NP03Wi	485.00	449.05
PROJEKTOR ZUBEHÖR	NP02Pi Stylus Pack (20 Pens)	40000851	Pack of 20x NP02Pi 100013601 Pens for Interactive Module NP03Wi	925.00	856.50
PROJEKTOR ZUBEHÖR	NP02Pi Stylus Pack (50 Pens)	40000852	Pack of 50x NP02Pi 100013601 Pens for Interactive Module NP03Wi	1'695.00	1'569.45
PROJEKTOR ZUBEHÖR	NP02Wi	100013065	Interactive whiteboard Kit mit Maus Treiber & Software für UM-Serie	275.00	253.00
PROJEKTOR ZUBEHÖR	NP03CV	100013351	NP03CV cable cover for P-Serie	68.00	62.95
PROJEKTOR ZUBEHÖR	NP03FT	100012958	NP03FT Long Life Filter für PH1000U	129.00	119.45
PROJEKTOR ZUBEHÖR	NP03Wi	100013602	NP03Wi Interaktive Module	495.00	458.35
PROJEKTOR ZUBEHÖR	NP04SC	100013790	NP04SC SOFT CASE FOR V SERIES	33.00	30.55
PROJEKTOR ZUBEHÖR	NP04Wi	100013977	NP04Wi Interactive Multipen Module for U321H	469.00	434.25
PROJEKTOR ZUBEHÖR	NP05CV	100013630	NP05CV cable-cover for M2 Series	95.00	88.25
PROJEKTOR ZUBEHÖR	NP05LM2	100013973	WLAN module for UMxx1/2 Series Europe, UAE, Saudi Arabia, Oman, South Africa, Philippines, Lebanon	99.00	91.65
PROJEKTOR ZUBEHÖR	NP05SC	100015259	Soft Case for ME projectors	29.00	26.85
PROJEKTOR ZUBEHÖR	NP06CV	100013692	NP06CV cable-cover for UMI Series	69.00	63.90
PROJEKTOR ZUBEHÖR	NP06LM	100013935	WLAN module for M, UM, P, PA, PX and PH-series, Europe w/o Russia	96.00	88.90
PROJEKTOR ZUBEHÖR	NP07CV	100013905	Portrait Mode Cover Option for PX602UL/PX602WL	139.00	128.70
PROJEKTOR ZUBEHÖR	NP07LM	100013937	WLAN module for L102W	98.00	90.75
PROJEKTOR ZUBEHÖR	NP09CV	100014158	Portrait Mode Cover Option for P502H and P502W	45.00	41.65
PROJEKTOR ZUBEHÖR	PJ04MHA	40000981	Trolley motorized, height adjustable mount for U, UM and M ST Series; including NEC adapter bracket for NP05WK	1'845.00	1'708.35
PROJEKTOR ZUBEHÖR	PJ04WHA	40001032	Motorized, height adjustable wall mount for U, UM and M ST Series; including NEC adapter bracket for NP05WK	1'399.00	1'295.35
PROJEKTOR ZUBEHÖR	XPAND 3D Emitter	100013922	3D Emitter for PA Series and PX602 Series	185.00	171.30
PROJEKTOR ZUBEHÖR	XPAND 3D Shutter Glasses	100013923	3D Glasses for PA Series and PX602 Series	73.00	67.60

Universal Halterungen Displays & Beamer - Verlangen Sie unsere separate Dokumentation und Preisliste / Système de fixation universelle pour displays et projecteurs - Voir notre documentation et liste de prix séparée



LED - DISPLAYS / MONITEURS LED

LED DISPLAY	LEDA019i	80000009	A-SERIES, 1,9MM POSTER, INDOOR, 800 NITS , das digitale LED-Poster der A-Serie von NEC verfügt über ein ultraflaches und leichtes Design für mobile Signage-Installationen und digitale Wegweiser. Es eignet sich auch als Alternative zu Roll-Ups bei Events oder im Einzelhandel. Die A-Serie bietet echtes Plug-and-Play mit integriertem Media-Player für die unkomplizierte Wiedergabe von Bildern und Videoinhalten. Darüber hinaus ist die LED A-Serie extrem robust konstruiert und mit einem Schutzglas versehen. 2 Jahre Garantie	15'990.00	14'849.95
					
LED DISPLAY	LEDA025i	80000010	A-SERIES, 2,5MM POSTER, INDOOR, 1000 NITS , das digitale LED-Poster der A-Serie von NEC verfügt über ein ultraflaches und leichtes Design für mobile Signage-Installationen und digitale Wegweiser. Es eignet sich auch als Alternative zu Roll-Ups bei Events oder im Einzelhandel. Die A-Serie bietet echtes Plug-and-Play mit integriertem Media-Player für die unkomplizierte Wiedergabe von Bildern und Videoinhalten. Darüber hinaus ist die LED A-Serie extrem robust konstruiert und mit einem Schutzglas versehen. 2 Jahre Garantie	9'590.00	8'906.25
					





ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/VRG)	UVP* PIR* (EXKL. MWST)
--------------	-----------------------------	-------------------------------	-------------------------------	---------------------------






DISPLAYS / MONITEURS













GARANTIEVERLÄNGERUNG - GARANTIE






DISPLAY GARANTIE	GARANTIE REGELN	Service Type:			
		Depending on area: "Collect repair and return" or "Return to Base" service Usage: Max usage 16/7 Limitation: The warranty is limited to 30.000 hours usage or 5 years - whatever comes first. MultiSync® X-Series 46" HB: Ambient Temperature (operating) has to be between +5°C - +35°C (with permanently running fans) Image retention: Image retention is not covered under warranty (please refer to Guarantee conditions for NEC LCD monitors and NEC projectors - Support/ FAQ´s) Terms: Warranty extensions can only be purchased at initial display purchase.			
DISPLAY GARANTIE	GARANTIE +2 P463 SST	200004624	NEC Garantieverlängerung (4+5 Jahre), P463 SST	579.00	536.10
DISPLAY GARANTIE	GARANTIE +2 P801 SST	200004629	NEC Garantieverlängerung (4+5 Jahre), P801 SST	1'999.00	1'850.95
DISPLAY GARANTIE	GARANTIE +2-E705 SST	200004651	NEC Garantieverlängerung (4+5 Jahre), E705 SST	999.00	925.00
DISPLAY GARANTIE	GARANTIE +2-E805 SST	200004652	NEC Garantieverlängerung (4+5 Jahre), E805 SST	1'448.00	1'340.75
DISPLAY GARANTIE	GARANTIE +2-E905 SST	200004753	NEC Garantieverlängerung (4+5 Jahre), E905 SST	2'598.00	2'405.55
DISPLAY GARANTIE	WARR EXT LFD C651Q SST (4+5TH YEAR)	200005253	WARRANTY EXTENSION (4TH+5TH YEAR). Model: C651Q SST. Please refer to the terms and conditions on our website	545.00	506.15
DISPLAY GARANTIE	WARR EXT LFD C751Q SST (4+5TH YEAR)	200005230	WARRANTY EXTENSION (4TH+5TH YEAR). Model: C751Q SST. Please refer to the terms and conditions on our website.	675.00	626.90
DISPLAY GARANTIE	WARR EXT LFD C861Q SST (4+5TH YEAR)	200005231	WARRANTY EXTENSION (4TH+5TH YEAR). Model: C861Q SST. Please refer to the terms and conditions on our website.	795.00	738.30
DISPLAY GARANTIE	WARR EXT LFD C981Q SST (4+5TH YEAR)	200005232	WARRANTY EXTENSION (4TH+5TH YEAR). Model: C981Q SST. Please refer to the terms and conditions on our website.	1'690.00	1'569.50
DISPLAY GARANTIE	WARR EXT LFD GROUP 1 (4TH+5TH YEAR)	200004670	NEC Garantieverlängerung (4+5 Jahre), WARRANTY EXTENSION (4TH+5TH YEAR). Model: V323, V323-2, V423. Please refer to the terms and conditions on our website.	95.00	88.25
DISPLAY GARANTIE	WARR EXT LFD GROUP 2 (4TH+5TH YEAR)	200004671	NEC Garantieverlängerung (4+5 Jahre), Model: V323 PG, V323-2 PG, V-484, V463, V552, P403, P403 PG, P463, P463 PG, X401S, X401S PG, X462S, X462S PG. Please refer to the terms and conditions on our website.	139.00	129.10
DISPLAY GARANTIE	WARR EXT LFD GROUP 3 (4TH+5TH YEAR)	200004672	NEC Garantieverlängerung (4+5 Jahre), Model: V423 TM, V463 TM, V652, P553, P553 PG, X464UN-2, X464UNV-2, X552S, X552S PG. Please refer to the terms and conditions on our website.	209.00	194.10
DISPLAY GARANTIE	WARR EXT LFD GROUP 4 (4TH+5TH YEAR)	200004673	NEC Garantieverlängerung (4+5 Jahre), Model: E705, P553 PG, P554 PG, P554 MG, UN551VS, V463 TM-2, V484-T, V552 TM, V554-T, V554 PG, X464UNS-2, X464UNS-2 PG, X474HB, X554HB, X554UNS-2, X555UNS, X651UHD-2.	239.00	221.95
DISPLAY GARANTIE	WARR EXT LFD GROUP 5 (4TH+5TH YEAR)	200004674	NEC Garantieverlängerung (4+5 Jahre), Model: E805, V652 TM, P703, P703 PG, X554UN-2, X554UNS, Please refer to the terms and conditions on our website.	299.00	277.70
DISPLAY GARANTIE	WARR EXT LFD GROUP 6 (4TH+5TH YEAR)	200004675	NEC Garantieverlängerung (4+5 Jahre), Model: E905, V801, X841UHD-2 Please refer to the terms and conditions on our website.	439.00	407.70
DISPLAY GARANTIE	WARR EXT LFD GROUP 7 (4TH+5TH YEAR)	200004676	NEC Garantieverlängerung (4+5 Jahre), Model: P801, P801 PG, V801 TM, X754HB, X841UHD-2 PG.. Please refer to the terms and conditions on our website.	649.00	602.75
DISPLAY GARANTIE	WARR EXT LFD GROUP 8 (4TH+5TH YEAR)	200004677	NEC Garantieverlängerung (4+5 Jahre), Model: X981UHD, X981UHD PG. Please refer to the terms and conditions on our website.	828.00	768.95
DISPLAY GARANTIE	WARR EXT LFD P403 SST (4+5TH YEAR)	200004622	WARRANTY EXTENSION LFD P403 SST (4+5TH YEAR). Please refer to the terms and conditions on our website.	419.00	389.15
DISPLAY GARANTIE	WARR EXT LFD P484 SST (4+5TH YEAR)	200004964	WARRANTY EXTENSION (4TH+5TH YEAR). Model: P484 SST. Please refer to the terms and conditions on our website.	499.00	463.40
DISPLAY GARANTIE	WARR EXT LFD P553 SST (4+5TH YEAR)	200004625	WARRANTY EXTENSION LFD P553 SST (4+5TH YEAR). Please refer to the terms and conditions on our website.	390.00	362.20
DISPLAY GARANTIE	WARR EXT LFD P703 SST	200004628	WARRANTY EXTENSION LFD P703 SST (4+5TH YEAR). Please refer to the terms and conditions on our website.	1'248.00	1'155.55
DISPLAY GARANTIE	WARR EXT LFD P801 SST (4+5TH YEAR)	200004629	WARRANTY EXTENSION LFD P801 SST (4+5TH YEAR). Please refer to the terms and conditions on our website.	1'999.00	1'850.95
DISPLAY GARANTIE	WARR EXT LFD V554Q PCAP (4+5TH YEAR)	200005451	WARRANTY EXTENSION (4TH+5TH YEAR). Model: V554Q PCAP. Warranty extension can be purchased only together with the Display product. Please refer to the terms and conditions on our website.	745.00	662.18
DISPLAY GARANTIE	WARR EXT LFD P484 SST (4+5TH YEAR)	200004964	WARRANTY EXTENSION (4TH+5TH YEAR). Model: P484 SST. Please refer to the terms and conditions on our website.	365.00	339.00
DISPLAY GARANTIE	WARR EXT LFD V554Q SST (4+5TH YEAR)	200005450	WARRANTY EXTENSION (4TH+5TH YEAR). Model: V554Q SST. Please refer to the terms and conditions on our website.	419.00	389.15
DISPLAY GARANTIE	WARR EXT LFD V654Q PCAP (4+5TH YEAR)	200005452	WARRANTY EXTENSION (4TH+5TH YEAR). Model: V654Q PCAP. Warranty extension can be purchased only together with the Display product. Please refer to the terms and conditions on our website.	1'195.00	1'027.17
DISPLAY GARANTIE	WARR EXT LFD X651UHD SST (4+5TH YEAR)	200004698	WARRANTY EXTENSION (4TH+5TH YEAR). Model: X651UHD SST. Please refer to the terms and conditions on our website.	1'099.00	1'017.60
DISPLAY GARANTIE	WARR EXT LFD X841UHD SST (4+5TH YEAR)	200004664	WARRANTY EXTENSION (4TH+5TH YEAR). Model: X841UHD SST.	1'949.00	1'804.65
DISPLAY GARANTIE	WARR EXT LFD X981UHD SST (4+5TH YEAR)	200004699	WARRANTY EXTENSION (4TH+5TH YEAR). Model: X981UHD SST. Please refer to the terms and conditions on our website.	3'590.00	3'324.05

VALUE - LINE DISPLAYS





DISPLAY PUBLIC	C431	60004236	43 Zoll (107.9 cm Diagonale), 24/7 Dauerbetrieb, AMVA3 Panel mit Edge LED, Entspiegelung (Haze 44%), Auflösung FullHD 1920x1080@60Hz (16:9), Kontrast 4'000:1, Helligkeit 500 cd/m2, Rahmenbreite 12.4 mm, HDMI (3x in), DisplayPort (1x in), VGA (1x in), RS232 (1x in), USB (1x MediaPlayer), SD Card (1x MediaPlayer), LAN (1x), Audio (2x in & 1x out), integrierte Lautsprecher (2x 10 W), einfacher Media Player (via USB & SD Karte), Umgebungslicht- & Temperatursensor, Installation Landscape / Portrait / Face Up / Face Down, Gewicht 12.5 kg, VESA 300x300mm, 971 x 559 x 45 mm (B x H x T). 43 pouces (107.9 cm diagonale), heures de fonctionnement 24/7, panneau AMVA3 avec edge LED, traitement antireflet (haze 44%), résolution Full-HD 1920x1080@60Hz (16:9), rapport de contraste 4'000:1, luminosité 500 cd/m2, largeur de biseau 12.4 mm, HDMI (3x in), DisplayPort (1x in), VGA (1x in), RS232 (1x in), USB (1x MediaPlayer), SD Card (1x MediaPlayer), LAN (1x), Audio (2x in & 1x out), hautparleurs intégrés (2x 10 W), lecteur multimédia simple (par USB & carte SD), capteur d'éclairage ambiant & de température, installation en mode paysage / portrait / face up / face down, poids de 12.5 kg, VESA 300x300mm, 971 x 559 x 45 mm (LxHxP).	999.00	927.80
					
DISPLAY PUBLIC	C431 Meeting Room Solution	40001464	43" C-Series large format display, 500cd/m2, Edge LED backlight, 24/7 proof, including wireless connectivity tool to share presentations, documents and more without the need for a cable	1'095.00	1'016.95
DISPLAY PUBLIC	C501	60004237	50 Zoll (125.7 cm Diagonale), 24/7 Dauerbetrieb, AMVA3 Panel mit Edge LED, Entspiegelung (Haze 44%), Auflösung FullHD 1920x1080@60Hz (16:9), Kontrast 4'000:1, Helligkeit 450 cd/m2, Rahmenbreite 12.4 mm, HDMI (3x in), DisplayPort (1x in), VGA (1x in), RS232 (1x in), USB (1x MediaPlayer), SD Card (1x MediaPlayer), LAN (1x), Audio (2x in & 1x out), integrierte Lautsprecher (2x 10 W), einfacher Media Player (via USB & SD Karte), Umgebungslicht- & Temperatursensor, Installation Landscape / Portrait / Face Up / Face Down, Gewicht 16.1 kg, VESA 300x300mm, 1125 x 645 x 45 mm (B x H x T). 50 pouces (125.7 cm diagonale), heures de fonctionnement 24/7, panneau AMVA3 avec edge LED, traitement antireflet (haze 44%), résolution Full-HD 1920x1080@60Hz (16:9), rapport de contraste 4'000:1, luminosité 450 cd/m2, largeur de biseau 12.4 mm, HDMI (3x in), DisplayPort (1x in), VGA (1x in), RS232 (1x in), USB (1x MediaPlayer), SD Card (1x MediaPlayer), LAN (1x), Audio (2x in & 1x out), hautparleurs intégrés (2x 10 W), lecteur multimédia simple (par USB & carte SD), capteur d'éclairage ambiant & de température, installation en mode paysage / portrait / face up / face down, poids de 16.1 kg, VESA 300x300mm, 1125 x 645 x 45 mm (LxHxP).	1'150.00	1'068.00
					
DISPLAY PUBLIC	C501 Signage Solution	40001452	50" C-Series large format display, 450cd/m2, Edge LED backlight, 24/7 proof, including Box PC (Intel Atom QuadCore 1.4GHz, 64GB eMMC, Win10 IoT Enterprise, WiFi)	1'595.00	1'481.30
DISPLAY PUBLIC	C501 Meeting Room	60004237	50" C-Series large format display, 450cd/m2, Edge LED backlight, 24/7 proof, including wireless connectivity tool to share presentations, documents and more without the need for a cable	1'195.00	1'109.80
DISPLAY PUBLIC	C551	60004237	55 Zoll (138.8 cm Diagonale), 24/7 Dauerbetrieb, AMVA3 Panel mit Edge LED, Entspiegelung (Haze 44%), Auflösung FullHD 1920x1080@60Hz (16:9), Kontrast 4'000:1, Helligkeit 500 cd/m2, Rahmenbreite 12.4 mm, HDMI (3x in), DisplayPort (1x in), VGA (1x in), RS232 (1x in), USB (1x MediaPlayer), SD Card (1x MediaPlayer), LAN (1x), Audio (2x in & 1x out), integrierte Lautsprecher (2x 10 W), einfacher Media Player (via USB & SD Karte), Umgebungslicht- & Temperatursensor, Installation Landscape / Portrait / Face Up / Face Down, Gewicht 18.8 kg, VESA 300x300mm, 1238 x 709 x 45 mm (B x H x T). 55 pouces (138.8 cm diagonale), heures de fonctionnement 24/7, panneau AMVA3 avec edge LED, traitement antireflet (haze 44%), résolution Full-HD 1920x1080@60Hz (16:9), rapport de contraste 4'000:1, luminosité 500 cd/m2, largeur de biseau 12.4 mm, HDMI (3x in), DisplayPort (1x in), VGA (1x in), RS232 (1x in), USB (1x MediaPlayer), SD Card (1x MediaPlayer), LAN (1x), Audio (2x in & 1x out), hautparleurs intégrés (2x 10 W), lecteur multimédia simple (par USB & carte SD), capteur d'éclairage ambiant & de température, installation en mode paysage / portrait / face up / face down, poids de 18.8 kg, VESA 300x300mm, 1238 x 709 x 45 mm (LxHxP).	1'590.00	1'476.65
					
DISPLAY PUBLIC	C551 Meeting Room Solution	40001466	55" C-Series large format display, 500cd/m2, Edge LED backlight, 24/7 proof, including wireless connectivity tool to share presentations, documents and more without the need for a cable	1'495.00	1'388.40
DISPLAY PUBLIC	C551 Signage Solution	40001453	55" C-Series large format display, 500cd/m2, Edge LED backlight, 24/7 proof, including Box PC (Intel Atom QuadCore 1.4GHz, 64GB eMMC, Win10 IoT Enterprise, WiFi)	1'995.00	1'852.75
DISPLAY PUBLIC	C651Q	60004314	LCD 65" Ultra-High Definition Large Format Display, Haze Level 44%, Leistungsaufnahme TBD, Betriebsdauer 24/7, Paneltechnologie VA, Helligkeit 350 cd/m², Auflösung 3840 x 2160, Abmessungen (ohne Standfuß): 1.456 x 831 x 71mm (B x H x T), Gewicht: 42 kg. LCD 65" Ultra-High Definition Large Format Display, Traitement antireflet 44%, Consommation électrique TBD, Heures de fonctionnement 24/7, Technologie de panneau VA, Luminosité 350 cd/m², Résolution 3840 x 2160, Dimensions (sans pied): 1.456 x 831 x 71mm (L x H x P), Poids: 42 kg.	2'895.00	2'688.60
					

SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/VRG)	UVP* PIR* (EXKL. MWST)	
DISPLAY PUBLIC	C751Q	60004315	LCD 75" Ultra-High Definition Large Format Display, Haze Level 28%, Leistungsaufnahme 195W, Betriebsdauer 24/7, Paneltechnologie IPS, Helligkeit 350 cd/m², Auflösung 3840 x 2160, Abmessungen (ohne Standfuß): 1.681 x 960 x 71mm (B x H x T), Gewicht: 53kg. LCD 75" Ultra-High Definition Large Format Display, Traitement antireflet 28%, Consommation électrique 195W, Heures de fonctionnement 24/7, Technologie de panneau IPS, Luminosité 350 cd/m², Résolution 3840 x 2160, Dimensions (sans pied): 1.681 x 960 x 71mm (L x H x P), Poids: 53kg.	4'295.00	3'988.80
					
DISPLAY PUBLIC	C861Q	60004031	LCD 86" Ultra-High Definition Large Format Display, Haze Level 28%, Leistungsaufnahme 230W, Betriebsdauer 24/7, Paneltechnologie IPS, Helligkeit 350 cd/m², Auflösung 3840 x 2160, Abmessungen (ohne Standfuß): 1,928 x 1,099 x 74mm (B x H x T), Gewicht: 57.8kg. LCD 86" Ultra-High Definition Large Format Display, Traitement antireflet 28%, Consommation électrique 230W, Heures de fonctionnement 24/7, Technologie de panneau IPS, Luminosité 350 cd/m², Résolution 3840 x 2160, Dimensions (sans pied): 1,928 x 1,099 x 74mm (L x H x P), Poids: 57.8kg.	6'790.00	6'305.90
					
DISPLAY PUBLIC	C981Q	60004516	LCD 98" Ultra-High Definition Large Format Display, Haze Level 28%, Leistungsaufnahme 240W, Betriebsdauer 24/7, Paneltechnologie IPS, Helligkeit 350 cd/m², Auflösung 3840 x 2160, Abmessungen (ohne Standfuß): 2,194 x 1,249 x 93mm (B x H x T), Gewicht: 90kg. LCD 98" Ultra-High Definition Large Format Display, Traitement antireflet 28%, Consommation électrique 240W, Heures de fonctionnement 24/7, Technologie de panneau IPS, Luminosité 350 cd/m², Résolution 3840 x 2160, Dimensions (sans pied): 2,194 x 1,249 x 93mm (L x H x P), Poids: 90kg.	12'995.00	12'068.50
					
DISPLAY PUBLIC	E328	60005270	32" E Series large format display, FHD, 350cd/m², Direct LED backlight, 16/7 proof, Media Player	449.00	417.00
DISPLAY PUBLIC	E438	60005045	43" E Series large format display, UHD, 350cd/m², Direct LED backlight, 16/7 proof, Media Player	679.00	630.60
DISPLAY PUBLIC	E498	60005052	49", UHD, 350cd, 16/7, USB-MP	799.00	742.05
DISPLAY PUBLIC	E558	60005054	55" E Series large format display, UHD, 350cd/m², Direct LED backlight, 16/7 proof, Media Player	949.00	881.35
DISPLAY PUBLIC	E658	60005059	65" E Series large format display, UHD, 350cd/m², Direct LED backlight, 16/7 proof, Media Player	1'499.00	1'392.15
DISPLAY PUBLIC	E327	60004541	32" E Series large format display, FHD, 350cd/m², Direct LED backlight, 16/7 proof, Media Player	565.00	524.70
					
DISPLAY PUBLIC	E437Q	60004544	43" E Series large format display, UHD, 350cd/m², Direct LED backlight, 16/7 proof, Media Player	745.00	691.90
					
DISPLAY PUBLIC	E507Q	60004548	50" E Series large format display, UHD, 350cd/m², Direct LED backlight, 16/7 proof, Media Player	945.00	877.65
					
DISPLAY PUBLIC	E557Q	60004552	55" E Series large format display, UHD, 350cd/m², Direct LED backlight, 16/7 proof, Media Player	1'145.00	1'063.35
					
DISPLAY PUBLIC	E656	60004024	65 Zoll (165.0 cm Diagonale), 12/7 tägliche Betriebszeit, S-PVA Panel mit Direct LED, Entspiegelung (Haze 2%), Auflösung FullHD 1920x1080 (16:9), Kontrast 4'000:1, Helligkeit 350 cd/m², Rahmenbreite 13.9 / 14.9 mm, HDMI (3x in), VGA (1x in), RS232 (1x in), USB (1x), Audio (in & out), integrierte Lautsprecher (2x 10 W), einfacher Media Player (via USB), einfacher Zeitplaner, Installation im Querformat, Gewicht 23.5 kg, VESA 400x200mm, 1460 x 835 x 90 mm (BxHxT). 65 pouces (165.0 cm diagonale), usage quotidien de 12/7, panneau S-PVA avec rétroéclairage direct LED, traitement antireflet (haze 2%), résolution Full-HD 1920x1080@60Hz (16:9), rapport de contraste 4'000:1, luminosité 350 cd/m², largeur de biseau 13.9 / 14.9 mm, HDMI (3x in), VGA (1x in), RS232 (1x in), USB (1x), Audio (in & out), hautparleurs intégrés (2x 10 W), lecteur multimédia intégré (par USB), programmeur intégré, installation en mode paysage, poids de 23.5 kg, VESA 400x200mm, 1460 x 835 x 90 mm (LxHxP).	2'898.00	2'683.35
					
DISPLAY PUBLIC	E657Q	60004557	65" E Series large format display, UHD, 350cd/m², Direct LED backlight, 16/7 proof, Media Player	1'790.00	1'662.40
					

SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/VRG)	UVP* PIR* (EXKL. MWST)
DISPLAY PUBLIC	M431 	60005047 43" M-Series Large Format Display, UHD, 500cd/m2, E-LED backlight, 24/7 proof, SDM Slot, CM-Slot	1'195.00	1'109.80
DISPLAY PUBLIC	M491 	60005051 Mainstream-Serie bietet verbesserte Leistung für Unternehmensanwender in Besprechungsräumen und für Signage-Anwendungen in Freizeit und Unterhaltung, im anspruchsvollen Einzelhandel und im Hochschulbereich 49" M-Series Large Format Display, UHD, 500cd/m2, E-LED backlight, 24/7 proof, SDM Slot, CM-Slot	1'395.00	1'295.55
DISPLAY PUBLIC	M551 	60005055 Mainstream-Serie bietet verbesserte Leistung für Unternehmensanwender in Besprechungsräumen und für Signage-Anwendungen in Freizeit und Unterhaltung, im anspruchsvollen Einzelhandel und im Hochschulbereich 55" M-Series Large Format Display, UHD, 500cd/m2, E-LED backlight, 24/7 proof, SDM Slot, CM-Slot	1'595.00	1'481.30
DISPLAY PUBLIC	M651 	60005061 Mainstream-Serie bietet verbesserte Leistung für Unternehmensanwender in Besprechungsräumen und für Signage-Anwendungen in Freizeit und Unterhaltung, im anspruchsvollen Einzelhandel und im Hochschulbereich 65" M-Series Large Format Display, UHD, 500cd/m2, E-LED backlight, 24/7 proof, SDM Slot, CM-Slot	2'295.00	2'131.40
DISPLAY PUBLIC	MA431 	60005046 43" MA-Series Large Format Display, UHD, WCG, 500cd/m2, E-LED backlight, 24/7 proof, SDM Slot, CM-Slot	1'745.00	1'620.60
DISPLAY PUBLIC	MA491 	60005050 49" MA-Series Large Format Display, UHD, WCG, 500cd/m2, E-LED backlight, 24/7 proof, SDM Slot, CM-Slot	1'995.00	1'852.75
DISPLAY PUBLIC	MA551 	60005056 Advanced Serie geeignet für unternehmenskritische Umgebungen in der Fertigung und im Maschinenbau, im Transportwesen, in der Leittechnik, in QSR und im gehobenen Einzelhandel 55", UHD, WCG, 500cd, 24/7, CM-Slot, SDM)	2'295.00	2'131.40
DISPLAY PUBLIC	ME431 	60005048 Ideal für Signage-Anwendungen im Einzelhandel und im Museum, für KMUs und Einstiegsunternehmen 43" ME-Series Large Format Display, UHD, 400cd/m2, D-LED backlight, 16/7 proof, SDM Slot, CM-Slot	995.00	924.05
DISPLAY PUBLIC	ME501 	60005053 Ideal für Signage-Anwendungen im Einzelhandel und im Museum, für KMUs und Einstiegsunternehmen 50" ME-Series Large Format Display, UHD, 400cd/m2, D-LED backlight, 16/7 proof, SDM Slot, CM-Slot	1'145.00	1'063.35
DISPLAY PUBLIC	ME551 	60005057 Ideal für Signage-Anwendungen im Einzelhandel und im Museum, für KMUs und Einstiegsunternehmen 55" ME-Series Large Format Display, UHD, 400cd/m2, D-LED backlight, 16/7 proof, SDM Slot, CM-Slot	1'395.00	1'295.55
DISPLAY PUBLIC	ME651 	60005062 Ideal für Signage-Anwendungen im Einzelhandel und im Museum, für KMUs und Einstiegsunternehmen 65" ME-Series Large Format Display, UHD, 400cd/m2, D-LED backlight, 16/7 proof, SDM Slot, CM-Slot	1'895.00	1'759.90
DISPLAY PUBLIC	V554Q 	60004528 55" V-Series large format display, UHD, 500cd/m2, Edge LED backlight, 24/7 proof, OPS Slot, CM Slot,	2'390.00	2'219.60
DISPLAY PUBLIC	V654Q 	60004036 LCD 65" Ultra-High Definition Large Format Display, Haze Level 44%, Leistungsaufnahme TBD, Betriebsdauer 24/7, Paneltechnologie VA, Helligkeit 500 cd/m², Auflösung 3840 x 2160, Abmessungen (ohne Standfuß): 1.456 x 831 x 71 mm (B x H x T), Gewicht: 42 kg. LCD 65" Ultra-High Definition Large Format Display, Traitement antireflet 44%, Consommation électrique TBD, Heures de fonctionnement 24/7, Technologie de panneau VA, Luminosité 500 cd/m², Résolution 3840 x 2160, Dimensions (sans pied): 1.456 x 831 x 71 mm (L x H x P), Poids: 42kg.	3'495.00	3'245.80
DISPLAY PUBLIC	V654QBS	40001475 65" V-Series Large Format Display, Full-HD, 500cd/m2, E-LED backlight, 24/7 proof. BrightSign OPS MediaPlayer H0523 with multiple CMS support	3'545.00	3'292.25
DISPLAY PUBLIC	V654Q-MPi3	60005008 65" V-Series Large Format Display, UHD, 500cd/m2, D-LED backlight, 24/7 proof, OPS Slot, Pre-installed RaspberryPi CM3+, 32GB including NEC MediaPlayer	3'595.00	3'338.70

SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/VRG)	UVP* PIR* (EXKL. MWST)
DISPLAY PUBLIC	V754Q	60004317		
		LCD 75" Ultra-High Definition Large Format Display, Haze Level 28%, Leistungsaufnahme 155W, Betriebsdauer 24/7, Paneltechnologie IPS, Helligkeit 500 cd/m², Auflösung 3840 x 2160, Abmessungen (ohne Standfuß): 1.681 x 960 x 71mm (B x H x T), Gewicht: 53kg. LCD 75" Ultra-High Definition Large Format Display, Traitement antireflet 28%, Consommation électrique 155W, Heures de fonctionnement 24/7, Technologie de panneau IPS, Luminosité 500 cd/m², Résolution 3840 x 2160, Dimensions (sans pied): 1.681 x 960 x 71mm (L x H x P), Poids: 53kg.	5'295.00	4'917.50
DISPLAY PUBLIC	V864Q	60004037		
		LCD 86" Ultra-High Definition Large Format Display, Haze Level 28%, Leistungsaufnahme 230W, Betriebsdauer 24/7, Paneltechnologie IPS, Helligkeit 500 cd/m², Auflösung 3840 x 2160, Abmessungen (ohne Standfuß): 1,928 x 1,099 x 74mm (B x H x T), Gewicht: 57.8kg. LCD 86" Ultra-High Definition Large Format Display, Traitement antireflet 28%, Consommation électrique 230W, Heures de fonctionnement 24/7, Technologie de panneau IPS, Luminosité 500 cd/m², Résolution 3840 x 2160, Dimensions (sans pied): 1,928 x 1,099 x 74mm (L x H x P), Poids: 57.8kg.	7'995.00	7'425.00
DISPLAY PUBLIC	V984Q	60004318		
		98" V Series large format display, UHD, 500cd/m², Direct LED backlight, 24/7 proof, OPS Slot, CM Slot, Media Player	15'995.00	14'854.60
Professional - Line Displays				
DISPLAY PUBLIC	P404	60004039		
		40 Zoll (101.6 cm Diagonale), 24/7 Dauerbetrieb, S-PVA Panel mit Edge LED, Entspiegelung (Haze 25%), Auflösung FullHD 1920x1080 (16:9), Kontrast 4'000:1, Helligkeit 700 cd/m², Rahmenbreite 13.2 mm, HDMI (2x in), DisplayPort (1x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), SD Card (1x), LAN (2x), Audio (2x in & 1x out), integrierte Lautsprecher (2x 10 W), einfacher Media Player (via USB / SD), Ambient Light & NFC Sensor, Tile Matrix, OPS Slot-in (STV2), Installation Landscape & Portrait, Gewicht 14.5 kg, VESA 300x300mm, 918 x 531 x 55 mm (BxHxT). 40 pouces (101.6 cm diagonale), heures de fonctionnement 24/7, panneau S-PVA avec edge LED, traitement antireflet (haze 25%), résolution Full-HD 1920x1080@60Hz (16:9), rapport de contraste 4'000:1, luminosité 700 cd/m², largeur de biseau 13.2 mm, DMI (2x in), DisplayPort (1x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), SD Card (1x), LAN (2x), Audio (2x in & 1x out), hautparleurs intégrés (2x 10 W), capteur d'éclairage ambiant, capteur de présence, capteur de température, capteur NFC, installation en mode paysage et portrait, poids de 14.5 kg, VESA 300x300mm, 918 x 531 x 55 mm (LxHxP).	1'895.00	1'759.90
DISPLAY PUBLIC	P404S	60004447		
		40" P-Series large format display, 700cd/m², Edge LED backlight, 24/7 proof, OPS Slot, CM Slot, Media Player, Silver bezel	2'145.00	1'992.05
DISPLAY PUBLIC	P404W	60004471		
		40" P-Series large format display, 700cd/m², Edge LED backlight, 24/7 proof, OPS Slot, CM Slot, Media Player, White bezel	2'145.00	1'986.10
DISPLAY PUBLIC	P484	60004040		
		48 Zoll (120.9 cm Diagonale), 24/7 Dauerbetrieb, Panel mit Edge LED, Entspiegelung (Haze 25%), Auflösung FullHD 1920x1080 (16:9), Kontrast 4'000:1, Helligkeit 700 cd/m², Rahmenbreite 13.2 mm, HDMI (2x in), DisplayPort (1x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), SD Card (1x), LAN (2x), Audio (2x in & 1x out), integrierte Lautsprecher (2x 10 W), einfacher Media Player (via USB / SD), Ambient Light & NFC Sensor, Tile Matrix, OPS Slot-in (STV2), Installation Landscape & Portrait, Gewicht 17.6 kg, VESA 300x300mm, 1086 x 625 x 54 mm (B x H x T). 48 pouces (120.9 cm diagonale), heures de fonctionnement 24/7, panneau XXX avec edge LED, traitement antireflet (haze 25%), résolution Full-HD 1920x1080@60Hz (16:9), rapport de contraste 4'000:1, luminosité 700 cd/m², largeur de biseau 13.2 mm, DMI (2x in), DisplayPort (1x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), SD Card (1x), LAN (2x), Audio (2x in & 1x out), hautparleurs intégrés (2x 10 W), capteur d'éclairage ambiant, capteur de présence, capteur de température, capteur NFC, installation en mode paysage et portrait, poids de 17.6 kg, VESA 300x300mm, 1086 x 625 x 54 mm (LxHxP).	2'490.00	2'312.45
DISPLAY PUBLIC	P484S	60004448		
		48" P-Series large format display, 700cd/m², Edge LED backlight, 24/7 proof, OPS Slot, CM Slot, Media Player, Silver beze	2'795.00	2'595.75
DISPLAY PUBLIC	P484W	60004470		
		48" P-Series large format display, 700cd/m², Edge LED backlight, 24/7 proof, OPS Slot, CM Slot, Media Player, White bezel	2'795.00	2'795.00
DISPLAY PUBLIC	P495	60005049		
		49" P-Series Large Format Display, UHD, WCG, 700cd/m², E-LED backlight, 24/7 proof, SDM Slot, CM-Slot	2'195.00	2'038.50

SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/VRG)	UVP* PIR* (EXKL. MWST)
DISPLAY PUBLIC	P554	60004041	2'990.00	2'776.80
		<p>55 Zoll (138.8 cm Diagonale), 24/7 Dauerbetrieb, S-IPS Panel mit Edge LED, Entspiegelung (Haze 44%), Auflösung FullHD 1920x1080 (16:9), Kontrast 1'200:1, Helligkeit 700 cd/m2, Rahmenbreite 14.2 mm, HDMI (2x in), DisplayPort (2x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), Micro SD (1x), LAN (2x), Audio (2x in & 1x out), integrierte Lautsprecher (2x 10 W), einfacher Media Player (via USB / SD), Ambient Light & NFC Sensor, Tile Matrix, OPS Slot, CEC Support, Installation Landscape / Portrait / Face Up & Down, Gewicht 24.5 kg, VESA 300x300mm, 1244 x 715 x 63 mm (BxHxT).</p> <p>55 pouces (138.8 cm diagonale), heures de fonctionnement 24/7, panneau S-IPS panneau avec edge LED, traitement antireflet (haze 44%), résolution Full-HD 1920x1080@60Hz (16:9), rapport de contraste 1'200:1, luminosité 700 cd/m2, largeur de biseau 14.2 mm, HDMI (2x in), DisplayPort (2x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), Micro SD (1x), LAN (2x), Audio (2x in & 1x out), hautparleurs intégrés (2x 10 W), lecteur multimédia intégré, fonction tile matrix, OPS slot-in, support CEC, capteur d'éclairage ambiant, - de présence, - de température, - NFC, installation en mode paysage / portrait / face up & down, poids de 24.5 kg, VESA 300x300mm, 1244 x 715 x 63 mm (LxHxP).</p>		
DISPLAY PUBLIC	P555	60005058	2'595.00	2'410.00
DISPLAY PUBLIC	P654Q	60004042	5'690.00	5'268.50
		<p>65" P Series large format display, UHD, 700cd/m2, Direct LED backlight, 24/7 proof, OPS Slot, CM Slot, Media Player</p>		
DISPLAY PUBLIC	P754Q	60004316	7'490.00	6'956.00
		<p>LCD 75" Ultra-High Definition Large Format Display, Haze Level 28%, Leistungsaufnahme 195W, Betriebsdauer 24/7, Paneltechnologie IPS, Helligkeit 650 cd/m², OPS Slot, Auflösung 3840 x 2160, Abmessungen (ohne Standfuß): 1.681 x 960 x 71mm (B x H x T), Gewicht: 53kg.</p> <p>LCD 75" Ultra-High Definition Large Format Display, Traitement antireflet 28%, Consommation électrique 195W, Heures de fonctionnement 24/7, Technologie de panneau IPS, Luminosité 650 cd/m², Résolution 3840 x 2160, OPS Slot, Dimensions (sans pied): 1.681 x 960 x 71mm (L x H x P), Poids: 53kg.</p>		
DISPLAY PUBLIC	V323-3	60004529	999.00	925.00
DISPLAY PUBLIC	V404	60004033	1'295.00	1'202.65
		<p>40 Zoll (101.6 cm Diagonale), 24/7 Dauerbetrieb, S-PVA Panel mit Edge LED, Entspiegelung (Haze 25%), Auflösung FullHD 1920x1080 (16:9), Kontrast 4'000:1, Helligkeit 500 cd/m2, Rahmenbreite 13.2 mm, HDMI (2x in), DisplayPort (2x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), Micro SD (1x), LAN (2x), Audio (2x in & 1x out), integrierte Lautsprecher (2x 10 W), einfacher Media Player (via USB / SD), Ambient Light & NFC Sensor, Tile Matrix, OPS Slot, CEC Support, Installation Landscape & Portrait, Gewicht 14.5 kg, VESA 300x300mm, 918 x 531 x 55 mm (BxHxT).</p> <p>40 pouces (101.6 cm diagonale), heures de fonctionnement 24/7, panneau S-PVA avec edge LED, traitement antireflet (haze 25%), résolution Full-HD 1920x1080@60Hz (16:9), rapport de contraste 4'000:1, luminosité 500 cd/m2, largeur de biseau 13.2 mm, HDMI (2x in), DisplayPort (2x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), Micro SD (1x), LAN (2x), Audio (2x in & 1x out), hautparleurs intégrés (2x 10 W), lecteur multimédia intégré, fonction tile matrix, OPS slot-in, support CEC, capteur d'éclairage ambiant, - de présence, - de température, - NFC, installation en mode paysage et portrait, poids de 14.5 kg, VESA 300x300mm, 918 x 531 x 55 mm (LxHxP).</p>		
DISPLAY PUBLIC	V404 SILVER	60004450	1'829.00	1'693.50
DISPLAY PUBLIC	V404 WHITE	60004475	1'829.00	1'693.50
DISPLAY PUBLIC	V404BS	40001471	1'545.00	1'434.85
DISPLAY PUBLIC	V404-MPI3	60005004	1'490.00	1'383.75

SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/MVST)	UVP* PIR* (EKKL MWST)	
DISPLAY PUBLIC	V404RPI	60004405	40 Zoll (101.6 cm Diagonale), S-PVA mit Edge-LED-Backlight, 24/7 Dauerbetrieb, Panel mit Edge LED, Entspiegelung (Haze 25%), Auflösung FullHD 1920x1080 (16:9), Kontrast 4'000:1, Helligkeit 500 cd/m2, integrierte Lautsprecher (2x 10W), einfacher Media Player (via USB / SD), Ambient Light & NFC Sensor, Tile Matrix, OPS Slot-in (STV2), Compute Module Slot (NEC proprietary standard) mit vorinstalliertem Raspberry Pi3 NEC Edition, Installation Landscape & Portrait, face up, face down, VESA 300x300mm, 918 x 530.6 x 54.7 mm (B x H x T), 14.5 kg.	1'475.00	1'369.85
		40 pouces (101.6 cm diagonale), S-PVA avec Edge-LED-Backlight, heures de fonctionnement 24/7, panneau avec edge LED, traitement antireflet (haze 25%), résolution Full-HD 1920x1080@60Hz (16:9), rapport de contraste 4'000:1, luminosité 500 cd/m2, hautparleurs intégrés (2x 10 W), lecteur multimédia simple (par USB), fonction multiécrans et daisy chain, OPS Slot-in (STV2), Compute Module Slot (NEC proprietary standard) mit vorinstalliertem Raspberry Pi3 NEC Edition, installation en mode paysage / portrait ou face up/down, VESA 300x300mm, 918 x 530.6 x 54.7 mm (LxHxP), 14.5 kg.			
DISPLAY PUBLIC	V484	60004034	48 Zoll (120.9 cm Diagonale), 24/7 Dauerbetrieb, S-PVA Panel mit Edge LED, Entspiegelung (Haze 25%), Auflösung FullHD 1920x1080 (16:9), Kontrast 4'000:1, Helligkeit 500 cd/m2, Rahmenbreite 13.2 mm, HDMI (2x in), DisplayPort (2x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), Micro SD (1x), LAN (2x), Audio (2x in & 1x out), integrierte Lautsprecher (2x 10 W), einfacher Media Player (via USB / SD), Ambient Light & NFC Sensor, Tile Matrix, OPS Slot, CEC Support, Installation Landscape & Portrait, Gewicht 17.6 kg, VESA 300x300mm, 1087 x 626 x 55 mm (BxHxT).	1'590.00	1'476.65
		48 pouces (120.9 cm diagonale), heures de fonctionnement 24/7, panneau S-PVA avec edge LED, traitement antireflet (haze 25%), résolution Full-HD 1920x1080@60Hz (16:9), rapport de contraste 4'000:1, luminosité 500 cd/m2, largeur de biseau 13.2 mm, HDMI (2x in), DisplayPort (2x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), Micro SD (1x), LAN (2x), Audio (2x in & 1x out), hautparleurs intégrés (2x 10 W), lecteur multimédia intégré, fonction tile matrix, OPS slot-in, support CEC, capteur d'éclairage ambiant, - de présence, - de température, - NFC, installation en mode paysage et portrait, poids de 17.6 kg, VESA 300x300mm, 1087 x 626 x 55 mm (LxHxP).			
DISPLAY PUBLIC	V484 SILVER	60004451	48" V-Series large format display, 500cd/m2, Edge LED backlight, 24/7 proof, OPS Slot, CM Slot, Media Player, Silver bezel	2'275.00	2'106.50
DISPLAY PUBLIC	V484 WHITE	60004474	48" V-Series large format display, 500cd/m2, Edge LED backlight, 24/7 proof, OPS Slot, CM Slot, Media Player, White bezel	2'275.00	2'106.50
DISPLAY PUBLIC	V484BS	40001472	48" V-Series Large Format Display, UHD, 500cd/m2, E-LED backlight, 24/7 proof. BrightSign OPS MediaPlayer H0523 with multiple CMS support	1'795.00	1'667.00
DISPLAY PUBLIC	V484-MPi3	60005005	48" V-Series Large Format Display, 500cd/m2, E-LED backlight, 24/7 proof, OPS Slot, Pre-installed RaspberryPi CM3+, 32GB including NEC MediaPlayer	1'695.00	1'574.15
DISPLAY PUBLIC	V484RPI	60004406	48 Zoll (120.9 cm Diagonale), S-PVA mit Edge-LED-Backlight, 24/7 Dauerbetrieb, Panel mit Edge LED, Entspiegelung (Haze 25%), Auflösung FullHD 1920x1080 (16:9), Kontrast 4'000:1, Helligkeit 500 cd/m2, Rahmenbreite 13.2 mm, integrierte Lautsprecher (2x 10W), einfacher Media Player (via USB / SD), Ambient Light & NFC Sensor, Tile Matrix, OPS Slot-in (STV2), Compute Module Slot (NEC proprietary standard) mit vorinstalliertem Raspberry Pi3 NEC Edition, Installation Landscape & Portrait, face up, face down, VESA 300x300mm, 1086.5 x 625.3 x 54.7 mm (B x H x T), 17.6 kg.	1'790.00	1'662.40
		48 pouces (120.9 cm diagonale), S-PVA avec Edge-LED-Backlight, heures de fonctionnement 24/7, panneau avec edge LED, traitement antireflet (haze 25%), résolution Full-HD 1920x1080@60Hz (16:9), rapport de contraste 4'000:1, luminosité 500 cd/m2, largeur de biseau 13.2 mm, hautparleurs intégrés (2x 10 W), lecteur multimédia simple (par USB), fonction multiécrans et daisy chain, OPS Slot-in (STV2), Compute Module Slot (NEC proprietary standard) mit vorinstalliertem Raspberry Pi3 NEC Edition, installation en mode paysage / portrait ou face up/down, VESA 300x300mm, 1086.5 x 625.3 x 54.7 mm (LxHxP), 17.6 kg.			
DISPLAY PUBLIC	V554	60004035	55 Zoll (138.8 cm Diagonale), 24/7 Dauerbetrieb, Panel mit Edge LED, Entspiegelung (Haze 44%), Auflösung FullHD 1920x1080 (16:9), Kontrast 1'200:1, Helligkeit 500 cd/m2, Rahmenbreite 14.2 mm, HDMI (2x in), DisplayPort (1x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), SD Card (1x), LAN (2x), Audio (2x in & 1x out), integrierte Lautsprecher (2x 10 W), einfacher Media Player (via USB / SD), Ambient Light & NFC Sensor, Tile Matrix, OPS Slot-in (STV2), Installation Landscape & Portrait, Gewicht 24.5 kg, VESA 300x300mm, 1244 x 714 x 62mm (B x H x T).	1'890.00	1'750.00
		55 pouces (138.8 cm diagonale), heures de fonctionnement 24/7, panneau avec edge LED, traitement antireflet (haze 44%), résolution Full-HD 1920x1080@60Hz (16:9), rapport de contraste 1'200:1, luminosité 500 cd/m2, largeur de biseau 14.2 mm, HDMI (1x in), DVI-D (1x in & 1x out), VGA (1x in), RS232 (1x in / 1x out), USB (1x), LAN (1x), Audio (in&out), hautparleurs intégrés (2x 7 W), lecteur multimédia simple (par USB), fonction multi-écrans et daisy chain, installation en mode paysage / portrait ou face up/down, poids de 24.5 kg, VESA 300x300mm, 1244 x 714 x 62 mm (LxHxP).			

INFINITY BOARD 2.0

SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/VRG)	UVP* PIR* (EXKL. MWST)
BUNDLE HUDDLE ROOM	50" Mobile Huddle Solution 40001343	All-in-One Mobile Huddle Room Solution with MultiSync C501 with Active Collaboration Soundbar SP-ASCM (100015077) and PD03 Tipster (100015253).	4'290.00	3'984.15
BUNDLE HUDDLE ROOM	55" Mobile Huddle Solution 40001344	All-in-One Mobile Huddle Room Solution with MultiSync C551 with Active Collaboration Soundbar SP-ASCM (100015077) and PD03 Tipster (100015253).	4'890.00	4'541.35

INFINITY BOARD 2.0

InfinityBoard Bundle, Complete	55" InfinityBoard 40001262	LCD 55" Allround-Lösung für Ihren Besprechungsraum Panel Technologie S-PVA mit Edge-LED-Backlight, Nutzbare Bildfläche (B x H) [mm] 1.209 x 680, Größe [Zoll/cm] 55 / 140, Helligkeit [cd/m ²] 500, 350 (shipment setting), Kontrastverhältnis (typ.) 4000:1, Betrachtungswinkel [°] 178 / 178 (bei Kontrastverhältnis > 10:1), Reaktionszeit (typ.) [ms] 6 (grey-to-grey), Haze Level [%] (25), Unterstützte Ausrichtung Bildfläche nach oben; Hochformat; Querformat	11'990.00	11'101.85
InfinityBoard 2.0 Bundle, Complete	65" InfinityBoard 2.0 40001246	LCD 65" Allround-Lösung für Ihren Besprechungsraum Panel Technologie VA mit Direct-LED-Hintergrundbeleuchtung, Nutzbare Bildfläche (B x H) [mm] 1.428,5 x 803,5, Größe [Zoll/cm] 65 / 164, Helligkeit [cd/m ²] 500, 350 (shipment setting), Kontrastverhältnis (typ.) 4000:1, Betrachtungswinkel [°] 178 / 178 (bei Kontrastverhältnis > 10:1), Colour Depth [bn] 1.073 (10bit), Reaktionszeit (typ.) [ms] 8 (grey-to-grey), Haze Level [%] Pro (44), Unterstützte Ausrichtung Bildfläche nach oben; Hochformat; Querformat	13'690.00	12'675.95
InfinityBoard 2.0 Bundle, Complete	75" InfinityBoard 2.0 40001245	LCD 75" Allround-Lösung für Ihren Besprechungsraum Panel Technologie IPS mit Edge LED-Hintergrundbeleuchtung, Nutzbare Bildfläche (B x H) [mm] 1.649,7 x 927,9, Größe [Zoll/cm] 75 / 189, Helligkeit [cd/m ²] 500, 350 (shipment setting), Kontrastverhältnis (typ.) 1200:1, Betrachtungswinkel [°] 178 / 178 (bei Kontrastverhältnis > 10:1), Colour Depth [bn] 1.073 (10bit), Reaktionszeit (typ.) [ms] 8 (grey-to-grey), Haze Level [%] Pro (28), Unterstützte Ausrichtung Bildfläche nach oben; Hochformat; Querformat	16'490.00	15'268.50
InfinityBoard 2.0 Bundle, Complete	86" InfinityBoard 2.0 40001244	LCD 86" Allround-Lösung für Ihren Besprechungsraum Panel Technologie IPS mit Edge LED-Hintergrundbeleuchtung, Nutzbare Bildfläche (B x H) [mm] 1.895 x 1.065,9, Größe [Zoll/cm] 86 / 217, Helligkeit [cd/m ²] 500, 350 (shipment setting), Kontrastverhältnis (typ.) 1200:1, Betrachtungswinkel [°] 178 / 178 (bei Kontrastverhältnis > 10:1), Colour Depth [bn] 1.073 (10bit), Reaktionszeit (typ.) [ms] 8 (grey-to-grey), Haze Level [%] Pro (28), Unterstützte Ausrichtung Bildfläche nach oben; Hochformat; Querformat	19'990.00	18'509.25
InfinityBoard 2.0 Bundle, without OPS Slot-in PC	55" InfinityBoard w/o OPS 40001261	Display siehe oben	9'990.00	9'250.00
InfinityBoard 2.0 Bundle, without OPS Slot-in PC	65" InfinityBoard 2.0 w/o OPS 40001247	Display siehe oben	11'790.00	10'916.65
InfinityBoard 2.0 Bundle, without OPS Slot-in PC	75" InfinityBoard 2.0 w/o OPS 40001250	Display siehe oben	14'490.00	13'416.65
InfinityBoard 2.0 Bundle, without OPS Slot-in PC	86" InfinityBoard 2.0 w/o OPS 40001251	Display siehe oben	18'290.00	16'935.20

INFINITY BOARD 2.1

InfinityBoard 2.1 Bundle Huddly IQ Complete	65" InfinityBoard 2.1 40001301	Complete InfinityBoard Bundle Huddly IQ	14'290.00	13'231.50
InfinityBoard 2.1 Bundle Huddly IQ Complete	75" InfinityBoard 2.1 40001303	Complete InfinityBoard Bundle Huddly IQ	16'990.00	15'731.50
InfinityBoard 2.1 Bundle Huddly IQ Complete	86" InfinityBoard 2.1 40001305	Complete InfinityBoard Bundle Huddly IQ	20'500.00	18'981.50
InfinityBoard 2.1 Bundle Huddly IQ without OPS Slot-in PC	65" InfinityBoard 2.1 w/o OPS 40001300	InfinityBoard Bundle Huddly IQ, without OPS Slot-in PC	12'490.00	11'564.80
InfinityBoard 2.1 Bundle Huddly IQ without OPS Slot-in PC	75" InfinityBoard 2.1 w/o OPS 40001302	InfinityBoard Bundle Huddly IQ, without OPS Slot-in PC	14'990.00	13'879.65
InfinityBoard 2.1 Bundle Huddly IQ without OPS Slot-in PC	86" InfinityBoard 2.1 w/o OPS 40001304	InfinityBoard Bundle Huddly IQ, without OPS Slot-in PC	18'990.00	17'583.35

INFINITY BOARD TOUCH SCREEN ONLY


InfinityBoard Touch Screen only	V554Q IGB 60004936	InfinityBoard Touch Screen only	7'890.00	7'305.55
InfinityBoard Touch Screen only	V654Q IGB 60004678	InfinityBoard Touch Screen only	8'990.00	8'324.05
InfinityBoard Touch Screen only	V754Q IGB 60004679	InfinityBoard Touch Screen only	11'790.00	10'916.65
InfinityBoard Touch Screen only	V864Q IGB 60004680	InfinityBoard Touch Screen only	15'490.00	14'342.60
InfinityBoard Touch Screen only	X551UHD IGB 60004707	InfinityBoard Touch Screen only	7'290.00	6'750.00


INFINITY BOARD WARRANTY

INFINITY BOARD GARANTIE	WARR EXT 84" InfinityBoard (4+5TH YEAR) 200005112	WARRANTY EXTENSION (4TH+5TH YEAR). Model: 84" InfinityBoard. Please refer to the terms and conditions on our website.	1'999.00	1'850.95
INFINITY BOARD GARANTIE	WARR EXT 65" InfinityBoard (4+5TH YEAR) 200005113	WARRANTY EXTENSION (4TH+5TH YEAR). Model: 65" InfinityBoard. Please refer to the terms and conditions on our website.	1'498.00	1'387.05
INFINITY BOARD GARANTIE	WARR EXT 65" InfinityBoard2.0 (4+5TH YR) 200005249	WARRANTY EXTENSION (4TH+5TH YEAR). Model: 65" InfinityBoard 2.0. Please refer to the terms and conditions on our website.	1'190.00	1'105.15
INFINITY BOARD GARANTIE	WARR EXT 75" InfinityBoard2.0 (4+5TH YR) 200005251	WARRANTY EXTENSION (4TH+5TH YEAR). Model: 75" InfinityBoard 2.0. Please refer to the terms and conditions on our website.	1'390.00	1'290.90
INFINITY BOARD GARANTIE	WARR EXT 86" InfinityBoard2.0 (4+5TH YR) 200005252	WARRANTY EXTENSION (4TH+5TH YEAR). Model: 86" InfinityBoard 2.0. Please refer to the terms and conditions on our website.	1'590.00	1'476.65
INFINITY BOARD GARANTIE	WARR EXT 55" InfinityBoard (4+5TH YR) 200005254	WARRANTY EXTENSION (4TH+5TH YEAR). Model: 55" InfinityBoard. Please refer to the terms and conditions on our website.	949.00	881.35



SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/VRG)	UVP* PIR* (EXKL. MWST)
---------------------------	-----------------------------	-------------------------------	-------------------------------	---------------------------




ULTRA - NARROW DISPLAYS

VIDEOWALL DISPLAY	UN462A	60004517	46 Zoll (117.0 cm Diagonale), 24/7 Dauerbetrieb, PVA Panel mit Direct LED Backlight, Entspiegelung (Haze 25 %), Auflösung FullHD 1920x1080 (16:9), Kontrast 3'500:1, Helligkeit 700 cd/m², Rahmenbreite 3.5 mm (Bild zu Bild), DVI-D (1x in), HDMI (2x in & 1x out), DisplayPort (2x in & 1x out), VGA (1x in), RS232 (1x in), LAN (1x in & 1x out), Audio (in & out), 4K UHD Daisy Chain, Auto Tile Matrix, Frame Comp, USB Media Player, NFC Sensor, OPS Slot-in (STv2), Interface Slot, Gewicht 21.8 kg, 1'022 x 577 x 101 mm (B x H x T), VESA 300x300mm.	3'390.00	3'138.90
			46 pouces (117.0 cm diagonale), fonctionnement continu 24/7, panneau PVA avec LED rétro-éclairage direct, traitement antireflet (haze 25 %), résolution FullHD 1920x1080 (16:9), contraste 3'500:1, luminosité 700 cd/m², largeur de biseau 3.5 mm (contenu à contenu), VGA (1x in), DVI-D (1x in), HDMI (1x in), DisplayPort (1x in & 1x out), RS232 (1x in), LAN (1x in & 1x out), Audio (in & out), 4KUHD Daisy Chain, Auto Tile Matrix, Frame Comp, USB Media Player, NFC Sensor, OPS Slot-in (STv2), Interface Slot, poids de 21.8 kg, 1'022 x 577 x 101 mm (l x h x p), VESA 300x300mm.		
VIDEOWALL DISPLAY	UN462VA	60004518	46 Zoll (117.0 cm Diagonale), 24/7 Dauerbetrieb, PVA Panel mit Direct LED Backlight, Entspiegelung (Haze 25 %), Auflösung FullHD 1920x1080 (16:9), Kontrast 3'500:1, Helligkeit 500 cd/m², Rahmenbreite 3.5 mm (Bild zu Bild), DVI-D (1x in), HDMI (2x in & 1x out), DisplayPort (2x in & 1x out), VGA (1x in), RS232 (1x in), LAN (1x in & 1x out), Audio (in & out), 4K UHD Daisy Chain, Auto Tile Matrix, Frame Comp, USB Media Player, NFC Sensor, OPS Slot-in (STv2), Interface Slot, Gewicht 21.8 kg, 1'022 x 577 x 101 mm (B x H x T), VESA 300x300mm.	2'550.00	2'361.10
			46 pouces (117.0 cm diagonale), fonctionnement continu 24/7, panneau PVA avec LED rétro-éclairage direct, traitement antireflet (haze 25 %), résolution FullHD 1920x1080 (16:9), contraste 3'500:1, luminosité 500 cd/m², largeur de biseau 3.5 mm (contenu à contenu), VGA (1x in), DVI-D (1x in), HDMI (1x in), DisplayPort (1x in & 1x out), RS232 (1x in), LAN (1x in & 1x out), Audio (in & out), 4KUHD Daisy Chain, Auto Tile Matrix, Frame Comp, USB Media Player, NFC Sensor, OPS Slot-in (STv2), Interface Slot, poids de 21.8 kg, 1'022 x 577 x 101 mm (l x h x p), VESA 300x300mm.		
VIDEOWALL DISPLAY	UN492VS	60004520	49" UN-Series large format display for videowalls, 500cd/m², Direct LED backlight, 24/7 proof, OPS Slot, CM Slot, Media Player, combined bezel width 1.8 mm	3'390.00	3'138.90
VIDEOWALL DISPLAY	UN492S	60004519	49" UN-Series large format display for videowalls, 700cd/m², Direct LED backlight, 24/7 proof, OPS Slot, CM Slot, Media Player, combined bezel width 1.8 mm	4'390.00	4'064.80
VIDEOWALL DISPLAY	UN552	60004884	55" UN-Series large format display for videowalls, 700cd/m², Direct LED backlight, 24/7 proof, OPS Slot, CM Slot, Media Player, combined bezel width 3,5 mm	4'150.00	3'842.60
VIDEOWALL DISPLAY	UN552A	60004525	55" UN-Series large format display for videowalls, PVA-Panel, 700cd/m², Direct LED backlight, 24/7 proof, OPS Slot, CM Slot, Media Player, combined bezel width 3.5 mm	4'290.00	3'972.20
VIDEOWALL DISPLAY	UN552S	60004523	55" UN-Series large format display for videowalls, 700cd/m², Direct LED backlight, 24/7 proof, OPS Slot, CM Slot, Media Player, 0.88mm (0,44 oben/links; 0,44 unten/rechts),	5'790.00	5'361.10
VIDEOWALL DISPLAY	UN552V	60004882	55" UN-Series large format display for videowalls, 500cd/m², Direct LED backlight, 24/7 proof, OPS Slot, CM Slot, Media Player, combined bezel width 3,5 mm	3'390.00	3'148.30
VIDEOWALL DISPLAY	UN552VS	60004524	55" UN-Series large format display for videowalls, 500cd/m², Direct LED backlight, 24/7 proof, OPS Slot, CM Slot, Media Player, 0.88mm (0,44 oben/links; 0,44 unten/rechts),	4'890.00	4'541.35
VIDEOWALL DISPLAY	UX552	60004526	55" UX-Series large format display for mission critical videowalls, PVA- Panel, 700cd/m², Direct LED backlight, 24/7 proof, redundant Power Supply option, OPS Slot, CM Slot, Media Player, combined bezel width 3.5 mm	4'790.00	4'790.00
VIDEOWALL DISPLAY	UX552S	60004527	55" UX-Series large format display for mission critical videowalls, PVA- Panel, 700cd/m², Direct LED backlight, 24/7 proof, redundant Power Supply option, OPS Slot, CM Slot, Media Player, combined bezel width 1.8 mm	6'990.00	6'472.20
VIDEOWALL DISPLAY	X554UNS-2	60004173	55 Zoll (138.8cm Diagonale), S-PVA mit Direct-LED-Backlight, Rahmenbreite von nur 3,7 mm (Bild zu Bild), 16:9, Auflösung 1920x1080 FullHD, Kontrast 4'000:1, Helligkeit 700 cd/m², Ambient Light Sensor, NFC Sensor, OPS Slot-in (STv2), Installation Landscape & Portrait, face up, VESA 400x400mm, 1'213.5 x 684.3 x 100.4 mm (B x H x T), 25.6 kg.	4'290.00	3'972.20
			55 pouces (138.8cm Diagonale), S-PVA avec direct LED Backlight, cadre de 3.7 mm (contenu à contenu), 16:9, résolution 1920x1080, FullHD, rapport de contraste 4'000:1, luminosité 700 cd/m², Auto Tile Matrix, Ambient Light Sensor, NFC Sensor, OPS Slot-in (STv2), installation en mode paysage / portrait ou face up, VESA 400x400mm, 1'213.5 x 684.3 x 100.4 mm (l x h x p), 25.6 kg.		

SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/VRG)	UVP* PIR* (EXKL. MWST)
VIDEOWALL DISPLAY	X555UNV	60003906	3'490.00	3'231.50
		<p>55 Zoll (139 cm Diagonale), 24/7 Dauerbetrieb, IPS TFT Panel mit Direct LED Backlight, Auflösung FullHD 1920x1080 (16:9), Kontrast 1'200:1, Helligkeit 500 cd/m², Rahmenbreite 3.7 mm (Bild zu Bild), VGA, DVI-D, HDMI, DisplayPort in/out (alle HDCP), RS232, LAN 1xin & 1xout, Audio in/out, Auto Tile Matrix, NFC & Temperature Sensor, OPS Slot-in (STV2), Interface Slot, 30.3 kg, 1'213 x 684 x 95 mm (B x H x T), VESA 400x400mm. Optionales Zubehör: Over-Frame (KT-55UN-OF3), Remote Control (KT-RC2), Calibration Kit (KT-LFD-CC2), Speaker (SP-RM1 / SP-TF1), Standfuss (ST-5220)</p> <p>55 pouces (139 cm diagonale), fonctionnement permanence 24/7, IPS TFT Panel avec direct LED backlight, résolution FullHD 1920x1080 (16:9), contraste 1'200:1, luminosité 500 cd/m², largeur de biseau 3.7 mm (contenu à contenu), VGA, DVI-D, HDMI, DisplayPort in/out (tous HDCP), RS232 in, LAN in/out, Audio in/out, Auto Tile Matrix, NFC & Temperature Sensor, OPS Slot-in (STv2), Interface Slot, 30.3 kg, 1'213 x 684 x 95 mm (l x h x p), VESA 400x400mm. Accessoires en option: Over-Frame (KT-55UN-OF3), Remote Control (KT-RC2), Calibration Kit (KTL FD-CC2), Speaker (SP-RM1 / SP-TF1), Pied de table (ST-5220)</p>		





DISPLAYS MIT SCHUTZGLAS



DISPLAY HIGH BRIGHT	X474HB	60003764	4'979.00	4'610.20
		<p>47 Zoll (119.0 cm Diagonale) Highbright LCD mit Shine-out-Technologie, 24/7 Dauerbetrieb, S-IPS Panel mit direct LED, Auflösung FullHD 1920x1080 (16:9), Kontrast 1'300:1, Helligkeit 2'000 cd/m², Rahmenbreite 19.3 mm, HDMI (1x in), DisplayPort (1x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x), LAN (2x), Audio (in&out), Ambient Light-, Temperatur- & NFC Sensor, OPS Slot-in (STV2), Lautsprecher 2x 10 Watt, Gewicht 26.9 kg, 1'084 x 628 x 147 mm (B x H x T), VESA 300x300mm.</p> <p>47 pouces (119.0 cm diagonale) highbright LCD avec technologie shine out, fonctionnement continu 24/7, S-IPS panel avec direct LED, résolution FullHD 1920x1080 (16:9), contraste 1'300:1, luminosité 2'000 cd/m², largeur de biseau 19.3 mm, HDMI (1x in), DisplayPort (1x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x), LAN (2x), Audio (in&out), Ambient Light-, Temperatur- & NFC Sensor, OPS Slot-in (STV2), hautparleurs 2x 10 watt, poids 26.9 kg, 1'084 x 628 x 147 mm (l x h x p), VESA 300x300mm.</p>		
DISPLAY HIGH BRIGHT	X554HB	60003912	5'290.00	4'912.85
		<p>55 Zoll (140.0 cm Diagonale) Highbright LCD mit Shine-out-Technologie, 24/7 Dauerbetrieb, S-PVA Panel mit Direct LED, Auflösung FullHD 1920x1080 (16:9), Kontrast 5'000:1, Helligkeit 2'700 cd/m², Rahmenbreite 19.5 mm, HDMI (1x in), DisplayPort (1x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x), LAN (2x), Audio (in&out), Ambient Light-, Temperatur- & NFC Sensor, OPS Slot-in (STV2), Lautsprecher 2x 10 Watt, Gewicht 35.0 kg, 1'253 x 724 x 137 mm (B x H x T), VESA 400x400mm.</p> <p>55 pouces (140.0 cm diagonale) highbright LCD avec technologie shine out, fonctionnement continu 24/7, S-PVA panel avec direct LED, résolution FullHD 1920x1080 (16:9), contraste 5'000:1, luminosité 2'700 cd/m², largeur de biseau 19.5 mm, HDMI (1x in), DisplayPort (1x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x), LAN (2x), Audio (in&out), Ambient Light-, Temperatur- & NFC Sensor, OPS Slot-in (STV2), haut-parleurs 2x 10 watt, poids 35.0 kg, 1'253 x 724 x 137 mm (l x h x p), VESA 400x400mm.</p> <p>(ab Juni 16)</p>		
DISPLAY HIGH BRIGHT	X754HB	60003913	15'990.00	14'849.95
		<p>75 Zoll (191.0 cm Diagonale) Highbright LCD mit Shine-out-Technologie, 24/7 Dauerbetrieb, S-PVA Panel mit Direct LED, Auflösung FullHD 1920x1080 (16:9), Kontrast 5'000:1, Helligkeit 2'500 cd/m², Rahmenbreite 21.0 mm, HDMI (1x in), DisplayPort (1x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x), LAN (2x), Audio (in&out), Ambient Light-, Temperatur- & NFC Sensor, OPS Slot-in (STV2), Lautsprecher 2x 10 Watt, Gewicht 62.0 kg, 1'694 x 972 x 146 mm (B x H x T), VESA 400x400mm.</p> <p>75 pouces (191.0 cm diagonale) highbright LCD avec technologie shine out, fonctionnement continu 24/7, S-PVA panel avec direct LED, résolution FullHD 1920x1080 (16:9), contraste 5'000:1, luminosité 2'500 cd/m², largeur de biseau 21.0 mm, HDMI (1x in), DisplayPort (1x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x), LAN (2x), Audio (in&out), Ambient Light-, Temperatur- & NFC Sensor, OPS Slot-in (STV2), haut-parleurs 2x 10 watt, poids 62.0 kg, 1'694 x 972 x 146 mm (l x h x p), VESA 400x400mm.</p>		
DISPLAY MIT SCHUTZGLAS	P404 PG	60004255	2'798.00	2'598.50
		<p>40 Zoll (101.6 cm Diagonale) Display mit Schutzglas (Conturan® 4 mm mit Antireflex-Beschichtung), 24/7 Dauerbetrieb, S-PVA Panel mit Edge LED, Entspiegelung (Haze 25%), Auflösung FullHD 1920x1080 (16:9), Kontrast 4'000:1, Helligkeit 700 cd/m², Rahmenbreite 16.7 mm, HDMI (2x in), DisplayPort (1x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), SD Card (1x), LAN (2x), Audio (2x in & 1x out), integrierte Lautsprecher (2x 10 W), einfacher Media Player (via USB / SD), Ambient Light & NFC Sensor, Tile Matrix, OPS Slot-in (STV2), Installation Landscape & Portrait, Gewicht 21.0 kg, VESA 300x300mm, 925 x 538 x 64 mm (BxHxT).</p> <p>40 pouces (101.6 cm diagonale) écran avec verre de sécurité (Conturan® 4 mm avec revêtement anti-reflet), heures de fonctionnement 24/7, panneau S-PVA avec edge LED, traitement antireflet (haze 25%), résolution Full-HD 1920x1080@60Hz (16:9), rapport de contraste 4'000:1, luminosité 700 cd/m², largeur de biseau 16.7 mm, DMI (2x in), DisplayPort (1x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), SD Card (1x), LAN (2x), Audio (2x in & 1x out), hautparleurs intégrés (2x 10 W), capteur d'éclairage ambiant, capteur de présence, capteur de température, capteur NFC, installation en mode paysage et portrait, poids de 21.0 kg, VESA 300x300mm, 925 x 538 x 64 mm (LxHxP).</p>		

SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/VRG)	UVP* PIR* (EKKL MWST)	
DISPLAY MIT SCHUTZGLAS	P484 PG	60004254	48 Zoll (120.9 cm Diagonale) Display mit Schutzglas (Conturan® 4 mm mit Antireflex-Beschichtung), 24/7 Dauerbetrieb, Panel mit Edge LED, Entspiegelung (Haze 25%), Auflösung FullHD 1920x1080 (16:9), Kontrast 4'000:1, Helligkeit 700 cd/m², Rahmenbreite 16.7 mm, HDMI (2x in), DisplayPort (1x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), SD Card (1x), LAN (2x), Audio (2x in & 1x out), integrierte Lautsprecher (2x 10 W), einfacher Media Player (via USB / SD), Ambient Light & NFC Sensor, Tile Matrix, OPS Slot-in (STv2), Installation Landscape & Portrait, Gewicht 26.0 kg, VESA 300x300mm, 1094 x 633 x 64 mm (BxHxT).	3'398.00	3'155.75
		48 pouces (120.9 cm diagonale) écran avec verre de sécurité (Conturan® 4 mm avec revêtement anti-reflet), heures de fonctionnement 24/7, panneau XXX avec edge LED, traitement antireflet (haze 25%), résolution Full-HD 1920x1080@60Hz (16:9), rapport de contraste 4'000:1, luminosité 700 cd/m², largeur de biseau 16.7 mm, DMI (2x in), DisplayPort (1x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), SD Card (1x), LAN (2x), Audio (2x in & 1x out), hautparleurs intégrés (2x 10 W), capteur d'éclairage ambiant, capteur de présence, capteur de température, capteur NFC, installation en mode paysage et portrait, poids de 26.0 kg, VESA 300x300mm, 1094 x 633 x 64 mm (LxHxP).			
DISPLAY MIT SCHUTZGLAS	P654Q PG	60004581	65" P Series large format display, UHD, 700cd/m², Direct LED backlight, 24/7 proof, OPS Slot, CM Slot, Media Player, 5mm protection glass with double sided AR coating	7'190.00	6'677.40
DISPLAY MIT SCHUTZGLAS	P754Q PG	60004582	75" P Series large format display, UHD, 650cd/m², Edge LED backlight, 24/7 proof, OPS Slot, CM Slot, Media Player, 5mm protection glass with double sided AR coating	12'890.00	11'971.00
DISPLAY MIT SCHUTZGLAS	V323-3 PG	60004993	32" V-Series large format display, 450cd/m², Edge LED backlight, 16/7 proof, OPS slot, 4mm protection glass with double sided AR coating	1'595.00	1'476.85
DISPLAY MIT SCHUTZGLAS	V404 PG	60004337	40 Zoll (101.6 cm Diagonale) Display mit Schutzglas (Conturan® 4 mm mit Antireflex-Beschichtung), 24/7 Dauerbetrieb, S-PVA Panel mit Edge LED, Entspiegelung (Haze 25%), Auflösung FullHD 1920x1080 (16:9), Kontrast 4'000:1, Helligkeit 500 cd/m², Rahmenbreite 16.7 mm, HDMI (2x in), DisplayPort (2x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), Micro SD (1x), LAN (2x), Audio (2x in & 1x out), integrierte Lautsprecher (2x 10 W), einfacher Media Player (via USB / SD), Ambient Light & NFC Sensor, Tile Matrix, OPS Slot, CEC Support, Installation Landscape & Portrait, Gewicht 21.0 kg, VESA 300x300mm, 925 x 538 x 64 mm (BxHxT).	2'198.00	2'041.30
		40 pouces (101.6 cm diagonale) écran avec verre de sécurité (Conturan® 4 mm avec revêtement anti-reflet), heures de fonctionnement 24/7, panneau S-PVA avec edge LED, traitement antireflet (haze 25%), résolution Full-HD 1920x1080@60Hz (16:9), rapport de contraste 4'000:1, luminosité 500 cd/m², largeur de biseau 16.7 mm, HDMI (2x in), DisplayPort (2x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), Micro SD (1x), LAN (2x), Audio (2x in & 1x out), hautparleurs intégrés (2x 10 W), lecteur multimédia intégré, fonction tile matrix, OPS slot-in, support CEC, capteur d'éclairage ambiant, - de présence, - de température, - NFC, installation en mode paysage et portrait, poids de 21.0 kg, VESA 300x300mm, 925 x 538 x 64 mm.			
DISPLAY MIT SCHUTZGLAS	V484 PG	60004338	48 Zoll (120.9 cm Diagonale) Display mit Schutzglas (Conturan® 4 mm mit Antireflex-Beschichtung), 24/7 Dauerbetrieb, S-PVA Panel mit Edge LED, Entspiegelung (Haze 25%), Auflösung FullHD 1920x1080 (16:9), Kontrast 4'000:1, Helligkeit 500 cd/m², Rahmenbreite 16.7 mm, HDMI (2x in), DisplayPort (2x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), Micro SD (1x), LAN (2x), Audio (2x in & 1x out), integrierte Lautsprecher (2x 10 W), einfacher Media Player (via USB / SD), Ambient Light & NFC Sensor, Tile Matrix, OPS Slot, CEC Support, Installation Landscape & Portrait, Gewicht 26.0 kg, VESA 300x300mm, 1094 x 633 x 64 mm (BxHxT).	2'598.00	2'412.75
		48 pouces (120.9 cm diagonale) écran avec verre de sécurité (Conturan® 4 mm avec revêtement anti-reflet), heures de fonctionnement 24/7, panneau S-PVA avec edge LED, traitement antireflet (haze 25%), résolution Full-HD 1920x1080@60Hz (16:9), rapport de contraste 4'000:1, luminosité 500 cd/m², largeur de biseau 16.7 mm, HDMI (2x in), DisplayPort (2x in & 1x out), DVID (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), Micro SD (1x), LAN (2x), Audio (2x in & 1x out), hautparleurs intégrés (2x 10 W), lecteur multimédia intégré, fonction tile matrix, OPS slot-in, support CEC, capteur d'éclairage ambiant, - de présence, - de température, - NFC, installation en mode paysage et portrait, poids de 26.0 kg, VESA 300x300mm, 1094 x 633 x 64 mm.			
DISPLAY MIT SCHUTZGLAS	V654Q PG	60004583	65" V Series large format display, UHD, 500cd/m², Direct LED backlight, 24/7 proof, OPS Slot, CM Slot, Media Player, 5mm protection glass with double sided AR coating	6'190.00	5'748.70
DISPLAY MIT SCHUTZGLAS	V754Q PG	60004584	75" V Series large format display, UHD, 500cd/m², Edge LED backlight, 24/7 proof, OPS Slot, CM Slot, Media Player, 5mm protective glass with double sided AR coating	10'290.00	9'556.35
DISPLAY MIT SCHUTZGLAS	V864Q PG	60004585	86" V Series large format display, UHD, 500cd/m², Edge LED backlight, 24/7 proof, OPS Slot, CM Slot, Media Player, 6mm protective glass with double sided AR coating	12'999.00	12'072.20
DISPLAY MIT SCHUTZGLAS	V984Q PG	60004780	98" V Series large format display, UHD, 500cd/m², Edge LED backlight, 24/7 proof, OPS Slot, CM Slot, Media Player, 6mm protective glass with double sided AR coating	27'690.00	25'715.80
DISPLAY MIT SCHUTZGLAS	X555UNS PG	60004141	55" XUN-Series large format display, 700cd/m², Direct LED backlight, 24/7 proof, combined bezel width 6mm, 2mm protective glass with anti-glare coating	8'490.00	7'861.10
LARGEFORMAT - TOUCHDISPLAYS					
DISPLAY TOUCH INTERACTIVE	CB-651Q	60004822	65" interactive whiteboard display, UHD, 350cd/m², Direct LED backlight, OPS Slot, Android SoC, 10 point infrared touch	2'695.00	2'502.85

SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/VRG)	UVP* PIR* (EXKL. MWST)	
DISPLAY TOUCH INTERACTIVE	CB-751Q	60004824	75" interactive whiteboard display, UHD, 350cd/m2, Direct LED backlight, OPS Slot, Android SoC, 10 point infrared touch	4'095.00	3'803.05
DISPLAY TOUCH INTERACTIVE	CB-861Q	60004825	86" interactive whiteboard display, UHD, 350cd/m2, Direct LED backlight, OPS Slot, Android SoC, 10 point infrared touch	5'495.00	5'103.25
DISPLAY TOUCH	V554Q PCAP	60004827	55" V-Series large format display, UHD, 500cd/m2, Edge LED backlight, 24/7 proof, OPS Slot, CM Slot, Media Player, 80 point 3M PCAP touch	7'590.00	7'048.85
DISPLAY TOUCH	V654Q PCAP	60004826	65" V Series large format display, UHD, 500cd/m2, Direct LED backlight, 24/7 proof, OPS Slot, CM Slot, Media Player, 80 point 3M PCAP touch	11'450.00	10'633.65
DISPLAY TOUCH IGT	X551UHD IGT	60004259	55 Zoll (140.0 cm Diagonale) Multi-Touch Display (InGlass™, 10 Punkte via USB-HID), Schutzglas (3.2 mm Kalknatronglas), 24/7 Dauerbetrieb, S-PVA Panel mit Edge-LED, Auflösung 4KUHD 3840 x 2160 bei 60 Hz (16:9), Rahmenbreite 0.0 mm (randlose Konstruktion), Kontrast 4'000:1, Helligkeit 500 cd/m2, DisplayPort (1x in), DVI (2x in), HDMI (2x in) – alle HDCP, Audio (1x in & 1x out), RS232 (1x in), LAN (1x in & 1x out), Umgebungslichtsensor, Human Sensor, Temperatursensor, NFC Sensor, Integrierte Lautsprecher (10W + 10 W), OPS-2C Slot-In (4KUHD@60Hz), Gewicht 40.0 kg, VESA 400x400mm, 1303 x 774 x 76 mm (BxHxT). 55 pouces (140.0 cm diagonale) écran multi-touch (InGlass™ à 10 points par USB-HID), verre de protection (3.2 mm sodocalcique renforcé), heures de fonctionnement 24/7, panneau S-PVA avec edge LED, résolution 4KUHD 3840 x 2160 à 60 Hz (16:9), largeur de biseau 0.0 mm (encastrée bord à bord), rapport de contraste 4'000:1, luminosité 500 cd/m2, DisplayPort (1x in), DVI (2x in), HDMI (2x in) – tous protégés HDCP, Audio (1x in & 1x out), RS232 (1x in), LAN (1x in & 1x out), capteur d'éclairage ambiant, capteur de présence, capteur de température, capteur NFC, hautparleurs intégrés (10 W + 10 W), OPS-2C Slot-In (4KUHD@60Hz), poids de 40.0 kg, VESA 400x400mm, 1303 x 774 x 7678 mm (LxHxN).	11'495.00	10'643.50
DISPLAY TOUCH IGT	X651UHD-2 IGT	60004170	65 Zoll (164.0 cm Diagonale) Multi-Touch Display (InGlass™, 10 Punkte via USB-HID), Schutzglas (3.2 mm Kalknatronglas), 24/7 Dauerbetrieb, S-IPS Panel mit Edge-LED, Auflösung 4KUHD 3840 x 2160 bei 60 Hz (16:9), Rahmenbreite 0.0 mm (randlose Konstruktion), Kontrast 1'300:1, Helligkeit 450 cd/m2, DisplayPort (1x in), DVI (2x in), HDMI (2x in) – alle HDCP, Audio (1x in & 1x out), RS232 (1x in), LAN (1x in & 1x out), Umgebungslichtsensor, Human Sensor, Temperatursensor, NFC Sensor, Integrierte Lautsprecher (10W + 10 W), OPS-2C Slot-In (4KUHD@60Hz), Gewicht 55.0 kg, VESA 400x400mm, 1521 x 896 x 103 mm (BxHxT). 65 pouces (164.0 cm diagonale) écran multi-touch (InGlass™ à 10 points par USB-HID), verre de protection (3.2 mm sodocalcique renforcé heures de fonctionnement 24/7, panneau S-IPS avec edge LED, résolution 4KUHD 3840 x 2160 à 60 Hz (16:9), largeur de biseau 0.0 mm (encastrée bord à bord), rapport de contraste 1'300:1, luminosité 450 cd/m2, DisplayPort (1x in), DVI (2x in), HDMI (2x in) – tous protégés HDCP, Audio (1x in & 1x out), RS232 (1x in), LAN (1x in & 1x out), capteur d'éclairage ambiant, capteur de présence, capteur de température, capteur NFC, hautparleurs intégrés (10 W + 10 W), OPS-2C Slot-In (4KUHD@60Hz), poids de 55.0 kg, VESA 400x400mm, 1521 x 896 x 103 mm (LxHxN).	12'990.00	12'027.80
DISPLAY TOUCH SST	C751Q SST	60004575	LCD 75" Ultra-High Definition Large Format Display, ShadowSense™ Touch, echte Multi-Touch-Unterstützung mit bis zu 10 Berührungspunkten, Haze Level 28%, Leistungsaufnahme 262W, Betriebsdauer 24/7, Paneltechnologie IPS, Helligkeit 350 cd/m², OPS Slot, Auflösung 3840 x 2160, Abmessungen (ohne Standfuß): 1'746 x 1'025 x 88.7mm (B x H x T), Gewicht: 77.5kg. LCD 75" Ultra-High Definition Large Format Display, ShadowSense™ Touch, véritable support multi-touch avec jusqu'à 10 points de contact tactile, Traitement antireflet 28%, Consommation électrique 262W, Heures de fonctionnement 24/7, Technologie de panneau IPS, Luminosité 350 cd/m², OPS Slot, Résolution 3840 x 2160, Dimensions (sans pied): 1'746 x 1'025 x 88.7mm (L x H x P), Poids: 77.5kg.	9'890.00	9'184.90
DISPLAY TOUCH SST	C861Q SST	60004576	LCD 86" Ultra-High Definition Large Format Display, ShadowSense™ Touch, echte Multi-Touch-Unterstützung mit bis zu 10 Berührungspunkten, Haze Level 28%, Leistungsaufnahme 312W, Betriebsdauer 24/7, Paneltechnologie IPS, Helligkeit 350 cd/m², OPS Slot, Auflösung 3840 x 2160, Abmessungen (ohne Standfuß): 2'001 x 1'170 x 92mm (B x H x T), Gewicht: 90kg. LCD 86" Ultra-High Definition Large Format Display, ShadowSense™ Touch, véritable support multi-touch avec jusqu'à 10 points de contact tactile, Traitement antireflet 28%, Consommation électrique 312W, Heures de fonctionnement 24/7, Technologie de panneau IPS, Luminosité 350 cd/m², Résolution 3840 x 2160, OPS Slot, Dimensions (sans pied): 2'001 x 1'170 x 92mm (L x H x P), Poids: 90kg.	11'750.00	10'912.25
DISPLAY TOUCH SST	C981Q SST	60004577	LCD 98" Ultra-High Definition Large Format Display, ShadowSense™ Touch, echte Multi-Touch-Unterstützung mit bis zu 10 Berührungspunkten, Haze Level 28%, Leistungsaufnahme 380W, Betriebsdauer 24/7, Paneltechnologie IPS, Helligkeit 350 cd/m², OPS Slot, Auflösung 3840 x 2160, Abmessungen (ohne Standfuß): 2'257 x 1'311 x 116 mm (B x H x T), Gewicht: xx kg. LCD 98" Ultra-High Definition Large Format Display, ShadowSense™ Touch, véritable support multi-touch avec jusqu'à 10 points de contact tactile, Traitement antireflet 28%, Consommation électrique 380W, Heures de fonctionnement 24/7, Technologie de panneau IPS, Luminosité 350 cd/m², Résolution 3840 x 2160, OPS Slot, Dimensions (sans pied): 2'257 x 1'311 x 116 mm (B x H x T), Poids: xx kg.	23'990.00	22'279.60





SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/VRG)	UVP* PIR* (EXKL. MWST)
DISPLAY TOUCH INFRAROT	V404-T	60004354		
		<p>40 Zoll (101.6 cm Diagonale) Multi-Touch Display (IR Technologie, 10 Punkte via USB-HID), Schutzglass (4 mm mit Antireflex-Beschichtung), 24/7 Dauerbetrieb, S-PVA Panel mit Edge LED, Entspiegelung (Haze 25%), Auflösung FullHD 1920x1080 (16:9), Kontrast 4'000:1, Helligkeit 440 cd/m2, Rahmenbreite 33.4 mm, HDMI (2x in), DisplayPort (2x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), Micro SD (1x), LAN (2x), Audio (2x in & 1x out), integrierte Lautsprecher (2x 10 W), einfacher Media Player (via USB / SD), Ambient Light & NFC Sensor, Tile Matrix, OPS Slot, CEC Support, Installation Landscape & Portrait, Gewicht 22.7 kg, VESA 300x300mm, 955 x 567 x 78 mm (BxHxT).</p> <p>40 pouces (101.6 cm diagonale) écran multi-touch (IR technologie à 10 points par USB-HID), verre de protection (4 mm avec revêtement antireflets), heures de fonctionnement 24/7, panneau S-PVA avec edge LED, traitement antireflet (haze 25%), résolution Full-HD 1920x1080@60Hz (16:9), rapport de contraste 4'000:1, luminosité 440 cd/m2, largeur de biseau 33.4 mm, HDMI (2x in), DisplayPort (2x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), Micro SD (1x), LAN (2x), Audio (2x in & 1x out), hautparleurs intégrés (2x 10 W), lecteur multimédia intégré, fonction tile matrix, OPS slot-in, support CEC, capteur d'éclairage ambiant - de présence - de</p>	2'898.00	2'691.40
				
DISPLAY TOUCH INFRAROT	V484-T	60004355		
		<p>48 Zoll (120.9 cm Diagonale) Multi-Touch Display (IR Technologie, 10 Punkte via USB-HID), Schutzglass (4 mm mit Antireflex-Beschichtung), 24/7 Dauerbetrieb, S-PVA Panel mit Edge LED, Entspiegelung (Haze 25%), Auflösung FullHD 1920x1080 (16:9), Kontrast 4'000:1, Helligkeit 440 cd/m2, Rahmenbreite 33.4 mm, HDMI (2x in), DisplayPort (2x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), Micro SD (1x), LAN (2x), Audio (2x in & 1x out), integrierte Lautsprecher (2x 10 W), einfacher Media Player (via USB / SD), Ambient Light & NFC Sensor, Tile Matrix, OPS Slot, CEC Support, Installation Landscape & Portrait, Gewicht 28.5 kg, VESA 300x300mm, 1123 x 662 x 78 mm (BxHxT).</p> <p>48 pouces (120.9 cm diagonale) écran multi-touch (IR technologie à 10 points par USB-HID), verre de protection (4 mm avec revêtement antireflets), heures de fonctionnement 24/7, panneau S-PVA avec edge LED, traitement antireflet (haze 25%), résolution Full-HD 1920x1080@60Hz (16:9), rapport de contraste 4'000:1, luminosité 440 cd/m2, largeur de biseau 33.4 mm, HDMI (2x in), DisplayPort (2x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), Micro SD (1x), LAN (2x), Audio (2x in & 1x out), hautparleurs intégrés (2x 10 W), lecteur multimédia intégré, fonction tile matrix, OPS slot-in, support CEC, capteur d'éclairage ambiant - de présence - de température - de</p>	3'595.00	3'338.70
				
DISPLAY TOUCH INFRAROT	V554-T	60004356		
		<p>55 Zoll (138.8 cm Diagonale) Multi-Touch Display (IR Technologie, 10 Punkte via USB-HID), Schutzglass (4 mm mit Antireflex-Beschichtung), 24/7 Dauerbetrieb, Panel mit Edge LED, Entspiegelung (Haze 44%), Auflösung FullHD 1920x1080 (16:9), Kontrast 1'200:1, Helligkeit 440 cd/m2, Rahmenbreite 33.4 mm, HDMI (2x in), DisplayPort (1x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), SD Card (1x), LAN (2x), Audio (2x in & 1x out), integrierte Lautsprecher (2x 10 W), einfacher Media Player (via USB / SD), Ambient Light & NFC Sensor, Tile Matrix, OPS Slot-in (STV2), Installation Landscape & Portrait, Gewicht 39.0 kg, VESA 300x300mm, 1279 x 750 x 86 mm (BxHxT).</p> <p>55 pouces (138.8 cm diagonale) écran multi-touch (IR technologie à 10 points par USB-HID), verre de protection (4 mm avec revêtement antireflets), heures de fonctionnement 24/7, panneau avec edge LED, traitement antireflet (haze 44%), résolution Full-HD 1920x1080@60Hz (16:9), rapport de contraste 1'200:1, luminosité 440 cd/m2, largeur de biseau 33.4 mm, HDMI (1x in), DVI-D (1x in & 1x out), VGA (1x in), RS232 (1x in / 1x out), USB (1x), LAN (1x), Audio (in&out), hautparleurs intégrés (2x 7 W), lecteur multimédia simple (par USB), fonction multiécrans et daisy chain, installation en mode paysage / portrait ou face up/down, poids de 39.0 kg, VESA 300x300mm, 1279 x 750 x 86</p>	4'798.00	4'455.90
				
DISPLAY TOUCH SST	C751Q SST	60004575		
		<p>75" C Series large format display, UHD, 350cd/m2, Edge LED backlight, 24/7 proof, OPS Slot, CM Slot, Media Player, 10 point ShadowSense touch</p>	9'890.00	9'157.40
DISPLAY TOUCH SST	C861Q SST	60004576		
		<p>86" C Series large format display, UHD, 350cd/m2, Edge LED backlight, 24/7 proof, OPS Slot, CM Slot, Media Player, 10 point ShadowSense touch</p>	11'750.00	10'879.65
DISPLAY TOUCH SST	P404 SST	60004252		
		<p>40 Zoll (101.6 cm Diagonale), Multi-Touch Display (ShadowSense™, 10 Punkte via USB-HID), Schutzglass (3 mm mit Antireflex-Beschichtung), 24/7 Dauerbetrieb, S-PVA Panel mit Edge LED, Entspiegelung (Haze 25%), Auflösung FullHD 1920x1080 (16:9), Kontrast 4'000:1, Helligkeit 700 cd/m2, Rahmenbreite 33.6 mm, HDMI (2x in), DisplayPort (1x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), SD Card (1x), LAN (2x), Audio (2x in & 1x out), integrierte Lautsprecher (2x 10 W), einfacher Media Player (via USB / SD), Ambient Light & NFC Sensor, Tile Matrix, OPS Slot-in (STV2), Installation Landscape & Portrait, Gewicht 24.5 kg, VESA 300x300mm, 958 x 578 x 73 mm (BxHxT).</p> <p>40 pouces (101.6 cm diagonale), écran multi-touch (ShadowSense™ à 10 points par USB-HID), verre de protection (3 mm avec revêtement antireflets), heures de fonctionnement 24/7, panneau S-PVA avec edge LED, traitement antireflet (haze 25%), résolution Full-HD 1920x1080@60Hz (16:9), rapport de contraste 4'000:1, luminosité 700 cd/m2, largeur de biseau 33.6 mm, HDMI (2x in), DisplayPort (1x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), SD Card (1x), LAN (2x), Audio (2x in & 1x out), hautparleurs intégrés (2x 10 W), capteur d'éclairage ambiant, capteur de présence, capteur de température, capteur NEC.</p>	4'699.00	4'364.00
				

SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/WRG)	UVP* PIR* (EXKL. MWST)
DISPLAY TOUCH SST	P484 SST	60004257		
		<p>48 Zoll (120.9 cm Diagonale) Multi-Touch Display (ShadowSense™, 10 Punkte via USB-HID), Schutzglass (3 mm mit Antireflex-Beschichtung), 24/7 Dauerbetrieb, Panel mit Edge LED, Entspiegelung (Haze 25%), Auflösung FullHD 1920x1080 (16:9), Kontrast 4'000:1, Helligkeit 700 cd/m², Rahmenbreite 34.3 mm, HDMI (2x in), DisplayPort (1x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), SD Card (1x), LAN (2x), Audio (2x in & 1x out), integrierte Lautsprecher (2x 10 W), einfacher Media Player (via USB / SD), Ambient Light & NFC Sensor, Tile Matrix, OPS Slot-in (STV2), Installation Landscape & Portrait, Gewicht 30.5 kg, VESA 300x300mm, 1141 x 687 x 76 mm (BxHxT).</p> <p>48 pouces (120.9 cm diagonale) écran multi-touch (ShadowSense™ à 10 points par USB-HID), verre de protection (3 mm avec revêtement antireflets), heures de fonctionnement 24/7, panneau S-PVA avec edge LED, traitement antireflet (haze 25%), résolution Full-HD 1920x1080@60Hz (16:9), rapport de contraste 4'000:1, luminosité 700 cd/m², largeur de biseau 34.3 mm, HDMI (2x in), DisplayPort (1x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), SD Card (1x), LAN (2x), Audio (2x in & 1x out), hautparleurs intégrés (2x 10 W), capteur d'éclairage ambiant, capteur de présence, capteur de température, capteur NFC.</p>	5'495.00	5'103.25
				
DISPLAY TOUCH SST	P554 SST	60004258		
		<p>55 Zoll (138.8 cm Diagonale) Multi-Touch Display (ShadowSense™, 10 Punkte via USB-HID), Schutzglass (3 mm mit Antireflex-Beschichtung), 24/7 Dauerbetrieb, S-IPS Panel mit Edge LED, Entspiegelung (Haze 44%), Auflösung FullHD 1920x1080 (16:9), Kontrast 1'200:1, Helligkeit 700 cd/m², Rahmenbreite 33.7 mm, HDMI (2x in), DisplayPort (2x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), Micro SD (1x), LAN (2x), Audio (2x in & 1x out), integrierte Lautsprecher (2x 10 W), einfacher Media Player (via USB / SD), Ambient Light & NFC Sensor, Tile Matrix, OPS Slot, CEC Support, Installation Landscape / Portrait / Face Up & Down, Gewicht 45.0 kg, VESA 300x300mm, 1283 x 758 x 83 mm (BxHxT).</p> <p>55 pouces (138.8 cm diagonale) écran multi-touch (ShadowSense™ à 10 points par USB-HID), verre de protection (3 mm avec revêtement antireflets), heures de fonctionnement 24/7, panneau S-IPS panneau avec edge LED, traitement antireflet (haze 44%), résolution Full-HD 1920x1080@60Hz (16:9), rapport de contraste 1'200:1, luminosité 700 cd/m², largeur de biseau 33.7 mm, HDMI (2x in), DisplayPort (2x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), Micro SD (1x), LAN (2x), Audio (2x in & 1x out), hautparleurs intégrés (2x 10 W), lecteur multimédia intégré, fonction tile matrix, OPS slot-in, support CEC, capteur d'éclairage ambiant.</p>	6'595.00	6'124.80
				
DISPLAY TOUCH SST	V554Q SST	60005027		
		<p>55" V-Series large format display, UHD, 500cd/m², Edge LED backlight, 24/7 proof, OPS Slot, CM Slot, Media Player, 10 point ShadowSense touch</p>	5'195.00	4'824.60

Reactiv STAGE - SOFTWARE

TOUCH-DIISPLAY SOFTWARE	Reactiv STAGE 1-9	200004808		
		<p>Interaktive Präsentationssoftware zur Erstellung dynamischer und fesselnder Präsentationen für die kollektive Zusammenarbeit. Preis für eine Lizenz beim Kauf ab 1 Stück. Empfohlene Voraussetzungen: Win7, Win8 oder Win10, Intel Core i5, 8GB RAM, Grafikkarte Intel HD 5000+, AMD oder NVIDIA (min. 1 GB Speicher).</p> <p>Logiciel de présentation interactif permettant de créer des présentations dynamiques et captivantes dans des environnements collaboratifs. Prix par licence à l'achat de 1 pièce. Configuration recommandée : Win7, Win8 ou Win10, Intel Core i5, 8GB RAM, Carte graphique Intel HD 5000+, AMD ou NVIDIA (min. 1 GB de mémoire).</p>	1'099.00	1'017.60
				
TOUCH-DIISPLAY SOFTWARE	Reactiv STAGE 10-25	200004809		
		<p>Interaktive Präsentationssoftware zur Erstellung dynamischer und fesselnder Präsentationen für die kollektive Zusammenarbeit. Preis für eine Lizenz beim Kauf ab 10 Stück. Empfohlene Voraussetzungen: Win7, Win8 oder Win10, Intel Core i5, 8GB RAM, Grafikkarte Intel HD 5000+, AMD oder NVIDIA (min. 1 GB Speicher).</p> <p>Logiciel de présentation interactif permettant de créer des présentations dynamiques et captivantes dans des environnements collaboratifs. Prix par licence d'un achat à partir de 10 pièces. Configuration recommandée : Win7, Win8 ou Win10, Intel Core i5, 8GB RAM, Carte graphique Intel HD 5000+, AMD ou NVIDIA (min. 1 GB de mémoire).</p>	899.00	832.40
				
TOUCH-DIISPLAY SOFTWARE	Reactiv STAGE 25+	200004810		
		<p>Interaktive Präsentationssoftware zur Erstellung dynamischer und fesselnder Präsentationen für die kollektive Zusammenarbeit. Preis für eine Lizenz beim Kauf ab 25 Stk. Empfohlene Voraussetzungen: Win7, Win8 oder Win10, Intel Core i5, 8GB RAM, Grafikkarte Intel HD 5000+, AMD oder NVIDIA (min. 1 GB Speicher).</p> <p>Logiciel de présentation interactif permettant de créer des présentations dynamiques et captivantes dans des environnements collaboratifs. Prix par licence d'un achat à partir de 25 pièces. Configuration recommandée : Win7, Win8 ou Win10, Intel Core i5, 8GB RAM, Carte graphique Intel HD 5000+, AMD ou NVIDIA (min. 1 GB de mémoire).</p>	799.00	739.80
				

DISPLAY MIRRORGLAS

SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/VRG)	UVP* PIR* (EXKL. MWST)
DISPLAY MIRROR	P404MG	60004424		
		<p>40 Zoll (101.6 cm Diagonale) Mirror Glass Display (4mm halbtransparentes Spiegelglas), 24/7 Dauerbetrieb, S-PVA Panel mit Edge LED, Entspiegelung (Haze 25%), Auflösung FullHD 1920x1080 (16:9), Kontrast 4'000:1, Helligkeit 700 cd/m2, Rahmenbreite 16.7 mm, HDMI (2x in), DisplayPort (1x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), SD Card (1x), LAN (2x), Audio (2x in & 1x out), integrierte Lautsprecher (2x 10 W), einfacher Media Player (via USB / SD), Ambient Light & NFC Sensor, Tile Matrix, OPS Slot-in (STV2), Installation Landscape & Portrait, Gewicht 21.0 kg, VESA 300x300mm, 925 x 538 x 64 mm (BxHxT).</p> <p>40 pouces (101.6 cm diagonale) écran miroir (verre réfléchissant semi-transparent 4 mm), heures de fonctionnement 24/7, panneau S-PVA avec edge LED, traitement antireflet (haze 25%), résolution Full-HD 1920x1080@60Hz (16:9), rapport de contraste 4'000:1, luminosité 700 cd/m2, largeur de biseau 16.7 mm, HDMI (2x in), DisplayPort (1x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), SD Card (1x), LAN (2x), Audio (2x in & 1x out), hautparleurs intégrés (2x 10 W), capteur d'éclairage ambiant, capteur de présence, capteur de température, capteur NFC, installation en mode paysage et portrait, poids de 21.0 kg, VESA 300x300mm, 925 x 538 x 64 mm (LxHxP).</p>	2'895.00	2'680.55
				
DISPLAY MIRROR	P484MG	60004425		
		<p>48 Zoll (120.9 cm Diagonale) Mirror Glass Display (4mm halbtransparentes Spiegelglas), 24/7 Dauerbetrieb, Panel mit Edge LED, Entspiegelung (Haze 25%), Auflösung FullHD 1920x1080 (16:9), Kontrast 4'000:1, Helligkeit 700 cd/m2, Rahmenbreite 16.7 mm, HDMI (2x in), DisplayPort (1x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), SD Card (1x), LAN (2x), Audio (2x in & 1x out), integrierte Lautsprecher (2x 10 W), einfacher Media Player (via USB / SD), Ambient Light & NFC Sensor, Tile Matrix, OPS Slot-in (STV2), Installation Landscape & Portrait, Gewicht 26.0 kg, VESA 300x300mm, 1094 x 633 x 64 mm (BxHxT).</p> <p>48 pouces (120.9 cm diagonale) écran miroir (verre réfléchissant semi-transparent 4 mm), heures de fonctionnement 24/7, panneau XXX avec edge LED, traitement antireflet (haze 25%), résolution Full-HD 1920x1080@60Hz (16:9), rapport de contraste 4'000:1, luminosité 700 cd/m2, largeur de biseau 16.7 mm, HDMI (2x in), DisplayPort (1x in & 1x out), DVI-D (1x in), VGA (1x in), RS232 (1x in / 1x out), USB (5x), SD Card (1x), LAN (2x), Audio (2x in & 1x out), hautparleurs intégrés (2x 10 W), capteur d'éclairage ambiant, capteur de présence, capteur de température, capteur NFC, installation en mode paysage et portrait, poids de 26.0 kg, VESA 300x300mm, 1094 x 633 x 64 mm (LxHxP).</p>	3'395.00	3'152.95
				

STRETCH - DISPLAY

DISPLAY BAR-TYPE	BT421	60004365	42" Bar-Type-Series large format display, PVA-Panel, 700cd/m ² , 16:4, Edge LED backlight, 24/7 proof, DVI-in/out	3'290.00	3'055.45
DISPLAY BAR-TYPE	BT421 MicroPC with ceiling mount B to B	40001371	42" Bar-Type-Series Display, PVA-Panel, 700cd/m ² , 16:4, Edge LED backlight, 24/7 proof, including NEC MicroPC and ceiling mount for back to back installations (pole to be ordered in addition)	4'750.00	4'398.15
DISPLAY BAR-TYPE	BT421 MicroPC with ceiling mount single	40001372	42" Bar-Type-Series Display, PVA-Panel, 700cd/m ² , 16:4, Edge LED backlight, 24/7 proof, including NEC MicroPC and ceiling mount for single installation (pole to be ordered in addition)	4'550.00	4'212.95
DISPLAY BAR-TYPE	BT421 MicroPC with wall mount	40001373	42" Bar-Type-Series Display, PVA-Panel, 700cd/m ² , 16:4, Edge LED backlight, 24/7 proof, including NEC MicroPC and wall mount	4'290.00	3'972.20
DISPLAY BAR-TYPE	BT421 OPS with ceiling mount B to B	40001374	42" Bar-Type-Series Display, PVA-Panel, 700cd/m ² , 16:4, Edge LED backlight, 24/7 proof, including NEC MicroPC and wall mount	4'590.00	4'250.00
DISPLAY BAR-TYPE	BT421 OPS with ceiling mount single	40001375	42" Bar-Type-Series Display, PVA-Panel, 700cd/m ² , 16:4, Edge LED backlight, 24/7 proof, including OPS slot and ceiling mount for single-installation (pole to be ordered in addition)	4'490.00	4'157.40
DISPLAY BAR-TYPE	BT421 OPS with wall mount	40001381	42" Bar-Type-Series Display, PVA-Panel, 700cd/m ² , 16:4, Edge LED backlight, 24/7 proof, including OPS slot and wall mount	3'990.00	3'694.45

ShadowSense MODULAR TOUCH SYSTEM

DISPLAY SHADOW SENSE TOUCH	MTS55L-BASE	40001021	55" ShadowSense modular touch system for X555UNS PG, base kit (2x1), landscape	12'490.00	11'564.80
DISPLAY SHADOW SENSE TOUCH	MTS55L-HORZ	40001020	55" ShadowSense modular touch system for X555UNS PG, horizontal expansion kit, landscape	5'190.00	4'805.55
DISPLAY SHADOW SENSE TOUCH	MTS55L-VERT	40001019	55" ShadowSense modular touch system for X555UNS PG, vertical expansion kit, landscape	5'190.00	4'805.55
DISPLAY SHADOW SENSE TOUCH	MTS55P-BASE	40001024	55" ShadowSense modular touch system for X555UNS PG, base kit (2x1), portrait	12'490.00	11'564.80
DISPLAY SHADOW SENSE TOUCH	MTS55P-HORZ	40001018	55" ShadowSense modular touch system for X555UNS PG, horizontal expansion kit, portrait	5'190.00	4'805.55
DISPLAY SHADOW SENSE TOUCH	MTS55P-VERT	40001017	55" ShadowSense modular touch system for X555UNS PG, vertical expansion kit, portrait	5'190.00	4'805.55

HYPERWALL - SOFTWARE

DISPLAY SOFTWARE HYPERWALL	Hiperwall Control Subscription	200004187	Hiperwall Control Licenses Subscription. Updates for 1 year. For all Hiperwall products up to Ver3.	779.00	721.30
DISPLAY SOFTWARE HYPERWALL	Hiperwall Display Subscription	200004188	Hiperwall Display Licenses Subscription. Updates for 1 year. For all Hiperwall products up to Ver3.	399.00	369.45
DISPLAY SOFTWARE HYPERWALL Vers4 ST	Hiperwall Ver4 ST Display	200004804	Hiperwall Display License Standard Edition. Show Hiperwall content on a single display device	1'999.00	1'850.95
HYPERWALL	Hiperwall Sender Subscription	200004181	Hiperwall Sender Licenses Subscription. Updates for 1 year. For all Hiperwall products up to Ver3.	399.00	369.45
HYPERWALL	Hiperwall Sender extra Window Sub	200004183	Hiperwall extra Sender Window Licenses Subscription. Updates for 1 year. For all Hiperwall products up to Ver3.	199.00	184.25
HYPERWALL	Hiperwall Streamer Subscription	200004184	Hiperwall Streamer Licenses Subscription. Updates for 1 year. For all Hiperwall products up to Ver3.	399.00	369.45
HYPERWALL	Hiperwall extra Stream Subscription	200004185	Hiperwall extra Stream Licenses Subscription. Updates for 1 year. For all Hiperwall products up to Ver3.	199.00	184.25

SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/VRG)	UVP* PIR* (EXKL. MWST)
HYPERWALL	Hiperwall Secondary Control Subscription	200004186 Hiperwall Secondary Control Licenses Subscription. Updates for 1 year. For all Hiperwall products up to Ver3.	399.00	369.45
HYPERWALL	Hiperwall Share Server License	200004534 Hiperwall Share Server License to enable cloud based sharing of senders from different locations and different networks as sources to multiple Hiperwall systems. Possible to use with Hiperwall Control License. Must be run on a separate computer	3'999.00	3'702.80
HYPERWALL	Hiperwall Share Server Connection	200004535 Hiperwall Share Server Connection License. One connection license required for each shared sender window connected to each Hiperwall system. Requires Share Server.	999.00	925.00
HYPERWALL	Hiperwall Share Server Connection Sub	200004761 Hiperwall Share Server Connection Licenses Subscription. Updates for 1 year. For all Hiperwall products up to Ver3.	199.00	184.25
HYPERWALL FT	Hiperwall FT Control Subscription	200004762 Hiperwall Control Licenses Subscription Fault Tolerant Edition. Updates for 1 year.	1'199.00	1'110.20
HYPERWALL FT	Hiperwall FT Display Subscription	200004763 Hiperwall Display Licenses Subscription Fault Tolerant Edition. Updates for 1 year.	599.00	554.65
HYPERWALL FT	Hiperwall FT extra Stream Sub	200004764 Hiperwall Streamer extra Stream License Standard Edition. Add an extra stream to any one Streamer License.	299.00	276.85
HYPERWALL FT	Hiperwall FT Secondary Control Sub	200004765 Hiperwall Secondary Control Licenses Subscription Fault Tolerant Edition. Updates for 1 year.	599.00	554.65
HYPERWALL FT	Hiperwall FT Sender extra Window Sub	200004766 Hiperwall extra Sender Window Licenses Subscription Fault Tolerant Edition. Updates for 1 year.	299.00	276.85
HYPERWALL FT	Hiperwall FT Sender Subscription	200004767 Hiperwall Sender Licenses Subscription Fault Tolerant Edition. Updates for 1 year.	599.00	554.65
HYPERWALL FT	Hiperwall FT Share Connection Sub	200004768 Hiperwall Share Server Connection Licenses Subscription Fault Tolerant Edition. Updates for 1 year.	299.00	276.85
HYPERWALL FT	Hiperwall FT Streamer Subscription	200004769 Hiperwall Streamer Licenses Subscription Fault Tolerant Edition. Updates for 1 year.	599.00	554.65
HYPERWALL FT VERS.4	Hiperwall Ver4 FT Display	200004723 Hiperwall Display License Fault Tolerant Edition. Show Hiperwall content on a single display device.	2'969.00	2'749.05
HYPERWALL FT VERS.4	Hiperwall Ver4 FT Secondary Control	200004724 Hiperwall Secondary Control License Fault Tolerant Edition. Additional control points. May be local or remote.	2'969.00	2'749.05
HYPERWALL FT VERS.4	Hiperwall Ver4 FT Sender	200004725 Hiperwall Sender License Fault Tolerant Edition. Send one or two content windows from a Sender computer.	2'969.00	2'749.05
HYPERWALL FT VERS.4	Hiperwall Ver4 FT Sender extra Window	200004726 Hiperwall Sender extra Window License Fault Tolerant Edition. Add an extra window to any one Sender License.	1'499.00	1'387.95
HYPERWALL FT VERS.4	Hiperwall Ver4 FT Share Connection	200004727 Hiperwall Share Server Connection License Fault Tolerant Edition. Connect one Sender Window to one Hiperwall system via Share Server.	1'499.00	1'387.95
HYPERWALL FT VERS.4	Hiperwall Ver4 FT Streamer	200004728 Hiperwall Streamer License Fault Tolerant Edition. Stream one or two video streams from a Streamer computer.	2'969.00	2'749.05
HYPERWALL FT VERS.4	Hiperwall Ver4 FT extra Stream	200004729 Hiperwall Streamer extra Stream License Fault Tolerant Edition. Add an extra stream to any one Streamer License.	1'499.00	1'387.95
HYPERWALL FT VERS.4	Hiperwall Ver4 FT Control	200004760 Hiperwall Control License Fault Tolerance edition. Primary control point. Two required for Fault Tolerance edition	3'799.00	3'517.60
HYPERWALL ST	Hiperwall ST extra Stream Sub	200004776 Hiperwall extra Stream Licenses Subscription Standard Edition. Updates for 1 year.	199.00	184.25
HYPERWALL ST	Hiperwall ST Secondary Control Sub	200004777 Hiperwall Secondary Control Licenses Subscription Standard Edition. Updates for 1 year.	399.00	369.45
HYPERWALL ST	Hiperwall ST Sender extra Window Sub	200004778 Hiperwall extra Sender Window Licenses Subscription Standard Edition. Updates for 1 year.	199.00	184.25
HYPERWALL ST	Hiperwall ST Sender Subscription	200004779 Hiperwall Sender Licenses Subscription Standard Edition. Updates for 1 year.	399.00	369.45
HYPERWALL ST	Hiperwall ST Share Connection Sub	200004780 Hiperwall Share Server Connection Licenses Subscription Standard Edition. Updates for 1 year.	199.00	184.25
HYPERWALL ST	Hiperwall ST Streamer Subscription	200004781 Hiperwall Streamer Licenses Subscription Standard Edition. Updates for 1 year.	399.00	369.45
HYPERWALL ST VERS.4	Hiperwall Ver4 ST extra Stream	200004770 Hiperwall Streamer extra Stream License Standard Edition. Add an extra stream to any one Streamer License.	999.00	925.00
HYPERWALL ST VERS.4	Hiperwall Ver4 ST Secondary Control	200004771 Hiperwall Secondary Control License Standard Edition. Additional control points. May be local or remote.	1'999.00	1'850.95
HYPERWALL ST VERS.4	Hiperwall Ver4 ST Sender extra Window	200004772 Hiperwall Sender extra Window License Standard Edition. Add an extra window to any one Sender License.	999.00	925.00
HYPERWALL ST VERS.4	Hiperwall Ver4 ST Sender	200004773 Hiperwall Sender License Standard Edition. Send one or two content windows from a Sender computer.	1'999.00	1'850.95
HYPERWALL ST VERS.4	Hiperwall Ver4 ST Share Connection	200004774 Hiperwall Share Server Connection License Standard Edition. Connect one Sender Window to one Hiperwall system via Share Server.	999.00	925.00
HYPERWALL ST VERS.4	Hiperwall Ver4 ST Streamer	200004775 Hiperwall Streamer License Standard Edition. Stream one or two video streams from a Streamer computer.	1'999.00	1'850.95
HYPERWALL VERS 3	Hiperwall Ver3 Display	200004309 Hiperwall Display License. Show Hiperwall content on a single display device.	1'999.00	1'850.95
HYPERWALL VERS 3	Hiperwall Ver3 Streamer	200004310 Hiperwall Streamer License. Stream one or two video streams from a Streamer computer.	1'999.00	1'850.95
HYPERWALL VERS 3	Hiperwall Ver3 Sender extra Window	200004311 Hiperwall Sender extra Window License. Add an extra window to any one Sender License.	999.00	925.00
HYPERWALL VERS 3	Hiperwall Ver3 extra Stream	200004312 Hiperwall Streamer License. Add an extra stream to any one Streamer License.	999.00	925.00
HYPERWALL VERS 3	Hiperwall Ver3 Secondary Control	200004313 Hiperwall Secondary Control License. Additional control points. May be local or remote.	1'999.00	1'850.95
HYPERWALL VERS 3	Hiperwall Ver3 Sender	200004314 Hiperwall Sender License. Send one or two content windows from a Sender computer.	1'999.00	1'850.95
HYPERWALL VERS 3	Hiperwall Ver3 Control	200004315 Hiperwall Control License. Primary control point.	3'999.00	3'702.80

SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/VRG)	UVP* PIR* (EXKL MWST)
HYPERWALL VERS 7	Hiperwall Ver7 Premium Suite License	200005509 Premium Suite including two HiperController and one Hiperwall FailSafe plus all HiperController add-ons available in the current version: HiperKVM, HiperLayout, HiperInterface and HiperAccess. 3x USB dongles needed: SAP order code 100014288. Hiperwall Suite or Controller required per Hiperwall system.	12'490.00	11'599.50
HYPERWALL VERS 7	Hiperwall Ver7 HiperController License	200005510 One Hiperwall Controller. Primary, main control point including standard wall configuration. One video wall with x times y layout using the standard naming scheme for HiperView output PCs: A1, A2, ..., B1, B2, 1x USB dongle needed: SAP order code 100012941. One Hiperwall Controller or Suite required per Hiperwall system.	2'390.00	2'219.60
HYPERWALL VERS 7	Hiperwall Ver7 FailSafe License	200005511 Hiperwall FailSafe adding a second HiperController and one Hiperwall FailSafe for seamless redundancy. Optional. One license per Hiperwall system. One HiperController required.	4'790.00	4'448.50
HYPERWALL VERS 7	Hiperwall Ver7 HiperOperator License	200005512 One Hiperwall Operator. Additional control point with defined, reduced functionality for control of and collaboration amongst HiperView outputs and HiperSource inputs. Additional rights management can be added with HiperAccess license. Hiperwall Suite or Controller required.	2'390.00	2'219.60
HYPERWALL VERS 7	Hiperwall Ver7 HiperKVM add-on	200005513 HiperController add-on license enabling KVM, Keyboard, Video, Mouse functionality to access and control defined HiperSources: Sender and Streamer. Optional. One add-on license per Hiperwall system. HiperController required.	2'390.00	2'219.60
HYPERWALL VERS 7	Hiperwall Ver7 HiperLayout add-on	200005514 HiperController add-on license enabling individual Custom Wall Configuration to build any size and shape of video wall and distributed display system using video wall displays, projectors, LED or single satellite displays with HiperView HD or HiperView UHD outputs. Usage of individual naming scheme for HiperView output PCs. Optional. One add-on license per Hiperwall system. HiperController required.	2'390.00	2'219.60
HYPERWALL VERS 7	Hiperwall Ver7 HiperInterface add-on	200005515 HiperController add-on license enabling the usage of the Hiperwall interface to e.g. enabling a third party application e.g. a media control system or VMS to connect Hiperwall to trigger different layouts or contents as an environments or manipulate manage Hiperwall via a media control system. Optional. One add-on license per Hiperwall system. HiperController required.	2'390.00	2'219.60
HYPERWALL VERS 7	Hiperwall Ver7 HiperAccess add-on	200005516 HiperController add-on enabling rights management of primary, main Controller and optional HiperOperators adding user access control and logging with defined authorization and access levels. Optional. One license per Hiperwall system. HiperController required.	2'390.00	2'219.60
HYPERWALL VERS 7	Hiperwall Ver7 HiperView HD License	200005517 One HiperView HD license allowing to output content on a single display device up to HD resolution. One license per display, GPU output. HiperController required.	2'390.00	2'219.60
HYPERWALL VERS 7	Hiperwall Ver7 HiperView 4K/UHD License	200005518 One HiperView 4K/UHD allowing to output content a single output display device up to 4K / UHD resolution. One license per display, GPU output. HiperController required.	3'790.00	3'519.80
HYPERWALL VERS 7	Hiperwall Ver7 HiperView LED add-on	200005519 One HiperView LED add-on enabling to crop the possible difference of the reported LED wall controller resolution and the actual size of the LED screen canvas in the HiperController. Requires HiperView HD or UHD and HiperLayout add-on. One license per display, GPU output i.e. one LED screen driven by one LED controller.	2'390.00	2'219.60
HYPERWALL VERS 7	Hiperwall Ver7 HiperView Quantum add-on	200005520 One HiperView Quantum add-on provides state-of-art synchronization across multiple HiperView PCs. Requires HiperView HD or UHD. One license per display, GPU output i.e. one LED screen driven by one LED controller.	2'390.00	2'219.60
HYPERWALL VERS 7	Hiperwall Ver7 HiperSource License	200005521 One HiperSource license enabling to input and distribute one source content from one HiperSource into a Hiperwall system. Possible usage of any HiperSource application of the current Hiperwall version: Sender, Browser, Streamer and IP Streams. One license for each source content. HiperController required.	1'790.00	1'662.40
HYPERWALL VERS 7	1yr Hiperwall Maint HiperView LED add-on	200005313 1 year maintenance for one Hiperwall HiperView LED add-on license.	499.00	463.40
HYPERWALL VERS 7	1yr Hiperwall Maint HiperViewQuantum add	200005572 One HiperView Quantum add-on provides state-of-art synchronization across multiple HiperView PCs. Requires HiperView HD or UHD. One license per display, GPU output i.e. one LED screen driven by one LED controller.	499.00	463.40
HYPERWALL VERS 7	1mo Hiperwall Maint HiperViewQuantum add	200005573 One HiperView Quantum add-on provides state-of-art synchronization across multiple HiperView PCs. Requires HiperView HD or UHD. One license per display, GPU output i.e. one LED screen driven by one LED controller.	49.00	45.50
DISPLAY - OUTDOOR TOTEM				
DISPLAY TOTEM- OUTDDOR	PDS-55-TO-P-CB2-H	100014482 Outdoor Totem 55", IP56, Temperature range -30 to +35°C, portrait), for X554HB	11'350.00	10'540.80
DISPLAY TOTEM- OUTDDOR	PDS-75-TO-P-CB2-H	100014483 Outdoor Totem 75", IP56, Temperature range -30 to +35°C, portrait), for X754HB	18'500.00	17'181.00
DISPLAY TOTEM- OUTDDOR DOUBLE	PDS-55-TO-P-CB2-H- D-	100015272 Double sided Outdoor totem for 55" HB-Displays, Portrait, temperature range from -30 to +35°C, RAL5011 (blue)	12'500.00	11'608.80
DISPLAY - OUTDOOR CABINET				
DISPLAY CABINET OUTDOOR	PDS-32-W-L-UK-L	100015274 Outdoor Cabinet for 32" Displays, temperature range from 0 to +35°C, black	1'950.00	1'810.95
DISPLAY CABINET OUTDOOR	PDS-32-W-L-UK-S	100015340 Outdoor Cabinet for 32" Displays, temperature range from -5 to +35°C, black	2'950.00	2'739.70
DISPLAY CABINET OUTDOOR	PDS-42-W-L-UK-L	100015308 Outdoor cabinet for 40" Displays, temperature range from 0 to +35°C, black	1'950.00	1'810.95
DISPLAY CABINET OUTDOOR	PDS-42-W-L-UK-S	100015341 Outdoor Cabinet for 40"-42" Displays, temperature range from -5 to +35°C, black	3'050.00	2'832.55
DISPLAY CABINET OUTDOOR	PDS-47-W-P-CB2-H- NEC	100014914 Outdoor Cabinet for 47" HB-Displays, temperature range from -30 to +35°C	4'050.00	3'761.25
DISPLAY CABINET OUTDOOR	PDS-47-W-P-CB2-S	100015215 Outdoor Cabinet for 47" Displays temperature range -5c to 35c, steel	4'050.00	3'761.25
DISPLAY CABINET OUTDOOR	PDS-55-W-L-UK-L	100015199 Outdoor Cabinet for 55" HB-Displays, temperature range from 0°C to +35°C, black	3'750.00	3'482.65

SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/VRG)	UVP* PIR* (EXKL. MWST)
DISPLAY CABINET OUTDOOR	PDS-55-W-L-UK-S	100015342 Outdoor Cabinet for 55" Displays, temperature range from -5 to +35°C, black	4'850.00	4'504.20
DISPLAY CABINET OUTDOOR	PDS-55-W-P-CB2-H	100014034 Outdoor Cabinet 55", IP56, Temperature range -30 to +35°C, Portrait	7'750.00	7'197.45
DISPLAY CABINET OUTDOOR	PDS-V2-55-W-L-CB2-H	100014290 Outdoor Cabinet 55", IP56, Temperature range -30 to 35c, landscape	5'950.00	5'525.80
DISPLAY CABINET OUTDOOR	CU-SDS-V2-55-W-CB2-H	100014846 Outdoor Cabinet 55" HB-Displays, Temperature range -30 to 35c, steel	7'350.00	6'825.95
DISPLAY CABINET OUTDOOR	PDS-75-W-P-CB2-H	100014300 Outdoor Cabinet 75" IP56, Temperature range -30 to 35c, portrait	14'700.00	13'651.95
DISPLAY CABINET OUTDOOR	PDS-75-W-P-UK-L	100015322 Outdoor Cabinet for 75" Displays, temperature range from 0 to +35°C, black	12'500.00	11'608.80

DISPLAY - SPEAKERS

DISPLAY LAUTSP. ÜBER 30"	SOUNDBAR SP-RM1	100012663 Speaker Rear Mount 2x 15W for (Speaker for all NEC LFDs (Except: X401S, P403, V323, V423(-TM), V/Pxx4 and 32" to 65" E-Series), rear mounted, 2x 15W)	228.00	211.10
DISPLAY LAUTSP. ÜBER 30"	SOUNDBAR SP-RM3	100015517 Speaker Set, passive, rear mounted, long term max. power 20 Watt each, for various NEC public displays.	325.00	301.85
DISPLAY LAUTSP. ÜBER 30"	SOUNDBAR SP-RM3A	100015612 Speaker Set, active, rear mounted, long term max. power 20 Watt each, for various NEC public displays.	590.00	547.95
DISPLAY LAUTSP. ÜBER 30"	SOUNDBAR SP-46SM	100013413 High-End Speaker Set for (High-End Speaker for V463, X462S & P463, side mounted, 2x 40W)	698.00	646.30
DISPLAY LAUTSP. ÜBER 30"	SOUNDBAR SP-TF1	100013520 Speaker Set, side mounted, 2x 15 Watts, for Speaker for all NEC LFDs (Except: X401S, V323, V423(-TM) and 32" to 65" E-Series), side mounted, 2x 15W, uneven from display front)	265.00	245.35
DISPLAY LAUTSP. ÜBER 30"	SOUNDBAR SP-48SM2	100014632 Speaker Set (High-End Speaker for V484/P484, side mounted, 2x 40W)	648.00	600.00
DISPLAY LAUTSP. ÜBER 30"	SOUNDBAR SP-554SM	100014633 Speaker Set (High-End Speaker for X551 UHD, P553, X552S & V552, side mounted, 2x 40W)	699.00	647.20
DISPLAY LAUTSP. ÜBER 30"	SOUNDBAR SP-864QSM	100014985 Side mounted speaker set for MultiSync C861Q, V864Q, P864Q	898.00	831.50
DISPLAY LAUTSP. ÜBER 30"	SOUNDBAR SP-754QSM	100015001 Side mounted speaker set for MultiSync C751Q, V754Q, P754Q	828.00	766.65
DISPLAY LAUTSP. ÜBER 30"	SOUNDBAR SP-AS	100015010 Aktive soundbar for all NEC C431, C501, C551, including an amplifier, 2x 40W	1'048.00	970.35
DISPLAY LAUTSP. ÜBER 30"	SOUNDBAR SP-AS2	100015582 Soundbar (active), with integrated amplifier, (2x 20W peak (2x 10W rms)), 40W (peak)	999.00	927.80
DISPLAY LAUTSP. ÜBER 30"	SOUNDBAR SP-PS	100015011 Passive soundbar for all NEC-Displays (excluding C431, C501, C551), 2x 40W	828.00	766.65
DISPLAY LAUTSP. ÜBER 30"	SP-65IBSM	100015070 Speaker Set for 65" InfinityBoard, side mounted, 2x 40W, space to mount Huddly camera	978.00	908.25
DISPLAY LAUTSP. ÜBER 30"	SP-75IBSM	100015071 Speaker Set for 75" InfinityBoard, side mounted, 2x 40W, space to mount Huddly camera	1'028.00	954.70
DISPLAY LAUTSP. ÜBER 30"	SP-86IBSM	100015072 Speaker Set for 86" InfinityBoard, side mounted, 2x 40W, space to mount Huddly camera	1'049.00	974.20
DISPLAY LAUTSP. ÜBER 30"	SOUNDBAR SP-ASCM	100015077 Collaborative Soundbar (active Soundbar) with integrated microphone and Huddly camera, 2x 40W	2'190.00	2'027.80
DISPLAY LAUTSP. ÜBER 30"	SOUNDBAR SP-PSCM	100015078 Collaborative Soundbar (passive Soundbar) with integrated microphone and Huddly camera, 2x 40W	2'090.00	1'935.20
DISPLAY LAUTSP. ÜBER 30"	SP-ASCM-IQ	100015301 Collaborative Soundbar (active Soundbar) with integrated microphone and Huddly IQ camera, 2x 40W	2'990.00	2'768.50
DISPLAY LAUTSP. ÜBER 30"	SP-PSCM-IQ	100015302 Collaborative Soundbar (passive Soundbar) with integrated microphone and Huddly IQ camera, 2x 40W	2'850.00	2'638.90
DISPLAY LAUTSP. ZUBEHÖR	SP-65IBSM-G	100015332 Black grill for the SP-65IBSM speakers without an cutout for the camera	75.00	69.45
DISPLAY LAUTSP. ZUBEHÖR	SP-65IBSM-OG	100015409 Black grill for the SP-65IBSM speakers without an cutout for the camera	79.00	73.15
DISPLAY LAUTSP. ZUBEHÖR	SP-75IBSM-G	100015410 Black grill for the SP-75IBSM speakers completely closed (without cutout for the camera)	79.00	73.15
DISPLAY LAUTSP. ZUBEHÖR	SP-75IBSM-OG	100015411 Black grill for the SP-75IBSM speakers with cutout for the camera	85.00	78.70
DISPLAY LAUTSP. ÜBER 30"	SP-86IBSM-G	100015412 Black grill for the SP-86IBSM speakers completely closed (without cutout for the camera)	85.00	78.95
DISPLAY LAUTSP. ZUBEHÖR	SP-86IBSM-G	100015412 Black grill for the SP-86IBSM speakers completely closed (without cutout for the camera)	79.00	73.15
DISPLAY LAUTSP. ZUBEHÖR	SP-86IBSM-OG	100015413 Black grill for the SP-86IBSM speakers with cutout for the camera	85.00	78.70
DISPLAY LAUTSP. ÜBER 30"	SUR-PCAP-55-W	100015451 Wooden surround for V554Q PCAP touch table, white	1'495.00	1'128.87
DISPLAY LAUTSP. ÜBER 30"	SUR-PCAP-65-W	100015452 Wooden surround for V654Q PCAP touch table, white	1'595.00	1'230.57
DISPLAY LAUTSP. ÜBER 30"	SP-ASCM-2	100015453 Collaborative Soundbar (active Soundbar) with integrated microphone and Huddly GO camera, 2x 40W	2'195.00	1'751.50
DISPLAY LAUTSP. ÜBER 30"	SP-ASCM-IQ2	100015454 Collaborative Soundbar (active Soundbar) with integrated microphone and Huddly GO camera, 2x 40W	2'795.00	2'203.50

DISPLAY - DIVERSES ZUBEHÖR

DISPLAY ZUBEHÖR	SP-Bracket 65"-86"	100015247 VESA mount to mount the SP-Soundbar to all NEC Screens from 65" to 86"	129.00	119.45
DISPLAY ZUBEHÖR	SP-Bracket 40"-55"	100015041 VESA Mount to mount the SP-Soundbar to all NEC Screens from 40" to 55"	127.00	117.60
DISPLAY ZUBEHÖR	SP-Bracket 98"	100015333 VESA Mount to mount the SP-Soundbar to all NEC Screens from 98"	125.00	116.10
DISPLAY ZUBEHÖR	HANDLES 40"	40001181 Installation handles 40", pro Stk Installation handles for V/P404	45.00	41.80
DISPLAY ZUBEHÖR	HANDLES 48-55"	40001182 Installation handles 48-55", pro Stk Installation handles for V/P484 and V/P554	45.00	41.80
DISPLAY ZUBEHÖR	HD-SDI Modul 1.5 G	100012893 HD-SDI Board - internal (Stv2/1,5G) All Public Displays with STv2 or Dual Slot with Dual Slot AdapterFully integrated, fully digital operation, serial digital video input up to 1,485Gbits/sec, equalized and relocked SDI loop through, audio extraction	1'898.00	1'757.40
DISPLAY ZUBEHÖR	HD-SDI Modul 3.0 G	100012947 HD-SDI Board - internal (Stv2/3G) All Public Displays with STv2 or Dual Slot with Dual Slot AdapterFully integrated, fully digital operation, serial digital video input up to 2,970Gbits/sec, equalized and relocked SDI loop through, audio extraction	2'598.00	2'405.55

SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/VRG)	UVP* PIR* (EXKL. MWST)
DISPLAY ZUBEHÖR	KT-100TX1	100013613 HDBaseT Transmitter , Transmitter module for HDBaseT signal distribution. All-in-one connectivity between HD video sources and remote displays through a single CAT5e/6 cable	648.00	600.00
DISPLAY ZUBEHÖR	KT-LFD-CC2	40000847 Calibration Kit to define color temperature, brightness or gamma, contains MDSSENSOR Pro and DisplayWallCalibrator software	848.00	785.20
DISPLAY ZUBEHÖR	KT-RC 3	100015182 Human Sensor with integrated IR & ambient light sensor, including remote control.	175.00	162.05
DISPLAY ZUBEHÖR	KT-49UN-OF	100015284 Decorative overframe kit for MultiSync UN492S and UN492VS, black	650.00	601.85
DISPLAY ZUBEHÖR	KT-55UN-OF5	100015331 Decorative overframe kit for MultiSync UN552 and UN552V, black	725.00	671.30
DISPLAY ZUBEHÖR	NP-01Pi	60003316 Stylus Pen für Interactive Kit	89.00	81.88
DISPLAY ZUBEHÖR	OPS STANDALONE ADAPTER 2.0	100014153 Adapter for OPS Slot-in Devices like PCs and other Slot-in Options. Independent operation of Slot-in products for Public Displays, Desktop Monitors and Projectors. Connectors: 1x Dport 1.1 / 1x HDMI 1.4 / 1x Audio 3,5 mm / 2x USB 2.0 / 1x RS232	379.00	350.95
DISPLAY ZUBEHÖR	SB-07BC	100013612 OPS HDBaseT Receiver , OPS Slot-in Option. Receiver module for HDBaseT signal distribution, Fits ideally to NEC HDBaseT Transmitter KT100TX1 and other transmitters. For OPS-Slots, via Dual Slot adapter or via OPS Standalone Adapter.	369.00	341.65
DISPLAY ZUBEHÖR	SB-08DC	100012173 OPS-2C Quad 3G SDI , Kompatibel with UHD-2-Serien, X551UHD & kommende V/P/HB/UN-Serien (UHD @60Hz), UHD-Serien & aktuelle P/HB/UN-Serien (UHD @30Hz)	268.00	248.15
DISPLAY ZUBEHÖR	SB3-AB1	100013510 Interface Extension Boards, welche mit der neuen P-Serie eingeführt werden , • P-Series: P403, P463, P553, P703, P801 • UN-Serie: X464UN, X464UNV, X554UN, X554UNS • HB-Serie: X474HB	235.00	217.60
DISPLAY ZUBEHÖR	SB3-AB2	100013511 Interface Extension Boards, welche mit der neuen P-Serie eingeführt werden , • P-Series: P403, P463, P553, P703, P801 • UN-Serie: X464UN, X464UNV, X554UN, X554UNS • HB-Serie: X474HB	235.00	217.60
DISPLAY ZUBEHÖR	SB3-DB1	100013512 Interface Extension Boards, welche mit der neuen P-Serie eingeführt werden , • P-Series: P403, P463, P553, P703, P801 • UN-Serie: X464UN, X464UNV, X554UN, X554UNS • HB-Serie: X474HB	235.00	217.60
DISPLAY ZUBEHÖR	SST PEN & ERASER KIT	100014078 Kit of pen and eraser for NEC ShadowSense touch displays	59.00	54.65
DISPLAY ZUBEHÖR	SST PEN & ERASER KIT	100015068 Set of pen and eraser for NEC large format ShadowSense touch displays	37.00	34.51
DISPLAY ZUBEHÖR	MTS Pen-Eraser Kit	100015067 Set of pen and eraser for ShadowSense Modular Touch System, New - available October	47.00	39.95
DISPLAY ZUBEHÖR RASPBERRY	DS1-IF10CE - RPi3	100014584 Interface Board for Raspberry Pi 3 Compute Module NEC Edition, compatible with selected NEC large format displays	75.00	69.45
DISPLAY ZUBEHÖR RASPBERRY	RPi3 CM + Interface Board	100014585 Raspberry Pi 3 Compute Module NEC Edition, 1GB RAM, 16GB eMMC, NOOBS OS installer + Interface Board, compatible with selected NEC large format displays	165.00	152.80

DISPLAY TROLLEY - STANDS - TABLE

DISPLAY TROLLEYS & STANDS	FT-01	100013264 Optional feet to convert the mobile 2x2 and 3x3 videowall trolley into a floor stand.	78.00	72.20
DISPLAY TROLLEYS & STANDS	FT-02	100013614 Optional feet to convert mobile trolleys into floor stands. Compatible with PDMHA or PDMVC.	45.00	41.80
DISPLAY TROLLEYS & STANDS	FT-03	100013989 Optional feet to convert the mobile 2x2 and 3x3 videowall trolley into a floor stand	129.00	119.45
DISPLAY TROLLEYS & STANDS	M01VC	100013915 Upper camera shelf for height-adjustable trolley PDMHA	79.00	73.15
DISPLAY TROLLEYS & STANDS	M01CS	100014776 Console shelf for height-adjustable trolley PDMHA, PD02MVC and PD02MVC-L	145.00	134.25
DISPLAY TROLLEYS & STANDS	PD02MHA	100014081 Entry mobile, height-adjustable, automatic trolley for interactive LFDs from 46" to 84", up to 120kg, landscape	1'399.00	1'295.35
DISPLAY TROLLEYS & STANDS	PD02MHA-W	100015399 Entry mobile, height-adjustable, automatic trolley for interactive LFDs from 46" to 84", up to 120kg, landscape, white	1'490.00	1'379.65
DISPLAY TROLLEYS & STANDS	PD02MVC	100014368 Video conference trolley for 2x1 installation of LFDs from 46" to 65". Camera shelf included.	1'598.00	1'479.65
DISPLAY TROLLEYS & STANDS	PD02MVC-L	100014778 Video conference trolley for 2x1 installation of LFDs from 46" to 65". Camera shelf included.	1'748.00	1'618.50
DISPLAY TROLLEYS & STANDS	PD03MHA	100014281 High-end mobile, height-adjustable, automatic trolley for interactive LFDs from 46" to 98", up to 120kg, landscape	2'199.00	2'036.10
DISPLAY TROLLEYS & STANDS	PD03WTMP	100014010 Medium universal wall mount for LFDs from 32" to 65" with tilt function, portrait. Connector kits easily connect mounts to create multi-monitor menu board configurations. Connector kits have to be ordered separately.	195.00	180.55
DISPLAY TROLLEYS & STANDS	PD02MHA-CB86	40001424 Entry Mobile, Height-adjust., Automatic for CB861Q Touch-Display – VESA Bar 800 x 600	1'490.00	1'383.75
DISPLAY TROLLEYS & STANDS	PD02MHM-CB86	40001425 Mobile, Height-adjust., Manually (BallanceBox 400-2) for CB861Q Touch- Display – VESA Bar 800 x 600	2'890.00	2'683.95
DISPLAY TROLLEYS & STANDS	PD03MHA-CB86	40001426 High-End Mobile, Height-adjustable, Automatic for CB861Q Touch-Display – VESA Bar 800 x 600	2'190.00	2'033.85
DISPLAY TROLLEYS & STANDS	PDMHM-L	100013383 Mobile, height-adjustable, manual trolley for 40" to 80" displays. Height-adjustable by hand or power drill. Optional video conference accessories available.	978.00	905.55
DISPLAY TROLLEYS & STANDS	PDVWM 2x2 46 55 L	100013865 Mobile videowall trolley for 2x2 or 2x1 installations of 46" & 55" XUN/V-, XS- and P-Series. Landscape only.	3'990.00	3'705.55
DISPLAY TROLLEYS & STANDS	PDVWM 3x3 46 55 L	100013866 Mobile videowall trolley for 3x3 installations of 46" & 55" XUN/V-, XS- and P-Series. Landscape only.	6'490.00	6'027.30
DISPLAY TROLLEYS & STANDS	ST-322	100013034 ST-322 compatible with XUN 46", X401S, P403, P463, V323-2, V423, V463, V463TM)	65.00	60.20
DISPLAY TROLLEYS & STANDS	ST-401	100014488 Feet (compatible with V/P404, V/P484, V/P554, C431, C501, C551, V & P series PG/MG/-/T/SST)	115.00	106.50
DISPLAY TROLLEYS & STANDS	ST-4020	100012203 ST-4020 Stand (1 Pair) for V421/V461 - V422 - P401 - P402 - X461S	85.00	78.70
DISPLAY TROLLEYS & STANDS	ST-43E	100014601 Standfuß , (compatible with E436)	60.00	55.55
DISPLAY TROLLEYS & STANDS	ST-43M	100015620 compatible with ME431, ME501, ME551, M/MA431, M/MA491, M/MA551, P435, P495, P555)	119.00	110.50

SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/VRG)	UVP* PIR* (EXKL. MWST)	
DISPLAY TROLLEYS & STANDS	ST-5220	100012201	ST-5220 Stand (Pair) for 5220 - V551 - P521/P551 - P552 - X551S - X551UN	159.00	147.20
DISPLAY TROLLEYS & STANDS	ST-58E	100013910	Feet for MultiSync E585	59.00	54.65
DISPLAY TROLLEYS & STANDS	ST-651	100012828	Standfuß , ST-651 Stand (Pair) (compatible with X651UHD-2, V652, V652-TM)	159.00	147.20
DISPLAY TROLLEYS & STANDS	ST-65E2	100014604	Standfuß (compatible with E656)	109.00	100.95
DISPLAY TROLLEYS & STANDS	ST-65E3	100015197	Feet for MultiSync E657Q	109.00	100.95
DISPLAY TROLLEYS & STANDS	ST-801	100013328	ST-801 Feet (compatible with X754HB, X841UHD-2, X981UHD-2, P701, P803, V801, V801-TM)	249.00	230.55
DISPLAY ZUBEHÖR	ZLEGS-PCAP-55-850-W	100015352	Table legs for V554Q PCAP, Z-design, 850mm, white	2'990.00	2'768.50
DISPLAY ZUBEHÖR	ZLEGS-PCAP-65-850-W	100015351	Table legs for V654Q PCAP, Z-design, 850mm, white	3'190.00	2'953.70
DISPLAY TROLLEYS & STANDS	ZLEGS-55-850-W	100014562	Table legs for X551UHD IGT, Z-design, 850mm, white	2'495.00	2'310.20
DISPLAY TROLLEYS & STANDS	ZLEGS-65-850-W	100014246	Table legs for X651UHD-2 IGT, Z-design, 850mm, white	3'290.00	3'046.30

FLIGHTCASE - DISPLAY

DISPLAY FLIGHTCASES ÜBER 30"	PD Flightcase P404/V404	100014491	Flightcase for MultiSync P404/V404 Public Display	990.00	872.85
DISPLAY FLIGHTCASES ÜBER 30"	PD Flightcase P484/V484	100014492	Flightcase for MultiSync P484/V484 Public Display	1'090.00	918.85
DISPLAY FLIGHTCASES ÜBER 30"	PD Flightcase P554/V554	100014493	Flightcase for MultiSync P554/V554 Public Display	1'190.00	953.35

WALLMOUNT - MONTAGEMATERIAL

DISPLAY VIDEOWALL EASYFRAME	easyFrame X554UN Rental Handles	100013780	easyFrame X55UN Rental Handles for MultiSync® X554UN	369.00	341.65
DISPLAY VIDEOWALL EASYFRAME	easyFrame X55UN Anchor Plate Set	100012918	easyFrame X55UN Anchor Plate Set for MultiSync X551UN & X554UN / UNV	85.00	78.20
DISPLAY VIDEOWALL EASYFRAME	easyFrame X55UN Basic Mounting Set	100012926	easyFrame X55UN Basic Mounting Kit for MultiSync X551UN & X554UN	299.00	275.08
DISPLAY VIDEOWALL EASYFRAME	easyFrame X55UN Dual Magnet	100012917	easyFrame X55UN Dual Magnet for MultiSync X551UN & X554UN / UNV (1 Pcs.)	97.00	89.24
DISPLAY VIDEOWALL EASYFRAME	easyFrame X55UN Half-Spacer-Stacker	100012921	easyFrame X55UN Half-Spacer-Stacker for MultiSync X551UN & X554UN	199.00	183.08
DISPLAY VIDEOWALL EASYFRAME	easyFrame X55UN Mounting Screw Set	100012919	easyFrame X55UN Mounting Screw Set for MultiSync X551UN & X554UN	47.00	43.24
DISPLAY VIDEOWALL EASYFRAME	easyFrame X55UN Quad Magnet	100012916	easyFrame X55UN Quad Magnet for MultiSync X551UN & X554UN / UNS (1.Stk)	155.00	142.60
DISPLAY WANDHALTERUNG	ACC01	100013676	Black Bezel Over Frame KIT for any kind of wall configuration with MultiSync X554UNS	148.00	137.05
DISPLAY WANDHALTERUNG	ACC02	100013677	Upper component/VC shelf for single trolley PDMHM-L, 355mm wide	108.00	100.00
DISPLAY WANDHALTERUNG	CK MB L	100013094	Connector Kit for Wall Mounts PDWP MB 40 & 46 L,P - large.	58.00	53.70
DISPLAY WANDHALTERUNG	CK MB M	100013093	Connector Kit for Wall Mounts PDWP MB 40 & 46 L,P - medium.	45.00	41.65
DISPLAY WANDHALTERUNG	CK MB S	100013092	Connector Kit for Wall Mounts PDWP MB 40 & 46 L,P - small.	30.00	27.80
DISPLAY WANDHALTERUNG	CK02P MFS 55 L	100013098	Connector Kit for Video Wall Mount PD02VW MFS 46 55 L for 55" P-Series, landscape.	59.00	54.65
DISPLAY WANDHALTERUNG	CK02P MFS 55 P	100013097	Connector Kit for Video Wall Mount PD02VW MFS 46 55 L for 55" P-Series, portrait.	59.00	54.65
DISPLAY WANDHALTERUNG	CK02UN551S MFS L	100014566	Connector Kit for Video Wall Mount PD02VW MFS 46 55 L for UN551S & UN551VS, landscape.	36.00	33.45
DISPLAY WANDHALTERUNG	CK02UN551S MFS P	100014567	Connector Kit for Video Wall Mount PD02VW MFS 46 55 L for UN551S & UN551VS, portrait.	36.00	33.45
DISPLAY WANDHALTERUNG	CK02X HBP MFS 46 L	100013096	Connector Kit for Video Wall Mount PD02VW MFS 46 55 L for X462HB and P462, landscape.	58.00	53.70
DISPLAY WANDHALTERUNG	CK02X HBP MFS P	100013095	Connector Kit for Video Wall Mount PD02VW MFS 46 55 L for X462HB and P462, portrait.	58.00	53.70
DISPLAY WANDHALTERUNG	CK02XS MFS 46 L	100013108	Connector Kit for Video Wall Mount PD02VW MFS 46 55 L for X461S, landscape.	58.00	53.70
DISPLAY WANDHALTERUNG	CK02XS MFS 46 P	100013107	Connector Kit for Video Wall Mount PD02VW MFS 46 55 L for X461S, portrait.	58.00	53.70
DISPLAY WANDHALTERUNG	CK02XS MFS 55 L	100013109	Connector Kit for Video Wall Mount PD02VW MFS 46 55 L for X551S, landscape.	58.00	53.70
DISPLAY WANDHALTERUNG	CK02XS MFS 55 P	100013110	Connector Kit for Video Wall Mount PD02VW MFS 46 55 L for X551S, portrait.	58.00	53.70
DISPLAY WANDHALTERUNG	CK02XUN MFS 46 L	100013106	Connector Kit for Video Wall Mount PD02VW MFS 46 55 L for 46" XUN-Series, landscape.	41.00	38.10
DISPLAY WANDHALTERUNG	CK02XUN MFS 46 P	100013105	Connector Kit for Video Wall Mount PD02VW MFS 46 55 L for 46" XUN-Series, portrait.	41.00	38.10
DISPLAY WANDHALTERUNG	CK02XUN MFS 55 L	100013104	Connector Kit for Video Wall Mount PD02VW MFS 46 55 L for X551UN, landscape.	41.00	38.10
DISPLAY WANDHALTERUNG	CK02XUN MFS 55 P	100013103	Connector Kit for Video Wall Mount PD02VW MFS 46 55 L for X551UN, portrait.	41.00	37.95
DISPLAY WANDHALTERUNG	CMA01	100013608	Pin Connection Offset Ceiling Plate for ceiling mounts for NEC Large Format Displays	58.00	53.70
DISPLAY WANDHALTERUNG	CMA030	100013675	Pin connection column for LFD ceiling mounts - 30cm	29.00	26.85
DISPLAY WANDHALTERUNG	CMA080	100013607	Pin Connection Column for Ceiling Mounts for NEC Large Format Displays - 80cm	55.00	50.95
DISPLAY WANDHALTERUNG	CMA150	100013606	Pin Connection Column for Ceiling Mounts for NEC Large Format Displays - 150cm	85.00	78.70
DISPLAY WANDHALTERUNG	CMA300	100013605	Pin Connection Column for Ceiling Mounts for NEC Large Format Displays - 300cm	135.00	125.00
DISPLAY WANDHALTERUNG	KT-46UN-OF3	100013619	Black Bezel Over Frame KIT for any kind of wall configuration with MultiSync X464UNV	569.00	526.85
DISPLAY WANDHALTERUNG	KT-46UN-OF4	100013833	Black Bezel Over Frame KIT for any kind of wall configuration with MultiSync X464UNS	569.00	526.85
DISPLAY WANDHALTERUNG	KT-46UN-OF5	100014369	Decorative overframe kit for MultiSync X464UNS-2, black	569.00	526.85
DISPLAY WANDHALTERUNG	KT-55UN-OF2	100013620	Decorative overframe kit for MultiSync X555UNV & X555UNS, black	775.00	717.60

SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/VRG)	UVP* PIR* (EXKL. MWST)
DISPLAY WANDHALTERUNG	KT-55UN-OF3	100014112 Decorative overframe kit for MultiSync X555UNV & X555UNS, black	729.00	675.00
DISPLAY WANDHALTERUNG	KT-55UN-OF4	100014326 Decorative overframe kit for MultiSync UN551S & UN551VS, black	728.00	674.05
DISPLAY WANDHALTERUNG	PD01 CMB	100013604 Back-to-Back Ceiling Mount for NEC Large Format Displays from 32" to 55". Portrait and Landscape. Ceiling plate and column have to be ordered separately	325.00	299.00
DISPLAY WANDHALTERUNG	PD01 CMS	100013587 Single Ceiling Mount for NEC Large Format Displays from 32" to 55". Portrait and Landscape. Ceiling plate and column have to be ordered separately.	215.00	197.80
DISPLAY WANDHALTERUNG	PD01VC	100013421 Universal Video Conferencing Shelf. Designed to mount directly to the wall in flat panel applications.	105.00	97.20
DISPLAY WANDHALTERUNG	PD02 VW S 46 55 L	100013263 PD02VW S 46 55 L, Slim video wall mount for single installation of 46" and 55" XUN/V-, P- and XS-Series in a video wall. Connector Kits for defined distance in between displays. Same Connector Kits as for PD02VW MFS 46 55 L. Landscape orientation only	369.00	341.65
DISPLAY WANDHALTERUNG	PD02 VWM 2x2 46 55 L	100013865 Mobile videowall trolley for 2x2 configurations of LFDs from 46" to 55", landscape	4'498.00	4'164.80
DISPLAY WANDHALTERUNG	PD02 VWM 3x3 46 55 L	100013866 Mobile videowall trolley for 2x2, 3x2 or 3x3 configurations of LFDs from 46" to 55", landscape	6'990.00	6'472.20
DISPLAY WANDHALTERUNG	PD02 WHA	100014082 Entry automatic height-adjustable wall/floor mount for interactive LFDs from 46" to 84", up to 120kg, landscape	1'399.00	1'295.35
DISPLAY WANDHALTERUNG	PD02VW QR 46 55 L	100013794 High-end universal videowall mount with quick release for 46" & 55" XUN/S/V-, XS- and P-Series, landscape. Connector kits for defined distance in between displays. Connector kits have to be ordered separately.	498.00	461.10
DISPLAY WANDHALTERUNG	PD02VW QR 46 55 P	100013795 High-end universal videowall mount with quick release for 46" & 55" XUN/S/V-, XS- and P-Series, portrait. Connector kits for defined distance in between displays. Connector kits have to be ordered separately.	639.00	591.65
DISPLAY WANDHALTERUNG	PD02W T L L	100014008 Large universal wall mount for LFDs from 40" to 65" with tilt function, landscape. Connector kits easily connect mounts to create multi-monitor menu board configurations. Connector kits have to be ordered separately.	215.00	199.05
DISPLAY WANDHALTERUNG	PD02W T M L	100014007 Medium universal wall mount for LFDs from 32" to 46" with tilt function, landscape. Connector kits easily connect mounts to create multi-monitor menu board configurations. Connector kits have to be ordered separately.	155.00	143.50
DISPLAY WANDHALTERUNG	PD02W T M P	100013740 Medium universal wall mount for LFDs from 32" to 46" with tilt function, portrait. Connector kits easily connect mounts to create multi-monitor menu board configurations. Connector kits have to be ordered separately.	199.00	184.25
DISPLAY WANDHALTERUNG	PD03 VWXUN 46 L	100013836 Entry flat videowall mount for 46" XUN/S/V-Series, landscape	279.00	258.35
DISPLAY WANDHALTERUNG	PD03W T M P	100014010 Medium universal wall mount for LFDs from 32" to 65" with tilt function, portrait. Connector kits easily connect mounts to create multi-monitor menu board configurations. Connector kits have to be ordered separately.	195.00	180.55
DISPLAY WANDHALTERUNG	PD04VWS QR 46-55	100015192 Universal slim Video wall mount with tilt for 46" & 55" XUN/S/V Series, landscape and portrait	549.00	508.35
DISPLAY WANDHALTERUNG	PDVW MFS 46 55 L	100012730 Video wall mount with manual front service for single installation of 46" and 55" XUN/V- and P-Series in a video wall. Landscape orientation only.	449.00	415.75
DISPLAY WANDHALTERUNG	PDVW QRXL	100014168 High-end universal videowall mount with quick release for NEC LFDs from 65" to 98", up tp 102kg, landscape and portrait	1'295.00	1'199.05
DISPLAY WANDHALTERUNG	PDW S 32-55 L	100012666 Slim-Wandhalterung für großformatige Bildschirme zwischen 32" (81,28cm) und 55" (139,7cm), nur Querformat	79.00	73.15
DISPLAY WANDHALTERUNG	PDW S 32-55 P	100012665 Slim wall mount for 32"-55" Public Displays, Portrait orientation only	79.00	73.15
DISPLAY WANDHALTERUNG	PDW T XL	100013412 Universal X-Large Wall Mount for Public Displays from 65" to 80" with tilt function. Landscape and portrait orientation.	173.00	159.16
DISPLAY WANDHALTERUNG	PDW XS L	100014140 XS universal wall mount for displays with VESA 75x75x to 200x200, landscape	69.00	63.50
DISPLAY WANDHALTERUNG	RK02 MFS	100013111 Cable Release Kit for Video Wall Mount PD02VW MFS 46 55 L/P. One kit includes 4 cables.	37.00	34.04

GARANTIEVERLÄNGERUNGEN SBC

GARANTIE	GARANTIE REGELN	Service Type: Depending on area: "Collect repair and return" or "Return to Base" service Usage: The warranty is limited to 30.000 hours usage or 5 years - whatever comes first. Terms: Warranty extensions can only be purchased at initial SBC purchase.		
SBC GARANTIE	GARANTIE +2 Atom + Celeron	200004158	NEC Garantieverlängerung (4+5 Jahre), STv2 Atom, STv2 Celeron	69.00 64.10
SBC GARANTIE	GARANTIE +2 Core i3, i5, i7	200004162	NEC Garantieverlängerung (4+5 Jahre), STv2 Core i3, STv2 Core i5, STv2 Core i7	145.00 134.65

DISPLAY - SDM BOARDS

DISPLAY ZUBEHÖR SDM BOARDS CEL	SDM-CFH-Cel- D8/128/W10IoT/TP M B	100015585	Format: DS200GB2002-T SDM Slot-in PC; Processor: Intel CoffeLake 8th Gen. Celeron G4930E 2MB Cache; 2x 2.4 Ghz; Intel UHD Graphics 610; 8GB dual channel, RAM; 128GB SSD; OS: W10IoT 2019 LTSC; Trusted Platform Module (TPM); Model: B; [Interfaces: 1x MiniDP++; 4 x USB3.1 Gen.2; 1x Ethernet RJ45;1 x Mini Jack Audio in/out]	1'250.00	1'160.90
DISPLAY ZUBEHÖR SDM BOARDS I5	SDM-CFH-i5v- D8/128/W10IoT/TP M B	100015614	DS200GB2008-T SDM Slot-in PC; Processor: Intel CoffeLake 8th Gen. Core i5, 8400H 8MB Cache; 2x 4.2 Ghz; Intel UHD Graphics 630; 8GB dual channel RAM; 128GB SSD; OS: W10IoT 2019 SAC; Trusted Platform Module (TPM); Model: B; [Interfaces: 1x MiniDP++; 4 x USB3.1 Gen.2; 1x Ethernet RJ45;1 x Mini Jack Audio in/out]	2'090.00	1'941.00

SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/VRG)	UVP* PIR* (EXKL MWST)
DISPLAY ZUBEHÖR SDM BOARDS I5	SDM-CFH-i5v- D16/256/W10Pro/W /TPM B	100015586 DS200GB2004-T SDM Slot-in PC; Processor: Intel CoffeLake 8th Gen. Core i5 8400H 8MB Cache; 2x 4.2 Ghz; Intel UHD Graphics 630; 16GB dual channel RAM; 256GB SSD; OS: W10Pro; Trusted Platform Module (TPM); Model: B; [Interfaces: 1x MiniDP++; 4 x USB3.1 Gen.2; 1x Ethernet RJ45;1 x Mini Jack Audio in/out]	2'490.00	2'312.45
DISPLAY ZUBEHÖR SDM BOARDS I5	SDM-CFH-i3- D8/128/W10IoT/TP M B	100015608 DS200GB2003-T SDM Slot-in PC; Processor: Intel CoffeLake 8th Gen. Core i5, 8100H 6MB Cache; 4x 3 Ghz; Intel UHD Graphics 630; 8GB dual channel RAM; 128GB SSD; OS: W10IoT 2019 LTSC; Trusted Platform Module (TPM); Model: B; [Interfaces: 1x MiniDP++; 4 x USB3.1 Gen.2; 1x Ethernet RJ45;1 x Mini Jack Audio in/out]	1'890.00	1'755.25
DISPLAY ZUBEHÖR SDM BOARDS	SDM Standalone Adapter	100015613 Adapter for SDM Slot-in devices. Connectors: 1x DisplayPort 1.1 / 1x HDMI 1.4 / 1x, USB 3.0 / 1x RS232	350.00	325.05

DISPLAY - OPS BOARDS HIGH-END

DISPLAY ZUBEHÖR OPS BOARDS HE-17	OPS-Sky-i7v-d8/ 512/no OS B	100014322 OPS Slot-in PC; Processor: Intel Skylake 6th gen. Core i7 6820EQ 8M Cache; 4x 2.8 Ghz; vPro; intel HD Graphics 530; 8GB dual channel RAM; 512GB SSD; OS: non; Model:B; [Interfaces: 2x USB 3.0, 1x Ethernet RJ45, 1x mini DisplayPort out, 1x Audio, 1x Mic.] Compatible with Standalone Adapter and Adapter 2.0.	2'498.00	2'312.95
DISPLAY ZUBEHÖR OPS BOARDS HE-17	OPS-Sky-i7v-d8/ 128/W10pro-EN B	100014406 OPS Slot-in PC; Processor: Intel Skylake 6th gen. Core i7 6820EQ 8M Cache; 4x 2.8 Ghz; vPro; intel HD Graphics 530; 8GB dual channel RAM; 128GB SSD; OS: Windows 10 pro - english; Model:B; [Interfaces: 2x USB 3.0, 1x Ethernet RJ45, 1x mini DisplayPort out, 1x Audio, 1x Mic.] Compatible with Standalone Adapter and Adapter 2.0.	2'428.00	2'248.15
DISPLAY ZUBEHÖR OPS BOARDS HE-17	OPS-Sky-i7v-s4/ 64/W10pro-EN B	100014305 OPS Slot-in PC; Processor: Intel Skylake 6th gen. Core i7 6820EQ 8M Cache; 4x 2.8 Ghz; vPro; intel HD Graphics 530; 4GB single channel RAM; 64GB SSD; OS: Windows 10 professional english; Model: B; [Interfaces: 2x USB 3.0, 1x Ethernet RJ45, 1x DisplayPort out, 1x Audio, 1x Mic.] Compatible with Standalone Adapter and Adapter 2.0.	2'298.00	2'127.80
DISPLAY ZUBEHÖR OPS BOARDS HE-17	OPS-Sky-i7v-d8/ 128/no OS/W B	100014384 OPS Slot-in PC; Processor: Intel Skylake 6th gen. Core i7 6820EQ 8M Cache; 4x 2.8 Ghz; vPro; intel HD Graphics 530; 8GB dual channel RAM; 128GB SSD; OS: non; Module: Wifi; Model:B; [Interfaces: 2x USB 3.0, 1x Ethernet RJ45, 1x mini DisplayPort out, 1x Audio, 1x Mic.] Compatible with Standalone Adapter and Adapter 2.0.	2'078.00	1'924.05
DISPLAY ZUBEHÖR OPS BOARDS HE CORE IVY I5-V	OPS-Kbl-i5v- s4/64/W10IoT B	100014923 HIGH-END, Format: OPS Slot-in PC; Processor: Intel Kaby Lake 7th gen. Core i5- 7440EQ 6M Cache; 4x 2.9 Ghz; vPro; intel HD Graphics 630; 4GB single channel RAM; 64GB SSD; OS: Windows 10 IoT Enterprise; Model: B; [Interfaces: 2x USB 3.0 , 1x USB 2.0; 1x USB -C; 1x Ethernet RJ45; 2x Displayport] Compatible with Standalone Adapter and Standalone Adapter 2.0	1'995.00	1'852.40
DISPLAY ZUBEHÖR OPS BOARDS HE-17	OPS-Sky-i7v- d8/64/no OS B	100014362 OPS Slot-in PC; Processor: Intel Skylake 6th gen. Core i7 6820EQ 8M Cache; 4x 2.8 Ghz; vPro; intel HD Graphics 530; 8GB dual channel RAM; 64GB SSD; OS: non; Model:B; [Interfaces: 2x USB 3.0, 1x Ethernet RJ45, 1x mini DisplayPort out, 1x Audio, 1x Mic.] Compatible with Standalone Adapter and Adapter 2.0.	1'978.00	1'831.50
DISPLAY ZUBEHÖR OPS BOARDS HE-16	OPS-Sky-i7- d8/128/W10IoT A	100014553 OPS Slot-in PC; Processor: Intel Skylake 6th gen. Core i7 6820EQ; 8M Cache; 4x 2.8 Ghz; intel HD Graphics 530; 8GB dual channel RAM; 128GB SSD; OS: Windows 10 IoT Enterprise; Model: A; [Interfaces: 3x USB 3.0, 1x Ethernet RJ45,1x DisplayPort out, 1x Audio, 1x Mic.] Compatible with Standalone Adapter and Adapter 2.0.	1'695.00	1'574.15

DISPLAY - SBC BOARDS MIDRANGE

DISPLAY ZUBEHÖR OPS BOARDS MID-15	OPS-Sky-i5v- d8/128/W10pro- DE/W B	100014320 OPS Slot-in PC; Processor: Intel Skylake 6th gen. Core i5 6440EQ 6M Cache; 4x 2.7 Ghz; vPro; intel HD Graphics 530; 8GB dual channel RAM; 128GB SSD; OS: Windows 10 prof. german; Wifi-Module; Model:B; [Interfaces: 2x USB 3.0, 1x Ethernet RJ45, 1x mini DisplayPort out, 1x Audio, 1x Mic.] Compatible with Standalone Adapter and Adapter 2.0.	2'098.00	1'942.60
DISPLAY ZUBEHÖR OPS BOARDS MID-15	OPS-Sky-i5v- d8/512/no OS B	100014323 OPS Slot-in PC; Processor: Intel Skylake 6th gen. Core i5 6440EQ 6M Cache; 4x 2.7 Ghz; vPro; intel HD Graphics 530; 8GB dual channel RAM; 512GB SSD; OS: non; Wifi-Module; Model:B; [Interfaces: 2x USB 3.0, 1x Ethernet RJ45, 1x mini DisplayPort out, 1x Audio, 1x Mic.] Compatible with Standalone Adapter and Adapter 2.0.	2'128.00	1'970.35
DISPLAY ZUBEHÖR OPS BOARDS MID-15	OPS-Sky-i5v- d8/64/W10pro- EN/W B	100014328 OPS Slot-in PC; Processor: Intel Skylake 6th gen. Core i5 6440EQ 6M Cache; 2x 4.7 Ghz; vPRO; intel HD Graphics 530; 8GB dual channel RAM; 64GB SSD; OS: Windows 10 professional -english; Wifi Modul; Model: B; [Interfaces: 2x USB 3.0, 1x Ethernet RJ45, 1x mini DisplayPort out, 1x Audio, 1x Mic.] Compatible with Standalone Adapter and Adapter 2.0.	2'058.00	1'905.55
DISPLAY ZUBEHÖR OPS BOARDS MID-15	OPS-Sky-i5v- s4/64/no OS B	100014333 OPS Slot-in PC; Processor: Intel Skylake 6th gen. Core i5 6440EQ 6M Cache; 4x 2.7 Ghz; vPro; intel HD Graphics 530; 4GB single channel RAM; 64GB SSD; OS: non; Model:B; [Interfaces: 2x USB 3.0, 1x Ethernet RJ45, 1x mini DisplayPort out, 1x Audio, 1x Mic.] Compatible with Standalone Adapter and Adapter 2.0.	1'548.00	1'433.35
DISPLAY ZUBEHÖR OPS BOARDS MID-15	OPS-Sky-i5v- d8/64/no OS B	100014337 OPS Slot-in PC; Processor: Intel Skylake 6th gen. Core i5 6440EQ 6M Cache; 4x 2.7 Ghz; vPro; intel HD Graphics 530; 8GB dual channel RAM; 64GB SSD; OS: non; Model:B; [Interfaces: 2x USB 3.0, 1x Ethernet RJ45, 1x mini DisplayPort out, 1x Audio, 1x Mic.] Compatible with Standalone Adapter and Adapter 2.0.	1'598.00	1'479.65
DISPLAY ZUBEHÖR OPS BOARDS MID-15	OPS-Sky-i5v- s4/64/W10pro-EN B	100014343 OPS Slot-in PC; Processor: Intel Skylake 6th gen. Core i5 6440EQ 6M Cache; 4x 2.7 Ghz; vPro; intel HD Graphics 530; 4GB single channel RAM; 64GB SSD; OS: Windows 10 prof. english; Model:B; [Interfaces: 2x USB 3.0, 1x Ethernet RJ45, 1x mini DisplayPort out, 1x Audio, 1x Mic.] Compatible with Standalone Adapter and Adapter 2.0.	1'990.00	1'842.60

SORTIMENT ASSORTIMENTS	ARTIKEL-NR. NO D'ARTICLE	BESCHREIBUNG SPÉCIFICATION	UVP* PIR* (INKL. MWST/VRG)	UVP* PIR* (EXKL. MWST)
DISPLAY ZUBEHÖR OPS BOARDS MID-15	OPS-Sky-i5v- d8/128/W10pro-EN B	100014361 OPS Slot-in PC; Processor: Intel Skylake 6th gen. Core i5 6440EQ 6M Cache; 4x 2.7 Ghz; vPro; intel HD Graphics 530; 8GB dual channel RAM; 128GB SSD; OS: Windows 10 prof. - english; Model:B; [Interfaces: 2x USB 3.0, 1x Ethernet RJ45, 1x mini DisplayPort out, 1x Audio, 1x Mic.] Compatible with Standalone Adapter and Adapter 2.0.	2'058.00	1'905.55
DISPLAY ZUBEHÖR OPS BOARDS MID-15	OPS-Sky-i5v- s4/64/W7p/W B	100014380 OPS Slot-in PC; Processor: Intel Skylake 6th gen. Core i5 6440EQ 6M Cache; 4x 2.7 Ghz; vPro; intel HD Graphics 530; 4GB single channel RAM; 64GB SSD; OS: Windows 7 p embedded; Module: Wifi; Model:B; [Interfaces: 2x USB 3.0, 1x Ethernet RJ45, 1x mini DisplayPort out, 1x Audio, 1x Mic.] Compatible with Standalone Adapter and Adapter 2.0.	1'858.00	1'720.35
DISPLAY ZUBEHÖR OPS BOARDS MID-15	OPS-Sky-i5v- s4/64/JCDecaux LX B	100014389 OPS Slot-in PC; Processor: Intel Skylake 6th gen. Core i5 6440EQ 6M Cache; 4x 2.7 Ghz; vPro; intel HD Graphics 530; 4GB single channel RAM; 64GB SSD; OS: JCDecaux Linux Image; Model:B; [Interfaces: 2x USB 3.0, 1x Ethernet RJ45, 1x mini DisplayPort out, 1x Audio, 1x Mic.] Compatible with Standalone Adapter and Adapter 2.0.	1'548.00	1'433.35
DISPLAY ZUBEHÖR OPS BOARDS MID-15	OPS-Sky-i5v- s4/128/no OS B	100014393 OPS Slot-in PC; Processor: Intel Skylake 6th gen. Core i5 6440EQ 6M Cache; 4x 2.7 Ghz; vPro; intel HD Graphics 530; 4GB single channel RAM; 128GB SSD; OS: non; Model:B; [Interfaces: 2x USB 3.0, 1x Ethernet RJ45, 1x mini DisplayPort out, 1x Audio, 1x Mic.] Compatible with Standalone Adapter and Adapter 2.0.	1'628.00	1'507.40
DISPLAY ZUBEHÖR OPS BOARDS MID-15	OPS-Sky-i5v- d8/64/no OS/W B	100014395 OPS Slot-in PC; Processor: Intel Skylake 6th gen. Core i5 6440EQ 6M Cache; 4x 2.7 Ghz; vPro; intel HD Graphics 530; 8GB dual channel RAM; 64GB SSD; OS: non; Modul: Wifi; Model:B; [Interfaces: 2x USB 3.0, 1x Ethernet RJ45, 1x mini DisplayPort out, 1x Audio, 1x Mic.] Compatible with Standalone Adapter and Adapter 2.0.	1'678.00	1'553.70
DISPLAY ZUBEHÖR OPS BOARDS MID-15	OPS-Sky-i5v- s4/256/no OS B	100014407 OPS Slot-in PC; Processor: Intel Skylake 6th gen. Core i5 6440EQ 6M Cache; 4x 2.7 Ghz; vPro; intel HD Graphics 530; 4GB single channel RAM; 256GB SSD; OS: non; Model:B; [Interfaces: 2x USB 3.0, 1x Ethernet RJ45, 1x mini DisplayPort out, 1x Audio, 1x Mic.] Compatible with Standalone Adapter and Adapter 2.0.	1'798.00	1'664.80
DISPLAY ZUBEHÖR OPS BOARDS MID-15	OPS-Sky-i5v- s4/64/no OS/W B	100014413 OPS Slot-in PC; Processor: Intel Skylake 6th gen. Core i5 6440EQ 6M Cache; 4x 2.7 Ghz; vPro; intel HD Graphics 530; 4GB single channel RAM; 64GB SSD; OS: non; Modul: Wifi; Model:B; [Interfaces: 2x USB 3.0, 1x Ethernet RJ45, 1x mini DisplayPort out, 1x Audio, 1x Mic.] Compatible with Standalone Adapter and Adapter 2.0.	1'598.00	1'479.65

DISPLAY - SBC BOARDS VALUE

DISPLAY ZUBEHÖR	OPS-DRD2-A53- 2/32/A5.1/W	100014295 OPS Slot-in PC; Processor: ARM A53; QuadCore; 2.0 GHz; 2 GB single channel Ram; 32 GB Flash; OS: Android 5.1; Wireless Lan; Audio internal connected to the main unit (OPS-Connector) [Interfaces: 1x SD Card Slot, 2x USB 2.0, Ethernet 1x RJ45.] Compatible with Standalone Adapter and Adapter 2.0.	495.00	458.35
DISPLAY ZUBEHÖR OPS BOARDS VA-I3	OPS-Sky-i3- s4/128/no OS B	100014382 OPS Slot-in PC; Processor: Intel Skylake 6th gen. Core i3 6100E 3M Cache; 2x 2.7 Ghz; intel HD Graphics 530; 4GB single channel RAM; 128GB SSD; OS: non; Model: B; [Interfaces: 2x USB 3.0, 1x Ethernet RJ45, 1x mini DisplayPort out, 1x Audio, 1x Mic.] Compatible with Standalone Adapter and Adapter 2.0.	1'478.00	1'368.50
DISPLAY ZUBEHÖR OPS BOARDS VA- N3160	OPS-Bras-Cel- s4/64/W10IoT A	100014513 OPS Slot-in PC; Processor: Intel Braswell Celeron N3160 2M Cache; 4x 1.6 Ghz; intel HD Graphics; 4GB single channel RAM; 64GB SSD; OS: W10IoT; Model: A; [Interfaces: 2x USB 3.0 + 2x USB 2.0; 1x sdCard Slot; 1x Ethernet RJ45] Compatible with Standalone Adapter and Adapter 2.0.	745.00	689.80
DISPLAY ZUBEHÖR OPS BOARDS VA- N3350	OPS-Apl-Cel- s4/32/W10IoT B	100014798 OPS Slot-in PC; Processor: Intel Apollo Lake Celeron N3350; 2x 1.1 GHz; Integrated Gen9-LP Graphics controller; 4GB single channel RAM; 32GB eMMC; OS: Windows 10 IoT Enterprise; Model: B; [Interfaces: 2x USB 2.0, 1x USB 3.0, 1x Ethernet RJ45] Compatible with Standalone Adapter and Adapter 2.0.	748.00	692.60

Universal Halterungen Displays & Beamer - Verlangen Sie unsere separate Dokumentation und Preisliste / Système de fixation universelle pour displays et projecteurs - Voir notre documentation et liste de prix séparée



LEGENDE: PR: PREIS-ÄNDERUNGEN, TEXT: TEXTANPASSUNG, S.V: SOLANGE VORRAT

24.02.2021

* UVP=Unverbindlicher Preisempfehlung, PIR=Prix indicatif recommandé

- Die Festlegung der Verkaufspreise liegt im alleinigen Ermessen des Handels. Die Preise verstehen sich inklusive vorgezogene Recyclinggebühr (VRG) gemäss SWICO-Tarif. Die aufgeführten Modelle entsprechen dem Lieferprogramm in der Schweiz / FL. Gültig ab 01.03.2021. Alle früheren Preise sind aufgehoben. Änderungen vorbehalten.
„Generell gelten für Garantieregelung und Abwicklung die Herstellerangaben“

- Seul le commerce est habilité à fixer les prix de vente. Les prix contiennent la taxe anticipée de recyclage (vRG) selon tarif SWICO. Les modèles mentionnés correspondent au programme de livraison en Suisse / FL. Prix valable dès 01.03.2021. Tous les prix antérieurs à ceux de la liste présentée ne sont plus valable. Sous réserve de modifications.

Generalvertretung für die Schweiz/FL:

Telion AG
Rütistrasse 26
8952 Schlieren
www.telion.ch
Email infoCPE@telion.ch
Tel. 044 732 15 11, Fax 044 732 15 35