



# DATASHEET / BROCHURE





Combined with advance features, the EB-L260F is an entry-level Full HD wireless laser projector the ideal solution for any working environment. It offers 4,600 lumens brightness, a range of wireless and wired connectivity and the ability to have a scalable display size of up to 310 inches.

### Excel your content delivery

The perfect Full HD laser display solution allows you to upgrade to laser performance and reliability without paying a premium. High contrast of 2,500,000:1 and 3LCD technology ensures professional, outstanding and clear content delivery in any working environment while keeping audiences engaged.

#### Simple set-up and connectivity

Offers MTR auto power-on function by HDMI video signal detection and an array of connectivity options including Dual HDMI and built-in wireless LAN to stream content from laptops or mobile devices with Screen Mirroring (Miracast) - PIN code support and display dialog username when connected Miracast to projector allows teacher to block student interruption while teacher is projecting. USB power supply (2A) for easy smart stick connection. Compatible with iProjection software for easy connectivity with mobile devices and content sharing.

### Peace of mind and long-lasting durability

Project for longer with exceptional reliability and a longer usage life of up to 30,000 hours in Eco Mode (20,000 hours normal). The EB-L260F is covered by a five-year warranty.

#### Fit and forget installation, ease of installation

This light weight and compact projector supports 360 degree installation without compromising the display quality and supports 16:6 ultra-widescreen, HDMI output and edge blending for multi-projector installs.

### **KEY FEATURES**

- **4,600 lumens brightness display** Full HD crisp images and bright colours, even in well-lit rooms
- A scalable display Flexibile scalable display from 31 inches up to 310 inches
- Stream content easily Wireless, MTR auto power-on by HDMI and easy smart stick connection.
- Fit and forget reliability Easy installation with multi-projection and signage function.
- The complete solution With an incredible contrast ratio of 2,500,000:1, the EB-L260F delivers vivid, lifelike content and defined shadow detail with deeper blacks



## **PRODUCT SPECIFICATIONS**

| TECHNOLOGY<br>Projection System | 3LCD Technology, RGB liquid crystal shutter  | WF         |
|---------------------------------|--|------------|
| LCD Panel                       | 0.62 inch with C2 Fine   | • F        |
| IMAGE                           |  | • P        |
| Color Light Output              | 4,600 Lumen- 3,200 Lumen (economy) In accordance with IDMS15.4                               |            |
| White Light Output              | 4,600 Lumen - 3,200 Lumen (economy) In accordance with ISO 21118:2020                        | • N        |
| Resolution                      | 1080p  | ۰H         |
| Contrast Ratio                  | 2,500,000 : 1  |            |
| Keystone Correction             | Auto vertical: ± 30 °, Manual horizontal ± 30 °  | ~ ~ ~      |
| Colour Reproduction             | Upto 1.07 billion colours  | OP         |
| OPTICAL                         |  | • S        |
| Throw Ratio                     | 1.32 - 2.12:1  | V          |
| Zoom                            | Manual, Factor: 1 - 1.62   | • Ai       |
| Screen Size                     | 31 inches - 310 inches   | V-         |
| Projection Distance Wide        | 88 m - 906 m   | • C        |
| Projection Lens Focal Length    | 18.2 mm - 29.1 mm  | • U        |
| Projection Lens Focus           | Manual   |            |
| CONNECTIVITY                    |  | • Ce<br>V- |
| Interfaces                      | USB 2.0-A, USB 2.0, RS-232C, Ethernet interface (100 Base-TX / 10 Base-T), Wi-Fi Direct, VGA | • Ce       |
| interfaces                      | in (2x), VGA out, Composite in, Miracast, Jack plug out, Jack plug in (2x), Cinch audio out, | V-         |
|                                 | Microphone input, HDMI (HDCP 2.2) (2x), Wireless LAN IEEE 802.11a/b/g/n/ac                   |            |
| Epson iProjection App           | Ad-Hoc / Infrastructure  | ● Ac<br>V1 |
| ADVANCED FEATURES               |  | • Co       |
| 2D Colour Modes                 | Dynamic, Cinema, Presentation, sRGB, Game  | V1         |
| Other features                  | AV Mute Slide, Arc Correction, Auto Power On, Auto source search, Built-in speaker, CEC      | • Co       |
|                                 | compatible, Customizable user logo, Direct Power on/off, Document Camera Compatible,         | V          |
|                                 | Edge Blending, Home Screen, Horizontal and vertical keystone correction, Long light source   | • Ac       |
|                                 | life, OSD copy function, PC Free, Quick Corner, Schedule Function, Screen Mirroring, Screen  | V1         |
|                                 | share, Split-Screen-Function, Super resolution, Web Control, Wireless LAN capable,           | •          |
|                                 | iProjection App  |            |
| GENERAL                         |  |            |
| Power consumption               | 199 Watt - On mode power consumption (Normal)  |            |
| . ene. sonoumption              | 260 Watt (Peak), 191 Watt (Eco), 0.5 Watt (Energy saving standby)                            |            |
| Heat Dissipation                | 884 BTU/hour (max)   |            |
| OTHER                           |  |            |
| Warranty                        | 60 months Carry in or 12,000 h   |            |
|                                 | Optional warranty extension available  |            |

## LOGISTICS INFORMATION

| ѕки               | V11HA69080    |
|-------------------|---------------|
| EAN code          | 8715946715452 |
| Country of Origin | Philippines   |
| Layer             | 4 Units       |

\* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit www.epson-europe.com Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04

(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece +30 211 198 62 12 Hungary 06800 147 83 Ireland 01 436 7742

Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway +47 67 11 37 00

Poland 0-0-800 4911299 (0,16 zl/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711) 465-9621

Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal - 0,99 kr/min, Lokala samtal - 0,30 kr/min, Utlandssamtal - 0,89 kr/min) Switzerland 022 592 7923 Turkey (0212) 3360303 United Kingdom 0871 222 6702

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.

#### **EB-L260F**

### 'S IN THE BOX

- ote control incl. batteries
- er cable
- unit
- Il Cable 1.8m

## **DNAL ACCESSORIES**

- arry Case ELPKS71 01K71
- er ELPAF60 EB-7XX / EB-L2xx Series 134A60
- Mount (White) ELPMB23 03B23
- Pipe (450mm) ELPFP13 03P13
- Pipe (700mm) ELPFP14 03P14
- Speakers (2 x 15W) ELPSP02 167040DA
- ol and Connection Box ELPCB03 27040DA
- ol and Connection Box ELPCB03 927040
- Speakers (2 x 15W) ELPSP02 167040

