

Willkommen bei

bluechip



iiyama

Ole Jacobs

Business Development Manager
LFD und Touch Displays
West – Nord- Ost-Deutschland



DESKTOP



(i)LFD



GAMING



TOUCHSCREEN



Desktop monitors

Over 10 million home and office users interact with the world every day using iiyama screens.



Gaming monitors

Since their launch in October 2015, iiyama G-Master #monitors4gamers helped 1,3 mln gamers unlock their true potential.



(i)LFD

Getting your message across is a challenge. Using a 98" iiyama LFD does the trick.



Touch monitors

A single touch can change everything. iiyama monitors enable up to 50 at a time. In five technologies.



iiyama Nordics
LFD - 4



iiyama Russia
Desktop - 8, LFD - 3



iiyama United Kingdom
Desktop - 3, LFD - 5



iiyama Poland
EU logistics
Desktop - 4, LFD - 2



iiyama France
Desktop - 3, LFD - 3



iiyama DE/AT/CH
EU service
Desktop - 4, LFD - 2



iiyama Spain
Desktop - 10, LFD - 4



iiyama EMEA



iiyama Italy
Desktop - 9, LFD - 5



iiyama Japan
Headquarters (Tokyo)
R&D Centre (Nagano)

iiyama China
Quality Control

iiyama Taiwan
R&D Centre
Quality Control



iiyama Corporation

company profile in numbers



>50 years

iiyama electric
established in 1973 in
**iiyama city,
Nagano Japan**



>30 years

iiyama Europe
registered in 1992



16 years

of non stop
growth



Market share

Desktop – in top 5 (non-PC brands)
NL & BE (2)
France (2)
UK (3)
Germany (4) (2)
Japan (3)
Poland (4)



Sales QTY

EMEA:
2015 – 0,95 mln
2016 – 1,30 mln
2017 – 1,40 mln
2018 – 1,64 mln
2019 – 1,75 mln
2020 – 2,06 mln
2021 – 2,27 mln



Revenue €

EMEA:
2015 – 147 mln
2016 – 191 mln
2017 – 223 mln
2018 – 261 mln
2019 – 275 mln
2020 – 310 mln
2021 – 391mln
(123mln in DE)



More than 100 different models

E Series



Most universal
Fixed stand

| | |
|------------|-------|
| 17"/19" | 5:4 |
| 19.5"~ 40" | 16:9 |
| 22" ~ 24" | 16:10 |
| 34" | 21:9 |

B Series



Ergonomic design
Height adjustable stand
Pivot, swivel

X(UB) Series



Attractive design
VA/IPS panels
Wide viewing angles

FHD/WUXGA/QHD/UWQHD/UHD
TN/IPS/VA panel technology
3 side bezel free (IPS/VA/TN)
Almost all sizes with fixed or height adjustable stand

NEW X4373UHSU



Extra large workspace
PbP function
Daisy Chain (DP)



USB – C Modelle

X(UB) Series HSN QSN & UHSN-B1

24" 27" & 34"

- Business with dock KVM
- 300cd/m²,
- 0,4ms MPRT (1ms GTG),
- HDMI@100Hz,
- DP@120Hz,
- USB-C@120Hz,
- DP-OUT,
- LAN, 65W PD

KVM switch USB

(keyboard/mouse) with two different signal inputs.

4x USB3.0



Large Format Displays



iiyama
professional displays

LExx40er Serie

- 32/43/50/55
- Full-HD / UHD Auflösung
- 18/7
- Landscape
- USB Mediaplayer
- Android CMS (ab 43")

LHxx42 Serie

- 43" bis 86"
- 4K UHD Auflösung
- 18/7
- 500 cd/m²
- Landscape / Portrait
- Android CMS
- Media Player




LHxx52er Serie

- 32-98"
- 4K UHD Auflösung 24/7
- 500 cd/m²
- Landscape / Portrait
- Media Player
- Android 9

LHxx70er Serie

- 42" / 55"
- 4K UHD Auflösung 24/7
- 700 cd/m²
- **Ultra slim design**
- Landscape / Portrait
- Media Player
- Android 9



42 SERIES - MORE BRIGHTNESS, FLEXIBILITY, SIGNAGE & POWER... MORE EVERYTHING!



LH42 Serie (43"-86")

- 4K UHD Vibrant Panel
- 500cd/m² Helligkeit
- Landscape/Portrait
- **18/7 Betrieb**
- Media Player
- Android 8.0
- **Intel SDM - PC Slot**
- Crestron ready



LH52 Serie (32"-65")

- 4K UHD Vibrant Panel
- 500cd/m² Helligkeit
- **25% Haze**
- Landscape/Portrait
- **24/7 Betrieb**
- Media Player
- Android 8.0
- **Intel SDM - PC Slot**
- Crestron ready

Accessories and Features



Wireless Sharing

Eshare



NEU: LHxx70UHB

24/7 Signage | Super Slim Design

- ▶ Android 9.0 with Media Player
- ▶ Fast: Cortex-A53 quad core, 3GB DDR3, 32GB eMMC (storage)
- ▶ Landscape/Portrait
- ▶ 24/7 Operation
- ▶ HDMI (x2), USB 2.0 (x2), IR extender, Line-out (x1)
- ▶ RS232/LAN control



iiyama
professional displays



| Feature | LH4370UHB-B1 | LH5570UHB-B1 |
|----------------|-----------------------|-----------------------|
| Panel | AMVA | AMVA |
| Resolution | 4K-UHD | 4K-UHD |
| Brightness | 700 cd/m ² | 700 cd/m ² |
| Contrast ratio | 4000:1 | 4000:1 |
| Orientation | Landscape/Portrait | Landscape/Portrait |
| Operating time | 24/7 | 24/7 |

NEU: LHxx70UHB

24/7 Signage | Super Slim Design

iiyama
professional displays

- ▶ Super Slim
- ▶ Nur **29mm/40mm** tief
inkl. spezieller Wandhalterung
- ▶ Android 9,0
- ▶ Helligkeit 700cd/m²
- ▶ 24/7 Laufzeit
- ▶ Landscape/Portrait
- ▶ **Netzteil extern**



iiyama Wireless Communication


Wireless Dongle und E-Share



ANDROID OS



Media Player



Eshare / BytelloShare APP



Windows ->
Android ->
IOS ->

Miracast
Chromecast
Airplay



LFD PROFESSIONAL DIGITAL SIGNAGE

Übersicht



| Series | Sizes | Panel | Orientation | Usage | Features | Operating System | Available |
|------------------|-----------------------------|---------------------|------------------------|-------|-----------------------------|--------------------------------|-----------------------|
| 40 Series | 32",43",50",55" | VA, 350cd/m2 | Landscape | 18/7 | Media Player | Android 5.0.1 | aktuell |
| 42 Series | 43",50",55",65",75", 86" | IPS/VA, 500cd/m2 | Landscape/ Portrait | 18/7 | Media Player | Android 8.0, Intel SDM Slot | Aktuell |
| 52 Series | 32", 43", 50", 55", 65" | IPS/VA, 500cd/m2 | Landscape/ Portrait | 24/7 | Media Player, 25% Haze | Android 8.0, Intel SDM Slot | August – September |
| 70 Series | 43", 55" | 700cd/m2 | Landscape/ Portrait | 24/7 | Total depth 29mm or 40mm | Android 9.0 | aktuell |



Touch Large Format Displays



iiyama Touch Technologien



Resistive Touch Technology

31 SR-series



Surface Acoustic Wave

31 SAW-series



Optical Touch Technology

53 MTS-series



Projective Capacitive Technology

Desktop Solutions (T series)



T1633MC



T1634MC



T2234MSC



T2252MSC



T2454MSC




T2754MSC



INTERACTIVE PC Monitor with Android (T series)

Projective Capacitive Technology
AS-series

TW1023ASC



TW1523AS



T2234AS




Projective Capacitive Technology


Open Frame Solutions (TF series)



15 series



34 series



*depending on version



TFxx39 Serie



Semi-Open Frame P-CAP Touchscreens

Features

- ▶ Open Frame
- ▶ Projective Capacitive
- ▶ Edge to edge glass Design
- ▶ Schmäler Rand, Flaches Design
- ▶ Landscape/Portrait/Face-up
- ▶ 24hrs Betrieb
- ▶ 500cd/m² Helligkeit
- ▶ Touch OSD Menu
- ▶ Touch durch Glas
- ▶ Einbaurahmen optional



| | |
|-------------|----------------|
| TF3239MSC* | Schwarz / Weiß |
| TF4339MSC | Schwarz |
| TF4939UHSC | Schwarz |
| TF5539UHSC* | Schwarz / Weiß |
| TF6538UHSC | Schwarz |



MOUNTING BRACKETS KIT



Kiosk Solutions (TF series)

TFxx39-series

Projective Capacitive Touch Technology



Touch Features



Semi outdoor solution

The screen can operate in low and high temperatures and is IP65 rated resulting in dust and water resistance from the front making it a reliable solution for pick-up points and kiosks in environments like petrol or train stations.

High brightness ensures legibility in any lighting conditions.



02 SERIES/04 SERIES

HYBRID INTERACTIVE SOLUTIONS FOR ANY ROOM

iiyama
professional displays



-> Price Fighter 02er Serie (65", 75", 86")


- 4K UHD Vibrant Panel
- **Zero Air Gap Bonding**
- Android 9.0 (03 Serie iiWare)
- Front Lautsprecher
- **ScreenSharePro**
- Installation von APKs
- **OPS (80pin) Slot PC (optional)**

Professional Touch 04er Serie (65"-98")

- 4K UHD Vibrant Panel
- **Zero Air Gap Bonding**
- PureTouch-IR (1mm)
- iiWare 9.0
- Password Security Features
- Clean Data feature
- **ScreenSharePro / Eshare**
- Multi Window Feature
- **iiyama Slot PC (optional)**
 - TE9804 = OPS
 - TE9804 = HDMI out



Accessories and Features



Interactive LFDs (TE series)

Meeting Room in a Box Solution



Easy to sell and deploy solution !



iiyama Large Format Touch Screen



iiyama UC Conference Bar



Windows IoT

Options OPS(Core i5-8400, 8gb DDR4 256SSD)



Go Wire Free with Screen Beam



No need for any additional software – Just use Skype, Teams and OneNote 😊



iiyama UC – Meetingroom ACCESSORIES (ab Sommer 2022)

Bluetooth speakerphone

UNIVERSAL COMPATIBILITY



Zoom Hangouts
Google meet Webex
Face time GoToMeeting
QQ Skype

Compatible with multiple systems



UC SPK01M & UC SPK01L

360° Omnidirectional voice pick-up
3 & 6-element microphone array
3 & 5 meters voice pick-up range
Bluetooth/USB-C/AUX connections
Daisy chain 3pcs*
Bluetooth dongle included
Wireless charging



Conference Bar



UC CAM120ULB-1

12MP camera with 120° field of view
8 Watts speaker
6-element microphone array
Echo cancellation and noise reduction



Corporate meeting



Huddle room



Individual conf call

Cameras



UC CAM80UM & UC CAM120UL

4K/30 fps
80° & 120° Horizontal field of view
2 microphones
USB-C



UC CAM180UM

4K/30 fps
180° field of view
2 Microphones
USB-C Connector
6 Video Modes



UC CAM75FS

1080p/30 fps
2 microphones
USB-C



NEU ab Sommer 2022 : Kiosk Solutions (Txx62AS-B1 Serie)



PCAP Touch Kiosk Solution

Txx62-Serie

Projective Capacitive Touch

Technology

- 4K 60Hz
- Pivot fähig
- Kiosk Modus
- Android 9
- Whiteboard Funktion
- NSign CMS ready
- 43" 55" 65"
- Basis LHxx52UHS-B3 Serie



ILFD Hybrid Solutions Overview



Übersicht

| Series | Sizes | Panel | Orientation | Usage | Features | Operating System | Available |
|------------------|---------------------|------------------|----------------------------|-------|---|---|-----------|
| 39 Series | 32",43",49",55",65" | VA, 500cd/m2 | Landscape/Portrait/Face Up | 24/7 | Touch Through Glass, Touch OSD | N/A | aktuell |
| 04 Series | 65",75", 86", 98" | IPS/VA, 350cd/m2 | Landscape | 24/7 | iiWare, Browser, Cloud Drive, ScreenSharePro, USB-C | Android 9.0, SPC Slot 98" = OPS Slot | aktuell |
| 02 Series | 65", 75", 86" | IPS/VA, 350cd/m2 | Landscape | 24/7 | iiWare, Browser, Cloud Drive, ScreenSharePro | Android 9.0, OPS Slot | August 21 |

- ▶ TExx02MIS-B1 OPS Slot (intel OPS 30pin) iiyama **OPC5801BC** -> **kein HDMI-Out**
- ▶ TExx04MIS-**B2** SPC Slot iiyama **Slot PC (SPC5801BC-2)** -> **kein HDMI-Out**
- ▶ TE9804MIS-B2 OPS Slot (intel OPS 80pin) **OPC5801BC**



iiyama LFD Zubehör

UNIVERSAL WALL MOUNTS



MD 052B1000
400x600mm



MD 052B1010
400x600mm
Portrait Mode



MD 052B2000
800x400mm



MD 052B2010
800x600mm



MD 052B2040
800x800mm,
for 86"-98" displays

TROLLEY FLOOR LIFTS



MD 052W7150K
800x600mm,
For displays up to 86",
electrical height
adjustment



MD 052W7155K
800x600mm,
For displays up to 98",
electrical height
adjustment



MD 062B7295K
800x600mm,
For displays up to 86",
electrical height
adjustment



MD 062B7105K
800x600mm,
For displays up to 98",
electrical height
adjustment



MD 062B7275 A
600x400mm,
For displays up to 65",
electrical height
adjustment

KEYBOARD PLATFORM



MD 063B7240
Keyboard platform for floor
lifts, for displays up to 75"

UNIVERSAL SOUNDBAR Halter



MD 052B7285
Universal soundbar bracket for
floor lifts and wall mounts



iiyama wichtige Übersichten

Deutsche web Seite



- www.iiyama.com/de_de
 - Alle Produkte
 - Alle Daten
 - Alle Dokumente
 - Produkte Vergleich Funktion
 - Bilder zum Download
 - > Weiters Marketing-Material kann zur Verfügung gestellt werden



- https://iiyama.com/de_de/support/
 - Alles zum Thema Garantie und Service
 - Hotline
 - Treiber Downloads
 - Energie Labels
 - Display Test Software

iiyama Herstellergarantie

3 Jahre Vor-Ort-Service

LExx40 Series

Keine Garantieverweiterung möglich: Alle LExx40UHSxx und LExx40Sxx Modelle

TExx02MIS-B1AG, TExx04MIS-B2AG

3J Garantie bei 24/7 Nutzung

5J Garantie bei 16/7 Verwendung

keine Garantieverweiterung möglich, auch nicht für 24/7 Nutzung.

Projektbezogen auch auf 4/5 Jahre erweiterbar

- Desktop Monitore 3 Jahre Vor Ort Austausch
- 22/24“ opt. Multitouch 3 Jahre Vor Ort Austausch
- Touch Monitore 3 Jahre Pickup & Return
- LFD 3 Jahre Vor Ort Reparatur

DOA in den ersten 14 Tagen für alle Produkte

Hotline (+49-1805-449262)

Weniger als 1% Defektrate

iiyama Projektentwicklung

Projektpreise auch für Kleinprojekte:

- LFD ab 1 Stück,
- Touchmonitore ab 5 Stück,
- Desktop Monitore ab 10 Stück

Projektpreisanfrage bitte bevorzugt per Email an Sales Mitarbeiter senden

Wir benötigen folgende Daten für ein Projekt:

- Name des Endkunden
- Name des Resellers
- Projektartikel + gewünschte Stückzahl
- Projektzeitraum (Wann beginnt der Rollout – Anzahl der Lieferungen)

Sie erhalten Ihren Projektpreis in der Regel noch am Tag der Anfrage!

Wir schützen Ihren Projektpreis!

Kontakt



Ole Jacobs

Business Development Manager
West- / Nord- / Ost-Deutschland

+49 (0)170 7925 118
o.jacobs@iiyama.com

