

NEUROMODULATION PORTFOLIO

Spinal Cord Stimulation and Radiofrequency Ablation Product Catalog

Table of Contents

Spinal Cord Stimulation

Implantable Pulse Generators (IPGs)	5
Percutaneous Leads	6
Surgical Leads	12
Lead Fixation	13
Lead Extensions	13
Lead Splitters	14
Adapters	15
Surgical Spares	16
Patient Accessories	18

Radiofrequency Ablation

Generators	22
Generator Accessories	23
Stainless Steel Reusable Electrodes	24
Disposable Electrodes	25
Unified Disposable Electrode/Cannula	26
Disposable Injection Electrodes and Needles	28
Disposable Procedure Kits	29
Straight Sharp Cannulae	30
Curved Sharp Cannulae	32
Curved Blunt Cannulae	33
Sidekick™ Cannulae	34
Halyard Curved Cannula	34
Disposable Ground Pads	35
Disposable Palisade™ Guideblocks and Kits	36
Stereotactic Disposable Electrodes	37
Trigeminal Neuralgia Kits and Separates	38
Specialty Electrodes and Cannulae Kits	39
Connection Cables and Adapters	40

Spinal Cord Stimulation Customer Service

Customer service representatives are available between the hours of 5:00 am and 5:00 pm PST weekdays, excluding national holidays. In addition, technical after-hours service is available 24 hours a day, 7 days a week.

For more information, contact us:

866.360.4747 Toll-free

661.949.4747

877.464.2940 Fax

www.ControlYourPain.com

Radiofrequency Ablation Customer Service

Customer service representatives are available to answer your questions from 5:00 am to 3:00 pm PST weekdays, excluding national holidays.

For more information, contact us:

888.8COSMAN Toll-free

781.272.6561 Accounts Receivable

781.272.6563 Fax

cosmanorders@bsci.com

NOTE: Pictures and drawings in this catalog are not to scale.

Precision Spectra™ Implantable Pulse Generator (IPG)

MODEL NUMBER	PRODUCT NUMBER	DESCRIPTION
SC-1132	M365SC11320	<p>Precision Spectra IPG Kit</p> <p><i>Package Contents</i></p> <ul style="list-style-type: none"> (1) IPG (1) Hex Wrench (1) IPG Pocket Template (4) Port Plugs



Precision Montage™ MRI Implantable Pulse Generator (IPG)

MODEL NUMBER	PRODUCT NUMBER	DESCRIPTION
SC-1200	M365SC12000	<p>Precision Montage MRI IPG Kit</p> <p><i>Package Contents</i></p> <ul style="list-style-type: none"> (1) IPG (1) Hex Wrench (1) IPG Pocket Template (2) Port Plugs





Precision Novi™ Implantable Pulse Generator (IPG)


MODEL NUMBER	PRODUCT NUMBER	DESCRIPTION
SC-1140	M365SC11400	<p>Precision Novi IPG Kit</p> <p><i>Package Contents</i></p> <ul style="list-style-type: none"> (1) IPG (1) Hex Wrench (1) IPG Pocket Template (2) Port Plugs




Percutaneous Leads

MODEL NUMBER	PRODUCT NUMBER	DESCRIPTION
		<p>Infinion™ CX 16 Lead Kit</p> <p><i>Package Contents</i></p> <ul style="list-style-type: none"> (1) Percutaneous Lead with preloaded Curved Stylet (2) Suture Sleeves: (1) 2.3cm, (1) 2.3cm split (1) Steering Cap  <p style="text-align: right;">Contact Spacing (edge to edge): 1mm</p>
SC-2317-50	M365SC2317500	50cm Infinion CX 16 Lead
SC-2317-70	M365SC2317700	70cm Infinion CX 16 Lead
		<p>Entrada™ Needle Kit</p> <p><i>Package Contents</i></p> <ul style="list-style-type: none"> (1) Needle Assembly (1) Peelable Sheath 
SC-4220-45	M365SC4220450	11cm (4.5in) Entrada Needle
SC-4220-60	M365SC4220600	15cm (6.0in) Entrada Needle
SC-4220-S45	M365SC4220S450	11cm (4.5in) Entrada Spare Sheath
SC-4220-S60	M365SC4220S600	15cm (6.0in) Entrada Spare Sheath
		<p>Infinion 16 Lead Kit</p> <p><i>Package Contents</i></p> <ul style="list-style-type: none"> (1) 16 Contact Lead with preloaded Curved Stylet (1) Stylet Ring with a Curved and a Straight Stylet (4) Suture Sleeves: (2) 1cm, (1) 2.3cm, (1) 4cm (1) 4in Straight Insertion Needle, Lead Blank, and Steering Cap <p>Please Note: 2x8 Splitter Required</p>
SC-2316-50	M365SC2316500	50cm Infinion 16 Lead
SC-2316-70	M365SC2316700	70cm Infinion 16 Lead
SC-2316-50E	M365SC231650E0	<p>50cm Trial Infinion 16 Lead Kit</p> <p><i>Package Contents</i></p> <ul style="list-style-type: none"> (1) 16 Contact Percutaneous Lead with preloaded Curved Stylet (1) Suture Sleeve: 2.3cm (1) 4in Straight Insertion Needle and Steering Cap (1) SC-3400-30 (Splitter) (1) SC-4320 (Med-A)


Percutaneous Leads

MODEL NUMBER	PRODUCT NUMBER	DESCRIPTION
		<p>Linear™ ST Lead Kit</p> <p><i>Package Contents</i></p> <ul style="list-style-type: none"> (1) Percutaneous Lead with preloaded Curved Stylet (1) Stylet Ring with a Curved and a Straight Stylet (4) Suture Sleeves: (2) 1cm, (1) 2.3cm, (1) 4cm (1) 4in Straight Insertion Needle (1) Lead Blank (1) Steering Cap 
SC-2218-30	M365SC2218300	30cm Linear ST Lead
SC-2218-50	M365SC2218500	50cm Linear ST Lead
SC-2218-70	M365SC2218700	70cm Linear ST Lead
		<p>Trial Linear ST Lead Kit</p> <p><i>Package Contents</i></p> <ul style="list-style-type: none"> (1) Percutaneous Lead with preloaded Curved Stylet (1) Suture Sleeve 2.3cm (1) 4in Straight Insertion Needle (1) Steering Cap
SC-2218-50E	M365SC221850E0	50cm Trial Linear ST Lead
SC-2218-70E	M365SC221870E0	70cm Trial Linear ST Lead


Percutaneous Leads

MODEL NUMBER	PRODUCT NUMBER	DESCRIPTION
		<p>Linear™ Lead Kit</p> <p><i>Package Contents</i></p> <ul style="list-style-type: none"> (1) Percutaneous Lead with preloaded Curved Stylet (1) Stylet Ring with a Curved and a Straight Stylet (4) Suture Sleeves: (2) 1cm, (1) 2.3cm, (1) 4cm (1) 4in Straight Insertion Needle (1) Lead Blank (1) Steering Cap  <p style="text-align: right;">Contact Spacing (edge to edge): 1mm</p>
SC-2158-30	M365SC2158300	30cm Linear Lead
SC-2158-50	M365SC2158500	50cm Linear Lead
SC-2158-70	M365SC2158700	70cm Linear Lead
SC-2158-50E	M365SC215850E0	<p>50cm Trial Linear Lead Kit</p> <p><i>Package Contents</i></p> <ul style="list-style-type: none"> (1) Percutaneous Lead with preloaded Curved Stylet (1) Suture Sleeve 2.3cm (1) 4in Straight Insertion Needle (1) Steering Cap




Percutaneous Leads

MODEL NUMBER	PRODUCT NUMBER	DESCRIPTION
		<p>Linear™ 3-4 Lead Kit</p> <p><i>Package Contents</i></p> <ul style="list-style-type: none"> (1) Percutaneous Lead with preloaded Curved Stylet (1) Stylet Ring with a Curved and a Straight Stylet (4) Suture Sleeves: (2) 1cm, (1) 2.3cm, (1) 4cm (1) 4in Straight Insertion Needle (1) Lead Blank (1) Steering Cap  <p style="text-align: right;">Contact Spacing (edge to edge): 4mm</p>
SC-2352-50	M365SC2352500	50cm Linear 3-4 Lead
SC-2352-70	M365SC2352700	70cm Linear 3-4 Lead
SC-2352-50E	M365SC235250E0	<p>50cm Trial Linear 3-4 Lead Kit</p> <p><i>Package Contents</i></p> <ul style="list-style-type: none"> (1) Percutaneous Lead with preloaded Curved Stylet (1) Suture Sleeve 2.3cm (1) 4in Straight Insertion Needle (1) Steering Cap






Percutaneous Leads

MODEL NUMBER	PRODUCT NUMBER	DESCRIPTION
		<p>Linear™ 3-6 Lead Kit</p> <p><i>Package Contents</i></p> <ul style="list-style-type: none"> (1) Percutaneous Lead with preloaded Curved Stylet (1) Stylet Ring with a Curved and a Straight Stylet (4) Suture Sleeves: (2) 1cm, (1) 2.3cm, (1) 4cm (1) 4in Straight Insertion Needle (1) Lead Blank (1) Steering Cap 
SC-2366-30	M365SC2366300	30cm Linear 3-6 Lead
SC-2366-50	M365SC2366500	50cm Linear 3-6 Lead
SC-2366-70	M365SC2366700	70cm Linear 3-6 Lead
SC-2366-50E	M365SC236650E0	<p>50cm Trial Linear 3-6 Lead Kit</p> <p><i>Package Contents</i></p> <ul style="list-style-type: none"> (1) Percutaneous Lead with preloaded Curved Stylet (1) Suture Sleeve 2.3cm (1) 4in Straight Insertion Needle (1) Steering Cap


Surgical Leads

MODEL NUMBER	PRODUCT NUMBER	DESCRIPTION
		<p>CoverEdge™ 32 Surgical Lead Kit</p> <p><i>Package Contents</i> (1) CoverEdge Surgical Lead (6) Suture Sleeves: (2) 1cm, (2) 2.3cm tapered, (2) 4cm</p>  <p style="text-align: right;">Thickness: 2mm</p>
SC-8336-50	M365SC8336500	50cm CoverEdge Surgical Lead
SC-8336-70	M365SC8336700	70cm CoverEdge Surgical Lead
		<p>CoverEdge X 32 Surgical Lead Kit</p> <p><i>Package Contents</i> (1) CoverEdge X Surgical Lead (6) Suture Sleeves: (2) 1cm, (2) 2.3cm tapered, (2) 4cm</p>  <p style="text-align: right;">Thickness: 2mm</p>
SC-8352-50	M365SC8352500	50cm CoverEdge X Surgical Lead
SC-8352-70	M365SC8352700	70cm CoverEdge X Surgical Lead
		<p>Artisan™ MRI Surgical Lead Kit</p> <p><i>Package Contents</i> (1) Artisan MRI Surgical Lead (6) Suture Sleeves: (2) 1cm, (2) 2.3cm, (2) 4cm</p> <p>Please Note: Artisan MRI Surgical Leads must be used with Precision Montage™ MRI IPG in order to be MRI Conditional</p>  <p style="text-align: right;">Thickness: 2mm</p>
SC-8416-50	M365SC8416500	50cm Artisan MRI Surgical Lead
SC-8416-70	M365SC8416700	70cm Artisan MRI Surgical Lead
SC-8216-50	M365SC8216500	50cm Artisan Surgical Lead
SC-8216-70	M365SC8216700	70cm Artisan Surgical Lead



Lead Fixation

MODEL NUMBER	PRODUCT NUMBER	DESCRIPTION	
SC-4318	M365SC43180	4cm Klik™ X Anchor (set of 2)	
SC-4319	M365SC43190	4cm Klik X MRI Anchor (set of 2) Please Note: For use only with the Avista™ MRI Lead	
SC-4316	M365SC43160	2cm Klik Anchor (set of 2)	
FB-101-01	M365FB101010	Fixate™ Suturing Device (Single Pack) <i>Package Contents</i> (1) Fixate Suturing Device with Delivery Tool (1) Knot Pusher (sterile, disposable)	
FB-201-01	M365FB201010	Fixate Suturing Device (Dual Pack) <i>Package Contents</i> (2) Fixate Suturing Device with Delivery Tool (2) Knot Pushers (sterile, disposable)	



Lead Extensions

MODEL NUMBER	PRODUCT NUMBER	DESCRIPTION	
		Lead Extension <i>Package Contents</i> (1) Lead Extension (1) Hex Wrench (1) Tunneling Tool Assembly	
SC-3138-25	M365SC3138250	25cm Lead Extension	
SC-3138-35	M365SC3138350	35cm Lead Extension	
SC-3138-55	M365SC3138550	55cm Lead Extension	













Lead Splitters

MODEL NUMBER	PRODUCT NUMBER	DESCRIPTION
		<p>2x4 Splitter</p> <p><i>Package Contents</i> (1) Lead Splitter 2x4 (1) Hex Wrench</p> 
SC-3304-25	M365SC3304250	25cm D4 Splitter (Distal Configuration-Contacts 1, 2, 3, and 4 Active)
SC-3354-25	M365SC3354250	25cm W4 Splitter (Wide Configuration-Contacts 1, 3, 5, and 8 Active)
SC-3400-30	M365SC3400300	<p>30cm 2x8 Splitter (used with the original Infinion™ 16 Lead)</p> <p><i>Package Contents</i> (1) Lead Splitter 2x8 (1) Hex Wrench</p>  <p>Please Note: The 2x8 Splitter requires the use of Medical Adhesive</p>
SC-4320	M365SC43200	Medical Adhesive








Adapters

MODEL NUMBER	PRODUCT NUMBER	DESCRIPTION
		<p>Precision™ M8 Adapter (used to connect specific compatible Medtronic 8 contact leads to a Boston Scientific IPG)</p> <p><i>Package Contents</i> (1) M8 Adapter (1) Hex Wrench</p> <p>Please Note: The Precision M8 Adapter requires the use of Medical Adhesive</p> 
SC-9218-15	M365SC9218150	15cm Precision Connector M8 Adapter
SC-9218-55	M365SC9218550	55cm Precision Connector M8 Adapter
		<p>Precision Connector M1 (used to connect to specific Medtronic 4 contact leads to a Boston Scientific IPG)</p> <p><i>Package Contents</i> (1) M1 Adapter (1) Hex Wrench</p> <p>Please Note: The Precision M1 Connector requires the use of Medical Adhesive</p> 
SC-9004-35	M365SC9004350	35cm Precision Connector M1
SC-9004-55	M365SC9004550	55cm Precision Connector M1
SC-9004-70	M365SC9004700	70cm Precision Connector M1
SC-4320	M365SC43200	Medical Adhesive

Surgical Spares

MODEL NUMBER	PRODUCT NUMBER	DESCRIPTION
SC-4108	M365SC41080	2x8 OR Cable (60cm) and Extension 
SC-4116	M365SC41160	1x16 OR Cable (60cm) and Extension 
SC-4230	M365SC42300	Passing Elevator 
SC-4231-36	M365SC4231360	Paddle Blank for CoverEdge™ 32 Surgical Lead
SC-4231-52	M365SC4231520	Paddle Blank for CoverEdge X 32 Surgical Lead
SC-4300	M365SC43000	1cm Suture Sleeves (set of 2) 
SC-4301	M365SC43010	1cm Split Suture Sleeves (set of 2) 
SC-4305	M365SC43050	2.3cm Suture Sleeves (set of 2) 
SC-4306	M365SC43060	2.3cm Split Suture Sleeves (set of 2) 
SC-4310	M365SC43100	4cm Suture Sleeves (set of 2) 
SC-4311	M365SC43110	4cm Split Suture Sleeves (set of 2) 
SC-4320	M365SC43200	Medical Adhesive
SC-4365	M365SC43650	Introducer (12.7cm, 22.8cm)  Please Note: Not compatible with the Avista™ or Infinion™ CX Leads or Surgical Leads
SC-4252	M365SC42520	28cm Tunneling Tool 
SC-4254	M365SC42540	35cm Long Tunneling Tool 


Surgical Spares

MODEL NUMBER	PRODUCT NUMBER	DESCRIPTION	
SC-4275	M365SC42750	4.3cm Hex Wrench	
SC-4276	M365SC42760	7.6cm Hex Wrench	
SC-4200	M365SC42000	4in Straight Insertion Needle (10cm)	
SC-4205	M365SC42050	5in Straight Insertion Needle (13cm)	
SC-4206	M365SC42060	6.5in Straight Insertion Needle (17cm)	
SC-4210	M365SC42100	4in Epimed Curved Needle (15° tip curvature)	
SC-4350	M365SC43500	Lead Blanks (set of 2)	
SC-4385-30	M365SC4385300	30cm Stylet Kit with Steering Cap	
SC-4385-50	M365SC4385500	50cm Stylet Kit with Steering Cap	
SC-4385-70	M365SC4385700	70cm Stylet Kit with Steering Cap	
SC-4395-30	M365SC4395300	30cm Enhanced Stylet Kit with Steering Cap and Stylet	
SC-4395-50	M365SC4395500	50cm Enhanced Stylet Kit with Steering Cap and Stylet	
SC-4395-70	M365SC4395700	70cm Enhanced Stylet Kit with Steering Cap and Stylet	
SC-4395-56	M365SC4395560	56cm Enhanced Stylet Kit with Steering Cap and Stylet Please Note: The 56cm Enhanced Stylet Kit is only compatible with Avista™ Leads	
SC-4395-74	M365SC4395740	74cm Enhanced Stylet Kit with Steering Cap and Stylet Please Note: The 74cm Enhanced Stylet Kit is only compatible with Avista Leads	
SC-4401	M365SC44010	3.25cm Port Plugs for Precision Spectra™, Montage™ MRI, or Novi™ IPGs (set of 2)	














Patient Accessories

MODEL NUMBER	PRODUCT NUMBER	DESCRIPTION	
SC-6412-3	M365SC641230	<p>Charging System Kit</p> <p><i>Package Contents</i> (1) Charger Base Station (1) AC/DC Power Supply (1) Charger (1) Charger Belt - Medium</p>	
SC-5312	M365SC53120	Charger 2.0	
SC-5305	M365SC53050	Charger Base Station	
SC-6300	M365SC63000	AC/DC Power Supply (for Charger Base Station)	
		Charging Belt	
SC-6358-0BK	M365SC63580BK0	Charging Belt Size S, Black: 26-42in (66-107cm)	
SC-6358-1BK	M365SC63581BK0	Charging Belt Size M, Black: 32-54in (81-136cm)	
SC-6358-5BK	M365SC63585BK0	Charging Belt Extension, Black: 16-27in (40-68cm)	
NM-6358-SP	M365NM6358SP0	Charging Belt Spacer	
SC-6358-9BK	M365SC63589BK0	Charging Belt Loop Replacement	
SC-6350	M365SC63500	<p>Adhesive Pad Kit</p> <p><i>Package Contents</i> (26) Adhesive Pads</p>	

Patient Accessories

MODEL NUMBER	PRODUCT NUMBER	DESCRIPTION
SC-5552-1	M365SC555210	FreeLink™ Patient Programmer Kit <i>Package Contents</i> (1) Remote Control (1) Remote Control Holster (1) AC/DC Power Supply (1) FreeLink Remote Control Cover - Soothing Mist (White)
SC-6500-52	M364SC6500520	FreeLink Patient Trial Kit <i>Package Contents</i> (1) External Trial Stimulator Belt (2) External Trial Stimulator Batteries
SC-5250	M365SC52500	FreeLink Remote Control 
NM-6210	M365NM62100	Remote Control Holster
NM-6310	M365NM63100	Remote Control USB Power Supply




Patient Accessories

MODEL NUMBER	PRODUCT NUMBER	DESCRIPTION
		FreeLink™ Remote Control Covers 
NM-6215-BL1	M365NM6215BL10	Sea Breeze (Light Blue) Remote Control Cover 
NM-6215-BL2	M365NM6215BL20	Blue Lagoon (Royal Blue) Remote Control Cover 
NM-6215-BLK	M365NM6215BLK0	Midnight Slate (Black) Remote Control Cover 
NM-6215-BRN	M365NM6215BRN0	Warm Cocoa (Brown) Remote Control Cover 
NM-6215-GLW	M365NM6215GLW0	Glow in the Dark Remote Control Cover 
NM-6215-GRN	M365NM6215GRN0	Light Mint (Green) Remote Control Cover 
NM-6215-LAV	M365NM6215LAV0	Soft Lilac (Purple) Remote Control Cover 
NM-6215-ORG	M365NM6215ORG0	Tangerine Sunset (Orange) Remote Control Cover 
NM-6215-PNK	M365NM6215PNK0	Cotton Candy (Pink) Remote Control Cover 
NM-6215-RED	M365NM6215RED0	Strawberry Fields (Red) Remote Control Cover 
NM-6215-WHT	M365NM6215WHT0	Soothing Mist (White) Remote Control Cover 
NM-6215-YEL	M365NM6215YEL0	Fresh Lemonade (Yellow) Remote Control Cover 

Radiofrequency Ablation Table of Contents

Generators	22
Generator Accessories	23
Stainless Steel Reusable Electrodes	24
Disposable Electrodes	25
Unified Disposable Electrode/Cannula	26
Disposable Injection Electrodes and Needles	28
Disposable Procedure Kits	29
Straight Sharp Cannulae	30
Curved Sharp Cannulae	32
Curved Blunt Cannulae	33
Sidekick™ Cannulae	34
Halyard Curved Cannula	34
Disposable Ground Pads	35
Disposable Palisade™ Guideblocks and Kits	36
Stereotactic Disposable Electrodes	37
Trigeminal Neuralgia Kits and Separates	38
Specialty Electrodes and Cannulae Kits	39
Connection Cables and Adapters	40




Generators

PRODUCT NUMBER	DESCRIPTION
RFG-4-120V	<p>G4™ RF Generator</p> <p><i>Package Contents</i></p> <ul style="list-style-type: none"> (1) G4 Generator (1) Medical Grade Power Cord (US) (1) RFG-TP Generator Output Test Plug (1) CB112-TC Connection Cable for Reusable Electrodes 
RFG-1A-120V	<p>RFG-1A RF Generator <i>(Neurosurgery)</i></p> <p><i>Package Contents</i></p> <ul style="list-style-type: none"> (1) RFG-1A Generator (1) Medical Grade Power Cord (US) (1) RFG-TP Generator Output Test Plug (1) CB112-TC Connection Cable for Reusable Electrodes 
RFG-1B-120V	<p>RFG-1B RF Generator <i>(Pain Management)</i></p> <p><i>Package Contents</i></p> <ul style="list-style-type: none"> (1) RFG-1B Generator (1) Medical Grade Power Cord (US) (1) RFG-TP Generator Output Test Plug (1) CB112-TC Connection Cable for Reusable Electrodes 




Generator Accessories

PRODUCT NUMBER	DESCRIPTION	
COR-10A-NA	Medical Grade Power Cord (US)	
FS-1	Foot Switch	
G4-CO	G4™ Cable Organizer Clip	
RFG-STP	Sterilizable Electrode Test Pad	
RFG-TP	Generator Output Test Plug	
SC-1	Storage and Carrying Case for RFG-1A or RFG-1B	
SC-2	Storage and Carrying Case for G4	
SKG	Sterilizable Knob Please Note: Requires SKGA Knob Adapter	
SKGA	Knob Adapter for SKG Sterilizable Knob	




Stainless Steel Reusable Electrodes

PRODUCT NUMBER	DESCRIPTION
	Stainless Steel Reusable Electrode Please Note: These electrodes require connection cable CB112-TC
CSK-TC5	Stainless Steel Reusable Electrode – 5cm
CSK-TC10	Stainless Steel Reusable Electrode – 10cm
CSK-TC15	Stainless Steel Reusable Electrode – 15cm
CSK-TC20	Stainless Steel Reusable Electrode – 20cm
CB112-TC	Connection Cable for Reusable Electrodes 
	Stainless Steel Reusable Electrode with integrated 3m Cable 
CSK-TC5-3M	Stainless Steel Reusable Electrode – 5cm with integrated 3m cable
CSK-TC10-3M	Stainless Steel Reusable Electrode – 10cm with integrated 3m cable
CSK-TC15-3M	Stainless Steel Reusable Electrode – 15cm with integrated 3m cable
CSK-CASE	Sterilizing Case for CSK Electrode 




Disposable Electrodes

PRODUCT NUMBER	DESCRIPTION
	<p>Disposable Electrode</p> <p><i>Package Contents</i> (10) Disposable Electrodes</p>  <p>Please Note: These electrodes require connection cable CB114-TC</p>
TCD-5-P	Disposable Electrode – 5cm
TCD-10-P	Disposable Electrode – 10cm
TCD-15-P	Disposable Electrode – 15cm
TCD-20-P	Disposable Electrode – 20cm
	<p>Disposable Electrode with integrated 3m Cable</p> <p><i>Package Contents</i> (10) Disposable Electrodes</p>  <p>Please Note: These electrodes require adapter CB114-ADP or connection cable CB114-TC</p>
TCD-5-3M-P	Disposable Electrode – 5cm with integrated 3m cable
TCD-10-3M-P	Disposable Electrode – 10cm with integrated 3m cable
TCD-15-3M-P	Disposable Electrode – 15cm with integrated 3m cable
CB114-ADP	Adapter Plug for Disposable Electrodes
CB114-TC	<p>Connection Cable for Disposable Electrodes</p> 

Unified Disposable Electrode/Cannula

PRODUCT NUMBER	DESCRIPTION
	<p>Unified Disposable Electrode/Cannula</p> <p><i>Package Contents</i> (10) Unified Disposable Electrode/Cannula</p> <p>Please Note: All CU/CUR electrodes require connection cable CB114-TC</p> 
	<p>Unified Disposable Electrode/Cannula Straight Tip</p> 
CU-6522-P	Length: 6cm – Tip: 5mm – Gauge: 22ga
CU-61022-P	Length: 6cm – Tip: 10mm – Gauge: 22ga
CU-10522-P	Length: 10cm – Tip: 5mm – Gauge: 22ga
CU-101018-P	Length: 10cm – Tip: 10mm – Gauge: 18ga
CU-101022-P	Length: 10cm – Tip: 10mm – Gauge: 22ga
CU-15522-P	Length: 15cm – Tip: 5mm – Gauge: 22ga
	<p>Unified Disposable Electrode/Cannula Straight Tip – Echo RF™</p> 
CU-6520U-P	Length: 6cm – Tip: 5mm – Gauge: 20ga
CU-10520U-P	Length: 10cm – Tip: 5mm – Gauge: 20ga
CU-101020U-P	Length: 10cm – Tip: 10mm – Gauge: 20ga
CU-15520U-P	Length: 15cm – Tip: 5mm – Gauge: 20ga
CU-151020U-P	Length: 15cm – Tip: 10mm – Gauge: 20ga





Unified Disposable Electrode/Cannula

PRODUCT NUMBER	DESCRIPTION
	Unified Disposable Electrode/Cannula Curved Tip 
CUR-5616-P	Length: 5cm – Tip: 6mm – Gauge: 16ga
CUR-51016-P	Length: 5cm – Tip: 10mm – Gauge: 16ga
CUR-6518-P	Length: 6cm – Tip: 5mm – Gauge: 18ga
CUR-101016-P	Length: 10cm – Tip: 10mm – Gauge: 16ga
CUR-101018-P	Length: 10cm – Tip: 10mm – Gauge: 18ga
CUR-101022-P	Length: 10cm – Tip: 10mm – Gauge: 22ga
CUR-151016-P	Length: 15cm – Tip: 10mm – Gauge: 16ga
CUR-151018-P	Length: 15cm – Tip: 10mm – Gauge: 18ga
	Unified Disposable Electrode/Cannula Curved Tip – Echo RF™ 
CUR-101020U-P	Length: 10cm – Tip: 10mm – Gauge: 20ga
CUR-151020U-P	Length: 15cm – Tip: 10mm – Gauge: 20ga
CB114-TC	Connection Cable for Disposable Electrodes 



Disposable Injection Electrodes and Needles

PRODUCT NUMBER	DESCRIPTION
	<p>Voltage Controlled Injection Electrode <i>(Non-temperature Controlled)</i></p> <p><i>Package Contents</i> (10) Voltage Controlled Injection Electrodes</p> <p>Please Note: These electrodes require connection cable CB116 or CB116-4</p> 
CR-6-P	Length: 6cm – Tip: 5mm
CR-6522U-P	Length: 6cm – Tip: 5mm – Echo RF
CR-10-P	Length: 10cm – Tip: 5mm
CR-10522U-P	Length: 10cm – Tip: 5mm – Echo RF
CR-15-P	Length: 15cm – Tip: 5mm
	<p>Stimulation Guided Nerve Block Needle</p> <p><i>Package Contents</i> (10) Stimulation Guided Nerve Block Needles</p> <p>Please Note: These needles require connection cable CB116 or CB116-4</p> 
CP-6-P	Length: 6cm – Tip: 1mm
CP-10-P	Length: 10cm – Tip: 1mm
	<p>Disposable Nerve Block Needle</p> <p><i>Package Contents</i> (10) Disposable Nerve Block Needles</p> 
CN-6-P	Length: 6cm
CN-10-P	Length: 10cm
CN-15-P	Length: 15cm

Disposable Injection Electrodes and Needles

PRODUCT NUMBER	DESCRIPTION	
	Disposable RF Injection Electrode Connection Cables	
CB116	Single Injection Electrode Cable	
CB116-4	Four Injection Electrode Cable	
CR-CO	Injection Electrode Organizer Clip	
CB103-1A	Injection Electrode to Alligator Clip Adapter	

Disposable Procedure Kits

PRODUCT NUMBER	DESCRIPTION	
BDK-15	<p>Bipolar Disc Kit</p> <p><i>Package Contents</i></p> <p>(2) CC152020 Straight Sharp Cannulae</p> <p>(2) TCD-15 15cm Disposable Electrodes</p> <p>Please Note: These electrodes require connection cable CB114-TC</p>	
CB114-TC	Connection Cable for Disposable Electrodes	

Straight Sharp Cannulae

PRODUCT NUMBER	DESCRIPTION
	Straight Sharp Cannula <i>Package Contents</i> (10) Straight Sharp Cannulae
CC5222-P	Length: 5cm – Tip: 2mm – Gauge: 22ga
CC5421-P	Length: 5cm – Tip: 4mm – Gauge: 21ga
CC5422-P	Length: 5cm – Tip: 4mm – Gauge: 22ga
CC5422Z-P	Length: 5cm – Tip: 4mm – Gauge: 22ga – Premium Siliconized
CC51021-P	Length: 5cm – Tip: 10mm – Gauge: 21ga
CC10222-P	Length: 10cm – Tip: 2mm – Gauge: 22ga
CC10518-P	Length: 10cm – Tip: 5mm – Gauge: 18ga
CC10520-P	Length: 10cm – Tip: 5mm – Gauge: 20ga
CC10521-P	Length: 10cm – Tip: 5mm – Gauge: 21ga
CC10522-P	Length: 10cm – Tip: 5mm – Gauge: 22ga
CC10522Z-P	Length: 10cm – Tip: 5mm – Gauge: 22ga – Premium Siliconized
CC101018-P	Length: 10cm – Tip: 10mm – Gauge: 18ga
CC101020-P	Length: 10cm – Tip: 10mm – Gauge: 20ga
CC101020Z-P	Length: 10cm – Tip: 10mm – Gauge: 20ga – Premium Siliconized
CC101021-P	Length: 10cm – Tip: 10mm – Gauge: 21ga
CC101022-P	Length: 10cm – Tip: 10mm – Gauge: 22ga
CC101022Z-P	Length: 10cm – Tip: 10mm – Gauge: 22ga – Premium Siliconized



Straight Sharp Cannulae

PRODUCT NUMBER	DESCRIPTION
CC15220-P	Length: 15cm – Tip: 2mm – Gauge: 20ga
CC15518-P	Length: 15cm – Tip: 5mm – Gauge: 18ga
CC15520-P	Length: 15cm – Tip: 5mm – Gauge: 20ga
CC151018-P	Length: 15cm – Tip: 10mm – Gauge: 18ga
CC151020-P	Length: 15cm – Tip: 10mm – Gauge: 20ga
CC151020Z-P	Length: 15cm – Tip: 10mm – Gauge: 20ga – Premium Siliconized
CC151520-P	Length: 15cm – Tip: 15mm – Gauge: 20ga
CC152020-P	Length: 15cm – Tip: 20mm – Gauge: 20ga
CC20520-P	Length: 20cm – Tip: 5mm – Gauge: 20ga
CC201020-P	Length: 20cm – Tip: 10mm – Gauge: 20ga
	<p>Straight Sharp Cannula – Echo RF™</p> <p><i>Package Contents</i> (10) Straight Sharp Cannulae – Echo RF</p> 
CC5521U-P / CC5521VU-P	Length: 5cm – Tip: 5mm – Gauge: 21ga
CC51021U-P	Length: 5cm – Tip: 10mm – Gauge: 21ga
CC10520U-P	Length: 10cm – Tip: 5mm – Gauge: 20ga
CC10521U-P	Length: 10cm – Tip: 5mm – Gauge: 21ga
CC101020U-P	Length: 10cm – Tip: 10mm – Gauge: 20ga
CC101021U-P / CC101021VU-P	Length: 10cm – Tip: 10mm – Gauge: 21ga
CC15520U-P	Length: 15cm – Tip: 5mm – Gauge: 20ga
CC151020U-P	Length: 15cm – Tip: 10mm – Gauge: 20ga
CC151021VU-P	Length: 15cm – Tip: 10mm – Gauge: 21ga

Curved Sharp Cannulae

PRODUCT NUMBER	DESCRIPTION
	Curved Sharp Cannula <i>Package Contents</i> (10) Curved Sharp Cannulae
RFK-C5422S-P	Length: 5cm – Tip: 4mm – Gauge: 22ga
RFK-C5616S-P	Length: 5cm – Tip: 6mm – Gauge: 16ga
RFK-C51016S-P	Length: 5cm – Tip: 10mm – Gauge: 16ga
RFK-C10518S-P	Length: 10cm – Tip: 5mm – Gauge: 18ga
RFK-C10520S-P	Length: 10cm – Tip: 5mm – Gauge: 20ga
RFK-C10522S-P	Length: 10cm – Tip: 5mm – Gauge: 22ga
RFK-C10522VZ-P	Length: 10cm – Tip: 5mm – Gauge: 22ga – Premium Siliconized
RFK-C10616S-P	Length: 10cm – Tip: 6mm – Gauge: 16ga
RFK-C101016S-P	Length: 10cm – Tip: 10mm – Gauge: 16ga
RFK-C101016VZ-P	Length: 10cm – Tip: 10mm – Gauge: 16ga – Premium Siliconized
RFK-C101018S-P	Length: 10cm – Tip: 10mm – Gauge: 18ga
RFK-C101018VZ-P	Length: 10cm – Tip: 10mm – Gauge: 18ga – Premium Siliconized
RFK-C101020S-P	Length: 10cm – Tip: 10mm – Gauge: 20ga
RFK-C101020VZ-P	Length: 10cm – Tip: 10mm – Gauge: 20ga – Premium Siliconized
RFK-C101022S-P	Length: 10cm – Tip: 10mm – Gauge: 22ga
RFK-C101022VZ-P	Length: 10cm – Tip: 10mm – Gauge: 22ga – Premium Siliconized
RFK-C15518S-P	Length: 15cm – Tip: 5mm – Gauge: 18ga



Curved Sharp Cannulae


PRODUCT NUMBER	DESCRIPTION
RFK-C15520S-P	Length: 15cm – Tip: 5mm – Gauge: 20ga
RFK-C15616S-P	Length: 15cm – Tip: 6mm – Gauge: 16ga
RFK-C151016S-P	Length: 15cm – Tip: 10mm – Gauge: 16ga
RFK-C151018S-P	Length: 15cm – Tip: 10mm – Gauge: 18ga
RFK-C151018VZ-P	Length: 15cm – Tip: 10mm – Gauge: 18ga – Premium Siliconized
RFK-C151020S-P	Length: 15cm – Tip: 10mm – Gauge: 20ga
RFK-C151020VZ-P	Length: 15cm – Tip: 10mm – Gauge: 20ga – Premium Siliconized
RFK-C151520S-P	Length: 15cm – Tip: 15mm – Gauge: 20ga
RFK-C20520S-P	Length: 20cm – Tip: 5mm – Gauge: 20ga
RFK-C201020S-P	Length: 20cm – Tip: 10mm – Gauge: 20ga

Curved Blunt Cannulae


PRODUCT NUMBER	DESCRIPTION
	<p>Curved Blunt Cannula</p> <p><i>Package Contents</i> (10) Curved Blunt Cannulae</p>
RFK-C10520B-P	Length: 10cm – Tip: 5mm – Gauge: 20ga
RFK-C101020B-P	Length: 10cm – Tip: 10mm – Gauge: 20ga
RFK-C15520B-P	Length: 15cm – Tip: 5mm – Gauge: 20ga
RFK-C151020B-P	Length: 15cm – Tip: 10mm – Gauge: 20ga







Sidekick™ Cannulae

PRODUCT NUMBER	DESCRIPTION
	<p>Sidekick Cannula</p> <p><i>Package Contents</i> (10) Sidekick Cannulae</p> 
RFK-C101018S-ZK-P	Length: 10cm – Tip: 10mm – Gauge: 18ga
RFK-C101020S-ZK-P	Length: 10cm – Tip: 10mm – Gauge: 20ga
RFK-C151018S-ZK-P	Length: 15cm – Tip: 10mm – Gauge: 18ga
RFK-C151020S-ZK-P	Length: 15cm – Tip: 10mm – Gauge: 20ga


Halyard Curved Cannulae

PRODUCT NUMBER	DESCRIPTION
	<p>Halyard Curved Cannula</p> <p><i>Package Contents</i> (10) Halyard Curved Cannulae</p>  <p>Please Note: These cannulae are designed to work with Halyard Curved electrodes only</p>
RFK21-54-5CS-P	Length: 54mm – Tip: 5mm – Gauge: 21ga
RFK18-100-10CS-P	Length: 100mm – Tip: 10mm – Gauge: 18ga
RFK20-100-10CS-P	Length: 100mm – Tip: 10mm – Gauge: 20ga
RFK20-145-10CS-P	Length: 145mm – Tip: 10mm – Gauge: 20ga

Disposable Ground Pads

PRODUCT NUMBER	DESCRIPTION
	Disposable Ground Pads 
DGP-PM-10	<i>Package Contents</i> (10) Disposable Ground Pads
DGP-PM-25	<i>Package Contents</i> (25) Disposable Ground Pads
	Disposable Cordless Ground Pads  <p>Please Note: These ground pads require connection cable CB105</p>
DGP-PMC-10	<i>Package Contents</i> (10) Disposable Cordless Ground Pads
DGP-PMC-25	<i>Package Contents</i> (25) Disposable Cordless Ground Pads
DGP-PMC-50	<i>Package Contents</i> (50) Disposable Cordless Ground Pads
CB105	Connection Cable for Cordless Ground Pads 
CB103-B	Ground Pad Cable for Non-Disposable Ground Plate 



Disposable Palisade™ Guideblocks and Kits

PRODUCT NUMBER	DESCRIPTION
	<p>Disposable Palisade Guideblock</p> <p><i>Package Contents</i> (10) Disposable Palisade Guideblocks</p> 
PG-1018-P	Disposable Palisade Guideblock for 18ga Cannulae
PG-1020-P	Disposable Palisade Guideblock for 20ga Cannulae
	<p>Disposable Palisade Guideblock Kit</p> <p><i>Package Contents</i> (1) Disposable Palisade Guideblock (6) Straight Sharp Cannulae (4) TCD-10 Disposable Electrodes</p> <p>Please Note: These electrodes require connection cable CB114-TC</p> 
PALISADE-18	Included Cannulae: CC101018 - Length: 10cm – Tip: 10mm – Gauge: 18ga
PALISADE-20	Included Cannulae: CC101020 - Length: 10cm – Tip: 10mm – Gauge: 20ga
CB114-TC	<p>Connection Cable for Disposable Electrodes</p> 





Stereotactic Disposable Electrodes

PRODUCT NUMBER	DESCRIPTION
	<p>Stereotactic Disposable Electrodes</p> <p><i>Package Contents</i> (1) Stereotactic Disposable Electrode</p>  <p>Please Note: These electrodes require connection cable CB114-TC</p>
TC-11-2-250-D	Tip Diameter: 1.1mm – Tip Length: 2mm – Shaft Length: 250mm
TC-11-4-250-D	Tip Diameter: 1.1mm – Tip Length: 4mm – Shaft Length: 250mm
TC-16-2-250-D	Tip Diameter: 1.6mm – Tip Length: 2mm – Shaft Length: 250mm
TC-16-4-250-D	Tip Diameter: 1.6mm – Tip Length: 4mm – Shaft Length: 250mm
TC-16-10-250-D	Tip Diameter: 1.6mm – Tip Length: 10mm – Shaft Length: 250mm
	<p>Guide/Reducing Tubes</p> <p><i>Package Contents</i> (1) Guide/Reducing Tube</p> 
GTRT-11-76	Guide/Reducing Tube for 1.1mm Electrodes – Length 76mm
GTRT-16-76	Guide/Reducing Tube for 1.6mm Electrodes – Length 76mm
	<p>Disposable Depth Stops</p> 
DS-11-D	(1) Disposable Depth Stop for 1.1mm Electrodes
DS-11-D-P	(10) Disposable Depth Stops for 1.1mm Electrodes
DS-16-D	(1) Disposable Depth Stop for 1.6mm Electrodes
DS-16-D-P	(10) Disposable Depth Stops for 1.6mm Electrodes
CB114-TC	<p>Connection Cable for Disposable Electrodes</p> 














Trigeminal Neuralgia Kits and Separates

PRODUCT NUMBER	DESCRIPTION	
TEW	<p>Reusable Steerable Trigeminal Neuralgia Kit</p> <p><i>Package Contents</i></p> <ul style="list-style-type: none"> (1) TEW-CN Cannula (1) TEW-SS Solid Stylet (1) TEW-CTC Curved TC Electrode (1) TEW-STC Straight TC Electrode (1) TEW-IT Insertion Tool (1) TEW-FA Flushing Adapter (1) TEW-CS Nylon Screw (1) CB112-TC Cable (1) TEW-CASE Storage and Sterilization Case <p>Please Note: All components are also available individually</p>	
TIC	<p>Reusable Straight Trigeminal Neuralgia Kit</p> <p><i>Package Contents</i></p> <ul style="list-style-type: none"> (1) TIC-C2 Cannula – 2mm tip (1) TIC-C5 Cannula – 5mm tip (1) TIC-C7 Cannula – 7mm tip (1) TIC-C10 Cannula – 10mm tip (1) TIC-SS Solid Stylet (1) TIC-TC TC Electrode (1) TEW-FA Flushing Adapter (1) CB112-TC Cable (1) TIC-CASE Storage and Sterilization Case <p>Please Note: All components are also available individually</p>	

Specialty Electrodes and Cannulae Kits

PRODUCT NUMBER	DESCRIPTION
FLEX-K151320-5P	<p>Flextrode™ Introducer Kit</p> <p><i>Package Contents</i> (5) Flextrode Disposable Electrodes Tip: 13mm – Gauge: 20ga (5) Flextrode Cannulae Tip: 15cm – Gauge: 17ga</p>  <p>Please Note: The Flextrode Introducer Kit requires connection cable CB114-TC</p>
	<p>LCED Disposable Cordotomy Kit</p> <p><i>Package Contents</i> (1) LCED-TC Electrode (1) BD Spinal Needle</p>  <p>Please Note: The Cordotomy Kit requires connection cable CB114-TC</p>
LCED	(1) Disposable Cordotomy Electrode Kit
LCED-P	(10) Disposable Cordotomy Electrode Kits
	<p>Reig-Cosman Epidural (RCE) Pulsed RF Electrode</p> <p><i>Package Contents</i> (10) RCE Disposable Electrodes Length: 40cm Length: 66cm</p>  <p>Please Note: The Pulsed Electrode Kit requires connection cable CB114-TC</p>
RCE-E401519-P	(10) RCE 40cm Electrodes
RCE-E661519-P	(10) RCE 66cm Electrodes
RCE-C916S-P	(10) RCE Introducer Cannulae
CB-114TC	<p>Connection Cable for Disposable Electrodes</p>  <p>Please Note: The Bipolar Disc Kit requires connection cable CB114-TC</p>

Connection Cables and Adapters

PRODUCT NUMBER	DESCRIPTION	
	Connection Cables and Adapters for Boston Scientific (Cosman) Generators	
CB112-TC	Connection Cable for Reusable Electrodes	
CB114-TC	Connection Cable for Disposable Electrodes	
CB114-ADP	Adapter Plug for Disposable Electrodes	
CB105	Connection Cable for Cordless Ground Pads	
CB116	Single Injection Electrode Cable	
CB116-4	Four Injection Electrode Cable	
CR-CO	Injection Electrode Organizer Clip	
CB103-1A	Injection Electrode to Alligator Clip Adapter	
CB103-B	Ground Pad Cable for Non-Disposable Ground Plate	
CB103-R	Alligator Clip Connection Cable	
CB113	RFG-1A/1B Bipolar Adapter Cable for Ground Pad Jack (Reusable Electrodes)	
CB130-TC	Neurotherm Simplicity Electrode to Cosman Generator Cable	
CB135-TC	Neurotherm Reusable Electrode to Cosman Generator Cable	
CB-SN	Smith & Nephew Spinecath Electrode to Cosman Generator Cable	

Connection Cables and Adapters

PRODUCT NUMBER	DESCRIPTION
	<p>Connection Cables and Adapters for Major Manufacturers Generators Please Note: Some adapters may require an additional connection cable for use with some generators</p>
C125-TC	<p>Adapter for Stryker Generators </p>
C120-TC	<p>Adapter Cable for Halyard Single-Output Generators (Reusable Electrodes) </p>
C121-TC	<p>Adapter Cable for Halyard Single-Output Generators (Disposable Electrodes) </p>
C124-TC	<p>Adapter Cable for Halyard Four-Output Generators (Reusable Electrodes) </p>
C134-TC	<p>Adapter Cable for Halyard Four-Output Generators (Disposable Electrodes) </p>
C126-TC	<p>Adapter Cable for Smith & Nephew Generators (Reusable Electrodes) </p>
C127-TC	<p>Adapter Cable for Smith & Nephew Generators (Disposable Electrodes) </p>
C115-TC	<p>Adapter Cable for Neurotherm Generators (Reusable Electrodes) </p>
C123-TC	<p>Adapter Cable for Neurotherm Generators (Disposable Electrodes) </p>
C110	<p>Adapter Cable for Neurotherm Generators (Injection Electrodes) </p>
C112-TC	<p>Adapter Cable for Radionics Generators (Reusable Electrodes) </p>
C114-TC	<p>Adapter Cable for Radionics Generators (Disposable Electrodes) </p>
C116	<p>Adapter Cable for Radionics Generators (Injection Electrodes) </p>
C116-4	<p>Adapter Cable for Radionics Generators (Injection Electrodes x 4) </p>
C105	<p>Ground Pad Adapter Cable for Halyard/Radionics Generators (DGP-PMC) </p>
C103-RTM	<p>Radionics Thermistor Cable to Alligator Clip </p>
C104-TM	<p>Radionics Thermistor Cable for Thermistor Electrode </p>

Certain Terms and Conditions

WARRANTY

- Rechargeable Implantable Pulse Generator (Precision Spectra™, Precision Montage™ MRI) – Limited warranty for a period of 5 years from the date of surgical implantation.
- Non-Rechargeable Implantable Pulse Generator (Precision Novi™) – Limited warranty for a period of 2 years from the date of surgical implantation.
- Leads, Extensions, Splitters, and Connectors - Limited warranty for a period of 1 year from the date of surgical implantation.
- Externals (Remote Controls and Charging Devices) - Limited warranty for a period of 1 year from the date of purchase.
- Radiofrequency Generators – Limited warranty for a period of 1 year from the date of purchase.

Please see Limited Warranty Manual (91006760-01) for more detailed information.

SPINAL CORD STIMULATION CUSTOMER SERVICE

Customer service is available between the hours of 5:00 am and 5:00 pm PST weekdays, excluding national holidays, at 866.360.4747. In addition, technical after-hours service is available 24 hours a day, 7 days a week by calling the same number. Our toll-free fax number, 877.464.2940, is available at all times.

RADIOFREQUENCY ABLATION CUSTOMER SERVICE

Customer service is available between the hours of 5:00 am and 3:00 pm PST weekdays, excluding national holidays, at 888.8.COSMAN or CosmanOrders@bsci.com. Our toll-free fax number, 781.272.6563, is available at all times. Capital equipment (generator) technical assistance is available between the hours of 5:30 am and 5:00 pm PST weekdays, excluding national holidays at 800.949.6708 or via e-mail at CETechSupportUSA@bsci.com.

TERMS

Terms are Net 30 Days. All shipments are F.O.B. from our distribution centers. Prices are subject to change without notice.

RETURNED GOODS

Permission to return merchandise is required for all returns and may be withheld at the sole discretion of Boston Scientific Neuromodulation. This authorization to return goods must be requested by calling or writing:

Customer Service
Boston Scientific Neuromodulation
25155 Rye Canyon Loop
Valencia, CA 91355
Phone: 866.360.4747

Merchandise that will not be accepted for return:

- Expired product
- Merchandise in unsaleable condition (opened, damaged, tampered, etc.)
- Merchandise not listed in this Catalog, Price List, or any Supplement
- Merchandise sterilized or used by the customer
- Merchandise that is not packaged properly for shipping when returned
- Incomplete kits or boxes (unless defective)
- Unauthorized returns

SPECIFICATION CHANGES

As we are continually introducing products and improving our existing products, this Catalog does not purport to be complete, and the equipment supplied may not agree in all details with the description and specifications shown in the catalog. All product offerings, prices, and specifications are subject to change without notice.

NOTICE

Indications, warnings, contraindications, and instructions for use, as well as product warranty information, can be found in the product labeling supplied with each device. EXCEPT AS SET FORTH IN THE PRODUCT LABELING SUPPLIED WITH THE DEVICE, BOSTON SCIENTIFIC NEUROMODULATION MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE DEVICE.

WARNING RE: SINGLE-USE DEVICES

Products marked as “single-use” are for single use only. Do not reuse, reprocess, or resterilize single-use products. Reuse, reprocessing, or resterilization may compromise the structural integrity of the device and/or lead to device failure, which in turn may result in patient injury, illness, or death. Reuse, reprocessing, or resterilization may also create a risk of contamination of the device and/or cause patient infection or cross-infection, including, but not limited to, the transmission of infectious disease(s) from one patient to another. Contamination of the device may lead to injury, illness, or death of the patient. Boston Scientific Neuromodulation assumes no liability with respect to instruments reused, reprocessed, or resterilized, and makes no warranties, express or implied, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose, with respect to any such instrument.

NEUROMODULATION PORTFOLIO



*The Precision Montage™ MRI SCS System provides safe access to full-body MRI scans when used with specific components and exposed to the MRI environment under the defined conditions in the ImageReady MRI Full Body Guidelines for Precision Montage MRI Spinal Cord Stimulator System.

US Indications for Use: The Boston Scientific Spinal Cord Stimulator Systems are indicated as an aid in the management of chronic intractable pain of the trunk and/or limbs including unilateral or bilateral pain associated with the following: failed back surgery syndrome, Complex Regional Pain Syndrome (CRPS) Types I and II, intractable low back pain and leg pain. Associated conditions and etiologies may be: radicular pain syndrome, radiculopathies resulting in pain secondary to failed back syndrome or herniated disc, epidural fibrosis, degenerative disc disease (herniated disc pain refractory to conservative and surgical interventions), arachnoiditis, multiple back surgeries. Contraindications, warnings, precautions, side effects. The SCS Systems are contraindicated for patients who: are unable to operate the SCS System, have failed trial stimulation by failing to receive effective pain relief, are poor surgical risks, or are pregnant. Refer to the Instructions for Use provided with the SCS System or ControlYourPain.com for potential adverse effects, warnings, and precautions prior to using this product. Caution: Federal (U.S.) law restricts this device to sale by or on the order of a physician.

The Cosman Radiofrequency Generators, associated Radiofrequency Lesion Probes and RF Cannula are indicated for use in procedures to create radiofrequency lesions for the treatment of pain or for lesioning nerve tissue for functional neurosurgical procedures. The Cosman RF Injection Electrodes are used for percutaneous nerve blocks with local anesthetic solution or for radiofrequency lesioning. Refer to the Instructions for Use provided with Cosman generators, electrodes and cannulas for potential adverse effects, warnings and precautions prior to using these products. Caution: Federal (U.S.) law restricts this device to sale by or on the order of a physician.

The Fixate Suturing Device is intended to be an accessory to the leads/catheter component of Spinal Cord Stimulator/Pain Pump systems functioning to secure the lead to the fascia or inter-spinous/supra-spinous ligament. Contraindications, warnings, precautions, side effects. The device is intended for use only as indicated. Refer to the Instructions for Use provided with the Fixate Suturing Device for potential adverse effects, warnings, and precautions prior to using this product.

Refer to the Precision M8 Adapter Directions for Use for indications, warnings and cautions. The Precision M8 Adapter is compatible with the following Medtronic lead and extension model numbers: 39286, 39565, 3788, 3878, 3777, 3877, 3776, 3876, 3874, 3873, 3875, 37081, 37083, 37082, 977A160, 977A175, 977A190, 977A260, 977A275, 977A290, 977D160, 977D260

All trademarks are property of their respective owners.

**Boston
Scientific**
Advancing science for life™

25155 Rye Canyon Loop
Valencia, CA 91355 USA

Copyright ©2017 by
Boston Scientific Corporation
or its affiliates. All rights reserved.
NMI-48608-AF_NOV2017