

Statewide Term Contract for Audio/Visual # 4400026081



BridgeTek Solutions, LLC.
 110 Connector Park Ct,
 Piedmont, SC 29673
 864-214-0221
www.bridgeteksolutions.com



SN2106

MFG Part #	Product Description	MSRP	AV Discount	AV Price
28013	Surface-Mount Acoustimass Bass Module Plenum Cover	\$142.00	20%	\$113.60
28337	For stacking two or more MA12 loudspeakers. For indoor use.	\$78.00	20%	\$62.40
28338	For stacking two or more MA12 loudspeakers. For indoor use.	\$78.00	20%	\$62.40
29229	MA12/MA12EX PSA-12 Adapter	\$112.00	20%	\$89.60
29828	Surface-mount bracket and cosmetic cover for mounting FreeSpace 3BF bass loudspeaker to a wall or ceiling surface.	\$68.00	20%	\$54.40
29829	Surface-mount bracket and cosmetic cover for mounting FreeSpace 3BF bass loudspeaker to a wall or ceiling surface.	\$68.00	20%	\$54.40
29832	Designed for mounting FreeSpace 3F satellite loudspeaker in hung tile ceilings.	\$80.00	20%	\$64.00
29853	Designed for mounting FreeSpace 3F satellite loudspeaker in new-construction hard-deck ceilings.	\$68.00	20%	\$54.40
29854	Designed for mounting FreeSpace 3BF bass loudspeaker in hung tile ceilings.	\$186.00	20%	\$148.80
29855	Designed for mounting FreeSpace 3BF bass loudspeaker in new-construction hard-deck ceilings.	\$98.00	20%	\$78.40
30097	Cosmetic covers designed for flush-mount FreeSpace 3 satellite loudspeakers. Intended for use when satellites are suspended from open ceilings.	\$16.00	20%	\$12.80
30098	Cosmetic covers designed for flush-mount FreeSpace 3 satellite loudspeakers. Intended for use when satellites are suspended from open ceilings.	\$16.00	20%	\$12.80
30099	Suspension hardware and loudspeaker cosmetic cover designed for hanging FreeSpace 3BF bass loudspeaker from open ceilings.	\$68.00	20%	\$54.40
30100	Suspension hardware and loudspeaker cosmetic cover designed for hanging FreeSpace 3BF bass loudspeaker from open ceilings.	\$68.00	20%	\$54.40
31145	Enables FreeSpace 3F satellite loudspeaker to be mounted in air handling (plenum) spaces.	\$0.02	20%	\$0.02

31146	Enables FreeSpace 3BF bass loudspeaker to be mounted in air handling (plenum) spaces.	\$0.02	20%	\$0.02
37083	Suspension hardware and loudspeaker cosmetic covers designed for hanging a complete FreeSpace 3 series II system (FS 3BF bass loudspeaker with four FS 3S satellite loudspeakers) from a single hangpoint with open ceilings.	\$100.00	20%	\$80.00
37084	Suspension hardware and loudspeaker cosmetic covers designed for hanging a complete FreeSpace 3 series II system (FS 3BF bass loudspeaker with four FS 3S satellite loudspeakers) from a single hangpoint with open ceilings.	\$100.00	20%	\$80.00
40143	High-performance, extended-range systems designed for small to medium-sized installed applications. Surface and flush components can be mixed and matched to provide greater flexibility to suit a wide range of applications. For indoor applications only.	\$200.00	20%	\$160.00
40144	High-performance, extended-range systems designed for small to medium-sized installed applications. Surface and flush components can be mixed and matched to provide greater flexibility to suit a wide range of applications. For indoor applications only.	\$200.00	20%	\$160.00
40145	High-performance, extended-range systems designed for small to medium-sized installed applications. Surface and flush components can be mixed and matched to provide greater flexibility to suit a wide range of applications. For indoor applications only.	\$552.00	20%	\$441.60
40146	High-performance, extended-range systems designed for small to medium-sized installed applications. Surface and flush components can be mixed and matched to provide greater flexibility to suit a wide range of applications. For indoor applications only.	\$552.00	20%	\$441.60
40151	Full-range environmental loudspeaker designed to blend with landscaping for in-ground or above-ground applications. Features 360 horizontal coverage and frequency range down to 60 Hz. For indoor and outdoor applications.	\$420.00	20%	\$336.00
40173	Compact 1 x 12IN (305 mm) configuration designed to provide bass augmentation for Bose LT arrays and other subwoofer applications. Allows minimal-height arrays when used with LT mid/high loudspeakers. MB12 for indoor applications only.	\$2,200.00	20%	\$1,760.00
40174	Compact 1 x 12IN (305 mm) configuration designed to provide bass augmentation for Bose LT arrays and other subwoofer applications. Allows minimal-height arrays when used with LT mid/high loudspeakers. MB12 for indoor applications only.	\$2,200.00	20%	\$1,760.00
40175	MB24 III MODULAR BASS LOUDSPEAKER BLACK	\$3,530.00	20%	\$2,824.00

40188	Wide 145 horizontal coverage. Designed to provide outstanding vocal intelligibility in acoustically demanding spaces. Slim column enclosure blends with almost any d cor. For indoor applications	\$1,112.00	20%	\$889.60
40189	Wide 145 horizontal coverage. Designed to provide outstanding vocal intelligibility in acoustically demanding spaces. Slim column enclosure blends with almost any d cor. For indoor applications	\$1,112.00	20%	\$889.60
40190	For use with either one or two MA12 loudspeakers. Bracket included for coupling transformer to loudspeakers.	\$200.00	20%	\$160.00
40191	For use with either one or two MA12 loudspeakers. Bracket included for coupling transformer to loudspeakers.	\$200.00	20%	\$160.00
40192	Compact low-frequency loudspeaker designed primarily to provide bass augmentation for Bose Panaray and DS systems in small to medium-size indoor permanent installations. It can also be used as portable sound reinforcement. For indoor applications only.	\$766.00	20%	\$612.80
40706	MB24 III Modular Bass Loudspeaker White	\$3,530.00	20%	\$2,824.00
40753	DXA 2120 DIGITAL AMPLIFIER 120V NA	\$1,448.00	20%	\$1,158.40
40754	DS16SEAG Aluminum Grill for DS 16SE BL	\$1,448.00	20%	\$1,158.40
40756	DS16SEAG Aluminum Grill for DS 16SE WH	\$1,448.00	20%	\$1,158.40
41760	The Bose ControlSpace CC-64 control center is an elegant, programmable, networked controller that provides users a simple and logical interface to their ControlSpace system.	\$1,118.00	20%	\$894.40
41761	The Bose ControlSpace CC-16 zone controller is an elegant wall-mounted device designed to provide end-user control of ControlSpace systems. Custom programming allows the CC-16 to control a variety of system elements, from switching audio sources	\$386.00	20%	\$308.80
121526	SS-10 MP Mounting Plate Black	\$66.00	20%	\$52.80
137050	Thumb Screws	\$2.00	20%	\$1.60
315338-0100	For use with either one or two MA12EX loudspeakers. Bracket included for coupling transformer to loudspeakers.	\$364.00	20%	\$291.20
315338-0200	For use with either one or two MA12EX loudspeakers. Bracket included for coupling transformer to loudspeakers.	\$364.00	20%	\$291.20
317088-0100	For stacking two or more MA12EX loudspeakers. For indoor and outdoor use.	\$86.00	20%	\$68.80
317088-0200	For stacking two or more MA12EX loudspeakers. For indoor and outdoor use.	\$86.00	20%	\$68.80
317302-0100	Articulated Array speaker configuration provides wider 160 horizontal coverage and weather-resistant components allow use in outdoor applications. Designed to provide outstanding vocal intelligibility in acoustically demanding spaces. Slim column enclos	\$1,732.00	20%	\$1,385.60

317302-0200	Articulated Array speaker configuration provides wider 160 horizontal coverage and weather-resistant components allow use in outdoor applications. Designed to provide outstanding vocal intelligibility in acoustically demanding spaces. Slim column enclos	\$1,732.00	20%	\$1,385.60
318337-0100	Wall Bracket provides 0 10 of positive pitch retention for stacked MA12 and MA12EX arrays. Load rated for triple-stacks. This bracket is used along with the WB-MA12/MA12EX pitch only or WMB-MA12/MA12EX bi-pivot brackets. For indoor/outdoor use.	\$112.00	20%	\$89.60
318337-0200	Wall Bracket provides 0 10 of positive pitch retention for stacked MA12 and MA12EX arrays. Load rated for triple-stacks. This bracket is used along with the WB-MA12/MA12EX pitch only or WMB-MA12/MA12EX bi-pivot brackets. For indoor/outdoor use.	\$112.00	20%	\$89.60
318338-0100	Wall bracket offers pitch and yaw adjustment for MA12 and MA12EX loudspeakers. For indoor/outdoor use	\$142.00	20%	\$113.60
318338-0200	Wall bracket offers pitch and yaw adjustment for MA12 and MA12EX loudspeakers. For indoor/outdoor use	\$142.00	20%	\$113.60
318418-0100	Wall bracket offers 0 10 of pitch adjustment for MA12 and MA12EX loudspeakers. For indoor and outdoor use.	\$78.00	20%	\$62.40
318418-0200	Wall bracket offers 0 10 of pitch adjustment for MA12 and MA12EX loudspeakers. For indoor and outdoor use.	\$78.00	20%	\$62.40
323113-0110	Compact 2 x 12IN (305 mm) configuration designed to provide bass augmentation for Bose LT arrays and other subwoofer applications. Allows minimal-height arrays when used with LT mid/high loudspeakers. MB24 WR for indoor and outdoor	\$4,200.00	20%	\$3,360.00
323114-0110	Compact 1 x 12IN (305 mm) configuration designed to provide bass augmentation for Bose LT arrays and other subwoofer applications. Allows minimal-height arrays when used with LT mid/high loudspeakers. MB12 WR for indoor and outdoor	\$2,650.00	20%	\$2,120.00
323205-0010	ADJUSTABLE TILE BRIDGE FOR DS40F/DS100F	\$72.00	20%	\$57.60
330034-0110	RoomMatch RMS215 subwoofer module is designed primarily to extend the low-frequency response of Bose RoomMatch arrays to 40 Hz. The RMS215 subwoofer module features dual Bose LF15 15-inch high-excursion woofers, with a proprietary port design that	\$4,520.00	20%	\$3,616.00
343546-1110	PowerMatch PM8500N Configurable Amplifier Network Model 120V NA	\$4,680.00	20%	\$3,744.00
343546-2110	POWERMATCH PM8500N AMP NETWORK 230V NA	\$5,080.00	20%	\$4,064.00
343546-4110	POWERMATCH PM8500N AMP NETWORK 240V NA	\$5,080.00	20%	\$4,064.00
343547-1110	POWERMATCH PM8500 CONFIGURABLE AMP 120V	\$4,280.00	20%	\$3,424.00
343547-2110	ArenaMatch AMMCPLAT Module Connect Plate	\$4,280.00	20%	\$3,424.00
343547-4110	POWERMATCH PM8500 CONFIGURABLE AMP 240V	\$4,280.00	20%	\$3,424.00

344055-0110	RoomMatch Dual-18 VLF-Sub Loudspeaker Black	\$5,510.00	20%	\$4,408.00
344871-1410	FREESPACE IZA 190-HZ AMPLIFIER 120V NA	\$632.00	20%	\$505.60
344872-1420	FREESPACE ZA 250-LZ ZONE AMPLIFIER 120V	\$420.00	20%	\$336.00
353689-0410	Allows one or two FreeSpace IZA or ZA zone amplifiers to be mounted into a 1 RU rack space. Comes with 2 link brackets and rack ears.	\$30.00	20%	\$24.00
359844-0020	PowerMatch Dante Network Card	\$680.00	20%	\$544.00
361810-1110	PowerMatch PM8250N Configurable Amplifier Network Model 120V NA	\$4,080.00	20%	\$3,264.00
361813-1110	PowerMatch PM4500N Configurable Amplifier Network Model 120V NA	\$3,680.00	20%	\$2,944.00
361815-1110	POWERMATCH PM4250N AMP NETWORK 120V NA	\$3,480.00	20%	\$2,784.00
361816-1110	POWERMATCH PM4250 AMP 120V NA	\$2,680.00	20%	\$2,144.00
371407-0010	ControlSpace CC-PS1 Universal Power Supply 100-240V	\$66.00	20%	\$52.80
719782-1420	WP22BUD Dante Plate 2XLR, 2RCA, 1-3.5mm	\$1,072.00	20%	\$857.60
734302-0110	ShowMatch SMS118 DeltaQ Subwoofer	\$3,870.00	20%	\$3,096.00
738453-0110	A pan-and-tilt bracket that allows both pitch and yaw adjustment. The bracket fits the 4x M8 threaded inserts (127 x 70 mm) on the rear panel of RMU208, RMU206 and RMU108 models, as well as the 2x M6 threaded inserts (70 mm spacing) on the rear panel of t	\$180.00	20%	\$144.00
738453-0120	A outdoor pan-and-tilt bracket that allows both pitch and yaw adjustment.	\$242.00	20%	\$193.60
738453-0210	A pan-and-tilt bracket that allows both pitch and yaw adjustment. The bracket fits the 4x M8 threaded inserts (127 x 70 mm) on the rear panel of RMU208, RMU206 and RMU108 models, as well as the 2x M6 threaded inserts (70 mm spacing) on the rear panel of t	\$180.00	20%	\$144.00
738453-0220	A outdoor pan-and-tilt bracket that allows both pitch and yaw adjustment.	\$242.00	20%	\$193.60
738675-0010	ControlSpace EP22-D 2 In x 2 Out Dante Endpoint	\$918.00	20%	\$734.40
738677-0010	ControlSpace WP22B-D Dante Wall Plate 4 XLR	\$1,122.00	20%	\$897.60
738678-0010	ControlSpace WP22BU-D Dante Wall Plate 2-XLR, 2-RCA, 1-	\$1,122.00	20%	\$897.60
743375-1410	POWERSHARE PS602 AMPLIFIER 120V NA	\$1,528.00	20%	\$1,222.40
768928-0010	ControlCenter CV41 4-to-1 Converter	\$100.00	20%	\$80.00
768932-0110	ControlCenter CC-1 Black	\$70.00	20%	\$56.00
768932-0210	ControlCenter CC-1 White	\$70.00	20%	\$56.00
768938-0110	ControlCenter CC-2 Black	\$80.00	20%	\$64.00
768938-0210	ControlCenter CC-2 White	\$80.00	20%	\$64.00
768941-0110	ControlCenter CC-3 Black	\$80.00	20%	\$64.00
768941-0210	ControlCenter CC-3 White	\$80.00	20%	\$64.00
771783-0110	ControlSpace EX-4ML Dante Endpoint	\$892.00	20%	\$713.60

771784-0110	ControlSpace EX-UH Dante Endpoint	\$722.00	20%	\$577.60
772045-0110	ControlSpace EX-8ML Dante Endpoint	\$1,590.00	20%	\$1,272.00
772234-1110	ControlSpace EX-1280C Conferencing Processor 120V NA	\$3,900.00	20%	\$3,120.00
772238-0110	PowerMatch AmpLink 24-Channel Card	\$198.00	20%	\$158.40
776978-0010	MIMO 7 Inch Android Touch Panel Flush	\$660.00	20%	\$528.00
777189-0220	EdgeMax EM180 In-Ceiling Premium Loudspeaker White	\$790.00	20%	\$632.00
778844-0220	EdgeMax EM90 In-Ceiling Premium Loudspeaker White	\$790.00	20%	\$632.00
782691-0010	MIMO 7 Inch Touch Panel J-Box	\$260.00	20%	\$208.00
785043-0110	CSP-1248 Commercial Sound Processor	\$948.00	20%	\$758.40
788330-0110	EdgeMax EM90/180 Grill Black	\$50.00	20%	\$40.00
790054-0010	EdgeMax EM90/180 Rough-In Pans	\$50.00	20%	\$40.00
790080-0110	ControlSpace EX Endpoint Mounting Bracket	\$99.00	20%	\$79.20
790081-0010	ControlSpace EX Endpoint Microphone Extension Cable	\$99.00	20%	\$79.20
791324-1410	PowerShare PS604A Adaptable Power Amplifier 120V NA	\$2,198.00	20%	\$1,758.40
791355-1410	FREESPACE ZA 2120-HZA ZONE AMP 120V	\$908.00	20%	\$726.40
808453-1110	CSP-428 Commercial Sound Processor 120V NA	\$1,298.00	20%	\$1,038.40
808456-1110	CSP-1248 Commercial Sound Processor 120V NA	\$1,998.00	20%	\$1,598.40
808461-0110	ControlCenter CC-1D Digital Zone Controller Black	\$198.00	20%	\$158.40
808461-0210	ControlCenter CC-1D Digital Zone Controller White	\$198.00	20%	\$158.40
808928-0110	ControlCenter CC-2D Digital Zone Controller Black	\$250.00	20%	\$200.00
808928-0210	ControlCenter CC-2D Digital Zone Controller White	\$250.00	20%	\$200.00
808930-0110	ControlCenter CC-3D Digital Zone Controller Black	\$300.00	20%	\$240.00
808930-0210	ControlCenter CC-3D Digital Zone Controller White	\$300.00	20%	\$240.00
808932-0210	AVM-1 Sense Microphone	\$200.00	20%	\$160.00
811432-0110	Bose Professional MB210-WR compact subwoofers are designed for outdoor installations of background/ foreground music and small sound-reinforcement systems that require low-frequency extension down to 37 Hz. The MB210-WR subwoofer features two	\$1,000.00	20%	\$800.00
811432-0210	Bose Professional MB210-WR compact subwoofers are designed for outdoor installations of background/ foreground music and small sound-reinforcement systems that require low-frequency extension down to 37 Hz. The MB210-WR subwoofer features two	\$1,000.00	20%	\$800.00
812806-1110	SoundComm B40 Headset Single Right	\$2,600.00	20%	\$2,080.00
812848-1110	SoundComm B40 Headset Dual Monaural	\$3,100.00	20%	\$2,480.00
812862-1110	An open-architecture DSP, the Bose Professional ControlSpace ESP-880A engineered sound processor is designed for a wide variety of applications from small, self-contained projects to large, networked systems. It features 8x8 analog audio I/O, a Bose Amp	\$2,600.00	20%	\$2,080.00
812872-1110	SoundComm B40 Down Cable Assy XLR 4pin F	\$3,100.00	20%	\$2,480.00
813375-1310	PowerShare PS404D Adaptable Power Amplifier 120V NA	\$2,298.00	20%	\$1,838.40

813403-1310	PowerShare PS604D Adaptable Power Amplifier 120V NA	\$2,898.00	20%	\$2,318.40
834315-1110	ControlSpace EX-440C Conferencing Processor 120V NA	\$2,900.00	20%	\$2,320.00
834316-1110	ControlSpace EX-12AEC Processor 120V NA	\$1,990.00	20%	\$1,592.00
834317-1110	ControlSpace EX-1280 Processor 120V NA	\$3,500.00	20%	\$2,800.00
799376-0110	DesignMax Pan & Tilt Bracket Small Black	\$110.00	20%	\$88.00
799376-0210	DesignMax Pan & Tilt Bracket Small White	\$110.00	20%	\$88.00
801332-0110	Delivering SPL suitable for foreground music, the 125-watt DesignMax DM8S loudspeaker features a two-way, 8-inch coaxially mounted woofer and a center-firing 1-inch compression driver, producing a 52 Hz - 20 kHz frequency range. The DM8S is surface-mounte	\$676.00	20%	\$540.80
801332-0210	Delivering SPL suitable for foreground music, the 125-watt DesignMax DM8S loudspeaker features a two-way, 8-inch coaxially mounted woofer and a center-firing 1-inch compression driver, producing a 52 Hz - 20 kHz frequency range. The DM8S is surface-mounte	\$676.00	20%	\$540.80
802080-0110	Delivering SPL suitable for foreground music, the 125-watt DesignMax DM8C loudspeaker features a two-way, 8-inch coaxially mounted woofer and a center-firing 1-inch compression driver, producing a 51 Hz - 20 kHz frequency range. The DM8C is ceiling-mounte	\$720.00	20%	\$576.00
802080-0210	Delivering SPL suitable for foreground music, the 125-watt DesignMax DM8C loudspeaker features a two-way, 8-inch coaxially mounted woofer and a center-firing 1-inch compression driver, producing a 51 Hz - 20 kHz frequency range. The DM8C is ceiling-mounte	\$720.00	20%	\$576.00
810613-0010	DesignMax DM8C Rough-In Kit 6 Pack	\$144.00	20%	\$115.20
815009-0010	DesignMax DM2C Rough-In Kit 6 Pack	\$132.00	20%	\$105.60
815011-0110	Ideal for background music, the 16-watt DesignMax DM2C-LP loudspeaker features a 2.25-inch transducer and 80 Hz - 19 kHz frequency range. The DM2C-LP has a low-profile backcan and is ceiling-mounted, installed easily via QuickHold mounting arms.	\$300.00	20%	\$240.00
815011-0210	Ideal for background music, the 16-watt DesignMax DM2C-LP loudspeaker features a 2.25-inch transducer and 80 Hz - 19 kHz frequency range. The DM2C-LP has a low-profile backcan and is ceiling-mounted, installed easily via QuickHold mounting arms.	\$300.00	20%	\$240.00
815013-0110	Ideal for background music, the 16-watt DesignMax DM2S loudspeaker features a 2.25-inch transducer and 85 Hz - 19 kHz frequency range. The DM2S is surface-mounted and locks onto a hidden QuickHold U-bracket for fast, secure installation.	\$380.00	20%	\$304.00

815013-0210	Ideal for background music, the 16-watt DesignMax DM2S loudspeaker features a 2.25-inch transducer and 85 Hz - 19 kHz frequency range. The DM2S is surface-mounted and locks onto a hidden QuickHold U-bracket for fast, secure installation.	\$380.00	20%	\$304.00
829380-0110	The 150-watt DesignMax DM8C-SUB subwoofer features an 8-inch woofer, which delivers a 38 Hz - 115 Hz frequency range. The DM8C-SUB is ceiling-mounted, installed easily via QuickHold mounting arms.	\$598.00	20%	\$478.40
829380-0210	The 150-watt DesignMax DM8C-SUB subwoofer features an 8-inch woofer, which delivers a 38 Hz - 115 Hz frequency range. The DM8C-SUB is ceiling-mounted, installed easily via QuickHold mounting arms.	\$598.00	20%	\$478.40
829679-0110	The 100-watt DesignMax DM6C features a two-way 6.5-inch woofer and 1.25-inch tweeter coaxially mounted within the Dispersion Alignment system, producing a frequency range of 59 - 20,000 Hz. The DM6C is ceiling-mounted and installs easily via	\$732.00	20%	\$585.60
829679-0210	The 100-watt DesignMax DM6C features a two-way 6.5-inch woofer and 1.25-inch tweeter coaxially mounted within the Dispersion Alignment system, producing a frequency range of 59 - 20,000 Hz. The DM6C is ceiling-mounted and installs easily via	\$732.00	20%	\$585.60
829682-0110	The 100-watt DesignMax DM6SE features a two-way 6.5-inch woofer and 1.25-inch tweeter coaxially mounted within the Dispersion Alignment system, producing a frequency range of 59Hz - 20 kHz. The DM6SE is surface-mounted, IP55 outdoor-	\$876.00	20%	\$700.80
829682-0210	The 100-watt DesignMax DM6SE features a two-way 6.5-inch woofer and 1.25-inch tweeter coaxially mounted within the Dispersion Alignment system, producing a frequency range of 59Hz - 20 kHz. The DM6SE is surface-mounted, IP55 outdoor-	\$876.00	20%	\$700.80
829683-0110	The 50-watt DesignMax DM5C loudspeaker features a two-way 5.25-inch woofer and 1-inch tweeter coaxially mounted within the Dispersion Alignment system, producing a frequency range of 65 Hz - 20 kHz. The DM5C is ceiling-mounted and installs easily via	\$632.00	20%	\$505.60
829683-0210	The 50-watt DesignMax DM5C loudspeaker features a two-way 5.25-inch woofer and 1-inch tweeter coaxially mounted within the Dispersion Alignment system, producing a frequency range of 65 Hz - 20 kHz. The DM5C is ceiling-mounted and installs easily via	\$632.00	20%	\$505.60
829705-0110	The 50-watt DesignMax DM5SE loudspeaker features a two-way 5.25-inch woofer and 1-inch tweeter coaxially mounted within the Dispersion Alignment system, producing a frequency range of 65 Hz - 20 kHz. The DM5SE is surface-mounted, IP55 outdoor-rated,	\$760.00	20%	\$608.00

829705-0210	The 50-watt DesignMax DM5SE loudspeaker features a two-way 5.25-inch woofer and 1-inch tweeter coaxially mounted within the Dispersion Alignment system, producing a frequency range of 65 Hz - 20 kHz. The DM5SE is surface-mounted, IP55 outdoor-rated,	\$760.00	20%	\$608.00
829708-0110	The 25-watt DesignMax DM3C loudspeaker features a two-way 3.5-inch woofer and -inch tweeter coaxially mounted within the Dispersion Alignment system, producing a frequency range of 75 - 20,000 Hz. The DM3C is ceiling-mounted and installs easily via Quick	\$400.00	20%	\$320.00
829708-0210	DesignMax DM3C White	\$400.00	20%	\$320.00
829712-0110	The 25-watt DesignMax DM3SE loudspeaker features a two-way 3.5-inch woofer and -inch tweeter coaxially mounted within the Dispersion Alignment system, producing a frequency range of 75 Hz - 20 kHz. The DM3SE is surface-mounted, IP55 outdoor-rated,	\$440.00	20%	\$352.00
829712-0210	The 25-watt DesignMax DM3SE loudspeaker features a two-way 3.5-inch woofer and -inch tweeter coaxially mounted within the Dispersion Alignment system, producing a frequency range of 75 Hz - 20 kHz. The DM3SE is surface-mounted, IP55 outdoor-rated,	\$440.00	20%	\$352.00
829719-0010	DesignMax DM3C Rough-In Kit 6 Pack	\$132.00	20%	\$105.60
829724-0010	DesignMax DM5C Rough-In Kit 6 Pack	\$144.00	20%	\$115.20
829726-0010	DesignMax DM6C Rough-In Kit 6 Pack	\$144.00	20%	\$115.20
831856-0110	The 250-watt DM10S-SUB subwoofer features a 10-inch woofer, which delivers a 35 - 125 Hz frequency range. The DM10S-SUB is surface-mounted and locks onto a hidden QuickHold U-bracket.	\$662.00	20%	\$529.60
831856-0210	The 250-watt DM10S-SUB subwoofer features a 10-inch woofer, which delivers a 35 - 125 Hz frequency range. The DM10S-SUB is surface-mounted and locks onto a hidden QuickHold U-bracket.	\$662.00	20%	\$529.60
814836-0010	SoundComm B40 Headset Single Left	\$749.95	20%	\$599.96
814836-0020	SoundComm B40 Headset Single Right	\$749.95	20%	\$599.96
814836-0030	SoundComm B40 Headset Dual Monaural	\$849.95	20%	\$679.96
814836-0040	SoundComm B40 Headset Dual Binaural	\$849.95	20%	\$679.96
826819-0010	SoundComm B40 Down Cable Assembly XLR 4pin F	\$249.95	20%	\$199.96
826818-0010	SoundComm B40 Down Cable Assembly XLR 5pin M	\$249.95	20%	\$199.96
826868-0010	SoundComm B40 Headphones Dual No Mic	\$599.95	20%	\$479.96
826869-0010	SoundComm B40 Headphones Single Left No Mic	\$499.95	20%	\$399.96
826870-0010	SoundComm B40 Headphones Single Right No Mic	\$499.95	20%	\$399.96
834524-0010	SoundComm Bracket Kit	\$19.95	20%	\$15.96
774681-0010	SoundComm Ear Cushion Kit	\$29.95	20%	\$23.96
774700-0010	SoundComm Side Pad Kit	\$19.95	20%	\$15.96
834551-0010	SoundComm Carry Case	\$24.95	20%	\$19.96

331367-0020	Clothing Clip for SoundComm B40 Headsets	\$6.95	20%	\$5.56
331368-0010	Decorative Terminal Cover for SoundComm B40 Headsets	\$9.95	20%	\$7.96
16003	Windscreen for SoundComm B40 Headsets	\$9.95	20%	\$7.96
803286-1110	The PowerSpace P2600A provides 600 watts per channel and features versatile outputs that give you the flexibility to deliver full channel power to either low- or high-impedance loads without bridging and even send double power to a single zone. For pr	\$1,398.00	20%	\$1,118.40
803287-1110	The PowerSpace P21000A provides 1000 watts per channel and features versatile outputs that give you the flexibility to deliver full channel power to either low- or high-impedance loads without bridging and even send double power to a single zone. For	\$1,798.00	20%	\$1,438.40
803288-1110	The PowerSpace P4300A provides 300 watts per channel and features versatile outputs that give you the flexibility to deliver full channel power to either low- or high-impedance loads without bridging and even send double power to a single zone. For pr	\$1,858.00	20%	\$1,486.40
810965-1110	The Bose PowerSpace P4150+ amplifier combines power and DSP into a 1RU, four-channel design for quick-turn installations. Part of a comprehensive platform of loudspeakers, controls, and software that help installers deliver premium commercial sound	\$2,398.00	20%	\$1,918.40
803289-1110	The Bose PowerSpace P4300+ amplifier combines power and DSP into a 1RU, four-channel design for quick-turn installations. Part of a comprehensive platform of loudspeakers, controls, and software that help installers deliver premium commercial sound	\$2,998.00	20%	\$2,398.40
27056	Bracket for wall-mounting one Panaray MB4 modular bass loudspeaker.	\$88.00	20%	\$70.40
27057	Bracket for wall-mounting one Panaray MB4 modular bass loudspeaker.	\$88.00	20%	\$70.40
841162-0010	FreeSpace FS2C Adjustable Tile Bridges	\$132.00	20%	\$105.60
841161-0010	FreeSpace FS4CE Adjustable Tile Bridges	\$132.00	20%	\$105.60
344871-1440	For background/foreground music and paging applications, the Bose FreeSpace IZA 250-LZ integrated zone amplifiers are designed to deliver premium sound, provide simplified set up and easy daily operation.		20%	\$0.00
843091-0210	High-performance, extended-range systems designed for small to medium-sized installed applications. Surface and flush components can be mixed and matched to provide greater flexibility to suit a wide range of applications. For indoor applications only.	\$200.00	20%	\$160.00
843090-0210	FreeSpace 3 Flush-Mount Acoustimass Bass Module White	\$388.00	20%	\$310.40

841153-0310	The pendant-mount FS2P features a full-range 2.25-inch cone transducer, low frequency range down to 85 Hz, 16-ohm and 70/100 V operation.	\$364.00	20%	\$291.20
841156-0310	The ceiling-mount FS4CE features a full-range 4.5-inch cone transducer, low frequency range down to 70 Hz, 8-ohm and 70/100 V operation. The FS4CE is also iP55 rated for outdoor installation.	\$488.00	20%	\$390.40
841153-0410	The pendant-mount FS2P features a full-range 2.25-inch cone transducer, low frequency range down to 85 Hz, 16-ohm and 70/100 V operation.	\$364.00	20%	\$291.20
841154-0310	The ceiling-mount FS2C features a full-range 2.25-inch cone transducer, low frequency range down to 85 Hz, 16-ohm and 70/100 V operation, with front baffle-mounted tap settings, and front baffle audio connections on a detachable Euroblock	\$240.00	20%	\$192.00
841154-0410	The ceiling-mount FS2C features a full-range 2.25-inch cone transducer, low frequency range down to 85 Hz, 16-ohm and 70/100 V operation, with front baffle-mounted tap settings, and front baffle audio connections on a detachable Euroblock	\$240.00	20%	\$192.00
354144-0010	L1 Compact Portable Line Array System 120V NA	\$1,199.00	20%	\$959.20
842888-0010	Videobar VB1 Display Mounting Kit	\$129.00	20%	\$103.20
800615-0010	ToneMatch Carry Case	\$129.00	20%	\$103.20
861846-0010	Videobar VB1 Mud Ring Black	\$25.00	20%	\$20.00
843944-0010	Videobar VB1 Right-Angle USB 3.1 Cable, 2 meters	\$35.00	20%	\$28.00
841151-0410	The surface-mount FS2SE features a full-range 2.25-inch cone transducer, low frequency range down to 85 Hz, 16-ohm and 70/100 V operation. The FS2SE is iP55 rated for outdoor	\$364.00	20%	\$291.20
841158-0110	FreeSpace FS2SE Aluminum Grilles Black	\$132.00	20%	\$105.60
843160-0110	AMM108 Multipurpose Loudspeaker	\$1,940.00	20%	\$1,552.00
843161-0110	AMM112 Multipurpose Loudspeaker	\$3,076.00	20%	\$2,460.80
843163-0110	AMS115 Compact Subwoofer	\$2,612.00	20%	\$2,089.60
843367-0010	AMM108 U-Bracket	\$170.00	20%	\$136.00
843364-0010	AMM112 U-Bracket	\$210.00	20%	\$168.00
863314-0010	Speaker Pole Mount Adaptor - M20 Thread	\$130.00	20%	\$104.00
843344-0010	AMM Suspension Bracket	\$220.00	20%	\$176.00
845332-0110	ShowMatch Array Frame Multipoint Bracket	\$510.00	20%	\$408.00
786852-0010	Powersoft X4 DSP+Dante Amplifier	\$11,340.00	20%	\$9,072.00
857172-0110	SubMatch Cable	\$125.00	20%	\$100.00
840918-1100	The Sub1 powered bass module combines with virtually any portable PA and delivers low end down to 40 Hz. Sub1 is the more compact subwoofer option for the Bose L1 Pro32 system, combining seamlessly via single-cable SubMatch connectivity.	\$799.00	20%	\$639.20

843297-0210	EdgeMax Ceiling Tile 24IN x 24IN	\$100.00	20%	\$80.00
840917-1100	The Sub2 powered bass module combines with virtually any portable PA and delivers low-end performance down to 35 Hz. It s the more powerful subwoofer option for the Bose L1 Pro32 system, combining seamlessly via single-cable SubMatch connectivity.	\$1,199.00	20%	\$959.20
840919-1100	Dialed in for pure performance, L1 Pro portable line array systems give singer-songwriters, mobile DJs, and bands legendary 180-degree horizontal coverage, plus extended bass response.	\$1,199.00	20%	\$959.20
840920-1100	Dialed in for pure performance, L1 Pro portable line array systems give singer-songwriters, mobile DJs, and bands legendary 180-degree horizontal coverage, plus extended bass response.	\$1,799.00	20%	\$1,439.20
840921-1100	Dialed in for pure performance, L1 Pro portable line array systems give singer-songwriters, mobile DJs, and bands legendary 180-degree horizontal coverage, plus extended bass response.	\$3,098.00	20%	\$2,478.40
856985-0110	Sub1 Roller Bag	\$249.00	20%	\$199.20
856986-0110	Sub2 Roller Bag	\$299.00	20%	\$239.20
856989-0110	L1 Pro8 System Bag	\$199.00	20%	\$159.20
856992-0110	L1 Pro16 System Roller Bag	\$299.00	20%	\$239.20
856996-0110	L1 Pro32 Array & Power Stand Bag	\$199.00	20%	\$159.20
857000-0110	Sub1/Sub2 Adjustable Speaker Pole	\$59.00	20%	\$47.20
856990-0110	L1 Pro8 Slip Cover	\$49.00	20%	\$39.20
856993-0110	L1 Pro16 Slip Cover	\$39.00	20%	\$31.20
843090-0110	FreeSpace 3 Flush-Mount Acoustimass Bass Module Black	\$388.00	20%	\$310.40
843091-0110	High-performance, extended-range systems designed for small to medium-sized installed applications. Surface and flush components can be mixed and matched to provide greater flexibility to suit a wide range of applications. For indoor applications only.	\$200.00	20%	\$160.00
841151-0310	The surface-mount FS2SE features a full-range 2.25-inch cone transducer, low frequency range down to 85 Hz, 16-ohm and 70/100 V operation. The FS2SE is iP55 rated for outdoor	\$364.00	20%	\$291.20
841155-0310	The surface-mount FS4SE features a full-range 4.5-inch cone transducer, low frequency range down to 70 Hz, 8-ohm and 70/100 V operation. The FS4SE is iP55 rated for outdoor installation.	\$536.00	20%	\$428.80
841155-0410	The surface-mount FS4SE features a full-range 4.5-inch cone transducer, low frequency range down to 70 Hz, 8-ohm and 70/100 V operation. The FS4SE is iP55 rated for outdoor installation.	\$536.00	20%	\$428.80
841156-0410	The ceiling-mount FS4CE features a full-range 4.5-inch cone transducer, low frequency range down to 70 Hz, 8-ohm and 70/100 V operation. The FS4CE is also iP55 rated for outdoor installation.	\$488.00	20%	\$390.40
809510-0010	ToneMatch Audio Engine/Mixer Power Supply	\$50.00	20%	\$40.00

719782-1440	FreeSpace IZA 2120-LZ Amplifier 120V NA	\$1,072.00	20%	\$857.60
841158-0210	FreeSpace FS2SE Aluminum Grilles White	\$132.00	20%	\$105.60
841160-0110	FreeSpace FS4CE Aluminum Grilles Black	\$180.00	20%	\$144.00
841160-0210	FreeSpace FS4CE Aluminum Grilles White	\$180.00	20%	\$144.00
842864-0110	FreeSpace FS2CRFK Retrofit Kit Black	\$80.00	20%	\$64.00
842864-0210	FreeSpace FS2CRFK Retrofit Kit White	\$80.00	20%	\$64.00
842866-0110	FreeSpace FS4CERFK Retrofit Kit Black	\$80.00	20%	\$64.00
842866-0210	FreeSpace FS4CERFK Retrofit Kit White	\$80.00	20%	\$64.00
852581-0110	FreeSpace FS CMB S2 Ceiling Mount Bracket Black	\$80.00	20%	\$64.00
852581-0210	FreeSpace FS CMB S2 Ceiling Mount Bracket White	\$80.00	20%	\$64.00
852582-0010	Pendant Suspension Cable Kit	\$80.00	20%	\$64.00
795502-0010	Showmatch Shackle Adapter Kit (Includes 2 Adapters)	\$120.00	20%	\$96.00
787930-1120	S1 Pro System with Battery 120V NA	\$599.00	20%	\$479.20
825339-0010	S1 Pro System Slip Cover	\$29.00	20%	\$23.20
344871-1430	For background/foreground music and paging applications, the Bose FreeSpace IZA 190-HZ integrated zone amplifiers are designed to deliver premium sound, provide simplified set up and easy daily operation.	\$632.00	20%	\$505.60
731444-1110	F1 Subwoofer Powered 120V NA	\$1,199.00	20%	\$959.20
BOS-DESKSILVER	Bose Headphones 700 UC Silver with HP Slice - Zoom only CURRENTLY DO NOT WORK WITH TEAMS		20%	\$0.00
BOS-DESKBLACK	Bose Headphones 700 UCC Black with HP Slice- Zoom Only CURRENTLY DO NOT WORK WITH TEAMS		20%	\$0.00
BOS-HUD RM/MED	Huddle Room/Med Size Room		20%	\$0.00
BOSE LARGE ROOM	Bose Large Room		20%	\$0.00
719782-1430	FreeSpace IZA 2120-HZ Amplifier 120V NA	\$1,126.00	20%	\$900.80
841165-0110	DesignMax DM3P Black	\$516.00	20%	\$412.80
841165-0210	DesignMax DM3P White	\$516.00	20%	\$412.80
841166-0110	DesignMax DM5P Black	\$676.00	20%	\$540.80
841166-0210	DesignMax DM5P White	\$676.00	20%	\$540.80
841168-0110	DesignMax DM6PE Black	\$956.00	20%	\$764.80
841168-0210	DesignMax DM6PE White	\$956.00	20%	\$764.80
835265-0110	DesignMax DM10P-SUB Black	\$620.00	20%	\$496.00
835265-0210	DesignMax DM10P-SUB White	\$620.00	20%	\$496.00
850571-0010	DesignMax Pendant Threaded Rod Adapter	\$40.00	20%	\$32.00
854381-0010	DesignMax Pendant Conduit Adapter	\$80.00	20%	\$64.00
845116-0010	ToneMatch Audio Engine Digital Cable - 18 Feet	\$49.00	20%	\$39.20
785491-0110	T8S ToneMatch Mixer	\$999.99	20%	\$799.99
LARGE ROOM-ES1	BOSE Zoom ES1 Slice - Large Room			
LARGE ROOM ES1	Bose Teams ES1 Slice - Large Room			

LARGE ROOM-DS4	Bose Zoom DS4W - Large Room			
LARGE ROOM-DS4	Bose Teams DS4W - Large Room			
BOS-HUD RM/MED	BOS-HUD RM/MED SIZE RM-Zoom			
BOS-LARGE ROOM	Bose Zoom DS4W - Large Room Zoom Black			
BOS- LARGE ROO	Bose Teams DS4W - Large Room Teams Black			