

# PRODUCT END-OF-LIFE NOTICE

## Selected Brocade Mobility Part Numbers

Brocade is initiating the End of Life (EOL) process for selected Brocade Mobility part numbers.

Brocade will continue to offer and provide support for the EOL products five (5) years from the Last Customer Ship (LCS) announced below for those customers with a valid support contract subject to Brocade support policies.

The objective of the Brocade account management team is to assist you to make your final purchases of product subject to EOL and to smoothly transition to the new products by planning to the following milestones:

Selected Brocade Mobility Access Point Models	Date
EOL Notification Date	January 28, 2014
Last Time Order (LTO) Final, Non-Cancelable, Non-Returnable Order Due Date (Subject to lead time and availability)	May 30, 2014
Last Customer Ship (LCS) Date	July 31, 2014
End of Support (EOS) Date	July 31, 2019

Brocade Part Number	Description	Recommended Alternative Solution
BR-AP065060010EU	Brocade Mobility - Access Point - 650 Series - Single radio 802.11a/b/g/n. Plastic enclosure. Integrated MIMO antennas (antennas included). European Union regulatory domain	BR-AP122066030EU
BR-AP065060010US	Brocade Mobility - Access Point - 650 Series - Single radio 802.11a/b/g/n. Plastic enclosure. Integrated MIMO antennas (antennas included). U.S. regulatory domain	BR-AP122066030US
BR-AP065060010WW	Brocade Mobility - Access Point - 650 Series - Single radio 802.11a/b/g/n. Plastic enclosure. Integrated MIMO antennas (antennas included). Worldwide regulatory domains	BR-AP122066030WW
BR-AP065066030EU	Brocade Mobility - Access Point - 650 Series - Dual radio 802.11a/b/g/n. Plastic enclosure. Integrated MIMO antennas (antennas included). European Union regulatory domains	BR-AP122066030EU
BR-AP065066030US	Brocade Mobility - Access Point - 650 Series - Dual radio 802.11a/b/g/n. Plastic enclosure. Integrated MIMO antennas (antennas included). U.S. regulatory domain	BR-AP122066030US
BR-AP065066030WW	Brocade Mobility - Access Point - 650 Series - Dual radio 802.11a/b/g/n. Plastic enclosure. Integrated MIMO antennas (antennas included). Worldwide regulatory domains	BR-AP122066030WW
BR-AP065066040EU	Brocade Mobility - Access Point - 650 Series - Dual radio 802.11a/b/g/n. Metal enclosure. RP-SMA antenna connectors (antennas sold separately). European Union regulatory domains	BR-AP124066040EU
BR-AP065066040US	Brocade Mobility - Access Point - 650 Series - Dual radio 802.11a/b/g/n. Metal enclosure. RP-SMA antenna connectors (antennas sold separately). U.S. regulatory domain	BR-AP124066040US
BR-AP065066040WW	Brocade Mobility - Access Point - 650 Series - Dual radio 802.11a/b/g/n. Metal enclosure. RP-SMA antenna connectors (antennas sold separately). Worldwide regulatory domains	
BR-AP122066040EU	Brocade Mobility 1220 access point. With 4x RP-SMA antenna connectors (2 connectors for each radio). Antennas not included. EU Regulatory domain.	BR-AP124066040EU
BR-AP122066040US	Brocade Mobility 1220 access point. With 4x RP-SMA antenna connectors (2 connectors for each radio). Antennas not included. US Regulatory domain.	BR-AP124066040US
BR-AP122066040WW	Brocade Mobility 1220 access point. With 4x RP-SMA antenna connectors (2 connectors for each radio). Antennas not included. WW Regulatory domain.	No replacement
BR-AP124066040WW	Brocade Mobility 1240 access point. Plenum rated. Two 3x3:3 802.11abgn radios. 6 x RP-SMA antenna connectors (3 connectors per radio). Antennas sold separately. For WW Regulatory domain	No replacement
BR-AP651160010EU	Brocade Mobility - Access Point - 6511 Series - Single radio 802.11a/b/g/n.	BR-AP122066030EU

	Integrated MIMO antennas (antennas included). E.U. regulatory domain	
BR-AP651160010US	Brocade Mobility - Access Point - 6511 Series - Single radio 802.11a/b/g/n. Integrated MIMO antennas (antennas included). U.S. regulatory domain	BR-AP122066030US
BR-AP651160010WW	Brocade Mobility - Access Point - 6511 Series - Single radio 802.11a/b/g/n. Integrated MIMO antennas (antennas included). Worldwide regulatory domains	BR-AP122066030WW
BR-AP7131N66040FGR	Brocade Mobility - Access Point - 7131 Series - FIPS-mode dual radio 802.11a/b/g/n. RP-SMA antenna connectors (antennas sold separately). Optional AC power adaptor (PWRS-14000-247R) sold separately. U.S. regulatory domain	No replacement
BR-AP7131N66040FWW	Brocade Mobility - Access Point - 7131 Series - FIPS-mode dual radio 802.11a/b/g/n. RP-SMA antenna connectors (antennas sold separately). Optional AC power adaptor (PWRS-14000-247R) sold separately. Worldwide regulatory domains	No replacement
BR-AP7131N66E40EU	Brocade Mobility - Access Point - 7131 Series - Dual radio 802.11a/b/g/n. RP-SMA antenna connectors (antennas sold separately). Supports WWAN (card not included). Optional AC power adaptor (PWRS-14000-247R) sold separately. E.U. regulatory domains.	BR-AP124066040EU
BR-AP7131N66E40US	Brocade Mobility - Access Point - 7131 Series - Dual radio 802.11a/b/g/n. RP-SMA antenna connectors (antennas sold separately). Supports WWAN (card not included). Optional AC power adaptor (PWRS-14000-247R) sold separately. U.S. regulatory domain	BR-AP124066040US
BR-AP7131N66E40WW	Brocade Mobility - Access Point - 7131 Series - Dual radio 802.11a/b/g/n. RP-SMA antenna connectors (antennas sold separately). Supports WWAN (card not included). Optional AC power adaptor (PWRS-14000-247R) sold separately. Worldwide regulatory domain	No replacement
BR-AP7131N66E48EU	Brocade Mobility - Access Point - 7131 Series - Dual radio 802.11a/b/g/n. MIMO antenna module (ML-2452-PTA2M3X3-2) included. Supports WWAN (card not included). Optional AC power adaptor (PWRS-14000-247R) sold separately. E.U. regulatory domains	BR-AP124066040EU
BR-AP7131N66E48US	Brocade Mobility - Access Point - 7131 Series - Dual radio 802.11a/b/g/n. MIMO antenna module (ML-2452-PTA2M3X3-2) included. Supports WWAN (card not included). Optional AC power adaptor (PWRS-14000-247R) sold separately. U.S. regulatory domain	BR-AP124066040US
BR-AP7131N66E48WW	Brocade Mobility - Access Point - 7131 Series - Dual radio 802.11a/b/g/n. MIMO antenna module (ML-2452-PTA2M3X3-2) included. Supports WWAN (card not included). Optional AC power adaptor (PWRS-14000-247R) sold separately. Worldwide regulatory domains	No replacement
BR-AP7131N66S70EU	Brocade Mobility - Access Point - 7131 Series - Tri-radio 802.11a/b/g/n. RP-SMA antenna connectors (antennas sold separately). Optional AC power adaptor (PWRS-14000-247R) sold separately. E.U. regulatory domain	BR-AP124066040EU
BR-AP7131N66S70US	Brocade Mobility - Access Point - 7131 Series - Tri-radio 802.11a/b/g/n. RP-SMA antenna connectors (antennas sold separately). Optional AC power adaptor (PWRS-14000-247R) sold separately. U.S. regulatory domain	BR-AP124066040US
BR-AP7131N66S70WW	Brocade Mobility - Access Point - 7131 Series - Tri-radio 802.11a/b/g/n. RP-SMA antenna connectors (antennas sold separately). Optional AC power adaptor (PWRS-14000-247R) sold separately. Worldwide regulatory domains	No replacement
BR-AP7131N66S78EU	Brocade Mobility - Access Point - 7131 Series - Tri-radio 802.11a/b/g/n. MIMO antenna module (ML-2452-PTA2M3X3-2) included. Optional AC power adaptor (PWRS-14000-247R) sold separately. European Union regulatory domains	BR-AP124066040EU
BR-AP7131N66S78US	Brocade Mobility - Access Point - 7131 Series - Tri-radio 802.11a/b/g/n. MIMO antenna module (ML-2452-PTA2M3X3-2) included. Optional AC power adaptor (PWRS-14000-247R) sold separately. U.S. regulatory domain	BR-AP124066040US
BR-AP7131N66S78WW	Brocade Mobility - Access Point - 7131 Series - Tri-radio 802.11a/b/g/n. MIMO antenna module (ML-2452-PTA2M3X3-2) included. Optional AC power adaptor (PWRS-14000-247R) sold separately. Worldwide regulatory domains	No replacement
BR-RFS7000-GR	Brocade Mobility - Controller - RFS7000 - FIPS mode - 4 combo GbE LAN ports. Access Point license not included (sold separately). Upgradable to 1,024 Access Point licenses. Power supply included. AC power cord required (sold separately)	No replacement
21-8132FAC-02	Brocade Mobility - Access Point - Accessory - Facade without antennas for the Brocade Mobility 1240 access point	No replacement
25-116485-01R	Brocade Mobility - Access Point - Accessory - Coax, RP-BNC(M) to N(F), 3.5 In.	No replacement
25-72178-01	Brocade Mobility - Access Point - Accessory - Jumper, RP-SMA(M) to RP-BNC(F)	No replacement
25-85391-01R	Brocade Mobility - Access Point - Accessory - 3.5 in. Jumper Cable, RP-SMA (Male) to Type N (Male) Adaptor	No replacement

25-85392-01R	Brocade Mobility - Access Point - Accessory - 3.5 in. Jumper Cable, RP-SMA (Male) to Type N (Female) Adaptor	No replacement
25-90262-01R	Brocade Mobility - Access Point - Accessory - RP-SMA (Female) to Type N (Female) Adapter	No replacement
25-90263-01R	Brocade Mobility - Access Point - Accessory - Type N (Male) to RP-SMA (Female) Bulkhead Adapter	No replacement
25-99175-01R	Brocade Mobility - Access Point - Accessory - 1.5 inch N-f to N-f Adaptor	No replacement
BKSV-4250-P-1	AirDefense Enterprise - Backup Appliance - Model 4250. Must be purchased with SV-4250-P-1. Must add one of the following 1-year maintenance support SKUs: AXB-BKSV-4250-10, OSB-BKSV-4250-10, SCB-BKSV-4250-10	No replacement
KT-135628-01	Brocade Mobility - Access Point - Accessory - Optional Ceiling Mounting Kit for Brocade Mobility 7131, 650 and 300 Series Access Points. Specially designed for ceiling where the tile drops below height of the rail.	No replacement
KT-6511-0000D-WR	OPTIONAL 3-PORT ETHERNET MODULE FOR 6511	No replacement
ML-1499-100JK-01R	Brocade Mobility - Access Point - Accessory - 100 ft. Low-Loss coaxial cable jumper, N Male to N Male with 2 connector seal kits	No replacement
ML-1499-10JK-01R	Brocade Mobility - Access Point - Accessory - 10 ft. Low-Loss coaxial cable jumper, N Male to N Male	No replacement
ML-1499-25JK-01R	Brocade Mobility - Access Point - Accessory - 25 ft. Low-Loss coaxial cable jumper, N Male to N Male with 2 connector seal kits	No replacement
ML-1499-50JK-01R	Brocade Mobility - Access Point - Accessory - 50 ft. Low-Loss coaxial cable jumper, N Male to N Male with 2 connector seal kits	No replacement
ML-1499-72PJ-01R	Brocade Mobility - Access Point - Accessory - 6 ft , RBN Female to RBN Male Plenum coaxial jumper	No replacement
ML-1499-RBNCA1-01R	Brocade Mobility - Access Point - Accessory - 1 Ft. N Female to RBN Female cable adapter with connector seal kit	No replacement
ML-1499-RBNCA2-01R	Brocade Mobility - Access Point - Accessory - 1 ft. N Male to RBN Female cable adapter with connector seal kit.	No replacement
ML-2452-APA6J-01	Brocade Mobility - Access Point - Accessory - Dual Band Dipole, Microcell: RP-SMA Male	No replacement
ML-2452-HPA5-036	Brocade Mobility - Access Point - Accessory - Dipole, RP-SMA-Male	No replacement
ML-2452-LAK1-01R	Brocade Mobility - Access Point - Accessory - Lightning Arrestor (N Female to N Female) with N Male to RP-SMA Male adapter	No replacement
ML-2452-PNA5-01R	Brocade Mobility - Access Point - Accessory - Antenna, Dual Band, Outdoor, 2.4/5 GHz, Panel, 5 dBi, Connector Type N-Male	No replacement
ML-2452-PNA5-36R	Brocade Mobility - Access Point - Accessory - Dual Band Panel, 5dBi, Connector Type RP-SMA(M) with a 6 feet pig tail	No replacement
ML-2452-PNA7-01R	Brocade Mobility - Access Point - Accessory - Antenna, Dual Band, Outdoor, 2.4/5 GHz, Panel, 7 dBi, Connector Type N-Male	No replacement
ML-2452-PNL9M3-036	Brocade Mobility - Access Point - Accessory - MIMO Dual Band Selector, RP-SMA Male	No replacement
ML-2452-PTA2M3X3-2	Brocade Mobility - Access Point - Accessory - Facade with 6 Element Antenna Module for Brocade Mobility 7131 access points.	No replacement
ML-2452-PTA3M3-036	Brocade Mobility - Access Point - Accessory - 3 Port MIMO Antenna	No replacement
ML-2499-5PNL-72-N	Brocade Mobility - Access Point - Accessory - Environment, Indoor/Outdoor, Type, Panel, Gain (Net), 7.5dBi (5.5dBi), Beam Width, E-Plane, 56 degrees, H-Plane, 135 degrees, Cable, 72 inches, Connector, Type N Male, Requires 25-85392-01r adapter	No replacement
ML-2499-BPDA1-01R	Brocade Mobility - Access Point - Accessory - ANT,S24,DISH,24dBi,TYP N-F	No replacement
ML-2499-BPNA3-01R	Brocade Mobility - Access Point - Accessory - ANT,S24,PNL,13.5dBi,CBL 12 ,TYP N-F	No replacement
ML-2499-BYGA2-01R	Brocade Mobility - Access Point - Accessory - Environment, Indoor/Outdoor, Type, Yagi, Gain (Net), 14.2dBi (13.9dBi), Beam Width, E-Plane, 27 degrees, H-Plane, 28 degrees, Cable, 12 inches, Connector, Type N Female, Requires 25-85391-01R adapter	No replacement
ML-2499-FHPA5-01R	Brocade Mobility - Access Point - Accessory - Antenna, 2.4 GHz, Outdoor, Omni-Directional, 7.7 dBi, Connector type N Male.	No replacement
ML-2499-FHPA9-01R	Brocade Mobility - Access Point - Accessory - Antenna, 2.4 GHz, Outdoor, Omni-Directional, 9 dBi, Connector type N Male.	No replacement
ML-2499-HPA2-96R	Brocade Mobility - Access Point - Accessory - Omni-Directional "Pipe" Antenna - 5 dBi, N-Male connector with a 8 feet pig tail	No replacement
ML-2499-HPA3-01R	Brocade Mobility - Access Point - Accessory - Environment, Indoor/Outdoor, Type, Dipole, Gain (Net), 4.6dBi (3.3dBi), Beam Width, E-Plane, 31 degrees, H-Plane, 360 degrees, Cable, 48 inches, Connector, RP-BNC Male, Requires 25-72178-01 adapter	No replacement
ML-5299-APA1-01R	Brocade Mobility - Access Point - Accessory - ANT,5.5 GHz, DP AJ,2dBi,CBL O,SMARP-F	No replacement

ML-5299-BYGA15-012	Brocade Mobility - Access Point - Accessory - Yagi Antenna: N-Female	No replacement
ML-5299-FHPA10-01R	Brocade Mobility - Access Point - Accessory - Antenna, 5 GHz, Outdoor, Omnidirectional, 10 dBi, Connector Type N-Male	No replacement
ML-5299-FHPA6-01R	Brocade Mobility - Access Point - Accessory - Antenna, 5 GHz, Outdoor, Omnidirectional, 8 dBi, N-Male connector type	No replacement
ML-5299-WPNA1-01R	Brocade Mobility - Access Point - Accessory - Environment, Indoor/Outdoor, Type, Panel, Gain (Net), 14.2dBi (13dBi), Beam Width, E-Plane, 27 degrees, H-Plane, 31 degrees, Cable, 36 inches, Connector, RP-SMA Male	No replacement
PWRS-14000-244R	Brocade Mobility - Controller - RFS4000 - Accessory - Replacement Power Supply (AC Power Cord Sold Separately)	No replacement
PWRS-14000-247R	Brocade Mobility - Access Point - 7131 Series - Accessory - Optional 48V AC-DC power supply (AC Power Cord Sold Separately)	No replacement
RFS-4010-MTKT1U-WR	Brocade Mobility - Controller - RFS4000 - Accessory - Optional 1RU Rack Mount Kit	No replacement
SV-1252-BK-1	AirDefense Enterprise - Backup Appliance - Model 1252. Must be purchased with SV-1252-P-1. Must add one of the following maintenance support SKUs: AXB-BKSV-1252-10, SCB-BKSV-1252-10	No replacement
SV-1252-P-1	AirDefense Enterprise - Appliance - Model 1252. Must add one of the following maintenance support SKUs: AXB-SV-1252-10, SCB-SV-1252-10	No replacement
SV-3652-BK-1	AirDefense Enterprise - Backup Appliance - Model 3652. Must be purchased with SV-3652-P-1. Must add one of the following maintenance support SKUs: AXB-BKSV-3652-10, SCB-BKSV-3652-10	No replacement
SV-3652-P-1	AirDefense Enterprise - Appliance - Model 3652. Must add one of the following maintenance support SKUs: AXB-SV-3652-10, SCB-SV-3652-10	No replacement
SV-4250-P-1	AirDefense Enterprise - Appliance - Model 4250. Must add one of the following 1-year maintenance support SKUs: AXB-SV-4250-10, OSB-SV-4250-10, SCB-SV-4250-10	No replacement
RFS7KGR-SVL-40S-1	ESSENTIAL 4HR ONSITE SUPPORT, Mobility RFS7000 TAA Compliant Base (Redundant) Controller (with 0 AP support)	No replacement
RFS7KGR-SVL-40S-2	ESSENTIAL 4HR ONSITE SUPPORT, Mobility RFS7000 TAA Compliant Base (Redundant) Controller (with 0 AP support)	No replacement
RFS7KGR-SVL-40S-3	ESSENTIAL 4HR ONSITE SUPPORT, Mobility RFS7000 TAA Compliant Base (Redundant) Controller (with 0 AP support)	No replacement
RFS7KGR-SVL-40S-4	ESSENTIAL 4HR ONSITE SUPPORT, Mobility RFS7000 TAA Compliant Base (Redundant) Controller (with 0 AP support)	No replacement
RFS7KGR-SVL-40S-5	ESSENTIAL 4HR ONSITE SUPPORT, Mobility RFS7000 TAA Compliant Base (Redundant) Controller (with 0 AP support)	No replacement
RFS7KGR-SVL-4P-1	ESSENTIAL 4HR PARTS ONLY SUPPORT, Mobility RFS7000 TAA Compliant Base (Redundant) Controller (with 0 AP support)	No replacement
RFS7KGR-SVL-4P-2	ESSENTIAL 4HR PARTS ONLY SUPPORT, Mobility RFS7000 TAA Compliant Base (Redundant) Controller (with 0 AP support)	No replacement
RFS7KGR-SVL-4P-3	ESSENTIAL 4HR PARTS ONLY SUPPORT, Mobility RFS7000 TAA Compliant Base (Redundant) Controller (with 0 AP support)	No replacement
RFS7KGR-SVL-4P-4	ESSENTIAL 4HR PARTS ONLY SUPPORT, Mobility RFS7000 TAA Compliant Base (Redundant) Controller (with 0 AP support)	No replacement
RFS7KGR-SVL-4P-5	ESSENTIAL 4HR PARTS ONLY SUPPORT, Mobility RFS7000 TAA Compliant Base (Redundant) Controller (with 0 AP support)	No replacement
RFS7KGR-SVL-NDO-1	ESSENTIAL NBD ONSITE SUPPORT, Mobility RFS7000 TAA Compliant Base (Redundant) Controller (with 0 AP support)	No replacement
RFS7KGR-SVL-NDO-2	ESSENTIAL NBD ONSITE SUPPORT, Mobility RFS7000 TAA Compliant Base (Redundant) Controller (with 0 AP support)	No replacement
RFS7KGR-SVL-NDO-3	ESSENTIAL NBD ONSITE SUPPORT, Mobility RFS7000 TAA Compliant Base (Redundant) Controller (with 0 AP support)	No replacement
RFS7KGR-SVL-NDO-4	ESSENTIAL NBD ONSITE SUPPORT, Mobility RFS7000 TAA Compliant Base (Redundant) Controller (with 0 AP support)	No replacement
RFS7KGR-SVL-NDO-5	ESSENTIAL NBD ONSITE SUPPORT, Mobility RFS7000 TAA Compliant Base (Redundant) Controller (with 0 AP support)	No replacement
RFS7KGR-SVL-NDP-1	ESSENTIAL NBD PARTS ONLY SUPPORT, Mobility RFS7000 TAA Compliant Base (Redundant) Controller (with 0 AP support)	No replacement
RFS7KGR-SVL-NDP-2	ESSENTIAL NBD PARTS ONLY SUPPORT, Mobility RFS7000 TAA Compliant Base (Redundant) Controller (with 0 AP support)	No replacement
RFS7KGR-SVL-NDP-3	ESSENTIAL NBD PARTS ONLY SUPPORT, Mobility RFS7000 TAA Compliant Base (Redundant) Controller (with 0 AP support)	No replacement
RFS7KGR-SVL-NDP-4	ESSENTIAL NBD PARTS ONLY SUPPORT, Mobility RFS7000 TAA Compliant Base (Redundant) Controller (with 0 AP support)	No replacement
RFS7KGR-SVL-NDP-5	ESSENTIAL NBD PARTS ONLY SUPPORT, Mobility RFS7000 TAA Compliant Base (Redundant) Controller (with 0 AP support)	No replacement



AP7131R-SVL-RTF-2	ESSENTIAL RTN TO FACTORY SUPPORT, Mobility 7131N Tri-Radio AP	No replacement
AP7131R-SVL-RTF-3	ESSENTIAL RTN TO FACTORY SUPPORT, Mobility 7131N Tri-Radio AP	No replacement
AP7131R-SVL-RTF-4	ESSENTIAL RTN TO FACTORY SUPPORT, Mobility 7131N Tri-Radio AP	No replacement
AP7131R-SVL-RTF-5	ESSENTIAL RTN TO FACTORY SUPPORT, Mobility 7131N Tri-Radio AP	No replacement
AP7KGR-SVL-4P-1	ESSENTIAL 4HR PARTS ONLY SUPPORT, Mobility 7131N Dual-Radio AP FIPS	No replacement
AP7KGR-SVL-4P-2	ESSENTIAL 4HR PARTS ONLY SUPPORT, Mobility 7131N Dual-Radio AP FIPS	No replacement
AP7KGR-SVL-4P-3	ESSENTIAL 4HR PARTS ONLY SUPPORT, Mobility 7131N Dual-Radio AP FIPS	No replacement
AP7KGR-SVL-4P-4	ESSENTIAL 4HR PARTS ONLY SUPPORT, Mobility 7131N Dual-Radio AP FIPS	No replacement
AP7KGR-SVL-4P-5	ESSENTIAL 4HR PARTS ONLY SUPPORT, Mobility 7131N Dual-Radio AP FIPS	No replacement
AP7KGR-SVL-NDP-1	ESSENTIAL NBD PARTS ONLY SUPPORT, Mobility 7131N Dual-Radio AP FIPS	No replacement
AP7KGR-SVL-NDP-2	ESSENTIAL NBD PARTS ONLY SUPPORT, Mobility 7131N Dual-Radio AP FIPS	No replacement
AP7KGR-SVL-NDP-3	ESSENTIAL NBD PARTS ONLY SUPPORT, Mobility 7131N Dual-Radio AP FIPS	No replacement
AP7KGR-SVL-NDP-4	ESSENTIAL NBD PARTS ONLY SUPPORT, Mobility 7131N Dual-Radio AP FIPS	No replacement
AP7KGR-SVL-NDP-5	ESSENTIAL NBD PARTS ONLY SUPPORT, Mobility 7131N Dual-Radio AP FIPS	No replacement
AP7KGR-SVL-RTF-1	ESSENTIAL RTN TO FACTORY SUPPORT, Mobility 7131N Dual-Radio AP FIPS	No replacement
AP7KGR-SVL-RTF-2	ESSENTIAL RTN TO FACTORY SUPPORT, Mobility 7131N Dual-Radio AP FIPS	No replacement
AP7KGR-SVL-RTF-3	ESSENTIAL RTN TO FACTORY SUPPORT, Mobility 7131N Dual-Radio AP FIPS	No replacement
AP7KGR-SVL-RTF-4	ESSENTIAL RTN TO FACTORY SUPPORT, Mobility 7131N Dual-Radio AP FIPS	No replacement
AP7KGR-SVL-RTF-5	ESSENTIAL RTN TO FACTORY SUPPORT, Mobility 7131N Dual-Radio AP FIPS	No replacement
AXB-BKSV-3650-10-1	AirDefense Enterprise - Backup Appliance - Model 3650. 1 Year Advance Exchange. Includes Comprehensive Coverage. Includes technical support and software updates. To order 2, 3, 4 or 5-year support, select the desired number of years in your quote	No replacement
AXB-BKSV-3650-10-2	AirDefense Enterprise - Backup Appliance - Model 3650. 1 Year Advance Exchange. Includes Comprehensive Coverage. Includes technical support and software updates. To order 2, 3, 4 or 5-year support, select the desired number of years in your quote	No replacement
AXB-BKSV-3650-10-3	AirDefense Enterprise - Backup Appliance - Model 3650. 1 Year Advance Exchange. Includes Comprehensive Coverage. Includes technical support and software updates. To order 2, 3, 4 or 5-year support, select the desired number of years in your quote	No replacement
AXB-BKSV-3650-10-4	AirDefense Enterprise - Backup Appliance - Model 3650. 1 Year Advance Exchange. Includes Comprehensive Coverage. Includes technical support and software updates. To order 2, 3, 4 or 5-year support, select the desired number of years in your quote	No replacement
AXB-BKSV-3650-10-5	AirDefense Enterprise - Backup Appliance - Model 3650. 1 Year Advance Exchange. Includes Comprehensive Coverage. Includes technical support and software updates. To order 2, 3, 4 or 5-year support, select the desired number of years in your quote	No replacement
OSB-BKSV-3650-10-1	AirDefense Enterprise - Backup Appliance - Model 3650. 1 Year On Site. Does not include Comprehensive Coverage. Available in Continental U.S. only. To order 2, 3, 4 or 5-year support, select the desired number of years in your quote	No replacement
OSB-BKSV-3650-10-2	AirDefense Enterprise - Backup Appliance - Model 3650. 1 Year On Site. Does not include Comprehensive Coverage. Available in Continental U.S. only. To order 2, 3, 4 or 5-year support, select the desired number of years in your quote	No replacement
OSB-BKSV-3650-10-3	AirDefense Enterprise - Backup Appliance - Model 3650. 1 Year On Site. Does not include Comprehensive Coverage. Available in Continental U.S. only. To order 2, 3, 4 or 5-year support, select the desired number of years in your quote	No replacement
OSB-BKSV-3650-10-4	AirDefense Enterprise - Backup Appliance - Model 3650. 1 Year On Site. Does not include Comprehensive Coverage. Available in Continental U.S. only. To order 2, 3, 4 or 5-year support, select the desired number of years in your quote	No replacement
OSB-BKSV-3650-10-5	AirDefense Enterprise - Backup Appliance - Model 3650. 1 Year On Site. Does not include Comprehensive Coverage. Available in Continental U.S. only. To order 2, 3, 4 or 5-year support, select the desired number of years in your quote	No replacement
SCB-BKSV-3650-10-1	AirDefense Enterprise - Backup Appliance - Model 3650. 1 Year Service Center Bronze. Does not include Comprehensive Coverage. Includes tech support and s/w updates. To order 2,3,4 or 5-year support, select the desired number of years in your quote	No replacement
SCB-BKSV-3650-10-2	AirDefense Enterprise - Backup Appliance - Model 3650. 1 Year Service Center Bronze. Does not include Comprehensive Coverage. Includes tech support and s/w updates. To order 2,3,4 or 5-year support, select the desired number of years in your quote	No replacement











Bronze. Does not include Comprehensive Coverage. Includes tech support and s/w updates. To order 2,3,4 or 5-year support, select the desired number of years in your quote

SCB-SV-4250-10-3	AirDefense Enterprise - Appliance - Model 4250. 1 Year Service Center Bronze. Does not include Comprehensive Coverage. Includes tech support and s/w updates. To order 2,3,4 or 5-year support, select the desired number of years in your quote	No replacement
SCB-SV-4250-10-4	AirDefense Enterprise - Appliance - Model 4250. 1 Year Service Center Bronze. Does not include Comprehensive Coverage. Includes tech support and s/w updates. To order 2,3,4 or 5-year support, select the desired number of years in your quote	No replacement
SCB-SV-4250-10-5	AirDefense Enterprise - Appliance - Model 4250. 1 Year Service Center Bronze. Does not include Comprehensive Coverage. Includes tech support and s/w updates. To order 2,3,4 or 5-year support, select the desired number of years in your quote	No replacement

### Replacement Products

Brocade recommends evaluating the recommended alternative solution as a replacement for the each of the Brocade part numbers list above.

### Note

- All software features qualified for use under supported configurations of the Brocade Mobility products will continue to be available after LCS of the Brocade Mobility products.

### Support Pricing

Subject to the provisions of your support agreement with Brocade, support and access to software for the product will be available through Brocade's 7x24 Technical Assistance Center (TAC) or on-line via the Brocade MySupport portal\*. Beginning one (1) year after LCS (October 31, 201r), and until the EOS date (October 31, 2019), there will be a 10% annual price increase for end-user service and support.

*\*Additional restrictions and limitations apply to support for software and such support may be cancelled or changed without notice. Contact your sales representative for more information.*