

USB 3.0 Capture Device for High-Performance DVI Video - 1080p 60fps - Aluminum

Product ID: USB32DVCAPRO



This DVI to USB 3.0 video capture device records high-definition DVI video to your computer. With an aluminum enclosure, this device is built strong for fixed-location or on-the-go capture. It offers a separate 3.5 mm audio input for accompanying audio or voice-overs, and a DVI pass-through port for connecting a monitor to review the video as it's captured.

Record 1080p video at 60fps (frames per second), to save your content so it can be shared, stored, or edited. Capture from security equipment, control rooms, medical, or other industrial DVI devices, directly to your computer.

The included software makes recording easy. Using a widely adopted codec, videos saved in StreamCatcher work with almost any video player and require no converting or editing.

On Windows, you can live broadcast your video over the internet, using Twitch or other third-party video streaming platforms, with the included software.

With this capture device, you're not tied to the included software. You can record raw/lossless video using any third-party DirectShow compatible software, such as Open Broadcaster Software (OBS).

This versatile DVI capture device works with HDMI to DVI and VGA to DVI adapters, so you can record video from an HDMI or VGA source.

The USB32DVCAPRO is backed by a 2-year StarTech.com warranty and free lifetime technical support.

Certifications, Reports and Compatibility







Applications

- Record video for training and tutorial purposes from technologies that output DVI
- Capture raw, uncompressed video using your preferred DirectShow compatible software

• Great for recording the output from your PC, server, or POS station, when creating software training and tutorial videos

• Add your own independent audio source for voice-over commentary

Features

- Seamless picture quality with USB 3.0 bandwidth enabling you to capture 1080p video at 60 FPS
- · Wide device playback support with universally encoded video files
- Raw/lossless video capture ensuring DirectShow compatibility on Windows devices
- Separate 3.5 mm audio input for added voice commentary or audio track
- Includes a DVI pass-through port for a monitor to watch your video as it is captured

Hardware		
	Warranty	2 Years
	AV Input	DVI
	AV Output	USB
	Audio	Yes
	Industry Standards	NTSC, PAL-M, PAL-60, PA
		Video Encoding: MPEG4/H.264
		DirectShow Compatible
	Chipset ID	Mstar - MST3363CNK-170
Performance		
	Maximum Analog Resolutions	1920 x 1080 60 FPS



	Maximum Digital Resolutions	1920 x 1080 60 FPS
	Supported Resolutions	1920 x 1080, 1280 x 720, 1024 x 768, 800 x 600
	Wide Screen Supported	Yes
	Audio Specifications	2-channel stereo audio
	MTBF	504,825 Hours
Connector(s)	Connector A	1 - 3.5 mm Mini-Jack (3 Position)
		1 - DVI-I (29 pin)
	Connector B	1 - USB Type-B (9 pin) USB 3.0
Software	OS Compatibility	Windows 7, 8, 8.1, 10, 11
		MacOS 10.11 to 10.14
Special Notes / Requirements	Note	This video capture device requires a USB 3.0 port (or higher). The video capture device does not work with USB 2.0 ports (or lower).
Power	Power Source	USB-Powered
Environmental		
	Operating Temperature	0C to 40C (32F to 104F)
	Storage Temperature	-5C to 40C (23F to 105F)
Physical Characteristics	Storage Temperature	-5C to 40C (23F to 105F)
Physical Characteristics	Storage Temperature	-5C to 40C (23F to 105F)
Physical Characteristics	Storage Temperature Humidity	-5C to 40C (23F to 105F) 20% to 80% (non-condensing)



	Product Height	1.0 in [2.4 cm]
	Weight of Product	3.6 oz [102 g]
Packaging Information		
	Package Length	8.5 in [21.7 cm]
	Package Width	5.9 in [15 cm]
	Package Height	2.0 in [52 mm]
	Shipping (Package) Weight	1.0 lb [0.5 kg]
What's in the Box		
	Included in Package	1 - USB 3.0 capture device for DVI video
		1 - USB 3.0 cable
		1 - quick start guide

*Product appearance and specifications are subject to change without notice.

