Fujitsu recommends Windows 8 Pro.



Data Sheet FUJITSU LIFEBOOK E754 Notebook

Uncompromising Elegant Design and Functionality

The elegant FUJITSU Notebook LIFEBOOK E Line offers a premium 15.6-inch, 14-inch and 13.3-inch notebook for various corporate demands providing ultimate flexibility and convenience while reducing TCO and complexity. The underlying family concept includes common BIOS, mainboard, shared components and accessories, resulting in decreased expenses. High-end materials ensure maximum durability. With its superb feature set, appealing looks and set of thorough security features, you don't have to make compromises anymore.

Family Concept

Reduce your acquisition cost as well as the complexity of your IT equipment.

 Shared components such as AC Adapter, modular bay elements, port replicator, keyboard layout and shared mainboard with same drivers, BIOS, bit image with LIFEBOOK E734 and LIFEBOOK E744

High-End Design

Outstanding mobility, ease of use and sleek looks for highest business demands.

 Especially slim from 20 mm, weight starting from only 1.9 kg, 39.6 cm (15.6-inch) display, attractive red elements, high-value material with magnesium lid and strong metal hinges

Premium Features

Maximize your productivity with premium notebooks providing ultimate convenience and best feature set for business users.

- Optional backlit keyboard, large touchpad and modular bay for 2nd battery, 2nd HDD, bay projector or DVD Super Multi for convenient and flexible working
- Integrated SmartCard reader, optional Full Disk Encryption (FDE) and fingerprint sensor for absolute protection of company data
- Full set of interfaces with HDMI, optional embedded 4G/LTE, WLAN and Bluetooth and Full HD webcam with status LED for maximum connectivity









Page 1 / 7 www.fujitsu.com/fts/mobile

Components

	1. 18 C THIT (TOOMS 12.2 CH		
Processor	Intel® Core™ i7-4702MQ processor (2.2 GHz, up to 3.2 GHz, 6 MB) *		
	Intel® Core™ i5-4200M processor (2.5 GHz, up to 3.1 GHz, 3 MB) *		
	Intel® Core™ i3-4000M processor (2.4 GHz, 3 MB) *		
	Intel® Core™ i7-4600M processor (2.9 GHz, up to 3.6 GHz, 4 MB)		
	Intel® Core™ i5-4300M processor (2.6 GHz, up to 3.3 GHz, 3 MB)		
	*Processor only for retail, SMB, education and government Intel® Core™ i7 processors only available for Intel® QM87 Chipset; Intel® Core™ i3 processors only for Intel® HM86 Intel® Core™ vPro™ Processor - Best Platform for Businesses of all sizes Intel® Core™ Processor with Intel® Small Business Advantage - Smart Platform for Unmanaged Small Business		
Operating systems			
Operating system	Windows® 7 Professional 64-bit		
	Windows 8.1 Pro 64-bit Windows 8.1 64-bit		
Operating system compatible	Windows 8 32-bit		
	Windows® 7 Professional 32-bit		
	Windows 8 64-bit		
Memory modules	2 GB (1 module(s) 2 GB) DDR3 L, 1600 MHz, PC3-12800, SO DIMM		
Memory modules	4 GB (1 module(s) 4 GB) DDR3 L, 1600 MHz, PC3-12800, SO DIMM		
	8 GB (1 module(s) 8 GB) DDR3 L, 1600 MHz, PC3-12800, SO DIMM		
Base unit memory	LIFEBOOK E754 15.6-inch HM86 LIFEBOOK E754 15.6-inch QM87		
Supported capacity RAM (max.)	16 GB		
Memory slots total	2		
Memory slot type	DIMM (DDR3L)		
Memory notes	DDR3L - 1,600 MHz		
Hard disk drives (internal)	SSHD, 5,400 rpm, 500 GB / 8 GB SSD Cache, 2.5-inch, S.M.A.R.T.		
	SSD SATA III FDE, 256 GB, 2.5-inch		
	SSD SATA III, 512 GB, 2.5-inch		
	SSD SATA III, 256 GB, 2.5-inch		
	SSD SATA III, 128 GB, 2.5-inch		
	SATA, 5,400 rpm, 500 GB, 2.5-inch, S.M.A.R.T.		
	SATA, 5,400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.		
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.		
	Accessible capacity may vary, also depending on used software.		
	Up to 20 GB of HDD space is reserved for system recovery		
	Internal HDD interface: S-ATA III (6GBit/s)		
WLAN (optional)	Intel® Centrino® Wireless-N 7260 2x2 a/b/g/n with integrated Bluetooth 4.0		
	Intel® Centrino® Wireless-N 7260 2x2 b/g/n with integrated Bluetooth 4.0		
Vireless technologies			
Antennas	2 Dual band WLAN antennas, 2 UMTS/LTE antennas optional		
WLAN notes	Import and usage according to country-specific regulations.		
3G/4G (optional)	Sierra Wireless EM8805 (Downlink speed 42 Mbit/s, Uplink speed 5.76 Mbit/s)		
	LTE Sierra Wireless EM7305 (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)		
 Display	39.6 cm (15.6-inch), LED backlight, (HD), Anti-glare display, magnesium, 1,366 x 768 pixel, 300:1, 200 cd/m²		
	39.6 cm (15.6-inch), IPS, (Full HD), Anti-glare display, magnesium, 1,920 x 1,080 pixel, 300:1, 300 cd/m ²		

Page 2 / 7 www.fujitsu.com/fts/mobile

	2.11			
Modular bay options	2nd battery			
	Bay Projector			
	Blu-ray Disc™ Triple Writer			
	DVD Super Multi			
	Weight saver			
Base unit	LIFEBOOK E754 15.6-inch HM86	LIFEBOOK E754 15.6-inch QM87		
General system information				
Chipset	Intel® HM86	Intel® QM87		
Chipset notes		Supports iAMT 9.0, Intel® vPro™ requires Core i5-43xx & i7-46xx CPU, Intel WLAN 7260 a/b/g/n, TPM module		
BIOS features	BIOS based on Phoenix SecureCore			
Display				
Display notes	ISO 9241-307 - Pixel class II Viewing angle HD: L/R 45°, T 15°, B 35° FHD IPS: L/R/T/D 85°			
Graphics				
Base unit	LIFEBOOK E754 15.6-inch HM86	LIFEBOOK E754 15.6-inch QM87		
TFT resolution (DisplayPort)	up to 2,560 x 1,600	up to 2,560 x 1,600		
TFT resolution (VGA)	up to 1,920 x 1,200	up to 1,920 x 1,200		
TFT resolution (DVI on Port Replicator)	up to 1,920 x 1,200	up to 1,920 x 1,200		
Graphics brand name	Intel® HD Graphics 4600	Intel® HD Graphics 4600		
Graphics notes	Shared memory depending on main memory size and operating system	Shared memory depending on main memory size and operating system		
Video memory total		256MB with Win XP; up to 1,535MB with Win7 32bit; up to 1,696MB with Win7 64bit MB		
Interfaces				
Memory card slots	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 64GB)			
SmartCard slot	1 (optional)			
SIM card slot	1 (only for models with integrated 3G/UMTS or 4G/LTE mod	dule)		
USB 3.0 total	3 (1 with Anytime USB Charge functionality)			
USB 2.0 total	1			
VGA	1			
HDMI	1 shared with DP			
DisplayPort	1			
Ethernet (RJ-45)	1			
DC-in	1			
Audio: line-in / microphone	1			
Audio: line-out / headphone	1			
Internal microphones	2x digital microphones (array)			
Docking connector for Port Replicator Kensington Lock support	1			
	·			
Wired communication	D : 10/100/1000 MB:// .	D. d		
LAN	Built-in 10/100/1,000 MBit/s Intel® I217LV	Built-in 10/100/1,000 MBit/s Intel® I217LM		
Keyboard and pointing devices				
	Black colored key caps for backlight keyboard#Black colored key caps with red frame for regular keyboard#Isolatio keyboard			
	Number of keyboard keys: 104, Keyboard pitch: 19 mm, Ke	•		
	Multi gesture touchpad (105mmx66mm) with 2 integrated mouse buttons Optional: Fingerprint sensor			
	Application buttons Status LED			

Page 3 / 7

Multimedia			
Audio type	On board		
Audio codec	Realtek ALC3233		
Audio features	Stereo speakers		
Camera	Optional: Built-in webcam, Full HD (2,073 megapixel) (Microsoft® Lync™)		
Power supply			
AC Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter, 0.250 kg, 108x46x30 mm		
, ichicopici	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) slim and light AC-Adapter		
	19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) 0-Watt AC Adapter technology		
	19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter		
Notes	65W AC Adapter for usage with system/ 80 & 90W AC Adapter for usage with Port Replicator		
1st battery options	Li-lon battery 6-cell, 5,800 mAh, 63 Wh		
7 - 1	Li-lon battery 6-cell, 6,700 mAh, 72 Wh		
2nd battery (optional)	Li-lon battery 6-cell, 2,600, mAh, 28 Wh		
Runtime 1st battery	up to 13 h (tbd)		
Runtime 1st + 2nd battery	up to 19 h (tbd)		
Battery charging time	~160 min (63Wh) ~ 200 min (72Wh)		
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers		
,	mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct produc		
	comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower		
	and may vary depending on product model, configuration, application and power management settings. The batter		
	capacity slightly decreases with every chargin	ng cycle and over the lifetime.	
Dimensions / Weight / Environmental			
Dimensions (W x D x H)	374 x 250 x 20 (f) - 27 (r) mm		
Weight	1.9 kg		
Weight notes	Incl. weight saver. Weight may vary dependin	ng on actual configuration.	
Operating ambient temperature	5 - 35 °C		
Operating relative humidity	20 - 85 %		
Additional Software			
Security software	McAfee Multi Access Security (anti-virus and i	nternet security software; 60 days trial version)	
Additional software (preinstalled)	Adobe® Reader® (pdf reader)		
Additional software (premistance)	Fujitsu LIFEBOOK Application Panel		
	Fujitsu Display Manager		
Additional actions (astro-1)	ShockSensor Utility		
	Power Saving Utility		
	Fujitsu Plugfree Network (network management utility)		
	EasyGuide online user documentation		
	Win8: Microsoft Push Button Recovery (hard disk based recovery) Win7: Fujitsu Recovery (hard disk based recovery)		
	Drivers & Utilities DVD (DUDVD)	егуј	
Additional software (optional)	UMTS connection manager (optional with UN	(2TM	
Late.	om s connection manager (optional with ow		
Manageability		- III I	
Manageability technology	DeskUpdate Driver management	DeskUpdate Driver management	
	PXE 2.1 Boot code	PXE 2.1 Boot code	
	Wake up from S5 (off mode) WoL (Wake on LAN)	Wake up from S5 (off mode) Intel® vPro™ technology	
	WOL (Wake OII LAIN)	WoL (Wake on LAN)	
		Intel® SBA Manageability Solution (see details: http://	
		www.intel.com/go/sba)	
		iAMT 9.0 (depending on CPU)	
Manageability software	DeskView Client	(L)/	
manageability software	DeskView Instant BIOS Management		
	DeskView Integration for Symantec Managem	nent Platform	

Page 4 / 7 www.fujitsu.com/fts/mobile

Manageability DeskView components Inventory Management BIOS Management Driver Management Security Management Alarm Management MMI PXE BootP (made4you) Manageability link Mensington Lock support Security Physical Security System and BIOS Security Computrace® enabled BIOS EraseDisk (optional)	
BIOS Management Driver Management Security Management Alarm Management WMI PXE BootP (made4you) Manageability link http://www.fujitsu.com/fts/solutions/high-tech/solutions/workplace/manageability/feature-finder.htm Security Physical Security System and BIOS Security Computrace® enabled BIOS	
Driver Management Security Management Alarm Management Supported standards WMI PXE BootP (made4you) Manageability link http://www.fujitsu.com/fts/solutions/high-tech/solutions/workplace/manageability/feature-finder.htm Security Physical Security Kensington Lock support System and BIOS Security Computrace® enabled BIOS	
Security Management Alarm Management Supported standards WMI PXE BootP (made4you) Manageability link http://www.fujitsu.com/fts/solutions/high-tech/solutions/workplace/manageability/feature-finder.htm Security Physical Security Kensington Lock support System and BIOS Security Computrace® enabled BIOS	
Alarm Management Supported standards WMI PXE BootP (made4you) Manageability link http://www.fujitsu.com/fts/solutions/high-tech/solutions/workplace/manageability/feature-finder.htm Security Physical Security Kensington Lock support System and BIOS Security Computrace® enabled BIOS	
Supported standards WMI PXE BootP (made4you) Manageability link http://www.fujitsu.com/fts/solutions/high-tech/solutions/workplace/manageability/feature-finder.htm Security Physical Security Kensington Lock support System and BIOS Security Computrace® enabled BIOS	
PXE BootP (made4you) Manageability link http://www.fujitsu.com/fts/solutions/high-tech/solutions/workplace/manageability/feature-finder.htm Security Physical Security Kensington Lock support System and BIOS Security Computrace® enabled BIOS	
BootP (made4you) Manageability link http://www.fujitsu.com/fts/solutions/high-tech/solutions/workplace/manageability/feature-finder.htm Security Physical Security Kensington Lock support System and BIOS Security Computrace® enabled BIOS	
Manageability link http://www.fujitsu.com/fts/solutions/high-tech/solutions/workplace/manageability/feature-finder.htm Security Physical Security Kensington Lock support System and BIOS Security Computrace® enabled BIOS	
Security Physical Security Kensington Lock support System and BIOS Security Computrace® enabled BIOS	
Physical Security Kensington Lock support System and BIOS Security Computrace® enabled BIOS	
System and BIOS Security Computrace® enabled BIOS	
Liasebisk (optional)	
Optional: Trusted platform module (TPM 1.2)	
Advanced Theft Protection (Computrace® only)	
User Security Hard disk password	
Access protection via internal SmartCard reader (optional)	
User and supervisor BIOS password	
Workplace Protect (secure authentication solution)	
Compliance with standards	
Europe CE	
CB	
Global RoHS (Restriction of hazardous substances)	
WEEE (Waste electrical and electronic equipment)	
Microsoft Operating Systems (HCT / HCL entry / WHQL)	
WiFi certified	
ENERGY STAR® 6.0	
EPEAT® Gold (dedicated regions) (planned)	
Compliance link http://globalsp.ts.fujitsu.com/sites/certificates	
Port Replicator interfaces (optional)	
DC-in 1	
Audio: line-in 1	
Audio: line-out 1	
USB 3.0 total 4	
DisplayPort 2	
VGA 1	
DVI 1	
Ethernet (RJ-45) 1	
Kensington Lock support 1	
eSATA 1	
Warranty	
Standard Warranty 2 years (depending on country)	
Service level Collect & Return Service / Bring-in Service (for countries within region FTS CEMEA&I, for all other countries with region FTS CEMEA&I, for all ot	tries depending
on local regulations)	
Warranty Terms & Conditions http://support.ts.fujitsu.com/warranty	
Maintenance and Support Services - the perfect extension	
Recommended Service9x5, Response Time: Next Business Day	
Spare Parts availability 5 years after end of product life Service Weblink http://www.fujitsu.com/fts/services/support	

Page 5 / 7 www.fujitsu.com/fts/mobile

Recommended Accessories

Port Replicator for LIFEBOOK E Series (E754, E744 and E734)



Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's docking options.

Order Code: S26391-F1337-L100

Second Battery for Modular Bay



Modern business demands that busy professionals be ready to meet customers, make presentations, and work wherever is necessary to get the job done. With a Second Battery for your Fujitsu LIFEBOOK you will be more flexible than ever. Installation is effortless. Just slide the Second Battery into your Fujitsu LIFEBOOK's modular bay.

Order Code: S26391-F1314-L500

MicroSaver Slim



The Fujitsu Kensington MicroSaver slim features the patented T-Bar locking mechanism with carbon tempered steel core cable and an external braided steel sheath. The MicroSaver slim is available with Kensington Master Access. This security solution allows you to manage and maintain a limitless number of locks with a master key.

Order Code: S26361-F1650-L200

Prestige Case Midi 16



The Prestige Case Midi 16 protects notebooks with up to 16-inch screens. The front half of the bag has compartments for your notebook, power cord and office supplies. It features nylon pockets so you can see your modular bay accessories. The back half of the bag has a divided file compartment.

Order Code: S26391-F1192-L60

Fujitsu Bay Projector



The innovative Fujitsu Bay Projector is the first projector which can be inserted in the modular bay of a notebook. The patented projector offers mobility and convenience in the office as well as at home. The Bay Projector converts your notebook into a fully-mobile office, giving you the flexibility vou demand.

Order Code: S26391-F1244-L600

Wireless Mouse WI200



The Wireless Mouse WI200 uses the latest wireless 2.4 GHz technology, and a high-resolution 1000 dpi optical sensor to give you the precision and S26381-K462-L100 reliability you need. Sporting a compact design with a stylish black finish, the WI200 wireless mouse is well suited to all environments and to each user whether right or left handed.

Order Code:

SOUNDSYSTEM DS P2100 Tube



Taking inspiration from a hi-fi sound bar, the Fujitsu SOUNDSYSTEM DS P2100 Tube presents you with living room design art pieces for acoustic enjoyment. Automatic amplifier adjustment ensures extremely low distortion, which will protect the hearing and avoid speaker damage. With new convenient volume control- Fade-in & Fade-out audio effect. The small & robust satellite speaker is decorated with a deluxe piano finish and the aluminum tube is adorned with a fine print of an exotic motif at its base.

Order Code: S26391-F7128-L500

Page 6 / 7 www.fujitsu.com/fts/mobile

More information

Fujitsu OPTIMIZATION Services

In addition to Fujitsu LIFEBOOK E754, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK E754, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

FUJITSU Technology Solutions Website: www.fujitsu.com/fts 2014-01-21 CE-EN All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

Copyright © Fujitsu Technology Solutions