### Conex | Bänninger

## Conex | Bänninger >B< Press Inox





























Poland Sales, Marketing and logistics IBP Instalfittings Sp z.o.o.

Tel: +44 (0)121 521 2921 | Fax: +44 (0)121 520 8778 | Email: international@ibpgroup.com | Website: www.conexbanninger.com

The content of this publication is for general information only. It is the user's responsibility to determine suitability of any product for the purpose intended and reference should be made to our Technical Department if clarification is required. In the interests of technical development we reserve the right to change specification, design and materials without notice. \*Conex Bänninger products are approved by numerous Standards Authorities and Certification Bodies. For more details on this product range, please email our technical team at: technical@ibpgroup.com. This is a representation of the full range from Conex Universal. IBP trade marks are registered in numerous countries





## Proven >B < Press technology now available in stainless steel

#### The >B< Press family is now complete

Conex Bänninger >B< Press is the quick and easy-to-use plumbing fitting with a permanent 3-point press joint. The fittings are both user friendly, very quick and easy to install, leading to time and cost savings. >B< Press offers the advantage of a flame-free installation, eliminating the need for solder, adhesives or additional jointing materials therefore posing no on-site fire risk.

Conex Bänninger is now pleased to present its high quality stainless steel press fitting to the family of products. With high aesthetic appeal >B< Press Inox completes the range. Whether its copper, bronze, carbon steel and now stainless steel - Conex Bänninger offers the perfect fitting for your application.



# Press fittings made of stainless steel -Hygenic and versatile.

Conex Bänninger now introduces fittings made of high quality stainless steel in sizes 15mm to 54mm.

>B< Press Inox, with its famous >B< profile, can be used in almost all domestic supply systems, such as plumbing, heating, cooling, and rainwater systems, as well as for many other industrial applications.

The material is chloride and corrosion resistant and made from AISI 316L. It is hygienic and suitable for potable water. Our high quality EPDM seal provides an accurate and proven ioint on the full range of fittings.

To complete our >B< Press Inox range we also provide stainless steel tubes made of AISI 316L and AISI 444 as a nickel-free alternative.

Our >B< Press Inox fittings can be used with tubes in accordance with BS EN10312 series 1 and 2.

>B< Press Inox is a perfect addition to the Conex Bänninger press fittings range.

A choice of press tools: >B< Press Inox is installed in the same way as our other >B< Press ranges, so all of the tools approved for these products can be used.

# Dancing Towers, Hamburg | ©Cordelia Ewerth وت با المالياليات





#### Did you know?

Conex Bänninger jointing technology has been used in many well-known buildings?

Our fittings may not be immediately visible from the outside. but the long-term reliability, safety and durability of our products is proven from within.

#### >B<Press Stainless Steel Fittings

Slip Coupler

## Straight Coupler



PS5270 From: 15mi To: 54mm

Flat Face Union



PS4275



From: 15mm x 3/4" To: 54mm x 2 3/8"



PS5243 From: 18 x 15mm To: 54 x 42mm




PS4002G



Tee with Female

**PS4130G** From: 15 x 1/2 x 15mm To: 54 x 2 x 54mm



PS4092G

**PS5088** From: 15mm



Female Straight

PS4270G From: 15mm x 1/2" To: 54mm x 2"



PS5002 From: 15mm To: 54mm

**Obtuse Elbow** 



PS5041



PS5087



PS4243G From: 15mm x 1/2" To: 54mm x 2"

PS5001

To: 54mm

PS5040

PS5030

Male Street Bend

**Obtuse Street Elbow** 



PS4330G From: 15mm x 1/2" To: 54mm x 2"

Bend with Male



Straight Connector



Male Iron Connector

PS4331G From: 15mm x 1/2" To: 54mm x 2"

Bend with Female



PS4001G



PS4090G From: 15mm x 1/2" To: 54mm x 2" From: 15mm x 1/2" To: 35mm x 1 1/4"



PS5130 From: 15 x 15 x 15mm To: 54 x 54 x 54mm




PS5130 From: 22 x 22 x 15mm To: 89 x 89 x 76mm



**PS4471G** 



PS5301





From: 15mm x 1,00



