diode led®
An Elemental LED product line

TRIANT® LED Puck Light

The TRIANT Puck Light is a dimmable indoor LED puck offering superior quality, brightness, and color rendering capability. Constructed of sturdy aluminum, the architectural-grade TRIANT LED fixture stands up to the most ambitious lighting application. The TRIANT features Samsung LEDs that provide up to 353 lumens of light. The TRIANT can be surface- or recess-mounted, offering versatility and installation options.

Features & Benefits

- **Form factor** - compact and contemporary
- **Mounting** - easy surface-mount with screws, or recessed
- **Dimmable** - fully dimmable
- **Durable** - aluminum construction
- **Finishes** - white satin, brushed aluminum, black satin

- **High Lumen Output**
  Up to 353 lumens per fixture

- **Quality LED Chips**
  Samsung LEDs

- **Easy Connection**
  DC plug

- **Warranty**
  3-year warranty

Color (CCT)

3000K   6200K

c **UL** us
LISTED

12V DC

3.92W
Watts

74-82
CRI

275-353
Lumens

LED Fixture

TRIANT® LED Puck Lights

Item #	Finish	Color Temp	Lumens
DI-0332-SA	aluminum	3000K - warm white	275
DI-0333-SA	aluminum	6200K - cool white	353
DI-0332-SB	black	3000K - warm white	275
DI-0333-SB	black	6200K - cool white	353
DI-0332-SW	white	3000K - warm white	275
DI-0333-SW	white	6200K - cool white	353

Two mounting screws are included with each fixture.

LED Power Supplies

Description	Item #
12V Constant Voltage Drivers	See our website
12V Magnetic Dimmable Drivers	See our website
12V Plug-In Adapters	See our website

Optional Accessories

Description	Item #
DC Plug 2-Way Splitter - white	DI-0720
DC Plug 3-Way Splitter - white	DI-0705
DC Plug 4-Way Splitter - white	DI-DCSP4
DC Plug 5-way Splitter - white	DI-0707
REIGN Touch Dimmer Switch - white	DI-REIGN-TS-WH
REIGN Touch Dimmer Switch - light almond	DI-REIGN-TS-LA
REIGN Button Slide Dimmer Switch - white	DI-1150-W
REIGN Button Slide Dimmer Switch - light almond	DI-1150-LA
REIGN Full Slide Dimmer Switch - white	DI-1151-W
REIGN Full Slide Dimmer Switch - light almond	DI-1151-LA

Always refer to the website for the most current updates to our technical documents.

0.06 in.

puck width
2.55 in.

0.53 in.

mounting ring width
1.56 in.

mounting ring holes
2.26 in.

puck width
2.72 in.