



**Premium Electrical Products & Accessories**



**COMPARE  
THE QUALITY**

At Voltec, we know and understand that growth is directly related to new products. We strive to provide new and innovative products that positively impacts your ability to expand your market share and enhance your margins. As we continue to provide knowledgeable, prompt, efficient and friendly customer service, our goal is to surpass your expectations. Voltec Industries is where quality and value come together!

## Innovative Products

Industry Leader in Custom Products



## Breadth of Line



## Compare the Quality





# Table of Contents

*E-ZEELock® Locking Connector* . . . . . 4-6

*Outdoor 300V Extension Cords* . . . . . 7-8

*Kwik Kustom Extension Cords* . . . . . 8

*ALL-FLEX® Extension Cords* . . . . . 9-11

*Outdoor 600V Extension Cords* . . . . . 11

*Kustom Kords Extension Cords/Quote Form* . . . . . 12-13

*Adapters* . . . . . 14-15

*Generator Power Products* . . . . . 16

*Portable GFCIs* . . . . . 17

*Temporary Power* . . . . . 18

*Temporary Lighting* . . . . . 19

*Wiring Devices* . . . . . 20

*Surge/Power Strips* . . . . . 21

*Household/Workbench Cords* . . . . . 21

*Replacement Cords for Power Tools* . . . . . 22

*Range & Dryer Cords* . . . . . 23

*Garbage Disposal & AC Power Supply Cords* . . . . . 24

*E-ZEE LINK™ Locking Connector* . . . . . 25

*Cord Reels* . . . . . 26

*Clamp Lighting* . . . . . 27

*LED Lighting* . . . . . 28

*Incandescent Worklights* . . . . . 29

*Incandescent Trouble Lights with Retractable Reels* . . . . . 30

*E-ZEE LAMP Replacement* . . . . . 31

*Fluorescent Worklights* . . . . . 32

*Fluorescent Retractable Reels* . . . . . 33

*Halogen Worklights* . . . . . 34

*Heavy Duty Halogen Worklights* . . . . . 35

*Booster Cables* . . . . . 36

*Jump Starts and Power Packs* . . . . . 37

*Power Inverters* . . . . . 38-39

*RV Adapters/Extension Cords with E-ZEE Grip* . . . . . 40-41

*RV Adapters* . . . . . 42-43

*RV Extension Cords* . . . . . 43

*RV Power Supply Cords* . . . . . 43

*Lighting Replacement Parts* . . . . . 44

*NEMA Chart* . . . . . 45

*Glossary* . . . . . 46-50

*Wiring Device Cross Reference* . . . . . 51-52

*Index of Parts* . . . . . 53-55

## Voltec Power & Lighting Regional Distribution Warehouses

Chino, California
Denver, Colorado
Orlando, Florida
Chicago, Illinois
Kansas City, Missouri
Newark, New Jersey
Charlotte, No. Carolina
Pittsburgh, Pennsylvania
Salt Lake City, Utah
Seattle, Washington

## AFFILIATES


The information contained in this catalog is presented solely as a guide to product selection and is reliable to the best of our knowledge. Any printing errors are subject to correction in future releases or reprints of this catalog. Voltec Power & Lighting has taken precautions at the time of publication, to ensure the accuracy of the data and specifications presented herein, but reserves the right to modify, append or change the specifications of any and all products contained within this catalog at any time and without prior notice.

*Exclusively from  
Voltec Power &  
Lighting*



## Locking Your Cord is E-ZEE as 1 ■ 2 ■ 3

1



Plug E-ZEE LOCK® Connector into male plug



Extension Cord is Locked

2



Close E-ZEE LOCK® latching mechanism onto the cable of the male plug. (Must attach to the cable, not the male plug)

3





Twist E-ZEE LOCK® to a Locking Fit

- cULus Listed
- Securely connects power cords to stop annoying, unwanted disconnects
- Adds additional locking strength with a nylon arm, which is virtually unbreakable
- Extension cords are available with power indicator light
- Adapters are available with EZEELock®





**PRO** SERIES product

## Outdoor 300V SJTW Extension Cords -40°F TO 140°F

 <b>3-Conductor 300V SJTW Extension Cords with E-ZEELOCK™ and Lighted End</b> 										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
05-00111	25ft	14/3	SJTW	Orange/Black	1	5-15P	5-15R	15	1875	12
05-00112	50ft	14/3	SJTW	Orange/Black	1	5-15P	5-15R	15	1875	6
05-00113	100ft	14/3	SJTW	Orange/Black	1	5-15P	5-15R	13	1625	3
05-00105	25ft	12/3	SJTW	Yellow/Blue	1	5-15P	5-15R	15	1875	12
05-00106	50ft	12/3	SJTW	Yellow/Blue	1	5-15P	5-15R	15	1875	4
05-00107	100ft	12/3	SJTW	Yellow/Blue	1	5-15P	5-15R	15	1875	2
05-00118	50ft	10/3	SJTW	Yellow/Black	1	5-15P	5-15R	15	1875	1
05-00119	100ft	10/3	SJTW	Yellow/Black	1	5-15P	5-15R	15	1875	1



## All Weather Outdoor 300V SJEOW Extension Cords -58°F to 228°

 <b>3-Conductor 300V SJEOW Extension Cords with E-ZEELOCK™ and Lighted End</b> 										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
05-00138	25ft	14/3	SJEOW	Blue	1	5-15P	5-15R	15	1875	12
05-00139	50ft	14/3	SJEOW	Blue	1	5-15P	5-15R	15	1875	6
05-00140	100ft	14/3	SJEOW	Blue	1	5-15P	5-15R	13	1625	3
05-00141	25ft	12/3	SJEOW	Blue	1	5-15P	5-15R	15	1875	12
05-00142	50ft	12/3	SJEOW	Blue	1	5-15P	5-15R	15	1875	4
05-00143	100ft	12/3	SJEOW	Blue	1	5-15P	5-15R	15	1875	2






**PRO** SERIES product



Tested for Strength You can Count On!



Durable  
Nylon  
Locking Arm



Preventing  
Unwanted  
Disconnects


**Adapters**



**Locking Plug to U-Ground Connector**




ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
04-00092	1ft	12/3	STW	Yellow	1	L5-30P	5-15R	15	1875	10



**U-Ground Plug to Locking Connector**




ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
04-00093	1ft	12/3	STW	Yellow	1	5-15P	L5-20R	15	1875	10



**15 Amp Generator "W" Adapter with Lighted Ends**



ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
04-00200	2ft	12/3	STW	Yellow	3	L5-20P	5-15R	15	1875	12



**15 Amp Generator "W" Adapter with Lighted Ends**



ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
04-00201	2ft	12/3	STW	Yellow	3	L5-30P	5-15R	15	1875	12



# Outdoor 300V SJTW Extension Cords -40°F TO 140°F

## 3-Conductor 300V SJTW Extension Cords



ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
05-00108	25ft	16/3	SJTW	Yellow	1	5-15P	5-15R	13	1625	12
05-00109	50ft	16/3	SJTW	Yellow	1	5-15P	5-15R	13	1625	12
05-00110	100ft	16/3	SJTW	Yellow	1	5-15P	5-15R	10	1250	6



## 3-Conductor 300V SJTW Extension Cords with Lighted End



ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
05-00341	25ft	14/3	SJTW	Orange/Black	1	5-15P	5-15R	15	1875	12
05-00342	50ft	14/3	SJTW	Orange/Black	1	5-15P	5-15R	15	1875	6
05-00343	100ft	14/3	SJTW	Orange/Black	1	5-15P	5-15R	13	1625	3
05-00364	25ft	12/3	SJTW	Yellow/Blue	1	5-15P	5-15R	15	1875	12
05-00365	50ft	12/3	SJTW	Yellow/Blue	1	5-15P	5-15R	15	1875	4
05-00366	100ft	12/3	SJTW	Yellow/Blue	1	5-15P	5-15R	15	1875	2
05-00350	50ft	10/3	SJTW	Yellow/Black	1	5-15P	5-15R	15	1875	1
05-00351	100ft	10/3	SJTW	Yellow/Black	1	5-15P	5-15R	15	1875	1



## 3-Conductor 300V SJTW Extension Cords with E-ZEELOCK™ and Lighted End



ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
05-00111	25ft	14/3	SJTW	Orange/Black	1	5-15P	5-15R	15	1875	12
05-00112	50ft	14/3	SJTW	Orange/Black	1	5-15P	5-15R	15	1875	6
05-00113	100ft	14/3	SJTW	Orange/Black	1	5-15P	5-15R	15	1875	3
05-00105	25ft	12/3	SJTW	Yellow/Blue	1	5-15P	5-15R	15	1875	12
05-00106	50ft	12/3	SJTW	Yellow/Blue	1	5-15P	5-15R	15	1875	4
05-00107	100ft	12/3	SJTW	Yellow/Blue	1	5-15P	5-15R	15	1875	2
05-00118	50ft	10/3	SJTW	Yellow/Black	1	5-15P	5-15R	15	1875	1
05-00119	100ft	10/3	SJTW	Yellow/Black	1	5-15P	5-15R	15	1875	1

**PRO** SERIES product



# Outdoor 300V SJTW Extension Cords -40°F TO 140°F



## 3-Conductor 300V SJTW Extension Cord with Lighted Power Block



ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
05-00120	25ft	14/3	SJTW	Orange/Black	3	5-15P	5-15R	15	1875	12
05-00121	50ft	14/3	SJTW	Orange/Black	3	5-15P	5-15R	15	1875	6
05-00122	100ft	14/3	SJTW	Orange/Black	3	5-15P	5-15R	13	1625	3
05-00123	25ft	12/3	SJTW	Yellow/Blue	3	5-15P	5-15R	15	1875	12
05-00124	50ft	12/3	SJTW	Yellow/Blue	3	5-15P	5-15R	15	1875	4
05-00125	100ft	12/3	SJTW	Yellow/Blue	3	5-15P	5-15R	15	1875	2




## 3-Conductor 300V SJTW Extension Cord with Locking Connectors



ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
05-00128	50ft	12/3	SJTW	Yellow/Blue	1	L5-20P	L5-20R	20	2500	4
05-00131	100ft	12/3	SJTW	Yellow/Blue	1	L5-20P	L5-20R	15	1875	2
05-00130	100ft	12/3	SJTW	Red/Black	1	L5-20P	L5-20R	15	1875	2
05-00333	100ft	10/3	SJTW	Yellow/Black	1	L5-20P	L5-20R	20	2500	1



# Kwik Kustom 300V SJTW Extension Cords -40°F TO 140°F



## 3-Conductor 300V SJTW Color Extension Cords with Lighted End



ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
05-00114	50ft	12/3	SJTW	FL Green/Black	1	5-15P	5-15R	15	1875	4
05-00116	100ft	12/3	SJTW	FL Green/Black	1	5-15P	5-15R	15	1875	2
05-00115	50ft	12/3	SJTW	Red/Black	1	5-15P	5-15R	15	1875	4
05-00117	100ft	12/3	SJTW	Red/Black	1	5-15P	5-15R	15	1875	2
05-00152	50ft	12/3	SJTW	Pink/Lime Green	1	5-15P	5-15R	15	1875	4
05-00153	100ft	12/3	SJTW	Pink/Lime Green	1	5-15P	5-15R	15	1875	2
05-00347	25ft	12/3	SJTW	Blue/Yellow	1	5-15P	5-15R	15	1875	12
05-00348	50ft	12/3	SJTW	Blue/Yellow	1	5-15P	5-15R	15	1875	4
05-00349	100ft	12/3	SJTW	Blue/Yellow	1	5-15P	5-15R	15	1875	2

Stand Out From The Crowd. Available in stock.





### Why Voltec's SJEOW is Superior?

**ALL-FLEX™** products are uncompromised and provide greater flexibility over a longer working life than most of the other products.

**Voltec's ALL-FLEX™** SJEOW extension cords are made to withstand the most extreme conditions. With a temperature rating of -58°F to +228°F this cord can be used in freezing cold winters and sweltering hot summers. Our cords also resist the negative effects of oil, water, weather, abrasion and ozone, while providing a unit that weighs considerably less than rubber cords. **Our ALL-FLEX™** products are all cULus listed.



ALL-FLEX™ are available in 300V and 600V wire type in 16, 14, 12, and 10 gauge. Connector Ends include Power Block, Locking and E-ZEELock™

## All Weather Outdoor 300V SJEOW Extension Cords -58°F TO 228°F

<b>3-Conductor 300V SJEOW Extension Cords with Lighted End</b>										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
05-00134	15ft	16/3	SJEOW	Blue	1	5-15P	5-15R	13	1625	12
05-00135	25ft	16/3	SJEOW	Blue	1	5-15P	5-15R	13	1625	12
05-00136	50ft	16/3	SJEOW	Blue	1	5-15P	5-15R	13	1625	12
05-00137	100ft	16/3	SJEOW	Blue	1	5-15P	5-15R	10	1250	6
05-00361	25ft	14/3	SJEOW	Blue	1	5-15P	5-15R	15	1875	12
05-00362	50ft	14/3	SJEOW	Blue	1	5-15P	5-15R	13	1625	6
05-00363	100ft	14/3	SJEOW	Blue	1	5-15P	5-15R	13	1625	3
05-00358	25ft	12/3	SJEOW	Blue	1	5-15P	5-15R	15	1875	12
05-00359	50ft	12/3	SJEOW	Blue	1	5-15P	5-15R	15	1875	4
05-00360	100ft	12/3	SJEOW	Blue	1	5-15P	5-15R	15	1875	2
05-00356	50ft	10/3	SJEOW	Blue	1	5-15P	5-15R	15	1875	1
05-00357	100ft	10/3	SJEOW	Blue	1	5-15P	5-15R	15	1875	1





## All Weather Outdoor 300V SJEOW Extension Cords -58°F to 228°

PRO SERIES product



ALL-FLEX 3-Conductor 300V SJEOW Extension Cords with E-ZEELock™ and Lighted End <span style="float: right;">c UL US</span>										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
05-00138	25ft	14/3	SJEOW	Blue	1	5-15P	5-15R	15	1875	12
05-00139	50ft	14/3	SJEOW	Blue	1	5-15P	5-15R	15	1875	6
05-00140	100ft	14/3	SJEOW	Blue	1	5-15P	5-15R	13	1625	3
05-00141	25ft	12/3	SJEOW	Blue	1	5-15P	5-15R	15	1875	12
05-00142	50ft	12/3	SJEOW	Blue	1	5-15P	5-15R	15	1875	4
05-00143	100ft	12/3	SJEOW	Blue	1	5-15P	5-15R	15	1875	2





ALL-FLEX 3-Conductor 300V SJEOW Locking Extension Cords <span style="float: right;">c UL US</span>										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
05-00231	100ft	12/3	SJEOW	Black	1	L5-20P	L5-20R	15	1875	2





ALL-FLEX 3-Conductor 300V SJEOW Extension Cord with Power Block and Lighted End <span style="float: right;">c UL US</span>										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
05-00147	25ft	12/3	SJEOW	Blue	3	5-15P	5-15R	15	1875	12
05-00148	50ft	12/3	SJEOW	Blue	3	5-15P	5-15R	15	1875	4
05-00149	100ft	12/3	SJEOW	Blue	3	5-15P	5-15R	15	1875	2



# All Weather Outdoor 600V SEOW Extension Cords -58°F to 228°


 <b>3-Conductor 600V SEOW Locking Extension Cord</b> 										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUT-LETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
06-00231	100ft	12/3	SEOW	Black	1	L5-20P	L5-20R	15	1875	2




 <b>3-Conductor 600V SEOW Locking Extension Cords</b> 										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUT-LETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
06-00181	100ft	10/3	SEOW	Black	1	L6-30P	L6-30R	25	6250	1



# Outdoor 600V STW Extension Cords -40°F to 140°

<b>3-Conductor 600V STW Extension Cords</b> 										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
06-00162	50ft	12/3	STW	Yellow	1	5-15P	5-15R	15	1875	4
06-00163	100ft	12/3	STW	Yellow	1	5-15P	5-15R	15	1875	2



<b>3-Conductor 600V STW Locking Extension Cords</b> 										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
06-00167	50ft	12/3	STW	Yellow	1	L5-20P	L5-20R	20	2500	2
06-00168	100ft	12/3	STW	Yellow	1	L5-20P	L5-20R	15	1875	2



## Customized Cords

### Customize to Benefit the Need

- ✓ Advertise your Company Name.
- ✓ Prevent Loss of cords from jobsite.
- ✓ Identify a color or stripe to a specific length and gauge.
- ✓ Provide a safe work area with high visibility colors.

### Custom Colors

Choose from many of our custom colors. Customize a color to meet your preference.

- ✓ Company Colors
- ✓ Personal Choice

### Custom Striping

Clearly add identification to cords with striping. The color and stripe combinations are endless.

- ✓ Single stripe
- ✓ DOUBLE stripe

### Advertise with Custom ID

Keep cords on the jobsite. Personalize by advertising your company name and number on every extension cord. Choose from a standard indent wheel or ink printed.

- ✓ Company Name & Phone No.
- ✓ "Property of ABC"

### Tailor Fit Your Need.

Choose your Plug and Connector End  
Choose any of our standard plugs and receptacles to fit your exact need. Molded ends come in a variety of custom colors. The Choice is Yours!

### Unique Features are an Option Too

- ✓ E-ZEELock™ Locking Connector - prevents annoying disconnects
- ✓ Illuminated Ends - timesaver, quickly shows you've got power.



Custom Quote Forms available online.  
Go to [www.voltec-industries.com](http://www.voltec-industries.com)



# Kustom Quote Form

Distributor: \_\_\_\_\_ Prepared By: \_\_\_\_\_

Customer: \_\_\_\_\_ Date: \_\_\_\_\_

<b>Quantity:</b>	<b>Gauge:</b>	<b>Cord Type:</b>	<b>OPTIONS:</b> (Circle Yes or No)
___ of 25ft	___ 16/3	___ SJTW 300V	E-ZEELock®: <u>Yes/No</u>
___ of 50ft	___ 14/3	___ SJEOW 300V	GFCI: <u>Yes/No</u>
___ of 100ft	___ 12/3	___ STW 600V	
___ of feet	___ 10/3	___ SEOW 600V	
	___ 6/3, 8/1		

### Choose Plug:


\_\_\_ NEMA 5-15P



\_\_\_ NEMA L5-20P



\_\_\_ NEMA 5-15P



\_\_\_ 50A Plug



### Choose Receptacle:



\_\_\_ NEMA 5-15R



\_\_\_ NEMA L5-20R



\_\_\_ NEMA 5-15R(3)

\_\_\_ 50A Receptacle

### Custom Imprinting: (Circle Yes or No)

Standard Indent: Yes/No

Custom ink print: Yes/No

Custom ink print color: \_\_\_\_\_

Custom Text: (maximum characters 125)




1 line: \_\_\_\_\_

### Stripes and Colors:

No Stripe: \_\_\_\_\_ Single Stripe: \_\_\_\_\_ Double Stripe: \_\_\_\_\_ Stripe Color: \_\_\_\_\_

Cord Color: \_\_\_\_\_

Connector/Plug: Clear Lighted: Yes/No or Color: \_\_\_\_\_




NOTE: Color charts are for reference only. Colors may not be exact match to cord color.

## Adapters


**Voltec's** line of adapters for the professional trades includes 3-outlet power block, u-ground to locking and visa versa conversion adapters. "Y" and "W" adapters are also available in 15–20 amp configurations. All of these products are designed to maximize flexibility and are compatible with a variety of portable tools.



<b>3-Outlet Adapter with Lighted Power Block</b> <span style="float: right;">cUL<sup>us</sup></span>										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING		PACK QTY
								AMPS	WATTS	
04-00089	2ft	12/3	SEOW	Blue	3	5-15P	5-15R	15	1875	6



<b>3-Outlet Adapter with Lighted Power Block</b> <span style="float: right;">cUL<sup>us</sup></span>										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING		PACK QTY
								AMPS	WATTS	
04-00088	2ft	14/3	SJTW	Orange/Black	3	5-15P	5-15R	15	1875	6
04-00090	2ft	12/3	STW	Yellow	3	5-15P	5-15R	15	1875	6




<b>3-Outlet Adapter with Locking Plug and Lighted Power Block</b> <span style="float: right;">UL</span>										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING		PACK QTY
								AMPS	WATTS	
04-00091	2ft	12/3	STW	Yellow	3	L5-20P	5-15R	15	1875	6




<b>U-Ground "Y" Adapter</b> <span style="float: right;">UL</span>										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING		PACK QTY
								AMPS	WATTS	
04-00094	2ft	12/3	STW	Yellow	2	5-15P	5-15R	15	1875	12



<b>"Y" Adapter with Locking Plug and Lighted End</b> <span style="float: right;">UL</span>										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING		PACK QTY
								AMPS	WATTS	
04-00095	2ft	12/3	STW	Yellow	2	L5-20P	L5-20R	20	2500	12





<b>U-Ground "W" Adapter</b> <span style="float: right;">UL</span>										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING		PACK QTY
								AMPS	WATTS	
04-00096	2ft	12/3	STW	Yellow	3	5-15P	5-15R	15	1875	12




<b>"W" Adapter with Locking Plug and Lighted End</b> <span style="float: right;">UL</span>										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING		PACK QTY
								AMPS	WATTS	
04-00097	2ft	12/3	STW	Yellow	3	L5-20P	L5-20R	20	2500	12

# Adapters

<b>E-ZEELOCK</b> 15 Amp Generator "W" Adapter with Lighted Ends <span style="float: right;">UL</span>										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
04-00200	2ft	12/3	STW	Yellow	3	L5-20P	5-15R	15	1875	12
										
04-00201	2ft	12/3	STW	Yellow	3	L5-30P	5-15R	15	1875	12
										

**PRO** SERIES product



<b>Locking Plug to U-Ground Connector</b> <span style="float: right;">UL</span>										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
04-0092N	1ft	12/3	STW	Yellow	1	L5-20P	5-15R	20	2500	10



<b>E-ZEELOCK</b> Locking Plug to U-Ground Connector <span style="float: right;">UL</span>										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
04-00092	1ft	12/3	STW	Yellow	1	L5-20P	5-15R	15	1875	10

**PRO** SERIES product



<b>U-Ground Plug to Locking Connector</b> <span style="float: right;">UL</span>										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
04-0093N	1ft	12/3	STW	Yellow	1	5-15P	L5-20R	15	1875	10



<b>E-ZEELOCK</b> U-Ground Plug to Locking Connector <span style="float: right;">UL</span>										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
04-00093	1ft	12/3	STW	Yellow	1	5-15P	L5-20R	15	1875	10

**PRO** SERIES product



<b>3-Outlet Wall Tap Adapters</b> <span style="float: right;">UL US</span>										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
04-00085				Clear with Light	3	5-15P	5-15R	15	1875	25
04-00087				Yellow	3	5-15P	5-15R	15	1875	25



# Generator Power Products

Use your generator to its full potential. **Voltec's** line of heavy duty 10 and 12 AWG cords and adaptors allow you to fully utilize your 15amp and 20amp power tools. Our adaptor products will convert generator NEMA configurations to single, dual, triple and quad receptacle ends, while also converting 20/30 amp receptacles to locking, u-ground or **E-ZEELock®** versions.

**PRO** SERIES product



E-ZEELock™ LOCKING CONNECTOR											UL
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY	
04-00200	2ft	12/3	STW	Yellow	3	L5-20P	5-15R	15	1875	12	
04-00201	2ft	12/3	STW	Yellow	3	L5-30P	5-15R	15	1875	12	



20AMP Locking Generator "Y" Adapter with Lighted Ends											UL
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY	
04-00202	2ft	10/3	STW	Blue/Yellow	2	L5-30P	5-20R	20	2500	4	
04-00203	2ft	10/3	STW	Blue/Yellow	2	L14-20P	5-20R	20	2500	4	
04-00204	2ft	10/3	STW	Blue/Yellow	2	L14-30P	5-20R	20	2500	4	



20AMP Locking Generator Adapter with Power Block and Indicator Light											UL
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY	
04-00205	2ft	10/4	STW	Blue/Yellow	4	L14-20P	5-20R	20	2500	6	
04-00206	2ft	10/4	STW	Blue/Yellow	4	L14-30P	5-20R	20	2500	6	



20AMP Locking Generator Cord with Power Block and Indicator Light											UL
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY	
04-00207	25ft	10/4	STW	Blue/Yellow	4	L14-30P	5-20R	20	2500	4	



# PORTABLE GFCI

## Ground Fault Circuit Interrupters

**Voltec** has a full line of portable GFCI adapters, including right angle and in-line configurations, to fit every application. Choose from both 15 Amp u-ground and 20 Amp locking configurations. GFCI's protect the user from an electrical shock resulting from an unequal flow of electricity caused by current leakage. The Occupational Safety and Health Administration (OSHA) regulations state "it is the employer's responsibility to provide GFCI's on all 120 volt, single phase, 15 and 20 Amp receptacles on job sites that are not part of the permanent wiring of the structure." All of Voltec's GFCI's meet or exceed all UL, cUL and OSHA requirements.

15AMP Portable GFCI <span style="float: right;">cUL US</span>										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
11-00222	6ft	12/3	SJTW	Yellow/Blue	2	5-15P	5-15R	15	1875	6



15AMP Right Angle GFCI with Lighted Power Block <span style="float: right;">cUL US</span>										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
04-00101	2ft	12/3	SJTW	Yellow/Blue	3	5-15P	5-15R	15	1875	6



15AMP In-Line GFCI with Power Block <span style="float: right;">cUL US</span>										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
04-00105	2ft	12/3	SJTW	Yellow/Black	3	5-15P	5-15R	15	1875	6



20AMP In-Line GFCI with Lighted Power Block <span style="float: right;">cUL US</span>										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
04-00102	3ft	12/3	STW	Yellow/Blue	3	5-15P	5-15R	15	1875	6



20AMP In-Line GFCI with Lighted Ends <span style="float: right;">cUL US</span>										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
04-00103	3ft	12/3	STW	Yellow/Blue	1	5-15P	5-15R	15	1875	6



20AMP In-Line GFCI with Locking Ends <span style="float: right;">cUL US</span>										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
04-00104	3ft	12/3	STW	Yellow/Blue	1	L5-20P	L5-20R	20	2500	6



# Temporary Power

**Voltec** offers a variety of items for your temporary power needs. Applications include construction sites, entertainment industry, fairs, carnivals, party rental, and convention centers. We offer heavy-duty power cords featuring 50 Amp plugs and connectors. These temporary box units are cULus listed for use in wet and damp locations. Voltec Industries provides a repair facility in Chino, California.



Listed/UL 1640 / NEMA 3R  
For Outdoor Use  
Wet and Damp Locations

## T-BOX®



“BIG-BLUE”



### Temporary Power Box



ITEM PN#	DESCRIPTION	POWER INLET	POWER OUTLET	GFCI	# GFCI	RECEPTACLES QTY	RECEPTACLE TYPE	CIRCUIT BREAKER PROTECTED	PACK QTY
09-00375	Locking	50AMP 125/250V	50AMP 125/250V	Yes	3	6	L5-20R	Yes	1
				No		1	L6-30R	Yes	1
09-0T376	U-Ground	50AMP 125/250V	50AMP 125/250V	Yes	3	6	5-20R	Yes	1
				No		1	L6-30R	Yes	1
09-00675	Locking	50AMP 125/250V	50AMP 125/250V	Yes	6	6	L5-20R	Yes	1
				No		1	L6-30R	Yes	1
09-0T676	U-Ground	50AMP 125/250V	50AMP 125/250V	Yes	6	6	5-20R	Yes	1
				No		1	L6-30R	Yes	1



### Vinyl Temporary Power Cords -40° to 140°F

ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
09-00214	50ft	6/3-8/1	STOW	Black	1	50AMP	50AMP	50	12500	1
09-00215	100ft	6/3-8/1	STOW	Black	1	50AMP	50AMP	40	10000	1



### ALL-FLEX Temporary Power Cords -58° to 228°F

ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
09-00431	50ft	6/3-8/1	SEOW	Black	1	50AMP	50AMP	50	12500	1
09-00432	100ft	6/3-8/1	SEOW	Black	1	50AMP	50AMP	40	10000	1



### Vinyl Temporary “Y” Adapter -40° to 140°F

ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
09-00435	2ft	6/3-8/1	STOW	Black	2	50AMP	50AMP	50	12500	1



### Emergency Response STW Cord -40° to 140°F

ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
09-00436	2ft	6/3-8/1	STW	Black	1	14-50P	50AMP	50	12500	6

# Temporary Lighting

Light Strings - **Voltec's** wide variety of light strings are the perfect solution to your temporary lighting needs at locations such as construction sites, parking lots, marinas and tree lots. Light strings are available in 50 or 100 ft lengths and are made with heavy-duty molded 150 watt sockets, which are spaced every ten feet. All of our light strings have pre-assembled plastic or metal cages which saves you time, as well as the cost of installation.

## U-Ground Light Strings with Plastic Cage cULus

ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	BULB WATTS	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	POWER RATING WATTS	PACK QTY
08-00189	50ft	12/3	SJTW	Yellow	150	5	5-15P	5-15R	15	1875	1
08-00190	100ft	12/3	SJTW	Yellow	150	10	5-15P	5-15R	15	1875	1
08-00193	50ft	12/3	STW	Yellow	150	5	5-15P	5-15R	15	1875	1
08-00194	100ft	12/3	STW	Yellow	150	10	5-15P	5-15R	15	1875	1



**PRO** SERIES product

## Locking Light Strings with Plastic Cage cULus

ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	BULB WATTS	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	POWER RATING WATTS	PACK QTY
08-00192	100ft	12/3	SJTW	Yellow	150	10	L5-20P	L5-20R	20	2500	1



## U-Ground Light Strings with Metal Cage cULus

ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	BULB WATTS	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	POWER RATING WATTS	PACK QTY
08-00197	50ft	12/3	SJTW	Yellow	150	5	5-15P	5-15R	15	1875	1
08-00198	100ft	12/3	SJTW	Yellow	150	10	5-15P	5-15R	15	1875	1
08-00199	50ft	12/3	STW	Yellow	150	5	5-15P	5-15R	15	1875	1
08-00200	100ft	12/3	STW	Yellow	150	10	5-15P	5-15R	15	1875	1



**PRO** SERIES product

## Locking Light Strings with Metal Cage cULus

ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	BULB WATTS	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	POWER RATING WATTS	PACK QTY
08-00202	100ft	12/3	STW	Yellow	150	10	L5-20P	L5-20R	20	2500	1




LED Bulbs available for Temporary Light Strings



## Light String Replacement Cages

ITEM PN#	DESCRIPTION	PACK QTY
08-00203	Plastic Cage for Light String	20
08-00204	Metal Cage for Light String	20



**PRO** SERIES product

## 400 Metal Halide - Temporary Area Light - Pulse Start cETLus



ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	BULB TYPE	BULB RATING	PLUG TYPE	PACK QTY
08-00400	3ft	18/3	SJTW	Black	Clear Clamp 0	400	5-15P	1





Replacement parts & bulbs available. See page 47.

# Wiring Devices












For manufacturer's cross reference, see page 51



Thermal Plastic Housing					
ITEM PN#	PLUG/RECEPTACLE	TYPE	MATERIAL	PLUG/RECEPTACLE	PACK QTY
12-00244	Plug	5-15P	Nylon		10
12-00245	Receptacle	5-15R	Nylon		10



Clear Nylon Housing with LED Light					
ITEM PN#	PLUG/RECEPTACLE	TYPE	MATERIAL	PLUG/RECEPTACLE	PACK QTY
12-00225	Plug	5-15P	Nylon		10
12-00226	Receptacle	5-15R	Nylon		10



Nylon Plugs						
ITEM PN#	APPROVAL	PLUG	POWER RATING AMPS	MATERIAL	NEMA	PACK QTY
12-00223	CULUS	1-15P	10	Nylon		10
12-00225	CULUS	5-15P	10	Nylon		10
12-00227	CULUS	5-20P	20	Nylon		10
12-00229	CULUS	L5-20P	20	Nylon		10
12-00231	CULUS	L6-20P	20	Nylon		10
12-00233	CULUS	L5-30P	30	Nylon		10
12-00235	CULUS	L6-30P	30	Nylon		10
12-00237	CULUS	L14-20P	20	Nylon		10
12-00239	CULUS	L14-30P	30	Nylon		10
12-00242	CULUS	50AMP	50	Nylon		10
12-00244	CULUS	5-15P	10	Nylon		10


Nylon Connectors						
ITEM PN#	APPROVAL	RECEPTACLE	POWER RATING AMPS	MATERIAL	NEMA	PACK QTY
12-00224	CULUS	1-15R	10	Nylon		10
12-00226	CULUS	5-15R	10	Nylon		10
12-00228	CULUS	5-20R	20	Nylon		10
12-00230	CULUS	L5-20R	20	Nylon		10
12-00232	CULUS	L6-20R	20	Nylon		10
12-00234	CULUS	L5-30R	30	Nylon		10
12-00236	CULUS	L6-30R	30	Nylon		10
12-00238	CULUS	L14-20R	20	Nylon		10
12-00240	CULUS	L14-30R	30	Nylon		10
12-00243	CULUS	50AMP	50	Nylon		10
12-00245	CULUS	5-15R	10	Nylon		10



## Surge & Power Strips

### Power Strip

ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS WATTS	PACK QTY
11-00223	6ft	14/3	SJT	White	6	5-15P	5-15R	15 1875	12



### Surge Tri-Tap and Power Strips

ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	JOULES	PACK QTY
11-00224	TriTap				3	5-15P	5-15R	750	12
11-00225	4	14/3	SJT	White	6	5-15P	5-15R	750	12
11-00226	6	14/3	SJT	White	6	5-15P	5-15R	1050	6
11-00227	6	14/3	SJT	White	8	5-15P	5-15R	1050	6



## Household Cords

### 3-Outlet 2 Conductor SPT-2 Extension Cords

ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS WATTS	PACK QTY
01-00002	6ft	16/2	SPT-2	White	3	1-15P	1-15R	13 1625	25
01-00004	9ft	16/2	SPT-2	White	3	1-15P	1-15R	13 1625	25
01-00006	12ft	16/2	SPT-2	White	3	1-15P	1-15R	13 1625	25
01-00008	15ft	16/2	SPT-2	White	3	1-15P	1-15R	13 1625	25
01-00001	6ft	16/2	SPT-2	Brown	3	1-15P	1-15R	13 1625	25
01-00003	9ft	16/2	SPT-2	Brown	3	1-15P	1-15R	13 1625	25
01-00005	12ft	16/2	SPT-2	Brown	3	1-15P	1-15R	13 1625	25
01-00007	15ft	16/2	SPT-2	Brown	3	1-15P	1-15R	13 1625	25



### 3-Outlet 3 Conductor SPT-2 Extension Cords

ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS WATTS	PACK QTY
01-00013	8ft	16/3	SPT-2	White	3	5-15P	5-15R	13 1625	25
01-00016	15ft	16/3	SPT-2	White	3	5-15P	5-15R	13 1625	25
01-00012	8ft	16/3	SPT-2	Brown	3	5-15P	5-15R	13 1625	25
01-00015	15ft	16/3	SPT-2	Brown	3	5-15P	5-15R	13 1625	25



## Workbench Cords

### 3-Conductor Workbench SJTW Extension Cord

ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS WATTS	PACK QTY
02-00034	10ft	16/3	SJTW	Black	1	5-15P	5-15R	13 1625	24



### 3-Outlet Workbench SJTW Extension Cord

ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS WATTS	PACK QTY
02-00037	6ft	14/3	SJTW	Orange/Black	3	5-15P	5-15R	15 1875	12



# Replacement Cords for Power Tools

**Voltec's** selection of power supply and replacement cords are compatible with most power tool and appliance manufacturers specifications. All of our power supply cords are UL listed with many carrying the cUL approval for Canada as well.




2 Conductor SJ Repair Cord								cUL <sup>us</sup>
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	PLUG TYPE	POWER RATING AMPS	WATTS	PACK QTY
03-00045	9ft	18/2	SJOW	Black	1-15P	13	1625	25
03-00047	9ft	16/2	SJOW	Black	1-15P	13	1625	25
03-00447	50ft	16/2	SJOW	Black	1-15P	13	1625	6
03-00048	9ft	14/2	SJOW	Black	1-15P	13	1625	20



3 Conductor Locking SJTW Repair Cord								cUL <sup>us</sup>
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	PLUG TYPE	POWER RATING AMPS	WATTS	PACK QTY
03-00059	50ft	16/3	SJTW	Black	L5-20P	13	1625	12



Rubber 3 Conductor SJ Repair Cords								cUL <sup>us</sup>
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	PLUG TYPE	POWER RATING AMPS	WATTS	PACK QTY
03-00060	9ft	18/3	SJ	Black	5-15P	13	1625	25
03-00062	9ft	16/3	SJ	Black	5-15P	13	1625	25
03-00063	50ft	16/3	SJ	Black	5-15P	13	1625	6
03-00066	9ft	14/3	SJ	Black	5-15P	13	1625	24



Rubber 3 Conductor Locking SJ Repair Cords								cUL <sup>us</sup>
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	PLUG TYPE	POWER RATING AMPS	WATTS	PACK QTY
03-00064	9ft	16/3	SJ	Black	L5-20P	13	1625	25
03-00065	50ft	16/3	SJ	Black	L5-20P	13	1625	6

## Range and Dryer SRDT Cords

At **Voltec** we stock a full line of 3 wire SRDT cords manufactured with molded on right angle plugs. The 3 wire cords are required for homes built before 1996. Choose 3 wire cords for existing installation or replacement of damaged cords. Our 3 wire cords come standard with ring connectors, in your choice of plugs rated from 30–50 amps, and are available in 4 and 6-foot lengths.

### 3-Wire 30AMP 125/250V Dryer Cord Kits with Ring Terminals <sup>UL</sup>

ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	PLUG TYPE	RECEPTACLE TYPE	POWER RATING		PACK QTY
							AMPS	WATTS	
03-00067	4ft	10/3	SRDT	Grey	10-30P	Ring Terminal	30	3750/7500	12
03-00069	6ft	10/3	SRDT	Grey	10-30P	Ring Terminal	30	3750/7500	12



### 3-Wire 40AMP 125/250V Range Cord Kits with Ring Terminals <sup>UL</sup>

ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	PLUG TYPE	RECEPTACLE TYPE	POWER RATING		PACK QTY
							AMPS	WATTS	
03-00070	4ft	8/2-10/1	SRDT	Grey	10-50P	Ring Terminal	40	5000/10000	12
03-00072	6ft	8/2-10/1	SRDT	Grey	10-50P	Ring Terminal	40	5000/10000	12



### 3-Wire 50AMP 125/250V Range Cord Kits with Ring Terminals <sup>UL</sup>

ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	PLUG TYPE	RECEPTACLE TYPE	POWER RATING		PACK QTY
							AMPS	WATTS	
03-00073	4ft	6/2-8/1	SRDT	Grey	10-50P	Ring Terminal	40	6250/12500	12
03-00075	6ft	6/2-8/1	SRDT	Grey	10-50P	Ring Terminal	40	6250/12500	12



### 4-Wire 30AMP 125/250V Dryer Cord Kits with Ring Terminals <sup>UL</sup>

ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	PLUG TYPE	RECEPTACLE TYPE	POWER RATING		PACK QTY
							AMPS	WATTS	
03-00076	4ft	10/4	SRDT	Black	14-30P	Ring Terminal	30	3750/7500	12
03-00078	6ft	10/4	SRDT	Black	14-30P	Ring Terminal	30	3750/7500	12



### 4-Wire 40AMP 125/250V Range Cord Kits with Ring Terminals <sup>UL</sup>

ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	PLUG TYPE	RECEPTACLE TYPE	POWER RATING		PACK QTY
							AMPS	WATTS	
03-00079	4ft	8/2-10/2	SRDT	Black	14-50P	Ring Terminal	40	5000/10000	12
03-00081	6ft	8/2-10/2	SRDT	Black	14-50P	Ring Terminal	40	5000/10000	12



### 4-Wire 50AMP 125/250V Range Cord Kits with Ring Terminals <sup>UL</sup>

ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	PLUG TYPE	RECEPTACLE TYPE	POWER RATING		PACK QTY
							AMPS	WATTS	
03-00082	4ft	6/2-8/2	SRDT	Black	14-50P	Ring Terminal	50	6250/12500	12
03-00084	6ft	6/2-8/2	SRDT	Black	14-50P	Ring Terminal	50	6250/12500	12



## Garbage Disposal/AC Power Supply Repair Cords

### SPT-3 Replacement Cords

We recommend these power cords for use with electrical appliances such as garbage disposals and equipment with electrical motors that accept flat parallel wire. **Voltec's** repair cords are constructed with 3-conductor wire, and are provided to you with a choice of molded-on straight or right angle style plugs.

### Heavy-Duty Power Supply Cords

Our heavy-duty power supply cords are made to replace used and worn out cords on most portable power tools. Available in 3-conductor, these cords feature molded plugs for added strength and durability. Choose from a selection of oil resistant, water resistant, or temperature resistant outer jacket compounds.

### Air Conditioning/Major Appliance



3 Conductor Right Angle Plug Extension Cord									
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	PLUG TYPE	RECEPTACLE TYPE	POWER RATING		PACK QTY
							AMPS	WATTS	
01-00040	6ft	14/3	SPT-3	Grey	5-15P	5-15R	15	1875	24
01-00041	9ft	14/3	SPT-3	Grey	5-15P	5-15R	15	1875	18
01-00042	12ft	14/3	SPT-3	Grey	5-15P	5-15R	15	1875	12
01-00043	15ft	14/3	SPT-3	Grey	5-15P	5-15R	15	1875	12

### Garbage Disposal/Power Supply Cords





3 Conductor SPT-3 Repair Cords									
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	PLUG TYPE	POWER RATING		PACK QTY	
						AMPS	WATTS		
03-00049	3ft	16/3	SPT-3	Grey	5-15P	13	1625	25	
03-00050	6ft	16/3	SPT-3	Grey	5-15P	13	1625	25	
03-00051	8ft	16/3	SPT-3	Grey	5-15P	13	1625	25	



3 Conductor Right Angle SPT-3 Replacement Cords									
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	PLUG TYPE	POWER RATING		PACK QTY	
						AMPS	WATTS		
03-00052	3ft	16/3	SPT-3	Grey	5-15P	13	1625	25	
03-00054	6ft	16/3	SPT-3	Grey	5-15P	13	1625	25	
03-00055	8ft	16/3	SPT-3	Grey	5-15P	13	1625	25	



# E-ZEELINK™ Locking Connector



Introducing the E-ZEE LINK™ line of Locking Extension Cords and Cord Reels! The E-ZEE LINK™ Link system keeps your tools and electrical devices securely plugged in, reducing the danger from exposed live contacts and the inconvenience of unforeseen disconnects that arise around your home, garage or worksite. Whether plugging in a tool or any other electronic device, the E-ZEE LINK™ Link system provides a positive easy to engage and disengage locking power solution. The E-ZEE LINK™ Link system is easy enough for everyday use in home garages or workshops, but can withstand the rigors of jobsites and industrial applications as well.

## 3-Conductor 300V SJTW Outdoor Extension Cords

ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
02-00034T	10ft	16/3	SJTW	Yellow	1	5-15P	5-15R	13	1625	4
02-00036T	25ft	16/3	SJTW	Yellow	1	5-15P	5-15R	13	1625	4
02-00037T	50ft	16/3	SJTW	Yellow	1	5-15P	5-15R	13	1625	2



## Retractable Reel with Outdoor Style Receptacles

ITEM PN#	REEL TYPE	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
07-00283T	3	50ft	14/3	SJTW	Yellow	1	5-15P	5-15R	13	1625	2
<ul style="list-style-type: none"> <li>• 3-Way Wall/Ceiling/Bench Mount</li> <li>• Mounting Hardware Included</li> <li>• 5-Locking Positions</li> </ul>						<ul style="list-style-type: none"> <li>• 3-Outlet Power Block</li> <li>• Convenient Carry Handle</li> <li>• Resettable Circuit Breaker</li> </ul>					



## Retractable Reel with Indoor Style Receptacles

ITEM PN#	REEL TYPE	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
07-00282T	2	25ft	16/3	SJTW	Yellow	1	5-15P	5-15R	10	1250	2
<ul style="list-style-type: none"> <li>• Heavy Duty Metal Reel</li> <li>• Resettable Circuit Breaker</li> </ul>						<ul style="list-style-type: none"> <li>• Mounting Hardware Included</li> </ul>					



## 4-Outlet Open Cord Reel with Stand

ITEM PN#	REEL TYPE	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
07-00406T	4	40ft	14/3	SJTW	Yellow	4	5-15P	5-15R	13	1625	2



# Cord Reels

Open retractable cord reels assist in providing a well organized work area. They are available in numerous lengths and configurations for your exacting demands. Mounting hardware included.



## 3-Outlet Retractable Reel with Indoor Style Receptacles c UL US

ITEM PN#	REEL TYPE	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
07-00282	2	30ft	16/3	SJTW	Yellow	3	5-15P	5-15R	10	1250	4

- Heavy Duty Metal Reel
- Resettable Circuit Breaker
- Mounting Hardware Included

**PRO SERIES** product



## 3-Outlet Retractable Reels with Outdoor Style Receptacles c UL US

ITEM PN#	REEL TYPE	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
07-00283	3	50ft	14/3	SJTW	Yellow	3	5-15P	5-15R	13	1625	2
07-00284	3	50ft	12/3	SJTW	Yellow	3	5-15P	5-15R	15	1875	2

- 3-Way Wall/Ceiling/Bench Mount
- Mounting Hardware Included
- 5-Locking Positions
- 3-Outlet Power Block
- Convenient Carry Handle
- Resettable Circuit Breaker



## Open Cord Reel c UL US

ITEM PN#	REEL TYPE	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
07-00173	4	20ft	16/3	SJTW	Yellow	4	5-15P	5-15R	10	1250	6

- Resettable Circuit Breaker
- Convenient Carry Handle



## Open Cord Reel with Stand c UL US

ITEM PN#	REEL TYPE	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
07-00405	4	25ft	16/3	SJTW	Yellow	3	5-15P	5-15R	10	1250	4
07-00403	4	40ft	16/3	SJTW	Yellow	4	5-15P	5-15R	10	1250	2

- Resettable Circuit Breaker
- LED Power Indicator
- Sturdy, Durable Stand
- Convenient Easy Grip Handle

# Clamp Lighting

Multi-use utility lamps with polished and vented aluminum reflectors. Units feature double universal joints, non-marring grips, clamp on brackets, on/off push-through switch and molded plugs.

5 1/2" Aluminum Reflector Clamp Lamp <span style="float: right;">cUL US</span>							
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	BULB RATING	PLUG TYPE	PACK QTY
08-00177	6ft	18/2	SPT-2	Black	60	1-15P	4



8 1/2" Aluminum Reflector Clamp Lamp <span style="float: right;">cUL US</span>							
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	BULB RATING	PLUG TYPE	PACK QTY
08-00178	6ft	18/2	SPT-2	Black	100	1-15P	4



10" Aluminum Reflector Clamp Lamp <span style="float: right;">cUL US</span>							
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	BULB RATING	PLUG TYPE	PACK QTY
08-00179	6ft	18/2	SPT-2	Black	100	1-15P	4



Wire Cage Clamp Lamp with Porcelain Socket <span style="float: right;">cUL US</span>							
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	BULB RATING	PLUG TYPE	PACK QTY
08-00346	6ft	18/2	SPT-2	Black	250	1-15P	4

Brooder Lamp <span style="float: right;">cUL US</span>							
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	BULB RATING	PLUG TYPE	PACK QTY
08-00433	6ft	18/2	SPT-2	Black	250	1-15P	4

- 250 Watt Bulb Capacity
- Polished Aluminum Reflector
- Convenient Hanging Hook



Brooder Lamp with Heavy Duty Clamp <span style="float: right;">cUL US</span>							
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	BULB RATING	PLUG TYPE	PACK QTY
08-00032	6ft	18/2	SPT-2	Black	250	1-15P	4

- 250 Watt Bulb Capacity
- Heavy Duty Clamp and Hook
- Polished Aluminum Reflector



**PRO** SERIES product

Replacement parts & bulbs available. See page 44.

## Voltec LED Lights



### LED Torch Light with Wrist Strap


ITEM PN#	TOTAL LED	LUMENS	BATTERY TYPE	RUN TIME	CHARGE TIME	AC	DC	TRAY PACK QTY
08-00696	9	45	3 AAA	7hrs	N/A	No	No	12

- Made with Military Aerospace Grade Aluminum Body



### Hands-Free LED Head Lamp

ITEM PN#	TOTAL LED	LUMENS	BATTERY TYPE	RUN TIME	CHARGE TIME	AC	DC	TRAY PACK QTY
08-00695	1W CREE®	120	3 AAA	6hrs	N/A	No	No	6
08-00697	14	75	3 AAA	7hrs	N/A	No	No	6



### LED Light with Belt Holster

ITEM PN#	TOTAL LED	LUMENS	BATTERY TYPE	RUN TIME	CHARGE TIME	AC	DC	TRAY PACK QTY
08-00698	16 + 1W	96 + 100	3 AAA	7hrs	N/A	No	No	6

- Made with Military Aerospace Grade Aluminum Body



### Rechargeable LED Light with Recessed Magnet and AC & DC Chargers

ITEM PN#	TOTAL LED	LUMENS	BATTERY TYPE	RUN TIME	CHARGE TIME	AC	DC	TRAY PACK QTY
08-00699	30 + 1W	180 + 100	7.2v NIMH	3.5hrs	4hrs	Yes	Yes	6
08-00700	60 + 1W	360 + 100	7.2v NIMH	3.0hrs	4hrs	Yes	Yes	6

- Made with Military Aerospace Grade Aluminum Body

## Voltec-Pro Work Light

**PRO** SERIES product

### LED Work Light



### Portable Rechargeable LED Work Light

ITEM PN#	TOTAL LED	LUMENS	BATTERY TYPE	RUN TIME	PLUG TYPE	SWITCH	PACK QTY
08-00703	180	1080	AA Rechargeable	4hrs	5-15P	Yes	2

- Heavy Duty H-Base Design
- Heavy Duty Face Frames
- Low Heat Output
- Bright White Light Output
- Insulated Foam Handles

**PRO** SERIES product

### Under-the-Hood Rechargeable LED Work Light



ITEM PN#	TOTAL LED	LUMENS	BATTERY TYPE	RUN TIME	CHARGE TIME	AC	DC	PACK QTY
08-00691	96	576	(2) 3.7V LI-ON Rechargeable	4hrs	4hrs	Yes	No	2

- 35" - 79" Aluminum Expandable Pole Included

# Incandescent Work Lights

**Voltec** incandescent worklights provide durability and practicality. Constructed from tough PVC, these lights can withstand the rigors of a tough work environment.

## 12V Plastic Shade Work Light with Battery Clips

ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	BULB RATING	PLUG TYPE	PACK QTY
08-00255	20ft	18/2	SPT-1	Yellow	60	Clips	6

• 12V Bulb Included



## Plastic Shade Work Lights



ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	BULB RATING	PLUG TYPE	PACK QTY
08-00256	6ft	18/2	SJT	Yellow	75	1-15P	4
08-00181	25ft	18/2	SJT	Yellow	75	1-15P	4



## Metal Shade Work Light with Outlet in Handle



ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	BULB RATING	PACK QTY
08-00257	25ft	18/3	SJT	Yellow	1	5-15P	5-15R	75	4
08-00258	50ft	18/3	SJT	Yellow	1	5-15P	5-15R	75	6
08-00183	6ft	16/3	SJT	Yellow	1	5-15P	5-15R	75	4
08-00184	25ft	16/3	SJT	Yellow	1	5-15P	5-15R	75	4
08-00185	50ft	16/3	SJT	Yellow	1	5-15P	5-15R	75	6



**PRO** SERIES product

## Industrial Metal Shade Work Light with Outlet in Handle



ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	BULB RATING	PACK QTY
08-00186	25ft	16/3	SJT	Yellow	1	5-15P	5-15R	100	6
08-00382	25ft	12/3	SJTW	Yellow	1	5-15P	5-15R	100	6



Replacement parts & bulbs available. See page 44.

# Incandescent Trouble Lights with Retractable Reel

Voltec's incandescent retractable reels are constructed of tough ABS or heavy duty steel and mount easily for use in any work environment. Mounting hardware included.



## Magnetic Utility Power Light

ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	BULB WATTS	PLUG TYPE	PACK QTY
08-00275	10ft	18/2	SPT-2	Black	10	12V DC	10



## Metal Guard Work Light Retractable Reel



ITEM PN#	REEL TYPE	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	BULB RATING	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
07-00252	1	20ft	18/3	SVT	Yellow	1	75	5-15P	5-15R	7	875	4

- Grounded Outlet in Handle
- Durable Metal Guard
- Resettable Circuit Breaker
- High Visibility Cord Color
- Mounting Hardware Included



## Metal Guard Work Light Retractable Reel with Outlet in Handle



ITEM PN#	REEL TYPE	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	BULB RATING	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
07-00176	2	50ft	18/3	SVT	Yellow	1	75	5-15P	5-15R	6	750	4
07-00253	2	35ft	16/3	SJTW	Yellow	1	75	5-15P	5-15R	10	1250	4

- Grounded Outlet in Handle
- Durable Metal Guard
- Resettable Circuit Breaker
- High Visibility Cord Color
- Mounting Hardware Included

**PRO SERIES** product



## Industrial Metal Guard Work Light Retractable Reel with Outlet in Handle



ITEM PN#	REEL TYPE	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	BULB RATING	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
07-00254	3	50ft	16/3	SJTW	Yellow	1	75	5-15P	5-15R	13	1625	2

- 3-Way Wall/Ceiling/Bench Mount
- Mounting Hardware Included
- 5-Locking Positions
- 3-Outlet Power Block
- Convenient Carry Handle
- Resettable Circuit Breaker



Replacement parts & bulbs available. See page 44.



# E-ZEE LAMP

**Makes Bulb Replacement Easy**

**VOLTEC'S** Full line of patented E-ZEE Lamp Fluorescent Products make bulb replacement simple. No more splitting the case or removing the handle base, simply remove the lens and easily replace the bulb.

Voltec's high quality lights are made from tough, rugged plastic. They feature dual hanging hooks, protective bumper guards, and an ergonomically designed handle.

Voltec's E-Zee Lamp design is also available on our retractable reels.

- E-ZEE LAMP BULB REPLACEMENT
- PATENTED BULB RATCHETING DESIGN
- HIGH QUALITY LIGHTS
- DUAL HANGING HOOKS
- PROTECTIVE BUMPER GUARDS
- ERGONOMICAL HANDLES

**STEP 1**



Take off lens by removing side screws

**STEP 2**



Pull bulbs effortlessly forward to a 30° angle and remove top silicon bulb holder

**STEP 3**



Easily remove old bulb and replace with new bulb. Replace top bulb holder, push bulbs back in the case and close lens to finish!

# Fluorescent Work Lights

**Fluorescent** – Cold to the touch and energy efficient, our fluorescent work lights come in 13 and 26-watt tube and angle styles. The units are equipped with SVT, SJT, and SJTW cords. These lights are available with 2 and 3-conductor plugs. Some lights are also available with 3-conductor grounding outlets in the handles. All lights utilize a standard 13-watt compact fluorescent bulb, which is included with each fixture, (the 26 watt accepts two 13 watt bulbs). Our fluorescent work lights are UL and cUL approved.



13 Watt Compact Fluorescent Tube Lights								UL
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	BULB WATTS	PLUG TYPE	PACK QTY	
08-00263	6ft	18/2	SJT	Yellow	13	1-15P	6	
08-00264	25ft	18/2	SJT	Yellow	13	1-15P	6	

15 Watt Fluorescent Tube Lights								cUL US
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	BULB WATTS	PLUG TYPE	PACK QTY	
08-00266	25ft	18/2	SJT	Yellow	15	1-15P	6	

# Professional Fluorescent Worklights

**PRO SERIES** product



Designed to provide maximum lighting for the working professional. A durable compact casing to maneuver into the most tighest of spots. Ergonomic handle makes it quite comfortable for lengthy hold times. Hang light using one of the dual rotating hooks positioned on either end gaining all-way positioning.



13 Watt Compact Fluorescent Angle Light with No Switch								cUL US
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	BULB WATTS	PLUG TYPE	PACK QTY	
08-00267	25ft	18/2	SJT	Yellow	13	1-15P	6	
<ul style="list-style-type: none"> <li>• OSHA Recognized</li> <li>• E-ZEE Lamp Replacement</li> </ul>								



13 Watt Compact Fluorescent Angle Light with Outlet in Handle									cUL US
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	BULB RATING	PACK QTY
08-00207	6ft	16/3	SJT	Yellow	1	5-15P	5-15R	13	4
08-00268	25ft	16/3	SJT	Yellow	1	5-15P	5-15R	13	6
<ul style="list-style-type: none"> <li>• E-ZEE Lamp Replacement</li> </ul>					<ul style="list-style-type: none"> <li>• Magnet in Handle</li> </ul>				



26 Watt Electronic Compact Fluorescent Angle Light with Outlet in Handle									cUL US
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	BULB RATING	PACK QTY
08-00208	6ft	16/3	SJT	Yellow	1	5-15P	5-15R	26 (2x13)	4
08-00270	25ft	16/3	SJT	Yellow	1	5-15P	5-15R	26 (2x13)	6
08-00271	50ft	16/3	SJT	Yellow	1	5-15P	5-15R	26 (2x13)	4
<ul style="list-style-type: none"> <li>• E-ZEE Lamp Replacement</li> </ul>					<ul style="list-style-type: none"> <li>• Magnet in Handle</li> </ul>				

Replacement parts & bulbs available. See page 44.



# Fluorescent Retractable Reels

**Voltec's** fluorescent retractable reels are constructed of tough ABS or heavy duty steel and mount easily for use in any work environment. Mounting hardware included.

## 13 Watt Compact Fluorescent Tube Light with Retractable Reel



ITEM PN#	REEL TYPE	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	BULB RATING	PLUG TYPE	RECEPTACLE TYPE	PACK QTY
07-00246	1	20ft	18/2	SVT	Yellow	13w	5-15P	5-15R	4

- Mounting Hardware Included



## 13 Watt Compact Fluorescent Tube Light with Retractable Reel



ITEM PN#	REEL TYPE	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	BULB RATING	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
07-00248	2	50ft	18/2	SVT	Yellow	13w	5-15P	5-15R	10	1250	4

- Mounting Hardware Included



## 13 Watt Fluorescent Angle Light with Retractable Reel and Outlet in Handle



ITEM PN#	REEL TYPE	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	BULB RATING	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
07-00249	2	50ft	16/3	SJTW	Yellow	1	13w	5-15P	5-15R	10	1250	2

- Magnet Included
- E-ZEE Lamp Replacement
- Mounting Hardware Included

**PRO** SERIES product



## 13W Fluorescent Retractable Reel with Magnet and Outlet in Handle



ITEM PN#	REEL TYPE	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	BULB RATING	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
07-00250	3	50ft	16/3	SJTW	Yellow	1	13w	5-15P	5-15R	10	1250	2

- 5 Locking Positions
- 3-Way Wall/Ceiling/Bench Mount
- Mounting Hardware Included
- E-ZEE Lamp Replacement
- Convenient Carry Handle
- Resettable Circuit Breaker

**PRO** SERIES product



## 26W Fluorescent Retractable Reel with Magnet and Outlet in Handle



ITEM PN#	REEL TYPE	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	BULB RATING	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
07-00251	3	50ft	16/3	SJTW	Yellow	1	26w	5-15P	5-15R	10	1250	2

- 5 Locking Positions
- 3-Way Wall/Ceiling/Bench Mount
- Mounting Hardware Included
- E-ZEE Lamp Replacement
- Convenient Carry Handle
- Resettable Circuit Breaker

**PRO** SERIES product



Replacement parts & bulbs available. See page 44.

# Halogen Work Lights



## Halogen Portable Work Lights UL

ITEM PN#	MAX WATTAGE	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	PLUG TYPE	SWITCH	PACK QTY
08-00212	250	1ft	18/3	SJTW	Black	5-15P	No	4
08-00209	500	3ft	18/3	SJTW	Black	5-15P	No	6

- S-Style Base
- Insulated Foam Handles
- Bulb(s) Included



## Halogen Portable Work Light with Locking Plug

ITEM PN#	MAX WATTAGE	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	PLUG TYPE	SWITCH	PACK QTY
08-00219	500	3ft	16/3	SJTW	Black	L5-20P	No	6

- S-Style Base
- Insulated Foam Handles
- Bulb(s) Included



## 4 in 1 Halogen Work Light UL US

ITEM PN#	MAX WATTAGE	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	PLUG TYPE	SWITCH	PACK QTY
08-00610	250	3ft	18/3	SJTW	Black	5-15P	Yes	6

- S-Style Base
- Hook, Clamp, and Stake Option
- Bulb(s) Included



## Halogen Tripod Work Light UL US

ITEM PN#	MAX WATTAGE	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	PLUG TYPE	SWITCH	PACK QTY
08-00211	1000	5ft	18/3	SJTW	Black	5-15P	Yes	2

- Tripod Extends to 6 feet
- Bulb(s) Included

Replacement parts & bulbs available. See page 44.


# Heavy Duty Halogen Work Lights

## Heavy Duty Halogen Portable Work Light UL US

ITEM PN#	MAX WATTAGE	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	PLUG TYPE	SWITCH	PACK QTY
08-00609	500	3ft	18/3	SJTW	Black	5-15P	Yes	6
<ul style="list-style-type: none"> <li>• H-Base Design</li> <li>• Heavy Duty Face Frames</li> </ul>				<ul style="list-style-type: none"> <li>• Insulated Foam Handles</li> <li>• Bulb(s) Included</li> </ul>				

### Optional Base Magnet for Select Models

08-00314	Single Halogen Base Magnet
----------	----------------------------




**PRO SERIES product**



## Heavy Duty Halogen Tripod Work Lights UL US

ITEM PN#	MAX WATTAGE	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	PLUG TYPE	SWITCH	PACK QTY
08-00210	500	5ft	18/3	SJTW	Black	5-15P	Yes	2
08-00611	1000	5ft	18/3	SJTW	Black	5-15P	Yes	2
<ul style="list-style-type: none"> <li>• Tripod Extends to 6 feet</li> <li>• Tripod Features 2 in 1 Removable H-Base</li> <li>• H-Base Design</li> </ul>				<ul style="list-style-type: none"> <li>• Heavy Duty Face Frames</li> <li>• Insulated Foam Handles</li> <li>• Bulb(s) Included</li> </ul>				


**PRO SERIES product**



## Industrial Grade Halogen Tripod Work Light UL US

ITEM PN#	MAX WATTAGE	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	PLUG TYPE	SWITCH	PACK QTY
08-00616	1400	7ft	18/3	SJTW	Black	5-15P	Yes	2
<ul style="list-style-type: none"> <li>• Tripod Extends to 7 feet</li> <li>• Tripod Features 2 in 1 Removable H-Base</li> <li>• Heavy Duty H-Base Design</li> <li>• Heavy Duty Face Frames</li> <li>• Heavy Duty Grill</li> </ul>				<ul style="list-style-type: none"> <li>• Heavy Duty Grill</li> <li>• Insulated Foam Handles</li> <li>• Larger Housing for Higher Wattage</li> <li>• Bulb(s) Included</li> <li>• Adjustable Extension Leg</li> </ul>				

**PRO SERIES product**



Replacement parts & bulbs available. See page 44.

# Booster Cables

**Voltec** offers a full line of durable booster cables. These cables are resistant to extreme temperatures, oil and chemicals. They are available in medium-duty 10 and 8 AWG as well as heavy-duty 6 and 4 AWG, and extra-heavy duty 2 AWG. We offer these in a variety of lengths to match every need.



## Booster Cables

ITEM PN#	GAUGE	CORD LENGTH	WIRE COLOR	CLAMP TYPE	PACK QTY
10-00224	10	12ft	Red/Black	Light Duty Clamp	6
10-00273	8	12ft	Yellow/Black	Medium Duty Side/Top Clamp	6
10-00305	6	12ft	Orange/Black	Medium Duty Side/Top Clamp	6
10-00275	6	16ft	Orange/Black	Medium Duty Side/Top Clamp	6
10-00307	4	16ft	Blue/Black	Medium Duty Side/Top Clamp	6



## PRO Booster Cables

ITEM PN#	GAUGE	CORD LENGTH	WIRE COLOR	CLAMP TYPE	PACK QTY
10-00277	4	20ft	Blue/Black	Heavy Duty Parrot Jaw Clamp	4
10-00276	2	20ft	Blue/Black	Heavy Duty Parrot Jaw Clamp	2

## Commercial Grade Booster Cable

ITEM PN#	GAUGE	CORD LENGTH	WIRE COLOR	CLAMP TYPE	PACK QTY
10-00320	1	25ft	Red/Black	Heavy Duty Industrial Clamp	2

**PRO** SERIES product

**PRO** SERIES product

**PRO** SERIES product



## Replacement Booster Clamps

ITEM PN#	CORD LENGTH	CLAMP TYPE	PACK QTY
10-00301	400Amp Clamp (Pair)	Medium Duty Side/Top Clamp	12
10-00302	500Amp Clamp (Pair)	Heavy Duty Parrot Jaw Clamp	12
10-00303	800Amp Clamp (Pair)	Heavy Duty Industrial Clamp	12



## Jump Starts and Power Packs

**Voltec's** portable Jump Starts and Power Packs are a safe and easy way to jump start your car, truck, boat or RV. They provide the ultimate in convenience for power failures, emergencies and road side assistance.

Jump Starts							
ITEM PN#	BATTERY	PEAK AMPS	GAUGE	CABLE LENGTH	AIR COMPRESSOR	USB FEATURE	PACK QTY
10-00455	7AH	400	8	18"	No	Yes	2
10-00456	12AH	750	6	18"	No	Yes	2
<ul style="list-style-type: none"> <li>• LED Worklight Included</li> <li>• Fully Automatic with Float Charging</li> </ul>				<ul style="list-style-type: none"> <li>• LED Indicator Lights</li> <li>• 12V Power Outlet</li> </ul>			



**PRO SERIES product**

PRO Jump Starts							
ITEM PN#	BATTERY	PEAK AMPS	GAUGE	CABLE LENGTH	AIR COMPRESSOR	USB FEATURE	PACK QTY
10-00457	17AH	1700	6	28"	No	Yes	2
10-00458	22AH	2200	4	28"	300PSI	Yes	1
<ul style="list-style-type: none"> <li>• Reverse Polarity Alarm</li> <li>• Fully Automatic with Float Charging</li> <li>• Short Circuit Protection</li> <li>• Touch Panel Display</li> </ul>				<ul style="list-style-type: none"> <li>• LED Indicator Lights</li> <li>• 12V Power Outlet</li> <li>• On/Off Switch</li> <li>• Super Bright LED Worklight</li> </ul>			



**PRO SERIES product**

PRO Jump Start							
ITEM PN#	BATTERY	PEAK AMPS	GAUGE	CABLE LENGTH	AIR COMPRESSOR	USB FEATURE	PACK QTY
10-00459	2X22AH	3400	4	60"	No	Yes	1
<ul style="list-style-type: none"> <li>• Heavy Duty Metal Body with Rubber Seat</li> <li>• Reverse Polarity Alarm</li> <li>• 12/24V Mode</li> <li>• LED Indicator Lights</li> </ul>				<ul style="list-style-type: none"> <li>• Fully Automatic with Float Charging</li> <li>• 12V Power Outlet</li> <li>• Short Circuit Protection</li> <li>• On/Off Switch</li> </ul>			




**PRO SERIES product**

Power Pack - All In One								
ITEM PN#	BATTERY	PEAK AMPS	GAUGE	CABLE LENGTH	AIR COMPRESSOR	INVERTER	USB FEATURE	PACK QTY
10-00460	12AH	750	6	34"	180 PSI	300W	Yes	1
<ul style="list-style-type: none"> <li>• Reverse Polarity Alarm</li> <li>• Color Coded Volt Meter Indicates Battery Status</li> <li>• Fully Automatic with Floating Charge</li> <li>• 2 each 12V Power Outlet in Front Panel</li> </ul>				<ul style="list-style-type: none"> <li>• Short Circuit Protection</li> <li>• On/Off Switch</li> <li>• Super-Bright LED Work Light</li> </ul>				



Trolley Cart		
ITEM PN#	DESCRIPTION	PACK QTY
10-00454	Trolley Cart for Jump Starts and Power Pack	1
<ul style="list-style-type: none"> <li>• Heavy Duty Steel Construction</li> <li>• Adjustable for Custom Fit</li> </ul>		



# Understanding Power Inverters

## What does a power inverter do, and what can I use one for?

A power inverter converts D/C power or direct current to standard A/C power or alternating current, which allows you to run electrical equipment off your car or marine battery for mobile applications, emergencies or simple convenience. The inverter draws its power from a 12 Volt battery (preferably deep-cycle), or several batteries wired in parallel. The battery will need to be recharged as the power is drawn out of it by the inverter. Items like TV's, microwaves, radios, computers and power tools are just a few applications that can be used on a power inverter. Below is a diagram to get a better understanding on how it can look hooked up.



## What size inverter should I buy?

The size you choose depends on the watts (or amps) of what you want to run (find the power consumption by referring to the specification plate on the appliance or tool). We recommend you buy a larger model than you think you'll need (at least 10% to 20% more than your largest load). The following helpful formulas are an approximation.

Convert AMPS to WATTS:

Multiply:  $AMPS \times 120 = WATTS$

(ie:  $2.5AMPS \times 120 = 300 \text{ watts}$ )

Convert WATTS to AMPS

Divide:  $WATTS / 120 = AMPS$

(ie:  $300WATTS / 120 = 2.5 \text{ amps}$ )

## Do I need Modified Sine Wave, or Pure Sine Wave?


A Modified sine wave inverter is the most common types of power inverters on the market. The power wave is not exactly the same as electricity from the power grid. It has a wave form that appears as a choppy squared-off wave when viewed through an oscilloscope. Modified Sine Wave works well for most uses, and is the most common type of inverter on the market, as well as the most economical.

A Pure sine wave inverter produces a nearly perfect sine wave output (<3% total harmonic distortion) that is essentially the same as utility-supplied grid power. Pure Sine Wave inverters (also called True Sine Wave) are more suited for sensitive electrical or electronic items such as laser printers, computers and certain specialized applications such as medical equipment.


### Helpful Tips:

- Inverters 1000W – 3000W require cables (cables sold separately)
- Rule of thumb, when purchasing cables for every 6'-10' drop down a gauge, if not you will experience a voltage drop, therefore making the inverter run incorrectly.
- All inverters carry a 1 year manufacturers defect warranty only from date of purchase.
- To achieve maximum output on Inverters ranging from 1000W to 3000W, connect directly to a 12V 100 to 120AH batteries.


# Power Inverters

100W Power Inverter with Swivel Plug 						
ITEM PN#	MAX CONTINUOUS POWER	PEAK POWER	USB PORT	AC OUTLETS	REMOTE CONTROL	PACK QTY
10-00474	100W	200W	1	1	N/A	4




400W Power Inverter 						
ITEM PN#	MAX CONTINUOUS POWER	PEAK POWER	USB PORT	AC OUTLETS	REMOTE CONTROL	PACK QTY
10-00477	400W	800W	1	2	N/A	4




750W Power Inverter 						
ITEM PN#	MAX CONTINUOUS POWER	PEAK POWER	USB PORT	AC OUTLETS	REMOTE CONTROL	PACK QTY
10-00479	750W	1500W	1	2	N/A	4




1000W Power Inverter <small>(cables sold separately)</small> 						
ITEM PN#	MAX CONTINUOUS POWER	PEAK POWER	USB PORT	AC OUTLETS	REMOTE CONTROL	PACK QTY
10-00480	1000W	2000W	1	2	Available	2




1500W Power Inverter <small>(cables sold separately)</small> 						
ITEM PN#	MAX CONTINUOUS POWER	PEAK POWER	USB PORT	AC OUTLETS	REMOTE CONTROL	PACK QTY
10-00481	1500W	3000W	1	2	Available	2




2000W Power Inverter <small>(cables sold separately)</small> 						
ITEM PN#	MAX CONTINUOUS POWER	PEAK POWER	USB PORT	AC OUTLETS	REMOTE CONTROL	PACK QTY
10-00482	2000W	4000W	1	3	Available	1



3000W Power Inverter <small>(cables sold separately)</small> 						
ITEM PN#	MAX CONTINUOUS POWER	PEAK POWER	USB PORT	AC OUTLETS	REMOTE CONTROL	PACK QTY
10-00483	3000W	6000W	1	3	Available	1




Pure Sine Power Inverter 						
ITEM PN#	MAX CONTINUOUS POWER	PEAK POWER	USB PORT	AC OUTLETS	REMOTE CONTROL	PACK QTY
10-00487	2000W	4000W	1	2	Available	2
• LCD Panel Display			• Overload Protection			
10-00489	600W	1200W	1	2	N/A	2

**PRO** SERIES product



Power Inverter Accessories			
ITEM PN#	DESCRIPTION		PACK QTY
10-00484	Cable Kit 1000-1500W	1 set-3ft/3g Single Wire Cable with Ring Terminals	2
10-00485	Cable Kit 2000-3000W	1 set-3ft/3g Double Wire Cable with Ring Terminals	2
10-00486	Remote Control	Remote Control for 1000-3000W Inverters	2



# RV Adapters with **E-ZEE GRIP**

**PRO** SERIES product

Voltec's Power and Lighting's Patented E-ZEE Grip series combines quality power products with innovative features that make using your RV cords and adapters easier to use! Our handle is large and ergonomic for a comfortable grip, and is replaceable. The handle sits flat into junction boxes enabling it to close completely for safety.

## E-ZEE GRIP



*Available in:*

**15**  
AMP

**30**  
AMP

**50**  
AMP



## Offering the Smart Choice

- ▶ **UL and cUL approvals** (where applicable) for a product you can trust
- ▶ **Ergonomic Design Allows for Easier Grip**
- ▶ **Replaceable Nylon Handle**
- ▶ **Handle Folds Down to Fit Flush with Electrical Enclosures**








15-30 AMP Adapter with <b>E-ZEE GRIP</b>										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING		PACK QTY
16-00502	12in	10/3	STW	Blue/Yellow	1	5-15P	30A	15	1875	10



30-15 AMP Adapter with <b>E-ZEE GRIP</b>										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING		PACK QTY
16-00503	12in	10/3	STW	Blue/Yellow	1	30P	5-15A	15	1875	10



30-50 AMP Adapter with <b>E-ZEE GRIP</b>										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING		PACK QTY
16-00504	18in	10/3	STW	Blue/Yellow	1	30A	50A	30	3750	10



50-30 AMP Adapter with <b>E-ZEE GRIP</b>										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING		PACK QTY
16-00505	18in	10/3	STW	Blue/Yellow	1	50A	30A	30	3750	10



30 AMP Generator Adapter with <b>E-ZEE GRIP</b>										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING		PACK QTY
16-00506	18in	10/3	STW	Blue/Yellow	1	L5-30P	30A	30	3750	10
16-00526	18in	10/3	STW	Blue/Yellow	1	L14-30P	30A	30	3750	10





# RV Adapters & Extension Cords with **E-ZEE GRIP**

30 AMP RV Extension Cord with <b>E-ZEE GRIP</b>										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
16-00507	15ft	10/3	STW	Blue/Yellow	1	30A	30A	30	3750	4
16-00508	25ft	10/3	STW	Blue/Yellow	1	30A	30A	30	3750	2
16-00509	50ft	10/3	STW	Blue/Yellow	1	30A	30A	30	3750	1

**PRO** SERIES product



50 AMP RV Extension Cord with <b>E-ZEE GRIP</b>										
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
16-00510	15ft	6/3-8/1	STW	Blue/Yellow	1	50A	50A	50	6250	2
16-00511	30ft	6/3-8/1	STW	Blue/Yellow	1	50A	50A	50	6250	1

**PRO** SERIES product



## RV Locking Extension Cords with **E-ZEE GRIP**

**PRO** SERIES product




LOCKING 30 AMP & 50AMP RECEPTACLES

RV Extension Cord with Locking Tight Female Receptacle									
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	PACK QTY	
16-00584	25ft	10/3	STW	Blue/Yellow	1	30A	30A	2	
16-00585	35ft	10/3	STW	Blue/Yellow	1	30A	30A	2	
16-00586	25ft	6/3-8/1	STW	Blue/Yellow	1	50A	50A	2	
16-00587	35ft	6/3-8/1	STW	Blue/Yellow	1	50A	50A	2	
16-00588	25ft	10/3	STW	Blue/Yellow	1	30A	50A	2	
16-00589	25ft	10/3	STW	Blue/Yellow	1	50A	30A	2	



## RV Locking Adapters with **E-ZEE GRIP**

RV Adapters with Locking Tight Female Receptacle								
ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	PACK QTY
16-00590	2ft	10/3	STW	Blue/Yellow	1	30A	30A	10
16-00591	2ft	10/3	STW	Blue/Yellow	1	30A	50A	10
16-00592	2ft	10/3	STW	Blue/Yellow	1	5-15P	30A	10



<b>E-ZEE GRIP</b> Replacement Handle		
16-00548	Yellow Replacement Handle for 30AMP	PACK QTY: 2/10
16-00549	Yellow Replacement Handle for 50AMP	PACK QTY: 2/10



# Adapters

Voltec Power and Lighting has over ten years of distribution experience and draws strength from over twenty years of manufacturing. Our commitment to quality has earned us both ISO 13485 and ISO 9001 ratings for quality control and excellence in manufacturing. We are also a UL registered firm, with products listed for UL, cUL, and ULus. Voltec Power and Lighting reaches into professional markets for PRO users in many categories, giving us a broad product offering for both the front of the store, into service areas.

Voltec Power and Lighting manufactures a full line of RV products, from molded adapters and cords to inverters and generator adapters. Our patented E-Zee Grip series offers a premium product to customers with ungraded features at a great price. Our point of purchase displays and NEW E-Zee grip set make marketing easy! This year, Voltec introduces our new line of RV locking products with our patented E-Zee Grip® handle.



16-00500      16-00501      16-00550      16-00551      16-00516



16-00582      16-00583



16-00580      16-00581



16-00568      16-00569      16-00570      16-00571

## Park Adapters

ITEM PN#	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	PACK QTY
16-00500	1	5-15P	30A	10/100
16-00501	1	30A	5-15R	10/100
16-00550	1	5-15P	30A	10/100
16-00551	1	30A	5-15R	10/100

## Park Generator Adapter

16-00516	1	L5-30P	30A	10/50
----------	---	--------	-----	-------

## Heavy Duty Molded Adapters

ITEM PN#	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	PACK QTY
16-00582	1	30A	50A	10/50
16-00583	1	50A	30A	10/50

## 30 AMP Replacement Heads

ITEM PN#	DESCRIPTION	PACK QTY
16-00580	Male 30A Replacement Head	10/50
16-00581	Female 30A Replacement Head	10/50

## Flat Wire Adapters

ITEM PN#	CORD LENGTH	GAUGE	PLUG TYPE	RECEPTACLE TYPE	PACK QTY
16-00568	12in	10/3	5-15P	30A	10
16-00569	12in	10/3	30A	5-15R	10
16-00570	18in	10/3	30A	50A	10
16-00571	18in	10/3	50A	30A	10

# RV Adapter and Extension Cords

## Traditional Series

### 15-30 AMP Adapter

ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
16-00552	12in	10/3	STW	Black	1	5-15P	30A	15	1875	10



### 30-15 AMP Adapter

ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
16-00553	12in	10/3	STW	Black	1	30A	5-15R	15	1875	10



### 30-50 AMP Adapter

ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
16-00554	18in	10/3	STW	Black	1	30A	50A	30	3750	10



### 50-30 AMP Adapter

ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
16-00555	18in	10/3	STW	Black	1	50A	30A	30	3750	10



### 30 AMP and 50 AMP RV Extension Cord

ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	RECEPTACLE TYPE	POWER RATING AMPS	WATTS	PACK QTY
16-00557	10ft	10/3	STW	Black	1	30A	30A	30	3750	4
16-00558	25ft	10/3	STW	Black	1	30A	30A	30	3750	2
16-00559	50ft	10/3	STW	Black	1	30A	30A	30	3750	1
16-00561	30ft	6/3-8/1	STW	Black	1	50A	50A	50	6250	2



# RV Power Supply Cords


### 30 AMP Right Angle Power Supply Cord

ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	POWER RATING AMPS	WATTS	PACK QTY
16-00562	25ft	10/3	STW	Black	1	30A	30	3750	2
16-00566	35ft	10/3	STW	Black	1	30A	30	3750	2



### 50 AMP Right Angle Power Supply Cord

ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	POWER RATING AMPS	WATTS	PACK QTY
16-00563	30ft	6/3-8/1	STW	Black	1	50A	50	6250	2



### 30 AMP Right Angle Male and Female Pigtail

ITEM PN#	CORD LENGTH	WIRE GAUGE	WIRE TYPE	WIRE COLOR	OUTLETS	PLUG TYPE	POWER RATING AMPS	WATTS	PACK QTY
16-00564	18in	10/3	STW	Black	1	30A Male	30	3750	10
16-00565	18in	10/3	STW	Black	1	30A Female	30	3750	10



# Lighting Replacement Parts



## Work Light Replacement Parts

ITEM PN#	DESCRIPTION	PACK QTY
08-00288	Plastic Replacement Bulb Guard	12
08-00286	Metal Replacement Bulb Guard	12
08-00287	Industrial Metal Replacement Bulb Guard	12
08-00289	Handle and Switch Assembly for Trouble Lights	6
08-00290	Trouble Light Replacement Head w/ Metal Cage	6
08-00401	Replacement Wire Guard for 400W Metal Halide	1

## Fluorescent Work Light Replacement Parts

ITEM PN#	DESCRIPTION	PACK QTY
08-00291	Replacement Head for 13W Fluorescent Tube Light	6
08-00292	Replacement Lens for 13W Fluorescent Tube Light	6/60
08-00293	Replacement Lens for 15W Fluorescent Tube Light	6/60
08-00294	Replacement Head for 13W Fluorescent Angle Light	6
08-00295	Replacement Hook for Angle Light	12
08-00296	Replacement Lens for 13W Fluorescent Angle Light	6/60
08-00297	Replacement Lens for 26W Fluorescent Angle Light	6/60
08-00298	Replacement Magnet for 13W Fluorescent Angle Light	6/60
08-00299	Replacement Magnet for 26W Fluorescent Angle Light	6
08-00273	Replacement Head for 26W Fluorescent Angle Light	6

## 10W LED Bulb

ITEM PN#	DESCRIPTION	CALVIN RATING	LUMENS	LAMPLIFE (HRS)	PACK QTY
08-00026	LED "A19"	3000K	865	35,000	2

## Replacement Bulbs

ITEM PN#	DESCRIPTION	BULB RATING	PACK QTY
08-01029	Rough Service "A" Bulb	75W	2/10
08-01028	Rough Service "A" Bulb	100W	2/10
00393	Rough Service "A" Bulb	150W	30/120
00365	60W Silicone Coated Bulb	60W	30/120
00378	75W Silicone Coated Bulb	75W	30/120
00391	100W Silicone Coated Bulb	100W	30/120
08-01272	12V Rough Service "A" Bulb	60W	12/120
08-00030	Compact Fluorescent Bulb - 65K	13W	20/200
08-00274	Fluorescent Bulb/T8	15W	20/100
08-00801	65W Fluorescent Bulb	65W	10
08-00802	200W Halogen Bulb	200W	10
08-00803	300W Halogen Bulb	300W	10
08-00031	500W Halogen Bulb	500W	20/100
08-01051	250W Halogen Bulb	250W	25/250
2845	400W Metal Halide Bulb Pulse Start	400W	1/6

**2 Pole,  
2 Wire**

VOLTAGE	LINE#	15 AMPERE		20 AMPERE		30 AMPERE		50 AMPERE		60 AMPERE	
		CONNECTOR	PLUG	CONNECTOR	PLUG	CONNECTOR	PLUG	CONNECTOR	PLUG	CONNECTOR	PLUG
125V	1										
250V	2										

**2 Pole,  
3 Wire,  
Grounding**

VOLTAGE	LINE#	15 AMPERE		20 AMPERE		30 AMPERE		50 AMPERE		60 AMPERE	
		CONNECTOR	PLUG	CONNECTOR	PLUG	CONNECTOR	PLUG	CONNECTOR	PLUG	CONNECTOR	PLUG
125V	5										
250V	6										
277V	7										

**3 Pole,  
3 Wire**

VOLTAGE	LINE#	15 AMPERE		20 AMPERE		30 AMPERE		50 AMPERE		60 AMPERE	
		CONNECTOR	PLUG	CONNECTOR	PLUG	CONNECTOR	PLUG	CONNECTOR	PLUG	CONNECTOR	PLUG
125V/250V	10										
3 $\phi$ 250V	11										

**3 Pole,  
3 Wire,  
Grounding**

VOLTAGE	LINE#	15 AMPERE		20 AMPERE		30 AMPERE		50 AMPERE		60 AMPERE	
		CONNECTOR	PLUG	CONNECTOR	PLUG	CONNECTOR	PLUG	CONNECTOR	PLUG	CONNECTOR	PLUG
125V/250V	14										
3 $\phi$ 250V	15										

**4 Pole,  
4 Wire**

VOLTAGE	LINE#	15 AMPERE		20 AMPERE		30 AMPERE		50 AMPERE		60 AMPERE	
		CONNECTOR	PLUG	CONNECTOR	PLUG	CONNECTOR	PLUG	CONNECTOR	PLUG	CONNECTOR	PLUG
3 $\phi$ Y 120/208V	18										

**Locking  
Plugs and  
Receptacles**

VOLTAGE	LINE#	15 AMPERE		20 AMPERE		30 AMPERE		50 AMPERE		60 AMPERE	
		CONNECTOR	PLUG	CONNECTOR	PLUG	CONNECTOR	PLUG	CONNECTOR	PLUG	CONNECTOR	PLUG
125V	L1										
250V	L2										
125V	L5										
250V	L6										
277V, A.C.	L7										
480V	L8										
600V	L9										
125V/250V	L14										

## Glossary

### Conductor Color Codes

Function	NA - North America (US/Canada)	IEC - International
L = Line (Hot)	Black	Brown
N = Neutral	White	Light Blue
E = Earth (Ground)	Green or Green/Yellow	Green/Yellow
4th Conductor	Red	-
5th Conductor	Yellow	-
6th Conductor	Orange	-

### Technical Data

#### Full Load Current Values

Current Values Based on Usual Speed and Normal Torque

For full load currents of 206V and 200V motors, increase corresponding 220V value above by 6% and 10% respectively.

Motor Horse Power AC	Rated Motor Voltage — 110V to 120V			Rated Motor Voltage — 220V to 240V		
	Direct Current	Single-Phase AC	Three-Phase (Induction) AC	Direct Current	Single-Phase AC	Three-Phase (Induction)
.25	2.9 Amps	5.8 Amps	-	1.5 Amps	2.9 Amps	-
.33	3.6	7.2	-	1.8	3.5	-
.25	5.2	9.8	4.0 Amps	2.6	4.9	2.0 Amps
3.4	7.4	13.8	5.6	3.7	6.9	2.8
1	9.4	16.0	7.2	4.7	8.0	3.6
1.5	13.2	20.0	10.4	6.6	10.0	5.2
2	17.0	24.0	13.6	8.5	12.0	6.8
3	25.0	34.0	-	12.2	17.0	9.6
5	40.0	56.0	-	20.0	28.0	15.2
7.5	58.0	80.0	-	29.0	40.0	22.0
10	76.0	100.0	-	38.0	50.0	28.0

#### Current Carrying Capacity of Flexible Cords

Based on Ambient Temperature of 30°C (86°F)

Amperage shown is for not more than three conductors in a cord. If cord has from four to six conductors, decrease the values shown.

†The ampacities under subheading A are applicable to three-conductor cords and four-conductor cords with three conductors carrying current. The ampacities under subheading B are applicable to two-conductor cords and three-conductor cords with two conductors carrying current.

AWG Wire Size	Thermoplastic Types ST, STO, SJT, SJTO SVT, SVTO, SPT		Types HPD, HPN, HSJ HSO
	A†	B†	
18	7 Amps	10 Amps	10 Amps
17	-	-	12
16	10	13	15
14	15	18	20
12	20	25	30
10	25	30	35
8	35	40	-
6	45	55	-

NOTE: On extension cords over 50 feet, derate by two wire sizes.

# Glossary

## Amperage Ratings for Metric Copper

Copper Size mm <sup>3</sup>	ETSA	Western European*
0.50	3.0 Amps	6.0 Amps
0.75	7.5	10.0
1.00	10.0	12.0
1.50	15.0	16.0
2.50	20.0	20.0

\*General use ratings only. Check with appropriate approval agency for specific applications, as ratings vary from country to country.

## Glossary of Terms

<b>AWG</b>	Abbreviation for American Wire Gauge.	<b>Capacitance</b>	The ability of a dielectric material between conductors to store electricity when a difference of potential exists between the conductors. The unit of measurement is the farad, which is the capacitance value that will store a charge of one coulomb when a one-volt potential difference exists between the conductors. In AC, one farad is the capacitance value that will permit one ampere of current when the voltage across the capacitor changes at a rate of one volt per second.
<b>AWM</b>	Designation for appliance wiring material.	<b>Circuit (Electric)</b>	The complete path of an electrical current. When the continuity is broken, it is called an open circuit; when continuity is maintained, it is called a closed circuit.
<b>Alternating Current</b>	Electric current that continually reverses its direction. It is expressed in cycles per second (hertz of Hz).	<b>Clamp</b>	To hold the current or voltage at a specific fixed level.
<b>Ambient Temperature</b>	The temperature of a medium (gas or liquid) surrounding the object.	<b>Cold Flow</b>	Permanent deformation of the insulation due to mechanical force or pressure (not due to heat softening).
<b>American Wire Gauge (AWG)</b>	A standard system for designating wire diameter. Also referred to as the Brown and Sharpe (B&S) wire gauge.	<b>Color Code</b>	A system for circuit identification through use of solid colors and contrasting tracers.
<b>Ampacity</b>	(See Current Carrying Capacity).	<b>Compound</b>	An insulating or jacketing material made by mixing two or more ingredients.
<b>Ampere</b>	The unit of current. One ampere is the current flowing through one ohm of resistance at one volt potential.	<b>Concentricity</b>	In a wire or cable, the measurement of the location of the center of the conductor with respect to the geometric center of the surrounding insulation.
<b>Anneal</b>	Relief of mechanical stress through heat and gradual cooling. Annealing copper renders it less brittle.	<b>Conductor</b>	An insulated wire suitable for carrying electrical current.
<b>Audio Frequency</b>	the range of frequencies audible to the human ear. Usually 20-20,000 Hz.	<b>Contacts</b>	The parts of the connector that actually carry the electrical current, and are touched together or separated to control the flow.
<b>Basic Protection</b>	A commonly used industry term for partial surge protection, usually a single MOV protecting line-to-neutral (see Full Protection).		
<b>Braid</b>	A fibrous or metallic group of filaments interwoven in cylindrical form to form a covering over one or more wires.		
<b>Breakdown Voltage</b>	The voltage at which the insulation between conductors breaks down.		
<b>Bunch Stranding</b>	A group of wires of the same diameter twisted together without a predetermined pattern.		
<b>Cabling</b>	The twisting together of two or more insulated conductors to form a cable.		

# Glossary

## Glossary of Terms

<b>Continuity Check</b>	A test to determine whether electrical current flows continuously throughout the length of a single wire or individual wires in a cable.	<b>Energy Capacity</b>	The heat absorption capacity to absorb electrically generated heat, expressed in joules, or watt-seconds.
<b>Cord</b>	A flexible insulated wire.	<b>Filler</b>	(1) A material used in multiconductor cables to occupy large interstices formed by the assembled conductors. (2) An inert substance added to a compound to improve properties or decrease cost.
<b>Corona</b>	Ionization of air surrounding a conductor caused by the influence of high voltage. Causes deterioration of insulation materials.	<b>Flame Resistance</b>	The ability of a material not to propagate flame once the heat source is removed.
<b>Crazing</b>	The minute cracks on the surface of plastic materials.	<b>Flex Life</b>	The measurement of the ability of a conductor or cable to withstand repeated bending.
<b>CSA</b>	Abbreviation for Canadian Standards Association, a non-profit, independent organization that operates a listing service for electrical and electronic materials and equipment. The Canadian counterpart of the Underwriters Laboratories.	<b>Frequency</b>	The number of times an alternating current repeats its cycle in one second. (See Hertz)
<b>Current Carrying Capacity</b>	The maximum current an insulated conductor can safely carry without exceeding its insulation and jacket temperature limitations.	<b>Gauge</b>	A term used to denote the physical size of a wire.
<b>Dielectric Strength</b>	The voltage that an insulation can withstand before breakdown occurs. Usually expressed as a voltage gradient (such as volts per mil).	<b>Ground</b>	An electrical term meaning to connect to the earth or other large conducting body to serve as an earth, thus making a complete electrical circuit.
<b>Direct Capacitance</b>	The capacitance measured directly from conductor to conductor through a single insulating layer.	<b>HPN</b>	Parallel heater cord, typically neoprene-type insulation.
<b>Direct Current</b>	An electric current that flows in only one direction.	<b>Harness</b>	An arrangement of wires and cables, usually with many breakouts, which have been tied together or pulled into a rubber or plastic sheath, used to interconnect an electrical circuit.
<b>Drain Wire</b>	In a cable, the uninsulated wire laid over the component or components and used as a ground connection.	<b>Hertz (Hz)</b>	A term replacing cycles per second as an indication of frequency.
<b>Drawing</b>	In wire manufacture, pulling metal through a die or series of dies to reduce diameter to a specified size.	<b>High Potential</b>	A test designed to check the integrity of a conductor's insulation by applying a specified high voltage.
<b>Electromagnetic</b>	Unwanted signals picked up and transmitted over electrical lines, caused by varying magnetic fields.	<b>Hybrid Circuit</b>	A surge suppressor that uses a combination of two or more types of electronic devices to provide additional or multi-stage surge protection (most surge protection use only MOVs).
<b>Eccentricity</b>	Like concentricity, a measure of the center of a conductor's location with respect to the circular cross-section of the insulation. Expressed as a percentage of displacement of one circle within the other.	<b>Hz</b>	Abbreviation for hertz.
<b>Elongation</b>	The fractional increase in length of a material stressed in tension.	<b>Impedance</b>	The total opposition that a circuit offers to the flow of alternating current or any other varying current at a particular frequency. It is a combination of resistance R and reactance X, measured in ohms.



# Glossary

## Glossary of Terms

<b>Inductance</b>	The property of a circuit or circuit element that opposes a change in current flow, thus causing current changes to lag behind voltage changes. It is measured in henrys.	<b>Primary Insulation</b>	The first layer of non-conductive material applied over a conductor, whose prime function is to act as electrical insulation.
<b>Insulation</b>	A material having high resistance to the flow of electric current. Often called a dielectric in radio frequency cable.	<b>Put-Up</b>	Packaging of finished wire or cable.
<b>Jacket</b>	An outer non-metallic protective covering applied over an insulated wire or cable.	<b>Rated Voltage</b>	The maximum voltage at which an electrical component can operate for extended periods without undue degradation or safety hazard.
<b>Jumper Cable</b>	A short flat cable inter-connecting two wiring boards or devices.	<b>Resistance</b>	A measure of the difficulty in moving electrical current through a medium when voltage is applied, measured in ohms.
<b>Lay</b>	The length measured along the axis of a wire or cable required for a single strand (in stranded wire) or conductor (in cable) to make one complete turn about the axis of the conductor or cable.	<b>S</b>	Heavy-duty, rubber-insulated portable cord. Stranded copper conductors with separator and individual rubber insulation. Two or more color-coded conductors cabled with filler, wrapped with separator and rubber jacketed overall. 600 V.
<b>Longitudinal Shield</b>	A tape shield, flat or corrugated, applied longitudinally with the axis of the core being shielded.	<b>SEOW</b>	Thermoplastic elastomer (TPE) insulated conductors. Water flame, oil, abrasion, ultraviolet resistant for outdoor use.
<b>L-N</b>	An abbreviation for line-to-neutral, the location for the most common type of power surge (see Full Protection).	<b>SJ</b>	Junior hard service, rubber-insulated pendant or portable cord. Same construction as type S, but 300 V. Jacket thickness smaller.
<b>MTW</b>	Thermoplastic insulated machine tool wire.	<b>SJEOW</b>	Same as SJ, with Thermoplastic elastomer (TPE) jacket and insulated conductors. Water, flame, oil, abrasion, ultraviolet resistant for outdoor use.
<b>Multiconductor</b>	More than one conductor within a single cable complex.	<b>SJEOWW</b>	Same as SJEOW, but with oil resistant inner and outer jacketing.
<b>Mylar</b>	A synthetic compound with high dielectric qualities made by Du-pont® and used extensively in the wire and cable industry.	<b>SJO</b>	Same as SJ, but neoprene, oil-resistant compound outer jacket. Can also be made "water resistant". 300 V, 60°C, 75°C, or 90°C.
<b>Noise</b>	A term for unwanted electrical signals on the power line.	<b>SJOOW</b>	All rubber, oil, water, flame, abrasion resistant in/out jacket. 300 V, -40°C to 90°C.
<b>Noise Filter</b>	An electronic component, usually a capacitor, designed to minimize unwanted electrical signals.	<b>SJT</b>	Junior hard service thermoplastic insulated conductors with overall thermoplastic jacket, 300 V, 60°C, 75°C, or 90°C. Indoor use.
<b>Ohm</b>	A unit of electrical resistance.	<b>SJTO</b>	Same as SJT, but oil-resistant thermoplastic outer jacket.
<b>Peak Current</b>	Another term for energy capacity.	<b>SJTW</b>	Same as SJT, but outdoor water-resistant outer jacket.
<b>Picosecond</b>	One trillionth of a second.		
<b>Plasticizer</b>	A chemical agent added to plastics to make them softer and more pliable.		
<b>Potting</b>	The sealing of a cable termination or other component with a liquid that thermosets into an elastomer.		

# Glossary

## Glossary of Terms

<b>SO</b>	Hard service cord. Same construction as type S, except thicker oil-resistant neoprene jacket. 600 V, 60°C to 90°C.	<b>Shield</b>	A sheet, screen, or braid of metal, usually copper, aluminum, or other conducting material, placed around or between electric circuits or cables or their components to contain any unwanted radiation, or to keep out any unwanted interference.
<b>SOOW</b>	All rubber, oil, water, flame, abrasion resistant indoor/outdoor jacket. 600 V, -40°C to 90°C.	<b>Spacing</b>	Distance between the closest edges of two adjacent conductors.
<b>SP-1</b>	All rubber, parallel-jacketed, two-conductor light-duty cord for pendant or portable use. 300 V.	<b>Spark Test</b>	A test designed to locate pin-holes in the insulation of a wire or cable by application of high voltage for a very short period of time while the wire is being drawn through the electrode field.
<b>SP-2</b>	Same as SP-1, but heavier construction, with or without a third conductor for grounding purposes. 300 V.	<b>Spiral Wrap</b>	The helical wrap of a tape over a core.
<b>SP-3</b>	Same as SP-2, but heavier construction for refrigerators or room air conditioners. 300 V.	<b>Strand</b>	A single uninsulated wire.
<b>SPT-1</b>	Same as SP-1, except all-thermoplastic. 300 V. With or without third conductor for grounding.	<b>Stranded Conductor</b>	A conductor composed of groups of wires twisted together.
<b>SPT-2</b>	Same as SP-2, except all-thermoplastic. 300 V. With or without third conductor for grounding.	<b>Tensile Strength</b>	The pull stress required to break a given specimen.
<b>SPT-3</b>	Same as SP-3, except all-thermoplastic. 300 V. With or without third conductor for grounding.	<b>Thermoplastic</b>	A material that softens when heated and becomes firm on cooling. Example: PVC (plastic).
<b>ST</b>	Hard service cord, jacketed. Same as type S, except all-plastic construction. 600 V, 60°C to 105°C.	<b>Thermoset</b>	A material that hardens or sets when heat is applied and that, once set, cannot be resoftened by heating. The application of heat is called "curing." Example: rubber.
<b>STO</b>	Same as ST, but with oil-resistant thermoplastic outer jacket. 600 V, 60°C to 105°C.	<b>UL</b>	Abbreviation for Underwriters Laboratories, a non-profit independent organization that operates a listing service for electrical and electronic materials and equipment.
<b>STW</b>	Same as ST, but indoor/outdoor water-resistant outer jacket.	<b>UL 497A</b>	The UL standard covering the basis for UL listing of surge controls for phone lines.
<b>SVT</b>	All plastic construction. Light-duty vacuum cleaner cord. With or without third conductor for ground purposes only. 300 V, 60°C to 105°C.	<b>UL 452</b>	The UL standard covering the basis for UL listing of CATV lines.
<b>Separator</b>	Pertaining to wire and cable, a layer of insulating material such as textile, paper, mylar, etc., which is placed between a conductor and its dielectric, between a cable jacket and the components it covers, or between various components of a multiple-conductor cable. It can be utilized to improve stripped qualities, roundness, and/or flexibility, or can offer additional mechanical or electrical protection to the components it separates.	<b>Voltage</b>	The term most often used in place of electromotive force, potential, potential difference, or voltage drop to designate the electrical pressure that exists between two points and is capable of producing a current when a closed circuit is connected between two points.
		<b>VW-1</b>	A flammability rating established by Underwriters Laboratories for wires and cables that pass a specially designed vertical flame test, formerly designated FR-1. Typically used for individual conductors or parallel-type constructions.

# Wiring Device - Cross Reference

Thermal Plastic Housing			
VOLTEC PN#	BRYANT PN#	MARINCO PN#	LEVITON PN#
12-00244B	5965B		
12-00245B	5969B		

Clear Nylon Housing with LED Light			
VOLTEC PN#	BRYANT PN#	MARINCO PN#	LEVITON PN#
12-00225		5266L	
12-00226		5269L	

Nylon Plugs			
VOLTEC PN#	BRYANT PN#	MARINCO PN#	LEVITON PN#
12-00225	5266N	5266	061-5266-00C
12-00227	5366NP	5366	061-5366-00C
12-00229	70520NP	205P	061-02311-000
12-00231	70620NP	206P	061-02321-000
12-00233	70530NP	305P	061-02611-000
12-00235	70630NP	306P	061-02621-000
12-00237	71420NP	2014P	061-02411-000
12-00239	71430NP	3014P	061-02711-000
12-00242		CS6365N	
12-00242V			
12-00244YL			000-515PV-000 Yellow
12-00244BL			000-515PV-000

Nylon Connectors			
VOLTEC PN#	BRYANT PN#	MARINCO PN#	LEVITON PN#
12-00224	9755N		000-115PR
12-00226	5269NC	5269	061-05269-00C
12-00228	5369NC	5369	061-05369-00C
12-00230	70520NC	205C	065-02313-000
12-00232	70620NC	206C	065-02323-000
12-00234	70530NC	305C	165-02613-000
12-00236	70630NC	306C	165-C2623-000
12-00238	71420NC	2014C	165-02413-000
12-00240	71430NC	3014C	165-02713-000
12-00243		CS6364N	
12-00243V			
12-00245YL			000-515CV-000 Yellow
12-00245BL			000-515CV-000



For the lifetime of this product, if it fails due to a manufacturing defect, return it to Voltec Industries for a free replacement. This warranty is limited to the replacement of the product only and no other warranty, liability, or responsibility is implied or expressed.



If product fails during the warranty period due to a manufacturing defect, return it to Voltec Industries for a free replacement. This warranty is limited to the replacement of the product only and no other warranty, liability, or responsibility is implied or expressed.

## Index of Parts

Item No.	Page No.	Pack Qty.	MasterCarton Weight	Cube	UPC# 8-03058-
2845	44				
00365	44				
00378	44				
00391	44				
00393	44				
01-00001	21	25	8.82	0.32	00001-1
01-00002	21	25	8.82	0.32	00002-8
01-00003	21	25	11.46	0.35	00003-5
01-00004	21	25	11.46	0.35	00004-2
01-00005	21	25	14.33	0.42	00005-9
01-00006	21	25	14.33	0.42	00006-6
01-00007	21	25	16.53	0.53	00007-3
01-00008	21	25	16.53	0.53	00008-0
01-00012	21	25	22.05	0.76	00012-7
01-00013	21	25	22.05	0.76	00013-4
01-00015	21	25	39.46	0.83	00015-8
01-00016	21	25	39.46	0.83	00016-5
01-00040	24	24	20.29	0.694	00040-0
01-00041	24	18	19.85	0.633	00041-7
01-00042	24	12	18.08	0.524	00042-4
01-00043	24	12	20.95	0.688	00043-1
02-00034	21	24	24.26	0.684	00034-9
02-00034T	25	4			
02-00036T	25	4			
02-00037T	25	4			
02-00037	21	12	30.21	0.435	00037-0
03-00045	22	25	11.00	0.450	00045-5
03-00047	22	25	11.00	0.450	00047-9
03-00048	22	20	48.00	1.200	00048-6
03-00049	24	25	7.50	0.240	00049-3
03-00050	24	25	14.55	0.286	00050-9
03-00051	24	25	19.40	0.367	00051-6
03-00052	24	25	7.72	0.240	00052-3
03-00054	24	25	14.77	0.286	00054-7
03-00055	24	25	19.84	0.570	00055-4
03-00059	22	12	46.00	1.557	00059-2
03-00060	22	25	22.00	0.900	00060-8
03-00062	22	25	22.00	0.900	00062-2
03-00063	22	6	37.00	1.600	00063-9
03-00064	22	25	23.00	1.140	00064-6
03-00065	22	6	37.00	1.600	00065-3
03-00066	22	24	38.00	1.450	00066-0
03-00067	23	12	15.88	0.750	00067-7
03-00069	23	12	20.73	0.700	00069-1
03-00070	23	12	18.07	0.750	00070-7
03-00072	23	12	24.24	0.700	00072-1

Item No.	Page No.	Pack Qty.	MasterCarton Weight	Cube	UPC# 8-03058-
03-00073	23	12	22.05	0.890	00073-8
03-00075	23	12	29.99	1.100	00075-2
03-00076	23	12	22.27	1.05	00076-9
03-00078	23	12	26.46	1.05	00078-3
03-00079	23	12	22.75	1.05	00079-0
03-00081	23	12	30.64	1.05	00081-3
03-00082	23	12	30.86	1.40	00082-0
03-00084	23	12	43.42	1.60	00084-4
03-00447	23	6	24.00	1.230	00547-4
04-00085	15	25	4.5	0.15	00085-1
04-00087	15	25	4.5	0.15	00087-5
04-00088	14	25	14.00	0.61	00088-2
04-00089	14	6	4.95	0.234	00089-9
04-00090	14	6	5.10	0.234	00090-5
04-00091	14	6	5.10	0.234	00091-2
04-00092	6/15	10	5.73	0.211	00092-9
04-0092N	15	10	5.00	0.220	00492-7
04-00093	6/15	10	5.73	0.211	00093-6
04-0093N	15	10	5.00	0.220	00493-4
04-00094	14	18	21.00	0.850	00094-3
04-00095	14	18	30.00	1.110	00095-0
04-00096	14	12	18.96	0.803	00096-7
04-00097	14	12	25.36	1.01	00097-4
04-00101	17	6	6.61	0.300	00101-8
04-00102	17	6	11.00	0.300	00102-5
04-00103	17	6	10.00	0.300	00103-2
04-00104	17	6	10.00	0.570	00104-9
04-00105	17	6	9.00	0.400	01105-5
04-00200	6/15	12	18.96	0.083	01000-3
04-00201	6/15	12	18.96	0.083	01001-0
04-00202	16	4			01002-7
04-00203	16	4			01003-1
04-00204	16	4			01004-8
04-00205	16	12	11.684	0.56	01005-8
04-00206	16	12	11.684	0.56	01006-5
04-00207	16	4			01007-2
05-00105	5/7	12	43.00	1.230	00105-6
05-00106	5/7	4	26.90	0.752	00106-3
05-00107	5/7	2	26.90	0.680	00107-0
05-00108	7	12	24.70	0.839	00108-7
05-00109	7	12	44.98	1.700	00109-4
05-00110	7	6	48.95	1.230	00110-0
05-00111	5/7	6	1653	0.634	00111-7
05-00112	5/7	6	30.64	0.769	00112-4
05-00113	5/7	3	29.75	0.769	00113-1
05-00114	8	4	26.90	0.752	00114-8

## Index of Parts

Item No.	Page No.	Pack Qty.	MasterCarton Weight	Cube	UPC# 8-03058-
05-00115	8	4	26.90	0.752	00115-5
05-00116	8	2	26.90	0.680	00116-2
05-00117	8	2	26.90	0.680	00117-9
05-00118	5/7	1	12.00	0.340	00118-6
05-00119	5/7	1	24.00	0.480	00119-3
05-00120	8	12	34.18	1.073	00120-9
05-00121	8	6	33.08	1.020	00121-6
05-00122	8	4	44.10	1.287	00122-3
05-00123	8	8	29.5	0.830	00123-0
05-00124	8	4	28.21	0.870	00124-7
05-00125	8	2	26.45	0.680	00125-4
05-00128	8	4	26.90	0.752	00128-5
05-00130	8	2	26.90	0.752	00130-8
05-00131	8	2	26.90	0.680	00131-5
05-00134	9	12	12.66	0.675	00134-6
05-00135	9	12	20.00	0.839	00135-3
05-00136	9	12	38.00	1.401	00136-0
05-00137	9	6	40.00	1.401	00137-7
05-00138	5/10	6	14.14	0.634	00138-4
05-00139	5/10	6	25.20	0.769	00139-1
05-00140	5/10	3	25.20	0.769	00140-7
05-00141	5/10	12	42.00	0.988	00141-4
05-00142	5/10	4	27.00	0.752	00142-1
05-00143	5/10	2	26.00	0.752	00143-8
05-00147	10	8	28.00	0.773	00147-6
05-00148	10	4	26.00	0.773	00148-3
05-00149	10	2	26.66	1.076	00149-0
05-00152	8	4	26.90	0.752	00152-0
05-00153	8	2	26.90	0.680	00153-7
05-00231	10	2	27.00	0.690	00367-8
05-00333	8	1	13.00	0.300	00333-3
05-00341	7	12	15.00	0.570	00370-8
05-00342	7	12	30.00	0.890	00371-5
05-00343	7	6	30.00	0.860	00373-9
05-00347	8	12	47.00		00447-7
05-00348	8	12	30.00	0.752	00348-7
05-00349	8	6	29.00	0.680	00349-4
05-00350	7	1		0.752	00350-0
05-00351	7	1		0.680	00351-7
05-00356	9	1	28.00	0.752	00356-2
05-00357	9	1	28.00	0.680	00357-9
05-00358	9	12	39.24	1.290	00358-6
05-00359	9	4	25.13	0.790	00359-3
05-00360	9	2	24.47	0.690	00360-9
05-00361	9	6	15.43	0.570	00361-6
05-00362	9	6	27.56	0.890	00362-3
05-00363	9	3	26.23	0.860	00363-0
05-00364	7	12	43.00	1.230	00364-7
05-00365	7	4	26.90	0.752	00365-4
05-00366	7	2	26.90	0.680	00366-2
06-00162	11	2	41.45	1.162	00162-9
06-00163	11	2	39.89	0.960	00163-6
06-00167	11	2	39.89	1.271	00167-4
06-00168	11	2	39.89	0.960	00168-1
06-00181	11	1	28.00	0.780	00681-5
06-00231	11	2	39.89	0.960	00369-2
07-00173	26	6	19.00	0.890	00173-5

Item No.	Page No.	Pack Qty.	MasterCarton Weight	Cube	UPC# 8-03058-
07-00176	30	4	36.00	1.580	00176-6
07-00246	33	4	21.66	1.80	00246-6
07-00248	33	4	38.01	2.450	00248-0
07-00249	33	4	45.97	2.370	00249-7
07-00250	33	2	36.00	2.010	00250-3
07-00251	33	2	36.00	2.010	00251-0
07-00252	30	4	17.00	0.980	00252-7
07-00253	30	4	44.00	1.990	00253-4
07-00254	30	2	37.00	1.920	00254-1
07-00282	26	4	38.90	1.880	00282-4
07-00282T	25	4			
07-00283	26	2	31.38	1.69	00283-1
07-00283T	25	2			
07-00284	26	2	34.92	1.670	00284-8
07-00403	26	3	12.20	1.250	00403-3
07-00405	26	4	14.10	1.740	00405-7
07-00406T	25	2			
08-00026	44	2			01026-3y
08-00030	44	20/200	24.31	1.480	00030-1
08-00031	44	20/100	24.31	1.480	00031-8
08-00032	27	8	8.00	1.350	00032-5
08-00177	27	6	5.73	0.91	00177-3
08-00178	27	6	6.17	1.340	00178-0
08-00179	27	6	6.17	1.340	00179-7
08-00181	29	10	17.63	1.930	00181-0
08-00183	29	8	17.28	0.805	00183-4
08-00184	29	8	20.94	1.490	00184-1
08-00185	29	6	28.65	1.560	00185-8
08-00186	29	6	22.10	1.34	00186-5
08-00189	19	1	9.48	0.925	00189-6
08-00190	19	1	17.42	2.295	00190-2
08-00192	19	1	25.35	2.290	00192-4
08-00193	19	1	13.89	0.925	00193-3
08-00194	19	1	25.35	2.290	00194-0
08-00197	19	1	14.99	1.235	00197-1
08-00198	19	1	25.36	2.295	00198-8
08-00199	19	1	14.99	1.235	00199-5
08-00200	19	1	28.00	2.576	00200-8
08-00202	19	1	28.00	2.576	00202-2
08-00203	19	20	4.85	0.890	00203-9
08-00204	19	20	7.27	1.800	00204-6
08-00207	32	6	12.35	0.610	00207-7
08-00208	32	6	13.35	0.850	00208-4
08-00209	34	6	24.00	2.250	00209-1
08-00210	35	2	19.00	1.860	00210-7
08-00211	34	2	28.00	2.230	00211-4
08-00212	34	6	30.00	2.440	00212-1
08-00219	34	6	28.00	2.250	00408-8
08-00255	29	6	8.00	2.900	00255-8
08-00256	29	6	7.96	0.770	00256-5
08-00257	29	6	13.70	0.990	00257-2
08-00258	29	6	22.76	1.430	00258-9
08-00263	32	6	9.28	0.730	00263-3
08-00264	32	6	12.16	0.730	00264-0
08-00266	32	6	18.00	1.730	00266-4
08-00267	32	6	21.44	0.83	00267-1
08-00268	32	6	22.76	0.870	00268-8



# Index of Parts

Item No.	Page No.	Pack Qty.	MasterCarton Weight	Cube	UPC# 8-03058-
08-00270	32	6	23.21	1.380	00270-1
08-00271	32	4	24.60	1.260	00271-8
08-00273	44	6	9.70	0.922	00573-3
08-00274	44	20/100	24.31	1.480	00274-9
08-00275	30	10	5.00	0.520	00575-7
08-00286	44	12	4.42	1.140	00286-2
08-00287	44	12	9.28	1.210	00287-9
08-00288	44	12	3.09	1.070	00288-6
08-00289	44	6	13.48	1.030	00289-3
08-00290	44	6	11.27	1.720	00290-9
08-00291	44	6	9.06	0.500	00291-6
08-00292	44	6/60	5.75	0.820	00292-3
08-00293	44	6/60	9.51	0.820	0293-0
08-00294	44	6	9.06	0.500	00294-7
08-00295	44	12	1.11	0.070	00295-4
08-00296	44	6/60	5.75	0.820	00296-1
08-00297	44	6/60	9.81	0.820	00297-8
08-00298	44	6/60	13.26	0.710	00298-5
08-00299	44	6	13.48	0.820	00299-2
08-00346	27				
08-00382	29	6	30.21	1.790	00382-1
08-00400	19	1			01400-1
08-00401	44	1			01400-1
08-00433	27	8	7.23	1.230	00433-0
08-00609	35	6	24.00	2.250	00609-9
08-00610	34	2	19.00	1.860	00610-5
08-00611	35	2	28.00	2.230	00611-2
08-00616	35	2			00616-7
08-00691	28	2			00691-4
08-00695	28	6			00695-2
08-00696	28	6			00696-9
08-00697	28	6			00697-6
08-00698	28	6			00698-3
08-00699	28	6			00699-0
08-00700	28	6			00700-3
08-00703	28	2			00703-4
08-00801	44	10			00801-7
08-00802	44	10			00802-4
08-00803	44	10			00803-1
08-01028	44	12/120	11.49	1.270	00028-8
08-01029	44	12/120	11.49	1.270	00029-5
08-01051	44	25/250	24.31	1.480	01051-5
08-01272	44	12/120	11.49	1.270	00272-5
09-00214	18	1	40.00	1.340	00214-5
09-00215	18	1	80.00	1.970	00215-2
09-00375	18	1	29.50	4.20	00375-3
09-0T376	18	1	43.65	4.025	00376-0
09-00431	18	1	35.00	1.340	00431-6
09-00432	18	1	70.00	1.97	00432-3
09-00435	18	1	7.00	6.90	00435-4
09-00436	18	1			00436-1
09-00675	18	1	29.50	4.20	00675-4
09-0T676	18	1	29.50	4.20	00676-1
10-00224	36	6	29.00	1.040	00224-4
10-00273	36	6	25.00	1.260	00273-2
10-00275	36	6	33.00	1.590	00275-6
10-00276	36	2	27.6	0.650	00276-3
10-00277	36	4	41.30	1.240	00277-0

Item No.	Page No.	Pack Qty.	MasterCarton Weight	Cube	UPC# 8-03058-
10-00301	36	12	10.70	0.390	00301-2
10-00302	36	12	14.30	0.410	00302-9
10-00303	36	12			00303-6
10-00305	36	6			00305-0
10-00307	36	6			00307-4
10-00320	36	4			00320-3
10-00454	37	1			00454-5
10-00455	37	2			01455-1
10-00456	37	2			01456-8
10-00457	37	2			01457-5
10-00458	37	1			01458-2
10-00459	37	1			01459-9
10-00460	37	1			01460-5
10-00474	39	4			00474-3
10-00477	39	4	30.87	2.580	00477-4
10-00479	39	4	28.66	2.080	00479-8
10-00480	39	2	33.07	0.760	00480-4
10-00481	39	2	26.46	1.230	00481-1
10-00482	39	2	15.43	0.800	00482-8
10-00483	39	1	11.02	0.490	00483-5
10-00484	39	2	6.610	0.510	00484-2
10-00485	39	2	17.64	3.04	00485-9
10-00486	39	2			00486-6
10-00487	39	2			00487-3
10-00489	39	2			00489-7
11-00222	17	6	28.21	1.810	00222-0
11-00223	21	12	31.967	1.080	00223-7
11-00224	21	12	31.967	1.080	00224-2
11-00225	21	12	31.967	1.080	00225-9
11-00226	21	6	31.967	1.080	00226-6
11-00227	21	6	31.967	1.080	00227-3
12-00223	20	10/100	1/11	0.060	01223-6
12-00224	20	10/100	1/11	0.060	01224-3
12-00225	20	10	1.50		00225-1
12-00226	20	10	1.70		00226-8
12-00227	20	10	1.50		00227-5
12-00228	20	10	1.70		00228-2
12-00229	20	10	3.50		00229-9
12-00230	20	10	4.00		00230-5
12-00231	20	10	3.30		00231-2
12-00232	20	10	4.00		00232-9
12-00233	20	10	3.30		00233-6
12-00234	20	10	4.20		00234-3
12-00235	20	10	3.50		00235-0
12-00236	20	10	4.20		00236-7
12-00237	20	10	3.60		00237-4
12-00238	20	10	4.00		00238-1
12-00239	20	10	3.60		00239-8
12-00240	20	10	4.50		00240-4
12-00242	20	10	8.00		00242-8
12-00243	20	10	7.90		00243-5
12-00244	20	10	1.00		00244-2
12-00245	20	10	1.10		00245-9
16-00500	42	10/100	31.68	1.080	00500-9
16-00501	42	10/100	22.68	0.870	00501-6
16-00502	40	10	6.600	0.300	00502-3
16-00503	40	10	6.600	0.300	00503-0
16-00504	40	10	14.90	0.660	00504-7

## Index of Parts

Item No.	Page No.	Pack Qty.	MasterCarton Weight	Cube	UPC# 8-03058-
16-00505	40	10	14.08	0.660	00505-4
16-00506	40	10	16.00	0.660	00506-1
16-00507	41	4	19.58	0.660	00507-8
16-00508	41	2	14.52	0.440	00508-5
16-00509	41	1	15.00	0.370	00509-2
16-00510	41	4	24.00	0.650	00510-8
16-00511	41	2	24.00	0.690	00511-5
16-00516	41	10/50	7.000	0.750	00516-0
16-00526	40	10	13.00	0.730	01126-0
16-00548	41	2/10			00548-1
16-00549	41	2/10			00549-5
16-00550	42	10/100	21.00	0.540	00550-4
16-00551	42	10/100	22.00	0.540	00551-1
16-00552	43	10	6.60	0.300	00552-8
16-00553	43	10	6.60	0.300	00553-5
16-00554	43	10	14.90	0.660	00554-2
16-00555	43	10	14.08	0.660	00555-9
16-00557	43	4			00557-3
16-00558	43	2	14.77	0.600	00558-0
16-00559	43	1			00559-7
16-00561	43	2	24.25	0.710	00561-0
16-00562	43	2	72.75	2.330	00562-7
16-00563	43	2	35.27	1.200	00563-4
16-00564	43	10	5.95	0.460	00564-1
16-00565	43	10	5.95	0.460	00565-8
16-00566	43	10	79.36	2.430	00566-5
16-00567	44	1	24.25	0.710	00567-2
16-00568	42	10			00568-9
16-00569	42	10			00569-6
16-00570	42	10			00570-2
16-00571	42	10			00571-9
16-00580	42	10/50			00580-1
16-00581	42	10/50			00581-8
16-00582	42	10/50			00582-5
16-00583	42	10/50			00583-2
16-00584	41	2			00584-9
16-00585	41	2			00585-6
16-00586	41	2			00586-3
16-00587	41	2			00587-0
16-00588	41	2			00588-7
16-00589	41	2			00589-4
16-00590	41	10			00590-0
16-00591	41	10			00591-7
16-00592	41	10			00592-4t



Order by Phone Monday-Friday, 7 AM to 5 PM PST

**1-866-4-VOLTEC** (865832)

Email: [customer\\_service@voltec-industries.com](mailto:customer_service@voltec-industries.com)

For Complete Resource Visit Our Website

[www.voltec-industries.com](http://www.voltec-industries.com)

**Corporate Office**  
 13885 Ramona Avenue  
 Chino, CA 91710  
 909.606.1991 tel  
 909.606.0281 fax

**Regional Distribution  
 Warehouses**

Chino, California  
 Denver, Colorado  
 Orlando, Florida  
 Chicago, Illinois  
 Kansas City, Missouri  
 Newark, New Jersey  
 Charlotte, North Carolina  
 Pittsburgh, Pennsylvania  
 Salt Lake City, Utah  
 Seattle, Washington



**Retractable Cord Reel with 3-Outlet Connector**

30 feet  
 16 AMP