

# HPE FLEXFABRIC 5940 48XGT 6QSFP28 SWITCH (JH391A)

## **Fixed Port L3 Managed Ethernet Switches**



## WHAT'S NEW

- HPE FlexFabric Network Analytics solution provides network visibility and all information to run the network at its optimal performance.
- VXLAN Layer 2 and Layer 3 gateway support.
- Pre-configured switch bundles for deployment in the campus aggregation and core.
- Comware 7 advanced modular operating system designed for high availability.
- IRF supports of up to nine switches simplifies management by up to 88%.
- EVPN, OpenFlow and SDN automate manual tasks and speed service delivery.

### **OVERVIEW**

The HPE FlexFabric 5940 Switch Series is a family of highperformance and low-latency 10GbE and 40GbE top-of-rack (ToR) data center switches. The 5940 Switch includes 100G uplink technology which is part of the HPE FlexFabric data center solution and is a cornerstone of the FlexNetwork architecture.

The 5940 Switch is suited for deployment at the aggregation or server access layer of large enterprise data centers or at the core layer of medium-sized enterprises. It is optimized for highperformance server connectivity, convergence of Ethernet and storage traffic, and virtual environments.

## FEATURES

## High-Density, Advanced, Data Center Switches with HPE FlexFabric Network Analytics

The HPE FlexFabric 5940 Switch Series enables customers to scale their serveredge 10/40/100GbE ToR deployments with high-density 48 x 10GbE (SFP or BASE-T) with 6 x 40GbE ports, 48 x 10GbE (SFP or BASE-T) with 6 x 100GbE ports, and 32 x 40GbE ports, delivered in a 1RU design. The HPE FlexFabric 5940 Switch Series is also available with a 2-slot modular version delivering 2 40GbE ports and a 4-slot modular version with 4 40GbE ports.

The HPE 5940 Switch Series includes HPE FlexFabric Network Analytics which in conjunction with the HPE IMC Virtual Application Networking Fabric Manager delivers real time visibility of microburst network congestion which negatively impacts overall network operations and performance.

#### **High-Performance Data Center Switching**

The HPE FlexFabric 5940 Switch Series delivers up to 2.56 Tbps switching capacity for the most demanding data center applications.

It supports up to 1904 MPPS throughput for data-intensive environments.

Low latency, under 1s for 40GbE, gives your network increased throughput.

VXLAN support for network virtualization and overlay solutions for improved flexibility. Includes Open vSwitch Database (OVSDB) for dynamic VXLAN tunnel management.

#### **Business Agility and Resilience with Comware 7**

The HPE FlexFabric 5940 Switch Series delivers Hewlett Packard Enterprise Intelligent Resilient Fabric (IRF) <50 msec convergence time enabling faster application response time.

The In Service Software Update (ISSU) enables high availability with modular updates accomplished without a reboot or power cycle, in the background.

#### Simplicity and Lower TCO

HPE FlexFabric 5940 Switch Series simplifies switch management by up to 88% with 9-unit Intelligent Resilient Fabric (IRF).

No hidden costs with simple one license per switch for all OS features.

All switch ports are active and ready to use without need for activation licenses.

## Technical specifications

## HPE FlexFabric 5940 48XGT 6QSFP28 Switch

Product Number (SKU)	JH391A
Differentiator	48 10GBASE-T copper and 6 QSFP28 ports, dual hot-pluggable power supply and fan tray slots, and ultra-low-latency. It is ideally suited for deployment at the server access layer in large enterpris
Ports	(48) 1/10GBASE-T ports (6) QSFP28 100GbE ports
Memory and processor	1 GB flash Packet buffer size: 16 MB 4 GB SDRAM
Latency	10 Gbps Latency: < 1 µs
Throughput	up to 1607 Mpps
Routing/switching capacity	2160 Gbps
Stacking capabilities	IRF 9 switches
Management features	IMC - Intelligent Management Center Command-line interface Out-of-band management SNMP manager Telnet FTP
Input voltage	100 - 240 VAC, rated -40 to -60 VDC, rated (depending on power supply chosen)
Operating humidity range	10 to 90% (noncondensing)
Power Consumption	320 W (maximum)
Heat dissipation	887 BTU/hr (935.79 kJ/hr)
Product Dimensions (metric)	44 x 66 x 4.36 cm
Weight	13 kg

### **HPE POINTNEXT SERVICES**

Most, if not all IT organizations are on a digital transformation journey — each at a different stage. With over 11,000 IT projects conducted and 1.4 million customer interactions each year, <u>HPE Pointnext Services</u>' 15,000+ experts and its vast ecosystem of solution partners and channel partners are uniquely able to help you at every stage of your digital transformation. We bring together technology and expertise to help you drive your business forward and prepare for whatever is next.

Advisory and Professional Services help you accelerate your digital transformation. <u>Operational Services</u> help you remove complexity and respond rapidly to business demands.

#### **Operational Services from HPE Pointnext Services**

<u>HPE Pointnext Tech Care</u> provides fast access to product-specific experts, an Al-driven digital experience, and general technical guidance to help enable constant innovation. We have reimagined IT support from the ground up to deliver faster answers and greater value. By continuously searching for better ways to do things—as opposed to just fixing things that break—HPE Pointnext Tech Care helps you focus on achieving your business goals.

- **HPE Datacenter Care** helps modernize and simplify IT operations. Partner with an assigned account team, access technical expertise, an enhanced call experience gives you priority access, choose hardware and software support, implement proactive monitoring to help stay ahead of issues, and access HPE IT best practices and IP.
- HPE Proactive Care offers an enhanced call experience and helps reduce problems with personalized proactive reports and advice. This also includes collaborative software support for Independent Software Vendors (ISVs), (Red Hat, VMWare, Microsoft, etc.). Read more
- **HPE Foundation Care** helps when there is a problem and has a choice of response levels. Collaborative software support is included and provides troubleshooting help for ISVs running on your server. <u>Read more.</u>

#### **Other related services**

**Defective Media Retention** is optional and applies only to Disk or eligible SSD/Flash Drives replaced by HPE due to malfunction.

**HPE Service Credits** offers a menu of technical services, access additional resources, and specialist skills.

**HPE Education Services** delivers a comprehensive range of services to support your people as they expand their skills required for a digital transformation.

Consult your HPE Sales Representative or Authorized Channel Partner of choice for any additional questions and support options.

For additional technical information, available models and options, please reference the QuickSpecs

## HPE GREENLAKE

<u>HPE Greenlake</u> is HPE's market-leading IT as-a-Service offering that brings the cloud experience to apps and data everywhere – data centers, multi-clouds, and edges – with one unified operating model. HPE GreenLake delivers public cloud services and infrastructure for workloads on premises, fully managed in a pay per use model.

If you are looking for more services, like **IT financing solutions**, please explore them here.

#### Make the right purchase decision. Contact our presales specialists.

Find a partner



Buy now	Ш.
Share now	
Get updates	



© Copyright 2021 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Parts and Materials: HPE will provide HPE-supported replacement parts and materials required to maintain the covered hardware.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

Image may differ from the actual product PSN1009148990CZEN, July, 2021.