


VISION

AV installation products



Lifetime
warranty

Smart, Reliable, Technical.



Vision

Smart design in the smallest detail of our products.

Smart installation. Installers only have two hands so we make sure you don't have to be an octopus to install our products.

Smart



Mount Finder

Enter part of the flat panel part number and get a short list of your mount options.



Cable Finder

Narrow down which cable you need in 30 seconds.



Techconnect configurator

Need help figuring out which parts you need to make up a faceplate? No problem.

Reliable



Reliable vendor

We won't ignore your e-mails when you need help. We are very reactive.



Reliable stock levels

We try really hard to always have what you need in stock, and we measure our success; 95% of the time we have what you order.



Reliable product

Lifetime warranty. We benchmark our reliability against other manufacturers so we are not just guessing, we know our products are extremely reliable.

Technical



Technical staff

They know the products, and know the challenges installers face.



Technical product


Our product development team are always pushing technical limits to offer integrators products that simplify solutions.



Easy installation through design

Our products are designed by AV engineers and are adaptable onsite.

Vision Master Warehouse Locations



“

We obsess over the detail, so if you spot a way we can make a product better please let us know.


This will go to a real person and you'll get an immediate reply.

”

Stuart Lockhart, Managing Director



Lifetime
warranty



Over 300,000 meeting rooms around the world use Vision's extremely reliable products.




Vision has benchmarked itself against some of the world's largest electronics manufacturers and has a world-class reliability record.

We made RELIABLE a key word because we are passionate about making our products even more reliable.



If you have feedback that could help make our products better, we want to hear it!

vav.link/lifetime-warranty



Faceplates

- > Faceplate Packages
- > Modules
- > Cables
- > Mounting Hardware
- > Table Faceplate
- > Control Module
- > 50w Amplifier



Techconnect faceplate configurator

Select the products and parts you need to see a visual representation of your end product.

vav.link/fc



Lifetime
warranty

Wall-Mount Faceplate Package

Part of the Techconnect 3 system

Techconnect is a modular audio-visual faceplate family engineered especially for AV installers. A "surround" fits to a backbox (or "mudring" if your wall is hollow), then the modules fix in place to complete the installation. For 99% of professional AV installations the same set of modules are required, so Vision offer a simple package that contains a basic selection of modules as a starting point. Just select the length of the cable package you need to go with it.

TC3-PK EU SAP: 3446594
US SAP: 12939494

Module Package Contents

Mounting Hardware:

1 x 2-Gang UK Backbox TC3
BACKBOX2G [SAP:3446598]

1 x 2-Gang Surround TC3 SURR2G
[SAP:3446603]

Modules:


1 x VGA with MiniJack TC3 VGAF3.5MM
[SAP:3446585]

1 x USB (B-type on front) TC3 USBB
[SAP:3446581]

1 x HDMI TC3 HDMI [SAP:3446573]

3 x Blanks TC3 BLANK [SAP:3446572]

Comes with your choice of complementary Cable Lengths



vav.link/tc3-pk



Matt White

Pure white with a chiselled profile, Techconnect3 also has 11 mm of flat space above and below the connectors for information or company branding stickers.



Screw-In Modules

The modules have a tab that hooks into the surround at the bottom, then a couple of turns of the pre-installed screws locks the modules into place.



Stronger

Techconnect3 has shorter modules and extra ribbing to reduce module flex. On parts where flex is desirable to avoid shattering ABS plastic is used.



Improved Fit and Finish

Techconnect3 has more space behind the modules stash cables, and narrower and more even gaps between modules.



TC3 50w Amplifier

TC3-AMP / EU SAP: 3446595 / US SAP: 12939499

Extremely small 2 x 25 w (RMS) at 8 ohms
Digital Amp
2 x Stereo inputs (Input 1 duplicated on front and rear)
IR Remote control included

vav.link/tc3-amp



TC3 Control Module

TC3-CTL / EU SAP: 3446596 / US SAP: 12939501

Control projectors etc via IR, RS-232, RS-485, and 12V
Schedule commands
Powered by mains power or batteries

vav.link/tc3-ctl



TC3 Minijack Module (phoenix on rear)

TC3 3.5MM/V2 / EU SAP: 5354529 / US SAP: 14556663

Occupies 1 module space
Ideal for use with stereo audio cable
Phoenix connector at rear
Pass-through on rear
Input on front disconnects rear input

vav.link/tc3_3-5mm-v2




TC3 Blank Module

TC3 BLANK / EU SAP: 3446572 / US SAP: 12980822

Simple blank modules for blanking off unused slots in the surround
Occupies 1 module space

vav.link/tc3_blank



TC3 Brush Module

TC3 BRUSH / EU SAP: 4726966 / US SAP: 13333558

Simple double-width module with hole for pulling cables out
Brushes over 42 x 22 mm (1.65" x 0.87") cable aperture
Occupies 2 module spaces

vav.link/tc3_brush



TC3 HDMI Module

TC3 HDMI / EU SAP: 3446573 / US SAP: 12980823

HDMI module v2.0 (4K)
Includes short cable at rear with female HDMI connector
Carries digital audio and video over one cable
Occupies 1 module space

vav.link/tc3_hdmi



TC3 HDMI+ Module

TC3 HDMI+ / EU SAP: 7345515

HDMI module v2.0 (4K)
Includes short cable at rear with female HDMI connector
Booster inline
Thicker copper to solve problem installations

vav.link/tc3_hdmiplus




TC3 UK Power Socket Module

TC3 PWRUK / EU SAP: 4875953

Occupies 3 module spaces
Grounded UK power socket
Ideal for table applications in Vision's table faceplate

vav.link/tc3_pwruk



TC3 RJ45 Module

TC3 RJ45 / EU SAP: 3446576 / US SAP: 12980826

Occupies 1 module space
RJ45 socket at rear

vav.link/tc3_rj45




TC3 4-port Barewire Speaker Module

TC3 SPEAKER / EU SAP: 3446578 / US SAP: 12980828

Ideal for speaker cables
Spring terminals at rear, which are quick and secure
Occupies 1 module space

vav.link/tc3_speaker



TC3 USB-A to USB-B Module

TC3 USBA / EU SAP: 3446580 / US SAP: 12980830

"B" type socket on the rear as found on a printer chassis
"A" type socket on front as found on a laptop chassis
Occupies 1 module space
USB 3.0

vav.link/tc3_usba



TC3 USB-B to USB-A Module

TC3 USBB / EU SAP: 3446581 / US SAP: 12980831

"A" type socket on the rear as found on a laptop chassis
"B" type socket on the front as found on a printer chassis
Occupies 1 module space
USB 3.0

vav.link/tc3_usbb



TC3 USB-B to USB-A Module with active booster circuit

TC3 USBB+ / EU SAP: 3446582 / US SAP: 12980832

"B" type socket on the front as found on a printer chassis
"A" type socket on the rear as found on a laptop chassis
Active circuit uses 5v carried on USB to boost signal
Occupies 1 module space
USB 3.0

vav.link/tc3_usbbplus



Techconnect USB-C module

TC3 USBC / EU SAP: 4783744 / US SAP: 13517033

"C" type socket on the front
Tail on rear with HDMI and USB-A sockets
HDMI 4K @ 60 Hz
USB 3.0
Active circuit boosts signals

vav.link/tc3_usbc



TC3 VGA and Audio Module (phoenix on rear)

TC3 VGAF3.5MM / EU SAP: 3446585 / US SAP: 12980837

Female 15-pin D-sub connector for PC output
With a 3.5mm Minijack socket for stereo audio
Phoenix connector at rear
Not labeled
Occupies 1 module space



TC3 VGA and Audio Module

TC3 VGAF3.5MMD / EU SAP: 3446586 / US SAP: 12980818

Female 15-pin D-sub connector for PC output
With a 3.5mm Minijack socket for stereo audio
Female D-Sub (VGA connector) on rear instead of phoenix connector
Not labeled
Occupies 1 module space

vav.link/tc3_vgaf3-5mmd



TC3 VGA Module (phoenix on rear)

TC3 VGAF / EU SAP: 3446584 / US SAP:
12980835

Female 15-pin D-sub connector for PC output
Phoenix connector at rear
Occupies 1 module space

vav.link/tc3_vgaf



TC3 VGA Module

TC3 VGAFD / EU SAP: 3498783 / US SAP:
12980836

Female 15-pin D-sub connector for PC output
Female D-Sub (VGA connector) on rear instead
of phoenix connector
Occupies 1 module space

vav.link/tc3_vgafd



White HDMI Cable

High-Speed White HDMI Cable with Ethernet. Compact gold-plated connector. Tested to Category 2.

0.5m (1.6ft)

TC 0.5MHDMI / EU SAP: 3058973 / US SAP: 12939552

vav.link/tc_0-5mhdmi

1.5m (4.9ft)

TC 1.5MHDMI / EU SAP: 4500873 / US SAP: 13041725

vav.link/tc_1-5mhdmi

3m (9.8ft)

TC2 3MHDMI / EU SAP: 3000666 / US SAP: 12939521

vav.link/tc2_3mhdmi

10m (32.8ft)

TC2 10MHDMI / EU SAP: 2746864 / US SAP: 12939462

vav.link/tc2_10mhdmi

20m (65.6ft)

TC 20MHDMI+ / EU SAP: 4842771 / US SAP: 13445533

vav.link/tc_20mhdmiplus

1m (3.2ft)

TC 1MHDMI / EU SAP: 3058974 / US SAP: 12939589

vav.link/tc_1mhdmi

2m (6.5ft)

TC 2MHDMI / EU SAP: 3265151 / US SAP: 12939586

vav.link/tc_2mhdmi

5m (16.4ft)

TC2 5MHDMI / EU SAP: 2746863 / US SAP: 12939525

vav.link/tc2_5mhdmi

15m (49.2ft)

TC2 15MHDMI / EU SAP: 2746865 / US SAP: 12939465

vav.link/tc2_15mhdmi

30m (98.4ft)

TC 30MHDMI+ / EU SAP: 4842772 / US SAP: 13445534



White USB 2.0 Cable

USB-A is the type of connector which plugs into your laptop. USB-B is the end that plugs into your printer.

High quality braided shield and ferrite core connector at both ends to shield against EMF and RF interference.

*10m+ models have an in-line active booster (48 mm / 1.9" long x 25 mm / 0.98" wide) integrated half way along cable.

When used with Vision's Techconnect modular faceplate, we recommend using the TC2 USB+ active booster module with all cables longer than 5m (16.4 ft).

10m (32.8ft)

TC 10MUSB+/2 / EU SAP: 7428313

vav.link/tc_10musbplus-2

15m (49.2ft)

TC 15MUSB+/2 / EU SAP: 7419234

vav.link/tc_15musbplus-2

1m (3.2ft)

TC 1MUSB / EU SAP: 3265177 / US SAP: 12939570

vav.link/tc_1musb

2m (6.5ft)

TC 2MUSB / EU SAP: 3265178 / US SAP: 12939571

vav.link/tc_2musb

3m (9.8ft)

TC2 3MUSB / EU SAP: 3004700 / US SAP: 12939522

vav.link/tc2_3musb

5m (16.4ft)

TC2 5MUSB / EU SAP: 3004951 / US SAP: 12939526

vav.link/tc2_5musb

10m (32.8ft)

TC2 10MUSB+ / EU SAP: 3244188 / US SAP: 12939463

vav.link/tc2_10musbplus

15m (49.2ft)

TC2 15MUSB+ / EU SAP: 3004953 / US SAP: 12939466

vav.link/tc2_15musbplus



White VGA to Phoenix Cable

A moulded connector on one end, and a male phoenix connector on the other end which can be plugged directly into the rear of module.

3m (9.8ft)

TC2 3MVGA / EU SAP: 3000667 / US SAP: 12939523

5m (16 ft)

TC2 5MVGA / EU SAP: 2042118 / US SAP: 12939527

vav.link/tc2_5mvga

10m (33 ft)

TC2 10MVGA / EU SAP: 1461166 / US SAP: 12939464

vav.link/tc2_10mvga

15m (49.2ft)


TC2 15MVGA / EU SAP: 1461168 / US SAP: 12939467

vav.link/tc2_15mvga

20m (65.6ft)

TC2 20MVGA / EU SAP: 1461174 / US SAP: 12939469

vav.link/tc2_20mvga



TC3 Table Faceplate

TC3 SURRTB / EU SAP: 4875951 / US SAP: 13445531

Fits into table
Chassis and surround included
Accommodates up to 9 modules (not included)
Very high quality fit and finish
Matt black

vav.link/tc3_surrtb



TC3 UK 1-Gang Surface-Mount Backbox

TC3 BACKBOX1G / EU SAP: 3446597 / US SAP: 12939508

Fixes single-gang Techconnect surround to walls.
Surface Mount

vav.link/tc3_backbox1g



TC3 UK 1-Gang Surround

TC3 SURR1G / EU SAP: 3446602 / US SAP: 12939513

Single-gang frame which accommodates two modules (not included)
Fits to any standard single-gang UK backbox (pattress) or mudring

vav.link/tc3_surr1g



TC3 Belgian 65mm Surround

TC3 SURRBE65 / EU SAP: 3446591 / US SAP: 12939519

Frame which accommodates four modules (not included)
Fits to standard 65mm/ 2.56" Le Grand trunking

vav.link/tc3_surrbe65




TC3 UK 2-Gang Drywall Mudring

TC2 MUDRING2G / EU SAP: 1643908 / US SAP: 12939512

Fixes double-gang Techconnect surround into hollow dry walls
Flush Mount

vav.link/tc2_mudring2g



TC3 UK 2-Gang Surface-Mount Backbox

TC3 BACKBOX2G / EU SAP: 3446598 / US SAP: 12939509

Fixes double-gang Techconnect surround to walls.
Surface Mount

vav.link/tc3_backbox2g



TC3 UK 2-Gang Surround

TC3 SURR2G / EU SAP: 3446603 / US SAP: 12939514

Double-gang frame which accommodates five modules (not included)
Fits to any standard double-gang UK backbox (pattress) or mudring

vav.link/tc3_surr2g

TC3 Table Faceplate

Part of the Techconnect 3 system

Part of Vision's Techconnect modular AV faceplate family, this table surround allows seamless AV integration into boardroom and meeting room tables.



Tactile Quality

Lift the lid and feel the weight. Strong, finely finished materials have been selected to make this product.



Cable Tie Points

Vision takes ease of installation seriously. Installers will enjoy multiple 6 mm / 0.23" fixing holes for securing cables underneath the chassis.



Plug In And Close

A 15 mm / 0.6" gap around the lid means you can plug-in or pull-up, then close the lid to get back table space for your meeting.



9-Module Capacity

Mix and match the modules you need in a future-proof enclosure.



A4

The bezel is very similar in size to an A4 piece of paper – slightly narrower.



Optional Power Sockets

Choose Vision's Schuko (EU) or 1363 (UK) power socket modules (Part numbers TC3 PWREU or TC3 PWRUK).



Slow-Close

Throw the lid closed and a damper slows the lid, closing silently.



Lifetime warranty



TC3 SURRTB EU SAP: 4875951 US SAP: 13445531

Fits into table

Chassis and surround included

Accommodates up to 9 modules (not included)

Very high quality fit and finish

Matt black

vav.link/tc3_surrtb



Lifetime warranty

TC3 Control Module

Part of the Techconnect 3 system

Techconnect Control is the most flexible professional AV control device available. This simple control panel controls all of your AV equipment – projectors, flat panels, amplifiers, and screens – simultaneously and only presents users with the functions they use every day. No tech support calls and no losing remote controls. All in a secure Techconnect module. Perfect for presentation rooms or meeting spaces.

TC3-CTL EU SAP: 3446596
US SAP: 12939501

Control projectors etc via IR, RS-232, RS-485, and 12V

Schedule commands

Powered by mains power or batteries

vav.link/tc3-ctl



Simple Setup Mode

Hold down the two middle buttons to put into learn mode, point the original device remote at the front of the Control and program a code per button.



Extension Keypad

If more than six buttons are required the software allows you to add another Control as an extension keypad.



Code Library

An integrated library of IR and RS-232 codes speed programming up. For example if you learn the codes for a projector those codes will be automatically uploaded to the database so that the next installer who needs those codes will find them in the software library.



Battery

The Control comes with a mains power adaptor, but can also be powered by 2 x AAA batteries (not included).



Duplication

Programs can be saved to a PC making duplication for a roll out simple.



Delay

Commands can be delayed up to 60 seconds. For example when you turn a projector on it takes time to warm up so the motorised screen doesn't come down until the projector is ready.



Labels

Clear caps unclip off the buttons from the front to allow label changes.



Easy Wiring

To speed up installation it comes with a short 9-pin serial cable which plugs into the phoenix port on the Control.



Backlit buttons

Backlit buttons are easy to read.



Advanced Setup Mode

Connect to a PC and use the included software to allocate multiple RS-232, IR, and 12v triggers to each button.



Scheduling

Once programmed a schedule can be setup. e.g. turn the digital signage in a store off at midnight every night.

TC3 50w Amplifier

Part of the Techconnect 3 system



Lifetime warranty



Front Panel Input

Two Inputs are wired into the rear with removable phoenix connectors, but Input 1 is also duplicated on the front panel with a minijack socket for convenience. This "half-normalled" input disconnects.



Power Four Speakers

Don't let size deceive you: this Amp can drive into a 4 ohm load allowing you to power up to four 8 ohm speakers (or two 4 ohm speakers).



Remote Control

A remote control is included and IR receivers are positioned on the front and rear for integration with a control system such as the Techconnect Control. Note: there is no tone control with this amplifier. Our spare remote controls have tone buttons but they do not work with this product.



Close at Hand

Can be positioned anywhere in the room making it perfect for training rooms, boardrooms, and classrooms.



D-Class Amplifier

Digital amplifiers use no power unless they are amplifying program, so even on at full volume; unless it is receiving input it is effectively off. Digital amplifiers also have the advantage of running cold so a bulky heatsink is not necessary.



Integrated Techconnect Family

Included is a single-gang backbox and surround, or alternatively you can mount it in a double-gang surround with other Techconnect modules.



Preset Memory

By default when power is activated the Techconnect Amp turns on and resumes the most recent settings. For hospitality applications it can be set to return to a preset input and level whenever it is powered on – for example in hotel guest rooms.



Secure

Ideal when you don't have furniture to sit an amplifier on, and because it is mounted to the wall it is much less obvious as a target for theft.



Easy to Install and Uninstall

A robust module that is easy to install or remove and disconnect from the front. Removable phoenix connectors allow non-technical end users to uninstall it very easily if required.



Tactile Dial

A simple clear control interface makes the product easy to use long press on the dial to power on and off. Short press to change input.

By using latest low-impedance digital amplifier chip technology the new Techconnect Amp module outputs a massive 2 x 25 watts RMS (at 8 ohms) but fits into the space of a double-space Techconnect module.

Suited to meeting spaces, museums, and presentation suites.

TC3-AMP EU SAP: 3446595

US SAP: 12939499

TC3-AMP+SP-1800 EU SAP: 3692237

US SAP: 70017401

TC3-AMP+CS-1900 EU SAP: 5356158

Extremely small 2 x 25 w (RMS) at 8 ohms

Digital Amp


2 x Stereo inputs (Input 1 duplicated on front and rear)

IR Remote control included

vav.link/tc3-amp



Build your own faceplate using our Techconnect Faceplate Configurator



Select the products and parts you need to see a visual representation of your end product and create a shopping list with **all the technical details.**

Your shopping list




TC3 Minijack Module
(phoenix on rear)



TC3 3-Phono [RCA] Module
(phoenix on rear)




TC3 HDMI Module



TC3 VGA and Audio Module
(phoenix on rear)



TC3 Dual RJ45 Module
(bare-wire on rear)



TC3 4-port Barewire
Speaker Module





















Print


















Download

vav.link/fc









Modules

Product	Part Number	Info	Link
 TC3 50w Amplifier	TC3-AMP		vav.link/tc3-amp
 TC3 Control Module	TC3-CTL		vav.link/tc3-ctl
 TC3 Minijack Module (phoenix on rear)	TC3 3.5MM/V2		vav.link/tc3_3-5mm-v2
 TC3 Blank Module	TC3 BLANK		vav.link/tc3_blank
 TC3 Brush Module	TC3 BRUSH		vav.link/tc3_brush
 TC3 HDMI Module	TC3 HDMI		vav.link/tc3_hdmi
 TC3 HDMI+ Module	TC3 HDMI+		vav.link/tc3_hdmiplus
 TC3 UK Power Socket Module	TC3 PWRUK		vav.link/tc3_pwruk
 TC3 RJ45 Module	TC3 RJ45		vav.link/tc3_rj45
 TC3 4-port Barewire Speaker Module	TC3 SPEAKER		vav.link/tc3_speaker
 TC3 USB-A to USB-B Module	TC3 USBA		vav.link/tc3_usba
 TC3 USB-B to USB-A Module	TC3 USBB		vav.link/tc3_usbb
 TC3 USB-B to USB-A Module with active booster circuit	TC3 USBB+	Connector: USB-A (female); USB-B (female)	vav.link/tc3_usbbplus
 Techconnect USB-C module	TC3 USBC		vav.link/tc3_usbc
 TC3 VGA and Audio Module (phoenix on rear)	TC3 VGAF3.5MM		vav.link/tc3_vgaf3-5mm
 TC3 VGA and Audio Module	TC3 VGAF3.5MMD		vav.link/tc3_vgaf3-5mmd
 TC3 VGA Module (phoenix on rear)	TC3 VGAF		vav.link/tc3_vgaf
 TC3 VGA Module	TC3 VGAFD		vav.link/tc3_vgafd







Cables

Product	Part Number	Info	Link
 White VGA to Phoenix Cable 5m (16 ft)	TC2 5MVGA	Colour: White Connector: VGA (male) Length: 5m (16ft)	vav.link/tc2_5mvga
 White VGA to Phoenix Cable 10m (33 ft)	TC2 10MVGA	Colour: White Connector: VGA (male) Length: 10m (33ft)	vav.link/tc2_10mvga
 White VGA to Phoenix Cable 15m (49.2ft)	TC2 15MVGA	Colour: White Connector: VGA (male) Length: 15m (49ft)	vav.link/tc2_15mvga
 White HDMI Cable 3m (9.8ft)	TC2 3MHDMI	Colour: White Connector: HDMI (male) Length: 3m (10ft)	vav.link/tc2_3mhdmi
 Black HDMI Cable 3m (9.8ft)	TC 3MHDMI/BL	Colour: Black Connector: HDMI (male) Length: 3m (10ft)	vav.link/tc_3mhdmi-bl
 White HDMI Cable 5m (16.4ft)	TC2 5MHDMI	Colour: White Connector: HDMI (male) Length: 5m (16ft)	vav.link/tc2_5mhdmi
 Black HDMI Cable 5m (16.4ft)	TC 5MHDMI/BL	Colour: Black Connector: HDMI (male) Length: 5m (16ft)	vav.link/tc_5mhdmi-bl
 White HDMI Cable 10m (32.8ft)	TC2 10MHDMI	Colour: White Connector: HDMI (male) Length: 10m (33ft)	vav.link/tc2_10mhdmi
 Black HDMI Cable 10m (32.8ft)	TC 10MHDMI/BL	Colour: Black Connector: HDMI (male) Length: 10m (33ft)	vav.link/tc_10mhdmi-bl
 White HDMI Cable 15m (49.2ft)	TC2 15MHDMI	Colour: White Connector: HDMI (male) Length: 15m (49ft)	vav.link/tc2_15mhdmi
 Black HDMI Cable 15m (49.2ft)	TC 15MHDMI/BL	Colour: Black Connector: HDMI (male) Length: 15m (49ft)	vav.link/tc_15mhdmi-bl
 White USB 2.0 Cable 3m (9.8ft)	TC2 3MUSB	Colour: White Connector: USB-A (male); USB-B (male) Length: 3m (10ft)	vav.link/tc2_3musub
 Black USB 2.0 Cable 3m (9.8ft)	TC 3MUSB/BL	Colour: Black Connector: USB-A (male); USB-B (male) Length: 3m (10ft)	vav.link/tc_3musub-bl
 White USB 2.0 Cable 5m (16.4ft)	TC2 5MUSB	Colour: White Connector: USB-A (male); USB-B (male) Length: 5m (16ft)	vav.link/tc2_5musub
 Black USB 2.0 Cable 5m (16.4ft)	TC 5MUSB/BL	Colour: Black	vav.link/tc_5musub-bl

Cables

Product	Part Number	Info	Link
		Connector: USB-A (male); USB-B (male) Length: 5m (16ft)	
	TC 10MUSB+/2	Colour: White Connector: USB-A (male); USB-B (male) Length: 10m (33ft)	vav.link/tc_10musbplus-2
	TC 10MUSB+/BL/2	Colour: Black Connector: USB-A (male); USB-B (male) Length: 10m (33ft)	vav.link/tc_10musbplus-bl-2
	TC2 15MUSB+	Colour: White Connector: USB-A (male); USB-B (male) Length: 15m (49ft)	vav.link/tc2_15musbplus
	TC 15MUSB+/2	Colour: White Connector: USB-A (male); USB-B (male) Length: 15m (49ft)	vav.link/tc_15musbplus-2
	TC 15MUSB+/BL	Colour: Black Connector: USB-A (male); USB-B (male) Length: 15m (49ft)	vav.link/tc_15musbplus-bl
	TC 15MUSB+/BL/2	Colour: Black Connector: USB-A (male); USB-B (male) Length: 15m (49ft)	vav.link/tc_15musbplus-bl-2
	TC2 20MVGA	Colour: White Connector: VGA (male)	vav.link/tc2_20mvga

Mounting Hardware

Product	Part Number	Info	Link
	TC3 BACKBOX1G	Colour: White	vav.link/tc3_backbox1g
	TC3 BACKBOX2G	Colour: White	vav.link/tc3_backbox2g
	TC2 MUDRING2G		vav.link/tc2_mudring2g
	TC3 SURR1G	Colour: White	vav.link/tc3_surr1g
	TC3 SURR2G		vav.link/tc3_surr2g
	TC3 SURRTB		vav.link/tc3_surrtb



Extenders

- > HDMI-Over-IP
- > HDMI Switcher
- > Wireless HDMI, mDP, and USB-C
- > HDMI-over-IP Matrix



HDMI Switcher

TC-HDMI31 / EU SAP: 4053413 / US SAP: 12939503

RS-232 and remote control
4K2K at up to 60Hz
HDMI v2.0,
3 inputs / 1 output

vav.link/tc-hdmi31



HDMI-over-IP Transmitter

TC-HDMIIPTX/V2 / EU SAP: 6243779 / US SAP: 14556654

vav.link/tc-hdmiiptx-v2



HDMI-over-IP Receiver

TC-HDMIIPRX/V2 / EU SAP: 6243780 / US SAP: 14556609

vav.link/tc-hdmiiprx-v2



HDMI-over-IP Transmitter

TC-HDMIPTX/3 / EU SAP: 6862537

vav.link/tc-hdmiiptx-3



HDMI-over-IP Receiver

TC-HDMIIPRX/3 / EU SAP: 6862534

vav.link/tc-hdmiiprx-3



HDMI-over-IP Transmitter

TC-MATRIXTX / EU SAP: 4631209 / US SAP: 13293711

vav.link/tc-matrixtx



HDMI-over-IP Receiver

TC-MATRIXRX / EU SAP: 4631210 / US SAP: 13293566






vav.link/tc-matrixrx



Wireless HDMI Matrix Rx


TC-HDMIWMRX / EU SAP: 4432257

vav.link/tc-hdmiwmrx

Product		Part Number	Info	Link
	HDMI Switcher	TC-HDMI31	RS-232 and remote control 4K2K at up to 60Hz HDMI v2.0, 3 inputs/1 output	vav.link/tc-hdmi31
	Wireless HDMI Matrix Rx	TC-HDMIWMRX		vav.link/tc-hdmiwmrx
	Digital Signage HDMI-over-IP Matrix	TC-MATRIX	Transmits HDMI over a network or Point-to-Point Plug-and-Play; no PC necessary for basic setup 4K @ 60Hz (H.264) Supports video walls up to 3x3	vav.link/tc-matrix
	Digital Signage HDMI-over-IP	TC-HDMIIP/V2	Distributes HDMI via a network H.265 compression One-to-One directly over a LAN or directly One-to-Many over LAN IR Pass-through	vav.link/tc-hdmiip-v2
	Digital Signage HDMI-over-IP	TC-HDMIIP/3	Distributes HDMI via a network H.265 compression One-to-One directly over a LAN or directly One-to-Many over LAN IR Pass-through USB 1.1 transmission	vav.link/tc-hdmiip-3



Cables



Cable finder

Search our comprehensive range of cables by Connector Type, Length and Color.

vav.link/cf

- > Audio Cables
- > DisplayPort Cables & Adaptors
- > USB Cables & Adaptors
- > Fibre Data Cables
- > CAT6 Ethernet Cables
- > HDMI Cables & Adaptors
- > USB-C Cables & Adaptors
- > Power Cables
- > Serial Cables & Adaptors
- > VGA Cables & Adaptors



White Minijack Cable

This simple patch cable connects your phone or laptop to most audio systems. Minijacks are also known as 1/8", or TRS jack (tip-ring-sleeve) and 3.5 mm / 0.14" jack. They carry a "line-level" signal.

Includes female-minijack to phoenix adaptor, to allow connection to rear of Techconnect modules.

1m (3.2ft)

TC 1M3.5MMP / EU SAP: 3546048 / US SAP: 12939457

vav.link/tc_1m3-5mmp

2m (6.6ft)

TC 2M3.5MMP / EU SAP: 3265183 / US SAP: 12939557

vav.link/tc_2m3-5mmp

3m (9.8ft)

TC 3M3.5MMP / EU SAP: 4500881 / US SAP: 14556657

vav.link/tc_3m3-5mmp

5m (16.4ft)

TC 5M3.5MMP / EU SAP: 4536894 / US SAP: 14556659

vav.link/tc_5m3-5mmp

10m (32.8ft)

TC 10M3.5MMP / EU SAP: 4536895 / US SAP: 14556660

vav.link/tc_10m3-5mmp

15m (49.2ft)

TC 15M3.5MMP / EU SAP: 4536896 / US SAP: 13041714

vav.link/tc_15m3-5mmp



Braided Minijack Cable 2m (6.6ft)

TC 2M3.5MMP/HQ / EU SAP: 4911582 / US SAP: 13557660

This simple patch cable connects your phone or laptop to most audio systems. Minijacks are also known as 1/8", or TRS jack (tip-ring-sleeve) and 3.5 mm / 0.14" jack. They carry a "line-level" signal.

vav.link/tc_2m3-5mmp-hq

DisplayPort Cable & Adaptors



White DisplayPort Cable

1m (3.2ft)

TC 1MDP / EU SAP: 3265160 / US SAP: 13041729

vav.link/tc_1mdp

3m (9.8ft)

TC 3MDP / EU SAP: 4500876 / US SAP: 14556655

vav.link/tc_3mdp

10m (32.8ft)

TC 10MDP / EU SAP: 4537083 / US SAP: 13041731

vav.link/tc_10mdp

2m (6.6ft)

TC 2MDP / EU SAP: 3265161 / US SAP: 12939574

vav.link/tc_2mdp

5m (16.4ft)

TC 5MDP / EU SAP: 3265162 / US SAP: 12939575

vav.link/tc_5mdp



Black DisplayPort

2m (6.6ft)

TC 2MDP/BL / EU SAP: 4911604 / US SAP: 13557571

vav.link/tc_2mdp-bl

3m (9.8ft)

TC 3MDP/BL / EU SAP: 4911605 / US SAP: 13557572

vav.link/tc_3mdp-bl



Black Mini-DisplayPort to HDMI Cable 2m (6.5ft)

TC 2MMDPHDMI/BL / EU SAP: 4911606 / US SAP: 13557573

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs.

Note that Thunderbolt® uses the Mini-DP connector. In addition to carrying DisplayPort signal Thunderbolt also carries data.

vav.link/tc_2mmdphdmi-bl



Black DisplayPort to HDMI Cable 1m (3.2ft)

TC 1MDPHDMI/BL / EU SAP: 4911607 / US SAP: 13557574

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs. NOT BI-DIRECTIONAL. DOES NOT CONVERT HDMI TO DP.

vav.link/tc_1mdphdmi-bl

DisplayPort Cable & Adaptors



Black DisplayPort to HDMI Cable 2m (6.5ft)

TC 2MDPHDMI/BL / EU SAP: 4911608 / US SAP: 13557575

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs. NOT BI-DIRECTIONAL. DOES NOT CONVERT HDMI TO DP.

vav.link/tc_2mdphdmi-bl



Black DisplayPort to HDMI Adaptor

TC-DPHDMI/BL / EU SAP: 4979292 / US SAP: 13557585

Plugs into DisplayPort and has full-sized HDMI socket. Active circuit allows PCs with or without Dual-Mode DisplayPort (DP++) to connect to displays with HDMI inputs. NOT BI-DIRECTIONAL. DOES NOT CONVERT HDMI TO DP.

vav.link/tc-dphdmi-bl



Black DisplayPort to VGA Adaptor

TC-DPVGA/BL / EU SAP: 4979137 / US SAP: 13557586

Plugs into DisplayPort on laptop and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

vav.link/tc-dpvga-bl



Black Mini-DisplayPort to VGA Adaptor

TC-MDPVGA/BL / EU SAP: 4979356 / US SAP: 13557590

Plugs into Mini-DisplayPort (also known as Thunderbolt) and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

vav.link/tc-mdpvga-bl



White Mini-DisplayPort to VGA Adaptor

TC-MDPVGA / EU SAP: 3265173 / US SAP: 12939566

Plugs into Mini-DisplayPort (also known as Thunderbolt) and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

vav.link/tc-mdpvga



White DisplayPort to VGA Adaptor

TC-DPVGA / EU SAP: 4507453 / US SAP: 13041732

Plugs into DisplayPort on laptop and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

vav.link/tc-dpvga



Black Mini-DisplayPort to HDMI Adaptor

TC-MDPHDMI/BL / EU SAP: 4979147 / US SAP: 13557589

Plugs into Mini-DisplayPort (also known as Thunderbolt) and has full-sized HDMI socket. Active circuit allows PCs with or without Dual-Mode DisplayPort (DP++) to connect to displays with HDMI inputs.

vav.link/tc-mdphdmi-bl



White USB 2.0 Cable

USB-A is the type of connector which plugs into your laptop. USB-B is the end that plugs into your printer.

High quality braided shield and ferrite core connector at both ends to shield against EMF and RF interference.

*10m+ models have an in-line active booster (48 mm / 1.9" long x 25 mm / 0.98" wide) integrated half way along cable.

When used with Vision's Techconnect modular faceplate, we recommend using the TC2 USB+ active booster module with all cables longer than 5m (16.4 ft).

10m (32.8ft)

TC 10MUSB+/2 / EU SAP: 7428313

vav.link/tc_10musbplus-2

15m (49.2ft)

TC 15MUSB+/2 / EU SAP: 7419234

vav.link/tc_15musbplus-2

1m (3.2ft)

TC 1MUSB / EU SAP: 3265177 / US SAP: 12939570

vav.link/tc_1musb

2m (6.5ft)

TC 2MUSB / EU SAP: 3265178 / US SAP: 12939571

vav.link/tc_2musb

3m (9.8ft)

TC2 3MUSB / EU SAP: 3004700 / US SAP: 12939522

vav.link/tc2_3musb

5m (16.4ft)

TC2 5MUSB / EU SAP: 3004951 / US SAP: 12939526

vav.link/tc2_5musb

10m (32.8ft)

TC2 10MUSB+ / EU SAP: 3244188 / US SAP: 12939463

vav.link/tc2_10musbplus

15m (49.2ft)

TC2 15MUSB+ / EU SAP: 3004953 / US SAP: 12939466

vav.link/tc2_15musbplus

White USB 2.0 Extension Cable



1m (3.2ft)

TC 1MUSBEXT / EU SAP: 3265181 / US SAP: 12939573

vav.link/tc_1musbext

2m (6.5ft)

TC 2MUSBEXT / EU SAP: 3265182 / US SAP: 12939556

vav.link/tc_2musbext

3m (9.8ft)

TC 3MUSBEXT+ / EU SAP: 4500879 / US SAP: 13041747

vav.link/tc_3musbextplus

5m (16.4ft)

TC 5MUSBEXT+ / EU SAP: 4500880 / US SAP: 14556656

vav.link/tc_5musbextplus

USB Cables & Adaptors



White USB-C to USB 3.0A Cable

On one end: USB A - plugs into the old connector on your laptop and carries USB 3.0 signal.

On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

1m (3.2ft)

TC 1MUSBCA / EU SAP: 4322261 / US SAP: 12938689

vav.link/tc_1musbca

2m (6.5ft)

TC 2MUSBCA / EU SAP: 4322262 / US SAP: 12938690

vav.link/tc_2musbca

3m (9.8ft)

TC 3MUSBCA / EU SAP: 4322263 / US SAP: 12939451

vav.link/tc_3musbca



Black USB 2.0 Cable

USB-A is the type of connector which plugs into your laptop. USB-B is the end that plugs into your printer.

High quality braided shield and ferrite core connector at both ends to shield against EMF and RF interference.

10m (32.8ft)

TC 10MUSB+/BL/2 / EU SAP: 7419232

vav.link/tc_10musbplus-bl-2

15m (49.2ft)

TC 15MUSB+/BL/2 / EU SAP: 7419233

vav.link/tc_15musbplus-bl-2

1m (3.2ft)

TC 1MUSB/BL / EU SAP: 4911615 / US SAP: 13557645

vav.link/tc_1musb-bl

2m (6.5ft)

TC 2MUSB/BL / EU SAP: 4911616 / US SAP: 13557646

vav.link/tc_2musb-bl

3m (9.8ft)

TC 3MUSB/BL / EU SAP: 4911617 / US SAP: 13557647

vav.link/tc_3musb-bl

5m (16.4ft)

TC 5MUSB/BL / EU SAP: 4911618 / US SAP: 13557648

vav.link/tc_5musb-bl

10m (32.8ft)

TC 10MUSB+/BL / EU SAP: 4911619 / US SAP: 13557649

vav.link/tc_10musbplus-bl

15m (49.2ft)

TC 15MUSB+/BL / EU SAP: 4911620 / US SAP: 13557650

vav.link/tc_15musbplus-bl



Black USB 2.0 Extension Cable 2m (6.5ft)

TC 2MUSBEXT/BL / EU SAP: 4911621 / US SAP: 13557651

vav.link/tc_2musbext-bl



Black USB 2.0 Extension Cable 5m (16.4ft) with active booster

TC 5MUSBEXT+/BL / EU SAP: 4911622 / US SAP: 13557652

vav.link/tc_5musbextplus-bl

USB Cables & Adaptors



1m Black Micro-B to USB-B 2 cable

TC 1MUSBBMB/BL / EU SAP: 6362902 / US SAP: 14556644

Compatible with Airtame's Miracast Touchback feature.

vav.link/tc_1musbbmb-bl



Black USB-C to USB 3.0A Cable 1m (3.2ft)

TC 1MUSBCA/BL / EU SAP: 4911624 / US SAP: 13557580

On one end: USB A - plugs into the old connector on your laptop and carries USB 3.0 signal.

On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

vav.link/tc_1musbca-bl



Black USB-C to USB 3.0A Cable 2m (6.5ft)

TC 2MUSBCA/BL / EU SAP: 4911625 / US SAP: 13557581

On one end: USB A - plugs into the old connector on your laptop and carries USB 3.0 signal.

On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

vav.link/tc_2musbca-bl



2m Black USB-C to USB-3.0B Cable

TC 2MUSBCB/BL / EU SAP: 6334563

On one end: USB C - plugs into your laptop. The new smaller reversible USB plug supports USB version 3.1.

On the other end: USB B - plugs into a peripheral, such as a printer or interactive display. Supports USB version 3.0.

vav.link/tc_2musbcb-bl



White USB-C to USB 3.0A Adaptor

TC-USBC3A / EU SAP: 4322267 / US SAP: 12939476

Converts the USB-C port on a laptop to older USB 3.0 so that mice, printers and other peripherals can be used.

vav.link/tc-usbc3a



Black USB-C to USB 3.0A Adaptor

TC-USBC3A/BL / EU SAP: 4979313 / US SAP: 13557624

Converts the USB-C port on a laptop to older USB 3.0 so that mice, printers and other peripherals can be used.

vav.link/tc-usbc3a-bl



USB-3.0A M to USB-C F Adaptor

TC-USB3AC/BL / EU SAP: 5535560 / US SAP: 14556645

Plugs into the USB 3.0 port on a laptop to provide a USB 3.1 (USB-C) socket so that newer peripherals can be used.

vav.link/tc-usb3ac-bl



Black USB 3.0 to HDMI Adaptor

TC-USBHDMI / EU SAP: 4322270 / US SAP: 12939480

Connects the USB 3.0 port on a laptop to a display device.

vav.link/tc-usbhdmi



Black USB 3.0 to VGA Adaptor

TC-USBVGA / EU SAP: 4322269 / US SAP: 12939481

Connects the USB A port on a laptop to a display device.

vav.link/tc-usbvga



White USB 3.0 to Ethernet Adaptor

TC-USBETH / EU SAP: 3265218 / US SAP: 12939562

100/1000 Mbps

vav.link/tc-usbeth

USB Cables & Adaptors



Black USB 3.0 to Ethernet Adaptor

TC-USBETH/BL / EU SAP: 4979136 / US SAP: 13557629

100/1000 Mbps

vav.link/tc-usbeth-bl



Black USB 2.0 to 9-Pin RS-232 Serial Adaptor

TC-USBSER / EU SAP: 3265219 / US SAP: 12939563

Converts a USB port on a computer into a 9-pin serial port for RS-232 control applications.

vav.link/tc-usbser



USB-A Charger with EU Plug

TC-PUSBAEU / EU SAP: 6180797

USB-A charging adapter
EU CEE 7/7 Europlug
MFI (made for iOS) certified factory
Suitable for all iPhones except Pro and Pro Max models
Charges most mobile phones and peripherals

vav.link/tc-pusbaeu



USB-A 18W Charger with EU Plug

TC-PUSBAEU/18 / EU SAP: 7463122

USB-A charging adapter
EU CEE 7/7 Europlug
Charges 2 x faster than normal chargers
MFI (made for iOS) certified factory

vav.link/tc-pusbaeu-18



Blue Data Fibre Cable

1m (3.2ft)

TC 1MFBR LCLC / EU SAP: 4500883 / US SAP:
13041716

vav.link/tc_1mfbr_lclc

3m (9.8ft)

TC 3MFBR LCLC / EU SAP: 4500864 / US SAP:
13041744

vav.link/tc_3mfbr_lclc

2m (6.5ft)

TC 2MFBR LCLC / EU SAP: 4500884 / US SAP:
14556658

vav.link/tc_2mfbr_lclc

CAT6 Ethernet Cables



White CAT6 Cable

0.5m (1.6ft)

TC 0.5MCAT6 / EU SAP: 3265140 / US SAP: 12939555

vav.link/tc_0-5mcat6

2m (6.5ft)

TC 2MCAT6 / EU SAP: 3265142 / US SAP: 12939581

vav.link/tc_2mcat6

5m (16.4ft)

TC 5MCAT6 / EU SAP: 3265147 / US SAP: 12939583

vav.link/tc_5mcat6

1m (3.2ft)

TC 1MCAT6 / EU SAP: 3265141 / US SAP: 12939580

vav.link/tc_1mcat6

3m (9.8ft)

TC 3MCAT6 / EU SAP: 3265146 / US SAP: 12939582

vav.link/tc_3mcat6

10m (32.8ft)

TC 10MCAT6 / EU SAP: 3265148 / US SAP: 12939584

vav.link/tc_10mcat6



Black CAT6 Cable

0.5m (1.6ft)

TC 0.5MCAT6/BL / EU SAP: 4911589 / US SAP: 13557676

vav.link/tc_0-5mcat6-bl

10m (32.8ft)

TC 10MCAT6/BL / EU SAP: 4911594 / US SAP: 13557614

vav.link/tc_10mcat6-bl

3m (9.8ft)

TC 3MCAT6/BL / EU SAP: 4911592 / US SAP: 13557612

vav.link/tc_3mcat6-bl

1m (3.2ft)

TC 1MCAT6/BL / EU SAP: 4911590 / US SAP: 13557677

vav.link/tc_1mcat6-bl

2m (6.5ft)

TC 2MCAT6/BL / EU SAP: 4911591 / US SAP: 13557678

vav.link/tc_2mcat6-bl

5m (16.4ft)

TC 5MCAT6/BL / EU SAP: 4911593 / US SAP: 13557613

vav.link/tc_5mcat6-bl



White USB-C to Ethernet Adaptor

TC-USBCETH / EU SAP: 4322273 / US SAP: 12939477

Converts a USB port on a laptop into an RJ45 Ethernet port.

vav.link/tc-usbceth



Black USB-C to Ethernet Adaptor

TC-USBCETH/BL / EU SAP: 4979314 / US SAP: 13557625

Converts a USB port on a laptop into an RJ45 Ethernet port.

vav.link/tc-usbceth-bl



White USB 3.0 to Ethernet Adaptor

TC-USBETH / EU SAP: 3265218 / US SAP: 12939562

100/1000 Mbps

vav.link/tc-usbeth



Black USB 3.0 to Ethernet Adaptor

TC-USBETH/BL / EU SAP: 4979136 / US SAP: 13557629

100/1000 Mbps

vav.link/tc-usbeth-bl

HDMI Cables & Adaptors



Lifetime warranty

White HDMI Cable

High-Speed White HDMI Cable with Ethernet. Compact gold-plated connector. Tested to Category 2.



0.5m (1.6ft)

TC 0.5MHDMI / EU SAP: 3058973 / US SAP: 12939552

vav.link/tc_0-5mhdmi

1.5m (4.9ft)

TC 1.5MHDMI / EU SAP: 4500873 / US SAP: 13041725

vav.link/tc_1-5mhdmi

3m (9.8ft)

TC2 3MHDMI / EU SAP: 3000666 / US SAP: 12939521

vav.link/tc2_3mhdmi

10m (32.8ft)

TC2 10MHDMI / EU SAP: 2746864 / US SAP: 12939462

vav.link/tc2_10mhdmi

20m (65.6ft)

TC 20MHDMI+ / EU SAP: 4842771 / US SAP: 13445533

vav.link/tc_20mhdmiplus

1m (3.2ft)

TC 1MHDMI / EU SAP: 3058974 / US SAP: 12939589

vav.link/tc_1mhdmi

2m (6.5ft)

TC 2MHDMI / EU SAP: 3265151 / US SAP: 12939586

vav.link/tc_2mhdmi

5m (16.4ft)

TC2 5MHDMI / EU SAP: 2746863 / US SAP: 12939525

vav.link/tc2_5mhdmi

15m (49.2ft)

TC2 15MHDMI / EU SAP: 2746865 / US SAP: 12939465

vav.link/tc2_15mhdmi

30m (98.4ft)

TC 30MHDMI+ / EU SAP: 4842772 / US SAP: 13445534

White USB-C to HDMI Cable

On one end: HDMI - plugs into a display device.

On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.



2m (6.5ft)

TC 2MUSBCHDMI / EU SAP: 4322266 / US SAP: 12939454

vav.link/tc_2musbchdmi

3m (9.8ft)

TC 3MUSBCHDMI / EU SAP: 4322274 / US SAP: 12939455

vav.link/tc_3musbchdmi



Black HDMI Cable

High-Speed Black HDMI Cable with Ethernet. Compact gold-plated connector. Tested to Category 2.

0.5m (1.6ft)

TC 0.5MHDMI/BL / EU SAP: 4911595 / US SAP: 13557616

vav.link/tc_0-5mhdmi-bl

1.5m (4.9ft)

TC 1.5MHDMI/BL / EU SAP: 4911597 / US SAP: 13557618

vav.link/tc_1-5mhdmi-bl

3m (9.8ft)

TC 3MHDMI/BL / EU SAP: 4911599 / US SAP: 13557620

vav.link/tc_3mhdmi-bl

10m (32.8ft)

TC 10MHDMI/BL / EU SAP: 4911601 / US SAP: 13557622

vav.link/tc_10mhdmi-bl

1m (3.2ft)

TC 1MHDMI/BL / EU SAP: 4911596 / US SAP: 13557617

vav.link/tc_1mhdmi-bl

2m (6.5ft)

TC 2MHDMI/BL / EU SAP: 4911598 / US SAP: 13557619

vav.link/tc_2mhdmi-bl

5m (16.4ft)

TC 5MHDMI/BL / EU SAP: 4911600 / US SAP: 13557621

vav.link/tc_5mhdmi-bl

15m (49.2ft)

TC 15MHDMI/BL / EU SAP: 4911602 / US SAP: 13557623

vav.link/tc_15mhdmi-bl



Black HDMI to VGA Cable 2m (6.5ft)

TC 2MHDMIVGA/BL / EU SAP: 4911603 / US SAP: 13557570

Trying to connect a modern computer to a legacy display? *Note: Does not convert VGA to HDMI*

vav.link/tc_2mhdmivga-bl



Black Mini-DisplayPort to HDMI Cable 2m (6.5ft)

TC 2MMDPHDMI/BL / EU SAP: 4911606 / US SAP: 13557573

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs.

Note that Thunderbolt® uses the Mini-DP connector. In addition to carrying DisplayPort signal Thunderbolt also carries data.

vav.link/tc_2mmdphdmi-bl



Black DisplayPort to HDMI Cable 1m (3.2ft)

TC 1MDPHDMI/BL / EU SAP: 4911607 / US SAP: 13557574

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs. NOT BI-DIRECTIONAL. DOES NOT CONVERT HDMI TO DP.

vav.link/tc_1mdphdmi-bl



Black DisplayPort to HDMI Cable 2m (6.5ft)

TC 2MDPHDMI/BL / EU SAP: 4911608 / US SAP: 13557575

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs. NOT BI-DIRECTIONAL. DOES NOT CONVERT HDMI TO DP.

vav.link/tc_2mdphdmi-bl

HDMI Cables & Adaptors



Black DisplayPort to HDMI Adaptor

TC-DPHDMI/BL / EU SAP: 4979292 / US SAP: 13557585

Plugs into DisplayPort and has full-sized HDMI socket. Active circuit allows PCs with or without Dual-Mode DisplayPort (DP++) to connect to displays with HDMI inputs. NOT BI-DIRECTIONAL. DOES NOT CONVERT HDMI TO DP.

vav.link/tc-dphdmi-bl



Black HDMI to VGA Adaptor

TC-HDMIVGA/BL / EU SAP: 4979146 / US SAP: 13557587

Plugs into HDMI port on a laptop. Converts digital HDMI signal into analogue VGA signal. Ideal when you are presenting in an older presentation environment which only has VGA cable between the lectern and projector.

vav.link/tc-hdmivga-bl



Black mDP/DP/mHDMI/USB-C to HDMI Adaptor

TC-MULTIHDMI/BL / EU SAP: 4979148 / US SAP: 13557623

Four adaptors on a tether:
MiniDisplayPort to HDMI
DisplayPort to HDMI
Mini-HDMI to HDMI (bi-directional)
USB-C to HDMI

vav.link/tc-multihdmi-bl



Black USB-C to HDMI Adaptor

TC-USBCHDMI/BL / EU SAP: 4979315 / US SAP: 13557626

Connects the USB-C port on a laptop to a display device.

vav.link/tc-usbchdmi-bl



White HDMI to VGA Adaptor

TC-HDMIVGA / EU SAP: 4191274 / US SAP: 12939473

Plugs into HDMI port on a laptop. Converts digital HDMI signal into analogue VGA signal. Ideal when you are presenting in an older presentation environment which only has VGA cable between the lectern and projector.

vav.link/tc-hdmivga



Black Mini-DisplayPort to HDMI Adaptor

TC-MDPHDMI/BL / EU SAP: 4979147 / US SAP: 13557589

Plugs into Mini-DisplayPort (also known as Thunderbolt) and has full-sized HDMI socket. Active circuit allows PCs with or without Dual-Mode DisplayPort (DP++) to connect to displays with HDMI inputs.

vav.link/tc-mdphdmi-bl



White USB-C to HDMI Adaptor

TC-USBCHDMI / EU SAP: 4322271 / US SAP: 12939478

Connects the USB-C port on a laptop to a display device.

vav.link/tc-usbchdmi



Black USB 3.0 to HDMI Adaptor

TC-USBHDMI / EU SAP: 4322270 / US SAP: 12939480

Connects the USB 3.0 port on a laptop to a display device.

vav.link/tc-usbhdm

HDMI Cables & Adaptors



Lifetime warranty



Black USB-C to HDMI Cable 2m (6.5ft)

TC 2MUSBCHDMI/BL / EU SAP: 4911626 / US SAP: 13557583

On one end: HDMI - plugs into a display device.
On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

vav.link/tc_2musbchdmi-bl



White mDP/DP/mHDMI/USB-C to HDMI Adaptor

TC-MULTIHDMI / EU SAP: 4540294 / US SAP: 13041734

Four adaptors on a tether:

MiniDisplayPort to HDMI

DisplayPort to HDMI

Mini-HDMI to HDMI (bi-directional)

USB-C to HDMI

vav.link/tc-multihdmi

USB-C Cables & Adaptors



Lifetime warranty



White USB-C to HDMI Cable

On one end: HDMI - plugs into a display device.

On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

2m (6.5ft)

TC 2MUSBCHDMI / EU SAP: 4322266 / US SAP: 12939454

vav.link/tc_2musbchdmi

3m (9.8ft)

TC 3MUSBCHDMI / EU SAP: 4322274 / US SAP: 12939455

vav.link/tc_3musbchdmi



White USB-C to USB 3.0A Cable

On one end: USB A - plugs into the old connector on your laptop and carries USB 3.0 signal.

On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

1m (3.2ft)

TC 1MUSBCA / EU SAP: 4322261 / US SAP: 12938689

vav.link/tc_1musbca

2m (6.5ft)

TC 2MUSBCA / EU SAP: 4322262 / US SAP: 12938690

vav.link/tc_2musbca

3m (9.8ft)

TC 3MUSBCA / EU SAP: 4322263 / US SAP: 12939451

vav.link/tc_3musbca



White USB-C Cable

USB-C is the latest USB connector. It has a smaller reversible plug which supports USB 3.1 signal.

This type also supports the Thunderbolt 3.0 signal, which now uses a USB-C cable (Note: Bandwidth only goes up to 10 Gbps, as with most USB-C cables).

1m (3.2ft)

TC 1MUSBC / EU SAP: 4322264 / US SAP: 12939452

vav.link/tc_1musbc

1.5m (4.9ft)

TC 1.5MUSBC / EU SAP: 4322265 / US SAP: 12939453

vav.link/tc_1-5musbc

4m (13.1ft)

TC 4MUSBC / EU SAP: 4880388 / US SAP: 13445504

vav.link/tc_4musbc

USB-C Cables & Adaptors



Lifetime warranty



White USB-C to USB 3.0A Adaptor

TC-USBC3A / EU SAP: 4322267 / US SAP: 12939476

Converts the USB-C port on a laptop to older USB 3.0 so that mice, printers and other peripherals can be used.

vav.link/tc-usbc3a



Black USB-C to USB 3.0A Adaptor

TC-USBC3A/BL / EU SAP: 4979313 / US SAP: 13557624

Converts the USB-C port on a laptop to older USB 3.0 so that mice, printers and other peripherals can be used.

vav.link/tc-usbc3a-bl



USB-3.0A M to USB-C F Adaptor

TC-USB3AC/BL / EU SAP: 5535560 / US SAP: 14556645

Plugs into the USB 3.0 port on a laptop to provide a USB 3.1 (USB-C) socket so that newer peripherals can be used.

vav.link/tc-usb3ac-bl



White USB-C to Ethernet Adaptor

TC-USBCETH / EU SAP: 4322273 / US SAP: 12939477

Converts a USB port on a laptop into an RJ45 Ethernet port.

vav.link/tc-usbceth



Black USB-C to Ethernet Adaptor

TC-USBCETH/BL / EU SAP: 4979314 / US SAP: 13557625

Converts a USB port on a laptop into an RJ45 Ethernet port.

vav.link/tc-usbceth-bl



White USB-C to HDMI Adaptor

TC-USBCHDMI / EU SAP: 4322271 / US SAP: 12939478

Connects the USB-C port on a laptop to a display device.

vav.link/tc-usbchdmi



Black USB-C to HDMI Adaptor

TC-USBCHDMI/BL / EU SAP: 4979315 / US SAP: 13557626

Connects the USB-C port on a laptop to a display device.

vav.link/tc-usbchdmi-bl



USB-C RS-232 Serial Adaptor

TC-USBCSER/BL / EU SAP: 5696996 / US SAP: 14556647

Converts a USB-C port on a computer into a 9-pin serial port for RS-232 control applications.

vav.link/tc-usbcser-bl



Black USB-C to VGA Adaptor

TC-USBCVGA/BL / EU SAP: 4979135 / US SAP: 13557628

Connects the USB-C port on a laptop to a display device.

vav.link/tc-usbcvga-bl



USB-C 30W Charger with EU Plug

TC-PUSBCEU/30 / EU SAP: 7407487

USB-C charging adapter
EU CEE 7/7 Europlug
MFI (made for iOS) certified factory
Outputs 30w for fast charging

vav.link/tc-pusbceu-30

USB-C Cables & Adaptors



Black USB-C to USB 3.0A Cable 1m (3.2ft)

TC 1MUSBCA/BL / EU SAP: 4911624 / US SAP: 13557580

On one end: USB A - plugs into the old connector on your laptop and carries USB 3.0 signal.

On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

vav.link/tc_1musbca-bl



Black USB-C to USB 3.0A Cable 2m (6.5ft)

TC 2MUSBCA/BL / EU SAP: 4911625 / US SAP: 13557581

On one end: USB A - plugs into the old connector on your laptop and carries USB 3.0 signal.

On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

vav.link/tc_2musbca-bl



2m Black USB-C to USB-3.0B Cable

TC 2MUSBCB/BL / EU SAP: 6334563

On one end: USB C - plugs into your laptop. The new smaller reversible USB plug supports USB version 3.1.

On the other end: USB B - plugs into a peripheral, such as a printer or interactive display. Supports USB version 3.0.

vav.link/tc_2musbcb-bl



Black USB-C Cable 1m (3.2ft)

TC 1MUSBC/BL / EU SAP: 4986194 / US SAP: 13557582

USB-C is the latest USB connector. It has a smaller reversible plug which supports USB 3.1 signal.

vav.link/tc_1musbc-bl



2m Black USB-C Cable

TC 2MUSBC/BL / EU SAP: 5808558 / US SAP: 14556649

USB-C is the latest USB connector. It has a smaller reversible plug which supports USB 3.1 signal.

vav.link/tc_2musbc-bl



2m White USB-C Cable

TC 2MUSBC / EU SAP: 8316006

USB-C is the latest USB connector. It has a smaller reversible plug which supports USB 3.1 signal.

vav.link/tc_2musbc



White USB-C Extension Cable 2m (6.5ft)

TC 2MUSBCEXT / EU SAP: 4880385 / US SAP: 13517032

USB-C is the latest USB connector. It has a smaller reversible plug which supports USB 3.1 signal.

vav.link/tc_2musbcext



Black USB-C to HDMI Cable 2m (6.5ft)

TC 2MUSBCHDMI/BL / EU SAP: 4911626 / US SAP: 13557583

On one end: HDMI - plugs into a display device. On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

vav.link/tc_2musbchdmi-bl

Power Cables



Lifetime warranty



White UK Figure-8 Power Cable 0.5m (1.6ft)

TC 0.5MUKF8 / EU SAP: 4592993

Informally known as "Figure-8"

vav.link/tc_0-5mukf8



White EU IEC Power Cable 2m (6.5ft)

TC 2MEUIEC / EU SAP: 4500867

vav.link/tc_2meuiec



3m Black EU Cloverleaf Power cabl

TC 3MEUCVLF/BL / EU SAP: 7296545

vav.link/tc_3meucvlf-bl



3m Black UK Cloverleaf Power cable

TC 3MUKCVLF/BL / EU SAP: 7296544

vav.link/tc_3mukcvlf-bl

White 9-Pin RS-232 Serial Cable



Control systems for audio-visual and industrial applications use RS-232 which is a 2-way standard which allows the control system to send commands and receive feedback. RS-232 (and RS-485) uses serial cable which has 9-pin d-sub connectors which look like a VGA connector but instead of three rows of pins they only have two.

2m (6.5ft)

TC 2MS / EU SAP: 3265213 / US SAP: 12939458

5m (16.4ft)

TC 5MS / EU SAP: 3265214 / US SAP: 12939559

vav.link/tc_5ms

10m (32.8ft)

TC 10MS / EU SAP: 3265216 / US SAP: 12939560

vav.link/tc_10ms

15m (49.2ft)

TC 15MS / EU SAP: 3265217 / US SAP: 12939561

USB-C RS-232 Serial Adaptor



TC-USBCSER/BL / EU SAP: 5696996 / US SAP: 14556647

Converts a USB-C port on a computer into a 9-pin serial port for RS-232 control applications.

vav.link/tc-usbcser-bl



Black USB 2.0 to 9-Pin RS-232 Serial Adaptor

TC-USBSER / EU SAP: 3265219 / US SAP: 12939563

Converts a USB port on a computer into a 9-pin serial port for RS-232 control applications.

vav.link/tc-usbser



White VGA Cable

Plugs into the VGA socket on your computer - which is often blue - and connects to a display device at the other end.

For VGA cables pre-terminated for Vision's Techconnect Modular Faceplate click [here](#).

1m (3.2ft)

TC 1MVGAP / EU SAP: 3546047 / US SAP:
12939482

vav.link/tc_1mvgap

3m (9.8ft)

TC 3MVGAP / EU SAP: 3265175 / US SAP:
12939568

vav.link/tc_3mvgap

10m (32.8ft)

TC 10MVGAP / EU SAP: 3480006 / US SAP:
12939483

vav.link/tc_10mvgap

20m (65.6ft)

TC 20MVGAP / EU SAP: 3480008 / US SAP:
12939485

vav.link/tc_20mvgap

2m (6.5ft)

TC 2MVGAP / EU SAP: 3265174 / US SAP:
12939567

vav.link/tc_2mvgap

5m (16.4ft)

TC 5MVGAP / EU SAP: 3265176 / US SAP:
12939569

vav.link/tc_5mvgap

15m (49.2ft)

TC 15MVGAP / EU SAP: 3480007 / US SAP:
12939484

vav.link/tc_15mvgap



White VGA to Phoenix Cable

A moulded connector on one end, and a male phoenix connector on the other end which can be plugged directly into the rear of module.

3m (9.8ft)

TC2 3MVGA / EU SAP: 3000667 / US SAP: 12939523

5m (16 ft)

TC2 5MVGA / EU SAP: 2042118 / US SAP: 12939527

vav.link/tc2_5mvga

10m (33 ft)

TC2 10MVGA / EU SAP: 1461166 / US SAP: 12939464

vav.link/tc2_10mvga

15m (49.2ft)

TC2 15MVGA / EU SAP: 1461168 / US SAP: 12939467

vav.link/tc2_15mvga

20m (65.6ft)

TC2 20MVGA / EU SAP: 1461174 / US SAP: 12939469

vav.link/tc2_20mvga

Black VGA Cable

Plugs into the VGA socket on your computer - which is often blue - and connects to a display device at the other end.

For VGA cables pre-terminated for Vision's Techconnect Modular Faceplate click [here](#).



1m (3.2ft)

TC 1MVGAP/BL / EU SAP: 4911609 / US SAP: 13557576

vav.link/tc_1mvgap-bl

2m (6.5ft)

TC 2MVGAP/BL / EU SAP: 4911610 / US SAP: 13557577

vav.link/tc_2mvgap-bl

3m (9.8ft)

TC 3MVGAP/BL / EU SAP: 4911611 / US SAP: 13557578

vav.link/tc_3mvgap-bl

5m (16.4ft)

TC 5MVGAP/BL / EU SAP: 4911612 / US SAP: 13557579

vav.link/tc_5mvgap-bl

10m (32.8ft)

TC 10MVGAP/BL / EU SAP: 4911613 / US SAP: 13557643

vav.link/tc_10mvgap-bl

15m (49.2ft)

TC 15MVGAP/BL / EU SAP: 4911614 / US SAP: 13557644

vav.link/tc_15mvgap-bl

VGA Cables & Adaptors



Lifetime warranty



Braided VGA Cable

Plugs into the VGA socket on your computer - which is often blue - and connects to a display device at the other end.

1m (3.2ft)

TC 1MVGAP/HQ / EU SAP: 4911564 / US SAP: 13557598

vav.link/tc_1mvgap-hq

3m (9.8ft)

TC 3MVGAP/HQ / EU SAP: 4911566 / US SAP: 13557600

vav.link/tc_3mvgap-hq

10m (32.8ft)

TC 10MVGAP/HQ / EU SAP: 4911568 / US SAP: 13557540

vav.link/tc_10mvgap-hq

2m (6.5ft)

TC 2MVGAP/HQ / EU SAP: 4911565 / US SAP: 13557599

vav.link/tc_2mvgap-hq

5m (16.4ft)

TC 5MVGAP/HQ / EU SAP: 4911567 / US SAP: 13557539

vav.link/tc_5mvgap-hq

15m (49.2ft)

TC 15MVGAP/HQ / EU SAP: 4911569 / US SAP: 13557561

vav.link/tc_15mvgap-hq



Black HDMI to VGA Cable 2m (6.5ft)

TC 2MHDMIVGA/BL / EU SAP: 4911603 / US SAP: 13557570

Trying to connect a modern computer to a legacy display? *Note: Does not convert VGA to HDMI*

vav.link/tc_2mhdmivga-bl



White Mini-DisplayPort to VGA Adaptor

TC-MDPVGA / EU SAP: 3265173 / US SAP: 12939566

Plugs into Mini-DisplayPort (also known as Thunderbolt) and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

vav.link/tc-mdpvga



White DisplayPort to VGA Adaptor

TC-DPVGA / EU SAP: 4507453 / US SAP: 13041732

Plugs into DisplayPort on laptop and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

vav.link/tc-dpvga



Black DisplayPort to VGA Adaptor

TC-DPVGA/BL / EU SAP: 4979137 / US SAP: 13557586

Plugs into DisplayPort on laptop and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

vav.link/tc-dpvga-bl

VGA Cables & Adaptors



White HDMI to VGA Adaptor

TC-HDMIVGA / EU SAP: 4191274 / US SAP: 12939473

Plugs into HDMI port on a laptop. Converts digital HDMI signal into analogue VGA signal. Ideal when you are presenting in an older presentation environment which only has VGA cable between the lectern and projector.

vav.link/tc-hdmivga



Black HDMI to VGA Adaptor

TC-HDMIVGA/BL / EU SAP: 4979146 / US SAP: 13557587

Plugs into HDMI port on a laptop. Converts digital HDMI signal into analogue VGA signal. Ideal when you are presenting in an older presentation environment which only has VGA cable between the lectern and projector.

vav.link/tc-hdmivga-bl



Black Mini-DisplayPort to VGA Adaptor

TC-MDPVGA/BL / EU SAP: 4979356 / US SAP: 13557590

Plugs into Mini-DisplayPort (also known as Thunderbolt) and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

vav.link/tc-mdpvga-bl



Black USB-C to VGA Adaptor

TC-USBCVGA/BL / EU SAP: 4979135 / US SAP: 13557628

Connects the USB-C port on a laptop to a display device.

vav.link/tc-usbcvga-bl



Black USB 3.0 to VGA Adaptor

TC-USBVGA / EU SAP: 4322269 / US SAP: 12939481

Connects the USB A port on a laptop to a display device.

vav.link/tc-usbvga








White VGA Coupler

TC-VGAFF / EU SAP: 4500878 / US SAP: 13041736

Connects two 15-pin mini D-sub "VGA" cables together.

vav.link/tc-vgaff







Audio Cables

Product	Part Number	Info	Link
 White Minijack Cable 2m (6.6ft)	TC 2M3.5MMP	Colour: White Connector: Minijack (male) Length: 1m (3ft); 2m (7ft)	vav.link/tc_2m3-5mmp
 White Minijack Cable 3m (9.8ft)	TC 3M3.5MMP	Colour: White Connector: Minijack (male) Length: 3m (10ft)	vav.link/tc_3m3-5mmp
 White Minijack Cable 5m (16.4ft)	TC 5M3.5MMP	Colour: White Connector: Minijack (male) Length: 5m (16ft)	vav.link/tc_5m3-5mmp
 White Minijack Cable 10m (32.8ft)	TC 10M3.5MMP	Colour: White Connector: Minijack (male) Length: 10m (33ft)	vav.link/tc_10m3-5mmp
 Braided Minijack Cable 2m (6.6ft)	TC 2M3.5MMP/HQ	Colour: Braided Connector: Minijack (male) Length: 1m (3ft); 2m (7ft)	vav.link/tc_2m3-5mmp-hq

DisplayPort Cable & Adaptors

Product	Part Number	Info	Link
 White DisplayPort Cable 1m (3.2ft)	TC 1MDP	Colour: White Connector: DisplayPort (male) Length: 1m (3ft)	vav.link/tc_1mdp
 White DisplayPort Cable 2m (6.6ft)	TC 2MDP	Colour: White Connector: DisplayPort (male) Length: 2m (7ft)	vav.link/tc_2mdp
 White DisplayPort Cable 5m (16.4ft)	TC 5MDP	Colour: White Connector: DisplayPort (male) Length: 5m (16ft)	vav.link/tc_5mdp
 Black DisplayPort Cable 2m (6.6ft)	TC 2MDP/BL	Colour: Black Connector: DisplayPort (male) Length: 2m (7ft)	vav.link/tc_2mdp-bl
 Black DisplayPort Cable 3m (9.8ft)	TC 3MDP/BL	Colour: Black Connector: DisplayPort (male) Length: 3m (10ft)	vav.link/tc_3mdp-bl
 Black Mini-DisplayPort to HDMI Cable 2m (6.5ft)	TC 2MMDPHDMI/BL	Colour: Black Connector: HDMI (male); MiniDisplayPort (male) Length: 2m (7ft)	vav.link/tc_2mmdphdmi-bl
 Black DisplayPort to HDMI Cable 1m (3.2ft)	TC 1MDPHDMI/BL	Colour: Black Connector: DisplayPort (male); HDMI (male) Length: 1m (3ft)	vav.link/tc_1mdphdmi-bl
 Black DisplayPort to HDMI Cable 2m (6.5ft)	TC 2MDPHDMI/BL	Colour: Black Connector: DisplayPort (male); HDMI (male) Length: 2m (7ft)	vav.link/tc_2mdphdmi-bl














DisplayPort Cable & Adaptors

Product	Part Number	Info	Link
 White Mini-DisplayPort to VGA Adaptor	TC-MDPVGA	Colour: White Connector: MiniDisplayPort (male); VGA (female) Length: 220mm (8.7")	vav.link/tc-mdpvga
 White DisplayPort to VGA Adaptor	TC-DPVGA	Colour: White Connector: DisplayPort (male); VGA (female) Length: 220mm (8.7")	vav.link/tc-dpvga
 Black DisplayPort to HDMI Adaptor	TC-DPHDMI/BL	Colour: Black Connector: DisplayPort (male); HDMI (female) Length: 225mm (8.9")	vav.link/tc-dphdmi-bl
 Black DisplayPort to VGA Adaptor	TC-DPVGA/BL	Colour: Black Connector: DisplayPort (male); VGA (female) Length: 220mm (8.7")	vav.link/tc-dpvga-bl
 Black Mini-DisplayPort to HDMI Adaptor	TC-MDPHDMI/BL	Colour: Black Connector: HDMI (female); MiniDisplayPort (male) Length: 225mm (8.9")	vav.link/tc-mdphdmi-bl
 Black Mini-DisplayPort to VGA Adaptor	TC-MDPVGA/BL	Colour: Black Connector: MiniDisplayPort (male); VGA (female) Length: 220mm (8.7")	vav.link/tc-mdpvga-bl















USB Cables & Adaptors

Product	Part Number	Info	Link
 White USB 2.0 Cable 1m (3.2ft)	TC 1MUSB	Colour: White Connector: USB-A (male); USB-B (male) Length: 1m (3ft)	vav.link/tc_1musb
 Black USB 2.0 Cable 1m (3.2ft)	TC 1MUSB/BL	Colour: Black Connector: USB-A (male); USB-B (male) Length: 1m (3ft)	vav.link/tc_1musb-bl
 White USB 2.0 Cable 2m (6.5ft)	TC 2MUSB	Colour: White Connector: USB-A (male); USB-B (male) Length: 2m (7ft)	vav.link/tc_2musb
 Black USB 2.0 Cable 2m (6.5ft)	TC 2MUSB/BL	Colour: Black Connector: USB-A (male); USB-B (male) Length: 2m (7ft)	vav.link/tc_2musb-bl
 White USB 2.0 Cable 3m (9.8ft)	TC2 3MUSB	Colour: White Connector: USB-A (male); USB-B (male) Length: 3m (10ft)	vav.link/tc2_3musb




USB Cables & Adaptors

Product		Part Number	Info	Link
	Black USB 2.0 Cable 3m (9.8ft)	TC 3MUSB/BL	Colour: Black Connector: USB-A (male); USB-B (male) Length: 3m (10ft)	vav.link/tc_3musb-bl
	White USB 2.0 Cable 5m (16.4ft)	TC2 5MUSB	Colour: White Connector: USB-A (male); USB-B (male) Length: 5m (16ft)	vav.link/tc2_5musb
	Black USB 2.0 Cable 5m (16.4ft)	TC 5MUSB/BL	Colour: Black Connector: USB-A (male); USB-B (male) Length: 5m (16ft)	vav.link/tc_5musb-bl
	White USB 2.0 Cable 10m (32.8ft) with active booster	TC 10MUSB+/2	Colour: White Connector: USB-A (male); USB-B (male) Length: 10m (33ft)	vav.link/tc_10musbplus-2
	Black USB 2.0 Cable 10m (32.8ft) with active booster	TC 10MUSB+/BL/2	Colour: Black Connector: USB-A (male); USB-B (male) Length: 10m (33ft)	vav.link/tc_10musbplus-bl-2
	White USB 2.0 Cable 15m (49.2ft) with active booster	TC2 15MUSB+	Colour: White Connector: USB-A (male); USB-B (male) Length: 15m (49ft)	vav.link/tc2_15musbplus
	White USB 2.0 Cable 15m (49.2ft) with active booster	TC 15MUSB+/2	Colour: White Connector: USB-A (male); USB-B (male) Length: 15m (49ft)	vav.link/tc_15musbplus-2
	Black USB 2.0 Cable 15m (49.2ft) with active booster	TC 15MUSB+/BL	Colour: Black Connector: USB-A (male); USB-B (male) Length: 15m (49ft)	vav.link/tc_15musbplus-bl
	Black USB 2.0 Cable 15m (49.2ft) with active booster	TC 15MUSB+/BL/2	Colour: Black Connector: USB-A (male); USB-B (male) Length: 15m (49ft)	vav.link/tc_15musbplus-bl-2
	White USB 2.0 Extension Cable 2m (6.5ft)	TC 2MUSBEXT	Colour: White Connector: USB-A (male); USB-A (female) Length: 2m (7ft)	vav.link/tc_2musbext
	Black USB 2.0 Extension Cable 2m (6.5ft)	TC 2MUSBEXT/BL	Colour: Black Connector: USB-A (male); USB-A (female) Length: 2m (7ft)	vav.link/tc_2musbext-bl
	White USB 2.0 Extension Cable 5m (16.4ft) with active booster	TC 5MUSBEXT+	Colour: White Connector: USB-A (male); USB-A (female) Length: 5m (16ft)	vav.link/tc_5musbextplus
	Black USB 2.0 Extension Cable 5m (16.4ft) with active booster	TC 5MUSBEXT+/BL	Colour: Black	vav.link/tc_5musbextplus-bl


USB Cables & Adaptors

Product	Part Number	Info	Link
		Connector: USB-A (male); USB-A (female) Length: 5m (16ft)	
 1m Black Micro-B to USB-B 2 cable	TC 1MUSBBMB/BL	Colour: Black Connector: Micro USB-B (male); USB-B (male) Length: 1m (3ft)	vav.link/tc_1musbbmb-bl
 White USB-C to USB 3.0A Cable 1m (3.2ft)	TC 1MUSBCA	Colour: White Connector: USB-C (male); USB-A (male) Length: 1m (3ft)	vav.link/tc_1musbca
 Black USB-C to USB 3.0A Cable 1m (3.2ft)	TC 1MUSBCA/BL	Colour: Black Connector: USB-C (male); USB-A (male) Length: 1m (3ft)	vav.link/tc_1musbca-bl
 White USB-C to USB 3.0A Cable 2m (6.5ft)	TC 2MUSBCA	Colour: White Connector: USB-C (male); USB-A (male) Length: 2m (7ft)	vav.link/tc_2musbca
 Black USB-C to USB 3.0A Cable 2m (6.5ft)	TC 2MUSBCA/BL	Colour: Black Connector: USB-C (male); USB-A (male) Length: 2m (7ft)	vav.link/tc_2musbca-bl
 2m Black USB-C to USB-3.0B Cable	TC 2MUSBCB/BL	Colour: Black Connector: USB-C (male); USB-B (male) Length: 2m (7ft)	vav.link/tc_2musbcb-bl
 White USB-C to USB 3.0A Adaptor	TC-USBC3A	Colour: White Connector: USB-C (male); USB-A (female)	vav.link/tc-usbc3a
 Black USB-C to USB 3.0A Adaptor	TC-USBC3A/BL	Colour: Black Connector: USB-C (male); USB-A (female)	vav.link/tc-usbc3a-bl
 USB-3.0A M to USB-C F Adaptor	TC-USB3AC/BL	Colour: Black Connector: USB-C (male); USB-A (female)	vav.link/tc-usb3ac-bl
 Black USB 3.0 to HDMI Adaptor	TC-USBHDMI	Colour: Black Connector: USB-A (male); HDMI (female) Length: 260mm (10")	vav.link/tc-usbhdm
 Black USB 3.0 to VGA Adaptor	TC-USBVGA	Colour: Black Connector: USB-A (male); VGA (female) Length: 230mm (9.1")	vav.link/tc-usbvga
 White USB 3.0 to Ethernet Adaptor	TC-USBETH	Colour: White Connector: USB-A (male); RJ45 (female)	vav.link/tc-usbeth
 Black USB 3.0 to Ethernet Adaptor	TC-USBETH/BL	Colour: Black	vav.link/tc-usbeth-bl

USB Cables & Adaptors

Product	Part Number	Info	Link
	TC-USBSER	Connector: USB-A (male); RJ45 (female)	vav.link/tc-usbser
	TC-PUSBAEU	Colour: Black Connector: Serial (male); USB-B (male) Length: 85 mm (3.4")	vav.link/tc-pusbaeu
	TC-PUSBAEU/18		vav.link/tc-pusbaeu-18

Fibre Data Cables

Product	Part Number	Info	Link
	TC 2MFBR LCLC	Colour: Light blue Connector: Fibre Length: 2m (7ft)	vav.link/tc_2mfbr_lclc

CAT6 Ethernet Cables

Product	Part Number	Info	Link
	TC 0.5MCAT6	Colour: White Connector: RJ45 (male) Length: 0.5m (1.6ft)	vav.link/tc_0-5mcat6
	TC 1MCAT6	Colour: White Connector: RJ45 (male) Length: 1m (3ft)	vav.link/tc_1mcat6
	TC 2MCAT6	Colour: White Connector: RJ45 (male) Length: 2m (7ft)	vav.link/tc_2mcat6
	TC 3MCAT6	Colour: White Connector: RJ45 (male) Length: 3m (10ft)	vav.link/tc_3mcat6
	TC 5MCAT6	Colour: White Connector: RJ45 (male) Length: 5m (16ft)	vav.link/tc_5mcat6
	TC 10MCAT6	Colour: White Connector: RJ45 (male) Length: 10m (33ft)	vav.link/tc_10mcat6
	TC 0.5MCAT6/BL	Colour: Black Connector: RJ45 (male) Length: 0.5m (1.6ft)	vav.link/tc_0-5mcat6-bl
	TC 1MCAT6/BL	Colour: Black Connector: RJ45 (male) Length: 1m (3ft)	vav.link/tc_1mcat6-bl















CAT6 Ethernet Cables

Product	Part Number	Info	Link
 Black CAT6 Cable 2m (6.5ft)	TC 2MCAT6/BL	Colour: Black Connector: RJ45 (male) Length: 2m (7ft)	vav.link/tc_2mcat6-bl
 Black CAT6 Cable 3m (9.8ft)	TC 3MCAT6/BL	Colour: Black Connector: RJ45 (male) Length: 3m (10ft)	vav.link/tc_3mcat6-bl
 Black CAT6 Cable 5m (16.4ft)	TC 5MCAT6/BL	Colour: Black Connector: RJ45 (male) Length: 5m (16ft)	vav.link/tc_5mcat6-bl
 White USB-C to Ethernet Adaptor	TC-USBCETH	Colour: White Connector: USB-C (male); RJ45 (female) Length: 200mm (7.9")	vav.link/tc-usbceth
 White USB 3.0 to Ethernet Adaptor	TC-USBETH	Colour: White Connector: USB-A (male); RJ45 (female)	vav.link/tc-usbeth
 Black USB-C to Ethernet Adaptor	TC-USBCETH/BL	Colour: Black Connector: USB-C (male); RJ45 (female) Length: 200mm (7.9")	vav.link/tc-usbceth-bl
 Black USB 3.0 to Ethernet Adaptor	TC-USBETH/BL	Colour: Black Connector: USB-A (male); RJ45 (female)	vav.link/tc-usbeth-bl











HDMI Cables & Adaptors

Product	Part Number	Info	Link
 White HDMI Cable 0.5m (1.6ft)	TC 0.5MHDMI	Colour: White Connector: HDMI (male) Length: 0.5m (1.6ft)	vav.link/tc_0-5mhdmi
 White HDMI Cable 1m (3.2ft)	TC 1MHDMI	Colour: White Connector: HDMI (male) Length: 1m (3ft)	vav.link/tc_1mhdmi
 White HDMI Cable 1.5m (4.9ft)	TC 1.5MHDMI	Colour: White Connector: HDMI (male) Length: 1.5m (5ft)	vav.link/tc_1-5mhdmi
 White HDMI Cable 2m (6.5ft)	TC 2MHDMI	Colour: White Connector: HDMI (male) Length: 2m (7ft)	vav.link/tc_2mhdmi
 White HDMI Cable 3m (9.8ft)	TC2 3MHDMI	Colour: White Connector: HDMI (male) Length: 3m (10ft)	vav.link/tc2_3mhdmi
 White HDMI Cable 5m (16.4ft)	TC2 5MHDMI	Colour: White Connector: HDMI (male) Length: 5m (16ft)	vav.link/tc2_5mhdmi
 White HDMI Cable 10m (32.8ft)	TC2 10MHDMI	Colour: White Connector: HDMI (male)	vav.link/tc2_10mhdmi



HDMI Cables & Adaptors

Product	Part Number	Info	Link	
		Length: 10m (33ft)		
	White HDMI Cable 15m (49.2ft)	TC2 15MHDMI	Colour: White Connector: HDMI (male) Length: 15m (49ft)	vav.link/tc2_15mhdmi
	Black HDMI Cable 0.5m (1.6ft)	TC 0.5MHDMI/BL	Colour: Black Connector: HDMI (male) Length: 0.5m (1.6ft)	vav.link/tc_0-5mhdmi-bl
	Black HDMI Cable 1m (3.2ft)	TC 1MHDMI/BL	Colour: Black Connector: HDMI (male) Length: 1m (3ft)	vav.link/tc_1mhdmi-bl
	Black HDMI Cable 1.5m (4.9ft)	TC 1.5MHDMI/BL	Colour: Black Connector: HDMI (male) Length: 1.5m (5ft)	vav.link/tc_1-5mhdmi-bl
	Black HDMI Cable 2m (6.5ft)	TC 2MHDMI/BL	Colour: Black Connector: HDMI (male) Length: 2m (7ft)	vav.link/tc_2mhdmi-bl
	Black HDMI Cable 3m (9.8ft)	TC 3MHDMI/BL	Colour: Black Connector: HDMI (male) Length: 3m (10ft)	vav.link/tc_3mhdmi-bl
	Black HDMI Cable 5m (16.4ft)	TC 5MHDMI/BL	Colour: Black Connector: HDMI (male) Length: 5m (16ft)	vav.link/tc_5mhdmi-bl
	Black HDMI Cable 10m (32.8ft)	TC 10MHDMI/BL	Colour: Black Connector: HDMI (male) Length: 10m (33ft)	vav.link/tc_10mhdmi-bl
	Black HDMI Cable 15m (49.2ft)	TC 15MHDMI/BL	Colour: Black Connector: HDMI (male) Length: 15m (49ft)	vav.link/tc_15mhdmi-bl
	Black HDMI to VGA Cable 2m (6.5ft)	TC 2MHDMIVGA/BL	Colour: Black Connector: HDMI (male); VGA (male) Length: 2m (7ft)	vav.link/tc_2mhdmivga-bl
	Black Mini-DisplayPort to HDMI Cable 2m (6.5ft)	TC 2MMDPHDMI/BL	Colour: Black Connector: HDMI (male); MiniDisplayPort (male) Length: 2m (7ft)	vav.link/tc_2mmdphdmi-bl
	Black DisplayPort to HDMI Cable 1m (3.2ft)	TC 1MDPHDMI/BL	Colour: Black Connector: DisplayPort (male); HDMI (male) Length: 1m (3ft)	vav.link/tc_1mdphdmi-bl
	Black DisplayPort to HDMI Cable 2m (6.5ft)	TC 2MDPHDMI/BL	Colour: Black Connector: DisplayPort (male); HDMI (male) Length: 2m (7ft)	vav.link/tc_2mdphdmi-bl
	Black USB-C to HDMI Cable 2m (6.5ft)	TC 2MUSBCHDMI/BL	Colour: Black Connector: USB-C (male); HDMI (male) Length: 2m (7ft)	vav.link/tc_2musbchdmi-bl














HDMI Cables & Adaptors

Product	Part Number	Info	Link
 White HDMI to VGA Adaptor	TC-HDMIVGA	Colour: White Connector: HDMI (male); VGA (female) Length: 230mm (9.1")	vav.link/tc-hdmivga
 White USB-C to HDMI Adaptor	TC-USBCHDMI	Colour: White Connector: USB-C (male); HDMI (female) Length: 200mm (7.9")	vav.link/tc-usbchdmi
 White mDP/DP/mHDMI/USB-C to HDMI Adaptor	TC-MULTIHDMI	Colour: White Connector: USB-C (male); DisplayPort (male); HDMI (female); MiniHDMI (male); MiniDisplayPort (male)	vav.link/tc-multihdmi
 Black DisplayPort to HDMI Adaptor	TC-DPHDMI/BL	Colour: Black Connector: DisplayPort (male); HDMI (female) Length: 225mm (8.9")	vav.link/tc-dphdmi-bl
 Black HDMI to VGA Adaptor	TC-HDMIVGA/BL	Colour: Black Connector: HDMI (male); VGA (female) Length: 230mm (9.1")	vav.link/tc-hdmivga-bl
 Black Mini-DisplayPort to HDMI Adaptor	TC-MDPHDMI/BL	Colour: Black Connector: HDMI (female); MiniDisplayPort (male) Length: 225mm (8.9")	vav.link/tc-mdphdmi-bl
 Black mDP/DP/mHDMI/USB-C to HDMI Adaptor	TC-MULTIHDMI/BL	Colour: Black Connector: USB-C (male); DisplayPort (male); HDMI (female); MiniHDMI (male); MiniDisplayPort (male)	vav.link/tc-multihdmi-bl
 Black USB-C to HDMI Adaptor	TC-USBCHDMI/BL	Colour: Black Connector: USB-C (male); HDMI (female) Length: 200mm (7.9")	vav.link/tc-usbchdmi-bl
 Black USB 3.0 to HDMI Adaptor	TC-USBHDMI	Colour: Black Connector: USB-A (male); HDMI (female) Length: 260mm (10")	vav.link/tc-usbhdmi
 White USB-C to HDMI 2m (6.5ft) Cable	TC 2MUSBCHDMI	Colour: White Connector: USB-C (male); HDMI (male) Length: 2m (7ft)	vav.link/tc_2musbchdmi

USB-C Cables & Adaptors

Product	Part Number	Info	Link
 White USB-C to USB 3.0A Cable 1m (3.2ft)	TC 1MUSBCA	Colour: White Connector: USB-C (male); USB-A (male) Length: 1m (3ft)	vav.link/tc_1musbca
 White USB-C to USB 3.0A Cable 2m (6.5ft)	TC 2MUSBCA	Colour: White Connector: USB-C (male); USB-A (male)	vav.link/tc_2musbca





USB-C Cables & Adaptors

Product	Part Number	Info	Link
		Length: 2m (7ft)	
 2m White USB-C Cable	TC 2MUSBC	Colour: White Connector: USB-C (male) Length: 2m (7ft)	vav.link/tc_2musbc
 White USB-C Extension Cable 2m (6.5ft)	TC 2MUSBCEXT	Colour: White Connector: USB-C (male); USB-C (female) Length: 2m (7ft)	vav.link/tc_2musbcext
 White USB-C Cable 4m (13.1ft)	TC 4MUSBC	Colour: White Connector: USB-C (male) Length: 4m (13ft)	vav.link/tc_4musbc
 Black USB-C to USB 3.0A Cable 1m (3.2ft)	TC 1MUSBCA/BL	Colour: Black Connector: USB-C (male); USB-A (male) Length: 1m (3ft)	vav.link/tc_1musbca-bl
 Black USB-C to USB 3.0A Cable 2m (6.5ft)	TC 2MUSBCA/BL	Colour: Black Connector: USB-C (male); USB-A (male) Length: 2m (7ft)	vav.link/tc_2musbca-bl
 2m Black USB-C to USB-3.0B Cable	TC 2MUSBCB/BL	Colour: Black Connector: USB-C (male); USB-B (male) Length: 2m (7ft)	vav.link/tc_2musbcb-bl
 Black USB-C Cable 1m (3.2ft)	TC 1MUSBC/BL	Colour: Black Connector: USB-C (male) Length: 1m (3ft)	vav.link/tc_1musbc-bl
 2m Black USB-C Cable	TC 2MUSBC/BL	Colour: Black Connector: USB-C (male) Length: 2m (7ft)	vav.link/tc_2musbc-bl
 Black USB-C to HDMI Cable 2m (6.5ft)	TC 2MUSBCHDMI/BL	Colour: Black Connector: USB-C (male); HDMI (male) Length: 2m (7ft)	vav.link/tc_2musbchdmi-bl
 White USB-C to USB 3.0A Adaptor	TC-USBC3A	Colour: White Connector: USB-C (male); USB-A (female)	vav.link/tc-usbc3a
 White USB-C to Ethernet Adaptor	TC-USBCETH	Colour: White Connector: USB-C (male); RJ45 (female) Length: 200mm (7.9")	vav.link/tc-usbceth
 White USB-C to HDMI Adaptor	TC-USBCHDMI	Colour: White Connector: USB-C (male); HDMI (female) Length: 200mm (7.9")	vav.link/tc-usbchdmi
 Black USB-C to USB 3.0A Adaptor	TC-USBC3A/BL	Colour: Black Connector: USB-C (male); USB-A (female)	vav.link/tc-usbc3a-bl


USB-C Cables & Adaptors

Product	Part Number	Info	Link
 Black USB-C to Ethernet Adaptor	TC-USBCETH/BL	Colour: Black Connector: USB-C (male); RJ45 (female) Length: 200mm (7.9")	vav.link/tc-usbceth-bl
 Black USB-C to HDMI Adaptor	TC-USBCHDMI/BL	Colour: Black Connector: USB-C (male); HDMI (female) Length: 200mm (7.9")	vav.link/tc-usbchdmi-bl
 Black USB-C to VGA Adaptor	TC-USBCVGA/BL	Colour: Black Connector: USB-C (male); VGA (female) Length: 200mm (7.9")	vav.link/tc-usbcvga-bl
 USB-3.0A M to USB-C F Adaptor	TC-USB3AC/BL	Colour: Black Connector: USB-C (male); USB-A (female)	vav.link/tc-usb3ac-bl
 USB-C RS-232 Serial Adaptor	TC-USBCSER/BL		vav.link/tc-usbcser-bl
 USB-C 30W Charger with EU Plug	TC-PUSBCEU/30		vav.link/tc-pusbceu-30
 White USB-C to HDMI 2m (6.5ft)	TC 2MUSBCHDMI	Colour: White Connector: USB-C (male); HDMI (male) Length: 2m (7ft)	vav.link/tc_2musbchdmi



Power Cables

Product	Part Number	Info	Link
 White UK Figure-8 Power Cable 0.5m (1.6ft)	TC 0.5MUKF8	Colour: White Connector: Figure-8 Power; UK Power Length: 0.5m (1.6ft)	vav.link/tc_0-5mukf8
 White EU IEC Power Cable 2m (6.5ft)	TC 2MEUIEC	Colour: White Connector: IEC Power (C13); IEC Power (C14) Length: 2m (7ft)	vav.link/tc_2meuiec
 3m Black EU Cloverleaf Power cable	TC 3MEUCVLF/BL	Colour: Black Connector: Cloverleaf (C5); EU Power Length: 3m (10ft)	vav.link/tc_3meucvlf-bl
 3m Black UK Cloverleaf Power cable	TC 3MUKCVLF/BL	Colour: Black Connector: UK Power; Cloverleaf (C5) Length: 3m (10ft)	vav.link/tc_3mukcvlf-bl













Serial Cables & Adaptors

Product	Part Number	Info	Link
 White 9-Pin RS-232 Serial Cable 5m (16.4ft)	TC 5MS	Colour: White Connector: Serial (female) Length: 5m (16ft)	vav.link/tc_5ms

Serial Cables & Adaptors



Product	Part Number	Info	Link
 Black USB 2.0 to 9-Pin RS-232 Serial Adaptor	TC-USBSER	Colour: Black Connector: Serial (male); USB-B (male) Length: 85 mm (3.4")	vav.link/tc-usbser
 USB-C RS-232 Serial Adaptor	TC-USBCSER/BL		vav.link/tc-usbcseser-bl

VGA Cables & Adaptors

Product	Part Number	Info	Link
 White VGA to Phoenix Cable 10m (33 ft)	TC2 10MVGA	Colour: White Connector: VGA (male) Length: 10m (33ft)	vav.link/tc2_10mvga
 White VGA Cable 2m (6.5ft)	TC 2MVGAP	Colour: White Connector: VGA (male) Length: 2m (7ft)	vav.link/tc_2mvgap
 White VGA Cable 3m (9.8ft)	TC 3MVGAP	Colour: White Connector: VGA (male) Length: 3m (10ft)	vav.link/tc_3mvgap
 White VGA Cable 5m (16.4ft)	TC 5MVGAP	Colour: White Connector: VGA (male) Length: 5m (16ft)	vav.link/tc_5mvgap
 White VGA Cable 10m (32.8ft)	TC 10MVGAP	Colour: White Connector: VGA (male) Length: 10m (33ft)	vav.link/tc_10mvgap
 White VGA Cable 15m (49.2ft)	TC 15MVGAP	Colour: White Connector: VGA (male) Length: 15m (49ft)	vav.link/tc_15mvgap
 White VGA Cable 20m (65.6ft)	TC 20MVGAP	Colour: White Connector: VGA (male) Length: 20m (66ft)	vav.link/tc_20mvgap
 Black HDMI to VGA Cable 2m (6.5ft)	TC 2MHDMIVGA/BL	Colour: Black Connector: HDMI (male); VGA (male) Length: 2m (7ft)	vav.link/tc_2mhdmivga-bl
 Black VGA Cable 10m (32.8ft)	TC 10MVGAP/BL	Colour: Black Connector: VGA (male) Length: 10m (33ft)	vav.link/tc_10mvgap-bl
 Black VGA Cable 15m (49.2ft)	TC 15MVGAP/BL	Colour: Black Connector: VGA (male) Length: 15m (49ft)	vav.link/tc_15mvgap-bl
 White Mini-DisplayPort to VGA Adaptor	TC-MDPVGA	Colour: White Connector: MiniDisplayPort (male); VGA (female) Length: 220mm (8.7")	vav.link/tc-mdpvga
 White DisplayPort to VGA Adaptor	TC-DPVGA	Colour: White Connector: DisplayPort (male); VGA (female)	vav.link/tc-dpvga

VGA Cables & Adaptors

Product	Part Number	Info	Link
	TC-HDMIVGA	Length: 220mm (8.7")	
White HDMI to VGA Adaptor	TC-HDMIVGA	Colour: White Connector: HDMI (male); VGA (female) Length: 230mm (9.1")	vav.link/tc-hdmivga
	TC-DPVGA/BL	Colour: Black Connector: DisplayPort (male); VGA (female) Length: 220mm (8.7")	vav.link/tc-dpvga-bl
Black DisplayPort to VGA Adaptor	TC-DPVGA/BL	Colour: Black Connector: DisplayPort (male); VGA (female) Length: 220mm (8.7")	vav.link/tc-dpvga-bl
	TC-HDMIVGA/BL	Colour: Black Connector: HDMI (male); VGA (female) Length: 230mm (9.1")	vav.link/tc-hdmivga-bl
Black HDMI to VGA Adaptor	TC-HDMIVGA/BL	Colour: Black Connector: HDMI (male); VGA (female) Length: 230mm (9.1")	vav.link/tc-hdmivga-bl
	TC-MDPVGA/BL	Colour: Black Connector: MiniDisplayPort (male); VGA (female) Length: 220mm (8.7")	vav.link/tc-mdpvga-bl
Black Mini-DisplayPort to VGA Adaptor	TC-MDPVGA/BL	Colour: Black Connector: MiniDisplayPort (male); VGA (female) Length: 220mm (8.7")	vav.link/tc-mdpvga-bl
	TC-USBCVGA/BL	Colour: Black Connector: USB-C (male); VGA (female) Length: 200mm (7.9")	vav.link/tc-usbcvga-bl
Black USB-C to VGA Adaptor	TC-USBCVGA/BL	Colour: Black Connector: USB-C (male); VGA (female) Length: 200mm (7.9")	vav.link/tc-usbcvga-bl
	TC-USBVGA	Colour: Black Connector: USB-A (male); VGA (female) Length: 230mm (9.1")	vav.link/tc-usbvga
Black USB 3.0 to VGA Adaptor	TC-USBVGA	Colour: Black Connector: USB-A (male); VGA (female) Length: 230mm (9.1")	vav.link/tc-usbvga
	TC-15MVGAP/HQ	Colour: Braided Connector: VGA (male) Length: 15m (49ft)	vav.link/tc_15mvgap-hq
Braided VGA Cable 15m (49.2ft)	TC-15MVGAP/HQ	Colour: Braided Connector: VGA (male) Length: 15m (49ft)	vav.link/tc_15mvgap-hq
	TC-VGAFF	Colour: Metal Connector: VGA (female)	vav.link/tc-vgaff
White VGA Coupler	TC-VGAFF	Colour: Metal Connector: VGA (female)	vav.link/tc-vgaff



Audio

- > Amplifiers
- > Active Loudspeakers
- > Passive Loudspeakers



2 x 25w Digital Amplifier

AV-1900 / EU SAP: 5557274 / US SAP: 14556646

2 x 50w RMS (at 8 ohms) low impedance digital power amplifier

Input 1: Line-level Stereo (2-Phono/RCA) or Mic (XLR)

Input 2: Line-level Stereo (2-Phono/RCA) or Mic (Phoenix)

Input 3: Bluetooth or Mic (Phoenix)

Input 4: Line-level Stereo (Minijack) or Mic (Phoenix)

1 x Line-level Pre-Output

Balanced Mic inputs with Phantom Power

RS-232 control

vav.link/av-1900



TC3 50w Amplifier

TC3-AMP / EU SAP: 3446595 / US SAP: 12939499

Extremely small 2 x 25 w (RMS) at 8 ohms Digital Amp

2 x Stereo inputs (Input 1 duplicated on front and rear)

IR Remote control included

vav.link/tc3-amp

Active Loudspeakers



100w Active Soundbar Plus

SB-1900P / EU SAP: 4801694 / US SAP: 13445515

Built-in 2 x 90 watts (PEAK) amplifier
HDMI 2 in 1 out
1 x Minijack input
Bluetooth input (re-nameable and pin can be set)
Remote control included
RS-232
ARC HDMI Input (allows display to control volume)

vav.link/sb-1900p



Pair 70w Active Bluetooth Ceiling Speakers

CS-1900P / EU SAP: 4883105 / US SAP: 13825110

Integrated 2 x 35 watt (RMS) amplifier
1 x wired input / 1 x Bluetooth input
Switches between stand alone or daisy-chain mode
IR remote included
BT can be disabled

vav.link/cs-1900p



Pair 30w Active Loudspeakers

SP-900P / EU SAP: 4820817 / US SAP: 14556661

Built-in 2 x 27 watt digital amplifier
Two summed inputs (1 x Minijack / 1 x 2-Phono)
Internal Power Supply
Adjustable wall brackets included

vav.link/sp-900p

Active Loudspeakers



Lifetime
warranty



Pair 30w Active Loudspeakers

SP-1900P / EU SAP: 4991366 / US SAP: 14556662

Built-in 2 x 30 watts amplifier
Line-level input via 2-phono (RCA)
Bluetooth 5.0 (can be disabled)
RS-232 Control
Tone control (via RS-232)

vav.link/sp-1900p

Passive Speakers




Pair 3-Way Wall Loudspeakers

SP-1800 / EU SAP: 3635038 / US SAP: 12928302

5.25" Woofer 50w loudspeakers
Wall brackets included with 60° range of tilt adjustment
White, sold in pairs

vav.link/sp-1800











Pair Ceiling Loudspeakers



CS-1900 / EU SAP: 4815044 / US SAP: 13557537

Slim bezel-less magnetic grille
Premium fiberglass woven 6.5" Woofer
Large 0.75" Silk Tweeter
Passive Crossover

vav.link/cs-1900

Audio

Product	Part Number	Link
 2 x 25w Digital Amplifier	AV-1900	vav.link/av-1900
 100w Active Soundbar Plus	SB-1900P	vav.link/sb-1900p
 Pair 30w Active Loudspeakers	SP-900P	vav.link/sp-900p
 Pair 3-Way Wall Loudspeakers	SP-1800	vav.link/sp-1800
 Pair 30w Active Loudspeakers	SP-1900P	vav.link/sp-1900p
 Pair Ceiling Loudspeakers	CS-1900	vav.link/cs-1900
 Pair 70w Active Bluetooth Ceiling Speakers	CS-1900P	vav.link/cs-1900p
 TC3 50w Amplifier	TC3-AMP	vav.link/tc3-amp



Mounts

- > Projector
- > Monitor
- > Large Display
- > Sit-Stand
- > Laptop Shelves
- > Logitech



Mount Finder

Simply enter some or all of your Display, Monitor or Device model number to find the correct mount.

vav.link/mf



Universal Projector Ceiling Mount

TM-1200 / EU SAP: 1562435 / US SAP: 12939542

Projector ceiling mount with 1.1m pole cut to length onsite (overall length 1420mm / 55.9")

All parts included e.g drilling jig, cathedral ceiling mechanism, trim disc etc.
Cables can be routed after assembly

vav.link/tm-1200



Telescopic Projector Ceiling Mount

TM-TELE / EU SAP: 2418655 / US SAP: 12939544

Universal projector ceiling mount with telescopic pole

Overall length 440-735 mm (17.32" – 28.94")

Full adjustment: tilt at top for sloping ceilings / pitch and roll at the bottom

vav.link/tm-tele



Logitech Brio Ceiling Bracket

TM-WEBCAM / EU SAP: 5708369 / US SAP: 14342723

Standard tripod mount screw fits any webcam

Fits Logitech Brio webcam for Microsoft Whiteboard

Fits Huddly cameras

Can fix to wall as boom

Overall length 440-735 mm (17.3" – 28.9")

Pole can be removed to mount as close as possible to ceiling

Fits Logitech MeetUp

Fits Logitech Rally camera

vav.link/tm-webcam



Close-Coupled Projector Ceiling Mount

TM-CC / EU SAP: 1932372 / US SAP: 12939545

Universal projector ceiling mount for close-to-ceiling installation
All parts included and arrives 95% assembled reducing time onsite
4 fully adjustable spider arms fit 99% of projectors

vav.link/tm-cc



Short-Throw Projector Wall Mount

TM-ST2 / EU SAP: 2775928 / US SAP: 12939538

Telescopic boom 930-1530mm (centre-of-projector to wall)
Projector can be mounted at any point along boom
Adjustable boom incline

vav.link/tm-st2

Desk Arm Mounts



Lifetime warranty



Black Flat-Panel Desk Arm 100x100

VFM-DA3B / EU SAP: 4850550 / US SAP: 13445521

Double-articulated desk mount for flat panels up to 34"
Cable Management and adjustable dampers
Aluminium construction, Matt black
Quick-Clamp

vav.link/vfm-da3b



Monitor Desk Arm Matt Black

VFM-DA/4 / EU SAP: 5811699 / US SAP: 14531351

Double-articulated desk mount for flat panels up to 27"
Converts to laptop or tablet shelf
VESA plate cover included
Cable management
Comes with clamp and grommet fixing options

vav.link/vfm-da-4



Monitor Desk Arm Dual Matt Black

VFM-DAD/4 / EU SAP: 5812011 / US SAP: 14556651

Double-articulated desk mount for flat panels up to 27"
Converts to laptop or tablet shelf
VESA plate cover included
Cable management
Comes with clamp and grommet fixing options

vav.link/vfm-dad-4

Desk Post Mounts



Black Monitor Desk Post 100×100

VFM-DP2B / EU SAP: 4740217 / US SAP: 13445516

Double-articulated desk mount for displays up to 32"
Popular post-style in Black
Parts included for grommet or clamp fixing to desk
Optional Laptop Shelf
Quick release VESA plate
Thumbscrews for fast assembly

vav.link/vfm-dp2b



Black Monitor Desk Post 100×100 Dual

VFM-DPD2B / EU SAP: 4740219 / US SAP: 13445506

Double-articulated dual desk mount for displays up to 27"
Popular post-style in Black
Parts included for grommet or clamp fixing to desk
Optional Laptop Shelf
Quick release VESA plate
Thumbscrews for fast assembly
Fine independent height adjustment

vav.link/vfm-dpd2b

Desk Stand Mounts



Monitor Desk Stand 100×100

VFM-DSB / EU SAP: 4740100 / US SAP: 13445541

Freestanding desk stand for displays up to 32"
Black (only)
Full adjustment: height, rotation, swivel
Quick release VESA plate
Thumbscrews for fast assembly

vav.link/vfm-dsb



Monitor Desk Stand 100×100 Dual

VFM-DSDB / EU SAP: 4740212 / US SAP: 13445542

Freestanding desk stand for two displays up to 32"
Black (only)
Full adjustment: height, rotation, swivel
Quick release VESA plate
Thumbscrews for fast assembly
Fine independent height adjustment

vav.link/vfm-dsdb

Large Display Mounts



Lifetime
warranty



Display Wall Mount VESA 400x400

VFM-W4X4V/2 / EU SAP: 6333305 / US SAP: 14556664

Non-tilting Wall Mount for large-format flat panels 32-65"
(subject to VESA pattern and weight limit)

Mounting points up to 400 (wide) x 400 mm (tall) apart

Light Duty 60 kg / 132 lb SWL

Lockable

vav.link/vfm-w4x4v-2



Display Wall Mount VESA 400x400

VFM-W4X4TV/2 / EU SAP: 6333311 / US SAP: 14556641

Tilting Wall Mount for large-format flat panels 32-65"
(subject to VESA pattern and weight limit)

Mounting points up to 400 (wide) x 400 mm (tall) apart

Light Duty 60 kg / 132 lb SWL

Lockable

vav.link/vfm-w4x4tv-2



Display Wall Mount VESA 600x400

VFM-W6X4V/2 / EU SAP: 6333312 / US SAP: 14556642

Non-tilting Wall Mount for large-format flat panels 37-70"
(subject to VESA pattern and weight limit)

Mounting points up to 600 (wide) x 400 mm (tall) apart

Light Duty 60 kg / 132 lb SWL

Lockable

vav.link/vfm-w6x4v-2

Large Display Mounts



Display Wall Mount VESA 800x400

VFM-W8X4V/2 / EU SAP: 6333313 / US SAP: 14556643

Non-tilting Wall Mount for large-format flat panels 47-75"
(subject to VESA pattern and weight limit)
Mounting points up to 800 (wide) x 400 mm (tall) apart
Light Duty 60 kg / 132 lb SWL
Lockable

vav.link/vfm-w8x4v-2



F50 Dual Display Rail

VFM-F50_DL / EU SAP: 8271291

Works with Vision's professional wall mounts and floor stands
2400 mm (95") long
Can fix directly to wall
Includes adjustable centre shelf

vav.link/vfm-f50_dl



Flat-Panel Wall Mount 200x200

VFM-W2X2V2 / EU SAP: 4754702 / US SAP: 13445538

VESA Wall Mount for displays and TVs
Fits displays with 75 x 75, 100 x 100, 200 x 100, and 200 x 200mm mounting holes
For 30-55" Displays
(subject to VESA pattern and weight limit)
Locking anti-theft screw
Thumbscrews for fixing display
Portrait or Landscape

vav.link/vfm-w2x2v2

Large Display Mounts



Lifetime warranty



Tilting Flat-Panel Wall Mount 200x200

VFM-W2X2TV2 / EU SAP: 4754704 / US SAP: 13445540

VESA Wall Mount for displays and TVs

Fits displays with 75 x 75, 100 x 100, 200 x 100, and 200 x 200 mm mounting holes
For 30-55"

(subject to VESA pattern and weight limit)

Locking anti-theft screw

Tilt adjustment: up: 3° / down: 12°

Thumbscrews for fixing display

Portrait or Landscape

vav.link/vfm-w2x2tv2



Heavy Duty Flat-Panel Wall Mount 400x400

VFM-W4X4 / EU SAP: 4934292 / US SAP: 13557601

Non-Tilting Wall Mount for large-format flat panels 32-75"

(subject to VESA pattern and weight limit)

Mounting points up to 400 (wide) x 400 mm (tall) apart

Heavy duty 100 kg / 220 lb SWL

Display latches in place

Optional camera shelf

vav.link/vfm-w4x4



Heavy Duty Tilting Flat-Panel Wall Mount 400x400

VFM-W4X4T / EU SAP: 4934293 / US SAP: 13557602

Tilting Wall Mount for large-format flat panels 32-75"

(subject to VESA pattern and weight limit)

Mounting points up to 400 (wide) x 400 mm (tall) apart

Heavy duty 100 kg / 220 lb SWL

Display latches in place


Optional camera shelf

vav.link/vfm-w4x4t

Large Display Mounts



Lifetime warranty



Heavy Duty Flat-Panel Wall Mount 600x400

VFM-W6X4 / EU SAP: 4996384 / US SAP: 13557604

Non-tilting Wall Mount for large-format flat panels 37-85"
(subject to VESA pattern and weight limit)


Mounting points up to 600 (wide) x 400 mm (tall) apart

Heavy duty 100 kg / 220 lb SWL

Display latches in place

Optional camera shelf

vav.link/vfm-w6x4



Heavy Duty Tilting Flat-Panel Wall Mount 600x400

VFM-W6X4T / EU SAP: 4996386 / US SAP: 13557605

Tilting Wall Mount for large-format flat panels 37-85"
(subject to VESA pattern and weight limit)

Mounting points up to 600 (wide) x 400 mm (tall) apart

Heavy duty 100 kg / 220 lb SWL

Display latches in place

Optional camera shelf

vav.link/vfm-w6x4t



Heavy Duty Flat-Panel Wall Mount 800x600

VFM-W8X6 / EU SAP: 4934295 / US SAP: 13557607

Non-tilting Wall Mount for large-format flat panels 47-100"
(subject to VESA pattern and weight limit)

Mounting points up to 800 (wide) x 600 mm (tall) apart

Heavy duty 130 kg / 287 lb SWL

Display latches in place

Optional camera shelf

vav.link/vfm-w8x6

Large Display Mounts



Lifetime warranty




Heavy Duty Tilting Flat-Panel Wall Mount 800x600

VFM-W8X6T / EU SAP: 4934296 / US SAP: 13557608

Tilting Wall Mount for large-format flat panels 47-90"
(subject to VESA pattern and weight limit)
Mounting points up to 800 (wide) x 600 mm (tall) apart
Heavy duty 130 kg / 287 lb SWL
Display latches in place
Optional camera shelf

vav.link/vfm-w8x6t



Heavy Duty Flat-Panel Wall Mount 1000x600

VFM-W10X6 / EU SAP: 4934297 / US SAP: 13557609

Non-tilting Wall Mount for large-format flat panels 55-110"
(subject to VESA pattern and weight limit)
Mounting points up to 1000 (wide) x 600 mm (tall) apart
Heavy duty 130 kg / 287 lb SWL
Display latches in place
Optional camera shelf

vav.link/vfm-w10x6



VISION Soundbar Brackets

VFM-WSB / EU SAP: 6990143


Hangs on Vision's Professional wall mount range
Works for F40 floorstands
Universal with M3 and M4 bolts
Variable height

vav.link/vfm-wsb

Large Display Mounts



Lifetime warranty



Wall Mount Video Conference Shelf

VFM-WVC / EU SAP: 5048878 / US SAP: 13557673

Works with Vision's professional wall mounts and floorstands
Highly adjustable
Can fix directly to wall
Platform 216 x 120 mm (8.5"x 4.4")
Use to hide Clickshare behind display
VESA100 holes for fixing media players behind display

vav.link/vfm-wvc




Video Conference Shelf

VFM-WVC/2 / EU SAP: 8271288

Works with Vision's professional wall mounts and floor stands
Highly adjustable
Platform 284 x 152 mm (11.2"x 6.0")

vav.link/vfm-wvc-2



Logitech Rally Speaker Bracket

VFM-WVC/RSB / EU SAP: 5822103 / US SAP: 14395005

Accessory for VFM-WVC Video Conference Shelf
Fixes Pair of Logitech Rally speakers to VFM-WVC
Supports speakers above or below display

vav.link/vfm-wvc-rsb



Black Monitor Wall Arm 100x100

VFM-WA1X1B / EU SAP: 4963686 / US SAP: 13516848

Double-articulated wall mount for Monitors from 13" to 27"

Post-Installation levelling

Reach 44-282 mm (1.7-11.1")

Thumbscrews for fixing display

vav.link/vfm-wa1x1b



Video Wall Mount VESA 600x400

VFM-VW6X4/2 / EU SAP: 7296546

Wall Mount for displays with mounting points up to 600 x 400mm apart
Pop-out style for fast access and adjustment
Tool-free tilt, rotation, depth, and height adjustment
Displays 45-86"
Lockable

vav.link/vfm-vw6x4-2

F10 Floorstands


Lifetime
warranty



White Flipchart-Style Floor Stand

VFM-F10/WH / EU SAP: 5252503 / US SAP: 13777628

Portable flipchart-style floor stand
For 50-65" Displays up to 45 kg
(subject to VESA pattern and weight limit)
Rotates portrait to landscape
UL1678 Approved
Large 4" wheels
Colour-Matched to Samsung Flip

vav.link/vfm-f10-wh



Lifetime warranty



Floorstand


Microsoft Hub 2



Screen rotation



2 cable hooks



Cable management



Removable laptop shelf



4 large wheels



Available colors



Does Vision have any floor stands for Hub 2?

Yes! The VFM-F10 was designed for Hub 2 compatibility.

Does the standard VFM-F10 fit Hub2?

Yes! Hub2 uses a 350 x 350 pattern which the universal mount on the F10 fits.

Does it rotate?

Yes. The universal VESA mount rotates. The rotating mechanism can be removed.

Does it tilt?

Not as standard, but the VESA arms can be replaced with arms from Vision's VFM-W4X4T to make it tilt if necessary.

As standard, this floor stand holds the display at a 7 degree angle. That is more upright than the 12 degrees of the Steelcase stand. We think 7 degrees is better to cut glare.

Does it have cable management?

Yes. Cables can be concealed all the way down the legs, and hold the cables so they don't get in the way of the wheels as you move the stand.

Can the APC battery fix to this floor stand?

We're working on an adaptor to support this. ETA early 2020.

Is the shelf detachable?

Yes. If the user doesn't want it just leave it off.

Does Vision have a wall mount for Hub 2?

Yes. VFM-W4X4. It's the same universal mount that comes on the F10 as standard.

F20/25 Floorstands



Height-Adjustable Display Cart 45kg

VFM-F20 / EU SAP: 4818836 / US SAP: 13445518

Portable floorstand for displays up to 45 kg (99.2 lbs)
Fits displays with VESA sizes up to 600 x 400 mm
For 31-70" Displays subject to VESA pattern and weight limit
Display rotates through 90°
Height adjustable 400mm (15.7") by crank hand
Large 4" wheels
Shelves included

vav.link/vfm-f20




Height-Adjustable Display Cart 80kg

VFM-F25 / EU SAP: 4818528 / US SAP: 13445519

Portable floorstand for displays up to 80 kg (176 lb)
Fits displays with VESA sizes up to 1000 x 600 mm
For 60-100" Displays
(subject to VESA pattern and weight limit)
Height adjustable 400mm (15.7") by crank hand
Large 4" wheels
Shelves included

vav.link/vfm-f25

F40 Floorstands



Heavy Duty Motorised Floor Stand

VFM-F40 / EU SAP: 5062731 / US SAP: 70017406

- Lifts up to 130 kg
- 700 mm height adjustment
- Fast linear-drive motor
- Comes 95% assembled
- Sturdy fixed column design

Heavy Duty Flat-Panel Wall Mount 800x600
VFM-W8X6 / EU SAP: 4934295 / US SAP:
13557607

vav.link/vfm-w8x6

VFM-F40 Frame and Motor Assembly
VFM-F40FRAME / EU SAP: 4981411



Motorised Whiteboard Floor Stand

VFM-F40/WB / EU SAP: 7451165

- Optimised for Promethean ActivBoard 78 and 88"
- Works with most short throw projectors
- 700 mm height adjustment
- Telescopic universal boom for projector
- Fixes to wall

Heavy Duty Flat-Panel Wall Mount 800x600
VFM-W8X6 / EU SAP: 4934295 / US SAP:
13557607

vav.link/vfm-w8x6

Short-Throw Projector Wall Mount
TM-ST2 / EU SAP: 2775928 / US SAP: 12939538

vav.link/tm-st2

VISION Soundbar Brackets
VFM-WSB / EU SAP: 6990143

vav.link/vfm-wsb


VFM-F40 Frame and Motor Assembly
VFM-F40FRAME / EU SAP: 4981411

VFM-WB Upright and board clamps
VFM-WB_UR / EU SAP: 7434669

F50/F51 Floorstands



Lifetime warranty



F50 Motorised Flat Panel Floor Stand

VFM-F50 / EU SAP: 6369811

Heavy-duty floor stand
Fixes to wall, transfers load to floor
For flat panels up to 100"
800 mm (31.5") height adjustment, motorised
Control by wired controller or RS-232

vav.link/vfm-f50




F50T Motorised Trolley Floor stand

VFM-F50T / EU SAP: 6369810

Portable heavy-duty mobile cart
For flat panels up to 100"
800 mm (31.5") height adjustment, motorised
Control by wired controller or RS-232
Angle brackets for optional kiosk-style installation
Removable wheels for non-portable variation
Removable rear legs to lean against walls

vav.link/vfm-f50t



F51 Flat Panel Floor Stand

VFM-F51 / EU SAP: 6369808

Heavy-duty floor stand
Fixes to wall, transfers load to floor
Supports up to 95 kg (209 lb)
800 mm / 31.5" height adjustment, non-motorised
[Note: once installed the height cannot be adjusted]

vav.link/vfm-f51

F50/F51 Floorstands












F51T Flat Panel Trolley

VFM-F51T / EU SAP: 6369807





Portable heavy-duty mobile cart
For large-format flat panels 47-100"
800 mm / 31.5" height adjustment, non-motorised
[Note: once installed the height cannot be adjusted]
Angle brackets for optional kiosk-style installation
Removable wheels for non-portable variation
Removable rear legs to lean against walls

vav.link/vfm-f51t

Monitor

Product	Part Number	Info	Link
 Black Flat-Panel Desk Arm 100x100	VFM-DA3B	Diagonal: 10" - 34" SWL: 12kg Vesa: 75x75; 100x100	vav.link/vfm-da3b
 Monitor Desk Arm Matt Black	VFM-DA/4	Diagonal: 10" - 27" SWL: 7kg Vesa: 75x75; 100x100	vav.link/vfm-da-4
 Monitor Desk Arm Dual Matt Black	VFM-DAD/4	Diagonal: 17" - 27" SWL: 14kg Vesa: 75x75; 100x100	vav.link/vfm-dad-4
 Black Monitor Desk Post 100x100	VFM-DP2B	Diagonal: 13" - 32" SWL: 18kg Vesa: 75x75; 100x100	vav.link/vfm-dp2b
 Black Monitor Desk Post 100x100 Dual	VFM-DPD2B	Diagonal: 13" - 27" SWL: 8kg Vesa: 75x75; 100x100	vav.link/vfm-dpd2b
 Monitor Desk Stand 100x100	VFM-DSB	Diagonal: 13" - 32" SWL: 18kg Vesa: 75x75; 100x100	vav.link/vfm-dsb
 Monitor Desk Stand 100x100 Dual	VFM-DSDB	Diagonal: 13" - 27" SWL: 8kg Vesa: 75x75; 100x100	vav.link/vfm-dsdb
 Tilting Monitor Wall Mount 100x100	VFM-WIX1TV2	Diagonal: 10" - 34" SWL: 25kg Vesa: 75x75; 100x100	vav.link/vfm-wix1tv2
 Black Monitor Wall Arm 100x100	VFM-WA1X1B	Diagonal: 13" - 27" SWL: 15kg Vesa: 75x75; 100x100	vav.link/vfm-wa1x1b

Large Display

Product	Part Number	Info	Link
 Dsply Wall Arm VESA 200x200 Black	VFM-WA2X2/3	Diagonal: 20" - 50" SWL: 25kg Vesa: 100x100; 200x200; 200x100	vav.link/vfm-wa2x2-3
 Display Wall Mount VESA 400x400	VFM-W4X4V/2	Diagonal: 32" - 55" SWL: 60kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 300x400; 400x400; 200x300	vav.link/vfm-w4x4v-2
 Display Wall Mount VESA 400x400	VFM-W4X4TV/2	Diagonal: 32" - 55" SWL: 60kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 300x400; 400x400; 200x300	vav.link/vfm-w4x4tv-2
 Display Wall Mount VESA 600x400	VFM-W6X4V/2	Diagonal: 37" - 70" SWL: 60kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 300x400;	vav.link/vfm-w6x4v-2


Large Display

Product	Part Number	Info	Link
		800x400; 400x400; 500x400; 600x300; 500x300; 800x300	
 Black Flat-Panel Wall Arm 600x400	VFM-WA6X4/3	Diagonal: 42" - 70" SWL: 30kg Vesa: 200x200; 300x300; 400x200; 600x400; 400x400; 200x100	vav.link/vfm-wa6x4-3
 Display Wall Mount VESA 800x400	VFM-W8X4V/2	Diagonal: 47" - 75" SWL: 75kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 300x400; 800x400; 400x400; 500x400; 600x300; 500x300; 800x300; 700x400	vav.link/vfm-w8x4v-2
 F50 Dual Display Rail	VFM-F50_DL		vav.link/vfm-f50_dl
 Flat-Panel Ceiling Mount 600x400	VFM-C6X4/V2	Diagonal: 37" - 75" SWL: 50kg Vesa: 100x100; 200x200; 300x300; 400x300; 600x400; 300x400; 400x400; 200x100; 500x400; 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 300x400; 400x400; 500x400; 600x300; 500x300	vav.link/vfm-c6x4-v2
 Flat-Panel Wall Mount 200x200	VFM-W2X2V2	Diagonal: 20" - 50" SWL: 25kg Vesa: 75x75; 100x100; 200x200; 200x100	vav.link/vfm-w2x2v2
 Tilting Flat-Panel Wall Mount 200x200	VFM-W2X2TV2	Diagonal: 20" - 50" SWL: 25kg Vesa: 75x75; 100x100; 200x200; 200x100	vav.link/vfm-w2x2tv2
 Heavy Duty Flat-Panel Wall Mount 400x400	VFM-W4X4	Diagonal: 32" - 75" SWL: 100kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 350x350; 300x400; 400x400; 200x300	vav.link/vfm-w4x4
 Heavy Duty Tilting Flat-Panel Wall Mount 400x400	VFM-W4X4T	Diagonal: 32" - 75" SWL: 100kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 350x350; 300x400; 400x400; 200x300	vav.link/vfm-w4x4t
 Heavy Duty Flat-Panel Wall Mount 600x400	VFM-W6X4	Diagonal: 37" - 85" SWL: 100kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 500x500; 600x400; 300x400; 400x400; 500x400; 600x300; 500x300	vav.link/vfm-w6x4
 Heavy Duty Tilting Flat-Panel Wall Mount 600x400	VFM-W6X4T	Diagonal: 37" - 85" SWL: 100kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 500x500; 600x400; 300x400; 400x400; 500x400; 600x300; 500x300	vav.link/vfm-w6x4t




Large Display

Product	Part Number	Info	Link
 Heavy Duty Flat-Panel Wall Mount 800x600	VFM-W8X6	Diagonal: 47" - 100" SWL: 130kg Vesa: 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600; 400x400; 500x400; 600x500; 400x600; 700x400	vav.link/vfm-w8x6
 Heavy Duty Tilting Flat-Panel Wall Mount 800x600	VFM-W8X6T	Diagonal: 47" - 90" SWL: 130kg Vesa: 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600; 400x400; 500x400; 600x500; 400x600; 700x400	vav.link/vfm-w8x6t
 Heavy Duty Flat-Panel Wall Mount 1000x600	VFM-W10X6	Diagonal: 55" - 110" SWL: 130kg Vesa: 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600; 1000x400; 1000x500; 1000x600; 400x400; 500x400; 600x500; 400x600; 700x400; 900x600	vav.link/vfm-w10x6
 VISION Soundbar Brackets	VFM-WSB		vav.link/vfm-wsb
 Wall Mount Video Conference Shelf	VFM-WVC		vav.link/vfm-wvc
 Video Conference Shelf	VFM-WVC/2		vav.link/vfm-wvc-2
 Logitech Rally Speaker Bracket	VFM-WVC/RSB		vav.link/vfm-wvc-rsb
 Black Flat-Panel Wall Arm 400x400	VFM-WA4X4/3	Diagonal: 37" - 60" SWL: 25kg Vesa: 100x100; 200x200; 300x300; 400x200; 400x300; 400x400; 200x100; 300x200	vav.link/vfm-wa4x4-3

Video Wall

Product	Part Number	Info	Link
 Video Wall Mount VESA 600x400	VFM-VW6X4/2	Diagonal: 45" - 86" SWL: 70kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 300x400; 400x400; 500x400	vav.link/vfm-vw6x4-2

Projector

Product	Part Number	Info	Link
 Universal Projector Ceiling Mount	TM-1200		vav.link/tm-1200
 Telescopic Projector Ceiling Mount	TM-TELE		vav.link/tm-tele
 Close-Coupled Projector Ceiling Mount	TM-CC		vav.link/tm-cc
 Short-Throw Projector Wall Mount	TM-ST2		vav.link/tm-st2

Floorstands

Product	Part Number	Info	Link
 White Flipchart-Style Floor Stand	VFM-F10/WH	Diagonal: 50" - 55" SWL: 45kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 350x350; 300x400; 400x400	vav.link/vfm-f10-wh
 Flipchart-Style Stand for Hub2	VFM-F10/HB	Vesa: 200x200; 200x400; 350x350; 300x400; 300x200; 400x200; 400x300; 400x400	vav.link/vfm-f10-hb
 Height-Adjustable Display Cart 45kg	VFM-F20	Diagonal: 37" - 70" SWL: 50kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 350x350; 300x400; 400x400	vav.link/vfm-f20
 Height-Adjustable Display Cart 80kg	VFM-F25	Diagonal: 60" - 100" SWL: 80kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 300x400; 800x400; 800x600; 1000x400; 1000x600; 400x400; 500x400; 400x600	vav.link/vfm-f25
 F50 Motorised Flat Panel Floor Stand	VFM-F50	Diagonal: 47" - 100" SWL: 95kg Vesa: 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600; 400x400; 500x400; 600x500; 400x600; 200x200; 100x100	vav.link/vfm-f50
 F50T Motorised Trolley Floor stand	VFM-F50T	Diagonal: 47" - 100" SWL: 95kg Vesa: 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600; 400x400; 500x400; 600x500; 400x600; 200x200; 100x100	vav.link/vfm-f50t
 F50 Dual Display Rail	VFM-F50_DL		vav.link/vfm-f50_dl

Floorstands

Product	Part Number	Info	Link
	F51 Flat Panel Floor Stand	Diagonal: 47" - 100" SWL: 95kg Vesa: 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600; 400x400; 500x400; 600x500; 400x600; 100x100; 200x200	vav.link/vfm-f51
	F51T Flat Panel Trolley	Diagonal: 47" - 100" SWL: 95kg Vesa: 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600; 400x400; 500x400; 600x500; 400x600; 100x100; 200x200	vav.link/vfm-f51t
	VISION Soundbar Brackets	VFM-WSB	vav.link/vfm-wsb
	Wall Mount Video Conference Shelf	VFM-WVC	vav.link/vfm-wvc
	Video Conference Shelf	VFM-WVC/2	vav.link/vfm-wvc-2
	Laptop Shelf for Wall Mount & Floor Stands	VFM-WLS	vav.link/vfm-wls
	Logitech Rally Speaker Bracket	VFM-WVC/RSB	vav.link/vfm-wvc-rsb

VISION

AV installation products

www.visionaudiovisual.com