

Rifunzionalizzazione Infrastrutture ICT PACS Centro – Capitolato Tecnico

Premessa

L'attuale infrastruttura che sottende al funzionamento dei sistemi RIS-PACS delle Aziende dell'Area Vasta Centro, veicolata nell'ambito del previgente contratto di manutenzione da parte dell'RTI aggiudicataria (Siemens, Agfa, Medas, Telecom) risulta ormai obsoleta, sottodimensionata e non atta ad ospitare le versioni aggiornate degli applicativi in esercizio.

Verificata altresì la necessità di acquisire una configurazione hardware e software di base validata dalla RTI ed in particolare dal fornitore del PACS, Siemens, pena il decadimento delle SLA contrattualizzate.

Verificata l'impossibilità di aggiornare alle più recenti versioni gli applicativi per inadeguatezza dell'infrastruttura attuale, sia in termini computazionali sia in termini di storage.

Verificato che lo spazio disco rimanente, anche dopo l'upgrade urgente veicolato da Regione Toscana, risulta atto a gestire ulteriori 10/12 mesi di attività.

Accertato che il sistema PACS in produzione è dichiarato da SIEMENS in "end of support" con il 31/12/2020, circostanza che implica il decadimento delle SLA contrattualizzate a far data 01/01/2021, con conseguente necessità di passare alla versione aggiornata dell'applicativo entro l'anno in corso e quindi avere una infrastruttura adeguata ad ospitarne le nuove architetture.

Acquisita dalla mandataria Siemens elenco validato, di materiale hardware atto al funzionamento per i prossimi 5 anni del sistema RIS PACS nella sua versione più recente ed aggiornata.

Appurati come non compatibili con i vincoli sopra descritti i tempi e i costi per l'attivazione di un percorso di certificazione per una diversa configurazione infrastrutturale.

La gara dovrà quindi prevedere la fornitura del materiale validato dalla mandataria del RTI e dei relativi servizi sistemistici di installazione, configurazione e manutenzione nel tempo.

Appurata altresì l'importanza della qualità dei servizi di supporto e manutenzione sistemistica, parte integrante della fornitura, peraltro elemento chiave per la buona riuscita del progetto, risulta necessaria l'aggiudicazione all'offerta economicamente più vantaggiosa applicando un rapporto qualità/prezzo di 70/30.

Oggetto della fornitura

Data la criticità e la delicatezza dei sistemi PACS, l'infrastruttura PACS non può essere fornita in base a soli criteri prestazionali e capacitativi ma deve necessariamente garantire integrazione e compatibilità sia con i sistemi precedenti sia con gli applicativi sanitari che deve ospitare. Per questo motivo la progettazione infrastrutturale ha visto, nei mesi precedenti al bando, una intensa attività dell'area tecnica ICT Estar, congiuntamente ai fornitori delle procedure applicative e delle apparecchiature PACS, per la progettazione e validazione dell'infrastruttura tecnologica necessaria a soddisfare le esigenze. L'infrastruttura ICT richiesta è perciò la sola idonea e certificata per soddisfare le esigenze del presente bando dato che ogni variante comporterebbe la necessità di una attività di studio e certificazione non compatibili con le imminenti necessità di aggiornamento tecnologico delle attuali infrastrutture oltre che con i costi aggiuntivi che tale attività comporterebbe. Oltre alla fornitura di detta infrastruttura, le cui specifiche sono delineate in "Allegato A" sono oggetto del bando i relativi servizi di manutenzione e conduzione per i successivi **5 anni**.

Il materiale dovrà essere installato presso i locali delle Aziende del SSRT e presso il Data Center TIM di Bruni, dove risiede già l'infrastruttura attualmente in esercizio.

Riepilogando sono oggetto di fornitura:

- a. L'infrastruttura ICT dettagliatamente richiesta in "Allegato A" con i relativi codici e quantità
- b. I Servizi di progettazione, Project management, deployment, attivazione, configurazione, migrazione, test e messa in produzione
- c. I servizi di Ticketing e Gestione Sistemistica
- d. I servizi di Reperibilità H24 7 giorni su 7 365 giorni all'anno
- e. I servizi di Monitoraggio Proattivo

L'erogazione dei servizi sopra elencati ai punti *b,c,d,e*, potrà avvenire secondo la tipologia sia *da remoto* sia *on site*, per l'erogazione di questi ultimi servizi il fornitore dovrà obbligatoriamente disporre di un centro di supporto localizzato nel territorio dell'Area Vasta Centro in modo da poter garantire gli SLA richiesti successivamente per l'intervento.

Saranno a cura e carico del fornitore le infrastrutture necessarie per l'erogazione dei servizi sopra elencati ai punti *b,c,d,e* in termini di locali, apparecchiature ICT, linee di comunicazione, ed in generale tutti gli strumenti hardware e software necessari per l'erogazione dei servizi richiesti. L'infrastruttura utilizzata e messa a disposizione per l'erogazione dei servizi sarà oggetto di valutazione tecnica.

I concorrenti sono tenuti ad allegare le certificazioni del personale alla documentazione tecnica di gara, **pena esclusione**. Il personale deve essere certificato per i prodotti elencati, oggetto della fornitura. I concorrenti devono pertanto fornire documentazione dei corsi di formazioni sostenuti e relativa certificazione in merito ai prodotti/brand presenti nell'allegato A.

Descrizione dei singoli punti

a. L'infrastruttura ICT dettagliatamente richiesta in allegato A con i relativi codici e quantità

L'infrastruttura oggetto di fornitura è riportata integralmente in allegato A. Data la particolare necessità, le configurazioni offerte devono essere identiche a quelle richieste in termini di codici, quantità, marca, modello. Variazioni saranno accettate in fase di fornitura solo per cause di forza maggiore e sottoposte a validazione da parte dei produttori/fornitori degli applicativi e delle apparecchiature elettromedicali. In tale evenienza, pena la rescissione del contratto, sarà necessario allegare la seguente documentazione:

- 1) Dichiarazione del produttore di obsolescenza delle apparecchiature richieste ed indicazione puntuale delle configurazioni sostitutive, certificandone la compatibilità in termini di caratteristiche e prestazioni
- 2) Dichiarazione/i e/o certificazione/i da parte dei produttori/fornitori degli applicativi e delle apparecchiature elettromedicali che i prodotti sostitutivi proposti sono idonei e compatibili con le suddette componenti e quindi piena accettazione della sostituzione senza che questa possa in qualsiasi modo influire sull'erogazione dei servizi e sul rispetto degli SLA contrattuali dei servizi da questi erogati.

Il materiale deve pervenire presso i locali che saranno indicati al momento dell'ordine entro **30 giorni** solari dalla data emissione ordine.

Il materiale dovrà essere messo in esercizio entro **45 giorni** solari dalla data di consegna del medesimo.

b. I Servizi di progettazione, Project management, deployment, attivazione, configurazione, migrazione, test e messa in produzione

Con riferimento all'infrastruttura richiesta, il concorrente dovrà proporre i seguenti servizi, in parte dedicati alla fase di avviamento e migrazione dalla vecchia alla nuova infrastruttura ICT ed in parte dedicati alla fase di gestione per l'intera durata del contratto. Dovranno essere proposti e saranno oggetto di valutazione i seguenti servizi:

- 1) Progettazione e Project management descrivendone gli aspetti di pianificazione ed organizzazione a partire dall'attivazione del contratto.
- 2) Deployment, attivazione e configurazione ovvero le fasi di consegna, installazione, attivazione, delle infrastrutture ICT da fornire
- 3) Migrazione, Test e messa in produzione, descrivendone le procedure e metodologie messe in atto per il passaggio in produzione della nuova infrastruttura ICT

c. I servizi di Ticketing e Gestione Sistemistica

Entro **30 giorni** dall'emissione dell'ordine, l'aggiudicatario dovrà prendere in carico i servizi di supporto sistemistico delle attuali infrastrutture ICT del PACS, garantendo in continuità il servizio dalla presa in carico fino al passaggio alla nuova infrastruttura ICT.

Resta inteso che non sono a carico dell'aggiudicatario i contratti di manutenzione hardware e software sulla attuale infrastruttura, ma solo la gestione sistemistica della stessa. Si precisa però che in caso di mancato rispetto del piano di attivazione per motivi a lui imputabili sarà a carico dell'aggiudicatario il rinnovo dei contratti di manutenzione sulla attuale infrastruttura con gli attuali SLA fino al completamento della migrazione sulla nuova infrastruttura.

I servizi richiesti sono:

1) Servizio di Contact Center

Si richiede da parte del fornitore la fornitura di un servizio che, mettendo a disposizione un punto unico di contatto (PUC) possa assolvere con efficienza ai seguenti servizi:

- ricezione e tracking chiamate
- registrazione dei ticket attraverso un sistema di Trouble Ticketing che ne consenta il monitoraggio e controllo da parte dell'amministrazione;
- gestione contrattualistica
- interazione con centri di supporto
- programmazione interventi
- Altre necessità correlate ai servizi tecnici erogati

In sede di gara ciascun partecipante dovrà proporre e descrivere in dettaglio il servizio che intende erogare per rispondere alle esigenze manifestate dal presente articolo.

Resta inteso che l'Amministrazione è proprietaria della base dati dei ticket raccolti.

2) Servizio di Help Desk Sistemistico

Si richiede nella presente fornitura, l'erogazione di un Servizio di Help Desk Sistemistico di secondo livello a supporto delle infrastrutture ICT, Hardware e Software richieste. Il servizio deve prevedere un'attività di supporto sistemistico sia da remoto che on site per la gestione e conduzione ordinaria delle infrastrutture ICT oggetto di gara.

Per l'erogazione dei servizi di gestione, il Fornitore dovrà mettere a disposizione delle Amministrazioni Contraenti, una piattaforma di Service Management, attraverso la quale implementare la funzione di help desk sistemistico (service desk).

Il fornitore dovrà proporre e descrivere in dettaglio il servizio che intende erogare per rispondere alle esigenze manifestate dal presente bando, in particolare definendo gli elementi distintivi di System & Management proposti.
Tale proposta sarà oggetto di valutazione tecnica.

d. I servizi di Reperibilità H24 7 giorni su 7 365 giorni all'anno

Dato l'alto livello di criticità delle infrastrutture ICT RIS PACS, è richiesto, un servizio di reperibilità H24, 7 giorni su 7, 365 giorni all'anno per ogni giorno dell'anno inclusi festivi.

Il Servizio, sarà a disposizione al di fuori dal normale orario di lavoro, per dare continuità agli aspetti più critici dei servizi svolti nel normale orario di lavoro. Ricevendo chiamate da uno dei soggetti abilitati (Estar, committente, produttore/fornitore applicativo, produttore/fornitore apparecchiature elettromedicali) dovrà essere in grado, secondo gli SLA previsti dal presente capitolato, di eseguire una prima diagnosi del problema ed attivarsi tempestivamente per la sua risoluzione, includendo eventuali interventi festivi e notturni. Il centro di supporto, ovvero la residenza dei soggetti abilitati ad intervenire in regime di reperibilità dovrà essere individuata all'interno del territorio dell'Area Vasta Centro o comunque ad una distanza massima di 50 km dalle sedi di installazione delle infrastrutture ICT fornite nel presente bando.

Sarà cura del fornitore proporre e descrivere in dettaglio il servizio che intende erogare per rispondere alle esigenze manifestate dal presente articolo.
Tale proposta sarà oggetto di valutazione tecnica.

e. I servizi di Monitoraggio Proattivo

Il fornitore dovrà proporre un Servizio di Monitoraggio Proattivo dedicato alle infrastrutture ICT, hardware e software di base, oggetto di fornitura, con lo scopo di:

- Rilevare in anticipo o tempestivamente eventuali guasti insorgenti sulle infrastrutture di sistema e di rete e produrre puntuale reportistica alla committenza
- Rilevare in anticipo i trend di utilizzo delle risorse di sistema e di rete e produrre puntuale reportistica alla committenza
- Garantire un tempestivo intervento al verificarsi di una anomalia sulle infrastrutture ICT
- Effettuare in via esclusiva od in affiancamento alle risorse locali servizi di gestione ordinaria sui sistemi hardware, di rete e software di base;
- Effettuare interventi reattivi e correttivi on site sui sistemi hardware, di rete e software di base.

Tale proposta sarà oggetto di valutazione tecnica.

Orario Lavorativo e SLA

I Servizi di supporto sistemistico di cui al presente capitolato sono soggetti ai seguenti orari di servizio ordinario ed esteso, nonché a dei livelli di servizio (SLA) differenziati a seconda della priorità dell'intervento.

Gli orari di intervento possono essere così suddivisi:

Orario di servizio ordinario

dalle ore 9 alle ore 18	Dal lunedì al venerdì
Dalle ore 9 alle 14	Il sabato e pre-festivi

Orario di servizio esteso (h24)

dalle ore 14 alle ore 18	Il sabato e pre-festivi
Dalle ore 18 alle 9	Tutti i giorni feriali e festivi

Il servizio è soggetto ai seguenti livelli di servizio (SLA):

PRIORITA'	SLA primo intervento	Percentuale casi in cui si applica	SLA risoluzione	Percentuale casi in cui si applica
Ordinaria	<= 2 giorni lavorativi	100% casi	<= 5 giorni lavorativi	98% casi
Media	<= NBD	100% casi	<= 3 giorni lavorativi	98% casi
Urgente o bloccante	<= 2 ore lavorative	100% casi	<= 4 ore lavorative	98% casi

In caso di non rispetto dei livelli di servizio il fornitore sarà soggetto all'applicazione di penali secondo quanto indicato nel successivo articolo.

Penali

- Per ogni giorno di ritardo nella consegna del materiale di cui al punto a, saranno applicati euro 100,00 di penale per ciascun prodotto moltiplicato per le rispettive quantità
- Per ciascun prodotto eventualmente consegnato non conforme a quanto richiesto saranno applicati euro 500,00 di penale, oltre a restare valide le tempistiche di consegna previste dal capitolato e le annesse penali di cui al punto sopra
- Per ciascun caso di mancato rispetto delle SLA richieste saranno applicate le seguenti penali:

PRIORITA'	PENALE
Ordinaria	500,00 euro per ogni giorno (o frazione di giorno) di ritardo
Media	700,00 euro per ogni giorno (o frazione di giorno) di ritardo
Urgente o bloccante	500,00 euro per ogni ora (o frazione di ora) di ritardo

Criteria valutazione tecnica

Criteria di valutazione			
b. I Servizi di progettazione, deployment, attivazione, configurazione test e messa in produzione	Qualità del progetto e metodologia proposta per l'avviamento dell'infrastruttura fornita	4	18
	Le figure professionali messe a disposizione per l'attivazione dell'infrastruttura in merito anche alla competenza degli ambienti da mettere in esercizio	7	
	Le metodologie proposte per l'attività di test e per la successiva migrazione sulla nuova infrastruttura, in merito anche agli accorgimenti utilizzati per garantire la riuscita ottimale del progetto in tempi contenuti e con il minimo impatto sull'erogazione dei servizi ai cittadini	7	
c. I servizi di Ticketing e Gestione Sistemistica	Qualità del progetto e metodologia proposta per l'erogazione dei servizi	4	18
	Le figure professionali messe a disposizione per l'erogazione dei servizi di gestione sistemistica anche in merito alle specifiche competenze sugli ambienti da gestire	7	
	L'organizzazione del centro di supporto e gli strumenti tecnologici utilizzati per supportare l'erogazione dei servizi	7	
d. I servizi di Reperibilità H24 7 giorni su 7 365 giorni all'anno	Il disegno di flusso e le componenti coinvolte per l'erogazione del servizio di reperibilità	4	18
	Le figure professionali messe a disposizione per l'erogazione del servizio di reperibilità anche in merito alle specifiche competenze sugli ambienti da gestire	7	
	L'organizzazione del servizio e gli strumenti tecnologici utilizzati	7	
e. I servizi di Monitoraggio Proattivo	La qualità ed il dettaglio del servizio proposto in merito alle informazioni gestite ed alla loro utilità	4	16
	La competenza del personale addetto alla gestione del servizio anche in merito alle specifiche competenze sugli ambienti oggetto di monitoraggio	4	
	L'organizzazione del servizio e gli strumenti tecnologici utilizzati	8	

MEYER

#	SKU	Description	Q-ty
1	BASE,SVC,PRODEPLOY,DELL 1		
	210-AHHE	BASE,SVC,PRODEPLOY,DELL	1
	683-22412	ProDeploy Add-On : Upgrade to On-Site Delivery (Requires 1 per Deployment Site)	1
2	Dell EMC NX3240 1		
	210-APUR	Dell EMC NX3240	1
	321-BCPV	Chassis with up to 12 x 3.5" HDDs on BP, 4 x 3.5" HDDs on MP and 2 x 3.5" HDDs Flexbay, 1 and 2CPU Configuration	1
	325-BCHV	PowerEdge 2U LCD Bezel	1
	329-BEIK	PowerEdge R740/R740XD Motherboard	1
	350-BBJU	Quick Sync 2 (At-the-box mgmt)	1
	350-BBQY	Dell EMC Luggage Tag for NX3240	1
	370-AAIP	Performance Optimized	1
	370-ADNI	8GB RDIMM, 2666MT/s, Single Rank	4
	370-ADNU	2666MT/s RDIMMs	1
	405-AAQU	MOD,CRD,CTL,H730P,2GB,MCRD,14G	1
	412-AAIP	1U Pipe Low Profile Heatsink	2
	634-BRMV	Windows Storage Servers 2016 Standard Edition	1
	401-ABCF	600GB 10K RPM SAS 12Gbps 512n 2.5in Flex Bay Hard Drive, 3.5in HYB CARR	2
	384-BBPZ	6 Performance Fans forR740/740XD	1
	450-AAXX	2M Rack Power Cord C13/C14 12A	2
	385-BBKT	iDRAC9,Enterprise	1
	770-BBBR	ReadyRails Sliding Rails With Cable Management Arm	1
	429-AAOK	8X DVD-ROM, USB, EXTERNAL	1
	379-BCSG	iDRAC,Legacy Password	1
	461-AADZ	No Trusted Platform Module	1
	631-AACK	No Systems Documentation, No OpenManage DVD Kit	1
	340-CHFJ	PowerVault NX3240 EMEA1 Ship Docs	1
	709-13780	Base Warranty	1
	709-16528	3Yr Parts Only Warranty	1
	330-BBHG	Riser Config 2, 3 x8, 1 x16 slots	1
	370-ABWE	DIMM Blanks for System with 2 Processors	1

990-10181	Storage - Free Freight SKU	1
450-ADWS	Dual, Hot-plug, Redundant Power Supply (1+1), 750W	1
780-BCJY	RAID 6	1
683-17926	CSO OEM Solution Advanced Program Support, EMEA	1
647-10218	Partner Operations Support	1
338-BSWX	Intel Xeon Silver 4208 2.1G, 8C/16T, 9.6GT/s, 11M Cache, Turbo, HT (85W) DDR4-2400	2
379-BDCO	Additional Processor Selected	1
683-19470	ProDeploy Dell Storage NX Series 3XXX NAS - Deployment	1
683-19471	ProDeploy Dell Storage NX Series 3XXX NAS - Deployment Verification	1
400-ASHX	2TB 7.2K RPM SATA 6Gbps 512n 3.5in Hot-plug Hard Drive	7
528-10337	Thank you for choosing Dell ProSupport Plus. For Tech Support, visit //www.dell.com/contactdell	1
865-76866	INFO 3Yr ProSupport Plus and 4hr Mission Critical	1
865-76867	4Yr ProSupport Plus and 4hr Mission Critical	1
711-10108	4Yr Data Protection - Keep Your Hard Drive	1
540-BBUL	Broadcom 57412 2 Port 10Gb SFP+ + 5720 2 Port 1Gb Base-T, rNDC	1
3	SC5020 Storage Array	2
210-ALCO	SC5020 Storage Array	1
449-BBLB	SC5020 Enclosure Assembly	1
770-BBJE	Rack rail, 2Us, Static	1
340-BSGZ	Dell SC5020 Shipping, EMEA1	1
450-AFMD	Redundant Power Supply, 1485W, C14	1
450-AADY	C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord	2
634-BJOW	SSN License	1
634-BJQU	Storage Center Core Software Bundle, Base License	1
634-BJEB	Storage Center Drive Certificate	1
709-14815	3Yr Parts Only Warranty	1
683-20815	ProDeploy Dell Storage SC Series 5XXX SAN - Deployment Verification	1
683-21973	ProDeploy Dell Storage SC Series 5XXX SAN - Deployment	1
470-ABDO	12Gb HD-Mini to HD-Mini SAS cable, 2m	2
400-AXIC	2.4TB, SAS, 12Gb, 10K, 2.5" HDD	11
403-BBOS	No Mezzanine Card	1
631-ABIH	Live Volume+Remote Instant Replay, Software License	1
683-17926	CSO OEM Solution Advanced Program Support, EMEA	1
865-32790	INFO 3Yr ProSupport Plus and 4hr Mission Critical	1
865-32791	4Yr ProSupport Plus and 4hr Mission Critical	1
821-16938	4Yr ProSupport for Software, Live Vol License (includes RIRA Async Sync License) (Non-Essential)	1
990-10763	Free Road Freight	1
711-11527	4Yr Data Protection - Keep Your Hard Drive	1

400-AEPR	Hard Drive Filler 2.5in, single blank	13
400-ARIT	SC, 960GB, SAS, 12Gb, RI SSD, 2.5" HD	6
565-BBDO	IO, 10Gb iSCSI, 2port, PCI-E, w/o Optics, Full height, QTY 2	1
350-BBKJ	SC Bezel	1
4 IT GFX Freight Zero Cost		1
A0683229	IT GFX Freight Zero Cost	1
5 APC NetShelter SX Deep Enclosure - Rack - nero - 42U - 19"		2
A7545497	APC NetShelter SX Deep Enclosure - Rack - nero - 42U - 19"	1
6 APC Basic Rack PDU Zero U - unità distribuzione alimentazione		2
A7067487	APC Basic Rack PDU Zero U - unità distribuzione alimentazione	1
7 APC Basic Rack PDU Zero U - unità distribuzione alimentazione		2
A7067488	APC Basic Rack PDU Zero U - unità distribuzione alimentazione	1
8 Warranty/Service Pack 1yr f Accessories		4
A7249778	Warranty/Service Pack 1yr f Accessories	1
9 APC Extended Warranty (Renewal or High Volume) - contratto di assistenza esteso - 1 anno		4
A7562156	APC Extended Warranty (Renewal or High Volume) - contratto di assistenza esteso - 1 anno	1
10 Dell Smart-UPS SRT 8000VA RM - UPS - 8000 VA		2
A8515711	Dell Smart-UPS SRT 8000VA RM - UPS - 8000 VA	1
11 APC Extended Warranty Service Pack - Supporto tecnico - consulenza telefonica - 1 anno - 24x7		2
A7249628	APC Extended Warranty Service Pack - Supporto tecnico - consulenza telefonica - 1 anno - 24x7	1
12 VMware vSphere Essentials Plus		1
210-AIKY	VMware vSphere Essentials Plus	1
800-11671	Enterprise Order - EMEA.	1
634-BHLN	VMware vSphere Essentials Plus, 6CPU, 5YR, Euro	1
821-16841	ProSupport for Software, VMware, vSphere Essentials Plus, 6CPU, 5 Years	1
821-15719	ProSupport for Software, VMware, 5 Year	1
13 PowerEdge R640 Server		2
210-AKWU	PowerEdge R640 Server	1
461-AADZ	No Trusted Platform Module	1
370-ABWE	DIMM Blanks for System with 2 Processors	1
370-AAIP	Performance Optimized	1
450-ADWS	Dual, Hot-plug, Redundant Power Supply (1+1), 750W	1
450-AADY	C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord	2

330-BBGN	Riser Config 2, 3x16 LP	1
385-BBKT	iDRAC9,Enterprise	1
770-BBBL	ReadyRails Sliding Rack Rails with Cable Management Arm	1
379-BCSF	iDRAC,Factory Generated Password	1
379-BCQV	iDRAC Group Manager, Enabled	1
293-10025	Asset Tag - ProSupport (Website, barcode, Onboard MacAddress)	1
293-10049	Order Configuration Shipbox Label (Ship Date, Model, Processor Speed, HDD Size, RAM)	1
631-AACK	No Systems Documentation, No OpenManage DVD Kit	1
340-BSZS	PowerEdge R640 Shipping EMEA1 (English/French/German/Spanish/Russian/Hebrew)	1
709-BBIM	Next Business Day 36MONTHS	1
800-11671	Enterprise Order - EMEA.	1
990-10548	Free Freight	1
350-BBKB	No Quick Sync	1
385-BBCF	Redundant SD Cards Enabled	1
385-BBKH	32GB microSDHC/SDXC Card	2
385-BBLE	IDSDM and Combo Card Reader	1
384-BBBL	Performance BIOS Settings	1
683-17926	CSO OEM Solution Advanced Program Support, EMEA	1
683-19201	ProDeploy Dell Server R Series 1U/2U - Deployment	1
683-19202	ProDeploy Dell Server R Series 1U/2U - Deployment Verification	1
379-BDCO	Additional Processor Selected	1
329-BEIJ	PowerEdge R640 MLK Motherboard	1
384-BBQI	8 Performance Fans for R640	1
321-BCUP	No Hard Drive, No Backplane chassis	1
780-BCDH	Diskless Configuration (No RAID, No Controller)	1
405-AACD	No Controller	1
400-ABHL	No Hard Drive	1
350-BBJS	Dell EMC Luggage Tag	1
429-ABBF	No Internal Optical Drive for x4 and x8 HDD Chassis	1
340-BYRV	PowerEdge R640 Shipping Material for 8 HDD chassis	1
370-AEPP	2933MT/s RDIMMs	1
865-BBNF	Prosupport Plus 4HR Mission Critical Initial, 36 Mese/i	1

865-BBNG	Prosupport Plus 4HR Mission Critical Extension, 12 Mese/i	1
634-BRIN	VMware ESXi 6.7 U2 Embedded Image on Flash Media for Diskless (License Not Included)	1
618-BBCX	Legacy BIOS Boot mode with GPT for Data Partition	1
634-BSFJ	Windows Server 2019 Standard Edition,Secondary OS, No MEDIA, 16 CORE	1
634-BSGE	MS2019 Standard Edition, Additional License, 16 CORE,NO MEDIA/KEY	3
634-BSGI	Windows Server 2019 Standard,16CORE,Secondary OS,Media Kit, Multi Language	1
634-BSGN	Windows Server 2019 Standard,No Media,WS2016 STD Downgrade Media, Multi Language	1
338-BRVH	Intel Xeon Gold 5218 2.3G, 16C/32T, 10.4GT/s, 22M Cache, Turbo, HT (125W) DDR4-2666	2
412-AAIQ	Standard 1U Heatsink	2
370-AEQF	16GB RDIMM, 2933MT/s, Dual Rank	12
325-BCHH	Standard Bezel	1
540-BBVI	Broadcom 57412 Dual Port 10Gb, SFP+, PCIe Adapter, Low Profile	1
540-BBUL	Broadcom 57412 2 Port 10Gb SFP+ + 5720 2 Port 1Gb Base-T, rNDC	1
14 PowerEdge R440 Server		1
<hr/>		
210-ALZE	PowerEdge R440 Server	1
405-AAOM	Internal PERC	1
461-AADZ	No Trusted Platform Module	1
412-AAJT	Standard Heat Sink	1
370-AAIP	Performance Optimized	1
370-ADNU	2666MT/s RDIMMs	1
370-ADNI	8GB RDIMM, 2666MT/s, Single Rank	6
780-BCDS	Unconfigured RAID	1
405-AAML	PERC H740P RAID Controller, LP Adapter	1
384-BBBL	Performance BIOS Settings	1
293-10025	Asset Tag - ProSupport (Website, barcode, Onboard MacAddress)	1
450-AGOY	Dual, Hot Plug, Redundant Power Supply (1+1), 550W	1
450-AADY	C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord	2
385-BBKT	iDRAC9,Enterprise	1
542-BBCR	Dual-Port 1GbE On-Board LOM	1
325-BCHH	Standard Bezel	1
350-BBKT	Dell EMC Luggage Tag	1
379-BCQV	iDRAC Group Manager, Enabled	1

384-BCFU	PowerEdge R540/R440 MLK Motherboard	1
708-10082	Configuration Services, Standard ISG System Report, Delivery Via Email	1
293-10049	Order Configuration Shipbox Label (Ship Date, Model, Processor Speed, HDD Size, RAM)	1
631-AACK	No Systems Documentation, No OpenManage DVD Kit	1
340-BYXJ	PowerEdge R440 Shipping EMEA1 (English/French/German/Spanish/Russian/Hebrew)	1
709-BBIL	Next Business Day 36MONTHS	1
800-11671	Enterprise Order - EMEA.	1
338-BSDH	Intel Xeon Silver 4210 2.2G, 10C/20T, 9.6GT/s, 13.75M Cache, Turbo, HT (85W) DDR4-2400	1
374-BBBX	No Additional Processor	1
321-BCUV	2.5" Chassis with up to 8 Hot Plug Hard Drives	1
340-BYXM	PowerEdge R440 Shipping Material for 8 HDD chassis	1
350-BBKR	No Quick Sync	1
400-ASHI	1.2TB 10K RPM SAS 12Gbps 512n 2.5in Hot-plug Hard Drive	3
800-BBDM	UEFI BIOS Boot Mode with GPT Partition	1
865-BBNF	Prosupport Plus 4HR Mission Critical Initial, 36 Mese/i	1
865-BBNG	Prosupport Plus 4HR Mission Critical Extension, 12 Mese/i	1
990-10548	Free Freight	1
770-BCKT	ReadyRails Sliding Rails With Cable Management Arm	1
683-19201	ProDeploy Dell Server R Series 1U/2U - Deployment	1
683-19202	ProDeploy Dell Server R Series 1U/2U - Deployment Verification	1
683-17926	CSO OEM Solution Advanced Program Support, EMEA	1
330-BBHL	Riser Config 1, 1 x 16 FH	1
379-BCSF	iDRAC,Factory Generated Password	1
385-BBCF	Redundant SD Cards Enabled	1
385-BBKH	32GB microSDHC/SDXC Card	2
385-BBLE	IDSDM and Combo Card Reader	1
634-BRIM	VMware ESXi 6.7 U2 Embedded Image on Flash Media (License Not Included)	1
634-BSFJ	Windows Server 2019 Standard Edition,Secondary OS, No MEDIA, 16 CORE	1
634-BSGI	Windows Server 2019 Standard,16CORE,Secondary OS,Media Kit, Multi Language	1
634-BSGN	Windows Server 2019 Standard,No Media,WS2016 STD Downgrade Media, Multi Language	1
429-ABBF	No Internal Optical Drive for x4 and x8 HDD Chassis	1
711-BBBR	Keep Your Hard Drive, 48 Mese/i	1
540-BBZE	Broadcom 57416 Dual Port 10 GbE SFP+ Network LOM Mezz Card	1

540-BBUH

Broadcom 57412 Dual Port 10Gb, SFP+, PCIe Adapter, Full Height

1

634-BSGE

MS2019 Standard Edition, Additional License, 16 CORE,NO MEDIA/KEY

1

USL TOSCANA CENTRO

#	SKU	Description	Q-ty
15	BASE,SVC,PRODEPLOY,DELL		1
	MEYER	BASE,SVC,PRODEPLOY,DELL	1
	683-22412	ProDeploy Add-On : Upgrade to On-Site Delivery (Requires 1 per Deployment Site)	1
16	Dell EMC NX3240		1
	210-APUR	Dell EMC NX3240	1
	321-BCPV	Chassis with up to 12 x 3.5" HDDs on BP, 4 x 3.5" HDDs on MP and 2 x 3.5" HDDs Flexbay, 1 and 2CPU Configuration	1
	325-BCHV	PowerEdge 2U LCD Bezel	1
	329-BEIK	PowerEdge R740/R740XD Motherboard	1
	350-BBJU	Quick Sync 2 (At-the-box mgmt)	1
	350-BBQY	Dell EMC Luggage Tag for NX3240	1
	370-AAIP	Performance Optimized	1
	370-ADNI	8GB RDIMM, 2666MT/s, Single Rank	4
	370-ADNU	2666MT/s RDIMMs	1
	405-AAQU	MOD,CRD,CTL,H730P,2GB,MCRD,14G	1
	412-AAIP	1U Pipe Low Profile Heatsink	2
	634-BRMV	Windows Storage Servers 2016 Standard Edition	1
	401-ABCF	600GB 10K RPM SAS 12Gbps 512n 2.5in Flex Bay Hard Drive, 3.5in HYB CARR	2
	384-BBPZ	6 Performance Fans forR740/740XD	1
	450-AAXX	2M Rack Power Cord C13/C14 12A	2
	385-BBKT	iDRAC9,Enterprise	1
	770-BBBR	ReadyRails Sliding Rails With Cable Management Arm	1
	429-AAOK	8X DVD-ROM, USB, EXTERNAL	1
	379-BCSG	iDRAC,Legacy Password	1
	461-AADZ	No Trusted Platform Module	1
	631-AACK	No Systems Documentation, No OpenManage DVD Kit	1
	340-CHFJ	PowerVault NX3240 EMEA1 Ship Docs	1
	709-13780	Base Warranty	1
	709-16528	3Yr Parts Only Warranty	1
			1
			1
			1

330-BBHG	Riser Config 2, 3 x8, 1 x16 slots	1
370-ABWE	DIMM Blanks for System with 2 Processors	1
990-10181	Storage - Free Freight SKU	1
450-ADWS	Dual, Hot-plug, Redundant Power Supply (1+1), 750W	1
780-BCJY	RAID 6	1
683-17926	CSO OEM Solution Advanced Program Support, EMEA	1
647-10218	Partner Operations Support	1
338-BSWX	Intel Xeon Silver 4208 2.1G, 8C/16T, 9.6GT/s, 11M Cache, Turbo, HT (85W) DDR4-2400	2
379-BDCO	Additional Processor Selected	1
683-19470	ProDeploy Dell Storage NX Series 3XXX NAS - Deployment	1
683-19471	ProDeploy Dell Storage NX Series 3XXX NAS - Deployment Verification	1
400-ASHX	2TB 7.2K RPM SATA 6Gbps 512n 3.5in Hot-plug Hard Drive	7
528-10337	Thank you for choosing Dell ProSupport Plus. For Tech Support, visit //www.dell.com/contactdell	1
865-76866	INFO 3Yr ProSupport Plus and 4hr Mission Critical	1
865-76867	4Yr ProSupport Plus and 4hr Mission Critical	
711-10108	4Yr Data Protection - Keep Your Hard Drive	
540-BBUL	Broadcom 57412 2 Port 10Gb SFP+ + 5720 2 Port 1Gb Base-T, rNDC	
17 SC5020 Storage Array	2	
210-ALCO	SC5020 Storage Array	1
449-BBLB	SC5020 Enclosure Assembly	1
770-BBJE	Rack rail, 2Us, Static	1
340-BSGZ	Dell SC5020 Shipping, EMEA1	1
450-AFMD	Redundant Power Supply, 1485W, C14	1
450-AADY	C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord	2
634-BJOW	SSN License	1
634-BJQU	Storage Center Core Software Bundle, Base License	1
634-BJEB	Storage Center Drive Certificate	1
709-14815	3Yr Parts Only Warranty	1
683-20815	ProDeploy Dell Storage SC Series 5XXX SAN - Deployment Verification	1
683-21973	ProDeploy Dell Storage SC Series 5XXX SAN - Deployment	1
470-ABDO	12Gb HD-Mini to HD-Mini SAS cable, 2m	2
400-AXIC	2.4TB, SAS, 12Gb, 10K, 2.5" HDD	30
		1

403-BBOS	No Mezzanine Card	1
631-ABIH	Live Volume+Remote Instant Replay, Software License	1
683-17926	CSO OEM Solution Advanced Program Support, EMEA	1
865-32790	INFO 3Yr ProSupport Plus and 4hr Mission Critical 1	
865-32791	4Yr ProSupport Plus and 4hr Mission Critical 1	
821-16938	4Yr ProSupport for Software, Live Vol License (includes RIRA Async Sync License) (Non-Essential)	1
990-10763	Free Road Freight	1
711-11527	4Yr Data Protection - Keep Your Hard Drive	1
350-BBKJ	SC Bezel	1
565-BBEP	IO, 10Gb iSCSI, 4port, PCI-E, w/o Optics, Full height, QTY 2	1
18 SC420_A2		

486-40087	SC420_A	1
210-AFTF	SC420 Enclosure (1st enclosure of new array)	1
325-BCLH	SC420 Bezel	1
450-AEBJ	Power supply, AC 600W, Redundant	1
340-ATEQ	Dell SC420 Shipping, EMEA1	1
770-BBJE	Rack rail, 2Us, Static	1
403-BBKM	Enclosure Mangement Module, Dual	1
450-AADY	C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord	2
470-ABDO	12Gb HD-Mini to HD-Mini SAS cable, 2m	2
709-13390	Base Warranty 1	
709-13391	3Yr Parts Only Warranty 1	
709-13392	90 Day SW Bug Fixes Support Media Replacement 1	
683-20149	ProDeploy Dell Storage SC Disk Series 400/420 2U Exp Enclosure - Deployment Verification	1
683-21957	ProDeploy Dell Storage SC Disk Series 400/420 2U Enclosure - Deployment	1
990-10763	Free Road Freight	1
400-AXIC	2.4TB, SAS, 12Gb, 10K, 2.5" HDD	18
683-17926	CSO OEM Solution Advanced Program Support, EMEA	1
865-47602	INFO 3Yr ProSupport Plus and 4hr Mission Critical 1	
865-47603	4Yr ProSupport Plus and 4hr Mission Critical 1	
711-11527	4Yr Data Protection - Keep Your Hard Drive	1
400-AIZU	SC, 960GB, SAS, 12Gb, RI SSD, 2.5" HD	6

19 IT GFX Freight Zero Cost

A0683229	IT GFX Freight Zero Cost	1
----------	--------------------------	---

20 APC NetShelter SX Deep Enclosure - Rack - nero - 42U - 19" 2

- 1
- 1
- 1
- 1

	A7545497	APC NetShelter SX Deep Enclosure - Rack - nero - 42U - 19"	1
21	APC Basic Rack PDU Zero U - unità distribuzione alimentazione		2
	A7067487	APC Basic Rack PDU Zero U - unità distribuzione alimentazione	1
22	APC Basic Rack PDU Zero U - unità distribuzione alimentazione		2
	A7067488	APC Basic Rack PDU Zero U - unità distribuzione alimentazione	1
23	Warranty/Service Pack 1yr f Accessories		4
	A7249778	Warranty/Service Pack 1yr f Accessories	1
24	APC Extended Warranty (Renewal or High Volume) - contratto di assistenza esteso - 1 anno		4
	A7562156	APC Extended Warranty (Renewal or High Volume) - contratto di assistenza esteso - 1 anno	1
25	Dell Smart-UPS SRT 8000VA RM - UPS - 8000 VA		2
	A8515711	Dell Smart-UPS SRT 8000VA RM - UPS - 8000 VA	1
26	APC Extended Warranty Service Pack - Supporto tecnico - consulenza telefonica - 1 anno - 24x7		2
	A7249628	APC Extended Warranty Service Pack - Supporto tecnico - consulenza telefonica - 1 anno - 24x7	1
27	VMware vSphere Essentials Plus		1
	210-AIKY	VMware vSphere Essentials Plus	1
	800-11671	Enterprise Order - EMEA.	1
	634-BHLN	VMware vSphere Essentials Plus, 6CPU, 5YR, Euro	1
	821-16841	ProSupport for Software, VMware, vSphere Essentials Plus, 6CPU, 5 Years	1
	821-15719	ProSupport for Software, VMware, 5 Year	1
28	PowerEdge R640 Server		2
	210-AKWU	PowerEdge R640 Server	1
	461-AADZ	No Trusted Platform Module	1
	370-ABWE	DIMM Blanks for System with 2 Processors	1
	370-AAIP	Performance Optimized	1
	450-ADWS	Dual, Hot-plug, Redundant Power Supply (1+1), 750W	1
	450-AADY	C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord	2
	330-BBGN	Riser Config 2, 3x16 LP	1
	385-BBKT	iDRAC9,Enterprise	1
	770-BBBL	ReadyRails Sliding Rack Rails with Cable Management Arm	1
	379-BCSF	iDRAC,Factory Generated Password	1
	379-BCQV	iDRAC Group Manager, Enabled	1
			1

293-10025	Asset Tag - ProSupport (Website, barcode, Onboard MacAddress)	1
293-10049	Order Configuration Shipbox Label (Ship Date, Model, Processor Speed, HDD Size, RAM)	1
631-AACK	No Systems Documentation, No OpenManage DVD Kit	1
340-BSZS	PowerEdge R640 Shipping EMEA1 (English/French/German/Spanish/Russian/Hebrew)	1
709-BBIM	Next Business Day 36MONTHS	
800-11671	Enterprise Order - EMEA.	
990-10548	Free Freight	
350-BBKB	No Quick Sync	

1
1
1
1

385-BBCF	Redundant SD Cards Enabled	1
385-BBKH	32GB microSDHC/SDXC Card	2
385-BBLE	IDSDM and Combo Card Reader	1
384-BBBL	Performance BIOS Settings	1
683-17926	CSO OEM Solution Advanced Program Support, EMEA	1
683-19201	ProDeploy Dell Server R Series 1U/2U - Deployment	1
683-19202	ProDeploy Dell Server R Series 1U/2U - Deployment Verification	1
379-BDCO	Additional Processor Selected	1
329-BEIJ	PowerEdge R640 MLK Motherboard	1
384-BBQI	8 Performance Fans for R640	1
321-BCUP	No Hard Drive, No Backplane chassis	1
780-BCDH	Diskless Configuration (No RAID, No Controller)	1
405-AACD	No Controller	1
400-ABHL	No Hard Drive	1
350-BBJS	Dell EMC Luggage Tag	1
429-ABBF	No Internal Optical Drive for x4 and x8 HDD Chassis	1
340-BYRV	PowerEdge R640 Shipping Material for 8 HDD chassis	1
370-AEPP	2933MT/s RDIMMs	1
370-AEQH	32GB RDIMM, 2933MT/s, Dual Rank	18
865-BBNF	Prosupport Plus 4HR Mission Critical Initial, 36 Mese/i	1
865-BBNG	Prosupport Plus 4HR Mission Critical Extension, 12 Mese/i	1
634-BRIN	VMware ESXi 6.7 U2 Embedded Image on Flash Media for Diskless (License Not Included)	1
618-BBCX	Legacy BIOS Boot mode with GPT for Data Partition	1
634-BSFJ	Windows Server 2019 Standard Edition,Secondary OS, No MEDIA, 16 CORE	1
634-BSGC	MS2019 Standard Edition, Additional License, 2 CORE,NO MEDIA/KEY	4
634-BSGE	MS2019 Standard Edition, Additional License, 16 CORE,NO MEDIA/KEY	9
634-BSGI	Windows Server 2019 Standard,16CORE,Secondary OS,Media Kit, Multi Language	1
634-BSGN	Windows Server 2019 Standard,No Media,WS2016 STD Downgrade Media, Multi Language	1
325-BCHH	Standard Bezel	1
540-BBVI	Broadcom 57412 Dual Port 10Gb, SFP+, PCIe Adapter, Low Profile	1
540-BBUL	Broadcom 57412 2 Port 10Gb SFP+ + 5720 2 Port 1Gb Base-T, rNDC	1
338-BSHY	Intel Xeon Platinum 8276 2.2G, 28C/56T, 10.4GT/s, 38.5M Cache, Turbo, HT (165W) DDR4-2933	2
		1
		1

412-AAIQ	Standard 1U Heatsink	2
29 PowerEdge R440 Server		1
210-ALZE	PowerEdge R440 Server	1
405-AAOM	Internal PERC	1
461-AADZ	No Trusted Platform Module	1
412-AAJT	Standard Heat Sink	1
370-AAIP	Performance Optimized	1
370-ADNU	2666MT/s RDIMMs	1
370-ADNI	8GB RDIMM, 2666MT/s, Single Rank	6
780-BCDS	Unconfigured RAID	1
405-AAML	PERC H740P RAID Controller, LP Adapter	1
384-BBBL	Performance BIOS Settings	1
293-10025	Asset Tag - ProSupport (Website, barcode, Onboard MacAddress)	1
450-AGOY	Dual, Hot Plug, Redundant Power Supply (1+1), 550W	1
450-AADY	C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord	2
385-BBKT	iDRAC9,Enterprise	
542-BBCR	Dual-Port 1GbE On-Board LOM	
325-BCHH	Standard Bezel	1
350-BBKT	Dell EMC Luggage Tag	1
379-BCQV	iDRAC Group Manager, Enabled	1
384-BCFU	PowerEdge R540/R440 MLK Motherboard	1
293-10049	Order Configuration Shipbox Label (Ship Date, Model, Processor Speed, HDD Size, RAM)	1
631-AACK	No Systems Documentation, No OpenManage DVD Kit	1
340-BYXJ	PowerEdge R440 Shipping EMEA1 (English/French/German/Spanish/Russian/Hebrew)	1
709-BBIL	Next Business Day 36MONTHS	1
800-11671	Enterprise Order - EMEA.	1
338-BSDH	Intel Xeon Silver 4210 2.2G, 10C/20T, 9.6GT/s, 13.75M Cache, Turbo, HT (85W) DDR4-2400	1
374-BBBX	No Additional Processor	1
321-BCUV	2.5" Chassis with up to 8 Hot Plug Hard Drives	1
		1
		1
		1
		1

340-BYXM	PowerEdge R440 Shipping Material for 8 HDD chassis	1
350-BBKR	No Quick Sync	1
400-ASHI	1.2TB 10K RPM SAS 12Gbps 512n 2.5in Hot-plug Hard Drive	3
800-BBDM	UEFI BIOS Boot Mode with GPT Partition	1
865-BBNF	Prosupport Plus 4HR Mission Critical Initial, 36 Mese/i	1
865-BBNG	Prosupport Plus 4HR Mission Critical Extension, 12 Mese/i	1
990-10548	Free Freight	1
770-BCKT	ReadyRails Sliding Rails With Cable Management Arm	1
683-19201	ProDeploy Dell Server R Series 1U/2U - Deployment	1
683-19202	ProDeploy Dell Server R Series 1U/2U - Deployment Verification	1
683-17926	CSO OEM Solution Advanced Program Support, EMEA	1
330-BBHL	Riser Config 1, 1 x 16 FH	1
379-BCSF	iDRAC,Factory Generated Password	1
385-BBCF	Redundant SD Cards Enabled	1
385-BBKH	32GB microSDHC/SDXC Card	2
385-BBLE	IDSDM and Combo Card Reader	1
634-BRIM	VMware ESXi 6.7 U2 Embedded Image on Flash Media (License Not Included)	1
634-BSFJ	Windows Server 2019 Standard Edition,Secondary OS, No MEDIA, 16 CORE	1
634-BSGI	Windows Server 2019 Standard,16CORE,Secondary OS,Media Kit, Multi Language	1
634-BSGN	Windows Server 2019 Standard,No Media,WS2016 STD Downgrade Media, Multi Language	1
634-BSGE	MS2019 Standard Edition, Additional License, 16 CORE,NO MEDIA/KEY	2
429-ABBF	No Internal Optical Drive for x4 and x8 HDD Chassis	1
711-BBBR	Keep Your Hard Drive, 48 Mese/i	1
540-BBZE	Broadcom 57416 Dual Port 10 GbE SFP+ Network LOM Mezz Card	1
540-BBUH	Broadcom 57412 Dual Port 10Gb, SFP+, PCIe Adapter, Full Height	1
30 PowerEdge R440 Server		1
<hr/>		
210-ALZE	PowerEdge R440 Server	1
405-AAOM	Internal PERC	1
461-AADZ	No Trusted Platform Module	1
412-AAJT	Standard Heat Sink	1
370-AAIP	Performance Optimized	1
370-ADNU	2666MT/s RDIMMs	1
370-ADNI	8GB RDIMM, 2666MT/s, Single Rank	6

405-AAML	PERC H740P RAID Controller, LP Adapter	
384-BBBL	Performance BIOS Settings	
293-10025	Asset Tag - ProSupport (Website, barcode, Onboard MacAddress)	
450-AGOY	Dual, Hot Plug, Redundant Power Supply (1+1), 550W	
450-AADY	C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord	2
385-BBKT	iDRAC9,Enterprise	1
542-BBCR	Dual-Port 1GbE On-Board LOM	1
379-BCQV	iDRAC Group Manager, Enabled	1
384-BCFU	PowerEdge R540/R440 MLK Motherboard	1
293-10049	Order Configuration Shipbox Label (Ship Date, Model, Processor Speed, HDD Size, RAM)	1
631-AACK	No Systems Documentation, No OpenManage DVD Kit	1
340-BYXJ	PowerEdge R440 Shipping EMEA1 (English/French/German/Spanish/Russian/Hebrew)	1
709-BBIL	Next Business Day 36MONTHS	1
800-11671	Enterprise Order - EMEA.	1
338-BSDH	Intel Xeon Silver 4210 2.2G, 10C/20T, 9.6GT/s, 13.75M Cache, Turbo, HT (85W) DDR4-2400	1
374-BBBX	No Additional Processor	1
350-BBKR	No Quick Sync	1
800-BBDM	UEFI BIOS Boot Mode with GPT Partition	1
865-BBNF	Prosupport Plus 4HR Mission Critical Initial, 36 Mese/i	1
865-BBNG	Prosupport Plus 4HR Mission Critical Extension, 12 Mese/i	1
990-10548	Free Freight	1
770-BCKT	ReadyRails Sliding Rails With Cable Management Arm	1
683-19201	ProDeploy Dell Server R Series 1U/2U - Deployment	1
683-19202	ProDeploy Dell Server R Series 1U/2U - Deployment Verification	1
683-17926	CSO OEM Solution Advanced Program Support, EMEA	1
330-BBHL	Riser Config 1, 1 x 16 FH	1
379-BCSF	iDRAC,Factory Generated Password	1
634-BSGN	Windows Server 2019 Standard,No Media,WS2016 STD Downgrade Media, Multi Language	1
711-BBBR	Keep Your Hard Drive, 48 Mese/i	1
321-BCUX	2.5" Chassis with up to 10 Hard Drives	1
		1
		1
		1
		1

350-BBKS	Dell EMC Luggage Tag for x10	1
429-AAIQ	No Internal Optical Drive	1
340-BYXF	PowerEdge R440 Shipping Material for 4 HDD chassis	1
325-BCHH	Standard Bezel	1
634-BSFE	Windows Server 2019 Standard,16CORE,FI,No Med, No CAL, Multi Language	1
634-BSGL	Windows Server 2019 Standard,16CORE,Media Kit, Multi Language	1
379-BCQW	iDRAC Service Module (ISM), Pre-Installed in OS	1
780-BCDR	RAID 1 + RAID 5	1
400-ASHI	1.2TB 10K RPM SAS 12Gbps 512n 2.5in Hot-plug Hard Drive	8
540-BBZE	Broadcom 57416 Dual Port 10 GbE SFP+ Network LOM Mezz Card	1
540-BBUH	Broadcom 57412 Dual Port 10Gb, SFP+, PCIe Adapter, Full Height	1

CAREGGI

#	SKU	Description	Q-ty
31	BASE,SVC,PRODEPLOY,DELL		1
	210-AHHE	BASE,SVC,PRODEPLOY,DELL	1
	MEYER	ProDeploy Add-On : Upgrade to On-Site Delivery (Requires 1 per Deployment Site)	1
32	Dell EMC NX3240		1
	210-APUR	Dell EMC NX3240	1
	Chassis with up to 12 x 3.5" HDDs on BP, 4 x 3.5" HDDs on MP and 2 x 3.5" HDDs Flexbay, 1 and 2CPU		
	321-BCPV	Configuration	1
	325-BCHV	PowerEdge 2U LCD Bezel	1
	329-BEIK	PowerEdge R740/R740XD Motherboard	1
	350-BBJU	Quick Sync 2 (At-the-box mgmt)	1
	350-BBQY	Dell EMC Luggage Tag for NX3240	1
	370-AAIP	Performance Optimized	1
	370-ADNI	8GB RDIMM, 2666MT/s, Single Rank	4
	370-ADNU	2666MT/s RDIMMs	1
	405-AAQU	MOD,CRD,CTL,H730P,2GB,MCRD,14G	1
	412-AAIP	1U Pipe Low Profile Heatsink	2
	634-BRMV	Windows Storage Servers 2016 Standard Edition	1
	401-ABCF	600GB 10K RPM SAS 12Gbps 512n 2.5in Flex Bay Hard Drive, 3.5in HYB CARR	2
	384-BBPZ	6 Performance Fans forR740/740XD	1
	450-AAXX	2M Rack Power Cord C13/C14 12A	2
	385-BBKT	iDRAC9,Enterprise	1
	770-BBBR	ReadyRails Sliding Rails With Cable Management Arm	1
	429-AAOK	8X DVD-ROM, USB, EXTERNAL	1
	379-BCSG	iDRAC,Legacy Password	1
	461-AADZ	No Trusted Platform Module	1
	631-AACK	No Systems Documentation, No OpenManage DVD Kit	1
	340-CHFJ	PowerVault NX3240 EMEA1 Ship Docs	1
	709-13780	Base Warranty	1
	709-16528	3Yr Parts Only Warranty	1
	330-BBHG	Riser Config 2, 3 x8, 1 x16 slots	1
	370-ABWE	DIMM Blanks for System with 2 Processors	1

990-10181	Storage - Free Freight SKU	1
450-ADWS	Dual, Hot-plug, Redundant Power Supply (1+1), 750W	1
780-BCJY	RAID 6	1
683-17926	CSO OEM Solution Advanced Program Support, EMEA	1
647-10218	Partner Operations Support	1
338-BSWX	Intel Xeon Silver 4208 2.1G, 8C/16T, 9.6GT/s, 11M Cache, Turbo, HT (85W) DDR4-2400	2
379-BDCO	Additional Processor Selected	1
683-19470	ProDeploy Dell Storage NX Series 3XXX NAS - Deployment	1
683-19471	ProDeploy Dell Storage NX Series 3XXX NAS - Deployment Verification	1
400-ASHX	2TB 7.2K RPM SATA 6Gbps 512n 3.5in Hot-plug Hard Drive	7
528-10337	Thank you for choosing Dell ProSupport Plus. For Tech Support, visit //www.dell.com/contactdell	1
865-76866	INFO 3Yr ProSupport Plus and 4hr Mission Critical	1
865-76867	4Yr ProSupport Plus and 4hr Mission Critical	1
711-10108	4Yr Data Protection - Keep Your Hard Drive	1
540-BBUL	Broadcom 57412 2 Port 10Gb SFP+ + 5720 2 Port 1Gb Base-T, rNDC	1

33 SC5020 Storage Array 2

210-ALCO	SC5020 Storage Array	1
449-BBLB	SC5020 Enclosure Assembly	1
770-BBJE	Rack rail, 2Us, Static	1
340-BSGZ	Dell SC5020 Shipping, EMEA1	1
450-AFMD	Redundant Power Supply, 1485W, C14	1
450-AADY	C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord	2
634-BJOW	SSN License	1
634-BJQU	Storage Center Core Software Bundle, Base License	1
634-BJEB	Storage Center Drive Certificate	1
709-14815	3Yr Parts Only Warranty	1
683-20815	ProDeploy Dell Storage SC Series 5XXX SAN - Deployment Verification	1
683-21973	ProDeploy Dell Storage SC Series 5XXX SAN - Deployment	1
470-ABDO	12Gb HD-Mini to HD-Mini SAS cable, 2m	2
400-AXIC	2.4TB, SAS, 12Gb, 10K, 2.5" HDD	30
403-BBOS	No Mezzanine Card	1
631-ABIH	Live Volume+Remote Instant Replay, Software License	1
683-17926	CSO OEM Solution Advanced Program Support, EMEA	1

			1
865-32790	INFO 3Yr ProSupport Plus and 4hr Mission Critical	1	
865-32791	4Yr ProSupport Plus and 4hr Mission Critical	1	
821-16938	4Yr ProSupport for Software, Live Vol License (includes RIRA Async Sync License) (Non-Essential)		1
990-10763	Free Road Freight		1
711-11527	4Yr Data Protection - Keep Your Hard Drive		1
350-BBKJ	SC Bezel		1
565-BBEP	IO, 10Gb iSCSI, 4port, PCI-E, w/o Optics, Full height, QTY 2		1
34	SC420_A2		
486-40087	SC420_A		1
210-AFTF	SC420 Enclosure (1st enclosure of new array) 1 325-BCLH SC420 Bezel	1	
450-AEBJ	Power supply, AC 600W, Redundant		1
340-ATEQ	Dell SC420 Shipping, EMEA1		1
770-BBJE	Rack rail, 2Us, Static		1
403-BBKM	Enclosure Mangement Module, Dual		1
450-AADY	C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord		2
470-ABDO	12Gb HD-Mini to HD-Mini SAS cable, 2m 2 709-13390 Base Warranty	1	
709-13391	3Yr Parts Only Warranty	1	
709-13392	90 Day SW Bug Fixes Support Media Replacement	1	
683-20149	ProDeploy Dell Storage SC Disk Series 400/420 2U Exp Enclosure - Deployment Verification		1
683-21957	ProDeploy Dell Storage SC Disk Series 400/420 2U Enclosure - Deployment	1	
	990-10763 Free Road Freight		1
400-AXIC	2.4TB, SAS, 12Gb, 10K, 2.5" HDD		18
683-17926	CSO OEM Solution Advanced Program Support, EMEA		1
865-47602	INFO 3Yr ProSupport Plus and 4hr Mission Critical	1	
865-47603	4Yr ProSupport Plus and 4hr Mission Critical	1	
711-11527	4Yr Data Protection - Keep Your Hard Drive		1
400-AIZU	SC, 960GB, SAS, 12Gb, RI SSD, 2.5" HD		6
35	IT GFX Freight Zero Cost		
A0683229	IT GFX Freight Zero Cost		1
36	APC NetShelter SX Deep Enclosure - Rack - nero - 42U - 19"		2
A7545497	APC NetShelter SX Deep Enclosure - Rack - nero - 42U - 19"		1
37	APC Basic Rack PDU Zero U - unità distribuzione alimentazione		2
A7067487	APC Basic Rack PDU Zero U - unità distribuzione alimentazione		1
38	APC Basic Rack PDU Zero U - unità distribuzione alimentazione		2
A7067488	APC Basic Rack PDU Zero U - unità distribuzione alimentazione		1

39	Warranty/Service Pack 1yr f Accessories		4
	A7249778	Warranty/Service Pack 1yr f Accessories	1
40	APC Extended Warranty (Renewal or High Volume) - contratto di assistenza esteso - 1 anno		4
	A7562156	APC Extended Warranty (Renewal or High Volume) - contratto di assistenza esteso - 1 anno	1
41	Dell Smart-UPS SRT 8000VA RM - UPS - 8000 VA		2
	A8515711	Dell Smart-UPS SRT 8000VA RM - UPS - 8000 VA	1
42	APC Extended Warranty Service Pack - Supporto tecnico - consulenza telefonica - 1 anno - 24x7		2
	A7249628	APC Extended Warranty Service Pack - Supporto tecnico - consulenza telefonica - 1 anno - 24x7	1
43	VMware vSphere Essentials Plus		1
	210-AIKY	VMware vSphere Essentials Plus	1
	800-11671	Enterprise Order - EMEA.	1
	634-BHLN	VMware vSphere Essentials Plus, 6CPU, 5YR, Euro	1
	821-16841	ProSupport for Software, VMware, vSphere Essentials Plus, 6CPU, 5 Years	1
	821-15719	ProSupport for Software, VMware, 5 Year	1
44	PowerEdge R640 Server		2
	210-AKWU	PowerEdge R640 Server	1
	461-AADZ	No Trusted Platform Module	1
	370-ABWE	DIMM Blanks for System with 2 Processors	1
	370-AAIP	Performance Optimized	1
	450-ADWS	Dual, Hot-plug, Redundant Power Supply (1+1), 750W	1
	450-AADY	C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord	2
	330-BBGN	Riser Config 2, 3x16 LP	1
	385-BBKT	iDRAC9,Enterprise	1
	770-BBBL	ReadyRails Sliding Rack Rails with Cable Management Arm	1
	379-BCSF	iDRAC,Factory Generated Password	1
	379-BCQV	iDRAC Group Manager, Enabled	1
	293-10025	Asset Tag - ProSupport (Website, barcode, Onboard MacAddress)	1
	293-10049	Order Configuration Shipbox Label (Ship Date, Model, Processor Speed, HDD Size, RAM)	1

		1
631-AACK	No Systems Documentation, No OpenManage DVD Kit	
340-BSZS	PowerEdge R640 Shipping EMEA1 (English/French/German/Spanish/Russian/Hebrew)	1
709-BBIM	Next Business Day 36MONTHS	1
800-11671	Enterprise Order - EMEA.	1
990-10548	Free Freight	1
350-BBKB	No Quick Sync	1
385-BBCF	Redundant SD Cards Enabled	1
385-BBKH	32GB microSDHC/SDXC Card	2
385-BBLE	IDSMD and Combo Card Reader	1
384-BBBL	Performance BIOS Settings	1
683-17926	CSO OEM Solution Advanced Program Support, EMEA	1
683-19201	ProDeploy Dell Server R Series 1U/2U - Deployment	1
683-19202	ProDeploy Dell Server R Series 1U/2U - Deployment Verification	1
379-BDCO	Additional Processor Selected	1
329-BEIJ	PowerEdge R640 MLK Motherboard	1
384-BBQI	8 Performance Fans for R640	1
321-BCUP	No Hard Drive, No Backplane chassis	1
780-BCDH	Diskless Configuration (No RAID, No Controller)	1
405-AACD	No Controller	1
400-ABHL	No Hard Drive	1
350-BBJS	Dell EMC Luggage Tag	1
429-ABBF	No Internal Optical Drive for x4 and x8 HDD Chassis	1
340-BYRV	PowerEdge R640 Shipping Material for 8 HDD chassis	1
370-AEPP	2933MT/s RDIMMs	1
370-AEQH	32GB RDIMM, 2933MT/s, Dual Rank	16
865-BBNF	Prosupport Plus 4HR Mission Critical Initial, 36 Mese/i	1
865-BBNG	Prosupport Plus 4HR Mission Critical Extension, 12 Mese/i	1
634-BRIN	VMware ESXi 6.7 U2 Embedded Image on Flash Media for Diskless (License Not Included)	1
618-BBCX	Legacy BIOS Boot mode with GPT for Data Partition	1
634-BSFJ	Windows Server 2019 Standard Edition,Secondary OS, No MEDIA, 16 CORE	1
634-BSGE	MS2019 Standard Edition, Additional License, 16 CORE,NO MEDIA/KEY	8
634-BSGI	Windows Server 2019 Standard,16CORE,Secondary OS,Media Kit, Multi Language	1
634-BSGN	Windows Server 2019 Standard,No Media,WS2016 STD Downgrade Media, Multi Language	1

325-BCHH	Standard Bezel	1
338-BSIQ	Intel Xeon Platinum 8260 2.4G, 24C/48T, 10.4GT/s, 35.75M Cache, Turbo, HT (165W) DDR4-2933	2
412-AAIQ	Standard 1U Heatsink	2
540-BBVI	Broadcom 57412 Dual Port 10Gb, SFP+, PCIe Adapter, Low Profile	1
540-BBUL	Broadcom 57412 2 Port 10Gb SFP+ + 5720 2 Port 1Gb Base-T, rNDC	1
45 PowerEdge R440 Server		1
<hr/>		
210-ALZE	PowerEdge R440 Server	1
405-AAOM	Internal PERC	1
461-AADZ	No Trusted Platform Module	1
412-AAJT	Standard Heat Sink	1
370-AAIP	Performance Optimized	1
370-ADNU	2666MT/s RDIMMs	1
370-ADNI	8GB RDIMM, 2666MT/s, Single Rank	6
780-BCDS	Unconfigured RAID	1
405-AAML	PERC H740P RAID Controller, LP Adapter	1
384-BBBL	Performance BIOS Settings	1
293-10025	Asset Tag - ProSupport (Website, barcode, Onboard MacAddress)	
450-AGOY	Dual, Hot Plug, Redundant Power Supply (1+1), 550W	1
450-AADY	C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord	2
385-BBKT	iDRAC9,Enterprise	1
542-BBCR	Dual-Port 1GbE On-Board LOM	1
379-BCQV	iDRAC Group Manager, Enabled	1
384-BCFU	PowerEdge R540/R440 MLK Motherboard	1
708-10082	Configuration Services, Standard ISG System Report, Delivery Via Email	1
293-10049	Order Configuration Shipbox Label (Ship Date, Model, Processor Speed, HDD Size, RAM)	1
631-AACK	No Systems Documentation, No OpenManage DVD Kit	1
340-BYXJ	PowerEdge R440 Shipping EMEA1 (English/French/German/Spanish/Russian/Hebrew)	1
709-BBIL	Next Business Day 36MONTHS	1
800-11671	Enterprise Order - EMEA.	1
338-BSDH	Intel Xeon Silver 4210 2.2G, 10C/20T, 9.6GT/s, 13.75M Cache, Turbo, HT (85W) DDR4-2400	1
374-BBBX	No Additional Processor	1
350-BBKR	No Quick Sync	1

			1
400-ASHI	1.2TB 10K RPM SAS 12Gbps 512n 2.5in Hot-plug Hard Drive		3
800-BBDM	UEFI BIOS Boot Mode with GPT Partition		1
865-BBNF	Prosupport Plus 4HR Mission Critical Initial, 36 Mese/i		1
865-BBNG	Prosupport Plus 4HR Mission Critical Extension, 12 Mese/i		1
990-10548	Free Freight		1
770-BCKT	ReadyRails Sliding Rails With Cable Management Arm		1
683-19201	ProDeploy Dell Server R Series 1U/2U - Deployment		1
683-19202	ProDeploy Dell Server R Series 1U/2U - Deployment Verification		1
683-17926	CSO OEM Solution Advanced Program Support, EMEA		1
330-BBHL	Riser Config 1, 1 x 16 FH		1
379-BCSF	iDRAC,Factory Generated Password		1
385-BBCF	Redundant SD Cards Enabled		1
385-BBKH	32GB microSDHC/SDXC Card		2
385-BBLE	IDSMD and Combo Card Reader		1
634-BRIM	VMware ESXi 6.7 U2 Embedded Image on Flash Media (License Not Included)		1
634-BSFJ	Windows Server 2019 Standard Edition,Secondary OS, No MEDIA, 16 CORE		1
634-BSGI	Windows Server 2019 Standard,16CORE,Secondary OS,Media Kit, Multi Language		1
634-BSGN	Windows Server 2019 Standard,No Media,WS2016 STD Downgrade Media, Multi Language		1
634-BSGE	MS2019 Standard Edition, Additional License, 16 CORE,NO MEDIA/KEY		2
711-BBBR	Keep Your Hard Drive, 48 Mese/i		1
321-BCUV	2.5" Chassis with up to 8 Hot Plug Hard Drives		1
350-BBBW	No Bezel		1
350-BBKT	Dell EMC Luggage Tag		1
429-ABBF	No Internal Optical Drive for x4 and x8 HDD Chassis		1
340-BYXM	PowerEdge R440 Shipping Material for 8 HDD chassis		1
540-BBZE	Broadcom 57416 Dual Port 10 GbE SFP+ Network LOM Mezz Card		1
540-BBUH	Broadcom 57412 Dual Port 10Gb, SFP+, PCIe Adapter, Full Height		1

4° SITO VNA

#	SKU	Description	Q-ty
46	BASE,SVC,PRODEPLOY,DELL		1
	MEYER	BASE,SVC,PRODEPLOY,DELL	1
	683-22412	ProDeploy Add-On : Upgrade to On-Site Delivery (Requires 1 per Deployment Site)	1

47	SC5020 Storage Array		2
210-ALCO	SC5020 Storage Array		1
449-BBLB	SC5020 Enclosure Assembly		1
770-BBJE	Rack rail, 2Us, Static		1
340-BSGZ	Dell SC5020 Shipping, EMEA1		1
450-AFMD	Redundant Power Supply, 1485W, C14		1
450-AADY	C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord		2
634-BJOW	SSN License		1
634-BJQU	Storage Center Core Software Bundle, Base License		1
634-BJEB	Storage Center Drive Certificate		1
709-14815	3Yr Parts Only Warranty		1
683-20815	ProDeploy Dell Storage SC Series 5XXX SAN - Deployment Verification		1
683-21973	ProDeploy Dell Storage SC Series 5XXX SAN - Deployment		1
470-ABDO	12Gb HD-Mini to HD-Mini SAS cable, 2m		2
400-AXIC	2.4TB, SAS, 12Gb, 10K, 2.5" HDD		21
403-BBOS	No Mezzanine Card		1
631-ABIH	Live Volume+Remote Instant Replay, Software License		1
683-17926	CSO OEM Solution Advanced Program Support, EMEA		1
865-32790	INFO 3Yr ProSupport Plus and 4hr Mission Critical		1
865-32791	4Yr ProSupport Plus and 4hr Mission Critical		1
821-16938	4Yr ProSupport for Software, Live Vol License (includes RIRA Async Sync License) (Non-Essential)		1
990-10763	Free Road Freight		1
711-11527	4Yr Data Protection - Keep Your Hard Drive		1
350-BBKJ	SC Bezel		1
565-BBEP	IO, 10Gb iSCSI, 4port, PCI-E, w/o Optics, Full height, QTY 2		1
400-ARIT	SC, 960GB, SAS, 12Gb, RI SSD, 2.5" HD		6
400-AEPR	Hard Drive Filler 2.5in, single blank		3
48	SC420_A		2
486-40087	SC420_A		1
210-AFTF	SC420 Enclosure (1st enclosure of new array)		1
325-BCLH	SC420 Bezel		1

450-AEBJ	Power supply, AC 600W, Redundant	1
340-ATEQ	Dell SC420 Shipping, EMEA1	1
770-BBJE	Rack rail, 2Us, Static	1
403-BBKM	Enclosure Mangement Module, Dual	1
450-AADY	C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord	2
470-ABDO	12Gb HD-Mini to HD-Mini SAS cable, 2m	2
709-13390	Base Warranty	1
709-13391	3Yr Parts Only Warranty	1
709-13392	90 Day SW Bug Fixes Support Media Replacement	1

683-20149	ProDeploy Dell Storage SC Disk Series 400/420 2U Exp Enclosure - Deployment Verification	1
683-21957	ProDeploy Dell Storage SC Disk Series 400/420 2U Enclosure - Deployment	1
990-10763	Free Road Freight	1
400-AXIC	2.4TB, SAS, 12Gb, 10K, 2.5" HDD	6
683-17926	CSO OEM Solution Advanced Program Support, EMEA	1
865-47602	INFO 3Yr ProSupport Plus and 4hr Mission Critical	1
865-47603	4Yr ProSupport Plus and 4hr Mission Critical	1
711-11527	4Yr Data Protection - Keep Your Hard Drive	1
400-AEPR	Hard Drive Filler 2.5in, single blank	18
49	IT GFX Freight Zero Cost	1
A0683229	IT GFX Freight Zero Cost	1
50	APC NetShelter SX Deep Enclosure - Rack - nero - 42U - 19"	2
A7545497	APC NetShelter SX Deep Enclosure - Rack - nero - 42U - 19"	1
51	APC Basic Rack PDU Zero U - unità distribuzione alimentazione	2
A7067487	APC Basic Rack PDU Zero U - unità distribuzione alimentazione	1
52	APC Basic Rack PDU Zero U - unità distribuzione alimentazione	2
A7067488	APC Basic Rack PDU Zero U - unità distribuzione alimentazione	1
53	Warranty/Service Pack 1yr f Accessories	4
A7249778	Warranty/Service Pack 1yr f Accessories	1
54	APC Extended Warranty (Renewal or High Volume) - contratto di assistenza esteso - 1 anno	4
A7562156	APC Extended Warranty (Renewal or High Volume) - contratto di assistenza esteso - 1 anno	1
55	Dell Smart-UPS SRT 8000VA RM - UPS - 8000 VA	2
A8515711	Dell Smart-UPS SRT 8000VA RM - UPS - 8000 VA	1
56	APC Extended Warranty Service Pack - Supporto tecnico - consulenza telefonica - 1 anno - 24x7	2
A7249628	APC Extended Warranty Service Pack - Supporto tecnico - consulenza telefonica - 1 anno - 24x7	1

57	VMware vSphere Essentials Plus				1
	210-AIKY	VMware vSphere Essentials Plus			1
	800-11671	Enterprise Order - EMEA.			1
	634-BHLN	VMware vSphere Essentials Plus, 6CPU, 5YR, Euro			1
	821-16841	ProSupport for Software, VMware, vSphere Essentials Plus, 6CPU, 5 Years	1 821-15719	ProSupport for Software, VMware, 5 Year	1
58	PowerEdge R640 Server				2
	210-AKWU	PowerEdge R640 Server			1
	461-AADZ	No Trusted Platform Module			1
	370-ABWE	DIMM Blanks for System with 2 Processors			1
	370-AAIP	Performance Optimized			1
	450-ADWS	Dual, Hot-plug, Redundant Power Supply (1+1), 750W			1
	450-AADY	C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord			2
	330-BBGN	Riser Config 2, 3x16 LP			1
	385-BBKT	iDRAC9,Enterprise			1
	770-BBBL	ReadyRails Sliding Rack Rails with Cable Management Arm			1
	379-BCSF	iDRAC,Factory Generated Password			1
	379-BCQV	iDRAC Group Manager, Enabled			1
	293-10025	Asset Tag - ProSupport (Website, barcode, Onboard MacAddress)			1
	293-10049	Order Configuration Shipbox Label (Ship Date, Model, Processor Speed, HDD Size, RAM)			1
	631-AACK	No Systems Documentation, No OpenManage DVD Kit			1
	340-BSZS	PowerEdge R640 Shipping EMEA1 (English/French/German/Spanish/Russian/Hebrew)			1
	709-BBIM	Next Business Day 36MONTHS			1
	800-11671	Enterprise Order - EMEA.			1
	990-10548	Free Freight			1
	350-BBKB	No Quick Sync			1
	385-BBCF	Redundant SD Cards Enabled			1
	385-BBKH	32GB microSDHC/SDXC Card			2
	385-BBLE	IDSDM and Combo Card Reader			1
	384-BBBL	Performance BIOS Settings			1
	683-17926	CSO OEM Solution Advanced Program Support, EMEA			2
	683-19201	ProDeploy Dell Server R Series 1U/2U - Deployment			4
	683-19202	ProDeploy Dell Server R Series 1U/2U - Deployment Verification			4
	379-BDCO	Additional Processor Selected			4

329-BEIJ PowerEdge R640 MLK Motherboard		4
384-BBQI 8 Performance Fans for R640		4
321-BCUP No Hard Drive, No Backplane chassis		4
405-AACD No Controller 1400-ABHL No Hard Drive		4
350-BBJS Dell EMC Luggage Tag		4
429-ABBF No Internal Optical Drive for x4 and x8 HDD Chassis		4
370-AEPP 2933MT/s RDIMMs 1865-BBNF Prosupport Plus 4HR Mission Critical Initial, 36 Mese/i		4
865-BBNG Prosupport Plus 4HR Mission Critical Extension, 12 Mese/i		5
634-BRIN VMware ESXi 6.7 U2 Embedded Image on Flash Media for Diskless (License Not Included) 1618-BBCX Legacy BIOS Boot mode with GPT for Data Partition 1634-BSFJ Windows Server 2019 Standard Edition,Secondary OS, No MEDIA, 16 CORE 1634-BSGE MS2019 Standard Edition, Additional License, 16 CORE,NO MEDIA/KEY		5
780-BCDH	Diskless Configuration (No RAID, No Controller)	1
340-BYRV	PowerEdge R640 Shipping Material for 8 HDD chassis	1
634-BSGI	Windows Server 2019 Standard,16CORE,Secondary OS,Media Kit, Multi Language	1
634-BSGN	Windows Server 2019 Standard,No Media,WS2016 STD Downgrade Media, Multi Language	1
338-BRVH	Intel Xeon Gold 5218 2.3G, 16C/32T, 10.4GT/s, 22M Cache, Turbo, HT (125W) DDR4-2666	2
412-AAIQ	Standard 1U Heatsink	2
370-AEQF	16GB RDIMM, 2933MT/s, Dual Rank	18
325-BCHH	Standard Bezel	1
540-BBVI	Broadcom 57412 Dual Port 10Gb, SFP+, PCIe Adapter, Low Profile	1
540-BBUL	Broadcom 57412 2 Port 10Gb SFP+ + 5720 2 Port 1Gb Base-T, rNDC	1
59 PowerEdge R440 Server		1
210-ALZE	PowerEdge R440 Server	1
405-AAOM	Internal PERC	1
461-AADZ	No Trusted Platform Module	1
412-AAJT	Standard Heat Sink	1
370-AAIP	Performance Optimized	1
370-ADNU	2666MT/s RDIMMs	1
370-ADNI	8GB RDIMM, 2666MT/s, Single Rank	6
780-BCDS	Unconfigured RAID	1
405-AAML	PERC H740P RAID Controller, LP Adapter	1
384-BBBL	Performance BIOS Settings	1

293-10025	Asset Tag - ProSupport (Website, barcode, Onboard MacAddress)	1
450-AGOY	Dual, Hot Plug, Redundant Power Supply (1+1), 550W	1
450-AADY	C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord	2
385-BBKT	iDRAC9,Enterprise	1
542-BBCR	Dual-Port 1GbE On-Board LOM	1
325-BCHH	Standard Bezel	1
350-BBKT	Dell EMC Luggage Tag	1
379-BCQV	iDRAC Group Manager, Enabled	1
384-BCFU	PowerEdge R540/R440 MLK Motherboard	1
293-10049	Order Configuration Shipbox Label (Ship Date, Model, Processor Speed, HDD Size, RAM)	1
631-AACK	No Systems Documentation, No OpenManage DVD Kit	1
340-BYXJ	PowerEdge R440 Shipping EMEA1 (English/French/German/Spanish/Russian/Hebrew)	1
709-BBIL	Next Business Day 36MONTHS	1
800-11671	Enterprise Order - EMEA.	1
338-BSDH	Intel Xeon Silver 4210 2.2G, 10C/20T, 9.6GT/s, 13.75M Cache, Turbo, HT (85W) DDR4-2400	1
374-BBBX	No Additional Processor	1
321-BCUV	2.5" Chassis with up to 8 Hot Plug Hard Drives	1
340-BYXM	PowerEdge R440 Shipping Material for 8 HDD chassis	1
350-BBKR	No Quick Sync	1
400-ASHI	1.2TB 10K RPM SAS 12Gbps 512n 2.5in Hot-plug Hard Drive	3
800-BBDM	UEFI BIOS Boot Mode with GPT Partition	1
865-BBNF	Prosupport Plus 4HR Mission Critical Initial, 36 Mese/i	1
865-BBNG	Prosupport Plus 4HR Mission Critical Extension, 12 Mese/i	1
990-10548	Free Freight	1
770-BCKT	ReadyRails Sliding Rails With Cable Management Arm	1
683-19201	ProDeploy Dell Server R Series 1U/2U - Deployment	1
683-19202	ProDeploy Dell Server R Series 1U/2U - Deployment Verification	1
683-17926	CSO OEM Solution Advanced Program Support, EMEA	1
330-BBHL	Riser Config 1, 1 x 16 FH	1
379-BCSF	iDRAC,Factory Generated Password	1
385-BBCF	Redundant SD Cards Enabled	1
385-BBKH	32GB microSDHC/SDXC Card	2
385-BBLE	IDSDM and Combo Card Reader	1

634-BRIM	VMware ESXi 6.7 U2 Embedded Image on Flash Media (License Not Included)	1
634-BSFJ	Windows Server 2019 Standard Edition,Secondary OS, No MEDIA, 16 CORE	1
634-BSGI	Windows Server 2019 Standard,16CORE,Secondary OS,Media Kit, Multi Language	1
634-BSGN	Windows Server 2019 Standard,No Media,WS2016 STD Downgrade Media, Multi Language	1
429-ABBF	No Internal Optical Drive for x4 and x8 HDD Chassis	1
711-BBBR	Keep Your Hard Drive, 48 Mese/i	1
540-BBZE	Broadcom 57416 Dual Port 10 GbE SFP+ Network LOM Mezz Card	1
540-BBUH	Broadcom 57412 Dual Port 10Gb, SFP+, PCIe Adapter, Full Height	1

**NETWORKING 3 SITI: CAREGGI,
USL TOSCANA CENTRO E MEYER**

#	SKU	Description	Q-ty
60	Dell EMC Switch S4112F, 12 x 10GbE SFP+, 3 x 100GbE QSFP28, IO to FAN, 2 x AC PSU, OS10	2	

MEYER	Dell EMC Switch S4112F, 12 x 10GbE SFP+, 3 x 100GbE QSFP28, IO to FAN, 2 x AC PSU, OS10	1
634-BQZX	OS10 Enterprise, S4112F	1
343-BBJW	User Documentation EMEA1 (English/French/German/Spanish/Russian/Hebrew)	1
709-13025	Base Warranty	1
709-16406	1Yr Return to Depot - Minimum Warranty	1
709-16407	90 Day SW Bug Fixes	1
710-73324	Info Sku stating 3rd Party O/S will be warranted by vendor	1
450-ACSU	Power Cord, PDU (Rack)	2
683-19038	ProDeploy Dell Networking S Series 4XXX Switch - Deployment Verification	1
683-21923	ProDeploy Dell Networking S Series 4XXX Switch - Deployment	1

Thank you for choosing Dell ProSupport Plus. For Tech Support, visit

528-10337	//www.dell.com/contactdell	1
865-74697	INFO 1Yr ProSupport Plus and 4hr Mission Critical	1
865-74715	4Yr ProSupport Plus and 4hr Mission Critical	1
990-10183	Free Freight SKU	1
683-17926	CSO OEM Solution Advanced Program Support, EMEA	1
470-AAIB	Dell Networking, Cable, QSFP+ to QSFP+, 40GbE Passive Copper Direct Attach Cable, 0.5 m	1

Dell EMC Switch S4112F, 12 x 10GbE SFP+, 3 x

61	100GbE QSFP28, IO to FAN, 2 x AC PSU, OS10	2
----	--	---

210-AOYR Dell EMC Switch S4112F, 12 x 10GbE SFP+, 3 x 100GbE QSFP28, IO to FAN, 2 x AC PSU, OS10 1 634-BQZX OS10 Enterprise, S4112F 1			
343-BBJW User Documentation EMEA1 (English/French/German/Spanish/Russian/Hebrew) 1			
	709-13025 Base Warranty		1
709-16406	1Yr Return to Depot - Minimum Warranty	1	
709-16407	90 Day SW Bug Fixes	1	
710-73324	Info Sku stating 3rd Party O/S will be warranted by vendor		1
450-ACSU	Power Cord, PDU (Rack)		2
683-19038	ProDeploy Dell Networking S Series 4XXX Switch - Deployment Verification		1
683-21923	ProDeploy Dell Networking S Series 4XXX Switch - Deployment		1
	Thank you for choosing Dell ProSupport Plus. For Tech Support, visit		
528-10337	//www.dell.com/contactdell		1
865-74697	INFO 1Yr ProSupport Plus and 4hr Mission Critical		1
865-74715 4Yr ProSupport Plus and 4hr Mission Critical 1			
	990-10183 Free Freight SKU		1
683-17926	CSO OEM Solution Advanced Program Support, EMEA		1
770-BCTF	Dell Networking Dual Tray, one Rack Unit, 4-post rack only, S4112		1
470-AAIB	Dell Networking, Cable, QSFP+ to QSFP+, 40GbE Passive Copper Direct Attach Cable, 0.5 m		1
62	Dell Networking, Transceiver, SFP+, 10GbE, SR, 850nm Wavelength, 300m Reach - Kit 4		
	407-BBOU	Dell Networking, Transceiver, SFP+, 10GbE, SR, 850nm Wavelength, 300m Reach - Kit	1
63	Dell Networking, Cable, SFP+ to SFP+, 10GbE, Copper Twinax Direct Attach Cable, 3 Meter,CusKit		30
	470-AAVJ	Dell Networking, Cable, SFP+ to SFP+, 10GbE, Copper Twinax Direct Attach Cable, 3 Meter,CusKit	1
64	Dell Networking,Cable,SFP+ to SFP+,10GbE,Copper Twinax Direct Attach Cable,0.5 Meter - Kit		4
	470-AAVK	Dell Networking,Cable,SFP+ to SFP+,10GbE,Copper Twinax Direct Attach Cable,0.5 Meter - Kit	1
65	C2G - Cavo Patch Cat6 Ethernet (RJ-45) UTP Antigroviglio - Giallo - 3m		8
	A6929207	C2G - Cavo Patch Cat6 Ethernet (RJ-45) UTP Antigroviglio - Giallo - 3m	1
66	C2G 10m LC/LC OM4 LSZH Fibre Patch - Purple - cavo patch - 10 m - viola		4
	AA417137	C2G 10m LC/LC OM4 LSZH Fibre Patch - Purple - cavo patch - 10 m - viola	1
67	IT GFX Freight Zero Cost		1
	A0683229	IT GFX Freight Zero Cost	1

68	DNS3124T			2
	486-34105	DNS3124T		1
		Dell Networking S3124, L3, 24x 1GbE, 2xCombo, 2x 10GbE SFP+ fixed ports, Stacking, IO to 210-		
	AIMQ PSU airflow, 1x AC PSU		1	
	631-AAYX	S3100 User Documentation EMEA		1
	450-AART	Rack Power Cord 2M, C13/C14, 12A		1
	800-11671	Enterprise Order - EMEA.		1
	647-10218	Partner Operations Support		1
	709-14075	S3124P,S3124F,S3124 Base Warranty	1	
	709-14076	S3124P,S3124F,S3124 Limited Lifetime Hardware Warranty Minimum Warranty		1
	709-14077	S3124P,S3124F,S3124 90 Days Software Support (Bug Fixes), Software Media Replacement 1 990-10183 Free Freight SKU	1	
		Power Supply, 200w, S3124/S3148, with V-Lock, adds redundancy to non-POE S3100 series 450-		
	AFHY switches		1	
		Thank you for choosing Dell ProSupport Plus. For Tech Support, visit 528-10337		
	//www.dell.com/contactdell		1	
	865-11197	S3124P,S3124F,S3124 4Yr ProSupport Plus and 4hr Mission Critical		1
	683-23239	Basic Deployment Dell Networking S Series Switch		1
	683-17926	CSO OEM Solution Advanced Program Support, EMEA		1

NETWORKING 4° SITO VNA

#	SKU	Description	Q-ty
69		Dell Networking, Transceiver, SFP+, 10GbE, SR, 850nm Wavelength, 300m Reach - Kit	4
	MEYER	Dell Networking, Transceiver, SFP+, 10GbE, SR, 850nm Wavelength, 300m Reach - Kit	1
70		Dell Networking, Cable, SFP+ to SFP+, 10GbE, Copper Twinax Direct Attach Cable, 3 Meter,CusKit	52
	470-AAVJ	Dell Networking, Cable, SFP+ to SFP+, 10GbE, Copper Twinax Direct Attach Cable, 3 Meter,CusKit	1
71		Dell Networking,Cable,SFP+ to SFP+,10GbE,Copper Twinax Direct Attach Cable,0.5 Meter - Kit	4
	470-AAVK	Dell Networking,Cable,SFP+ to SFP+,10GbE,Copper Twinax Direct Attach Cable,0.5 Meter - Kit	1
72		C2G - Cavo Patch Cat6 Ethernet (RJ-45) UTP Antigroviglio - Giallo - 3m	19
	A6929207	C2G - Cavo Patch Cat6 Ethernet (RJ-45) UTP Antigroviglio - Giallo - 3m	1
73		C2G 10m LC/LC OM4 LSZH Fibre Patch - Purple - cavo patch - 10 m - viola	4
	AA417137	C2G 10m LC/LC OM4 LSZH Fibre Patch - Purple - cavo patch - 10 m - viola	1

74	IT GFX Freight Zero Cost		1
	A0683229	IT GFX Freight Zero Cost	1
75	DNS3124T		2
	486-34105	DNS3124T	1
Dell Networking S3124, L3, 24x 1GbE, 2xCombo, 2x 10GbE SFP+ fixed ports, Stacking, IO to			
	210-AIMQ	PSU airflow, 1x AC PSU	1
	631-AAAYX	S3100 User Documentation EMEA	1
	450-AART	Rack Power Cord 2M, C13/C14, 12A	1
	800-11671	Enterprise Order - EMEA.	1
	647-10218	Partner Operations Support	1
709-14075		S3124P,S3124F,S3124 Base Warranty	1
709-14076		S3124P,S3124F,S3124 Limited Lifetime Hardware Warranty Minimum Warranty	1
709-14077		S3124P,S3124F,S3124 90 Days Software Support (Bug Fixes), Software Media Replacement	1
	990-10183	Free Freight SKU	1
Power Supply, 200w, S3124/S3148, with V-Lock, adds redundancy to non-POE S3100 series			
	450-AFHY	switches	1
Thank you for choosing Dell ProSupport Plus. For Tech Support, visit			
	528-10337	//www.dell.com/contactdell	1
	865-11197	S3124P,S3124F,S3124 4Yr ProSupport Plus and 4hr Mission Critical	1
	683-23239	Basic Deployment Dell Networking S Series Switch	1
	683-17926	CSO OEM Solution Advanced Program Support, EMEA	1
	Dell EMC Switch S4128F-ON, 1U, PHY-less, 28 x 10GbE SFP+, 2 x QSFP28, IO to PSU, 2 PSU,		
76	OS10		4
	210-ALSY	OS10 Enterprise S4128F-ON	1
	619-AMIZ	S4100 User Documentation EMEA	1
	631-ABJV	Enterprise Order - EMEA.	1
	800-11671	Base Warranty	1
	709-13025	1Yr Return to Depot - Minimum Warranty	1
	709-15404	90 Day SW Bug Fixes Support Media Replacement	1
	709-15405	Info Sku stating 3rd Party O/S will be warranted by vendor	1
	710-73324	ProDeploy Dell Networking S Series 4XXX Switch - Deployment Verification	1
	683-19038	ProDeploy Dell Networking S Series 4XXX Switch - Deployment	1
	683-21923	Thank you for choosing Dell ProSupport Plus. For Tech Support, visit 528-10337	
	//www.dell.com/contactdell		1
	865-47554	INFO 1Yr ProSupport Plus and 4Hr Mission Critical	1

865-64312 4Y ProSupport Plus and 4Hr Mission Critical 1 990-10183 Free Freight SKU 1		
450-ACSU	Power Cord, PDU (Rack)	2
683-17926	CSO OEM Solution Advanced Program Support, EMEA	1
470-AAIB	Dell Networking, Cable, QSFP+ to QSFP+, 40GbE Passive Copper Direct Attach Cable, 0.5 m	1

STORAGE 4°
SITO

6 X NODES A2000 1° ISILON

Hardware

SYSTEM		UDS, ISILON GEN 6, A2000	1
800-0063	MEYER	PWRCRD,1,TITAN,15F,IEC60309, 230V UNIVL	1
ICH-DEEP		BASE CHASSIS - DEEP	2
IBEIO-10GBE		2X10GBE SFP+ BACK END W/O OPTICS	6
IA2000-12T-800G		A2000-2.2GHZ/2C/16G+20X12TB SAT/800GB	6
ISSD-800GB		ISD - 800GB SSD	6
800-0077		PWCRD KIT FOR GEN6 DEEP CHASSIS	3
IFEIO-10GBE		2X10GBE SFP+ W/O OPTICS	6
851-0317		B/E SWITCH 10GBE 48P SFP+ S4148 W/OS	2
851-0263		CABLE ETHERNET 10G PASS SFP+ 3M	12
851-0297		RACK ASSY TITAN-HD 42U 2PDU SINGLE PHASE	1
IFILL-NODE-DEEP		NODE FILLER WITH DEEP SLEDS	2
	M-PSP-HW-I-002	PROSUPPORT PLUS 4HR/MC HARDWARE SUPPORT	1
	M-PARTRT-PR3-I02	PARTS RETENTION UPLIFT ISILON 6	1

Software

458-001-863		ONEFS PRODUCT	1
456-111-837		ONEFS BASE LICENSE TIER 4=ID	6
456-111-841		ONEFS CAPACITY LICENSE TIER 4 =CB	1440
	M-PSP-SW-I-002	PROSUPPORT PLUS 4HR/MC SOFTWARE SUPPORT	1
458-001-960		BASIC BUNDLE TIER 4=ID	6
	M-PSP-SW-I-002	PROSUPPORT PLUS 4HR/MC SOFTWARE SUPPORT	1
458-001-961		BASIC BUNDLE CAPACITY TIER 4 PER TB=CB	1440
	M-PSP-SW-I-002	PROSUPPORT PLUS 4HR/MC SOFTWARE SUPPORT	1
458-001-969		HDFS FOR ONEFS 0.00	6
	M-PSP-SW-I-002	PROSUPPORT PLUS 4HR/MC SOFTWARE SUPPORT	1

ProDeploy Plus		Servizi	
PS-PDP-P30ISILON	30DAYPOSTDEPLOYASSIST ISILON		1
CE-PDPISLTC0001	1 TRAINING CREDIT VALID 1YR (PDP ISL)		1500
PS-PDPAD-ISIAD1DIN	PDP ADDON, ISILON ADD 1 DENSE NODE		5
PS-PDP-ISIENTHDDP	PDP FOR ISILON ENTERPRISE BUNDLE DENSE		1

6 X NODES A2000 2° ISILON

		Hardware	
SYSTEM	UDS, ISILON GEN 6, A2000		1
800-0063	PWRCRD,1,TITAN,15F,IEC60309, 230V UNIVL	1 ICH-DEEP BASE CHASSIS - DEEP	2
IBEIO-10GBE	2X10GBE SFP+ BACK END W/O OPTICS		6
IA2000-12T-800G	A2000-2.2GHZ/2C/16G+20X12TB SAT/800GB		6
ISSD-800GB	ISD - 800GB SSD		6
800-0077	PWCRD KIT FOR GEN6 DEEP CHASSIS		3
IFEIO-10GBE	2X10GBE SFP+ W/O OPTICS		6
IFILL-NODE-DEEP	NODE FILLER WITH DEEP SLEDS		2
851-0317	B/E SWITCH 10GBE 48P SFP+ S4148 W/OS		2
851-0263	CABLE ETHERNET 10G PASS SFP+ 3M		12
851-0297	RACK ASSY TITAN-HD 42U 2PDU SINGLE PHASE		1
	M-PSP-HW-I-002	PROSUPPORT PLUS 4HR/MC HARDWARE SUPPORT	1
	M-PARTRT-PR3-I02	PARTS RETENTION UPLIFT ISILON 6	1

		Software	
458-001-863	ONEFS PRODUCT		1
456-111-837	ONEFS BASE LICENSE TIER 4=ID		6
456-111-841	ONEFS CAPACITY LICENSE TIER 4 =CB		1440
	M-PSP-SW-I-002	PROSUPPORT PLUS 4HR/MC SOFTWARE SUPPORT	1
458-001-960	BASIC BUNDLE TIER 4=ID		6
	M-PSP-SW-I-002	PROSUPPORT PLUS 4HR/MC SOFTWARE SUPPORT	1
458-001-961	BASIC BUNDLE CAPACITY TIER 4 PER TB=CB		1440

	M-PSP-SW-I-002	PROSUPPORT PLUS 4HR/MC SOFTWARE SUPPORT	1
458-001-969		HDFS FOR ONEFS 0.00	6
	M-PSP-SW-I-002	PROSUPPORT PLUS 4HR/MC SOFTWARE SUPPORT	1
