

**Professional Solutions.** 

Industry Leader.

World-Class Service.

**Professional Grade Basins & Accessories Catalog** 



#### General

All sales and transactions are subject to Topp Industries' "Standard Terms and Conditions of Sale" unless otherwise stated in a sales contract.

#### Prices

All prices are subject to change without notice and are subject to any increases that may be in effect on the date of shipment. Prices are F.O.B. Rochester, Indiana 46975, unless otherwise stated in the sales contract.

**Payment Terms**: Terms and conditions of payment will show on invoices at the time of shipment or as may be otherwise stated in writing by an officer of Topp Industries, Inc. Topp Industries, Inc. reserves the right to add a finance charge on all past due accounts. If a finance charge is added, it will be at the rate of 1½% monthly, 18% annually.

**Orders**: All orders taken by Topp Industries, Inc. representatives are subject to acceptance and approval by Topp Industries, Inc. in Rochester, Indiana. Orders entered directly to Topp Industries, Inc. are subject to the same acceptance and approval. Orders that include "custom" specifications must have all specifications provided in writing at the time the order is entered.

#### Packaging

Equipment will be packaged or boxed in accordance with Topp Industries, Inc. standard policies and in such a way as to protect the equipment during shipment. Any "special" packaging requests can be made directly to Topp Industries, Inc. and may or may not require an additional charge.

#### Freight & Shipment Policy

Promised ship dates are approximate and in no way affect the terms of sale unless otherwise stated in writing by an officer of Topp Industries, Inc. Requests for specific shipping methods or carriers can be made directly to Topp Industries, Inc. on collect shipments. On full freight allowed shipments Topp Industries, Inc. reserves the right to choose shipping methods and carriers.

#### Warranty

See limited warranty (inside back cover of this catalog).

#### Claims

No claims for allowances shall be considered unless presented immediately upon the receipt of goods; nor will Topp Industries, Inc. be held responsible for breakage or shortage after equipment is delivered and accepted by the carrier. All claims are subject to the terms and conditions of the Topp Industries, Inc. limited warranty.

#### Returns

Equipment can be returned for credit only after receiving written authorization and RGA number (return goods authorization number) from Topp Industries, Inc. All equipment must carry the RGA number to be accepted by Topp Industries, Inc. All returned equipment is subject to a restocking fee. "Custom" orders or stock equipment that has been modified (e.g. inlet hole cut) cannot be returned.

#### **TABLE OF CONTENTS**

Poly Basins, Covers & Accessories3-18
Septic Tank Risers, Covers & Accessories 19-20
Fiberglass Basins, Covers & Extensions
Premium Fiberglass Basins
Fiberglass Basin Accessories
Fiberglass Triple Garage Systems
Poly & Fiberglass Rectangular Valve Vaults,
Extensions & Covers 40
Stainless Steel (SGR) Guiderail Kits
Freeflo Base Elbow System
Packaged Lift Stations 47-101
Uniseals
Limited Warranty Inside back cover



DESCRIPT	ION		PART NO.	Pric
SINK TR	AY SYSTEMS			
12" x 1	4" x 16" Rectangular Sump Box System			
Perfect applica other r	t for larger capacity needs of commercial tions such as restaurants, cocktail lounges and elated areas. Includes vent and discharge "ringer" nets. (11 U.S. Gallon Capacity)	With 1½" FPT Inlet	B1000	Conta Topp f — Pric
Desigr	<b>3" Sink Tray System</b> ned for laundry trays, wet bars, dehumidifiers, water ers and capturing air conditioner condensation.			
Includes a 11/2" threaded "spin-weld" vent and a 11/2" "spin-weld" discharge sleeve. (7 U.S. Gallon Capacity)	"LiL' Blue"	B11SP		
	<u>"LiL' Black"</u>	B11SPB	_	
🔰 13" x 1	3" Recessed Rolled Top			
	ecessed Roll Top provides a neat and clean rance for under the bar or in the open. Includes	"LiL' Blue" "LiL' Black"	B11SPRRT	
standa	rd 1½" vent and discharge "ringer <sup>"</sup> grommets. Gallon Capacity)		B11SPBRRT	_
Econom	Y BASINS			
14" x 2	4" Poly Basin		54/00	
	ed for the long-term reliability with extreme	Undrilled, No Grommet Single Hole Poly Cover	B1400 C14WPE	_
econor	ny in mind. (15 U.S. Gallon Capacity)			_
		Undrilled, No Grommet	B2200	
		Perforated	B2200P	_
		w/4" Grommet Inlet Drilled	B22001	_
		w/4" Grommet Inlet Undrilled	B22001UD	_
		w/4" Grommet Inlet Undrilled ◆	B22001DH	_
		w/4" Grommet Hub Inlet drilled	B22002	



#### 18" x 22" Poly Basin

Exceptionally high impact-resistant with a variety of cover options. (22 U.S. Gallon Capacity)

Perforated	B2200P
w/4" Grommet Inlet Drilled	B22001
w/4" Grommet Inlet Undrilled	B22001UD
w/4" Grommet Inlet Undrilled 🔶	B22001DH
w/4" Grommet Hub Inlet drilled	B22002
w/4" Grommet Hub Inlet Undrilled	B22002UD
w/4" Composite Hub - MTD	B22003
Poly Economy Slotted Cover	C18LPN
Poly Bolt-Down Slotted Cover 🕂	C18LP
Solid Poly Cover 🕂	C18WP
2½" Single Hole Poly Cover +	C18WPE
14g Solid Steel Cover 🕂	C18WSL
14g 2½" Single Hole Steel Cover 🕂	C18WSE
Simplex Poly Cover *	C18SP
14g Simplex Steel Cover \star	C18SS
2-Piece Simplex Steel Cover ★	C18TS



4

DESCRIPTION		PART NO.	
ECONOMY BASINS			
	Undrilled, No Grommet	B1824	С
	w/4" Grommet - Inlet Drilled	B18241	To
	w/4" Grommet - Inlet Undrilled	B18241UD	
	w/4" Grommet - Hub Inlet Drilled	B18242	
	w/4" Grommet - Hub Inlet Undrilled	B18242UD	
18" x 24" Poly Basin	w/4" Composite Hub - MTD	B18243	-
Manufactured using the highest grade of polyethylene	Poly Economy Slotted Cover	C18LPN	
resin to assure years of trouble-free performance.	Poly Bolt-Down Slotted Cover +	C18LP	-
(24 U.S. Gallon Capacity)	Solid Poly Cover +	C18WP	-
	21/2" Single Hole Poly Cover +	C18WPE	-
	14g Solid Steel Cover +	C18WSL	
	14g 2½" Single Hole Steel Cover +	C18WSE	
	Simplex Poly Cover *	C18SP	
	14g Simplex Steel Cover *	C18SS	
	Undrilled - No Grommet	B2400	-
	w/4" Grommet - Inlet Drilled	B24001	-
	w/4" Grommet - Inlet Undrilled	B24001UD	-
	w/(2) 4" Grommet - Inlet Drilled	B240010D B24001DH	-
18" x 30" Poly Basin	w/4" Grommet Hub - Inlet Drilled	B24001DH B24002	-
Designed for new construction and retrofit applications.		B24002 B24002UD	-
(30 U.S. Gallon Capacity)	w/4 Gronniet nub - Inter Ouritted		-
	w/4" Composite Hub - MTD	B24003	-
	Simplex Poly Cover *	C18SP	-
	14g Simplex Steel Cover *	C18SS	-
	2-Piece 14g Simplex Steel Cover *	C18TS	-
	Undrilled, No Grommet	B3100	-
	w/4" Grommet - Inlet Drilled	B31001	-
	w/4" Grommet - Inlet Undrilled	B31001UD	-
24" x 24" Poly Basin	w/4" Grommet Hub - Inlet Drilled	B31002	
Offers years of trouble free performance.	w/4" Grommet Hub - Inlet Undrilled	B31002UD	
(43 U.Ś. Gallon Capacity)	w/4" Composite Hub - MTD	B31003	
	14g Simplex Steel Cover \star	C24SSL	
	12g Simplex Steel Cover	C24-12SSA	
	(1) Pump Access Plate \star	024 1233A	-
	Undrilled, No Grommet	B3300	_
	w/4" Grommet - Inlet Drilled	B33001	_
	w/4" Grommet - Inlet Undrilled	B33001UD	_
24" x 30" Poly Basin	w/4" Grommet Hub - Inlet Drilled	B33002	_
Using the highest grade of polyethylene for long-term	w/4" Grommet Hub - Inlet Undrilled	B33002UD	_
reliability. (54 U.S. Gallon Capácity)	w/4" Composite Hub - MTD	B33003	_
	14g Simplex Steel Cover *	C24SSL	
	12g Simplex Steel Cover (1) Pump Access Plate ★	C24-12SSA	
	Undrilled, No Grommet	B3200	
	w/4" Grommet - Inlet Drilled	B32001	-
	w/4" Grommet - Inlet Udrilled	B32001UD	-
24" x 36" Poly Basin	w/4" Grommet Hub - Inlet Drilled	B32002	-
Exceptionally high-impact resistant with an increased	w/4" Grommet Hub - Inlet Undrilled	B32002UD	-
gallon capacity. (65 U.S. Gallon Capacity)	w/4" Composite Hub - MTD	B32003	-
gatton capacity, (00 0.3. Outon Capacity)	14g Simplex Steel Cover *	C24SSL	-
	12g Simplex Steel Cover		-
		C24-12SSA	



	DESCRIPTION		PART NO.	P
	SIDE VENT BASINS			
		2" Vent		
		Undrilled, No Grommet	B2200SV-2	Cor
		w/4" Grommet Inlet Drilled	B22001SV-2	Top Pr
		w/4" Grommet Inlet Undrilled	B22001SVUD-2	
		w/(2) 4" Grommet Inlet Drilled ◆	B22001SVDH-2	
	18" x 22" Side-Vent Poly Basin	w/4" Grommet Hub - Inlet Undrilled	B22002SVUD-2	
		w/4" Composite Hub - MTD	B22003SV-2	
1		3" Vent		
	Side-Vent design was developed with one issue in mind, that of ease of maintenance.	Undrilled, No Grommet	B2200SV-3	
	(22 U.S. Gallon Capacity) 2" or 3" vent.	w/4" Grommet Inlet Drilled	B22001SV-3	
		w/4" Grommet Inlet Undrilled	B22001SVUD-3	
		w/(2) 4" Grommet Inlet Drilled ♦	B22001SVDH-3	
		w/4" Grommet Hub - Inlet Drilled	B22002SVD-3	
		w/4" Grommet Hub - Inlet Undrilled	B22002SVUD-3	
		w/4" Composite Hub - MTD	B22003SV-3	
		Simplex Poly Cover *	C18SPSV	_
		14g Simplex Steel Cover *	C18SSSV	
		2" Vent		_
		Undrilled, No Grommet	B2400SV-2	_
		w/4" Grommet Inlet Drilled	B24001SV-2	
		w/4" Grommet Inlet Undrilled	B24001SVUD-2	_
		w/(2) 4" Grommet Inlet Drilled 🔺	B24001SVDH-2	_
		w/4" Grommet Hub - Inlet Drilled	B24002SVD-2	
	18" x 30" Side-Vent Poly Basin	w/4" Grommet Hub - Inlet Undrilled	B24002SVUD-2	
	-	w/4" Composite Hub - MTD	B24003SV-2	
2	Due to the vent pipe remaining intact, gone are the days of cutting and then repairing the vent pipe for achieving	3" Vent		
	regular pump maintenance. (30 U.S. Gallon Capacity)	Undrilled, No Grommet	B2400SV-3	
	2" or 3" vent.	w/4" Grommet Inlet Drilled	B24001SV-3	
		w/4" Grommet Inlet Undrilled	B24001SVUD-3	
		w/(2) 4" Grommet Inlet Drilled ◆	B24001SVDH-3	
		w/4" Grommet Hub - Inlet Drilled	B24002SVD-3	
		w/4" Grommet Hub - Inlet Undrilled	B24002SVUD-3	-
		w/4" Composite Hub - MTD	B24003SV-3	
		Simplex Poly Cover *	C18SPSV	
		14g Simplex Steel Cover *	C18SSSV	_

✤ Includes hardware pack (bolts, washers & gasket tape)

▲ (2) 5" ID holes drilled 10½" down CL – 180° apart

5



6

	DESCRIPTION		PART NO.	PRICE
	SIDE VENT BASINS			
		2" Vent		
		Undrilled, No Grommet	B2700SV-2	Contact Topp for
		w/4" Grommet Inlet Drilled	B27001SV-2	Price
		w/4" Grommet Inlet Undrilled	B27001SVUD-2	
	23" x 31" Side-Vent Poly Basin	w/4" Grommet Hub - Inlet Undrilled	B27002SVUD-2	
	-	w/4" Composite Hub - MTD	B27003SV-2	
1000	50% more volume than the industry standard 18" x 30" basin. (65 U.S. Gallon Capacity) 2" or 3" vent.	3" Vent		
		Undrilled, No Grommet	B2700SV-3	
		w/4" Grommet Inlet Drilled	B27001SV-3	
		w/4" Grommet Inlet Undrilled	B27001SVUD-3	
		w/4" Grommet Hub - Inlet Drilled	B27002SVD-3	
		w/4" Grommet Hub - Inlet Undrilled	B27002SVUD-3	
		w/4" Composite Hub - MTD	B27003SV-3	
		14g Simplex Steel Cover <b>*</b>	C27SSSV	
	ROLLED TOP BASINS			
		Undrilled, No Grommet	B2400RT	
		w/4" Grommet Inlet Drilled	B24001RT	
00		w/4" Grommet Inlet Undrilled	B24001RTUD	
	18" x 30" Rolled Top Poly Basin	w/4" Grommet Hub - Inlet Drilled	B24002RT	
0	Rolled top design dramatically reduces service time	w/4" Grommet Hub - Inlet Undrilled	B24002RTUD	
	for pump maintenance. (30 U.S. Gallon Capacity)	w/4" Composite Hub - MTD	B24003RT	
		w/H4PDQ-Inlet Drilled	B24009RT	
		Simplex Poly Cover *	C18SP	
		14g Simplex Steel Cover *	C18SS	
		Undrilled, No Grommet	B4100RT	-
		w/4" Grommet Inlet Drilled	B41001RT	
		w/4" Grommet Inlet Undrilled	B41001RTUD	
Contraction of the local diversion of the local diversion of the local diversion of the local diversion of the	30" x 36" Rolled Top Poly Basin	w/4" Grommet Hub - Inlet Drilled	B41002RT	
1000		w/4" Grommet Hub - Inlet Undrilled	B41002RTUD	•
Des series	Extra-high roll top helps prevent debris from entering basin during installation. (103 U.S. Gallon Capacity)	w/4" Composite Hub - MTD	B41003RT	
		12g Simplex Steel Cover (1) Pump Access Plate <b>*</b>	C30-12SSA	
		12g Duplex Steel Cover (2) Pump Access Plates ★	C30-12DSA	
		Undrilled, No Grommet	B5100RT	
		w/4" Grommet Inlet Drilled	B51001RT	-
		w/4" Grommet Inlet Undrilled	B51001RTUD	-
No. of Concession, Name	36" x 36" Rolled Top Poly Basin	w/4" Grommet Hub - Inlet Drilled	B51002RT	
	Designed for simplex and duplex applications.	w/4" Grommet Hub - Inlet Undrilled	B51002RTUD	
Sec. Sec.	(154 U.S. Gallon Capacity)	w/4" Composite Hub - MTD	B51003RT	
		12g Simplex Steel Cover (1) Pump Access Plate <b>*</b>	C36-12SSA	
		12g Duplex Steel Cover (2) Pump Access Plates ★	C36-12DSA	•



Recessed Rolled Top Basin       Undrilled, No Grommet       B2200RRT W/4" Grommet - Inlet Drilled       B2200RRT B2200RRT UD W/4" Grommet - Inlet Drilled       B2200RRT B2200RRT UD W/4" Grommet - Inlet Drilled       B2200RRT B2200RRT UD W/4" Grommet - Inlet Drilled       B2200RRT B2200RRT         W/4" Grommet - Inlet Drilled       B2200RRT W/4" Grommet Hub - Inlet Drilled       B2200RRT B2200RRT         W/4" Grommet Hub - Inlet Drilled       B2200RRT W/4" Grommet Hub - Inlet Drilled       B2200RRT B2200RRT         W/4" Grommet Hub - Inlet Drilled       B2200RRT B2200RRT         W/4" Grommet Hub - Inlet Drilled       B2200RRT B2200RRT         W/4" Grommet Hub - Inlet Drilled       B124RRT B2200RRT         W/4" Grommet Hub - Inlet Drilled       B124RRT B124RRT         W/4" Grommet - Inlet Drilled       B124RRT DH W/4" Grommet Hub - Inlet Drilled       B1242RRT DH W/4" Grommet Hub - Inlet Drilled       B1240RRT W/4" Grommet Hub - Inlet Drilled		DESCRIPTION		PART NO.	Price
18" x 22" Recessed Rolled Top Basin       w/4" Grommet - Inlet Drilled       B22001RRTD W/2 4" Grommet - Inlet Drilled       B22002RRTD B22002RRTD         18" x 22" Recessed Rolled Top Basin       w/2 4" Grommet Hub - Inlet Drilled       B22002RRTD W/4" Grommet Hub - Inlet Drilled       B22002RRTD         14" x 22" Recessed Rolled Top Basin       w/4" Grommet Hub - Inlet Drilled       B22002RRTD         14" x 24" Recessed Rolled Top Basin       w/4" Grommet Hub - Inlet Drilled       B22002RRTD         14" s x 24" Recessed Rolled Top Basin       Solid Paly Cover +       C1895         14" s x 24" Recessed Rolled Top Basin       w/4" Grommet - Inlet Drilled       B1224RRT         w/4" Grommet - Inlet Drilled       B1224RRT       w/4" Grommet - Inlet Drilled       B1224RRT         w/4" Grommet - Inlet Drilled       B1224RRT       w/4" Grommet - Inlet Drilled       B1224RRT         w/4" Grommet - Inlet Drilled       B1224RRT       w/4" Grommet - Inlet Drilled       B1224RRT         w/4" Grommet Hub - Inlet Drilled       B1224RRT       w/4" Grommet Hub - Inlet Drilled       B1224RRT         w/4" Grommet Hub - Inlet Drilled       B1224RRT       w/4" Grommet Hub - Inlet Drilled       B12242RT         w/4" Grommet Hub - Inlet Drilled       B12242RT       w/4" Grommet Hub - Inlet Drilled       B12242RT         w/4" Grommet Hub - Inlet Drilled       B12242RT       w/4" Grommet Hub - In		RECESSED ROLLED TOP BASINS			
W <sup>4/4</sup> Grommet - Inlet Dirited ●       B22001RRTUD       Top for Price         W <sup>4/4</sup> Grommet - Inlet Dirited ●       B22001RRTUD       W <sup>4/4</sup> Grommet - Inlet Dirited ●       B22001RRTUD         W <sup>4/4</sup> Grommet - Inlet Dirited ●       B22001RRTUD       W <sup>4/4</sup> Grommet Hub - Inlet Dirited ●       B22001RRTUD         W <sup>4/4</sup> Grommet Hub - Inlet Dirited ●       B22001RRTUD       W <sup>4/4</sup> Grommet Hub - Inlet Dirited ●       B22002RRTUD         W <sup>4/4</sup> Grommet Hub - MTD       B22003RRT       W <sup>4/4</sup> Grommet Hub - MTD       B22003RRT         W <sup>4/4</sup> Grommet Hub - MTD       B22003RRT       W <sup>4/4</sup> Grommet Hub - MTD       B22003RRT         W <sup>4/4</sup> Grommet Hub - MTD       B22003RRT       State Gover +       C18WP         14g Solid Steel Cover +       C18WP       14g Solid Steel Cover +       C18SP         14g Solid Steel Cover +       C18SP       14g Solid Steel Cover +       C18SP         1/4g Grommet - Inlet Dirited ●       B1824RRT       W <sup>4/4</sup> Grommet - Inlet Dirited ●       B1824RRT         W <sup>4/4</sup> Grommet Hub - Inlet Undrited       B1824RRT       W <sup>4/4</sup> Grommet Hub - Inlet Undrited       B1824RRT         W <sup>4/4</sup> Grommet Hub - Inlet Dirited ●       B1824RRT       W <sup>4/4</sup> Grommet Hub - Inlet Undrited       B1824RRT         W <sup>4/4</sup> Grommet Hub - Inlet Dirited ●       B1824RRT       W <sup>4/4</sup> Grommet - Inlet Dirited ●       B1824RRT			Undrilled, No Grommet	B2200RRT	Contract
W4 <sup>2</sup> Grommet - Inite Undrilled       B22001RRTUD       Price         W4 <sup>2</sup> Grommet + UndertUlet 0       B22001RRTUD       W4 <sup>2</sup> Grommet Hub - Inite Undrilled       B22002RRTUD         W4 <sup>2</sup> Grommet Hub - Inite Undrilled       B22002RRTUD       W4 <sup>2</sup> Grommet Hub - Inite Undrilled       B22002RRTUD         W4 <sup>2</sup> Grommet Hub - Inite Undrilled       B22002RRTUD       W4 <sup>2</sup> Grommet Hub - Inite Undrilled       B22002RRTUD         W4 <sup>2</sup> Grommet Hub - Inite Undrilled       B22002RRTUD       W4 <sup>2</sup> Grommet Hub - Inite Undrilled       B22002RRTUD         W4 <sup>2</sup> Grommet Hub - Inite Undrilled       B22002RRTUD       W4 <sup>2</sup> Grommet Hub - Inite Undrilled       B22002RRTUD         W4 <sup>2</sup> Grommet Hub - Inite Undrilled       B1224RRT       W4 <sup>2</sup> Grommet - Inite Undrilled       B1224RRT         W4 <sup>2</sup> Grommet - Inite Undrilled       B1824RRT       W4 <sup>2</sup> Grommet - Inite Undrilled       B18242RRTUD         W4 <sup>2</sup> Grommet - Inite Undrilled       B18242RRTUD       W4 <sup>2</sup> Grommet - Inite Drilled ◆       B18242RRTUD         W4 <sup>2</sup> Grommet Hub - Initel Undrilled       B18242RRT       W4 <sup>2</sup> Grommet Hub - Initel Undrilled       B18242RRTUD         W4 <sup>2</sup> Grommet Hub - Initel Undrilled       B18242RRT       W4 <sup>2</sup> Grommet Hub - Initel Undrilled       B18242RRTUD         W4 <sup>2</sup> Grommet Hub - Initel Undrilled       B18242RRT       W4 <sup>2</sup> Grommet Hub - Initel Undrilled       B18242RRT         W4 <sup>2</sup> Grommet			w/4" Grommet - Inlet Drilled	B22001RRT	
18" x 22" Recessed Rolled Top Basin       w/4" Grommet Hub - Inlet Drilled       B22002RRTD         W/4" Grommet Hub - Inlet Drilled       B22002RRTUD         W/4" Grommet Hub - Inlet Drilled       B12200RRT         Simplex Steel Cover +       C18VSL         Simplex Steel Cover +       C18VSL         W/4" Grommet - Inlet Drilled       B18241RRTUD         W/2" Grommet Hub - Inlet Drilled       B18241RRTUD         W/2" Grommet Hub - Inlet Drilled       B18242RRT         W/4" Grommet Hub - Inlet Drilled       B18242RRTUD         W/2" Grommet Hub - Inlet Undrilled       B18242RRT         W/4" Grommet Hub - Inlet Undrilled       B18242RRTUD         W/2" Grommet Hub - Inlet Undrilled       B18242RRTUD         W/2" Grommet Hub - Inlet Undrilled       B18242RRT         W/4" Grommet Hub - Inlet Undrilled       B18242RRTUD         W/4" Grommet Hub - Inlet			w/4" Grommet - Inlet Undrilled	B22001RRTUD	
16 x 22 ketesset kolled top pasin         W4" Grommet Hub - Inlet Undrilled       B22002RRT         W4" Grommet Hub - MTD       B22003RRT         Solid Poly Cover +       C18xP         14g Simplex Steel Cover +       C18SS         2-Piece 14g Simplex Steel Cover +       C18VP         W4" Grommet Hub - Inlet Undrilled       B18242RRTDH         W4" Grommet Hub - Inlet Und			w/(2) 4" Grommet - Inlet Drilled 🔶	B22001RRTDH	-
W4 <sup></sup> Grommet Hub - Intel Undrilled       B22002RRTUD         W4 <sup></sup> Grommet Hub - MTD       B22002RRT         W4 <sup></sup> Grommet Hub - MTD       B22002RRT         W4 <sup></sup> Grommet Hub - MTD       B22002RRT         Solid Paly Cover +       C18WSL         Simplex Steel Cover +       C18PS         1/2 U.S. Gallon Capacityl       Lig Simplex Steel Cover +       C18PS         1/2 Simplex Steel Cover +       C18SS         2Piece 1/4g Simplex Steel Cover +       C18SP         1/4 Grommet Hub - Intel Drilled       B182/41RRTUD         w/4 <sup></sup> Grommet - Intel Drilled       B182/41RRTUD         w/4 <sup></sup> Gro	L COL D IN	18" v 22" Peressed Polled Ton Rasin	w/4" Grommet Hub - Inlet Drilled	B22002RRTD	-
Wd* Composite tub - MTD       B22009RT         12 U.S. Gallon Capacity       wd/4*Composite tub - MTD       B22009RT         2015 Solid Poly Cover +       C18WP         14g Solid Steel Cover +       C18WSL         Simplex Steel Cover *       C18SP         14g Solid Steel Cover *       C18WP         152 U.S. Galton Capacityl       W/4* Grommet - Inlet Drilled       B18241RRTDH         W/4* Composite Hub - Inlet Drilled       B18242RRT       W/4* Grommet Hub - Inlet Drilled       B18242RRT         W/4* Composite Hub - MTD       B18242RRT       W/4* Grommet Hub - Inlet Drilled       B18242RRT         W/4* Composite Hub - MTD       B18242RRT       W/4* Grommet Hub - Inlet Drilled       B24001RRT         W/4* Grommet Hub - Inlet Drilled       B24001RRT       Sepide Poly Cover *<		-	w/4" Grommet Hub - Inlet Undrilled	B22002RRTUD	-
from entering basin during installation.       w/H4PD0 - Intel Drilled       B22009RRT         Solid Poly Cover +       C18WP         Solid Poly Cover +       C18WP         14g Simplex Steel Cover +       C18WP         2-Piece 14g Simplex Steel Cover +       C18S5         2-Piece 14g Simplex Steel Cover +       C18TS         Undrilled, No Grommet       B18241RRT         w/4 * Grommet - Inlet Undrilled       B18241RRTU         w/4 * Grommet - Inlet Undrilled       B18242RRT         w/4 * Grommet - Inlet Undrilled       B18242RRT         w/4 * Grommet + Ub - Inlet Undrilled       B18242RRT         w/4 * Grommet + Ub - Inlet Undrilled       B18242RRT         w/4 * Grommet + Ub - Inlet Undrilled       B18242RRT         w/4 * Grommet + Ub - Inlet Undrilled       B18242RRT         Solid Poly Cover +       C18WP         14g Simplex Steel Cover +       C18WP         14g Simplex Steel Cover +       C18WP         14g Simplex Steel Cover +       C18S5         2-Piece 14g Simplex Steel Cover *       C18S5 </td <td></td> <td></td> <td>w/4" Composite Hub - MTD</td> <td>B22003RRT</td> <td>-</td>			w/4" Composite Hub - MTD	B22003RRT	-
Solid Foly Cover ★       C18WPL         Y       Solid Steel Cover ★       C18SP         14g Simplex Steel Cover ★       C18SS         2-Piece 14g Simplex Steel Cover ★       C18SS         2-Piece 14g Simplex Steel Cover ★       C18SS         2-Piece 14g Simplex Steel Cover ★       C18TS         Undrilled, No Grommet       B18241RRTD         w/4" Grommet - Inlet Drilled       B18241RRTD         w/4" Grommet - Inlet Drilled       B18242RRT         w/4" Grommet Hub - Inlet Drilled       B18242RRT         w/4" Grommet Hub - Inlet Drilled       B18242RRT         w/4" Grommet Hub - Inlet Drilled       B18242RRTD         w/4" Grommet Hub - Inlet Drilled       B18242RRT         w/4" Grommet Hub - Inlet Drilled       B18243RRT         Solid Poly Cover *       C18WP         14g Simplex Steel Cover *       C18WP         14g Simplex Steel Cover *       C18SS         2-Piece 14g Simplex Steel Cover *       C18SS         2-Piece 14g Simplex Steel Cover *       C18SS         2-Piece 14g Simplex Steel Cover *       C18SS		from entering basin during installation.	w/H4PDQ - Inlet Drilled	B22009RRT	-
Simplex Poly Cover *       C185P         14g Simplex Steel Cover *       C185S         2-Piece 14g Simplex Steel Cover *       C185S         2-Piece 14g Simplex Steel Cover *       C187S         Undrilled, No Grommet       B1824/RRT         w/4" Grommet - Inlet Drilled       B1824/RRTDH         w/4" Grommet - Inlet Drilled       B1824/RRTDH         w/4" Grommet + Inlet Drilled       B1824/2RRTDH         w/4" Grommet + Inlet Drilled       B1824/2RRTDH         w/4" Grommet + Unlet Drilled       B182/2QURT         w/4" Grommet - Inlet Drilled       B24001RRTUDH         w/4" Grommet - Inlet Drilled       B24001RRTUDH         w/4" Grommet - Inlet Drilled       B24001RRTUDH         w/4" Grommet + Unlet Drilled       B24001RRTUDH         w/4" Grommet + Unlet Drilled       B240001RRTU		[22 U.S. Gallon Capacity]	Solid Poly Cover +	C18WP	-
14g Simplex Steel Cover *       C18SS         2-Piece Ldg Simplex Steel Cover *       C18TS         Undrilled, No Grommet       B1824RRT         w/4" Grommet - Inlet Drilled       B18241RRTUD         w/4" Grommet - Inlet Drilled       B18241RRTUD         w/4" Grommet - Inlet Drilled       B18242RRT         w/4" Grommet - Inlet Drilled       B18242RRTUD         w/4" Grommet Hub - Inlet Drilled       B18242RRT         Solid Poly Cover +       C18WP         14g Simplex Steel Cover +       C18SP         14g Simplex Steel Cover *       C18SS         2-Piece 14g Simplex Steel Cover *       C18SS         2-Piece 14g Simplex Steel Cover *       C18SP         14g Simplex Steel Cover *       C18SS         2-Piece 14g Simplex Steel Cover *       C18SS         2-Piece 14g Simplex Steel Cover *       C18SS         2-Piece 14g Simplex Steel Cover *       C18SP         14g Simplex Steel Cover *       C18SP         14g Simplex Steel Cover *       C18SS         2-Piece 14g Si			14g Solid Steel Cover +	C18WSL	-
2-Piece 14g Simplex Steel Cover *       C18TS         Undrilled, No Grommet       B1824RRT         w/4 Grommet - Inlet Drilled       B18241RRTD         w/4 Grommet - Inlet Drilled       B18241RRTD         w/4 Grommet - Inlet Drilled       B18242RRT         w/4 Grommet - Inlet Drilled       B18242RRTD         w/4 Grommet - Inlet Drilled       B18242RRTD         w/4 Grommet Hub - Inlet Drilled       B18242RRTD         w/4 Gromsotie Hub - MTD       B18242RRTD         w/4 Gromsotie Hub - MTD       B18243RRT         Solid Poly Cover +       C18WP         14g Solid Steel Cover +       C18WP         14g Solid Steel Cover *       C18SS         2-Piece 14g Simplex Steel			Simplex Poly Cover *	C18SP	-
2-Piece 14g Simplex Steel Cover *       C18TS         Undrilled, No Grommet       B1824RRT         w/4 Grommet - Inlet Drilled       B18241RRTD         w/4 Grommet - Inlet Drilled       B18241RRTD         w/4 Grommet - Inlet Drilled       B18242RRT         w/4 Grommet - Inlet Drilled       B18242RRTD         w/4 Grommet - Inlet Drilled       B18242RRTD         w/4 Grommet Hub - Inlet Drilled       B18242RRTD         w/4 Gromsotie Hub - MTD       B18242RRTD         w/4 Gromsotie Hub - MTD       B18243RRT         Solid Poly Cover +       C18WP         14g Solid Steel Cover +       C18WP         14g Solid Steel Cover *       C18SS         2-Piece 14g Simplex Steel			14g Simplex Steel Cover *	C18SS	-
18" x 24" Recessed Rolled Top Basin       w/4" Grommet - Inlet Drilled       B18241RRTUD         w/4" Grommet - Inlet Drilled       B18241RRTUD         w/4" Grommet - Inlet Drilled       B18241RRTUD         w/4" Grommet Hub - Inlet Drilled       B18242RRTUD         w/4" Grommet Hub - Inlet Drilled       B18242RRTUD         w/4" Grommet Hub - Inlet Undrilled       B18243RRT         Solid Poly Cover +       C18WP         14g Simplex Steel Cover +       C18SP         14g Simplex Steel Cover *       C18TS         Undrilled, No Grommet       B24001RRTUD         w/4" Grommet - Inlet Undrilled       B24001RRTUD         w/4" Grommet - Inlet Undrilled       B24001RRTUD         w/4" Grommet Hub - Inlet Undrilled       B24001RRTUD         w/4" Grommet Hub - Inlet Undrilled       B24001RRTUD         w/4" Grommet Hub - Inlet Undrilled       B24001RRTDH         w/4" Grommet Hub - Inlet Undrilled       B24001RRTDH         w/4" Grommet Hub - Inlet Undrilled				C18TS	-
W/4" Grommet - Inlet Undrilled       B18241RRTUD         W/4" Grommet - Inlet Drilled       B18241RRTUD         W/4" Grommet Hub - Inlet Drilled       B18242RRT         W/4" Grommet Hub - Inlet Drilled       B18242RRTUD         W/4" Grommet Hub - Inlet Undrilled       B18242RRTUD         W/4" Grommet Hub - Inlet Drilled       B18242RRTUD         W/4" Grommet No Grommet       B18242RRTUD         W/4" Grommet - Inlet Drilled       B2400RRT         W/4" Grommet - Inlet Drilled       B24001RRTUD         W/4" Grommet Hub - Inlet Drilled       B24001RRT         W/4" Grommet Hub - Inlet Drilled       B24001RRTS			Undrilled, No Grommet	B1824RRT	-
W/(2) 4" Grommet - Inlet Drilled ◆       B18241RRTDH         W/(2) 4" Grommet Hub - Inlet Drilled ★       B18242RRT         W/4" Grommet Hub - Inlet Undrilled ★       B18242RRTUD         W/4" Composite Hub - MTD       B18242RRTUD         W/4" Composite Hub - MTD       B18242RRT         Solid Poly Cover ★       C18WP         14g Solid Steel Cover ★       C18WSL         Simplex Poly Cover ★       C18WSL         Simplex Steel Cover ★       C18SP         14g Simplex Steel Cover ★       C18TS         UT       M4" Grommet - Inlet Drilled ★       B24001RRT         W/4" Grommet - Inlet Drilled ★       B24001RRTUD       W/4" Grommet - Inlet Drilled ★         Dur most popular recessed rolled top basin offering years of trouble-rice performance.       M/4" Grommet Hub - Inlet Drilled ★       B24002RRT         W/4" Grommet Hub - Inlet Drilled ★       B24002RRT       W/4" Grommet Hub - Inlet Undrilled ★       B24002RRT         W/4" Grommet Hub - Inlet Drilled ★       B24002RRT       W/4" Grommet Hub - Inlet Drilled ★       B24002RRT         W/4" Grommet Hub - Inlet Drilled ★       B24002RRT       Simplex Poly			w/4" Grommet - Inlet Drilled	B18241RRT	-
18" x 24" Recessed Rolled Top Basin       w/4" Grommet Hub - Inlet Drilled       B18242RRT         W4" Grommet Hub - Inlet Undrilled       B18242RRTUD         w/4" Grommet Hub - MTD       B18243RRT         Solid Poly Cover +       C18WP         14g Solid Steel Cover +       C18WP         14g Solid Steel Cover +       C18WS         Simplex Poly Cover *       C18SS         2-Piece 14g Simplex Steel Cover *       C18TS         Undrilled, No Grommet       B24001RRT         w/4" Grommet Hub - Inlet Drilled       B24001RRT         w/4" Grommet Hub - Inlet Drilled       B24001RRTD         w/4" Grommet Hub - Inlet Drilled       B24001RRT         w/4" Grommet Hub - Inlet Drilled       B24001RRTD         w/4" Grommet Hub - Inlet Drilled       B24001RRTD         w/4" Grommet Hub - Inlet Drilled       B24002RRTT         w/4" Grommet Hub - Inlet Drilled       B24002RRTT         w/4" Grommet Hub - Inlet Drilled       B24001RRTDH         w/4" Grommet Hub - Inlet Drilled       B24002RRT         w/4" Grommet Hub - Inlet Drilled       B24002RRTT         w/4" Grommet Hub - Inlet Drilled       B24002RRTT         w/4" Grommet Hub - Inlet Drilled       B24002RRTT         w/4" Grommet Hub - Inlet Drilled       B24002RRT         W/4" Gromm			w/4" Grommet - Inlet Undrilled	B18241RRTUD	-
18" x 24" Recessed Rolled Top Basin       w/4" Grommet Hub - Inlet Undrilled       B18242RRTUD         W/4" Composite Hub - MTD       B18243RRT         Solid Poly Cover +       C18WP         14g Solid Steel Cover +       C18WSL         Simplex Poly Cover *       C18SS         2-Piece 14g Simplex Steel Cover *       C18TS         Undrilled, No Grommet       B24001RRT         w/4" Grommet Hub - Inlet Undrilled       B24002RRT         w/4" Grommet Hub - Inlet Undrilled       B24002RRT         w/4" Grommet Hub - Inlet Undrilled       B24003RRT         w/4" Grommet Hub - Inlet Undrilled       B24003RRT         Simplex Steel Cover *       C18SF         14g Simplex Steel Cover *       C18SF         130 U.S. Gallon Capacityl       w/4" Grommet Hub - Inlet Undrilled       B24003RRT         Simplex Poly Cover *       C18SF       14g Simplex Steel Cover *       C18SF         14g Simplex S			w/(2) 4" Grommet - Inlet Drilled 🔶	B18241RRTDH	-
The recessed rolled top allows covers to fit flush. [24 U.S. Gallon Capacity]       W/4" Composite Hub - MTD       B18243RRT         Solid Poly Cover +       C18WP         14g Solid Steel Cover +       C18WP         14g Simplex Steel Cover *       C18SS         2-Piece 14g Simplex Steel Cover *       C18TS         Undrilled, No Grommet - Inlet Drilled       B24001RRT         w/4" Grommet + Inlet Drilled       B24001RRT         w/4" Grommet + Ub - Inlet Drilled       B24001RRTUD         w/4" Grommet + Ub - Inlet Drilled       B24001RRT         w/4" Grommet + Ub - Inlet Drilled       B24001RRTUD         w/4" Grommet + Ub - Inlet Drilled       B24001RRT         Simplex Steel Cover *       C18SF         14g Simplex Steel Cover *	$\bigcirc$		w/4" Grommet Hub - Inlet Drilled	B18242RRT	-
[24 U.S. Gallon Capacity]       W/4 " Goinposter Hub Hub B 102450KH         Solid Poly Cover +       C18WP         14g Solid Steel Cover +       C18WSL         Simplex Poly Cover *       C18SS         2-Piece 14g Simplex Steel Cover *       C18TS         Undrilled, No Grommet       B2400RRT         w/4" Grommet - Inlet Drilled       B24001RRT         w/4" Grommet - Inlet Drilled       B24001RRT         w/4" Grommet + Inlet Drilled       B24002RRT         w/4" Grommet + Ub - Inlet Drilled       B24002RRT         Simplex Poly Cover *       C18SF         14g Simplex Steel Cover *       C18SF         14g Grommet - I		18" x 24" Recessed Rolled Top Basin	w/4" Grommet Hub - Inlet Undrilled	B18242RRTUD	-
Solid Poly Cover +       C18WP         14g Solid Steet Cover +       C18WSL         Simplex Poly Cover *       C18SP         14g Simplex Steet Cover *       C18SS         2-Piece 14g Simplex Steet Cover *       C18TS         Undritted, No Grommet       B2400RRT         w/4" Grommet - Inlet Dritted       B24001RRTUD         w/4" Grommet - Inlet Dritted       B24001RRTUD         w/4" Grommet - Inlet Dritted       B24002RRT         w/4" Grommet Hub - Inlet Dritted       B24002RRT         Simplex Steet Cover *       C18SP         14g Simplex Steet Cover *       C18TS         Undritted, No Grommet       B24001RRTS<			w/4" Composite Hub - MTD	B18243RRT	-
Simplex Poly Cover *       C18SP         14g Simplex Steel Cover *       C18SS         2-Piece 14g Simplex Steel Cover *       C18TS         Undrilled, No Grommet       B2400RRT         w/4" Grommet - Inlet Drilled       B24001RRTUD         w/4" Grommet - Inlet Drilled       B24002RRT         w/4" Grommet - Inlet Drilled       B24002RRT         w/4" Grommet Hub - Inlet Drilled       B24002RRT         i30 U.S. Gallon Capacity)       w/4" Grommet Hub - Inlet Drilled       B24002RRT         w/4" Grommet Hub - Inlet Drilled       B24002RRT         isimplex Steel Cover *       C18SP         14g Simplex Steel Cover *       C18SS         2-piece 14g Simplex Steel Cover *       C18SS         2-piece 14g Simplex Steel Cover *       C18TS         Wrd" Grommet - Inlet Drilled       B2400RRTS         w/4" Grommet - Inlet Drilled       B24001RRTS         w/4" Grommet - Inlet Drilled       B24001RRTSUD			Solid Poly Cover 🕂	C18WP	
14g Simplex Steel Cover *       C18SS         2-Piece 14g Simplex Steel Cover *       C18TS         Undrilled, No Grommet       B2400RRT         w/4" Grommet - Inlet Drilled       B24001RRTUD         w/4" Grommet - Inlet Undrilled       B24001RRTUD         w/2] 4" Grommet - Inlet Drilled ▲       B24001RRTUD         w/4" Grommet - Inlet Drilled ▲       B24001RRTUD         w/4" Grommet - Inlet Drilled ▲       B24002RRT         w/4" Grommet Hub - Inlet Drilled ▲       B24002RRT         w/4" Grommet Hub - Inlet Undrilled       B24002RRTUD         w/4" Grommet Hub - Inlet Drilled ▲       B24002RRTUD         w/4" Grommet Hub - Inlet Drilled ▲       B24002RRT         w/4" Grommet Hub - Inlet Drilled ▲       B24002RRTUD         w/4" Grommet Hub - Inlet Drilled ▲       B24002RRT         Simplex Poly Cover *       C18SP         14g Simplex Steel Cover *       C18SS         2-piece 14g Simplex Steel Cover *       C18TS         Undrilled, No Grommet       B2400RRTS         w/4" Grommet - Inlet Drilled       B2400RRTS         w/4" Grommet - Inlet Drilled       B2400RRTS			14g Solid Steel Cover 🕂	C18WSL	-
2-Piece 14g Simplex Steel Cover *       C18TS         Undrilled, No Grommet       B2400RRT         w/4" Grommet - Inlet Drilled       B24001RRTUD         w/4" Grommet - Inlet Drilled ▲       B24001RRTUD         w/2] 4" Grommet - Inlet Drilled ▲       B24001RRTUD         w/4" Grommet Hub - Inlet Drilled ▲       B24002RRT         w/4" Grommet Hub - Inlet Drilled ▲       B24002RRTUD         w/4" Grommet Hub - Inlet Undrilled       B24002RRTUD         w/4" Grommet Hub - Inlet Drilled ▲       B24002RRTUD         w/4" Grommet Hub - Inlet Drilled ▲       B24002RRTUD         w/4" Grommet Hub - Inlet Drilled ▲       B24002RRTUD         w/4" Grommet Hub - Inlet Undrilled       B24002RRT         Simplex Steel Cover *       C18SP         14g Simplex Steel Cover *       C18SS         2-piece 14g Simplex Steel Cover *       C18TS         Undrilled, No Grommet       B2400RRTS         w/4" Grommet - Inlet Drilled       B2400RRTS         w/4" Grommet - Inlet Drilled       B2400RRTS         w/4" Grommet - Inlet Drilled       B24001RRTS         w/4" Grommet - Inlet Drilled       B24001RRTS         w/4" Grommet - Inlet Drilled       B24001RRTS			Simplex Poly Cover *	C18SP	-
18" x 30" Recessed Rolled Top Basin       Undrilled, No Grommet       B2400RRT         w/4" Grommet - Inlet Drilled       B24001RRTUD         w/2" Grommet - Inlet Drilled       B24001RRTUD         w/2" Grommet - Inlet Drilled       B24002RRT         w/4" Grommet Hub - Inlet Drilled       B24002RRT         w/4" Grommet Hub - Inlet Drilled       B24002RRT         w/4" Grommet Hub - Inlet Undrilled       B24002RRT         w/4" Grommet Hub - Inlet Drilled       B24002RRT         w/4" Grommet Hub - Inlet Drilled       B24002RRT         w/4" Grommet Hub - Inlet Drilled       B24003RRT         w/4" Grommet Hub - Inlet Drilled       B24009RRT         Simplex Poly Cover *       C18SP         14g Simplex Steel Cover *       C18SS         2-piece 14g Simplex Steel Cover *       C18TS         Undrilled, No Grommet       B24001RRTS         w/4" Grommet - Inlet Drilled       B24001RRTS         w/4" Grommet - Inlet Drilled       B24001RRTS			14g Simplex Steel Cover \star	C18SS	-
W/4" Grommet - Inlet DrilledB24001RRTW/4" Grommet - Inlet UndrilledB24001RRTUDW/4" Grommet - Inlet Drilled ▲B24001RRTDHW/4" Grommet Hub - Inlet Drilled ▲B24002RRTW/4" Grommet Hub - Inlet UndrilledB24002RRTW/4" Grommet Hub - Inlet DrilledB24002RRTW/4" Grommet Hub - Inlet DrilledB24002RRTW/4" Grommet Hub - Inlet DrilledB24002RRTW/4" Grommet Hub - Inlet DrilledB24002RRTSimplex Poly Cover *C18SP14g Simplex Steel Cover *C18TS2-piece 14g Simplex Steel Cover *C18TSUndrilled, No GrommetB2400RRTSW/4" Grommet - Inlet DrilledB24001RRTSW/4" Grommet - Inlet DrilledB24001RRTSW/4" Grommet - Inlet UndrilledB24001RRTS			2-Piece 14g Simplex Steel Cover \star	C18TS	-
18" x 30" Recessed Rolled Top Basinw/4" Grommet - Inlet UndrilledB24001RRTUD0ur most popular recessed rolled top basin offering years of trouble-free performance. (30 U.S. Gallon Capacity)w/4" Grommet Hub - Inlet DrilledB24002RRTw/4" Composite Hub - Inlet UndrilledB24003RRTw/4" Composite Hub - MTDB24003RRTSimplex Poly Cover *C18SP14g Simplex Steel Cover *C18SS2-piece 14g Simplex Steel Cover *C18TSUndrilled, No GrommetB24001RRTSw/4" Grommet - Inlet DrilledB24001RRTSw/4" Grommet - Inlet DrilledB24001RRTS			Undrilled, No Grommet	B2400RRT	-
18" x 30" Recessed Rolled Top Basinw/(2) 4" Grommet - Inlet Drilled ▲B24001RRTDH0ur most popular recessed rolled top basin offering years of trouble-free performance. (30 U.S. Gallon Capacity)w/4" Grommet Hub - Inlet UndrilledB24002RRTUDw/4" Composite Hub - MTDB24003RRTw/H4PDQ - Inlet DrilledB24009RRTSimplex Poly Cover *C18SP14g Simplex Steel Cover *C18SS2-piece 14g Simplex Steel Cover *C18TSUndrilled, No GrommetB24001RRTSw/4" Grommet - Inlet DrilledB24001RRTSw/4" Grommet - Inlet DrilledB24001RRTS			w/4" Grommet - Inlet Drilled	B24001RRT	-
18" x 30" Recessed Rolled Top Basinw/4" Grommet Hub - Inlet DrilledB24002RRTOur most popular recessed rolled top basin offering years of trouble-free performance. (30 U.S. Gallon Capacity)w/4" Grommet Hub - Inlet UndrilledB24002RRTw/4" Composite Hub - MTDB24003RRTw/H4PDQ - Inlet DrilledB24009RRTSimplex Poly Cover *C18SP14g Simplex Steel Cover *C18TSUndrilled, No GrommetB2400RRTSw/4" Grommet - Inlet DrilledB24001RRTSw/4" Grommet - Inlet DrilledB24001RRTSw/4" Grommet - Inlet DrilledB24001RRTS			w/4" Grommet - Inlet Undrilled	B24001RRTUD	-
Our most popular recessed rolled top basin offering years of trouble-free performance. (30 U.S. Gallon Capacity)w/4" Grommet Hub - Inlet UndrilledB24002RRTUDw/4" Composite Hub - MTDB24003RRTw/H4PDQ - Inlet DrilledB24009RRTSimplex Poly Cover *C18SP14g Simplex Steel Cover *C18SS2-piece 14g Simplex Steel Cover *C18TSUndrilled, No GrommetB24001RRTSw/4" Grommet - Inlet DrilledB24001RRTSw/4" Grommet - Inlet UndrilledB24001RRTSUD			w/(2) 4" Grommet - Inlet Drilled 🔺	B24001RRTDH	-
years of trouble-free performance. (30 U.S. Gallon Capacity) w/4" Composite Hub - MTD B24003RRT w/H4PDQ - Inlet Drilled B24009RRT Simplex Poly Cover * C18SF 14g Simplex Steel Cover * C18SS 2-piece 14g Simplex Steel Cover * C18TS Undrilled, No Grommet B2400RRTS w/4" Grommet - Inlet Drilled B24001RRTS w/4" Grommet - Inlet Undrilled B24001RRTSUD		18" x 30" Recessed Rolled Top Basin	w/4" Grommet Hub - Inlet Drilled	B24002RRT	-
(30 U.S. Gallon Capacity) (30 U.S. Gallon Capacity) W/H4PDQ - Inlet Drilled B24009RRT Simplex Poly Cover * C18SF 14g Simplex Steel Cover * C18SS 2-piece 14g Simplex Steel Cover * C18TS Undrilled, No Grommet W/4" Grommet - Inlet Drilled B24001RRTS W/4" Grommet - Inlet Undrilled B24001RRTSUD		Our most popular recessed rolled top basin offering	w/4" Grommet Hub - Inlet Undrilled	B24002RRTUD	-
W/H4PDU - Inlet Dritled B24009RRT Simplex Poly Cover * C18SP 14g Simplex Steel Cover * C18SS 2-piece 14g Simplex Steel Cover * C18TS Undrilled, No Grommet B2400RRTS w/4" Grommet - Inlet Dritled B24001RRTS w/4" Grommet - Inlet Undrilled B24001RRTSUD			w/4" Composite Hub - MTD	B24003RRT	-
14g Simplex Steel Cover *C18SS2-piece 14g Simplex Steel Cover *C18TSUndrilled, No GrommetB2400RRTSw/4" Grommet - Inlet DrilledB24001RRTSw/4" Grommet - Inlet UndrilledB24001RRTSUD		(30 0.5. Gallon Capacity)	w/H4PDQ - Inlet Drilled	B24009RRT	-
2-piece 14g Simplex Steel Cover *     C18TS       Undrilled, No Grommet     B2400RRTS       w/4" Grommet - Inlet Drilled     B24001RRTS       w/4" Grommet - Inlet Undrilled     B24001RRTSUD			Simplex Poly Cover *	C18SP	-
Undrilled, No Grommet B2400RRTS w/4" Grommet - Inlet Drilled B24001RRTS w/4" Grommet - Inlet Undrilled B24001RRTSUD			14g Simplex Steel Cover \star	C18SS	-
w/4" Grommet - Inlet Drilled B24001RRTS w/4" Grommet - Inlet Undrilled B24001RRTSUD			2-piece 14g Simplex Steel Cover \star	C18TS	-
w/4" Grommet - Inlet Undrilled B24001RRTSUD			Undrilled, No Grommet	B2400RRTS	-
			w/4" Grommet - Inlet Drilled	B24001RRTS	-
18" x 30" Recessed Rolled Top Basin w/4" Grommet Hub - Inlet Drilled B24002RRTS			w/4" Grommet - Inlet Undrilled	B24001RRTSUD	-
	I THE DESCRIPTION	18" x 30" Recessed Rolled Top Basin	w/4" Grommet Hub - Inlet Drilled	B24002RRTS	
with Torque Stop w/4" Grommet Hub - Inlet Undrilled B24002RRTSUD			w/4" Grommet Hub - Inlet Undrilled	B24002RRTSUD	-
Innovative design features include a 4" molded inlet hub or w/4" Composite Hub - MTD B24003SRRT			w/4" Composite Hub - MTD	B24003SRRT	-
standard inlet options in the same basin. Comes complete w/H4PDQ - Inlet Drilled B24009SRRT			w/H4PDQ - Inlet Drilled	B24009SRRT	-
(30 U.S. Gallon Capacity) Simplex Poly Cover * C18SP			Simplex Poly Cover *	C18SP	-
14g Simplex Steel Cover * C18SS			14g Simplex Steel Cover \star	C18SS	-
2-Piece 14g Simplex Steel Cover * C18TS			2-Piece 14g Simplex Steel Cover *	C18TS	-

+ Includes hardware pack (bolts, washers & gasket tape)

7



#### Poly Basins, Covers & Accessories

Polyethylene and Structural Foam Basin & Cover Packages

DESCRIPTION		PART NO.	Price
RECESSED ROLLED TOP BASINS			
	Undrilled, No Grommet	B3100RRT	Conta
	w/4" Grommet - Inlet Drilled	B31001RRT	Topp f
	w/4" Grommet - Inlet Undrilled	B31001RRTUD	Price
24" x 24" Recessed Rolled Top Basin	w/4" Grommet Hub - Inlet Drilled	B31002RRT	
Recessed rolled top flange offers extra strength	w/4" Grommet Hub - Inlet Undrilled	B31002RRTUD	
and ease of installation. [43 U.S. Gallon Capacity]	w/4" Composite Hub - MTD	B31003RRT	
	14g Simplex Steel Cover \star	C24SSL	
	12g Simplex Steel Cover (1) Pump Access Plate ★	C24-12SSA	_
	Undrilled, No Grommet	B3300RRT	_
24" x 30" Recessed Rolled Top Basin	w/4" Grommet - Inlet Drilled	B33001RRT	
	w/4" Grommet - Inlet Undrilled	B33001RRTUD	
	w/4" Grommet Hub - Inlet Drilled	B33002RRT	
Manufactured using the highest grade of polyethylene	w/4" Grommet Hub - Inlet Undrilled	B33002RRTUD	
to assure years of trouble-free performance. (54 U.S. Gallon Capacity)	w/4" Composite Hub - MTD	B33003RRT	
	14g Simplex Steel Cover *	C24SSL	
	12g Simplex Steel Cover (1) Pump Access Plate ★	C24-12SSA	
	Undrilled, No Grommet	B3200RRT	
	w/4" Grommet - Inlet Drilled	B32001RRT	
	w/4" Grommet - Inlet Undrilled	B32001RRTUD	
24" x 36" Recessed Rolled Top Basin	w/4" Grommet Hub - Inlet Drilled	B32002RRT	
Extra-high recessed rolled top helps prevent debris	w/4" Grommet Hub - Inlet Undrilled	B32002RRTUD	
from entering basin during installation.	w/4" Composite Hub - MTD	B32003RRT	
(65 U.S. Gallon Capacity)	14g Simplex Steel Cover \star	C24SSL	
	12g Simplex Steel Cover (1) Pump Access Plate ★	C24-12SSA	

#### SUPER BLUE BASINS

#### Super Blue Polyethylene Basins Twice the thickness – twice the weight

Our flagship poly basin – more durable than structural foam and easier to work with than fiberglass.



**Super Blue Poly Extensions** 

18" x 24" Undrilled, No Grommet	SHDB240
w/(1) 4" Composite Hub - MTD	SHDB241
w/(2) 4" Composite Hub - MTD	SHDB242
18" x 30" Undrilled, No Grommet	SHDB300
w/(1) 4" Composite Hub - MTD	SHDB301
w/(2) 4" Composite Hub - MTD	SHDB302
Single Hole Steel Sump Cover $st$	C18WSE
Single Hole Poly Sump Cover \star	C18WPE
Simplex Poly Cover \star	C18SP
14g Simplex Steel Cover \star	C18SS

18" x 6" Poly Extension 🕂	SHDB1806E
18" x 12" Poly Extension +	SHDB1812E



### Poly Basins, Covers & Accessories

Polyethylene and Structural Foam Basin & Cover Packages

DESCRIPTION			PART NO.	Prici
	New Evolution E-Series Stru	ICTURAL FOAM BASINS		
		Undrilled, No Grommet	E2-2200	Contac
		Perforated, Undrilled, No Grommet	E2-2200P	Topp fo
		w/4" Grommet - Inlet Drilled	E2-22001	Price
	18" x 22"	w/4" Grommet - Inlet Undrilled	E2-22001UD	
	22 Gallon Capacity	w/(2) 4" Grommet - Inlet Drilled 🔶	E2-22001DH	
		w/4" Grommet Hub - Inlet Drilled	E2-22002	
		w/4" Grommet Hub - Inlet Undrilled	E2-22002UD	
20)		w/4" Composite Hub - MTD	E2-22003	
		w/4" H4PDQ - Inlet Drilled	E2-22009	
		Undrilled, No Grommet	E3-2400	
		w/4" Grommet - Inlet Drilled	E3-24001	
The second se		w/4" Grommet - Inlet Undrilled	E3-24001UD	
	18" x 30"	w/(2) 4" Grommet - Inlet Drilled 🔺	E3-24001DH	
	30 Gallon Capacity	w/4" Grommet Hub - Inlet Drilled	E3-24002	
		w/4" Grommet Hub - Inlet Undrilled	E3-24002UD	
		w/4" Composite Hub - MTD	E3-24003	
		w/4" H4PDQ - Inlet Drilled	E3-24009	
		Undrilled, No Grommet	E4-3100	
Evolution E-Series Basins	24" x 24" 45 Gallon Capacity	w/4" Grommet - Inlet Drilled	E4-31001	•
all new Evolution E-Series		w/4" Grommet - Inlet Undrilled	E4-31001UD	
ural Foam Basin is engi-		w/4" Grommet Hub - Inlet Drilled	E4-31002	
d to incorporate the ultimate		w/4" Grommet Hub - Inlet Undrilled	E4-31002UD	
of value and improved design res into a single platform. The		w/4" Composite Hub - MTD	E4-31003	
is a feature rich premium		Undrilled, No Grommet	E5-3300	-
ral foam basin available in ers up to 30", with a cost		w/4" Grommet - Inlet Drilled	E5-33001	
at is more often associated	24" x 36"	w/4" Grommet - Inlet Undrilled	E5-33001UD	
standard single wall poly	68 Gallon Capacity	w/4" Grommet Hub - Inlet Drilled	E5-33002	
of similar size. New E-Series tural Foam covers are also		w/4" Grommet Hub - Inlet Undrilled	E5-33002UD	
ole up to 24" diameter in addi-		w/4" Composite Hub - MTD	E5-33003	
o Topp standard epoxy coated		Undrilled, No Grommet	E6-4100	
l and Non-Skid Fiberglass rs.		w/4" Grommet - Inlet Drilled	E6-41001	
	30" x 36"	w/4" Grommet - Inlet Undrilled	E6-41001UD	
the new Evolution today!	105 Gallon Capacity	w/4" Grommet Hub - Inlet Drilled	E6-41002	
	iss sation capacity	w/4" Grommet Hub - Inlet Undrilled	E6-41002UD	
		w/4" Composite Hub - MTD	E5-41003	

#### **Evolution Series E-Series Features Include:**

- 180° flat pockets for positive grommet seal
- Self-tapping hardware no inserts to corrode or protect
- No external stacking ribs to interfere if using external filtration
- All covers gas and odor tight with included gasket kit
- Approved for use in radon mitigation applications
- Improved design provides increased structural integrity with less material for improved value and ease of handling
- Accommodates 4" composite inlet hubs



Polyethylene and Structural Foam Basin & Cover Packages

DESCRIPTION

COVER OPTIONS FOR NEW EVOLUTION E-SERIES STRUCTURAL FOAM BASINS

PART No. PRICE



#### **New Evolution E-Series Covers**

New E-Series Structural Foam covers are also available up to 24" diameter in addition to Topp standard epoxy coated steel and Non-Skid Fiberglass covers.

Join the new Evolution today!

10

	E-Series Solid Foam Cover +	E-C18EWSF	Contact Topp for
	E-Series Single Hole Cover (ECG Only) *	E-C18EWSFE	Price
	E-Series Slot *	E-C18SLOT	-
18" Diameter	E-Series Simplex Foam Cover w/Gaskets \star	E-C18G	-
	E-Series Simplex Foam Cover w/Flanges *	E-C18F	-
	14g Solid Steel Cover ★	C18WSL	
	14g Single Hole Steel Cover 🕂	C18WSE	
	14g Simplex Steel Cover *	C18SS	
	E-Series Slotted Foam Cover *	C18TSF	
	2-pc 14g Simplex Steel Cover ★	C18TS	-
	E-Series Solid Foam Cover 🕂	E-C24EWSF	_
	E-Series Single Hole Cover (ECG Only) *	E-C24EWSFE	
	E-Series Simplex Foam Cover w/Gaskets \star	E-C24G	
24" Diameter	E-Series Simplex Foam Cover w/Flanges \star	E-C24F	
	14g Solid Steel Cover 🕂	C24WSL	
	14g Simplex Steel Cover *	C24SSL	
	1/4" Solid Steel Cover 🕂	C24WSH	
	1/4" Simplex Steel Cover \star	C24SSH	
	12g Simplex Steel Cover w/Access Plates *	C24-12SSA	
	Solid Non-Skid Fiberglass Cover 🕂	C24WFNSTP	
	Simplex Non-Skid Fiberglass Cover \star	C24FSNSTP	
30" Diameter	1/4" Solid Steel Cover 🕂	C30WS	
30 Diameter	1/4" Simplex Steel Cover \star	C30SSA	-
	12g Simplex Steel Cover w/Access Plate *	C30-12SSA	-
	12g Duplex Steel Cover w/Access Plate \star	C30-12DSA	
	1/2" Non-Skid Simplex Fiberglass Cover w/Access *	C30SFA	-
	1/2" Non-Skid Duplex Fiberglass Cover w/Access *	C30DFA	

#### **Evolution Series E-Series Features Include:**

- 180° flat pockets for positive grommet seal
- Self-tapping hardware no inserts to corrode or protect
- No external stacking ribs to interfere if using external filtration
- All covers gas and odor tight with included gasket kit
- Approved for use in radon mitigation applications
- Improved design provides increased structural integrity with less material for improved value and ease of handling
- Accommodates 4" composite inlet hubs



	DESCRIPTION		PART NO.	Price
	STRUCTURAL FOAM BASINS			
		Basin only	M2-2200	<ul> <li>Contact</li> </ul>
		w/4" Inlet Grommet	M2-22001	Topp for
		w/4" Inlet Grommet Hub	M2-22002	Price
		w/4" Composite Inlet Hub	M2-22003	
		Poly Bolt-Down Slotted Cover 🕂	C18LP	
(m - m)	18" x 22" Structural Foam Basin	Solid Poly Cover 🕂	C18WP	
		14g Solid Steel Cover 🕂	C18WSL	
	The M2 structural foam basin is true to its dimensions and offers an increase of 2.75 gallons over the competition's	Solid Structural Foam Cover 🕂	C18WSF	
	18" x 22". (22 U.S. Gallon Capacity)	2½" Single Hole Poly Cover 🕂	C18WPE	
		14g 2½" Single Hole Steel Cover 🕂	C18WSE	
		2½" Single Hole Structural Foam Cover <del>+</del>	C18WSFE	
		Simplex Poly Cover *	C18SP	
		14g Simplex Steel Cover *	C18SS	
		Simplex Structural Foam Cover $st$	E-C18G	
		2-Piece 14g Simplex Steel Cover *	C18TS	
		2-Piece Simplex Structural Foam Cover ★	E-C18TSF	
		Basin only	M3-2400	
		w/4" Inlet Grommet	M3-24001	
( *** )		w/4" Inlet Grommet Hub	M3-24002	
	18" x 30" Structural Foam Basin	w/4" Composite Inlet Hub	M3-24003	
	Increased volume capacity over our competitors, means less cycling time for your pump, increasing	Simplex Poly Cover \star	C18SP	
	pump life and decreasing operating cost.	14g Simplex Steel Cover \star	C18SS	
	(30 U.S. Gallon Capacity)	Simplex Structural Foam Cover $st$	E-C18G	
		2-Piece 14g Simplex Steel Cover *	C18TS	
		2-piece Simplex Structural Foam Cover ★	E-C18TSF	
	Structural Foam Anti-float Ring	Structural Foam Anti-float Ring	SFAF	_
	Attaches securely and easily to your Topp Structural	18" x 22" Structural Foam Basin	M2-2200F	
	Foam basin to help provide a stable environment in	w/Anti-float Ring		
	high-water situations.	18" x 30" Structural Foam Basin w/Anti-float Ring	M3-2400F	

#### CORRUGATED WALL BASINS



### Unique "TOPP-LOCK" cover design makes every installation a breeze. (26 U.S. Gallon Capacity)

18" x 24" Corrugated Tapered Wall Basin

#### 18" x 30" Corrugated Tapered Wall Basin

Wall thickness is .100" (approx.) thicker than the competition, which provides long-term reliability. (34 U.S. Gallon Capacity)

Basin only	B2300TL
TOPP Locking Slotted Poly Cover	C23STL
TOPP Locking Solid Poly Cover	C23WTL
Locking Simplex Rodon Cover $\star$	C23SSR
Basin only	B2400TL
TOPP Locking Slotted Poly Cover	C23STL
TOPP Locking Solid Poly Cover	C23WLT
14g Locking Simplex Cover *	C23SSR



12

DESCRIPTION

## Poly Basins, Covers & Accessories Polyethylene and Structural Foam Basin & Cover Packages

PART NO.

PRICE

	DESCRIPTION		PARI NU.	
	ELEVATOR BASINS			
	18" x 22" Poly Elevator Basin	<b>_</b> · · ·	50000	
	Economy elevator pit basin package designed for water run-	Basin only	B2200	_
	off to help keep the environment safe. Cover provided with discharge flange and ECG. (22 U.S. Gallon capacity)	$^{1\!$	C18ELE	_
	24" x 36" Poly Elevator Basin Increased volume capacity on our 24" x 36"	Basin only	B3200	_
	Elevator Basin increases pump performance. (24 U.S. Gallon capacity)	<sup>1</sup> ⁄4" Thick Perforated Steel Cover ★	C24ELE	_
	ULTRA-POLY BASIN			
		24" x 24" Ultra-Poly Basin	B2424	
the second		Simplex Poly Cover *	C18SP	
()	<b>Ultra-Poly Basin</b> (4 x 4 & 4 x 3 flexible coupling)	14g Simplex Steel Cover *	C18SS	_
	Unique design gives added support to a shallow clearance, high capacity Poly Basin. Compatible with all our 18" covers. Heavy duty version available.	Simplex Non-Skid Fiberglass Cover for 18" Poly Basins ★	C18FSNSTP	-
	IAPMO LISTED BASIN			
	<b>18" x 30" IAPMO Listed Basin</b> IAPMO LISTED – <sup>1</sup> / <sup>4</sup> " thick Wall Sewage Ejector Basin is provided with 2" Vent & Discharge Grommets, 16 S.S. bolts & washers and water & gas-tight cover gasket material to withstand a 10-foot stack test.	Basin Package w/10g Simplex Steel Cover ★	B24SSIL	
	Poly Extensions			
$\geq$		18" x 6" Poly Extensions +	B1806EXT	
P	<b>18" Recessed Roll Top Poly Extensions</b> Quickly increase your basin height and help prevent debris from entering basin during installation.	18" x 12" Poly Extensions +	B1812EXT	-
	24" Recessed Roll Top Poly Extensions	24" x 6" Poly Extensions +	B2406EXT	_
	Provide a flush surface when you assemble the cover and increase your basin height with ease.	24" x 12" Poly Extensions +	B2412EXT	-
B			E 400/EVE	_
	18" Economy Poly Extensions	18" x 6" Poly Extensions	E-1806EXT	_
		18" x 12" Poly Extensions	E-1812EXT	



	DESCRIPTION		PART NO.	Pri
	POLY TRIPLE GARAGE BASINS			
	18" x 39" Poly Triple Garage System	Vents on the North Side +	B1839TN	Conta
	Designed to help garage areas and other facilities handle volatile wastes that they generate. Separates volatile wastes as they pass through the system of baffles and rise to the surface. (Meeting IL code). Includes three black epoxy-coated 14g Solid Steel covers, Composite inlet hub and discharge.	Vents on the South Side +	B1839TS	Topp f Price
	BASIN COVERS & ACCESSORIES			
		Fits our 18" Corrugated Basins	C23SLP	
	Slotted Polyethylene Covers	Economy Slotted for 18" Basins	C18LPN	
	Engineered for quick cover installation and removal. Designed for pedestal pumps and for non-radon sump basins.	Bolt-Down Slotted for 18" Basins +	C18LP	
	Solid Polyethylene Covers	Fits our 18" Corrugated Basins	C23WTL	
	Designed for submersible pumps and lets you decide where and if you want slots or holes in the cover.	Solid Polyethylene for 18" Basins +	C18WP	
	Solid Structural Foam Cover	For 18" ID Basins <del>+</del>	E-C18EWSF	
		Solid Non-Skid Fiberglass Cover for 18" Poly Basins +	C18WFNSTP	
	Solid Fiberglass Covers	Solid Non-Skid Fiberglass Cover for 24" Poly Basins +	C24WFNSTP	
	Corrosion resistance and a great choice when the vent, discharge, and power cords are going through the basin wall.	½" Thick Non-Skid Fiberglass Cover for 30" Poly Basins – 29 lbs. +	C30WFNSTP	
		½" Thick Non-Skid Fiberglass Cover for 36" Poly Basins – 40 lbs. ↓	C36WFNSTP	
		14g for 18" Basins – 8 lbs. <del>+</del>	C18WSL	
		¼″ thick for 18″ Basins – 23 lbs. +	C18WSH	
	Solid Steel Covers	14g for 24" Basins – 12 lbs. +	C24WSL	
		1/."	C24WSH	
		¼" thick for 24" Basins – 48 lbs. 🕂	02400311	
		<sup>14</sup> thick for 24 Basins – 48 lbs. + <sup>14</sup> thick for 30" Basins – 65 lbs. +	C30WS	
)				
		¼" thick for 30″ Basins – 65 lbs. 🕂	C30WS	
	Single Hole Covers	<sup>1</sup> /4" thick for 30" Basins – 65 lbs. <b>+</b> <sup>1</sup> /4" thick for 36" Basins – 90 lbs. <b>+</b>	C30WS C36WS	

Structural Foam Cover for 18" Basin + E-C18EWSFE



DESCRIPTION		PART NO.
BASIN COVERS & ACCESSORIES		
Elevator Covers	<sup>1</sup> ⁄4" thick Perforated Steel for 18" ID Basins ★	C18ELE
Designed for water run-off to help keep the environment safe.	<sup>1</sup> ⁄4" Thick Perforated Steel for 24" ID Basins ★	C24ELE
Simplex Polyethylene Covers	For 18" ID Basins ★	C18SP
Constructed of durable, corrosion-resistant polyethylene resin.	For 18" ID Side-Vent Basins ■	C18SPSV
Simplex Structural Foam Cover	For 18" Basins \star	C18G
Engineered for durability, corrosion-resistant, increased strength.	For 18" Basins <b>*</b>	C18F
	Simplex Non-Skid Fiberglass Cover for 18" Poly Basins ★	C18FSNSTP
Simplex Non-Skid Fiberglass Covers	Simplex Non-Skid Fiberglass Cover for 24" Poly Basins ★	C24FSNSTP
	Simplex Non-Skid Fiberglass Cover for 30" Poly Basins ★	C30FSNSTP
	Simplex Non-Skid Fiberglass Cover for 36" Poly Basins *	C36FSNSTP
	14g for 18" Basins – 8 lbs. <b>*</b>	C18SS
Simplex Steel Covers	¼" thick for 18" Basins – 23 lbs. <b>*</b>	C18SSH
Epoxy coating provides a tough and durable surface.	14g for 24" Basins – 14 lbs. \star	C24SSL
	¼" thick for 24" Basins – 50 lbs. <b>*</b>	C24SSH
	14g for 18" ID Side-Vent Basins – 8 lbs. ■	C18SSSV
	14g for 23" ID Side-Vent Basins – 12 lbs. ■	C27SSSV
Two-Piece Simplex Structural Foam Cover		
Durable, corrosion-resistant cover providing a quicker access to your pump.	For 18" ID Basins <b>*</b>	E-C18TSF
Two-Piece Simplex Steel Cover		
Provides a quicker access to your pump, as you never cut your vent pipe with this epoxy-coated cover.	For 18" ID Basins <b>*</b>	C18TS
Simplex Steel Cover with Access Plate	12q Steel for 24" Basins – 40 lbs. *	C24-12SSA
The 4-bolt pump access plate offers ease in the basin	12g Steel for 30" Basins - 40 lbs. *	C30-12SSA
for pump installation and removal. Blank inspection plate provides quicker access for pump inspection.	12g Steel for 36" Basins – 70 lbs. *	C36-12SSA
Duplex Steel Covers with Access Plates Includes two pump access plates to aid pump installation	12g Steel for 30" Basins – 44 lbs. \star	C30-12DSA





	DESCRIPTION		PART No.	Price
	BASIN COVERS & ACCESSORIES			
	SumpMaster Fully-automatic auxiliary power source for residential flood control. Designed with the homeowner in mind. Installs in minutes with no modifications or piping changes. The SUMPMASTER will power your existing sump pump in an outage. Engineered to work with any new or existing 115V sump pump up to ½ H.P. The SUMPMASTER takes D.C. bat- tery power and converts it to 115 VAC power (when standard power fails or is not available).	SumpMaster, the fully automatic charging system. UL Listed & CUL (Canada)	SUMPMASTER	Contact Topp for Price
	High Water Alarms			
	This alarm is constructed of a non-metallic enclosure and safe 9-volt operation through use of a 120 volt-to-9 volt transformer. Quick push tab connectors allow time saving float switch installation. The power monitor lamp will go	Nema 1 Indoor Alarm w/10 ft. Mini Mercury Float	HWA100	
	out if power to the system fails also sounding the 85db solid tone to alert you to the problem. Metallic enclosure is designed for sump & sewage basins, septic tanks, dosing, & storage tanks. Quick push tab connectors allow time saving float switch installation. Supplied with mini 15 ft. float, additional 5 ft. lengths available. UL & CUL Listed.	Nema 1 Indoor Alarm w/15 ft. Mini Mercury Float	HWA125	
	Rubber Sleeve Full Flow Swing Check Valves Full flow check valves were engineered to increase	1¼" to 1½" Combination Full Flow Rubber Sleeve Check Valve	CVSUMPR	
	performance and for installation ease.	2" Full Flow Rubber Sleeve Check Valve	CV200R	
	Compression Nut PVC Swing Check Valves	1¼" to 1½" Combination Compression Nut PVC Swing Check Valve	CVSUMPC	
8	Easy installation and removal with compression seal connections.	2" Compression Nut PVC Swing Check Valve	CV200C	
	<b>Solvent Weld PVC Check Valve</b> Full flow design. No metallic parts, corrosion resistant. Angle seat and weighted flapper design for low pressure seal. Ideal for close working areas, easy pipe alignment. Designed for both horizontal and vertical usage.	Tru-Union Solvent Weld PVC Check Valve	CV200TU	
	2" Ball/Check Valve Combination One-piece ball/check valve combination with a true union design allows removal of check valve for cleaning or repairs.	2 Ball/Check Valve Combination	BCX-2000-S	



	DESCRIPTION		PART NO.	Price
	BASIN COVERS & ACCESSORIES		I ART NO.	IRICE
	Discharge Pipes			
	Add this Sch40 or Sch80 discharge	2" SCH 40 PVC Discharge Pipe 29" length	DP200P4	Contact
	pipe to your order and provide a job	2" SCH 80 PVC Discharge Pipe 29" length	DP200P8	Topp for Price
	ready pack.	5 1 5		
	Torque Stop			
	Prevents pump rotation and protects	Generic Pump Configuration for 18" x 30" Basins	TS1830	
	the basin bottom with this 1/8" drop-in polyethylene torque stop.			
	Stop "N" Seal Inlet Hub			
	Pipe seal for 4" piping. Your piping will	Pipe seal for 4" piping through a 5" hole	H400R	
	penetrate about 13/4" and stop. State of Illinois Approved.	Pipe Seal for 4" SRD 35 piping through a 5" hole	H400R35	
	Multi-Tite Hub			
<b>O</b>	A sure seal with Cast Iron Soil Pipe (service weight).	Pipe seal for 4" piping	H400MTH	
		2" Fiberglass Hub for 4" Piping	H201FG	
		3" Fiberglass Hub for 4" Piping	H301FG	
All and the	Composite Hubs	4" Fiberglass Hub for 4" Piping	H401FG	
	Fiberglass composite bolt-on hubs.	Flat-back Fiberglass Hub for 4" Piping	H400FGFLAT	
-				
	Cast Iron Caulking Inlet Hubs	Curved Back Cast Iron Hub for 2" Piping	H200C	
	Industrial enamel coated bolt-on	Curved Back Cast Iron Hub for 3" Piping	H300C	
	cast iron inlet hubs.	Curved Back Cast Iron Hub for 4" Piping	H400C	
		Curved Back Cast Iron Hub for 4" Piping on 18" Basins	H400C-18	
		Flat Back Cast Iron Hub for 4" Piping	H400F	
	"Ringer" Pipe Grommets	For 1¼" Piping (OD) Through 3" Hole	G125	
		For 1½" Piping (OD) Through 3" Hole	G150	
	For the quick, easy, and sure pipe seal.	For 2" Piping (OD) Through 3" Hole	G200	
		For 3" Piping (OD) Through 4" Hole	G300	
		For 4" Piping (OD) Through 5" Hole	G400	
		For SDR35 4" Piping (OD) Through 5" Hole	G400SDR35	
		Electric Cord Grommet, Seals up to 3 Cords (up to <sup>3</sup> /8" OD) Through a 2½" Hole	ECG	
		Electric Cord Grommet, Through a 2" Hole	ECG200	
		Blank Snap Plug for 3" Hole (for steel covers only)	BSP300	
$\mathbf{O}$	View Port Inspection Window Handy for applications where visibility is needed.	Add to any sump basin with a sealed lid	VPIW	
	U-Stop			
cutaway view	Great for sump covers and slab penetration. Stops pipe at base of bushing. 4" schedule for 40 pipe only.	4" Bushing with stop, requires a 5"hole.	USTP	
	Dranjer – Sump Cover Drain			
	Requires an irregular shaped hole in the sump lid approx. 2.75" x 3.25". Plastic "J" type drain w/weighted ball keeps vapors from flowing up, while allowing water to flow down.	4.5" x 4.5" (use FS2 model if space is an issue). Installs from under sump lid.	DJSCD	



DESCRIPTION			PART NO.	P
BASIN COVER OP	TIONS			
		Plastic 2-Bolt Slip Flange, with 0-Ring for 114" Piping	PF125S	Cor
		Plastic 2-Bolt Slip Flange, with O-Ring for 1½" Piping	PF150S	Тор
Plastic 2-Bolt	Pipe Flange	Blank Plastic Flange for 2" Hole	PF200B	P
Corrosion resi	istant threaded vent	Plastic 2-Bolt Slip Flange, with 0-Ring for 2" Piping	PF200S	
and slip discharge flanges.	Plastic 2-Bolt Threaded Flange for 2" Piping	PF200T		
		Plastic 2-Bolt Slip Flange, with 0-Ring for 3" Piping	PF300S	
		Plastic 2-Bolt Threaded Flange for 3" Piping	PF300T	
Epoxy coated 12-gauge steel for easier pump installation	16" Pump Access Plate with ECG Grommet & Discharge Flange +	16PA-12		
Access Plates		16" Blank Pump Access Plate 🕂	16BPA-12	
	18" Blank Pump Access Plate +	18BPA-12		
anu removat.		18" Pump Access Plate with ECG Grommet & Discharge Flange +	18PA-12	
				-
		16" Blank Pump Access Plate 🛨	16BPA-25	
		16" Pump Access Plate w/ECG Grommet & Discharge Flange 🕂	16PA-25	
Access Plates		18" Blank Pump Access Plate 🕂	18BPA-25	
Epoxy coated <sup>1</sup>		18" Pump Access Plate w/ECG Grommet & Discharge Flange 🕂	18PA-25	
easier pump in and removal.	nstallation	22" Blank Pump Access Plate 🕂	22BPA-25	
		22" Pump Access Plate w/ECG Grommet & Discharge Flange 🕂	22PA-25	
		28" Blank Pump Access Plate 🕂	28BPA-25	
		28" Pump Access Plate w/ECG Grommet & Discharge Flange +	28PA-25	



1

DESCRIPTION		PART NO.	Pr
BASIN COVERS & ACCESSORIES			
	10" Blank Inspection Plate +	IN00-12	– Cont
Inspection Plates - 12 Gau	ge 10" Inspection Plate, w/One ½" Cord Grip +	IN01-12	Торр
- 10" diameter for an 8" clear	10" Inspection Plate, w/Two ½" Cord Grip 🕂	IN02-12	Pri
access opening.	10" Inspection Plate, w/Three ½" Cord Grip 🕂	IN03-12	
	10" Inspection Plate, w/Four ½" Cord Grip +	IN04-12	_
	10" Blank Inspection Plate +	IN00-25	
Inspection Plates - ¼" Thi	10" Inspection Plate, w/One ½" Cord Grip +	IN01-25	_
10" diameter for an 8" clear access opening.	10" Inspection Plate, w/Two ½" Cord Grip +	IN02-25	-
	10" Inspection Plate, w/Three ½" Cord Grip +	IN03-25	-
	10" Inspection Plate, w/Four ½" Cord Grip +	IN04-25	-
	1" Steel Float Pole Coupling Welding Under Inspection Plate	FP100E	
<b>Electric Cord Grips</b>	1/2" NPT, Seals Cords from 0.236" to 0.472" OD	GRIP050	
Easily adjust your power cord		GRIP075	
without entering the basin.	1" NPT, Seals Cords from 0.236" to 1.024" OD	GRIP100	_
	Inlet Baffle, 8" Wide x 4" Deep x 12" Long	PIB12	
Polyethylene Baffles	Inlet Baffle, 8" Wide x 4" Deep x 18" Long	PIB18	_
For directing the path of infl	uent Inlet Baffle, 8" Wide x 4" Deep x 24" Long	PIB24	
and effluent in a basin.	Inlet Baffle, 8" Wide x 4" Deep x 36" Long	PIB36	
	Inlet Baffle, 8" Wide x 4" Deep x 48" Long	PIB48	_
Gasket Material	Foam Tape Seal - 1/8" x ¾" x 6'	CGM06F	
Replacement cover gasket n for gas-tight and water-tight		CGM15B	
Bolts and Washers	1/ - 20 11/" D - I+- (/) 1/" - 20 W/ F (/)		_
Replacement stainless steel	1/4 - 20 x 11/4" Bolts (6), 1/4" - 20 Washers (6)	HP1420	-
hardware packs for Topp Industries covers.	<sup>5</sup> /16 -18 x 1 <sup>1</sup> /4" Bolts (6), <sup>5</sup> /16 -18 Washers (6) <sup>3</sup> /8 -16 x 1 <sup>1</sup> /4" Bolts (6), <sup>3</sup> /8 -16 Washers (6)	HP516 HP38	-



### Septic Risers, Covers & Accessories

### Designed to fit new and retrofit older concrete septic tanks

TOPP corrosion-resistant polyethylene septic tank risers eliminate the need to cut tubing from awkward lengths. Risers are available in 24" and 6" heights for bolt-on or concrete cast-in work. 6-inch extensions are also available. Risers and extensions are lightweight and UPS shippable. Our popular fiberglass cover securely fits TOPP poly risers and extensions. Don't sell yourself, your workers, or your customers short. Ask about our riser and extension design features. Save time, money and productivity.




Black corrugated pipe

Green ultra rib

DESCRIPTION		PART NO.	PRICE
POLY & FIBERGLASS SEPTIC RISERS,	Covers & Accessories		
	24" ID x 6" Poly Septic Riser, for Concrete Casting	BPSR24X6C	Contact
	24" ID x 24" Poly Septic Riser, for Concrete Casting	BPSR24X24C	Topp for
	24" ID x 6" Poly Septic Riser, Used for Retrofit	BPSR24X6R	Price
24" Polyethylene	24" ID x 24" Poly Septic Riser, Used for Retrofit	BPSR24X24R	
Septic Riser	<b>Riser Kit includes:</b> (1) Polyethylene Septic Riser, used for retrofit		
3	on concrete septic tanks; (10) Concrete Anchors, Nuts,		
	and Washers and (1 roll) Butyl Gasket Material		
	24" ID Poly Septic Riser Extension	BPSR24X6E	-
	Riser Extension Kit includes:		
24" Poly Septic	(1) 24" ID x 6" Polyethylene Septic Riser Extension,		
Riser Extension	for use on part #'s BPSR24X6C, BPSR24X6R,		
	BPSR24X24C, and BPSR24X24R;		
	[4] $\frac{1}{4}$ "-20 stainless steel hex head bolts, washers,		
	nuts and (1 roll) Butyl Gasket Material		_
	24" ID Non-Skid Fiberglass "Heavy" Septic Riser Cover	C25WFNST	
	Designed to fit:		
	24" ID Topp Polyethylene Septic Riser		
Non-Skid Solid Fiberglass	24" ID Ultra Rib Septic Riser		
Septic Cover for our	24" ID Spiral Septic Riser		
Polyethylene Septic Risers	24" ID Polyethylene Corrugated Wall Septic Riser		
	24" ID Polyethylene Corrugated Smooth Wall Septic Riser		
	Riser Cover includes:		
	Stainless steel hex head bolts, washers, nuts		
	and (1 roll) Butyl Gasket Material		-
Polyethylene Septic Riser Gasket Pack	Gasket Pack for retrofitting our Polyethylene Septic Riser to a concrete septic tank	GPSR	
*	Gasket Pack Kit includes:		
For installation for retrofit of polyethylene riser.	(10) Concrete Anchors, Nuts, and Washers		
	and (1 roll) Butyl Gasket Material		_
	Gasket Pack for Non-Skid Solid Fiberglass Septic Riser Cover	GP25WFNS	
	Gasket Pack Kit includes:		
Gasket Pack for Fiberglass	(4) 14x1" stainless steel, tamper-proof, flush-mount		
Septic Riser Cover	lag bolts, (1) ³/16" hex head driver, (1) Gasket Material installed.		
	*With Hardware and Sealing Material		



### Septic Risers, Covers & Accessories



DESCRIPTION			PART NO.	
FIBERGLASS SEPTIC RISER SYSTEM				
Septic Adapter Plates for				1
Fiberglass System	Fiberglass Septic Adapter Plate for 18" ope	-	SAP18F	_
Heavy-duty fiberglass plate designed	Fiberglass Septic Adapter Plate for 24" ope	•	SAP24F	_
to convert a square tank opening to a	Fiberglass Septic Adapter Plate for 30" openings		SAP30F	
round opening. Comes with a 6" riser. Compatible with our fiberglass septic	Fiberglass Septic Adapter Plate for 36" ope	•	SAP36F	
risers & extensions.	Fiberglass Septic Adapter Plate for 48" ope	nings	SAP48F	_
		12" height	FSR18x12	_
	Fiberglass Septic Riser with 18" opening	18" height	FSR18x18	
		24" height	FSR18x24	
		12" height	FSR24x12	
	Fiberglass Septic Riser with 24" opening	18" height	FSR24x18	
Fiberglass Septic Extensions		24" height	FSR24x24	
Filament-wound reinforced		12" height	FSR30x12	
fiberglass risers that easily connect to our Septic Adapter Plates or our Fiberglass Septic Extensions.	Fiberglass Septic Riser with 30" opening	18" height	FSR30x18	
		24" height	FSR30x24	
		12" height	FSR36x12	
Standard heights are listed.	Fiberglass Septic Riser with 36" opening	18" height	FSR36x18	
Call our Customer Service		24" height	FSR36x24	
Department for custom heights.		12" height	FSR42x12	
	Fiberglass Septic Riser with 42" opening	18" height	FSR42x18	
		24" height	FSR42x24	
		12" height	FSR48x12	
	Fiberglass Septic Riser with 48" opening	18" height	FSR48x18	
		24" height	FSR48x24	
	Non-Skid Solid Green Fiberglass Cover - 9	lbs. *	C18WFNST	
Non-skid Solid Fiberglass Covers	1/2" thick Non-Skid Solid Green Fiberglass C		C24WFNST	
for Fiberglass Riser System	1/2" thick Non-Skid Solid Fiberglass Cover -		C30WFNST	_
Compression molded, UV stabilized,	1/2" thick Non-Skid Solid Fiberglass Cover -		C36WFNST	
, ,	1/2" thick Non-Skid Solid Green Fiberglass C	Cover - 82 lbs ★	C48WFNST	
DUAL-WALLED CORRUGATED PIPE SEPTIC	RISER SYSTEM			
STAL TRALED GUINGUALED THE SEF HU				

	Non-Skid Fiberglass Septic Cover (Black) \star	C25WILT-B
	Non-Skid Fiberglass Septic Cover (Grass) *	C25WILT-G
Non-Skid Solid Fiberglass Septic Covers for 24" Double-Walled Corrugated Septic Risers	Non-Skid Fiberglass Septic Cover (Sand) *	C25WILT-S
	Non-Skid Fiberglass "Heavy-Duty" Septic Cover (Black) *	C25WFNST-B
	Non-Skid Fiberglass "Heavy-Duty" Septic Cover (Grass) *	C25WFNST-G
	Non-Skid Fiberglass "Heavy-Duty" Septic Cover (Sand) \star	C25WFNST-S
	Fiberglass Septic Riser Cover – Lite, Non-Skid with Rubber Gasket	C25WFNSLT-RG





18" Inside Diameter Basins

### Manufactured to ASTM D3753, one-piece tanks as deep as 35 ft.

TOPP fiberglass basins are made with the highest quality material and testing standards currently in the market. Our chop-hoop filament wound tanks are available in 18", 24", 30", 36", 42", 48", 60", 72", 96" and 120". TOPP also offers Triple Garage Systems designed to help garage areas and other facilities handle the volatile wastes they generate.



#### Basins, Covers & Extensions

- Basins and extensions available in 18", 24", 30", 36", 42", 48", 60", 72", 96" and 120" inside diameters
- Various one-piece lengths available up to 35 ft.
- Consult our factory directly for depths longer than 35 ft.
- Sealing kit included with covers and extensions
- Extensions use the same manufacturing process as our fiberglass basins

	PART No.	CAPACITY IN U.S. GALLONS	Fiberglass Basin Only	WEIGHT U.S. Lbs	BASIN WITH FG ANTI-FLOAT ADD "F" TO PART NO.	WEIGHT U.S. Lbs.	BASIN WITH STEEL ANTI-FLOAT ADD "S" TO PART NO.	WEIGHT U.S. Lbs.
	FB18X022	24	Contact	19	Contact	29	Contact	61
	FB18X030	33	Topp for	22	Topp for	32	Topp for	64
	FB18X036	40	Price	25	Price	35	Price	67
	FB18X042	46		29		39		71
	FB18X048	53		32		42		74
	FB18X054	59		35		45		77
	FB18X060	66		40		50		82
	FB18X066	73		45		55		87
	FB18X072	79		50		60		92
	FB18X078	86		55		65		97
	FB18X084	93		60		70		102
	FB18X090	99		N/A		72		105
	FB18X096	106		N/A		75		108
	FB18X102	112		N/A		78		110
	FB18X108	119		N/A		80		113
	FB18X114	126		N/A		83		116
	FB18X120	132		N/A		86		118

DESCRIPTION		PART NO.	Price
18" Inside Diameter Standard R	OUND COVERS		
	1/4" Thick Solid Black Poly Cover – 4 lbs.	C18WP	Contact
	14" Thick Simplex Black Poly Cover – 4 lbs.	C18SP	Topp for
	14g Solid Black Epoxy Steel Cover – 8 lbs.	C18WSL	Price
	14g Simplex Black Epoxy Steel Cover – 8 lbs.	C18SS	
Standard Round Covers	1/4" Thick Solid Black Epoxy Steel Cover – 23 lbs.	C18WSH	
for 18" ID Basins	1/4" Thick Simplex Black Epoxy Steel Cover – 23 lbs.	C18SSH	
	Simplex Non-Skid Fiberglass Cover – 9 lbs.	C18FSNST	
	Simplex Non-Skid Fiberglass Cover – 9 lbs.	C18FSNSTP	
	1/4" Thick Perforated Elevator Cover – 22 lbs.	C18ELE	
	Non-Skid Solid Green Fiberglass Cover – 9 lbs.	C18WFNST	
	Non-Skid Fiberglass Cover – 9 lbs.	C18WFNSTP	



#### **Fiberglass Basins & Covers**

24" Inside Diameter Basins

PART NO.	CAPACITY IN U.S. GALLONS	FIBERGLASS Basin Only	WEIGHT U.S. Lbs	BASIN WITH FG ANTI-FLOAT Add "F" to Part No.	WEIGHT U.S. Lbs.	BASIN WITH STEEL ANTI-FLOAT Add "S" to Part No.	WEIGHT U.S. Lbs.
FB24X024	47	Contact	30	Contact	50	Contact	97
FB24X030	59	Topp for	35	Topp for	55	Topp for	102
FB24X036	71	Price	40	Price	60	Price	107
FB24X042	82		45		65		112
FB24X048	94		50		70		117
FB24X054	106		54		74		121
 FB24X060	118		59		79		126
FB24X066	129	_	64		84	_	131
 FB24X072	141		69		89		136
 FB24X078	153		92		112		159
 FB24X084	165		96		116		163
 FB24X090	176		102		120		167
 FB24X096	188		108		125		172
 FB24X102	200		N/A		129		176
 FB24X108	212		N/A		133		180
 FB24X114	223		N/A		138		185
 FB24X120	235		N/A		142		189
 FB24X126	247		N/A		146		193
 FB24X132	259		N/A		151		195
 FB24X138	270		N/A		155		202
 FB24X144	282		N/A		159		206
 FB24X150	294		N/A		166		213
 FB24X156	306		N/A		172		219
 FB24X162	317		N/A		178		225
 FB24X168	329		N/A		184		231
 FB24X174	341		N/A		190		237
 FB24X180	353		N/A		196		243
 FB24X186	364		N/A		202		249
 FB24X192	376		N/A		208		255
 FB24X198	388		N/A		214		261
 FB24X204	400		N/A		221		268
 FB24X210	411		N/A		227		274
 FB24X216	423		N/A		233		280
 FB24X222	435		N/A		239		286
 FB24X228	447		N/A		245		292
 FB24X234	458		N/A		251		298
 FB24X240	470		N/A		257		304

DESCRIPTION PART NO. PRICE 24" INSIDE DIAMETER STANDARD ROUND COVERS 1/2" Thick Non-Skid Solid Green Fiberglass Cover - 18 lbs. C24WFNST Contact Topp for 1/2" Thick Non-Skid Fiberglass Cover - 18 lbs. C24WFNSTP Price 1/2" Thick Non-Skid Simplex Fiberglass Cover w/Access C24SFA 14g Solid Black Epoxy Steel Cover - 12 lbs. C24WSL 14g Simplex Black Epoxy Steel Cover - 14 lbs. C24SSL 12g Simplex Black Epoxy Steel Cover – 40 lbs. C24-12SSA w/(1) Access Plate and (1) Blank Inspection Plate 1/4" Thick Solid Steel Cover - 48 lbs. C24WSH 1/4" Thick Simplex Black Epoxy Steel Cover - 50 lbs. C24SSH **Standard Round Covers** Simplex Non-Skid Fiberglass Cover - 18 lbs. C24FSNST for 24" ID Basins Simplex Non-Skid Fiberglass Cover - 18 lbs. C24FSNSTP 1/4" Thick Simplex Black Epoxy Steel Cover – 50 lbs. C24SSA w/(1) Access Plate and (1) Blank Inspection Plate  $^{1\!\!/}$  " Thick Duplex Black Epoxy Steel Cover – 52 lbs. C24DSA w/(2) Access Plates and (1) Blank Inspection Plate Steel Single Hatch Door - 60 lbs. C24HSS Aluminum Single Hatch Door - 22 lbs. C24HSA

1/4" Thick Perforated Elevator Cover - 50 lbs.

C24ELE



# **Fiberglass Basins & Covers** 30" Inside Diameter Basins

PART NO.	CAPACITY IN U.S. GALLONS	FIBERGLASS Basin Only	WEIGHT U.S. LBS	BASIN WITH FG ANTI-FLOAT Add "F" to Part No.	WEIGHT U.S. Lbs.	BASIN WITH STEEL ANTI-FLOAT Add "S" to Part No.	WEIGHT U.S. Lbs.
FB30X030	92	Contact	46	Contact	74	Contact	142
FB30X036	110	Topp for	52	Topp for	80	Topp for	148
FB30X042	129	Price	58	Price	86	Price	154
FB30X048	147		64		92		160
FB30X054	165		70		98		166
FB30X060	184		76		104		172
FB30X066	202		112		141		209
FB30X072	220		118		147		214
FB30X078	239		125		154		222
FB30X084	257		133		162		230
FB30X090	275		141		170		237
FB30X096	294		149		177		245
FB30X102	312		N/A		185		252
FB30X108	330		N/A		192		260
FB30X114	349		N/A		200		268
FB30X120	367		N/A		208		275
FB30X126	386		N/A		215		283
FB30X132	404		N/A		223		291
FB30X138	422		N/A		231		298
FB30X144	441		N/A		238		306
FB30X150	459		N/A		246		314
FB30X156	477		N/A		254		321
FB30X162	496		N/A		261		329
FB30X168	514		N/A		269		336
FB30X174	532		N/A		276		344
FB30X180	551		N/A		284		352
FB30X186	569		N/A		292		359
FB30X192	588		N/A		299		367
FB30X198	606		N/A		309		377
FB30X204	624		N/A		319		387
FB30X210	643		N/A	_	329		397
FB30X216	661	_	N/A	_	339	_	407
FB30X222	679		N/A		349		416
FB30X228	698		N/A		359		426
FB30X234	716		N/A		368		436
FB30X240	734		N/A		378		446

DESCRIPTION		PART NO.	Price
30" Inside Diameter Standard Ro	UND COVERS		
	1/2" Thick Non-Skid Solid Fiberglass Cover – 29 lbs.	C30WFNST	Contact
	1/2" Thick Non-Skid Simplex Fiberglass Cover w/Access	C30SFA	Topp for Price
Standard Round Covers	1/2" Thick Non-Skid Duplex Fiberglass Cover w/Access	C30DFA	- 1100
	12g Simplex Black Epoxy Steel Cover – 40 lbs. w/(1) Access Plate and (1) Blank Inspection Plate	C30-12SSA	
	12g Duplex Black Epoxy Steel Cover – 44 lbs. w/(2) Access Plates and (1) Blank Inspection Plate	C30-12DSA	
for 30" ID Basins	1/4" Thick Solid Steel Cover – 65 lbs.	C30WS	
	1/4" Thick Simplex Black Epoxy Steel Cover – 69 lbs. w/(1) Access Plate and (1) Blank Inspection Plate	C30SSA	_
	1⁄4" Thick Duplex Black Epoxy Steel Cover – 73 lbs. w/(2) Access Plates and (1) Blank Inspection Plate	C30DSA	
	Steel Single Hatch Door – 88 lbs.	C30HSS	
	Aluminum Single Hatch Door – 32 lbs.	C30HSA	-



# **Fiberglass Basins & Covers** 36" Inside Diameter Basins

PART No.	CAPACITY IN U.S. Gallons	FIBERGLASS Basin Only	WEIGHT U.S. Lbs	BASIN WITH FG ANTI-FLOAT ADD "F" TO PART NO.	WEIGHT U.S. LBS.	BASIN WITH Steel Anti-Float Add "S" to Part No.	WEIGHT U.S. Lbs.
FB36X036	159	Contact	64	Contact	103	Contact	195
FB36X042	185	Topp for	71	Topp for	110	Topp for	202
FB36X048	212	Price	78	Price	118	Price	210
FB36X054	238		86		125		217
FB36X060	264		93		132		224
FB36X066	291		159		198		290
FB36X072	317		168		207		299
 FB36X078	344	_	177		216		308
 FB36X084	370	_	186		226		318
 FB36X090	397	_	195		235		327
FB36X096	423		204		244		336
FB36X102	449		N/A		253		345
FB36X108	476		N/A		262		354
FB36X114	502		N/A		271		364
FB36X120	529		N/A		281		373
FB36X126	555		N/A		290		382
FB36X132	582		N/A		299		391
FB36X138	608		N/A		308		400
FB36X144	635		N/A		320		412
FB36X150	661		N/A		332		424
FB36X156	687		N/A		344		436
FB36X162	714		N/A		355		448
FB36X168	740		N/A		367		459
FB36X174	767		N/A		379		471
FB36X180	793	_	N/A		391		483
 FB36X186	820	_	N/A		403		495
FB36X192	846		N/A		415		507
FB36X198	872		N/A		426		519
FB36X204	899	_	N/A	_	438	_	530
FB36X210	925	_	N/A	_	450	_	542
FB36X216	952	_	N/A	_	462	_	554
FB36X222	978	_	N/A	_	479	_	571
FB36X228	1,005	_	N/A		496		588
FB36X234	1,031		N/A		514		606
FB36X240	1,058		N/A		531		623

DESCRIPTION		PART NO.	Price
36" Inside Diameter Standard R	DUND COVERS		
	1/2" Thick Non-Skid Solid Fiberglass Cover – 40 lbs.	C36WFNST	Contac
	1/2" Thick Non-Skid Simplex Fiberglass Cover w/Access	C36SFA	Topp fo Price
	1⁄2" Thick Non-Skid Duplex Fiberglass Cover w/Access	C36DFA	FILE
Standard Round Covers	12g Simplex Black Epoxy Steel Cover – 70 lbs. w/(1) Access Plate and (1) Blank Inspection Plate	C36-12SSA	_
	12g Duplex Black Epoxy Steel Cover – 75 lbs. w/(2) Access Plates and (1) Blank Inspection Plate	C36-12DSA	-
for 36" ID Basins	¼" Thick Solid Steel Cover – 90 lbs.	C36WS	-
	1⁄4" Thick Simplex Black Epoxy Steel Cover – 95 lbs. w/(1) Access Plate and (1) Blank Inspection Plate	C36SSA	-
	1/4" Thick Duplex Black Epoxy Steel Cover – 100 lbs. w/(2) Access Plates and (1) Blank Inspection Plate	C36DSA	-
	Steel Single Hatch Door – 110 lbs.	C36HSS	-
	Aluminum Single Hatch Door – 45 lbs.	C36HSA	-



# **Fiberglass Basins & Covers** 42" Inside Diameter Basins

PART NO.	CAPACITY IN U.S. Gallons	Fiberglass Basin Only	WEIGHT U.S. Lbs	BASIN WITH FG ANTI-FLOAT Add "F" to Part No.	WEIGHT U.S. Lbs.	BASIN WITH STEEL ANTI-FLOAT Add "S" to Part No.	WEIGHT U.S. Lbs.
FB42X030	180	Contact	83	Contact	134	Contact	254
FB42X036	216	Topp for	94	Topp for		Topp for	265
FB42X042	252	Price	105	Price	156	Price	276
FB42X048	288		116		167		288
FB42X054	324		128		179		299
FB42X060	360		139		190		310
FB42X066	396		183		234		354
FB42X072	432		194		245		365
FB42X078	468		208		259		379
FB42X084	504		221		272		393
FB42X090	540		235	_	286	_	407
FB42X096	576		249		300		420
FB42X102	612		N/A	_	314	_	434
FB42X108	648	_	N/A		328		448
FB42X114	684		N/A		341		462
FB42X120	720		N/A		355		476
FB42X126	756		N/A		369		489
FB42X132	792		N/A		383		503
FB42X138	828		N/A		397		517
FB42X144	864		N/A		411		531
FB42X150	900		N/A		427		548
FB42X156	936		N/A		444		565
FB42X162	972		N/A		461		582
FB42X168	1,008		N/A		478		598
FB42X174	1,044		N/A		495		615
FB42X180	1,080		N/A		512		632
FB42X186	1,116		N/A		529		649
FB42X192	1,152		N/A		546		667
FB42X198	1,188		N/A		563		683
FB42X204	1,224		N/A		580		700
FB42X210	1,259		N/A		597		717
FB42X216	1,295		N/A		614		734
FB42X222	1,331		N/A		631		751
FB42X228	1,367		N/A		647		768
FB42X234	1,403		N/A		664		785
FB42X240	1,439		N/A		688		808

DESCRIPTION		PART NO.	PRICE
42" INSIDE DIAMETER STANDARD R	OUND COVERS		
	1⁄2" Thick Non-skid Solid Green Fiberglass Cover – 58 lbs.	C42WFNST	Contact
	1/4" Thick Solid Steel Cover – 128 lbs.	C42WS	Topp for Price
	1/4" Thick Simplex Black Epoxy Steel Cover – 133 lbs. w/(1) Access Plate and (1) Blank Inspection Plate	C42SSA	
Standard Round Covers	14" Thick Duplex Black Epoxy Steel Cover – 138 lbs. w/(2) Access Plates and (1) Blank Inspection Plate	C42DSA	
for 42" ID Basins	½" Thick Non-skid Simplex Fiberglass Cover w/(1) Access Plate and (1) Blank Inspection Plate	C42SFA	
	½" Thick Non-skid Duplex Fiberglass Cover w/(1) Access Plate and (1) Blank Inspection Plate	C42DFA	
	Steel Single Hatch Door – 157 lbs.	C42HSS	
	Aluminum Single Hatch Door – 60 lbs.	C42HSA	



## **Fiberglass Basins & Covers** 48" Inside Diameter Basins

	PART NO.	CAPACITY IN U.S. Gallons	Fiberglass Basin Only	WEIGHT U.S. Lbs	BASIN WITH FG ANTI-FLOAT Add "F" TO PART NO.	WEIGHT U.S. Lbs.	BASIN WITH STEEL ANTI-FLOAT Add "S" to Part No.	WEIGHT U.S. Lbs.
	FB48X030	235	Contact	97		162	Contact	314
	FB48X036	282	Topp for	110	Contact Topp for	175	Topp for	314
	FB48X042	329	Price -	123	Price	188	Price	340
	FB48X048	376		136		200		353
	FB48X054	423		148		213		365
	FB48X060	423		148		213		378
	FB48X066	517		244		309		461
	FB48X072	564		260		325		401
	FB48X078	611		280		344		496
	FB48X084	658		299		364		516
	FB48X090	705		318		383		535
	FB48X096	703		338		402		554
	FB48X102	799		N/A		402		574
	FB48X102	846		N/A		422		593
	FB48X114	893		N/A		460		612
	FB48X120	940		N/A		480		632
	FB48X126	987		N/A		480		651
	FB48X132	1,034		N/A		518		670
	FB48X132	1,034		N/A		538		690
	FB48X144	1,128		N/A		557		709
	FB48X150	1,120		N/A		576		709
	FB48X156	1,175		N/A		596		729
	FB48X162	1,222		N/A		615		748
	FB48X168	1,207		N/A		634		787
	FB48X174			N/A		654		806
	FB48X180	1,363 1,410		N/A		673		825
	FB48X186	1,410		N/A		699		852
	FB48X192	1,504		N/A		726		878
	FB48X198	1,551		N/A		728		905
	FB48X204	1,598		N/A		732		931
	FB48X210	1,645		N/A		805		957
	FB48X216	1,645		N/A		832		984
	FB48X222	1,872		N/A		858		1,010
	FB48X228			N/A		885		1,010
	FB48X234	1,786 1,833		N/A		911		1,037
	FB48X240	1,880		N/A		938		1,090
	DESCRIPTION						PART No.	Price
4	8" Inside Diamete	R STANDARD						
					d Solid Green Fiberglas			Contact Topp for
					d Simplex Fiberglass Co		C48SFA\$550.00	Price
			1⁄2" Th	ick Non-ski	d Duplex Fiberglass Cov	ver w/Access	C48DFA	
	Standard Round Covers for 48" ID Basins		1⁄4" Th	nick Solid Ste	el Cover – 165 lbs.		C48WS	
					Black Epoxy Steel Cove e and (1) Blank Inspect		C48SSA	
n	VI 4V IV DOSIIIS			1/4" Thick Duplex Black Epoxy Steel Cover – 175 lbs. w/[2] Access Plates and (1) Blank Inspection Plate			C48DSA	
			½" Th	nick Non-skie	d Solid Fiberglass Hatch	n Cover – 82 lbs.	C48HSFNST	
					n Door – 210 lbs.		C48HSS	

Safety Grates available for Steel & Aluminum Hatch Covers - call (800) 354-4534 for pricing



### **Fiberglass Basins & Covers** 60" Inside Diameter Basins

PART NO.	CAPACITY IN U.S. Gallons	FIBERGLASS Basin Only	WEIGHT U.S. LBS	BASIN WITH FG ANTI-FLOAT Add "F" TO PART NO.	WEIGHT U.S. LBS.	BASIN WITH STEEL ANTI-FLOAT Add "S" TO PART NO.	WEIGHT U.S. Lbs.
FB60X036	441	Contact	309	Contact	406	Contact	633
FB60X042	514	Topp for	334	Topp for	430	Topp for	658
FB60X048	588	Price	358	Price	454	Price	682
FB60X054	661		382		479		706
FB60X060	734		406		503		730
FB60X066	808		430		527		754
FB60X072	881		454		551		778
FB60X078	955		483		580		807
FB60X084	1,028		512		608		836
FB60X090	1,102		540		637		864
FB60X096	1,175		569		667		893
FB60X102	1,248		N/A		694		922
FB60X108	1,322		N/A		723		950
FB60X114	1,395		N/A		751		979
FB60X120	1,469		N/A		780		1,007
FB60X126	1,542		N/A		809		1,036
FB60X132	1,616		N/A		837		1,065
FB60X138	1,689		N/A		866		1,093
FB60X144	1,763		N/A		895		1,122
FB60X150	1,836		N/A		932		1,159
FB60X156	1,909		N/A		970		1,197
FB60X162	1,983		N/A		1,007		1,234
FB60X168	2,056		N/A		1,045		1,272
FB60X174	2,130		N/A		1,082		1,309
FB60X180	2,203		N/A		1,120		1,347
FB60X186	2,277	_	N/A		1,157		1,384
FB60X192	2,350		N/A	_	1,195		1,422
FB60X198	2,424		N/A		1,232		1,459
FB60X204	2,497	_	N/A		1,270		1,497
FB60X210	2,570		N/A	_	1,307		1,534
FB60X216	2,644	_	N/A	_	1,349		1,576
FB60X222	2,717	_	N/A	_	1,391		1,618
FB60X228	2,791	_	N/A	_	1,433		1,660
FB60X234	2,864		N/A		1,475		1,702
FB60X240	2,938		N/A		1,517		1,744

DESCRIPTION	l		PART NO.	Price
60" Inside	DIAMETER STANDARD R	OUND COVERS		
	Standard Round Covers for 60" ID Basins	1/2" Thick Solid Blue Fiberglass Cover – 145 lbs.	C60WF	Contact
		3/8" Thick Solid Steel Cover – 365 lbs.	C60WS	Topp for Price
Standard		3/8" Thick Simplex Black Epoxy Steel Cover – 380 lbs. w/(1) Access Plate and (1) Blank Inspection Plate	C60SSA	The
for 60" ID		3/8" Thick Duplex Black Epoxy Steel Cover – 395 lbs. w/(2) Access Plates and (1) Blank Inspection Plate	C60DSA	
		Steel Single Hatch Door – 415 lbs.	C60HSS	
		Aluminum Single Hatch Door – 130 lbs.	C60HSA	

Safety Grates available for Steel & Aluminum Hatch Covers - call (800) 354-4534 for pricing



## **Fiberglass Basins & Covers** 72" Inside Diameter Basins

PART NO.	CAPACITY IN U.S. GALLONS	BASIN WITH FG ANTI-FLOAT Add "F" TO PART NO.	WEIGHT U.S. LBS.	Basin with Steel Anti-Float Add "S" to Part No.	WEIGHT U.S. Lbs.
FB72X060	1,058	Contact	717	Contact	1,035
FB72X066	1,163	Topp for	752	Topp for	1,069
FB72X072	1,269	Price	786	Price	1,104
FB72X078	1,375		826		1,143
FB72X084	1,481		865		1,183
FB72X090	1,586		905		1,223
FB72X096	1,692		945		1,262
FB72X102	1,798		984		1,302
FB72X108	1,904		1,024		1,342
FB72X114	2,009		1,064		1,381
FB72X120	2,115		1,103		1,421
FB72X126	2,221		1,143		1,461
FB72X132	2,327		1,183		1,500
FB72X138	2,432		1,223		1,540
FB72X144	2,538		1,262		1,580
FB72X150	2,644		1,307		1,625
FB72X156	2,749		1,352		1,670
FB72X162	2,855		1,397		1,715
FB72X168	2,961		1,442		1,760
FB72X174	3,067		1,487		1,805
FB72X180	3,173		1,532		1,850
FB72X186	3,278		1,577		1,895
FB72X192	3,384		1,628		1,945
FB72X198	3,490		1,678		1,996
FB72X204	3,596		1,728		2,046
FB72X210	3,701		1,779		2,096
FB72X216	3,807		1,829		2,147
FB72X222	3,913		1,879		2,197
FB72X228	4,019		1,930		2,247
FB72X234	4,124		1,980		2,298
FB72X240	4,230		2,030		2,348

DESCRIPTION		PART NO.	Price
72" Inside Diameter Standard R	OUND COVERS		
	1/2" Thick Solid Blue Fiberglass Cover – 270 lbs.	C72WF	Contact
	3/8" Thick Solid Steel Cover – 508 lbs.	C72WS	Topp for Price
Standard Round Covers	3/8" Thick Simplex Black Epoxy Steel Cover – 523 lbs. w/(1) Access Plate and (1) Blank Inspection Plate	C72SSA	
for 72" ID Basins	<sup>3</sup> /8" Thick Duplex Black Epoxy Steel Cover – 538 lbs. w/(2) Access Plates and (1) Blank Inspection Plate	C72DSA	
	Steel Single Hatch Door – 578 lbs.	C72HSS	
	Aluminum Single Hatch Door – 180 lbs.	C72HSA	

Safety Grates available for Steel & Aluminum Hatch Covers - call (800) 354-4534 for pricing



### Fiberglass Basins & Covers 96" Inside Diameter Basins

Part No.	CAPACITY IN U.S. GALLONS	BASIN WITH Steel Anti-Float	WEIGHT U.S. LBS
FB96X096S	3,008	Contact	2,184
FB96X102S	3,196	Topp for Price	2,283
FB96X108S	3,384	Price	2,372
FB96X114S	3,572		2,480
FB96X120S	3,760		2,591
FB96X126S	3,948		2,717
FB96X132S	4,136		2,829
FB96X138S	4,324		2,940
FB96X144S	4,512		3,052
FB96X150S	4,700		3,187
FB96X156S	4,888		3,293
FB96X162S	5,076		3,426
FB96X168S	5,264		3,551
FB96X174S	5,452		3,726
FB96X180S	5,640		3,855
FB96X186S	5,828		3,991
FB96X192S	6,016		4,153
FB96X198S	6,204		4,268
FB96X204S	6,392		4,420
FB96X210S	6,580		4,580
FB96X216S	6,768		4,841
FB96X222S	6,956		5,028
FB96X228S	7,144		5,240
FB96X234S	7,332		5,381
FB96X240S	7,520		5,532

DESCRIPTION	PART NO.	PRICE
96" Inside Diameter Standard Round Covers		
Aluminum Single Hatch Door	C96HSA	Contact Topp for Price

Safety Grates available for Aluminum Hatch Covers - call (800) 354-4534 for pricing



## **Fiberglass Basins & Covers** 120" Inside Diameter Basins

Part No.	CAPACITY IN U.S. GALLONS	BASIN WITH STEEL ANTI-FLOAT	WEIGHT U.S. LBS
FB120X096S	4,700	Contact	2,985
FB120X102S	4,994	Topp for Price	3,171
FB120X108S	5,288	Price	3,358
FB120X114S	5,581		3,544
FB120X120S	5,875		3,793
FB120X126S	6,169		3,948
FB120X132S	6,463		4,104
FB120X138S	6,756		4,260
FB120X144S	7,050		4,416
FB120X150S	7,344		4,475
FB120X156S	7,638		4,796
FB120X162S	7,932		4,968
FB120X168S	8,225		5,141
FB120X174S	8,519		5,330
FB120X180S	8,813		5,519
FB120X186S	9,107		5,708
FB120X192S	9,400		5,897
FB120X198S	9,694		6,086
FB120X204S	9,988		6,325
FB120X210S	10,282		6,533
FB120X216S	10,575		6,738
FB120X222S	10,869		7,125
FB120X228S	11,163		7,348
FB120X234S	11,457		7,570
FB120X240S	11,750		7,792

DESCRIPTION		PART NO.	PRICE
120" Inside Diameter Standard Roun	ID COVERS		
	Aluminum Single Hatch Door	C120HSA	Contact Topp for Price

Safety Grates available for Aluminum Hatch Covers - call (800) 354-4534 for pricing



### Fiberglass Basin Extensions

DESCRIPTION		PART NO.	
FIBERGLASS EXTENSIONS FOR FIBERG			
	18" x 6" Fiberglass Extension ▶	FB18X006E	C
	18" x 12" Fiberglass Extension ▶	FB18X012E	Т
	18" x 18" Fiberglass Extension ▶	FB18X018E	
Fiberglass Extensions for	18" x 24" Fiberglass Extension ▶	FB18X024E	
18" ID Fiberglass Basin	18" x 30" Fiberglass Extension ▶	FB18X030E	
	18" x 36" Fiberglass Extension ▶	FB18X036E	
	18" x 42" Fiberglass Extension ▶	FB18X042E	
	18" x 48" Fiberglass Extension ▶	FB18X048E	
	24" x 6" Fiberglass Extension D	FB24X006E	
	24" x 12" Fiberglass Extension D	FB24X012E	
	24" x 12" Fiberglass Extension D	FB24X018E	
Fiberglass Extensions for	24" x 24" Fiberglass Extension D	FB24X018E	
24" ID Fiberglass Basin	-	FB24X024E	
	24" x 30" Fiberglass Extension ▶		
	24" x 36" Fiberglass Extension D	FB24X036E	
	24" x 42" Fiberglass Extension ▶	FB24X042E	
	24" x 48" Fiberglass Extension ▶	FB24X048E	
	30" x 6" Fiberglass Extension ▶	FB30X006E	
	30" x 12" Fiberglass Extension ▶	FB30X012E	
Fiberglass Extensions for	30" x 18" Fiberglass Extension ▶	FB30X018E	
-	30" x 24" Fiberglass Extension ▶	FB30X024E	
30" ID Fiberglass Basin	30" x 30" Fiberglass Extension ▶	FB30X030E	
	30" x 36" Fiberglass Extension ▶	FB30X036E	
	30" x 42" Fiberglass Extension ▶	FB30X042E	
	30" x 48" Fiberglass Extension ▶	FB30X048E	
	36" x 6" Fiberglass Extension ▶	FB36X006E	
	36" x 12" Fiberglass Extension D	FB36X012E	
	36" x 18" Fiberglass Extension D	FB36X018E	
Fiberglass Extensions for	36" x 24" Fiberglass Extension D	FB36X024E	
36" ID Fiberglass Basin	36" x 30" Fiberglass Extension D	FB36X030E	
	36" x 36" Fiberglass Extension D	FB36X036E	
	36" x 42" Fiberglass Extension D	FB36X042E	
	36" x 48" Fiberglass Extension ▶	FB36X048E	
	42" x 6" Fiberglass Extension ▶	FB42X006E	
	42" x 12" Fiberglass Extension D	FB42X012E	
Fiberglass Extensions for	42" x 18" Fiberglass Extension D	FB42X018E	
42" ID Fiberglass Basin	42" x 24" Fiberglass Extension D	FB42X024E	
	42" x 30" Fiberglass Extension ▶	FB42X030E	
	42" x 36" Fiberglass Extension ▶	FB42X036E	
	42" x 42" Fiberglass Extension ▶	FB42X042E	
	42" x 48" Fiberglass Extension ▶	FB42X048E	
	48" x 6" Fiberglass Extension ▶	FB48X006E	
	48" x 12" Fiberglass Extension ▶	FB48X012E	
Fiberglass Extensions for	48" x 18" Fiberglass Extension ▶	FB48X018E	
48" ID Fiberglass Basin	48" x 24" Fiberglass Extension ▶	FB48X024E	
40 ID FIDEI YLASS BASIII	48" x 30" Fiberglass Extension ▶	FB48X030E	
	48" x 36" Fiberglass Extension ▶	FB48X036E	
	48" x 42" Fiberglass Extension ▶	FB48X042E	
	48" x 48" Fiberglass Extension ▶	FB48X048E	
	60" x 6" Fiberglass Extension D	FB60X006E	
	60" x 12" Fiberglass Extension D	FB60X012E	
Fiboralogs Extensions for	-		
Fiberglass Extensions for	60" x 18" Fiberglass Extension ▶	FB60X018E	
60" ID Fiberglass Basin	60" x 24" Fiberglass Extension ▶	FB60X024E	
	60" x 30" Fiberglass Extension D	FB60X030E	
	60" x 36" Fiberglass Extension D	FB60X036E	
	60" x 42" Fiberglass Extension ▶	FB60X042E	
	60" x 48" Fiberglass Extension ▶	FB60X048E	



DESCRIPTION		PART NO.
FIBERGLASS EXTENSIONS FOR FIBERGL	ASS BASIN	
	72" x 6" Fiberglass Extension ▶	FB72X006E
	72" x 12" Fiberglass Extension ▶	FB72X012E
	72" x 18" Fiberglass Extension ▶	FB72X018E
Fiberglass Extensions for	72" x 24" Fiberglass Extension ▶	FB72X024E
72" ID Fiberglass Basin	72" x 30" Fiberglass Extension ▶	FB72X030E
	72" x 36" Fiberglass Extension ▶	FB72X036E
	72" x 42" Fiberglass Extension ▶	FB72X042E
	72" x 48" Fiberglass Extension ▶	FB72X048E
DESCRIPTION		PART No.
FIBERGLASS BASIN & COVER ACCESSO	RIES	
Pump Mounting Studs		
Installed in your fiberglass	Stainless Steel Simplex Mounting Studs	SS
basin, when ordered from	Stainless Steel Duplex Mounting Studs	SD
Topp Industries, Inc.		
	Stainless Steel Simplex Mounting Studs for a 24" ID Basin	FPSS24
Fiberglass Stud Plates To retrofit existing fiberglass or	Stainless Steel Simplex Mounting Studs for a 30" ID Basin	FPSS30
	Stainless Steel Duplex Mounting Studs for a 30" ID Basin	FPSD30
	Stainless Steel Simplex Mounting Studs for a 36" ID Basin	FPSS36
	Stainless Steel Duplex Mounting Studs for a 36" ID Basin	FPSD36
	Stainless Steel Simplex Mounting Studs for a 42" ID Basin	FPSS42
concrete (mounted in fiberglass	Stainless Steel Duplex Mounting Studs for a 42" ID Basin	FPSD42
plate).	Stainless Steel Simplex Mounting Studs for a 48" ID Basin	FPSS48
	Stainless Steel Duplex Mounting Studs for a 48" ID Basin	FPSD48
	Stainless Steel Simplex Mounting Studs for a 60" ID Basin	FPSS60
	Stainless Steel Duplex Mounting Studs for a 60" ID Basin	FPSD60
	Stainless Steel Simplex Mounting Studs for a 72" ID Basin	FPSS72
	Stainless Steel Duplex Mounting Studs for a 72" ID Basin	FPSD72
	4 x 4 x 4 Simplex Junction Box, w/1½" Hub, (3) ½" and (1) ¾" Cord Grips	JB4S
Junction Boxes	6 x 6 x 4 Duplex Junction Box, w/2" Hub, (4) ½" and (2) ¾" Cord Grips	JB6S
	8 x 8 x 4 Duplex Junction Box, w/2" Hub, (6) ½" and (2) ¾" Cord Grips	JB8S
	Mini-Bulb, Mercury, Normally Open w/20' Cable	MMFLOAT-20
Mini Dulh Monorma Flasta	Mini-Bulb, Mercury, Normally Open w/30' Cable	MMFLOAT-30
Mini-Bulb Mercury Floats	Mini-Bulb, Mercury, Normally Open w/40' Cable	MMFLOAT-40
	Mini-Bulb, Mercury, Normally Open w/50' Cable	MMFLOAT-50
	Mercury Bulb, Normally Open w/20' Cable	MCFLOAT-20
Morgury Floats	Mercury Bulb, Normally Open w/30' Cable	MCFLOAT-30
Mercury Floats	Mercury Bulb, Normally Open w/40' Cable	MCFLOAT-40
	Mercury Bulb, Normally Open w/50' Cable	MCFLOAT-50
	Mechanical Bulb, Normally Open w/20' Cable	MEFLOAT-20
Machanical Floats	Mechanical Bulb, Normally Open w/30' Cable	MEFLOAT-30
Mechanical Floats		NEEL OAT (0

Mechanical Bulb, Normally Open w/40' Cable

Mechanical Bulb, Normally Open w/50' Cable

MEFLOAT-40

MEFLOAT-50

32



#### **Premium Fiberglass Basins**

Vinyl Ester Premium Series



Topp Industries introduces Corrosion Resistant and High Temperature Fiberglass basins. Utilizing Vinyl Ester Resin, we can assist with engineering a specific tank for your chemical resistant and high temperature applications.

Topp Industries has experienced individuals on staff to help determine your Vinyl Ester needs or help design a complete package station or custom application. Contact the Topp team with the following information and we will be able to provide the appropriate resin for your application.

- All chemicals to which the basin will be exposed
- Normal operating concentrations of chemicals, maximum and minimums (including trace amounts)
- Operating temperature, include minimum and maximum

Call (800) 354-4534 for pricing and assistance.



	DESCRIPTION		PART No.	Pric
	FIBERGLASS BASIN AND COVER ACCESSOR	IES		
	Stainless Steel Float Brackets	304 Stainless Steel Simplex Float Bracket	SSFB3-12	Conta
	Shipped loose or installed in	304 Stainless Steel Duplex Float Bracket	SSFB4	Topp f Price
	your basin when ordered from Topp Industries.	Stainless Steel 3 Hole Float Bracket	SS3FB	
		Stainless Steel 6 Hook Float Bracket	SS6AHB	_
	Lifting Lugs, Heavy Duty	Industrial Enamel Steel Mini-Lifting Lugs (each)	LL050	_
	Installed on your fiberglass basin	Stainless Steel Mini-Lifting Lugs (each)	LL050SS	
	when ordered from Topp Industries.	Industrial Enamel Steel Lifting Lugs (each)	LL100	_
	(Two or three recommended.)	Stainless Steel Lifting Lugs (each)	LL100SS	_
Ι	Aluminum Ladder Sold by the foot – shipped loose or installed in your fiberglass basin when ordered from Topp Industries.	Aluminum Ladder for Easier Access in Your Lift Station	AL12	
		2" Screened Green Vent w/Galvanized Close Nipple	GV200	-
	Screened Green Vents	3" Screened Green Vent w/Galvanized Close Nipple	GV300	-
	and Plastic Vents	4" Screened Green Vent w/Galvanized Close Nipple	GV400	-
	•	2" Plastic Mushroom Vent w/2" Grommet	PV200	-
		2" Plastic Mushroom Vent w/Activated Carbon & 2" Grommet	PVAC200	-
		1¼" NPT Composite Bolt-on Coupling +	C125FG	-
		1½" NPT Composite Bolt-on Coupling +	C150FG	-
		2" NPT Composite Coupling +	C200FG	-
		11/4" NPT Industrial Enameled Steel Bolt-on Coupling +	C125E	-
		1½" NPT Industrial Enameled Steel Bolt-on Coupling +	C150E	-
	Threaded Couplings	2" NPT Industrial Enameled Steel Bolt-on Coupling +	C200E	-
-		3" NPT Industrial Enameled Steel Bolt-on Coupling +	C300E	-
		4" NPT Industrial Enameled Steel Bolt-on Coupling +	C400E	-
		1¼" NPT Stainless Steel Bolt-on Coupling +	C125S	-
		1½" NPT Stainless Steel Bolt-on Coupling +	C150S	-
		2" NPT Stainless Steel Bolt-on Coupling +	C200S	-
		3" NPT Stainless Steel Bolt-on Coupling +	C300S	-
		4" NPT Stainless Steel Bolt-on Coupling +	C400S	-
		Pipe Seal for 4" Piping Through a 5" Hole	H400R	_
	Pipe Grommet Inlet Hub	Pipe Seal for 4" SDR 35 Piping Through a 5" Hole	H400R35	_
	Pipe seal for 4" piping. Your piping	Pipe Seal for 6" Piping	H600R	_
	will penetrate about 1¾" and stop.	Pipe Seal for 6" SDR 35 Piping	H600MTH	-
	State of Illinois approved.	Pipe Seal for 8" SDR 35 Piping	H800MTH	_
		2" Fiberglass Hub for 4" Piping +	H201FG	-
	Composite Hubs	3" Fiberglass Hub for 4" Piping +	H301FG	-
	Fiberglass composite bolt-on hubs.	4" Fiberglass Hub for 4" Piping +	H401FG	-
	Thergauss composite bott of hubs.	6" Fiberglass Hub for 6" Piping +	H601FG	-
		8" Fiberglass Hub for 8" Piping +	H801FG	-
		Curved Back Cast Iron Hub for 2" Piping +	H200C	_
	Cast Iron Caulking Inlet Hubs	Curved Back Cast Iron Hub for 3" Piping +	H300C	-
)	Industrial enameled bolt-on	Curved Back Cast Iron Hub for 4" Piping +	H400C	_
	inlet cast iron hubs.	Curved Back Cast Iron Hub for 4" Piping on 18" Basins +	H400C-18	_
		6" Curved Back Cast Iron Hub for 6" Piping +	H600C	-
		8" Curved Back Cast Iron Hub for 8" Piping +	H800C	-
		4" Fiberglass Sleeve +	S400FG	_
	Fiberglass Sleeves	6" Fiberglass Sleeve +	S600FG	-
	Fibel glass Sleeves		500010	_

34



DESCRIPTION

### Fiberglass Basins, Covers & Accessories

PART NO.	Pr

RICE

	_		
- 69			
	and the owner of the	-74	8
	-	-028	8
REE			8
12235		1	в.
PERM	-		а.
<b>MICENCE</b>	1000		

#### FIBERGLASS BASIN AND COVER ACCESSORIES

Aluminum Inlet Hubs	Curved Aluminum Hub for 10" Piping +	H1000A	Contact
Specify the diameter of your basin. (Other sizes available upon request)	Curved Aluminum Hub for 12" Piping +	H1200A	Topp for Price
	2" Aluminum Sleeve 🕂	SLV0200A	
	3" Aluminum Sleeve +	SLV0300A	
Aluminum Bolt-on Sleeves	4" Aluminum Sleeve 🕂	SLV0400A	
Specify the diameter of your basin.	6" Aluminum Sleeve 🕂	SLV0600A	
(Other sizes available upon request)	8" Aluminum Sleeve 🕂	SLV0800A	
	10" Aluminum Sleeve 🕂	SLV1000A	
	12" Aluminum Sleeve 🕂	SLV1200A	
	Link Seal LS-200-C	LS-200-C	
	Link Seal LS-300-C	LS-300-C	
	Link Seal LS-315-C	LS-315-C	
	Link Seal LS-325-C	LS-325-C	
	Link Seal LS-340-C	LS-340-C	
	Link Seal LS-400-C	LS-400-C	
	Link Seal LS-410-C	LS-410-C	
Link Seals	Link Seal LS-425-C	LS-425-C	
	Link Seal LS-475-C	LS-475-C	
	Link Seal LS-200-S316	LS-200-S316	
	Link Seal LS-300-S316	LS-300-S316	
	Link Seal LS-325-S316	LS-325-S316	
	Link Seal LS-340-S316	LS-340-S316	
	Link Seal LS-400-S316	LS-400-S316	
	Link Seal LS-410-S316	LS-410-S316	
	Link Seal LS-425-S316	LS-425-S316	
	Link Seal LS-475-S316	LS-475-S316	

STANDARD DIAMETER SDR35 PVC PIPE				
Nominal Pipe Size	Actual Pipe Size	SLEEVE	LINK SEAL Model No.	No. of Links Per Seals
4	4.220	6	LS-315-C	10
6	6.280	10	LS-410-C	10
8	8.400	12	LS-475-C	12
10	10.500	14	LS-475-C	10
12	12.500	16	LS-425-C	12

#### ALL DIMENSIONS IN INCHES

STANDARD DIAMETER DUCTILE IRON PIPE				
Nominal Pipe Size	ACTUAL PIPE SIZE	SLEEVE	LINK SEAL Model No.	No. of Links Per Seals
2	2.500	4	LS-300-C	6
21/4	2.750	5	LS-325-C	4
3	3.960	6	LS-325-C	5
4	4.800	8	LS-400-C	5
6	6.900	10	LS-400-C	7
8	9.050	12	LS-475-C	12
10	11.100	14	LS-400-C	11
12	13.200	16	LS-400-C	12
14	15.300	18	LS-360-C	24
16	17.400	22	LS-400-C	16
18	19.500	24	LS-400-C	18
20	21.600	25	LS-400-C	20

	STANDARD DIAMETER SCH40 STEEL PIPE					
Nominal Pipe Size	ACTUAL PIPE SIZE	SLEEVE	LINK SEAL Model No.	No. of Links Per Seals		
1/2	.840	2	LS-200-C	4		
3/4	1.050	2	LS-200-C	4		
1	1.315	21/2	LS-200-C	5		
11⁄4	1.660	4	LS-340-C	5		
11/2	1.900	3	LS-200-C	6		
2	2.375	4	LS-300-C	6		
21/2	2.875	4	LS-200-C	9		
3	3.500	6	LS-340-C	9		
4	4.500	6	LS-300-C	10		
5	5.563	8	LS-425-C	6		
6	6.625	10	LS-400-C	7		
8	8.625	12	LS-475-C	12		
10	10.750	14	LS-400-C	10		
12	12.750	16	LS-425-C	12		
14	14.000	18	LS-400-C	13		
16	16.000	20	LS-400-C	15		
18	18.000	22	LS-400-C	17		
20	20.000	24	LS-400-C	18		

ALL DIMENSIONS IN INCHES

		 	-
	DIMENSIONS	NCHE	5
ALL	DIMENSIONS	 NOTIL	<u> </u>



### Fiberglass Basins, Covers & Accessories

	DESCRIPTION		PART No.	Price
	FIBERGLASS BASIN AND COVER ACCESSORIES			
		Flexible Boot Fitting for 1" Piping	FB100	Contact
		Flexible Boot Fitting for 11/4" Piping	FB125	Topp for Price
	Flexible Boot Fittings	Flexible Boot Fitting for 1½" Piping	FB150	
	•	Flexible Boot Fitting for 2" Piping	FB200	
	For straight or angled penetrations.	Flexible Boot Fitting for 3" Piping	FB300	
92 P		Flexible Boot Fitting for 4" Piping	FB400	
		Flexible Boot Fitting for 6" Piping	FB600	
2	Flexible Couplings	Flexible Coupling for 4" x 2" Piping	1056-42	•
	Leak-proof seal for hubs and sleeves.	Flexible Coupling for 6" x 4" Piping	1056-64	
	Easy to apply in tight spaces. Other	Flexible Coupling for 8" x 6" Piping	1056-86	
	sizes available.	Flexible Coupling for 10" x 8" Piping	1056-10-8	
		Plastic 2-Bolt Slip Flange, w/O-ring for 11/4" Piping	PF125S	
		Plastic 2-Bolt Slip Flange, w/O-ring for 1½" Piping	PF150S	
	Plastic 2-Bolt Pipe Flange	Blank Plastic Flange for 2" Hole	PF200B	
9	Corrosion resistant threaded vent	Plastic 2-Bolt Slip Flange, w/O-ring for 2" Piping	PF200S	
	and slip discharge flanges.	Plastic 2-Bolt Threaded Flange for 2" Piping	PF200T	
		Plastic 2-Bolt Slip Flange, w/O-ring for 3" Piping	PF300S	
		Plastic 2-Bolt Threaded Flange for 3" Piping	PF300T	
	Cost Iron 2 Bolt Dine Flange	Cast Iron 2-Bolt Slip Flange, w/O-ring for 3" Piping	CF300S	•
	Cast Iron 2-Bolt Pipe Flange	Cast Iron 2-Bolt Threaded Flange for 3" Piping	CF300T	
Sec. 1	Cast Iron threaded vent and slip discharge flanges.	Cast Iron 2-Bolt Slip Flange, w/O-ring for 4" Piping	CF400S	
		Cast Iron 2-Bolt Threaded Flange for 4" Piping	CF400T	
		For 1¼" Piping (OD) Through 3" Hole	G125	
		For 1½" Piping (OD) Through 3" Hole	G150	
	"Ringer" Pipe Grommets	For 2" Piping (OD) Through 3" Hole	G200	
<i>(</i> <u>)</u>	For the quick, easy, and sure	For 3" Piping (OD) Through 4" Hole	G300	
	pipe seal.	For 4" Piping (OD) Through 5" Hole	G400	
-		For SDR35 4" Piping (OD) Through 5" Hole	G400SDR35	
		Electric Cord Grommet, Seals up to 3 Cords (up to ¾" OD) Through a 2½" Hole	ECG	
		Electric Cord Grommet Through a 2" Hole	ECG200	
		Blank Snap Plug for 3" Hole (for steel covers only)	BSP300	



DESCRIPTION

FIBERGLASS BASIN AND COVER ACCESSORIES

# Fiberglass Basins, Covers & Accessories

PART NO. PRICE

	Access Plates - 12 gauge	16" Blank Pump Access Plate +	16BPA-12	Cor
	•••	16" Pump Access Plate \star	16PA-12	Top Pi
	Epoxy coated 12-gauge steel for easier pump installation	18" Blank Pump Access Plate 🕂	18BPA-12	• •
	and removal.	18" Pump Access Plate \star	18PA-12	
		16" Blank Pump Access Plate 🕂	16BPA-25	
		16" Pump Access Plate ★	16PA-25	
	A	18" Blank Pump Access Plate 🕂	18BPA-25	
	Access Plates - <sup>1</sup> ⁄ <sub>4</sub> " Thick	18" Pump Access Plate \star	18PA-25	
	Epoxy coated ¼" steel for easier pump installation and removal.	22" Blank Pump Access Plate 🕂	22BPA-25	_
		22" Pump Access Plate \star	22PA-25	
		28" Blank Pump Access Plate 🕂	28BPA-25	
		28" Pump Access Plate ★	28PA-25	
		10" Blank Inspection Plate +	IN00-12	
	Inspection Plates - 12 gauge	10" Inspection, w/One ½" Cord Grip 🕂	IN01-12	
•	10" diameter for an 8" clear	10" Inspection, w/Two ½" Cord Grips 🕂	IN02-12	
	access opening.	10" Inspection, w/Three ½" Cord Grips +	IN03-12	
		10" Inspection, w/Four ½" Cord Grips +	IN04-12	
		10" Blank Inspection Plate +	IN00-25	
		10" Inspection, w/One ½" Cord Grip +	IN01-25	
	Inspection Plates - ¼" Thick	10" Inspection, w/Two ½" Cord Grips +	IN02-25	
	10" diameter for an 8" clear	10" Inspection, w/Three ½" Cord Grips 🕂	IN03-25	
	access opening.	10" Inspection, w/Four ½" Cord Grips +	IN04-25	
		1" Steel Float Pole Coupling Welding Under Inspection Plate +	FP100E	
<b>.</b>	Electric Cord Grips	1/2" NPT, Seals Cords from 0.236" to 0.472" OD	GRIP050	
1.	Easily adjust your power cord	3/4" NPT, Seals Cords from 0.511" to 0.708" OD	GRIP075	
	without entering the basin.	1" NPT, Seals Cords from 0.236" to 1.024" OD	GRIP100	
		Inlet Baffle, 8" Wide x 4" Deep x 12" Long	PIB12	
	Polyethylene Baffles	Inlet Baffle, 8" Wide x 4" Deep x 18" Long	PIB18	
		Inlet Baffle, 8" Wide x 4" Deep x 36" Long	PIB36	
	For directing the path of influent and effluent in a basin.	Inlet Baffle, 8" Wide x 4" Deep x 48" Long	PIB48	
	Fiberglass Basin Polyethylene Shipping Skid	Price Includes 2 Poly Skids for One Basin	POLYSKIDS	
_	Reduce the shipping damage on fiberglass basins 96" or longer.			
	Cover Perforation Adder	10 Holes Randomly Placed	PER105	
	Perforate any ¼" thick steel cover with ½" OD holes.			
		Foam Tape Seal - 1/8" x 3/4" x 6'	CGM06F	
2	Gasket Material Replacement cover gasket material for gas-tight and water-tight seals.	Butyl Tape Seal - ¾" x 15'	CGM15B	
0		1⁄4"- 20 x 11⁄4" Bolts (6), 1⁄4"- 20 Washers (6)	HP1420	
õ	Bolts and Washers Replacement stainless steel	<sup>5</sup> /16"-18 x 1 <sup>1</sup> /4" Bolts (6), <sup>5</sup> /16"-18 Washers (6)	HP516	
9	hardware packs for Topp Industries covers.	³/₀"-16 x 1¼" Bolts (6), ³/₀"-16 Washers (6)	HP38	





# Designed to help garage areas & other facilities handle the volatile wastes they generate

Installation of a TOPP triple garage basin system reduces the possibility of volatile wastes entering the sewer system where they could potentially explode. The volatile wastes, which are lighter than water, are separated as they pass through the system of baffles and rise to the surface. At the surface, the volatile wastes can safely evaporate and the fumes can be vented into the atmosphere. The balance of the waste matter can then safely enter the sewer system.



	DESCRIPTION	Part No.	FIBERGLASS BASIN W/FIBERGLASS ANTI-FLOAT PRICE
	FIBERGLASS TRIPLE GARAGE BASIN SYSTEMS	AND ADDERS	
	10" ID Eiborglass Tripla Carago	FTGS18X030F	Contact
	18" ID Fiberglass Triple Garage Systems Include:	FTGS18X036F	Topp for Price
	-	FTGS18X042F	
	(3) Fiberglass Basins (3) 4" Inlets, (3) 4" Discharges,	FTGS18X048F	
	(3) 2" Vents	FTGS18X054F	
	(4) 12" Poly Baffles, and (3) ¼" Thick Solid Steel Covers	FTGS18X060F	
		FTGS18X066F	
		FTGS18X072F	
		FTGS18X078F	
		FTGS24X030F	
		FTGS24X036F	
	24" ID Fiberglass Triple Garage	FTGS24X042F	
	Systems Include:	FTGS24X048F	
	(3) Fiberglass Basins	FTGS24X054F	
	(3) 4" Inlets, (3) 4" Discharges,	FTGS24X060F	
	(3) 2" Vents (4) 12" Poly Baffles, and	FTGS24X066F	
	(3) 1/4" Thick Solid Steel Covers	FTGS24X072F	
		FTGS24X078F	
		FTGS24X084F	
		FTGS24X090F	
		FTGS24X096F	
		FTGS30X030F	
		FTGS30X036F	
	30" ID Fiberglass Triple Garage	FTGS30X042F	
	Systems Include:	FTGS30X048F	
	(3) Fiberglass Basins	FTGS30X054F	
	(3) 4" Inlets, (3) 4" Discharges, (3) 2" Vents	FTGS30X060F	
	(4) 12" Poly Baffles, and	FTGS30X066F	
	(3) 1/4" Thick Solid Steel Covers	FTGS30X072F	
		FTGS30X078F	
		FTGS30X084F	
		FTGS30X090F	
		FTGS30X096F	
	Adders		
		18" Poly Baffle	
		24" Poly Baffle	
	Adders	36" Poly Baffle	
		48" Poly Baffle	
		Opt. 1 – Glassing Cover Flanges Inlet & Discharge Pipes To	ogether
38)		Opt. 2 – Glassing Anti-Float Flanges Together	



# Fiberglass Triple Garage Systems 36", 42" & 48" Inside Diameter Basins

	w/F	FIBERGLASS BASIN
	PART NO.	Price
FIBERGLASS TRIPLE GARAGE BASIN SYSTEMS		0 1 1
	FTGS36X030F	Contact Topp for
	FTGS36X036F	– Price
36" ID Fiberglass Triple Garage	FTGS36X042F	_
Systems Include:	FTGS36X046F FTGS36X054F	_
(3) Fiberglass Basins	FTGS36X060F	_
(3) 4" Inlets, (3) 4" Discharges,	FTGS36X066F	_
(3) 2" Vents (4) 12" Poly Baffles, and	FTGS36X072F	_
(3) ¼"Thick Solid Steel Covers	FTGS36X078F	_
	FTGS36X084F	_
	FTGS36X090F	_
	FTGS36X096F	_
	FTGS42X030F	
	FTGS42X036F	_
	FTGS42X042F	_
42" ID Fiberglass Triple Garage	FTGS42X048F	_
Systems Include:	FTGS42X054F	_
(3) Fiberglass Basins	FTGS42X060F	_
(3) 4" Inlets, (3) 4" Discharges,	FTGS42X066F	_
(3) 2" Vents (4) 12" Poly Baffles, and	FTGS42X072F	_
(3) ¼"Thick Solid Steel Covers	FTGS42X078F	
	FTGS42X084F	
	FTGS42X090F	
	FTGS42X096F	
	FTGS48X030F	_
	FTGS48X036F	_
	FTGS48X042F	_
48" ID Fiberglass Triple Garage	FTGS48X048F	_
Systems Include:	FTGS48X054F	_
(3) Fiberglass Basins	FTGS48X060F	-
(3) 4" Inlets, (3) 4" Discharges, (3) 2" Vents	FTGS48X066F	
(4) 12" Poly Baffles, and	FTGS48X072F	_
(3) ¼"Thick Solid Steel Covers	FTGS48X078F	_
	FTGS48X084F	_
	FTGS48X090F	_
400500	FTGS48X096F	-
Adders		
	18" Poly Baffle	_
	24" Poly Baffle	_
Addama	36" Poly Baffle 48" Poly Baffle	_
Adders	Opt. 1 – Glassing Cover Flanges Inlet & Discharge Pipes Together	-
	Opt. 2 – Glassing Cover Flanges Intel & Discharge Pipes rogether	_



DESCRIPTION

# **Rectangular Valve Vaults, Extensions & Covers**

Durable, Non-Corrosive & Lightweight Poly

0.	Price

Contact

Topp for Price

PART N



Constructed of durable, noncorrosive polyethylene. Offers lightweight construction for easy installation and reduced freight costs. Extremely cost competitive compared to fiberglass or concrete valve vaults. Available with or without discharge piping and valves



Optional 18" extension available for applications requiring a discharge depth of 36" down

to centerline.

30" Wide x 29" Long x 26" Deep Poly Rectangular Valve Box	PRVB30X29X26
Solid Composite Cover	PRVC30X29X26
Solid Aluminum Cover	PRVC30X29X26A
Frog-Mouth Composite Cover	PRVC30X29X26FM
Frog-Mouth Aluminum Cover	PRVC30X29X26FMA
Extension for Poly Valve Box	PRVBEXT18

#### FIBERGLASS RECTANGULAR VALVE VAULTS, EXTENSIONS & COVERS

POLY RECTANGULAR VALVE VAULTS, EXTENSIONS & COVERS



Constructed of fiberglass with an integral fiberglass anti-flotation flange. Designed to house the valves eliminating the need to enter the wet-well for service work. Available with or without discharge piping and valves.



<u>,</u>	20" Wide x 20" Long x 20" Deep FG Rectangular Valve Box	FRVB20X20X20F
I	Aluminum Cover for FRVB20X20X20F	CFM20X20X20A
	32" Wide x 30" Long x 25" Deep FG Rectangular Valve Box	FRVB32X30X25F
	Aluminum Cover for FRVB32X30X25	CFM32X30X25A
	30" Wide x 40" Long x 36" Deep FG Rectangular Valve Box	FRVB30X40X36F
	Aluminum Cover for FRVB30X40X36	CFM30X40X36A
	35" Wide x 41" Long x 35" Deep FG Rectangular Valve Box	FRVB35X41X35F
	Aluminum Cover for FRVB35X41X35	CFM35X41X35A
	42" Wide x 50" Long x 48" Deep FG Rectangular Valve Box	FRVB42X50X48F
	Aluminum Cover for FRVB42X50X48	CFM42X50X48A
	Hold Open Arm	CFMSSHOA

Custom valve 50x sizes available - call (800) 354-4534 for pricing



# **Stainless Steel (SGR) Guiderail Kits**

ART NO.	Pri

ICE

Ρ

#### DESCRIPTION

Each Kit Contains: • 11/2" OD (11/4" NPT) or (2" NPT),

STAINLESS STEEL GUIDERAIL KIT

- 16 Gauge 304 Stainless Steel Guiderail • Discharge Location 3 feet up from the
- Fiberglass Basin Floor • Stainless Steel Guiderail Cross Braces,
- Mounting Plate and Foot Plate
- SGR Guiderail Connector
- Stainless Steel Adjustable Wall Bracket • 11/4" or 2" Brass or Stainless Steel Quick
- Disconnect
- Cast Iron Ball Check Valve
- Galvanized or Stainless Steel Vertical Pipe Nipples
- Stainless Steel Upper and Lower Pump Guiderail Brackets
- <sup>3</sup>/<sub>16</sub>" 7 x19 304 Stainless Steel Lifting Cable (minimum 3,700 lb break strength)
- 3/8" 304 Stainless Steel Valve Extension Handle
- Assembled and Welded Construction, Boxed and Ready for UPS Shipment

#### STAINLESS STEEL GUIDERAIL EXTENSIONS



#### Kit Contains:

Stainless Steel Wall Bracket(s), Stainless Steel Intermediate Bracing, Stainless Steel Attachment Brace, Guiderail Connectors, Stainless Steel Hardware, Assembled and Welded Construction. Boxed and Ready for UPS Shipment

#### STAINLESS STEEL VERTICAL NIPPLES

Replace standard galvanized discharge nipples on the moveable side of the SGR with these Stainless Steel Nipples.

1¼" NPT Discharge, (2) 48" Sections, 1½" OD		Contact Topp for
Stainless Steel Guiderail	SGR125-48/48	Price
w/Brass Quick Disconnect		
2" NPT Discharge,		
(2) 48" Sections, 1½" OD		
Stainless Steel Guiderail	SGR200-48/48	
w/Brass Quick Disconnect		
1¼" NPT Discharge,		
(2) 48" Sections, 1½" OD		
Stainless Steel Guiderail	SGR125SS-48/48	
w/Stainless Steel Quick Disconne	ct	
2" NPT Discharge,		
(2) 48" Sections, 1½" OD		
Stainless Steel Guiderail	SGR200SS-48/48	
w/Stainless Steel Quick Disconne	ct	

12" Extension to our 11⁄4" Rail System	SGR125-12EXT
12" Extension to our 2" Rail System	SGR200-12EXT
24" Extension to our 1¼" Rail System	SGR125-24EXT
24" Extension to our 2" Rail System	SGR200-24EXT
48" Extension to our 11⁄4" Rail System	SGR125-48EXT
48" Extension to our 2" Rail System	SGR200-48EXT

1¼" Stainless Steel	
Vertical Pipe Nipples	SGR125VN
2" Stainless Steel	
Vertical Pipe Nipples	SGR200VN



# **SGR Guiderail Extensions & Discharge Kits**

D	DESCRIPTION		PART No.	PRICE
	<b>Kit Contains:</b> Galvanized Pipe Nipples, Brass Gate Valve, Galvanized Union. Assembled, Boxed and Ready for UPS Shipment.	1¼" Simplex Galvanized Discharge Pipe Kit	SD125G	Contact Topp for
		2" Simplex Galvanized		Price
		Discharge Pipe Kit	SD200G	-
siling	Kit Contains:	114" Duplex Galvanized		
	Galvanized Pipe Nipples, Brass Gate Valve, Galvanized Union, Galvanized Tee and Elbows. Assembled, Boxed and Ready for UPS Shipment.	Discharge Pipe Kit	DD125G	_
		2" Duplex Galvanized		
		Discharge Pipe Kit	DD200G	



# SGR Guiderail Extensions & Discharge Kits

	DESCRIPTION		PART NO.	Price
	STAINLESS STEEL DISCHARGE KITS			
	<b>Kit Contains:</b> Stainless Steel Pipe Nipples, Brass Gate Valve, Stainless Steel Union. Assembled, Boxed and Ready for UPS Shipment.	<ul><li>11/4" Simplex Stainless Steel</li><li>Discharge Pipe Kit</li><li>2" Simplex Stainless Steel</li><li>Discharge Pipe Kit</li></ul>	SD125S SD200S	Contact Topp for Price
<u>rili</u>	<b>Kit Contains:</b> Stainless Steel Pipe Nipples, Brass Gate Valve, Stainless Steel Union, Stainless Steel Tee and Elbows. Assembled, Boxed and Ready for UPS Shipment.	1¼" Duplex Stainless Steel Discharge Pipe Kit 2" Duplex Stainless Steel Discharge Pipe Kit	DD125S DD200S	-
	STAINLESS STEEL LIFTING CABLE			
0	'/ı。" 304 Stainless Steel Lifting Cable with Shackles and Pump Connectors.	4' Length 8' Length 10' Length 20' Length 30' Length	SSLC-04 SSLC-08 SSLC-10 SSLC-20 SSLC-30	-
	STAINLESS STEEL LIFTING CHAIN			
J.C.	³/៲。" Dia 300 Series Stainless Steel Lifting Chain with two Stainless Steel Shackles.	10' Length 15' Length 20' Length 25' Length 30' Length	CHNSS10 CHNSS15 CHNSS20 CHNSS25 CHNSS30	-
	STAINLESS STEEL VALVE EXTENSION HANDLE			
	%" 304 Stainless Steel Valve Extension Handle. (per foot price)	For 11⁄4" Gate Valves (w/hardware) For 2" Gate Valves (w/hardware) For 3" Gate Valves (w/hardware)	SVH125 SVH200 SVH300	-
	DESCRIPTION		PART NO.	PRICE
	SGR GUIDERAIL MOUNTING KIT FOR A PRE-EXISTING FIBERGLAS	5 BASIN		
	Stainless Steel Simplex Mounting Studs, Mounted in a Fiberg Stainless Steel Simplex Mounting Studs, Mounted in a Fiberg Stainless Steel Duplex Mounting Studs, Mounted in a Fibergl	lass Plate, for a 30" ID Basin	FPSS24 FPSS30 FPSD30	Contact Topp for Price



Chainless Charl Circular Maunting Churle Maunted in a File and as Plate for a 20" ID Desig	Topp for
Stainless Steel Simplex Mounting Studs, Mounted in a Fiberglass Plate, for a 30" ID Basin FPSS30	
Stainless Steel Duplex Mounting Studs, Mounted in a Fiberglass Plate, for a 30" ID Basin FPSD30	Price
Stainless Steel Simplex Mounting Studs, Mounted in a Fiberglass Plate, for a 36" ID Basin FPSS36	
Stainless Steel Duplex Mounting Studs, Mounted in a Fiberglass Plate, for a 36" ID Basin FPSD36	
Stainless Steel Simplex Mounting Studs, Mounted in a Fiberglass Plate, for a 42" ID Basin FPSS42	
Stainless Steel Duplex Mounting Studs, Mounted in a Fiberglass Plate, for a 42" ID Basin FPSD42	
Stainless Steel Simplex Mounting Studs, Mounted in a Fiberglass Plate, for a 48" ID Basin FPSS48	
Stainless Steel Duplex Mounting Studs, Mounted in a Fiberglass Plate, for a 48" ID Basin FPSD48	
Stainless Steel Simplex Mounting Studs, Mounted in a Fiberglass Plate, for a 60" ID Basin FPSS60	
Stainless Steel Duplex Mounting Studs, Mounted in a Fiberglass Plate, for a 60" ID Basin FPSD60	
Stainless Steel Simplex Mounting Studs, Mounted in a Fiberglass Plate, for a 72" ID Basin FPSS72	
Stainless Steel Duplex Mounting Studs, Mounted in a Fiberglass Plate, for a 72" ID Basin FPSD72	



	DESCRIPTION		Part	No. PRICE
	THREADED COUPLINGS			
		11⁄4" NPT Composite Bolt-on Coupling +	C125FG	
		1½" NPT Composite Bolt-on Coupling +	C150FG	Contact
		2" NPT Composite Coupling +	C200FG	Topp for Price
		1¼" NPT Steel Bolt-on Coupling, w/Hardware, Sealing Material & Black Industrial Finish 🕂	C125E	Flice
		1½" NPT Steel Bolt-on Coupling, w/Hardware, Sealing Material & Black Industrial Finish 🕂	C150E	
		2" NPT Steel Bolt-on Coupling, w/Hardware, Sealing Material & Black Industrial Finish 🕂	C200E	
P.S.	l l	3" NPT Steel Bolt-on Coupling, w/Hardware, Sealing Material & Black Industrial Finish 🕂	C300E	
		4" NPT Steel Bolt-on Coupling, w/Hardware, Sealing Material & Black Industrial Finish 🕂	C400E	
		1¼" NPT Stainless Steel Bolt-on Coupling, w/Hardware, Sealing Material <b>4</b> -	C125S	
		1½" NPT Stainless Steel Bolt-on Coupling, w/Hardware, Sealing Material <b>4</b> -	C150S	
		2" NPT Stainless Steel Bolt-on Coupling, w/Hardware, Sealing Material +	C200S	
		3" NPT Stainless Steel Bolt-on Coupling, w/Hardware, Sealing Material +	C300S	
		4" NPT Stainless Steel Bolt-on Coupling, w/Hardware, Sealing Material +	C400S	
	GROMMETS FOR THE QUICK, EASY, A	AND SURE PIPE SEAL		
		Pipe Seal for 1¼" Piping (OD) Through a 3" Hole	G125	
		Pipe Seal for 11/2" Piping (OD) Through a 3" Hole	G150	
		Pipe Seal for 2" Piping (OD) Through a 3" Hole	G200	
		Pipe Seal for 3" Piping (OD) Through a 4" Hole	G300	
		Pipe Seal for 4" Piping (OD) Through a 5" Hole	G400	
		Pipe Seal for SDR35 4" Piping (OD) Through 5" Hole	G400SDR35	

+ Includes hardware pack (bolts, washers & gasket tape)



# Freeflo<sup>™</sup> Base Elbow Rail System Components

# Built to meet the engineered standards of municipal wastewater stations

Freeflo<sup>™</sup> Base Elbow Rail Systems are designed to configure with most vertical and horizontal submersible pumps in the market today. Systems feature durable iron construction, powder coating for corrosion resistance and compact design for easy installation.


#### Freeflo<sup>™</sup> Base Elbow Rail System Accessories


- Stainless steel or galvanized upper guide rail brackets.
- Stainless steel intermediate guide rail brackets for 3/4, 1", 1-1/4" or 2" rails.
- Replacement pull-out flanges for all base elbow rail systems.
- 2-piece ring and flange assembly.

- Specialty pump adapter flanges for Barnes™ SGV and Hydromatic<sup>®</sup> HPG pumps.
- Flange gasket kits for inlet or discharge of 3".
- Alternate sealing rings for 4" and 6" base elbows.



DESCRIPTION		PART NO.	PRICE
FREEFLO <sup>™</sup> BASE ELBOWS 11/4" - 3"			
	Base Elbow, Pull-Out Flange, 1¼" SS Pump Adapter	BERS-0125	Contact
	Base Elbow, Pull-Out Flange w/		Topp for Price
	Check Valve, 11⁄4" SS Pump Adapter	BERS-0125CV	Price
	Base Elbow, Bronze (NS) Pull-Out Flange, 1¼" SS Pump Adapter	BERS-0125EX	
	Base Elbow, Pull-Out Flange, 1½" SS Pump Adapter	BERS-0150	
	Base Elbow, Pull-Out Flange w/		
	Check Valve, 1½" SS Pump Adapter	BERS-0150CV	
	Base Elbow, Bronze (NS) Pull-Out Flange, 1½" SS Pump Adapter	BERS-0150EX	
	Base Elbow, Pull-Out Flange, 2" SS Pump Adapter	BERS-0200	
	Base Elbow, Pull-Out Flange w/		
	Check Valve, 2" SS Pump Adapter	BERS-0200CV	
	Base Elbow, Bronze (NS) Pull-Out Flange, 2" SS Pump Adapter	BERS-0200EX	
	Base Elbow, Pull-Out Flange 3" SS Pump Adapter for		
	Vertical Discharge	BERS-0300V	
	Base Elbow, Bronze (NS) Pull-Out Flange, 3" SS Pump Adapter	BERS-0300VEX	
	for Vertical Discharge		
	Base Elbow, Pull-Out Flange 2" SS Pump Adapter for		
	Vertical Discharge	BERS-0320V	
	Base Elbow, Pull-Out Flange for 3" Horizontal Discharge	BERS-0300H	
	Base Elbow, Bronze (NS) Pull-Out Flange 3" x 2" SS Pump		
	Adapter for Vertical Discharge	BERS-0320EX	
	Base Elbow, Pull-Out Flange for 2½" Horizontal Discharge	BERS-0325H	
	Base Elbow, Bronze (NS) Pull-Out Flange for		
	3" Horizontal Discharge	BERS-0300HEX	
	3 x 2 Base Elbow, Bronze (NS) Pull-Out Flange		
	for Horizontal Discharge	BERS-0325HEX	
	SS Upper Guide Rail Bracket for Rail Sizes ¾", 1", 1¼"	UGB-STNLS	
	Powder-coated Upper Guide Rail Bracket for Rail Sizes ¾", 1", 1¼"	UGB-PC	
>	SS Intermediate Guide Rail Bracket for ¾" Rail	IGB-0075	
	SS Intermediate Guide Rail Bracket for 1" Rail	IGB-0100	
·	SS Intermediate Guide Rail Bracket for 11/4" Rail	IGB-0125	









DESCRIPTION		PART NO.	Price
CHAIN PACKAGES			
	∛ı₅" Dia x 10' 300 Series Stainless Steel Lifting Chain with hardware	CHNSS10	Contact Topp for
	<sup>3</sup> /16" Dia x 15' 300 Series Stainless Steel Lifting Chain with hardware	CHNSS15	Price
5. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<sup>3</sup> /16" Dia x 20' 300 Series Stainless Steel Lifting Chain with hardware	CHNSS20	
	<sup>3</sup> /16" Dia x 25' 300 Series Stainless Steel Lifting Chain with hardware	CHNSS25	
	<sup>3</sup> /16" Dia x 30' 300 Series Stainless Steel Lifting Chain with hardware	CHNSS30	
Freeflo™ Pump Adapte	RS		
	11/4" SS Pump Adapter	PAF-0125	
	1½" SS Pump Adapter	PAF-0150	
	2" SS Pump Adapter	PAF-0200	
	ANGES FOR EZ-OUT RETROFIT		
	Replacement Pull-Out Flange for 11/4" Elbow	EZR-POF-0125	
	Replacement Pull-Out Flange for 11/4" Check Valve Elbow	EZR-POF-0125CV	
	Replacement Pull-Out Flange for 2" Elbow	EZR-POF-0200	
	Replacement Pull-Out Flange for 2" Check Valve Elbow	EZR-POF-0200CV	
	Replacement Pull-Out Flange for 2" Horizontal Elbow		
FREEFLO™ PULL-OUT FLA	INGES		
	Pull-Out Flange for 11/4" - 2" Systems	POF-0200	
	Pull-Out Flange w/ Check Valve for 11/4" - 2" Systems	POF-0200CV	
	Bronze (NS) Pull-Out Flange for 1¼" - 2" Systems	POF-0200EX	
	Pull-Out Flange for 3" Vertical Discharge Systems	POF-0300V	
	Pull-Out Flange for 3" Horizontal Discharge Systems	POF-0300H	
	Pull-Out Flange for 21/2" Horizontal Discharge Systems	s POF-0325H	
	Bronze (NS) Pull-Out Flange	POF-0300HEX	
	for 3" Horizontal Discharge Systems	1 OF 0300HEX	
Freeflo <sup>™</sup> Adapters ani			
	Replacement O-Ring Kit (2 pcs.) for 11/4" - 2" Systems	BERS-OR0200	
	Optional Adapter (Spacer) for Hpg Grinder Pumps to Ease Installation	HPGADAPTER	
	Optional Adapter (Spacer) for Svg Grinder Pumps to Ease Installation	SGVADAPTER	
	Sealing Gasket & Bolt / Nut Kit for 3" Horizontal Discharge Systems	P0K-0300	
	Replacement O-Ring Kit (2 pcs.) for 3" Systems	BERS-OR0300	
FREEFLO <sup>™</sup> QUICK DISCON			
	11/4" Quick Disconnect Valve	QDV125	
	2" Quick Disconnect Valve	QDV200	
	11/4" Quick Disconnect Hose (priced per foot)	QDHS125	
	2" Quick Disconnect Hose (priced per foot)	QDHS200	
	11/4" Stainless Steel Quick Disconnect Flange	SFL125	
	2" Stainless Steel Quick Disconnect Flange	SFL200	
	24" Stainless Steel Threaded Removal Handle	QDVHD24	
	36" Stainless Steel Threaded Removal Handle	QDVHD36	




DESCRIPTION		PART NO.	Price
FREEFLO™ 4" SYSTEMS AND REPLACE	EMENT PARTS		
	Base Elbow, Pull-Out Flange for 4" Horizontal Discharge	BERS-0400	
	Base Elbow, Pull-Out Flange for 3" Horizontal Discharge	BERS-0430	Contact
	Base Elbow, Bronze (NS) Pull-Out Flange for 4" Horizontal Discharge	BERS-0400HEX	Topp for Price
	Pull-Out Flange for 4" Horizontal Discharge Systems	POF-0400	
	Pull-Out Flange for 3" Horizontal Discharge Systems	POF-0430	
	Bronze (NS) Pull-Out Flange for 4" Horizontal Discharge Systems	POF-0400HEX	
	SS Upper Guide Rail Bracket for 2" Rail	UGB-0200	
	SS Intermediate Guide Rail Bracket for 2" Rail	IGB-0200	
	Sealing Gasket & Bolt / Nut Kit for 4" Horizontal Discharge Systems	POK-0400	
	Replacement SS Sealing Ring for 4" Horizontal Discharge Systems	SR-0400	
	Alternate Heavy Duty Rubber Ring 4" Horizontal Discharge Systems	FG-0400	
FREEFLO™ 6" SYSTEMS AND REPL	ACEMENT PARTS		
	Base Elbow, Pull-Out Flange for 6" Horizontal Discharge	BERS-0600	
	Base Elbow, Pull-Out Flange for 4" Horizontal Discharge	BERS-0640	
6 6	Base Elbow, Bronze (NS) Pull-Out Flange for 6 Horizontal Discharge	BERS-0600HEX	
	Pull-Out Flange for 6" Horizontal Discharge Systems	POF-0600	
2.0	Pull-Out Flange for 4" Horizontal Discharge Systems	POF-0640	
Sal I	Bronze (NS) Pull-Out Flange		
	for 6" Horizontal Discharge Systems	POF-0600HEX	
· · · · ·	Sealing Gasket & Bolt/Nut Kit for 6" Horizontal Discharge Systems	POK-0600	
and some some	Replacement SS Sealing Ring for 6" Horizontal Discharge Systems	SR-0600	
	Alternative Heavy Duty Rubber Ring for 6" Horizontal Discharge	FG-0600	
FREEFLO <sup>™</sup> 8" SYSTEMS AND REPL	ACEMENT PARTS		
	Base Elbow, Pull-Out Flange for 8" Horizontal Discharge	BERS-0800	
	Base Elbow, Pull-Out Flange for 6" Horizontal Discharge	BERS-0860	
	Base Elbow, Bronze (NS) Pull-Out Flange for 8" Horizontal Discharge	BERS-0800HEX	
	Pull-Out Flange for 8" Horizontal Discharge Systems	POF-0800	
	Pull-Out Flange for 6" Horizontal Discharge Systems	POF-0860	
	Bronze (NS) Pull-Out Flange for 8" Horizontal Discharge Systems	POF-0800HEX	
	SS Upper Guide Rail Bracket for 3" Rail	UGB-0300	
	SS Intermediate Guide Rail Bracket for 3" Rail	IGB-0300	
	Sealing Gasket & Bolt/Nut Kit for		
	8" Horizontal Discharge Systems	POK-0800	
	Replacement SS Sealing Ring for 8" Horizontal Discharge Systems	SR-0800	
	Alternate Heavy Duty Rubber Ring for 8" Horizontal Discharge Systems	FG-0800	



# **Prefabricated Fiberglass Lift Station**

Simplex SGR Standard Discharge






## **Prefabricated Fiberglass Lift Station**

Simplex SGR Elevated Discharge

#### PUMP INFORMATION





24" Diameter, 1-1/4" NPT Discharge

PART No.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
SFB24X60F-1P	24X60 Fiberglass Basin, With Fiberglass Anti-float	117	222	Contact
SFB24X72F-1P	24X72 Fiberglass Basin, With Fiberglass Anti-float	141	232	Topp for Price
SFB24X84F-1P	24X84 Fiberglass Basin, With Fiberglass Anti-float	164	259	
SFB24X96F-1P	24X96 Fiberglass Basin, With Fiberglass Anti-float	188	268	
SFB24X108F-1P	24X108 Fiberglass Basin, With Fiberglass Anti-float	211	276	
SFB24X120F-1P	24X120 Fiberglass Basin, With Fiberglass Anti-float	235	285	
SFB24X132F-1P	24X132 Fiberglass Basin, With Fiberglass Anti-float	258	319	
SFB24X144F-1P	24X144 Fiberglass Basin, With Fiberglass Anti-float	282	327	
SFB24X156F-1P	24X156 Fiberglass Basin, With Fiberglass Anti-float	305	340	
SFB24X168F-1P	24X168 Fiberglass Basin, With Fiberglass Anti-float	329	352	
SFB24X180F-1P	24X180 Fiberglass Basin, With Fiberglass Anti-float	352	364	
SFB24X192F-1P	24X192 Fiberglass Basin, With Fiberglass Anti-float	376	376	
SFB24X204F-1P	24X204 Fiberglass Basin, With Fiberglass Anti-float	399	389	
SFB24X216F-1P	24X216 Fiberglass Basin, With Fiberglass Anti-float	423	401	
SFB24X228F-1P	24X228 Fiberglass Basin, With Fiberglass Anti-float	446	413	
SFB24X240F-1P	24X240 Fiberglass Basin, With Fiberglass Anti-float	470	425	

- Fiberglass Basin, with Fiberglass anti-float
- 1-1/4" NPT discharge SGR Guiderail System
- 1-1/4" simplex SCH80 PVC discharge kit and 1-1/4" stainless steel discharge coupling
- 4" inlet grommet
- 1-1/2" composite electrical coupling & Stainless Steel float bracket with (3) cord grips
- 2" composite vent coupling
- Solid Fiberglass Cover

Adders	DESCRIPTION	
H402FG2430 w/H400R	4" composite hub with 4" grommet hub	Contact
U600	6" Uniseal	Topp for Price
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB4S	Nema 4X Junction Box w/(3) 1/2" and (1) 3/4" cord grips	
Encapsulated Steel Anti-float		
1-1/4" 304 stainless steel piping for ba	asins 120" or less	
1-1/4" 304 stainless steel piping for ba	asins 126"- 240"	



30" Diameter, 1-1/4" NPT Discharge

PART No.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
SFB30X60F-1P	30X60 Fiberglass Basin, With Fiberglass Anti-float	184	258	Contact
SFB30X72F-1P	30X72 Fiberglass Basin, With Fiberglass Anti-float	220	301	Topp for Price
SFB30X84F-1P	30X84 Fiberglass Basin, With Fiberglass Anti-float	257	316	
SFB30X96F-1P	30X96 Fiberglass Basin, With Fiberglass Anti-float	294	331	
SFB30X108F-1P	30X108 Fiberglass Basin, With Fiberglass Anti-float	330	346	
SFB30X120F-1P	30X120 Fiberglass Basin, With Fiberglass Anti-float	367	362	
SFB30X132F-1P	30X132 Fiberglass Basin, With Fiberglass Anti-float	404	402	
SFB30X144F-1P	30X144 Fiberglass Basin, With Fiberglass Anti-float	441	417	
SFB30X156F-1P	30X156 Fiberglass Basin, With Fiberglass Anti-float	477	433	
SFB30X168F-1P	30X168 Fiberglass Basin, With Fiberglass Anti-float	514	448	
SFB30X180F-1P	30X180 Fiberglass Basin, With Fiberglass Anti-float	551	463	
SFB30X192F-1P	30X192 Fiberglass Basin, With Fiberglass Anti-float	588	478	
SFB30X204F-1P	30X204 Fiberglass Basin, With Fiberglass Anti-float	624	498	
SFB30X216F-1P	30X216 Fiberglass Basin, With Fiberglass Anti-float	661	518	
SFB30X228F-1P	30X228 Fiberglass Basin, With Fiberglass Anti-float	698	538	
SFB30X240F-1P	30X240 Fiberglass Basin, With Fiberglass Anti-float	734	557	

- Fiberglass Basin, with Fiberglass anti-float
- 1-1/4" NPT discharge SGR Guiderail System
- 1-1/4" simplex SCH80 PVC discharge kit and 1-1/4" stainless steel discharge coupling
- 4" inlet grommet
- 1-1/2" composite electrical coupling & Stainless Steel float bracket with (3) cord grips
- 2" composite vent coupling
- Solid Fiberglass Cover

H402FG2430 w/H400R	4" composite hub with 4" grommet hub	Contact
U600	6" Uniseal	Topp for Price
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB4S	Nema 4X Junction Box w/(3) 1/2" and (1) 3/4" cord grips	
Encapsulated Steel Anti-float	^	
1-1/4" 304 stainless steel piping for bas	sins 120" or less	
1-1/4" 304 stainless steel piping for bas	sins 126"- 240"	



36" Diameter, 1-1/4" NPT Discharge

PART No.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
SFB36X60F-1P	36X60 Fiberglass Basin, With Fiberglass Anti-float	264	307	Contact
SFB36X72F-1P	36X72 Fiberglass Basin, With Fiberglass Anti-float	317	382	Topp for Price
SFB36X84F-1P	36X84 Fiberglass Basin, With Fiberglass Anti-float	370	401	
SFB36X96F-1P	36X96 Fiberglass Basin, With Fiberglass Anti-float	423	419	
SFB36X108F-1P	36X108 Fiberglass Basin, With Fiberglass Anti-float	476	437	
SFB36X120F-1P	36X120 Fiberglass Basin, With Fiberglass Anti-float	529	456	
SFB36X132F-1P	36X132 Fiberglass Basin, With Fiberglass Anti-float	582	499	
SFB36X144F-1P	36X144 Fiberglass Basin, With Fiberglass Anti-float	635	520	
SFB36X156F-1P	36X156 Fiberglass Basin, With Fiberglass Anti-float	687	544	
SFB36X168F-1P	36X168 Fiberglass Basin, With Fiberglass Anti-float	740	567	
SFB36X180F-1P	36X180 Fiberglass Basin, With Fiberglass Anti-float	793	591	
SFB36X192F-1P	36X192 Fiberglass Basin, With Fiberglass Anti-float	876	615	
SFB36X204F-1P	36X204 Fiberglass Basin, With Fiberglass Anti-float	899	638	
SFB36X216F-1P	36X216 Fiberglass Basin, With Fiberglass Anti-float	952	662	
SFB36X228F-1P	36X228 Fiberglass Basin, With Fiberglass Anti-float	1005	696	
SFB36X240F-1P	36X240 Fiberglass Basin, With Fiberglass Anti-float	1058	731	

- Fiberglass Basin, with Fiberglass anti-float
- 1-1/4" NPT discharge SGR Guiderail System
- 1-1/4" simplex SCH80 PVC discharge kit and 1-1/4" stainless steel discharge coupling
- 4" inlet grommet
- 1-1/2" composite electrical coupling & Stainless Steel float bracket with (3) cord grips
- 2" composite vent coupling
- Solid Fiberglass Cover

Adders	DESCRIPTION	
C36HSS	Powder-coated steel hatch cover, hinged & lockable	Contact
C36HSA	Aluminum Hatch cover, hinged & lockable	Topp for Price
H403FG3672 w/H400R	4" composite hub with 4" grommet hub	
H601FG w/H600R	6" composite hub with 6" grommet hub	
H801FG	8" composite hub	
U600	6" Uniseal	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB4S	Nema 4X Junction Box w/(3) 1/2" and (1) 3/4" cord grips	
Encapsulated Steel Anti-float		]
1-1/4" 304 stainless steel piping for basins 120" or less		
1-1/4" 304 stainless steel piping for bas	sins 126"- 240"	



42" Diameter, 1-1/4" NPT Discharge

PART No.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
SFB42x60F-1P	42X60 Fiberglass Basin, With Fiberglass Anti-float	360	487	Contact Topp for
SFB42X72F-1P	42X72 Fiberglass Basin, With Fiberglass Anti-float	432	542	Price
SFB42X84F-1P	42X84 Fiberglass Basin, With Fiberglass Anti-float	504	569	
SFB42X96F-1P	42X96 Fiberglass Basin, With Fiberglass Anti-float	576	597	
SFB42X108F-1P	42X108 Fiberglass Basin, With Fiberglass Anti-float	648	625	
SFB42X120F-1P	42X120 Fiberglass Basin, With Fiberglass Anti-float	720	652	
SFB42X132F-1P	42X132 Fiberglass Basin, With Fiberglass Anti-float	792	715	
SFB42X144F-1P	42X144 Fiberglass Basin, With Fiberglass Anti-float	864	743	
SFB42X156F-1P	42X156 Fiberglass Basin, With Fiberglass Anti-float	936	776	
SFB42X168F-1P	42X168 Fiberglass Basin, With Fiberglass Anti-float	1008	810	
SFB42X180F-1P	42X180 Fiberglass Basin, With Fiberglass Anti-float	1080	844	
SFB42X192F-1P	42X192 Fiberglass Basin, With Fiberglass Anti-float	1152	878	
SFB42X204F-1P	42X204 Fiberglass Basin, With Fiberglass Anti-float	1224	912	
SFB42X216F-1P	42X216 Fiberglass Basin, With Fiberglass Anti-float	1295	946	
SFB42X228F-1P	42X218 Fiberglass Basin, With Fiberglass Anti-float	1367	979	
SFB42X240F-1P	42X240 Fiberglass Basin, With Fiberglass Anti-float	1439	1020	

- Fiberglass Basin, with Fiberglass anti-float
- 1-1/4" NPT discharge SGR Guiderail System
- 1-1/4" simplex SCH80 PVC discharge kit and 1-1/4" stainless steel discharge coupling
- 4" inlet grommet
- 1-1/2" composite electrical coupling & Stainless Steel float bracket with (3) cord grips
- 2" composite vent coupling
- Powder coated steel hatch cover, hinged & lockable

Adders	DESCRIPTION	LIST PRICE
C42HSA	Aluminum hatch cover, hinged & lockable	Contact
H403FG3672 w/H400R	4" composite hub with 4" grommet hub	Topp for Price
H601FG w/H600R	6" composite hub with 6" grommet hub	
H801FG	8" composite hub	
U600	6" Uniseal	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB4S	Nema 4X Junction Box w/(3) 1/2" and (1) 3/4" cord grips	
Encapsulated Steel Anti-float		
I-1/4" 304 stainless steel piping for basins 120" or less		
1-1/4" 304 stainless steel piping for b	asins 126"- 240"	1



48" Diameter, 1-1/4" NPT Discharge

PART NO.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	LIST PRICE
SFB48x60F-1P	48X60 Fiberglass Basin, With Fiberglass Anti-float	470	586	Contact
SFB48X72F-1P	48X72 Fiberglass Basin, With Fiberglass Anti-float	564	685	Topp for Price
SFB48X84F-1P	48X84 Fiberglass Basin, With Fiberglass Anti-float	658	724	
SFB48X96F-1P	48X96 Fiberglass Basin, With Fiberglass Anti-float	752	762	
SFB48X108F-1P	48X108 Fiberglass Basin, With Fiberglass Anti-float	846	801	
SFB48X120F-1P	48X120 Fiberglass Basin, With Fiberglass Anti-float	940	840	]
SFB48X132F-1P	48X132 Fiberglass Basin, With Fiberglass Anti-float	1034	903	
SFB48X144F-1P	48X144 Fiberglass Basin, With Fiberglass Anti-float	1128	942	
SFB48X156F-1P	48X156 Fiberglass Basin, With Fiberglass Anti-float	1222	981	
SFB48X168F-1P	48X168 Fiberglass Basin, With Fiberglass Anti-float	1316	1019	
SFB48X180F-1P	48X180 Fiberglass Basin, With Fiberglass Anti-float	1410	1058	
SFB48X192F-1P	48X192 Fiberglass Basin, With Fiberglass Anti-float	1504	1111	
SFB48X204F-1P	48X204 Fiberglass Basin, With Fiberglass Anti-float	1598	1164	
SFB48X216F-1P	48X216 Fiberglass Basin, With Fiberglass Anti-float	1692	1217	]
SFB48X228F-1P	48X228 Fiberglass Basin, With Fiberglass Anti-float	1786	1270	
SFB48X240F-1P	48X240 Fiberglass Basin, With Fiberglass Anti-float	1880	1323	

- Fiberglass Basin, with Fiberglass anti-float
- 1-1/4" NPT discharge SGR Guiderail System
- 1-1/4" simplex SCH80 PVC discharge kit and 1-1/4" stainless steel discharge coupling
- 4" composite hub with 4" grommet hub
- 1-1/2" composite electrical coupling & Stainless Steel float bracket with (3) cord grips
- 2" composite vent coupling
- Powder coated steel hatch cover, hinged & lockable

Adders	DESCRIPTION	LIST PRICE
C48HSFNST	Fiberglass hatch cover, hinged & lockable (deduct)	Contact
C48HSA	Aluminum hatch cover, hinged & lockable	Topp for Price
H601FG w/H600R	6" composite hub with 6" grommet hub	
H801FG	8" composite hub	
U600	6" Uniseal (deduct)	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB4S	Nema 4X Junction Box w/(3) 1/2" and (1) 3/4" cord grips	
Encapsulated Steel Anti-float		
1-1/4" 304 stainless steel piping for basins 120" or less		
1-1/4" 304 stainless steel piping for bas	ins 126"- 240"	



24" Diameter, 2" NPT Discharge

PART No.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
SFB24X60F-2P	24X60 Fiberglass Basin, With Fiberglass Anti-float	117	252	Contact
SFB24X72F-2P	24X72 Fiberglass Basin, With Fiberglass Anti-float	141	262	Topp for Price
SFB24X84F-2P	24X84 Fiberglass Basin, With Fiberglass Anti-float	164	289	
SFB24X96F-2P	24X96 Fiberglass Basin, With Fiberglass Anti-float	188	298	
SFB24X108F-2P	24X108 Fiberglass Basin, With Fiberglass Anti-float	211	306	
SFB24X120F-2P	24X120 Fiberglass Basin, With Fiberglass Anti-float	235	315	
SFB24X132F-2P	24X132 Fiberglass Basin, With Fiberglass Anti-float	258	349	
SFB24X144F-2P	24X144 Fiberglass Basin, With Fiberglass Anti-float	282	357	
SFB24X156F-2P	24X156 Fiberglass Basin, With Fiberglass Anti-float	305	370	
SFB24X168F-2P	24X168 Fiberglass Basin, With Fiberglass Anti-float	329	382	
SFB24X180F-2P	24X180 Fiberglass Basin, With Fiberglass Anti-float	352	394	
SFB24X192F-2P	24X192 Fiberglass Basin, With Fiberglass Anti-float	376	406	
SFB24X204F-2P	24X204 Fiberglass Basin, With Fiberglass Anti float	399	419	
SFB24X216F-2P	24X216 Fiberglass Basin, With Fiberglass Anti-float	423	431	
SFB24X228F-2P	24X228 Fiberglass Basin, With Fiberglass Anti-float	446	443	
SFB24X240F-2P	24X240 Fiberglass Basin, With Fiberglass Anti-float	470	455	

- Fiberglass Basin, with Fiberglass anti-float
- 2" NPT discharge SGR Guiderail System
- 2" simplex SCH80 PVC discharge kit and 2" stainless steel discharge coupling
- 4" inlet grommet
- 1-1/2" composite electrical coupling & Stainless Steel float bracket with (3) cord grips
- 2" composite vent coupling
- Solid Fiberglass Cover

Adders	DESCRIPTION	LIST PRICE	
H402FG2430 w/H400R	4" composite hub with 4" grommet hub	Contact	
U600	6" Uniseal	Topp for Price	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange		
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange		
LL050	Powder coated steel mini lifting lug		
LL050SS	Stainless steel mini lifting lug		
JB4S	JB4S Nema 4X Junction Box w/(3) 1/2" and (1) 3/4" cord grips		
Encapsulated Steel Anti-float			
2" 304 stainless steel piping for basins 120" or less			
2" 304 stainless steel piping for basins	126"- 240"		



30" Diameter, 2" NPT Discharge

PART No.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
SFB30X60F-2P	30X60 Fiberglass Basin, With Fiberglass Anti-float	184	288	Contact
SFB30X72F-2P	30X72 Fiberglass Basin, With Fiberglass Anti-float	220	331	Topp for Price
SFB30X84F-2P	30X84 Fiberglass Basin, With Fiberglass Anti-float	257	346	
SFB30X96F-2P	30X96 Fiberglass Basin, With Fiberglass Anti-float	294	361	
SFB30X108F-2P	30X108 Fiberglass Basin, With Fiberglass Anti-float	330	376	
SFB30X120F-2P	30X120 Fiberglass Basin, With Fiberglass Anti-float	367	392	
SFB30X132F-2P	30X132 Fiberglass Basin, With Fiberglass Anti-float	404	432	
SFB30X144F-2P	30X144 Fiberglass Basin, With Fiberglass Anti-float	441	447	
SFB30X156F-2P	30X156 Fiberglass Basin, With Fiberglass Anti-float	477	463	
SFB30X168F-2P	30X168 Fiberglass Basin, With Fiberglass Anti-float	514	478	
SFB30X180F-2P	30X180 Fiberglass Basin, With Fiberglass Anti-float	551	493	
SFB30X192F-2P	30X192 Fiberglass Basin, With Fiberglass Anti-float	588	508	
SFB30X204F-2P	30X204 Fiberglass Basin, With Fiberglass Anti-float	624	528	
SFB30X216F-2P	30X216 Fiberglass Basin, With Fiberglass Anti-float	661	548	
SFB30X228F-2P	30X228 Fiberglass Basin, With Fiberglass Anti-float	698	568	
SFB30X240F-2P	30X240 Fiberglass Basin, With Fiberglass Anti-float	734	587	

- Fiberglass Basin, with Fiberglass anti-float
- 2" NPT discharge SGR Guiderail System
- 2" simplex SCH80 PVC discharge kit and 2" stainless steel discharge coupling
- 4" inlet grommet
- 1-1/2" composite electrical coupling & Stainless Steel float bracket with (3) cord grips
- 2" composite vent coupling
- Solid Fiberglass Cover

Adders	DESCRIPTION	LIST PRICE
H402FG2430 w/H400R	4" composite hub with 4" grommet hub	Contact
U600	6" Uniseal	Topp for Price
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB4S	Nema 4X Junction Box w/(3) 1/2" and (1) 3/4" cord grips	
Encapsulated Steel Anti-float		
2" 304 stainless steel piping for basin	s 120" or less	
2" 304 stainless steel piping for basin	s 126"- 240"	



36" Diameter, 2" NPT Discharge

PART NO.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	LIST PRICE
SFB36X60F-2P	36X60 Fiberglass Basin, With Fiberglass Anti-float	264	357	Contact
SFB36X72F-2P	36X72 Fiberglass Basin, With Fiberglass Anti-float	317	432	Topp for Price
SFB36X84F-2P	36X84 Fiberglass Basin, With Fiberglass Anti-float	370	451	
SFB36X96F-2P	36X96 Fiberglass Basin, With Fiberglass Anti-float	423	469	
SFB36X108F-2P	36X108 Fiberglass Basin, With Fiberglass Anti-float	476	487	
SFB36X120F-2P	36X120 Fiberglass Basin, With Fiberglass Anti-float	529	506	
SFB36X132F-2P	36X132 Fiberglass Basin, With Fiberglass Anti-float	582	529	
SFB36X144F-2P	36X144 Fiberglass Basin, With Fiberglass Anti-float	635	550	
SFB36X156F-2P	36X156 Fiberglass Basin, With Fiberglass Anti-float	687	574	
SFB36X168F-2P	36X168 Fiberglass Basin, With Fiberglass Anti-float	740	597	
SFB36X180F-2P	36X180 Fiberglass Basin, With Fiberglass Anti-float	793	621	
SFB36X192F-2P	36X192 Fiberglass Basin, With Fiberglass Anti-float	876	645	
SFB36X204F-2P	36X204 Fiberglass Basin, With Fiberglass Anti-float	899	668	
SFB36X216F-2P	36X216 Fiberglass Basin, With Fiberglass Anti-float	952	692	
SFB36X228F-2P	36X228 Fiberglass Basin, With Fiberglass Anti-float	1005	726	
SFB36X240F-2P	36X240 Fiberglass Basin, With Fiberglass Anti-float	1058	761	

- Fiberglass Basin, with Fiberglass anti-float
- 2" NPT discharge SGR Guiderail System
- 2" simplex SCH80 PVC discharge kit and 2" stainless steel discharge coupling
- 4" inlet grommet
- 1-1/2" composite electrical coupling & Stainless Steel float bracket with (3) cord grips
- 2" composite vent coupling
- Solid Fiberglass Cover

Adders	DESCRIPTION	LIST PRICE
C36HSS	Powder-coated steel hatch cover, hinged & lockable	Contact
C36HSA	Aluminum hatch cover, hinged & lockable	Topp for Price
H403FG3672 w/H400R	4" composite hub with 4" grommet hub	
H601FG w/H600R	6" composite hub with 6" grommet hub	
H801FG	8" composite hub	
U600	6" Uniseal	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB4S	Nema 4X Junction Box w/(3) 1/2" and (1) 3/4" cord grips	
Encapsulated Steel Anti-float		
2" 304 stainless steel piping for basins 120" or less		
2" 304 stainless steel piping for basing	5 126"- 240"	



42" Diameter, 2" NPT Discharge

PART No.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
SFB42x60F-2P	42X60 Fiberglass Basin, With Fiberglass Anti-float	360	537	Contact
SFB42X72F-2P	42X72 Fiberglass Basin, With Fiberglass Anti-float	432	592	Topp for Price
SFB42X84F-2P	42X84 Fiberglass Basin, With Fiberglass Anti-float	504	619	
SFB42X96F-2P	42X96 Fiberglass Basin, With Fiberglass Anti-float	576	647	
SFB42X108F-2P	42X108 Fiberglass Basin, With Fiberglass Anti-float	648	675	]
SFB42X120F-2P	42X120 Fiberglass Basin, With Fiberglass Anti-float	720	702	
SFB42X132F-2P	42X132 Fiberglass Basin, With Fiberglass Anti-float	792	750	
SFB42X144F-2P	42X144 Fiberglass Basin, With Fiberglass Anti-float	864	778	
SFB42X156F-2P	42X156 Fiberglass Basin, With Fiberglass Anti-float	936	811	]
SFB42X168F-2P	42X168 Fiberglass Basin, With Fiberglass Anti-float	1008	845	]
SFB42X180F-2P	42X180 Fiberglass Basin, With Fiberglass Anti-float	1080	879	
SFB42X192F-2P	42X192 Fiberglass Basin, With Fiberglass Anti-float	1152	913	
SFB42X204F-2P	42X204 Fiberglass Basin, With Fiberglass Anti-float	1224	947	
SFB42X216F-2P	42X216 Fiberglass Basin, With Fiberglass Anti-float	1295	981	
SFB42X228F-2P	42X228 Fiberglass Basin, With Fiberglass Anti-float	1367	1014	]
SFB42X240F-2P	42X240 Fiberglass Basin, With Fiberglass Anti-float	1439	1055	

- Fiberglass Basin, with Fiberglass anti-float
- 2" NPT discharge SGR Guiderail System
- 2" simplex SCH80 PVC discharge kit and 2" stainless steel discharge coupling
- 4" inlet grommet
- 1-1/2" composite electrical coupling & Stainless Steel float bracket with (3) cord grips
- 2" composite vent coupling
- Powder coated steel hatch cover, hinged & lockable

Adders	DESCRIPTION	
C42HSA	Aluminum hatch cover, hinged & lockable	Contact
H403FG3672 w/H400R	4" composite hub with 4" grommet hub	Topp for Price
H601FG w/H600R	6" composite hub with 6" grommet hub	
H801FG	8" composite hub	
U600	6" Uniseal	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB4S	Nema 4X Junction Box w/(3) 1/2" and (1) 3/4" cord grips	
Encapsulated Steel Anti-float		]
2" 304 stainless steel piping for basins	120" or less	]
2" 304 stainless steel piping for basins	126"- 240"	1



48" Diameter, 2" NPT Discharge

PART NO.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
SFB48x60F-2P	48X60 Fiberglass Basin, With Fiberglass Anti-float	470	631	Contact
SFB48X72F-2P	48X72 Fiberglass Basin, With Fiberglass Anti-float	564	730	Topp for Price
SFB48X84F-2P	48X84 Fiberglass Basin, With Fiberglass Anti-float	658	'769	
SFB48X96F-2P	48X96 Fiberglass Basin, With Fiberglass Anti-float	752	807	
SFB48X108F-2P	48X108 Fiberglass Basin, With Fiberglass Anti-float	846	846	
SFB48X120F-2P	48X120 Fiberglass Basin, With Fiberglass Anti-float	940	885	
SFB48X132F-2P	48X132 Fiberglass Basin, With Fiberglass Anti-float	1034	963	
SFB48X144F-2P	48X144 Fiberglass Basin, With Fiberglass Anti-float	1128	1002	
SFB48X156F-2P	48X156 Fiberglass Basin, With Fiberglass Anti-float	1222	1041	
SFB48X168F-2P	48X168 Fiberglass Basin, With Fiberglass Anti-float	1316	1079	
SFB48X180F-2P	48X180 Fiberglass Basin, With Fiberglass Anti-float	1410	1118	
SFB48X192F-2P	48X192 Fiberglass Basin, With Fiberglass Anti-float	1504	1171	
SFB48X204F-2P	48X204 Fiberglass Basin, With Fiberglass Anti-float	1598	1224	
SFB48X216F-2P	48X216 Fiberglass Basin, With Fiberglass Anti-float	1692	1277	
SFB48X228F-2P	48X228 Fiberglass Basin, With Fiberglass Anti-float	1786	1330	
SFB48X240F-2P	48X240 Fiberglass Basin, With Fiberglass Anti-float	1880	1383	


- Fiberglass Basin, with Fiberglass anti-float
- 2" NPT discharge SGR Guiderail System
- 2" simplex SCH80 PVC discharge kit and 2" stainless steel discharge coupling
- 4" composite hub with 4" grommet hub
- 1-1/2" composite electrical coupling & Stainless Steel float bracket with (3) cord grips
- 2" composite vent coupling
- Powder coated steel hatch cover, hinged & lockable

Adders	DESCRIPTION	LIST PRICE	
C48HSFNST	Fiberglass hatch cover, hinged & lockable (deduct)	Contact	
C48HSA	Aluminum hatch cover, hinged & lockable	Topp for Price	
H601FG w/H600R	6" composite hub with 6" grommet hub		
H801FG	8" composite hub		
U600	6" Uniseal (deduct)		
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange		
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange		
LL050	Powder coated steel mini lifting lug		
LL050SS	Stainless steel mini lifting lug		
JB4S	Nema 4X Junction Box w/(3) 1/2" and (1) 3/4" cord grips		
Encapsulated Steel Anti-float			
2" 304 stainless steel piping for basins 120" or less			
2" 304 stainless steel piping for basing	s 126"- 240"		



# **Prefabricated Fiberglass Lift Station**

**Duplex SGR Standard Discharge** 






## **Prefabricated Fiberglass Lift Station**

**Duplex SGR Elevated Discharge** 

#### PUMP INFORMATION





36" Diameter, 1-1/4" NPT Discharge

PART NO.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
DFB36X60F-1P	36X60 Fiberglass Basin, With Fiberglass Anti-float	264	462	Contact Topp for
DFB36X72F-1P	36X72 Fiberglass Basin, With Fiberglass Anti-float	317	537	Price
DFB36X84F-1P	36X84 Fiberglass Basin, With Fiberglass Anti-float	370	556	
DFB36X96F-1P	36X96 Fiberglass Basin, With Fiberglass Anti-float	423	574	
DFB36X108F-1P	36X108 Fiberglass Basin, With Fiberglass Anti-float	476	592	
DFB36X120F-1P	36X120 Fiberglass Basin, With Fiberglass Anti-float	529	611	
DFB36X132F-1P	36X132 Fiberglass Basin, With Fiberglass Anti-float	582	679	
DFB36X144F-1P	36X144 Fiberglass Basin, With Fiberglass Anti-float	635	700	
DFB36X156F-1P	36X156 Fiberglass Basin, With Fiberglass Anti-float	687	724	
DFB36X168F-1P	36X168 Fiberglass Basin, With Fiberglass Anti-float	740	747	
DFB36X180F-1P	36X180 Fiberglass Basin, With Fiberglass Anti-float	793	771	
DFB36X192F-1P	36X192 Fiberglass Basin, With Fiberglass Anti-float	876	795	
DFB36X204F-1P	36X204 Fiberglass Basin, With Fiberglass Anti-float	899	818	
DFB36X216F-1P	36X216 Fiberglass Basin, With Fiberglass Anti-float	952	842	
DFB36X228F-1P	36X228 Fiberglass Basin, With Fiberglass Anti-float	1005	876	
DFB36X240F-1P	36X240 Fiberglass Basin, With Fiberglass Anti-float	1058	911	

- Fiberglass Basin, with Fiberglass anti-float
- 1-1/4" NPT discharge SGR Guiderail System
- 1-1/4" duplex SCH80 PVC discharge kit and 1-1/4" stainless steel discharge coupling
- 4" inlet grommet
- 2" composite electrical coupling & Stainless Steel float bracket with (4) cord grips
- 2" composite vent coupling
- Solid Fiberglass Cover

Adders	DESCRIPTION	LIST PRICE
C36HSS-FM	Powder-coated steel "frogmouth" hatch cover, hinged & lockable	Contact
C36HSA-FM	Aluminum "frogmouth" hatch cover, hinged & lockable	Topp for Price
H403FG3672 w/H400R	4" composite hub with 4" grommet hub	
H601FG w/H600R	6" composite hub with 6" grommet hub	
H801FG	8" composite hub	
U600	6" Uniseal	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB6S	Nema 4X Junction Box w/[4] 1/2" and (2) 3/4" cord grips	
JB8S	Nema 4X Junction Box w/[6] 1/2" and (2) 3/4" cord grips	
Encapsulated Steel Anti-floa	at	
1-1/4" 304 stainless steel pi	iping for basins 120" or less	
1-1/4" 304 stainless steel pi	iping for basins 126"- 240"	



42" Diameter, 1-1/4" NPT Discharge

PART No.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
DFB42x60F-1P	42X60 Fiberglass Basin, With Fiberglass Anti-float	360	647	Contact
DFB42X72F-1P	42X72 Fiberglass Basin, With Fiberglass Anti-float	432	702	Topp for Price
DFB42X84F-1P	42X84 Fiberglass Basin, With Fiberglass Anti-float	504	729	
DFB42X96F-1P	42X96 Fiberglass Basin, With Fiberglass Anti-float	576	757	
DFB42X108F-1P	42X108 Fiberglass Basin, With Fiberglass Anti-float	648	785	
DFB42X120F-1P	42X120 Fiberglass Basin, With Fiberglass Anti-float	720	812	
DFB42X132F-1P	42X132 Fiberglass Basin, With Fiberglass Anti-float	792	910	
DFB42X144F-1P	42X144 Fiberglass Basin, With Fiberglass Anti-float	864	938	
DFB42X156F-1P	42X156 Fiberglass Basin, With Fiberglass Anti-float	936	971	
DFB42X168F-1P	42X168 Fiberglass Basin, With Fiberglass Anti-float	1,008	1005	
DFB42X180F-1P	42X180 Fiberglass Basin, With Fiberglass Anti-float	1,080	1039	
DFB42X192F-1P	42X192 Fiberglass Basin, With Fiberglass Anti-float	1,152	1073	
DFB42X204F-1P	42X204 Fiberglass Basin, With Fiberglass Anti-float	1,224	1107	
DFB42X216F-1P	42X216 Fiberglass Basin, With Fiberglass Anti-float	1,295	1141	]
DFB42X228F-1P	42X228 Fiberglass Basin, With Fiberglass Anti-float	1,367	1174	]
DFB42X240F-1P	42X240 Fiberglass Basin, With Fiberglass Anti-float	1,439	1215	

- Fiberglass Basin, with Fiberglass anti-float
- 1-1/4" NPT discharge SGR Guiderail System
- 1-1/4" duplex SCH80 PVC discharge kit and 1-1/4" stainless steel discharge coupling
- 4" inlet grommet
- 2" composite electrical coupling & Stainless Steel float bracket with (4) cord grips
- 2" composite vent coupling
- Powder coated steel hatch cover, hinged & lockable

Adders	DESCRIPTION	LIST PRICE
C42HSA	Aluminum hatch cover, hinged & lockable	Contact
H403FG3672 w/H400R	4" composite hub with 4" grommet hub	Topp for Price
H601FG w/H600R	6" composite hub with 6" grommet hub	
H801FG	8" composite hub	
U600	6" Uniseal	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB6S	Nema 4X Junction Box w/(4) 1/2" and (2) 3/4" cord grips	
JB8S	Nema 4X Junction Box w/(6) 1/2" and (2) 3/4" cord grips	
Encapsulated Steel Anti-flo	at	
1-1/4" 304 stainless steel p	iping for basins 120" or less	
1-1/4" 304 stainless steel p	iping for basins 126"- 240"	



48" Diameter, 1-1/4" NPT Discharge

PART NO.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
DFB48x60F-1P	48X60 Fiberglass Basin, With Fiberglass Anti-float	470	756	Contact Topp for
DFB48X72F-1P	48X72 Fiberglass Basin, With Fiberglass Anti-float	564	855	Price
DFB48X84F-1P	48X84 Fiberglass Basin, With Fiberglass Anti-float	658	894	
DFB48X96F-1P	48X96 Fiberglass Basin, With Fiberglass Anti-float	752	932	
DFB48X108F-1P	48X108 Fiberglass Basin, With Fiberglass Anti-float	846	971	
DFB48X120F-1P	48X120 Fiberglass Basin, With Fiberglass Anti-float	940	1010	
DFB48X132F-1P	48X132 Fiberglass Basin, With Fiberglass Anti-float	1034	1098	
DFB48X144F-1P	48X144 Fiberglass Basin, With Fiberglass Anti-float	1128	1137	
DFB48X156F-1P	48X156 Fiberglass Basin, With Fiberglass Anti-float	1222	1176	
DFB48X168F-1P	48X168 Fiberglass Basin, With Fiberglass Anti-float	1316	1214	
DFB48X180F-1P	48X180 Fiberglass Basin, With Fiberglass Anti-float	1410	1253	
DFB48X192F-1P	48X192 Fiberglass Basin, With Fiberglass Anti-float	1504	1306	
DFB48X204F-1P	48X204 Fiberglass Basin, With Fiberglass Anti-float	1598	1359	
DFB48X216F-1P	48X216 Fiberglass Basin, With Fiberglass Anti-float	1692	1412	
DFB48X228F-1P	48X228 Fiberglass Basin, With Fiberglass Anti-float	1786	1465	
DFB48X240F-1P	48X240 Fiberglass Basin, With Fiberglass Anti-float	1880	1518	

- Fiberglass Basin, with Fiberglass anti-float
- 1-1/4" NPT discharge SGR Guiderail System
- 1-1/4" duplex SCH80 PVC discharge kit and 1-1/4" stainless steel discharge coupling
- 4" composite hub with 4" grommet hub
- 2" composite electrical coupling & Stainless Steel float bracket with (4) cord grips
- 2" composite vent coupling
- Powder coated steel hatch cover, hinged & lockable

Adders	DESCRIPTION	
C48HSFNST	Fiberglass hatch cover, hinged & lockable (deduct)	Contact
C48HSA	Aluminum hatch cover, hinged & lockable	Topp for Price
H601FG w/H600R	6" composite hub with 6" grommet hub	
H801FG	8" composite hub	
U600	6" Uniseal (deduct)	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB6S	Nema 4X Junction Box w/[4] 1/2" and [2] 3/4" cord grips	
JB8S	Nema 4X Junction Box w/(6) 1/2" and (2) 3/4" cord grips	
Encapsulated Steel Anti-flo	pat	
1-1/4" 304 stainless steel piping for basins 120" or less		
1-1/4" 304 stainless steel p	iping for basins 126"- 240"	



60" Diameter, 1-1/4" NPT Discharge

Part No.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
DFB60x60F-1P	60X60 Fiberglass Basin, With Fiberglass Anti-float	734	1243	Contact Topp for
DFB60X72F-1P	60X72 Fiberglass Basin, With Fiberglass Anti-float	881	1291	Price
DFB60X84F-1P	60X84 Fiberglass Basin, With Fiberglass Anti-float	1028	1348	
DFB60X96F-1P	60X96 Fiberglass Basin, With Fiberglass Anti-float	1175	1407	
DFB60X108F-1P	60X108 Fiberglass Basin, With Fiberglass Anti-float	1322	1463	
DFB60X120F-1P	60X120 Fiberglass Basin, With Fiberglass Anti-float	1469	1520	
DFB60X132F-1P	60X132 Fiberglass Basin, With Fiberglass Anti-float	1616	1627	
DFB60X144F-1P	60X144 Fiberglass Basin, With Fiberglass Anti-float	1763	1685	
DFB60X156F-1P	60X156 Fiberglass Basin, With Fiberglass Anti-float	1909	1760	
DFB60X168F-1P	60X168 Fiberglass Basin, With Fiberglass Anti-float	2056	1835	
DFB60X180F-1P	60X180 Fiberglass Basin, With Fiberglass Anti-float	2203	1910	
DFB60X192F-1P	60X192 Fiberglass Basin, With Fiberglass Anti-float	2350	1985	
DFB60X204F-1P	60X204 Fiberglass Basin, With Fiberglass Anti-float	2497	2060	
DFB60X216F-1P	60X216 Fiberglass Basin, With Fiberglass Anti-float	2644	2139	
DFB60X228F-1P	60X228 Fiberglass Basin, With Fiberglass Anti-float	2791	2223	
DFB60X240F-1P	60X240 Fiberglass Basin, With Fiberglass Anti-float	2938	2307	

- Fiberglass Basin, with Fiberglass anti-float
- 1-1/4" NPT discharge SGR Guiderail System
- 1-1/4" duplex SCH80 PVC discharge kit and 1-1/4" stainless steel discharge coupling
- 4" composite hub with 4" grommet hub
- 2" composite electrical coupling & Stainless Steel float bracket with (4) cord grips
- 2" composite vent coupling
- Powder coated steel hatch cover, hinged & lockable

Adders	DESCRIPTION	LIST PRICE
C60HSA	Aluminum hatch cover, hinged & lockable	Contact
H602FG w/H600R	6" composite hub with 6" grommet hub	Topp for Price
H802FG	8" composite hub	
U600	6" Uniseal (deduct)	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB6S	Nema 4X Junction Box w/(4) 1/2" and (2) 3/4" cord grips	
JB8S	Nema 4X Junction Box w/(6) 1/2" and (2) 3/4" cord grips	
Encapsulated Steel Anti-float		
1-1/4" 304 stainless steel piping for basins 120" or less		
1-1/4" 304 stainless steel pipin	g for basins 126"- 240"	



72" Diameter, 1-1/4" NPT Discharge

PART NO.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
DFB72x60F-1P	72X60 Fiberglass Basin, With Fiberglass Anti-float	717	1495	Contact Topp for
DFB72X72F-1P	72X72 Fiberglass Basin, With Fiberglass Anti-float	786	1564	Price
DFB72X84F-1P	72X84 Fiberglass Basin, With Fiberglass Anti-float	865	1643	
DFB72X96F-1P	72X96 Fiberglass Basin, With Fiberglass Anti-float	945	1723	
DFB72X108F-1P	72X108 Fiberglass Basin, With Fiberglass Anti-float	1024	1802	
DFB72X120F-1P	72X120 Fiberglass Basin, With Fiberglass Anti-float	1103	1881	
DFB72X132F-1P	72X132 Fiberglass Basin, With Fiberglass Anti-float	1183	1986	
DFB72X144F-1P	72X144 Fiberglass Basin, With Fiberglass Anti-float	1262	2065	
DFB72X156F-1P	72X156 Fiberglass Basin, With Fiberglass Anti-float	1352	2155	
DFB72X168F-1P	72X168 Fiberglass Basin, With Fiberglass Anti float	1442	2245	
DFB72X180F-1P	72X180 Fiberglass Basin, With Fiberglass Anti-float	1532	2335	
DFB72X192F-1P	72X192 Fiberglass Basin, With Fiberglass Anti-float	1628	2431	
DFB72X204F-1P	72X204 Fiberglass Basin, With Fiberglass Anti-float	1728	2531	
DFB72X216F-1P	72X216 Fiberglass Basin, With Fiberglass Anti-float	1829	2632	
DFB72X228F-1P	72X228 Fiberglass Basin, With Fiberglass Anti-float	1930	2733	
DFB72X240F-1P	72X240 Fiberglass Basin, With Fiberglass Anti-float	2030	2833	

- Fiberglass Basin, with Fiberglass anti-float
- 1-1/4" NPT discharge SGR Guiderail System
- 1-1/4" duplex SCH80 PVC discharge kit and 1-1/4" stainless steel discharge coupling
- 4" composite hub with 4" grommet hub
- 2" composite electrical coupling & Stainless Steel float bracket with (4) cord grips
- 2" composite vent coupling
- Powder coated steel hatch cover, hinged & lockable

Adders	DESCRIPTION		
C72HSA	Aluminum hatch cover, hinged & lockable	Contact	
H602FG w/H600R	6" composite hub with 6" grommet hub	Topp for Price	
H802FG	8" composite hub		
U600	6" Uniseal (deduct)		
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange		
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange		
LL050	Powder coated steel mini lifting lug		
LL050SS	Stainless steel mini lifting lug		
JB6S	Nema 4X Junction Box w/(4) 1/2" and (2) 3/4" cord grips		
JB8S	Nema 4X Junction Box w/(6) 1/2" and (2) 3/4" cord grips		
Encapsulated Steel Anti-float			
1-1/4" 304 stainless steel piping for basins 120" or less			
1-1/4" 304 stainless steel pipin	g for basins 126"- 240"		



36" Diameter, 2" NPT Discharge

PART NO.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	LIST PRICE
DFB36X60F-2P	36X60 Fiberglass Basin, With Fiberglass Anti-float	264	562	Contact Topp for
DFB36X72F-2P	36X72 Fiberglass Basin, With Fiberglass Anti-float	317	637	Price
DFB36X84F-2P	36X84 Fiberglass Basin, With Fiberglass Anti-float	370	656	
DFB36X96F-2P	36X96 Fiberglass Basin, With Fiberglass Anti-float	423	674	
DFB36X108F-2P	36X108 Fiberglass Basin, With Fiberglass Anti-float	476	692	
DFB36X120F-2P	36X120 Fiberglass Basin, With Fiberglass Anti-float	529	711	
DFB36X132F-2P	36X132 Fiberglass Basin, With Fiberglass Anti-float	582	739	
DFB36X144F-2P	36X144 Fiberglass Basin, With Fiberglass Anti-float	635	760	
DFB36X156F-2P	36X156 Fiberglass Basin, With Fiberglass Anti-float	687	784	
DFB36X168F-2P	36X168 Fiberglass Basin, With Fiberglass Anti-float	740	807	
DFB36X180F-2P	36X180 Fiberglass Basin, With Fiberglass Anti-float	793	831	
DFB36X192F-2P	36X192 Fiberglass Basin, With Fiberglass Anti-float	876	855	
DFB36X204F-2P	36X204 Fiberglass Basin, With Fiberglass Anti-float	899	878	
DFB36X216F-2P	36X216 Fiberglass Basin, With Fiberglass Anti-float	952	902	
DFB36X228F-2P	36X228 Fiberglass Basin, With Fiberglass Anti-float	1005	936	
DFB36X240F-2P	36X240 Fiberglass Basin, With Fiberglass Anti-float	1058	971	

- Fiberglass Basin, with Fiberglass anti-float
- 2" NPT discharge SGR Guiderail System
- 2" duplex SCH80 PVC discharge kit and 2" stainless steel discharge coupling
- 4" inlet grommet
- 2" composite electrical coupling & Stainless Steel float bracket with (4) cord grips
- 2" composite vent coupling
- Solid Fiberglass Cover

Adders	DESCRIPTION	LIST PRICE	
C36HSS-FM	Powder-coated steel "frogmouth" hatch cover, hinged & lockable	Contact Topp for Price	
C36HSA-FM	Aluminum "frogmouth" hatch cover, hinged & lockable		
H403FG3672 w/H400R	4" composite hub w/4" grommet hub		
H601FG w/H600R	6" composite hub with 6" grommet hub		
H801FG	8" composite hub		
U600	6" Uniseal		
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange		
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange		
LL050	Powder coated steel mini lifting lug		
LL050SS	Stainless steel mini lifting lug		
JB6S	Nema 4X Junction Box w/[4] 1/2" and (2) 3/4" cord grips		
JB8S	Nema 4X Junction Box w/(6) 1/2" and (2) 3/4" cord grips	1	
Encapsulated Steel Anti-floa	at		
2" 304 stainless steel piping	for basins 120" or less		
2" 304 stainless steel piping	for basins 126" - 240"		



42" Diameter, 2" NPT Discharge

PART No.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
DFB42x60F-2P	42X60 Fiberglass Basin, With Fiberglass Anti-float	360	757	Contact
DFB42X72F-2P	42X72 Fiberglass Basin, With Fiberglass Anti-float	432	812	Topp for Price
DFB42X84F-2P	42X84 Fiberglass Basin, With Fiberglass Anti-float	504	839	
DFB42X96F-2P	42X96 Fiberglass Basin, With Fiberglass Anti-float	576	867	
DFB42X108F-2P	42X108 Fiberglass Basin, With Fiberglass Anti-float	648	895	
DFB42X120F-2P	42X120 Fiberglass Basin, With Fiberglass Anti-float	720	922	
DFB42X132F-2P	42X132 Fiberglass Basin, With Fiberglass Anti-float	792	1030	
DFB42X144F-2P	42X144 Fiberglass Basin, With Fiberglass Anti-float	864	1058	
DFB42X156F-2P	42X156 Fiberglass Basin, With Fiberglass Anti-float	936	1091	
DFB42X168F-2P	42X168 Fiberglass Basin, With Fiberglass Anti-float	1,008	1125	
DFB42X180F-2P	42X180 Fiberglass Basin, With Fiberglass Anti-float	1,080	1159	
DFB42X192F-2P	42X192 Fiberglass Basin, With Fiberglass Anti-float	1,152	1193	
DFB42X204F-2P	42X204 Fiberglass Basin, With Fiberglass Anti-float	1,224	1227	
DFB42X216F-2P	42X216 Fiberglass Basin, With Fiberglass Anti-float	1,295	1261	
DFB42X228F-2P	42X228 Fiberglass Basin, With Fiberglass Anti-float	1,367	1294	
DFB42X240F-2P	42X240 Fiberglass Basin, With Fiberglass Anti-float	1,439	1335	

- Fiberglass Basin, with Fiberglass anti-float
- 2" NPT discharge SGR Guiderail System
- 2" duplex SCH80 PVC discharge kit and 2" stainless steel discharge coupling
- 4" inlet grommet
- 2" composite electrical coupling & Stainless Steel float bracket with (4) cord grips
- 2" composite vent coupling
- Powder coated steel hatch cover, hinged & lockable

Adders	DESCRIPTION	LIST PRICE
C42HSA	Aluminum hatch cover, hinged & lockable	Contact
H403FG3672 w/H400R	4" composite hub w/4" grommet hub	Topp for Price
H601FG w/H600R	6" composite hub with 6" grommet hub	
H801FG	8" composite hub	
U600	6" Uniseal	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB6S	Nema 4X Junction Box w/(4) 1/2" and (2) 3/4" cord grips	
JB8S	Nema 4X Junction Box w/(6) 1/2" and (2) 3/4" cord grips	
Encapsulated Steel Anti-floa	ıt	
2" 304 stainless steel piping	for basins 120" or less	
2" 304 stainless steel piping	for basins 126"- 240"	



48" Diameter, 2" NPT Discharge

PART NO.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
DFB48x60F-2P	48X60 Fiberglass Basin, With Fiberglass Anti-float	470	846	Contact Topp for
DFB48X72F-2P	48X72 Fiberglass Basin, With Fiberglass Anti-float	564	945	Price
DFB48X84F-2P	48X84 Fiberglass Basin, With Fiberglass Anti-float	658	984	
DFB48X96F-2P	48X96 Fiberglass Basin, With Fiberglass Anti-float	752	1022	
DFB48X108F-2P	48X108 Fiberglass Basin, With Fiberglass Anti-float	846	1061	
DFB48X120F-2P	48X120 Fiberglass Basin, With Fiberglass Anti-float	940	1100	
DFB48X132F-2P	48X132 Fiberglass Basin, With Fiberglass Anti-float	1034	1218	
DFB48X144F-2P	48X144 Fiberglass Basin, With Fiberglass Anti-float	1128	1257	
DFB48X156F-2P	48X156 Fiberglass Basin, With Fiberglass Anti-float	1222	1296	
DFB48X168F-2P	48X168 Fiberglass Basin, With Fiberglass Anti-float	1316	1334	
DFB48X180F-2P	48X180 Fiberglass Basin, With Fiberglass Anti-float	1410	1373	
DFB48X192F-2P	48X192 Fiberglass Basin, With Fiberglass Anti-float	1504	1426	
DFB48X204F-2P	48X204 Fiberglass Basin, With Fiberglass Anti-float	1598	1479	
DFB48X216F-2P	48X216 Fiberglass Basin, With Fiberglass Anti-float	1692	1532	
DFB48X228F-2P	48X228 Fiberglass Basin, With Fiberglass Anti-float	1786	1585	
DFB48X240F-2P	48X240 Fiberglass Basin, With Fiberglass Anti-float	1880	1638	

- Fiberglass Basin, with Fiberglass anti-float
- 2" NPT discharge SGR Guiderail System
- 2" duplex SCH80 PVC discharge kit and 2" stainless steel discharge coupling
- 4" composite hub with 4" grommet hub
- 2" composite electrical coupling & Stainless Steel float bracket with (4) cord grips
- 2" composite vent coupling
- Powder coated steel hatch cover, hinged & lockable

Adders	DESCRIPTION	LIST PRICE
C48HSFNST	Fiberglass hatch cover, hinged & lockable (deduct)	Contact
C48HSA	Aluminum hatch cover, hinged & lockable	Topp for Price
H601FG w/H600R	6" composite hub with 6" grommet hub	
H801FG	8" composite hub	
U600	6" Uniseal (deduct)	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB6S	Nema 4X Junction Box w/(4) 1/2" and (2) 3/4" cord grips	
JB8S	Nema 4X Junction Box w/(6) 1/2" and (2) 3/4" cord grips	
Encapsulated Steel Anti-f	loat	
2" 304 stainless steel pipi	ng for basins 120" or less	
2" 304 stainless steel pipi	ng for basins 126"- 240"	



60" Diameter, 2" NPT Discharge

PART NO.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
DFB60x60F-2P	60X60 Fiberglass Basin, With Fiberglass Anti-float	734	1353	Contact Topp for
DFB60X72F-2P	60X72 Fiberglass Basin, With Fiberglass Anti-float	881	1401	Price
DFB60X84F-2P	60X84 Fiberglass Basin, With Fiberglass Anti-float	1028	1458	
DFB60X96F-2P	60X96 Fiberglass Basin, With Fiberglass Anti-float	1175	1517	
DFB60X108F-2P	60X108 Fiberglass Basin, With Fiberglass Anti-float	1322	1573	
DFB60X120F-2P	60X120 Fiberglass Basin, With Fiberglass Anti-float	1469	1630	
DFB60X132F-2P	60X132 Fiberglass Basin, With Fiberglass Anti-float	1616	1767	
DFB60X144F-2P	60X144 Fiberglass Basin, With Fiberglass Anti-float	1763	1825	
DFB60X156F-2P	60X156 Fiberglass Basin, With Fiberglass Anti-float	1909	1900	
DFB60X168F-2P	60X168 Fiberglass Basin, With Fiberglass Anti-float	2056	1975	
DFB60X180F-2P	60X180 Fiberglass Basin, With Fiberglass Anti-float	2203	2050	
DFB60X192F-2P	60X192 Fiberglass Basin, With Fiberglass Anti-float	2350	2125	
DFB60X204F-2P	60X204 Fiberglass Basin, With Fiberglass Anti-float	2497	2200	
DFB60X216F-2P	60X216 Fiberglass Basin, With Fiberglass Anti-float	2644	2279	
DFB60X228F-2P	60X228 Fiberglass Basin, With Fiberglass Anti-float	2791	2363	
DFB60X240F-2P	60X240 Fiberglass Basin, With Fiberglass Anti-float	2938	2447	

- Fiberglass Basin, with Fiberglass anti-float
- 2" NPT discharge SGR Guiderail System
- 2" duplex SCH80 PVC discharge kit and 2" stainless steel discharge coupling
- 4" composite hub with 4" grommet hub
- 2" composite electrical coupling & Stainless Steel float bracket with (4) cord grips
- 2" composite vent coupling
- Powder coated steel hatch cover, hinged & lockable

Adders	DESCRIPTION	LIST PRICE
C60HSA	Aluminum hatch cover, hinged & lockable	Contact
H602FG w/H600R	6" composite hub with 6" grommet hub	Topp for Price
H802FG	8" composite hub	
U600	6" Uniseal (deduct)	]
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	]
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	]
LL050SS	Stainless steel mini lifting lug	]
JB6S	Nema 4X Junction Box w/[4] 1/2" and (2) 3/4" cord grips	
JB8S	Nema 4X Junction Box w/(6) 1/2" and (2) 3/4" cord grips	]
Encapsulated Steel Anti-float		]
2" 304 stainless steel piping for	basins 120" or less	
2" 304 stainless steel piping for	basins 126"- 240"	]



72" Diameter, 2" NPT Discharge

PART No.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	LIST PRICE
DFB72x60F-2P	72X60 Fiberglass Basin, With Fiberglass Anti-float	717	1755	Contact Topp for
DFB72X72F-2P	72X72 Fiberglass Basin, With Fiberglass Anti-float	786	1824	Price
DFB72X84F-2P	72X84 Fiberglass Basin, With Fiberglass Anti-float	865	1903	
DFB72X96F-2P	72X96 Fiberglass Basin, With Fiberglass Anti-float	945	1983	
DFB72X108F-2P	72X108 Fiberglass Basin, With Fiberglass Anti-float	1024	2062	
DFB72X120F-2P	72X120 Fiberglass Basin, With Fiberglass Anti-float	1103	2141	
DFB72X132F-2P	72X132 Fiberglass Basin, With Fiberglass Anti-float	1183	2301	
DFB72X144F-2P	72X144 Fiberglass Basin, With Fiberglass Anti-float	1262	2380	
DFB72X156F-2P	72X156 Fiberglass Basin, With Fiberglass Anti-float	1352	2470	
DFB72X168F-2P	72X168 Fiberglass Basin, With Fiberglass Anti-float	1442	2560	
DFB72X180F-2P	72X180 Fiberglass Basin, With Fiberglass Anti-float	1532	2650	
DFB72X192F-2P	72X192 Fiberglass Basin, With Fiberglass Anti-float	1628	2746	
DFB72X204F-2P	72X204 Fiberglass Basin, With Fiberglass Anti-float	1728	2846	]
DFB72X216F-2P	72X216 Fiberglass Basin, With Fiberglass Anti-float	1829	2947	]
DFB72X228F-2P	72X228 Fiberglass Basin, With Fiberglass Anti-float	1930	3048	
DFB72X240F-2P	72X240 Fiberglass Basin, With Fiberglass Anti-float	2030	3148	


- Fiberglass Basin, with Fiberglass anti-float
- 2" NPT discharge SGR Guiderail System
- 2" duplex SCH80 PVC discharge kit and 2" stainless steel discharge coupling
- 4" composite hub with 4" grommet hub
- 2" composite electrical coupling & Stainless Steel float bracket with (4) cord grips
- 2" composite vent coupling
- Powder coated steel hatch cover, hinged & lockable

Adders	DESCRIPTION	LIST PRICE
C72HSA	Aluminum hatch cover, hinged & lockable	Contact
H602FG w/H600R	6" composite hub with 6" grommet hub	Topp for Price
H802FG	8" composite hub	
U600	6" Uniseal (deduct)	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB6S	Nema 4X Junction Box w/[4] 1/2" and (2) 3/4" cord grips	
JB8S	Nema 4X Junction Box w/(6) 1/2" and (2) 3/4" cord grips	
Encapsulated Steel Anti-flo	pat	
2" 304 stainless steel pipin	g for basins 120" or less	
2" 304 stainless steel pipin	g for basins 126"- 240"	



# **Prefabricated Fiberglass Lift Station**


Simplex Side Discharge





# **Prefabricated Fiberglass Lift Station**

Simplex Side Discharge





24" Diameter, 1-1/4" NPT Discharge

PART No.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
FSFB24X60F-1P	24X60 Fiberglass Basin, With Fiberglass Anti-float	117	1353	Contact
FSFB24X72F-1P	24X72 Fiberglass Basin, With Fiberglass Anti-float	141	1401	Topp for Price
FSFB24X84F-1P	24X84 Fiberglass Basin, With Fiberglass Anti-float	164	1458	
FSFB24X96F-1P	24X96 Fiberglass Basin, With Fiberglass Anti-float	188	1517	
FSFB24X108F-1P	24X108 Fiberglass Basin, With Fiberglass Anti-float	211	1573	
FSFB24X120F-1P	24X120 Fiberglass Basin, With Fiberglass Anti-float	235	1630	
FSFB24X132F-1P	24X132 Fiberglass Basin, With Fiberglass Anti-float	258	1767	
FSFB24X144F-1P	24X144 Fiberglass Basin, With Fiberglass Anti-float	282	1825	-
FSFB24X156F-1P	24X156 Fiberglass Basin, With Fiberglass Anti-float	305	1900	
FSFB24X168F-1P	24X168 Fiberglass Basin, With Fiberglass Anti-float	329	1975	
FSFB24X180F-1P	24X180 Fiberglass Basin, With Fiberglass Anti-float	352	2050	
FSFB24X192F-1P	24X192 Fiberglass Basin, With Fiberglass Anti-float	376	2125	
FSFB24X204F-1P	24X204 Fiberglass Basin, With Fiberglass Anti-float	399	2200	
FSFB24X216F-1P	24X216 Fiberglass Basin, With Fiberglass Anti-float	423	2279	
FSFB24X228F-1P	24X228 Fiberglass Basin, With Fiberglass Anti-float	446	2363	
FSFB24X240F-1P	24X240 Fiberglass Basin, With Fiberglass Anti-float	470	2447	

- Fiberglass Basin, with Fiberglass anti-float
- 1-1/4" NPT discharge FREEFLO Guiderail System, 3/4" 304 stainless steel guiderails
- 1-1/4" simplex SCH80 PVC discharge kit and 1-1/4" stainless steel discharge coupling
- 4" inlet grommet
- 1-1/2" composite electrical coupling & Stainless Steel float bracket with (3) cord grips
- 2" composite vent coupling
- Solid Fiberglass Cover

Adders	DESCRIPTION	LIST PRICE
H402FG2430 w/H400R	4" composite hub with 4" grommet hub	Contact
U600	6" Uniseal	Topp for Price
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB4S	Nema 4X Junction Box w/(3) 1/2" and (1) 3/4" cord grips	
Encapsulated Steel Anti-float		
1-1/4" 304 stainless steel pipin	g for basins 120" or less	
1-1/4" 304 stainless steel pipin	g for basins 126"- 240"	



# Freeflo™ Guiderail Simplex Package Systems

30" Diameter, 1-1/4" NPT Discharge

PART No.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
FSFB30X60F-1P	30X60 Fiberglass Basin, With Fiberglass Anti-float	184	308	Contact Topp for
FSFB30X72F-1P	30X72 Fiberglass Basin, With Fiberglass Anti-float	220	351	Price
FSFB30X84F-1P	30X84 Fiberglass Basin, With Fiberglass Anti-float	257	366	
FSFB30X96F-1P	30X96 Fiberglass Basin, With Fiberglass Anti-float	294	381	
FSFB30X108F-1P	30X108 Fiberglass Basin, With Fiberglass Anti-float	330	396	
FSFB30X120F-1P	30X120 Fiberglass Basin, With Fiberglass Anti-float	367	412	
FSFB30X132F-1P	30X132 Fiberglass Basin, With Fiberglass Anti-float	404	502	
FSFB30X144F-1P	30X144 Fiberglass Basin, With Fiberglass Anti-float	441	517	
FSFB30X156F-1P	30X156 Fiberglass Basin, With Fiberglass Anti-float	477	533	
FSFB30X168F-1P	30X168 Fiberglass Basin, With Fiberglass Anti-float	514	548	
FSFB30X180F-1P	30X180 Fiberglass Basin, With Fiberglass Anti-float	551	563	
FSFB30X192F-1P	30X192 Fiberglass Basin, With Fiberglass Anti-float	588	578	
FSFB30X204F-1P	30X204 Fiberglass Basin, With Fiberglass Anti-float	624	598	
FSFB30X216F-1P	30X216 Fiberglass Basin, With Fiberglass Anti-float	661	618	
FSFB30X228F-1P	30X228 Fiberglass Basin, With Fiberglass Anti-float	698	638	
FSFB30X240F-1P	30X240 Fiberglass Basin, With Fiberglass Anti-float	734	657	

- Fiberglass Basin, with Fiberglass anti-float
- 1-1/4" NPT discharge FREEFLO Guiderail System, 3/4" 304 stainless steel guiderails
- 1-1/4" simplex SCH80 PVC discharge kit and 1-1/4" stainless steel discharge coupling
- 4" inlet grommet
- 1-1/2" composite electrical coupling & Stainless Steel float bracket with (3) cord grips
- 2" composite vent coupling
- Solid Fiberglass Cover

Adders	DESCRIPTION	LIST PRICE
H402FG2430 w/H400R	4" composite hub with 4" grommet hub	Contact
U600	6" Uniseal	Topp for Price
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB4S	Nema 4X Junction Box w/(3) 1/2" and (1) 3/4" cord grips	
Encapsulated Steel Anti-float		
1-1/4" 304 stainless steel pipi	ng for basins 120" or less	
1-1/4" 304 stainless steel pipi	ng for basins 126"- 240"	



36" Diameter, 1-1/4" NPT Discharge

PART NO.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
FSFB36X60F-1P	36X60 Fiberglass Basin, With Fiberglass Anti-float	264	357	Contact
FSFB36X72F-1P	36X72 Fiberglass Basin, With Fiberglass Anti-float	317	432	Topp for Price
FSFB36X84F-1P	36X84 Fiberglass Basin, With Fiberglass Anti-float	370	451	
FSFB36X96F-1P	36X96 Fiberglass Basin, With Fiberglass Anti-float	423	469	
FSFB36X108F-1P	36X108 Fiberglass Basin, With Fiberglass Anti-float	476	487	
FSFB36X120F-1P	36X120 Fiberglass Basin, With Fiberglass Anti-float	529	506	
FSFB36X132F-1P	36X132 Fiberglass Basin, With Fiberglass Anti-float	582	599	
FSFB36X144F-1P	36X144 Fiberglass Basin, With Fiberglass Anti-float	635	620	
FSFB36X156F-1P	36X156 Fiberglass Basin, With Fiberglass Anti-float	687	644	
FSFB36X168F-1P	36X168 Fiberglass Basin, With Fiberglass Anti-float	740	667	
FSFB36X180F-1P	36X180 Fiberglass Basin, With Fiberglass Anti-float	793	691	
FSFB36X192F-1P	36X192 Fiberglass Basin, With Fiberglass Anti-float	876	715	
FSFB36X204F-1P	36X204 Fiberglass Basin, With Fiberglass Anti-float	899	738	
FSFB36X216F-1P	36X216 Fiberglass Basin, With Fiberglass Anti-float	952	762	
FSFB36X228F-1P	36X228 Fiberglass Basin, With Fiberglass Anti-float	1005	796	
FSFB36X240F-1P	36X240 Fiberglass Basin, With Fiberglass Anti-float	1058	831	

- Fiberglass Basin, with Fiberglass anti-float
- 1-1/4" NPT discharge FREEFLO Guiderail System, 3/4" 304 stainless steel guiderails
- 1-1/4" simplex SCH80 PVC discharge kit and 1-1/4" stainless steel discharge coupling
- 4" inlet grommet
- 1-1/2" composite electrical coupling & Stainless Steel float bracket with (3) cord grips
- 2" composite vent coupling
- Solid Fiberglass Cover

Adders	DESCRIPTION	LIST PRICE
H402FG3672 w/H400R	4" composite hub with 4" grommet hub	Contact
H601FG w/H600R	6" composite hub with 6" grommet hub	Topp for Price
H801FG	8" composite hub	
U600	6" Uniseal	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB4S	Nema 4X Junction Box w/(3) 1/2" and (1) 3/4" cord grips	
Encapsulated Steel Anti-floa	at	
1-1/4" 304 stainless steel pi	ping for basins 120" or less	
1-1/4" 304 stainless steel pi	ping for basins 126"- 240"	



## Freeflo™ Guiderail Simplex Package Systems

42" Diameter, 1-1/4" NPT Discharge

PART NO.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
FSFB42x60F-1P	42X60 Fiberglass Basin, With Fiberglass Anti-float	360	537	Contact
FSFB42X72F-1P	42X72 Fiberglass Basin, With Fiberglass Anti-float	432	592	Topp for Price
FSFB42X84F-1P	42X84 Fiberglass Basin, With Fiberglass Anti-float	504	619	
FSFB42X96F-1P	42X96 Fiberglass Basin, With Fiberglass Anti-float	576	647	
FSFB42X108F-1P	42X108 Fiberglass Basin, With Fiberglass Anti-float	648	675	
FSFB42X120F-1P	42X120 Fiberglass Basin, With Fiberglass Anti-float	720	702	
FSFB42X132F-1P	42X132 Fiberglass Basin, With Fiberglass Anti-float	792	815	
FSFB42X144F-1P	42X144 Fiberglass Basin, With Fiberglass Anti-float	864	843	
FSFB42X156F-1P	42X156 Fiberglass Basin, With Fiberglass Anti-float	936	876	
FSFB42X168F-1P	42X168 Fiberglass Basin, With Fiberglass Anti-float	1008	910	
FSFB42X180F-1P	42X180 Fiberglass Basin, With Fiberglass Anti-float	1080	944	
FSFB42X192F-1P	42X192 Fiberglass Basin, With Fiberglass Anti-float	1152	978	
FSFB42X204F-1P	42X204 Fiberglass Basin, With Fiberglass Anti-float	1224	1012	
FSFB42X216F-1P	42X216 Fiberglass Basin, With Fiberglass Anti-float	1295	1046	
FSFB42X228F-1P	42X228 Fiberglass Basin, With Fiberglass Anti-float	1367	1079	
FSFB42X240F-1P	42X240 Fiberglass Basin, With Fiberglass Anti-float	1439	1120	

- Fiberglass Basin, with Fiberglass anti-float
- 1-1/4" NPT discharge FREEFLO Guiderail System, 3/4" 304 stainless steel guiderails
- 1-1/4" simplex SCH80 PVC discharge kit and 1-1/4" stainless steel discharge coupling
- 4" inlet grommet
- 1-1/2" composite electrical coupling & Stainless Steel float bracket with (3) cord grips
- 2" composite vent coupling
- Powder coated steel hatch cover, hinged & lockable

Adders	DESCRIPTION	
C42HSA	Aluminum hatch cover, hinged & lockable	Contact
H402FG3672 w/H400R	4" composite hub with 4" grommet hub	Topp for Price
H601FG w/H600R	6" composite hub with 6" grommet hub	
H801FG	8" composite hub	
U600	6" Uniseal	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB4S	Nema 4X Junction Box w/(3) 1/2" and (1) 3/4" cord grips	
Encapsulated Steel Anti-floa	t	
1-1/4" 304 stainless steel pi	ping for basins 120" or less	
1-1/4" 304 stainless steel pi	ping for basins 126"- 240"	



48" Diameter, 1-1/4" NPT Discharge

PART NO.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
FSFB48x60F-1P	48X60 Fiberglass Basin, With Fiberglass Anti-float	470	636	Contact Topp for
FSFB48X72F-1P	48X72 Fiberglass Basin, With Fiberglass Anti-float	564	735	Price
FSFB48X84F-1P	48X84 Fiberglass Basin, With Fiberglass Anti-float	658	774	
FSFB48X96F-1P	48X96 Fiberglass Basin, With Fiberglass Anti-float	752	812	
FSFB48X108F-1P	48X108 Fiberglass Basin, With Fiberglass Anti-float	846	851	
FSFB48X120F-1P	48X120 Fiberglass Basin, With Fiberglass Anti-float	940	890	
FSFB48X132F-1P	48X132 Fiberglass Basin, With Fiberglass Anti-float	1034	1003	
FSFB48X144F-1P	48X144 Fiberglass Basin, With Fiberglass Anti-float	1128	1042	
FSFB48X156F-1P	48X156 Fiberglass Basin, With Fiberglass Anti-float	1222	1081	
FSFB48X168F-1P	48X168 Fiberglass Basin, With Fiberglass Anti-float	1316	1119	
FSFB48X180F-1P	48X180 Fiberglass Basin, With Fiberglass Anti-float	1410	1158	
FSFB48X192F-1P	48X192 Fiberglass Basin, With Fiberglass Anti-float	1504	1211	
FSFB48X204F-1P	48X204 Fiberglass Basin, With Fiberglass Anti-float	1598	1264	
FSFB48X216F-1P	48X216 Fiberglass Basin, With Fiberglass Anti-float	1692	1317	
FSFB48X228F-1P	48X228 Fiberglass Basin, With Fiberglass Anti-float	1786	1370	
FSFB48X240F-1P	48X240 Fiberglass Basin, With Fiberglass Anti-float	1880	1423	

- Fiberglass Basin, with Fiberglass anti-float
- 1-1/4" NPT discharge FREEFLO Guiderail System, 3/4" 304 stainless steel guiderails
- 1-1/4" simplex SCH80 PVC discharge kit and 1-1/4" stainless steel discharge coupling
- 4" composite hub with 4" grommet hub
- 1-1/2" composite electrical coupling & Stainless Steel float bracket with (3) cord grips
- 2" composite vent coupling
- Powder coated steel hatch cover, hinged & lockable

Adders	DESCRIPTION	LIST PRICE
C48HSFNST	Fiberglass hatch cover, hinged & lockable (deduct)	Contact
C48HSA	Aluminum hatch cover, hinged & lockable	Topp for Price
H601FG w/H600R	6" composite hub with 6" grommet hub	
H801FG	8" composite hub	
U600	6" Uniseal (deduct)	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB4S	Nema 4X Junction Box w/(3) 1/2" and (1) 3/4" cord grips	
Encapsulated Steel Anti-float		
1-1/4" 304 stainless steel pipir	ng for basins 120" or less	
1-1/4" 304 stainless steel pipir	ng for basins 126"- 240"	



24" Diameter, 2" NPT Discharge

PART NO.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
FSFB24X60F-2P	24X60 Fiberglass Basin, With Fiberglass Anti-float	117	302	Contact
FSFB24X72F-2P	24X72 Fiberglass Basin, With Fiberglass Anti-float	141	312	Topp for Price
FSFB24X84F-2P	24X84 Fiberglass Basin, With Fiberglass Anti-float	164	339	
FSFB24X96F-2P	24X96 Fiberglass Basin, With Fiberglass Anti-float	188	348	
FSFB24X108F-2P	24X108 Fiberglass Basin, With Fiberglass Anti-float	211	356	
FSFB24X120F-2P	24X120 Fiberglass Basin, With Fiberglass Anti-float	235	365	
FSFB24X132F-2P	24X132 Fiberglass Basin, With Fiberglass Anti-float	258	449	
FSFB24X144F-2P	24X144 Fiberglass Basin, With Fiberglass Anti-float	282	457	
FSFB24X156F-2P	24X156 Fiberglass Basin, With Fiberglass Anti-float	305	470	
FSFB24X168F-2P	24X168 Fiberglass Basin, With Fiberglass Anti-float	329	482	
FSFB24X180F-2P	24X180 Fiberglass Basin, With Fiberglass Anti-float	352	494	
FSFB24X192F-2P	24X192 Fiberglass Basin, With Fiberglass Anti-float	376	506	
FSFB24X204F-2P	24X204 Fiberglass Basin, With Fiberglass Anti-float	399	519	
FSFB24X216F-2P	24X216 Fiberglass Basin, With Fiberglass Anti-float	423	531	]
FSFB24X228F-2P	24X228 Fiberglass Basin, With Fiberglass Anti-float	446	543	
FSFB24X240F-2P	24X240 Fiberglass Basin, With Fiberglass Anti-float	470	555	

- Fiberglass Basin, with Fiberglass anti-float
- 2" NPT discharge FREEFLO Guiderail System, 3/4" 304 stainless steel guiderails
- 2" simplex SCH80 PVC discharge kit and 2" stainless steel discharge coupling
- 4" inlet grommet
- 1-1/2" composite electrical coupling & Stainless Steel float bracket with (3) cord grips
- 2" composite vent coupling
- Solid Fiberglass Cover

Adders	DESCRIPTION	LIST PRICE
H402FG2430 w/H400R	4" composite hub with 4" grommet hub	Contact
U600	6" Uniseal	Topp for Price
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB4S	Nema 4X Junction Box w/(3) 1/2" and (1) 3/4" cord grips	
Encapsulated Steel Anti-float		
2" 304 stainless steel piping f	or basins 120" or less	
2" 304 stainless steel piping f	or basins 126"- 240"	



30" Diameter, 2" NPT Discharge

PART NO.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
FSFB30X60F-2P	30X60 Fiberglass Basin, With Fiberglass Anti-float	184	338	Contact Topp for
FSFB30X72F-2P	30X72 Fiberglass Basin, With Fiberglass Anti-float	220	381	Price
FSFB30X84F-2P	30X84 Fiberglass Basin, With Fiberglass Anti-float	257	396	
FSFB30X96F-2P	30X96 Fiberglass Basin, With Fiberglass Anti-float	294	411	
FSFB30X108F-2P	30X108 Fiberglass Basin, With Fiberglass Anti-float	330	426	
FSFB30X120F-2P	30X120 Fiberglass Basin, With Fiberglass Anti-float	367	442	
FSFB30X132F-2P	30X132 Fiberglass Basin, With Fiberglass Anti-float	404	532	
FSFB30X144F-2P	30X144 Fiberglass Basin, With Fiberglass Anti-float	441	547	
FSFB30X156F-2P	30X156 Fiberglass Basin, With Fiberglass Anti-float	477	563	
FSFB30X168F-2P	30X168 Fiberglass Basin, With Fiberglass Anti-float	514	578	
FSFB30X180F-2P	30X180 Fiberglass Basin, With Fiberglass Anti-float	551	593	
FSFB30X192F-2P	30X192 Fiberglass Basin, With Fiberglass Anti-float	588	608	
FSFB30X204F-2P	30X204 Fiberglass Basin, With Fiberglass Anti-float	624	628	
FSFB30X216F-2P	30X216 Fiberglass Basin, With Fiberglass Anti-float	661	648	
FSFB30X228F-2P	30X228 Fiberglass Basin, With Fiberglass Anti-float	698	668	
FSFB30X240F-2P	30X240 Fiberglass Basin, With Fiberglass Anti-float	734	687	

- Fiberglass Basin, with Fiberglass anti-float
- 2" NPT discharge FREEFLO Guiderail System, 3/4" 304 stainless steel guiderails
- 2" simplex SCH80 PVC discharge kit and 2" stainless steel discharge coupling
- 4" inlet grommet
- 1-1/2" composite electrical coupling & Stainless Steel float bracket with (3) cord grips
- 2" composite vent coupling
- Solid Fiberglass Cover

Adders	DESCRIPTION	LIST PRICE
H402FG2430 w/H400R	4" composite hub with 4" grommet hub	Contact
U600	6" Uniseal	Topp for Price
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB4S	Nema 4X Junction Box w/(3) 1/2" and (1) 3/4" cord grips	
Encapsulated Steel Anti-float		
2″ 304 stainless steel piping for basins 120″ or less		
2" 304 stainless steel piping for	basins 126"- 240"	



36" Diameter, 2" NPT Discharge

PART NO.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
FSFB36X60F-2P	36X60 Fiberglass Basin, With Fiberglass Anti-float	264	407	Contact
FSFB36X72F-2P	36X72 Fiberglass Basin, With Fiberglass Anti-float	317	482	Topp for Price
FSFB36X84F-2P	36X84 Fiberglass Basin, With Fiberglass Anti-float	370	501	
FSFB36X96F-2P	36X96 Fiberglass Basin, With Fiberglass Anti-float	423	519	
FSFB36X108F-2P	36X108 Fiberglass Basin, With Fiberglass Anti-float	476	537	
FSFB36X120F-2P	36X120 Fiberglass Basin, With Fiberglass Anti-float	529	556	
FSFB36X132F-2P	36X132 Fiberglass Basin, With Fiberglass Anti-float	582	629	
FSFB36X144F-2P	36X144 Fiberglass Basin, With Fiberglass Anti-float	635	650	
FSFB36X156F-2P	36X156 Fiberglass Basin, With Fiberglass Anti-float	687	674	
FSFB36X168F-2P	36X168 Fiberglass Basin, With Fiberglass Anti-float	740	697	
FSFB36X180F-2P	36X180 Fiberglass Basin, With Fiberglass Anti-float	793	721	
FSFB36X192F-2P	36X192 Fiberglass Basin, With Fiberglass Anti-float	876	745	
FSFB36X204F-2P	36X204 Fiberglass Basin, With Fiberglass Anti-float	899	768	
FSFB36X216F-2P	36X216 Fiberglass Basin, With Fiberglass Anti-float	952	792	
FSFB36X228F-2P	36X228 Fiberglass Basin, With Fiberglass Anti-float	1005	826	
FSFB36X240F-2P	36X240 Fiberglass Basin, With Fiberglass Anti-float	1058	861	

- Fiberglass Basin, with Fiberglass anti-float
- 2" NPT discharge FREEFLO Guiderail System, 3/4" 304 stainless steel guiderails
- 2" simplex SCH80 PVC discharge kit and 2" stainless steel discharge coupling
- 4" inlet grommet
- 1-1/2" composite electrical coupling & Stainless Steel float bracket with (3) cord grips
- 2" composite vent coupling
- Solid Fiberglass Cover

Adders	DESCRIPTION	LIST PRICE
C36HSS	Powder-coated steel hatch cover, hinged & lockable	Contact
C36HSA	Aluminum hatch cover, hinged & lockable	Topp for Price
H402FG3672 w/H400R	4" composite hub with 4" grommet hub	
H601FG w/H600R	6" composite hub with 6" grommet hub	
H801FG	8" composite hub	
U600	6" Uniseal	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB4S	Nema 4X Junction Box w/(3) 1/2" and (1) 3/4" cord grips	
Encapsulated Steel Anti-floa	it	
2" 304 stainless steel piping		
2" 304 stainless steel piping	for basins 126" - 240"	



42" Diameter, 2" NPT Discharge

PART NO.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
FSFB42x60F-2P	42X60 Fiberglass Basin, With Fiberglass Anti-float	360	587	Contact Topp for
FSFB42X72F-2P	42X72 Fiberglass Basin, With Fiberglass Anti-float	432	642	Price
FSFB42X84F-2P	42X84 Fiberglass Basin, With Fiberglass Anti-float	504	669	
FSFB42X96F-2P	42X96 Fiberglass Basin, With Fiberglass Anti-float	576	697	
FSFB42X108F-2P	42X108 Fiberglass Basin, With Fiberglass Anti-float	648	725	
FSFB42X120F-2P	42X120 Fiberglass Basin, With Fiberglass Anti-float	720	752	
FSFB42X132F-2P	42X132 Fiberglass Basin, With Fiberglass Anti-float	792	850	
FSFB42X144F-2P	42X144 Fiberglass Basin, With Fiberglass Anti-float	864	878	
FSFB42X156F-2P	42X156 Fiberglass Basin, With Fiberglass Anti-float	936	911	
FSFB42X168F-2P	42X168 Fiberglass Basin, With Fiberglass Anti-float	1008	945	
FSFB42X180F-2P	42X180 Fiberglass Basin, With Fiberglass Anti-float	1080	979	
FSFB42X192F-2P	42X192 Fiberglass Basin, With Fiberglass Anti-float	1152	1013	
FSFB42X204F-2P	42X204 Fiberglass Basin, With Fiberglass Anti-float	1224	1047	
FSFB42X216F-2P	42X216 Fiberglass Basin, With Fiberglass Anti-float	1295	1081	
FSFB42X228F-2P	42X228 Fiberglass Basin, With Fiberglass Anti-float	1367	1114	
FSFB42X240F-2P	42X240 Fiberglass Basin, With Fiberglass Anti-float	1439	1155	

- Fiberglass Basin, with Fiberglass anti-float
- 2" NPT discharge FREEFLO Guiderail System, 3/4" 304 stainless steel guiderails
- 2" simplex SCH80 PVC discharge kit and 2" stainless steel discharge coupling
- 4" inlet grommet
- 1-1/2" composite electrical coupling & Stainless Steel float bracket with (3) cord grips
- 2" composite vent coupling
- Powder coated steel hatch cover, hinged & lockable

Adders	DESCRIPTION	LIST PRICE
C42HSA	Aluminum hatch cover, hinged & lockable	Contact
H402FG3672 w/H400R	4" composite hub with 4" grommet hub	Topp for Price
H601FG w/H600R	6" composite hub with 6" grommet hub	
H801FG	8" composite hub	
U600	6" Uniseal	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB4S	Nema 4X Junction Box w/(3) 1/2" and (1) 3/4" cord grips	
Encapsulated Steel Anti-float		
2" 304 stainless steel piping fo	or basins 120" or less	
2" 304 stainless steel piping fo	or basins 126"- 240"	



48" Diameter, 2" NPT Discharge

PART No.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
FSFB48x60F-2P	48X60 Fiberglass Basin, With Fiberglass Anti-float	470	681	Contact
FSFB48X72F-2P	48X72 Fiberglass Basin, With Fiberglass Anti-float	564	780	Topp for Price
FSFB48X84F-2P	48X84 Fiberglass Basin, With Fiberglass Anti-float	658	819	
FSFB48X96F-2P	48X96 Fiberglass Basin, With Fiberglass Anti-float	752	857	
FSFB48X108F-2P	48X108 Fiberglass Basin, With Fiberglass Anti-float	846	896	
FSFB48X120F-2P	48X120 Fiberglass Basin, With Fiberglass Anti-float	940	935	
FSFB48X132F-2P	48X132 Fiberglass Basin, With Fiberglass Anti-float	1034	1063	
FSFB48X144F-2P	48X144 Fiberglass Basin, With Fiberglass Anti-float	1128	1102	
FSFB48X156F-2P	48X156 Fiberglass Basin, With Fiberglass Anti-float	1222	1141	
FSFB48X168F-2P	48X168 Fiberglass Basin, With Fiberglass Anti-float	1316	1179	
FSFB48X180F-2P	48X180 Fiberglass Basin, With Fiberglass Anti-float	1410	1218	
FSFB48X192F-2P	48X192 Fiberglass Basin, With Fiberglass Anti-float	1504	1271	
FSFB48X204F-2P	48X204 Fiberglass Basin, With Fiberglass Anti-float	1598	1324	
FSFB48X216F-2P	48X216 Fiberglass Basin, With Fiberglass Anti-float	1692	1377	
FSFB48X228F-2P	48X228 Fiberglass Basin, With Fiberglass Anti-float	1786	1430	
FSFB48X240F-2P	48X240 Fiberglass Basin, With Fiberglass Anti-float	1880	1483	

- Fiberglass Basin, with Fiberglass anti-float
- 2" NPT discharge FREEFLO Guiderail System, 3/4" 304 stainless steel guiderails
- 2" simplex SCH80 PVC discharge kit and 2" stainless steel discharge coupling
- 4" composite hub with 4" grommet hub
- 1-1/2" composite electrical coupling & Stainless Steel float bracket with (3) cord grips
- 2" composite vent coupling
- Powder coated steel hatch cover, hinged & lockable

Adders	DESCRIPTION	LIST PRICE
C48HSFNST	Fiberglass hatch cover, hinged & lockable (deduct)	Contact
C48HSA	Aluminum hatch cover, hinged & lockable	Topp for Price
H601FG w/H600R	6" composite hub with 6" grommet hub	
H801FG	8" composite hub	
U600	6" Uniseal (deduct)	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB4S	Nema 4X Junction Box w/(3) 1/2" and (1) 3/4" cord grips	
Encapsulated Steel Anti-floa	at	
2" 304 stainless steel piping		
2" 304 stainless steel piping	) for basins 126"- 240"	



36" Diameter, 3" NPT Discharge

PART No.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
FSFB36X60F-3P	36X60 Fiberglass Basin, With Fiberglass Anti-float	264	507	Contact
FSFB36X72F-3P	36X72 Fiberglass Basin, With Fiberglass Anti-float	317	582	Topp for Price
FSFB36X84F-3P	36X84 Fiberglass Basin, With Fiberglass Anti-float	370	601	
FSFB36X96F-3P	36X96 Fiberglass Basin, With Fiberglass Anti-float	423	619	
FSFB36X108F-3P	36X108 Fiberglass Basin, With Fiberglass Anti-float	476	637	
FSFB36X120F-3P	36X120 Fiberglass Basin, With Fiberglass Anti-float	529	656	
FSFB36X132F-3P	36X132 Fiberglass Basin, With Fiberglass Anti-float	582	829	
FSFB36X144F-3P	36X144 Fiberglass Basin, With Fiberglass Anti-float	635	850	
FSFB36X156F-3P	36X156 Fiberglass Basin, With Fiberglass Anti-float	687	874	
FSFB36X168F-3P	36X168 Fiberglass Basin, With Fiberglass Anti-float	740	897	
FSFB36X180F-3P	36X180 Fiberglass Basin, With Fiberglass Anti-float	793	921	
FSFB36X192F-3P	36X192 Fiberglass Basin, With Fiberglass Anti-float	876	945	
FSFB36X204F-3P	36X204 Fiberglass Basin, With Fiberglass Anti-float	899	968	
FSFB36X216F-3P	36X216 Fiberglass Basin, With Fiberglass Anti-float	952	992	
FSFB36X228F-3P	36X228 Fiberglass Basin, With Fiberglass Anti-float	1005	1026	
FSFB36X240F-3P	36X240 Fiberglass Basin, With Fiberglass Anti-float	1058	1061	

- Fiberglass Basin, with Fiberglass anti-float
- 3" NPT discharge FREEFLO Guiderail System, 1-1/4" 304 stainless steel guiderails
- 3" simplex SCH80 PVC discharge kit and 3" brass valves
- 4" inlet grommet
- 1-1/2" composite electrical coupling & Stainless Steel float bracket with (3) cord grips
- 2" composite vent coupling
- Solid Fiberglass Cover

Adders	DESCRIPTION	LIST PRICE
C36HSS-FM	Powder-coated steel "frogmouth" hatch cover, hinged & lockable	Contact
C36HSA-FM	Aluminum hatch "frogmouth" coer, hinged & lockable	Topp for Price
H402FG3672 w/H400R	4" composite hub with 4" grommet hub	
H601FG w/H600R	6" composite hub with 6" grommet hub	
H801FG	8" composite hub	
U600	6" Uniseal	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB4S	Nema 4X Junction Box w/(3) 1/2" and (1) 3/4" cord grips	
Encapsulated Steel Anti-float		



# Freeflo™ Guiderail Simplex Package Systems

42" Diameter, 3" NPT Discharge

PART No.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
FSFB42x60F-3P	42X60 Fiberglass Basin, With Fiberglass Anti-float	360	687	Contact Topp for
FSFB42X72F-3P	42X72 Fiberglass Basin, With Fiberglass Anti-float	432	742	Price
FSFB42X84F-3P	42X84 Fiberglass Basin, With Fiberglass Anti-float	504	769	
FSFB42X96F-3P	42X96 Fiberglass Basin, With Fiberglass Anti-float	576	797	
FSFB42X108F-3P	42X108 Fiberglass Basin, With Fiberglass Anti-float	648	825	
FSFB42X120F-3P	42X120 Fiberglass Basin, With Fiberglass Anti-float	720	852	
FSFB42X132F-3P	42X132 Fiberglass Basin, With Fiberglass Anti-float	792	1050	
FSFB42X144F-3P	42X144 Fiberglass Basin, With Fiberglass Anti-float	864	1078	
FSFB42X156F-3P	42X156 Fiberglass Basin, With Fiberglass Anti-float	936	1111	
FSFB42X168F-3P	42X168 Fiberglass Basin, With Fiberglass Anti-float	1008	1145	
FSFB42X180F-3P	42X180 Fiberglass Basin, With Fiberglass Anti-float	1080	1179	
FSFB42X192F-3P	42X192 Fiberglass Basin, With Fiberglass Anti-float	1152	1213	
FSFB42X204F-3P	42X204 Fiberglass Basin, With Fiberglass Anti-float	1224	1247	
FSFB42X216F-3P	42X216 Fiberglass Basin, With Fiberglass Anti-float	1295	1281	
FSFB42X228F-3P	42X228 Fiberglass Basin, With Fiberglass Anti-float	1367	1314	
FSFB42X240F-3P	42X240 Fiberglass Basin, With Fiberglass Anti-float	1439	1355	

- Fiberglass Basin, with Fiberglass anti-float
- 3" NPT discharge FREEFLO Guiderail System, 1-1/4" 304 stainless steel guiderails
- 3" simplex SCH80 PVC discharge kit and 3" brass valves
- 4" inlet grommet
- 1-1/2" composite electrical coupling & Stainless Steel float bracket with (3) cord grips
- 2" composite vent coupling
- Powder coated steel hatch cover, hinged & lockable

Adders	DESCRIPTION	
C42HSA	Aluminum hatch cover, hinged & lockable	Contact
H402FG3672 w/H400R	4" composite hub with 4" grommet hub	Topp for Price
H601FG w/H600R	6" composite hub with 6" grommet hub	
H801FG	8" composite hub	
U600	6" Uniseal	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB4S	Nema 4X Junction Box w/(3) 1/2" and (1) 3/4" cord grips	
Encapsulated Steel Anti-flo	at	



48" Diameter, 3" NPT Discharge

PART No.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
FSFB48x60F-3P	48X60 Fiberglass Basin, With Fiberglass Anti-float	470	781	Contact Topp for
FSFB48X72F-3P	48X72 Fiberglass Basin, With Fiberglass Anti-float	564	880	Price
FSFB48X84F-3P	48X84 Fiberglass Basin, With Fiberglass Anti-float	658	919	
FSFB48X96F-3P	48X96 Fiberglass Basin, With Fiberglass Anti-float	752	957	
FSFB48X108F-3P	48X108 Fiberglass Basin, With Fiberglass Anti-float	846	996	
FSFB48X120F-3P	48X120 Fiberglass Basin, With Fiberglass Anti-float	940	1035	
FSFB48X132F-3P	48X132 Fiberglass Basin, With Fiberglass Anti-float	1034	1263	
FSFB48X144F-3P	48X144 Fiberglass Basin, With Fiberglass Anti-float	1128	1302	
FSFB48X156F-3P	48X156 Fiberglass Basin, With Fiberglass Anti-float	1222	1341	
FSFB48X168F-3P	48X168 Fiberglass Basin, With Fiberglass Anti-float	1316	1379	
FSFB48X180F-3P	48X180 Fiberglass Basin, With Fiberglass Anti-float	1410	1418	
FSFB48X192F-3P	48X192 Fiberglass Basin, With Fiberglass Anti-float	1504	1471	
FSFB48X204F-3P	48X204 Fiberglass Basin, With Fiberglass Anti-float	1598	1524	1
FSFB48X216F-3P	48X216 Fiberglass Basin, With Fiberglass Anti-float	1692	1577	
FSFB48X228F-3P	48X228 Fiberglass Basin, With Fiberglass Anti-float	1786	1630	]
FSFB48X240F-3P	48X240 Fiberglass Basin, With Fiberglass Anti-float	1880	1683	

- Fiberglass Basin, with Fiberglass anti-float
- 3" NPT discharge FREEFLO Guiderail System, 1-1/4" 304 stainless steel guiderails
- 3" simplex SCH80 PVC discharge kit and 3" brass valves
- 4" composite hub with 4" grommet hub
- 1-1/2" composite electrical coupling & Stainless Steel float bracket with (3) cord grips
- 2" composite vent coupling
- Powder coated steel hatch cover, hinged & lockable


Adders	DESCRIPTION	
C48HSFNST	Fiberglass hatch cover, hinged & lockable (deduct)	Contact
C48HSA	Aluminum hatch cover, hinged & lockable	Topp for Price
H601FG w/H600R	6" composite hub with 6" grommet hub	
H801FG	8" composite hub	
U600	6" Uniseal (deduct)	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB4S	Nema 4X Junction Box w/(3) 1/2" and (1) 3/4" cord grips	
Encapsulated Steel Anti-flo	at	



### **Prefabricated Fiberglass Lift Station**

Duplex Side Discharge








### **Prefabricated Fiberglass Lift Station**

Duplex Side Discharge





### Freeflo™ Guiderail Duplex Package Systems

36" Diameter, 1-1/4" NPT Discharge

PART No.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
FDFB36X60F-1P	36X60 Fiberglass Basin, With Fiberglass Anti-float	264	562	Contact Topp for
FDFB36X72F-1P	36X72 Fiberglass Basin, With Fiberglass Anti-float	317	637	Price
FDFB36X84F-1P	36X84 Fiberglass Basin, With Fiberglass Anti-float	370	656	
FDFB36X96F-1P	36X96 Fiberglass Basin, With Fiberglass Anti-float	423	674	
FDFB36X108F-1P	36X108 Fiberglass Basin, With Fiberglass Anti-float	476	692	
FDFB36X120F-1P	36X120 Fiberglass Basin, With Fiberglass Anti-float	529	711	
FDFB36X132F-1P	36X132 Fiberglass Basin, With Fiberglass Anti-float	582	879	
FDFB36X144F-1P	36X144 Fiberglass Basin, With Fiberglass Anti-float	635	900	]
FDFB36X156F-1P	36X156 Fiberglass Basin, With Fiberglass Anti-float	687	924	
FDFB36X168F-1P	36X168 Fiberglass Basin, With Fiberglass Anti-float	740	947	
FDFB36X180F-1P	36X180 Fiberglass Basin, With Fiberglass Anti-float	793	971	
FDFB36X192F-1P	36X192 Fiberglass Basin, With Fiberglass Anti-float	876	995	
FDFB36X204F-1P	36X204 Fiberglass Basin, With Fiberglass Anti-float	899	1018	]
FDFB36X216F-1P	36X216 Fiberglass Basin, With Fiberglass Anti-float	952	1042	]
FDFB36X228F-1P	36X228 Fiberglass Basin, With Fiberglass Anti-float	1005	1076	]
FDFB36X240F-1P	36X240 Fiberglass Basin, With Fiberglass Anti-float	1058	1111	]

- Fiberglass Basin, with Fiberglass anti-float
- 1-1/4" NPT discharge FREEFLO Guiderail System, 3/4" 304 stainless steel guiderails
- 1-1/4" duplex SCH80 PVC discharge kit and 1-1/4" stainless steel discharge coupling
- 4" inlet grommet
- 2" composite electrical coupling & Stainless Steel float bracket with (4) cord grips
- 2" composite vent coupling
- Solid Fiberglass Cover

Adders	DESCRIPTION	LIST PRICE	
C36HSS-FM	Powder-coated steel "frogmouth" hatch cover, hinged & lockable	Contact	
C36HSA-FM	Aluminum "frogmouth" hatch cover,hinged & lockable	Topp for Price	
H403FG3672 w/H400R	4" composite hub with 4" grommet hub		
H601FG w/H600R	6" composite hub with 6" grommet hub		
H801FG	8" composite hub		
U600	6" Uniseal		
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange		
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange		
LL050	L050 Powder coated steel mini lifting lug		
LL050SS	Stainless steel mini lifting lug		
JB6S	Nema 4X Junction Box w/(4) 1/2" and (2) 3/4" cord grips		
JB8S Nema 4X Junction Box w/(6) 1/2" and (2) 3/4" cord grips			
Encapsulated Steel Anti-floa	t		
1-1/4" 304 stainless steel pip	ing for basins 120" or less		
1-1/4" 304 stainless steel pip	ing for basins 126"- 240"		



42" Diameter, 1-1/4" NPT Discharge

PART NO.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
FDFB42x60F-1P	42X60 Fiberglass Basin, With Fiberglass Anti-float	360	747	Contact Topp for
FDFB42X72F-1P	42X72 Fiberglass Basin, With Fiberglass Anti-float	432	802	Price
FDFB42X84F-1P	42X84 Fiberglass Basin, With Fiberglass Anti-float	504	829	
FDFB42X96F-1P	42X96 Fiberglass Basin, With Fiberglass Anti-float	576	857	
FDFB42X108F-1P	42X108 Fiberglass Basin, With Fiberglass Anti-float	648	885	
FDFB42X120F-1P	42X120 Fiberglass Basin, With Fiberglass Anti-float	720	912	
FDFB42X132F-1P	42X132 Fiberglass Basin, With Fiberglass Anti-float	792	1110	
FDFB42X144F-1P	42X144 Fiberglass Basin, With Fiberglass Anti-float	864	1138	
FDFB42X156F-1P	42X156 Fiberglass Basin, With Fiberglass Anti-float	936	1171	
FDFB42X168F-1P	42X168 Fiberglass Basin, With Fiberglass Anti-float	1,008	1205	
FDFB42X180F-1P	42X180 Fiberglass Basin, With Fiberglass Anti-float	1,080	1239	
FDFB42X192F-1P	42X192 Fiberglass Basin, With Fiberglass Anti-float	1,152	1273	
FDFB42X204F-1P	42X204 Fiberglass Basin, With Fiberglass Anti-float	1,224	1307	-
FDFB42X216F-1P	42X216 Fiberglass Basin, With Fiberglass Anti-float	1,295	1341	
FDFB42X228F-1P	42X228 Fiberglass Basin, With Fiberglass Anti-float	1,367	1374	
FDFB42X240F-1P	42X240 Fiberglass Basin, With Fiberglass Anti-float	1,439	1415	

- Fiberglass Basin, with Fiberglass anti-float
- 1-1/4" NPT discharge FREEFLO Guiderail System, 3/4" 304 stainless steel guiderails
- 1-1/4" duplex SCH80 PVC discharge kit and 1-1/4" stainless steel discharge coupling
- 4" inlet grommet
- 2" composite electrical coupling & Stainless Steel float bracket with (4) cord grips
- 2" composite vent coupling
- Powder coated steel hatch cover, hinged & lockable

Adders	DESCRIPTION	
C42HSA	Aluminum hatch cover, hinged & lockable	Contact
H403FG3672 w/H400R	4" composite hub with 4" grommet hub	Topp for Price
H601FG w/H600R	6" composite hub with 6" grommet hub	
H801FG	8" composite hub	
U600	6" Uniseal	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB6S	Nema 4X Junction Box w/(4) 1/2" and (2) 3/4" cord grips	
JB8S	Nema 4X Junction Box w/(6) 1/2" and (2) 3/4" cord grips	
Encapsulated Steel Anti-floa	at	
1-1/4" 304 stainless steel pi	ping for basins 120" or less	
1-1/4" 304 stainless steel pi	ping for basins 126"- 240"	



48" Diameter, 1-1/4" NPT Discharge

Part No.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
FDFB48x60F-1P	48X60 Fiberglass Basin, With Fiberglass Anti-float	470	856	Contact Topp for
FDFB48X72F-1P	48X72 Fiberglass Basin, With Fiberglass Anti-float	564	955	Price
FDFB48X84F-1P	48X84 Fiberglass Basin, With Fiberglass Anti-float	658	994	
FDFB48X96F-1P	48X96 Fiberglass Basin, With Fiberglass Anti-float	752	1032	
FDFB48X108F-1P	48X108 Fiberglass Basin, With Fiberglass Anti-float	846	1071	
FDFB48X120F-1P	48X120 Fiberglass Basin, With Fiberglass Anti-float	940	1110	
FDFB48X132F-1P	48X132 Fiberglass Basin, With Fiberglass Anti-float	1034	1298	
FDFB48X144F-1P	48X144 Fiberglass Basin, With Fiberglass Anti-float	1128	1337	1
FDFB48X156F-1P	48X156 Fiberglass Basin, With Fiberglass Anti-float	1222	1376	
FDFB48X168F-1P	48X168 Fiberglass Basin, With Fiberglass Anti-float	1316	1414	
FDFB48X180F-1P	48X180 Fiberglass Basin, With Fiberglass Anti-float	1410	1453	
FDFB48X192F-1P	48X192 Fiberglass Basin, With Fiberglass Anti-float	1504	1506	
FDFB48X204F-1P	48X204 Fiberglass Basin, With Fiberglass Anti-float	1598	1559	
FDFB48X216F-1P	48X216 Fiberglass Basin, With Fiberglass Anti-float	1692	1612	
FDFB48X228F-1P	48X228 Fiberglass Basin, With Fiberglass Anti-float	1786	1665	
FDFB48X240F-1P	48X240 Fiberglass Basin, With Fiberglass Anti-float	1880	1718	]

- Fiberglass Basin, with Fiberglass anti-float
- 1-1/4" NPT discharge FREEFLO Guiderail System, 3/4" 304 stainless steel guiderails
- 1-1/4" duplex SCH80 PVC discharge kit and 1-1/4" stainless steel discharge coupling
- 4" composite hub with 4" grommet hub
- 2" composite electrical coupling & Stainless Steel float bracket with (4) cord grips
- 2" composite vent coupling
- Powder coated steel hatch cover, hinged & lockable

Adders	DESCRIPTION	LIST PRICE	
C48HSFNST	Fiberglass hatch cover, hinged & lockable (deduct)	Contact	
C48HSA	Aluminum hatch cover, hinged & lockable	Topp for Price	
H601FG w/H600R	6" composite hub with 6" grommet hub		
H801FG	8" composite hub		
U600	6" Uniseal (deduct)		
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange		
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange		
LL050	Powder coated steel mini lifting lug		
LL050SS	Stainless steel mini lifting lug		
JB6S	Nema 4X Junction Box w/[4] 1/2" and (2) 3/4" cord grips		
JB8S	Nema 4X Junction Box w/[6] 1/2" and [2] 3/4" cord grips		
Encapsulated Steel Anti-fl	oat		
1-1/4" 304 stainless steel	piping for basins 120" or less		
1-1/4" 304 stainless steel	piping for basins 126"- 240"		



60" Diameter, 1-1/4" NPT Discharge

PART NO.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
FDFB60x60F-1P	60X60 Fiberglass Basin, With Fiberglass Anti-float	734	1363	Contact Topp for
FDFB60X72F-1P	60X72 Fiberglass Basin, With Fiberglass Anti-float	881	1411	Price
FDFB60X84F-1P	60X84 Fiberglass Basin, With Fiberglass Anti-float	1028	1468	
FDFB60X96F-1P	60X96 Fiberglass Basin, With Fiberglass Anti-float	1175	1527	
FDFB60X108F-1P	60X108 Fiberglass Basin, With Fiberglass Anti-float	1322	1583	
FDFB60X120F-1P	60X120 Fiberglass Basin, With Fiberglass Anti-float	1469	1640	
FDFB60X132F-1P	60X132 Fiberglass Basin, With Fiberglass Anti-float	1616	1847	
FDFB60X144F-1P	60X144 Fiberglass Basin, With Fiberglass Anti-float	1763	1905	
FDFB60X156F-1P	60X156 Fiberglass Basin, With Fiberglass Anti-float	1909	1980	
FDFB60X168F-1P	60X168 Fiberglass Basin, With Fiberglass Anti-float	2056	2055	
FDFB60X180F-1P	60X180 Fiberglass Basin, With Fiberglass Anti-float	2203	2130	
FDFB60X192F-1P	60X192 Fiberglass Basin, With Fiberglass Anti-float	2350	2205	
FDFB60X204F-1P	60X204 Fiberglass Basin, With Fiberglass Anti-float	2497	2280	1
FDFB60X216F-1P	60X216 Fiberglass Basin, With Fiberglass Anti-float	2644	2359	]
FDFB60X228F-1P	60X228 Fiberglass Basin, With Fiberglass Anti-float	2791	2443	
FDFB60X240F-1P	60X240 Fiberglass Basin, With Fiberglass Anti-float	2938	2527	

- Fiberglass Basin, with Fiberglass anti-float
- 1-1/4" NPT discharge FREEFLO Guiderail System, 3/4" 304 stainless steel guiderails
- 1-1/4" duplex SCH80 PVC discharge kit and 1-1/4" stainless steel discharge coupling
- 4" composite hub with 4" grommet hub
- 2" composite electrical coupling & Stainless Steel float bracket with (4) cord grips
- 2" composite vent coupling
- Powder coated steel hatch cover, hinged & lockable

Adders	DESCRIPTION			
C60HSA	Aluminum hatch cover, hinged & lockable	Contact		
H601FG w/H600R	6" composite hub with 6" grommet hub	Topp for Price		
H801FG	8" composite hub			
U600	6" Uniseal (deduct)			
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange			
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange			
LL050	Powder coated steel mini lifting lug			
LL050SS	Stainless steel mini lifting lug			
JB6S	Nema 4X Junction Box w/[4] 1/2" and (2] 3/4" cord grips			
JB8S	Nema 4X Junction Box w/(6) 1/2" and (2) 3/4" cord grips			
Encapsulated Steel Anti-floa	t			
1-1/4" 304 stainless steel pip	1-1/4" 304 stainless steel piping for basins 120" or less			
1-1/4" 304 stainless steel pip	ing for basins 126"- 240"			



72" Diameter, 1-1/4" NPT Discharge

PART No.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
FDFB72x60F-1P	72X60 Fiberglass Basin, With Fiberglass Anti-float	717	1765	Contact
FDFB72X72F-1P	72X72 Fiberglass Basin, With Fiberglass Anti-float	786	1834	Topp for Price
FDFB72X84F-1P	72X84 Fiberglass Basin, With Fiberglass Anti-float	865	1913	
FDFB72X96F-1P	72X96 Fiberglass Basin, With Fiberglass Anti-float	945	1993	
FDFB72X108F-1P	72X108 Fiberglass Basin, With Fiberglass Anti-float	1024	2072	
FDFB72X120F-1P	72X120 Fiberglass Basin, With Fiberglass Anti-float	1103	2151	
FDFB72X132F-1P	72X132 Fiberglass Basin, With Fiberglass Anti-float	1183	2381	
FDFB72X144F-1P	72X144 Fiberglass Basin, With Fiberglass Anti-float	1262	2460	
FDFB72X156F-1P	72X156 Fiberglass Basin, With Fiberglass Anti-float	1352	2550	
FDFB72X168F-1P	72X168 Fiberglass Basin, With Fiberglass Anti-float	1442	2640	
FDFB72X180F-1P	72X180 Fiberglass Basin, With Fiberglass Anti-float	1532	2730	
FDFB72X192F-1P	72X192 Fiberglass Basin, With Fiberglass Anti-float	1628	2826	
FDFB72X204F-1P	72X204 Fiberglass Basin, With Fiberglass Anti-float	1728	2926	
FDFB72X216F-1P	72X216 Fiberglass Basin, With Fiberglass Anti-float	1829	3027	
FDFB72X228F-1P	72X228 Fiberglass Basin, With Fiberglass Anti-float	1930	3128	]
FDFB72X240F-1P	72X240 Fiberglass Basin, With Fiberglass Anti-float	2030	3228	

- Fiberglass Basin, with Fiberglass anti-float
- 1-1/4" NPT discharge FREEFLO Guiderail System, 3/4" 304 stainless steel guiderails
- 1-1/4" duplex SCH80 PVC discharge kit and 1-1/4" stainless steel discharge coupling
- 4" composite hub with 4" grommet hub
- 2" composite electrical coupling & Stainless Steel float bracket with (4) cord grips
- 2" composite vent coupling
- Powder coated steel hatch cover, hinged & lockable

Adders	DESCRIPTION	
C72HSA	Aluminum hatch cover, hinged & lockable	Contact
H601FG w/H600R	6" composite hub with 6" grommet hub	Topp for Price
H801FG	8" composite hub	
U600	6" Uniseal (deduct)	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB6S	Nema 4X Junction Box w/(4) 1/2" and (2) 3/4" cord grips	
JB8S	Nema 4X Junction Box w/(6) 1/2" and (2) 3/4" cord grips	
Encapsulated Steel Anti-flo	at	
1-1/4" 304 stainless steel p		
1-1/4" 304 stainless steel p	iping for basins 126"- 240"	



36" Diameter, 2" NPT Discharge

PART No.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
FDFB36X60F-2P	36X60 Fiberglass Basin, With Fiberglass Anti-float	264	662	Contact Topp for
FDFB36X72F-2P	36X72 Fiberglass Basin, With Fiberglass Anti-float	317	737	Price
FDFB36X84F-2P	36X84 Fiberglass Basin, With Fiberglass Anti-float	370	756	
FDFB36X96F-2P	36X96 Fiberglass Basin, With Fiberglass Anti-float	423	774	
FDFB36X108F-2P	36X108 Fiberglass Basin, With Fiberglass Anti-float	476	792	
FDFB36X120F-2P	36X120 Fiberglass Basin, With Fiberglass Anti-float	529	811	
FDFB36X132F-2P	36X132 Fiberglass Basin, With Fiberglass Anti-float	582	939	
FDFB36X144F-2P	36X144 Fiberglass Basin, With Fiberglass Anti-float	635	960	
FDFB36X156F-2P	36X156 Fiberglass Basin, With Fiberglass Anti-float	687	984	
FDFB36X168F-2P	36X168 Fiberglass Basin, With Fiberglass Anti-float	740	1007	
FDFB36X180F-2P	36X180 Fiberglass Basin, With Fiberglass Anti-float	793	1031	
FDFB36X192F-2P	36X192 Fiberglass Basin, With Fiberglass Anti-float	876	1055	
FDFB36X204F-2P	36X204 Fiberglass Basin, With Fiberglass Anti-float	899	1078	
FDFB36X216F-2P	36X216 Fiberglass Basin, With Fiberglass Anti-float	952	1102	
FDFB36X228F-2P	36X228 Fiberglass Basin, With Fiberglass Anti-float	1005	1136	
FDFB36X240F-2P	36X240 Fiberglass Basin, With Fiberglass Anti-float	1058	1171	

- Fiberglass Basin, with Fiberglass anti-float
- 2" NPT discharge FREEFLO Guiderail System, 3/4" 304 stainless steel guiderails
- 2" duplex SCH80 PVC discharge kit and 2" stainless steel discharge coupling
- 4" inlet grommet
- 2" composite electrical coupling & Stainless Steel float bracket with (4) cord grips
- 2" composite vent coupling
- Solid Fiberglass Cover

Adders	DESCRIPTION	LIST PRICE
C36HSS-FM	Powder-coated steel "frogmouth" hatch cover, hinged & lockable	Contact
C36HSA-FM	Aluminum "frogmouth" hatch cover, hinged & lockable	Topp for Price
H403FG3672 w/H400R	4" composite hub with 4" grommet hub	
H601FG w/H600R	6" composite hub with 6" grommet hub	
H801FG	8" composite hub	
U600	6" Uniseal	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB6S	Nema 4X Junction Box w/[4] 1/2" and [2] 3/4" cord grips	
JB8S	Nema 4X Junction Box w/(6) 1/2" and (2) 3/4" cord grips	
Encapsulated Steel Anti-floa	at	
2" 304 stainless steel piping	for basins 120" or less	
2" 304 stainless steel piping	for basins 126"- 240"	



### Freeflo™ Guiderail Duplex Package Systems

42" Diameter, 2" NPT Discharge

PART No.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	LIST PRICE
FDFB42x60F-2P	42X60 Fiberglass Basin, With Fiberglass Anti-float	360	847	Contact
FDFB42X72F-2P	42X72 Fiberglass Basin, With Fiberglass Anti-float	432	902	Topp for Price
FDFB42X84F-2P	42X84 Fiberglass Basin, With Fiberglass Anti-float	504	929	
FDFB42X96F-2P	42X96 Fiberglass Basin, With Fiberglass Anti-float	576	957	
FDFB42X108F-2P	42X108 Fiberglass Basin, With Fiberglass Anti-float	648	985	
FDFB42X120F-2P	42X120 Fiberglass Basin, With Fiberglass Anti-float	720	1012	
FDFB42X132F-2P	42X132 Fiberglass Basin, With Fiberglass Anti-float	792	1180	-
FDFB42X144F-2P	42X144 Fiberglass Basin, With Fiberglass Anti-float	864	1208	
FDFB42X156F-2P	42X156 Fiberglass Basin, With Fiberglass Anti-float	936	1241	
FDFB42X168F-2P	42X168 Fiberglass Basin, With Fiberglass Anti-float	1,008	1275	
FDFB42X180F-2P	42X180 Fiberglass Basin, With Fiberglass Anti-float	1,080	1309	
FDFB42X192F-2P	42X192 Fiberglass Basin, With Fiberglass Anti-float	1,152	1343	1
FDFB42X204F-2P	42X204 Fiberglass Basin, With Fiberglass Anti-float	1,224	1377	
FDFB42X216F-2P	42X216 Fiberglass Basin, With Fiberglass Anti-float	1,295	1411	
FDFB42X228F-2P	42X228 Fiberglass Basin, With Fiberglass Anti-float	1,367	1444	]
FDFB42X240F-2P	42X240 Fiberglass Basin, With Fiberglass Anti-float	1,439	1485	

- Fiberglass Basin, with Fiberglass anti-float
- 2" NPT discharge FREEFLO Guiderail System, 3/4" 304 stainless steel guiderails
- 2" duplex SCH80 PVC discharge kit and 2" stainless steel discharge coupling
- 4" inlet grommet
- 2" composite electrical coupling & Stainless Steel float bracket with (4) cord grips
- 2" composite vent coupling
- Powder coated steel hatch cover, hinged & lockable

Adders	DESCRIPTION	
C42HSA	Aluminum hatch cover, hinged & lockable	Contact
H403FG3672 w/H400R	4" composite hub with 4" grommet hub	Topp for Price
H601FG w/H600R	6" composite hub with 6" grommet hub	
H801FG	8" composite hub	
U600	6" Uniseal	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB6S	Nema 4X Junction Box w/(4) 1/2" and (2) 3/4" cord grips	
JB8S	Nema 4X Junction Box w/(6) 1/2" and (2) 3/4" cord grips	
Encapsulated Steel Anti-flo	pat	
2" 304 stainless steel pipin	g for basins 120" or less	
2" 304 stainless steel pipin	g for basins 126"- 240"	



48" Diameter, 2" NPT Discharge

PART NO.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
FDFB48x60F-2P	48X60 Fiberglass Basin, With Fiberglass Anti-float	470	946	Contact
FDFB48X72F-2P	48X72 Fiberglass Basin, With Fiberglass Anti-float	564	1045	Topp for Price
FDFB48X84F-2P	48X84 Fiberglass Basin, With Fiberglass Anti-float	658	1084	
FDFB48X96F-2P	48X96 Fiberglass Basin, With Fiberglass Anti-float	752	1122	
FDFB48X108F-2P	48X108 Fiberglass Basin, With Fiberglass Anti-float	846	1161	
FDFB48X120F-2P	48X120 Fiberglass Basin, With Fiberglass Anti-float	940	1200	
FDFB48X132F-2P	48X132 Fiberglass Basin, With Fiberglass Anti-float	1034	1418	
FDFB48X144F-2P	48X144 Fiberglass Basin, With Fiberglass Anti-float	1128	1457	
FDFB48X156F-2P	48X156 Fiberglass Basin, With Fiberglass Anti-float	1222	1496	
FDFB48X168F-2P	48X168 Fiberglass Basin, With Fiberglass Anti-float	1316	1534	
FDFB48X180F-2P	48X180 Fiberglass Basin, With Fiberglass Anti-float	1410	1573	
FDFB48X192F-2P	48X192 Fiberglass Basin, With Fiberglass Anti-float	1504	1626	
FDFB48X204F-2P	48X204 Fiberglass Basin, With Fiberglass Anti-float	1598	1679	
FDFB48X216F-2P	48X216 Fiberglass Basin, With Fiberglass Anti-float	1692	1732	
FDFB48X228F-2P	48X228 Fiberglass Basin, With Fiberglass Anti-float	1786	1785	
FDFB48X240F-2P	48X240 Fiberglass Basin, With Fiberglass Anti-float	1880	1838	

- Fiberglass Basin, with Fiberglass anti-float
- 2" NPT discharge FREEFLO Guiderail System, 3/4" 304 stainless steel guiderails
- 2" duplex SCH80 PVC discharge kit and 2" stainless steel discharge coupling
- 4" composite hub with 4" grommet hub
- 2" composite electrical coupling & Stainless Steel float bracket with (4) cord grips
- 2" composite vent coupling
- Powder coated steel hatch cover, hinged & lockable

Adders	DESCRIPTION	LIST PRICE
C48HSFNST	Fiberglass hatch cover, hinged & lockable (deduct)	Contact
C48HSA	Aluminum hatch cover, hinged & lockable	Topp for Price
H601FG w/H600R	6" composite hub with 6" grommet hub	
H801FG	8" composite hub	
U600	6" Uniseal (deduct)	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB6S	Nema 4X Junction Box w/[4] 1/2" and (2) 3/4" cord grips	
JB8S	Nema 4X Junction Box w/(6) 1/2" and (2) 3/4" cord grips	
Encapsulated Steel Anti-fl	oat	
2" 304 stainless steel pipir	ng for basins 120″ or less	
2" 304 stainless steel pipir	ng for basins 126"- 240"	



### Freeflo™ Guiderail Duplex Package Systems

60" Diameter, 2" NPT Discharge

PART No.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
FDFB60x60F-2P	60X60 Fiberglass Basin, With Fiberglass Anti-float	734	1453	Contact Topp for
FDFB60X72F-2P	60X72 Fiberglass Basin, With Fiberglass Anti-float	881	1501	Price
FDFB60X84F-2P	60X84 Fiberglass Basin, With Fiberglass Anti-float	1028	1558	
FDFB60X96F-2P	60X96 Fiberglass Basin, With Fiberglass Anti-float	1175	1617	
FDFB60X108F-2P	60X108 Fiberglass Basin, With Fiberglass Anti-float	1322	1673	
FDFB60X120F-2P	60X120 Fiberglass Basin, With Fiberglass Anti-float	1469	1730	
FDFB60X132F-2P	60X132 Fiberglass Basin, With Fiberglass Anti-float	1616	1967	1
FDFB60X144F-2P	60X144 Fiberglass Basin, With Fiberglass Anti-float	1763	2025	
FDFB60X156F-2P	60X156 Fiberglass Basin, With Fiberglass Anti-float	1909	2100	
FDFB60X168F-2P	60X168 Fiberglass Basin, With Fiberglass Anti-float	2056	2175	
FDFB60X180F-2P	60X180 Fiberglass Basin, With Fiberglass Anti-float	2203	2250	
FDFB60X192F-2P	60X192 Fiberglass Basin, With Fiberglass Anti-float	2350	2325	
FDFB60X204F-2P	60X204 Fiberglass Basin, With Fiberglass Anti-float	2497	2400	
FDFB60X216F-2P	60X216 Fiberglass Basin, With Fiberglass Anti-float	2644	2479	
FDFB60X228F-2P	60X228 Fiberglass Basin, With Fiberglass Anti-float	2791	2563	
FDFB60X240F-2P	60X240 Fiberglass Basin, With Fiberglass Anti-float	2938	2647	

- Fiberglass Basin, with Fiberglass anti-float
- 2" NPT discharge FREEFLO Guiderail System, 3/4" 304 stainless steel guiderails
- 2" duplex SCH80 PVC discharge kit and 2" stainless steel discharge coupling
- 4" composite hub with 4" grommet hub
- 2" composite electrical coupling & Stainless Steel float bracket with (4) cord grips
- 2" composite vent coupling
- Powder coated steel hatch cover, hinged & lockable

Adders	DESCRIPTION	
C60HSA	Aluminum hatch cover, hinged & lockable	Contact
H602FG w/H600R	6" composite hub with 6" grommet hub	Topp for Price
H802FG	8" composite hub	
U600	6" Uniseal (deduct)	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB6S	Nema 4X Junction Box w/[4] 1/2" and (2) 3/4" cord grips	
JB8S	Nema 4X Junction Box w/(6) 1/2" and (2) 3/4" cord grips	
Encapsulated Steel Anti-flo	pat	
2" 304 stainless steel pipin	g for basins 120" or less	
2" 304 stainless steel pipin	ıg for basins 126"- 240"	



72" Diameter, 2" NPT Discharge

PART NO.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
FDFB72x60F-2P	72X60 Fiberglass Basin, With Fiberglass Anti-float	717	1855	Contact Topp for
FDFB72X72F-2P	72X72 Fiberglass Basin, With Fiberglass Anti-float	786	1924	Price
FDFB72X84F-2P	72X84 Fiberglass Basin, With Fiberglass Anti-float	865	2003	
FDFB72X96F-2P	72X96 Fiberglass Basin, With Fiberglass Anti-float	945	2083	
FDFB72X108F-2P	72X108 Fiberglass Basin, With Fiberglass Anti-float	1024	2162	
FDFB72X120F-2P	72X120 Fiberglass Basin, With Fiberglass Anti-float	1103	2241	
FDFB72X132F-2P	72X132 Fiberglass Basin, With Fiberglass Anti-float	1183	2501	
FDFB72X144F-2P	72X144 Fiberglass Basin, With Fiberglass Anti-float	1262	2580	
FDFB72X156F-2P	72X156 Fiberglass Basin, With Fiberglass Anti-float	1352	2670	
FDFB72X168F-2P	72X168 Fiberglass Basin, With Fiberglass Anti-float	1442	2760	
FDFB72X180F-2P	72X180 Fiberglass Basin, With Fiberglass Anti-float	1532	2850	
FDFB72X192F-2P	72X192 Fiberglass Basin, With Fiberglass Anti-float	1628	2946	
FDFB72X204F-2P	72X204 Fiberglass Basin, With Fiberglass Anti-float	1728	3046	
FDFB72X216F-2P	72X216 Fiberglass Basin, With Fiberglass Anti-float	1829	3147	
FDFB72X228F-2P	72X228 Fiberglass Basin, With Fiberglass Anti-float	1930	3248	
FDFB72X240F-2P	72X240 Fiberglass Basin, With Fiberglass Anti-float	2030	3348	

- Fiberglass Basin, with Fiberglass anti-float
- 2" NPT discharge FREEFLO Guiderail System, 3/4" 304 stainless steel guiderails
- 2" duplex SCH80 PVC discharge kit and 2" stainless steel discharge coupling
- 4" composite hub with 4" grommet hub
- 2" composite electrical coupling & Stainless Steel float bracket with (4) cord grips
- 2" composite vent coupling
- Powder coated steel hatch cover, hinged & lockable

Adders	DESCRIPTION	
C72HSA	Aluminum hatch cover, hinged & lockable	Contact
H602FG w/H600R	6" composite hub with 6" grommet hub	Topp for Price
H802FG	8" composite hub	
U600	6" Uniseal (deduct)	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB6S	Nema 4X Junction Box w/[4] 1/2" and (2) 3/4" cord grips	
JB8S	Nema 4X Junction Box w/(6) 1/2" and (2) 3/4" cord grips	
Encapsulated Steel Anti-float		
2" 304 stainless steel piping for basins 120" or less		
2" 304 stainless steel piping f	or basins 126"- 240"	



# Freeflo™ Guiderail Duplex Package Systems

42" Diameter, 3" NPT Discharge

PART No.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
FDFB42x60F-3P	42X60 Fiberglass Basin, With Fiberglass Anti-float	360	1027	Contact Topp for
FDFB42X72F-3P	42X72 Fiberglass Basin, With Fiberglass Anti-float	432	1082	Price
FDFB42X84F-3P	42X84 Fiberglass Basin, With Fiberglass Anti-float	504	1109	
FDFB42X96F-3P	42X96 Fiberglass Basin, With Fiberglass Anti float	576	1137	
FDFB42X108F-3P	42X108 Fiberglass Basin, With Fiberglass Anti-float	648	1165	
FDFB42X120F-3P	42X120 Fiberglass Basin, With Fiberglass Anti-float	720	1192	
FDFB42X132F-3P	42X132 Fiberglass Basin, With Fiberglass Anti-float	792	1560	-
FDFB42X144F-3P	42X144 Fiberglass Basin, With Fiberglass Anti-float	864	1588	
FDFB42X156F-3P	42X156 Fiberglass Basin, With Fiberglass Anti-float	936	1621	
FDFB42X168F-3P	42X168 Fiberglass Basin, With Fiberglass Anti-float	1008	1655	
FDFB42X180F-3P	42X180 Fiberglass Basin, With Fiberglass Anti-float	1080	1689	
FDFB42X192F-3P	42X192 Fiberglass Basin, With Fiberglass Anti-float	1152	1723	
FDFB42X204F-3P	42X204 Fiberglass Basin, With Fiberglass Anti-float	1224	1757	
FDFB42X216F-3P	42X216 Fiberglass Basin, With Fiberglass Anti-float	1295	1791	
FDFB42X228F-3P	42X228 Fiberglass Basin, With Fiberglass Anti-float	1367	1824	
FDFB42X240F-3P	42X240 Fiberglass Basin, With Fiberglass Anti-float	1439	1865	

- Fiberglass Basin, with Fiberglass anti-float
- 3" NPT discharge FREEFLO Guiderail System, 1-1/4" 304 stainless steel guiderails
- 3" duplex SCH80 PVC discharge kit and 3" stainless steel discharge coupling
- 4" inlet grommet
- 1-1/2" composite electrical coupling & Stainless Steel float bracket with (4) cord grips
- 2" composite vent coupling
- Powder coated steel hatch cover, hinged & lockable

Adders	DESCRIPTION	
C42HSA	Aluminum hatch cover, hinged & lockable	Contact
H601FG w/H600R	6" composite hub with 6" grommet hub	Topp for Price
H801FG	8" composite hub	
U600	6" Uniseal	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB6S	Nema 4X Junction Box w/(4) 1/2" and (2) 3/4" cord grips	
JB8S	Nema 4X Junction Box w/(6) 1/2" and (2) 3/4" cord grips	
Encapsulated Steel Anti-f	loat	



48" Diameter, 3" NPT Discharge

PART NO.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
FDFB48x60F-3P	48X60 Fiberglass Basin, With Fiberglass Anti-float	470	1126	Contact Topp for
FDFB48X72F-3P	48X72 Fiberglass Basin, With Fiberglass Anti-float	564	1225	Price
FDFB48X84F-3P	48X84 Fiberglass Basin, With Fiberglass Anti-float	658	1264	
FDFB48X96F-3P	48X96 Fiberglass Basin, With Fiberglass Anti-float	752	1302	
FDFB48X108F-3P	48X108 Fiberglass Basin, With Fiberglass Anti-float	846	1341	
FDFB48X120F-3P	48X120 Fiberglass Basin, With Fiberglass Anti-float	940	1380	
FDFB48X132F-3P	48X132 Fiberglass Basin, With Fiberglass Anti-float	1034	1798	
FDFB48X144F-3P	48X144 Fiberglass Basin, With Fiberglass Anti-float	1128	1837	
FDFB48X156F-3P	48X156 Fiberglass Basin, With Fiberglass Anti-float	1222	1876	
FDFB48X168F-3P	48X168 Fiberglass Basin, With Fiberglass Anti-float	1316	1914	
FDFB48X180F-3P	48X180 Fiberglass Basin, With Fiberglass Anti-float	1410	1953	
FDFB48X192F-3P	48X192 Fiberglass Basin, With Fiberglass Anti-float	1504	2006	]
FDFB48X204F-3P	48X204 Fiberglass Basin, With Fiberglass Anti-float	1598	2059	
FDFB48X216F-3P	48X216 Fiberglass Basin, With Fiberglass Anti-float	1692	2112	
FDFB48X228F-3P	48X228 Fiberglass Basin, With Fiberglass Anti-float	1786	2165	
FDFB48X240F-3P	48X240 Fiberglass Basin, With Fiberglass Anti-float	1880	2218	

- Fiberglass Basin, with Fiberglass anti-float
- 3" NPT discharge FREEFLO Guiderail System, 1-1/4" 304 stainless steel guiderails
- 3" duplex SCH80 PVC discharge kit and 3" brass valves
- 4" composite hub with 4" grommet hub
- 1-1/2" composite electrical coupling & Stainless Steel float bracket with (4) cord grips
- 2" composite vent coupling
- Powder coated steel hatch cover, hinged & lockable

Adders	DESCRIPTION	LIST PRICE	
C48HSFNST	Fiberglass hatch cover, hinged & lockable (deduct)	Contact	
C48HSA	Aluminum hatch cover, hinged & lockable	Topp for Price	
H601FG w/H600R	6" composite hub with 6" grommet hub		
H801FG	8" composite hub		
U600	6" Uniseal (deduct)		
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange		
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange		
LL050	Powder coated steel mini lifting lug		
LL050SS	Stainless steel mini lifting lug		
JB6S	Nema 4X Junction Box w/[4] 1/2" and [2] 3/4" cord grips		
JB8S	Nema 4X Junction Box w/(6) 1/2" and (2) 3/4" cord grips		
Encapsulated Steel Anti-flo	pat		



# Freeflo™ Guiderail Duplex Package Systems

60" Diameter, 3" NPT Discharge

PART No.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
FDFB60x60F-3P	60X60 Fiberglass Basin, With Fiberglass Anti-float	734	1633	Contact
FDFB60X72F-3P	60X72 Fiberglass Basin, With Fiberglass Anti-float	881	1681	Topp for Price
FDFB60X84F-3P	60X84 Fiberglass Basin, With Fiberglass Anti-float	1028	1738	
FDFB60X96F-3P	60X96 Fiberglass Basin, With Fiberglass Anti-float	1175	1797	
FDFB60X108F-3P	60X108 Fiberglass Basin, With Fiberglass Anti-float	1322	1853	
FDFB60X120F-3P	60X120 Fiberglass Basin, With Fiberglass Anti-float	1469	1910	
FDFB60X132F-3P	60X132 Fiberglass Basin, With Fiberglass Anti-float	1616	2347	
FDFB60X144F-3P	60X144 Fiberglass Basin, With Fiberglass Anti-float	1763	2405	
FDFB60X156F-3P	60X156 Fiberglass Basin, With Fiberglass Anti-float	1909	2480	
FDFB60X168F-3P	60X168 Fiberglass Basin, With Fiberglass Anti-float	2056	2555	
FDFB60X180F-3P	60X180 Fiberglass Basin, With Fiberglass Anti-float	2203	2630	
FDFB60X192F-3P	60X192 Fiberglass Basin, With Fiberglass Anti-float	2350	2705	
FDFB60X204F-3P	60X204 Fiberglass Basin, With Fiberglass Anti-float	2497	2780	
FDFB60X216F-3P	60X216 Fiberglass Basin, With Fiberglass Anti-float	2644	2859	
FDFB60X228F-3P	60X228 Fiberglass Basin, With Fiberglass Anti-float	2791	2943	
FDFB60X240F-3P	60X240 Fiberglass Basin, With Fiberglass Anti-float	2938	3027	

- Fiberglass Basin, with Fiberglass anti-float
- 3" NPT discharge FREEFLO Guiderail System, 1-1/4" 304 stainless steel guiderails
- 3" duplex SCH80 PVC discharge kit and 3" brass valves
- 4" composite hub with 4" grommet hub
- 2" composite electrical coupling & Stainless Steel float bracket with (4) cord grips
- 2" composite vent coupling
- Powder coated steel hatch cover, hinged & lockable

Adders	DESCRIPTION	LIST PRICE	
C60HSA	Aluminum hatch cover, hinged & lockable	Contact	
H602FG w/H600R	6" composite hub with 6" grommet hub	Topp for Price	
H802FG	8" composite hub		
U600	6" Uniseal (deduct)	]	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange		
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	]	
LL050	Powder coated steel mini lifting lug	]	
LL050SS	Stainless steel mini lifting lug		
JB6S	Nema 4X Junction Box w/(4) 1/2" and (2) 3/4" cord grips		
JB8S	Nema 4X Junction Box w/(6) 1/2" and (2) 3/4" cord grips	]	
Encapsulated Steel Anti-float			



72" Diameter, 3" NPT Discharge

PART NO.	DESCRIPTION	CAPACITY IN U.S. GALLONS	WEIGHT U.S. LBS.	
FDFB72x60F-3P	72X60 Fiberglass Basin, With Fiberglass Anti-float	717	2035	Contact Topp for
FDFB72X72F-3P	72X72 Fiberglass Basin, With Fiberglass Anti-float	786	2104	Price
FDFB72X84F-3P	72X84 Fiberglass Basin, With Fiberglass Anti-float	865	2183	
FDFB72X96F-3P	72X96 Fiberglass Basin, With Fiberglass Anti-float	945	2263	
FDFB72X108F-3P	72X108 Fiberglass Basin, With Fiberglass Anti-float	1024	2342	
FDFB72X120F-3P	72X120 Fiberglass Basin, With Fiberglass Anti-float	1103	2421	
FDFB72X132F-3P	72X132 Fiberglass Basin, With Fiberglass Anti-float	1183	2881	
FDFB72X144F-3P	72X144 Fiberglass Basin, With Fiberglass Anti-float	1262	2960	
FDFB72X156F-3P	72X156 Fiberglass Basin, With Fiberglass Anti-float	1352	3050	
FDFB72X168F-3P	72X168 Fiberglass Basin, With Fiberglass Anti-float	1442	3140	
FDFB72X180F-3P	72X180 Fiberglass Basin, With Fiberglass Anti-float	1532	3230	
FDFB72X192F-3P	72X192 Fiberglass Basin, With Fiberglass Anti-float	1628	3326	
FDFB72X204F-3P	72X204 Fiberglass Basin, With Fiberglass Anti-float	1728	3426	
FDFB72X216F-3P	72X216 Fiberglass Basin, With Fiberglass Anti-float	1829	3527	]
FDFB72X228F-3P	72X228 Fiberglass Basin, With Fiberglass Anti-float	1930	3628	
FDFB72X240F-3P	72X240 Fiberglass Basin, With Fiberglass Anti-float	2030	3728	

- Fiberglass Basin, with Fiberglass anti-float
- 3" NPT discharge FREEFLO Guiderail System, 1-1/4" 304 stainless steel guiderails
- 3" duplex SCH80 PVC discharge kit and 3" brass valves
- 4" composite hub with 4" grommet hub
- 2" composite electrical coupling & Stainless Steel float bracket with (4) cord grips
- 2" composite vent coupling
- Powder coated steel hatch cover, hinged & lockable

Adders	DESCRIPTION	LIST PRICE
C72HSA	Aluminum hatch cover, hinged & lockable	Contact
H602FG w/H600R	6" composite hub with 6" grommet hub	Topp for Price
H802FG	8" composite hub	
U600	6" Uniseal (deduct)	
GV200S w/PF200T	2" green vent w/ SS close nipple, 2" thd. vent flange	
GV300S w/PF300T	3" green vent w/ SS close nipple, 3" thd. vent flange	
LL050	Powder coated steel mini lifting lug	
LL050SS	Stainless steel mini lifting lug	
JB6S	Nema 4X Junction Box w/(4) 1/2" and (2) 3/4" cord grips	
JB8S	Nema 4X Junction Box w/(6) 1/2" and (2) 3/4" cord grips	
Encapsulated Steel Anti-floa	at	



#### DESCRIPTION UNISEAL

#### A Positive Pipe-to-Tank Seal for Flat or Curved Surfaces



Topp Industries has developed UNISEAL PIPE SEALS, based on the needs and demands of the industries they serve. These seals are designed for holding tanks but work well in any application where pipe penetrations are required. Perfect for hydroponic growers, pond suppliers, and reef and marine industries. UNISEAL PIPE SEALS quickly create a secure watertight seal without any adhesive, hardware or threads and can be used through the walls of any container or filter box.

A lubricant is also available to ease the installation of UNISEAL PIPE SEALS and is used to coat the interior surface of the UNISEAL PIPE SEALS and the exterior of the pipe. An adhesive for a petroleum resistant bond between the UNISEAL PIPE SEALS and fiberglass, polyethylene and metals is also offered.

Other UNISEAL PIPE SEALS applications include wastewater lift stations, valve boxes, sump risers, pump stations, dispenser pans, junction boxes cooling systems and boats.

- Models available for accommodating 3/8" piping (through 1" hole) up to 6" piping (through 7" hole)
- Easy installation
- Tough, pliable thermoplastic material
- Excellent resistance to most chemical compounds, petroleum products, methanol, ethanol and most soil compounds
- Ideal for use with PVC, galvanized steel, copper, EMT, rigid conduit, fiberglass and polyethylene pipe

	PART NO.	PRICE
Pipe Seal for 3/8" Piping (.0675" OD), Through 1" Hole	U038	Contact Topp for
Pipe Seal for ½" Piping (.0840" OD), Through 1¼" Hole	U050	- Price
Pipe Seal for ¾" Piping (1.050" OD), Through 1¼" Hole	U075	
Pipe Seal for 1" Piping (1.315" OD), Through 1¾" Hole	U100	
Pipe Seal for 1¼" Piping (1.660" OD), Through 2" Hole	U125	
Pipe Seal for 1½" Piping (1.900" OD), Through 2½" Hole	U150	
Pipe Seal for 2" Piping (2.375" OD), Through 3" Hole	U200	
Pipe Seal for 2" Piping (SDR35 Pipe), Through 3" Hole	U200-35	-
Pipe Seal for 1¼" Piping (1.660" OD), through 3" Hole	U200-125	-
Pipe Seal for 1½" Piping (1.900" OD), Through 3" Hole	U200-150	-
Pipe Seal for 3" Piping (3.500" OD), Through 4" Hole	U300	
Pipe Seal for 2" Piping (2.375" OD), through 4" Hole	U320	-
Pipe Seal for Piping w/a 3.900" OD, Through 5" Hole	U390	-
Pipe Seal for 4" Piping (4.500" OD), Through 5" Hole	U400	
Pipe Seal for 4" x SDR35 Piping (4.330" OD),Through 5" hole	U400-35	
Pipe Seal for 3" Piping (3.500" OD), Through 5" Hole	U430	-
Pipe Seal for Piping w/a 4.900" OD, Through 5½" Hole	U490	
Pipe Seal for Piping w/a 5.900" OD, Through 7" Hole	U590	-
Pipe Seal for 6" Piping (6.625" OD), Through 7" Hole	U600	-
Pipe Seal for 6" x SDR35 Piping (6.299" OD),Through 7" Hole	U600-35	•
Electric Cord Grommet, Seals up to 3 cords Through a 2" Hole	UECG	-

PART NO

Dave



This limited warranty is issued by Topp Industries, Inc. to the original purchaser of its sump/sewage basins and accessories and is neither transferable to nor enforceable by any other person, corporation, entity other than the original purchaser. This limited warranty and all implied warranties are limited in duration to one (1) year from the date the sump/sewage basin and/or accessories are delivered. Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you.

Topp Industries, Inc. warrants that the sump/sewage basin and/or accessories manufactured and assembled by it are fit for underground application against fracture and collapse under normal use and service as specified by Topp Industries, Inc.; provided however, the remedies under this warranty shall encompass only the repairing or supplying a replacement part for a defective part and Topp Industries, Inc. specifically excludes any obligation for consequential or special damages or incidental expenses for breach of this warranty or any implied warranty. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you.

#### The conditions for application of this warranty are as follows:

- 1. That the sump/sewage basin be installed in a vertical position. Under no circumstances shall the bottom of the basin be installed deeper that the total depth of the basin. The basin must be installed with a minimum of 75% of the basin below finished grade.
- 2. That the basin be used in a wastewater/sewage application.
- 3. That normal use and service shall mean any application that does not exceed the conditions created by totally submerging the basin in saturated soil with a density of 120 pounds per cubic foot.
- 4. Backfill must be a suitable material, as defined in the Topp Industries, Inc. Installation Reference Guide, compacted to a minimum soil modulus of 700 pounds per square inch.

#### This limited warranty does not apply to:

- 1. Items warranted separately by the manufacturer thereof, including, but not limited to submersible pumps and related fittings.
- 2. Defects or damage attributable to abuse, misuse, neglect or accident or other casualty following shipment by Topp Industries, Inc.
- 3. Damages resulting from errors in design specifications provided by the purchaser or its agents.
- 4. Damage due to improper handling or installation.
- 5. Normal wear and usage, or conditions resulting from normal wear or usage.

In the event of any fractured or collapsed sump/sewage basin and/or accessory claimed to be covered by the terms of this warranty, the claimant shall notify Topp Industries, Inc. within ten (10) days of its discovery and shall give Topp Industries, Inc. the opportunity to be present, through its agents or employees, before any alteration of the products and during the removal and inspection of the basin claimed to be defective and covered by this warranty. Topp Industries, Inc. will then, in the method it determines as its sole option to be necessary, repair or correct any such defect attributable to its manufacturing or assembly of the sump/sewage basin or accessory at its own cost and expense, exclusive of freight and any transportation costs.

There are no warranties, either expressed or implied, which extend beyond the description on the face hereof. This warranty gives you specific legal rights. You may also have other legal rights which may vary from state to state.

If you are in need of any additional information or assistance relating to matters covered by this Limited Warranty, contact Topp Industries, Inc. at 800-354-4534 or 574-223-3681, fax: 574-223-6106 or e-mail: toppindustries@toppindustries.com.





### TOPP INDUSTRIES, INC.

P.O. Box 420 • Highway 25 North • Rochester, IN 46975 Phone: 574-223-3681 • Toll Free: 800-354-4534 • Fax: 574-223-6106 www.toppindustries.com • e-mail: toppindustries@toppindustries.com