

LV-WU360 / LV-WX370 / LV-X350

THREE PROJECTORS WITH QUALITY AND PERFORMANCE AT THEIR CORE

Canon's range of bright and portable LV projectors offer WUXGA, WXGA and XGA quality using LCD panel technology and long-lasting lamps for maximum efficiency and low-cost performance.



- Compact, lightweight design making it easy to be carried
- LCD technology for excellent 10-bit colour reproduction
- High brightness and high contrast providing bright, vivid images
- Up to 20,000 hours lamp life lowers total cost of ownership and limits maintenance time
- Immediate power off so can be moved or stored away quickly
- Low running noise of 30 dB in eco mode for distraction-free use
- Multiple connectivity options including HDMI, USB viewer function, RS232-C and LAN
- Corner keystone correction plus pincushion / barrel distortion correction*, ensures geometry stays accurate
- 10W speaker for incorporating audio into the room
- 3-year warranty and free lamp promotion gives peace of mind**

*Pincushion / barrel distortion correction on WXGA / XGA models

**T&C's apply, varies by territory.

HDMI™
HIGH DEFINITION MULTIMEDIA INTERFACE

Link™



PRODUCT RANGE



LV-WU360



LV-WX370



LV-X350

LV-HD420
LV-X420
LV-WU360
LV-WX370
LV-WX320
LV-WX310ST
LV-X350
LV-X320

Canon


Live for the story_

TECHNICAL SPECIFICATIONS

LV-WU360/ LV-WX370/LV-X350

PANEL			
Type	3 transmissive liquid crystal panel (LCD)	PORTS AND CONNECTORS	
Size and Number	LV-WU360: 0.64" LCD x 3 LV-WX370: 0.59" LCD x 3 LV-X350: 0.63" LCD x 3	Analogue PC Input	Mini Dsub 15
Aspect Ratio	LV-WU360: 16:10 LV-WX370: 16:10 LV-X350: 4:3	Analogue PC Output (Monitor out)	Mini Dsub 15
Resolution	LV-WU360: 1920 x 1200 (WUXGA), 2,304,000 pixels LV-WX370: 1280 x 800 (WXGA), 1,024,000 pixels LV-X350: 1024 x 768 (XGA), 786,432 pixels	Digital PC / Digital Video	HDMI x 2
OPTICS		Audio Input	RCA phono x 2
Lamp Type	Super high pressure lamp	Audio Output	3.5mm stereo mini-jack
Lens F Number and Focal Length	F1.6 – F1.76; f=19.2 – 23.0mm	USB	3.5mm stereo mini-jack
Zoom Magnification and Control	1.2x Manual	Mini USB Service Port	Type A still image: JPG/GIF/PNG/TIF/BMP/PDF Movie: AVI
Electrical Zoom	1.6x max	Projector Control	Type B. Firmware update and PC screen transfer*
Focus Control	Manual	Network Port 1	Mini D-Sub 9-pin (RS232c)
IMAGE AND AUDIO		Built-in Speaker	RJ-45 (100Base-TX / 10Base-T). PC screen transfer* 10W monaural
Brightness	LV-WU360: 3600 lumens (Eco: 2340 Lumens) LV-WX370: 3700 lumens (Eco: 2405 Lumens) LV-X350: 3500 lumens (Eco: 2275 Lumens)	MECHANISMS	
Brightness Uniformity	80%	Front Elevation Mechanism	2 x rotary feet (up to 10° elevation angle). Extension length 42mm
Dynamic Contrast Ratio	15,000:1 (Fully white : fully black. Iris on, lamp mode normal)	Rear Elevation Mechanism	2 x fixed feet
Projection Distance Coverage	LV-WU360: 0.87m – 10.74m LV-WX370: 0.94m – 11.60m LV-X350: 0.89m – 10.94m	RATINGS	
Distance for 100" Image	LV-WU360: 2.96m - 3.56m LV-WX370: 3.20m - 3.85m LV-X350: 3.02m - 3.63m	Dimensions (W x H x D)	345mm x 261mm x 99mm (including protrusions)
Screen Size	30-300" (65x40 - 646x404cm)	Weight	LV-WU360: 3.3kg LV-WX370: 3.2kg LV-X350: 3.2kg
Projection Ratio	LV-WU360: 1.37 - 1.65:1 LV-WX370: 1.48 - 1.78:1 LV-X350: 1.48 - 1.78:1	Power Source	100-240 V AC, 50/60Hz
Keystone Correction Range	Vertical: +/-30° Manual. Horizontal: +/-15° Manual.	Power Consumption Normal	LV-WU360: 320W / Eco: 224W LV-WX370: 310W / Eco: 217W LV-X350: 310W / Eco: 217W
Digital PC Input	WUXGA / FHD / WSXGA+ / UXGA / SXGA+ / WXGA+ / FWXGA / WXGA / SXGA / XGA / SVGA / VGA / Mac16	Power Consumption Standby	Wake on LAN: 2W / Eco: 0.4W
Analogue PC Input	WUXGA / FHD / WSXGA+ / UXGA / SXGA+ / WXGA+ / FWXGA / WXGA / SXGA / XGA / SVGA / VGA / Mac16	Light Source Life	Normal: 10,000h / Eco: 20,000h
Digital Video Input	1080p / 1080i / 720p / 576p / 480p / 576i / 480i	Noise Level	Normal / Eco: 37/30 dB
Component Video input	1080p / 1080i / 720p / 576p / 480p / 576i / 480i	Operating Environment	0° to 40°C (RH: 10-85%)
Composite Video input	NTSC / NTSC4.43 / PAL60 / PAL-M / PAL / PAL-N / SECAM	Storage Environment	-20°C to +60°C
Display Modes	Standard, Presentation, User image, Colorboard, Blackboard (Green) & Movie	Warranty	3 years
Built-in Speaker	10W monaural		

*Operated through pwPresenter running on PC
All data is based on Canon standard testing methods except where indicated
Subject to change without notice.



- 1 Audio in phono
- 2 Stereo audio out
- 3 2 x HDMI
- 4 VGA
- 5 RS232-C
- 6 USB-B (USB display function)
- 7 USB-A (Memory viewer function)
- 8 Video in
- 9 Audio in Mini-jack
- 10 Monitor out
- 11 Lan control

Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
Canon Europa NV 2019

Canon

Live for the story_

THREE PROJECTORS WITH QUALITY AND PERFORMANCE AT THEIR CORE

LV-WU360/ LV-WX370/LV-X350

Canon's range of bright and portable LV projectors offer WUXGA, WXGA and XGA quality using LCD panel technology and long-lasting lamps for maximum efficiency and low-cost performance.

Sales Start Date: Aug '19



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code
Multimedia Projector LV-WU360	3852C003AA	4549292146646
Multimedia Projector LV-WU360 (GB)	3852C005AA	8714574659213
Multimedia Projector LV-WX370	3851C003AA	4549292146622
Multimedia Projector LV-WX370 (GB)	3851C005AA	8714574659183
Multimedia Projector LV-X350	3850C003AA	4549292146608
Multimedia Projector LV-X350 (GB)	3850C005AA	8714574659190

ACCESSORIES:

Product Name	Mercury Code	EAN Code
Lamp Assembly LV-LP43	3899C001AA	4549292149296
Remote Controller LV-RC12	3898C001AA	4549292149302
Replacement Air Filter LV-FL01	3900C001AA	4549292149500

THROW DISTANCE TABLES:

Diagonal	LV-WU360 (16:10)						LV-WX370 (16:10)						LV-X350 (4:3)					
	Screen Size		Projection Distance		Ratio H1 : H2		Screen Size		Projection Distance		Ratio H1 : H2		Screen Size		Projection Distance		Ratio H1 : H2	
	Width (cm)	Height (cm)	L(W) (m)	L(T) (m)	H1 (cm)	H2 (cm)	Width (cm)	Height (cm)	L(W) (m)	L(T) (m)	H1 (cm)	H2 (cm)	Width (cm)	Height (cm)	L(W) (m)	L(T) (m)	H1 (cm)	H2 (cm)
30	65	40	0.87	1.05	0.87	1.05	65	40	0.94	1.14	37.5	2.9	61	46	0.89	1.07	39.2	6.5
60	129	81	1.77	2.13	1.77	2.13	129	81	1.91	2.3	75	5.8	122	91	1.8	2.12	78.3	13.1
80	172	108	2.37	2.85	2.37	2.85	172	108	2.55	3.07	100	7.7	163	122	2.41	2.9	104.5	17.4
100	215	135	2.96	3.56	2.96	3.56	215	135	3.2	3.85	125	9.6	203	152	3.02	3.63	130.6	21.8
150	323	202	4.45	5.36	4.45	5.36	323	202	4.81	5.79	187.5	14.4	305	229	4.54	5.46	195.9	32.7
200	431	269	5.95	7.15	5.95	7.15	431	269	6.42	7.72	250	18.2	406	305	6.06	7.28	261.3	43.5
250	538	337	7.44	8.94	7.44	8.94	538	337	8.04	9.66	312.5	24	508	381	7.58	9.11	326.6	54.4
300	646	404	8.93	10.74	8.93	10.74	646	404	9.65	11.6	375.1	28.8	610	457	9.1	10.94	391.9	65.3

Live for the story_

THREE PROJECTORS WITH QUALITY AND PERFORMANCE AT THEIR CORE

LV-WU360/ LV-WX370/LV-X350

Canon's range of bright and portable LV projectors offer WUXGA, WXGA and XGA quality using LCD panel technology and long-lasting lamps for maximum efficiency and low-cost performance.



MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Item Qty	Pack description	Width (mm)	Height (mm)	Depth (mm)	Volume (cm ³)	Gross Weight (kg)	Net Weight (kg)
Multimedia Projector LV-WU360	3852C003AA	1	Inner	345	99	261	8,915	-	Approx. 3.3
Multimedia Projector LV-WU360 (GB)	3852C005AA		Outer	440	190	390	32,604	Approx. 6	-
Multimedia Projector LV-WX370	3851C003AA	1	Inner	345	99	261	8,915	-	Approx. 3.2
Multimedia Projector LV-WX370 (GB)	3851C005AA		Outer	440	190	390	32,604	Approx. 6	-
Multimedia Projector LV-X350	3850C003AA	1	Inner	345	99	261	8,915	-	Approx. 3.2
Multimedia Projector LV-X350 (GB)	3850C005AA		Outer	440	190	390	32,604	Approx. 6	-

What's in the box?

- Multimedia Projector
- Remote Control (RS-RC12)
- Mains Power Cable
- VGA CABLE
- AAA MN BATTERY
- Warranty Card (E)
- Important Information

Canon

Live for the story_