



element14

EN - For pricing and availability in your local country please visit one of the below links:

DE - Informationen zu Preisen und Verfügbarkeit in Ihrem Land erhalten Sie über die unten aufgeführten Links:

FR - Pour connaître les tarifs et la disponibilité dans votre pays, cliquez sur l'un des liens suivants:

[PEX1P](#)

EN

This Datasheet is presented by
the manufacturer

DE

Dieses Datenblatt wird vom
Hersteller bereitgestellt

FR

Cette fiche technique est
présentée par le fabricant

1 Port PCI Express Dual Profile Parallel Adapter Card - SPP/EPP/ECP

StarTech ID: PEX1P



The PEX1P PCIe Parallel Adapter card can be installed in a PCI Express (PCIe) slot, allowing you to connect EPP/ECP parallel peripherals to any computer system. Relying on a native single-chip design(Oxford OXPCle952), this adapter harnesses the true capability of PCI Express - ensuring maximum performance and reliability.

This high performance SPP/EPP/ECP parallel card adds one DB25 parallel port, perfect for connecting printers, scanners, CD-R/RW drives, memory card readers, bar code scanners and more. With the added convenience of plug and play capability, installing the parallel adapter card is hassle-free!

The PCIe Parallel Adapter card includes both standard and half-height/low profile mounting brackets and is backed by a StarTech.com two year warranty and free lifetime technical support.

Applications

- Connects any parallel peripheral including printers, scanners, CD-R/RWs, Zip® drives, and memory card readers.

Features

- SPP/EPP/ECP Parallel port fully supports existing Centronics interface
- Compliant with PCI Express Base Specification 1.0a
- Includes low profile/half-height mounting bracket
- PCI 2.2 and PCI Power Management 1.0 compliant

Technical Specifications

Warranty	2 Years
Ports	1
Bus Type	PCI Express
Card Type	Standard Profile (LP bracket incl.)
Port Style	Integrated on Card
Chipset ID	PLX/Oxford - OXPCIe952
Connector Type(s)	1 - PCI Express x1 Male
External Ports	1 - DB-25 (25 pin; D-Sub) Female
Maximum Data Transfer Rate	1.5 Mbps
OS Compatibility	Windows® 8 (32/64bit), 7 (32/64), Vista(32/64), XP(32/64), 2000, ME, 98SE, 95 Windows® Server 2008 R2 Linux
Product Length	21 mm [0.8 in]
Product Width	110 mm [4.3 in]
Product Height	120 mm [4.7 in]
Product Weight	65 g [2.3 oz]
Shipping (Package) Weight	130 g [4.6 oz]
Included in Package	1 - PCI Express Parallel Card
Included in Package	1 - Low Profile Bracket
Included in Package	1 - Driver CD
Included in Package	1 - Instruction Manual

Certifications, Reports and Compatibility





element14

EN - For pricing and availability in your local country please visit one of the below links:

DE - Informationen zu Preisen und Verfügbarkeit in Ihrem Land erhalten Sie über die unten aufgeführten Links:

FR - Pour connaître les tarifs et la disponibilité dans votre pays, cliquez sur l'un des liens suivants:

[PEX1P](#)

EN

This Datasheet is presented by
the manufacturer

DE

Dieses Datenblatt wird vom
Hersteller bereitgestellt

FR

Cette fiche technique est
présentée par le fabricant