
XEROX® VERSALINK® COLOR PRINTERS

Unrivaled Color, Reliability and Performance

C8000 AND C9000







Xerox® VersaLink® C8000 and C9000 Color Printers

When you need professional color, flawless reliability and top productivity in a well-connected printer, count on the VersaLink® C8000 and C9000 Color Printers with Xerox® ConnectKey® Technology. The feature-rich, app-enabled C8000 is ready to be customized as your workplace assistant. The C9000 adds greater media flexibility and precision color matching and control tools for graphic arts professionals and creative agencies.

To learn more about VersaLink® device features, go to www.xerox.com/VersaLinkEG.

VIBRANT COLOR. BIG PERFORMANCE. TOP RELIABILITY.

Right out of the box, you'll count on the Xerox® VersaLink® C8000 and C9000 Color Printers to consistently and flawlessly perform the tasks that make your business work more efficiently. From IT-free installation wizards to step-by-step configuration options, you're ready to go — hassle free.

Designed for superior reliability, the VersaLink® C8000 and C9000 Color Printers feature a new hardware design with fewer moving parts, strengthened paper path components and an advanced imaging system.

VersaLink® devices are loaded with features and time-saving Xerox® technologies designed to speed up information sharing and reduce inefficient workflows.

When it comes to safeguarding critical information, VersaLink® devices deliver a spectrum of stringent security features, including Secure Print and card authentication to control access.

Count on superior print quality to make your work look its best. A print resolution of up to 1200 x 2400 dpi delivers sharp text and fine line detail, plus exceptional color vibrancy that enhances business communications— even on oversize media.

INTUITIVE. POWERFUL. READY FOR ANY JOB.

With the customizable capacitive 5-inch color touchscreen, you can tap, swipe and pinch your way through tasks and functions with mobile-like ease.

Get more done in less time by creating customized 1-Touch Apps to automate multi-step workflows for individuals or groups. Simply tap your new app to quickly perform the job you configured. And with Simple ID, individual users and groups enter a user ID and password once and then enjoy fast, secure access to task-specific presets, individualized favorite contacts and commonly used apps on a personalized home screen.

Whether your documents are color or black-and-white, letter-size or oversize, the VersaLink® C8000 and C9000 Color Printers have the power and features you need to handle even the most challenging print jobs.

CONNECT TO WHAT YOU WANT, WHEN YOU WANT.

The VersaLink® C8000 and C9000 Color Printers give you the freedom to work where and how you want. Easily add connectivity to Google Drive™, Microsoft® OneDrive® and Dropbox™, and access additional options through the Xerox App Gallery.

The ability to connect and print from multiple devices is key for today's worker, and VersaLink® devices meet the challenge with Apple® AirPrint®, Google Cloud Print™, Xerox® Print Service Plug-in for Android™, Near Field Communication (NFC) Tap-to-Pair and Mopria®, plus optional Wi-Fi® and Wi-Fi Direct®.

Learn more about why Xerox is the only choice for today's mobile professionals by visiting www.xerox.com/Mobile.

XEROX® CONNECTKEY® TECHNOLOGY — THE NEXUS OF YOUR COMPLETE PRODUCTIVITY ECOSYSTEM

From Xerox — the company that created the modern workplace — we present the next revolution in workplace productivity. With a consistent user experience across a wide range of devices, mobile and cloud connectivity and a growing library of apps to expand functionality, you'll work faster, better and smarter.

Intuitive User Experience

An entirely new — and yet entirely familiar way to interact that includes a tablet-like experience with gesture-based touchscreen controls and easy customization.

Mobile and Cloud Ready

Instant connectivity to cloud and mobile devices right from the user interface, with access to cloud-hosted services that let you work where, when and how you want.

Benchmark Security

Full multi-level protection for both documents and data, ready to guard against and eliminate emerging threats and meet or exceed regulatory compliance.

Enables Next Generation Services

Work more efficiently and manage resources more effectively. Easy integration of Xerox® Managed Print Services enables remote monitoring of service delivery and consumables.

Gateway to New Possibilities

Instantly extend your capabilities with access to the Xerox App Gallery, featuring real-world apps designed to optimize digital workflows. Commission our network of partners to design innovative, business-specific solutions.

Find out more about how you'll work smarter at www.ConnectKey.com.



Xerox® VersaLink® C8000 Color Printer Print. Mobile connectivity.



Xerox® VersaLink® C9000 Color Printer Print. Mobile connectivity.

- **1 Card Reader Bay** and internal card reader compartment.
- **2 A front-side USB port**¹ allows users to quickly print from any standard USB memory device.
- **3 The 100-Sheet Bypass Tray** handles media sizes from 3.5 x 3.9 in. to 12.6 x 19 in./88.9 x 98.4 mm to 320 x 482.6 mm and banners from 12.6 x 52 in./ 320 x 1,320.8 mm (64 to 350 gsm).
- **4 Tray 1** handles up to 520 sheets with custom sizes of 3.9 x 5.8 in. to 11.7 x 17 in./100 x 148 mm to 297 x 431.8 mm (64 to 300 gsm).
- **5 Tray 2** handles up to 520 sheets with custom sizes of 3.9 x 5.8 in. to 12.6 x 18 in./100 x 148 mm to 320 x 457.2 mm (64 to 300 gsm).

MULTIPLE PAPER TRAY OPTIONS TO FIT EVERY NEED

- **6 The optional Envelope Kit** (replaces Tray 1) provides trouble-free feeding of up to 50 envelopes.
- **7 The optional Tandem Tray Module** adds up to 2,000 sheets; 8.5 x 11 in./A4, B5 (64 to 300 gsm).
- **8 The optional Two Tray Module** adds up to 1,040 sheets with custom sizes of 3.9 x 5.8 in. to 12.6 x 18 in./ 100 x 148 mm to 320 x 457.2 mm (64 to 300 gsm).
- **9 The optional High Capacity Feeder** adds up to 2,000 sheets with standard sizes of 8.5 x 11 in., 7.25 x 10.5 in./A4, B5 (64 to 216 gsm).

ADD INCREASED VERSATILITY WITH FINISHING OPTIONS

- **10 Dual Offset Catch Tray** (standard when finishers are not attached): 250 sheets each tray.
- 11 The optional Office Finisher gives you advanced finishing functions at a great value and offers optional crease/score and saddle-stitch booklet making capable of 60-page booklets (2 to 15 sheets).
- 12 The optional BR Booklet Maker Finisher provides the capability to create 64-page saddle-stitched booklets (2 to 16 sheets).



Xerox® VersaLink® C8000 and C9000 Default Configuration

INTRODUCING TOUCHSCREEN SUPERIORITY

Meet our all-new, 5-inch color touchscreen — the user interface that sets a higher standard for customization, personalization and versatility.

By presenting a familiar "mobile" experience — with support for gestural input and task-focused apps that share a common look and feel — fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center. Don't like where a function or app is located? Customize the layout to make it yours.

This unmatched balance of hardware technology and software capability helps everyone who interacts with the VersaLink® C8000 and C9000 Color Printers get more work done, faster.



¹ USB ports can be disabled.

Xerox® VersaLink® C8000 and C9000

ConnectKey®
Technology

The VersaLink® C8000 and C9000 Color Printers are built on Xerox® ConnectKey® Technology. For more information, visit **www.ConnectKey.com**.

DEVICE SPECIFICATIONS	VersaLink® C8000	VersaLink® C9000				
Speed	Up to 45 ppm letter/A4	Up to 55 ppm letter/A4				
Monthly Duty Cycle ¹	205,000	270,000				
Hard Drive / Processor / Memory	Optional 320 GB HDD/1.6 GHz/4 GB 320 GB HDD/1.6 GHz/4 GB					
Connectivity	Ethernet 10/100/1000Base-T, High-speed USB 3.0, Wi-Fi® and Wi-I	Fi Direct® with optional Wi-Fi Kit, NFC Tap-to-Pair				
Controller Features	Configuration Cloning, Xerox Extensible Interface Platform®, Xerox Convenience Authentication Enabled, Online Support	App Gallery, Xerox® Standard Accounting Tool, Role Based Permissions,				
Print Resolution	Up to 1200 x 2400 dpi					
First-Print-Out Time	As fast as 11 seconds color/ 11 seconds black and white	As fast as 10.5 seconds color/10 seconds black and white				
Page Description Languages	PCL® 5c/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL®/Adobe® PostScript® 3™					
Color Management	Embedded spot color table, Xerox Color Corrections	Embedded spot color table with the ability to swap out PANTONE® approved color table, Custom spot color editor, optional Xerox® Precise Color Management System software				
Paper Input Standard	Banners: 12.6 x 52 in./320 x 1,320.8 mm (C8000: 64 to 300 gsm; C9000: 64 to 350 gsm) Tray 1: Up to 520 sheets; Custom sizes: 3.9 x 5.8 in. to 11.7 x 17 in./100 x 148 mm to 297 x 431.8 mm (64 to 300 gsm) Tray 2: Up to 520 sheets; Custom sizes: 3.9 x 5.8 in. to 12.6 x 18 in./100 x 148 mm to 320 x 457.2 mm (64 to 300 gsm)					
Optional	Two Tray Module: Up to 1,040 sheets; Custom sizes: 3.9 x 5.8 in. to 12.6 x 18 in./100 x 148 mm to 320 x 457.2 mm (64 to 300 gsm) Tandem Tray Module: Up to 2,000 sheets; 8.5 x 11 in., 7.25 x 10.5 in./A4, B5 (64 to 300 gsm) High Capacity Feeder: Up to 2,000 sheets; 8.5 x 11 in., 7.25 x 10.5 in./A4, B5 (64 to 216 gsm) Envelope Tray (replaces Tray 1): Up to 50 envelopes: #10 Commercial, Monarch, DL, C4, C5, C6 (75 to 90 gsm)					
Paper Output / Finishing Standard						
Optional		stapling, optional hole punch, optional booklet maker (score, saddle stitch) op tray, 50-sheet multiposition stapling and 2/3-hole punching plus saddle-stitch				
Automatic Two-sided Printing	Standard					
INTUITIVE USER EXPER	IENCE					
Customize and Personalize	Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site and Function or Workflow with Xerox App Gallery					
Print Drivers	Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print Driver® and Mobile Express Driver®					
Embedded Web Server	PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning					
Print Features	Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (DN configuration), Skip Blank Pages, Draft Mode					
MOBILE AND CLOUD RE						
Mobile Printing		e and Mopria® Print Service Plug-ins for Android™, @PrintByXerox				
Mobility Options	Xerox® Mobile Print and Mobile Print Cloud³, Connect via NFC/Wi-Fi Direct Printing³. Visit www.xerox.com/OfficeMobileApps for available apps					
Cloud Connectors ⁴	Print from Google Drive™, Microsoft® OneDrive®, Dropbox™, Microsoft Office 365®, Box®, Xerox® DocuShare® Platform³ and more					
BENCHMARK SECURITY						
Network Security	IPsec, HTTPS, Network Authentication, SNMPv3, SSL/TLS, Securi	ty Certificates, Pre-installed Self-signed Certificates				
Device Access	Firmware Verification, User access and internal firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card-Enabled (CAC/PIV/.NET), Xerox® Integrated RFID Card Reader Bay					
Data Protection	Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite ⁵ , Encrypted Apps with Embedded Certificate Support					
Document Security	Secure Print					
ENABLES NEXT GENERA						
Print Management	Xerox® Standard Accounting, Optional: Xerox® Workplace Cloud/Suite, Nuance Equitrac, Ysoft SafeQ, PaperCut and more at www.xerox.com/PrintManagement					
Fleet / Device Management	Xerox® Device Manager, Xerox® Support Assistance, Auto Meter Read, Managed Print Services tools, Configuration Cloning					
Sustainability	Cisco EnergyWise®, Earth Smart Printing, Print User ID on margins					
GATEWAY TO NEW POSS	IBILITIES					
Xerox App Gallery	Many apps and cloud services available. Visit www.xerox.com/A	appGallery for a growing selection of Xerox® apps available for adding functions.				

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² Visit www.apple.com for AirPrint Certification list; ³ Purchased option; ⁴ Optional download from Xerox App Gallery to the Printer — www.xerox.com/XeroxAppGallery; ⁵ HDD required for image overwrite.

Certifications To view the latest list of certifications, go to www.xerox.com/OfficeCertifications. Supplies Standard Capacity Toner Cartridges for C800 Black: 12,600 pages ⁶ Cyan: 7,600 pages ⁶ Magenta: 7,600 pages ⁶ Yellow: 7,600 pages ⁶ High Capacity Toner Cartridges for C8000: Black: 20,900 pages ⁶ Cyan: 16,500 pages ⁶ Magenta: 16,500 pages ⁶ Yellow: 16,500 pages ⁶	106R04037 106R04034 106R04035 106R04036 106R04049 106R04046 106R04047 106R04048	Standard Capacity Toner Cartridges for C9000 Black: 18,900 pages ⁶ Cyan: 12,300 pages ⁶ Magenta: 12,300 pages ⁶ Yellow: 12,300 pages ⁶ High Capacity Toner Cartridges for C9000: Black: 31,400 pages ⁶ Cyan: 26,500 pages ⁶ Magenta: 26,500 pages ⁶ Yellow: 26,500 pages ⁶ Routine Maintenance Items: Drum Cartridge: 190,000 pages each color ⁷ / 190,000 pages black ⁷ Waste Cartridge: Up to 47,000 pages ⁷ IBT Cleaner: Up to 160,000 pages ⁷	106R04065 106R04062 106R04063 106R04064 106R04077 106R04075 106R04076 101R00602 108R01504 104R00256	Options Xerox® Precise Color Management System software for C9000DT Two Tray Module Tandem Tray Module High Capacity Feeder Envelope Tray (Replaces Tray 1) Office Finisher 2/3 Hole Punch for Office Finisher Booklet Maker for Office Finisher Booklet Maker Finisher with 2/3 Hole Punch HDD (320 GB Hard Drive for C8000) Wireless Network Adapter (Wi-Fi Kit) Internal Card Reader/RFID Kit	097S04974 097S04969 097S04970 097S04845 497K17880 097S04848 497K03860 497K03852 097S04981 097S04971 497K16750 497K18120
		IBT Cleaner: Up to 160,000 pages ⁷ Transfer Roller: Up to 200,000 pages ⁷	104R00256 116R00015		

 $^{^6}$ Average standard pages. Declared Yield in accordance with ISO/IEC 19798. Yield will vary based on image, area coverage and print mode.

$For more \ detailed \ specifications, go \ to \ \textbf{www.xerox.com/C8000PrinterSpecs}.$

©2019 Xerox Corporation. All rights reserved. Xerox@, Xerox and Design@, ConnectKey@, DocuShare@, Global Print Driver@, Mobile Express Driver@, VersaLink@ and Xerox Extensible Interface Platform@ are trademarks of Xerox Corporation in the United States and/or other countries. The information in this brochure is subject to change without notice. 1/19 PN03335_T61 BR25148

VC8BR-01UB



⁷ Approximate pages. Declared yield will vary depending on job run length, media size/orientation and machine speed. For more information, visit https://www.office.xerox.com/Latest/SUPGL-01.PDF.
Configurations vary by geographical location.