


THE POSSIBILITIES ARE INFINITE **FUJITSU**

Italy

End User Reference Price List

Prices Valid From: Aug-Sept. 2012





Content

News and Highlights	3	LIFEBOOK E752	34	Positioning CELSIUS	107	Tower Servers Options	166
Positioning	6	LIFEBOOK E781	36	CELSIUS H710	109		
		LIFEBOOK E782	37	CELSIUS H720	110	Positioning PRIMERGY Rack	180
Positioning Zero Client	8	LIFEBOOK P701	38	CELSIUS H910	111	PRIMERGY RX100 S7	181
Zero Clients	9	LIFEBOOK P771	39	CELSIUS H920	112	PRIMERGY RX200 S7	182
Portable Zero Clients	10	LIFEBOOK P772	40	CELSIUS W420	113	PRIMERGY RX300 S7	183
		LIFEBOOK P702	41	CELSIUS W520	114	PRIMERGY RX350 S7	184
Positioning Tablet PC	11	LIFEBOOK U772	42	CELSIUS M470	116	PRIMECENTER M1	185
LIFEBOOK T901	12	LIFEBOOK NH751	43	CELSIUS R570	118	Rack Servers Accessories	188
LIFEBOOK T730	13	LIFEBOOK UH552-UH572	44	CELSIUS R670	119	Rack Servers Options	198
LIFEBOOK T731	14	LIFEBOOK Accessories	46	CELSIUS Accessories	121		
LIFEBOOK T580	15	LIFEBOOK Options	48	CELSIUS Options	126	Positioning PRIMERGY Blade	215
STYLISTIC Q550	16					PRIMERGY BX400 S1	217
STYLISTIC M532	17	Positioning FUTRO	64	Positioning Displays	147	PRIMERGY BX620 S4	218
TABLET PC Accessories	18	FUTRO S550-2	65	Displays	148	PRIMERGY BX620 S5	219
TABLET PC Options	20	FUTRO S700	66			PRIMERGY BX92x S2	220
		FUTRO S900	67	Positioning Keyboard & Security	149	PRIMERGY BX960 S1	221
Positioning Notebook	24	FUTRO Accessories	68	Keyboards	150	PRIMERGY SX910 S1	222
LIFEBOOK SH531	25	FUTRO Options	70			PRIMERGY SX940 S1	223
LIFEBOOK S751	26			Positioning PRIMERGY Tower	151	PRIMERGY SX960 S1	224
LIFEBOOK S752	27	Positioning ESPRIMO	74	PRIMERGY TX100 S3p	152	PRIMERGY SX980 S1	225
LIFEBOOK S761	28	ESPRIMO C	75	PRIMERGY TX120 S3p	153	Blade Servers Accessories	226
LIFEBOOK S762	29	ESPRIMO E	76	PRIMERGY TX140 S1p	154	Blade Servers Options	233
LIFEBOOK S781	30	ESPRIMO P	84	PRIMERGY TX150 S7	156		
LIFEBOOK S782	31	ESPRIMO Q	92	PRIMERGY TX300 S7	157		
LIFEBOOK S792	32	ESPRIMO Accessories	93	Tower Servers Accessories	158		
LIFEBOOK E751	33	ESPRIMO Options	95				



Windows® . Life without Walls™. Fujitsu recommends Windows 7.

News and Highlights



ZERO CLIENTS

The Zero Client is a revolutionary new way of supplying standard office applications to your business. As a front-end device designed for a desktop virtualization environment, it delivers a full desktop experience at a fraction of the normal cost. The Zero Client is a manageable, space-saving solution for large deployments offering exceptional security, an extremely long lifecycle, excellent reliability and absolutely no noise during operation. Thanks to Desktop Virtualization, a Zero Client deployment allows a business to deploy IT resources flexibly and react quickly to changing users and working locations



STYLISTIC Q550

As a busy mobile professional, you want a Slate PC which is as good at working as your after-hours device is at playing. The STYLISTIC Q550 is the first slate to really work for you whether you're in a large corporation, government or small businesses. It delivers an excellent usability experience, with flexible options for creating business content and collaborating with others. Being Windows® 7 Professional based, it integrates with institutional platforms and provides security for enterprises with users who work on the move.



LIFEBOOK T901

The Fujitsu LIFEBOOK T901 is an ultra versatile lightweight convertible notebook for the professional user. Its brilliant, bi-directional rotatable, high-bright LED display including LED rotation indicators is a pleasure to use. With the LIFEBOOK T901 you can either work with multiple finger-touch or with the multifunctional pen. Berliner Glass ensures highest reliability.



**LIFEBOOK S
Series**

The LIFEBOOK S Series gives professional users the optimum combination of performance, modularity and flexibility: the functionality and ease of use of a desktop in a slimline, lightweight package. The integrated modem, network adapter, optional Bluetooth and wireless LAN are complemented by a multifunctional bay. The latest Intel Core 2Duo technology provide you long battery life away from the power socket.



**LIFEBOOK E
Series**

The LIFEBOOK E Series always follows a simple philosophy: only the best will do. Top notch performance with only 2.7 kg makes this notebook as one of the lightest in its class. The comprehensive security features, separate SmartCard reader, TPM and Fingerprint modules make your sensible data safe and secure – anytime, anywhere.

Take advantage of the growing network of wireless working and catch up emails where ever you are via optional embedded UMTS.



**LIFEBOOK P
Series**

The LIFEBOOK P Series fits in any bag - meeting the most demanding airport restrictions. At only 1.3 kg this lightweight combines superior style with exceptional performance and state-of-the-art connectivity, including embedded mobile broadband access and excellent communications ability. Thanks to video conferencing support with the integrated ConfCamera, this 12.1-inch screen beauty is truly a maximum. It provides all standard interfaces, and tops it off with a exceptional long battery run time. The integrated EcoButton extends the battery life even further. In short, true mobility becomes reality.



The Fujitsu LIFEBOOK NH751 notebook is a mobile cinema that enables users to experience their films, photos, social networking and games in stunning quality on a brilliant widescreen 43.9 cm (17.3-inch) display with powerful NVIDIA® GeForce® GT 525M discrete graphics with NVIDIA® Optimus™ technology, whenever and wherever they want. While the spill-resistant keyboard provides extra reliability, high-gloss black finish, frameless display and

LIFEBOOK NH751



FUTRO

outstanding slim profile make the notebook a real head-turner.

The Fujitsu Thin Clients are perfect devices for server-based computing and Virtual Workplace solutions.

High energy-efficiency and silent operation without fans and rotating disk drives guarantee a pleasant working environment and the lowest running costs.



ESPRIMO

Fujitsu presents a range of PCs characterized by high ergonomic standards, sophisticated product concepts and the best economy. Fujitsu has the right system to suit every customer's requirements.

0-Watt PC - equipped with innovative technology from Fujitsu. Our patented 0-Watt PC technology reduces energy consumption in off- / hibernating mode to 0.0 watts, without reducing manageability.



CELSIUS

Do you want to access your workstation remotely? Then the CELSIUS RemoteAccess solution is the right choice for you. It enables you to separate your hardware from data input and output while keeping at the same time the real workstation user experience and performance.

With the CELSIUS M470, CELSIUS R570 and CELSIUS R670 our offering of mid-range and high-end workstations got a refresh to meet highest demands.



Displays & Accessories

The PRIMERGY SX940 S1 Direct Attached Storage Blade Disk

The new Fujitsu displays of the P Line ECO provide all the proven features superior displays can offer and additional unique energy saving solutions like 0-watt power save mode and automatic brightness control. The new 22-inch wide is the first with the new standard TCO Displays 5.0.

Always something new in the Peripherals Portfolio: e.g. keyboards and wireless sets in glossy piano black design fitting perfectly to the new lifestyle displays. Accessories and Security Devices according to latest technologies meet the latest market needs.



PRIMERGY
TX100 S1

PRIMERGY TX industry standard tower servers: efficient, rock solid, record-breaking performance. PRIMERGY TX servers benefit from over 20 years pioneering work in the field of Green IT. That is how TX servers reach industry – leading performance per watt ratios, lowering the environmental impact and running costs. TX servers can easily be managed locally or remotely via the PRIMERGY ServerView Suite, saving IT admin costs. That's efficient performance. Our made-to-measure service packages take care of your system every step of the way. Rest assured, PRIMERGY TX servers are put through 5000 boot cycles - that's rock solid performance. PRIMERGY TX servers are flexible systems capable of using up to two processors and up to 20 hard disks. Tower to rack mounting kits are available to move to a consolidated rack infrastructure. TX servers have a tradition of setting record-breaking performance levels. So, whether you use them as tower or rack servers, for file, print or application purposes, you will benefit from record-breaking performance. PRIMERGY TX: a tower of strength.



SX940 S1

The PRIMERGY SX940 S1 Direct Attached Storage Blade Disk can be used to extend the internal storage capacity of PRIMERGY BX92x Server Blades. A maximum of four internal disk drives greatly extends the maximum amount of disk storage of a Server Blade. One Storage Blade occupies a Blade slot within the PRIMERGY BX900 S1 system unit; it is positioned either on the left or right to an adjacent BX92x Server Blade, or between the two. The 1x 4 or 2x 2 disk drives of one SX940 S1 are driven by 1 or 2 integrated, highly functional SAS/RAID controllers with 512 Mbyte cache and BU. Each controller provides RAID levels 0, 1, 5 and 6. The connection to each Server Blade is realized via a midplane link to the high performing PCIe x4 interfaces of each Server Blade's system board.



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Professional Products Positioning



ZERO CLIENTS

The Zero Client is a revolutionary new way of supplying standard office applications to your business. As a front-end device designed for a desktop virtualization environment, it delivers a full desktop experience at a fraction of the normal cost. The Zero Client is a manageable, space-saving solution for large deployments offering exceptional security, an extremely long lifecycle, excellent reliability and absolutely no noise during operation. Thanks to Desktop Virtualization, a Zero Client deployment allows a business to deploy IT



STYLISTIC

The STYLISTIC ST Series is thin, approximately A4 in size, only 1.6 kg and replaces your need for paper and clipboard. Boasting a robust, high-tech design, it offers a 12.1-inch display making it ideal for working while standing or walking, indoors or outside. The Intel® Centrino® Core 2 Duo processor means you can work for a whole business day. And outstanding connectivity with embedded broadband access, WLAN and Bluetooth means you can get in a full day of work without having to return to the office.



FUTRO

The FUTRO product line of smart, expandable thin clients is the ideal solution for server-based networks, particularly in terms of availability and data security. The user can neither access the operating system nor store data on the smart terminal.



ESPRIMO

Our PCs provide pure performance while balancing economic and environmental considerations. ESPRIMO PCs feature state-of-the-art technology from AMD and Intel® and are the perfect basis for productive working environments. They are quiet and cool with intelligent ergonomic designs, perfect manageability and security features. To make them as environmentally aware as possible, they are built with especially selected materials to minimize the impact on the environment.



CELSIUS

Computing power, memory space, graphics systems, expansion possibilities – even the most powerful of standard PCs are quick to reach their limits outside classic office and communication applications. Application fields such as simulation, animation, construction, and digital content creation require systems that offer maximum performance on all levels: CELSIUS workstations.



**Displays &
Peripherals**

Positioned in three segments the Fujitsu displays offer the right model for every desire - from multifunctional all-rounders, advanced displays, which are highly ergonomic and comfortable, also for entertainment, and the superior class for highest demands in terms of performance, graphics and multimedia.

Input devices for every desire: wired and wireless, optical and laser



PRIMERGY

PRIMERGY is based on the standard architecture for good reason. Due to their high level of standardization, x86/EM64T and Dual-Core / Quad-Core servers deliver the best price/performance ratio. The Fujitsu extensive product range, coupled with more than 20 years of experience in the IT market, means that we can build reliable and flexible IT infrastructures for our customers. PRIMERGY servers are the ideal choice for ensuring greater competitiveness and success in modern e-business environments.



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Positioning Zero Clients



ZERO CLIENTS

The Zero Client is a revolutionary new way of supplying standard office applications to your business. As a front-end device designed for a desktop virtualization environment, it delivers a full desktop experience at a fraction of the normal cost. The Zero Client is a manageable, space-saving solution for large deployments offering exceptional security, an extremely long lifecycle, excellent reliability and absolutely no noise during operation. Thanks to Desktop Virtualization, a Zero Client deployment allows a business to deploy IT resources flexibly and react quickly to changing users

and working locations



PORTABLE ZERO CLIENTS

The migration from fat client to virtual desktop infrastructures is gaining in popularity. Fujitsu's Zero Client MZ900 leverages this trend while enabling existing desktops and notebooks to be used as the virtual desktop device. This allows you to access personal virtual desktops from anywhere. Finally you are now able to realize cost savings while benefitting from the advantages of Zero Client virtualization - maximum flexibility, maximum savings.



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Zero Clients Series

The Zero Clients D602 and DZx are a revolutionary new way of supplying standard office applications to your business. As a silent, space-saving front-end device designed for a desktop virtualization environment, the Zero Clients securely and reliably delivers a full desktop experience at a fraction of the normal cost.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
ZERO Client DZ19-2					
Zero Client DZ19-2	Zero Client DZ19-2 , with 48.3cm (19") LED backlit display, 4-in-1 Stand, 1x RJ45 LAN, 4x USB 2.0, 1x DVI-I, , 1x audio-in,1x audio out, Status LEDs and function keys, power cable. , Including Zero Client Controller software (download from http://support.ts.fujitsu.com) with 1 year update right., Supports virtual infrastructures with: , - VMware®: ESX, ESXi, vCenter, View, - Citrix®: XenDesktop with either XenServer, VMware® ESX, or Microsoft® Hyper-V, - Microsoft®: Hyper-V with SCVMM		BDL:DZ19-2	368,00	
ZERO Client DZ22-2					
Zero Client DZ22-2	Zero Client DZ22-2 , with 55.9cm (22") LED backlit display, 4-in-1 Stand, 1x RJ45 LAN (incl. support for PoE with compatible midspans), 4x USB 2.0, , 1x DVI-I, 1x audio-in, 1x audio out, Status LEDs and function keys, power cable. , Including Zero Client Controller software (download from http://support.ts.fujitsu.com) with 1 year update right., Supports virtual infrastructures with: , - VMware®: ESX, ESXi, vCenter, View, - Citrix®: XenDesktop with either XenServer, VMware® ESX, or Microsoft® Hyper-V, - Microsoft®: Hyper-V with SCVMM		BDL:DZ22-2	427,00	
ZERO Client SZ500					
ZERO Client SZ500	ZERO Client SZ500 , with 1x RJ45 LAN, 4x USB 2.0, 1x DVI-I, 1x combined audio-in / audio-out jack, Status LEDs, , AC-Adapter with changeable plugs (EU, UK, US and CN), audio splitter cable. , Including Zero Client Controller software (download from http://support.ts.fujitsu.com) with 1 year update right., Supports virtual infrastructures with: , - VMware®: ESX, ESXi, vCenter, View, - Citrix®: XenDesktop with either XenServer, VMware® ESX, or Microsoft® Hyper-V, - Microsoft®: Hyper-V with SCVMM		BDL:SZ500	205,00	Orderable from: 17/07/2012



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Portable Zero Clients Series

The migration from fat client to virtual desktop infrastructures is gaining in popularity. Fujitsu's Zero Client MZ900 leverages this trend while enabling existing desktops and notebooks to be used as the virtual desktop device. This allows you to access personal virtual desktops from anywhere. Finally you are now able to realize cost savings while benefitting from the advantages of Zero Client virtualization - maximum flexibility, maximum savings.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
Portable Zero Client MZ900					
Zero Client MZ900		Zero Client MZ900 , with 1x USB 2.0, lanyard. , Including Zero Client Controller software (download from http://support.ts.fujitsu.com) with 1 year update right., Supports virtual infrastructures with: , - VMware®: ESX, ESXi, vCenter, View, - Citrix®: XenDesktop with either XenServer, VMware® ESX, or Microsoft® Hyper-V, - Microsoft®: Hyper-V with SCVMM	BDL:MZ900	159,00	



Windows®. Life without Walls™. Fujitsu recommends Windows 7.

Positioning Tablet PC



**LIFEBOOK
T901**

The Fujitsu LIFEBOOK T901 is an ultra versatile lightweight convertible notebook for the professional user. Its brilliant, bi-directional rotatable, high-bright LED display including LED rotation indicators is a pleasure to use. With the LIFEBOOK T901 you can either work with multiple finger-touch or with the multifunctional pen. Berliner Glass ensures highest reliability.



LIFEBOOK T730

The LIFEBOOK T730 is a 12.1-inch Tablet PC based on the new Intel® Core™ i7 vPro™ technology that supports the new multiple touch technology. With the dual digitizer this multifunctional device accepts input either with a pen or with your fingers, just as occasion demands. With the optional integrated GPS technology you will never get lost and be on track. With the modular bay and the port replicator this device answers all questions concerning mobile flexibility!



LIFEBOOK T580

With the new LIFEBOOK T580 you can alternate between a keyboard, a stylus, or your fingers in seconds. Featuring a rotatable 10.1-inch display it's the perfect solution for working on the move. Through integrated GPS you'll always be able to find your way around. And there is no need to feel burdened by your notebook any longer, at just 1.4kg it's easy to take wherever you like!



STYLISTIC Q550

As a busy mobile professional, you want a Slate PC which is as good at working as your after-hours device is at playing. The STYLISTIC Q550 is the first slate to really work for you whether you're in a large corporation, government or small businesses. It delivers an excellent usability experience, with flexible options for creating business content and collaborating with others. Being Windows® 7 Professional based, it integrates with institutional platforms and provides security for enterprises with users who work on the move.



**STYLISTIC
Accessories**

Extend your STYLISTIC tablet PC to your needs. More convenience for your business trips and more functionality enabling easy working. Fujitsu offers a vast range of accessories for your STYLISTIC ST Series: docking unit, power supply devices, different storage media and special cases that provide maximum protection while transportation.



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK T901

The Fujitsu LIFEBOOK T901 is an ultra versatile lightweight convertible notebook for the professional user. Its brilliant, bi-directional rotatable, high-bright LED display including LED rotation indicators is a pleasure to use. With the LIFEBOOK T901 you can either work with multiple finger-touch or with the multifunctional pen. Berliner Glass ensures highest reliability.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK T901					
Base unit with 33.8cm (13.3") TFT wide-view high-bright WXGA LED Display with magnesium cover, Dual digitizer for pen input plus capacitive multi-touch screen (anti-glare), Intel Chipset QM67 with Intel AMT 7.0 functionality (vPro requires Core i5-25xx/ i7 processor plus Intel W-LAN plus TPM module), supports maximum 8 GB Dual Channel DDR3 1333MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd battery, 2nd HDD (SATA-II) or weight-saver. Mobile Intel HD or HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel LAN, Intel HD Audio, 2 digital microphones and 2 loudspeakers integrated, touchpad, scroll wheel, ambient-light sensor, G-Sensor, fingerprint sensor (SmartAccess Fingerprint & Security Software), LED status indicators, LED hinge rotation indicators, application buttons, Kensington Lock., Interfaces: 1x ExpressCard Type 34mm/54mm, Smart Card reader slot, SD/MS Card reader, VGA, HDMI, 1x bootable USB 3.0, 2x bootable USB 2.0 (1x with off-charge function), RJ45 for LAN, optional SIM-Card Reader for UMTS or RJ11 interface for Modem, IEEE1394 Firewire, audio in (line-in, microphone), audio out (line-out, headphones), port replicator connector., Tablet pen, pen tether, cleaning cloth, notebook case.					
LB T901 DUAL DIG. /I7-2640M/4 GB/DVD/ (Promo)	LB T901 DUAL DIG. /I7-2640M/4 GB/DVD/ 500GB 7.2K/WLAN INTEL 6205/BT V3.0/CAM/TPM/ERASEDISK/CK INT/AC-ADAP/1ST BATT/ CABLE EU/KB I/COA_W7_MM_PROFES/	LKN:T9010M0005IT			Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK T901					
LIFEBOOK T901 Dual Digitizer	Base unit with 33.8cm (13.3") TFT wide-view high-bright WXGA LED Display with magnesium cover, Dual digitizer for pen input plus capacitive multi-touch screen (anti-glare), Intel Chipset QM67 with Intel AMT 7.0 functionality (vPro requires Core i5-25xx/ i7 processor plus Intel W-LAN plus TPM module), supports maximum 8 GB Dual Channel DDR3 1333MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd battery, 2nd HDD (SATA-II) or weight-saver. Mobile Intel HD or HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel LAN, Intel HD Audio, 2 digital microphones and 2 loudspeakers integrated, touchpad, scroll wheel, ambient-light sensor, G-Sensor, fingerprint sensor (SmartAccess Fingerprint & Security Software), LED status indicators, LED hinge rotation indicators, application buttons, Kensington Lock., Interfaces: 1x ExpressCard Type 34mm/54mm, Smart Card reader slot, SD/MS Card reader, VGA, HDMI, 1x bootable USB 3.0, 2x bootable USB 2.0 (1x with off-charge function), RJ45 for LAN, optional SIM-Card Reader for UMTS or RJ11 interface for Modem, IEEE1394 Firewire, audio in (line-in, microphone), audio out (line-out, headphones), port replicator connector., Tablet pen, pen tether, cleaning cloth, notebook case.	S26391-K333-V100	1.318,00	Phased out	
LIFEBOOK T901 Active Digitizer	Base unit with 33.8cm (13.3") TFT wide-view high-bright WXGA LED Display with anti-glare Berliner Glass and magnesium cover, Active digitizer for pen input, Intel Chipset QM67 with Intel AMT 7.0 functionality (vPro requires Core i5-25xx/ i7 processor plus Intel W-LAN plus TPM module), supports maximum 8 GB Dual Channel DDR3 1333MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd battery, 2nd HDD (SATA-II) or weight-saver. Mobile Intel HD or HD3000 integrated graphics, S-ATA-III Interface for internal HDD, 10/100/1000 MBit Intel LAN, Intel HD Audio, 2 digital microphones and 2 loudspeakers integrated, touchpad, scroll wheel, ambient-light sensor, G-Sensor, fingerprint sensor (incl. SmartAccess Fingerprint & Security Software), LED status indicators, LED hinge rotation indicators, application buttons, Kensington Lock., Interfaces: 1x ExpressCard Type 34mm/54mm, Smart Card reader slot, SD/MS Card reader, VGA, HDMI, 1x bootable USB 3.0, 2x bootable USB 2.0 (1x with off-charge function), RJ45 for LAN, optional SIM-Card Reader for UMTS or RJ11 interface for Modem, IEEE1394 Firewire, audio in (line-in, microphone), audio out (line-out, headphones), port replicator connector., Tablet pen, pen tether, cleaning cloth, notebook case.	S26391-K333-V200	1.102,00	Phased out	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK T730

The LIFEBOOK T730 is a 12.1-inch Tablet PC based on the new Intel® Core™ i7 vPro™ technology that supports the new multiple touch technology. With the dual digitizer this multifunctional device accepts input either with a pen or with your fingers, just as occasion demands. With the optional integrated GPS technology you will never get lost and be on track. With the modular bay and the port replicator this device answers all questions concerning mobile flexibility!

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK T730					
LIFEBOOK T730	Base unit with LCD 30.7cm (12.1") TFT WXGA non-glare LED Display and Touchscreen, Dual Digitizer (for pen operation and finger touch operation). Intel® Chipset QM57 with Intel® AMT functionality, supports maximum 8 GB Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd battery, 2nd HDD or weight-saver. Intel® HD graphics, Serial ATA HDD interface, 10/100/1000 MBit Intel® LAN, Intel® HD Audio, 2 microphones and 2 loudspeakers integrated, touchpad incl. scroll-sensor, ambient-light sensor, G-Sensor, fingerprint sensor (incl. SmartCase Logon+ Fingerprint & Security Software), LED status indicators, application buttons, Kensington Lock., Interfaces: 1x ExpressCard Type 34mm/54mm, SD/MS Card reader, VGA, HDMI, 3x USB 2.0, RJ45 for LAN, SIM-Card Reader for UMTS, Firewire, audio in (line-in, microphone), audio out (line-out, headphones), docking connector., AC Adapter 19V/80W, stylus pen, pen tether, cleaning-cloth, notebook case.	S26391-K314-V100	584,00	Phased out	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK T731

The powerful Fujitsu LIFEBOOK T731 is a lightweight flexible 30.7 cm (12.1-inch) convertible Tablet PC which supports modern multiple-touch technology and allows input with up to 5 fingers at the same time as well as precise pen input. Thanks to the very bright display with its wide perspective, the integrated ambient light sensor and support for all the main radio technologies you are optimally equipped for every business trip. The notebook's modular bay helps you to stay flexible when working, either when travelling, in the office or at home.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK T731					
	LB T731 /30,7CM WXGA STA/I5-2520M/4 GB/ (Promo)	LB T731 /30,7CM WXGA STA/I5-2520M/4 GB/ DVD/500GB 7.2K/UMTS READY/ WLAN INTEL 6205/BT V3.0/CAM/TPM/ERASEDISK/CK INT/AC-ADAP/1ST BATT/	LKN:T7310M0002IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK T731					
	LIFEBOOK T731	Base unit with LCD 30.7cm (12.1") TFT WXGA non-glare LED Display with magnesium cover, Dual Digitizer for pen input plus capacitive multi-touch screen for finger input. Intel Chipset QM67 with Intel AMT 7.0 functionality (vPro requires Core i5-25xx/i7 processor plus Intel WLAN plus TPM module), supports maximum 8 GB Dual Channel DDR3 1333MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd battery, 2nd HDD (SATA-II) or weight-saver. Mobile Intel HD or HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel LAN, Intel HD Audio, 2 digital microphones and 2 loudspeakers integrated, touchpad, ambient-light sensor, G-Sensor, fingerprint sensor (incl. Omnipass Fingerprint & Security Software), LED status indicators, application buttons, Kensington Lock. Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)., Interfaces: 1x ExpressCard Type 54mm, SD/MS Card reader, VGA, HDMI, 2x USB 2.0, 1x USB 3.0 (with off-charge function), RJ45 for LAN, optional SIM-Card Reader for UMTS, IEEE 1394 Firewire, audio in (line-in, microphone), audio out (line-out, headphones), port replicator connector. Tablet PC, PC	S26391-K335-V100	656,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK T580

With the new LIFEBOOK T580 you can alternate between a keyboard, a stylus, or your fingers in seconds. Featuring a rotatable 10.1-inch display it's the perfect solution for working on the move. Through integrated GPS you'll always be able to find your way around. And there is no need to feel burdened by your notebook any longer, at just 1.4kg it's easy to take wherever you like!

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK T580					
LIFEBOOK T580 i3-380UM		Base unit with 25.7cm (10.1") HD Display with LED backlight. Dual Digitizer with touch screen for pen operation and finger touch operation. Intel Chipset HM55 with Intel Corei3 Processor i3-380UM, supports maximum 8 GB Dual Channel DDR3 800MHz PC6400 RAM (2 DIMM slots). Intel HD graphics, Serial ATA HDD interface, 10/100/1000 MBit LAN, touchpad, ambient-light sensor, G-Sensor, smart card slot, fingerprint sensor, LED status indicators, tablet buttons, Kensington Lock. Fujitsu Recovery to recover factory image (Hard Disk Based Recovery), Interfaces: SD Card reader, VGA, HDMI, 2x USB 2.0, RJ45 for LAN, SIM-Card Reader for UMTS, audio in (line-in, microphone), audio out (line-out, headphones), stylus pen, pen tether, cleaning-cloth, notebook case.	S26391-K318-V100	718,00	Phased out



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

STYLISTIC Q550

As a busy mobile professional, you want a Slate PC which is as good at working as your after-hours device is at playing. The STYLISTIC Q550 is the first slate to really work for you whether you're in a large corporation, government or small businesses. It delivers an excellent usability experience, with flexible options for creating business content and collaborating with others. Being Windows® 7 Professional based, it integrates with institutional platforms and provides security for enterprises with users who work on the move.

	Model Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
STYLISTIC Q550					
	STYLISTIC Q550 with Intel® Atom Z690	Base unit with 25.7cm (10.1") TFT wide-view high-bright WXGA LED Display, Dual digitizer for pen input plus capacitive multi-touch screen (anti-glare), Intel SM35 Express Chipset with Intel Atom Z690, 2GB memory (DDR2, 800MHz). Mobile Intel GMA 600 graphics, SATA-II Interface for internal HDD and Intel HD Audio. 802.11abgn Wireless LAN with 1x Dual Band antenna. Bluetooth 3.0 with 1x antenna. 2 webcams (1x front and 1x rear), 2 digital microphones and 1 loudspeaker integrated, G-Sensor, fingerprint sensor, LED status indicators, application buttons. Interfaces: Smart Card reader slot, SD Card reader, HDMI, 1x bootable USB 2.0, optional SIM-Card Reader for UMTS, audio out (line-out, headphones), docking connector. , 4-cell Lithium-Polymer battery (5.240mAh). Including Tablet pen, pen tether, cleaning cloth.	S26391-K334-V200	634,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

STYLISTIC M532

Fujitsu STYLISTIC M532 Media Tablet - Work and Enjoy with Confidence

Business is rarely deskbound. As a mobile professional, you need powerful, lightweight tools that let you get straight to work – wherever you happen to be. The ultraslim, ultralight Fujitsu STYLISTIC M532 media tablet is an extension of your office. It delivers a seamless working experience and secure access to your office e-mail, calendar, contacts, and applications. Moreover, with its rich multimedia features, the Fujitsu STYLISTIC M532 is perfect after-hours, too: once you've downed tools for the day, enjoy the tablet for your own choice of apps – catch up on the latest news or weather, for instance, or do some travel planning.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
STYLISTIC M532					
STYLISTIC M532	25.7cm (10.1") TFT high-brightness WXGA Display, capacitive multi-touch screen, Nvidia Tegra 3 Quad-Core T30s ARM Cortex A9, up to Single-Core 1.4GHz/Quad-Core 1.3GHz, 1GB memory (LPDDR2, 800MHz), 32 GB eMMC Flash memory. Bluetooth 3.0, Wireless LAN 802.11a/b/g/n, UMTS/3G with HSPA+, GPS, 2.0MP front camera, 8.0MP rear camera incl. autofocus and flash, 3.170mAh Lithium-Polymer battery for video playback 8.4 hours, digital microphone, 2 x speakers (stereo), acceleration sensor, gyro sensor, magnetic sensor, ambient light sensor, power LED, power/standby button, reset button, volume up/down button., Interfaces: 1 x Micro USB 2.0, 1 x microphone/headphone, 1 x Micro SD card, 1 x SIM card, 1 x docking connector (for charging and HDMI/USB)., Including MicroUSB-to-USB cable, cleaning cloth and AC adapter with EU and UK plugs., Dimensions: 262.6 x 175.4 x 8.6mm, 560g weight., , Product can be delivered in following countries: Abu Dhabi, Afghanistan, Albania, Andorra, Angola, Armenia, Austria, Azerbaijan, Azores, Belarus, Belgium, Bosnia-Herzegovina, Bulgaria, Canary Islands (Spain), Ceuta (Spain), Croatia, Cyprus, Czech Republic, Denmark, Dubai, Egypt, Eritrea, Estonia, Faroe Islands (Denmark),	S26391-K340-V100	553,00		



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Accessories

Category	Description	Details	STYLISTIC M532	STYLISTIC Q550	STYLISTIC ST5010 / ST5010D	STYLISTIC ST5011 / ST5011D	STYLISTIC ST5020	STYLISTIC ST6012	Product Code	EUP (€)	Comments
Accessories & services matrix											
OS/Application-SW											
	Drivers&Utility (Win7) LIFEBOOK	incl. Nero 7 Essentials S						x	S26361-F2007-L903	17,00	New product
	Drivers&Utility DVD (Win7) LIFEBOOK			x					S26361-F2010-L201	22,00	
UPS/Power supply											
	AC Adapter (including DC plug EU/UK/US)		x						S26391-F338-L100	44,00	
	External battery charger, incl. 16V AC Cable	External battery charger, incl. 16V AC w/o AC Cable		x					S26391-F778-L400	187,00	
	Battery 4cell 38Wh (5.240mAh)			x					S26391-F916-L200	133,00	
	AC Adapter 19V/40W			x					S26391-F916-L500	44,00	
Security											
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM			x	x	x		S26361-F1571-L201	18,00	Phased out
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM			x	x	x		S26361-F1571-L210	118,00	Phased out
	Absolute Track, Abo. 1Y.	Single key licence, for more info please check hint box / product description		x				x	S26361-F2009-L101	19,00	
	Absolute Track, Abo. 2Y.	Single key licence, for more info please check hint box / product description		x				x	S26361-F2009-L102	29,00	
	Absolute Track, Abo. 3Y.	Single key licence, for more info please check hint box / product description		x				x	S26361-F2009-L103	37,00	
	Data Protection, Abo. 1Y.	Single key licence, for more info please check hint box / product description		x				x	S26361-F2009-L104	30,00	
	Data Protection, Abo. 2Y.	Single key licence, for more info please check hint box / product description		x				x	S26361-F2009-L105	46,00	
	Data Protection, Abo. 3Y.	Single key licence, for more info please check hint box / product description		x				x	S26361-F2009-L106	57,00	
	ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description		x				x	S26361-F2009-L107	35,00	
	ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description		x				x	S26361-F2009-L108	56,00	
	ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description		x				x	S26361-F2009-L109	78,00	
	Absolute Track, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description		x				x	S26361-F2009-L201	19,00	
	Absolute Track, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description		x				x	S26361-F2009-L202	29,00	
	Absolute Track, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description		x				x	S26361-F2009-L203	37,00	
	Data Protection, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description		x				x	S26361-F2009-L204	30,00	
	Data Protection, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description		x				x	S26361-F2009-L205	46,00	
	Data Protection, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description		x				x	S26361-F2009-L206	57,00	
	ComputraceOne, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description		x				x	S26361-F2009-L207	35,00	
	ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description		x				x	S26361-F2009-L208	56,00	
	ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description		x				x	S26361-F2009-L209	78,00	
	SmartCase Logon+ license (1-99 licenses)	includes 1 license, for orders up to 99 licenses, no software, no data medium						x	S26361-F2727-L100	20,00	
	RFID SmartCardReader USB SCL011	RFID SmartCardReader USB SCL011 with stand in white box packing		x				x	S26381-F11-L100	38,00	
	SmartCard CARDOS V4.4. 2PCS	2 SmartCard CardOS 4.4, 68 KByte EEPROM			x	x	x		S26381-F305-L102	45,00	
	SmartCard CARDOS V4.4. 10PCS	10 SmartCard CardOS 4.4, 68 KByte EEPROM			x	x	x		S26381-F305-L110	204,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista /Win7compatible, USB interface		x				x	S26381-F331-L220	25,00	
	PalmSecure Sensor STD FAT13M3S1	PalmSecure Sensor STD FAT13M3S1 palmvein sensor for biometric authentication. Component for integration without cable, manual and software		x				x	S26381-K434-L100	239,00	New product
	PalmSecure U Guide FAT13G2A2L	PalmSecure U Guide FAT13G2A2L specila handguide for palmvein sensor		x				x	S26381-K434-L500	43,00	New product



Windows® . Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Accessories											
Category	Description	Details	STYLISTIC M532	STYLISTIC Q550	STYLISTIC ST5010 / ST5010D	STYLISTIC ST5011 / ST5011D	STYLISTIC ST5020	STYLISTIC ST6012	Product Code	EUP (€)	Comments
Accessories & services matrix											
Security (Continued)											
	PalmSecure Mouse Login Kit	PalmSecure Login Kit enclosed optical USB Mouse with integrated vein sensor for biometric authentication. USB 2.0 bus powered, 3 buttons incl. scroll-wheel. Set contains also the palm guide,quick start guide, manual and OmniPass login software CD. 1.5 m USB cable, brown box.		x				x	S26381-K435-L100	310,00	Phased out
	PalmSecure Mouse Login Kit STD	PalmSecure Mouse Kit STD contains USB Mouse with integrated palmvein sensor for biometric authentication. USB 2.0 bus powered. Set contains also the palm guide,quick start guide in Brown box.		x				x	S26381-K435-L200	248,00	New product
	PalmSecure Sensor Guide Kit STD	PalmSecure Sensor Guide Kit STD contains an external USB vein sensor for biometric authentication. USB 2.0 bus powered. Set contains also the palm guide,quick start guide in Brown box.		x				x	S26381-K436-L100	256,00	
Miscellaneous											
	USB/HDMI Adapter		x						S26391-F338-L300	55,00	Orderable from: 29/08/2012
	Pen & tether set			x					S26391-F796-L810	55,00	
	Screen protection foil (2 pieces)			x					S26391-F917-L300	44,00	
Cables											
	power cable EU	black, 2-pole, 1,8 m		x				x	T26139-Y2540-V113	9,00	
	power cable UK	black, 2-pole, 1,8 m		x				x	T26139-Y2540-V213	9,00	
	power cable US	black, 2-pole, 1,8 m		x				x	T26139-Y2540-V313	9,00	
Input Devices											
	Presenter IV Air	Presenter IV Air 2.4 GHz presener with laser pointer, 2D air mous and gamepad function, manual, 2 x AAA batteries, 2.4 GHz presener with laser pointer, 2D air mous and gamepad function, manual, 2 x AAA batteries		x				x	BDL:TOP-PRESENTER4	47,00	
	Presenter IV Air	2.4 GHz presener with laser pointer, mouse und Gamepad function		x				x	S26381-K440-L100	47,00	
Additional Software											
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs		x					U11081-C301	1.225,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Options

Category	Description	Details	STYLISTIC Q650	Product Code	EUP (€)	Comments
Options matrix						
Hard Disks						
	SSD SATA 30GB FDE		x	S26391-F913-E300	222,00	
	SSD SATA 62GB FDE		x	S26391-F913-E620	333,00	
	SSD SATA 128GB FDE		x	S26391-F913-E820	299,00	
Communication/Network						
	No UMTS / No GPS		x	S26391-F915-E110	2,00	
	UMTS module Sierra Wireless Gobi 3000	including GPS functionality	x	S26391-F915-E120	88,00	
	GPS module		x	S26391-F915-E130	44,00	
Mobile Security						
	TPM module		x	S26391-F959-E300	8,00	
Country kits						
	Country Kit DE	incl. safety manual (D), Getting Started, Service Desk Information	x	S26391-F918-E100	8,00	
	Country Kit Int	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information	x	S26391-F918-E200	8,00	
	Country Kit GB	incl. safety manual (GB/ARA), Getting Started, Service Desk Information	x	S26391-F918-E300	8,00	
	Warranty Card Poland		x	S26391-F781-E500	2,00	
Power supply						
	AC Adapter 19V/40W		x	S26391-F916-E500	17,00	
	Additional battery 2cell 19Wh (2.620mAh)		x	S26391-F916-E100	44,00	
	Additional battery 4cell 38Wh (5.240mAh)		x	S26391-F916-E200	55,00	
	Power cable EU		x	S26391-F878-E210	5,00	
	Power cable US		x	S26391-F878-E220	5,00	
	Power cable GB		x	S26391-F878-E230	5,00	
Port Replicator						
	Cradle		x	S26391-F917-E100	33,00	
OS/Application-SW						
	Drivers&Utility DVD		x	S26361-F2010-E201	3,00	
	OEM Office Home and Student 2010 MPI MM	Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote 2010, Package contains: License, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN,, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x	S26361-F2010-E281	110,00	
	OEM Office Home and Business 2010 MPI MM	Activates Preload Windows Office Home and Business 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook2010, Package contains: License, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN,, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x	S26361-F2010-E282	194,00	
	OEM Office Professional 2010 MPI MM	Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License	x	S26361-F2010-E283	333,00	
	License EU/MM - Windows 7 Home Premium	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x	S26361-F2010-E243	99,00	
	License EU/MM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x	S26361-F2010-E253	134,00	
	License RUS - Windows 7 Home Premium	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)	x	S26361-F2010-E242	86,00	
	License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)	x	S26361-F2010-E252	126,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Options

Category	Description	Details	STYLISTIC Q550	Product Code	EUP (€)	Comments
Options matrix						
OS/Application-SW (Continued)						
	License EM - Windows 7 Home Premium	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro	x	S26361-F2010-E244	99,00	
	License EM - Windows 7 Professional	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro	x	S26361-F2010-E254	134,00	
	License EM-MEA - Windows 7 Home Premium	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, , Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe	x	S26361-F2010-E245	99,00	
	License EM-MEA - Windows 7 Professional	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, , Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe	x	S26361-F2010-E255	134,00	
	License EM-INDIA Windows 7 Home Premium	EM-INDIA. Select for shipments to: India	x	S26361-F2010-E248	99,00	
	License EM-INDIA Windows 7 Professional	EM-INDIA. Select for shipments to: India	x	S26361-F2010-E258	134,00	
	Win7 HomePremium32 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E341	4,00	
	Win7 HomePremium32 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E342	4,00	
	Win7 HomePremium32 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E343	4,00	
	Win7 HomePremium32 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) , Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E344	4,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Options

Category	Description	Details	STYLISTIC Q550	Product Code	EUP (€)	Comments
Options matrix						
OS/Application-SW (Continued)						
	Win7 HomePremium32 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E345	4,00	
	Win7 HomePremium32 RU+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E346	4,00	
	Win7 Pro32 RU+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E356	4,00	
	Win7 Pro32 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E351	4,00	
	Win7 Pro32 NODRIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E352	4,00	
	Win7 Pro32 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E353	4,00	
	Win7 Pro32 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E354	4,00	
	Win7 Pro32 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E355	4,00	
	REC-DVD Win7 Home Premium 32 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish	x	S26361-F2010-E543	3,00	
	REC-DVD Win7 Home Premium 32 RU		x	S26361-F2010-E542	3,00	
	REC-DVD Win7 Professional 32 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish	x	S26361-F2010-E553	3,00	
	REC-DVD Win7 Professional 32 RUS	RU	x	S26361-F2010-E552	3,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Options

Category	Description	Details	STYLISTIC Q550	Product Code	EUP (€)	Comments
Options matrix						
OS/Application-SW (Continued)						
	REC-DVD 2 Win7 MAIN+Office2010s	Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Office 2010 incl. Office Starter - 32bit, MAIN (Main European MuLi), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E751	3,00	
	REC-DVD 2 Win7 NORDIC+Office2010s	Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Office 2010 incl. Office Starter - 32bit, NORDICS (Nordic Region), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E752	3,00	
	REC-DVD 2 Win7 EM+SE+Office2010s	Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Office 2010 incl. Office Starter - 32bit, EM-SE (Emerging Markets&Southern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E753	3,00	
	REC-DVD 2 Win7 IBER+NE+Office2010s	Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Office 2010 incl. Office Starter - 32bit, IBER-NE (Iberia and Northern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E754	3,00	
	REC-DVD 2 Win7 SEE+Office2010s	Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Office 2010 incl. Office Starter - 32bit, SEE (South Eastern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E755	3,00	
	REC-DVD 2 Win7 RU+Office2010s	Languages: RU, Office 2010 incl. Office Starter - 32bit, RU (RU & CIS countries), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E756	3,00	
Mouse						
	Mouse 400NB Black		x	S26391-F428-E100	17,00	
Miscellaneous						
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	x	S26391-F782-E200	3,00	
	Folio Case		x	S26391-F917-E200	23,00	
	MED Kit	Content: Manual and certification according to IEC 60601-1-2. Preparation for further certifications in medical segment and relevant only for integration partners of medical products. Not relevant for end customers.,	x	S26391-F918-E900	6,00	

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Positioning Notebooks



**LIFEBOOK S
Series**

The LIFEBOOK S Series gives professional users the optimum combination of performance, modularity and flexibility: the functionality and ease of use of a desktop in a slimline, lightweight package. The integrated modem, network adapter, optional Bluetooth and wireless LAN are complemented by a multifunctional bay. The latest Intel Core 2Duo technology provide you long battery life away from the power socket.



**LIFEBOOK E
Series**

The LIFEBOOK E Series always follows a simple philosophy: only the best will do. Top notch performance with only 2.7 kg makes this notebook as one of the lightest in its class. The comprehensive security features, separate SmartCard reader, TPM and Fingerprint modules make your sensible data safe and secure – anytime, anywhere. Take advantage of the growing network of wireless working and catch up emails where ever you are via optional embedded UMTS.



**LIFEBOOK P
Series**

The LIFEBOOK P Series fits in any bag - meeting the most demanding airport restrictions. At only 1.3 kg this lightweight combines superior style with exceptional performance and state-of-the-art connectivity, including embedded mobile broadband access and excellent communications ability. Thanks to video conferencing support with the integrated ConfCamera, this 12.1-inch screen beauty is truly a maximum. It provides all standard interfaces, and tops it off with a exceptional long battery run time. The integrated EcoButton extends the battery life even further. In short, true mobility becomes reality.



LIFEBOOK NH751

The The Fujitsu LIFEBOOK NH751 notebook is a mobile cinema that enables users to experience their films, photos, social networking and games in stunning quality on a brilliant widescreen 43.9 cm (17.3-inch) display with powerful NVIDIA® GeForce® GT 525M discrete graphics with NVIDIA® Optimus™ technology, whenever and wherever they want. While the spill-resistant keyboard provides extra reliability, high-gloss black finish, frameless display and outstanding slim profile make the notebook a real head-turner.



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK SH531

The compact Fujitsu LIFEBOOK SH531 is the perfect everyday mobile companion at home, in the office, at school or on the go. With its 33.8 cm (13.3-inch) display this 1.9 kg notebook is small and light enough for every trip. Stay connected with family and colleagues via WLAN, or upgrade your LIFEBOOK SH531 with an external UMTS solution in its 34 mm ExpressCard slot.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK SH531					
LIFEBOOK SH531		LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM65 chipset with integrated Mobile Intel HD Graphics, DDRIII-1333 (2 DIMM slots), camera 1,3 Mpix, 10/100/1000 Mbitps-LAN, integrated WLAN a/b/g/n, Bluetooth V3.0 + EDR, 4 in 1 card reader SD/MS/MSPPro/MMC, 34 mm Express Card Slot, integrated digital microphone, Touchpad, DVD- Super-Multi-Writer or Bluray Combo Drive, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 6 cell battery, AC adapter 19V/60W, Interfaces: VGA , HDMI, 3 x USB 2.0, RJ45 for LAN, audio in and audio out, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K336-V100	412,00	
LIFEBOOK SH531/GFX black		LCD 13.3" Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM65 chipset, Nvidia GeForce 410, DDRIII-1333 (2 DIMM slots), camera 1,3 Mpix, 10/100/1000 Mbitps-LAN, integrated WLAN a/b/g/n, Bluetooth V3.0 + EDR, 4 in 1 card reader SD/MS/MSPPro/MMC, 34 mm Express Card Slot, integrated digital microphone, Touchpad, DVD- Super-Multi-Writer or Bluray Combo Drive, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 6 cell battery, AC adapter 19V/60W, Interfaces: VGA , HDMI, 3 x USB 2.0, RJ45 for LAN, audio in and audio out, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K336-V200	469,00	
LIFEBOOK SH531/GFX red		LCD 13.3" Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM65 chipset, Nvidia GeForce 410, DDRIII-1333 (2 DIMM slots), camera 1,3 Mpix, 10/100/1000 Mbitps-LAN, integrated WLAN a/b/g/n, Bluetooth V3.0 + EDR, 4 in 1 card reader SD/MS/MSPPro/MMC, 34 mm Express Card Slot, integrated digital microphone, Touchpad, DVD- Super-Multi-Writer or Bluray Combo Drive, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 6 cell battery, AC adapter 19V/60W, Interfaces: VGA , HDMI, 3 x USB 2.0, RJ45 for LAN, audio in and audio out, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K336-V300	469,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK S751

The Fujitsu LIFEBOOK S751 offers the perfect balance between low weight and high-end performance. Weighing only 2.3 kg it is a light modular 35.6cm (14-inch) notebook. A flexible modular bay and a phantastic battery life enable convenient working. Optional embedded 3G/UMTS and optional webcam enable connectivity anytime, anywhere.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK S751					
LIFEBOOK S751	Base unit, Chipset Intel HM65, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD or HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 4x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x Docking connector., Fujitsu Recovery (Hard Disk Based Recovery), , globales model, , . Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra, Please be aware, that Microphones are not part of the base unit and can be ordered separately	S26391-K322-V100	432,00	Phased out	
LIFEBOOK S751 vPro	Base unit, Chipset Intel QM67 (supports vPro), supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD or HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 1x USB 3.0, 3x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x Docking connector., Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Fujitsu Recovery (Hard Disk Based Recovery), , Please be aware, that Microphones are not part of the base unit and can be ordered separately, vpro Logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module	S26391-K322-V200	454,00	Phased out	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK S752

If you need a reliable notebook for everyday business use, choose the Fujitsu LIFEBOOK S752. Its 35.6 cm (14-inch) display and useful interfaces offer you convenience in the office. The extendable modular bay for a second battery or hard disk drive lets you increase storage or battery runtime, providing enhanced flexibility. Multiple connectivity options and excellent energy efficiency complete the package.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK S752					
	LB S752 /14.0" HD+/i5-3320M/2x4 GB/ (Promo)	LB S752 /14.0" HD+/i5-3320M/2x4 GB/ DVD Super Multi/500GB 7.2k/No Modem/ WLAN INTEL 6205/BT V4.0/UMTS/LTE ready/ mic&FHD cam/Fingerprint/TPM Module/,	LKN:S7520M0002IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK S752					
	LIFEBOOK S752 HM76 Chipset	Base unit, Chipset Intel HM76, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0, thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x Docking connector., Fujitsu Recovery (Hard Disk Based Recovery), , global model, , Please do not forget to configure the AC adapter, AC cable & 1st battery extra. We recommend to use 65W AC adapter for the system. For the usage with Port replicator 80W AC Adapter is required	S26391-K351-V100	400,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK S761

The Fujitsu LIFEBOOK S761 is the perfect notebook for users who are looking for a light-weight system but don't want to compromise on performance. With the 33.8cm (13.3-inch) display and starting from just 1.66 kg it is equipped with a full-featured performance processor. Thanks to the modular bay you can extend battery life for working all day. With features like fingerprint sensor and TPM, your notebook is secured from any data theft.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK S761					
	LB S761 QM67 /13.3" HD T&L/I5-2520M/ (Promo)	LB S761 QM67 /13.3" HD T&L/I5-2520M/ 4 GB/DVD/500GB 7.2K/UMTS READY/NO MODEM/ WLAN INTEL 6205/BT V3.0/MIC&CAM/ FP SENSOR + SW/TPM/CK INT/AC-ADAP/,	LKN:S7610M0004IT		Phased out
	LB S761 QM67 /13.3" HD T&L/I7-2640M/ (Promo)	LB S761 QM67 /13.3" HD T&L/I7-2640M/ 4 GB/DVD/500GB 7.2K/UMTS READY/ WLAN INTEL 6205/BT V3.0/MIC&CAM/ FP SENSOR + SW/TPM/ERASEDISK/CK INT/,	LKN:S7610M0010IT		Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK S761					
	LIFEBOOK S761 vPro	Base unit, Intel QM67 Chipset with vPro technology, supports maximum 8 GB Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optical drive and 2nd battery. Mobile Intel HD oder HD3000 integrierte Graphik, S-ATA III Schnittstelle für interne HDD, 10/100/1000 MBit Intel 82579LM, Intel High Definition Audio, 1 digital microphone integrated, touchpad and ScrollWheel, G-sensor, LED Status display,application buttons, Kensington Lock connector, Sleeve Case., supports iAMT 7.0: vProLogo requires Core i5-25xx/ i7 processor, Intel W-LAN & TPM module, Interfaces: 1x ExpressCard, 1x SD Card reader, 1x VGA, 1x HDMI, 1x USB 3.0, 2x USB 2.0 thereof 1 with anytime charging functionality, 1x RJ45 for LAN, 1x RJ11 optional for analogue modem, microphone in, audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra, Please be aware, that Microphones are not part of the base unit and can be ordered separately	S26391-K321-V100	686,00	Phased out



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK S762

If you need a lightweight but fully-equipped notebook for office-based or mobile working, choose the Fujitsu LIFEBOOK S762. This 1.8 kg notebook offers excellent mobility through its small form factor and 33.8 cm (13.3-inch) display. Its modular bay for increased battery runtime, a second hard disk drive or Fujitsu's optional patented bay projector guarantee you maximum flexibility on a business trip.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK S762					
	LB S762 /13.3" HD/3360M/2x4 GB/ (Promo)	LB S762 /13.3" HD/3360M/2x4 GB/ DVD Super Multi/500GB 7.2k/EC slot/ UMTS/LTE ready/WLAN INTEL 6205/BT V4.0/ mic&FHD cam/Fingerprint/TPM/ERASEDISK/	LKN:S7620M0002IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK S762					
	LIFEBOOK S762 HM76	Base unit, Intel HM76 Chipset, supports Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drive, 2nd battery, 2nd hard disk (S-ATA-II) or bay projector. Mobile Intel HD4000 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 82579 V, Intel High Definition Audio, integrated Touchpad with Gesture support, ScrollWheel, G-sensor, LED Status display,application buttons, Kensington Lock connector., Interfaces: 1x ExpressCard (optional), 1x Smart Card Reader (optional), 1x SD Card reader, 1x VGA, 1x Displayport, 2x USB 3.0 (thereof 1x E-SATA/USB combo, 1 with anytime charging functionality) , 1x USB 2.0, 1x RJ45 for LAN, 1x RJ11 optional, 1x audio in, 1x audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Global model, , Please do not forget to configure the AC Adapter (65W for system; 80W for portrep), AC Cable & 1st Battery extra, Please be aware, that Microphones are not part of the base unit and can be ordered separately	S26391-K360-V100	594,00	



Windows® . Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK S781

The Fujitsu LIFEBOOK S781 is a reliable notebook in 35.6 cm (14 inch) format with a high quality magnesium lid and only 2.3 kg, offering you the perfect balance between lightweight and stability. The modular bay offers a large number of extension options, such as a second battery or a second disk drive for flexible working in the office or on the move. Optional embedded 3G/UMTS allows you to stay connected wherever you are and to recall your business data.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK S781					
	LB S781 /14.0" HD+/I7-2640M/4 GB/DVD/ (Promo)	LB S781 /14.0" HD+/I7-2640M/4 GB/DVD/ 500GB 7.2K/UMTS READY/WLAN INTEL 6205/ BT V3.0/MIC&CAM/FP SENSOR + SW/TPM/ ERASEDISK/CK INT/AC-ADAP/1ST BATT/,	LKN:S7810M0001IT		Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK S781					
	LIFEBOOK S781	Base unit, Chipset Intel QM67 (supports vPro), supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 1x USB 3.0, 3x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x Docking connector., Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that Microphones are not part of the base unit and can be ordered separately, vpro Logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module	S26391-K322-V300	476,00	Phased out



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK S782

If you need a solid and reliable notebook for everyday business use, choose the Fujitsu LIFEBOOK S782. The 35.6 cm (14-inch) display and useful interfaces offer you enhanced convenience in the office. The modular bay for a second battery or hard disk drive to extend battery runtime or storage provides you with increased flexibility. Moreover, the solid magnesium display lid gives you enhanced stability.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK S782					
	LB S782 /14.0" HD+/3360M/2x4 GB/ (Promo)	LB S782 /14.0" HD+/3360M/2x4 GB/ DVD Super Multi/500GB 7.2k/No Modem/ WLAN INTEL 6205/BT V4.0/UMTS/LTE ready/ mic&FHD cam/Fingerprint/TPM Module/	LKN:S7820M0002IT		
Base unit configurations					
LIFEBOOK S782					
	LIFEBOOK S782 QM77 Chipset	Base unit, Chipset Intel QM77, prepared for vPro, iAMT 8.0, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0, thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x Docking connector., Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC adapter, AC cable & 1st battery extra. We recommend to use 65W AC adapter for the system. For the usage with Port replicator 80W AC Adapter is required	S26391-K358-V300	427,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK S792

If a solid, lightweight and fully-equipped notebook for mobile or office-based working is what you require, Fujitsu LIFEBOOK S792 should be your first choice. This 1.6 kg notebook provides the right balance between mobility and ease of use with its small form factor, 33.8 cm (13.3-inch) display and robust magnesium lid. Its modular bay for increased battery runtime, a second hard disk drive and Fujitsu's optional patented bay projector guarantee you maximum flexibility on business trips.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK S792					
	LB S792 vPro /13.3" HD T&L/i7-3520M/ (Promo)	LB S792 vPro /13.3" HD T&L/i7-3520M/ 2x4 GB/DVD Super Multi/SSD 128GB/ EC slot/UMTS/LTE ready/WLAN INTEL 6205/ BT V4.0/mic&FHD cam/Fingerprint/TPM/	LKN:S7920M0002IT		
Base unit configurations					
LIFEBOOK S792					
	LIFEBOOK S792 QM77	Base unit, Intel QM77 Chipset, prepared for vPro technology and iAMT 8.0, supports Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drive, 2nd battery, 2nd hard disk (S-ATA-II) or bay projector. Mobile Intel HD4000 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 82579 LM, Intel High Definition Audio, integrated Touchpad with Gesture support, ScrollWheel, G-sensor, LED Status display,application buttons, Kensington Lock connector, Sleeve Case., Interfaces: 1x ExpressCard (optional), 1x Smart Card Reader (optional), 1x SD Card reader, 1x VGA, 1x Displayport, 2x USB 3.0 (thereof 1x E-SATA/USB combo, 1 with anytime charging functionality) , 1x USB 2.0, 1x RJ45 for LAN, 1x RJ11 optional, 1x audio in, 1x audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter (65W for system; 80W for portrep), AC Cable & 1st Battery extra, Please be aware, that Microphones are not part of the base unit and can be ordered separately	S26391-K367-V300	625,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK E751

The simple philosophy behind Fujitsu LIFEBOOK E751: only the best is good enough. State-of-the-art Intel® technology and high speed Intel® integrated graphics ensure brilliant graphics and best performance. This 39.6 cm (15.6-inch) notebook supports HD or HD+ display with LED backlight. With features like fingerprint and Fujitsu's Advanced Theft Protection (ATP) your notebook is secured from any data theft.

Model	Description	Details	Product Code	EUP (€)	Comments
LIFEBOOK E751					
LIFEBOOK E751	Base unit, Chipset Intel HM65, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD or HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 4x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , global model, , Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra, Please be aware, that Microphones are not part of the base unit and can be ordered separately	S26391-K326-V100	478,00	Phased out	
LIFEBOOK E751 with 10-key KB	Base unit, Chipset Intel HM65, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD or HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 4x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra, Please be aware, that Microphones are not part of the base unit and can be ordered separately	S26391-K326-V110	489,00	Phased out	
LIFEBOOK E751 vPro	Base unit, Chipset Intel QM67 (supports vPro), supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD or HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 1x USB 3.0, 3x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector., Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that Microphones are not part of the base unit and can be ordered separately., Please be aware, that vPro logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module	S26391-K326-V200	497,00	Phased out	
LIFEBOOK E751 vPro with 10-key KB	Base unit, Chipset Intel QM67 (supports vPro), supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD or HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 1x USB 3.0, 3x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector., Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that Microphones are not part of the base unit and can be ordered separately., Please be aware, that vPro logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module	S26391-K326-V210	509,00	Phased out	



Windows® . Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK E752

Your Professional Desktop Replacement

If you need a reliable and energy-efficient notebook for daily business use, select the Fujitsu LIFEBOOK E752. The 39.6 cm (15.6-inch) display and useful interfaces offer you enhanced convenience. The modular bay lets you add extra memory or a second battery to increase your flexibility. Moreover, advanced security features protect your valuable company data.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK E752					
	LB E752 /15.6" HD+/i5-3320M/2x4 GB/ (Promo)	LB E752 /15.6" HD+/i5-3320M/2x4 GB/ DVD Super Multi/500GB 7.2k/ WLAN INTEL 6205/BT V4.0/UMTS/LTE ready/ mic&FHD cam/Fingerprint/TPM Module/.	LKN:E7520M0002IT		
Base unit configurations					
LIFEBOOK E752					
	LIFEBOOK E752 HM76 Chipset	Base unit, Chipset Intel HM76, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , global model , Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra. We recommend for Systems with i3 or i5 processors 65W AC Adapters. For Systems with i7 processors and for usage with port replicator a 80W AC Adapter is required	S26391-K352-V100	425,00	
	LIFEBOOK E752 HM76 Chipset 10-key	Base unit, Chipset Intel HM76, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra. We recommend for Systems with i3 or i5 processors 65W AC Adapters. For Systems with i7 processors and for usage with port replicator a 80W AC Adapter is required	S26391-K352-V110	436,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK E752

			Product Code	EUP (€)	Comments
Model	Description	Details			
Base unit configurations					
LIFEBOOK E752 (Continued)					
	LIFEBOOK E752 QM77 Chipset	Base unit, Chipset Intel QM77, prepared for vPro, iAMT 8.0, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), . Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra. We recommend for Systems with i3 or i5 processors 65W AC Adapters. For Systems with i7 processors and for usage with port replicator a 80W AC Adapter is required	S26391-K352-V200	454,00	
	LIFEBOOK E752 QM77 Chipset 10-key	Base unit, Chipset Intel QM77, prepared for vPro, iAMT 8.0, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), . Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra. We recommend for Systems with i3 or i5 processors 65W AC Adapters. For Systems with i7 processors and for usage with port replicator a 80W AC Adapter is required	S26391-K352-V210	464,00	



Windows® . Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK E781

The Fujitsu LIFEBOOK E781 meets the requirements of the most demanding of users: the highperformance 39.6 cm (15.6 inch) notebook has a robust yet lightweight magnesium lid and offers you high resolution thanks to HD, HD+ and Full HD with LED backlight. Security functions such as Advanced Theft Protection (ATP) and fingerprint sensor reliably protect your notebook against all types of data theft.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK E781					
	LB E781 VPRO 10-KEY /15.6" HD+/I7-2640M/ (Promo)	LB E781 VPRO 10-KEY /15.6" HD+/I7-2640M/ 4 GB/DVD/500GB 7.2K/UMTS READY/ WLAN INTEL 6205/BT V3.0/MIC&CAM/ FP SENSOR + SW/TPM/ERASEDISK/CK INT/	LKN:E7810M0001IT		Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK E781					
	LIFEBOOK E781 vPro QM67 with 10-key KB	Base unit, Chipset Intel QM67 (supports vPro), supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 1x USB 3.0, 3x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector., Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that Microphones are not part of the base unit and can be ordered separately., Please be aware, that vPro logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module	S26391-K326-V310	530,00	Phased out



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK E781

The Fujitsu LIFEBOOK E781 meets the requirements of the most demanding of users: the highperformance 39.6 cm (15.6 inch) notebook has a robust yet lightweight magnesium lid and offers you high resolution thanks to HD, HD+ and Full HD with LED backlight. Security functions such as Advanced Theft Protection (ATP) and fingerprint sensor reliably protect your notebook against all types of data theft.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK E782					
	LB E782 /15.6" FHD/3360M/2x4 GB/ (Promo)	LB E782 /15.6" FHD/3360M/2x4 GB/ DVD Super Multi/500GB 7.2k/ WLAN INTEL 6205/BT V4.0/UMTS/LTE ready/ mic&FHD cam/Fingerprint/TPM Module/,	LKN:E7820M0001IT		
Base unit configurations					
LIFEBOOK E782					
	LIFEBOOK E782 QM77 Chipset 10-key	Base unit, Chipset Intel QM77, prepared for vPro, iAMT 8.0, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery). , Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra. We recommend for Systems with i3 or i5 processors 65W AC Adapters. For Systems with i7 processors and/or Full-HD displays and for usage with port replicator a 80W AC Adapter is required	S26391-K357-V310	476,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK P701

Highest performance level of all components as well as new high speed Intel® graphics and a 12.1- inch (30.7 cm) WXGA display make the slim and handy notebook a real mobile companion for all situations. Thanks to very low weight, robust design, anytime USB charge and much more the Fujitsu LIFEBOOK P701 is prepared for everyday business and mobile usage and grants effective working even for the most demanding of users.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK P701					
	LB P701 HM65 i5-2520M /12.1" WXGA/4 GB/ (Promo)	LB P701 HM65 i5-2520M /12.1" WXGA/4 GB/ 500GB 7.2K/UMTS READY/WLAN INTEL 6205/ BT V3.0/MIC&CAM/FP SENSOR + SW/TPM/ CK INT/AC-ADAP/1ST BATT/CABLE EU/KB I/	LKN:P701XM0002IT		Phased out
Base unit configurations					
LIFEBOOK P701					
	LIFEBOOK P701 HM65 i3-2330M	Base unit, Chipset Intel HM65, Intel i3-2330M CPU, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Mobile Intel HD3000 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, RJ45, 1x audio in, 1x audio out, 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC cable and 1st Battery extra	S26391-K327-V330	744,00	Phased out
	LIFEBOOK P701 HM65 i5-2520M	Base unit, Chipset Intel HM65, Intel i5-2520M CPU, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Mobile Intel HD3000 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, RJ45, 1x audio in, 1x audio out, 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC cable and 1st Battery extra	S26391-K327-V500	827,00	Phased out



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK P771

Small, lightweight and nevertheless high performance? The answer to those requirements is the Fujitsu LIFEBOOK P771. With one of the smallest footprints in the 12-inch market and weighing only 1.3 kg, it offers the user quite a range of goodies: all standard interfaces and connectivity features like embedded 3G/UMTS, WLAN and Bluetooth®. Thanks to the modular bay you can extend battery life for working all day. With features like fingerprint sensor and TPM, your notebook is secured from any data theft.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK P771					
LB P771	QM67 I7-2617M /4 GB/DVD/ (Promo)	LB P771 QM67 I7-2617M /4 GB/DVD/ 320GB 7.2K/UMTS READY/WLAN INTEL 6205/ BT V3.0/MIC&CAM/FP SENSOR + SW/TPM/ CK INT/AC-ADAP/1ST BATT/CABLE EU/KB I/,	LKN:P7710M0001IT		Phased out
LB P771	QM67 I7-2617M /4 GB/DVD/ (Promo)	LB P771 QM67 I7-2617M /4 GB/DVD/ 500GB 7.2K/UMTS GOBI 3000/ WLAN INTEL 6205/BT V3.0/MIC&CAM/ FP SENSOR + SW/TPM/CK INT/AC-ADAP/,	LKN:P7710M0002IT		Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK P771					
	LIFEBOOK P771 glossy black	LCD 30.7 cm (12.1") WXGA TFT antiglare LED Display, glossy black, Intel QM67 chipset, Intel Core i7-2617M (1.5 GHz), supports max. 8 GB Dual Channel DDR3 1333MHz PC10600 system memory (2 DIMM slots), Intel HD3000 integrated graphics, S-ATA III Interface for internal HDD,10/100/1000 MBit/s Intel 82579LM, Intel High Definition Audio, 1 integrated microphone, Touchpad with ScrollWheel, G-Sensor, application buttons, Kensington Lock, cleaning-cloth, notebook case, Modular bay concept for optical drive and 2nd battery, supports iAMT 7.0: vPro Logo requires Intel W-LAN & TPM module, Interfaces: 1x ExpressCard, 1x SD Card reader, 1x VGA, 1x HDMI, 2x USB 3.0, 1x USB 2.0 thereof 1 (all with anytime charging functionality), 1x RJ45 for LAN, microphone in, audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra	S26391-K328-V100	1.195,00	Phased out
	LIFEBOOK P771 matt	LCD 30.7 cm (12.1") WXGA TFT antiglare LED Display with compound lid, matt, Intel QM67 chipset, Intel Core i5-2520M (2.5 GHz), supports max. 8 GB Dual Channel DDR3 1333MHz PC10600 system memory (2 DIMM slots), Intel HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit/s Intel 82579LM, Intel High Definition Audio, 1 integrated microphone, Touchpad with ScrollWheel, G-Sensor, application buttons, Kensington Lock, notebook case, Modular bay concept for optical drive and 2nd battery, supports iAMT 7.0: vPro Logo requires Intel W-LAN & TPM module, Interfaces: 1x ExpressCard, 1x SD Card reader, 1x VGA, 1x HDMI, 2x USB 3.0, 1x USB 2.0 thereof 1 (all with anytime charging functionality), 1x RJ45 for LAN, microphone in, audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra	S26391-K328-V200	968,00	Phased out



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK P772

The Small Companion to Go

As a frequent traveler, the lightweight but fully-featured Fujitsu LIFEBOOK P772 provides you with the right balance of flexibility and mobility for working on the move. The LIFEBOOK P772 is unique in offering an integrated modular bay in a 30.7 cm (12.1-inch) notebook. The patented bay projector option guarantees you additional presentation convenience on business trips.

Model	Description	Details	Product Code	EUP (€)	Comments
LIFEBOOK P772					
	LB P772 SC /12.1" WXGA/i3-2370M/4 GB/ (Promo)	LB P772 SC /12.1" WXGA/i3-2370M/4 GB/ DVD Super Multi/500GB 7.2k/ Cent. 2200 802.11b/g/n/BT V4.0/ UMTS/LTE ready/mic&FHD cam/Fingerprint/	LKN:P7720M0001IT		
	LB P772 SC /12.1" WXGA/i5-3320M/2x4 GB/ (Promo)	LB P772 SC /12.1" WXGA/i5-3320M/2x4 GB/ DVD Super Multi/500GB 7.2k/ WLAN INTEL 6205/BT V4.0/UMTS/LTE ready/mic&FHD cam/Fingerprint/TPM/ERASEDISK/	LKN:P7720M0002IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK P772					
	LIFEBOOK P772 SC matt	Base unit matt black, Intel QM77 chipset, prepared for vPro technology and iAMT 8.0, supports Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots), Modular bay concept for optical drive, 2nd battery, 2nd HDD (S-ATA II) or bay projector, Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD,10/100/1000 MBit/s Intel 82579LM, Intel High Definition Audio, 1 integrated microphone, integrated Touchpad with Gesture support, ScrollWheel, G-Sensor, LED status display, application buttons, Kensington Lock, cleaning-cloth, sleeve case, Interfaces: 1x Smartcard Reader, 1x SD Card reader, 1x VGA, 1x DP, 2x USB 3.0 thereof 1 (all with anytime charging functionality), 1x USB 2.0, 1x RJ45 for LAN, 1x audio in, 1x audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter (65W for system; 80W for portrep), AC Cable & 1st Battery extra	S26391-K361-V340	644,00	
	LIFEBOOK P772 EC glossy black	Base unit glossy black, Intel QM77 chipset, prepared for vPro technology and iAMT 8.0, supports Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots), Modular bay concept for optical drive, 2nd battery, 2nd HDD (S-ATA II) or bay projector, Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD,10/100/1000 MBit/s Intel 82579LM, Intel High Definition Audio, 1 integrated microphone, integrated Touchpad with Gesture support, ScrollWheel, G-Sensor, LED status display, application buttons, Kensington Lock, cleaning-cloth, sleeve case, Interfaces:1x Express Card, 1x SD Card reader, 1x VGA, 1x DP, 2x USB 3.0 thereof 1 (all with anytime charging functionality), 1x USB 2.0, 1x RJ45 for LAN, 1x audio in, 1x audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter (65W for system; 80W for portrep), AC Cable & 1st Battery extra	S26391-K361-V320	644,00	
	LIFEBOOK P772 SC glossy black	Base unit glossy black, Intel QM77 chipset, prepared for vPro technology and iAMT 8.0, supports Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots), Modular bay concept for optical drive, 2nd battery, 2nd HDD (S-ATA II) or bay projector, Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD,10/100/1000 MBit/s Intel 82579LM, Intel High Definition Audio, 1 integrated microphone, integrated Touchpad with Gesture support, ScrollWheel, G-Sensor, LED status display, application buttons, Kensington Lock, cleaning-cloth, sleeve case, Interfaces: 1x Smartcard Reader, 1x SD Card reader, 1x VGA, 1x DP, 2x USB 3.0 thereof 1 (all with anytime charging functionality), 1x USB 2.0, 1x RJ45 for LAN, 1x audio in, 1x audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter (65W for system; 80W for portrep), AC Cable & 1st Battery extra	S26391-K361-V330	644,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK P702

Ultra-Mobile Performance to Go

If you need a versatile and lightweight notebook for your everyday business tasks, the Fujitsu LIFEBOOK P702 should be your first choice. Its small form factor, 30.7 cm (12.1-inch) display and long battery runtime ensure enhanced mobile productivity. The ShockSensor protects your hard disk drive against physical impacts while its robust magnesium lid and various security features guarantee that the notebook is secure both on the move and in the office.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK P702					
	LB P702 /12.1" WXGA/i5-3320M/2x4 GB/ (Promo)	LB P702 /12.1" WXGA/i5-3320M/2x4 GB/ SSD 128GB/WLAN INTEL 6205/BT V4.0/ UMTS/LTE ready/mic&FHD cam/Fingerprint/ TPM/CK Int/AC 19V/80W/1st Batt/CABLE EU,	LKN:P702XM0001IT		
Base unit configurations					
LIFEBOOK P702					
	LIFEBOOK P702 HM76	Base unit, Chipset Intel i76HM, supports Dual Channel DDR3 1333MHz PC12800 RAM (2 DIMM slots). Mobile Intel HD4000 integrated graphics, S-ATA III HDD interface, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 , integrated Touchpad with Gesture support, LED-Status display, ScrollWheel, G-sensor, application buttons, connector for Kensington Lock, Interfaces: Express Card slot type 34, 1xSmart Card reader: 1x VGA, 1x Displayport, SD Card reader, 3x USB 2.0, 1xUSB 3.0 with Anytime USB Charge, RJ45, 1x audio in, 1x audio out, 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Global model, , Please do not forget to configure the AC Adapter (65W for notebook; 80W for Portrep), AC cable and 1st Battery extra	S26391-K350-V100	607,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK U772

Business Elegance in Style

The Fujitsu LIFEBOOK U772 Ultrabook™ is the perfect choice for demanding business professionals on business trips and in the office. The stylish and fully-featured notebook offers a unique combination of an outstanding small form factor with a 35.6 cm (14-inch) frameless display at only 1.4 kg, making you a real eye-catcher. Its extended battery runtime, high responsiveness, ultimate security features and optional embedded 4G/LTE or 3G/UMTS offer you the slim mobility you need when on the move. Moreover, the solid magnesium housing provides additional reliability, anywhere..

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK U772					
	LB U772 silver /14.0" HD/i5-3427U/4 GB/ (Promo)	LB U772 SILVER /14.0" HD/i5-3427U/4 GB/ SSD Cache 32GB/500GB 5.4k/ Cent. 6205 802.11a/b/g/n (WW)/BT V4.0/ No UMTS/LTE/mic&HD cam/Fingerprint/TPM/	LKN:U7720M0001IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK U772					
	LIFEBOOK U772 silver	Base unit, Intel QM77 Chipset, prepared for vPro technology and iAMT 8.0, supports DDR3 1600MHz PC12800 RAM (1 DIMM slot). Mobile Intel HD4000 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 82579 LM, Intel High Definition Audio, integrated Touchpad with Gesture support, G-sensor, LED Status display, Eco button, Kensington Lock connector, Interfaces: 1x SD Card reader, 1x HDMI, 2x USB 3.0 (1 with anytime charging functionality) , 1x USB 2.0, 1x RJ45 for LAN (mini LAN connector incl. Adapter), 1x audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter and AC Cable extra	S26391-K364-V100	696,00	
	LIFEBOOK U772 red	Base unit, Intel QM77 Chipset, prepared for vPro technology and iAMT 8.0, supports DDR3 1600MHz PC12800 RAM (1 DIMM slot). Mobile Intel HD4000 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 82579 LM, Intel High Definition Audio, integrated Touchpad with Gesture support, G-sensor, LED Status display, Eco button, Kensington Lock connector, Interfaces: 1x SD Card reader, 1x HDMI, 2x USB 3.0 (1 with anytime charging functionality) , 1x USB 2.0, 1x RJ45 for LAN (mini LAN connector incl. Adapter), 1x audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter and AC Cable extra	S26391-K364-V200	696,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK NH751

The Fujitsu LIFEBOOK NH751 notebook is a mobile cinema that enables users to experience their films, photos, social networking and games in stunning quality on a brilliant widescreen 43.9 cm (17.3-inch) display with powerful NVIDIA® GeForce® GT 525M discrete graphics with NVIDIA® Optimus™ technology, whenever and wherever they want. While the spill-resistant keyboard provides extra reliability, high-gloss black finish, frameless display and outstanding slim profile make the notebook a real head-turner.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK NH751					
	LIFEBOOK NH751 2GB VRAM		S26391-K320-V300	533,00	Phased out
	LIFEBOOK NH751 FHD 2GB VRAM	""Base unit 17.3" (43.9cm, 16:9) Full-HD LED Display based Intel HM65, supports maximum 8 GB Dual channel DDR3 1333 MHz memory (2 DIMM slots), NVIDIA GeForce GT 525M with 2GB dedicated DDR3 VRAM, Bluetooth V. 3.0, Serial ATA HDD interface, 10/100/1000 MBit LAN, integrated WLAN, integrated 1.3 megapixel WebCam, 5 way speakers, digital microphone, touchpad with scroll buttons, LED status indicators, spill-proof keyboard, Kensington Lock connector, 4-in-1 card reader, including Li-Ion 8-cell battery 5.200 mAh, AC adapter 19V/120W, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery), Interfaces: 1x VGA, 1xHDMI 1.4a, 1x USB 3.0, 3x USB 2.0, 1x RJ45 for LAN, 1x line-in, 1x mic-in, 1x headphone out, ExpressCard Slot 34/54mm, 1xDC-in, 1x kensington lock""	S26391-K320-V400	590,00	Phased out



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK UH552/UH572

UH552: Your Slim and Stylish Partner

For everyday business, the slim and attractive Fujitsu LIFEBOOK UH552 is the ideal device. Its light weight of 1.6 kg, small form factor and 33.8 cm (13.3-inch) anti-glare display offer you the mobility you desire. Its combination of good looks and thin design lets you arouse attention in all situations. Moreover, the notebook provides effective working with optional embedded 3G/UMTS and Computrace® enabled BIOS to keep your data safe.

UH572 Business in a Briefcase

The stylish and ultra-slim Fujitsu LIFEBOOK UH572 Ultrabook™ is the perfect choice for everyday requirements. Its small form factor, 33.8 cm (13.3-inch) display and light weight of only 1.6 kg offer enhanced mobility. An attractive combination of thin design and sleek look with two color options makes the LIFEBOOK UH572 turn heads anywhere. Elaborate security features, optional embedded 3G/UMTS and high responsiveness provide you with enhanced convenience for effective working in all situations.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK UH552/UH572					
	LB UH552 silver i5 /4 GB/500GB/ (Promo)	LB UH552 silver i5 /4 GB/500GB/ Intel Centr N2230/CK INT/ AC 19V/65W+EU CBL/KB ISO BL IT/ COA_W7_MM_PROFES/W7_RDVD64_PRO_ABC/,	LKN:UH552M0001IT		
	LB UH572 red i5 /4 GB/500GB/ (Promo)	LB UH572 red i5 /4 GB/500GB/ UMTS Gobi 3000/Intel Centr N2230/CK INT/ AC 19V/65W+EU CBL/KB ISO BL IT/ COA_W7_MM_PROFES/W7_RDVD64_PRO_ABC/,	LKN:UH572M0001IT		
Base unit configurations					
LIFEBOOK UH552/UH572					
	LIFEBOOK UH552 silver i3	LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i3-3217U (1.8 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W slimm stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K348-V130	609,00	
	LIFEBOOK UH552 silver i5	LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i5-3317U (1.7 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K348-V150	665,00	
	LIFEBOOK UH572 silver i5	Ultrabook with LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i5-3317U (1.7 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), 32 GB SSD cache on board, HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K349-V150	739,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK UH552/UH572

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK UH552/UH572 (Continued)					
	LIFEBOOK UH572 silver i7	Ultrabook with LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i7-3517U (1.9 GHz, 4 MB), DDRIII-1600 (2 DIMM slots), 32 GB SSD cache on board, HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K349-V170	817,00	
	LIFEBOOK UH572 red i5	Ultrabook with LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i5-3317U (1.7 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), 32 GB SSD cache on board, HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K349-V250	739,00	
	LIFEBOOK UH572 red i7	Ultrabook with LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i7-3517U (1.9 GHz, 4 MB), DDRIII-1600 (2 DIMM slots), 32 GB SSD cache on board, HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPro/SDXC, Multigesture Touchpad with integrated mouse button functionaity, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 4 cell Lithium-Polymer battery, AC adapter 19V/65W stick type, Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0, HDMI, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)	S26391-K349-V270	817,00	



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A530	LIFEBOOK A531/AH31	LIFEBOOK A532/AH32	LIFEBOOK AH52/CFX	LIFEBOOK AH52/SL	LIFEBOOK E751	LIFEBOOK E752	LIFEBOOK E781	LIFEBOOK E792	LIFEBOOK LH52	LIFEBOOK NH52	LIFEBOOK NH53	LIFEBOOK NH52	LIFEBOOK NH51	LIFEBOOK P701	LIFEBOOK P702	LIFEBOOK P711	LIFEBOOK P712	LIFEBOOK S751	LIFEBOOK S752	LIFEBOOK S761	LIFEBOOK S762	LIFEBOOK S781	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK SH51	LIFEBOOK S901	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T901	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH52/AH72	Product Code	EUP (€)	Comments			
OS/Application-SW (Continued)																																									
OEM Office Home and Student 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note: Fujitsu Office 2010 preload is 32-bit for best compatibility. This product is for home and consumer End Users only. Not to be distributed to small business or the United States Federal Government.							x								x	x	x	x	x																	S26361-F2110-E177	110,00			
Win Embedded Standard 7, SC EN LIFEBOOK License EU/MM - Windows 7 Home Premium	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.		x	x	x			x					x	x	x																							S26361-F2010-E206 S26361-F2009-E243	79,00 99,00		
Win Embedded Standard 7 DE LIFEBOOK License EU/MM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.		x	x	x	x		x					x	x	x																							S26361-F2010-E204 S26361-F2009-E253	69,00 134,00		
Win Embedded Standard 7 EN LIFEBOOK (Lux RL + Scott built-in license) LIFEBOOK OEM Office Home and Student 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note: Fujitsu Office 2010 preload is 32-bit for best compatibility. This product is for home and consumer End Users only. Not to be distributed to small business or the United States Federal Government.							x								x	x	x	x																			S26361-F2010-E207 S26361-F2010-E209 S26361-F2110-E180	69,00 70,00 110,00		
OEM Office Home and Student 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note: Fujitsu Office 2010 preload is 32-bit for best compatibility. This product is for home and consumer End Users only. Not to be distributed to small business or the United States Federal Government.							x								x	x	x	x																			S26361-F2110-E181	110,00		
OEM Office Home and Business 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note: Fujitsu Office 2010 preload is 32-bit for best compatibility. This product is for small business (500 or fewer employees) and home and consumer End Users only. Not to be distributed to the United States Federal Government.							x								x	x	x	x																			S26361-F2110-E182	194,00		
License RUS - Windows 7 Home Basic	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).												x	x	x																							S26361-F2009-E232	54,00		
License RUS - Windows 7 Home Premium	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).												x	x	x																							S26361-F2009-E242	86,00		
License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).												x	x	x																						S26361-F2009-E252	126,00			
OEM Office Home and Business 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note: Fujitsu Office 2010 preload is 32-bit for best compatibility. This product is for small business (500 or fewer employees) and home and consumer End Users only. Not to be distributed to the United States Federal Government.							x								x	x	x	x																				S26361-F2110-E185	194,00	
OEM Office Home and Business 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note: Fujitsu Office 2010 preload is 32-bit for best compatibility. This product is for small business (500 or fewer employees) and home and consumer End Users only. Not to be distributed to the United States Federal Government.							x								x	x	x	x																				S26361-F2110-E186	194,00	
OEM Office Professional 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note: Fujitsu Office 2010 preload is 32-bit for best compatibility. This product is for small business (500 or fewer employees) and home and consumer End Users only. Not to be distributed to the United States Federal Government.							x								x	x	x	x																				S26361-F2110-E187	333,00	
OEM Office Professional 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note: Fujitsu Office 2010 preload is 32-bit for best compatibility. This product is for small business (500 or fewer employees) and home and consumer End Users only. Not to be distributed to the United States Federal Government.							x								x	x	x	x																				S26361-F2110-E190	333,00	
License EM - Windows 7 Home Basic	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro												x	x	x																								S26361-F2009-E234	68,00	
License EM - Windows 7 Home Premium	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro												x	x	x																								S26361-F2009-E244	99,00	
License EM - Windows 7 Professional	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro												x	x	x																								S26361-F2009-E254	134,00	



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK A532/AH532	LIFEBOOK AH532/CFX	LIFEBOOK AH532/SRL	LIFEBOOK E751	LIFEBOOK E752	LIFEBOOK E761	LIFEBOOK E762	LIFEBOOK E763	LIFEBOOK LHS2	LIFEBOOK N532	LIFEBOOK NH532	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P702	LIFEBOOK P711	LIFEBOOK P712	LIFEBOOK S751	LIFEBOOK S752	LIFEBOOK S761	LIFEBOOK S762	LIFEBOOK S781	LIFEBOOK S782	LIFEBOOK S792	LIFEBOOK SH531	LIFEBOOK L590	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T901	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH532/AH532	Product Code	EUP (€)	Comments			
OS/Application-SW (Continued)																																									
License EM-SEA - Windows 7 Home Premium	EM-SEA. Select for shipments to: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam													x	x	x																				x	S26361-F2009-E246	99,00			
License EM-SEA - Windows 7 Professional	EM-SEA. Select for shipments to: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam													x	x	x																				x	S26361-F2009-E256	134,00			
License EM-LATAM Windows 7 Home Basic	EM-LATAM. Select for shipments to: Anguilla, Antigua and Barbuda, Argentina, Aruba, Bahamas, Barbados, Belize, Bermuda, Bolivia, Brazil, British Virgin Islands, Cayman Islands, Chile, Colombia, Costa Rica, Dominica, Dominican Republic, Ecuador, El Salvador, French Guiana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Netherlands Antilles, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Barthelemy, Saint Kitts and Nevis, Saint Lucia, Saint Vincent and Grenadines, South Georgia and Sandwich Islen, Suriname, Trinidad & Tobago, Turks and Caicos Islands, U.S. Virgin Islands, Uruguay, Venezuela												x	x	x																					x	S26361-F2009-E237	68,00			
License EM-LATAM Windows7 Home Premium	EM-LATAM. Select for shipments to: Anguilla, Antigua and Barbuda, Argentina, Aruba, Bahamas, Barbados, Belize, Bermuda, Bolivia, Brazil, British Virgin Islands, Cayman Islands, Chile, Colombia, Costa Rica, Dominica, Dominican Republic, Ecuador, El Salvador, French Guiana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Netherlands Antilles, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Barthelemy, Saint Kitts and Nevis, Saint Lucia, Saint Vincent and Grenadines, South Georgia and Sandwich Islen, Suriname, Trinidad & Tobago, Turks and Caicos Islands, U.S. Virgin Islands, Uruguay, Venezuela												x	x	x																					x	S26361-F2009-E247	99,00			
OEM Office Home and Student 2010 MPI MM	Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote 2010. Package contains: License only. For recovery purposes Fujitsu Recovery or RDVD is needed. The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same. With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.													x	x	x																				x	S26361-F2009-E271	110,00			
OEM Office Home and Business 2010 MPI MM	Activates Preload Windows Office Home and Business 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook2010. Package contains: License only. For recovery purpose Fujitsu Recovery or RDVD is needed. The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same. With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.													x	x	x																				x	S26361-F2009-E272	194,00			
OEM Office Professional 2010 MPI MM	Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access. Package contains: License only. For recovery purposes Fujitsu Recovery or RDVD is needed. The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same. With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.													x	x	x																				x	S26361-F2009-E273	333,00			
Drivers&Utility DVD/XP/Vista/7 LIFEBOOK																																						S26361-F2010-E186	3,00		
License EM-LATAM Windows 7 Professional	EM-LATAM. Select for shipments to: Anguilla, Antigua and Barbuda, Argentina, Aruba, Bahamas, Barbados, Belize, Bermuda, Bolivia, Brazil, British Virgin Islands, Cayman Islands, Chile, Colombia, Costa Rica, Dominica, Dominican Republic, Ecuador, El Salvador, French Guiana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Netherlands Antilles, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Barthelemy, Saint Kitts and Nevis, Saint Lucia, Saint Vincent and Grenadines, South Georgia and Sandwich Islen, Suriname, Trinidad & Tobago, Turks and Caicos Islands, U.S. Virgin Islands, Uruguay, Venezuela													x	x	x																					x	S26361-F2010-E187	3,00		
License EM-INDIA Windows 7 Home Premium	EM-INDIA. Select for shipments to: India																																					x	S26361-F2009-E238	68,00	
License EM-INDIA Windows 7 Professional	EM-INDIA. Select for shipments to: India																																					x	S26361-F2009-E248	99,00	
License EM-INDIA Windows 7 Professional	EM-INDIA. Select for shipments to: India																																					x	S26361-F2009-E258	134,00	



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK A532/AH532	LIFEBOOK AH532/CFX	LIFEBOOK AH532/SRL	LIFEBOOK E751	LIFEBOOK E752	LIFEBOOK E761	LIFEBOOK E762	LIFEBOOK LHS2	LIFEBOOK N532	LIFEBOOK NH532	LIFEBOOK NH701	LIFEBOOK NH751	LIFEBOOK P702	LIFEBOOK P771	LIFEBOOK P772	LIFEBOOK S751	LIFEBOOK S752	LIFEBOOK S761	LIFEBOOK S762	LIFEBOOK S781	LIFEBOOK S782	LIFEBOOK S851	LIFEBOOK S901	LIFEBOOK T731	LIFEBOOK T901	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH532/AH532	Product Code	EUP (€)	Comments				
OS/Application-SW (Continued)	Win7 HomePremium64 EM-SE+Office2010s	Preload: Multi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish). Note: Included Office 2010 and Office 2010 Starter are 32bit applications.. For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x																								S26361-F2110-E443	4,00				
	Win7 HomePremium64 IBER-NE+Office2010s	Preload: Multi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) . Note: Included Office 2010 and Office 2010 Starter are 32bit applications.. For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x																									S26361-F2110-E444	4,00			
	Win7 HomePremium64 SEE+Office2010s	Multi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian). Note: Included Office 2010 and Office 2010 Starter are 32bit applications.. For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x																									S26361-F2110-E445	4,00			
	Win7 HomePremium64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.. For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x																										S26361-F2110-E446	4,00		
	Win7 Pro64 MAIN+Office2010s	Multi MAIN (Main European Multi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch). Note: Included Office 2010 and Office 2010 Starter are 32bit applications.. For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x																										S26361-F2110-E451	4,00		
	Win7 Pro64 NORDIC+Office2010s	Preload: Multi NORDICS (Nordic Region), Languages: DA, EN, ES, FR, IT, NL, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish). Note: Included Office 2010 and Office 2010 Starter are 32bit applications.. For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x																										S26361-F2110-E452	4,00		
	Win7 Pro64 EM-SE+Office2010s	Preload: Multi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish). Note: Included Office 2010 and Office 2010 Starter are 32bit applications.. For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x																										S26361-F2110-E453	4,00		
	Win7 Pro64 IBER-NE+Office2010s	Preload: Multi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) . Note: Included Office 2010 and Office 2010 Starter are 32bit applications.. For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x																											S26361-F2110-E454	4,00	
	Win7 Pro64 SEE+Office2010s	Multi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian). Note: Included Office 2010 and Office 2010 Starter are 32bit applications.. For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x																											S26361-F2110-E455	4,00	
	Win7 Pro64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.. For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x																											S26361-F2110-E456	4,00	
	REC-DVD Win7 Home Basic 64 All Multi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish						x	x	x																										S26361-F2010-E633	3,00		
	REC-DVD Win7 Home Basic 64 RUS	RU						x	x	x																										S26361-F2010-E632	3,00		
	REC-DVD Win7 Home Premium 64 All Multi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish						x	x	x																											S26361-F2010-E643	3,00	
	REC-DVD Win7 Home Premium 64 RUS	RU						x	x	x																											S26361-F2010-E642	3,00	
	REC-DVD Win7 Professional 32 All Multi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish																																			S26361-F2010-E553	3,00	



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK A532/AH532	LIFEBOOK AH532/2FX	LIFEBOOK AH532/SL	LIFEBOOK E751	LIFEBOOK E752	LIFEBOOK E761	LIFEBOOK E762	LIFEBOOK LH52	LIFEBOOK NH52	LIFEBOOK NH53	LIFEBOOK NH52	LIFEBOOK NH53	LIFEBOOK NH52	LIFEBOOK NH53	LIFEBOOK P701	LIFEBOOK P702	LIFEBOOK P711	LIFEBOOK P712	LIFEBOOK P751	LIFEBOOK P752	LIFEBOOK P761	LIFEBOOK P762	LIFEBOOK P781	LIFEBOOK P782	LIFEBOOK P792	LIFEBOOK SH51	LIFEBOOK S90	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T901	LIFEBOOK T902	LIFEBOOK U772	LIFEBOOK UH52/AH52	Product Code	EUP (€)	Comments	
OS/Application-SW (Continued)																																									
REC-DVD	Win7 Professional 64 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish						x	x	x	x									x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2010-E653	3,00		
REC-DVD	Win7 Professional 64 RUS	RU						x	x	x	x									x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2010-E652	3,00		
REC-DVD	Win7 Prof. 32+64bit All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish						x	x	x	x									x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2010-E753	3,00		
REC-DVD	2 Win7 MAIN+Office2010s	Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Office 2010 incl. Office Starter - 32bit, MAIN (Main European MuLi), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x	x									x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2110-E751	3,00		
REC-DVD	2 Win7 NORDIC+Office2010s	Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Office 2010 incl. Office Starter - 32bit, NORDICS (Nordic Region), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x	x									x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2110-E752	3,00		
REC-DVD	2 Win7 EM+SE+Office2010s	Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Office 2010 incl. Office Starter - 32bit, EM+SE (Emerging Markets&Southern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x	x									x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2110-E753	3,00		
REC-DVD	2 Win7 IBER+NE+Office2010s	Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Office 2010 incl. Office Starter - 32bit, IBER-NE (Iberia and Northern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x	x									x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2110-E754	3,00		
REC-DVD	2 Win7 SEE+Office2010s	Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Office 2010 incl. Office Starter - 32bit, SEE (South Eastern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x	x									x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2110-E755	3,00		
REC-DVD	2 Win7 RU+Office2010s	Languages: RU, Office 2010 incl. Office Starter - 32bit, RU (RU & CIS countries), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x	x	x									x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2110-E756	3,00		
UPS/Power supply																																									
AC Adapter	19V/80W (w/o AC cable)	2nd AC Adapter for LB P770, 1st and 2nd AC Adapter for LB T580 as LB T580 has no AC Adapter included in base unit																																					S26391-F778-E500	17,00	
AC Adapter	19V/60W	1st and 2nd AC Adapter for LB T580 as LB T580 has no AC Adapter included in base unit																																					S26391-F794-E500	17,00	
AC Adapter	19V/60W	1st and 2nd AC Adapter for LB T580 as LB T580 has no AC Adapter included in base unit																																					S26391-F794-E510	33,00	
Cable	EU																																					S26391-F794-E610	5,00		
Cable	GB																																					S26391-F794-E620	5,00		
Cable	US																																					S26391-F794-E630	5,00		
Battery	6cells, 5800 mAh																																					S26391-F795-E400	70,00		
Battery	3cells, 2900 mAh																																					S26391-F795-E450	55,00		
Battery	6cells, 5200 mAh																																					S26391-F795-E500	67,00		
Battery	6cells, 5800 mAh																																					S26391-F795-E600	74,00		
Security																																									
TPM module	V1.2																																					S26391-F646-E300	8,00		
SmartCard reader	for ExpressCard slot																																					S26391-F658-E100	55,00		
Mouse																																									
Mouse	400NB Black							x	x	x	x									x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26391-F428-E100	17,00			
Miscellaneous																																									
MED Kit		Content: Manual and certification according to IEC 60601-1-2. Preparation for further certifications in medical segment and relevant only for integration partners of medical products. Not relevant for end customers.																																					S26391-F665-E500	6,00	
MAC-address on PC & delivery note		media access control address printed on the type rating plate of the PC, packinglabel and the delivery note																																					S26391-F782-E200	3,00	
MED Kit		Content: Manual and certification according to IEC 60601-1-2. Preparation for further certifications in medical segment and relevant only for integration partners of medical products. Not relevant for end customers.																																					S26391-F796-E710	6,00	
MED Kit		Content: Manual and certification according to IEC 60601-1-2. Preparation for further certifications in medical segment and relevant only for integration partners of medical products. Not relevant for end customers.																																					S26391-F888-E900	6,00	
MED Kit		Content: Manual and certification according to IEC 60601-1-2. Preparation for further certifications in medical segment and relevant only for integration partners of medical products. Not relevant for end customers.																																					S26391-F928-E900	6,00	
Keyboard / Mouse																																									
Remote Control	RC900	Remote Control RC900, micro receiver, manual, batteries																																					S26381-K456-E100	15,00	
Desk View																																									
DV Adv. Migration (DVD + 1 Lic.)		DeskView Advanced Migration DVD incl. 1 License, Components: - Data Migration (Migration of personalizations, settings, links, favorites, etc.), - System Migration (Virtualization of HDDs and full systems), - Secure Deletion (secure deletion of data on HDDs via multiple options of deletion algorithms), Efficient tool that supports you migration your old system to a new system including the secure deletion of the data on your old HDD. Supports Windows XP, Windows Vista and Windows 7 (32 Bit and 64 Bit architectures).																																					S26361-F4040-E10	17,00	Phased out



Positioning FUTRO thin clients



FUTRO S100

The compact and cost-efficient FUTRO S100 is your perfect entry thin client for Server-Based Computing and Virtual Workplace solutions. High energy-efficiency and silent operation without fans and rotating disk drives guarantee a pleasant working environment and lowest running costs.



**FUTRO S450
FUTRO S500**

This small but powerful and expandable thin client is your ideal client for server-based computing. No matter if used with RDP or ICA protocol, as thin client for Windows terminal services or as Java based network terminal, FUTRO S Series always helps you to minimize the Total Cost of Ownership. Low power consumption, no fans and rotating drives turn the FUTRO S Series into a very reliable and silent thin client.



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO S550-2

The small but powerful FUTRO S550 is your ideal client for server-based computing and virtual workplace solutions: for Windows Terminal services or as a Java-based network terminal. Low power consumption, no fans nor rotating drives make your system a reliable and quiet thin client.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
FUTRO S550-2	FUTRO S550-2	FUTRO S550-2, Processor: AMD Sempron 200U (1 GHz), Graphics: ATI Radeon X1250,, LAN: 10/100/1000 Mbit/s Fast Ethernet,, mouse, DVI-VGA-adapter, external A/C adapter, Interfaces: 1x DVI-I, (Dual Monitor support with optional DVI-D adapter or optional DVI-I to DVI-D / VGA adapter cable, 2x PS/2 (1x mouse, 1x keyboard), 8x USB2.0 (2x front, 4x rear, 2x internal), 2 x serial, audio (rear): 1x audio in, 1x audio out, audio (front) 1x headphone, 1x microphone, 1x LAN RJ45, SCR optional, PCI Slot midsize (optional riser card in combination with a PCI card)	S26361-K528-V301	310,00	Phased out



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO S700

The powerful FUTRO S700 is your ideal thin client for server-based computing and virtual workplac solutions. An optimized thermal concept and the latest flash drive technology make fans and rotating parts obsolete. This results in superior ergonom ics due to noiseless operation and significantly increased reliability. The outstanding manageability solution makes it easy to administer while reducing total cost of ownership. Latest AMD™ Fusion® technology offers excellent performance at a reasonable price.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
FUTRO S700					
FUTRO S700	, FUTRO S700 Base unit ; Mainboard type D3003-B minilTX; Chipset AMD A55E Controller Hub, AMD G-Series G-T44R, max. 2 GB, 1 SO DIMM (DDR3, 1066 MHz) slots ; ; Graphics: AMD Radeon HD 6250; Audio: Realtek ALC262; LAN: Built-in 10/100/1000 MBit/s; Slots: ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: line-in / microphone, 1 x DC-in, 1 DP x DisplayPort, 1 DVI-I (integrated VGA can be used with DVI-VGA adapter) x DVI, 8 x USB 2.0 total, 2 x USB front, 4 x USB rear, 2 x USB internal, 1 x Kensington Lock support, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2),		S26361-K1040-V100	232,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO S900

The powerful FUTRO S900 is your ideal thin client for server-based computing and virtual workplace solutions. An optimized thermal concept and the latest flash drive technology make fans and rotating parts obsolete. This results in superior ergonomics due to noiseless operation and significantly increased reliability. Additional slots offer the opportunity to meet all demands for the most challenging scenarios and outstanding manageability solution makes it easy to administer while reducing total cost of ownership. Latest AMD™ Fusion® technology offers excellent performance at a reasonable price.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
FUTRO S900	FUTRO S900 Base unit ; Mainboard type D3003-A miniITX; Chipset AMD A55E Controller Hub, AMD G-Series G-T44R, max. 4 GB, 2 SO DIMM (DDR3, 1066 MHz) slots ; ; Graphics: AMD Radeon HD 6250; Audio: Realtek ALC262; LAN: Built-in 10/100/1000 MBit/s; Slots: 1 x (155 mm /) low profile (optional), 1 x PCI slots, 1 x PCI-Express x1; Interfaces: 1 x Audio: line-in, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: line-in / microphone, 1 x DC-in, 1 DP x DisplayPort, 1 DVI-I (integrated VGA can be used with DVI-VGA adapter) x DVI, 8 x USB 2.0 total, 2 x USB front, 4 x USB rear, 2 x USB internal, 1 x Kensington Lock support, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2),		S26361-K1050-V100	299,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO Accessories

Category	Description	Details	FUTRO A300 eLux	FUTRO A300 WEC	FUTRO C200 I915GV	FUTRO C400	FUTRO DC20-1	FUTRO S100	FUTRO S200	FUTRO S2xx	FUTRO S300	FUTRO S450-2	FUTRO S550-2	FUTRO S700	FUTRO S900	Product Code	EUP (€)	Comments
Accessories & services matrix																		
Graphics																		
	Y-cable for dual monitoring	Dual Monitoring support										x	x	x	x	S26361-F2421-L100	39,00	
	DVI-D Adapter for Dual DVI	Dual Monitoring										x	x			S26361-F2421-L110	22,00	
	NVIDIA Quadro NVS 300 512MB PCIe x16LP	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately													x	S26361-F2748-L997	106,00	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor												x	x	S26361-F2391-L200	22,00	
	DVI/VGA Adapter	for connection of one VGA-monitor, requires DVI-I connector												x	x	S26361-F2391-L1	19,00	
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors													x	S26361-F2391-L101	32,00	
	DVI/VGA adapter		x	x												S26361-F2391-L3	12,00	
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors												x	x	S26361-F2391-L102	34,00	
	Y-cable for dual monitoring		x	x												S26361-F2421-L300	14,00	
Communication/Network																		
	Dual Serial interface PCI card	Dual Port RS232 via splitter cabel											x			S26361-F3465-L2	33,00	Phased out
	Dual Serial interface PCI card	Dual Port RS232 via splitter cabel											x			S26361-F3465-L3	38,00	
	Dual serial card PCIe x1													x		S26361-F3465-L4	38,00	
	2nd LAN/PoE module													x	x	S26361-F3466-L1	38,00	
	WLAN 802.11g/Draft													x	x	S26361-F4525-L10	55,00	
	PCI Parallel Card LP (1 port)	EPP/ ECP, 1 x 25 Pin D-SUB parallel socket, without Riser Card											x		x	S26361-F3465-L1	28,00	
OS/Application-SW																		
	License for Scout EP	Client license for Scout EP including 2 years of software support., A client license for Scout EP (S26361-F2727-L701) is required, if more than 25 Thin Clients shall be managed and no existing client licenses for Scout EP are available. (Scout EP comes with free management for up to 25 Thin Clients. For 26 or more systems, each Thin Client requires a client license for Scout EP.)	x	x				x				x	x	x	x	S26361-F2727-L701	45,00	
	License for eLux RL	License for eLux including 2 years of software support. (No client licenses for Scout EP are included.)	x	x				x				x	x	x	x	S26361-F2727-L702	40,00	
	Subscription Key eLux/Scout	Subscription Key for eLux to prolong the software support for 12 months. (For the utilization of the Subscription Key, a valid client license for Scout EP is required.)	x	x				x				x	x	x	x	S26361-F2727-L703	17,00	
	FLUENDO Codec Package	The FLUENDO Codec Package includes the licenses for using multimedia codecs in combination with eLux RL. The codecs itself are pre-installed on our eLux RL operating system. When ordering the FLUENDO Codec Package, you will receive a license key which allows to use the codecs on your Thin Client., , Following codecs are covered: MP3, WMA stereo, AAC stereo, AC3 stereo, WMV, H264, MPEG4 part2 and MPEG2. ,	x	x				x				x	x	x	x	S26361-F2727-L704	10,00	
	Windows MPS 2011 CAL					x	x									S26361-F2011-L170	67,00	
	License for PowerTerm WBT	License for PowerTerm InterConnect from Ericom., PowerTerm InterConnect is an emulation suite that allows you to connect to IBM mainframes, IBM AS/400, Unix, VAX/Alpha OpenVMS, Tandem (NSK), HP-3000 and Data General. To use this software, you must have the PowerTerm InterConnect® (powerterm) package installed. The software includes a 30-minute trial period.	x	x				x				x	x	x	x	S26361-F2600-L144	28,00	
Security																		
	SmartCard Reader	internal												x		S26361-F1260-L802	33,00	
	SmartCard reader internal USB FUTRO S900	chipcard reader internal built in optional, USB interface, w/o SmartCard													x	S26361-F1260-L803	28,00	
	SmartCase Logon+ license (1-99 licenses)	includes 1 license., for orders up to 99 licenses., no software, no data medium												x		S26361-F2727-L100	20,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista /Win7compatible, USB interface	x	x	x			x	x			x	x	x	x	S26381-F331-L220	25,00	
Miscellaneous																		
	Vesa Mounting Kit with Subadapter	Vesa Mounting Kit with Subadapter designed for FUTRO S100 and FUTRO A300 , designed for FUTRO S100 and FUTRO A300; holder for TFT	x	x				x								BDL.VESA-SUB-KIT	86,00	
	Riser Card													x		S26361-F2421-L200	22,00	
	AC-Adapter 20V/40W													x	x	S26361-F2542-L14	17,00	
	PCI Riser													x		S26361-F2542-L19	28,00	
	PCIe Riser													x		S26361-F2542-L20	28,00	
	Horizontal foot kit											x	x	x	x	S26361-F2542-L290	12,00	
	USB Security Cover													x	x	S26361-F2542-L291	17,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO Accessories																		
Category	Description	Details	FUTRO A300 eLux	FUTRO A300 WEC	FUTRO C200 i915GV	FUTRO C400	FUTRO DC20-1	FUTRO S100	FUTRO S200	FUTRO S2xx	FUTRO S300	FUTRO S450-2	FUTRO S550-2	FUTRO S700	FUTRO S900	Product Code	EUP (€)	Comments
Miscellaneous (Continued)																		
	VESA Kit w/ subadapter S4**/5**/7**/9**	Mounting kit for attaching Thin Clients to the rear of TFT displays. Attachable to most LCDs in combination with the included subadapter.										x	x	x	x	S26361-F2601-L530	44,00	
	Vesa Kit FUTRO S100	holder for TFT (15"-20") and PC (max 105x370x400mm)	x	x				x								S26361-F2601-L540	44,00	
	DVI cable for VESA Mounting Kit	holder for TFT (15"-20") and PC (max 105x370x400mm)	x	x												S26361-F2601-L541	24,00	
	VESA Kit w/o subadapter S4**/5**/7**/9**	VESA Kit for FUTRO S450-2, FUTRO S550-2, FUTRO S700 and FUTRO S900 w/o VESA subadapter. . . For FUTRO S100 please select S26361-F2601-L540.										x	x	x	x	S26361-F2601-L550	44,00	
	VESA Mounting Kit FUTRO C400					x										S26361-F2601-L560	23,00	
	VESA subadapter		x	x				x						x	x	S26361-F2601-L600	18,00	
	Universal PC-TFT holder	for TFT (15"-20") and PC (max 105x370x400mm)			x					x	x					S26361-F2542-L35	123,00	
Cables																		
	Cable powercord (IND), 1.8m, black	black, 1.8m, suitable for: India, 3 wire												x	x	T26139-Y1752-L10	17,00	
	power cable EU	black, 2-pole, 1.8 m	x	x				x				x	x	x	x	T26139-Y2540-V113	9,00	
	power cable UK	black, 2-pole, 1.8 m	x	x				x				x	x	x	x	T26139-Y2540-V213	9,00	
	power cable US	black, 2-pole, 1.8 m	x	x				x				x	x	x	x	T26139-Y2540-V313	9,00	
	Cable FTP CAT 5e, 5m	Standard-LAN-cable, RJ45	x	x		x	x							x	x	T26139-Y2425-M5	9,00	
	Cable FTP CAT 5e, 10m	Standard-LAN-cable, RJ45	x	x		x	x							x	x	T26139-Y2425-M10	17,00	
Additional Software																		
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs										x	x	x		U10987-C501	1.225,00	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs										x	x	x		U10987-C513	1.225,00	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs										x	x	x		U10987-C525	500,00	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0										x	x	x		U10987-C500	36,00	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions										x	x	x		U10987-C499	15,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO Options

Category	Description	Details	FUTRO S450-2	FUTRO S550-2	FUTRO S700	FUTRO S900	Product Code	EUP (€)	Comments
Options matrix									
Approvals/dependencies									
	China (CCC) approval				x	x	S26361-F2550-E150	3,00	
	Energy Star 5.0			x		x	S26361-F2600-E170	3,00	
Processor									
	AMD T56N Dual Core Upgrade FUTRO S900	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately				x	S26361-F4584-E100	36,00	
	Heat sink S900 Dual Core Active	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately				x	S26361-F4584-E110	5,00	
Memory									
	1 GB DDR3-1066 SODIMM				x	x	S26361-F4408-E1	25,00	
	2 GB DDR3-1066 SODIMM				x	x	S26361-F4408-E2	45,00	
	1 GB DDR2-667		x	x			S26361-F2879-E300	33,00	
Graphics									
	No Adapter for VGA/DVI/DP				x	x	S26361-F2391-E10	3,00	
	Y-cable for dual monitoring	Dual Monitoring support; Currently not available with eLux RL 3.x	x	x	x	x	S26361-F2421-E100	17,00	
	DVI-D Adapter for Dual DVI	Dual Monitoring	x	x			S26361-F2421-E110	13,00	
	NVIDIA Quadro NVS 300 512MB PCIe x16LP	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately				x	S26361-F2748-E997	84,00	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor			x	x	S26361-F2391-E200	17,00	
	DVI/VGA Adapter	for connection of one VGA-monitor, requires DVI-I connector			x	x	S26361-F2391-E1	6,00	
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors				x	S26361-F2391-E101	17,00	
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors				x	S26361-F2391-E102	19,00	
Hard Disks									
	1 GB mSATA				x	x	S26361-F3666-E1	22,00	
	CF 1 GB (80x)	CF module IDE, 1 GB	x	x			S26361-F3616-E100	20,00	Phased out
	2 GB mSATA	Does not contain mSATA adapter and eLux+Scout license, those have to be ordered separately.			x	x	S26361-F3666-E2	39,00	
	CF 2 GB (300x)	CF module IDE, 2 GB	x	x			S26361-F3617-E100	22,00	Phased out
	4 GB mSATA	Does not contain mSATA adapter and eLux+Scout license, those have to be ordered separately.			x	x	S26361-F3666-E4	55,00	
	CF 4GB			x			S26361-F3520-E100	33,00	Phased out
	8 GB mSATA	Does not contain mSATA adapter and eLux+Scout license, those have to be ordered separately.				x	S26361-F3666-E8	99,00	
	CF 16GB	300x		x			S26361-F3538-E100	144,00	Phased out
	16 GB mSATA	Does not contain mSATA adapter and eLux+Scout license, those have to be ordered separately.				x	S26361-F3666-E16	177,00	
Communication/Network									
	Internal speaker				x	x	S26361-F2542-E13	22,00	
	PCI Riser					x	S26361-F2542-E19	22,00	
	PCIe Riser					x	S26361-F2542-E20	22,00	
	Dual Serial interface PCI card	Dual Port RS232 via splitter cabel		x			S26361-F3465-E2	28,00	Phased out
	Dual Serial interface PCI card	Dual Port RS232 via splitter cabel		x			S26361-F3465-E3	23,00	
	Dual serial card PCIe x1					x	S26361-F3465-E4	23,00	
	2nd LAN/PoE module				x	x	S26361-F3466-E1	36,00	
	WLAN 802.11q/Draft				x	x	S26361-F4525-E10	16,00	
	PCI Parallel Card LP (1 port)	EPP/ ECP, 1 x 25 Pin D-SUB parallel socket.PCI Card not supported in the OS. Additional driver installation necessary		x		x	S26361-F3465-E1	16,00	
Country kits									
	Country kit FUTRO S-series INT/D/CH/I/DK		x	x			S26361-F2841-E100	8,00	
	Country kit FUTRO S-series (GB/IL)		x	x			S26361-F2841-E101	8,00	
	Country kit FUTRO S-series (US)		x	x			S26361-F2841-E106	8,00	
	LBP FUTRO S Serie (INT)				x	x	S26361-F2841-E200	8,00	
	Made in Germany sticker	The „Made in Germany“ sticker prominently displays this universally admired differentiating product value	x	x	x	x	S26391-F404-E911	2,00	
OS/Application-SW									
	Windows Embedded Standard_A	Windows Embedded Standard 2009 (WES 2009) incl. Altiris agent (additional software from Symantec is required)	x				S26361-F2009-E144	88,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO Options

Category	Description	Details	FUTRO S450-2	FUTRO S550-2	FUTRO S700	FUTRO S900	Product Code	EUP (€)	Comments
Options matrix									
OS/Application-SW (Continued)									
	Windows Embedded Standard_SC	Windows Embedded Standard 2009 (WES 2009) incl. SCOUT agent (Scout Enterprise license S26361-F2727-L701 additionally required)		x			S26361-F2009-E145	73,00	
	Windows Embedded Standard_7_SC German	Windows Embedded Standard 7 with Scout EP agent. (The license for Scout EP is not included and has to be ordered additionally.)		x			S26361-F2009-E147	79,00	
	Windows Embedded Standard_7 German	Windows Embedded Standard 7 without manageability agent.		x			S26361-F2009-E148	69,00	
	Windows Embedded Standard_7_SC English	Windows Embedded Standard 7 with Scout EP agent. (The license for Scout EP is not included and has to be ordered additionally.)		x			S26361-F2009-E193	79,00	
	Windows Embedded Standard_7 English	Windows Embedded Standard 7 without manageability agent.		x			S26361-F2009-E194	69,00	
	Rec.DVD eLux RL3	Recovery-DVD for eLux RL 3.x. No licenses for eLux or Scout EP are included.			x	x	S26361-F2727-E708	3,00	
	eLux RL w/o license	Image without a license	x	x			S26361-F2727-E701	5,00	
	eLux RL3 w/o license	Pre-installed eLux RL 3.x. No licenses for eLux or Scout EP are included., Licensing is possible with existing licenses (e.g. in case of exchanging Thin Clients) or with the optional eLux-License S26361-F2727-L702. (If no license is available, the Thin Client can be booted 40 times.)			x	x	S26361-F2727-E705	6,00	
	eLux RL with license	Scout Agent und Scout Workgroup, Scout Enterprise Version 10 can manage up to 25 Thin Clients without an additional license key. Therefore, the license type SCOUT EP S26361-F2727-L701 is only required for installations with more than 25 clients.Including 2 years software support	x	x			S26361-F2727-E702	36,00	
	eLux RL3 with license	Pre-installed eLux RL 3.x with license for eLux and including 2 years of software support. No client license for Scout EP is included., A client license for Scout EP (S26361-F2727-L701) is required, if more than 25 Thin Clients shall be managed and no existing client licenses for Scout EP are available. (Scout EP comes with free management for up to 25 Thin Clients. For 26 or more systems, each Thin Client requires a client license for Scout EP.)			x	x	S26361-F2727-E706	38,00	
	eLux RL + Scout builtin license	Scout Agent and Scout Workgroup, Scout Enterprise V10 or higher can manage up to 25 Thin Clients and no extra license key is necessary., The license Scout EP S26361-F2727-L701 is only necessary if you install more than 25 Thin Clients. 2 years software support included.	x	x			S26361-F2727-E704	70,00	
	License eLux RL3 + Scout built-in	Pre-installed eLux RL 3.x with client licenses for eLux and Scout EP; including 2 years of software support.			x	x	S26361-F2727-E707	70,00	
	Win Embedded Standard_7 German	German version of Windows Embedded Standard 7 without manageability agent., Size on storage device ca. 3.6 GB. If additional software shall be installed, a mSATA module with at least 8 GB is recommended.			x	x	S26361-F2009-E208	69,00	
	Win Embedded Standard_7 English	English version of Windows Embedded Standard 7 without manageability agent., Size on storage device ca. 3.6 GB. If additional software shall be installed, a mSATA module with at least 8 GB is recommended.			x	x	S26361-F2009-E211	69,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO Options

Category	Description	Details	FUTRO S450-2	FUTRO S550-2	FUTRO S700	FUTRO S900	Product Code	EUP (€)	Comments
Options matrix									
OS/Application-SW (Continued)									
	Win Embedded Standard_7_SC German	German version of Windows Embedded Standard 7 with manageability agent for Scout EP. No client license for Scout EP is included., A client license for Scout EP (S26361-F2727-L701) is required, if more than 25 Thin Clients shall be managed and no existing client licenses for Scout EP are available. (Scout EP comes with free management for up to 25 Thin Clients. For 26 or more systems, each Thin Client requires a client license for Scout EP.), Size on storage device ca. 3.8 GB. If additional software shall be installed, a mSATA module with at least 8 GB is recommended.			x	x	S26361-F2009-E207	79,00	
	Win Embedded Standard_7_SC English	English version of Windows Embedded Standard 7 with manageability agent for Scout EP. No client license for Scout EP is included., A client license for Scout EP (S26361-F2727-L701) is required, if more than 25 Thin Clients shall be managed and no existing client licenses for Scout EP are available. (Scout EP comes with free management for up to 25 Thin Clients. For 26 or more systems, each Thin Client requires a client license for Scout EP.), Size on storage device ca. 3.8 GB. If additional software shall be installed, a mSATA module with at least 8 GB is recommended.			x	x	S26361-F2009-E210	79,00	
	Rec.DVD WES7 German	Recovery-DVD for the German version of Windows Embedded Standard 7. No license for Windows Embedded Standard is included.,			x	x	S26361-F2009-E802	3,00	
	Rec.DVD WES7 English	Recovery-DVD for the English version of Windows Embedded Standard 7. No license for Windows Embedded Standard is included.,			x	x	S26361-F2009-E805	3,00	
	Rec.DVD WES7 SC German	Recovery-DVD for the German version of Windows Embedded Standard 7 with manageability agent for Scout EP. No licenses for Windows Embedded Standard or Scout EP are included.,			x	x	S26361-F2009-E801	3,00	
	Rec.DVD WES7 SC English	Recovery-DVD for the English version of Windows Embedded Standard 7 with manageability agent for Scout EP. No licenses for Windows Embedded Standard or Scout EP are included.,			x	x	S26361-F2009-E804	3,00	
	No Recovery DVD				x	x	S26361-F2009-E807	2,00	
	No Operating System		x	x	x	x	S26361-F1818-E100	2,00	
UPS/Power supply									
	AC-Adapter 20V/40W				x	x	S26361-F2542-E14	8,00	
	Kein AC-Adapter				x	x	S26361-F2542-E18	2,00	
	Cable powercord (CN), 1.8m, black	black, 1.8m, suitable for: India, 2 wire			x	x	S26361-F404-E702	6,00	New product
	Cable powercord (DE,..), 1.8m, black	black, 1.8m, suitable for: Germany, France, Austria, etc.			x	x	T26139-Y2540-E100	4,00	
	Cable powercord (GB), 1.8m, black	black, 1.8m, suitable for: Great Britain, Ireland			x	x	T26139-Y2540-E200	4,00	
	Cable powercord (US), 1.8m, black	black, 1.8m, suitable for: US, 2 wire			x	x	T26139-Y2540-E300	4,00	
	Cable powercord (IN), 1.8m, black	black, 1.8m, suitable for: India, 2 wire			x	x	T26139-Y2540-E600	6,00	
Security									
	SmartCard reader internal, USB 2.0	chipcard reader f. FUTRO S500 requires internal USB interface		x		x	S26361-F1260-E802	19,00	
	SmartCase Logon+	Authentication, Password Manager , SecureDrive, supports SmardCard / Fingerprint / TPM Win XP/Vista-32/Win7,no eLux support, Version 3.0.3		x			S26361-F2727-E730	23,00	
Mouse									
	No Mouse				x	x	S26361-F2542-E12	2,00	
	Optical USB mouse M510 grey		x	x	x	x	S26361-F2542-E223	6,00	
	ECO Mouse M440 black		x	x	x	x	S26361-F2542-E224	9,00	
	Optical tilt USB mouse M500T grey		x	x	x	x	S26361-F2542-E226	7,00	Phased out
	Optical tilt USB mouse M500T grey		x	x	x	x	S26361-F2542-E227	12,00	
	Optical USB mouse M510 black		x	x	x	x	S26361-F2542-E229	6,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO Options									
Category	Description	Details	FUTRO S450-2	FUTRO S550-2	FUTRO S700	FUTRO S900	Product Code	EUP (€)	Comments
Options matrix									
Mouse (Continued)									
	Mouse M480 black	optical mouse with 3 keys, black and anthrazit, 1000 dpi, new design with Fujitsu logo, usb cable 1,8m, white box packed	x	x	x	x	S26381-K431-E100	6,00	
	Mouse M510 Black	optical mouse with 3 keys, black, 1000 dpi, Fujitsu logo, USB cable 1,8m,	x	x	x	x	S26381-K457-E100	6,00	
Miscellaneous									
	Horizontal foot kit		x	x	x	x	S26361-F2542-E290	5,00	
	USB Security Cover				x	x	S26361-F2542-E291	5,00	
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	x	x	x	x	S26361-F2542-E90	4,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Positioning ESPRIMO



ESPRIMO C

The ESPRIMO C Green PC is your perfect partner for smallest space. The ultra small form factor PC combines latest technology with environmentally conscious product design to minimize impact on the environment. With its silent product concept and service friendly cabinet, the ESPRIMO C offers best working conditions.



ESPRIMO E

Put your performance on the desk. The ESPRIMO E Green PC is a small form factor PC setting new desktop standards. ESPRIMO E offers highly reliable computing power for every business demands. Due to latest technologies, highest ergonomic and silent product design the ESPRIMO E Green PC is for every customer who requires high computing power. It can be positioned either horizontally or vertically.



ESPRIMO P

Your every day business performer. The ESPRIMO P Green PC microtower offers highest performance and best expandability. With various system modifications, the ESPRIMO P is tailored to every business use to reasonable value. Working with ESPRIMO P is stress free. It is ergonomic, silent and reliable.



ESPRIMO Q

The ESPRIMO Q Series opens a new chapter on performance, size and design. With its extremely small and stylish design, the new Mini PC satisfies a so far unanswered business need: PC becomes fashionable. Add an eye catcher to your desk.



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO C

Don't let yourself be fooled from the size of the ESPRIMO C. Although it's an ultra small form factor system presenting latest chipset and processor technologies and offers Multibay functionality like a notebook. Make profit from the small form factor design because you need less space.

ESPRIMO PCs are built with specially selected material to minimize impact on the environment. Production and selection of material are optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.

Working with the ESPRIMO C is stress-free. It is small, ergonomic, silent and reliable. It is easy to administrate and secure. In short, this highly reliable premium PC is particularly tailor-made to your business demands.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
ESPRIMO C700					
	Base unit, proprietary system board D3064, Intel iQ65 chipset with max. 32GB address space, 4x DIMM slots DDR3 1333 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 2 drive bays (1x 5.25" slim, externally accessible, 1x 3.5" internally), 1 low profile PCIe x16 slot, 3x serial ATA II ports (3GB/s/NCQ), 225W wide range power supply (90% efficiency), optical USB tilt wheel mouse., DeskView license included., , Interfaces: 2x serial external (powered), 2x PS/2, 6x USB 2.0 rear, 1x USB 2.0 internal, 4x USB 2.0 in front, 1x DisplayPort, 1x DVI, audio (3x rear, 2x in front), 1x LAN RJ45, 1x VGA (via DVI to VGA adapter, part of shipment), , optional: Lock in front panel, Intrusion switch, SmartCard reader				
ESP C700 /CORE I5-2400/4 GB/DVD SM/ (Promo)	ESP C700 /CORE I5-2400/4 GB/DVD SM/ 500GB SATA III/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ RDVD2 WIN7 MAIN/W7_PRO64_O1MULI_MA/		LKN:C_700S0002IT		Phased out
ESPRIMO C710					
	Base unit, proprietary system board D3164, Intel iQ75 chipset with max. 32GB address space, 4x DIMM slots DDR3 1600 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU)) / audio (Conexant CX 20642) / LAN (10/100/1000 Mbit/s Intel 82579V), 2 drive bays (1x 5.25" slim, externally accessible, 1x 3.5" internally), 1 low profile PCIe 3.0 x16 slot, 1x Serial ATA III (6GB/s/NCQ), 2x Serial ATA II ports (3GB/s/NCQ), 250W wide range power supply (90% efficiency), optical USB tilt wheel mouse., DeskView 10.x client management included., DVI to VGA adapter is part of shipment., , Interfaces: 2x serial external (powered), 2x PS/2, 2x USB 3.0 rear, 4x USB 2.0 rear, 2x USB 2.0 internal, 2x USB 3.0 front, 2x USB 2.0 front, 1x DisplayPort, 1x DVI, audio (3x rear, 2x in front), 1x LAN RJ45 , , optional: Lock in front panel, Intrusion switch, SmartCard Reader				
ESP C710 /CORE I5-3470/4GB DDR3-1600/ (Promo)	ESP C710 /CORE I5-3470/4GB DDR3-1600/ DVD SM/500GB SATA III/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ RDVD2 WIN7 MAIN/W7_PRO64_O1MULI_MA/		LKN:C0710P0001IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO C700					
ESPRIMO C700	Base unit, proprietary system board D3064, Intel iQ65 chipset with max. 32GB address space, 4x DIMM slots DDR3 1333 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 2 drive bays (1x 5.25" slim, externally accessible, 1x 3.5" internally), 1 low profile PCIe x16 slot, 3x serial ATA II ports (3GB/s/NCQ), 225W wide range power supply (90% efficiency), optical USB tilt wheel mouse., DeskView license included., , Interfaces: 2x serial external (powered), 2x PS/2, 6x USB 2.0 rear, 1x USB 2.0 internal, 4x USB 2.0 in front, 1x DisplayPort, 1x DVI, audio (3x rear, 2x in front), 1x LAN RJ45, 1x VGA (via DVI to VGA adapter, part of shipment), , optional: Lock in front panel, Intrusion switch, SmartCard reader		S26361-K1014-V100	302,00	Phased out
ESPRIMO C710					



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO C

<p>ESPRIMO C710</p>	<p>Base unit, proprietary system board D3164, Intel iQ75 chipset with max. 32GB address space, 4x DIMM slots DDR3 1600 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU)) / audio (Conexant CX 20642) / LAN (10/100/1000 Mbit/s Intel 82579V), 2 drive bays (1x 5.25" slim, externally accessible, 1x 3.5" internally), 1 low profile PCIe 3.0 x16 slot, 1x Serial ATA III (6GB/s/NCQ), 2x Serial ATA II ports (3GB/s/NCQ), 250W wide range power supply (90% efficiency), optical USB tilt wheel mouse., DeskView 10.x client management included., DVI to VGA adapter is part of shipment., , Interfaces: 2x serial external (powered), 2x PS/2, 2x USB 3.0 rear, 4x USB 2.0 rear, 2x USB 2.0 internal, 2x USB 3.0 front, 2x USB 2.0 front, 1x DisplayPort, 1x DVI, audio (3x rear, 2x in front), 1x LAN RJ45 , , optional:, Lock in front panel, Intrusion switch, SmartCard Reader</p>	<p>S26361-K1014-V200</p>	<p>314,00</p>
---------------------	--	--------------------------	---------------



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO E

Put your performance on the desk. The ESPRIMO E is a small form factor PC that can either be positioned vertical or horizontal. With its chipset diversity and a managed lifecycle up to 18 months, the ESPRIMO E is the right solution for customer requiring a high quality desktop.

ESPRIMO PC is built with specially selected material to minimize impact on the environment. Production and selection of material is optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.

Working with the ESPRIMO E Series is stress-free: it is ergonomic, silent and reliable. It is easy to administer and secure. Different product specifications are the basis to fit the ESPRIMO E best in your working environment. In short, this highly reliable PC is particularly tailor-made to your business demands.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
ESPRIMO E700					
ESPRIMO E700 E90+ Base unit: ; Mainboard type D3061 ATX; Chipset Intel Q65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB tilt wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 14 x USB 2.0 total, 4 x USB front, 8 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550					
ESP E700 E90+ /CORE i5-2400/4 GB/DVD SM/ (Promo)	ESP E700 E90+ /CORE i5-2400/4 GB/DVD SM/ 500GB SATA III/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ RDVD2 WIN7 MAIN/W7_PRO64_O1MULTI_MA/	LKN:E0700P0001IT			Phased out
ESPRIMO E710					
ESP E710 E90+ /CORE i5-3570/ (Promo)	ESP E710 E90+ /CORE i5-3570/ 4GB DDR3-1600/DVD SM/500GB SATA III/ CK I/KB410PS2IT/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/RDVD2 WIN7 MAIN/	LKN:E0710P0001IT			
ESPRIMO E900					
ESPRIMO E900 0-Watt Base unit: vPRO logo with Core i5 or Core i7 processors; Mainboard type D3062 ATX; Chipset Intel Q67, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 6 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI Raid 1/0; 280 W Max. output of single power supply; Optical USB tilt wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 14 x USB 2.0 total, 4 x USB front, 8 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x					
ESP E900 0-WATT /CORE i7-2600/4 GB/ (Promo)	ESP E900 0-WATT /CORE i7-2600/4 GB/ DVD SM/1000GB SATA III/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ RDVD2 WIN7 MAIN/W7_PRO64_O1MULTI_MA/	LKN:E0900P0001IT			Phased out
ESPRIMO E910					
ESP E910 0WATT /CORE i7-3770/ (Promo)	ESP E910 0WATT /CORE i7-3770/ 4GB DDR3-1600/DVD SM/1000GB SATA III/ UPGR USB 3.0 ESP E/CK I/KB410PS2IT/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/	LKN:E0910P0002IT			

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO E400					



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO E					
Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO E400 (Continued)					
	ESPRIMO E400 E85+	ESPRIMO E400 E85+ Base unit: ; Mainboard type D2990 ATX; Chipset Intel H61, max. 8 GB, 2 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, identical memory modules in each channel are necessary (minimum 2 modules).; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x16, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit) NCQ AHCI; 250 W Max. output of single power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DVI, optional x USB 3.0 total, 8 x USB 2.0 total, 2 x USB front, 4 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2), 1 x VGA,	S26361-K1180-V400	185,00	
ESPRIMO E500					
	ESPRIMO E500 E85+	ESPRIMO E500 E85+ Base unit: ; Mainboard type D2991 ATX; Chipset Intel B65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 2 x PCI-Express x1, 1 x PCI-Express 2.0 x16, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 (DVI-D) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 10 x USB 2.0 total, 2 x USB front, 6 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and FCP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232)	S26361-K1337-V310	232,00	Phased out
ESPRIMO E510					



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO E					
Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO E510 (Continued)					
	ESPRIMO E510 E85+	ESPRIMO E510 E85+ Base unit: ; Mainboard type D3171 ATX; Chipset Intel B75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same ; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 2 x PCI-Express x1, 1 x PCI-Express 3.0 x16, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 1x Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 (DVI-D) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 8 x USB 2.0 total, 2x 2.0 x USB front, 4x 2.0/ 2x 3.0 x USB rear, 2x 2.0/ 2x 3.0 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-	S26361-K1337-V320	237,00	
ESPRIMO E700					
	ESPRIMO E700 E90+	ESPRIMO E700 E90+ Base unit: ; Mainboard type D3061 ATX; Chipset Intel Q65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB tilt wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA	S26361-K1337-V210	267,00	Phased out



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO E					
Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO E700 (Continued)					
	ESPRIMO E700 E85+	ESPRIMO E700 E85+ Base unit: ; Mainboard type D3061 ATX; Chipset Intel Q65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB tilt wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA	S26361-K1337-V220	256,00	Phased out
ESPRIMO E705					
	ESPRIMO E705 E85+	ESPRIMO E705 E85+ Base unit: ; Mainboard type D3091 ATX; Chipset AMD 880G, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: ATI Radeon HD 4250; Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Broadcom BCM57780; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 6 x Serial ATA II NCQ and 3 GBit AHCI Raid 1/0; 280 W Max. output of single power supply; Optical USB tilt wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (Dual link DVI-I) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 12 x USB 2.0 total, 4 x USB front, 6 x USB rear, 2 x USB internal, 1 x Ethernet	S26361-K1337-V520	250,00	
ESPRIMO E710					



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO E

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO E710 (Continued)					
	ESPRIMO E710 E90+	ESPRIMO E710 E90+ Base unit: ; Mainboard type D3161 ATX; Chipset Intel Q75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16 or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 10 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x	S26361-K1337-V230	275,00	
	ESPRIMO E710 E85+	ESPRIMO E710 E85+ Base unit: ; Mainboard type D3161 ATX; Chipset Intel Q75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16 or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 10 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x	S26361-K1337-V240	264,00	
ESPRIMO E900					



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO E					
Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO E900 (Continued)					
	ESPRIMO E900 0-Watt	ESPRIMO E900 0-Watt Base unit: vPRO logo with Core i5 or Core i7 processors; Mainboard type D3062 ATX; Chipset Intel Q67, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 6 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI Raid 1/0; 280 W Max. output of single power supply; Optical USB tilt wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA	S26361-K1337-V100	447,00	Phased out
	ESPRIMO E900 E90+	ESPRIMO E900 E90+ Base unit: vPRO logo with Core i5 or Core i7 processors; Mainboard type D3062 ATX; Chipset Intel Q67, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 6 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI Raid 1/0; 280 W Max. output of single power supply; Optical USB tilt wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA	S26361-K1337-V110	425,00	Phased out



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO E

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO E900 (Continued)					
	ESPRIMO E900 E85+	<p>ESPRIMO E900 E85+ Base unit: vPRO logo with Core i5 or Core i7 processors; Mainboard type D3062 ATX; Chipset Intel Q67, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 6 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI Raid 1/0; 280 W Max. output of single power supply; Optical USB tilt wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA</p>	S26361-K1337-V120	414,00	Phased out
ESPRIMO E910					
	ESPRIMO E910 0-Watt	<p>Intel vPro Logo with Core i5 3xxx and Core i7 3xxx processor; ESPRIMO E910 0-Watt Base unit: ; Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16 or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID 0/1/5/10 (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front</p>	S26361-K1337-V130	484,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO E					
Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO E910 (Continued)					
	ESPRIMO E910 E90+	Intel vPro Logo with Core i5 3xxx and Core i7 3xxx processor; ESPRIMO E910 E90+ Base unit: ; Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16 or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID 0/1/5/10 (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front	S26361-K1337-V140	462,00	
	ESPRIMO E910 E85+	Intel vPro Logo with Core i5 3xxx and Core i7 3xxx processor; ESPRIMO E910 E85+ Base unit: ; Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16 or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID 0/1/5/10 (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front	S26361-K1337-V150	450,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO P

Combine high expandability with latest technology. With its expandability and its chipset diversity ESPRIMO P is the right solution for customer requiring a high quality microtower with a managed lifecycle up to 18 month

ESPRIMO PC is built with specially selected material to minimize impact on the environment. Production and selection of material is optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.

Working with the ESPRIMO P Series is stress-free: it is ergonomic, silent and reliable. It is easy to administer and secure. Different product specifications are the basis to fit the ESPRIMO P best in your working environment. In short, this highly reliable PC is particularly tailor-made to your business demands.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					

ESPRIMO P510

ESPRIMO P510 E85+ Base unit: ; Mainboard type D3171 ATX; Chipset Intel B75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same ; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 2 x PCI-Express x1, 1 x PCI-Express 3.0 x16, Drive bays: 1 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 1x Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 (DVI-D) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 8 x USB 2.0 total, 2x 2.0 x USB front, 4x 2.0/ 2x 3.0 x USB rear, 2x 2.0/ 2x 3.0 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 x VGA,

ESP P510 E85+ /CORE i5-3570/ (Promo)	ESP P510 E85+ /CORE i5-3570/ 4GB DDR3-1600/DVD SM/500GB SATA III/ CK I/KB400PS2I/COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/RDVD2 WIN7 MAIN/	LKN:P0510P0001IT			
--------------------------------------	---	------------------	--	--	--

ESPRIMO P700

ESPRIMO P700 E90+ Base unit: ; Mainboard type D3061 ATX; Chipset Intel Q65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 1 x 2.5-inch internal bay, 2 x 5.25-inch external bays; 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB tilt wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 14 x USB 2.0 total, 4 x USB front, 8 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550

ESP P700 E90+ /CORE i5-2500/4 GB/DVD SM/ (Promo)	ESP P700 E90+ /CORE i5-2500/4 GB/DVD SM/ 500GB SATA III/CK I/KB400PS2I/COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/W7_PRO64_O1MULTI_MA/RDVD2 WIN7 MAIN/	LKN:P0700P0002IT			Phased out
--	---	------------------	--	--	------------

ESPRIMO P710

ESP P710 E90+ /CORE i5-3470/ (Promo)	ESP P710 E90+ /CORE i5-3470/ 4GB DDR3-1600/GF605 DP 1GB FH/DVD SM/ 500GB SATA III/CK I/KB410PS2IT/COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/	LKN:P0710P0002IT			
--------------------------------------	--	------------------	--	--	--

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					

ESPRIMO P400



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO P					
Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO P400 (Continued)					
	ESPRIMO P400 E85+	ESPRIMO P400 E85+ Base unit: ; Mainboard type D2990 ATX; Chipset Intel H61, max. 8 GB, 2 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, identical memory modules in each channel are necessary (minimum 2 modules).; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x16, Drive bays: 1 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit) NCQ AHCI; 330 W Max. output of single power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 (DVI-D) x DVI, optional x USB 3.0 total, 8 x USB 2.0 total, 2 x USB front, 4 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2), 1 x VGA,	S26361-K1017-V300	185,00	
ESPRIMO P500					
	ESPRIMO P500 E85+	ESPRIMO P500 E85+ Base unit: ; Mainboard type D2991 ATX; Chipset Intel B65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 2 x PCI-Express x1, 1 x PCI-Express 2.0 x16, Drive bays: 1 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 (DVI-D) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 10 x USB 2.0 total, 2 x USB front, 6 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and FCP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232)	S26361-K1017-V120	232,00	Phased out
ESPRIMO P510					



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO P					
Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO P510 (Continued)					
	ESPRIMO P510 E85+	ESPRIMO P510 E85+ Base unit: ; Mainboard type D3171 ATX; Chipset Intel B75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same ; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 2 x PCI-Express x1, 1 x PCI-Express 3.0 x16, Drive bays: 1 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 1x Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 (DVI-D) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 8 x USB 2.0 total, 2x 2.0 x USB front, 4x 2.0/ 2x 3.0 x USB rear, 2x 2.0/ 2x 3.0 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and FCP) 2 x Mouse / Keyboard (PS/2) 1 x Serial (RS-	S26361-K1017-V400	237,00	
ESPRIMO P700					
	ESPRIMO P700 E90+	ESPRIMO P700 E90+ Base unit: ; Mainboard type D3061 ATX; Chipset Intel Q65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 1 x 2.5-inch internal bay, 2 x 5.25-inch external bays; 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB tilt wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort 1 (DVI-I) x DVI 1 (optional) x eSATA	S26361-K1015-V210	267,00	Phased out



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO P					
Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO P700 (Continued)					
	ESPRIMO P700 E85+	ESPRIMO P700 E85+ Base unit: ; Mainboard type D3061 ATX; Chipset Intel Q65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 1 x 2.5-inch internal bay, 2 x 5.25-inch external bays; 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB tilt wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA	S26361-K1015-V220	256,00	Phased out
ESPRIMO P705					
	ESPRIMO P705 E85+	ESPRIMO P705 E85+ Base unit: ; Mainboard type D3091 ATX; Chipset AMD 880G, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: ATI Radeon HD 4250; Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Broadcom BCM57780; Slots: 1 x (180 mm / 7.09 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 6 x Serial ATA II NCQ and 3 GBit AHCI Raid 1/0; 280 W Max. output of single power supply; Optical USB tilt wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (Dual link DVI-I) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 12 x USB 2.0 total, 4 x USB front, 6 x USB rear, 2 x USB internal, 1 x Ethernet	S26361-K1015-V520	250,00	
ESPRIMO P710					



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO P					
Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO P710 (Continued)					
	ESPRIMO P710 E90+	ESPRIMO P710 E90+ Base unit: ; Mainboard type D3161 ATX; Chipset Intel Q75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 1 x 2.5-inch internal bay, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 1x Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 10 x USB 2.0 total, 4x 2.0 or 2x 2.0/2x	S26361-K1015-V230	275,00	
	ESPRIMO P710 E85+	ESPRIMO P710 E85+ Base unit: ; Mainboard type D3161 ATX; Chipset Intel Q75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 1 x 2.5-inch internal bay, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 1x Serial ATA III (6 GBit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 10 x USB 2.0 total, 4x 2.0 or 2x 2.0/2x	S26361-K1015-V240	264,00	
ESPRIMO P900					



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO P					
Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO P900 (Continued)					
	ESPRIMO P900 0-Watt	ESPRIMO P900 0-Watt Base unit: vPRO logo with Core i5 or Core i7 processors; Mainboard type D3062 ATX; Chipset Intel Q67, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 1 x 2.5-inch internal bay, 2 x 5.25-inch external bays; 6 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI Raid 1/0; 280 W Max. output of single power supply; Optical USB tilt wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x	S26361-K1015-V100	447,00	Phased out
	ESPRIMO P900 E90+	ESPRIMO P900 E90+ Base unit: vPRO logo with Core i5 or Core i7 processors; Mainboard type D3062 ATX; Chipset Intel Q67, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 1 x 2.5-inch internal bay, 2 x 5.25-inch external bays; 6 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI Raid 1/0; 280 W Max. output of single power supply; Optical USB tilt wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x	S26361-K1015-V110	425,00	Phased out



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO P					
Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO P900 (Continued)					
	ESPRIMO P900 E85+	ESPRIMO P900 E85+ Base unit: vPRO logo with Core i5 or Core i7 processors; Mainboard type D3062 ATX; Chipset Intel Q67, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 1 x 2.5-inch internal bay, 2 x 5.25-inch external bays; 6 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI Raid 1/0; 280 W Max. output of single power supply; Optical USB tilt wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x	S26361-K1015-V120	414,00	Phased out
ESPRIMO P910					
	ESPRIMO P910 0-Watt	Intel vPro Logo mit Core i5 3xxx and Core i7 3xxx processor; ESPRIMO P910 0-Watt Base unit: Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 1 x 2.5-inch internal bay, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front	S26361-K1015-V130	484,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO P					
Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO P910 (Continued)					
ESPRIMO P910 E90+		Intel vPro Logo mit Core i5 3xxx and Core i7 3xxx processor; ESPRIMO P910 E90+ Base unit: Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 1 x 2.5-inch internal bay, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio;	S26361-K1015-V140	462,00	
ESPRIMO P910 E85+		Intel vPro Logo mit Core i5 3xxx and Core i7 3xxx processor; ESPRIMO P910 E85+ Base unit: Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 1 x 2.5-inch internal bay, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit), 2x Serial ATA III (6 GBit) NCQ AHCI RAID (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio;	S26361-K1015-V150	450,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Q

The ESPRIMO Q Series opens a new chapter on performance, size and design. With its extremely small and stylish design, the Mini PC satisfies a so far unanswered business need: PC becomes fashionable. Powered by the latest Intel® Mobile Technology, the ESPRIMO Q Series fulfills the requirements of a fully-fledged PC. Don't buy expandability you never use and gain more space on your desk. You'll profit from its low energy consumption, as well as from its whisper silent noise level. Add an eye catcher to your desk.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO Q510					
ESPRIMO Q510	Base unit, proprietary form factor, Intel iH61 chipset with max. 16GB memory, 2x SODIMM slot DDR3 1600 MHz, graphics (Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU)) / audio (Conexant CX20642) / LAN (10/100/1000 Mbit/s Intel 82579LM), 2 drive bays (1x 5.25" slim slot-in, externally accessible, 1x 2.5" internally), 70W integrated power supply, optical USB scroll mouse; keyboard only optional., DVI to VGA adapter part of shipment., Zero Noise for standard office applications (SSD needed)., VESA monitor mounting included in the housing., , Interfaces: 4x USB 2.0 rear, 2x USB 2.0 in front, 1x HDMI, 1x DVI, high definition audio, 1x LAN RJ45, 1x MultiCard Reader, , optional: 1 Lock plate	S26361-K1011-V300	280,00		
ESPRIMO Q910					
ESPRIMO Q910	Base unit, proprietary form factor, Intel iQ77 chipset with max. 16GB memory, 2x SODIMM slot DDR3 1600 MHz, graphics (Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU)) / audio (Conexant CX20642) / LAN (10/100/1000 Mbit/s Intel 82579LM), 2 drive bays (1x 5.25" slim slot-in, externally accessible, 1x 2.5" internally), 65 W integrated power supply, optical USB scroll mouse; keyboard only optional., , DVI to VGA adapter part of shipment., , Zero Noise for standard office applications (SSD needed)., , VESA monitor mounting included in the housing., , , Interfaces: 2x USB 2.0 rear, 2x USB 3.0 rear, 2x USB 3.0 in front, 1x DP, 1x DVI, high definition audio, 1x LAN RJ45, 1x MultiCard Reader, , , optional: , 1 MiniCard for WLAN/Bluetooth module, 1 Intrusion switch, , 1 Lock plate,	S26361-K1011-V200	462,00		



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

ESPRIMO Accessories

Category	Description	Details	ESPRIMO C5731	ESPRIMO C700	ESPRIMO E321	ESPRIMO E321	ESPRIMO E321	ESPRIMO E400	ESPRIMO E510	ESPRIMO E645	ESPRIMO E731	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E736	ESPRIMO E900	ESPRIMO E900	ESPRIMO P2560	ESPRIMO P321	ESPRIMO P321	ESPRIMO P400	ESPRIMO P500	ESPRIMO P510	ESPRIMO P645	ESPRIMO P731	ESPRIMO P700	ESPRIMO P705	ESPRIMO P710	ESPRIMO P736	ESPRIMO P900	ESPRIMO P900	ESPRIMO P9300	ESPRIMO Q1510	ESPRIMO Q310	ESPRIMO Q900	ESPRIMO Q910	Product Code	EUP (€)	Comments	
OS/Applications-SW (Continued)																																								
	License for Scout EP	Client license for Scout EP including 2 years of software support. A client license for Scout EP (S26361-F2727-L701) is required, if more than 25 Thin Clients shall be managed and no existing client licenses for Scout EP are available. (Scout EP comes with free management for up to 25 Thin Clients. For 26 or more systems, each Thin Client requires a client license for Scout EP.)	x																																			S26361-F2727-L701	45,00	
	License for eLux RL	License for eLux including 2 years of software support. (No client licenses for Scout EP are included.)	x																																			S26361-F2727-L702	40,00	
	Subscription Key eLux/Scout	Subscription Key for eLux to prolong the software support for 12 months. (For the utilization of the Subscription Key, a valid client license for Scout EP is required.)	x																																			S26361-F2727-L703	17,00	
	FLUENDO Codec Package	The FLUENDO Codec Package includes the licenses for using multimedia codecs in combination with eLux RL. The codecs itself are pre-installed on our eLux RL operating system. When ordering the FLUENDO Codec Package, you will receive a license key which allows to use the codecs on your Thin Client. Following codecs are covered: MP3, WMA stereo, AAC stereo, AC3 stereo, WMV, H264, MPEG4 part2 and MPEG2.	x																																			S26361-F2727-L704	10,00	
	Windows MPS 2011 CAL Drivers&Utilities DVD (XP) ESPRIMO DT	incl. Nero Essentials S, Norton Internet Security	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2011-L170	87,00		
	Drivers&Utilities DVD (Win7) ESPRIMO	incl. Nero Essentials S, Norton Internet Security	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2007-L910	16,00		
Security																																								
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1260-L521	26,00		
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b.64 KByte EEPROM	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1571-L201	18,00	Phased out	
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b.64 KByte EEPROM	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1571-L212	118,00	Phased out	
	SmartCase Logon+ license (1-99 licenses)	includes 1 license, for orders up to 99 licenses, no software, no data medium	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-L100	20,00		
	SmartCase Logon+ 3.2.2	Supports secure authentication, password container, SSO, drive encrypt, smartcard, biometrics	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-L740	42,00		
	SmartCard CARDOS V4.4. 1PCS	1 SmartCard CardOS 4.4, 68 KByte EEPROM	x																																		S26381-F305-L101	25,00		
	SmartCard CARDOS V4.4. 2PCS	2 SmartCard CardOS 4.4, 68 KByte EEPROM	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-F305-L102	45,00		
	SmartCard CARDOS V4.4. 10PCS	10 SmartCard CardOS 4.4, 68 KByte EEPROM	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-F305-L110	204,00		
	SmartCardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista /Win7 compatible, USB interface	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-F331-L220	25,00		
Miscellaneous																																								
	Lock plate ESPRIMO Q																																				S26361-F2542-L336	12,00		
	4 Rubber feet for vertical position																																				S26361-F2542-L480	13,00		
	ESPRIMO Q mounting kit	incl. VESA subadaoter																																			S26361-F2542-L75	62,00		
	VESA subadaoter																																					S26361-F2601-L200	22,00	
	Feet for vertical position (set)																																					S26361-F2542-L200	18,00	
	Rear USB 2.0 connector	2x USB 2.0																																			S26361-F2438-L215	16,00		
	Blanking Plate 5.25" drive bays, 10 pcs.																																					S26361-F2542-L326	15,00	
	Blanking Plate 3.5" drive bays, 10 pcs.																																					S26361-F2542-L327	17,00	
	Blanking Plate 5.25" drive bays, 3 pcs.	3x 5.25" covers & drive cage																																				S26361-F2542-L325	17,00	
	Blanking Plate + cage 3.5" bay, 6 pcs.																																					S26361-F2542-L325	17,00	
	Universal PC-TFT holder	for TFT (15"-20") and PC (max 105x370x400mm)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2542-L35	123,00		
	Short DVI/DVI cable for mounting kit	short cable (440mm), for mounting kit.																																				S26361-F2581-L11	32,00	
Cables																																								
	Power cord China																																					S26361-F2542-L51	10,00	
	Monitor outlet cable	necessary to contact monitor directly to the PC																																				S26361-F2542-L57	10,00	
	Cable for 2. USB device																																					S26361-F2581-L10	22,00	
Additional Software																																								
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C301	#####		
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C311	#####		
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C321	500,00		
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C300	30,00		
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C299	15,00		
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C501	#####		
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C513	#####		
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C525	500,00		
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C500	36,00		
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C499	15,00		



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO C710	ESPRIMO E400	ESPRIMO E500	ESPRIMO E510	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E900	ESPRIMO E910	ESPRIMO P400	ESPRIMO P500	ESPRIMO P700	ESPRIMO P705	ESPRIMO P710	ESPRIMO P800	ESPRIMO P910	ESPRIMO Q510	ESPRIMO Q810	Product Code	EUP (€)	Comments
Approvals/dependencies																								
	Housing for 2 full height PCI cards			x			x	x	x	x	x											S26361-F2542-E427	20,00	
	FastOn																					S26361-F2550-E120	6,00	
	Enerov Star approval	Limited configuration							x							x						S26361-F2550-E140	3,00	
	China (CCC) approval						x															S26361-F2550-E150	3,00	
	Green system																					S26361-F2550-E160	2,00	
	Thin Client Upgrade Kit eLux ESPRIMO		x				x															S26361-F2542-E510	3,00	
	Thin Client Upgrade Kit WE57 ESPRIMO		x				x															S26361-F2542-E520	3,00	
Multi Workplace Computing																								
	Host for MWC 2011 STD max. 10 seats	This order number provides a Host configuration guidance of RECOMMENDED system components for the named number of max. seats. , , Don't select this number for a flexible components selection. , For more information please click on the PC-Architect "remarks" button. , Find additional information in our partners portal. , https://partners.ts.fujitsu.com/com/products/cli ents/thin_clients/Pages/mwc.aspx																				S26361-F2011-E173	3,00	Phased out
Processor																								
	Celeron G530	incl. Intel HD Graphics, 2.40 GHz, 2 MB total cache, dual core/2 threads, LGA1155, technologies: VT-x,	x	x	x	x	x															S26361-F4020-E530	38,00	Phased out
	Celeron G540	incl. Intel HD Graphics, 2.50 GHz, 2 MB total cache, dual core/2 threads, LGA1155,	x	x	x																	S26361-F4020-E540	38,00	
	Pentium G630	incl. Intel HD Graphics, 2.70 GHz, 3 MB total cache, dual core/2 threads, LGA1155	x	x	x	x																S26361-F4050-E630	72,00	Phased out
	Pentium G640	incl. Intel HD Graphics, 2.80 GHz, 3 MB total cache, dual core/2 threads, LGA1155,	x	x	x																	S26361-F4050-E640	67,00	
	Pentium G850	incl. Intel HD Graphics, 2.90 GHz, 3 MB total cache, dual core/2 threads, LGA1155, technologies: VT-x,	x	x	x	x																S26361-F4050-E850	84,00	Phased out
	Pentium G860	incl. Intel HD Graphics, 3.00 GHz, 3 MB total cache, dual core/2 threads, LGA1155,	x	x	x																	S26361-F4050-E860	84,00	
	Core i3-2120	incl. Intel HD Graphics 2000, 3.30 GHz, 3 MB total cache, dual core/4 threads, LGA1155, technologies: VT-x,	x	x	x	x																S26361-F4493-E212	133,00	
	Core i3-3220	incl. Intel HD Graphics 2000, 3.30 GHz, 3 MB total cache, dual core/4 threads, LGA1155, technologies: VT-x,	x	x	x																	S26361-F4493-E322	149,00	New product, Orderable from: 03/09/2012
	Core i5-2320	incl. Intel HD Graphics 2000, 3.00 GHz, 6 MB total cache, quad core/4 threads, LGA1155, technologies: VT-x,		x																		S26361-F4494-E232	226,00	
	Core i5-2400	incl. Intel HD Graphics 2000, 3.10 GHz, 6 MB total cache, quad core/4 threads, LGA1155, technologies: VT-x, TXT	x	x	x	x																S26361-F4494-E240	237,00	
	Core i5-2500	incl. Intel HD Graphics 2000, 3.30 GHz, 6 MB total cache, quad core/4 threads, LGA1155, technologies: VT-x, TXT	x	x	x																	S26361-F4494-E250	264,00	Phased out
	Core i5-3470	Intel HD Graphics 2500, 3.20 GHz, up to 3.60 GHz, 6 MB Total Cache, Quad Core/4 Threads, LGA1155, VT-d, TXT	x	x	x																	S26361-F4494-E348	237,00	
	Core i5-3570	Intel HD Graphics 2500, 3.40 GHz, up to 3.80 GHz, 6 MB Total Cache, Quad Core/4 Threads, LGA1155, VT-d, TXT	x		x																	S26361-F4494-E357	264,00	
	Core i7-2600	incl. Intel HD Graphics 2000, 3.40 GHz, 8 MB total cache, quad core/8 threads, LGA1155, technologies: VT-x, TXT	x	x	x	x																S26361-F4495-E260	366,00	Phased out
	Core i7-3770	Intel HD Graphics 4000, 3.40 GHz, up to 3.90 GHz, 8 MB Total Cache, Quad Core/8 Threads, LGA1155, VT-d, TXT	x	x	x																	S26361-F4495-E377	366,00	
	Celeron G530T	incl. Intel HD Graphics, 2.00 GHz, 2 MB total cache, dual core/2 threads,																				S26361-F4020-E531	44,00	Phased out
	Celeron G540T	incl. Intel HD Graphics, 2.10 GHz, 2 MB total cache, dual core/2 threads,																				S26361-F4020-E541	44,00	
	Pentium G630T	incl. Intel HD Graphics, 2.30 GHz, 3 MB total cache, dual core/2 threads,																				S26361-F4050-E631	76,00	Phased out
	Pentium G640T	incl. Intel HD Graphics, 2.40 GHz, 3 MB total cache, dual core/2 threads,																				S26361-F4050-E641	76,00	
	Core i3-2120T	incl. Intel HD Graphics 2000, 2.60 GHz, 3 MB total cache, dual core/4 threads,																				S26361-F4493-E213	142,00	
	Core i3-3220T	incl. Intel HD Graphics 2500, 2.80 GHz, 3 MB total cache, dual core/4 threads,																				S26361-F4493-E323	149,00	New product, Orderable from: 03/09/2012
	Core i5-3470T	Intel HD Graphics 2500, 2.90 GHz, up to 3.60 GHz, 3 MB Total Cache, Dual Core/4 Threads, LGA1155, VT-d, TXT																				S26361-F4494-E347	237,00	
	Athlon II X2 220	2.8 GHz, 1 MB total cache, socket AM2, dual core, incl. heat sink, AMD-V																				S26361-F3416-E220	44,00	
	Athlon II X2 285	3.3 GHz, 2 MB total cache, socket AM3, dual core, incl. heat sink, AMD-V																				S26361-F3416-E265	55,00	
	Phenom II X2 560	3.3 GHz, 7 MB total cache, socket AM3, dual core, incl. heat sink, AMD-V																				S26361-F3513-E560	94,00	Phased out
	FX-4100	3.6 GHz, 8 MB total cache, socket AM3+, quad core, incl. heat sink, AMD Turbo Core, ,																				S26361-F4021-E410	133,00	
Memory																								
	2GB DDR3-1333	1 module PC 1333, DIMM																				S26361-F4404-E2	20,00	
	4GB DDR3-1333	1 module PC 1333, DIMM																				S26361-F4404-E3	38,00	
	2GB DDR3-1333	1 module PC 1333, DIMM	x	x	x	x																S26361-F3378-E2	20,00	
	4GB DDR3-1333	1 module PC 1333, DIMM	x	x	x																	S26361-F3378-E3	38,00	
	2GB DDR3-1600	1 module PC 1600, DIMM,																				S26361-F3384-E2	20,00	
	4GB DDR3-1600	1 module PC 1600, DIMM,																				S26361-F3384-E3	38,00	
	8GB DDR3-1600	1 module PC 1600, DIMM																				S26361-F3384-E4	162,00	
	2GB DDR3-1600	1 module PC 1600 (PC3-12800), SO-DIMM,																				S26361-F4553-E2	20,00	
	4GB DDR3-1600	1 module PC 1600 (PC3-12800), SO-DIMM,																				S26361-F4553-E3	38,00	
Graphics																								
	ATI Radeon HD5450 512 MB	PCIe, dual monitor (2 DVI-I VGA), HDCP, DirectX11, incl. 2 Adapter, DVI-VGA																				S26361-F3535-E545	39,00	Phased out
	ATI Radeon HD7350 1GB FH	Dual DVI-I, DDR3, full height,																				S26361-F3535-E736	42,00	
	NVIDIA GeForce GT630 DisplayPort 2GB FH	PCIe Gen3, DVI-I, dual link, display port, DDR3, full height,																				S26361-F3000-E633	82,00	
	NVIDIA GeForce GT630 DisplayPort 2GB LP	PCIe Gen3, DVI-I, dual link, display port, DDR3, low profile,																				S26361-F3000-E631	82,00	
	NVIDIA GeForce GT630 DP 2GB FH "0 Watt"	PCIe Gen3, DVI-I, dual link, display port, DDR3, full height,																				S26361-F3000-E637	82,00	



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO C710	ESPRIMO E400	ESPRIMO E500	ESPRIMO E510	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E800	ESPRIMO E910	ESPRIMO P400	ESPRIMO P510	ESPRIMO P700	ESPRIMO P705	ESPRIMO P800	ESPRIMO P910	ESPRIMO Q910	Product Code	EUP (€)	Comments
Options matrix																						
Graphics (Continued)																						
	NVIDIA GeForce GT630 DP 2GB LP *0 Watt*	PCIe Gen3, DVI-I, dual link, display port, DDR3, low profile.		x																S26361-F3000-E635	82,00	
	NVIDIA GeForce 405 DisplayPort 512MB FH	PCIe Gen2, Dual Monitor (1x DVI-I, 1x display port), Dual link, HDCP, DirectX10, incl. Adapter DVI-VGA, DDR3											x	x	x	x	x			S26361-F3000-E407	44,00	Phased out
	NVIDIA GeForce 405 DisplayPort 512MB LP	Low Profile, PCIe Gen2, Dual Monitor (1x DVI-I, 1x display port), Dual link, HDCP, DirectX10, incl. Adapter DVI-VGA, DDR3	x		x	x	x	x												S26361-F3000-E405	44,00	Phased out
	NVIDIA GeForce 605 DisplayPort 1GB FH	DVI-I, display port, DDR3, full height, DVI-I, display port, DDR3, low profile.			x	x	x	x	x	x	x		x	x	x	x	x	x		S26361-F3000-E607	45,00	
	NVIDIA GeForce 605 DisplayPort 1GB LP	PCIe Gen2, DVI-I, VGA, HDCP, DirectX11, dual link, display port			x	x	x	x	x	x			x	x	x	x				S26361-F3000-E605	45,00	
	NVIDIA GeForce GT420 DisplayPort 1GB FH	PCIe Gen2, DVI-I, VGA, HDCP, DirectX11, dual link, display port																		S26361-F3000-E422	77,00	Phased out
	NVIDIA GeForce GT420 DisplayPort 1GB LP	PCIe Gen2, DVI-I, HDCP, DirectX11, dual link, display port			x	x		x	x											S26361-F3000-E420	77,00	Phased out
	NVIDIA Quadro NVS 300 512MB PCIe x16	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately											x	x	x	x	x	x		S26361-F2748-E38	84,00	
	2nd NVIDIA Quadro NVS 300 512MB PCIe x16	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately													x	x	x	x		S26361-F2748-E138	84,00	
	NVIDIA Quadro NVS 300 512MB PCIe x16LP	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately	x	x		x	x	x	x	x	x									S26361-F2748-E338	77,00	
	2nd NVIDIA Quadro NVS 300 512MB PCIe x16LP	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately						x	x	x	x									S26361-F2748-E438	77,00	
	No Energy Star + Blue Angel approval																			S26361-F2502-E110	3,00	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2391-E200	17,00	
	DVI/VGA Adapter	for connection of one VGA-monitor, requires DVI-I connector	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2391-E1	6,00	
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2391-E101	17,00	
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2391-E102	19,00	
Removable Media Drives																						
	ODD cover (dummy drive)	necessary when no ODD is configured																		S26361-F2542-E53	4,00	
	Cable for 2nd ODD												x	x	x	x	x	x		S26361-F2581-E23	4,00	
	MultiCard Reader 24in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), xD-Picture Card, MD, SMC ,				x							x	x	x	x	x	x		S26361-F3077-E50	10,00	
	MCR 24in1 + USB 3.0 front con., 3.5"	occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC ,			x	x		x	x				x	x	x	x	x			S26361-F3077-E51	13,00	
	MCR 24in1 + USB 3.0 front con., 3.5"	occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC ,					x								x					S26361-F3077-E52	13,00	
	BD Triple Writer SATA Slot-in slim	occupies accessible 5,25"- bay, DVD software must be ordered separately	x																x	S26361-F3717-E200	122,00	
	DVD SuperMulti SATA Slot-in slim	occupies accessible 5,25"- bay, DVD software must be ordered separately																	x	S26361-F3741-E200	37,00	
	DVD SATA	occupies accessible 5,25"- bay, DVD software must be ordered separately			x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F3418-E510	16,00	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay, DVD software must be ordered separately			x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F3420-E510	23,00	
	Blu-ray Disc Triple Writer SATA	occupies 5,25"-bay, BD read/write + DVD read/write + CD read/write, Blu-ray Playback SW must be ordered separately			x	x		x	x				x	x	x	x				S26361-F3523-E510	166,00	
	BD Triple Writer SATA slim (tray)	occupies 5,25"-bay, BD read/write + DVD read/write + CD read/write, Blu-ray Playback SW must be ordered separately	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F3716-E100	110,00	
	Cable for 2nd ODD	necessary for the operation of the 2nd optical disc drive																		S26361-F2581-E20	4,00	
	MultiCard Reader 20in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type			x	x		x	x	x	x	x	x	x	x	x	x	x		S26361-F3077-E5	10,00	
	MCR 20in1 + USB 3.0 front con., 3.5"	requires USB 3.0 PCIe x1 card, occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type			x	x		x	x				x	x	x	x	x			S26361-F3077-E15	13,00	Phased out
	DVD SuperMulti SATA slim	occupies accessible 5,25"- bay, DVD software must be ordered separately	x	x																S26361-F3429-E510	30,00	
	DVD SuperMulti SATA Slot-in slim	occupies accessible 5,25"- bay, DVD software must be ordered separately	x																	S26361-F3522-E510	37,00	Phased out
Hard Disks																						
	mSATA Adapter	Adapter does not contain mSATA modules. Those (and the eLux+Scout license) have to be ordered separately.	x								x									S26361-F2542-E530	17,00	
	1 GB mSATA			x																S26361-F3666-E1	22,00	
	2 GB mSATA	Does not contain mSATA adapter and eLux+Scout license, those have to be ordered separately.		x																S26361-F3666-E2	39,00	
	SSD SATA III 128GB high speed	very fast 2.5" solid state drive with SATA 6GB/s interface, no WinXP support.																	x	S26361-F3679-E128	188,00	
	4 GB mSATA	Does not contain mSATA adapter and eLux+Scout license, those have to be ordered separately.		x							x									S26361-F3666-E4	55,00	
	SSD SATA III 256GB high speed	very fast 2.5" solid state drive with SATA 6GB/s interface, no WinXP support.																	x	S26361-F3679-E256	333,00	



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO C710	ESPRIMO E400	ESPRIMO E500	ESPRIMO E510	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E800	ESPRIMO E910	ESPRIMO P400	ESPRIMO P510	ESPRIMO P700	ESPRIMO P705	ESPRIMO P800	ESPRIMO P910	ESPRIMO Q910	Product Code	EUP (€)	Comments		
Hard Disks (Continued)																								
	HDD SATA II 500GB 5.4k 2.5"	occupies 2.5"-bay (internal), Advanced Format (AF)																	x	x	S26361-F3658-E500	98,00		
	8 GB mSATA	Does not contain mSATA adapter and eLux+Scout license, those have to be ordered separately.	x					x													S26361-F3666-E8	99,00		
	16 GB mSATA	Does not contain mSATA adapter and eLux+Scout license, those have to be ordered separately.	x					x													S26361-F3666-E16	177,00		
	SSD SATA III 64GB Smart Response cache	Very fast 2.5" SSD with SATA 6GB/s interface, incl. easy rail, no WinXP support. Installed as Smart Response cache, additional HDD necessary.																	x		S26361-F3742-E64	110,00		
	SSD SATA III 64GB Smart Response cache	occupies 3.5"-bay (internal), incl. frame, very fast 2.5" solid state drive with SATA 6GB/s interface, no WinXP support	x	x	x	x	x	x	x	x	x	x	x	x	x						S26361-F3743-E84	110,00		
	SSD SATA III 128GB high speed	very fast 2.5" solid state drive with SATA 6GB/s interface, incl. easy rail, no WinXP support														x	x	x	x		S26361-F3680-E128	188,00		
	SSD SATA III 128GB high speed	very fast 2.5" solid state drive with SATA 6GB/s interface, incl. easy rail, no WinXP support														x	x	x	x		S26361-F3681-E128	188,00		
	SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support	x	x	x	x	x	x	x	x	x	x	x	x							S26361-F3680-E256	333,00		
	SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support													x	x	x	x			S26361-F3681-E256	333,00		
	SSD 128GB high speed	occupies 3.5"-bay (internal), incl. frame, very fast 2.5" solid state drive with SATA 3GB/s interface, no WinXP support	x	x	x	x	x	x	x	x	x	x	x	x							S26361-F3575-E100	222,00		
	SSD 128GB high speed FDE	very fast 2.5" solid state drive with SATA 3GB/s interface, incl. easy rail, no WinXP support													x	x	x	x			S26361-F3639-E100	222,00		
	HDD SATA III 250GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)	x	x	x	x	x	x	x	x	x	x	x	x							S26361-F3660-E250	57,00		
	HDD SATA III 250GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)													x	x	x	x			S26361-F3660-E251	57,00		
	HDD SATA III 500GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)	x	x	x	x	x	x	x	x	x	x	x	x							S26361-F3660-E500	72,00		
	HDD SATA III 500GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)													x	x	x	x			S26361-F3660-E501	72,00		
	HDD SATA III 1000GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F3660-E100	112,00		
	HDD SATA III 2000GB 7.2k AF	occupies 3.5"-bay (internal), Advanced Format (AF)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F3660-E200	162,00		
	HDD SATA II 250GB 5.4k 2.5"	occupies 2.5"-bay (internal), Advanced Format (AF)																	x	x	S26361-F3745-E250	73,00		
	HDD SATA II 750GB 5.4k 2.5"	occupies 2.5"-bay (internal), Advanced Format (AF)																	x	x	S26361-F3658-E750	134,00		
	HDD SATA II 160GB 7.2k 2.5"	beleot 2.5"-Einbauplatz (intern)																	x	x	S26361-F3560-E200	66,00		
	HDD SATA II 160GB 7.2k 2.5	occupies 2.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology													x	x	x	x			S26361-F3640-E100	66,00		
	HDD SATA II 160GB 7.2k 2.5" incl. frame	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F3661-E160	66,00		
	HDD SATA II 320GB 7.2k 2.5"	supports NCQ and 3GB/s, compatible to SATA technology	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3721-E320	77,00			
	HDD SATA II 1000GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)													x						S26361-F3568-E100	112,00		
	HDD SATA III 500GB 7.2k BC	occupies 3.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology	x	x				x	x	x	x				x	x	x	x			S26361-F3497-E100	104,00		
	Cable for 2nd HDD/ SSD	necessary for the operation of the 2nd HDD or SSD			x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2581-E30	3,00		
Communication/Network																								
	WLAN 802.11abgn (2x2)																			x	S26361-F3108-E11	14,00		
	USB 3.0 PCIe x1		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F3050-E10	26,00		
	Upgrade USB 3.0 front connector ESP P																			x	S26361-F3050-E20	9,00		
	Upgrade USB 3.0 front connector ESP E																			x	S26361-F3050-E30	9,00		
	Gigabit Ethernet PCIe x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash manageability for AMD platforms, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F3067-E60	17,00		
	Gigabit Ethernet PCIe x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash manageability, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0													x	x	x	x	x		S26361-F3067-E90	17,00		
	WLAN III, 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB interface, only EMEA	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F3108-E5	16,00		
	WLAN 802.11b/g/n (2x2) and Bluetooth	Intel Centrino Wireless-N 2230 (802.11b/g/n, 2x2, single band Wi-Fi + Bluetooth 4.0), delivers up to 300 Mbps speed in the 2.4 GHz band with multiple streams																	x	x	S26361-F3108-E12	14,00		
	Parallel Interface LP	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot					x	x	x	x	x	x									S26361-F2542-E30	3,00		
	Parallel Interface FH	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height						x	x	x	x	x			x	x	x	x	x		S26361-F2542-E34	3,00		
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot	x	x																	S26361-F2542-E60	3,00		
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot; low profile	x	x				x	x	x	x	x									S26361-F2542-E40	3,00		
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot; full height						x	x	x	x	x			x	x	x	x			S26361-F2542-E70	4,00		
	Dual serial card PCIe x1	Dual Port RS232 via splitter cable	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F3316-E6	22,00		
	Dual serial card PCIe x1, powered	Dual Port RS232 via splitter cable	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F3316-E7	23,00		
Country kits																								
	Country kit US-cable (INT)	incl. power cord (US), safety manuals (EU+, non EU)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2930-E100	8,00		
	Country kit (DE)	Germany; incl. power cord (Euro), safety manual (DE)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2930-E101	8,00		
	Country kit (IT)	incl. power cord (I), safety manual (I)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2930-E104	8,00		
	Country kit (GB)	incl. power cord (GB), safety manual (GB)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2930-E105	8,00		
	Country kit GB-cable (non EU)	incl. power cord (GB), safety manual (INT)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2930-E110	8,00		
	Country kit ESPRIMO Q Euro-cable (INT)	incl. power cord (Euro), safety manual (INT)																	x	x	S26361-F2930-E122	8,00		
	Country kit ESPRIMO Q (IT)	incl. power cord (IT), safety manual (IT)																		x	x	S26361-F2930-E123	8,00	
	Country kit ESPRIMO Q GB-cable (INT)	incl. power cord (GB), safety manual (INT)																		x	x	S26361-F2930-E124	8,00	
	Country kit ESPRIMO Q US-cable (INT)	incl. power cord (US), safety manual (INT)																		x	x	S26361-F2930-E127	8,00	
	Country kit ESPRIMO Q (DE)	incl. power cord (Euro), safety manual (INT)																		x	x	S26361-F2930-E128	8,00	
	Country kit without power cord (INT)	without power cord, incl. safety manual (INT)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2930-E135	8,00		
	Country kit Euro-cable (EU+)	incl. power cord (Euro), safety manual (EU+)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2930-E141	8,00		



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO C710	ESPRIMO E400	ESPRIMO E500	ESPRIMO E510	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E800	ESPRIMO E810	ESPRIMO P400	ESPRIMO P510	ESPRIMO P700	ESPRIMO P705	ESPRIMO P800	ESPRIMO P810	ESPRIMO Q510	ESPRIMO Q510	Product Code	EUP (€)	Comments
Country kits (Continued)																							
	Country kit ESP Q Euro cable PVC free Made in Germany sticker	The „Made in Germany“ sticker prominently displays this universally admired differentiating product value	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2950-E100 S26391-F404-E911	9,00 2,00	
OneBox-Keyboards																							
	KBPC PX ECO US	KBPC PX ECO US, professional GreenIT keyboard, US-English, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K341-E110	27,00	
	KBPC PX ECO D	KBPC PX ECO D, professional GreenIT keyboard, Layout German, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K341-E120	27,00	
	KBPC PX ECO GB	KBPC PX ECO GB, professional GreenIT keyboard, Layout Great Britain, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K341-E165	27,00	
	KBPC PX ECO I	KBPC PX ECO I, professional GreenIT keyboard, Layout Italy, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K341-E185	27,00	
	KB410 USB BLACK US	KB410 USB, slim value keyboard with US layout on 105-key modul in black. Fixed USB cable 1.8 m.	x				x	x	x					x		x	x				S26381-K510-E402	13,00	
	KB410 USB BLACK DE	KB410 USB, slim value keyboard with german layout on 105-key modul in black. Fixed USB cable 1.8 m.	x				x	x	x					x		x	x				S26381-K510-E420	13,00	
	KB410 USB BLACK GB	KB410 USB, slim value keyboard with english layout on 105-key modul in black. Fixed USB cable 1.8 m.	x				x	x	x					x		x	x				S26381-K510-E465	13,00	
	KB410 USB BLACK AR/GB	KB410 USB, slim value keyboard with arabic / english layout on 105-key modul in black. Fixed USB cable 1.8 m.	x				x	x	x					x		x	x				S26381-K510-E466	13,00	
	KB410 USB BLACK IT	KB410 USB, slim value keyboard with italian layout on 105-key modul in black. Fixed USB cable 1.8 m.	x				x	x	x					x		x	x				S26381-K510-E485	13,00	
	KB410 PS2 BLACK US	KB410 PS2, slim value keyboard with US layout on 105-key modul in black. PS2 cable 1.8 m.	x				x	x	x					x		x	x				S26381-K515-E402	13,00	
	KB410 PS2 BLACK DE	KB410 PS2, slim value keyboard with german layout on 105-key modul in black. PS2 cable 1.8 m.	x				x	x	x					x		x	x				S26381-K515-E420	13,00	
	KB410 PS2 BLACK CA/FR	KB410 PS2, slim value keyboard with 105-key modul in black. PS2 cable 1.8 m.	x				x	x	x					x		x	x				S26381-K515-E439	13,00	
	KB410 PS2 BLACK GB	KB410 PS2, slim value keyboard with english layout on 105-key modul in black. PS2 cable 1.8 m.	x				x	x	x					x		x	x				S26381-K515-E465	13,00	
	KB410 PS2 BLACK IT	KB410 PS2, slim value keyboard with italian layout on 105-key modul in black. PS2 cable 1.8 m.	x				x	x	x					x		x	x				S26381-K515-E485	13,00	
	KB520 US	KB520 keyboard standard, marble grey, US, cable USB 2m.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K520-E102	13,00	
	KB520 DE	KB520 keyboard standard, marble grey, Germany, cable USB 2m.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K520-E120	13,00	
	KB520 GB	KB520 keyboard standard, marble grey, Great Britain, cable USB 2m.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K520-E165	13,00	
	KB520 IT	KB520 keyboard standard, marble grey, Italy, cable USB 2m.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K520-E185	13,00	
	KB400 USB black US	KB400 USB INT USA, SLIM value keyboard black, international and USA layout, USB	x	x	x	x	x	x	x					x		x	x				S26381-K550-E402	10,00	
	KB400 USB black D	KB400 USB D, SLIM value keyboard black, german layout, USB	x	x	x	x	x	x	x					x		x	x				S26381-K550-E420	10,00	
	KB400 USB black GB	KB400 USB GB, SLIM value keyboard black, english layout, USB	x	x	x	x	x	x	x					x		x	x				S26381-K550-E465	10,00	
	KB400 USB black I	KB400 USB I, SLIM value keyboard black, italian layout, USB	x	x	x	x	x	x	x					x		x	x				S26381-K550-E485	10,00	
	KB400 PS2 US	KB400 PS2 US, SLIM value Keyboard black US english PS2	x	x	x	x	x	x	x					x		x	x				S26381-K551-E402	10,00	
	KB400 PS2 black D	KB400 PS2 D, SLIM value Keyboard black Germany PS2	x	x	x	x	x	x	x					x		x	x				S26381-K551-E420	10,00	
	KB400 PS2 black GB	KB400 PS2 GB, SLIM value Keyboard black UK PS2	x	x	x	x	x	x	x					x		x	x				S26381-K551-E465	10,00	
	KB400 PS2 black AR/GB	KB400 PS2 AR/GB, SLIM value Keyboard black Arabic UK PS2	x	x	x	x	x	x	x					x		x	x				S26381-K551-E466	10,00	
	KB400 PS2 black I	KB400 PS2 I, SLIM value Keyboard black Italian PS2	x	x	x	x	x	x	x					x		x	x				S26381-K551-E485	10,00	
	Keyboard KB900 USB US	KB900 USB USA, american layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x	x	x					x		x	x				S26381-K560-E402	16,00	
	Keyboard KB900 USB D	KB900 USB D, german layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x	x	x					x		x	x				S26381-K560-E420	16,00	
	Keyboard KB900 USB GB	KB900 USB GB, english layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x	x	x					x		x	x				S26381-K560-E465	16,00	
	Keyboard KB900 USB IT	KB900 USB I, italian layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x	x	x					x		x	x				S26381-K560-E485	16,00	
	PS2 Keyboard Cable 2,0m	Keyboard cable PS2 for KBPC PX ECO, ca. 2.0 m length	x	x				x	x	x	x					x	x	x	x		T26139-Y4530-E1	4,00	
OS/Application-SW																							
	Nero 9 Essentials XL	Recording software, Showtime, (DVD-video but no Blu-ray playback), BackItUp/ on DVD	x	x	x		x	x	x					x		x					S26361-F1818-E893	10,00	
	Nero 10 Essentials XL	Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data BackUp on DVD, BackItUp	x	x	x		x	x	x					x		x					S26361-F1818-E897	10,00	
	SAG CAT Client WIN7 Jul12 Rec.DVD eLux RL3	preloaded XP Prof., short documentation Recovery-DVD for eLux RL 3.x. No licenses for eLux or Scout EP are included.	x						x							x					S26361-F2109-E985 S26361-F2727-E708	4,00 3,00	
	Rec.DVD WEST German		x					x													S26361-F2009-E811	3,00	



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO C710	ESPRIMO E400	ESPRIMO E500	ESPRIMO E510	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E800	ESPRIMO E910	ESPRIMO P400	ESPRIMO P510	ESPRIMO P700	ESPRIMO P705	ESPRIMO P800	ESPRIMO P910	ESPRIMO Q910	Product Code	EUP (€)	Comments
Options matrix																						
OS/Application-SW (Continued)																						
	Rec DVD WES7 English		x					x												S26361-F2009-E812	3,00	
	Rec DVD WES7_SC German		x					x												S26361-F2009-E813	3,00	
	Rec DVD WES7_SC English		x					x												S26361-F2009-E814	3,00	
	License eLux RL3 + Scout built-in	Pre-installed eLux RL 3.x with client licenses for eLux and Scout EP; including 2 years of software support.	x					x												S26361-F2727-E707	70,00	
	Win Embedded Standard_7 German	German version of Windows Embedded Standard 7 without manageability agent., Size on storage device ca. 3.6 GB. If additional software shall be installed, a mSATA module with at least 8 GB is recommended.	x					x												S26361-F2009-E208	69,00	
	Win Embedded Standard_7 English	English version of Windows Embedded Standard 7 without manageability agent., Size on storage device ca. 3.6 GB. If additional software shall be installed, a mSATA module with at least 8 GB is recommended.	x					x												S26361-F2009-E211	69,00	
	Win Embedded Standard_7_SC German	German version of Windows Embedded Standard 7 with manageability agent for Scout EP. No client license for Scout EP is included., A client license for Scout EP (S26361-F2727-L701) is required, if more than 25 Thin Clients shall be managed and no existing client licenses for Scout EP are available. (Scout EP comes with free management for up to 25 Thin Clients. For 26 or more systems, each Thin Client requires a client license for Scout EP.), Size on storage device ca. 3.8 GB. If additional software shall be installed, a mSATA module with at least 8 GB is recommended.	x					x												S26361-F2009-E207	79,00	
	Win Embedded Standard_7_SC English	English version of Windows Embedded Standard 7 with manageability agent for Scout EP. No client license for Scout EP is included., A client license for Scout EP (S26361-F2727-L701) is required, if more than 25 Thin Clients shall be managed and no existing client licenses for Scout EP are available. (Scout EP comes with free management for up to 25 Thin Clients. For 26 or more systems, each Thin Client requires a client license for Scout EP.), Size on storage device ca. 3.8 GB. If additional software shall be installed, a mSATA module with at least 8 GB is recommended.	x					x												S26361-F2009-E210	79,00	
	Windows MultiPoint Server 2011 Standard														x					S26361-F2011-E160	239,00	Phased out
	Windows MultiPoint Server 2011 Premium	Languages: English, French, German, Chinese (Hong Kong), Hungarian, Italian, Japanese, Korean, Polish, Portuguese (Brazil), Portuguese (Iberian), Russian, Spanish, Chinese (simplified), Chinese (traditional), Turkish													x					S26361-F2011-E161	499,00	Phased out
	Windows MPS 2011 CAL														x					S26361-F2011-E170	62,00	Phased out
	Lizenz EU/MM - Windows 7 Ultimate	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2210-E325	180,00	
	License EU/MM - Windows 7 Home Premium	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E243	99,00	
	License EU/MM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E253	134,00	
	License RUS - Windows 7 Starter (EM)	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).			x	x	x						x	x	x					S26361-F2009-E212	34,00	Phased out
	License RUS - Windows 7 Home Basic	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E232	54,00	
	License RUS - Windows 7 Home Premium	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E242	86,00	
	License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E252	126,00	
	Linux	on DVD. oeen source	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-E894	3,00	
	License EM - Windows 7 Starter (EM)	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro			x	x	x						x	x	x					S26361-F2009-E214	34,00	Phased out
	License EM - Windows 7 Home Basic	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro	x	x	x	x	x	x	x	x			x	x	x	x				S26361-F2009-E234	68,00	
	License EM - Windows 7 Home Premium	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro	x	x	x	x	x	x	x	x	x		x	x	x	x				S26361-F2009-E244	99,00	



Windows® . Life without Walls™.

Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO C710	ESPRIMO E400	ESPRIMO E500	ESPRIMO E510	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E800	ESPRIMO E910	ESPRIMO P400	ESPRIMO P510	ESPRIMO P700	ESPRIMO P705	ESPRIMO P800	ESPRIMO P910	ESPRIMO Q910	Product Code	EUP (€)	Comments	
OS/Application-SW (Continued)																							
License EM - Windows 7 Professional		EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E254	134,00		
License EM-MEA - Windows 7 Starter (EM)		EM-MEA: Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe			x	x	x						x	x	x					S26361-F2009-E215	34,00	Phased out	
License EM-MEA - Windows 7 Home Basic		EM-MEA: Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E235	68,00	
License EM-MEA - Windows 7 Home Premium		EM-MEA: Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E245	99,00	
License EM-MEA - Windows 7 Professional		EM-MEA: Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E255	134,00	
License EM-SEA - Windows 7 Home Basic		EM-SEA: Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E236	68,00		



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO C710	ESPRIMO E400	ESPRIMO E500	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E800	ESPRIMO E910	ESPRIMO P400	ESPRIMO P510	ESPRIMO P700	ESPRIMO P705	ESPRIMO P800	ESPRIMO P910	ESPRIMO Q910	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)	License EM-LATAM Windows 7 Starter (EM)	EM-LATAM: Select for shipments to: Anguilla, Antigua and Barbuda, Argentina, Aruba, Bahamas, Barbados, Belize, Bermuda, Bolivia, Brazil, British Virgin Islands, Cayman Islands, Chile, Colombia, Costa Rica, Dominica, Dominican Republic, Ecuador, El Salvador, French Guiana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Netherlands Antilles, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Barthelemy, Saint Kitts and Nevis, Saint Lucia, Saint Vincent and Grenadines, South Georgia and Sandwich Islen, Suriname, Trinidad & Tobago, Turks and Caicos Islands, U.S. Virgin Islands, Uruguay, Venezuela			x	x	x					x	x	x					S26361-F2009-E217	34,00	Phased out
	License EM-LATAM Windows 7 Home Basic	EM-LATAM: Select for shipments to: Anguilla, Antigua and Barbuda, Argentina, Aruba, Bahamas, Barbados, Belize, Bermuda, Bolivia, Brazil, British Virgin Islands, Cayman Islands, Chile, Colombia, Costa Rica, Dominica, Dominican Republic, Ecuador, El Salvador, French Guiana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Netherlands Antilles, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Barthelemy, Saint Kitts and Nevis, Saint Lucia, Saint Vincent and Grenadines, South Georgia and Sandwich Islen, Suriname, Trinidad & Tobago, Turks and Caicos Islands, U.S. Virgin Islands, Uruguay, Venezuela										x							S26361-F2009-E237	68,00	
	OEM Office Home and Student 2010 MPI MM	Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote 2010, Package contains: License only, For recovery purposes Fujitsu Recovery or RDVD is needed!, The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E271	110,00	
	OEM Office Home and Business 2010 MPI MM	Activates Preload Windows Office Home and Business 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook2010, Package contains: License only, For recovery purposes Fujitsu Recovery or RDVD is needed!, The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E272	194,00	
	OEM Office Professional 2010 MPI MM	Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License only, For recovery purposes Fujitsu Recovery or RDVD is needed!, The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E273	333,00	
	License EM-INDIA Windows 7 Home Basic	EM-INDIA. Select for shipments to: India			x	x	x					x	x	x					S26361-F2009-E238	68,00	
	License EM-INDIA Windows 7 Home Premium	EM-INDIA. Select for shipments to: India	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E248	99,00	
	License EM-INDIA Windows 7 Professional	EM-INDIA. Select for shipments to: India	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E258	134,00	
	License EM-SEA - Windows 7 Professional	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam.					x	x						x	x		x	S26361-F2210-E121	134,00		
	LicenseChinTradTaiwan Win 7 Professional	License sticker (COA) MM-ChinTradTaiwan, Mature Markets ChinTrad, English, Shipment limited to Taiwan.					x	x					x	x				x	S26361-F2210-E122	134,00	
	License EM-ChinSimpl Win 7 Professional	License sticker (COA) EM-ChinSimpl PRC, Emerging Market PeoplesRepublicChina, Shipment limited to PRCChina.					x	x					x	x				x	S26361-F2210-E123	134,00	
	LicenseChinTrad HK - Win7 Professional	License sticker (COA) MM-ChinTrad HK, Mature Markets ChinTradHongkong, English, Worldwide Shipment w/o PRCChina + Japan.					x	x					x	x				x	S26361-F2210-E124	134,00	
	License MM-Japanese -Win 7 Professional	License sticker(COA)MM-Japanese,English, Mature Markets - Japanese, English, Worldwide shipment.					x	x					x	x				x	S26361-F2210-E125	134,00	



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO C710	ESPRIMO E400	ESPRIMO E500	ESPRIMO E510	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E800	ESPRIMO E910	ESPRIMO P400	ESPRIMO P510	ESPRIMO P700	ESPRIMO P705	ESPRIMO P710	ESPRIMO P800	ESPRIMO P910	ESPRIMO Q910	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)	License MM-Thai - Windows 7 Professional	License sticker (COA) MM-Thai, English, Mature Markets - Thai, English, Worldwide shipment.						x	x						x	x					S26361-F2210-E126	134,00	
	License EM-SEA - Windows 7 Home Premium	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam,						x	x						x	x					S26361-F2210-E221	99,00	
	LicenseChinTradTaiwan Win 7 Home Premium	License sticker (COA) MM-ChinTradTaiwan, Mature Markets ChinTrad, English, Shipment limited to Taiwan.						x	x						x	x					S26361-F2210-E222	99,00	
	License EM-ChinSimpl Win 7 Home Premium	License sticker (COA) EM-ChinSimpl PRC, Emerging Market PeoplesRepublicChina, Shipment limited to PRCChina.						x	x						x	x					S26361-F2210-E223	99,00	
	License ChinTrad HK - Win 7 Home Premium	License sticker (COA) MM-ChinTrad HK, Mature Markets ChinTradHongkong, English, Worldwide Shipment w/o PRCChina + Japan.						x	x						x	x					S26361-F2210-E224	99,00	
	License MM-Thai - Windows 7 Home Premium	License sticker (COA) MM-Thai, English, Mature Markets - Thai, English, Worldwide shipment.						x	x						x	x					S26361-F2210-E226	99,00	
	Blu-ray playback software	DVD-video and Blu-ray playback, on DVD., Blu-ray playback is not supported under Windows XP if the system runs on Intel onboard graphics.		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2007-E420	33,00	
	Blue-ray playback software	DVD-video and Blu-ray playback, on DVD., Blu-ray playback is not supported under Windows XP if the system runs on Intel onboard graphics.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2007-E421	33,00	
	No Operating System		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1818-E100	2,00	
	Win7 HomePremium64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E441	4,00	
	Win7 HomePremium64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E442	4,00	
	Win7 HomePremium64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E443	4,00	
	Win7 HomePremium64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E444	4,00	
	Win7 HomePremium64 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E445	4,00	
	Win7 HomePremium64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E446	4,00	
	Win7 Pro32 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E351	4,00	



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO C710	ESPRIMO E400	ESPRIMO E500	ESPRIMO E510	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E800	ESPRIMO E810	ESPRIMO P400	ESPRIMO P510	ESPRIMO P600	ESPRIMO P610	ESPRIMO P700	ESPRIMO P705	ESPRIMO P800	ESPRIMO P810	ESPRIMO Q510	ESPRIMO Q510	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)	Win7 Pro32 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E352	4,00	
	Win7 Pro32 EM+SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E353	4,00	
	Win7 Pro32 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E354	4,00	
	Win7 Pro32 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E355	4,00	
	Win7 Pro 32 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E356	4,00	
	Win7 Pro64 MAIN + Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E451	4,00	
	Win7 Pro64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E452	4,00	
	Win7 Pro64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E453	4,00	
	Win7 Pro64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E454	4,00	
	Win7 Pro64 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E455	4,00	
	Win7 Pro 64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E456	4,00	



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO C710	ESPRIMO E400	ESPRIMO E500	ESPRIMO E510	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E900	ESPRIMO E910	ESPRIMO P400	ESPRIMO P600	ESPRIMO P610	ESPRIMO P700	ESPRIMO P705	ESPRIMO P710	ESPRIMO P900	ESPRIMO Q510	ESPRIMO Q510	Product Code	EUP (€)	Comments
Options matrix	OS/Application-SW (Continued)																							
	Win7 Starter32 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU. Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x	x						x	x	x							S26361-F2109-E316	3,00	Phased out
	Win7 Starter32 EM+SE+Office2010s	Preload: Multi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x	x						x	x	x							S26361-F2109-E313	3,00	Phased out
	Win7 HomeBasic32 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU. Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E336	3,00	
	LoadWin7 Pro64 Thai+Office2010s	Languages: EN, TH (English, Thai), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x							x	x				x	S26361-F2210-E101	4,00	
	LoadWin7Pro64 ChinTradTaiwan+Office2010s	Languages: EN, Chinese Traditional Taiwan, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x							x	x				x	S26361-F2210-E102	4,00	
	LoadWin7Pro64 ChinSimplified+Office2010s	Languages: Chinese Simplified PRC (People's Republic of China), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x							x	x				x	S26361-F2210-E103	4,00	
	LoadWin7Pro64 ChinTradHK+Office2010s	Languages: EN, Chinese Traditional Hongkong, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x							x	x				x	S26361-F2210-E104	4,00	
	LoadWin7 Pro64 Japanese+Office2010s	Languages: EN, JP (English, Japanese), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x							x	x				x	S26361-F2210-E105	4,00	
	LoadWin7 HP64 Thai+Office2010s	Languages: EN, TH (English, Thai), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x							x	x				x	S26361-F2210-E201	4,00	
	LoadWin7 HP64 ChinTradTaiwan+Office2010s	Languages: EN, Chinese Traditional Taiwan, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x							x	x				x	S26361-F2210-E202	4,00	
	LoadWin7 HP64 ChinSimplified+Office2010s	Languages: Chinese Simplified PRC (People's Republic of China), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x							x	x				x	S26361-F2210-E203	4,00	
	LoadWin7 HP64 ChinTradHK+Office2010s	Languages: EN, Chinese Traditional Hongkong, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x							x	x				x	S26361-F2210-E204	4,00	
	Win7 HomeBasic32 EM+SE+Office2010s	Preload: Multi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E333	3,00	



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO C710	ESPRIMO E400	ESPRIMO E500	ESPRIMO E510	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E800	ESPRIMO E910	ESPRIMO P400	ESPRIMO P510	ESPRIMO P700	ESPRIMO P705	ESPRIMO P710	ESPRIMO P800	ESPRIMO P810	ESPRIMO Q510	ESPRIMO Q910	Product Code	EUP (€)	Comments	
OS/Application-SW (Continued)	Win7 Ultimate64 + Office2010s	Preload: MuLi Ultimate DE/EN, Languages: DE, EN (German, English). Note: Included Office 2010 and Office 2010 Starter are 32bit applications. For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2210-E305	4,00		
	Drivers&Utilities DVD (XP) ESPRIMO DT	incl. Nero Essentials S, Norton Internet Security Trial 90 days	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2007-E910	3,00		
	Drivers&Utilities DVD (Win7) ESPRIMO	incl. Nero Essentials S, Norton Internet Security Trial 90 days	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2007-E901	3,00		
	REC-DVD Win7 HomeBasic 32bit RUS	RU	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E532	3,00		
	REC-DVD Win7 Home Premium 64 RUS	RU	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E642	3,00		
	REC-DVD Win7 Professional 32 RUS	RU	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E552	3,00		
	REC-DVD Win7 Professional 64 RUS	RU	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E652	3,00		
	REC-DVD Win7 Starter (EM) 32 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E513	3,00	Phased out
	REC-DVD Win7 HomeBasic 32bit All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E533	3,00	
	REC-DVD Win7 Starter (EM) 32 RUS	RUS		x	x	x						x	x	x								S26361-F2009-E512	3,00	Phased out	
	REC-DVD Win7 Ultimate 64bit	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2210-E315	3,00	
	REC-DVD Win7 Home Premium 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E643	3,00	
	REC-DVD Win7 Professional 32 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E553	3,00	
	REC-DVD Win7 Professional 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E653	3,00	
	REC-DVD Win7 Prof. 32+64bit All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E753	3,00	
	OS RDVD1 Win7 Pro 64, GB,Thai	Languages: English, Thai, Windows Operating System, Activation with valid license.					x	x						x	x						x	S26361-F2210-E111	3,00		
	OS RDVD1 Win7 Pro 64, GB, ChinTradTaiwan	Languages: English, ChineseTraditionalTW, Windows Operating System, Activation with valid license					x	x						x	x						x	S26361-F2210-E112	3,00		
	OS RDVD1 Win7 Pro 64, ChinSimplified	Languages: ChineseSimplifiedPRC, Windows Operating System, Activation with valid license					x	x						x	x						x	S26361-F2210-E113	3,00		
	OS RDVD1 Win7 Pro 64, GB, ChinTrad HK	Languages: English, ChineseTraditional, Windows Operating System, Activation with valid license					x	x						x	x						x	S26361-F2210-E114	3,00		
	OS RDVD1 Win7 Pro 64 GB, Japanese	Languages: English, Japanese, Windows Operating System, Activation with valid license					x	x						x	x						x	S26361-F2210-E115	3,00		
	OS RDVD1 Win7 HP 64, GB,Thai	Languages: English, Thai, Windows Operating System, Activation with valid license					x	x						x	x						x	S26361-F2210-E211	3,00		
	OS RDVD1 Win7 HP 64, GB, ChinTradTaiwan	Languages: English, ChineseTraditionalTW, Windows Operating System, Activation with valid license					x	x						x	x						x	S26361-F2210-E212	3,00		
	OS RDVD1 Win7 HP 64, ChinSimplifiedPRC	Languages: ChineseSimplifiedPRC, Windows Operating System, Activation with valid license					x	x						x	x						x	S26361-F2210-E213	3,00		
	OS RDVD1 Win7 HP 64, GB, ChinTrad HK	Languages: English, ChineseTraditionalHK, Windows Operating System, Activation with valid license					x	x						x	x						x	S26361-F2210-E214	3,00		
	REC-DVD 2 Win7 MAIN+Office2010s	Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Office 2010 incl. Office Starter - 32bit, MAIN (Main European MuLi). For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E751	3,00	
	REC-DVD 2 Win7 NORDIC+Office2010s	Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Office 2010 incl. Office Starter - 32bit, NORDICS (Nordic Region). For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E752	3,00	
	REC-DVD 2 Win7 EM+SE+Office2010s	Sprachen: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Office 2010 incl. Office Starter - 32bit, EM-SE (Emerging Markets&Southern Europe). For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E753	3,00	
	REC-DVD 2 Win7 IBER+NE+Office2010s	Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) . Office 2010 incl. Office Starter - 32bit, IBER-NE (Iberia and Northern Europe). For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E754	3,00	



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO C710	ESPRIMO E400	ESPRIMO E500	ESPRIMO E510	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E800	ESPRIMO E910	ESPRIMO P400	ESPRIMO P500	ESPRIMO P510	ESPRIMO P700	ESPRIMO P705	ESPRIMO P800	ESPRIMO P910	ESPRIMO Q910	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																							
	REC-DVD 2 Win7 SEE+Office2010s	Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Office 2010 incl. Office Starter - 32bit, SEE (South Eastern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E755	3,00	
	REC-DVD 2 Win7 RU+Office2010s	Languages: RU, Office 2010 incl. Office Starter - 32bit, RU (RU & CIS countries), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E756	3,00	
	OS RDVD2 Win7 Thai+Office2010s	Languages: EN, TH (English, Thai), Office 2010 incl. Office Starter - 32bit, For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x						x	x				x	S26361-F2210-E100	3,00	
	OS RDVD2 Win7 ChinTrad+Office2010s	Languages: EN, Chinese Traditional, Office 2010 incl. Office Starter - 32bit, For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x						x	x				x	S26361-F2210-E200	3,00	
	OS RDVD2 Win7 ChinSimplified+Office2010s	Languages: Chinese Simplified PRC (People's Republic of China), Office 2010 incl. Office Starter - 32bit, For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x						x	x				x	S26361-F2210-E300	3,00	
	OS RDVD2 Win7 GB, Japanese+WLE	Languages: EN, JP (English, Japanese), Office 2010 incl. Office Starter - 32bit, For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x						x	x				x	S26361-F2210-E400	3,00	
Security																							
	EraseDisk	Firmware-embedded, unique feature to erase sensible data unrecoverable from the hard disk, e.g. if the system will be sold. Please notice, that SSD (Solid State Disk) cannot be deleted in a secure method.	x	x				x	x	x	x				x	x	x	x	x	x	S26361-F2542-E435	30,00	
	SmartCase Logon+ 3.2.2	Supports secure authentication, password container, SSO, drive encrypt, smartcard, biometrics	x	x				x	x	x	x				x	x	x	x	x	x	S26361-F2727-E740	14,00	
	SystemLock3	SystemLock3 is a UEFI BIOS smartcard pre-boot authentication (PBA) feature.	x	x				x	x	x	x				x	x	x	x	x	x	S26361-F2727-E745	18,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista/Win7 compatible, USB interface , black, USB cable	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-F331-E220	23,00	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1260-E520	18,00	
Mouse																							
	Grey mouse instead of black USB				x																S26361-F2542-E221	6,00	
	Black Uporator Mouse M440 ECCO		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2542-E222	16,00	
	Laser Mouse GL9000							x	x	x	x				x	x	x	x	x	x	S26381-K438-E100	17,00	
	Grey mouse instead of black USB	upgrade mouse for system unit,USB 2.0 interface,allows horizontal scrolling	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2542-E216	6,00	Phased out
	Grey USB/PS2 laser mouse inst. of blk USB	upgrade mouse for system unit,Logitech, USB 2.0 interface incl.adapter to PS/2, allows horizontal scrolling	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2542-E217	9,00	
Miscellaneous																							
	Internal speaker					x	x								x	x					S26361-F2542-E21	6,00	
	Med-Kit ESPRIMO/CELSIUS	Manual and product compliant to IEC 60601-1-2. Preparation for further medical certifications and relevant for integration into medical products.	x						x							x	x	x			S26361-F2542-E250	26,00	
	Lock in front panel							x	x	x	x									x	S26361-F2542-E326	6,00	
	Lock plate ESPRIMO Q																			x	S26361-F2542-E338	6,00	
	Intrusion switch							x	x	x	x					x	x	x	x		S26361-F2542-E426	4,00	
	Intrusion switch ESPRIMO Q																			x	S26361-F2542-E428	4,00	
	Rubber feet for vertical position (4)							x	x	x	x	x									S26361-F2542-E480	4,00	
	TPM Module														x						S26361-F3552-E3	10,00	
	Monitor outlet cable	necessary to contact monitor directly to the PC								x	x	x	x								S26361-F2542-E57	4,00	
	Power cord for monitor (CH)		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2542-E59	4,00	
	Cable for second internal USB device															x	x	x	x		S26361-F2581-E10	4,00	
	Lock in front panel C7xx		x	x																	S26361-F2542-E333	6,00	
	Intrusion switch		x	x																	S26361-F2542-E322	4,00	
	Key lock in side door	for lock of housing														x	x	x	x		S26361-F2542-E323	6,00	
	Feet for vertical position (set)							x	x	x	x	x	x								S26361-F2542-E200	7,00	
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2542-E90	4,00	
	No TPM/ TLS	for countries with import regulations	x	x												x	x	x	x	x	S26361-F3436-E2	3,00	
	DVI/DVI cable	short cable (440mm), for mounting kit.																		x	S26361-F2581-E11	12,00	
Keyboard	Remote Control RC900	Remote Control RC900, micro receiver, manual, batteries																		x	S26381-K456-E100	15,00	
made4you Services																							
	Master Key ESPRIMO P, CELSIUS W															x	x	x	x		S26361-F2542-E329	10,00	
Desk View																							
	DV Adv. Migration (DVD + 1 Lic.)	DeskView Advanced Migration DVD incl. 1 License, Components: - Data Migration (Migration of personalizations, settings, links, favorites, etc.), - System Migration (Virtualization of HDDs and full systems), - Secure Deletion (secure deletion of data on HDDs via multiple options of deletion algorithms), - Efficient tool that supports you migration your old system to a new system including the secure deletion of the data on your old HDD. Supports Windows XP, Windows Vista and Windows 7 (32 Bit and 64 Bit architectures),.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F4040-E10	17,00	Phased out



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Positioning CELSIUS workstations



**CELSIUS H
Series**

CELSIUS H Series. Powerful mobile workstation. If you run power-hungry 3D applications that demand no compromise on the graphics side, you'll appreciate the CELSIUS H. The system offers the power of a full-fledged workstation: Editing 3D OpenGL graphics in real time, running computer simulations and computing multimedia animations wherever you are.



**CELSIUS W
Series**

CELSIUS W Series. High-End PC / Entry-Level workstation
If you need more power and more expandability than a desktop PC can offer, choose the entry-level workstation CELSIUS W Series. The CELSIUS W Series offers workstation performance - in combination with fastest generation of processors, chipsets and graphic cards.



**CELSIUS M
Series**

CELSIUS M Series. Mid-range workstation.
Do you need more power, more memory, more data security, and more expandability than a conventional PC can offer? Then choose the mid-range workstation CELSIUS M Series. CELSIUS workstations are equipped with the very latest technology and system components to deliver high-end performance. CELSIUS are certified for a huge variety of software applications.



**CELSIUS R
Series**

CELSIUS R Series. High-end workstation.
You need a powerful, dual-processor workstation and want to choose from a large range of graphics subsystems. The CELSIUS R Series is ready for all challenges. What is more, the CELSIUS R Series offers great expandability. Latest technology combined with top performance components makes this the optimum hardware choice for power hungry applications.



**CELSIUS
RemoteAccess**

CELSIUS RemoteAccess

Do you want to access your workstation remotely? Then the CELSIUS RemoteAccess solution is the right choice for you. It enables you to separate your hardware from data input and output while keeping at the same time the real workstation user experience and performance.

(See Accessories page)



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS H710

The Fujitsu CELSIUS H710 delivers workstation power in a 39.6 cm (15.6-inch) notebook form factor. Featuring the 2nd generation Intel® Core™ processors and powerful NVIDIA® graphics, the CELSIUS H710 delivers uncompromising performance without tethering you to the office. Secure and reliable, it is ideal for business environments such as CAD and digital content creation.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
CELSIUS H710					
	CELS H710 /15.6" HD+ LED/I5-2520M/4GB/ (Promo)	CELS H710 /15.6" HD+ LED/I5-2520M/4GB/ DVD/500GB 7.2K/NO UMTS/NO MODEM/ WLAN INTEL 6205/BT V2.1/2X MIC + WEBCAM/ FINGERPRINT/TPM/CK INT/AC ADAP 19V/120W/,	LKN:H7100W0002IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS H710					
	CELSIUS H710	Base unit, Mobile Intel® QM67 Express Chipset (CougarPoint), supports vPro, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk. Modular bay concept for optical drives, 2nd Battery or 2nd hard disk. NVidia Quadro 1000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel 82579LM (w/ AMT 7.x), Intel High Definition Audio and 2 Microphones integrated, 1x PC Card slot type I/II, 1x Express Card slot type 34/54, 1x Smart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, 1x USB 3.0, 1x E-SATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 120W., , Modular bay concept for optical drives, second battery or second hard disk drive., , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that the Fingerprint sensor can be configured optionally. Please be aware, that vPro license requires i5-25xx/Li7	S26391-K323-V100	1.010,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS H720

If you're a mobile worker looking for a customizable workstation and enhanced productivity, Fujitsu's CELSIUS H720 is the ideal device. This high-quality 39.6 cm (15.6-inch) workstation with comprehensive ISV certifications combines powerful performance with multiple connectivity options for effective mobile working. The modular bay provides individual expandability. Comprehensive protection against physical damage and security threats complete a reliable package.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS H720					
	CELSIUS H720 Dual Core K1000M	Base unit for DualCore CPUs, Mobile Intel QM77 Express Chipset, supports vPro, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery, 2nd hard disk or USB-dongle-bay. NVidia Quadro K1000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel (w/ AMT), Intel High Definition Audio and 2 Microphones integrated, 1x Express Card slot type 34, 1x Smart Card reader, SD Card reader, integrated Touchpad, 3 mouse buttons, fingerprint sensor, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 3.0, 1x USB 2.0/1x eSATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 150W., , Li-Ion battery 6.700mAh, AC adapter 19V, 150W., , Modular bay concept for optical drives, second battery, second hard disk drive or USB-dongle-bay. Please configure 2nd-HDD-bay-module and respective drive from options. , , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter, AC Cable	S26391-K365-V100	1.010,00	
	CELSIUS H720 Dual Core K2000M	Base unit for DualCore CPUs, Mobile Intel QM77 Express Chipset, supports vPro, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery, 2nd hard disk or USB-dongle-bay. NVidia Quadro K2000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel (w/ AMT), Intel High Definition Audio and 2 Microphones integrated, 1x Express Card slot type 34, 1x Smart Card reader, SD Card reader, integrated Touchpad, 3 mouse buttons, fingerprint sensor, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 3.0, 1x USB 2.0/1x eSATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 150W., , Li-Ion battery 6.700mAh, AC adapter 19V, 150W., , Modular bay concept for optical drives, second battery, second hard disk drive or USB-dongle-bay. Please configure 2nd-HDD-bay-module and respective drive from options. , , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter, AC Cable	S26391-K365-V110	1.177,00	
	CELSIUS H720 Quad Core K1000M	Base unit for QuadCore CPUs, Mobile Intel QM77 Express Chipset, supports vPro, supports Dual Channel DDR3 1600 MHz PC12800 RAM (4 DIMM slots). Modular bay concept for optical drives, 2nd Battery, 2nd hard disk or USB-dongle-bay. NVidia Quadro K1000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel (w/ AMT), Intel High Definition Audio and 2 Microphones integrated, 1x Express Card slot type 34, 1x Smart Card reader, SD Card reader, integrated Touchpad, 3 mouse buttons, fingerprint sensor, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 3.0, 1x USB 2.0/1x eSATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 150W., , Li-Ion battery 6.700mAh, AC adapter 19V, 150W., , Modular bay concept for optical drives, second battery, second hard disk drive or USB-dongle-bay. Please configure 2nd-HDD-bay-module and respective drive from options. , , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter, AC Cable	S26391-K365-V200	1.010,00	
	CELSIUS H720 Quad Core K2000M	Base unit for QuadCore CPUs, Mobile Intel QM77 Express Chipset, supports vPro, supports Dual Channel DDR3 1600 MHz PC12800 RAM (4 DIMM slots). Modular bay concept for optical drives, 2nd Battery, 2nd hard disk or USB-dongle-bay. NVidia Quadro K2000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel (w/ AMT), Intel High Definition Audio and 2 Microphones integrated, 1x Express Card slot type 34, 1x Smart Card reader, SD Card reader, integrated Touchpad, 3 mouse buttons, fingerprint sensor, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 3.0, 1x USB 2.0/1x eSATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 150W., , Li-Ion battery 6.700mAh, AC adapter 19V, 150W., , Modular bay concept for optical drives, second battery, second hard disk drive or USB-dongle-bay. Please configure 2nd-HDD-bay-module and respective drive from options. , , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter, AC Cable	S26391-K365-V210	1.177,00	



Windows® . Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS H910

The Fujitsu CELSIUS H910 delivers high-end workstation power in a 43.9 cm (17.3-inch) notebook form factor. Featuring the 2nd generation Intel® Core™ processors and high-end NVIDIA® graphics, the CELSIUS H910 delivers uncompromising performance without tethering you to the office. Secure and reliable, it is ideal for business environments such as high end CAD, digital content creation, virtualization and Virtual Reality.

Model	Description	Details	Product Code	EUP (€)	Comments
CELSIUS H910					
Base unit configurations					
	CELSIUS H910 Dual Core	Base unit for Intel Dual Core processors, Mobile Intel® QM67 Express Chipset (CougarPoint), supports vPro, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Fixed optical drive internal 2nd hard disk optionally available. NVidia Quadro 3000M oder 4000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel 82579LM (w/ AMT 7.x), Intel High Definition Audio and integrated Microphone, 1x Express Card slot type 34/54, 1x Smart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, 1x USB 3.0, 1x E-SATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 210W., , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that vPro logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module., If you configure the Blu-ray burner it will come with Playback Software included., , Front interfaces: 1 x wireless switch , , Left side interfaces: 1 x Kensington, 1 x AC adapter,	S26391-K324-V100	910,00	
	CELSIUS H910 Quad Core	Base unit for Intel Quad Core processors, Mobile Intel® QM67 Express Chipset (CougarPoint), supports vPro, supports Dual Channel DDR3 1333MHz PC10600 RAM (4 DIMM slots). Fixed optical drive internal 2nd hard disk optionally available. NVidia Quadro 3000M oder 4000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel 82579LM (w/ AMT 7.x), Intel High Definition Audio and integrated Microphone, 1x Express Card slot type 34/54, 1x Smart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, 1x USB 3.0, 1x E-SATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 210W., , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that vPro logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module., If you configure the Blu-ray burner it will come with Playback Software included., , Front interfaces: 1 x wireless switch , , Left side interfaces: 1 x Kensington, 1 x AC adapter,	S26391-K324-V200	944,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS H920

If you need ultimate workstation performance in a notebook form-factor, the Fujitsu CELSIUS H920 is your ideal choice. This individually configurable workstation, comprehensively certified for leading ISV applications, helps you maintain an efficient workflow wherever you are. Your productivity is increased by instant network access thanks to multiple embedded connectivity features. A range of hardware protection and software security features provide additional peace of mind.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS H920					
CELSIUS H920 Dual Core	Base unit for DualCore CPUs Mobile Intel QM77 Express Chipset, supports vPro, supports Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots). Fixed optical drive internal 2nd internal hard disk optionally available. NVidia Quadro K3000M OpenGL graphics with 2GB GDDR5 or K4000M OpenGL graphics with 4GB GDDR5 memory, serial ATA HDD interface, 10/100/1000 MBit Intel (w/ AMT), Intel High Definition Audio and integrated Microphone, 1x Express Card slot type 34/54, 1x Smart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, 1x USB 3.0, 1x E-SATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 210W., , Li-Ion battery 5.800mAh, AC adapter 19V, 210W., , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that vPro logo requires i5/i7 processors, Intel W-LAN & TPM module., If you configure the Blu-ray burner it will come with Playback Software included., , Front interfaces: 1 x wireless switch , Left side interfaces: 1 x Kensington, 1 x AC adapter, 1 x USB 2.0, 1 x memory	S26391-K366-V100	910,00	Orderable from: 01/08/2012	
CELSIUS H920 Quad Core	Base unit for DualCore CPUs Mobile Intel QM77 Express Chipset, supports vPro, supports Dual Channel DDR3 1600MHz PC12800 RAM (4 DIMM slots). Fixed optical drive internal 2nd internal hard disk optionally available. NVidia Quadro K3000M OpenGL graphics with 2GB GDDR5 or K4000M OpenGL graphics with 4GB GDDR5 memory, serial ATA HDD interface, 10/100/1000 MBit Intel (w/ AMT), Intel High Definition Audio and integrated Microphone, 1x Express Card slot type 34/54, 1x Smart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, 1x USB 3.0, 1x E-SATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 210W., , Li-Ion battery 5.800mAh, AC adapter 19V, 210W., , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that vPro logo requires i5/i7 processors, Intel W-LAN & TPM module., If you configure the Blu-ray burner it will come with Playback Software included., , Front interfaces: 1 x wireless switch , Left side interfaces: 1 x Kensington, 1 x AC adapter, 1 x USB 2.0, 1 x memory	S26391-K366-V200	944,00	Orderable from: 01/08/2012	



CELSIUS W420

Your gateway to workstation power

CELSIUS W420

The Gateway to Workstation Performance

If your application requirements have outgrown the performance of a standard PC, the Fujitsu CELSIUS W420 is designed for you. This attractively-priced, compact workstation is individually configurable and allows easy tool-less expansion for greater working flexibility. Unique low-noise emissions help you increase your productivity.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
CELSIUS W420					
	CELS W420 /CORE I5-3470/4GB DDR3-1600/ (Promo)	CELS W420 /CORE I5-3470/4GB DDR3-1600/ FIREPRO V3900/DVD SM/MCR/500GB SATA III/ HD CABLE/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/	LKN:W4200W0001IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS W420					
	CELSIUS W420	Base unit, system board D3162, 300 W wide range power supply, optical USB tilt scroll mouse; Chipset: Intel Q77., , Slots: , 4 DIMM-sockets (max. 32 GB, DDR3-1600, dual channel), 4 slots: 1x PCIe 2.0 x16, 1x PCIe 2.0 x4 (mechanical x16), 1x PCIe x1, 1x PCI (32-bit / 33 MHz)., , Onboard I/O-devices: , Intel HD Graphics or HD Graphics 2500 (depending on CPU), network controller Intel 82579LM, Serial ATA controller (6 Ports 2 thereof SATA III; RAID 0, 1 or 5 for HDDs) und HD-audio Conexant CX20642., , Bays:, 7 (2x 5,25" and 2x 3,5" externally accessible, 2x 3,5" internal HDD-bays, 1x 2,5" internal HDD/SSD-bays)., , Front interfaces:, 2x USB 3.0, 2x USB 2.0, 1x audio out, 1x audio in., , , Rear interfaces:, 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) or 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter), 1x LAN RJ45, 8x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial., , Internal interfaces:, 2x USB 2.0, , Embedded security (TPM 1.2), Disable / Hide TPM option	S26361-K1358-V215	425,00	



CELSIUS W520

Your gateway to workstation power

CELSIUS W520

Performance That Boosts Your Productivity

If you need a powerful entry-level workstation, Fujitsu's CELSIUS W520 is the ideal choice. Comprehensive ISV certifications ensure your professional applications run smoothly. Your workplace is silent and user-friendly thanks to best-in-class noise emissions. Plus, the cold plug access at the front of the workstation lets you expand your storage capacity or change drives for enhanced working

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
CELSIUS W520power					
Base unit, system board D3167, 500 W wide range power supply, optical USB tilt scroll mouse, EraseDisk; chipset: Intel C216; , , , Slots: , , 4 DIMM-sockets (max. 32 GB, DDR3-1600, ECC or non ECC, dual channel), 7 card slots: 1x PCIe 2.0 x16, 1x PCIe 2.0 x4 (mechanical x16), 3x PCIe x1, 2x PCI (32-bit / 33 MHz), , , , Onboard I/O-devices: , , Intel HD Graphics 2500 or HD Graphics P4000 (depends on CPU), network controller Intel 82579LM, serial ATA controller (6 ports 2 thereof SATAIII; RAID 0, 1 or 5 for HDDs) and HD audio Conexant CX20642; , , , Bays: , , 8 (2x 5,25" and 2x 3,5" externally accessible, 4x 3,5" internal HDD-bays or [2x 3,5" internal HDD-bays and 2x 3,5" internal HDD/SSD-bays] - all internal HDD-bays accessible from the front), , , , Front interfaces: , , 2x USB 3.0, 2x USB 2.0, 1x audio out, 1x audio in, , , , Rear interfaces: , , 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) oder 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter) (all graphics connectors depending on processor), 1x LAN RJ45, 2x USB 3.0, 6x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial, , , Internal interfaces: , , 2x USB 2.0, 1x USB 2.0 with standard connector (switchable in BIOS), , , , Embedded security (TPM 1.2) , , , Disable / Hide TPM option					
CELS W520POWER /XEON E3-1275V2/ (Promo)		CELS W520POWER /XEON E3-1275V2/ 4x4GB DDR3-1600/DVD SMM/MCR/ 2000GB SATA III AF/ESATA/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/	LKN:W5200W0001IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS W520					
CELSIUS W520		Base unit, system board D3167, 300 W wide range power supply, optical USB tilt scroll mouse, EraseDisk; chipset: Intel C216; , , , Slots: , , 4 DIMM-sockets (max. 32 GB, DDR3-1600, ECC or non ECC, dual channel), 7 card slots: 1x PCIe 2.0 x16, 1x PCIe 2.0 x4 (mechanical x16), 3x PCIe x1, 2x PCI (32-bit / 33 MHz), , , , Onboard I/O-devices: , , Intel HD Graphics 2500 or HD Graphics P4000 (depends on CPU), network controller Intel 82579LM, serial ATA controller (6 ports 2 thereof SATAIII; RAID 0, 1 or 5 for HDDs) and HD audio Conexant CX20642; , , , Bays: , , 8 (2x 5,25" and 2x 3,5" externally accessible, 4x 3,5" internal HDD-bays or [2x 3,5" internal HDD-bays and 2x 3,5" internal HDD/SSD-bays] - all internal HDD-bays accessible from the front), , , , Front interfaces: , , 2x USB 3.0, 2x USB 2.0, 1x audio out, 1x audio in, , , , Rear interfaces: , , 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) oder 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter) (all graphics connectors depending on processor), 1x LAN RJ45, 2x USB 3.0, 6x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial, , , Internal interfaces: , , 2x USB 2.0, 1x USB 2.0 with standard connector (switchable in BIOS), , , , Embedded security (TPM 1.2) , , , Disable / Hide TPM option			
CELSIUS W520 SAG		Base unit, system board D3167, 300 W wide range power supply, optical USB tilt scroll mouse, EraseDisk; chipset: Intel C216; , , , Slots: , , 4 DIMM-sockets (max. 32 GB, DDR3-1600, ECC or non ECC, dual channel), 7 card slots: 1x PCIe 2.0 x16, 1x PCIe 2.0 x4 (mechanical x16), 3x PCIe x1, 2x PCI (32-bit / 33 MHz), , , , Onboard I/O-devices: , , Intel HD Graphics 2500 or HD Graphics P4000 (depends on CPU), network controller Intel 82579LM, serial ATA controller (6 ports 2 thereof SATAIII; RAID 0, 1 or 5 for HDDs) and HD audio Conexant CX20642; , , , Bays: , , 8 (2x 5,25" and 2x 3,5" externally accessible, 4x 3,5" internal HDD-bays or [2x 3,5" internal HDD-bays and 2x 3,5" internal HDD/SSD-bays] - all internal HDD-bays accessible from the front), , , , Front interfaces: , , 2x USB 3.0, 2x USB 2.0, 1x audio out, 1x audio in, , , , Rear interfaces: , , 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) oder 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter) (all graphics connectors depending on processor), 1x LAN RJ45, 2x USB 3.0, 6x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial, , , Internal interfaces: , , 2x USB 2.0, 1x USB 2.0 with standard connector (switchable in BIOS), , , , Embedded security (TPM 1.2) , , , Disable / Hide TPM option			
			S26361-K1359-V315	498,00	
			S26361-K1359-V389	498,00	



CELSIUS W520

Your gateway to workstation power

CELSIUS W520

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS W520 (Continued)					
CELSIUS W520power					
	CELSIUS W520power	Base unit, system board D3167, 500 W wide range power supply, optical USB tilt scroll mouse, EraseDisk; chipset: Intel C216; , , , Slots: , , 4 DIMM-sockets (max. 32 GB, DDR3-1600, ECC or non ECC, dual channel), 7 card slots: 1x PCIe 2.0 x16, 1x PCIe 2.0 x4 (mechanical x16), 3x PCIe x1, 2x PCI (32-bit / 33 MHz), , , , Onboard I/O-devices: , , Intel HD Graphics 2500 or HD Graphics P4000 (depends on CPU), network controller Intel 82579LM, serial ATA controller (6 ports 2 thereof SATAIII; RAID 0, 1 or 5 for HDDs) and HD audio Conexant CX20642; , , , Bays: , , 8 (2x 5,25" and 2x 3,5" externally accessible, 4x 3,5" internal HDD-bays or [2x 3,5" internal HDD-bays and 2x 3,5" internal HDD/SSD-bays] - all internal HDD-bays accessible from the front), , , , Front interfaces: , , 2x USB 3.0, 2x USB 2.0, 1x audio out, 1x audio in., , , Rear interfaces: , , 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) oder 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter) (all graphics connectors depending on processor), 1x LAN RJ45, 2x USB 3.0, 6x USB 2.0, 2x audio in., 1x audio out, 2x PS/2 for mouse and	S26361-K1359-V415	543,00	



CELSIUS M470

Your new "thoroughbred" workstation

CELSIUS M470

The CELSIUS M Series is the single-processor platform with a particularly well-balanced ratio between price and performance. The CELSIUS M470 incorporates the latest advances in performance technologies enabling you to meet increasingly demanding schedules using professional applications such as CAD/CAE, virtual reality and finance. To ensure that those tasks run with maximum system stability, the CELSIUS M470 is certified and optimized for all leading workstation ISV applications. The premium status display provides comprehensive diagnostic information at a glance even without running the OS.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
CELSIUS M470-2					
	, Base unit, prepared for rack mounting (rack mount kit optionally available), ATX systemboard D2778, power supply 700W, optical USB tilt scroll mouse;, Chipset: Intel X58 Express, Intel 82801JR I/O Controller Hub (ICH10R);, Premium Status-LCD, Syleus system management, DeskView license included., , Slots: , 6 DIMM-slots, 3 channels; , 6 expansion slots: 2x PCIe Gen2 x16, 1x PCIe x4 Gen2 (mechanical x8), 1x PCIe x4 Gen1 (mechanical x8), 2x PCI (32-bit / 33 MHz), , Onboard I/O-devices:, 1x network controller Realtek 8111CP (1 Port, GB-LAN, ASF 2.0), Serial ATA Controller (6 Ports, RAID 0, 1, 5, 10), FireWire (IEEE 1394a), HD-audio Realtek ALC 663, , Bays: , 3x 5.25" FlexiBays externally accessible and 4 internal HDD-bays, , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in, 1x FireWire (IEEE 1394a), , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial, 1x FireWire (IEEE 1394a), , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option,				
CELS M470-2 POW /XEON W3550/4x2GB/ (Promo)		CELS M470-2 POW /XEON W3550/4x2GB/ NO GRAPHICS/DVD SM/ODD CABLE/ 1000GB SATA II/HD CABLE/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/	LKN:M4702W0004IT		Phased out
CELS M470-2 POW /XEON W3565/4x2GB/ (Promo)		CELS M470-2 POW /XEON W3565/4x2GB/ NO GRAPHICS/DVD SM/ODD CABLE/ 1000GB SATA II/HD CABLE/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/	LKN:M4702W0006IT		Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS M470-2					
CELSIUS M470-2 SAG		Base unit, prepared for rack installation (rack mount kit optionally available), ATX systemboard D2778, power supply 500W, optical USB tilt scroll mouse;, Chipset: Intel x58 Express, Intel 82801JR I/O Controller Hub (ICH10R);, Premium Status-LCD, Syleus system management, DeskView license included., , Slots: , 6 DIMM-slots, 3 channels; , 6 expansion slots: 2x PCIe Gen2 x16, 1x PCIe x4 Gen2 (mechanical x8), 1x PCIe x4 Gen1 (mechanical x8), 2x PCI (32-bit / 33 MHz), , Onboard I/O-devices:, 1x network controller Realtek 8111CP (1 Port, GB-LAN, ASF 2.0), Serial ATA Controller (6 Ports, RAID 0, 1, 5, 10), FireWire (IEEE 1394a), HD-audio Realtek ALC 663, , Bays: , 3x 5.25" FlexiBays externally accessible and 4 internal HDD-bays, , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in, 1x FireWire (IEEE 1394a), , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial, 1x FireWire (IEEE 1394a), , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Pre-configured components: DVD SuperMulti drive, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option,	S26361-K990-V889	587,00	Phased out



CELSIUS M470

Your new "thoroughbred" workstation

CELSIUS M470					
			Product Code	EUP (€)	Comments
Model	Description	Details			
Base unit configurations					
CELSIUS M470-2 (Continued)					
	CELSIUS M470-2 power	, Base unit, prepared for rack mounting (rack mount kit optionally available), ATX systemboard D2778, power supply 700W, optical USB tilt scroll mouse,; Chipset: Intel X58 Express, Intel 82801JR I/O Controller Hub (ICH10R);, Premium Status-LCD, Syleus system management, DeskView license included., , Slots: , 6 DIMM-slots, 3 channels; , 6 expansion slots: 2x PCIe Gen2 x16, 1x PCIe x4 Gen2 (mechanical x8), 1x PCIe x4 Gen1 (mechanical x8), 2x PCI (32-bit / 33 MHz), , Onboard I/O-devices:, 1x network controller Realtek 8111CP (1 Port, GB-LAN, ASF 2.0), Serial ATA Controller (6 Ports, RAID 0, 1, 5, 10), FireWire (IEEE 1394a), HD-audio Realtek ALC 663, , Bays: , 3x 5.25" FlexiBays externally accessible and 4 internal HDD-bays, , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in, 1x FireWire (IEEE 1394a), , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial, 1x FireWire (IEEE 1394a), , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option,	S26361-K990-V915	587,00	Phased out
	CELSIUS M470-2	Base unit, prepared for rack installation (rack mount kit optionally available), ATX systemboard D2778, power supply 500W, optical USB tilt scroll mouse,; Chipset: Intel x58 Express, Intel 82801JR I/O Controller Hub (ICH10R);, Premium Status-LCD, Syleus system management, DeskView license included., , Slots: , 6 DIMM-slots, 3 channels; , 6 expansion slots: 2x PCIe Gen2 x16, 1x PCIe x4 Gen2 (mechanical x8), 1x PCIe x4 Gen1 (mechanical x8), 2x PCI (32-bit / 33 MHz), , Onboard I/O-devices:, 1x network controller Realtek 8111CP (1 Port, GB-LAN, ASF 2.0), Serial ATA Controller (6 Ports, RAID 0, 1, 5, 10), FireWire (IEEE 1394a), HD-audio Realtek ALC 663, , Bays: , 3x 5.25" FlexiBays externally accessible and 4 internal HDD-bays, , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in, 1x FireWire (IEEE 1394a), , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial, 1x FireWire (IEEE 1394a), , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option,	S26361-K990-V815	543,00	Phased out



CELSIUS R570

Your compact "powerhouse" workstation

CELSIUS R570

The CELSIUS R series is the dual-processor platform in the mid-range and high-end sector with a great selection of graphics subsystems. Energy efficiency and state-of-the-art microprocessor technology make this compact powerhouse the ideal solution for fields of activity, such as computer aided design, engineering, mechanical design, simulation, virtual reality, visualization, digital content creation and finance. To ensure that those tasks run with maximum system stability, the CELSIUS R570 is certified and optimized for all leading workstation ISV applications. The premium status display provides comprehensive diagnostic information at a glance even without running the OS.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS R570-2					
CELSIUS R570-2		Base unit, prepared for rack mounting (rack mount kit optionally available), CEB systemboard D2628, power supply 700 W, optical USB tilt scroll mouse;, Chipsets: Intel 5520, Intel 82801JR I/O Controller Hub (ICH10R);, Premium Status-LCD, Syleus system management, DeskView license included., , Slots: , 6 DIMM-slots, 6 channels (each CPU with 3); , 6 expansion slots: 2x PCIe Gen2 x16, 1x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCIe x4 Gen1 (mechanical PCIe x8), 2x PCI (32-bit / 33 MHz), , Onboard I/O-devices:, network controller Realtek 8111CP (1 Port, GB-LAN, ASF 2.0), Serial ATA Controller (6 Ports, RAID 0, 1, 5, 10), HD-audio Realtek ALC 663, , Bays: , 3x 5.25" FlexiBays externally accessible and 4 internal HDD-bays , , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in;, , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial, , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option	S26361-K994-V515	744,00	Phased out
CELSIUS R570-2 power		Base unit, prepared for rack mounting (rack mount kit optionally available), CEB systemboard D2628, power supply 1000 W, optical USB tilt scroll mouse;, Chipsets: Intel 5520, Intel 82801JR I/O Controller Hub (ICH10R);, Premium Status-LCD, Syleus Systemmanagement, DeskView license included., , Slots: , 6 DIMM-slots, 6 channels (each CPU with 3); , 6 expansion slots: 2x PCIe Gen2 x16, 1x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCIe x4 Gen1 (mechanical PCIe x8), 2x PCI (32-bit / 33 MHz), , Onboard I/O-devices:, network controller Realtek 8111CP (1 Port, GB-LAN, ASF 2.0), Serial ATA Controller (6 Ports, RAID 0, 1, 5, 10), HD-audio Realtek ALC 663, , Bays: , 3x 5.25" FlexiBays externally accessible and 4 internal HDD-bays , , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in;, , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial, , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option	S26361-K994-V615	788,00	Phased out



CELSIUS R670

The new uncompromising high-end workstation

CELSIUS R670

The CELSIUS R series is the dual-processor platform for the mid-range and high-end segment with a great selection of graphics subsystems. Through the combination of standard-setting microprocessor technology and energy efficiency, the generous CELSIUS R670 embodies with its numerous expansion options the ideal system for memory-consuming applications. The CELSIUS R670 is the ideal solution for business segments, such as computer aided design and engineering, mechanical design, simulation, virtual reality, visualization, digital content creation and finance. To ensure that those tasks run with maximum system stability, the CELSIUS R670 is certified and optimized for all leading workstation ISV applications. The premium status display provides comprehensive diagnostic information at a glance even without running the OS.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
CELSIUS R670-2					
	, Base unit, prepared for rack mounting (rack mount kit optionally available), CEB systemboard D2618, power supply 1000 W, optical USB tilt scroll mouse;, Chipsets: Intel 5520, Intel 82801JB I/O Controller Hub (ICH10);, Premium Status-LCD, Syleus system management, LSI-SAS Controller 1068E, DeskView license included., , Slots: , 12 DIMM-slots (each CPU with 6), 6 channels (each CPU with 3); , 6 expansion slots: 2x PCIe Gen2 x16, 3x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCI (32-bit / 33 MHz), , Onboard I/O-devices: 2xnetwork controller Realtek 8111CP (2 Ports, GB-LAN, ASF 2.0), SAS Controller (8 ports, RAID 0 and 1E), Serial ATA Controller (4 Ports), FireWire controller (IEEE 1394a), HD-audio Realtek ALC 663, , Bays: , 3x 5.25" FlexiBays externally accessible and 4 internal HDD-bays , , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in. 1x FireWire (IEEE 1394a), , Rear interfaces: 2x LAN RJ45, 1x eSATA, 6x USB 2.0, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial, 1x FireWire (IEEE 1394a), , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option,				
CELS R670-2 /XEON E5620/2x2GB/ (Promo)	CELS R670-2 /XEON E5620/2x2GB/ NO GRAPHICS/ODD CABLE/DVD SM/HD CABLE/ 500GB SATA II/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,		LKN:R6702W0004IT		Phased out
CELS R670-2 /XEON E5630/3x2GB/ (Promo)	CELS R670-2 /XEON E5630/3x2GB/ NO GRAPHICS/ODD CABLE/DVD SM/HD CABLE/ 1000GB SATA II/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,		LKN:R6702W0005IT		Phased out
CELS R670-2 /XEON E5640/4x2GB/ (Promo)	CELS R670-2 /XEON E5640/4x2GB/ NO GRAPHICS/ODD CABLE/DVD SM/HD CABLE/ 1000GB SATA II/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,		LKN:R6702W0006IT		Phased out
CELS R670-2 /XEON X5660/3x4GB/ (Promo)	CELS R670-2 /XEON X5660/3x4GB/ NO GRAPHICS/ODD CABLE/DVD SM/HD CABLE/ 1000GB SATA II/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,		LKN:R6702W0007IT		Phased out
CELS R670-2 /XEON E5645/3x2GB/ (Promo)	CELS R670-2 /XEON E5645/3x2GB/ NO GRAPHICS/ODD CABLE/DVD SM/HD CABLE/ 1000GB SATA II/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,		LKN:R6702W0010IT		Phased out
CELS R670-2 /XEON E5649/4x2GB/ (Promo)	CELS R670-2 /XEON E5649/4x2GB/ NO GRAPHICS/ODD CABLE/DVD SM/HD CABLE/ 1000GB SATA II/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,		LKN:R6702W0011IT		Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS R670-2					



CELSIUS R670

The new uncompromising high-end workstation

CELSIUS R670

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS R670-2 (Continued)					
CELSIUS R670-2		, Base unit, prepared for rack mounting (rack mount kit optionally available), CEB systemboard D2618, power supply 1000 W, optical USB tilt scroll mouse;; Chipsets: Intel 5520, Intel 82801JB I/O Controller Hub (ICH10);, Premium Status-LCD, Syleus system management, LSI-SAS Controller 1068E, DeskView license included., , Slots: , 12 DIMM-slots (each CPU with 6), 6 channels (each CPU with 3); , 6 expansion slots: 2x PCIe Gen2 x16, 3x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCI (32-bit / 33 MHz), , Onboard I/O-devices: 2xnetwork controller Realtek 8111CP (2 Ports, GB-LAN, ASF 2.0), SAS Controller (8 ports, RAID 0 and 1E), Serial ATA Controller (4 Ports), FireWire controller (IEEE 1394a), HD-audio Realtek ALC 663, , Bays: , 3x 5,25" FlexiBays externally accessible and 4 internal HDD-bays , , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in. 1x FireWire (IEEE 1394a), , Rear interfaces: 2x LAN RJ45, 1x eSATA, 6x USB 2.0, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial, 1x FireWire (IEEE 1394a), , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2), Interface: Display / Ultra TPM Module	S26361-K991-V415	988,00	Phased out
CELSIUS R670-2 SAG		Base unit, prepared for rack mounting (rack mount kit optionally available), CEB systemboard D2618, power supply 1000 W, optical USB tilt scroll mouse;; Chipsets: Intel 5520, Intel 82801JB I/O Controller Hub (ICH10);, Premium Status-LCD, Syleus system management, LSI-SAS Controller 1068E, DeskView license included., , Slots: , 12 DIMM-slots (each CPU with 6), 6 channels (each CPU with 3); , 6 expansion slots: 2x PCIe Gen2 x16, 3x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCI (32-bit / 33 MHz), , Onboard I/O-devices: 2xnetwork controller Realtek 8111CP (2 Ports, GB-LAN, ASF 2.0), SAS Controller (8 ports, RAID 0 and 1E), Serial ATA Controller (4 Ports), FireWire controller (IEEE 1394a), HD-audio Realtek ALC 663, , Bays: , 3x 5,25" FlexiBays externally accessible and 4 internal HDD-bays , , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in. 1x FireWire (IEEE 1394a), , Rear interfaces: 2x LAN RJ45, 1x eSATA, 6x USB 2.0, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial, 1x FireWire (IEEE 1394a), , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Pre-configured	S26361-K991-V489	1.010,00	Phased out



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

CELSIUS Accessories

Category	Description	Details	CELSIUS C620	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W290	CELSIUS W410	CELSIUS W420	CELSIUS W480	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Memory (Continued)																									
	1GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary									x	x	x										S26361-F3377-L413	52,00	
	2GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary									x	x	x										S26361-F3377-L414	66,00	
	4GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary									x	x	x										S26361-F3377-L415	117,00	
	2GB DDR3-1600 ECC												x	x									S26361-F3383-L414	66,00	
	4GB DDR3-1600 ECC												x	x									S26361-F3383-L415	117,00	
	8GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary									x												S26361-F3383-L416	433,00	
	2GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary																		x	x		S26361-F3379-L2	66,00	
	4GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary																		x	x		S26361-F3379-L3	117,00	
	2GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary	x																		x	x	S26361-F3385-L2	66,00	
	4GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary	x																		x	x	S26361-F3385-L3	117,00	
	8GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary	x																		x	x	S26361-F3385-L4	433,00	
	2GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary											x	x									S26361-F3377-L424	95,00	
	4GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary											x	x									S26361-F3377-L425	128,00	
	8GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary											x	x									S26361-F3377-L426	222,00	
	16GB DDR3-1600 rg ECC	1 module, same number of modules for each processor necessary											x	x									S26361-F3374-L427	377,00	
	16GB DDR3-1600 rg ECC																						S26361-F3383-L427	444,00	
	32GB DDR3-1333 rg LR ECC	1 module, same number of modules for each processor necessary																					S26361-F3382-L438	2.688,00	
	4GB DDR3-1600 rg ECC																						S26361-F3383-L425	128,00	
	8GB DDR3-1600 rg ECC																						S26361-F3383-L426	222,00	
Graphics																									
	NVIDIA Quadro NVS 300 512MB PCIe x16	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately	x									x	x	x	x	x	x	x	x	x	x	x	S26361-F2748-L38	99,00	
	NVIDIA Quadro NVS 295 256MB PCIe x1	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o adapters											x	x	x								S26361-F2748-L235	106,00	
	NVIDIA Quadro NVS 295 256MB PCIe x16	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o adapters											x	x	x	x			x				S26361-F2748-L236	106,00	
	NVIDIA Quadro NVS 450 2x256MB 4xDP	Connectors: 4x DP or up to 4x DVI-D via optional DP/DVI adapter cable, PCIe x16, w/o adapters											x	x	x	x	x	x	x	x	x	x	S26361-F2748-L245	410,00	
	NVIDIA Quadro 400 512MB	Connectors: 1x DVI-I and 1x DP, PCIe x16, w/o adapters											x	x	x								S26361-F2856-L41	110,00	
	NVIDIA Quadro 410 512MB	Connectors: 1x DVI-I and 1x DP, PCIe x16, w/o adapters	x										x	x	x								S26361-F2856-L941	110,00	Orderable from: 03/08/2012
	NVIDIA Quadro 600 1GB	Connectors: 1x DVI-I dual link and 1x DP; PCIe x16; w/o adapters	x										x	x	x	x	x	x	x	x	x	x	S26361-F2856-L61	178,00	
	NVIDIA Quadro FX 1800 768MB	Connectors: 1x DVI-I dual link, 2x DP, PCIe x16, w/o adapters											x	x	x				x				S26361-F2856-L219	488,00	
	NVIDIA Quadro 2000 1GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters	x										x	x	x	x							S26361-F2856-L203	467,00	
	NVIDIA Quadro 2000D 1GB	Connectors: 2x DVI-I dual link, PCIe x16, w/o adapters	x										x	x	x	x							S26361-F2856-L996	473,00	
	NVIDIA Quadro FX 3800 1GB	Connectors: 1x DVI-I dual link, 2x DP, PCIe x16, w/o adapters											x	x	x								S26361-F2856-L239	744,00	
	NVIDIA Quadro 4000 2GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters	x										x	x	x	x							S26361-F2856-L402	823,00	
	NVIDIA Quadro 5000 2.5GB	Connectors: 1x DVI-I dual link and 2x DP; stereo; 1x DVI/VGA-adapter; PCIe x16	x										x	x	x	x							S26361-F2856-L502	2.212,00	
	NVIDIA Quadro FX 5800 4GB	Connectors: 1x DVI-I dual link, 2x DP, PCIe x16, w/o adapters																					S26361-F2856-L259	2.888,00	
	NVIDIA Quadro 6000 6GB	Connectors: 1x DVI-I dual link and 2x DP; stereo; 2x DVI/VGA-adapter; PCIe x16	x										x	x	x	x							S26361-F2856-L602	4.145,00	
	ATI FirePro V3800 512 MB	Connectors: 1x DVI-I dual link, 1x DP; PCIe x16; w/o adapters											x	x	x	x	x						S26361-F2530-L380	106,00	Phased out
	AMD FirePro V3900 1 GB	Connectors: 1x DVI-I dual link, 1x DP; PCIe x16; w/o adapters	x										x	x	x								S26361-F2530-L390	122,00	
	AMD FirePro V4900 1 GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters	x										x	x	x	x	x						S26361-F2530-L490	233,00	
	AMD FirePro V5900 2 GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters	x										x	x	x	x	x						S26361-F2530-L590	444,00	
	AMD FirePro V7900 2 GB	Connectors: 4x DP, PCIe x16, w/o adapters											x	x	x	x							S26361-F2530-L790	745,00	
	CELSIUS RemoteAccess Card x1	Host for PCoIP, 2x DVI-I, 10/100/1000 Mbps LAN, PCIe x1	x										x	x	x	x							S26361-F3565-L1	333,00	
	CELSIUS RemoteAccess Portal	PCoIP, 2x DVI-I, 10/100/1000 Mbps LAN, 4x USB, audio	x										x	x	x	x							S26361-K1322-V1	295,00	
	NVIDIA Tesla C1060 Comoutino-Processor	Connectors: 1x VGA; PCIe x16											x	x	x								S26361-F2856-L107	1.786,00	
	NVIDIA Tesla C2075 Computing Processor	Connectors: 1x DVI-I, PCIe x16	x										x	x	x								S26361-F2856-L208	2.277,00	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor				x	x					x	x	x	x	x	x	x	x	x	x	x	S26361-F2391-L200	22,00	
	DVI/VGA Adapter	for connection of one VGA-monitor, requires DVI-I connector	x									x	x	x	x	x	x	x	x	x	x	x	S26361-F2391-L1	19,00	
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors	x									x	x	x	x	x	x	x	x	x	x	x	S26361-F2391-L101	32,00	
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors	x									x	x	x	x	x	x	x	x	x	x	x	S26361-F2391-L102	34,00	
	SLI bridge for NVIDIA graphics	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA; stereo; PCIe card																					S26361-F2542-L95	78,00	
	Power cable for graphics card	for NVIDIA Q4000, Q5000, Q6000, Tesla C2075 and ATI FirePro V7900; 6pin and 8pin connector.											x		x								S26361-F2407-L11	28,00	
Removable Media Drives																									
	MCR 20in1 + USB 3.0 front con., 5.25"	occupies accessible 5.25"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type										x	x	x									S26361-F3077-L14	40,00	Phased out



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

CELSIUS Accessories

Category	Description	Details	CELSIUS C620	CELSIUS R265	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W290	CELSIUS W410	CELSIUS W420	CELSIUS W480	CELSIUS W510	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Removable Media Drives (Continued)																										
	MCR 20in1 + USB 3.0 front con., 3.5"	requires USB 3.0 PCIe x1 card; occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type														x	x		x	x	x			S26361-F3077-L15	30,00	Phased out
	MultiCard Reader 24in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC ,										x				x								S26361-F3077-L50	23,00	
	MCR 24in1 + USB 3.0 front con., 3.5"	occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC ,										x				x		x			x	x		S26361-F3077-L51	30,00	
	BD Triple Writer SATA slim (tray)											x												S26361-F3716-L100	212,00	
	DVD-RW Dual Double Layer Super Multi Weight saver for modular bay						x	x																S26391-F1164-L200	77,00	Orderable from: 01/08/2012
	Blu-ray burner						x		x															S26391-F894-L200	133,00	
	DVD Super multi (reader/writer)						x																	S26391-F984-L100	77,00	
	Blu-ray Disc Triple Writer SATA						x																	S26391-F984-L200	133,00	
	2nd HDD bay module (without HDD)						x	x																S26391-F984-L600	33,00	
	DVD SATA	occupies accessible 5,25"- bay, without DVD-video playback software									x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3418-L510	32,00	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay, DVD burning software included (without DVD-video playback software)									x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3420-L510	40,00	
	Blu-ray Disc Triple Writer SATA	occupies 5,25"-bay, BD read/write + DVD read/write +CD read/write									x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3523-L510	267,00	
	MultiCard Reader 20in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type															x	x	x	x	x	x	x	S26361-F3077-L5	20,00	
	MultiCard Reader 20in1 USB 2.0 5,25"	occupies accessible 5,25"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type									x		x	x										S26361-F3077-L4	30,00	
	DVD SuperMulti SATA slim	occupies accessible 5,25"- bay, DVD burning software included (without DVD-video playback software)	x																					S26361-F3429-L510	57,00	
SCSI/RAID/SAS controller																										
	SAS Controller D2507 (LSI1064e)x4	4 ports incl. cables, PCIe x4									x		x											S26361-F3976-L1	133,00	
	SAS/SATA cable for RAID controller	for RAID controller D2616, plus for 4x HDD.									x		x											S26361-F2581-L47	18,00	
	SAS/SATA RAID Controller based on LSI	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports, RAID Levels 0, 1, and 10 . .	x									x		x										S26361-F3976-L2	188,00	
	SAS/SATA RAID Controller based on LSI	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal ports, RAID levels 0, 1, 5 and 6 .	x									x		x										S26361-F3976-L3	310,00	
	RAID controller battery-backup-unit	RAID controller battery-backup-unit . .	x													x								S26361-F3976-L99	128,00	
	4-Port SAS-UpgradeRom	upgrade of 4x onboard SATA to 4x onboard SAS (incl. RAID 0,1,10 license) . .										x												S26361-F2581-L49	55,00	
	8-Port SAS-UpgradeRom	upgrade of 4x onboard SATA to 8x onboard SAS (incl. RAID 0,1,10 license) . .														x								S26361-F2581-L43	77,00	
Communication/Network																										
	Gigabit Ethernet PCIe x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash manageability for AMD platforms, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0	x									x				x	x	x	x	x	x	x		S26361-F3067-L60	28,00	
	Dual 1 Gigabit Ethernet PCIe x4		x									x	x	x	x									S26361-F3067-L80	144,00	
	Eth Ctrl 4x1GBit PCIe x4 D2745 Cu	Ethernet Server Adapter Eth Ctrl 4x1GBit PCIe x4 D2745 Cu, Based on Intel LAN controller chip 82590EB, Usable with original Intel driver kit	x																					S26361-F3611-L501	390,00	
	IB HCA 40GB 1 Kanal QDR	InfiniBand HCA 40GB/s, 1-port, QDR	x														x							S26361-F4475-L102	620,00	
	IB HCA 40GB 2 Kanal QDR	InfiniBand HCA 40GB/s, 2-port, QDR	x														x							S26361-F4475-L202	875,00	
	IB HCA 56GB 1 port FDR	InfiniBand HCA 56GB/s, 1-port, FDR															x							S26361-F4533-L102	1,030,00	
	USB 3.0 PCIe x1											x	x	x		x	x	x	x	x	x			S26361-F3050-L10	33,00	
	Gigabit Ethernet PCIe x1	Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, driver CD, PCI Express, full height/ low profile										x	x	x	x	x								S26361-F3067-L30	26,00	Phased out
	Dual 10 Gigabit Ethernet PCIe x8	FTS D2755, without SFP+ modules	x									x	x	x	x									S26361-F3067-L70	377,00	
	WLAN III, 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB interface, only EMEA										x	x	x	x	x	x	x	x	x	x	x		S26361-F3108-L5	30,00	
	Parallel Interface FH	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height										x					x	x	x					S26361-F2542-L34	13,00	
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot, low profile																		x				S26361-F2542-L40	13,00	
	eSATA Interface FH	for eSATA peripherals, occupies one internal SATA interface and one slot, full height										x	x	x	x	x	x	x	x					S26361-F2542-L70	19,00	
	Dual serial card PCIe x1	Dual Port RS232 via splitter cable										x	x	x	x									S26361-F3316-L6	37,00	
	Dual serial card PCIe x1, powered	Dual Port RS232 via splitter cable										x	x	x	x									S26361-F3316-L7	42,00	
Rack-Infrastructure																										
	Rack mounting kit CELSIUS	for CELSIUS W510, W520, M470-2, M720, R570-2, R670-2 and R920.									x	x	x	x										S26361-F2581-L101	245,00	
	RMK-F1 DI CMA ORL		x																					S26361-F2735-L145	95,00	
OS/Application-SW																										
	Drivers&Utilities DVD (XP) CELSIUS		x									x	x	x	x	x	x	x	x	x	x	x		S26361-F2007-L912	22,00	



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

CELSIUS Accessories

Category	Description	Details	CELSIUS C620	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W290	CELSIUS W420	CELSIUS W410	CELSIUS W480	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																									
	Drivers&Utilities DVD Mobile H	incl. Nero Essentials S, Norton Internet Security Trial 90 days					x		x														S26361-F2010-L199	28,00	
	Drivers&Utilities DVD Mobile H								x														S26361-F2012-L103	28,00	
	Drivers&Utilities DVD (WIN7)	incl. Nero Essentials S, Norton Internet Security	x								x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2007-L909	22,00	
UPS/Power																									
	Battery 6cell 6700mAh								x														S26391-F1166-L100	122,00	Orderable from: 01/08/2012
	2nd battery						x	x															S26391-F777-L200	144,00	
	2pin AC Adapter 19V/120W						x																S26391-F886-L700	66,00	
	AC Adapter 19V/210W								x	x	x												S26391-F896-L500	88,00	
	Battery 8cell 5800mAh						x	x	x														S26391-F896-L700	133,00	
Security																									
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard															x	x	x	x	x	x	S26361-F1260-L521	26,00	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard, CELSIUS M, R, V only									x	x	x	x									S26361-F1260-L522	28,00	
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x						x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1571-L201	18,00	Phased out
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x						x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1571-L210	118,00	Phased out
	Absolute Track, Abo. 1Y.	Single key licence, for more info please check hint box / product description				x	x	x	x														S26361-F2009-L101	19,00	
	Absolute Track, Abo. 2Y.	Single key licence, for more info please check hint box / product description				x	x	x	x														S26361-F2009-L102	29,00	
	Absolute Track, Abo. 3Y.	Single key licence, for more info please check hint box / product description				x	x	x	x														S26361-F2009-L103	37,00	
	Data Protection, Abo. 1Y.	Single key licence, for more info please check hint box / product description				x	x	x	x														S26361-F2009-L104	30,00	
	Data Protection, Abo. 2Y.	Single key licence, for more info please check hint box / product description				x	x	x	x														S26361-F2009-L105	46,00	
	Data Protection, Abo. 3Y.	Single key licence, for more info please check hint box / product description				x	x	x	x														S26361-F2009-L106	57,00	
	ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description				x	x	x	x														S26361-F2009-L107	35,00	
	ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description				x	x	x	x														S26361-F2009-L108	56,00	
	ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description				x	x	x	x														S26361-F2009-L109	78,00	
	ATP, Data Protection, PE, Abo. 1Y.	Single key licence, for more info please check hint box / product description				x	x	x	x														S26361-F2009-L113	48,00	
	ATP, Data Protection, PE, Abo. 2Y.	Single key licence, for more info please check hint box / product description				x	x	x	x														S26361-F2009-L114	77,00	
	ATP, Data Protection, PE, Abo. 3Y.	Single key licence, for more info please check hint box / product description				x	x	x	x														S26361-F2009-L115	94,00	
	ATP, ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description				x	x	x	x														S26361-F2009-L116	54,00	
	ATP, ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description				x	x	x	x														S26361-F2009-L117	88,00	
	ATP, ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description				x	x	x	x														S26361-F2009-L118	116,00	
	ATP, ComputraceOne, Abo. 5J.					x	x	x															S26361-F2009-L119	166,00	
	Absolute Track, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x	x														S26361-F2009-L201	19,00	
	Absolute Track, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x	x														S26361-F2009-L202	29,00	
	Absolute Track, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x	x														S26361-F2009-L203	37,00	
	Data Protection, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x	x														S26361-F2009-L204	30,00	
	Data Protection, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x	x														S26361-F2009-L205	46,00	
	Data Protection, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x	x														S26361-F2009-L206	57,00	
	ComputraceOne, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x	x														S26361-F2009-L207	35,00	
	ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x	x														S26361-F2009-L208	56,00	
	ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x	x														S26361-F2009-L209	78,00	
	ATP, Data Protection, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x															S26361-F2009-L210	45,00	
	ATP, Data Protection, PE, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x															S26361-F2009-L213	48,00	
	ATP, Data Protection, PE, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x	x														S26361-F2009-L214	77,00	
	ATP, Data Protection, PE, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x	x														S26361-F2009-L215	94,00	
	ATP, ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x	x														S26361-F2009-L217	88,00	
	ATP, ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x	x														S26361-F2009-L218	116,00	
	ATP, Data Protection, PE, Abo. 5Y.					x																	S26361-F2011-L10	133,00	
	ATP, Data Protection, PE, Abo. 5y. Master					x	x																S26361-F2011-L11	133,00	
	SCA Express	ExpressCard SmartCard adapter, Model Fujitsu, Bios support, SmartLogon plus support				x																	S26361-F2432-L720	44,00	
	SmartCase Logon+ license (1-99 licenses)	includes 1 license, for orders up to 99 licenses,, no software, no data medium				x					x	x	x	x	x								S26361-F2727-L100	20,00	
	SmartCase Logon+ 3.2.2	Supports secure authentication, password container, SSO, drive encrypt, smartcard, biometrics									x	x	x	x		x	x						S26361-F2727-L740	42,00	
	RFID SmartCardReader USB SCL011	RFID SmartCardReader USB SCL011 with stand in white box packing				x	x				x												S26381-F11-L100	38,00	
	SmartCard CARDOS V4.4. 1PCS	1 SmartCard CardOS 4.4, 68 KByte EEPROM	x			x	x				x												S26381-F305-L101	25,00	
	SmartCard CARDOS V4.4. 2PCS	2 SmartCard CardOS 4.4, 68 KByte EEPROM	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-F305-L102	45,00	
	SmartCard CARDOS V4.4. 10PCS	10 SmartCard CardOS 4.4, 68 KByte EEPROM	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-F305-L110	204,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista /Win7compatible, USB interface	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-F331-L220	25,00	



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

CELSIUS Accessories

Category	Description	Details	CELSIUS C620	CELSIUS R265	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W290	CELSIUS W410	CELSIUS W420	CELSIUS W480	CELSIUS W510	CELSIUS W510power	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments	
Security (Continued)																											
	PalmSecure Sensor STD FAT13M3S1	PalmSecure Sensor STD FAT13M3S1 palmvein sensor for biometric authentication. Component for integration without cable, manual and software				x	x		x																S26381-K434-L100	239,00	New product
	PalmSecure U Guide FAT13G2A2L	PalmSecure U Guide FAT13G2A2L specila handguide for palmvein sensor				x	x		x																S26381-K434-L500	43,00	New product
	PalmSecure Mouse Login Kit	PalmSecure Login Kit enclosed optical USB Mouse with integrated vein sensor for biometric authentication. USB 2.0 bus powered. 3 buttons incl. scroll-wheel. Set contains also the palm guide,quick start guide, manual and OmniPass login software CD, 1.5 m USB cable, brown box.				x	x		x	x					x			x			x	x			S26381-K435-L100	310,00	Phased out
	PalmSecure Mouse Login Kit STD	PalmSecure Mouse Kit STD contains USB Mouse with integrated palmvein sensor for biometric authentication. USB 2.0 bus powered. Set contains also the palm guide,quick start guide in Brown box.				x	x		x																S26381-K435-L200	248,00	New product
	PalmSecure Sensor Guide Kit STD	PalmSecure Sensor Guide Kit STD contains an external USB vein sensor for biometric authentication. USB 2.0 bus powered. Set contains also the palm guide,quick start guide in Brown box.				x	x		x																S26381-K436-L100	256,00	
Miscellaneous																											
	Locking HDD caoe															x				x	x	x	x	S26361-F2542-L332	20,00		
	LTE upgrade kit							x		x														S26391-F1105-L530	199,00	New product	
	UMTS upgrade kit	only usable if system was ordered with UMTS Ready Kit					x	x		x														S26391-F985-L120	110,00		
	Button for RAID 5 support	incl. license for RAID 5														x								S26361-F2581-L44	44,00		
	Casters for CELSIUS M, R & V	Available in systems serial no. higher than YBSJ001400 (CELSIUS V830) and YBW004000 (CELSIUS M440).											x	x	x									S26361-F2581-L200	84,00		
	Rear USB 2.0 connector	2x USB 2.0														x	x							S26361-F2438-L215	16,00		
	Blanking Plate 5.25" drive bays, 10 pcs.															x	x	x						S26361-F2542-L326	15,00		
	Blanking Plate 3.5" drive bays, 10 pcs.															x	x	x						S26361-F2542-L327	17,00		
	Blanking Plate 5.25" drive bays, 10 pcs.																		x	x	x	x	x	S26361-F2542-L325	28,00		
Cables																											
	Power cord China									x														S26361-F2542-L51	10,00		
	power cable EU	black, 2-pole, 1.8 m				x	x																	T26139-Y2540-V113	9,00		
	power cable UK	black, 2-pole, 1.8 m				x	x																	T26139-Y2540-V213	9,00		
	power cable US	black, 2-pole, 1.8 m				x	x																	T26139-Y2540-V313	9,00		
	Cable for 2. USB device										x	x	x	x	x	x	x	x						S26361-F2581-L10	22,00		
	Cable Powercord (D), 1.8m	grey, 1.8m, suitable for: Germany, Austria, Belgium, Netherlands, Finland, France, Italy, Spain, Portugal, Russian, Turkey,3 wire							x															T26139-Y1740-V10	4,00		
	Cable Powercord (USA, Desktop),1.8m	grey or black, 1.8m, for USA/CAN (Desktops),3 wire							x															T26139-Y1741-V10	4,00		
	Cable Powercord (UK), 1.8m, black	black, 1.8m, suitable for: Great Britain, 3 wire							x															T26139-Y1744-V10	4,00		
	Power cord three-wire EU	Power cord three-wire EU	x	x	x																			S26361-F2581-L310	10,00		
Input Devices																											
	Presenter IV Air	Presenter IV Air 2.4 GHz presener with laser pointer, 2D air mous and gamepad function, manual, 2 x AAA batteries, 2.4 GHz presener with laser pointer, 2D air mous and gamepad function, manual, 2 x AAA batteries	x	x	x																			BDL-TOP-PRESENTER4	47,00		
	Presenter IV Air	2.4 GHz presener with laser pointer, mouse und Gamepad function	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x							S26381-K440-L100	47,00		
Additional Software																											
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x		U11081-C301	1,225,00		
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x							x	x	x	x	x	x			x				U11081-C311	1,225,00		
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x							x	x	x	x	x				x				U11081-C321	500,00		
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x							x	x	x	x	x				x				U11081-C300	30,00		
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x							x	x	x	x	x				x				U11081-C299	15,00		
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x								x	x	x	x	x				x				U10987-C501	1,225,00		
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x								x	x	x	x	x				x				U10987-C513	1,225,00		
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x								x	x	x	x	x				x				U10987-C525	500,00		
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x								x	x	x	x	x				x				U10987-C500	36,00		
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x	x								x	x	x	x	x				x				U10987-C499	15,00		



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H810	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W420	CELSIUS W620	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix																		
Approvals/dependencies																		
China (CCC) approval								x								S26361-F2550-E150	3,00	
US (FCC) approval				x		x										S26391-F1100-E910	3,00	
GS approval		non glossy front bezel to fulfill GS approval						x	x	x	x	x				S26361-F2555-E200	3,00	
Energy Star compliance		ENERGY Star compliance allows configurations which do not violate the EPA regulations for workstations.						x								S26361-F2600-E110	3,00	
Energy Star compliance		ENERGY Star compliance allows configurations which do not violate the EPA regulations for workstations.								x						S26361-F2600-E120	3,00	
Energy Star compliance		ENERGY Star compliance allows configurations which do not violate the EPA regulations for workstations.									x					S26361-F2600-E130	3,00	
LCD-Display																		
39.6 cm (15.6") HD+ magnesium LED		1600 x 900 pixels, .		x												S26391-F1160-E100	78,00	
39.6 cm (15.6") FHD magnesium LED		1920 x 1080 pixels, .		x												S26391-F1160-E200	134,00	
43.9 cm (17.3") FHD LED		1920 x 1080 pixels, .				x										S26391-F1170-E100	150,00	Orderable from: 01/08/2012
39.6 cm (15.6") HD+ magnesium LED				x												S26391-F890-E100	78,00	
39.6 cm (15.6") FHD magnesium LED				x												S26391-F890-E200	134,00	
43.9 cm (17.3") FHD LED						x										S26391-F890-E500	150,00	
Processor																		
Intel Core i7-3610QM 2.3GHz 6MB		2.30 GHz, up to 3.30 GHz, 6 MB total cache, quad core/8 threads, technologies: VT-x, TXT,		x	x											S26391-F1161-E361	277,00	
Intel Core i7-3720QM 2.6GHz 6MB		2.60 GHz, up to 3.60 GHz, 6 MB total cache, quad core/8 threads, technologies: VT-x, VT-d, TXT,		x	x											S26391-F1161-E372	410,00	
Intel Core i7-3820QM 2.8GHz 8MB		2.70 GHz, up to 3.70 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, VT-d, TXT,		x	x											S26391-F1161-E382	557,00	
Intel Core i7-3920XM 2.9GHz 8MB		2.90 GHz, up to 3.80 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, VT-d, TXT,		x	x											S26391-F1161-E392	967,00	
Intel Core i7-2640M 2.8GHz 4MB				x	x											S26391-F981-E264	400,00	
Intel Core i5-2540M 2.6GHz 3MB		2.60 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, TXT		x	x											S26391-F981-E254	287,00	
Intel Core i5-2520M 2.5GHz 3MB		2.50 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, TXT		x	x											S26391-F981-E252	262,00	
Intel Core i7-3520M up to 3.6GHz 4MB		2.90 GHz, up to 3.60 GHz, 4 MB total cache, dual core/4 threads, technologies: VT-x, VT-d, TXT,		x	x											S26391-F1121-E352	400,00	
Intel Core i5-3360M up to 3.5GHz 3MB		2.80 GHz, up to 3.50 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, TXT,		x	x											S26391-F1121-E336	287,00	
Intel Core i5-3320M up to 3.3GHz 3MB		2.60 GHz, up to 3.30 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, TXT,		x	x											S26391-F1121-E332	262,00	
Intel Core i7-2720QM 2.2GHz 6MB		2.20 GHz, 6 MB total cache, quad core/8 threads, technologies: VT-x, TXT		x	x											S26391-F981-E272	410,00	
Intel Core i7-2760QM 2.4GHz 6MB		2.40 GHz, 6 MB total cache, quad core/8 threads, technologies: VT-x, TXT,		x	x											S26391-F981-E276	410,00	
Intel Core i7-2820QM 2.3GHz 8MB		2.30 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, TXT		x	x											S26391-F981-E282	557,00	
Intel Core i7-2860QM 2.5GHz 8MB		2.50 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, TXT,		x	x											S26391-F981-E286	557,00	
Intel Core i7-2920XM 2.5GHz 8MB		2.50 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, TXT				x										S26391-F981-E292	967,00	
Intel Core i7-2960XM 2.7GHz 8MB		2.70 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, TXT,				x										S26391-F981-E296	967,00	
Xeon E5-1603 2.80GHz 10MB		2.80 GHz, 10 MB Cache, 4 Cores,							x							S26361-F4537-E603	287,00	
Xeon E5-1607 3.00GHz 10MB		3.00 GHz, 10 MB Cache, 4 Cores,							x							S26361-F4537-E607	333,00	
Xeon E5-1620 3.60GHz 10MB Turbo Boost		3.60 GHz, 10 MB Turbo Boost, 4 Cores,							x							S26361-F4537-E620	404,00	
Xeon E5-1650 3.20GHz 12MB Turbo Boost		3.20 GHz, 12 MB Turbo Boost, 6 Cores,							x							S26361-F4537-E650	877,00	
Xeon E5-1660 3.30GHz 15MB Turbo Boost		3.30 GHz, 15 MB Turbo Boost, 6 Cores,							x							S26361-F4537-E660	#####	
Xeon E5-2603 1.80GHz 10MB		1.80 GHz, 10 MB Cache, 6.4 GT/s QPI, 4 Cores,							x			x				S26361-F4536-E603	287,00	
2nd Xeon E5-2603		1.80 GHz, 10 MB Cache, 6.4 GT/s QPI, 4 Cores,										x				S26361-F4539-E603	287,00	
Xeon E5-2609 2.40GHz 10MB		2.40 GHz, 10 MB Cache, 6.4 GT/s QPI, 4 Cores,							x			x				S26361-F4536-E609	404,00	
2nd Xeon E5-2609		2.40 GHz, 10 MB Cache, 6.4 GT/s QPI, 4 Cores,										x				S26361-F4539-E609	404,00	
Xeon E5-2620 2.0GHz 15MB Turbo Boost		2.00 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores,							x			x				S26361-F4536-E620	517,00	
2nd Xeon E5-2620		2.00 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores,										x				S26361-F4539-E620	517,00	
Xeon E5-2630 2.3GHz 15MB Turbo Boost		2.30 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores,							x			x				S26361-F4536-E630	806,00	
2nd Xeon E5-2630		2.30 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores,										x				S26361-F4539-E630	806,00	
Xeon E5-2630L 2.0GHz 15MB		2.00 GHz, 15 MB Cache, 6.4 GT/s QPI, 6 Cores,							x			x				S26361-F4535-E630	794,00	
2nd Xeon E5-2630L		2.00 GHz, 15 MB Cache, 6.4 GT/s QPI, 6 Cores,										x				S26361-F4538-E630	794,00	
Xeon E5-2637 3.0GHz 5MB Turbo Boost		3.00 GHz, 5 MB Turbo Boost, 8.0 GT/s QPI, 2 Cores,							x			x				S26361-F4536-E637	#####	
2nd Xeon E5-2637		3.00 GHz, 5 MB Turbo Boost, 8.0 GT/s QPI, 2 Cores,										x				S26361-F4539-E637	#####	
Xeon E5-2640 2.5GHz 15MB Turbo Boost		2.50 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores,							x			x				S26361-F4536-E640	#####	
2nd Xeon E5-2640		2.50 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores,										x				S26361-F4539-E640	#####	
Xeon E5-2643 3.3GHz 10MB Turbo Boost		3.30 GHz, 10 MB Turbo Boost, 8.0 GT/s QPI, 4 Cores,							x			x				S26361-F4537-E643	#####	
2nd Xeon E5-2643		3.30 GHz, 10 MB Turbo Boost, 8.0 GT/s QPI, 4 Cores,										x				S26361-F4540-E643	#####	
Xeon E5-2650 2.0GHz 20MB Turbo Boost		2.00 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,							x			x				S26361-F4536-E650	#####	
2nd Xeon E5-2650		2.00 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,										x				S26361-F4539-E650	#####	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H810	CELSIUS H820	CELSIUS M470-2	CELSIUS M720	CELSIUS R670-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W420	CELSIUS W620	CELSIUS W520power	Product Code	EUP (€)	Comments
Processor (Continued)																		
Xeon E5-2650L	1.8GHz 20MB Turbo Boost	1.80 GHz, 20 MB Turbo Boost, 7.2 GT/s QPI, 8 Cores							x							S26361-F4535-E650	#####	
2nd Xeon E5-2650L		1.80 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 8 Cores,											x			S26361-F4538-E650	#####	
Xeon E5-2660	2.2GHz 20MB Turbo Boost	2.20 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,						x								S26361-F4536-E660	#####	
2nd Xeon E5-2660		2.20 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,											x			S26361-F4539-E660	#####	
Xeon E5-2665	2.4GHz 20MB Turbo Boost	2.40 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,						x								S26361-F4537-E665	#####	
2nd Xeon E5-2665		2.40 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,											x			S26361-F4540-E665	#####	
Xeon E5-2667	2.9GHz 15MB Turbo Boost	2.90 GHz, 15 MB Turbo Boost, 8.0 GT/s QPI, 6 Cores						x								S26361-F4537-E667	#####	
2nd Xeon E5-2667		2.90 GHz, 15 MB Turbo Boost, 8.0 GT/s QPI, 6 Cores,											x			S26361-F4540-E667	#####	
Xeon E5-2670	2.6GHz 20MB Turbo Boost	2.60 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,						x								S26361-F4537-E670	#####	
2nd Xeon E5-2670		2.60 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,											x			S26361-F4540-E670	#####	
Xeon E5-2680	2.7GHz 20MB Turbo Boost	2.70 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,						x								S26361-F4537-E680	#####	
2nd Xeon E5-2680		2.70 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,											x			S26361-F4540-E680	#####	
Xeon E5-2687W	3.1GHz 20MB Turbo Boost	3.10 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,						x								S26361-F4537-E687	#####	
2nd Xeon E5-2687W		3.10 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,											x			S26361-F4540-E687	#####	
Xeon E5-2690	2.9GHz 20MB Turbo Boost	2.90 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,						x								S26361-F4537-E690	#####	
2nd Xeon E5-2690		2.90 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,											x			S26361-F4540-E690	#####	
Celeron G540		incl. Intel HD Graphics, 2.50 GHz, 2 MB total cache, dual core/2 threads, LGA1155,											x			S26361-F4020-E540	38,00	
Pentium G640		incl. Intel HD Graphics, 2.80 GHz, 3 MB total cache, dual core/2 threads, LGA1155,											x			S26361-F4050-E640	67,00	
Pentium G860		incl. Intel HD Graphics, 3.00 GHz, 3 MB total cache, dual core/2 threads, LGA1155,											x			S26361-F4050-E860	84,00	
Core i3-2120		incl. Intel HD Graphics 2000, 3.30 GHz, 3 MB total cache, dual core/4 threads, LGA1155, technologies: VT-x,	x										x	x	x	S26361-F4493-E212	133,00	
Core i3-3220		incl. Intel HD Graphics 2000, 3.30 GHz, 3 MB total cache, dual core/4 threads, LGA1155, technologies: VT-x,											x	x	x	S26361-F4493-E322	149,00	New product, Orderable from: 03/09/2012
Core i5-3470		Intel HD Graphics 2500, 3.20 GHz, up to 3.60 GHz, 6 MB Total Cache, Quad Core/4 Threads, LGA1155, VT-d, TXT											x			S26361-F4494-E348	237,00	
Core i5-3570		Intel HD Graphics 2500, 3.40 GHz, up to 3.80 GHz, 6 MB Total Cache, Quad Core/4 Threads, LGA1155, VT-d, TXT											x			S26361-F4494-E357	264,00	
Core i7-3770		Intel HD Graphics 4000, 3.40 GHz, up to 3.90 GHz, 8 MB Total Cache, Quad Core/8 Threads, LGA1155, VT-d, TXT											x			S26361-F4495-E377	366,00	
Xeon E3-1220v2	3.10GHz 8MB Turbo Boost	3.10/3.50 GHz, 8MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT,	x										x	x		S26361-F4573-E220	262,00	
Xeon E3-1225v2	3.20GHz 8MB Turbo Boost	incl. Intel HD Graphics P4000, 3.20/3.60 GHz, 8 MB Turbo Boost, 4 cores/4 threads, technologies: VT-x, TXT,	x										x	x		S26361-F4573-E225	269,00	
Xeon E3-1230v2	3.30GHz 8MB Turbo Boost	3.30/3.70 GHz, 8MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT,	x										x	x		S26361-F4573-E230	297,00	
Xeon E3-1240v2	3.40GHz 8MB Turbo Boost	3.40/3.80 GHz, 8MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT,	x										x	x		S26361-F4573-E240	322,00	
Xeon E3-1245v2	3.40GHz 8MB Turbo Boost	incl. Intel HD Graphics P4000, 3.40/3.80 GHz, 8 MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT,	x										x	x		S26361-F4573-E245	336,00	
Xeon E3-1270v2	3.50GHz 8MB Turbo Boost	3.50/3.90 GHz, 8MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT,	x										x	x		S26361-F4573-E270	414,00	
Xeon E3-1275v2	3.50GHz 8MB Turbo Boost	incl. Intel HD Graphics P4000, 3.50/3.90 GHz, 8 MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT,	x										x	x		S26361-F4573-E275	423,00	
Xeon E3-1290v2	3.70GHz 8MB Turbo Boost	3.70/4.10 GHz, 8MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT,											x	x		S26361-F4498-E291	#####	Orderable from: 09/08/2012
Xeon E3-1280v2	3.60GHz 8MB Turbo Boost	3.60/4.00 GHz, 8MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT,	x										x	x		S26361-F4573-E280	752,00	
Xeon L5609	1.86 GHz, 12 MB Turbo Boost,	1.86 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores						x		x	x					S26361-F3612-E309	522,00	
2nd Xeon L5609		1.86 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores								x	x					S26361-F3613-E309	539,00	
Xeon L5630	2.13 GHz, 12 MB Turbo Boost,	2.13 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores						x		x	x					S26361-F3612-E330	655,00	
2nd Xeon L5630		2.13 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores								x	x					S26361-F3613-E330	673,00	
Xeon L5640	2.26 GHz, 12 MB Turbo Boost,	2.26 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 6 cores						x		x	x					S26361-F3612-E340	#####	
2nd Xeon L5640		2.26 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 6 cores								x	x					S26361-F3613-E340	#####	
Xeon E5603	1.60GHz 8MB	1.60 GHz, 8 MB cache, 4 cores/4 threads						x		x	x					S26361-F3539-E113	247,00	
2nd Xeon E5603		1.60 GHz, 8 MB cache, 4 cores/4 threads								x	x					S26361-F3540-E113	265,00	
Xeon E5606	2.13GHz 8MB	2.13 GHz, 8 MB cache, 4 cores/4 threads						x		x	x					S26361-F3539-E116	288,00	
2nd Xeon E5606		2.13 GHz, 8 MB cache, 4 cores/4 threads								x	x					S26361-F3540-E116	306,00	
Xeon E5607	2.26GHz 8MB	2.26 GHz, 8 MB cache, 4 cores/4 threads						x		x	x					S26361-F3539-E117	355,00	
2nd Xeon E5607		2.26 GHz, 8 MB cache, 4 cores/4 threads								x	x					S26361-F3540-E117	373,00	
Xeon E5620	2.40 GHz, 12 MB Turbo Boost,	2.40 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores						x		x	x					S26361-F3612-E220	466,00	
2nd Xeon E5620		2.40 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores								x	x					S26361-F3613-E220	484,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H810	CELSIUS H820	CELSIUS M470-2	CELSIUS M720	CELSIUS R670-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W420	CELSIUS W620	CELSIUS W620power	Product Code	EUP (€)	Comments
Processor (Continued)																		
Xeon E5630	2.53 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores	2.53 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores						x		x	x				S26361-F3612-E230	699,00		
2nd Xeon E5630	2.53 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores	2.53 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores								x	x				S26361-F3613-E230	717,00		
Xeon E5640	2.66 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores	2.66 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores						x		x	x				S26361-F3612-E240	982,00		
2nd Xeon E5640	2.66 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores	2.66 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores								x	x				S26361-F3613-E240	999,00		
Xeon E5645	2.40GHz 12MB Turbo Boost	2.40 GHz, 12 MB Turbo Boost, 6 cores/12 threads						x		x	x				S26361-F3612-E245	699,00		
2nd Xeon E5645	2.40 GHz, 12 MB Turbo Boost, 6 cores/12 threads	2.40 GHz, 12 MB Turbo Boost, 6 cores/12 threads								x	x				S26361-F3613-E245	717,00		
Xeon X5647	2.93GHz 12MB Turbo Boost	2.93 GHz, 12 MB Turbo Boost, 4 cores/8 threads						x			x				S26361-F3612-E247	964,00		
2nd Xeon X5647	2.93 GHz, 12 MB Turbo Boost, 4 cores/8 threads	2.93 GHz, 12 MB Turbo Boost, 4 cores/8 threads									x				S26361-F3613-E247	982,00		
Xeon E5649	2.53GHz 12MB Turbo Boost	2.53 GHz, 12 MB Turbo Boost, 6 cores/12 threads						x		x	x				S26361-F3612-E249	976,00		
2nd Xeon E5649	2.53 GHz, 12 MB Turbo Boost, 6 cores/12 threads	2.53 GHz, 12 MB Turbo Boost, 6 cores/12 threads								x	x				S26361-F3613-E249	994,00		
Xeon X5650	2.66 GHz, 12 MB Turbo Boost, 6 cores	2.66 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores						x		x	x				S26361-F3612-E950	#####		
2nd Xeon X5650	2.66 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores	2.66 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores								x	x				S26361-F3613-E950	#####		
Xeon X5660	2.80 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores	2.80 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores						x		x	x				S26361-F3612-E960	#####		
2nd Xeon X5660	2.80 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores	2.80 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores								x	x				S26361-F3613-E960	#####		
Xeon X5667	3.06 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores	3.06 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores						x		x	x				S26361-F3612-E967	#####		
2nd Xeon X5667	3.06 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores	3.06 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores								x	x				S26361-F3613-E967	#####		
Xeon X5670	2.93 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores	2.93 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores						x		x	x				S26361-F3612-E970	#####		
2nd Xeon X5670	2.93 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores	2.93 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores								x	x				S26361-F3613-E970	#####		
Xeon X5672	3.20GHz 12MB Turbo Boost	3.20 GHz, 12 MB Turbo Boost, 4 cores/8 threads						x		x	x				S26361-F3612-E972	#####		
2nd Xeon X5672	3.20 GHz, 12 MB Turbo Boost, 4 cores/8 threads	3.20 GHz, 12 MB Turbo Boost, 4 cores/8 threads								x	x				S26361-F3613-E972	#####		
Xeon X5675	3.06GHz 12MB Turbo Boost	3.06 GHz, 12 MB Turbo Boost, 6 cores/12 threads						x		x	x				S26361-F3612-E975	#####		
2nd Xeon X5675	3.06 GHz, 12 MB Turbo Boost, 6 cores/12 threads	3.06 GHz, 12 MB Turbo Boost, 6 cores/12 threads								x	x				S26361-F3613-E975	#####		
Xeon X5677	3.46 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores	3.46 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores						x			x				S26361-F3612-E977	#####		
2nd Xeon X5677	3.46 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores	3.46 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores									x				S26361-F3613-E977	#####		
Xeon X5680	3.33 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores	3.33 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores						x			x				S26361-F3612-E980	#####		
2nd Xeon X5680	3.33 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores	3.33 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores									x				S26361-F3613-E980	#####		
Xeon X5687	3.60GHz 12MB Turbo Boost	3.60 GHz, 12 MB Turbo Boost, 4 cores/8 threads						x			x				S26361-F3612-E987	#####		
2nd Xeon X5687	3.60 GHz, 12 MB Turbo Boost, 4 cores/8 threads	3.60 GHz, 12 MB Turbo Boost, 4 cores/8 threads									x				S26361-F3613-E987	#####		
Xeon X5690	3.46GHz 12MB Turbo Boost	3.46 GHz, 12 MB Turbo Boost, 6 cores/12 threads						x			x				S26361-F3612-E990	#####		
2nd Xeon X5690	3.46 GHz, 12 MB Turbo Boost, 6 cores/12 threads	3.46 GHz, 12 MB Turbo Boost, 6 cores/12 threads									x				S26361-F3613-E990	#####		
Xeon W3503	2.40GHz 4MB	4.8 GT/s QPI, 2 cores						x							S26361-F3541-E103	264,00		
Xeon W3505	2.53GHz 4MB	4.8 GT/s QPI, 2 cores						x							S26361-F3541-E105	296,00		
Xeon W3520	2.66GHz 8MB Turbo Boost	4.8 GT/s QPI, 4 cores						x							S26361-F3541-E320	384,00		
Xeon W3530	2.80 GHz, 8 MB Turbo Boost, 4.8 GT/s QPI, 4 cores	2.80 GHz, 8 MB Turbo Boost, 4.8 GT/s QPI, 4 cores						x							S26361-F3541-E330	384,00		
Xeon W3550	3.06GHz 8MB Turbo Boost	4.8 GT/s QPI, 4 cores						x							S26361-F3541-E350	387,00		
Xeon W3565	3.20 GHz, 8 MB Turbo Boost, 4.8 GT/s QPI, 4 cores	3.20 GHz, 8 MB Turbo Boost, 4.8 GT/s QPI, 4 cores						x							S26361-F3541-E365	387,00		
Xeon W3670	3.20GHz 12MB Turbo Boost	3.20 GHz, 12 MB Turbo Boost, 4.8 GT/s QPI, 6 cores						x							S26361-F3614-E570	744,00		
Xeon W3690	3.46GHz 12MB Turbo Boost	3.46 GHz, 12 MB Turbo Boost, 6 cores/12 threads						x							S26361-F3614-E590	#####		
Memory																		
8GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary							x							S26361-F3379-E4	355,00		
2GB DDR3-1600 PC3-12800						x									S26391-F1162-E200	23,00		
2GB DDR3-1600 PC3-12800						x									S26391-F1162-E210	23,00		
4GB DDR3-1600 PC3-12800						x									S26391-F1162-E400	43,00		
4GB DDR3-1600 PC3-12800						x									S26391-F1162-E410	43,00		
8GB DDR3-1600 PC3-12800						x									S26391-F1162-E800	209,00		
8GB DDR3-1600 PC3-12800						x									S26391-F1162-E810	209,00		
2GB DDR3-1600 PC3-12800								x							S26391-F1172-E200	23,00	Orderable from: 01/08/2012	
2GB DDR3-1600 PC3-12800								x							S26391-F1172-E210	23,00	Orderable from: 01/08/2012	
4GB DDR3-1600 PC3-12800								x							S26391-F1172-E400	43,00	Orderable from: 01/08/2012	
4GB DDR3-1600 PC3-12800								x							S26391-F1172-E410	43,00	Orderable from: 01/08/2012	
8GB DDR3-1600 PC3-12800								x							S26391-F1172-E800	209,00	Orderable from: 01/08/2012	
8GB DDR3-1600 PC3-12800								x							S26391-F1172-E810	209,00	Orderable from: 01/08/2012	
2GB DDR3-1333 PC3-10600						x									S26391-F892-E200	23,00		
2GB DDR3-1333 PC3-10600						x									S26391-F892-E210	23,00		
4GB DDR3-1333 PC3-10600						x									S26391-F892-E400	43,00		
4GB DDR3-1333 PC3-10600						x									S26391-F892-E410	43,00		
8GB DDR3-1333 PC3-10600						x									S26391-F892-E800	209,00		
8GB DDR3-1333 PC3-10600						x									S26391-F892-E810	209,00		
2GB DDR3-1600	1 module PC 1600, DIMM					x						x	x	x	S26361-F3384-E2	20,00		
4GB DDR3-1600	1 module PC 1600, DIMM					x						x	x	x	S26361-F3384-E3	38,00		
8GB DDR3-1600	1 module PC 1600, DIMM					x						x	x	x	S26361-F3384-E4	162,00		
2GB DDR3-1600								x							S26361-F3383-E404	23,00		
1GB DDR3-1333	1 module							x		x	x				S26361-F3375-E403	23,00		



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H810	CELSIUS H820	CELSIUS M470-2	CELSIUS M720	CELSIUS R670-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W420	CELSIUS W620	CELSIUS W620power	Product Code	EUP (€)	Comments
Memory (Continued)																		
	1GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary						x	x	x						S26361-F3377-E413	38,00	
	2GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary						x	x	x						S26361-F3377-E414	47,00	
	4GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary						x	x	x						S26361-F3377-E415	92,00	
	2GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary							x			x				S26361-F3383-E414	47,00	
	4GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary							x			x				S26361-F3383-E415	92,00	
	8GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary							x							S26361-F3383-E416	355,00	
	2GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary	x										x	x		S26361-F3385-E2	47,00	
	4GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary	x										x	x		S26361-F3385-E3	92,00	
	8GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary	x										x	x		S26361-F3385-E4	355,00	
	2GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary								x	x					S26361-F3377-E424	68,00	
	4GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary								x	x					S26361-F3377-E425	96,00	
	8GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary								x	x					S26361-F3377-E426	188,00	
	16GB DDR3-1066 rg ECC	1 module, same number of modules for each processor necessary								x	x					S26361-F3374-E427	322,00	
	4GB DDR3-1600 rg ECC	1 module, same number of modules for each processor necessary										x				S26361-F3383-E425	96,00	
	8GB DDR3-1600 rg ECC	1 module, same number of modules for each processor necessary										x				S26361-F3383-E426	188,00	
	16GB DDR3-1600 rg ECC	1 module, same number of modules for each processor necessary										x				S26361-F3383-E427	322,00	
	32GB DDR3-1333 rg LR ECC	1 module, same number of modules for each processor necessary, only in combination with LRDIMM modules											x			S26361-F3382-E438	#####	
Graphics																		
	NVIDIA Quadro K3000M, 2GB VRAM							x								S26391-F1170-E730	599,00	Orderable from: 01/08/2012
	NVIDIA Quadro K4000M, 2GB VRAM							x								S26391-F1170-E740	#####	Orderable from: 01/08/2012
	NVIDIA Quadro 3000M							x								S26391-F891-E300	599,00	
	NVIDIA Quadro 4000M							x								S26391-F891-E400	#####	
	NVIDIA Quadro 5010M							x								S26391-F891-E500	#####	
	NVIDIA Quadro NVS 300 512MB PCIe x16	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately						x	x	x	x	x	x	x	x	S26361-F2748-E38	84,00	
	NVIDIA Quadro NVS 295 256MB PCIe x1	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o						x		x	x					S26361-F2748-E235	84,00	
	2nd NVIDIA Quadro NVS 295 256MB PCIe x1	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o						x		x	x					S26361-F2748-E135	84,00	
	NVIDIA Quadro NVS 295 256MB PCIe x16	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o						x		x	x					S26361-F2748-E236	84,00	
	NVIDIA Quadro NVS 450 2x256MB 4xDP	Connectors: 4x DP or up to 4x DVI-D via optional DP/DVI adapter cable, PCIe x16, w/o adapters						x	x	x	x	x	x	x	x	S26361-F2748-E245	388,00	
	No Energy Star + Blue Angel approval												x	x		S26361-F2550-E110	3,00	
	NVIDIA Quadro 400 512MB	Connectors: 1x DVI-H and 1x DP, PCIe x16, w/o adapters	x					x		x	x					S26361-F2856-E41	92,00	
	NVIDIA Quadro 410 512MB	Connectors: 1x DVI-H and 1x DP, PCIe x16, w/o adapters	x					x			x	x	x	x		S26361-F2856-E941	92,00	Orderable from: 03/08/2012
	NVIDIA Quadro 600 1GB	Connectors: 1x DVI-H dual link and 1x DP; PCIe x16; w/o adapters	x					x	x	x	x	x	x	x		S26361-F2856-E61	155,00	
	NVIDIA Quadro 2000 1GB	Connectors: 1x DVI-H dual link and 2x DP; PCIe x16; w/o adapters	x					x	x	x	x	x	x	x		S26361-F2856-E201	455,00	
	2nd NVIDIA Quadro 2000 1GB	Connectors: 1x DVI-H dual link and 2x DP; PCIe x16; w/o adapters						x	x	x	x					S26361-F2856-E203	455,00	
	3rd NVIDIA Quadro 2000 1GB	Connectors: 1x DVI-H dual link and 2x DP; PCIe x16; w/o adapters										x				S26361-F2856-E992	455,00	Orderable from: 31/07/2012
	4th NVIDIA Quadro 2000 1GB	Connectors: 1x DVI-H dual link and 2x DP; PCIe x16; w/o adapters											x			S26361-F2856-E993	455,00	Orderable from: 31/07/2012
	NVIDIA Quadro 2000D 1GB	Connectors: 2x DVI-H dual link, PCIe x16, w/o adapters	x					x	x	x	x	x	x	x		S26361-F2856-E202	459,00	
	2nd NVIDIA Quadro 2000D 1GB	Connectors: 2x DVI-H dual link, PCIe x16, w/o adapters						x	x		x					S26361-F2856-E204	459,00	
	NVIDIA Quadro 4000 2GB	Connectors: 1x DVI-H dual link and 2x DP; PCIe x16; w/o adapters	x					x	x	x	x			x		S26361-F2856-E401	727,00	
	2nd NVIDIA Quadro 4000 2GB	Connectors: 1x DVI-H dual link and 2x DP; PCIe x16; w/o adapters						x	x	x	x					S26361-F2856-E402	727,00	
	3rd NVIDIA Quadro 4000 2GB	Connectors: 1x DVI-H dual link and 2x DP; PCIe x16; w/o adapters										x				S26361-F2856-E994	727,00	Orderable from: 31/07/2012
	NVIDIA Quadro 5000 2.5GB	Connectors: 1x DVI-H dual link and 2x DP, stereo; 1x DVI/VGA-adapter; PCIe x16	x					x	x	x	x			x		S26361-F2856-E501	#####	
	2nd NVIDIA Quadro 5000 2.5GB	Connectors: 1x DVI-H dual link and 2x DP, stereo; 1x DVI/VGA-adapter; PCIe x16						x	x	x	x					S26361-F2856-E502	#####	
	NVIDIA Quadro 6000 6GB	Connectors: 1x DVI-H dual link and 2x DP, stereo; 2x DVI/VGA-adapter; PCIe x16	x					x	x	x	x					S26361-F2856-E601	#####	
	2nd NVIDIA Quadro 6000 6GB	Connectors: 1x DVI-H dual link and 2x DP, stereo; 2x DVI/VGA-adapter; PCIe x16						x	x	x	x					S26361-F2856-E602	#####	
	3rd NVIDIA Quadro 6000 2GB	Connectors: 1x DVI-H dual link and 2x DP, stereo; 2x DVI/VGA-adapter; PCIe x16										x				S26361-F2856-E995	#####	Orderable from: 31/07/2012
	ATI FirePro V3800 512 MB	Connectors: 1x DVI-H dual link, 1x DP; PCIe x16; w/o adapters						x		x	x					S26361-F2530-E380	84,00	Phased out
	AMD FirePro V3900 1 GB	Connectors: 1x DVI-H dual link, 1x DP; PCIe x16; w/o adapters	x						x			x	x	x		S26361-F2530-E390	96,00	
	AMD FirePro V4900 1 GB	Connectors: 1x DVI-H dual link and 2x DP, PCIe x16, w/o adapters	x					x	x	x	x	x	x	x		S26361-F2530-E490	199,00	
	AMD FirePro V5900 2 GB	Connectors: 1x DVI-H dual link and 2x DP, PCIe x16, w/o adapters	x					x	x	x	x	x	x	x		S26361-F2530-E590	422,00	
	AMD FirePro V7900 2 GB	Connectors: 4 x DP, PCIe x16, w/o adapters	x					x	x	x	x			x		S26361-F2530-E790	722,00	
	CELSIUS RemoteAccess Card x1	Host for PCoIP, 2x DVI-I, 10/100/1000 Mbps LAN, PCIe x1	x					x	x	x	x			x		S26361-F3565-E1	295,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H810	CELSIUS H820	CELSIUS M470-2	CELSIUS M720	CELSIUS R670-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W420	CELSIUS W620	CELSIUS W520power	Product Code	EUP (€)	Comments	
Graphics (Continued)																			
Options matrix	NVIDIA Tesla C2075 Computing-Processor	Connectors: 1x DVI-I, PCIe x16.	x					x	x	x	x	x				S26361-F2856-E209	#####		
	2nd NVIDIA Tesla C2075	Computing-Processor, Connectors: 1x DVI-I, PCIe x16, .							x	x	x	x				S26361-F2856-E998	#####		
	3rd NVIDIA Tesla C2075	Computing-Processor, Connectors: 1x DVI-I, PCIe x16.										x				S26361-F2856-E996	#####		
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor	x					x	x	x	x	x	x	x		S26361-F2391-E200	17,00		
	DVI/VGA Adapter	for connection of one VGA-monitor, requires DVI-I connector	x					x	x	x	x	x	x	x		S26361-F2391-E1	6,00		
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors	x					x	x	x	x	x	x	x		S26361-F2391-E101	17,00		
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors	x					x	x	x	x	x	x	x		S26361-F2391-E102	19,00		
	SLI bridge for NVIDIA graphics								x	x	x					S26361-F2542-E95	44,00		
	No graphics	Attention: System has got no functional graphics.							x	x	x					S26361-F2748-E999	39,00		
	No graphics in system									x		x	x	x		S26361-F2748-E998	10,00		
Removable Media Drives																			
Options matrix	Cable for 2nd ODD															S26361-F2581-E23	4,00		
	Cable for 2nd ODD															S26361-F2581-E24	4,00		
	MultiCard Reader 24in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC ,									x						S26361-F3077-E50	10,00	
	MCR 24in1 + USB 3.0 front con., 3.5"	occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, SD HC, SD XC, Mini SD (with adapter), Micro SD (with adapter), MMC, RS-MMC (with adapter), MMC Mobile (with adapter), MS, MS Pro, MS Duo (with adapter), MS Pro Duo (with adapter), xD-Picture Card, MD, SMC ,								x			x				S26361-F3077-E51	13,00	
	USB dongle bay module	Bay module for USB software licensing dongles to be put inside the housing., , If USB software licensing dongles are attached to the outer USB ports they can be lost or damaged. This can be prevented by using this USB dongle bay module.,		x													S26391-F1164-E700	18,00	New product
	DVD-RW Dual Double Layer Super Multi Blu-ray burner																S26391-F1174-E200	39,00	Orderable from: 01/08/2012
	DVD-RW Dual Double Layer Super Multi Blu-ray burner /w Playback Software																S26391-F1174-E400	217,00	Orderable from: 01/08/2012
	DVD-RW Dual Double Layer Super Multi Blu-ray burner																S26391-F894-E100	39,00	
	DVD-RW Dual Double Layer Super Multi Blu-ray burner																S26391-F894-E200	217,00	
	Weight saver for modular bay																S26391-F1164-E400	217,00	
	DVD Super Multi (reader/writer)	Nero on driver DVD															S26391-F984-E400	4,00	
	Blu-ray Triple Writer incl. Playback SW	Blu-ray read/write + DVD read/write + CD read/write; with playback software															S26391-F984-E100	39,00	
																	S26391-F984-E200	217,00	
	2nd Battery 6cell 41Wh (3,800mAh)			x	x												S26391-F984-E500	122,00	
	DVD SATA	occupies accessible 5,25"- bay, DVD software must be ordered separately												x	x	x	S26361-F3418-E510	16,00	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay,DVD software must be ordered separately												x	x	x	S26361-F3420-E510	23,00	
	Blu-ray Disc Triple Writer SATA	occupies 5,25"-bay, BD read/write + DVD read/write +CD read/write, Blu-ray Playback SW must be ordered separately															S26361-F3523-E510	166,00	
	BD Triple Writer SATA slim (tray)	occupies 5,25"-bay, BD read/write + DVD read/write + CD read/write, Blu-ray Playback SW must be ordered separately															S26361-F3716-E100	110,00	
	DVD SATA	occupies accessible 5,25"- bay,DVD software must be ordered separately															S26361-F3418-E530	17,00	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay, DVD software must be ordered separately															S26361-F3420-E530	23,00	
	Blu-ray Disc Triple Writer SATA	occupies 5,25"-bay, BD read/write + DVD read/write + CD read/write, Blu-ray Playback SW must be ordered separately															S26361-F3523-E530	166,00	
	Cable for ODD																S26361-F2581-E21	4,00	
	Cable for ODD																S26361-F2581-E22	4,00	
	MultiCard Reader 20in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type															S26361-F3077-E5	10,00	
	MultiCard Reader 20in1 USB 2.0 5.25"	occupies accessible 5,25"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type															S26361-F3077-E4	15,00	
	MCR 20in1 + USB 3.0 front con., 5.25"	occupies accessible 5,25"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type															S26361-F3077-E14	17,00	Phased out
	DVD SuperMulti SATA slim	occupies accessible 5,25"- bay,DVD software must be ordered separately		x													S26361-F3429-E510	30,00	
	Hard Disks																		
Options matrix	No Raid															S26391-F1177-E500	2,00	Orderable from: 01/08/2012	
	RAIDO - HDD SATA 2x 500GB 7.2k striping															S26391-F1177-E501	222,00	Orderable from: 01/08/2012	
	RAIDO - HDD SATA 2x 640GB 7.2k striping															S26391-F1177-E502	299,00	Orderable from: 01/08/2012	
	RAIDO - HDD SATA 2x 1TB 5.4k striping															S26391-F1177-E503	355,00	New product, Orderable from: 01/08/2012	



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H810	CELSIUS H820	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W420	CELSIUS W620	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix																		
Hard Disks (Continued)																		
	RAID0 - SSD SATA III 2x 128GB striping						x									S26391-F1177-E511	455,00	Orderable from: 01/08/2012
	RAID0 - SSD SATA III 2x 256GB striping						x									S26391-F1177-E512	899,00	Orderable from: 01/08/2012
	RAID1 - HDD SATA 2x 500GB 7.2k mirroring						x									S26391-F1177-E601	222,00	Orderable from: 01/08/2012
	RAID1 - SSD SATA III 2x 128GB mirroring						x									S26391-F1177-E611	455,00	Orderable from: 01/08/2012
	RAID1 - SSD SATA III 2x 256GB mirroring						x									S26391-F1177-E612	899,00	Orderable from: 01/08/2012
	Bracket for mounting of 8x 2.5" HDD								x			x				S26361-F4030-E8	4,00	
	SSD SATA III 64GB Smart Response cache	Very fast 2.5" SSD with SATA 6GB/s interface, incl. easy rail, no WinXP support. Installed as Smart Response cache, additional HDD necessary.,.												x		S26361-F3742-E64	110,00	
	SSD SATA III 64GB Smart Response cache													x	x	S26361-F3744-E64	110,00	
	SSD SATA III 128GB high speed	very fast 2.5" solid state drive with SATA 6GB/s interface, incl. easy rail, , no WinXP support											x			S26361-F3681-E128	188,00	
	SSD SATA III 128GB high speed						x		x	x						S26361-F3722-E128	188,00	
	SSD SATA III 128GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, , no WinXP support	x					x					x	x		S26361-F3682-E128	188,00	
	2nd SSD SATA III 128GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support												x	x	S26361-F3683-E128	188,00	
	SSD SATA III 128GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, , no WinXP support						x			x					S26361-F3758-E128	188,00	
	2nd SSD SATA III 128GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, , no WinXP support						x			x					S26361-F3759-E128	188,00	
	SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support											x			S26361-F3681-E256	333,00	
	SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, , no WinXP support	x				x	x	x				x	x		S26361-F3722-E256	333,00	
	2nd SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support											x	x		S26361-F3683-E256	333,00	
	SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, , no WinXP support						x			x					S26361-F3758-E256	333,00	
	2nd SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, , no WinXP support						x			x					S26361-F3759-E256	333,00	New product
	SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, , no WinXP support						x	x	x						S26361-F3680-E512	666,00	
	SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support											x			S26361-F3681-E512	666,00	
	SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support	x										x	x		S26361-F3682-E512	666,00	
	SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, , no WinXP support						x			x					S26361-F3758-E512	666,00	
	2nd SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support											x	x		S26361-F3683-E512	666,00	
	2nd SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, , no WinXP support						x			x					S26361-F3759-E512	666,00	New product
	SSD 128GB high speed	occupies 3.5"-bay (internal), incl. frame, very fast 2.5" solid state drive with SATA 3GB/s interface, no WinXP support						x	x	x						S26361-F3575-E100	222,00	
	SSD 128GB high speed FDE	very fast 2.5" solid state drive with SATA 3GB/s interface, incl. easy rail, no WinXP support											x			S26361-F3639-E100	222,00	
	SSD 128GB high speed FDE	occupies 2.5"-bay (internal), very fast solid state drive with SATA 3GB/s interface and Full Disk Encryption, no WinXP support	x					x		x	x	x	x	x		S26361-F3662-E128	222,00	
	2nd SSD 128GB high speed FDE	occupies 2.5"-bay (internal), very fast solid state drive with SATA 3GB/s interface and Full Disk Encryption, no WinXP support						x		x	x	x	x	x		S26361-F3663-E128	222,00	
	SSD 256GB high speed FDE	occupies 3.5"-bay (internal), incl. frame, very fast 2.5" solid state drive with SATA 3GB/s interface, no WinXP support						x	x	x						S26361-F3576-E100	455,00	
	SSD 256GB high speed FDE	occupies 2.5"-bay (internal), very fast solid state drive with SATA 3GB/s interface and Full Disk Encryption, no WinXP support	x					x		x						S26361-F3662-E256	455,00	
	2nd SSD 256GB high speed FDE	occupies 2.5"-bay (internal), very fast solid state drive with SATA 3GB/s interface and Full Disk Encryption, no WinXP support						x		x						S26361-F3663-E256	455,00	
	HDD SATA III 250GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)						x		x	x	x	x	x		S26361-F3660-E250	57,00	
	HDD SATA III 500GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)	x					x		x	x	x	x	x		S26361-F3660-E500	72,00	
	HDD SATA III 1000GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)	x					x		x	x	x	x	x		S26361-F3660-E100	112,00	
	HDD SATA III 2000GB 7.2k AF	occupies 3.5"-bay (internal), Advanced Format (AF)	x					x		x	x	x	x	x		S26361-F3660-E200	162,00	
	HDD SATA 320GB 5.4k	HDD SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.	x					x								S26391-F893-E320	166,00	
	HDD SATA 320GB 5.4k XP optimized	HDD SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T., XP optimized	x					x								S26391-F893-E321	202,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H810	CELSIUS H820	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W420	CELSIUS W620	CELSIUS W620power	Product Code	EUP (€)	Comments
Options matrix																		
Hard Disks (Continued)																		
	HDD SATA 320GB 5.4k FDE	Not for China!, HDD SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T., full disk encryption		x		x										S26391-F893-E328	228,00	
	HDD SATA II 160GB 7.2k 2.5	occupies 2.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology											x			S26361-F3640-E100	66,00	
	HDD SATA II 160GB 7.2k 2.5" incl. frame	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology											x			S26361-F3661-E160	66,00	
	HDD SATA II 160GB 7.2k 2.5"	occupies 2.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology											x	x		S26361-F3664-E160	70,00	
	2nd HDD SATA II 160GB 7.2k 2.5"	occupies 2.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology											x	x		S26361-F3665-E160	70,00	
	HDD SATA II 320GB 7.2k 2.5"	supports NCQ and 3GB/s, compatible to SATA technology.											x			S26361-F3721-E320	77,00	
	HDD SATA II 500GB 7.2k	HDD SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.					x									S26391-F1173-E507	252,00	Orderable from: 01/08/2012
	HDD SATA II 500GB 7.2k	HDD SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.			x											S26391-F1163-E507	252,00	
	HDD SATA 500GB 7.2k	HDD SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.	x			x										S26391-F893-E507	252,00	
	2x HDD SATA 500GB 7.2k	2 x HDD SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.					x									S26391-F893-E509	350,00	
	HDD SATA II 640GB 7.2k	HDD SATA, 7200 rpm, 640 GB, 2.5-inch, S.M.A.R.T.				x										S26391-F1163-E647	255,00	
	HDD SATA II 640GB 7.2k	HDD SATA, 7200 rpm, 640 GB, 2.5-inch, S.M.A.R.T.						x								S26391-F1173-E647	255,00	Orderable from: 01/08/2012
	HDD SATA II 1000GB 5.4k	HDD SATA, 5400 rpm, 1000 GB, 2.5-inch, S.M.A.R.T.				x										S26391-F1163-E100	349,00	New product
	HDD SATA 750GB 7.2k	HDD SATA, 7200 rpm, 750 GB, 2.5-inch, S.M.A.R.T.	x			x										S26391-F893-E757	296,00	
	2x HDD SATA 750GB 7.2k	2 x HDD SATA, 7200 rpm, 750 GB, 2.5-inch, S.M.A.R.T.					x									S26391-F893-E759	442,00	
	SSD SATA III 128GB	SSD SATA III, 128 GB, 2.5-inch				x										S26391-F1163-E820	299,00	
	SSD SATA III 128GB FDE	SSD SATA III FDE, 128 GB, 2.5-inch				x										S26391-F1163-E825	266,00	
	SSD SATA III 256GB	SSD SATA III, 256 GB, 2.5-inch				x										S26391-F1163-E835	346,00	
	SSD SATA III 512GB	SSD SATA III, 512 GB, 2.5-inch				x										S26391-F1163-E845	955,00	
	mSATA SSD 32GB	Cache module mSATA 32GB for IRST & Express Cache				x										S26391-F1163-E890	84,00	
	HDD SATA II 1000GB 5.4k	HDD SATA, 5400 rpm, 1000 GB, 2.5-inch, S.M.A.R.T.					x									S26391-F1173-E100	349,00	New product, Orderable from: 01/08/2012
	HDD SATA II 500GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)						x		x						S26361-F3435-E100	76,00	
	HDD SATA II 1000GB 7.2k	occupies 3.5"-bay (internal), mixed supply: 512 byte native or Advanced Format (AF)						x		x						S26361-F3568-E100	112,00	
	HDD SATA II 250GB 7.2k	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology						x		x	x					S26361-F3212-E30	63,00	Phased out
	HDD SATA III 500GB 7.2k BC	occupies 3.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology	x					x	x	x	x	x	x	x		S26361-F3497-E100	104,00	
	HDD SATA II 500GB 7.2k	occupies 3.5"-bay (internal)										x				S26361-F3705-E500	76,00	Phased out
	HDD SATA III 1000GB 7.2k BC	occupies 3.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology	x					x	x	x	x	x	x	x		S26361-F3521-E100	176,00	
	HDD SATA II 1000GB 7.2k	occupies 3.5"-bay (internal)										x				S26361-F3705-E100	113,00	Phased out
	HDD SATA II 2000GB 7.2k BC	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology	x					x	x	x	x	x	x	x		S26361-F3590-E100	290,00	
	HDD SATA III 300GB 10k	occupies 3.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology	x					x	x	x	x	x	x	x		S26361-F3527-E10	226,00	
	HDD SATA III 600GB 10k	occupies 3.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology	x					x	x	x	x	x	x	x		S26361-F3632-E100	406,00	
	HDD SATA III 300GB 10k 2.5"	occupies 2.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology,						x					x	x		S26361-F3760-E300	226,00	New product, Orderable from: 01/08/2012
	2nd HDD SATA III 300GB 10k 2.5"	occupies 2.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology,						x					x	x		S26361-F3761-E300	226,00	New product, Orderable from: 01/08/2012
	HDD SATA III 600GB 10k 2.5"	occupies 2.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology,						x					x	x		S26361-F3760-E600	406,00	New product, Orderable from: 01/08/2012
	2nd HDD SATA III 600GB 10k 2.5"	occupies 2.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology,						x					x	x		S26361-F3761-E600	406,00	New product, Orderable from: 01/08/2012
	HDD SAS 300GB 15k	occupies 3.5"-bay (internal)						x		x	x					S26361-F3414-E20	237,00	
	HDD SAS 450GB 15k	occupies 3.5"-bay (internal)						x		x	x					S26361-F3518-E20	288,00	
	HDD SAS 600GB 15k	occupies 3.5"-bay (internal)						x		x	x					S26361-F3591-E100	344,00	
	HDD SAS 300GB 15k 6G 2.5"	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, 2.5-inch,	x					x				x				S26361-F3738-E300	366,00	
	2nd HDD SAS 300GB 15k 6G 2.5"	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, 2.5-inch,						x				x				S26361-F3738-E302	366,00	
	HDD SAS 300GB 10k 6G 2.5"	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, 2.5-inch,	x					x				x				S26361-F3737-E300	226,00	
	2nd HDD SAS 300GB 10k 6G 2.5"	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, 2.5-inch,						x				x				S26361-F3737-E302	226,00	
	HDD SAS 450GB 10k 6G 2.5"	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, 2.5-inch,	x					x				x				S26361-F3737-E450	277,00	
	2nd HDD SAS 450GB 10k 6G 2.5"	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, 2.5-inch,						x				x				S26361-F3737-E452	277,00	
	HDD SAS 600GB 10k 6G 2.5"	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, 2.5-inch,	x					x				x				S26361-F3737-E600	333,00	
	2nd HDD SAS 600GB 10k 6G 2.5"	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, 2.5-inch,						x				x				S26361-F3737-E602	333,00	
	SSD SATA III 128GB	SSD SATA III, 128 GB, 2.5-inch														S26391-F1173-E820	299,00	Orderable from: 01/08/2012
	SSD SATA 128GB FDE	Not for China!, SSD SATA, 128 GB, 2.5-inch, full disk encryption	x			x										S26391-F893-E820	299,00	
	SSD SATA III 128GB 2.5"	SSD SATA III, 128 GB, 2.5-inch	x			x										S26391-F893-E821	266,00	
	SSD 128GB + HDD 750 GB	1x SSD SATA, 128 GB / 1x HDD SATA, 7200 rpm 750 GB, S.M.A.R.T.				x										S26391-F893-E823	610,00	
	SSD SATA III 128GB FDE	SSD SATA III FDE, 128 GB, 2.5-inch						x								S26391-F1173-E825	266,00	Orderable from: 01/08/2012
	SSD 128/HDD 500GB	1x SSD SATA, 128 GB / 1x HDD SATA, 7200 rpm 500 GB, S.M.A.R.T.						x								S26391-F893-E825	555,00	
	SSD highspeed 128/HDD 500GB	1x SSD SATA III, 128 GB / 1x HDD SATA, 7200 rpm 500 GB, S.M.A.R.T.						x								S26391-F893-E826	555,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H810	CELSIUS H820	CELSIUS M470-2	CELSIUS M720	CELSIUS R670-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W420	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix																	
Hard Disks (Continued)																	
	SSD SATA 256GB FDE	Not for China! , , SSD SATA, 256 GB, 2.5-inch, full disk encryption	x	x											S26391-F893-E830	877,00	
	SSD SATA III 256GB 2.5"	SSD SATA III, 256 GB, 2.5-inch		x	x										S26391-F893-E831	346,00	
	SSD 256GB + HDD 500 GB	1x SSD SATA, 256 GB / 1x HDD SATA, 7200 rpm 500 GB, S.M.A.R.T.				x									S26391-F893-E832	533,00	
	SSD 256GB + HDD 750 GB	1x SSD SATA, 256 GB / 1x HDD SATA, 7200 rpm 750 GB, S.M.A.R.T.				x									S26391-F893-E833	566,00	
	SSD SATA III 256GB	SSD SATA III, 256 GB, 2.5-inch					x								S26391-F1173-E835	346,00	Orderable from: 01/08/2012
	SSD SATA 512GB (FDE)	Not for China! , , SSD SATA 512 GB, 2.5-inch, full disk encryption	x	x											S26391-F893-E840	#####	
	SSD SATA III 512GB	SSD SATA III, 512 GB, 2.5-inch					x								S26391-F1173-E845	955,00	Orderable from: 01/08/2012
	2x SSD SATA 512GB (FDE)	2 x SSD SATA, 512 GB, 2.5-inch, full disk encryption,				x									S26391-F893-E849	#####	
	2nd HDD SATA II 500GB 7.2k							x							S26391-F1173-E957	252,00	Orderable from: 01/08/2012
	2nd HDD SATA II 640GB 7.2k	HDD SATA, 7200 rpm, 640 GB, 2.5-inch, S.M.A.R.T.						x							S26391-F1173-E967	255,00	Orderable from: 01/08/2012
	2nd HDD SATA II 1000GB 5.4k	HDD SATA, 5400 rpm, 1000 GB, 2.5-inch, S.M.A.R.T.					x								S26391-F1173-E910	349,00	New product, Orderable from: 01/08/2012
	2nd SSD SATA III 128GB FDE	SSD SATA III FDE, 128 GB, 2.5-inch						x							S26391-F1173-E980	299,00	Orderable from: 01/08/2012
	2nd SSD SATA III 128GB	SSD SATA III, 128 GB, 2.5-inch						x							S26391-F1173-E981	266,00	Orderable from: 01/08/2012
	2nd SSD SATA III 256GB	SSD SATA III, 256 GB, 2.5-inch						x							S26391-F1173-E982	346,00	Orderable from: 01/08/2012
	2nd SSD SATA III 512GB	SSD SATA III, 512 GB, 2.5-inch						x							S26391-F1173-E985	955,00	Orderable from: 01/08/2012
	Cable for SATA HDD	necessary for each S-ATA hard disk drive				x			x	x					S26361-F2581-E31	3,00	
	Cable for SATA HDD										x				S26361-F2581-E35	3,00	
	Cable for SAS HDD									x					S26361-F2581-E41	3,00	
	Cable for SSD HDD										x				S26361-F2581-E42	3,00	
	Cable for 4x SAS HDD							x			x				S26361-F4030-E23	7,00	
	Rails for 2x HDD 3.5"							x			x				S26361-F4030-E20	4,00	
	Rails for 2x HDD 2.5"							x			x				S26361-F4030-E40	4,00	
	2.5" Drive Slot Cover		x												S26361-F4030-E50	4,00	
	2.5" HDD Carrier		x												S26361-F4030-E51	7,00	
	3.5" Drive Slot Cover		x												S26361-F4030-E60	4,00	
	3.5" HDD Carrier		x												S26361-F4030-E61	7,00	
SCSI/RAID/SAS controller																	
	SAS Controller D2507 (LSI1064e)x4	4 ports incl. cables, PCIe x4						x	x						S26361-F3976-E1	95,00	
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports, RAID Levels 0, 1, and 10 ,						x				x			S26361-F3976-E2	139,00	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal ports, RAID levels 0, 1, 5 and 6	x						x						S26361-F3976-E3	236,00	
	RAID Contr BBU Upgrade RAID 5/6	RAID controller battery-backup-unit,	x										x		S26361-F3976-E99	106,00	
	4-Port SAS-UpgradeRom	upgrade of 4x onboard SATA to 4x onboard SAS (incl. RAID 0,1,10 license),							x						S26361-F2581-E49	29,00	
	8-Port SAS-UpgradeRom	upgrade of 4x onboard SATA to 8x onboard SAS (incl. RAID 0,1,10 license)												x	S26361-F2581-E43	50,00	
Communication/Network																	
	Dual 1 Gigabit Ethernet PCIe x4		x					x	x	x	x	x			S26361-F3067-E80	110,00	
	USB 3.0 PCIe x1							x	x	x	x				S26361-F3067-E10	26,00	
	Gigabit Ethernet PCIe x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash manageability for AMD platforms, RJ45, WoL, autotdetect, PXE Boot, PCI Express 2.0	x					x				x	x	x	S26361-F3067-E60	17,00	
	No UMTS + No UMTS Antenna		x												S26391-F895-E110	2,00	
	No UMTS + UMTS Antenna	Not for China!	x												S26391-F895-E120	12,00	
	UMTS Sierra Wireless Gobi 3000	Not for China!	x												S26391-F895-E125	88,00	
	Modem module (NOT for China)	for China please use S26391-F895-E135 No Modem	x												S26391-F895-E130	10,00	
	No Modem		x												S26391-F895-E135	2,00	
	No WLAN		x	x	x										S26391-F955-E210	2,00	
	Intel Centrino 6205 a/b/q/n				x										S26391-F1165-E200	18,00	
	WLAN Advanced Intel Centrino 6205 a/b/q/n					x									S26391-F1175-E200	18,00	Orderable from: 01/08/2012
	WLAN Intel Centrino 2200 b/g/n				x										S26391-F1165-E210	12,00	
	WLAN Intel Centrino 2200 b/g/n						x								S26391-F1175-E210	12,00	Orderable from: 01/08/2012
	WLAN Atheros 802.11b/g/n (WW)		x		x										S26391-F955-E230	10,00	
	Intel Centrino 6205 802.11a/b/g/n (WW)		x		x										S26391-F955-E240	22,00	
	Gigabit Ethernet PCIe x1	Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autotdetect, PXE Boot, PCI Express						x	x	x	x	x			S26361-F3067-E40	16,00	Phased out
	No Bluetooth		x												S26391-F895-E310	2,00	
	Bluetooth Module V4.0			x											S26391-F955-E310	2,00	
	Bluetooth Module V2.1			x											S26391-F1165-E320	23,00	
	Dual 10 Gigabit Ethernet PCIe x8	FTS D2755, without SFP+ modules	x					x	x	x	x	x			S26361-F3067-E70	344,00	
	InfiniBand HCA 40GB/s, 1-Port, QDR		x									x			S26361-F3067-E100	488,00	
	No UMTS/No LTE	no antennas in the system = no future upgrade possible			x										S26391-F1165-E500	2,00	
	No UMTS/No LTE					x									S26391-F1175-E500	2,00	Orderable from: 01/08/2012
	UMTS/LTE ready kit	only antennas included in the system to ensure future upgrade with UMTS/LTE module,		x											S26391-F1165-E510	12,00	
	UMTS/LTE ready kit					x									S26391-F1175-E510	12,00	Orderable from: 01/08/2012
	No UMTS + No UMTS Antenna					x									S26391-F895-E510	2,00	
	InfiniBand HCA 40GB/s, 2-Port, QDR		x									x			S26361-F3067-E110	633,00	
	UMTS Sierra Wireless Gobi 3000				x										S26391-F1165-E520	88,00	
	UMTS Sierra Wireless Gobi 3000					x									S26391-F1175-E520	88,00	Orderable from: 01/08/2012
	UMTS Sierra Wireless Gobi 3000	Not for China!				x									S26391-F895-E525	88,00	
	LTE module Sierra Wireless			x											S26391-F1165-E530	144,00	
	LTE module Sierra Wireless					x									S26391-F1175-E530	144,00	Orderable from: 01/08/2012
	No Bluetooth				x										S26391-F895-E610	2,00	
	Bluetooth Module V4.0					x									S26391-F1175-E320	23,00	Orderable from: 01/08/2012
	Bluetooth Module V3.0					x									S26391-F895-E620	23,00	
	Modem adapter kit (EU) w/ modem cable	includes all adapter for EU internal WLAN module, occupies 1 internal USB interface; only EMEA	x												S26391-F646-E100	33,00	
	WLAN III, 802.11g/Draft-n							x	x	x	x	x	x		S26361-F3108-E5	16,00	
	Parallel Interface FH	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height						x					x	x	S26361-F2542-E34	3,00	
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot; full height						x	x	x	x	x	x		S26361-F2542-E70	4,00	
	Dual serial card PCIe x1	Dual Port RS232 via splitter cable						x	x	x	x	x	x		S26361-F3316-E6	22,00	
	Dual serial card PCIe x1, powered	Dual Port RS232 via splitter cable						x	x	x	x	x	x		S26361-F3316-E7	23,00	
Multimedia Module																	



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H810	CELSIUS H820	CELSIUS M470-2	CELSIUS M720	CELSIUS R670-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W420	CELSIUS W620	CELSIUS W620power	Product Code	EUP (€)	Comments
Options matrix																		
Multimedia Module (Continued)																		
	2x Digital array microphones			x												S26391-F1160-E500	8,00	
	2x Digital array mics + 2Mpix Webcam			x												S26391-F1160-E510	26,00	
	Digital microphone						x									S26391-F1170-E500	8,00	Orderable from: 01/08/2012
	Digital mic + Webcam						x									S26391-F1170-E510	26,00	Orderable from: 01/08/2012
	2x Digital array microphones		x													S26391-F890-E710	8,00	
	2x Digital array mics + 2Mpix Webcam		x													S26391-F890-E720	26,00	
	Digital microphone						x									S26391-F890-E810	8,00	
	Digital mic + Webcam						x									S26391-F890-E820	26,00	
Mobile Security																		
	TPM module						x									S26391-F1179-E100	8,00	Orderable from: 01/08/2012
	TPM module			x												S26391-F1169-E100	8,00	
	No Fingerprint Module															S26391-F899-E100	4,00	
	Fingerprint Module incl. Smart Access						x									S26391-F899-E200	26,00	
	TPM module	Not for China!					x	x								S26391-F989-E300	8,00	
	EraseDisk	Firmware-embedded, unique feature to erase sensible data unrecoverable from the hard disk		x	x	x	x									S26391-F993-E100	23,00	
	SystemLock3	SystemLock3 Smartcard BIOS Pre-Boot Authentication							x	x						S26391-F993-E200	18,00	
	Kensington Lock cable			x	x	x	x									S26391-F959-E400	55,00	
Rack-Infrastructure																		
	RMK-F1_DI_CMA_QRL	Telescopic drop-in rails, full extraction with vario-carrier, pre-assembled with centre screw., Rack installation depth (19" pillar distance) between 714mm and 785mm	x													S26361-F2735-E145	95,00	
	Rack installation ex works, SX10, 1U Nod	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely pre-mounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.	x													S26361-F1647-E302	65,00	
Country kits																		
	Country kit US-cable (INT)	incl. power cord (US), safety manuals (EU+, non EU)	x									x	x	x	x	S26361-F2930-E100	8,00	
	Country kit (DE)	Germany; incl. power cord (Euro), safety manual (DE)	x					x	x	x	x	x	x	x	x	S26361-F2930-E101	8,00	
	Country kit (IT)	incl. power cord (I), safety manual (I)	x					x	x	x	x	x	x	x	x	S26361-F2930-E104	8,00	
	Country kit (GB)	incl. power cord (GB), safety manual (GB)	x					x	x	x	x	x	x	x	x	S26361-F2930-E105	8,00	
	Country kit GB-cable (non EU)	incl. power cord (GB), safety manual (INT)	x					x	x	x	x	x	x	x	x	S26361-F2930-E110	8,00	
	Country kit without power cord (INT)	without power cord, incl. safety manual (INT)	x					x	x	x	x	x	x	x	x	S26361-F2930-E135	8,00	
	Country kit Euro-cable (EU+)	incl. power cord (Euro), safety manual (EU+)	x					x	x	x	x	x	x	x	x	S26361-F2930-E141	8,00	
	Country kit (DE)			x												S26391-F1168-E100	8,00	
	Country kit (INT)			x												S26391-F1168-E200	8,00	
	Country kit (GB)			x												S26391-F1168-E300	8,00	
	Country kit (DE)							x								S26391-F1178-E100	8,00	Orderable from: 01/08/2012
	Country kit (INT)							x								S26391-F1178-E200	8,00	Orderable from: 01/08/2012
	Country kit (GB)							x								S26391-F1178-E300	8,00	Orderable from: 01/08/2012
	Country kit (D)							x								S26391-F898-E500	8,00	
	Country kit (GB)							x								S26391-F898-E600	8,00	
	Country Kit (INT)							x								S26391-F898-E700	8,00	
	Country kit (D)			x												S26391-F898-E100	8,00	
	Country Kit (INT)			x												S26391-F898-E200	8,00	
	Country kit (GB)			x												S26391-F898-E300	8,00	
	Warranty Card Poland			x	x	x	x									S26391-F781-E500	2,00	
	Made in Germany sticker	The „Made in Germany“ sticker prominently displays this universally admired differentiating product value	x					x	x	x	x	x	x	x	x	S26391-F404-E911	2,00	
Power supply																		
	Battery 6cell 6700mAh	Lithium-Ion, 10.8V, 72Wh.		x												S26391-F1166-E100	58,00	
	3pin AC Adapter 19V/150W (H720-MM)	3pin AC Adapter 19V/150W for use with H720 notebook system, Mickey Mouse (MM) connector type,		x												S26391-F1166-E220	55,00	
	Battery 8cell 5800mAh	Lithium-Ion, 14.4V, 83Wh. .						x								S26391-F1176-E100	77,00	Orderable from: 01/08/2012
	3pin AC Adapter 19V/210W			x				x								S26391-F1176-E210	66,00	
	AC Adapter 19V/210W							x								S26391-F896-E500	66,00	
	Battery 8cell 5800mAh			x				x								S26391-F896-E700	77,00	
	Power cable EU							x								S26391-F878-E210	5,00	
	Power cable US							x								S26391-F878-E220	5,00	
	Power cable GB							x								S26391-F878-E230	5,00	
	AC cable for 2-pin China							x								S26391-F878-E240	6,00	
	3-pin Power cable EU	3pin power cable for EU, Mickey Mouse (MM) connector type (for H720),		x	x											S26391-F878-E310	6,00	
	3-pin Power Cable US	3pin power cable for US, Mickey Mouse (MM) connector type (for H720)						x								S26391-F878-E320	7,00	
	3-pin Power Cable GB	3pin power cable for GB, Mickey Mouse (MM) connector type (for H720)						x								S26391-F878-E330	7,00	
	AC cable for 3-pin China	3pin power cable for China, Mickey Mouse (MM) connector type (for H720)						x								S26391-F878-E340	7,00	Orderable from: 01/08/2012
	3-pin Power Cable CH							x								S26391-F878-E360	7,00	
	3pin AC Adapter 19V/120W	for Russia/GOST		x												S26391-F886-E400	33,00	
	AC cable for 3-pin EU	3pin power cable for EU, DeskTop (DT) connector type (for H920 and/or Portreplicator)				x	x	x								S26391-F878-E410	7,00	
	AC cable for 3-pin US	3pin power cable for US, DeskTop (DT) connector type (for H920 and/or Portreplicator)				x	x	x								S26391-F878-E420	7,00	
	AC cable for 3-pin GB	3pin power cable for GB, DeskTop (DT) connector type (for H920 and/or Portreplicator)				x	x	x								S26391-F878-E430	7,00	
	AC cable for 3-pin China	3pin power cable for China, DeskTop (DT) connector type (for H920 and/or Portreplicator)				x	x	x								S26391-F878-E440	7,00	
	AC cable for 3-pin Switzerland	3pin power cable for Switzerland, DeskTop (DT) connector type (for H920 and/or Portreplicator),				x	x	x								S26391-F878-E450	7,00	
	2pin AC Adapter 19V/120W			x												S26391-F886-E700	28,00	
Port Replicator																		
	Port Replicator			x												S26391-F1167-E100	77,00	
	No Port Replicator			x												S26391-F1167-E200	4,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H810	CELSIUS H820	CELSIUS M470-2	CELSIUS M720	CELSIUS R670-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix																		
Port Replicator (Continued)																		
	Port replicator					x										S26391-F897-E100	77,00	
	Port Replicator		x													S26391-F987-E100	77,00	
OneBox-Keyboards																		
	KBPC PX ECO US	KBPC PX ECO US, professional GreenIT keyboard, US-English, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x					x	x	x	x	x	x	x	x	S26381-K341-E110	27,00	
	KBPC PX ECO D	KBPC PX ECO D, professional GreenIT keyboard, Layout German, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x					x	x	x	x	x	x	x	x	S26381-K341-E120	27,00	
	KBPC PX ECO GB	KBPC PX ECO GB, professional GreenIT keyboard, Layout Great Britain, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x					x	x	x	x	x	x	x	x	S26381-K341-E165	27,00	
	KBPC PX ECO I	KBPC PX ECO I, professional GreenIT keyboard, Layout Italy, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x					x	x	x	x	x	x	x	x	S26381-K341-E185	27,00	
	KB410 USB BLACK US	KB410 USB, slim value keyboard with US layout on 105-key modul in black. Fixed USB cable 1.8 m.	x						x			x	x	x	x	S26381-K510-E402	13,00	
	KB410 USB BLACK DE	KB410 USB, slim value keyboard with german layout on 105-key modul in black. Fixed USB cable 1.8 m.	x						x			x	x	x	x	S26381-K510-E420	13,00	
	KB410 USB BLACK GB	KB410 USB, slim value keyboard with english layout on 105-key modul in black. Fixed USB cable 1.8 m.	x						x			x	x	x	x	S26381-K510-E465	13,00	
	KB410 USB BLACK AR/GB	KB410 USB, slim value keyboard with arabic / english layout on 105-key modul in black. Fixed USB cable 1.8 m.	x						x			x	x	x	x	S26381-K510-E466	13,00	
	KB410 USB BLACK IT	KB410 USB, slim value keyboard with italian layout on 105-key modul in black. Fixed USB cable 1.8 m.	x						x			x	x	x	x	S26381-K510-E485	13,00	
	KB410 PS2 BLACK US	KB410 PS2, slim value keyboard with US layout on 105-key modul in black. PS2 cable 1.8 m.							x			x	x	x	x	S26381-K515-E402	13,00	
	KB410 PS2 BLACK DE	KB410 PS2, slim value keyboard with german layout on 105-key modul in black. PS2 cable 1.8 m.							x			x	x	x	x	S26381-K515-E420	13,00	
	KB410 PS2 BLACK CA/FR	KB410 PS2, slim value keyboard with 105-key modul in black. PS2 cable 1.8 m.							x			x	x	x	x	S26381-K515-E439	13,00	
	KB410 PS2 BLACK GB	KB410 PS2, slim value keyboard with english layout on 105-key modul in black. PS2 cable 1.8 m.							x			x	x	x	x	S26381-K515-E465	13,00	
	KB410 PS2 BLACK IT	KB410 PS2, slim value keyboard with italian layout on 105-key modul in black. PS2 cable 1.8 m.							x			x	x	x	x	S26381-K515-E485	13,00	
	KB520 US	KB520 keyboard standard, marble grey, US, cable USB 2m,	x					x	x	x	x	x	x	x	x	S26381-K520-E102	13,00	
	KB520 DE	KB520 keyboard standard, marble grey, Germany, cable USB 2m,	x					x	x	x	x	x	x	x	x	S26381-K520-E120	13,00	
	KB520 GB	KB520 keyboard standard, marble grey, Great Britain, cable USB 2m,	x					x	x	x	x	x	x	x	x	S26381-K520-E165	13,00	
	KB520 IT	KB520 keyboard standard, marble grey, Italy, cable USB 2m,	x					x	x	x	x	x	x	x	x	S26381-K520-E185	13,00	
	KB400 USB black US	KB400 USB INT USA, SLIM value keyboard black, international and USA layout, USB						x	x	x						S26381-K550-E402	10,00	
	KB400 USB black D	KB400 USB D, SLIM value keyboard black, german layout, USB						x	x	x						S26381-K550-E420	10,00	
	KB400 USB black GB	KB400 USB GB, SLIM value keyboard black, english layout, USB						x	x	x						S26381-K550-E465	10,00	
	KB400 USB black I	KB400 USB I, SLIM value keyboard black, italian layout, USB						x	x	x						S26381-K550-E485	10,00	
	KB400 PS2 US	KB400 PS2 US, SLIM value Keyboard black US english PS2						x	x	x	x	x	x	x	x	S26381-K551-E402	10,00	
	KB400 PS2 black D	KB400 PS2 D, SLIM value Keyboard black Germany PS2						x	x	x	x	x	x	x	x	S26381-K551-E420	10,00	
	KB400 PS2 black GB	KB400 PS2 GB, SLIM value Keyboard black UK PS2						x	x	x	x	x	x	x	x	S26381-K551-E465	10,00	
	KB400 PS2 black AR/GB	KB400 PS2 AR/GB, SLIM value Keyboard black Arabic UK PS2						x	x	x	x	x	x	x	x	S26381-K551-E466	10,00	
	KB400 PS2 black I	KB400 PS2 I, SLIM value Keyboard black Italian PS2						x	x	x	x	x	x	x	x	S26381-K551-E485	10,00	
	Keyboard KB900 USB US	KB900 USB USA, american layout, spill-proof, black, 1.8 m USB cable	x					x	x	x	x	x	x	x	x	S26381-K560-E402	16,00	
	Keyboard KB900 USB D	KB900 USB D, german layout, spill-proof, black, 1.8 m USB cable	x					x	x	x	x	x	x	x	x	S26381-K560-E420	16,00	
	Keyboard KB900 USB GB	KB900 USB GB, english layout, spill-proof, black, 1.8 m USB cable	x					x	x	x	x	x	x	x	x	S26381-K560-E465	16,00	
	Keyboard KB900 USB IT	KB900 USB I, italian layout, spill-proof, black, 1.8 m USB cable	x					x	x	x	x	x	x	x	x	S26381-K560-E485	16,00	
	Black Keyboard w/o TS Spillproof D	Germany		x												S26391-F626-E121	12,00	
	Black Keyboard w/o TS Spillproof I	Italy		x												S26391-F626-E123	12,00	
	Black Keyboard w/o TS Spillproof GB	Great Britain		x												S26391-F626-E125	12,00	
	Black Keyboard w/o TS Spillproof US	US English		x												S26391-F626-E134	12,00	
	Keyboard w/ TS 10key DE				x	x	x									S26391-F669-E121	39,00	
	Keyboard w/ TS 10key IT				x	x	x									S26391-F669-E123	39,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H810	CELSIUS H820	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W420	CELSIUS W620	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix																		
OneBox-Keyboards (Continued)																		
	Keyboard w/ TS 10key GB			x	x	x										S26391-F669-E125	39,00	
	Keyboard w/ TS 10key US				x	x	x									S26391-F669-E134	39,00	
	Keyboard w/ TS DE		x													S26391-F678-E121	23,00	
	Keyboard w/ TS IT		x													S26391-F678-E123	23,00	
	Keyboard w/ TS GB		x													S26391-F678-E125	23,00	
	Keyboard w/ TS US		x													S26391-F678-E134	23,00	
	Keyboard w/o TS DE		x													S26391-F678-E221	12,00	
	Keyboard w/o TS IT		x													S26391-F678-E223	12,00	
	Keyboard w/o TS GB		x													S26391-F678-E225	12,00	
	Keyboard w/o TS US		x													S26391-F678-E234	12,00	
	Keyboard black w/ TS 10key DE			x		x										S26391-F901-E221	34,00	
	Keyboard black w/ TS 10key IT			x		x										S26391-F901-E223	34,00	
	Keyboard black w/ TS 10key GB															S26391-F901-E225	34,00	
	Keyboard black w/ TS 10key US			x		x										S26391-F901-E234	34,00	
	PS2 Keyboard Cable 2,0m	Keyboard cable PS2 for KBPC PX ECO, ca. 2,0 m length						x	x	x	x	x	x	x	x	T26139-Y4530-E1	4,00	
OS/Application-SW																		
	Nero 9 Essentials XL	Recording software, Showtime, (DVD-video but no Blu-ray playback), BackItUp/ on DVD						x		x	x					S26361-F1818-E893	10,00	
	Nero 10 Essentials XL	Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data BackUp on DVD, BackItUp	x						x			x	x	x	x	S26361-F1818-E897	10,00	
	Drivers&Utilities DVD (XP) CELSIUS		x					x	x	x	x	x	x	x	x	S26361-F2007-E912	3,00	
	No Operating System			x	x	x	x									S26361-F2008-E100	4,00	
	Nero 9 Essentials XL	Recording software, Showtime, (DVD-video but no Blu-ray playback), BackItUp/ on DVD		x		x										S26361-F2008-E893	10,00	
	Nero 10 Essentials XL	Recording software, SmartStart, DVD-video but no Blu-ray playback, Kwik Media, Data BackUp on DVD, BackItUp			x		x									S26361-F2008-E897	10,00	
	SAG CAT Client XP/ WIN7 Apr10	preloaded XP Prof., short documentation						x			x					S26361-F2009-E985	4,00	
	Drivers&Utilities DVD Mobile H				x		x									S26361-F2012-E103	3,00	
	SAG CAT Client WIN7 Jul12	preloaded XP Prof., short documentation						x				x	x			S26361-F2109-E985	4,00	
	OEM Office Home and Student 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. , Not to be distributed to small business or the United States Federal Government.	x	x	x	x										S26361-F2110-E177	110,00	
	Lizenz EU/MM - Windows 7 Ultimate	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x					x				x	x	x	x	S26361-F2210-E325	180,00	
	License EU/MM - Windows 7 Home Premium	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.					x	x					x	x	x	S26361-F2009-E243	99,00	
	License EU/MM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x				x	x	x	x	x	x	x	x	x	S26361-F2009-E253	134,00	
	OEM Office Home and Student 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. , Not to be distributed to small business or the United States Federal Government.	x	x	x	x										S26361-F2110-E180	110,00	
	OEM Office Home and Student 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. , Not to be distributed to small business or the United States Federal Government.	x	x	x	x										S26361-F2110-E181	110,00	
	OEM Office Home and Business 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only. , Not to be distributed to the United States Federal Government.	x	x	x	x										S26361-F2110-E182	194,00	
	License RUS - Windows 7 Home Basic	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).											x			S26361-F2009-E232	54,00	
	License RUS - Windows 7 Home Premium	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).					x	x					x	x	x	S26361-F2009-E242	86,00	
	License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).	x				x	x	x	x	x	x	x	x	x	S26361-F2009-E252	126,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H810	CELSIUS H820	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W420	CELSIUS W520	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix																		
OS/Application-SW (Continued)																		
OEM Office Home and Business 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.		x	x	x	x										S26361-F2110-E185	194,00	
OEM Office Home and Business 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.		x	x	x	x										S26361-F2110-E186	194,00	
Drivers&Utilities DVD Mobile H	incl. Nero Essentials S, Norton Internet Security Trial 90 days		x		x											S26361-F2010-E199	3,00	
OEM Office Professional 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.		x	x	x	x										S26361-F2110-E187	333,00	
OEM Office Professional 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.		x	x	x	x										S26361-F2110-E190	333,00	
License EM - Windows 7 Home Basic	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro												x			S26361-F2009-E234	68,00	
License EM - Windows 7 Home Premium	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro						x	x				x	x	x		S26361-F2009-E244	99,00	
License EM - Windows 7 Professional	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro	x					x	x	x	x	x	x	x	x		S26361-F2009-E254	134,00	
License EM-MEA - Windows 7 Home Basic	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe												x			S26361-F2009-E235	68,00	
OEM Office Professional 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.		x	x	x	x										S26361-F2110-E191	333,00	
License EM-MEA - Windows 7 Home Premium	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe						x	x				x	x	x		S26361-F2009-E245	99,00	



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H810	CELSIUS H820	CELSIUS M470-2	CELSIUS M720	CELSIUS R670-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W420	CELSIUS W620	CELSIUS W620power	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																		
	OEM Office Home and Student 2010 MPI MM	Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote 2010. Package contains: License, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x	x	x	x										S26361-F2010-E281	110,00	
	License EM-MEA - Windows 7 Professional	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe	x					x	x	x	x	x	x	x	x	S26361-F2009-E255	134,00	
	OEM Office Home and Business 2010 MPI MM	Activates Preload Windows Office Home and Business 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook2010, Package contains: License, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x	x	x	x										S26361-F2010-E282	194,00	
	OEM Office Professional 2010 MPI MM	Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License	x	x	x	x										S26361-F2010-E283	333,00	
	License EM-SEA - Windows 7 Home Basic	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam											x			S26361-F2009-E236	68,00	
	License EM-SEA - Windows 7 Home Premium	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam						x	x				x	x	x	S26361-F2009-E246	99,00	
	License EM-SEA - Windows 7 Professional	EM-SEA. Select for shipments in: Bangladesh, Bhutan, British Indian Ocean Territory, Brunei, Cambodia, Fiji Islands, Indonesia, Kiribati, Lao PDR, Malaysia, Maldives, Marshall Islands, Micronesia, Mongolia, Nepal, Northern Mariana Islands, Palau, Papua New Guinea, Philippines, Samoa, Solomon Islands, Sri Lanka, Thailand, Timor-Leste, Tonga, Vanuatu, Vietnam	x					x	x	x	x	x	x	x	x	S26361-F2009-E256	134,00	
	OEM Office Home and Student 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only., Not to be distributed to small business or the United States Federal Government.						x		x	x					S26361-F2009-E177	110,00	Phased out



Windows®. Life without Walls™. Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H810	CELSIUS H820	CELSIUS M470-2	CELSIUS M720	CELSIUS R670-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W420	CELSIUS W620	CELSIUS W620power	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																		
	OEM Office Home and Student 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only., Not to be distributed to small business or the United States Federal Government.						x		x	x					S26361-F2009-E180	110,00	Phased out
	OEM Office Home and Student 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only., Not to be distributed to small business or the United States Federal Government.						x		x	x					S26361-F2009-E181	110,00	Phased out
	OEM Office Home and Business 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.						x		x	x					S26361-F2009-E182	194,00	Phased out
	OEM Office Home and Business 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.						x		x	x					S26361-F2009-E185	194,00	Phased out
	OEM Office Home and Business 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.						x		x	x					S26361-F2009-E186	194,00	Phased out
	OEM Office Professional 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.						x		x	x					S26361-F2009-E187	333,00	Phased out
	OEM Office Professional 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.						x		x	x					S26361-F2009-E190	333,00	Phased out
	OEM Office Professional 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.						x		x	x					S26361-F2009-E191	333,00	Phased out
	OEM Office Home and Student 2010 MPI MM	Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote 2010, Package contains: License only. For recovery purposes Fujitsu Recovery or RDVD is needed., The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN., NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x					x	x	x	x	x	x	x	x	S26361-F2009-E271	110,00	
	OEM Office Home and Business 2010 MPI MM	Activates Preload Windows Office Home and Business 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook2010, Package contains: License only. For recovery purposes Fujitsu Recovery or RDVD is needed., The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN., NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x					x	x	x	x	x	x	x	x	S26361-F2009-E272	194,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H810	CELSIUS H820	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W420	CELSIUS W620	CELSIUS W520power	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																		
	OEM Office Professional 2010 MPI MM	Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License only. For recovery purposes Fujitsu Recovery or RDVD is needed!, The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x					x	x	x	x	x	x	x	x	S26361-F2009-E273	333,00	
	License EM-INDIA Windows 7 Home Basic	EM-INDIA. Select for shipments to: India												x		S26361-F2009-E238	68,00	
	License EM-INDIA Windows 7 Home Premium	EM-INDIA. Select for shipments to: India						x	x					x	x	S26361-F2009-E248	99,00	
	License EM-INDIA Windows 7 Professional	EM-INDIA. Select for shipments to: India	x					x	x	x	x	x	x	x	x	S26361-F2009-E258	134,00	
	LicenseChinTradTaiwan Win 7 Professional	License sticker (COA) MM-ChinTradTaiwan, Mature Markets ChinTrad, English, Shipment limited to Taiwan,	x					x	x					x	x	S26361-F2210-E122	134,00	
	License EM-ChinSimpl Win 7 Professional	License sticker (COA) EM-ChinSimpl PRC, Emerging Market PeoplesRepublicChina, Shipment limited to PRChina,	x					x	x					x	x	S26361-F2210-E123	134,00	
	LicenseChinTrad HK - Win7 Professional	License sticker (COA) MM-ChinTrad HK, Mature Markets ChinTradHongkong, English, Worldwide Shipment w/o PRChina + Japan,	x					x	x					x	x	S26361-F2210-E124	134,00	
	LicenseChinTradTaiwan Win 7 Home Premium	License sticker (COA) MM-ChinTradTaiwan, Mature Markets ChinTrad, English, Shipment limited to Taiwan,												x	x	S26361-F2210-E222	99,00	
	License EM-ChinSimpl Win 7 Home Premium	License sticker (COA) EM-ChinSimpl PRC, Emerging Market PeoplesRepublicChina, Shipment limited to PRChina,												x	x	S26361-F2210-E223	99,00	
	License ChinTrad HK - Win 7 Home Premium	License sticker (COA) MM-ChinTrad HK, Mature Markets ChinTradHongkong, English, Worldwide Shipment w/o PRChina + Japan,												x	x	S26361-F2210-E224	99,00	
	Blu-ray playback software	DVD-video and Blu-ray playback, on DVD, . Blu-ray playback is not supported under Windows XP if the system runs on Intel onboard graphics.						x	x	x	x	x				S26361-F2007-E420	33,00	
	Blue-ray playback software	DVD-video and Blu-ray playback, on DVD, . Blu-ray playback is not supported under Windows XP if the system runs on Intel onboard graphics.	x						x					x	x	S26361-F2007-E421	33,00	
	No Operating System		x					x	x	x	x	x	x	x	x	S26361-F1818-E100	2,00	
	Win7 HomePremium64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.														S26361-F2109-E441	4,00	
	Win7 HomePremium64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x							S26361-F2109-E442	4,00	
	Win7 HomePremium64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x							S26361-F2109-E443	4,00	
	Win7 HomePremium64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x							S26361-F2109-E444	4,00	
	Win7 HomePremium64 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x							S26361-F2109-E445	4,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H810	CELSIUS H820	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W420	CELSIUS W620	CELSIUS W520power	Product Code	EUP (€)	Comments
Options matrix																		
OS/Application-SW (Continued)																		
	Win7 HomePremium64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x				x	x	x	S26361-F2109-E446	4,00	
	Win7 Pro32 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x					x		x	x		x	x	x	S26361-F2109-E351	4,00	
	Win7 Pro32 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x					x		x	x		x	x	x	S26361-F2109-E352	4,00	
	Win7 Pro32 EM+SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x					x		x	x		x	x	x	S26361-F2109-E353	4,00	
	Win7 Pro32 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x					x		x	x		x	x	x	S26361-F2109-E354	4,00	
	Win7 Pro32 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x					x		x	x		x	x	x	S26361-F2109-E355	4,00	
	Win7 Pro 32 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x					x		x	x		x	x	x	S26361-F2109-E356	4,00	
	Win7 Pro64 MAIN + Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x					x	x	x	x		x	x	x	S26361-F2109-E451	4,00	
	Win7 Pro64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x					x	x	x	x		x	x	x	S26361-F2109-E452	4,00	
	Win7 Pro64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x					x	x	x	x		x	x	x	S26361-F2109-E453	4,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H810	CELSIUS H820	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W420	CELSIUS W620	CELSIUS W520power	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																		
Win7 Pro64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe). Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak). Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x					x	x	x	x	x	x	x	x	S26361-F2109-E454	4,00	
Win7 Pro64 SEE+Office2010s	MuLi SEE (South Eastern Europe). Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian). Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x					x	x	x	x	x	x	x	x	S26361-F2109-E455	4,00	
Win7 Pro 64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x					x	x	x	x	x	x	x	x	S26361-F2109-E456	4,00	
Win7 HomeBasic32 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.												x			S26361-F2109-E336	3,00	
Win7 HomeBasic32 EM+SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish). Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.												x			S26361-F2109-E333	3,00	
Win7 Ultimate64 + Office2010s	Preload: MuLi Ultimate DE/EN, Languages: DE, EN (German, English). Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x					x				x	x	x	x	S26361-F2210-E305	4,00	
Drivers&Utilities DVD (WIN7)	incl. Nero Essentials S, Norton Internet Security Trial 90 days		x					x	x	x	x	x	x	x	x	S26361-F2007-E909	3,00	
REC-DVD Win7 HomeBasic 32bit RUS	RU													x		S26361-F2009-E532	3,00	
License EU/MM - Windows 7 Home Premium	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.			x	x	x	x									S26361-F2010-E243	99,00	
License EU/MM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.			x	x	x	x									S26361-F2010-E253	134,00	
REC-DVD Win7 Home Premium 64 RUS	RU							x	x				x	x		S26361-F2009-E642	3,00	
License RUS - Windows 7 Home Premium	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)			x	x	x	x									S26361-F2010-E242	86,00	
REC-DVD Win7 Professional 32 RUS	RU		x					x	x	x			x	x		S26361-F2009-E552	3,00	
License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan)			x	x	x	x									S26361-F2010-E252	126,00	
REC-DVD Win7 Professional 64 RUS	RU		x					x	x	x	x	x	x	x		S26361-F2009-E652	3,00	
License EM - Windows 7 Home Premium	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro			x	x	x	x									S26361-F2010-E244	99,00	
REC-DVD Win7 HomeBasic 32bit All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR												x			S26361-F2009-E533	3,00	
License EM - Windows 7 Professional	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro			x	x	x	x									S26361-F2010-E254	134,00	
REC-DVD Win7 Ultimate 64bit	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR		x					x				x	x	x	x	S26361-F2210-E315	3,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H810	CELSIUS H820	CELSIUS M470-2	CELSIUS M720	CELSIUS R670-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W420	CELSIUS W620	CELSIUS W620power	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																		
License EM-MEA - Windows 7 Home Premium	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe		x	x	x	x										S26361-F2010-E245	99,00	
REC-DVD Win7 Home Premium 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR							x	x				x	x	x	S26361-F2009-E643	3,00	
License EM-MEA - Windows 7 Professional	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe		x	x	x	x										S26361-F2010-E255	134,00	
REC-DVD Win7 Professional 32 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x						x	x	x	x	x	x	x	x	S26361-F2009-E553	3,00	
REC-DVD Win7 Professional 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x						x	x	x	x	x	x	x	x	S26361-F2009-E653	3,00	
License EM-INDIA Windows 7 Home Premium	EM-INDIA. Select for shipments to: India		x	x	x	x										S26361-F2010-E248	99,00	
License EM-INDIA Windows 7 Professional	EM-INDIA. Select for shipments to: India		x	x	x	x										S26361-F2010-E258	134,00	
REC-DVD Win7 Prof. 32+64bit All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x						x	x	x	x	x	x	x	x	S26361-F2009-E753	3,00	
REC-DVD 2 Win7 MAIN+Office2010s	Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Office 2010 incl. Office Starter - 32bit, MAIN (Main European MuLi), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x						x	x	x	x	x	x	x	x	S26361-F2109-E751	3,00	
REC-DVD 2 Win7 NORDIC+Office2010s	Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Office 2010 incl. Office Starter - 32bit, NORDICS (Nordic Region), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x						x	x	x	x	x	x	x	x	S26361-F2109-E752	3,00	
REC-DVD 2 Win7 EM+SE+Office2010s	Sprachen: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Office 2010 inkl. Office Starter - 32bit, EM-SE (Emerging Markets&Southern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x						x	x	x	x	x	x	x	x	S26361-F2109-E753	3,00	
REC-DVD 2 Win7 IBER+NE+Office2010s	Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Office 2010 incl. Office Starter - 32bit, IBER-NE (Iberia and Northern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x						x	x	x	x	x	x	x	x	S26361-F2109-E754	3,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H810	CELSIUS H820	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W420	CELSIUS W620	CELSIUS W520power	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																		
	REC-DVD 2 Win7 SEE+Office2010s	Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Office 2010 incl. Office Starter - 32bit, SEE (South Eastern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x					x	x	x	x	x	x	x	x	S26361-F2109-E755	3,00	
	REC-DVD 2 Win7 RU+Office2010s	Languages: RU, Office 2010 incl. Office Starter - 32bit, RU (RU & CIS countries), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x					x	x	x	x	x	x	x	x	S26361-F2109-E756	3,00	
	Win7 HomePremium64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x	x									S26361-F2110-E441	4,00	
	Win7 HomePremium64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x	x									S26361-F2110-E442	4,00	
	Win7 HomePremium64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x	x									S26361-F2110-E443	4,00	
	Win7 HomePremium64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x	x									S26361-F2110-E444	4,00	
	Win7 HomePremium64 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x	x									S26361-F2110-E445	4,00	
	Win7 HomePremium64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x	x									S26361-F2110-E446	4,00	
	Win7 Pro64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x	x									S26361-F2110-E451	4,00	
	Win7 Pro64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x	x									S26361-F2110-E452	4,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H810	CELSIUS H820	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W420	CELSIUS W620	CELSIUS W520power	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																		
	Win7 Pro64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x										S26361-F2110-E453	4,00	
	Win7 Pro64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x										S26361-F2110-E454	4,00	
	Win7 Pro64 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x										S26361-F2110-E455	4,00	
	Win7 Pro64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x										S26361-F2110-E456	4,00	
	REC-DVD Win7 Home Premium 64 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish	x	x	x	x										S26361-F2010-E643	3,00	
	REC-DVD Win7 Home Premium 64 RUS	RU	x	x	x	x										S26361-F2010-E642	3,00	
	REC-DVD Win7 Professional 32 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish	x	x	x	x										S26361-F2010-E553	3,00	
	REC-DVD Win7 Professional 32 RUS	RU	x	x	x	x										S26361-F2010-E552	3,00	
	REC-DVD Win7 Professional 64 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish	x	x	x	x										S26361-F2010-E653	3,00	
	REC-DVD Win7 Professional 64 RUS	RU	x	x	x	x										S26361-F2010-E652	3,00	
	REC-DVD Win7 Prof. 32+64bit All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish	x	x	x	x										S26361-F2010-E753	3,00	
	REC-DVD 2 Win7 MAIN+Office2010s	Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Office 2010 incl. Office Starter - 32bit, MAIN (Main European MuLi), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x										S26361-F2110-E751	3,00	
	REC-DVD 2 Win7 NORDIC+Office2010s	Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Office 2010 incl. Office Starter - 32bit, NORDICS (Nordic Region), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x										S26361-F2110-E752	3,00	
	REC-DVD 2 Win7 EM+SE+Office2010s	Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Office 2010 incl. Office Starter - 32bit, EM-SE (Emerging Markets&Southern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x										S26361-F2110-E753	3,00	



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS C620	CELSIUS H710	CELSIUS H720	CELSIUS H910	CELSIUS H920	CELSIUS M470-2	CELSIUS M720	CELSIUS R670-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W420	CELSIUS W620	CELSIUS W520power	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																		
	REC-DVD 2 Win7 IBER+NE+Office2010s	Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Office 2010 incl. Office Starter - 32bit, IBER-NE (Iberia and Northern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x	x									S26361-F2110-E754	3,00	
	REC-DVD 2 Win7 SEE+Office2010s	Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Office 2010 incl. Office Starter - 32bit, SEE (South Eastern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x	x									S26361-F2110-E755	3,00	
	REC-DVD 2 Win7 RU+Office2010s	Languages: RU, Office 2010 incl. Office Starter - 32bit, RU (RU & CIS countries), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x	x	x									S26361-F2110-E756	3,00	
Security																		
	EraseDisk	Firmware-embedded, unique feature to erase sensible data unrecoverable from the hard disk, e.g. if the system will be sold. Please notice, that SSD (Solid State Disk) cannot be deleted in a secure method.												x		S26361-F2542-E435	30,00	
	SmartCase Logon+	Authentication, Password Manager, SecureDrive, supports SmartCard / Fingerprint / TPM Win XP/Vista-32/Win7, no eLux support, Version 3.0.3						x	x	x	x	x				S26361-F2727-E730	23,00	
	SmartCase Logon+ 3.2.2	Supports secure authentication, password container, SSO, drive encrypt, smartcard, biometrics											x	x	x	S26361-F2727-E740	14,00	
	SystemLock3	SystemLock3 is a UEFI BIOS smartcard pre-boot authentication (PBA) feature.											x	x	x	S26361-F2727-E745	18,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista/Win7 compatible, USB interface, black, USB cable						x	x	x	x	x	x	x	x	S26381-F331-E220	23,00	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard						x	x	x	x	x	x	x	x	S26361-F1260-E520	18,00	
Mouse																		
	Grey mouse instead of black USB		x					x	x	x	x	x	x	x	x	S26361-F2542-E221	6,00	
	Black Upgrade Mouse M440 ECO							x	x	x	x	x	x	x	x	S26361-F2542-E222	16,00	
	Laser Mouse GL9000		x					x	x	x	x	x	x	x	x	S26361-K438-E100	17,00	
	Mouse 400NB Black			x	x	x	x									S26391-F428-E100	17,00	
	Grey mouse instead of black USB	upgrade mouse for system unit,USB 2.0 interface allows horizontal scrolling	x					x	x	x	x	x	x	x	x	S26361-F2542-E216	6,00	Phased out
	Grey USB/PS2 laser mouse inst. of blk USB	upgrade mouse for system unit,Logitech, USB 2.0 interface incl.adapter to PS/2, allows horizontal scrolling	x					x	x	x	x	x	x	x	x	S26361-F2542-E217	9,00	
Miscellaneous																		
	Med-Kit ESPRIMO/CELSIUS	Manual and product compliant to IEC 60601-1-2. Preparation for further medical certifications and relevant for integration into medical products.						x	x	x	x	x	x	x	x	S26361-F2542-E250	26,00	
	Key lock in side door	for lock of housing								x				x		S26361-F2542-E331	6,00	
	Key lock in side door		x													S26361-F2542-E339	6,00	
	Intrusion switch													x		S26361-F2542-E426	4,00	
	Med Kit CELSIUS H															S26391-F1169-E500	6,00	Orderable from: 01/08/2012
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	x	x	x	x										S26391-F782-E200	3,00	
	Med Kit CELSIUS H710			x												S26391-F898-E900	6,00	
	Med Kit CELSIUS H910				x											S26391-F898-E910	6,00	
	Power cord for monitor (CH)							x	x	x	x	x	x	x		S26361-F2542-E59	4,00	
	Cable for second internal USB device							x	x	x	x	x	x	x		S26361-F2581-E10	4,00	
	Key lock in side door	for lock of housing												x		S26361-F2542-E323	6,00	
	Key lock in side door	for lock of housing							x	x	x					S26361-F2542-E324	6,00	
	Casters for CELSIUS M, R & V	Available in systems serial no. higher than YBSJ001400 (CELSUS V830) and YBWM004000 (CELSIUS M440).						x	x	x						S26361-F2581-E200	55,00	
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	x					x	x	x	x	x	x	x		S26361-F2542-E90	4,00	
	No TPM / TLS	for countries with import regulations	x					x	x	x	x	x	x	x		S26361-F3436-E2	3,00	
Keyboard / Mouse																		
	SPACE EXPLORER	3D motion controller USB, 15 programmable keys, manual, software, brown box.	x					x	x	x	x	x	x	x		S26381-K425-E100	288,00	Phased out
made4you Services																		
	Master Key ESPRIMO P. CELSIUS W													x		S26361-F2542-E329	10,00	
Desk View																		
	DV Adv. Migration (DVD + 1 Lic.)	DeskView Advanced Migration DVD incl. 1 License, Components: - Data Migration (Migration of personalizations, settings, links, favorites, etc.), - System Migration (Virtualization of HDDs and full systems), - Secure Deletion (secure deletion of data on HDDs via multiple options of deletion algorithms), Efficient tool that supports you migration your old system to a new system including the secure deletion of the data on your old HDD. Supports Windows XP, Windows Vista and Windows 7 (32 Bit and 64 Bit architectures),.	x					x	x	x	x	x	x	x		S26361-F4040-E10	17,00	Phased out



Positioning Displays



P Line

Superior Displays - P Line and XL Line
 A feast for your eyes and a pleasure to use for work or multimedia:

- Ultra wide viewing angle and outstanding color performance
- 0.0 watt standby (P Line)
- Maximum connectivity
- Most advanced technical features



XL Line



B Line

Advanced Displays - B Line and SL Line
 Efficiency for intensive office or entertainment usage:

- Optimum ergonomics (B Line) with height adjust, tilt, swivel and on standard formats as well rotation
- Energy efficient: power save panel EPA 5.0, ECO button, EPEAT Silver
- Ultra high contrast (SL Line)
- High-flexible connectivity:
 e.g. 2 x HDMI (on selected models), DVI (HDCP) for wide screen displays



SL Line



A/E Line

All-round Displays - A/E Line and L Line
 Enter the world of LCD displays at an affordable price:

- Ergonomic or lifestyle design
- TCO'03 or TCO Displays 5.0
- Energy efficient - EPA 5.0, EPEAT Silver



L Line



Displays

P Line

- 0-Watt power save mode*
- Auto Brightness Control*
- UVA (Ultra Wide Viewing Angle)*
- Enhanced ergonomic height adjust stand
- HDMI for wide screen models
- Ready for Manageability
- 5th generation models in new design language

*: on selected models

XL Line

- Advanced contrast ratio (ACR) up to 20,000:1
- ECO control button
- Video inputs HDMI, DVI and analog

* featured on selected models

B Line

- Energy saving solutions (as of Summer 2009)
 - Cut energy cost by half (versus Energy Star 4.1)
 - ECO operation mode for Energy Star 5.0
 - ECO button - direct access to ECO mode
- Flexible ergonomic stand
- Height Adjust, Tilt, Swivel, Rotation*
- DVI-D and analog interface
- Manageability

SL Line

- High ACR up to 10,000:1
- 2 x HDMI*, DVI*, analog interface
- Glossy black lifestyle design
- Full HD 1080P support*
- 16:9 ideal video format*
- Headphone jack*

A Line

- Energy saving solutions (as of Autumn 2009)
- Energy Star 5.0
- Tilt stand
- Analog interface
- Ergonomic Design

L Line

- Extra high ACR up to 10,000:1*
- 16:9* ideal video format
- Fast 5 ms response time
- Lifetime extender
- Theme Mode
- Glossy black lifestyle design

Category	Description	Details	Product Code	EUP (€)	Comments
Peripherals					
Displays					
	DISPLAY P23T-6 IPS (NSN Project)	DISPLAY P23T-6 IPS (NSN Project) Premium Line 58,4cm(23")wide Display IPS Panel, LED DP,DVI,VGA,USB, 4-in-1 stand, DISPLAY P22W-5 ECO (IPS) Premium Line 55,9cm(22") wide Display, ECO, IPS 0-Watt power save mode, Light sensor HDMI,DVI,VGA Interface	BDL:SAG-NSNSTD-MON	255,00	
	DISPLAY B19-6 LED	DISPLAY B19-6 LED Business Line 48.3cm(19") Display VGA, DVI, 4-in-1 stand LED Backlight, DISPLAY B19-6 LED Business Line 48.3cm(19") Display VGA, DVI, 4-in-1 stand LED Backlight	BDL:TOP-B19-6-LED	166,00	
	DISPLAY B22W-6 LED	DISPLAY B22W-6 LED Business Line 55.9cm(22")wide Display USB,DP,DVI,VGA 4-in-1 stand LED Backlight, DISPLAY B22W-6 LED Business Line 55.9cm(22")wide Display USB,DP,DVI,VGA 4-in-1 stand LED Backlight	BDL:TOP-B22W-6-LED	188,00	
	DISPLAY B24W-5 ECO	DISPLAY B24W-5 ECO Business Line 61cm(24")wide Display VGA, DVI, 3-in-1 stand , DISPLAY B24W-5 ECO Business Line 61cm(24")wide Display VGA, DVI, 3-in-1 stand	BDL:TOP-B24W-5-ECO	255,00	
	Display E19-6 LED R	Display E19-6 LED R E-Line 48cm (19") Display VGA, DVI, matt black , DISPLAY E19-6 LED E Line 48.3cm(19") schwarz , VGA, DVI, matt schwarz LED Backlight	BDL:TOP-E19-6-LED	122,00	



Positioning Input Devices & Security devices



Keyboards & Security

The keyboard is the most important interface between humans and the computer. Our keyboards are designed according to the latest ergonomic development and the non-abrasive laser inscription lasts a lifetime. The security keyboards conform to current market requirements and offer an perfect platform for security applications.



Keyboards & mice

Please look for your favourite keyboard amongst a vast choice of different types. We have the right keyboard for you, no matter if you only need basic functionality or enhanced business typing. For office and a long days work, our Premium Line keyboards are the right ones.

Choose the perfect mouse for your environment: small when on the road, regular sizes for the desk, left and right hand usage, wired or unwired, four way scroll function, high-precise optical or laser technology - whatever you desire!



Security devices

To serve and protect - we take care. There is no choice than our security devices if you want to protect your valuable data from being stolen, changed or copied. SmartCard technology helps to protect your data. Accompanying software completes the functionality of your SmartCard.



Input devices and Security

Keyboards

A keyboard is the most important interface between user and computer. All our keyboards are designed to do the job. Reliable, effective and persevering. But what's more: they come in attractive and stylish designs to highlight every working place. There is a choice between wired and wireless keyboards, and also of features like e.g. quick touch buttons or 2 additional USB Ports.

Mice

Mice for every working or private environment. Great choice in different sizes, with or without cable, high precision technology, ergonomic and easy to use.

Security devices

Data are often inestimable worths. But they can be deleted, copied and changed in a short time by anyone. With Fujitsu security devices the access to mobile and stationary systems is effectively secured.

Category	Description	Details	Product Code	EUP (€)	Comments
Peripherals					
Keyboard /Mouse					
	Keyboard cable with USB connector	Keyboard cable with USB and Western Plug lenght 2m; for KBPC SX, KBPC PX, KBPC NX	T26139-Y3812-V1	7,00	
	Keyboard cable with PS2 connector	Keyboard cable with PS/2 plug; length 2m; for KBPC PX	T26139-Y4530-V1	7,00	



Positioning PRIMERGY Tower Servers



PRIMERGY TX industry standard tower servers: efficient, rock solid, record-breaking performance. PRIMERGY TX servers benefit from over 20 years pioneering work in the field of Green IT. That is how TX servers reach industry – leading performance per watt ratios, lowering the environmental impact and running costs. TX servers can easily be managed locally or remotely via the PRIMERGY ServerView Suite, saving IT admin costs. That's efficient performance. Our made-to-measure service packages take care of your system every step of the way. Rest assured, PRIMERGY TX servers are put through 5000 boot cycles - that's rock solid performance. PRIMERGY TX servers are flexible systems capable of using up to two processors and up to 20 hard disks. Tower to rack mounting kits are available to move to a consolidated rack infrastructure. TX servers have a tradition of setting record-breaking performance levels. So, whether you use them as tower or rack servers, for file, print or application purposes, you will benefit from record-breaking performance. PRIMERGY TX: a tower of strength.



PRIMERGY TX100S3p

PRIMERGY TX100 S3p

The PRIMERGY TX100 S3p is ideal for SMEs, looking for a first server with Intel® Xeon® support. With a maximum of 32 GB of RAM, and excellent processor performance, it offers more than enough performance for all classic server tasks, such as file, print, web or office applications. The dual onboard gigabit LAN, makes it easier to do business 24x7. Moreover, the TX100 S3p is incredibly silent making it an excellent choice for any office environment. With its optional 0-Watt functionality and a choice of two highly efficient power supply units, the TX100 S3p minimizes costs and the environmental impact.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX100 S3p					
	PY TX100S3p/LFF/Standard PSU	"Floorstand BU without processor and RAM, incl. standard power supply module, standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; onboard. graphics controller; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD + Backup) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for easy change 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates., "	S26361-K1410-V103	325,00	
	PY TX100S3p/LFF/0-Watt PSU	"Floorstand BU without processor and RAM, incl. 0-Watt power supply module, standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; onboard. graphics controller; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD + Backup) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for easy change 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates., "	S26361-K1410-V203	345,00	



PRIMERGY TX120 S3p

PRIMERGY TX120 S3p

PRIMERGY TX120 S3p: For small environments with high demands. It is the perfect server for environments where space, high server functionality and low TCO are crucial. The TX120 S3p is an excellent choice for smaller retail premises, branch offices, or in other contexts where strict legal controls apply, e.g. medical, legal or financial services. Besides sporting a power supply with 94% efficiency and 0-watt functionality, the TX120 S3p keeps running costs and the environmental impacts low. The unique combination of ultra-compact form factor, Intel® Xeon® processor E3 series performance, high availability features and low TCO, make it ideal for demanding environments where space is scarce.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX120 S3p					
PY TX120S3p/SFF	Floorstand BU without processor and RAM, incl. standard power supply module, lockable covers, standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 2,5" hot plug HDD + DVD + Backup) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 2.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.		S26361-K1380-V103	350,00	
PY TX120S3p/LFF	Floorstand BU without processor and RAM, incl. standard power supply module, lockable covers, standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 2x 3.5" SATA HDD + DVD + Backup) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 2 drive bays for easy change 3.5" SATA HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.		S26361-K1380-V203	340,00	



PRIMERGY TX140 S1p

PRIMERGY TX140 S1p

PRIMERGY TX140 S1p: the expandable SME allrounder. It is ideal for SME or branch customers looking for a classic file, print, mail, or database server, with high scalability, and best availability through optional redundant power supplies. As the company evolves, so too does the TX140 S1p. Storing up to 12 TB of data, the TX140 S1p can easily handle large files. At a later stage, the TX140 S1p can be included in a rack cabinet with dedicated storage systems. From here, customers can fully take advantage of the extensive connectivity options, Intel® Xeon® E3 series performance, and high serviceability via the optional front service LAN port. The TX140 S1p: an excellent long-term investment.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX140 S1p					
PY TX140S1p/f/LFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V103	435,00		
PY TX140S1p/f/SFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller mandatory; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V203	455,00		
PY TX140S1p/r/LFF/Standard PSU	Rack based server 19" (5U) BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V303	445,00		
PY TX140S1p/r/SFF/standard PSU	Rack based server 19" (5U) BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller mandatory; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V403	455,00		
PY TX140S1p/f/LFF/hot plug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller for SAS, otherwise optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V503	535,00		
PY TX140S1p/f/SFF/hot plug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 2.5" SATA HDD + DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller for more than 4 HDs or SAS, otherwise optional; 8 drive bays for hot plug 2.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V603	575,00		



PRIMERGY TX140 S1p

			Product Code	EUP (€)	Comments
Model	Description	Details			
Base unit configurations					
PRIMERGY TX140 S1p (Continued)					
	PY TX140S1p/r/LFF/hot plug PSU	Rack BU 19" (5U) without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller for SAS, otherwise optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V703	555,00	
	PY TX140S1p/r/SFF/hot plug PSU	rack based BU 19" (5U) without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; iRMC S3 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 2.5" SATA HDD + DVD) and 2x1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller for more than 4 HDs or SAS, otherwise optional; 8 drive bays for hot plug 2.5" SATA/SAS HDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates.	S26361-K1379-V803	595,00	



PRIMERGY TX150 S7

The PRIMERGY TX150 S7: the right system for SMEs or non-mission-critical decentralized infrastructures where the main focus is on expandability and availability. The expandability and availability come from the 6 expansion slots (5 of which PCIe Gen 2) and up to 8x 2.5" hot-plug hard disks. Increase the system's availability and energy efficiency through the use of optional redundant power supplies boasting up to 89% energy efficiency. The TX150 S7 also offers up to the latest generation Intel® Xeon® processor 3400 series single processor platform, delivering excellent energy-efficient performance at an attractive price. The PRIMERGY TX150 S7: the one processor tower server – maximized.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX150 S7					
	PY TX150S7f/LFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V101	555,00	
	PY TX150S7f/LFF/hot plug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V201	580,00	
	PY TX150S7f/SFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V301	595,00	
	PY TX150S7f/SFF/hot plug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V401	620,00	
	PY TX150S7r/LFF/hot plug PSU	Rack based server 19" (5U), BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V601	600,00	
	PY TX150S7r/SFF/hot plug PSU	Rack based server 19" (5U), BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V801	640,00	



PRIMERGY TX300 S7

The PRIMERGY TX300 S7 is a no compromise tower server with maximum levels of performance, expandability and availability. It combines the performance of Intel® Xeon® processors E5 family with up to two 6GB general-purpose computing on graphics processing units (GPGPU) for computationally intensive applications.

The expandability is excellent thanks to the 10 expansion slots and up to 24 2.5-inch hard disks. Thanks to the high availability offered by a choice of LAN cards, redundant fans and up to 4 hot-plug power supplies, the TX300 S7 is suited to database, virtualization or high performance computing scenarios. Moreover, the TX300 S7 power supplies reach energy efficiency levels of 94%, minimizing running costs and the environmental impact.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX300 S7					
PY TX300S7 LFF	Floorstand BU without processor and RAM, without hot plug power supply module, 6 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 4 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.		S26361-K1390-V101	1.070,00	
PY TX300S7 SFF	Floorstand BU without processor and RAM, without hot plug power supply module, 6 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 8 drive bays for hot plug 2.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.		S26361-K1390-V201	1.070,00	



Tower Servers Accessories

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX100 S3p	PRIMERGY TX120	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S8	PRIMERGY TX150 S4TA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX200 S8	PRIMERGY TX200 S3	Product Code	EUP (€)	Comments											
Processor	Accessories & services matrix																																								
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel Xeon processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																					x						S26361-F3277-L200	275,00	Phased out										
	Intel® Xeon® E5504 4C/4T 2.00 GHz 4 MB	Intel Xeon processor E5504 (4C/4T, 2.00 GHz, SLC: 4 x 256 KB, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																						x					S26361-F3278-L200	455,00	Phased out										
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel Xeon processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																					x	x					S26361-F3276-L213	425,00	Phased out										
	Intel® Xeon® E5520 4C/8T 2.26 GHz 8 MB	Intel Xeon processor E5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TFC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																												S26361-F3279-L226	740,00	Phased out									
	Intel® Xeon® E5530 4C/8T 2.40 GHz 8 MB	Intel Xeon processor E5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TFC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																						x						S26361-F3279-L240	1.030,00	Phased out									
	Intel® Xeon® E5540 4C/8T 2.53 GHz 8 MB	Intel Xeon processor E5540 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TFC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																													S26361-F3279-L253	1.430,00	Phased out								
	Intel® Xeon® X5550 4C/8T 2.66 GHz 8 MB	Intel Xeon processor X5550 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TFC: 8 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																						x							S26361-F3280-L267	1.850,00	Phased out								
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel Xeon processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																						x							S26361-F3618-L240	510,00									
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel Xeon processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																							x							S26361-F3618-L253	925,00	Phased out							
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel Xeon processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																														S26361-F3618-L266	905,00								
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel Xeon processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																															S26361-F3619-L266	1.080,00							
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel Xeon processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																																S26361-F3619-L280	1.300,00						
	Intel Xeon X5670 6C/12T 2.93 GHz 12 MB	Intel Xeon processor X5670 (6C/12T, 2.93 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																																S26361-F3619-L293	2.230,00	Phased out					
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel Xeon processor X5675 (6C/12T, 3.06 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																																S26361-F3619-L306	1.500,00						
	Intel Xeon X5690 6C/12T 3.46 GHz 12 MB	Intel Xeon processor X5690 (6C/12T, 3.46 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																																	S26361-F3619-L346	1.805,00					
	Intel Xeon X5647 4C/8T 2.93 GHz 12 MB	Intel Xeon processor X5647 (4C/8T, 2.93 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 130 W) incl. heat sink																																	S26361-F3620-L293	885,00					
	Intel Xeon X5687 4C/8T 3.60 GHz 12 MB	Intel Xeon processor X5687 (4C/8T, 3.60 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																																	S26361-F3620-L360	1.805,00					
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel Xeon processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink																							x										S26361-F3622-L213	665,00					
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel Xeon processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink																																		S26361-F3622-L226	1.135,00				
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel Xeon processor E5645 (6C/12T, 2.40 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink																																		S26361-F3633-L240	645,00				
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel Xeon processor E5603 (4C/4T, 1.60 GHz, SLC: 4 x 256 KB, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																		S26361-F3648-L160	255,00				
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel Xeon processor E5606 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TFC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																		S26361-F3648-L213	325,00				
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel Xeon processor E5649 (6C/12T, 2.53 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink																																			S26361-F3649-L253	880,00			
	Intel Xeon E5-2620 6C/12T 2.00 GHz 15 MB	Intel Xeon processor E5-2620 (6C/12T, 2.00 GHz, TFC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																																			S26361-F3676-L200	678,00			
	Intel Xeon E5-2630 6C/12T 2.30 GHz 15 MB	Intel Xeon processor E5-2630 (6C/12T, 2.30 GHz, TFC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																																			S26361-F3676-L230	765,00			
	Intel Xeon E5-2640 6C/12T 2.50 GHz 15 MB	Intel Xeon processor E5-2640 (6C/12T, 2.50 GHz, TFC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																																			S26361-F3676-L250	1.095,00			
	Intel Xeon E5-2603 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2603 (4C/4T, 1.80 GHz, TFC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																				S26361-F3685-L180	310,00		
	Intel Xeon E5-2609 4C/4T 2.40 GHz 10 MB	Intel Xeon processor E5-2609 (4C/4T, 2.40 GHz, TFC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																			S26361-F3685-L240	395,00			
	Intel Xeon E5-2637 2C/4T 3.00 GHz 5 MB	Intel Xeon processor E5-2637 (2C/4T, 3.00 GHz, TFC: 5 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 80 W) incl. heat sink																																				S26361-F3687-L300	1.095,00		
	Intel Xeon E5-2643 4C/8T 3.30 GHz 10 MB	Intel Xeon processor E5-2643 (4C/8T, 3.30 GHz, TFC: 10 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink																																				S26361-F3687-L330	1.095,00		
	Intel Xeon E5-2650 8C/16T 2.00 GHz 20 MB	Intel Xeon processor E5-2650 (8C/16T, 2.00 GHz, TFC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink																																				S26361-F3686-L200	1.305,00		
	Intel Xeon E5-2660 8C/16T 2.20 GHz 20 MB	Intel Xeon processor E5-2660 (8C/16T, 2.20 GHz, TFC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink																																				S26361-F3686-L220	1.575,00		
	Intel Xeon E5-2670 8C/16T 2.60 GHz 20 MB	Intel Xeon processor E5-2670 (8C/16T, 2.60 GHz, TFC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 115 W) incl. heat sink																																				S26361-F3686-L260	1.810,00		
	Intel Xeon E5-2680 8C/16T 2.70 GHz 20 MB	Intel Xeon processor E5-2680 (8C/16T, 2.70 GHz, TFC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink																																					S26361-F3686-L270	2.035,00	
	Intel Xeon E5-2690 8C/16T 2.90 GHz 20 MB	Intel Xeon processor E5-2690 (8C/16T, 2.90 GHz, TFC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 135 W) incl. heat sink																																					S26361-F3686-L290	2.395,00	
	Intel Xeon E5-2667 6C/12T 2.90 GHz 15 MB	Intel Xeon processor E5-2667 (6C/12T, 2.90 GHz, TFC: 15 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink																																					S26361-F3687-L290	1.810,00	
	Intel Xeon E5-2650L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2650L (8C/16T, 1.																																							



Tower Servers Accessories

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX100 S3p	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX150 SALTA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S7	PRIMERGY TX300 S8	PRIMERGY TX300 S9	Product Code	EUP (€)	Comments
Additional Software (Continued)																																					
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0, for using in automated, unattended mode, system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C311	1,225.00		
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0, for using in automated, unattended mode, system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C321	500.00		
	OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0, for using in automated, unattended mode, system extendable up to 8 CPU	x	x	x	x						x	x	x								x	x											U11081-C302	1,994.00		
	OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0, for using in automated, unattended mode, system extendable up to 8 CPU	x	x	x	x						x	x	x								x	x											U11081-C312	1,994.00		
	OPENFT-FTP-2 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0, for using in automated, unattended mode, system extendable up to 8 CPU	x	x	x	x						x	x	x								x	x											U11081-C322	814.00		
	OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0, for using in automated, unattended mode, system extendable up to 24 CPU	x	x	x	x						x	x	x								x	x											U11081-C303	3,988.00		
	OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0, for using in automated, unattended mode, system extendable up to 24 CPU	x	x	x	x						x	x	x								x	x											U11081-C313	3,988.00		
	OPENFT-FTP-3 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0, for using in automated, unattended mode, system extendable up to 24 CPU	x	x	x	x						x	x	x								x	x											U11081-C323	1,628.00		
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C300	30.00		
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C299	15.00		
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0, for using in automated, unattended mode, system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C501	1,225.00		
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0, for using in automated, unattended mode, system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C513	1,225.00		
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0, for using in automated, unattended mode, system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C525	500.00		
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0, for using in automated, unattended mode, system extendable up to 8 CPU	x	x	x	x						x	x	x								x	x											U10987-C502	1,994.00		
	OPENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0, for using in automated, unattended mode, system extendable up to 8 CPU	x	x	x	x						x	x	x								x	x											U10987-C514	1,994.00		
	OPENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0, for using in automated, unattended mode, system extendable up to 8 CPU	x	x	x	x						x	x	x								x	x											U10987-C526	814.00		
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0, for using in automated, unattended mode, system extendable up to 24 CPU	x	x	x	x						x	x	x								x	x											U10987-C503	3,988.00		
	OPENFT-FTAM-3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0, for using in automated, unattended mode, system extendable up to 24 CPU	x	x	x	x						x	x	x								x	x											U10987-C515	3,988.00		
	OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0, for using in automated, unattended mode, system extendable up to 24 CPU	x	x	x	x						x	x	x								x	x											U10987-C527	1,628.00		
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0, for using in automated, unattended mode, system extendable up to 32 CPU	x	x	x	x						x	x	x								x	x											U10987-C504	4,618.00		
	OPENFT-FTAM-4 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0, for using in automated, unattended mode, system extendable up to 32 CPU	x	x	x	x						x	x	x								x	x											U10987-C516	4,618.00		
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0, for using in automated, unattended mode, system extendable up to 32 CPU	x	x	x	x						x	x	x								x	x											U10987-C528	1,885.00		
	OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0, for using in automated, unattended mode, system extendable up to 64 CPU	x	x	x	x						x	x	x								x	x											U10987-C505	5,982.00		
	OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0, for using in automated, unattended mode, system extendable up to 64 CPU	x	x	x	x						x	x	x								x	x											U10987-C517	5,982.00		
	OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0, for using in automated, unattended mode, system extendable up to 64 CPU	x	x	x	x						x	x	x								x	x											U10987-C529	2,442.00		
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C500	36.00		
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C499	15.00		

1
2
3



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix	Processor														
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel Xeon processor E5503 (2C/2T, 2.00 GHz, SL: 4 x 256 KB, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink									x		S26361-F3277-E200	275.00	Phased out
	Intel Core i3-2100 2C/4T 3.10 GHz 3 MB	Intel Core i3-2100 processor (2C/4T, 3.10 GHz, TFC: 3 MB, Turbo: No, 1333 MHz, 65 W) without heat sink	x		x								S26361-F3579-E210	190.00	
	Intel Celeron G530T 2C/2T 2.00 GHz 2 MB	Intel Celeron processor G530T (2C/2T, 2.00 GHz, TFC: 2 MB, Turbo: No, 1066 MHz, 35 W) without heat sink	x										S26361-F3579-E252	75.00	
	Intel Pentium G620 2C/2T 2.60 GHz 3 MB	Intel Pentium processor G620 (2C/2T, 2.60 GHz, TFC: 3 MB, Turbo: No, 1066 MHz, 65 W) without heat sink	x		x								S26361-F3579-E262	105.00	
	Intel Pentium G640 2C/2T 2.80 GHz 3 MB	Intel Pentium processor G640 (2C/2T, 2.80 GHz, TFC: 3 MB, Turbo: No, 1066 MHz, 65 W) without heat sink	x	x	x								S26361-F3579-E264	105.00	
	Intel Xeon E3-1220L 2C/4T 2.20 GHz 3 MB	Intel Xeon processor E3-1220L (2C/4T, 2.20 GHz, TFC: 3 MB, Turbo: 3.40 GHz, 1333 MHz, 20 W) without heat sink	x										S26361-F3579-E312	325.00	
	Intel Xeon E3-1260L 4C/8T 2.40 GHz 8 MB	Intel Xeon processor E3-1260L (4C/8T, 2.40 GHz, TFC: 8 MB, Turbo: 3.30 GHz, 1333 MHz, 45 W) without heat sink	x		x								S26361-F3579-E316	475.00	
	Intel Xeon E3-1220 4C/4T 3.10 GHz 8 MB	Intel Xeon processor E3-1220 (4C/4T, 3.10 GHz, TFC: 8 MB, Turbo: 3.40 GHz, 1333 MHz, 80 W) without heat sink	x		x								S26361-F3579-E322	330.00	
	Intel Xeon E3-1240 4C/8T 3.30 GHz 8 MB	Intel Xeon processor E3-1240 (4C/8T, 3.30 GHz, TFC: 8 MB, Turbo: 3.70 GHz, 1333 MHz, 80 W) without heat sink	x		x								S26361-F3579-E324	405.00	
	Intel Xeon E3-1270 4C/8T 3.40 GHz 8 MB	Intel Xeon processor E3-1270 (4C/8T, 3.40 GHz, TFC: 8 MB, Turbo: 3.80 GHz, 1333 MHz, 80 W) without heat sink				x							S26361-F3579-E327	525.00	
	Intel Xeon E3-1220Lv2 2C/4T 2.30GHz 3MB	Intel Xeon processor E3-1220Lv2 (2C/4T, 2.30 GHz, TFC: 3 MB, Turbo: Yes, 1600 MHz, 17 W) without heat sink			x								S26361-F3580-E312	330.00	
	Intel Xeon E3-1265Lv2 4C/8T 2.50GHz 8 MB	Intel Xeon processor E3-1265Lv2 (4C/8T, 2.50 GHz, TFC: 8 MB, Turbo: Yes, 1600 MHz, 45 W) without heat sink			x	x							S26361-F3580-E316	475.00	
	Intel Xeon E3-1220v2 4C/4T 3.10 GHz 8 MB	Intel Xeon processor E3-1220v2 (4C/4T, 3.10 GHz, TFC: 8 MB, Turbo: Yes, 1600 MHz, 69 W) without heat sink	x		x	x							S26361-F3580-E322	330.00	
	Intel Xeon E3-1230v2 4C/8T 3.30 GHz 8 MB	Intel Xeon processor E3-1230v2 (4C/8T, 3.30 GHz, TFC: 8 MB, Turbo: Yes, 1600 MHz, 69 W) without heat sink	x		x	x							S26361-F3580-E323	365.00	
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel Xeon processor E5620 (4C/8T, 2.40 GHz, SL: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink								x			S26361-F3618-E240	510.00	
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel Xeon processor E5640 (4C/8T, 2.66 GHz, SL: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink								x			S26361-F3618-E266	905.00	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel Xeon processor X5650 (6C/12T, 2.66 GHz, SL: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink								x			S26361-F3619-E266	1.080.00	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel Xeon processor X5660 (6C/12T, 2.80 GHz, SL: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink								x			S26361-F3619-E280	1.300.00	
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel Xeon processor L5630 (4C/8T, 2.13 GHz, SL: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink								x			S26361-F3622-E213	665.00	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel Xeon processor L5640 (6C/12T, 2.26 GHz, SL: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink								x			S26361-F3622-E226	1.135.00	
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel Xeon processor E5645 (6C/12T, 2.40 GHz, SL: -, TFC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink								x			S26361-F3633-E240	645.00	
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel Xeon processor E5603 (4C/4T, 1.60 GHz, SL: -, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink								x			S26361-F3648-E160	255.00	
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel Xeon processor E5606 (4C/4T, 2.13 GHz, SL: -, TFC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink								x			S26361-F3648-E213	325.00	
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel Xeon processor E5649 (6C/12T, 2.53 GHz, SL: -, TFC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink								x			S26361-F3649-E253	880.00	
	Intel Xeon E5-2403 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2403 (4C/4T, 1.80 GHz, TFC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink						x	x				S26361-F3684-E180	265.00	New product
	Intel Xeon E5-2407 4C/4T 2.20 GHz 10 MB	Intel Xeon processor E5-2407 (4C/4T, 2.20 GHz, TFC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink						x	x				S26361-F3684-E220	305.00	New product
	Intel Xeon E5-2420 6C/12T 1.90 GHz 15 MB	Intel Xeon processor E5-2420 (6C/12T, 1.90 GHz, TFC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink						x	x				S26361-F3723-E190	450.00	New product
	Intel Xeon E5-2430 6C/12T 2.20 GHz 15 MB	Intel Xeon processor E5-2430 (6C/12T, 2.20 GHz, TFC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink						x	x				S26361-F3723-E220	610.00	New product
	Intel Xeon E5-2440 6C/12T 2.40 GHz 15 MB	Intel Xeon processor E5-2440 (6C/12T, 2.40 GHz, TFC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink						x	x				S26361-F3723-E240	935.00	New product



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Processor (Continued)															
	Intel Xeon E5-2450 8C/16T 2.10 GHz 20 MB	Intel Xeon processor E5-2450 (8C/16T, 2.10 GHz, TFC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink						x	x				S26361-F3724-E210	1.185,00	New product
	Intel Xeon E5-2430L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2430L (6C/12T, 2.00 GHz, TFC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink							x	x			S26361-F3725-E200	740,00	New product
	Intel Pentium 1403 2C/2T 2.60 GHz 5 MB	Intel Pentium processor 1403 (2C/2T, 2.60 GHz, TFC: 5 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink							x				S26361-F3726-E260	285,00	New product
	Intel Xeon E5-1410 4C/8T 2.80 GHz 10 MB	Intel Xeon processor E5-1410 (4C/8T, 2.80 GHz, TFC: 10 MB, Turbo: Yes, 6.4 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink							x				S26361-F3751-E280	545,00	New product
	Intel Xeon E5-2603 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2603 (4C/4T, 1.80 GHz, TFC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink								x			S26361-F3685-E180	310,00	
	Intel Xeon E5-2609 4C/4T 2.40 GHz 10 MB	Intel Xeon processor E5-2609 (4C/4T, 2.40 GHz, TFC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink								x			S26361-F3685-E240	395,00	
	Intel Pentium G6950 2C 2.80 GHz 3 MB	Intel Pentium processor G6950 (2C, 2.80 GHz, TFC: 3 MB, Turbo: No, 1066 MHz, 73 W) without heat sink						x					S26361-F3588-E280	170,00	
	Intel Xeon E5-2620 6C/12T 2.00 GHz 15 MB	Intel Xeon processor E5-2620 (6C/12T, 2.00 GHz, TFC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink								x			S26361-F3676-E200	535,00	
	Intel Xeon E5-2630 6C/12T 2.30 GHz 15 MB	Intel Xeon processor E5-2630 (6C/12T, 2.30 GHz, TFC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink								x			S26361-F3676-E230	765,00	
	Intel Xeon E5-2640 6C/12T 2.50 GHz 15 MB	Intel Xeon processor E5-2640 (6C/12T, 2.50 GHz, TFC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink								x			S26361-F3676-E250	1.095,00	
	Intel Xeon E5-2650 8C/16T 2.00 GHz 20 MB	Intel Xeon processor E5-2650 (8C/16T, 2.00 GHz, TFC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink								x			S26361-F3686-E200	1.305,00	
	Intel Xeon E5-2660 8C/16T 2.20 GHz 20 MB	Intel Xeon processor E5-2660 (8C/16T, 2.20 GHz, TFC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink								x			S26361-F3686-E220	1.575,00	
	Intel Xeon E5-2670 8C/16T 2.60 GHz 20 MB	Intel Xeon processor E5-2670 (8C/16T, 2.60 GHz, TFC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 115 W) incl. heat sink								x			S26361-F3686-E260	1.810,00	
	Intel Xeon E5-2680 8C/16T 2.70 GHz 20 MB	Intel Xeon processor E5-2680 (8C/16T, 2.70 GHz, TFC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink								x			S26361-F3686-E270	2.035,00	
	Intel Xeon E5-2690 8C/16T 2.90 GHz 20 MB	Intel Xeon processor E5-2690 (8C/16T, 2.90 GHz, TFC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 135 W) incl. heat sink								x			S26361-F3686-E290	2.395,00	
	Intel Core i3-540 2C/4T 3.06 GHz 4 MB	Intel Core i3-540 processor (2C/4T, 3.06 GHz, TFC: 4 MB, Turbo: No, 1333 MHz, 73 W) without heat sink						x					S26361-F3587-E306	215,00	
	Intel Xeon E5-2667 6C/12T 2.90 GHz 15 MB	Intel Xeon processor E5-2667 (6C/12T, 2.90 GHz, TFC: 15 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink								x			S26361-F3687-E290	1.810,00	
	Intel Xeon E5-2637 2C/4T 3.00 GHz 5 MB	Intel Xeon processor E5-2637 (2C/4T, 3.00 GHz, TFC: 5 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 80 W) incl. heat sink								x			S26361-F3687-E300	1.095,00	
	Intel Xeon E5-2643 4C/8T 3.30 GHz 10 MB	Intel Xeon processor E5-2643 (4C/8T, 3.30 GHz, TFC: 10 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink								x			S26361-F3687-E330	1.095,00	
	Intel Xeon E5-2650L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2650L (8C/16T, 1.80 GHz, TFC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 70 W) incl. heat sink								x			S26361-F3688-E180	1.305,00	
	Intel Xeon E5-2630L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2630L (6C/12T, 2.00 GHz, TFC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink								x			S26361-F3688-E200	815,00	
	Intel Xeon X3430 4C/4T 2.40 GHz 8 MB	Intel Xeon processor X3430 (4C/4T, 2.40 GHz, TFC: 8 MB, Turbo: 1/1/2/3, 1333 MHz, 95 W) without heat sink						x					S26361-F3578-E343	365,00	
	Intel Xeon X3450 4C/8T 2.66 GHz 8 MB	Intel Xeon processor X3450 (4C/8T, 2.66 GHz, TFC: 8 MB, Turbo: 1/1/4/4, 1333 MHz, 95 W) without heat sink						x					S26361-F3578-E345	450,00	
	Intel Xeon X3470 4C/8T 2.93 GHz 8 MB	Intel Xeon processor X3470 (4C/8T, 2.93 GHz, TFC: 8 MB, Turbo: 2/2/4/5, 1333 MHz, 95 W) without heat sink						x					S26361-F3578-E347	585,00	
	Intel Xeon L3406 2C/4T 2.26 GHz 4 MB	Intel Xeon processor L3406 (2C/4T, 2.26 GHz, TFC: 4 MB, Turbo: 2/2, 1066 MHz, 30 W) without heat sink						x					S26361-F3586-E226	365,00	Phased out
	Intel Xeon L3426 4C/8T 1.86 GHz 8 MB	Intel Xeon processor L3426 (4C/8T, 1.86 GHz, TFC: 8 MB, Turbo: 2/2/9/10, 1333 MHz, 45 W) without heat sink						x					S26361-F3586-E186	530,00	
Memory															
	2 GB DDR3 1333 MHz PC3-10600 ub s ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM	x		x								S26361-F3335-E524	40,00	
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM	x		x								S26361-F3335-E525	65,00	
	8 GB DDR3 1333 MHz PC3-10600 ub d ECC	8 GB (1 module(s) 8 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM	x		x								S26361-F3335-E526	320,00	
	4GB (1x4GB) 2Rx8 DDR3-1600 U ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1600 MHz, PC3-12800, DIMM	x	x	x								S26361-F3719-E514	75,00	
	8GB (1x8GB) 2Rx8 DDR3-1600 U ECC	8 GB (1 module(s) 8 GB) DDR3, unbuffered, ECC, 1600 MHz, PC3-12800, DIMM	x	x	x								S26361-F3719-E515	360,00	
	1 GB DDR3 1333 MHz PC3-10600 ub s ECC	1 GB (1 module(s) 1 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM						x					S26361-F3335-E513	35,00	Phased out
	2 GB DDR3 1333 MHz PC3-10600 ub s/d ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM						x					S26361-F3335-E514	40,00	
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM						x					S26361-F3335-E515	65,00	
	2 GB DDR3 1333 MHz PC3-10600 rg s/d ECC	2 GB (1 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM						x					S26361-F3336-E514	80,00	
	4 GB DDR3 1333 MHz PC3-10600 rg d ECC	4 GB (1 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM						x					S26361-F3336-E515	85,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150 S8	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix														
Memory (Continued)														
	8 GB DDR3 1066 MHz PC3-8500 rg q ECC	8 GB (1 module(s) 8 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM						x				S26361-F3336-E516	145,00	
Memory Modules														
	Spare Channel Mode Installation	BIOS setup for spare mode, preinstallation ex factory							x			S26361-F3284-E1	5,00	
	Mirrored Channel Mode Installation	BIOS setup for mirrored mode, preinstallation ex factory							x			S26361-F3284-E3	5,00	
	Independent Mode Installation	No specific memory RAS features are defined						x	x	x		S26361-F3694-E10	5,00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory						x				S26361-F3284-E2	5,00	
	MM 4GB 2x2 DDR3 1333 MHz PC3-10600 rg s	2 modules 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 2GB usable memory for Mirrored Mode							x			S26361-F3604-E523	160,00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory						x	x	x		S26361-F3694-E2	5,00	
	MM 8GB 2x4 DDR31333 MHz PC3-10600 rg s/d	2 modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode							x			S26361-F3604-E524	170,00	
	2 GB DDR3 1333 MHz PC3-10600 ub d	1 module 2GB 1333MHz, unbuffered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode							x			S26361-F3606-E513	40,00	
	Rank Sparing Mode Installation	BIOS setup for rank sparing mode, preinstallation ex factory						x	x	x		S26361-F3694-E1	5,00	
	2 GB DDR3 1333 MHz PC3-10600 rg s	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode							x			S26361-F3604-E513	80,00	
	MM 16GB 2x8 DDR3 1333 MHz PC3-10600 rg d	2 modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode							x			S26361-F3604-E525	270,00	
	4 GB DDR3 1333 MHz PC3-10600 rg s/d	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode							x			S26361-F3604-E514	85,00	
	SP 6GB 3x2 DDR3 1333 MHz PC3-10600 rg s	3 modules 2GB 1333MHz, 4GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=4GB Spare or 6GB Performance Mode							x			S26361-F3604-E533	240,00	
	8 GB DDR3 1333 MHz PC3-10600 rg d	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode							x			S26361-F3604-E515	135,00	
	SP12GB 3x4 DDR3 1333MHz PC3-10600 rg s/d	3 modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode							x			S26361-F3604-E534	255,00	
	MM 8GB 2x4 DDR3LV 1333 MHz 10600 rg s/d	2 LV modules 4GB 1366MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode							x			S26361-F3605-E524	170,00	
	SP 24GB 3x8 DDR3 1333 MHz PC3-10600 rg d	3 modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode							x			S26361-F3604-E535	405,00	
	MM 16GB 2x8 DDR3 LV 1333 MHz 10600 rg d	2 LV modules 8GB 1366MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode							x			S26361-F3605-E525	270,00	
	4 GB DDR3 LV 1333 MHz PC3-10600 rg s/d	1 LV module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode							x			S26361-F3605-E514	85,00	
	SP12GB 3x4 DDR3 LV1333 MHz 10600 rg s/d	3 LV modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode							x			S26361-F3605-E534	255,00	
	8 GB DDR3 LV 1333 MHz PC3-10600 rg d	1 LV module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode							x			S26361-F3605-E515	135,00	
	SP 24GB 3x8 DDR3 LV 1333 MHz 10600 rg d	3 LV modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode							x			S26361-F3605-E535	405,00	
	2GB (1x2GB) 1Rx8 L DDR3-1600 U ECC	2 GB (1 module(s) 2 GB) DDR3 LV, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM						x	x	x		S26361-F3694-E513	50,00	
	4GB (1x4GB) 2Rx8 L DDR3-1600 U ECC	4 GB (1 module(s) 4 GB) DDR3 LV, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM						x	x	x		S26361-F3694-E514	75,00	
	4GB (1x4GB) 2Rx8 L DDR3-1600 R ECC									x		S26361-F3695-E514	95,00	
	4GB (1x4GB) 1Rx4 L DDR3-1333 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM								x		S26361-F3696-E514	85,00	
	8GB (1x8GB) 2Rx4 L DDR3-1333 R ECC	8 GB (1 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM								x		S26361-F3696-E515	135,00	
	4GB (1x4GB) 1Rx4 L DDR3-1600 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM						x	x	x		S26361-F3697-E514	95,00	
	8GB (1x8GB) 2Rx4 L DDR3-1600 R ECC	8 GB (1 module(s) 8 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM						x	x	x		S26361-F3697-E515	155,00	
	16GB (1x16GB) 2Rx4 L DDR3-1600 R ECC	16 GB (1 module(s) 16 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM						x	x	x		S26361-F3697-E516	335,00	
	16GB (1x16GB) 4Rx4 L DDR3-1333 LR ECC	16 GB (1 module(s) 16 GB) DDR3 LR LV, registered, ECC, 1333 MHz, PC3-10600, LRDIMM								x		S26361-F3698-E516	395,00	
	32GB (1x32GB) 4Rx4 L DDR3-1333 LR ECC	32 GB (1 module(s) 32 GB) DDR3 LR LV, registered, ECC, 1333 MHz, PC3-10600, LRDIMM								x		S26361-F3698-E517	1.850,00	
Graphics														
	Front-VGA Interface	2nd optional VGA interface front side									x	S26361-F2571-E26	20,00	
	PY VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCI-e x1 graphic card	x		x	x	x	x	x	x		S26361-F2748-E537	135,00	
	PY LP VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCI-e x1 graphic card, low profile		x	x							S26361-F2748-E637	135,00	
	PY NVIDIA Tesla C2075 GPGPU	NVIDIA Tesla C2075 PCIe-x16 GPGPU Karte for TX300 S7 / RX350 S7									x	S26361-F2856-E997	2.650,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Graphics (Continued)															
	PY GPGPU Cable Kit	Cable Kit to install up to 2 GPGPUs.; Includes an universal PCI card holder and screws										x	S26361-F3736-E1	80,00	
Removable Media Drives															
	MountingKit DVD(sI)+LSD+2x SAS LFF HDD	for slim DVD, 1x Local Service Display, 2x HDD										x	S26361-F2826-E106	85,00	New product
	Mounting Kit for 8x SAS SFF HDD	Extension Box for 8x 2.5" hotplug HDD							x	x			S26361-F2826-E426	120,00	New product
	MountingKit DVD(sI)+4x SAS LFF HDD	for slim DVD, 4x HDD							x	x			S26361-F2826-E436	100,00	New product
	Blu-ray Triple Writer slimline SATA	Read: 6x BD-ROM, 8x DVD, 24x CD, Write: 6x BD, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0.5" fitting height	x		x	x							S26361-F3641-E4	165,00	
	Mounting Kit for 5,25" USB backup drives	Mounting kit for the 5,25" USB backup drives										x	S26361-F3753-E1	5,00	Phased out
	MountingKit DVD(sI) + LSD	for slim DVD, 1x Local Service Display							x	x			S26361-F2826-E205	30,00	
	MountingKit DVD(sI)+LSP/LSD	for slim DVD, 1x Local Service Panel or Display						x	x				S26361-F2826-E204	30,00	
	ExtensionKit 4x SAS LFF HDD	HDD Extension for 4x LFF hotplug HDD										x	S26361-F2826-E335	75,00	
	MountingKit DVD(sI)+LSP/LSD +SAS LFF HDD	for slim DVD, 1x Local Service Panel or Display, 2x HDD								x			S26361-F2826-E104	85,00	
	MountingKit DVD(sI)+LSD+2x SAS LFF HDD	for slim DVD, 1x Local Service Display, 2x HDD										x	S26361-F2826-E105	60,00	
	ExtensionKit 8x SAS SFF HDD	HDD Extension for 8x SFF hotplug HDD										x	S26361-F2826-E325	85,00	
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, slimline 0.5" fitting height, black bezel	x	x			x	x	x	x	x		S26361-F3269-E2	95,00	
	MountingKit 8x SAS SFF HDD	Extension Box for 8x 2.5" hotplug HDD										x	S26361-F2826-E425	85,00	
	MountingKit DVD(sI)+4x SAS LFF HDD	for slim DVD, 4x HDD										x	S26361-F2826-E435	85,00	
	SAS Expander 2x4 In / 6x4 Out	SAS Expander 2x4 In / 6x4 Out										x	S26361-F3668-E1	250,00	
	Adapter Kit for 2nd RAID Controller	Adapter Kit for 2nd RAID Controller										x	S26361-F3673-E1	20,00	
	Blu-ray Triple Writer slimline SATA	Read: 6x BD-ROM, 8x DVD, 24x CD, Write: 6x BD, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0.5" fitting height	x	x			x	x	x	x	x		S26361-F3641-E2	165,00	
	DVD-ROM 1.6" SATA	16x DVD, 48x CD, 1.6" fitting height, black bezel	x		x	x	x	x	x	x	x		S26361-F3266-E2	35,00	
	DVD-RW supermulti 1.6" SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, 1.6" fitting height, black bezel	x		x	x	x	x	x	x	x		S26361-F3267-E2	60,00	
	RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" intern., USB 2.0 Connector: USB "B" with USB cable, 1.6" fitting height, black bezel, with description (G/US)	x		x	x	x	x	x	x	x		S26361-F3857-E4	160,00	
	RDX Drive USB 25MB/s 3.5" internal	RDX Drive 25MB/s 3.5" intern., USB 2.0 Connector: USB "B" with USB cable, 1.6" fitting height, with description (G/US)	x	x									S26361-F3857-E5	160,00	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B" with USB cable kit, 1.6" fitting height, black bezel, with description (G/US) and cleaning cartridge	x		x	x	x	x	x	x	x		S26361-F3324-E4	500,00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable kit, 1.6" fitting height, with description (G/US) and cleaning cartridge	x	x									S26361-F3324-E5	500,00	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable, 1.6" fitting height, black bezel, with cleaning cartridge	x		x	x	x	x	x	x	x		S26361-F3325-E4	730,00	
	Tape Kit DDS Gen6 80GB USB 3.5" intern	DDS Gen6 80GB 6MB/s 3.5" intern, USB 2.0 Connector: USB "B" with USB cable, 1.6" fitting height, black bezel, with cleaning cartridge	x	x									S26361-F3325-E2	730,00	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge				x	x	x	x	x	x		S26361-F3561-E4	1.395,00	
	Tape Kit LTO4HH 800GB 120MB/s SAS V2	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, with SAS cable, with cleaning cartridge				x	x	x	x	x	x		S26361-F3626-E2	2.030,00	
	Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, with SAS cable, with cleaning cartridge				x	x	x	x	x	x		S26361-F3627-E1	2.980,00	
	SFF 8xSAS HDD Box	Extension Box for 8 pc. 2.5" hotplug HDD										x	S26361-F2826-E114	165,00	
Hard Disks															
	HD SATA 3G 160GB 7.2K HOT PL 3.5" ECO	HDD SATA, 3 GB/s, 160 GB, 7200 rpm, hot-plug, 3.5-inch, economic				x	x	x					S26361-F3293-E160	125,00	Phased out
	HD SATA 3G 250GB 7.2K HOT PL 3.5" ECO	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, economic							x	x			S26361-F3293-E250	160,00	
	HD SATA 3G 250GB 7.2K NO HOT PL 3.5"	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, non hot plug, 3.5-inch, economic	x										S26361-F3574-E250	160,00	
	HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, economic				x	x	x	x				S26361-F3700-E250	160,00	
	HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, economic				x	x	x	x	x			S26361-F3700-E500	205,00	
	HD SATA 6G 250GB 7.2K NO HOT PL 3.5" ECO	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, non-hot-plug, 3.5-inch, economic	x	x									S26361-F3701-E250	160,00	
	HD SATA 6G 500GB 7.2K NO HOT PL 3.5" ECO	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, non-hot-plug, 3.5-inch, economic	x	x									S26361-F3701-E500	205,00	
	HD SATA 6G 500GB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, business critical				x	x	x	x				S26361-F3670-E500	210,00	
	HD SATA 6G 250GB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, hot-plug, 2.5-inch, business critical			x								S26361-F3708-E250	225,00	
	HD SATA 6G 1TB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 1 TB, 7200 rpm, hot-plug, 3.5-inch, business critical				x							S26361-F3670-E100	265,00	
	HD SATA 6G 500GB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical			x								S26361-F3708-E500	235,00	
	HD SATA 6G 2TB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 2 TB, 7200 rpm, hot-plug, 3.5-inch, business critical				x							S26361-F3670-E200	435,00	
	HD SATA 6G 1TB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical			x								S26361-F3708-E100	405,00	
	HD SATA 6G 3TB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 3 TB, 7200 rpm, hot-plug, 3.5-inch, business critical				x							S26361-F3670-E300	690,00	
	HD SATA 3G 500GB 7.2K NO HOT PL 3.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, non hot plug, 3.5-inch, business critical	x										S26361-F3334-E500	210,00	
	HD SATA 3G 1TB 7.2K NO HOT PL 3.5" BC	HDD SATA, 3 GB/s, 1000 GB, 7200 rpm, non hot plug, 3.5-inch, business critical	x										S26361-F3334-E100	240,00	
	HD SATA 3G 2TB 7.2K NO HOT PL 3.5" BC	HDD SATA, 3 GB/s, 2000 GB, 7200 rpm, non hot plug, 3.5-inch, business critical	x										S26361-F3334-E200	435,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix															
Hard Disks (Continued)															
	HD SATA 6G 500GB 7.2K NO HOT PL 3.5" BC	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, non hot plug, 3.5-inch, business critical	x	x									S26361-F3671-E500	210,00	
	HD SATA 3G 500GB 7.2K HOT PL 3.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, business critical				x	x	x					S26361-F3294-E500	210,00	
	HD SATA 6G 1TB 7.2K NO HOT PL 3.5" BC	HDD SATA, 6 GB/s, 1 TB, 7200 rpm, non hot plug, 3.5-inch, business critical	x	x									S26361-F3671-E100	240,00	
	HD SATA 6G 2TB 7.2K NO HOT PL 3.5" BC	HDD SATA, 6 GB/s, 2 TB, 7200 rpm, non hot plug, 3.5-inch, business critical	x	x									S26361-F3671-E200	435,00	
	HD SATA 3G 1TB 7.2K HOT PL 3.5" BC	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 3.5-inch, business critical				x	x	x					S26361-F3294-E100	240,00	
	HD SATA 3G 2TB 7.2K HOT PL 3.5" BC	HDD SATA, 3 GB/s, 2 TB, 7200 rpm, hot-plug, 3.5-inch, business critical				x	x	x	x				S26361-F3294-E200	435,00	
	SSD SATA 3G 64GB SLC HOT PLUG 2.5" EP	SSD SATA, 3 GB/s, 64 GB, SLC, hot-plug, 2.5-inch, enterprise				x	x	x					S26361-F3298-E64	1.130,00	Phased out
	HD SATA 3G 160GB 5.4K HOT PL 2.5" ECO	HDD SATA, 3 GB/s, 160 GB, 5400 rpm, hot-plug, 2.5-inch, economic	x	x	x	x	x						S26361-F3297-E160	180,00	Phased out
	HD SATA 3G 320GB 5.4K HOT PL 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic	x	x	x	x	x						S26361-F3297-E320	225,00	
	HD SATA 3G 500GB 5.4K HOT PL 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic	x	x	x	x	x						S26361-F3297-E500	235,00	
	HD SATA 3G 250GB 7.2K HOT PL 2.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 2.5-inch, business critical	x	x		x	x						S26361-F3601-E250	225,00	
	HD SATA 3G 500GB 7.2K HOT PL 2.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical	x	x		x	x						S26361-F3601-E500	235,00	
	HD SATA 3G 1TB 7.2K HOT PL 2.5" BC	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical	x	x		x	x						S26361-F3601-E100	405,00	
	HD SAS 6G 300GB 15K HOT PL 3.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise				x	x	x	x	x			S26361-F4005-E530	365,00	
	HD SAS 6G 450GB 15K HOT PL 3.5" EP	HDD SAS, 6 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise				x	x	x	x	x			S26361-F4005-E545	420,00	
	HD SAS 6G 600GB 15K HOT PL 3.5" EP	HDD SAS, 6 GB/s, 600 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise				x	x	x	x	x			S26361-F4005-E560	500,00	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x				S26361-F4482-E130	285,00	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x				S26361-F4482-E145	410,00	
	HD SAS 6G 600GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x				S26361-F4482-E160	530,00	
	HD SAS 6G 900GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 900 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x				S26361-F4482-E190	835,00	
	HD SAS 6G 73GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x						S26361-F4482-E573	250,00	
	HD SAS 6G 146GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x				S26361-F4482-E514	325,00	
	HD SAS 6G 300GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x				S26361-F4482-E530	565,00	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise						x	x	x			S26361-F5227-E130	315,00	New product
	HD SAS 6G 450GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise						x	x	x			S26361-F5227-E145	450,00	New product
	HD SAS 6G 600GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise						x	x	x			S26361-F5227-E160	580,00	New product
	SSD SAS 6G 100GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 100 GB, SLC, hot-plug, 2.5-inch, enterprise						x	x	x			S26361-F4541-E100	1.775,00	
	SSD SAS 6G 200GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 200 GB, SLC, hot-plug, 2.5-inch, enterprise						x	x	x			S26361-F4541-E200	3.450,00	
	SSD SAS 6G 400GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 400 GB, SLC, hot-plug, 2.5-inch, enterprise						x	x	x			S26361-F4541-E400	6.630,00	
	SSD SAS 6G 100GB MLC HOT PL 2.5" EP PERF	SSD SAS, 6 GB/s, 200 GB, MLC, hot-plug, 2.5-inch, enterprise						x	x				S26361-F4581-E100	1.050,00	New product, Deliverable from: 01/08/2012, Orderable from: 24/08/2012
	SSD SAS 6G 400GB MLC HOT PL 2.5" EP PERF	SSD SAS, 6 GB/s, 200 GB, MLC, hot-plug, 2.5-inch, enterprise						x	x				S26361-F4581-E400	3.780,00	New product, Deliverable from: 01/08/2012, Orderable from: 24/08/2012
	SSD SATA 6G 100GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 100 GB, MLC, hot-plug, 2.5-inch, enterprise				x	x	x	x				S26361-F5225-E100	555,00	Orderable from: 01/08/2012
	SSD SATA 6G 200GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 200 GB, MLC, hot-plug, 2.5-inch, enterprise				x	x	x	x				S26361-F5225-E200	1.095,00	Orderable from: 01/08/2012
	SSD SATA 6G 400GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 400 GB, MLC, hot-plug, 2.5-inch, enterprise				x	x	x	x				S26361-F5225-E400	2.645,00	Orderable from: 01/08/2012
SCSI/RAID/SAS controller															
	SATA-HDD Upgrade 5.-8. HDD	Trigger to the request of a PCI based SAS controller				x	x						S26361-F2826-E140	5,00	
	RAID Contr BBU Erweiterung RAID 5/6 C16	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI"							x	x			S26361-F3257-E216	165,00	
	RAID Contr BBU Upgrade for RAID 5/6 C55	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI"	x	x	x	x	x	x					S26361-F3257-E255	165,00	
	RAID Contr BBU Erweiterung RAID 5/6 C70	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI"									x		S26361-F3257-E270	165,00	
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports	x	x	x	x	x	x					S26361-F3257-E4	110,00	
	RAID 0/1 SAS based on LSI MegaRAID 8Port	RAID-Ctrl, LSI MegaRAID SAS1068, PCIe x4, 8 internal ports	x	x	x	x	x	x					S26361-F3257-E8	135,00	Phased out
	SCSI Ctrl U320 1ch int/ext PCIe	Adaptec 29320LPE, 1x U320 SCSI						x	x				S26361-F3270-E1	195,00	Phased out
	SAS Ctrl 3GB/s 4int/4ext PCIe	SAS Controller 3GB/s 8 port, LSI SAS3442E-R						x	x				S26361-F3271-E1	210,00	Phased out
	SAS Ctrl 6G 8ext PCIe	SAS Controller 6GB/s 8 port, LSI SAS 9200-8e				x	x	x	x	x			S26361-F3628-E1	260,00	
	SAS Ctrl 6G 8ext PCIe lp	SAS Controller 6GB/s 8 port, LSI SAS 9200-8e LP	x	x									S26361-F3628-E201	260,00	
	SAS Enabling Key for Onboard Ports	Hardware key to switch four of the SATA ports of the Intel C600 Chipset to 3GB/s SAS,						x	x	x			S26361-F3674-E1	95,00	
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports	x	x	x	x	x	x	x	x			S26361-F3554-E8	165,00	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal ports	x	x	x	x	x	x	x	x			S26361-F3554-E512	385,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150 S8	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Options matrix														
SCSI/RAID/SAS controller (Continued)														
	RAID Ctrl SAS 6G 1GB (D3116)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 2.0 x8, 8 internal ports						x	x			S26361-F3669-E1	430,00	
	RAID Ctrl SAS 6G 8Port ex 512MB FH LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports, without IBBU				x	x	x	x	x		S26361-F3593-E1	590,00	
	RAID Ctrl SAS 6G 8Port ex 512MB LP LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports, without IBBU	x	x								S26361-F3593-E201	590,00	
Fibre Channel														
	FC Ctrl 8GB/s 1 Chan LPe1250 MMF LC	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber						x	x			S26361-F3961-E1	920,00	
	FC Ctrl 8GB/s 2 Chan LPe1202 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber						x	x			S26361-F3961-E2	1.490,00	
	FC Ctrl 8GB/s 1 channel QLE2560 MMF LC	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber						x	x			S26361-F3631-E1	1.020,00	
	FC Ctrl 8GB/s 2 channel QLE2562 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber						x	x			S26361-F3631-E2	1.640,00	
Connection Blades														
	SFP+ Module Multi Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blades, 1GB LAN connection blades with 10GB SFP+ uplink and the Fujitsu 10GBE Server Adapter D2755.. For multi-mode short-range fiber optic cables up to 300m.	x	x	x	x	x	x	x	x		S26361-F3986-E3	405,00	
	SFP+ Module Single Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blade and LAN adapter D2755.. For single-mode long-range fiber optic cables up to 10km.				x	x	x		x		S26361-F3986-E4	1.180,00	
Communication/Network														
	Eth Ctrl 1x1Gbit PCIe Pro/1000PT Cu Upgrade-Kit to 4x Gbit on-board	Intel® Pro 1000PT 1 Port Server Adapter Upgrade-Kit to 4x Gbit on-board. Based on Intel LAN controller chip 82576NS, Usable with original Intel driver kit. Extends the available two onboard 1GB LAN connectors with two additional 1GB LAN connectors.					x	x				S26361-F3241-E1 S26361-F3610-E702	90,00 155,00	
	Upgrade-Kit to 6x Gbit on-board	Upgrade-Kit to 6x Gbit on-board, Based on Intel LAN controller chip 82580EB, Usable with original Intel driver kit., Extends the available two onboard 1GB LAN connectors with four additional 1GB LAN connectors.									x	S26361-F3611-E701	390,00	
	Upgrade-Kit to 2xGB and 2x10GB on-board	Upgrade-Kit to 2x Gbit and 2x 10Gbit on-board, Based on Intel LAN controller chip 82599, Usable with original Intel driver kit., Extends the available two onboard 1GB LAN connectors with two additional 10GB LAN connectors with two additional 10GB LAN connectors (SFP+).									x	S26361-F3629-E702	520,00	
	Shared 10GB Management LAN kit										x	S26361-F3629-E750	25,00	
	Eth Ctrl 1x1Gbit PCIe CT Desktop Cu Ip	Intel® Gbit CT 1 Port Desktop Adapter Ip	x	x								S26361-F3516-E201	45,00	
	Eth Ctrl 2x1Gbit PCIe x4 D2735-2 Cu Ip	Ethernet Server Adapter Eth Ctrl 2x1Gbit PCIe x4 D2735-2 Cu Ip, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit	x	x								S26361-F3610-E202	155,00	
	Eth Ctrl 4x1Gbit PCIe x4 D2745 Cu Ip	Ethernet Server Adapter Eth Ctrl 4x1Gbit PCIe x4 D2745 Cu Ip, Based on Intel LAN controller chip 82580EB, Usable with original Intel driver kit	x	x								S26361-F3611-E201	390,00	
	Eth Ctrl 2x10Gbit PCIe x8 D2755 SFP+ Ip	Ethernet Server Adapter Eth Ctrl 2x10Gbit PCIe x8 D2755 SFP+ Ip	x	x								S26361-F3629-E202	520,00	
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10Gbit/s FCoE Controller , PCIe 2.0 x 8 , SFP+ for opt. module or Twinax cable								x		S26361-F3592-E2	1.320,00	
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCe10102								x		S26361-F3592-E108	400,00	
	Eth Ctrl 1x1Gbit PCIe CT Desktop Cu	Intel® Gbit CT 1 Port Desktop Adapter	x		x	x	x	x	x	x		S26361-F3516-E1	45,00	
	Eth Ctrl 1x1Gbit PCIe Pro/1000PF LC	Intel® Pro 1000PF 1 Port Server Adapter						x	x			S26361-F3242-E1	240,00	
	Eth Ctrl 2x10Gbit PCIe x8 D2755 SFP+	Ethernet Server Adapter Eth Ctrl 2x10Gbit PCIe x8 D2755 SFP+				x	x	x	x	x		S26361-F3629-E2	520,00	
	Eth Ctrl 2x1Gbit PCIe x4 D2735-2 Cu	Ethernet Server Adapter Eth Ctrl 2x1Gbit PCIe x4 D2735-2 Cu, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit	x		x	x	x	x	x	x		S26361-F3610-E2	155,00	
	Eth Ctrl 4x1Gbit PCIe x4 D2745 Cu	Ethernet Server Adapter Eth Ctrl 4x1Gbit PCIe x4 D2745 Cu, Based on Intel LAN controller chip 82580EB, Usable with original Intel driver kit			x	x	x	x	x	x		S26361-F3611-E1	390,00	
	IB HCA 40GB 1 port QDR	InfiniBand HCA 40GB/s, 1-port, QDR								x		S26361-F4475-E102	620,00	
	IB HCA 40GB 2 port QDR	InfiniBand HCA 40GB/s, 2-port, QDR								x		S26361-F4475-E202	875,00	
	IB HCA 56GB 1 port FDR	InfiniBand HCA 56GB/s, 1-port, FDR								x		S26361-F4533-E102	1.030,00	
	IB HCA 56GB 2 port FDR	InfiniBand HCA 56GB/s, 2-port, FDR								x		S26361-F4533-E202	1.590,00	
Rack-Infrastructure														
	Rack Mount Kit F2-C S7 LV	RMK for server more than 2U or more than 35Kg, Drop-in-Rails with Cable Management Adapter. . . . Vario Carrier length variable 714-785mm with Quick-Release-Lever-support. . . , Adjustable mounting depth for racks until 783mm rack pillar distance (depth)., load capacity: max. 50 kg						x	x			S26361-F2735-E285	100,00	
	Mounting in symmetrical Racks	Rack server mounting in symmetrical racks without support bracket						x	x			S26361-F4530-E10	5,00	
	Mounting 2U in asymmetrical racks	Rack server mounting in asymmetrical rack with 2U support bracket						x	x			S26361-F4530-E12	5,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3D	PRIMERGY TX120 S3	PRIMERGY TX120 S3P	PRIMERGY TX140 S1	PRIMERGY TX140 S1P	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
Rack-Infrastructure (Continued)															
	Rack installation ex works	Service for installation of a server or subsystem ex works. With ordering this service, the 12/24/36U rack will be delivered completely pre-mounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.						x	x	x			SNP-SY-F1647E301-P	130,00	
	Rack Cable Arm 2U	Cable management arm, dragged with bracket, can be used for PRIMERGY servers 2U or higher. Can be mounted in PRIMECENTER party racks, can only be mounted at RMKs with CMA adapter.							x				S26361-F2735-E82	30,00	
	Cable mgmt. lateral for asym. PC racks	Cable management for server or storage subsystem 2U or higher mounted into asymmetrical PRIMECENTER racks				x	x			x			S26361-F2735-E7	30,00	
	Cable mgmt. lateral for asym. PC racks M	Cable management for server or storage subsystem 2U or higher mounted into asymmetrical PRIMECENTER M1 racks							x				S26361-F2735-E71	30,00	
	cable arm 2U PCR M1 S and 3rd partyracks	Cable arm 2U to be mounted at right or left rack pillar behind servers higher oder equal 2U. Released for symmetrical PRIMECENTER M1 or 3rd party racks.				x	x			x			S26361-F2201-E20	50,00	
	RMK-F2_3-xU-Servers_13mm-Drop-in Rails	telescopic full extraction, drop-in mount.; vario-carrier for toolless mounting.; max. load 50 kg.; Rack installation depth (19" pillar distance) between 714mm and 785mm				x	x			x			S26361-F2735-E202	65,00	
Countrv kits															
	CCC Certification for China region kit APAC/America/EMEA/India	CCC Certification for China Region-kit APAC/EMEA/ India		x	x	x	x	x	x	x	x		S26361-F3301-E120	10,00	
			x	x	x	x	x	x	x	x	x		S26361-F1452-E100	10,00	
OneBox-Keyboards															
	KBPC PX ECO US	KBPC PX ECO US, professional GreenIT keyboard, US-English, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	x	x		S26381-K341-E110	27,00	
	KBPC PX ECO D	KBPC PX ECO D, professional GreenIT keyboard, Layout German, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	x	x		S26381-K341-E120	27,00	
	KBPC PX ECO GB	KBPC PX ECO GB, professional GreenIT keyboard, Layout Great Britain, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	x	x		S26381-K341-E165	27,00	
	KBPC PX ECO I	KBPC PX ECO I, professional GreenIT keyboard, Layout Italy, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	x	x		S26381-K341-E185	27,00	
	KB520 US	KB520 keyboard standard, marble grey, US, cable USB 2m,	x	x	x	x	x	x	x	x	x		S26381-K520-E102	13,00	
	KB520 DE	KB520 keyboard standard, marble grey, Germany, cable USB 2m,	x	x	x	x	x	x	x	x	x		S26381-K520-E120	13,00	
	KB520 GB	KB520 keyboard standard, marble grey, Great Britain, cable USB 2m,	x	x	x	x	x	x	x	x	x		S26381-K520-E165	13,00	
	KB520 IT	KB520 keyboard standard, marble grey, Italy, cable USB 2m,	x	x	x	x	x	x	x	x	x		S26381-K520-E185	13,00	
PRIMERGY-Software															
	iRMC S2 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection						x		x			S26361-F1790-E241	300,00	
	iRMC S3 advanced pack			x	x	x	x		x	x			S26361-F1790-E242	300,00	
	SUSE Linux ES 1-2 SOCK Server 1Y	SUSE Linux ES 1-2S0C Server 1Y, 1-2 CPU Sockets, one physical server, subscription for 1 year	x	x	x	x	x	x	x	x	x		S26361-F2348-S101	290,00	New product
	SUSE Linux ES 1-2 SOCK Server 3Y	SUSE Linux ES 1-2S0C Server 3Y, 1-2 CPU Sockets, one physical server, subscription for 3 years	x	x	x	x	x	x	x	x	x		S26361-F2348-S102	790,00	New product
	SUSE Linux ES 1-2 SOCK Server 5Y	SUSE Linux ES 1-2S0C Server 5Y, 1-2 CPU Sockets, one physical server, subscription for 5 years	x	x	x	x	x	x	x	x	x		S26361-F2348-S103	1.160,00	New product
	SUSE Linux ES 1-2 SOCK Serv+Virt. 1Y	SUSE Linux ES 1-2S0C Serv+Virt. 1Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 1 year	x	x	x	x	x	x	x	x	x		S26361-F2348-S111	440,00	New product
	SUSE Linux ES 1-2 SOCK Serv+Virt 3Y	SUSE Linux ES 1-2S0C Serv+Virt 3Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 3 years	x	x	x	x	x	x	x	x	x		S26361-F2348-S112	1.180,00	New product
	SUSE Linux ES 1-2 SOCK Serv+Virt 5Y	SUSE Linux ES 1-2S0C Serv+Virt 5Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 5 years	x	x	x	x	x	x	x	x	x		S26361-F2348-S113	1.760,00	New product
	SUSE Linux ES HAE 1-2 SOCK 1Y	SUSE Linux ES HAE 1-2S0C 1Y, 1-2 CPU Sockets, high availability extension, subscription for 1 year	x	x	x	x	x	x	x	x	x		S26361-F2348-S121	590,00	New product
	SUSE Linux ES HAE 1-2 SOCK 3Y	SUSE Linux ES HAE 1-2S0C 3Y, 1-2 CPU Sockets, high availability extension, subscription for 3 years	x	x	x	x	x	x	x	x	x		S26361-F2348-S122	1.570,00	New product
	SUSE Linux ES HAE 1-2 SOCK 5Y	SUSE Linux ES HAE 1-2S0C 5Y, 1-2 CPU Sockets, high availability extension, subscription for 5 years	x	x	x	x	x	x	x	x	x		S26361-F2348-S123	2.330,00	New product
	SUSE Linux ES4SAP 1-2 SOCK Server 1Y	SUSE Linux ES4SAP 1-2S0C Server 1Y, 1-2 CPU Sockets, one physical server, subscription for 1 year	x	x	x	x	x	x	x	x	x		S26361-F2348-S401	1.280,00	New product
	SUSE Linux ES4SAP 1-2 SOCK Server 3Y	SUSE Linux ES4SAP 1-2S0C Server 3Y, 1-2 CPU Sockets, one physical server, subscription for 3 years	x	x	x	x	x	x	x	x	x		S26361-F2348-S402	3.450,00	New product



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150 S8	PRIMERGY TX200 S6	PRIMERGY TX200 S7	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)													
	SUSE Linux ES4SAP 1-2 SOCK Server 5Y	SUSE Linux ES4SAP 1-2SOC Server 5Y, 1-2 CPU Sockets, one physical server, subscription for 5 years	x	x	x	x	x	x	x	x	S26361-F2348-S403	5.200,00	New product
	SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 1Y	SUSE Linux ES4SAP 1-2SOC Serv+Virt 1Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 1 year	x	x	x	x	x	x	x	x	S26361-F2348-S411	1.920,00	New product
	SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 3Y	SUSE Linux ES4SAP 1-2SOC Serv+Virt 3Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 3 years	x	x	x	x	x	x	x	x	S26361-F2348-S412	5.200,00	New product
	SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 5Y	SUSE Linux ES4SAP 1-2SOC Serv+Virt 5Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 5 years	x	x	x	x	x	x	x	x	S26361-F2348-S413	7.700,00	New product
	PRIMERGY DuplexDataManager 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	x	S26361-F2565-L596	2.745,00	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn OEM	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., English, OEM DVD, License.	x	x	x	x	x	x	x	x	S26361-F2567-E20	380,00	
	MS SysCtr Essntls 2010 OEM	MS System Center Essentials 2010. English, OEM DVD, License.	x	x	x	x	x	x	x	x	S26361-F2567-E30	115,00	
	Win Svr 2008 R2 SP1 Foundation 1CPU OEM	Win Svr 2008 R2 SP1 Fnd (1 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x	x	x				S26361-F2567-E301	195,00	
	Win Srv 2008 R2 Foundation 1CPU MULI OEM	Win Srv 2008 R2 Fnd (1 CPU) EN DE ES FR JA, CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x			x	x				S26361-F2567-E306	190,00	Phased out
	Win Srv 2008 R2 Foundation 1CPU PRC OEM	Win Srv 2008 R2 Fnd (1 CPU) Simplified Chinese. OEM DVD, License.	x	x	x	x	x				S26361-F2567-E308	175,00	
	Win SBS Essentials 2011 OEM MUL-Set1	Windows Small Business Server Essentials 2011, OEM, MUL set 1, DVD Media, COA, License, Language set 1:English (default language), German, Japanese, French, Spanish, Italian, Dutch, Polish, Portuguese.	x	x	x	x	x				S26361-F2567-E378	335,00	
	Win SBS Essentials 2011 OEM MUL-Set2	Windows Small Business Server Essentials 2011, OEM, MUL set 2, DVD Media, COA, License, Language set 2: English (default language), Chinese simplified (for PRC), Hungarian, Russian, Turkish, Swedish, Czech, Korean, Brazilian Portuguese.	x	x	x	x	x				S26361-F2567-E379	335,00	
	VIOM License f. operation of one server,	VIOM License for operation of one server, Service Pack mandatory						x	x	x	U15000-C311	315,00	
	VIOM License for operation of 8 servers,	VIOM License for operation of 8 servers, Service Pack mandatory						x	x	x	U15000-C312	1.890,00	
	VIOM License f. operation of 18 servers,	VIOM License for operation of 18 servers, Service Pack mandatory						x	x	x	U15000-C313	3.795,00	
	PRIMERGY MultiPath MPIO 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	x	S26361-F2565-E593	875,00	
	PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	x	S26361-F2565-E595	875,00	
	Win Svr 2008 R2 SP1 Datactr 2CPU OEM	Win Svr 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x	x	x	x	x	x	S26361-F2567-E331	2.966,00	
	Win Srv 2008 R2 SP1 Enterpr w/10CAL OEM	Win Srv 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x	x	x	x	x	x	S26361-F2567-E321	1.885,00	
	Win Srv 2008 R2 SP1 Standard w/5CAL OEM	Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x	x	x	x	x	x	S26361-F2567-E311	585,00	
	Win SBS Standard 2011 w/5CAL OEM EN	Windows Small Business Server Standard 2011 with 5 CAL, OEM, English, DVD Media set, COA, License	x	x	x	x	x	x	x	x	S26361-F2567-E350	630,00	
	Win SBS Standard 2011 w/5CAL OEM DE	Windows Small Business Server Standard 2011 with 5 CAL, OEM, German, DVD Media set, COA, License	x	x	x	x	x	x	x	x	S26361-F2567-E351	630,00	
	Win SBS Standard 2011 w/5CAL OEM IT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Italian, DVD Media set, COA, License	x	x	x	x	x	x	x	x	S26361-F2567-E352	630,00	
	Win SBS Standard 2011 w/5CAL OEM FR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, French, DVD Media set, COA, License	x	x	x	x	x	x	x	x	S26361-F2567-E353	630,00	
	Win SBS Standard 2011 w/5CAL OEM ES	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Spanish, DVD Media set, COA, License	x	x	x	x	x	x	x	x	S26361-F2567-E354	630,00	
	Win SBS Standard 2011 w/5CAL OEM CS	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Czech, DVD Media set, COA, License	x	x	x	x	x	x	x	x	S26361-F2567-E355	630,00	
	Win SBS Standard 2011 w/5CAL OEM PT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Portuguese, DVD Media set, COA, License	x	x	x	x	x	x	x	x	S26361-F2567-E356	630,00	
	Win SBS Standard 2011 w/5CAL OEM NL	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Dutch, DVD Media set, COA, License	x	x	x	x	x	x	x	x	S26361-F2567-E357	630,00	
	Win SBS Standard 2011 w/5CAL OEM TR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Turkish, DVD Media set, COA, License	x	x	x	x	x	x	x	x	S26361-F2567-E358	630,00	
	Win SBS Standard 2011 w/5CAL OEM HU	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Hungarian, DVD Media set, COA, License	x	x	x	x	x	x	x	x	S26361-F2567-E359	630,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM EN	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, English, DVD Media set, COA, License	x	x	x	x	x	x	x	x	S26361-F2567-E370	925,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM DE	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, German, DVD Media set, COA, License	x	x	x	x	x	x	x	x	S26361-F2567-E371	925,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM IT	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Italian, DVD Media set, COA, License	x	x	x	x	x	x	x	x	S26361-F2567-E372	925,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM FR	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, French, DVD Media set, COA, License	x	x	x	x	x	x	x	x	S26361-F2567-E373	925,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3D	PRIMERGY TX120 S3	PRIMERGY TX120 S3P	PRIMERGY TX140 S1	PRIMERGY TX140 S1P	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)															
	Win SBS 2011 Prem Add-On w/5CAL OEM ES	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Spanish, DVD Media set, COA, License	x	x	x	x	x	x	x	x	x	x	S26361-F2567-E374	925,00	
	Win Srv 2008 R2 Datacenter 2CPU MULI OEM	Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x			x	x	x					S26361-F2567-E330	3.315,00	Phased out
	Win Srv 2008 R2 Enterprise 10CAL MULI OEM	Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x			x	x	x					S26361-F2567-E320	2.085,00	Phased out
	Win Srv 2008 R2 Standard 5CAL MULI OEM	Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x			x	x	x					S26361-F2567-E310	655,00	Phased out
	Win Srv 2008 R2 Standard 5CAL PRC OEM	Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) Simplified Chinese. OEM DVD, License.	x	x	x	x	x	x	x	x	x	x	S26361-F2567-E318	530,00	
	Win Web Srv 2008 R2 MULI OEM	Win Web Srv 2008 R2 1-4 CPU EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x			x	x	x	x	x	x	x	S26361-F2567-E302	305,00	
	Win Svrs 2008 R2 SP1 Service Pack DVD	Service Pack 1 Supplement DVD for Windows Servers 2008 R2.	x	x	x	x	x	x	x	x	x	x	S26361-F2567-E391	25,00	
	Win Svrs 2008 R2 SP1 Language Pack DVD	Language Pack Supplement DVD with 34 worldwide language packs for Windows Servers 2008 R2 SP1.	x	x	x	x	x	x	x	x	x	x	S26361-F2567-E390	25,00	
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x					x	x	x	x	x	S26361-F2565-E328	25,00	Phased out
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x	x	x	x	x	x	x	x	x	S26361-F2565-E318	25,00	Phased out
	Win HPC Srv 2008 R2 Suite OEM	Win HPC Srv 2008 R2 Suite (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.									x	x	S26361-F2567-E360	750,00	
	Win Srv 2008 R2 HPC Edition MULI OEM	Win Srv 2008 R2 HPC Edition (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.										x	S26361-F2567-E361	375,00	
	Win HPC Pack 2008 R2 Express MULI OEM	Win HPC Pack 2008 R2 Express (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.										x	S26361-F2567-E362	25,00	
	Win HPC Pack 2008 R2 Workstation MULI OEM	Win HPC Pack 2008 R2 Workstation OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.										x	S26361-F2567-E363	110,00	
	Win HPC Srv 2008 R2 Suite ACADEMIC USA	Win HPC Srv 2008 R2 Suite (1-4 CPU) ACADEMIC OEM for USA. Ships per Request for Special Release only. Only for Qualified Educational Users in the U.S., only for shipments to U.S.A. OEM Recovery DVD Media Kit, COA, License.										x	S26361-F2567-E366	30,00	
	Win HPC Srv 2008 R2 Suite ACADEMIC PRC	Win HPC Srv 2008 R2 Suite (1-4 CPU) ACADEMIC OEM for PRC. Ships per Request for Special Release only. Only for Qualified Educational Users in the PRC, only for shipments to PRC. OEM Recovery DVD Media Kit, COA, License.										x	S26361-F2567-E368	30,00	
	SUSE Linux ES 32SOC 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1 year subscription.	x	x	x	x	x	x	x	x	x	x	S26361-F2346-E611	249,00	
	SUSE Linux ES 32SOC 3Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 3 years subscription.	x	x	x	x	x	x	x	x	x	x	S26361-F2346-E612	670,00	
	SUSE Linux E 11 HAE 32SOC 3Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 3 years subscription.	x	x	x	x	x	x	x	x	x	x	S26361-F2346-E622	1.350,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 1 year	x	x	x	x	x	x	x	x	x	x	S26361-F2346-S101	331,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 3 years	x	x	x	x	x	x	x	x	x	x	S26361-F2346-S102	889,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 1 year	x	x	x	x	x	x	x	x	x	x	S26361-F2346-S103	497,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 3 years	x	x	x	x	x	x	x	x	x	x	S26361-F2346-S104	1.334,00	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 1 year	x	x	x	x	x	x	x	x	x	x	S26361-F2346-S105	830,00	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 3 years	x	x	x	x	x	x	x	x	x	x	S26361-F2346-S106	2.224,00	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 1 year	x	x	x	x	x	x	x	x	x	x	S26361-F2346-S111	538,00	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 3 years	x	x	x	x	x	x	x	x	x	x	S26361-F2346-S112	1.445,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 1 year	x	x	x	x	x	x	x	x	x	x	S26361-F2346-S113	808,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 3 years	x	x	x	x	x	x	x	x	x	x	S26361-F2346-S114	2.169,00	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 1 year	x	x	x	x	x	x	x	x	x	x	S26361-F2346-S115	1.347,00	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 3 years	x	x	x	x	x	x	x	x	x	x	S26361-F2346-S116	3.615,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)															
	Red Hat EL HA 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x	x	x	x	x	S26361-F2346-S121	220,00	
	Red Hat EL HA 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x	x	x	x	x	S26361-F2346-S122	607,00	
	Red Hat EL RS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x	x	x	x	x	S26361-F2346-S131	441,00	
	Red Hat EL RS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x	x	x	x	x	S26361-F2346-S132	1.215,00	
	Red Hat EL SFS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x	x	x	x	x	S26361-F2346-S141	110,00	
	Red Hat EL SFS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x	x	x	x	x	S26361-F2346-S142	303,00	
	Red Hat EL LB 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x	x	x	x	x	S26361-F2346-S151	110,00	
	Red Hat EL LB 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x	x	x	x	x	S26361-F2346-S152	303,00	
	Red Hat EL HPN 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x	x	x	x	x	S26361-F2346-S161	110,00	
	Red Hat EL HPN 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x	x	x	x	x	S26361-F2346-S162	303,00	
	Red Hat EL EUS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 1 year	x	x	x	x	x	x	x	x	x	x	S26361-F2346-S171	138,00	
	Red Hat EL EUS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 3 years	x	x	x	x	x	x	x	x	x	x	S26361-F2346-S172	380,00	
	Citrix XS AE, 3yr SA	Citrix XS AE, 3yr SA; XenServer V5.6+ Advanced Edition; License, 3 years Subscription Advantage, SW and License key per Download									x	x	S26361-F2341-S980	1.050,00	
	Citrix XS EE, 3yr SA	Citrix XS EE, 3yr SA; XenServer V5.6+ Enterprise Edition; License, 3 years Subscription Advantage, SW and License key per Download									x	x	S26361-F2341-S981	2.630,00	
	Citrix XS PE, 3yr SA	Citrix XS PE, 3yr SA; XenServer V5.6+ Platinum Edition; License, 3 years Subscription Advantage, SW and License key per Download									x	x	S26361-F2341-S982	5.290,00	
	Citrix XS AE-EE upgr, 3yr SA	Citrix XS AE-EE upgr, 3yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 3 years Subscription Advantage; SW and License key per Download									x	x	S26361-F2341-S983	2.000,00	
	Citrix XS AE-PE upgr, 3yr SA	Citrix XS AE-PE upgr, 3yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 3 years Subscription Advantage; SW and License key per Download									x	x	S26361-F2341-S984	4.880,00	
	Citrix XS EE-PE upgr, 3yr SA	Citrix XS EE-PE upgr, 3yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 3 years Subscription Advantage; SW and License key per Download									x	x	S26361-F2341-S985	3.540,00	
	Citrix XS AE, 1yr SA	Citrix XS AE, 1yr SA; XenServer V5.6+ Advanced Edition; License, 1 year Subscription Advantage, SW and License key per Download									x	x	S26361-F2341-S986	830,00	
	Citrix XS EE, 1yr SA	Citrix XS EE, 1yr SA; XenServer V5.6+ Enterprise Edition; License, 1 year Subscription Advantage, SW and License key per Download									x	x	S26361-F2341-S987	2.080,00	
	Citrix XS PE, 1yr SA	Citrix XS PE, 1yr SA; XenServer V5.6+ Platinum Edition; License, 1 year Subscription Advantage, SW and License key per Download									x	x	S26361-F2341-S988	4.170,00	
	Citrix XS AE-EE upgr, 1yr SA	Citrix XS AE-EE upgr, 1yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 1 year Subscription Advantage; SW and License key per Download									x	x	S26361-F2341-S989	1.460,00	
	Citrix XS AE-PE upgr, 1yr SA	Citrix XS AE-PE upgr, 1yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 1 year Subscription Advantage; SW and License key per Download									x	x	S26361-F2341-S990	3.750,00	
	Citrix XS EE-PE upgr, 1yr SA	Citrix XS EE-PE upgr, 1yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 1 year Subscription Advantage; SW and License key per Download									x	x	S26361-F2341-S991	2.420,00	
	VMware vSphere Embedded UFM Device	VMware vSphere Embedded UFM Device Embedded UFM Storage Device , inc. ESXi Single SRV Lic. (w/o SP)						x	x	x	x	x	S26361-F2341-E431	60,00	
	VMware ESXi 5.0 Single SRV w/o SP-1yr	VMware ESXi 5 Single Server for 1 CPU (32GB vRAM/CPU) - Mandatory 1 year Service Pack needed!						x	x	x	x	x	S26361-F2341-S700	10,00	
	VMware vSphere 5 Media Kit OEM	VMware vSphere 5 Media Kit OEM w/ ESX 4, vCenter 5, vShield.Backup-Restore , VMware vSphere 4 Media Kit OEM w/ ESX 4, vCenter 4, vShield.Backup-Restore - No License						x	x		x	x	S26361-F2341-E300	80,00	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (32GB vRAM/CPU) - Mandatory 1 year Service Pack needed!						x	x	x	x	x	S26361-F2341-E707	895,00	
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (32GB vRAM/CPU) - Mandatory 3 year Service Pack needed!						x	x	x	x	x	S26361-F2341-E708	895,00	
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 1 year Service Pack needed!						x	x	x	x	x	S26361-F2341-E709	2.585,00	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 3 year Service Pack needed!						x	x	x	x	x	S26361-F2341-E710	2.585,00	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year Service Pack needed!						x	x	x	x	x	S26361-F2341-E711	3.145,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)															
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU (8GB vRAM/CPU) - Mandatory 3 year Service Pack needed!						x	x	x	x		S26361-F2341-E712	3.145,00	
	VMware STD AK(8CPU+VC-STD)w/o SP-1yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!						x	x	x	x		S26361-F2341-E730	8.995,00	
	VMware STD AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!						x	x	x	x		S26361-F2341-E731	8.995,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!						x	x	x	x		S26361-F2341-E732	#####	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!						x	x	x	x		S26361-F2341-E733	#####	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!						x	x	x	x		S26361-F2341-E734	#####	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!						x	x	x	x		S26361-F2341-E735	#####	
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 1 year Service Pack needed!						x	x	x	x		S26361-F2341-S736	4.495,00	
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 3 year Service Pack needed!						x	x	x	x		S26361-F2341-S737	4.495,00	
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 1 year Service Pack needed!						x	x	x	x		S26361-F2341-S738	1.345,00	
	VMware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 3 year Service Pack needed!						x	x	x	x		S26361-F2341-S739	1.345,00	
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Mandatory 1 year Service Pack needed!						x	x	x	x		S26361-F2341-E740	4.045,00	
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Mandatory 3 year Service Pack needed!						x	x	x	x		S26361-F2341-E741	4.045,00	
	VMware Essentials w/1yr Sub.-no Support	VMware Essentials for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Inc. 1 year VMware Sub. - no Support						x	x	x	x		S26361-F2341-S800	504,00	
	VMware Essentials w/3yr Sub.-no Support	VMware Essentials for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Inc. 3 year VMware Sub. - no Support						x	x	x	x		S26361-F2341-S801	600,00	
	VMware SRM STD 25 VM Pack w/7x24-1yr	VMware SRM STD 25 VM Pack Protects 25 VMs - Inc. 1 year VMware 7x24 Service+Sub.						x	x	x	x		S26361-F2341-S802	4.969,00	
	VMware SRM STD 25 VM Pack w/7x24-3yr	VMware SRM STD 25 VM Pack Protects 25 VMs - Inc. 3 year VMware 7x24 Service+Sub.						x	x	x	x		S26361-F2341-S803	6.510,00	
	VMware SRM STD 25 VM Pack w/5x9-1yr	VMware SRM STD 25 VM Pack Protects 25 VMs - Inc. 1 year VMware 5x9 Service+Sub.						x	x	x	x		S26361-F2341-S804	4.810,00	
	VMware SRM STD 25 VM Pack w/5x9-3yr	VMware SRM STD 25 VM Pack Protects 25 VMs - Inc. 3 year VMware 5x9 Service+Sub.						x	x	x	x		S26361-F2341-S805	6.104,00	
	VMware SRM ENT 25 VM Pack w/7x24-1yr	VMware SRM ENT 25 VM Pack Protects 25 VMs - Inc. 1 year VMware 7x24 Service+Sub.						x	x	x	x		S26361-F2341-S806	#####	
	VMware SRM ENT 25 VM Pack w/7x24-3yr	VMware SRM ENT 25 VM Pack Protects 25 VMs - Inc. 3 year VMware 7x24 Service+Sub.						x	x	x	x		S26361-F2341-S807	#####	
	VMware SRM ENT 25 VM Pack w/5x9-1yr	VMware SRM ENT 25 VM Pack Protects 25 VMs - Inc. 1 year VMware 5x9 Service+Sub.						x	x	x	x		S26361-F2341-S808	#####	
	VMware SRM ENT 25 VM Pack w/5x9-3yr	VMware SRM ENT 25 VM Pack Protects 25 VMs - Inc. 3 year VMware 5x9 Service+Sub.						x	x	x	x		S26361-F2341-S809	#####	
	VMware View ENT Start 10 CLI w/o SP-1yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!						x	x	x	x		S26361-F2341-S742	1.220,00	
	VMware View ENT Start 10 CLI w/o SP-3yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!						x	x	x	x		S26361-F2341-S743	1.220,00	
	VMware View ENT 100 CLI w/o SP-1yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!						x	x	x	x		S26361-F2341-S744	#####	
	VMware View ENT 100 CLI w/o SP-3yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!						x	x	x	x		S26361-F2341-S745	#####	
	VMware View ENT Add-On 10 CLI w/o SP-1yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License w/VDM - Mandatory 1 year Service Pack needed!						x	x	x	x		S26361-F2341-S748	730,00	
	VMware View ENT Add-On 10 CLI w/o SP-3yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License w/VDM - Mandatory 3 year Service Pack needed!						x	x	x	x		S26361-F2341-S749	730,00	
	VMware View PRE Start 10 CLI w/o SP-1yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!						x	x	x	x		S26361-F2341-S750	2.030,00	
	VMware View PRE Start 10 CLI w/o SP-3yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!						x	x	x	x		S26361-F2341-S751	2.030,00	
	VMware View PRE 100 CLI w/o SP-1yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!						x	x	x	x		S26361-F2341-S752	#####	
	VMware View PRE 100 CLI w/o SP-3yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!						x	x	x	x		S26361-F2341-S753	#####	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)															
	VMware View PRE Add-On 10 CLI w/o SP-1yr	VMware View PRE Add-On 10 Desktop VM's - Extends existing VS4 Lic. w/VDM,COMP,TA - Mandatory 1 year Service Pack needed!						x	x	x	x		S26361-F2341-S756	1.540,00	
	VMware View PRE Add-On 10 CLI w/o SP-3yr	VMware View PRE Add-On 10 Desktop VM's - Extends existing VS4 Lic. w/VDM,COMP,TA - Mandatory 3 year Service Pack needed!						x	x	x	x		S26361-F2341-S757	1.540,00	
	VMware vCloud Dir. 25 VM Pack w/7x24-1yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.						x	x	x	x		S26361-F2341-S810	3.992,00	
	VMware vCloud Dir. 25 VM Pack w/7x24-3yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.						x	x	x	x		S26361-F2341-S811	5.299,00	
	VMware Chargeback 25 VM Pack w/7x24-1yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.						x	x	x	x		S26361-F2341-S812	1.275,00	
	VMware Chargeback 25 VM Pack w/7x24-3yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.						x	x	x	x		S26361-F2341-S813	1.694,00	
	VMware vCloud Dir. 25 VM Pack w/5x9-1yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.						x	x	x	x		S26361-F2341-S814	3.865,00	
	VMware vCloud Dir. 25 VM Pack w/5x9-3yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.						x	x	x	x		S26361-F2341-S815	4.963,00	
	VMware Chargeback 25 VM Pack w/5x9-1yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.						x	x	x	x		S26361-F2341-S816	1.234,00	
	VMware Chargeback 25 VM Pack w/5x9-3yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.						x	x	x	x		S26361-F2341-S817	1.586,00	
UPS/Power supplv															
	Power Supply Module 450W (hot plug)	for PS redundancy						x					S26113-F540-E11	170,00	
	Power Supply Module 800W HE (hot plug)	2nd oold PS hp for redundancy							x				S26113-F556-E10	215,00	
	Power Supply Dummy								x	x	x		S26113-F574-E99	3,00	
	Fan upgrade kit hot-plug redundancy	consists of two additional fans for fan redundancy											S26361-F3667-E1	45,00	
	Modular PSU 800W platinum hp	800W modular Power Supply Module , hot plug, platinum (94% efficiency)											S26113-F574-E10	255,00	
	Modular PSU 450W platinum hp	450W modular Power Supply Module , hot plug, platinum (94% efficiency)						x	x	x	x		S26113-F575-E10	225,00	
	Cable powercord (D...), 1.8m, grey	suitable for D, A, B, F, NL, FIN, N, S, E, P, RUS, TR	x	x	x	x	x	x	x	x	x		T26139-Y1740-E10	10,00	
	Cable powercord rack, 4m, grey	Powercord for rackmounting, IEC 320 C14 -> C13 (10A plug), 4m					x	x					T26139-Y1968-E100	10,00	
	Cable powercord (USA), 1.8m, grey	suitable for USA, Cnd	x	x	x	x	x	x	x	x	x		T26139-Y1742-E10	10,00	
	Cable powercord (UK, S), 1.8m, grey	suitable for UK, IR	x	x	x	x	x	x	x	x	x		T26139-Y1744-E10	10,00	
	Cable powercord (It), 1.8m, grey	suitable for I	x	x	x	x	x	x	x	x	x		T26139-Y1745-E10	10,00	
	No powercord as order option	For Countries without specific cable orderable like e.g. China	x	x	x	x	x	x	x	x	x		T26139-Y3850-E10	2,00	
Mouse															
	Mouse M480 black	optical mouse with 3 keys, black and amhrazil, 1000 dpi, new design with Fujitsu logo, usb cable 1.8m, white box packed	x	x	x	x	x	x					S26381-K431-E100	6,00	
	Mouse M510 Black	optical mouse with 3 keys, black, 1000 dpi, Fujitsu logo, USB cable 1.8m,	x	x	x	x	x	x	x	x	x		S26381-K457-E100	6,00	
	Mouse M510 Grey	optical mouse with 3 keys, marble grey, 1000 dpi, USB cable 1.8m	x	x	x	x	x	x	x	x	x		S26381-K457-E101	6,00	
Miscellaneous															
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order						x					S26361-F1647-E410	25,00	
	LocalView Option Kit S2	LCD display with adapter						x	x	x	x		S26361-F2557-E105	70,00	
	LocalView Option Kit S2	LCD display with installation kit						x	x	x	x		S26361-F2557-E106	70,00	
	Customer Self Service Modul TX Server	Support for Customer Self Service (CSS), incl. adapter						x					S26361-F2557-E202	25,00	
	Customer Self Service Module RX Server	Support for Customer Self Service (CSS), incl. mounting kit									x		S26361-F2557-E205	25,00	
	Service LAN Option	ntgriert in die vordere Bedieneinheit	x	x	x	x		x	x	x	x		S26361-F2571-E27	20,00	
	Serial port option	Cable for 2nd RS-232-C 9 pin interface									x		S26361-F3120-E3	40,00	
	TX140S1 E-Star Fam1 certification	Limits configurations in accordance with Energy Star Server 1.0, for SATA/SAS LFF base unit with std PSU and 4 core CPUs only					x						S26361-F3301-E141	3,00	
	TX140S1p E-Star Fam2 certification	Limits configurations in accordance with Energy Star Server 1.0, for SATA/SAS LFF base unit with std PSU and 4 core CPUs only					x						S26361-F3301-E142	3,00	New product, Deliverable from: 01/08/2012, Orderable from: 08/08/2012
	TX150S7 E-Star Fam1 certification	Limits configurations in accordance with Energy Star Server 1.0, for all base units with std PSU with dual core CPUs only						x					S26361-F3301-E151	3,00	
	TX150S7 E-Star Fam2 certification	Limits configurations in accordance with Energy Star Server 1.0, for all base units with red PSU with Xeon based CPUs only						x					S26361-F3301-E152	3,00	
	TX200S6 E-Star Fam1 Certification	Limits configurations in accordance with Energy Star Server 1.0								x			S26361-F3301-E201	3,00	
	Energy Star 5.0 Compliancy	Limited configuration in accordance with Energy Star 5.0, SAS configuration: . max P8400, 1GB RAM, 2x SAS HDD, only IRMC graphics, SATA configuration: . max. T9400, 8GB RAM, 2x SATA HDD + 2 SATA/Backup, 2x LAN, only IRMC graphics	x										S26361-F3301-E5	2,00	
	Energy Star 5.0 E85+ Compliancy		x										S26361-F3301-E6	2,00	
	TPM Module	Trusted Platform Module on motherboard, be aware of import restrictions!	x	x	x	x	x	x	x	x	x		S26361-F3552-E1	50,00	
	Serial port option	Cable with 9 pin D-SUB interface											S26361-F2571-E10	30,00	
	No RMK	no Rackmount-Kit - only with loose server order without rack mounting ex factory					x	x	x	x	x		S26361-F2735-E111	5,00	
SW Data Center Products															
	Citrix XD VDI, 10 U/D, 3yr SA	Citrix XD VDI, 10 U/D, 3yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x					x	x	x	x		S26361-F2341-E913	1.040,00	
	Citrix XD VDI, 50 U/D, 3yr SA	Citrix XD VDI, 50 U/D, 3yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x					x	x	x	x		S26361-F2341-E914	5.210,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
SW Data Center Products (Continued)															
	Citrix XD VDI, 100 U/D, 3yr SA	Citrix XD VDI, 100 U/D, 3yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x						x	x	x		S26361-F2341-E915	#####	
	Citrix XD EE, 10 U/D, 3yr SA	Citrix XD EE, 10 U/D, 3yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x						x	x	x		S26361-F2341-E923	2.460,00	
	Citrix XD EE, 50 U/D, 3yr SA	Citrix XD EE, 50 U/D, 3yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x						x	x	x		S26361-F2341-E924	#####	
	Citrix XD EE, 100 U/D, 3yr SA	Citrix XD EE, 100 U/D, 3yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x						x	x	x		S26361-F2341-E925	#####	
	Citrix XD PE, 10 U/D, 3yr SA	Citrix XD PE, 10 U/D, 3yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x						x	x	x		S26361-F2341-E933	3.750,00	
	Citrix XD PE, 50 U/D, 3yr SA	Citrix XD PE, 50 U/D, 3yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x						x	x	x		S26361-F2341-E934	#####	
	Citrix XD PE, 100 U/D, 3yr SA	Citrix XD PE, 100 U/D, 3yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x						x	x	x		S26361-F2341-E935	#####	
	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x						x	x	x		S26361-F2341-E960	2.170,00	
	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x						x	x	x		S26361-F2341-E961	#####	
	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x						x	x	x		S26361-F2341-E962	#####	
	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x						x	x	x		S26361-F2341-E963	3.460,00	
	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x						x	x	x		S26361-F2341-E964	#####	
	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x						x	x	x		S26361-F2341-E965	#####	
	Citrix XD EE-PE upgr, 10 U/D, 3yr SA	Citrix XD EE-PE upgr, 10 U/D, 3yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x						x	x	x		S26361-F2341-E966	2.210,00	
	Citrix XD EE-PE upgr, 50 U/D, 3yr SA	Citrix XD EE-PE upgr, 50 U/D, 3yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x						x	x	x		S26361-F2341-E967	#####	
	Citrix XD EE-PE upgr, 100 U/D, 3yr SA	Citrix XD EE-PE upgr, 100 U/D, 3yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x						x	x	x		S26361-F2341-E968	#####	
	Citrix XD VDI, 10 U/D, 1yr SA	Citrix XD VDI, 10 U/D, 1yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x						x	x	x		S26361-F2341-S913	790,00	
	Citrix XD VDI, 50 U/D, 1yr SA	Citrix XD VDI, 50 U/D, 1yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x						x	x	x		S26361-F2341-S914	3.960,00	
	Citrix XD VDI, 100 U/D, 1yr SA	Citrix XD VDI, 100 U/D, 1yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x						x	x	x		S26361-F2341-S915	7.920,00	
	Citrix XD EE, 10 U/D, 1yr SA	Citrix XD EE, 10 U/D, 1yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x						x	x	x		S26361-F2341-S923	1.880,00	
	Citrix XD EE, 50 U/D, 1yr SA	Citrix XD EE, 50 U/D, 1yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x						x	x	x		S26361-F2341-S924	9.380,00	
	Citrix XD EE, 100 U/D, 1yr SA	Citrix XD EE, 100 U/D, 1yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x						x	x	x		S26361-F2341-S925	#####	
	Citrix XD PE, 10 U/D, 1yr SA	Citrix XD PE, 10 U/D, 1yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x						x	x	x		S26361-F2341-S933	2.920,00	
	Citrix XD PE, 50 U/D, 1yr SA	Citrix XD PE, 50 U/D, 1yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x						x	x	x		S26361-F2341-S934	#####	
	Citrix XD PE, 100 U/D, 1yr SA	Citrix XD PE, 100 U/D, 1yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x						x	x	x		S26361-F2341-S935	#####	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3p	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX140 S1p	PRIMERGY TX150 S7	PRIMERGY TX150 S8	PRIMERGY TX200 S6	PRIMERGY TX200 S7	PRIMERGY TX300 S7	Product Code	EUP (€)	Comments
SW Data Center Products (Continued)															
	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download	x					x	x	x			S26361-F2341-S960	1.580,00	
	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download	x					x	x	x			S26361-F2341-S961	7.920,00	
	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download	x					x	x	x			S26361-F2341-S962	#####	
	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x					x	x	x			S26361-F2341-S963	2.630,00	
	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x					x	x	x			S26361-F2341-S964	#####	
	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x					x	x	x			S26361-F2341-S965	#####	
	Citrix XD EE-PE upgr, 10 U/D, 1yr SA	Citrix XD EE-PE upgr, 10 U/D, 1yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x					x	x	x			S26361-F2341-S966	1.380,00	
	Citrix XD EE-PE upgr, 50 U/D, 1yr SA	Citrix XD EE-PE upgr, 50 U/D, 1yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x					x	x	x			S26361-F2341-S967	6.880,00	
	Citrix XD EE-PE upgr, 100 U/D, 1yr SA	Citrix XD EE-PE upgr, 100 U/D, 1yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x					x	x	x			S26361-F2341-S968	#####	
	SVRCVEFCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (FC) Option (Windows)						x	x	x	x		U11420-C906	100,00	
	SVRCVEMCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (MAC) Option (Windows)						x	x	x	x		U11420-C936	100,00	
	XTN-CD V32 (PS) MED CD	x10sure CD 3.2; (Binaries / Documents) 1 Medium, German & English Version						x	x	x	x		U11420-C775	50,00	
	XTN-B V32 (PS) RTU -1CN1AN	x10sure 3.2 - Base License (RTU for 1 Control Node + 1 Application Node; no support nor updates included)						x	x	x	x		U11420-C877	1.400,00	
	XTN-B V32 (PS) UgrRTU -1CN1AN	x10sure 3.2 - Upgrade Base License (Upgrade RTU for 1 Control Node + 1 Application Node from x10sure 2.x or 3.0; for maintenance renewal only)						x	x	x	x		U11420-C773-U	1,00	
	XTN-N V32 (PS) RIU -1 Node	x10sure 3.2 RTU for 1 additional Application- or Spare Node; no support nor updates included						x	x	x	x		U11420-C878	1.100,00	
	XTN-N V32 (PS) UgrRIU -1 Node	x10sure 3.2 - Upgrade License (Upgrade RTU for 1 additional Application or Spare Node from x10sure 2.x or 3.0; for maintenance renewal only)						x	x	x	x		U11420-C774-U	1,00	
	XTNIS-CD V31 (PS) MED CD	x10sure IS CD 3.1; (Binaries / Documents) 1 Medium, German & English Version						x	x	x	x		U11420-C776	50,00	
	XTNIS-B V31 (PS) RTU -1CN1AN	x10sure IS 3.1 - License (RTU for one x10sure IS (Internal Storage) configuration consisting of 2 servers with internal RAID-storage; no support nor updates included)						x	x	x	x		U11420-C879	2.500,00	
	SVRORVEDEMO V3 (WIN/LIN) RTU	ServerView Resource Orchestrator VE Demo License (1 Server) V3						x	x	x	x		U11420-C954	0,01	
	SVRORCEDEMO V3 (WIN/LIN) RTU	ServerView Resource Orchestrator CE Demo License (1 Server) V3						x	x	x	x		U11420-C955	0,01	
	SVRORDVD V30 (WIN/LIN/SOL) MED DVD	ServerView Resource Orchestrator Media Pack V2.3 for Windows&Linux&Solaris						x	x	x	x		U11420-C956	50,00	
	SVRORCESVR V3 (WIN/LIN) RTU 1SVR 4C	ServerView Resource Orchestrator CE Server License (1 Server) 4CPU Class V3						x	x	x	x		U11420-C960	1.530,00	
	SVRORCESVR V3 (WIN/LIN) RTU 8SVR 4C	ServerView Resource Orchestrator CE Server License (8 Server) 4CPU Class V3						x	x	x	x		U11420-C961	#####	
	SVRORCESVR V3 (WIN/LIN) RTU 18SVR 4C	ServerView Resource Orchestrator CE Server License (18 Server) 4CPU Class V3						x	x	x	x		U11420-C963	#####	
	SVRORVESVR V3 (WIN/LIN) RTU 1SVR 4C	ServerView Resource Orchestrator VE Server License (1 Server) 4CPU Class V3						x	x	x	x		U11420-C966	779,00	
	SVRORVESVR V3 (WIN/LIN) RTU 8SVR 4C	ServerView Resource Orchestrator VE Server License (8 Server) 4CPU Class V3						x	x	x	x		U11420-C967	5.538,00	
	SVRORVESVR V3 (WIN/LIN) RTU 18SVR 4C	ServerView Resource Orchestrator VE Server License (18 Server) 4CPU Class V3						x	x	x	x		U11420-C969	#####	
	SVRORCESVR V3 (WIN/LIN) UGRU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class Upgrade from ROR VE V3						x	x	x	x		U11420-C978	751,00	
	SVRORCESVR V3 (WIN/LIN) UGRU 8CSVR 4C	ServerView Resource Orchestrator CE Server License (8 Server) 4CPU Class Upgrade from ROR VE V3						x	x	x	x		U11420-C979	5.845,00	
	SVRORCESVR V3 (WIN/LIN) UGRU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class Upgrade from ROR VE V3						x	x	x	x		U11420-C981	#####	

?

?



Positioning PRIMERGY Rack Servers



**PRIMERGY
RX100 S7**

PRIMERGY RX100 S7: for SMEs and data centers, looking for high availability, scalability and low TCO - in a 1U chassis. SME customers will find the RX100 S7 to be a highly versatile tool, which can be used as a web, file or print server.



**PRIMERGY
RX200 S7**

The Fujitsu PRIMERGY RX200 S7 is a rack server that provides high performance, expandability and energy efficiency in 1U space saving housing. Thus, the PRIMERGY RX200 S7 is ideal for virtualization and cloud, small databases as well as for high performance computing thanks to the top performance of the new Intel® Xeon® E5 product family.



**PRIMERGY
RX300 S7**

The Fujitsu PRIMERGY RX300 S7 is a dual socket rack server, focusing on versatility and scalability. The new modular concept supports excellent expandability with up to 16 hard disk drives, up to 7 PCIe Gen 3 cards and up to 768GB RAM, all in one single 2U rack housing.



**PRIMERGY
RX350 S7**

The PRIMERGY RX350 S7 is a 4U rack server with maximum levels of performance, expandability and availability. It combines the performance of Intel® Xeon® processors E5 family with up to two 6GB general-purpose computing on graphics processing units (GGPU) for computationally intensive applications. The new modular concept supports excellent expandability with up to 24 hard disk drives, up to 10 PCIe Gen 3 cards and up to 768GB memory.



**PRIMECENTER
M1**

The trend to consolidation as a result of virtualization and optimization require environments that are more flexible and reliable. Decades of data center experience at Fujitsu result in the latest 19-inch Rack Family. The new Fujitsu PRIMECENTER racks are the foundation for meeting IT data center requirements. The PRIMECENTER Racks are the basis for building perfect data center infrastructures. The PRIMECENTER 19-inch Racks can be used to install Fujitsu solutions as well as third-party products. They meet all requirements for flexibility thanks to the multiple configuration options, cooling and maintenance features. In addition a broad portfolio of optional rack accessories complete the efficient rack



PRIMERGY RX100 S7

PRIMERGY RX100 S7: for SMEs and data centers, looking for high availability, scalability and low TCO - in a 1U chassis. SME customers will find the RX100 S7 to be a highly versatile tool, which can be used as a web, file or print server. Data center customers can build on the RX100 S7 as a scalable entry-level virtualization platform, which offers up to Intel® Xeon® processor performance, optional redundant fan and hot-plug power supplies (with up to 94% efficiency!) and onboard dual gigabit LAN. The optional front service LAN will make the lives of data center staff easier too. PRIMERGY RX100 S7: Rack virtualization starts here!

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY RX100 S7p					
	PY RX100S7p/LFF/Standard PSU	Rack based server 19" (1U), BU without processor and RAM, incl. standard power supply module and 4 standard fans, RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (2 ports are used by SATA HDDs); 2 drive bays for hot plug 3.5" SATA or SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V103	490,00	
	PY RX100S7p/LFF/Hot-Plug PSU	Rack based server 19" (1U), BU without processor and RAM, incl. hot-plug power supply module and 5 standard fans (1+4 redundant), RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (2 ports are used by SATA HDDs); 2 drive bays for hot plug 3.5" SATA or SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V203	505,00	
	PY RX100S7p/SFF/Standard PSU	Rack based server 19" (1U), BU without processor and RAM, incl. standard power supply module and 4 standard fans, RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (4 Ports are used by SATA HDDs); 4 drive bays for hot plug 2.5" SATA HDs, SAS HDs or SATA SSDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V303	500,00	
	PY RX100S7p/SFF/Hot-Plug PSU	Rack based server 19" (1U), BU without processor and RAM, incl. hot-plug power supply module and 5 standard fans (1+4 redundant), RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (4 ports are used by SATA HDDs); 4 drive bays for hot plug 2.5" SATA HDs, SAS HDs or SATA SSDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V403	515,00	



PRIMERGY RX200 S7

The Fujitsu PRIMERGY RX200 S7 is a rack server that provides high performance, expandability and energy efficiency in 1U space saving housing. Thus, the PRIMERGY RX200 S7 is ideal for virtualization and cloud, small databases as well as for high performance computing thanks to the top performance of the new Intel® Xeon® E5 product family. Moreover, the RX200 S7 delivers a great expandability, by supporting up to 768 GB of memory, eight hard disk drives and cost-saving Modular LAN options to ensure future requirements are met and budgets are saved.

Thanks to the highly efficient power supply units with an efficiency rate of 94% and the new power management this will result in lower operational

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY RX200 S7					
PY RX200S7 4x2.5	Rack based server 19" (1U), BU without processor and RAM, without hot plug power supply module, 4 hot plug double-fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 4 drive bays for hot plug 2,5" SAS/SATA HDs; ServerView Suite Software Pack		S26361-K1386-V101	970,00	
PY RX200S7 8x2.5	Rack based server 19" (1U), BU without processor and RAM, without hot plug power supply module, 4 hot plug double-fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 8 drive bays for hot plug 2,5" SAS/SATA HDs; ServerView Suite Software Pack		S26361-K1386-V201	970,00	



PRIMERGY RX300 S7

The Fujitsu PRIMERGY RX300 S7 is a dual socket rack server, focusing on versatility and scalability. The new modular concept supports excellent expandability with up to 16 hard disk drives, up to 7 PCIe Gen 3 cards and up to 768GB RAM, all in one single 2U rack housing. Furthermore, the new Intel® Xeon® E5 product family delivers the top performance to ensure today's demand while being prepared for future requirements thanks to the upgrade kits as well as the cost-saving Modular LAN options. Thanks to the power supply units with 94% efficiency and the new power management this will result in lower operational costs. This 2U power house is the right choice for all types of business applications and consolidations

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY RX300 S7					
PY RX300S7 6x3.5	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 6 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack		S26361-K1373-V101	1.080,00	
PY RX300S7 2.5" expandable	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 4 drive bays for hot plug 2,5" SAS/SATA HDs expandable; ServerView Suite Software Pack		S26361-K1373-V401	930,00	
PY RX300S7 8x2.5	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 8 drive bays for hot plug 2,5" SAS/SATA HDs; ServerView Suite Software Pack		S26361-K1373-V201	1.080,00	
PY RX300S7 12x2.5	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 12 drive bays for hot plug 2,5" SAS/SATA HDs; ServerView Suite Software Pack		S26361-K1373-V301	1.260,00	



PRIMERGY RX350 S7

The PRIMERGY RX350 S7 is a 4U rack server with maximum levels of performance, expandability and availability. It combines the performance of Intel® Xeon® processors E5 family with up to two 6GB general-purpose computing on graphics processing units (GPGPU) for computationally intensive applications. The new modular concept supports excellent expandability with up to 24 hard disk drives, up to 10 PCIe Gen 3 cards and up to 768GB memory. Moreover the 4 hot-plug, power supply units with up to 94% efficiency and the new power management, will result in lower operational costs. Thanks to the upgrade kits as well as the cost-saving Modular LAN options, the RX350 is prepared for future requirements. RX350 is ideal for database, consolidation or high performance computing scenarios.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY RX350 S7					
PY RX350S7 LFF	Rack based server 19" (4U), BU without processor and RAM, without hot plug power supply module, 6 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 4 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.		S26361-K1390-V301	1.080,00	
PY RX350S7 SFF	Rack based server 19" (4U), BU without processor and RAM, without hot plug power supply module, 6 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 24 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 GBit Ethernet LAN onboard, RAID0/1-Controller for 4 HDDs onboard, Modular 8-Port RAID Controller optional; 8 drive bays for hot plug 2.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.		S26361-K1390-V401	1.080,00	



PRIMECENTER M1

The trend to consolidation as a result of virtualization and optimization require environments that are more flexible and reliable. Decades of data center experience at Fujitsu result in the latest 19-inch Rack Family. The new Fujitsu PRIMECENTER racks are the foundation for meeting IT data center requirements. The PRIMECENTER Racks are the basis for building perfect data center infrastructures. The PRIMECENTER 19-inch Racks can be used to install Fujitsu solutions as well as third-party products. They meet all requirements for flexibility thanks to the multiple configuration options, cooling and maintenance features. In addition a broad portfolio of optional rack accessories complete the efficient rack infrastructure solutions.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMECENTER M1 Rack					
	PRIMECENTER M1 Rack 724S 24U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 724 S /24U), Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x1203mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left and right with 1x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. For tilting security an additional tilting protection is required.	S26361-K827-V220	1.805,00	
	PRIMECENTER M1 Rack 742S 42U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 742 S /42U), Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x2003mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left and right with 2x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries top (option: brush panels), down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V240	2.055,00	
	PRIMECENTER M1 Rack 616S 16U-1050x600	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 616 S /16U), Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 600x1050x847mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V310	1.645,00	
Base unit configurations					
PRIMECENTER M1 Rack					
Model	Description	Details	Product Code	EUP (€)	Comments



PRIMECENTER M1

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMECENTER M1 Rack (Continued)					
	PRIMECENTER M1 Rack 724S 24U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 724 S /24U)., Symmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x1203mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left and right with 1x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. For tilting security an additional tilting protection is required.	S26361-K827-V220	1.940,00	
	PRIMECENTER M1 Rack 742S 42U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 742 S /42U)., Symmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x2003mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left and right with 2x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries top (option: brush panels), down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V240	2.245,00	
	PRIMECENTER M1 Rack 616S 16U-1050x600	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 616 S /16U)., Symmetrical large basic cabinet with 740mm post distance. , WxDxH = 600x1050x847mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V310	1.780,00	
	PRIMECENTER M1 Rack 624S 24U-1050x600	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 624 S /24U)., Symmetrical large basic cabinet with 740mm post distance. , WxDxH = 600x1050x1203mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation., For tilting security an additional tilting protection is required.	S26361-K827-V320	1.880,00	
	PRIMECENTER M1 Rack 642S 42U-1050x600	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 642 S /42U)., Symmetrical large basic cabinet with 740mm post distance. , WxDxH = 600x1050x2003mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V340	2.130,00	



PRIMECENTER M1

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMECENTER M1 Rack (Continued)					
PRIMECENTER M1 Rack 724A 24U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 724 A /24U),. Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x1203mm. Shifted post for patented sideways cable management. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left with 4x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V120	1.940,00		
PRIMECENTER M1 Rack 742A 42U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 742 A /42U),. Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x2003mm. Shifted post for patented sideways cable management. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left with 6x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V140	2.245,00		



Rack Servers Accessories

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX100 S7P	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX100 S7P	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX100 S7P	Product Code	EUP (€)	Comments	
Removable Media Drives (Continued)																												
Accessories	Accessories & service matrix																											
	Blu-ray Triple Writer slimline SATA	Read: 6x BD-ROM, 6x DVD, 24x CD, Write: 6x BD, 6x DVD, 24x CD, RD DL and all CD/DVD formats, slimline 0.5" fitting height						x	x																	S26361-F3641-L2	165.00	
	DVD-RW 1.6" SATA	16x DVD, 48x CD, 1.6" fitting height, black bezel																								S26361-F3266-L2	35.00	
	DVD-RW supermulti 1.6" SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, 1.6" fitting height, black bezel																								S26361-F3267-L2	60.00	
	RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" intern., USB 2.0 Connector, USB "B" with USB cable, 1.6" fitting height, black bezel, with description (G/US)																								S26361-F3857-L4	160.00	
	RDX Drive USB 25MB/s 3.5" internal	RDX Drive 25MB/s 3.5" intern., USB 2.0 Connector, USB "B" with USB cable, 1.6" fitting height, with description (G/US)																								S26361-F3857-L5	160.00	
	RDX Drive USB 25MB/s 3.5" internal	RDX Drive 25MB/s 3.5" intern., USB 2.0, with USB cable, 1.6" black, within tape cage 2 x 3.5", with specific USB cable																								S26361-F3857-L7	210.00	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector, USB "B", 1.6" fitting height, with USB cables for Econel, TX150, TX200 and TX300, with description (G/US) and cleaning cartridge																								S26361-F3324-L4	500.00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector, USB "B" with USB cable kit, 1.6" fitting height, with description (G/US) and cleaning cartridge																								S26361-F3324-L5	500.00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	data transfer, 3MB/s, USB 2.0, 1.6" black, within tape cage 2 x 3.5", with specific USB cable, with description (G/US), with cleaning cartridge																								S26361-F3324-L7	550.00	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector, USB "B" with USB cable, 1.6" fitting height, black bezel, with cleaning cartridge																								S26361-F3325-L4	730.00	
	Tape Kit DDS Gen6 80GB USB 3.5" intern	DDS Gen6 80GB 6MB/s 3.5" intern, USB 2.0 Connector, USB "B" with USB cable, 1.6" fitting height, black bezel, with cleaning cartridge																								S26361-F3325-L2	730.00	
	Tape Kit LTO2HH Ultr 200GB 24MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge																								S26361-F4009-L4	1,280.00	Phased out
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge																								S26361-F3561-L4	1,395.00	
	Tape Kit LTO4HH 800GB 120MB/s SAS V2	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, with SAS cable, with cleaning cartridge																								S26361-F3626-L2	2,030.00	
	Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, with SAS cable, with cleaning cartridge																								S26361-F3627-L1	2,980.00	
SCSI/RAID/SAS controller																												
	SCSI Ctrl U160 1-ch int/ext lp	Adaptec 29160LP, 1x U160 SCSI	x	x	x	x																				S26361-F2737-L201	295.00	Phased out
	RAID Contr BBU Upgrade for RAID LSI	BBU Upgrade for LSI 8344ELP LSI																								S26361-F3257-L10	235.00	Phased out
	RAID Contr BBU Upgrade for RAID 5/6	BBU Upgrade for Fujitsu SAS/SATA RAID Controller for RAID Ctrl. F3257, 256MB and 512MB																								S26361-F3257-L10	235.00	Phased out
	RAID Contr BBU Upgrade for RAID 5/6	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI" incl. cable 16cm, 55cm, 70cm																								S26361-F3257-L110	165.00	Phased out
	RAID Contr BBU Upgrade for RAID 5/6 C	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI" incl. cable 16cm, 55cm, 70cm																								S26361-F3257-L210	165.00	
	4-Port SAS cable for ports 5 and 6	Upgrade kit from 4 to 6 HDs necessary for max. 6HDs																								S26361-F3257-L250	30.00	Phased out
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports																								S26361-F3257-L4	110.00	
	RAID 0/1 SAS based on LSI MegaRAID 8Port	RAID-Ctrl, LSI MegaRAID SAS1068, PCIe x4, 8 internal ports																								S26361-F3257-L8	135.00	Phased out
	SCSI Ctrl U320 1ch int/ext PCIe	Adaptec 29320LPE, 1x U320 SCSI																								S26361-F3270-L1	195.00	Phased out
	SCSI Ctrl U320 1ch int/ext PCIe lp	Adaptec 29320LPE, 1x U320 SCSI, low profile																								S26361-F3270-L201	195.00	Phased out
	SAS Ctrl 3GB/s 4int/4ext PCIe	SAS Controller 3GB/s 8 port, LSI SAS3442E-R																								S26361-F3271-L1	210.00	Phased out
	SAS Ctrl 3GB/s 8 port PCIe FH EFI	SAS Controller 3GB/s 8 port, based on chip LSI SAS1068 full height UEFI RX900																								S26361-F3271-L2	210.00	Phased out
	SAS Ctrl 3GB/s 4int/4ext PCIe lp	SAS Controller 3GB/s 8 port, based on chip LSI SAS1068 Low Profile																								S26361-F3271-L201	210.00	Phased out
	SAS Ctrl 6G 8ext PCIe FH/LP	SAS Controller 6GB/s 8 port, based on chip LSI SAS2208																								S26361-F3628-L501	260.00	
	TFM Module for FBU option on D3116	TFM module for "RAID Ctrl SAS 6G 1GB (D3116)"																								S26361-F3669-L100	170.00	
	RAID Ctrl FBU option w/ 25/55/70cm cable	FBU option for "RAID Ctrl SAS 6G 1GB (D3116)" and "RAID Ctrl SAS 6G 8Port ex 1GB LSI" incl. 25/55/70cm cable																								S26361-F3669-L110	115.00	
	RAID Ctrl SAS 8Port ext remote BBU LSI	optional BBU for LSI MegaRAID SAS8890E																								S26361-F3890-L11	220.00	Phased out
	RAID Ctrl SAS 8Port ext Onboard BBU LSI	optional BBU for LSI MegaRAID SAS8890E																								S26361-F3890-L12	175.00	
	RAID Ctrl SAS 512M FH/LP LSI	RAID-Ctrl, LSI MegaRAID SAS8890E, PCIe x4, 512MB Cache, 8 external ports, without BBU																								S26361-F3890-L501	740.00	Phased out
	RAID Ubrade Kit RX100 S6	consisting of SAS Cable and bracket																								S26361-F4414-L1	55.00	Phased out
	RAID Ubrade Kit RX100 S7	consisting of SAS Cable																								S26361-F4414-L2	50.00	
	RAID Ctrl SAS 6G 8Port ex 512M FH/LP LSI	RAID-Ctrl, LSI MegaRAID based on Controller SAS2108, PCIe x4, 512MB Cache with ECC, 8 external ports, without BBU																								S26361-F3593-L501	590.00	
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 2.0 x8, 8 internal ports																								S26361-F3554-L8	165.00	
	RAID Ctrl SAS 6G 8Port ex 1GB FH/LP LSI	RAID-Ctrl, LSI MegaRAID SAS9285-8e, PCIe2.0 x8, 1GB Cache with ECC., 8 external ports, optional FBU, FH and LP bracket																								S26361-F3713-L501	790.00	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal port																								S26361-F3554-L512	385.00	
	RAID Ctrl SAS 6G 1GB (D3116)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 2.0 x8, 8 internal ports																								S26361-F3669-L1	430.00	
	SAS Enabling Key for Onboard Ports	Hardware key to switch four of the SATA ports of the Intel C600 Chipset to 3GB/s SAS.																								S26361-F3674-L1	95.00	
Fibre Channel																												
	FC Ctrl 2x4GB/s QLE2462 MMF LC	QLE2462, 4GB/s, 2 channel FC controller, PCIe x4, full height, MMF LC interface, This controller is in PRIMERGY server not certified for Microsoft Cluster.																								S26361-F3483-L2	1,895.00	Phased out
	FC Ctrl 4GB/s QLE2460 MMF LC LP	QLE2460, 4GB/s, 1 channel FC controller, PCIe x4, low profile, MMF LC interface, This controller is in PRIMERGY server not certified for Microsoft Cluster.																								S26361-F3483-L201	1,230.00	Phased out
	FC Ctrl 2x4GB/s QLE2462 MMF LC LP	QLE2462, 4GB/s, 2 channel FC controller, PCIe x4, low profile, MMF LC interface, This controller is in PRIMERGY server not certified for Microsoft Cluster.																								S26361-F3483-L202	1,895.00	Phased out
	FC CTRL 8GB/Sec LPE1250 MMF LC FH	1 channel 8GB/Sec FC controller PCIe 2.0 x4 or PCIe x8 SFF Interface for 50um Fiber																								S26361-F3961-L1	920.00	
	FC Ctrl 8GB/s 2 Chan LPe1202 MMF LC	2 channel 8GB/Sec FC controller PCIe 2.0 x4 or PCIe x8 SFF Interface for 50um Fiber																								S26361-F3961-L2	1,490.00	
	FC CTRL 8GB/Sec LPE1250 MMF LC LP	1 channel 8GB/Sec FC controller PCIe 2.0 x4 or PCIe x8 Low Profile SFF Interface for 50um Fiber																								S26361-F3961-L201	920.00	
	FC Ctrl 8GB/s 2 Chan LPe1202 MMF LC LP	2 channel 8GB/Sec FC controller PCIe 2.0 x4 or PCIe x8 Low Profile SFF Interface for 50um Fiber																								S26361-F3961-L202	1,490.00	
	FC Ctrl 4GB/s LPe1150 MMF LC	LPe1150, 4GB/s, 1-channel FC controller, PCIe x4, MMF LC interface																								S26361-F3306-L1	1,170.00	Phased out
	FC Ctrl 2x4GB/s LPe11002 MMF LC	LPe11002, 4GB/s, 2-channel FC controller, PCIe x4, MMF LC interface																								S26361-F3306-L2	1,795.00	Phased out
	FC Ctrl 4GB/s LPe1150 MMF LC LP	LPe1150, 4GB/s, 1-channel FC controller, PCIe x4, low profile, MMF LC interface																								S26361-F3306-L201	1,170.00	Phased out
	FC Ctrl 2x4GB/s LPe11002 MMF LC LP	LPe11002, 4GB/s, 2-channel FC controller, PCIe x4, low profile, MMF LC interface																								S26361-F3306-L202	1,795.00	Phased out



Rack Servers Accessories

Category	Description	Details	PRIMERGY R2100	PRIMERGY R2100 S2	PRIMERGY R2100 S3	PRIMERGY R2100 S4	PRIMERGY R2100 S5	PRIMERGY R2100 S6	PRIMERGY R2100 S7	PRIMERGY R2100 S7P	PRIMERGY R2100	PRIMERGY R2100 S2	PRIMERGY R2100 S3	PRIMERGY R2100 S4	PRIMERGY R2100 S5	PRIMERGY R2100 S6	PRIMERGY R2100 S7	PRIMERGY R2100	PRIMERGY R2100 S2	PRIMERGY R2100 S3	PRIMERGY R2100 S4	PRIMERGY R2100 S5	PRIMERGY R2100 S6	PRIMERGY R2100 S7	PRIMERGY R2100	Product Code	EUP (€)	Comments	
Accessories & services matrix																													
Rack-Infrastructure (Continued)																													
PRIMERGY-Software																													
	IRMC advanced pack	Integrated remote management controller activation key for graphical console redirection and remote media redirection		x								x														S26361-F1790-L240	300,00		
	IRMC S2 advanced pack	Integrated remote management controller activation key for graphical console redirection and remote media redirection			x	x							x	x	x											S26361-F1790-L241	300,00		
	IRMC S3 advanced pack	Integrated remote management controller activation key for graphical console redirection and remote media redirection						x	x																	S26361-F1790-L242	300,00	New product	
	Debian FSE Standard Support 1 year	Debian FSE Standard Support 1 year, up to 4 sockets, 1 year phone or email support (2h RT), incl. 30 days installation support																								S26361-F2346-L420	57,00		
	Debian FSE Standard Support 3 years	Debian FSE Standard Support 3 years, up to 4 sockets, 3 years phone or email support (2h RT), incl. 30 days installation support																								S26361-F2346-L421	95,00	New product	
	Debian FSE Priority Support 1 year	Debian FSE Priority Support 1 year, up to 4 sockets, 1 year phone or email support (1h RT), incl. 30 days installation support																								S26361-F2346-L422	195,00	New product	
	Debian FSE Priority Support 3 years	Debian FSE Priority Support 3 years, up to 4 sockets, 3 years phone or email support (1h RT), incl. 30 days installation support																								S26361-F2346-L423	495,00	New product	
	UBUNTU FSE Standard Support 1 year	UBUNTU FSE Standard Support 1 year, up to 4 sockets, 1 year phone or email support (2h RT), incl. 30 days installation support																								S26361-F2346-L424	57,00	New product	
	UBUNTU FSE Standard Support 3 years	UBUNTU FSE Standard Support 3 years, up to 4 sockets, 3 years phone or email support (2h RT), incl. 30 days installation support																								S26361-F2346-L425	95,00	New product	
	UBUNTU FSE Priority Support 1 year	UBUNTU FSE Priority Support 1 year, up to 4 sockets, 1 year phone or email support (1h RT), incl. 30 days installation support																								S26361-F2346-L426	195,00	New product	
	UBUNTU FSE Priority Support 3 years	UBUNTU FSE Priority Support 3 years, up to 4 sockets, 3 years phone or email support (1h RT), incl. 30 days installation support																								S26361-F2346-L427	495,00	New product	
	FSE KVM Standard Support 1 year	FSE KVM Standard Support 1 year, for DEBIAN/UBUNTU, incl. support guest OS UBUNTU/DEBIAN FSE, requires FSE standard support 1 year																								S26361-F2346-L430	195,00	New product	
	FSE KVM Standard Support 3 years	FSE KVM Standard Support 3 years, for DEBIAN/UBUNTU, incl. support guest OS UBUNTU/DEBIAN FSE, requires FSE standard support 3 years																								S26361-F2346-L431	495,00	New product	
	FSE KVM Premium Support 1 year	FSE KVM Premium Support 1 year, for DEBIAN/UBUNTU, incl. support guest OS UBUNTU/DEBIAN FSE, requires FSE premium support 1 year																								S26361-F2346-L432	595,00	New product	
	FSE KVM Premium Support 3 years	FSE KVM Premium Support 3 years, for DEBIAN/UBUNTU, incl. support guest OS UBUNTU/DEBIAN FSE, requires FSE premium support 3 years																								S26361-F2346-L433	1.495,00	New product	
	Win Server 2008 CAL (1 Device)	(1 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x	x																				S26361-F2565-L340	25,00		
	Win Server 2008 CAL (5 Device)	(5 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x	x																				S26361-F2565-L341	107,00		
	Win Server 2008 CAL (1 User)	(1 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x	x																				S26361-F2565-L342	25,00		
	Win Server 2008 CAL (5 User)	(5 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x	x																				S26361-F2565-L343	107,00		
	MS SysCtr VMM 2008 R2 WorkGroup/Edin ROK	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition, English, ROK DVD, License.	x	x	x	x																				S26361-F2567-L20	380,00		
	MS SysCtr Essentials 2010 ROK	MS System Center Essentials 2010, English, ROK DVD, License.	x	x	x	x																				S26361-F2567-L30	115,00		
	Win Srv 2008 R2 SP1 Foundation 1CPU ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Fnd (1 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.				x																				S26361-F2567-L301	252,00		
	Win Srv 2008 R2 Foundation 1CPU MULI ROK	Only for Fujitsu distributors. Win Srv 2008 R2 Fnd (1 CPU) EN DE ES FR JA, CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.	x	x																						S26361-F2567-L306	190,00	Phased out	
	Win Srv 2008 R2 Foundation 1CPU PRC ROK	Only for Fujitsu distributors for distribution in People's Republic of China. Win Srv 2008 R2 Fnd (1 CPU) Simplified Chinese. ROK DVD, License.	x	x	x																					S26361-F2567-L308	175,00		
	MS SysCtr Essentials 2010 Server ML 1-OSE	MS System Center Essentials 2010 Managed Server License 1 OSE Pack, OSE = Operating System Environment	x	x	x	x																				S26361-F2567-L31	90,00		
	MS SysCtr Essentials 2010 Server ML 5-OSE	MS System Center Essentials 2010 Managed Server License 5 OSE Pack, OSE = Operating System Environment	x	x	x	x																				S26361-F2567-L32	430,00		
	MS SysCtr Essentials 2010 Client ML 5-Pack	MS System Center Essentials 2010 Managed Client License 5 Pack	x	x	x	x																				S26361-F2567-L33	75,00		
	Win Srv 2008 R2 SP1 Datactr 4CPU ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Dtc (4 CPU) EN DE ES FR IT JA and worldwide language packs. ROK DVD, License.																								S26361-F2567-L333	5.932,00		
	MS SysCtr Essentials 2010 Client ML 20-Pack	MS System Center Essentials 2010 Managed Client License 20 Pack.	x	x	x	x																				S26361-F2567-L34	295,00		
	Win Server 2008 RDS CAL (1 Device)	Remote Desktop Services Client Access, License for 1 device, License.	x	x	x	x																				S26361-F2567-L340	85,00		
	Win Server 2008 RDS CAL (5 Device)	Remote Desktop Services Client Access, License for 5 devices, License.	x	x	x	x																				S26361-F2567-L341	385,00		
	Win Server 2008 RDS CAL (1 User)	Remote Desktop Services Client Access, License for 1 user, License.	x	x	x	x																				S26361-F2567-L342	85,00		
	Win Server 2008 RDS CAL (5 User)	Remote Desktop Services Client Access, License for 5 users, License.	x	x	x	x																				S26361-F2567-L343	385,00		
	Win HPC Srv 2008 R2 Suite ROK	Only for Fujitsu Distributors. Win HPC Srv 2008 R2 Suite (1-4 CPU) ROK, EN, JA, XT, ROK Recovery DVD Media Kit, COA, License																								S26361-F2567-L360	750,00		
	USB Flash Module 16GB intern	USB Flash Module 16GB intern																								S26361-F3299-L16	345,00		
	ServerView Deployment Mgr 6 Single Lic.	Single license for operation of one client server (managed node) - no software!	x	x	x	x	x																			U15000-C302	140,00		
	ServerView Dept. Mgr. 6 Single Upgrade	for upgrades of one 5.x single license to version 6.x - no software!	x	x	x	x	x																			U15000-C303	70,00		
	FF40-RE-AN Mono Server 2-Core	FF40 RE ApplicationNode RTU for server with one 2-core CPU																								U26004-C401	2.000,00		
	FF40-RE-AN Mono Server 4-Core	FF40 RE ApplicationNode RTU for server with one 4-core CPU																								U26004-C402	4.000,00		
	FF40-RE-AN Dual Server 2-Core	FF40 RE ApplicationNode RTU for Server with two 2-core CPU																								U26004-C403	4.000,00		
	FF40-RE-AN Dual Server 4-Core	FF40 RE ApplicationNode RTU for Server with two 4-core CPU																								U26004-C404	7.000,00		
	FF40-RE Spare Mono Server 2-Core	FF40 RE RTU for spare server with one 2-core CPU																								U26004-C405	1.000,00		
	FF40-RE Spare Mono Server 4-Core	FF40 RE RTU for spare server with one 4-core CPU																								U26004-C406	2.000,00		
	FF40-RE Spare Dual Server 2-Core	FF40 RE RTU for spare server with two 2-core CPU																								U26004-C407	2.000,00		
	FF40-RE Spare Dual Server 4-Core	FF40 RE RTU for spare server with two 4-core CPU																								U26004-C408	3.500,00		
	PRIMERGY MultiPath MPIO Upgrade to 5.01	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath MPIO. CD-ROM and License.	x	x	x	x																				S26361-F2565-L592	440,00		
	PRIMERGY MultiPath MPIO 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x																				S26361-F2565-L593	875,00		
	PRIMERGY MultiPath Upgrade to 5.01	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath. CD-ROM and License.	x	x	x	x																				S26361-F2565-L594	440,00		
	PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x																				S26361-F2565-L595	875,00		
	Win Srv 2008 R2 SP1 Datactr 2CPU ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs. ROK DVD, License.																								S26361-F2567-L331	2.966,00		



Rack Servers Accessories

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX100 S7P	PRIMERGY RX1000	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX200 S7	PRIMERGY RX2000	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX3000	PRIMERGY RX500 S2	PRIMERGY RX500 S3	PRIMERGY RX500 S4	PRIMERGY RX500 S5	PRIMERGY RX500 S6	PRIMERGY RX500 S7	PRIMERGY RX5000	Product Code	EUP (€)	Comments					
OS/Annication-SW (Continued)																																								
Accessories	Accessories matrix																																							
ManageNow for NSM Data Media			x	x	x																												U24533-C423	40.00						
ManageNow for ITCM Manager Objects/Licenses			x	x	x																													U24533-C400	2,000.00					
ManageNow for ITCM Manager License			x	x	x																													U24533-C401	5,000.00					
ManageNow for ITCM Win7 OS Install Lic.			x	x	x																													U24533-C402	3,000.00					
ManageNow for ITCM Vista OS Install Lic.			x	x	x																														U24533-C408	3,000.00				
ManageNow for ITCM WinXP Prof OSInstLic			x	x	x																														U24533-C427	3,000.00				
ManageNow for ITCM Win2008SVr OSInstLic			x	x	x																														U24533-C428	3,000.00				
ManageNow for ITCM Win2008SVr OSInstLic			x	x	x																														U24533-C429	3,000.00				
ManageNow for ITCM Win2008R2SVrOSInstLic			x	x	x																														U24533-C436	3,000.00				
ManageNow for ITCM SUSE10.1 OS Inst Lic			x	x	x																														U24533-C432	3,000.00				
ManageNow for ITCM SLES9.0 OS Inst Lic			x	x	x																														U24533-C430	3,000.00				
ManageNow for ITCM data medium			x	x	x																														U24533-C403	40.00				
UPS/Power supply																																								
Power Supply Module 770W silver ho	for optional PS redundancy incl. mounting kit																																		S26113-F539-L1	260.00	Phased out			
RX100 ST conversion kit to hot-plug PSU	platinum PSU hp for redundancy																																		S26113-F547-L10	275.00				
Power Supply Module 800W gold ho	2nd gold PSU hp for redundancy																																			S26113-F565-L10	230.00	Phased out		
Power Supply Module 850W	hot-plug Power Supply Module, 850W, 92% efficiency (CSC) gold																																			S26113-F561-L10	450.00	Phased out		
Power Supply Module 850W (w/o power cord)	hot-plug Power Supply Module, 850W, 92% efficiency (CSC) gold																																			S26113-F561-L20	295.00			
Power Supply Module 450W gold hp	1st or 2nd PSU hp for redundancy for RX200S6 gold PSU																																			S26113-F570-L1	200.00	Phased out		
Power Supply Module 2.000W	hot-plug Power Supply Module, 2.000W, 92% efficiency (gold)																																			S26113-F573-L10	1,100.00	Phased out		
Modular PSU 800W platinum hp	800W modular Power Supply Module , hot plug, platinum (94% efficiency)																																			S26113-F574-L10	255.00			
Modular PSU 800W platinum hp new rev	800W modular Power Supply Module , hot plug, platinum (94% efficiency) new Revision																																			S26113-F574-L11	255.00	Orderable from: 30/07/2012		
Modular PSU 450W platinum hp	450W modular Power Supply Module , hot plug, platinum (94% efficiency)																																			S26113-F575-L10	225.00			
Power Sunway Module DC_48V 800W n/nk ho	DC_48V gold PSU hp for redundancy																																			S26113-F576-L10	650.00	Phased out		
Power Supply Module 2.000W	hot-plug Power Supply Module, 2.000W, 92% efficiency (gold)																																				S26113-F608-L10	880.00		
Modular PSU DC_48V 800W gold hp	DC_48V gold modular PSU hp with redundancy option																																				S26113-F609-L10	340.00	New product, Orderable from: 06/08/2012	
APC-UPS WEB Management Adapter	10 / 100 Mbit autoseance AP9630 for APC-UPS, use one smart slot																																			S26113-F80-L30	255.00			
Fan upgrade kit hot-plug redundancy	consists of two additional fans for fan redundancy																																			S26361-F3667-L1	45.00			
Cable powercord (D...), 1.8m, grey	suitable for D, A, B, F, NL, FIN, N, S, E, P, RUS, TR																																			T26139-Y1740-L10	15.00			
Cable powercord (USA), 1.8m, grey	suitable for USA, Cnd																																			T26139-Y1742-L10	15.00			
Cable powercord (UK, IR), 1.8m, grey	suitable for UK, IR																																			T26139-Y1744-L10	15.00			
Cable powercord (I), 1.8m, grey	suitable for I																																			T26139-Y1745-L10	15.00			
Miscellaneous																																								
Insert/Remove Option Kit S2	LCD display with adapter																																			S26361-F2574-L106	70.00			
Local/View Option Kit S2	LCD display with installation kit																																			S26361-F2574-L106	70.00			
Customer Self Service Module RX Server	Support for Customer Self Service (CSS), incl. mounting kit																																			S26361-F2557-L205	25.00			
Service LAN Option	integrated in the front operating panel																																			S26361-F2571-L27	20.00			
Opt. Front VGA + Service LAN	VGA and Service LAN connector, instead of Local Service Panel																																			S26361-F2571-L37	50.00			
Fan upgrade kit hot-plug redundancy	Redundant hot plug fans option, incl. 5 fans cable Serial port option																																				S26361-F2621-L5	115.00	Phased out	
TPM Module add-on kit	Trusted Platform Module on motherboard, be aware of import restrictions!																																			S26361-F3552-L1	50.00			
T-HANNU FS RX3000S																																				S26361-F4000-L1	35.00	Phased out		
Server/View Local Service Panel Kit	Support for Customer Self Service (CSS)																																			S26361-F2557-L204	40.00			
Media																																								
DAT160 cleaning cartridge no label	DAT160 cleaning cartridge without label																																				D-CL-DAT160-MX-01	22.00		
DAT72 cleaning cartridge no label	DAT72 cleaning cartridge without label																																				D-CL-DAT72-MX-01	5.00		
Fuji-LTO cleaning cartridge unlabelled	Cleaning cartridge without label from Fuji for LTO drives																																				D-CL-F-LTO-01L	37.00		
Fuji cleaning cartridge LTO labelled	cleaning cartridge with label from Fuji for LTO drives																																				D-CL-F-LTO-01L	37.00		
LTO cleaning cartridge IBM no label	Cleaning cartridge without label from IBM for LTO drives																																				D-CL-LTO2-IB-01	45.00		
LTO cleaning cartridge IBM with label	cleaning cartridge with label from IBM for LTO drives																																				D-CL-LTO2-IB-01L	46.00		
VXA cleaning label	Label for VXA cleaning cartridge																																				H-71-VXA-A-J AR	2.00		
VXA cleaning cartridge	VXA cleaning cartridge																																			D-CL-VXA2-X-01	36.00			
VXA cleaning cartridge with label	VXA cleaning cartridge																																				D-CL-VXA2-X-01L	37.00		
DAT160 data cartridge no label	DAT160 data cartridge without label																																				D-CR-DAT160-MX-01	21.00		
DAT72 data cartridge no label	DAT72 data cartridge without label																																				D-CR-DAT72-MX-01	14.00		
LTO2 data cartridge Fuji no label	LTO-2 data cartridge without label from Fuji, 200 GB native capacity																																				D-CR-F-LTO2-01	21.00		
LTO2 data cartridge Fuji with label	LTO-2 data cartridge with label from Fuji, 200 GB native capacity																																				D-CR-F-LTO2-01L	21.00		
LTO3 data cartridge Fuji no label	LTO-3 data cartridge without label from Fuji, 400 GB native capacity																																					D-CR-F-LTO3-01	21.00	
LTO3 data cartridge with label	LTO-3 data cartridge with label from Fuji, 400 GB native capacity																																					D-CR-F-LTO3-01L	21.00	
LTO4 data cartridge Fuji																																								



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Processor	Intel Pentium G640 2C/2T 2.80 GHz 3 MB	Intel Pentium processor G640 (2C/2T, 2.80 GHz, TFC: 3 MB, Turbo: No, 1066 MHz, 65 W) without heat sink	x							S26361-F3579-E264	105,00	
	Intel Xeon E3-1220Lv2 2C/4T 2.30GHz 3MB	Intel Xeon processor E3-1220Lv2 (2C/4T, 2.30 GHz, TFC: 3 MB, Turbo: Yes, 1600 MHz, 17 W) without heat sink	x							S26361-F3580-E312	330,00	
	Intel Xeon E3-1265Lv2 4C/8T 2.50GHz 8 MB	Intel Xeon processor E3-1265Lv2 (4C/8T, 2.50 GHz, TFC: 8 MB, Turbo: Yes, 1600 MHz, 45 W) without heat sink	x							S26361-F3580-E316	475,00	
	Intel Xeon E3-1220v2 4C/4T 3.10 GHz 8 MB	Intel Xeon processor E3-1220v2 (4C/4T, 3.10 GHz, TFC: 8 MB, Turbo: Yes, 1600 MHz, 69 W) without heat sink	x							S26361-F3580-E322	330,00	
	Intel Xeon E3-1230v2 4C/8T 3.30 GHz 8 MB	Intel Xeon processor E3-1230v2 (4C/8T, 3.30 GHz, TFC: 8 MB, Turbo: Yes, 1600 MHz, 69 W) without heat sink	x							S26361-F3580-E323	365,00	
	Intel Xeon E7-2803 6C/12T 1.73 GHz 18 MB	Intel Xeon processor E7-2803 (6C/12T, 1.73 GHz, SLC: -, TFC: 18 MB, Turbo: No, 4.8 GT/s, 105 W) incl. heat sink						x		S26361-F3999-E280	840,00	
	Intel Xeon E7-2850 10C/20T 2.00GHz 24MB	Intel Xeon processor E7-2850 (10C/20T, 2.00 GHz, SLC: -, TFC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink						x		S26361-F3999-E285	2.850,00	
	Intel Xeon E7-4807 6C/12T 1.86 GHz 18 MB	Intel Xeon processor E7-4807 (6C/12T, 1.86 GHz, SLC: -, TFC: 18 MB, Turbo: No, 4.8 GT/s, 95 W) incl. heat sink						x		S26361-F3999-E480	1.195,00	
	Intel Xeon E7-4820 8C/16T 2.00 GHz 18 MB	Intel Xeon processor E7-4820 (8C/16T, 2.00 GHz, SLC: -, TFC: 18 MB, Turbo: 0/1/1/1/2, 5.86 GT/s, 105 W) incl. heat sink						x		S26361-F3999-E482	1.710,00	
	Intel Xeon E7-4830 8C/16T 2.13 GHz 24 MB	Intel Xeon processor E7-4830 (8C/16T, 2.13 GHz, SLC: -, TFC: 24 MB, Turbo: 0/1/1/1/2, 6.4 GT/s, 105 W) incl. heat sink						x		S26361-F3999-E483	2.240,00	
	Intel Xeon E7-4850 10C/20T 2.00GHz 24MB	Intel Xeon processor E7-4850 (10C/20T, 2.00 GHz, SLC: -, TFC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink						x		S26361-F3999-E485	2.965,00	
	Intel Xeon E7-4860 10C/20T 2.26GHz 24MB	Intel Xeon processor E7-4860 (10C/20T, 2.26 GHz, SLC: -, TFC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink						x		S26361-F3999-E486	4.070,00	
	Intel Xeon E7-4870 10C/20T 2.40GHz 30MB	Intel Xeon processor E7-4870 (10C/20T, 2.40 GHz, SLC: -, TFC: 30 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink						x		S26361-F3999-E487	4.960,00	
	Intel Xeon E7-8837 8C/8T 2.67 GHz 24 MB	Intel Xeon processor E7-8837 (8C/8T, 2.67 GHz, SLC: -, TFC: 24 MB, Turbo: 0/1/1/1/1, 6.4 GT/s, 130 W) incl. heat sink						x		S26361-F3999-E837	2.575,00	
	Intel Xeon E7-8837 8C/8T 2.67 GHz 24 MB	Intel Xeon processor E7-8837 (8C/8T, 2.67 GHz, SLC: -, TFC: 24 MB, Turbo: 0/1/1/1/1, 6.4 GT/s, 130 W) incl. heat sink						x		S26361-F4471-E837	2.575,00	
	Intel Xeon E7-8830 8C/16T 2.13 GHz 24 MB	Intel Xeon processor E7-8830 (8C/16T, 2.13 GHz, SLC: -, TFC: 24 MB, Turbo: 0/1/1/1/2, 6.4 GT/s, 105 W) incl. heat sink						x		S26361-F4471-E883	2.725,00	
	Intel Xeon E7-8850 10C/20T 2.00GHz 24MB	Intel Xeon processor E7-8850 (10C/20T, 2.00 GHz, SLC: -, TFC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink						x		S26361-F4471-E885	3.690,00	
	Intel Xeon E7-8860 10C/20T 2.26GHz 24MB	Intel Xeon processor E7-8860 (10C/20T, 2.26 GHz, SLC: -, TFC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink						x		S26361-F4471-E886	4.885,00	
	Intel Xeon E7-8870 10C/20T 2.40GHz 30MB	Intel Xeon processor E7-8870 (10C/20T, 2.40 GHz, SLC: -, TFC: 30 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink						x		S26361-F4471-E887	5.560,00	
	CPU MEMORY Riser Board	CPU Memory Riser Board for 1 processor and 16 DIMM modules DDR3							x	S26361-F4524-E100	1.995,00	
	CPU Mezzanine Board RX500 S7	CPU Mezzanine Board for two additional CPU's and 24 DIMM Modules					x			S26361-F4570-E100	600,00	
	Intel Xeon E5-4603 4C/8T 2.00 GHz 10 MB	Intel Xeon processor E5-4603 (4C/8T, 2.00 GHz, TFC: 10 MB, Turbo: Yes, 6.4 GT/s, Mem bus: 1066 MHz, 95 W) incl. heat sink					x			S26361-F4570-E603	665,00	Orderable from: 30/07/2012
	Intel Xeon E5-4607 6C/12T 2.20 GHz 12 MB	Intel Xeon processor E5-4607 (6C/12T, 2.20 GHz, TFC: 12 MB, Turbo: Yes, 6.4 GT/s, Mem bus: 1066 MHz, 95 W) incl. heat sink					x			S26361-F4570-E607	1.040,00	Orderable from: 30/07/2012
	Intel Xeon E5-4610 6C/12T 2.40 GHz 15 MB	Intel Xeon processor E5-4610 (6C/12T, 2.40 GHz, TFC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink					x			S26361-F4570-E610	1.395,00	Orderable from: 30/07/2012
	Intel Xeon E5-4617 6C/6T 2.90 GHz 15 MB	Intel Xeon processor E5-4617 (6C/6T, 2.90 GHz, TFC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink						x		S26361-F4570-E617	1.860,00	Orderable from: 30/07/2012
	Intel Xeon E5-4620 8C/16T 2.20 GHz 16 MB	Intel Xeon processor E5-4620 (8C/16T, 2.20 GHz, TFC: 16 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink						x		S26361-F4570-E620	1.860,00	Orderable from: 30/07/2012
	Intel Xeon E5-4640 8C/16T 2.40 GHz 20 MB	Intel Xeon processor E5-4640 (8C/16T, 2.40 GHz, TFC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink						x		S26361-F4570-E640	3.270,00	Orderable from: 30/07/2012
	Intel Xeon E5-4650 8C/16T 2.70 GHz 20 MB	Intel Xeon processor E5-4650 (8C/16T, 2.70 GHz, TFC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink						x		S26361-F4570-E650	4.320,00	Orderable from: 30/07/2012
	Intel Xeon E5-2603 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2603 (4C/4T, 1.80 GHz, TFC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink		x	x					S26361-F3685-E180	310,00	
	Intel Xeon E5-2609 4C/4T 2.40 GHz 10 MB	Intel Xeon processor E5-2609 (4C/4T, 2.40 GHz, TFC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink		x	x					S26361-F3685-E240	395,00	
	Intel Xeon E5-2603 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2603 (4C/4T, 1.80 GHz, TFC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink		x						S26361-F3689-E180	310,00	
	Intel Xeon E5-2609 4C/4T 2.40 GHz 10 MB	Intel Xeon processor E5-2609 (4C/4T, 2.40 GHz, TFC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink		x						S26361-F3689-E240	395,00	
	Intel Xeon E5-2620 6C/12T 2.00 GHz 15 MB	Intel Xeon processor E5-2620 (6C/12T, 2.00 GHz, TFC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink		x	x					S26361-F3676-E200	535,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Processor (Continued)												
	Intel Xeon E5-2630 6C/12T 2.30 GHz 15 MB	Intel Xeon processor E5-2630 (6C/12T, 2.30 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink		x	x					S26361-F3676-E230	765,00	
	Intel Xeon E5-2640 6C/12T 2.50 GHz 15 MB	Intel Xeon processor E5-2640 (6C/12T, 2.50 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink			x	x				S26361-F3676-E250	1.095,00	
	Intel Xeon E5-2620 6C/12T 2.00 GHz 15 MB	Intel Xeon processor E5-2620 (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink	x							S26361-F3690-E200	535,00	
	Intel Xeon E5-2630 6C/12T 2.30 GHz 15 MB	Intel Xeon processor E5-2630 (6C/12T, 2.30 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink		x						S26361-F3690-E230	765,00	
	Intel Xeon E5-2640 6C/12T 2.50 GHz 15 MB	Intel Xeon processor E5-2640 (6C/12T, 2.50 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 95 W) incl. heat sink		x						S26361-F3690-E250	1.095,00	
	Intel Xeon E5-2650 8C/16T 2.00 GHz 20 MB	Intel Xeon processor E5-2650 (8C/16T, 2.00 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink			x	x				S26361-F3686-E200	1.305,00	
	Intel Xeon E5-2660 8C/16T 2.20 GHz 20 MB	Intel Xeon processor E5-2660 (8C/16T, 2.20 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink			x	x				S26361-F3686-E220	1.575,00	
	Intel Xeon E5-2670 8C/16T 2.60 GHz 20 MB	Intel Xeon processor E5-2670 (8C/16T, 2.60 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 115 W) incl. heat sink			x	x				S26361-F3686-E260	1.810,00	
	Intel Xeon E5-2680 8C/16T 2.70 GHz 20 MB	Intel Xeon processor E5-2680 (8C/16T, 2.70 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink			x	x				S26361-F3686-E270	2.035,00	
	Intel Xeon E5-2690 8C/16T 2.90 GHz 20 MB	Intel Xeon processor E5-2690 (8C/16T, 2.90 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 135 W) incl. heat sink			x	x				S26361-F3686-E290	2.395,00	
	Intel Xeon E5-2650 8C/16T 2.00 GHz 20 MB	Intel Xeon processor E5-2650 (8C/16T, 2.00 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink		x						S26361-F3691-E200	1.305,00	
	Intel Xeon E5-2660 8C/16T 2.20 GHz 20 MB	Intel Xeon processor E5-2660 (8C/16T, 2.20 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 95 W) incl. heat sink		x						S26361-F3691-E220	1.575,00	
	Intel Xeon E5-2670 8C/16T 2.60 GHz 20 MB	Intel Xeon processor E5-2670 (8C/16T, 2.60 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 115 W) incl. heat sink			x					S26361-F3691-E260	1.810,00	
	Intel Xeon E5-2680 8C/16T 2.70 GHz 20 MB	Intel Xeon processor E5-2680 (8C/16T, 2.70 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink			x					S26361-F3691-E270	2.035,00	
	Intel Xeon E5-2690 8C/16T 2.90 GHz 20 MB	Intel Xeon processor E5-2690 (8C/16T, 2.90 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 135 W) incl. heat sink			x					S26361-F3691-E290	2.395,00	
	Intel Xeon E5-2667 6C/12T 2.90 GHz 15 MB	Intel Xeon processor E5-2667 (6C/12T, 2.90 GHz, TLC: 15 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink			x	x				S26361-F3687-E290	1.810,00	
	Intel Xeon E5-2637 2C/4T 3.00 GHz 5 MB	Intel Xeon processor E5-2637 (2C/4T, 3.00 GHz, TLC: 5 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 80 W) incl. heat sink			x	x				S26361-F3687-E300	1.095,00	
	Intel Xeon E5-2643 4C/8T 3.30 GHz 10 MB	Intel Xeon processor E5-2643 (4C/8T, 3.30 GHz, TLC: 10 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink			x	x				S26361-F3687-E330	1.095,00	
	Intel Xeon E5-2667 6C/12T 2.90 GHz 15 MB	Intel Xeon processor E5-2667 (6C/12T, 2.90 GHz, TLC: 15 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink		x						S26361-F3692-E290	1.810,00	
	Intel Xeon E5-2637 2C/4T 3.00 GHz 5 MB	Intel Xeon processor E5-2637 (2C/4T, 3.00 GHz, TLC: 5 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 80 W) incl. heat sink			x					S26361-F3692-E300	1.095,00	
	Intel Xeon E5-2643 4C/8T 3.30 GHz 10 MB	Intel Xeon processor E5-2643 (4C/8T, 3.30 GHz, TLC: 10 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 130 W) incl. heat sink			x					S26361-F3692-E330	1.095,00	
	Intel Xeon E5-2650L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2650L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 70 W) incl. heat sink			x	x				S26361-F3688-E180	1.305,00	
	Intel Xeon E5-2630L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2630L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 60 W) incl. heat sink			x	x				S26361-F3688-E200	815,00	
	Intel Xeon E5-2650L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2650L (8C/16T, 1.80 GHz, TLC: 20 MB, Turbo: Yes, 8.0 GT/s , Mem bus: 1600 MHz, 70 W) incl. heat sink			x					S26361-F3693-E180	1.305,00	
	Intel Xeon E5-2630L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2630L (6C/12T, 2.00 GHz, TLC: 15 MB, Turbo: Yes, 7.2 GT/s , Mem bus: 1333 MHz, 60 W) incl. heat sink			x					S26361-F3693-E200	815,00	
Memory												
	4GB (1x4GB) 2Rx8 DDR3-1600 U ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1600 MHz, PC3-12800, DIMM	x							S26361-F3719-E514	75,00	
	8GB (1x8GB) 2Rx8 DDR3-1600 U ECC	8 GB (1 module(s) 8 GB) DDR3, unbuffered, ECC, 1600 MHz, PC3-12800, DIMM		x						S26361-F3719-E515	360,00	
	Memory Board RX600 S6	Memory board for up to two set's of DDR3 LV memory (with 4 DIMMs each)						x		S26361-F3990-E600	240,00	
	Mirrored Mode Installation	BIOS setup for Mirrored mode, preinstallation ex factory							x	S26361-F4472-E3	5,00	
	16GB 4x4 DDR3 LV 1333 MHz PC3-10600 rg s	16 GB (4 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM							x	S26361-F4523-E642	340,00	
	32GB 4x8 DDR3 LV 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM							x	S26361-F4523-E643	540,00	
	64GB 4x16 DDR3 LV 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM							x	S26361-F4523-E645	1.220,00	
	128GB 4x32 DDR3 LV 1066 MHz PC3-8500 rg	128 GB (4 module(s) 32 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM							x	S26361-F4523-E646	6.820,00	
	16GB 4x4 DDR3 LV 1333 MHz PC3-10600 rg s	16 GB (4 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM							x	S26361-F4523-E942	340,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Memory (Continued)											
	32GB 4x8 DDR3 LV 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM						x	S26361-F4523-E943	540,00	
	64GB 4x16 DDR3 LV 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM						x	S26361-F4523-E945	1.220,00	
	128GB 4x32 DDR3 LV 1066 MHz PC3-8500 rg	128 GB (4 module(s) 32 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM						x	S26361-F4523-E946	6.820,00	
	Spare Mode Installation	BIOS setup for Spare mode, preinstallation ex factory						x	S26361-F4003-E1	5,00	
	Interleaving Mode Installation	BIOS setup for Interleaving mode, preinstallation ex factory						x	S26361-F4003-E2	5,00	
	Mirrored Mode Installation	BIOS setup for Mirrored mode, preinstallation ex factory						x	S26361-F4003-E3	5,00	
Memory Modules											
	Independent Mode Installation	No specific memory RAS features are defined	x	x	x	x			S26361-F3694-E10	5,00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory	x	x	x	x			S26361-F3694-E2	5,00	
	Rank Sparing Mode Installation	BIOS setup for rank sparing mode, preinstallation ex factory	x	x	x	x			S26361-F3694-E1	5,00	
	2GB (1x2GB) 1Rx8 L DDR3-1600 U ECC	2 GB (1 module(s) 2 GB) DDR3 LV, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM	x	x	x				S26361-F3694-E513	50,00	
	4GB (1x4GB) 2Rx8 L DDR3-1600 U ECC	4 GB (1 module(s) 4 GB) DDR3 LV, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM	x	x	x				S26361-F3694-E514	75,00	
	4GB (1x4GB) 2Rx8 L DDR3-1600 R ECC		x	x	x	x			S26361-F3695-E514	95,00	
	4GB (1x4GB) 1Rx4 L DDR3-1333 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM	x	x	x				S26361-F3696-E514	85,00	
	8GB (1x8GB) 2Rx4 L DDR3-1333 R ECC	8 GB (1 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM	x	x	x				S26361-F3696-E515	135,00	
	4GB (1x4GB) 1Rx4 L DDR3-1600 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM	x	x	x	x			S26361-F3697-E514	95,00	
	8GB (1x8GB) 2Rx4 L DDR3-1600 R ECC	8 GB (1 module(s) 8 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM	x	x	x	x			S26361-F3697-E515	155,00	
	16GB (1x16GB) 2Rx4 L DDR3-1600 R ECC	16 GB (1 module(s) 16 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM	x	x	x	x			S26361-F3697-E516	335,00	
	16GB (1x16GB) 4Rx4 L DDR3-1333 LR ECC	16 GB (1 module(s) 16 GB) DDR3 LR LV, registered, ECC, 1333 MHz, PC3-10600, LRDIMM	x	x	x	x			S26361-F3698-E516	395,00	
	32GB (1x32GB) 4Rx4 L DDR3-1333 LR ECC	32 GB (1 module(s) 32 GB) DDR3 LR LV, registered, ECC, 1333 MHz, PC3-10600, LRDIMM	x	x	x	x			S26361-F3698-E517	1.850,00	
Graphics											
	Front-VGA Interface	2nd optional VGA interface front side	x	x	x	x			S26361-F2571-E26	20,00	
	PY VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCI-e x1 graphic card			x				S26361-F2748-E537	135,00	
	PY LP VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCI-e x1 graphic card, low profile	x	x	x				S26361-F2748-E637	135,00	
	PY NVIDIA Tesla C2075 GPGPU	NVIDIA Tesla C2075 PCIe-x16 GPGPU Karte for TX300 S7 / RX350 S7				x			S26361-F2856-E997	2.650,00	
	PY GPGPU Cable Kit	Cable Kit to install up to 2 GPGPUs; Includes an universal PCI card holder and screws				x			S26361-F3736-E1	80,00	
Removable Media Drives											
	Mounting Kit for 5.25" USB backup drives	Mounting kit for the 5,25" USB backup drives ,				x			S26361-F3753-E1	5,00	Phased out
	Config 2: 4x 2.5" HDD	RX300S7 with config 2: 4x 2.5" HDD		x					S26361-F1373-E420	90,00	
	MountingKit DVD(s) + LSD	for slim DVD, 1x Local Service Display			x				S26361-F2826-E205	30,00	
	Config 3: 4x 2.5" HDD + LTO	RX300S7 with config 3: 4x 2.5" HDD + LTO			x				S26361-F1373-E430	175,00	
	ExtensionKit 4x SAS LFF HDD	HDD Extension for 4x LFF hotplug HDD				x			S26361-F2826-E335	75,00	
	Config 5: 8x 2.5" HDD + 3.5" drive	RX300S7 with config 5: 8x 2.5" HDD + 3.5" drive			x				S26361-F1373-E450	230,00	
	MountingKit DVD(s)+LSD+2x SAS LFF HDD	for slim DVD, 1x Local Service Display, 2x HDD			x				S26361-F2826-E105	60,00	
	Config 6: 8x 2.5" HDD + LTO	RX300S7 with config 6: 8x 2.5" HDD + LTO		x					S26361-F1373-E460	230,00	
	ExtensionKit 8x SAS SFF HDD	HDD Extension for 8x SFF hotplug HDD			x				S26361-F2826-E325	85,00	
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, slimline 0.5" fitting height, black bezel	x	x	x	x	x	x	S26361-F3269-E2	95,00	
	Config 8: 16x 2.5" HDD	RX300S7 with config 8: 16x 2.5" HDD			x				S26361-F1373-E480	420,00	
	MountingKit 8x SAS SFF HDD	Extension Box for 8x 2.5" hotplug HDD			x				S26361-F2826-E425	85,00	
	MountingKit DVD(s)+4x SAS LFF HDD	for slim DVD, 4x HDD			x				S26361-F2826-E435	85,00	
	SAS Expander 2x4 In / 6x4 Out	SAS Expander 2x4 In / 6x4 Out			x				S26361-F3669-E1	250,00	
	Adapter Kit for 2nd RAID Controller	Adapter Kit for 2nd RAID Controller			x				S26361-F3673-E1	20,00	
	Blu-ray Triple Writer slimline SATA	Read: 6x BD-ROM, 8x DVD, 24x CD, Write: 6x BD, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0.5" fitting height	x	x	x	x	x	x	S26361-F3641-E2	165,00	
	DVD-ROM 1.6" SATA	16x DVD, 48x CD, 1.6" fitting height, black bezel			x				S26361-F3266-E2	35,00	
	DVD-RW supermulti 1.6" SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, 1.6" fitting height, black bezel			x				S26361-F3267-E2	60,00	
	RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with description (G/US)			x	x	x		S26361-F3857-E4	160,00	
	RDX Drive USB 25MB/s 3.5" internal	RDX Drive 25MB/s 3.5" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)			x				S26361-F3857-E5	160,00	
	RDX Drive USB 25MB/s 3.5" internal	RDX Drive 25MB/s 3.5" intern, , USB 2.0, with USB cable , 1.6" black, within tape cage 2 x 3.5", with specific USB cable			x				S26361-F3857-E7	210,00	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, black bezel, with description (G/US) and cleaning cartridge			x	x	x		S26361-F3324-E4	500,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Removable Media Drives (Continued)												
	Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, with description (G/US) and cleaning cartridge		x						S26361-F3324-E5	500,00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	data transfer: 3MB/s, USB 2.0, 1.6" black, within tape cage 2 x 3.5", with specific USB cable, with description (G/US), with cleaning cartridge			x					S26361-F3324-E7	550,00	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge			x	x	x			S26361-F3325-E4	730,00	
	Tape Kit DDS Gen6 80GB USB 3.5" intern	DDS Gen6 80GB 6MB/s 3.5" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge		x						S26361-F3325-E2	730,00	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge			x	x	x	x		S26361-F3561-E4	1.395,00	
	Tape Kit LTO4HH 800GB 120MB/s SAS V2	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge			x	x	x	x		S26361-F3626-E2	2.030,00	
	Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge			x	x	x	x		S26361-F3627-E1	2.980,00	
Hard Disks												
	HD SATA 6G 250GB 7.2K HOT PL 3.5" ECO	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, economic	x							S26361-F3700-E250	160,00	
	HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, economic	x							S26361-F3700-E500	205,00	
	HD SATA 6G 500GB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, business critical	x	x	x					S26361-F3670-E500	210,00	
	HD SATA 6G 250GB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, hot-plug, 2.5-inch, business critical	x	x	x					S26361-F3708-E250	225,00	
	PCIe-SSD 320GB MLC	PCIe SSD, 320 GB, MLC, Flash drive		x				x	x	S26361-F4522-E321	6.915,00	
	HD SATA 6G 1TB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 1 TB, 7200 rpm, hot-plug, 3.5-inch, business critical	x	x	x					S26361-F3670-E100	265,00	
	HD SATA 6G 500GB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical	x	x	x					S26361-F3708-E500	235,00	
	PCIe-SSD 640GB MLC	PCIe SSD, 640 GB, MLC, Flash drive		x				x	x	S26361-F4522-E641	10.630,00	
	HD SATA 6G 2TB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 2 TB, 7200 rpm, hot-plug, 3.5-inch, business critical	x	x	x					S26361-F3670-E200	435,00	
	HD SATA 6G 1TB 7.2K HOT PL 2.5" BC	HDD SATA, 6 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical	x	x	x					S26361-F3708-E100	405,00	
	PCIe-SSD 785GB MLC	PCIe SSD, 785 GB, MLC, Flash drive		x	x			x	x	S26361-F4522-E781	10.300,00	New product
	HD SATA 6G 3TB 7.2K HOT PL 3.5" BC	HDD SATA, 6 GB/s, 3 TB, 7200 rpm, hot-plug, 3.5-inch, business critical	x	x	x					S26361-F3670-E300	690,00	
	PCIe-SSD 1.2TB MLC	PCIe SSD, 1.2 TB, MLC, Flash drive		x	x			x	x	S26361-F4522-E121	14.300,00	New product
	HD SATA 3G 2TB 7.2K HOT PL 3.5" BC	HDD SATA, 3 GB/s, 2 TB, 7200 rpm, hot-plug, 3.5-inch, business critical			x	x				S26361-F3294-E200	435,00	
	SSD SATA 3G 64GB SLC HOT PLUG 2.5" EP	SSD SATA, 3 GB/s, 64 GB, SLC, hot-plug, 2.5-inch, enterprise						x	x	S26361-F3298-E64	1.130,00	Phased out
	HD SAS 6G 300GB 15K HOT PL 3.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise	x	x	x					S26361-F4005-E530	365,00	
	HD SAS 6G 450GB 15K HOT PL 3.5" EP	HDD SAS, 6 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise	x	x	x					S26361-F4005-E545	420,00	
	HD SAS 6G 600GB 15K HOT PL 3.5" EP	HDD SAS, 6 GB/s, 600 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise	x	x	x					S26361-F4005-E560	500,00	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x	S26361-F4482-E130	285,00	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x	S26361-F4482-E145	410,00	
	HD SAS 6G 600GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x	S26361-F4482-E160	530,00	
	HD SAS 6G 900GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 900 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x	S26361-F4482-E190	835,00	
	HD SAS 6G 73GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x		x	x		S26361-F4482-E573	250,00	
	HD SAS 6G 146GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x		S26361-F4482-E514	325,00	
	HD SAS 6G 300GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x		S26361-F4482-E530	565,00	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise		x	x					S26361-F5227-E130	315,00	New product
	HD SAS 6G 450GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise		x	x					S26361-F5227-E145	450,00	New product
	HD SAS 6G 600GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise		x	x					S26361-F5227-E160	580,00	New product
	SSD SAS 6G 100GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 100 GB, SLC, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x		S26361-F4541-E100	1.775,00	
	SSD SAS 6G 200GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 200 GB, SLC, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x		S26361-F4541-E200	3.450,00	
	SSD SAS 6G 400GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 400 GB, SLC, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x		S26361-F4541-E400	6.630,00	
	SSD SAS 6G 100GB MLC HOT PL 2.5" EP PERF	SSD SAS, 6 GB/s, 200 GB, MLC, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x		S26361-F4581-E100	1.050,00	New product.Deliverable from: 01/08/2012,Orderable from: 24/08/2012
	SSD SAS 6G 400GB MLC HOT PL 2.5" EP PERF	SSD SAS, 6 GB/s, 200 GB, MLC, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x		S26361-F4581-E400	3.780,00	New product.Deliverable from: 01/08/2012,Orderable from: 24/08/2012
	SSD SATA 6G 100GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 100 GB, MLC, hot-plug, 2.5-inch, enterprise	x	x	x	x	x			S26361-F5225-E100	555,00	Orderable from: 01/08/2012
	SSD SATA 6G 200GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 200 GB, MLC, hot-plug, 2.5-inch, enterprise	x	x	x	x	x			S26361-F5225-E200	1.095,00	Orderable from: 01/08/2012
	SSD SATA 6G 400GB MLC HOT P 2.5" EP MAIN	SSD SATA, 6 GB/s, 400 GB, MLC, hot-plug, 2.5-inch, enterprise	x	x	x	x	x			S26361-F5225-E400	2.645,00	Orderable from: 01/08/2012
SCSI/RAID/SAS controller												
	RAID Contr BBU Upgrade for RAID 5/6 V70	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI"						x		S26361-F3257-E170	165,00	
	RAID Contr BBU Erweiterung RAID 5/6 C16	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI"		x	x					S26361-F3257-E216	165,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX900 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
SCSI/RAID/SAS controller (Continued)												
	RAID Contr BBU Upgrade for RAID 5/6 C55	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI"	x	x						S26361-F3257-E255	165,00	
	RAID Contr BBU Erweiterung RAID 5/6 C70	BBU Upgrade for "RAID Ctrl SAS 6G 5/6 512MB (D2616)" and "RAID Ctrl SAS 6G 8Port ex 512MB LSI"				x			x	S26361-F3257-E270	165,00	
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports	x						x	S26361-F3257-E4	110,00	
	SCSI Ctrl U320 1ch int/ext PCIe	Adaptec 29320LPE, 1x U320 SCSI							x	S26361-F3270-E1	195,00	Phased out
	SCSI Ctrl U320 1ch int/ext PCIe lp	Adaptec 29320LPE, 1x U320 SCSI, low profile	x							S26361-F3270-E201	195,00	Phased out
	SAS Ctrl 3GB/s 4int/4ext PCIe	SAS Controller 3GB/s 8 port, LSI SAS3442E-R							x	S26361-F3271-E1	210,00	Phased out
	SAS Ctrl 3GB/s 8 port PCIe FH EFI	SAS Controller 3GB/s 8 port, LSI SAS3442E-R full height UEFI RX900							x	S26361-F3271-E2	210,00	Phased out
	SAS Ctrl 3GB/s 4int/4ext PCIe lp	SAS Controller 3GB/s 8 port, LSI SAS3442E-R Low Profile	x							S26361-F3271-E201	210,00	Phased out
	SAS Ctrl 6G 8ext PCIe	SAS Controller 6GB/s 8 port, LSI SAS 9200-8e				x	x	x	x	S26361-F3628-E1	260,00	
	SAS Ctrl 6G 8ext PCIe lp	SAS Controller 6GB/s 8 port, LSI SAS 9200-8e LP	x	x	x					S26361-F3628-E201	260,00	
	SAS Enabling Key for Onboard Ports	Hardware key to switch four of the SATA ports of the Intel C600 Chipset to 3GB/s SAS,	x	x	x	x				S26361-F3674-E1	95,00	
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports	x	x	x	x			x	S26361-F3554-E8	165,00	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal ports	x	x	x	x			x	S26361-F3554-E512	385,00	
	RAID Ctrl SAS 6G 1GB (D3116)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2208, PCIe 2.0 x8, 8 internal ports	x	x	x	x			x	S26361-F3669-E1	430,00	
	RAID Ctrl SAS 6G 8Port ex 512MB FH LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU				x			x	S26361-F3593-E1	590,00	
	RAID Ctrl SAS 6G 8Port ex 512MB LP LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU	x	x	x					S26361-F3593-E201	590,00	
	RAID Ctrl SAS 6G 8Port ex 1GB LP LSI	RAID-Ctrl, LSI MegaRAID SAS9285-8e, PCIe2.0 x8, 1GB Cache with ECC, 8 external ports, optional FBU, LP bracket			x					S26361-F3713-E201	790,00	
Fibre Channel												
	FC Ctrl 8GB/s 1 Chan LPe1250 MMF LC	1 channel 8GB/sec FC controller PCIe 2.0 x4 or PCIe x8 SFF Interface for 50um Fiber				x	x	x	x	S26361-F3961-E1	920,00	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x4 or PCIe x8 SFF Interface for 50um Fiber				x	x	x	x	S26361-F3961-E2	1.490,00	
	FC Ctrl 8GB/s 1 Chan LPe1250 MMF LC LP	1 channel 8GB/sec FC controller PCIe 2.0 x4 or PCIe x8 Low Profile SFF Interface for 50um Fiber	x	x						S26361-F3961-E201	920,00	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC LP	2 channel 8GB/sec FC controller PCIe 2.0 x4 or PCIe x8 Low Profile SFF Interface for 50um Fiber	x	x						S26361-F3961-E202	1.490,00	
	FC Ctrl 8GB/s 1 channel QLE2560 MMF LC	1 channel 8GB/sec FC controller PCIe 2.0 x4 or PCIe x8 SFF Interface for 50um Fiber				x	x	x	x	S26361-F3631-E1	1.020,00	
	FC Ctrl 8GB/s 2 channel QLE2562 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x4 or PCIe x8 SFF Interface for 50um Fiber				x	x	x	x	S26361-F3631-E2	1.640,00	
	FC Ctrl 8GB/s 1 channel QLE2560MMF LC LP	1 channel 8GB/sec FC controller PCIe 2.0 x4 or PCIe x8 SFF Interface for 50um Fiber	x	x						S26361-F3631-E201	1.020,00	
	FC Ctrl 8GB/s 2 channel QLE2562 MMF LCLP	2 channel 8GB/sec FC controller PCIe 2.0 x4 or PCIe x8 SFF Interface for 50um Fiber	x	x						S26361-F3631-E202	1.640,00	
Connection Blades												
	SFP+ Module Multi Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blades, 1GB LAN connection blades with 10GB SFP+ uplink and the Fujitsu 10GBE Server Adapter D2755., For multi-mode short-range fiber optic cables up to 300m.	x	x	x	x	x	x	x	S26361-F3986-E3	405,00	
	SFP+ Module Single Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blade and LAN adapter D2755., For single-mode long-range fiber optic cables up to 10km.	x	x	x	x	x	x	x	S26361-F3986-E4	1.180,00	
	InfiniBand Cu Cable 40GB, customized	Cable IB QSFP, length is customized (depends on mounting requirements), incl. assembly						x		S26361-F3996-E500	110,00	
	InfiniBand Cu Cable 56GB, customized	Cable FDR IB QSFP, length is customized (depends on mounting requirements), incl. assembly						x		S26361-F3996-E556	155,00	
Communication/Network												
	Upgrade-Kit to 4x GBit on-board	Upgrade-Kit to 4x GBit on-board, Based on Intel LAN controller chip 82576NS, Usable with original Intel driver kit, Extends the available two onboard 1GB LAN connectors with two additional 1GB LAN connectors.	x	x	x	x				S26361-F3610-E702	155,00	
	Upgrade-Kit to 6x GBit on-board	Upgrade-Kit to 6x GBit on-board, Based on Intel LAN controller chip 82580EB, Usable with original Intel driver kit., Extends the available two onboard 1GB LAN connectors with four additional 1GB LAN connectors.	x	x	x	x				S26361-F3611-E701	390,00	
	Upgrade-Kit to 2xGB and 2x10GB on-board	Upgrade-Kit to 2x GBit and 2x 10GBit on-board, Based on Intel LAN controller chip 82599, Usable with original Intel driver kit., Extends the available two onboard 1GB LAN connectors with two additional 10GB LAN connectors (SFP+).	x	x	x	x				S26361-F3629-E702	520,00	
	Shared 10GB Management LAN kit			x	x	x	x			S26361-F3629-E750	25,00	
	Eth Ctrl 1x1Gbit PCIe Pro/1000PF LC lp	Intel® Pro 1000PF 1 Port Server Adapter	x	x	x					S26361-F3242-E201	240,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Communication/Network (Continued)												
	Eth Ctrl 1x1Gbit PCIe CT Desktop Cu Ip	Intel® GBit CT 1 Port Desktop Adapter Ip	x	x	x					S26361-F3516-E201	45,00	
	Eth Ctrl 2x1Gbit PCIe x4 D2735-2 Cu Ip	Ethernet Server Adapter Eth Ctrl 2x1Gbit PCIe x4 D2735-2 Cu Ip, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit	x	x	x					S26361-F3610-E202	155,00	
	Eth Ctrl 4x1Gbit PCIe x4 D2745 Cu Ip	Ethernet Server Adapter Eth Ctrl 4x1Gbit PCIe x4 D2745 Cu Ip, Based on Intel LAN controller chip 82580EB, Usable with original Intel driver kit	x	x	x					S26361-F3611-E201	390,00	
	Eth Ctrl 2x10Gbit PCIe x8 D2755 SFP+ Ip	Ethernet Server Adapter Eth Ctrl 2x10Gbit PCIe x8 D2755 SFP+ Ip	x	x	x					S26361-F3629-E202	520,00	
	FCoE Ctrl 10GB/s 2 channel OCE10102 MMF	2 Channel 10Gbit/s FCoE Controller , PCIe 2.0 x 8 , SFP+ for opt. module or Twinax cable				x	x	x		S26361-F3592-E2	1.320,00	
	FCoE Ctrl 10GB/s 2 channel OCE10102 MMF	2 Channel 10Gbit/s FCoE Controller, PCIe 2.0 x 8 Low Profile, SFP+ for opt. module or Twinax cable	x	x						S26361-F3592-E202	1.320,00	
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCE10102	x	x	x	x	x	x		S26361-F3592-E108	400,00	
	Eth Ctrl 1x1Gbit PCIe CT Desktop Cu	Intel® GBit CT 1 Port Desktop Adapter				x				S26361-F3516-E1	45,00	
	Eth Ctrl 1x1Gbit PCIe Pro/1000PF LC	Intel® Pro 1000PF 1 Port Server Adapter			x	x	x			S26361-F3242-E1	240,00	
	Eth Ctrl 2x10Gbit PCIe x8 D2755 SFP+	Ethernet Server Adapter Eth Ctrl 2x10Gbit PCIe x8 D2755 SFP+			x	x	x	x		S26361-F3629-E2	520,00	
	Eth Ctrl 2x1Gbit PCIe x4 D2735-2 Cu	Ethernet Server Adapter Eth Ctrl 2x1Gbit PCIe x4 D2735-2 Cu, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit			x	x	x	x		S26361-F3610-E2	155,00	
	Eth Ctrl 4x1Gbit PCIe x4 D2745 Cu	Ethernet Server Adapter Eth Ctrl 4x1Gbit PCIe x4 D2745 Cu, Based on Intel LAN controller chip 82580EB, Usable with original Intel driver kit			x	x	x	x		S26361-F3611-E1	390,00	
	IB HCA 40GB 1 port QDR	InfiniBand HCA 40GB/s, 1-port, QDR	x	x	x	x	x	x		S26361-F4475-E102	620,00	
	IB HCA 40GB 2 port QDR	InfiniBand HCA 40GB/s, 2-port, QDR	x	x	x	x	x	x		S26361-F4475-E202	875,00	
	IB HCA 40GB 1 port QDR enhanced	InfiniBand HCA 40GB/s, 1-port, QDR, enhanced	x	x						S26361-F4475-E103	680,00	New product
	IB HCA 40GB 2 port QDR enhanced	InfiniBand HCA 40GB/s, 2-port, QDR, enhanced	x	x						S26361-F4475-E203	1.050,00	New product
	IB HCA 56GB 1 port FDR	InfiniBand HCA 56GB/s, 1-port, FDR	x	x	x	x				S26361-F4533-E102	1.030,00	
	IB HCA 56GB 2 port FDR	InfiniBand HCA 56GB/s, 2-port, FDR	x	x	x	x				S26361-F4533-E202	1.590,00	
Rack-Infrastructure												
	RMK-F2_DI_QRL	Telescopic rails full extraction; drop-in mount.; vario-carrier for tool less mounting with quick release lever; for rack pillars with square holes (9.5mm) or round holes (7.1mm); max. load 50 kg.; Rack installation depth (19" pillar distance) between 714mm and 785mm							x	S26361-F2735-E245	115,00	
	Rack Mount Kit F2-C S7 LV	RMK for server more than 2U or more than 35Kg. Drop-in-Rails with Cable Management Adapter. . . , Vario Carrier length variable 714-785mm with Quick-Release-Lever-support. . . , Adjustable mounting depth for racks until 783mm rack pillar distance (depth)., load capacity; max. 50 kg			x	x				S26361-F2735-E285	100,00	
	Rack Mount Kit F1-C S7 LV	RMK for server max. 2U or max. 35 Kg. Drop-in-Rails with Cable Management Adapter. . . , Variocarrier length variable 714-785mm with Quick-Release-Lever-support. . . , Adjustable mounting depth for racks until 783mm rack pillar distance (depth).	x	x	x					S26361-F2735-E175	90,00	
	Mounting in symmetrical Racks	Rack server mounting in symmetrical racks without support bracket	x	x	x	x	x	x		S26361-F4530-E10	5,00	
	Mounting 1U in asymmetrical Racks	Rack server mounting in asymmetrical rack with 1U support bracket	x	x	x					S26361-F4530-E11	5,00	
	Mounting 2U in asymmetrical racks	Rack server mounting in asymmetrical rack with 2U support bracket			x					S26361-F4530-E12	5,00	
	Mounting 3U in asymmetrical racks	Rack server mounting in asymmetrical rack with 2U support bracket				x	x	x		S26361-F4530-E13	5,00	
	Rack installation ex works, SX10, 1U Nod	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.	x	x						S26361-F1647-E302	65,00	
	Rack installation ex works	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.		x	x	x	x	x		SNP-SY-F1647E301-P	130,00	
	Rack Cable Arm 1U	Cable management arm, dragged with bracket, can be used for PRIMERGY servers 1U. Can be mounted in PRIMECENTER party racks, can only be mounted at RMKs with CMA adapter.	x	x						S26361-F2735-E81	20,00	
	Rack Cable Arm 2U	Cable management arm, dragged with bracket, can be used for PRIMERGY servers 2U or higher. Can be mounted in PRIMECENTER party racks, can only be mounted at RMKs with CMA adapter.		x	x	x				S26361-F2735-E82	30,00	
	Cable mgmt. lateral for asym. PC racks M	Cable management for server or storage subsystem 2U or higher mounted into asymmetrical PRIMECENTER M1 racks		x	x	x	x			S26361-F2735-E71	30,00	
	cable arm 2U PCR M1 S and 3rd partyracks	Cable arm 2U to be mounted at right or left rack pillar behind servers higher oder equal 2U. Released for symmetrical PRIMECENTER M1 or 3rd party racks.					x	x		S26361-F2201-E20	50,00	
	Cable mgmt. RX900 für asym. 19" Racks	Cable mgmt. RX900 for asym. 19" Rack						x		S26361-F2735-E17	30,00	
	Rack Mount Kit for RX900							x		S26361-F2735-E109	180,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
Rack-Infrastructure (Continued)												
Country kits												
	CCC Certification for China	CCC Certification for China	x	x						S26361-F3301-E120	10,00	
	region kit APAC/America/EMEA/India	Region-kit APAC/EMEA/ India	x	x	x	x	x	x	x	S26361-F1452-E100	10,00	
PRIMERGY-Software												
	iRMC S2 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection							x	S26361-F1790-E241	300,00	
	iRMC S3 advanced pack		x	x	x	x	x			S26361-F1790-E242	300,00	
	SUSE Linux ES 1-2 SOCK Server 1Y	SUSE Linux ES 1-2SOC Server 1Y, 1-2 CPU Sockets, one physical server, subscription for 1 year	x	x	x	x				S26361-F2348-S101	290,00	New product
	SUSE Linux ES 1-2 SOCK Server 3Y	SUSE Linux ES 1-2SOC Server 3Y, 1-2 CPU Sockets, one physical server, subscription for 3 years	x	x	x	x				S26361-F2348-S102	790,00	New product
	SUSE Linux ES 1-2 SOCK Server 5Y	SUSE Linux ES 1-2SOC Server 5Y, 1-2 CPU Sockets, one physical server, subscription for 5 years	x	x	x	x				S26361-F2348-S103	1.160,00	New product
	SUSE Linux ES 1-2 SOCK Serv+Virt. 1Y	SUSE Linux ES 1-2SOC Serv+Virt. 1Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 1 year	x	x	x	x				S26361-F2348-S111	440,00	New product
	SUSE Linux ES 1-2 SOCK Serv+Virt 3Y	SUSE Linux ES 1-2SOC Serv+Virt 3Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 3 years	x	x	x	x				S26361-F2348-S112	1.180,00	New product
	SUSE Linux ES 1-2 SOCK Serv+Virt 5Y	SUSE Linux ES 1-2SOC Serv+Virt 5Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 5 years	x	x	x	x				S26361-F2348-S113	1.760,00	New product
	SUSE Linux ES HAE 1-2 SOCK 1Y	SUSE Linux ES HAE 1-2SOC 1Y, 1-2 CPU Sockets, high availability extension, subscription for 1 year	x	x	x	x				S26361-F2348-S121	590,00	New product
	SUSE Linux ES HAE 1-2 SOCK 3Y	SUSE Linux ES HAE 1-2SOC 3Y, 1-2 CPU Sockets, high availability extension, subscription for 3 years	x	x	x	x				S26361-F2348-S122	1.570,00	New product
	SUSE Linux ES HAE 1-2 SOCK 5Y	SUSE Linux ES HAE 1-2SOC 5Y, 1-2 CPU Sockets, high availability extension, subscription for 5 years	x	x	x	x				S26361-F2348-S123	2.330,00	New product
	SUSE Linux ES 4 SOCK Server 1Y	SUSE Linux ES 4SOC Server 1Y, 4 CPU Sockets, one physical server, subscription for 1 year						x	x	S26361-F2348-S201	580,00	New product
	SUSE Linux ES 4 SOCK Server 3Y	SUSE Linux ES 4SOC Server 3Y, 4 CPU Sockets, one physical server, subscription for 3 years						x	x	S26361-F2348-S202	1.580,00	New product
	SUSE Linux ES 4 SOCK Server 5Y	SUSE Linux ES 4SOC Server 5Y, 4 CPU Sockets, one physical server, subscription for 5 years						x	x	S26361-F2348-S203	2.320,00	New product
	SUSE Linux ES 4 SOCK Serv+Virt 1Y	SUSE Linux ES 4SOC Serv+Virt 1Y, 4 CPU Sockets, unlimited virtualization, subscription for 1 year						x	x	S26361-F2348-S211	880,00	New product
	SUSE Linux ES 4 SOCK Serv+Virt 3Y	SUSE Linux ES 4SOC Serv+Virt 3Y, 4 CPU Sockets, unlimited virtualization, subscription for 3 years						x	x	S26361-F2348-S212	2.360,00	New product
	SUSE Linux ES 4 SOCK Serv+Virt 5Y	SUSE Linux ES 4SOC Serv+Virt 5Y, 4 CPU Sockets, unlimited virtualization, subscription for 5 years						x	x	S26361-F2348-S213	3.520,00	New product
	SUSE Linux ES HAE 4 SOCK 1Y	SUSE Linux ES HAE 4SOC 1Y, 4 CPU Sockets, high availability extension, subscription for 1 year						x	x	S26361-F2348-S221	1.170,00	New product
	SUSE Linux ES HAE 4 SOCK 3Y	SUSE Linux ES HAE 4SOC 3Y, 4 CPU Sockets, high availability extension, subscription for 3 years						x	x	S26361-F2348-S222	3.140,00	New product
	SUSE Linux ES HAE 4 SOCK 5Y	SUSE Linux ES HAE 4SOC 5Y, 4 CPU Sockets, high availability extension, subscription for 5 years						x	x	S26361-F2348-S223	4.650,00	New product
	SUSE Linux ES 8 SOCK Server 1Y	SUSE Linux ES 8SOC Server 1Y, 8 CPU Sockets, one physical server, subscription for 1 year							x	S26361-F2348-S301	1.160,00	New product
	SUSE Linux ES 8 SOCK Server 3Y	SUSE Linux ES 8SOC Server 3Y, 8 CPU Sockets, one physical server, subscription for 3 years							x	S26361-F2348-S302	3.160,00	New product
	SUSE Linux ES 8 SOCK Server 5Y	SUSE Linux ES 8SOC Server 5Y, 8 CPU Sockets, one physical server, subscription for 5 years							x	S26361-F2348-S303	4.640,00	New product
	SUSE Linux ES 8 SOCK Serv+Virt 1Y	SUSE Linux ES 8SOC Serv+Virt 1Y, 8 CPU Sockets, unlimited virtualization, subscription for 1 year							x	S26361-F2348-S311	1.760,00	New product
	SUSE Linux ES 8 SOCK Serv+Virt 3Y	SUSE Linux ES 8SOC Serv+Virt 3Y, 8 CPU Sockets, unlimited virtualization, subscription for 3 years							x	S26361-F2348-S312	4.720,00	New product
	SUSE Linux ES 8 SOCK Serv+Virt 5Y	SUSE Linux ES 8SOC Serv+Virt 5Y, 8 CPU Sockets, unlimited virtualization, subscription for 5 years							x	S26361-F2348-S313	7.100,00	New product
	SUSE Linux ES HAE 8 SOCK 1Y	SUSE Linux ES HAE 8SOC 1Y, 8 CPU Sockets, high availability extension, subscription for 1 year							x	S26361-F2348-S321	2.330,00	New product
	SUSE Linux ES HAE 8 SOCK 3Y	SUSE Linux ES HAE 8SOC 3Y, 8 CPU Sockets, high availability extension, subscription for 3 years							x	S26361-F2348-S322	6.300,00	New product
	SUSE Linux ES HAE 8 SOCK 5Y	SUSE Linux ES HAE 8SOC 5Y, 8 CPU Sockets, high availability extension, subscription for 5 years							x	S26361-F2348-S323	9.300,00	New product
	SUSE Linux ES4SAP 1-2 SOCK Server 1Y	SUSE Linux ES4SAP 1-2SOC Server 1Y, 1-2 CPU Sockets, one physical server, subscription for 1 year	x	x	x	x				S26361-F2348-S401	1.280,00	New product
	SUSE Linux ES4SAP 1-2 SOCK Server 3Y	SUSE Linux ES4SAP 1-2SOC Server 3Y, 1-2 CPU Sockets, one physical server, subscription for 3 years	x	x	x	x				S26361-F2348-S402	3.450,00	New product
	SUSE Linux ES4SAP 1-2 SOCK Server 5Y	SUSE Linux ES4SAP 1-2SOC Server 5Y, 1-2 CPU Sockets, one physical server, subscription for 5 years	x	x	x	x				S26361-F2348-S403	5.200,00	New product



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)												
	SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 1Y	SUSE Linux ES4SAP 1-2SOC Serv+Virt 1Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 1 year	x	x	x					S26361-F2348-S411	1.920,00	New product
	SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 3Y	SUSE Linux ES4SAP 1-2SOC Serv+Virt 3Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 3 years	x	x	x					S26361-F2348-S412	5.200,00	New product
	SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 5Y	SUSE Linux ES4SAP 1-2SOC Serv+Virt 5Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 5 years	x	x	x					S26361-F2348-S413	7.700,00	New product
	SUSE Linux ES4SAP 4 SOCK Server 1Y	SUSE Linux ES4SAP 4SOC Server 1Y, 4 CPU Sockets, one physical server, subscription for 1 year					x	x		S26361-F2348-S421	2.560,00	New product
	SUSE Linux ES4SAP 4 SOCK Server 3Y	SUSE Linux ES4SAP 4SOC Server 3Y, 4 CPU Sockets, one physical server, subscription for 3 years					x	x		S26361-F2348-S422	6.900,00	New product
	SUSE Linux ES4SAP 4 SOCK Server 5Y	SUSE Linux ES4SAP 4SOC Server 5Y, 4 CPU Sockets, one physical server, subscription for 5 years					x	x		S26361-F2348-S423	10.300,00	New product
	SUSE Linux ES4SAP 4 SOCK Serv+Virt 1Y	SUSE Linux ES4SAP 4SOC Serv+Virt 1Y, 4 CPU Sockets, unlimited virtualization, subscription for 1 year					x	x		S26361-F2348-S431	3.840,00	New product
	SUSE Linux ES4SAP 4 SOCK Serv+Virt 3Y	SUSE Linux ES4SAP 4SOC Serv+Virt 3Y, 4 CPU Sockets, unlimited virtualization, subscription for 3 years					x	x		S26361-F2348-S432	10.400,00	New product
	SUSE Linux ES4SAP 4 SOCK Serv+Virt 5Y	SUSE Linux ES4SAP 4SOC Serv+Virt 5Y, 4 CPU Sockets, unlimited virtualization, subscription for 5 years					x	x		S26361-F2348-S433	15.400,00	New product
	SUSE Linux ES4SAP 8 SOCK Server 1Y	SUSE Linux ES4SAP 8SOC Server 1Y, 8 CPU Sockets, one physical server, subscription for 1 year							x	S26361-F2348-S441	5.200,00	New product
	SUSE Linux ES4SAP 8 SOCK Server 3Y	SUSE Linux ES4SAP 8SOC Server 3Y, 8 CPU Sockets, one physical server, subscription for 3 years							x	S26361-F2348-S442	13.800,00	New product
	SUSE Linux ES4SAP 8 SOCK Server 5Y	SUSE Linux ES4SAP 8SOC Server 5Y, 8 CPU Sockets, one physical server, subscription for 5 years							x	S26361-F2348-S443	20.500,00	New product
	SUSE Linux ES4SAP 8 SOCK Serv+Virt 1Y	SUSE Linux ES4SAP 8SOC Serv+Virt 1Y, 8 CPU Sockets, unlimited virtualization, subscription for 1 year							x	S26361-F2348-S451	7.700,00	New product
	SUSE Linux ES4SAP 8 SOCK Serv+Virt 3Y	SUSE Linux ES4SAP 8SOC Serv+Virt 3Y, 8 CPU Sockets, unlimited virtualization, subscription for 3 years							x	S26361-F2348-S452	20.700,00	New product
	SUSE Linux ES4SAP 8 SOCK Serv+Virt 5Y	SUSE Linux ES4SAP 8SOC Serv+Virt 5Y, 8 CPU Sockets, unlimited virtualization, subscription for 5 years							x	S26361-F2348-S453	30.700,00	New product
	ooB HDD monitoring by iRMC	This option enables the out-of-band monitoring function of the HDD by iRMC., In this case HDD will be monitored without any Server Management agents.		x						S26361-F2557-E301	20,00	
	PRIMERGY DuplexDataManager 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	S26361-F2565-L596	2.745,00	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn OEM	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., English. OEM DVD, License.	x	x	x	x	x	x		S26361-F2567-E20	380,00	
	MS SysCtr Essntls 2010 OEM	MS System Center Essentials 2010. English. OEM DVD, License.	x	x	x	x	x	x		S26361-F2567-E30	115,00	
	Win Svr 2008 R2 SP1 Foundation 1CPU OEM	Win Srv 2008 R2 SP1 Fnd (1 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x							S26361-F2567-E301	195,00	
	Win Svr 2008 R2 SP1 Datactr 4CPU OEM	Win Srv 2008 R2 SP1 Dtc (4 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.					x	x		S26361-F2567-E333	5.932,00	
	Win Svr 2008 R2 SP1 Datactr 8CPU OEM	Win Srv 2008 R2 SP1 Dtc (8 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.							x	S26361-F2567-E335	11.864,00	
	USB Flash Module 16GB intern	USB Flash Module 16GB intern		x	x					S26361-F3299-E16	345,00	
	VIOM License f. operation of one server,	VIOM License for operation of one server, Service Pack mandatory		x	x	x				U15000-C311	315,00	
	VIOM License for operation of 8 servers,	VIOM License for operation of 8 servers, Service Pack mandatory		x	x	x	x			U15000-C312	1.890,00	
	VIOM License f. operation of 18 servers,	VIOM License for operation of 18 servers, Service Pack mandatory		x	x	x	x			U15000-C313	3.795,00	
	FF4S V5.1A Media-Set	FlexFrame V5.1A media set			x					U21348-C5100	80,00	
	Red Hat EL HPC 1-2SOC Self-Support 1Y	Red Hat Enterprise Linux per HPC compute node up to 2-CPU Sockets Basic Support 1-Year		x	x					S26361-F2346-C851	57,00	
	PRIMERGY MultiPath MPIO 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	S26361-F2565-E593	875,00	
	PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	S26361-F2565-E595	875,00	
	Win Svr 2008 R2 SP1 Datactr 2CPU OEM	Win Srv 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x	x	x	x		S26361-F2567-E331	2.966,00	
	PCM Fujitsu Basic per node 1Y	Platform Cluster Manager Fujitsu Basic Edition per node (head and compute node) 5x9 level3 support 1 year.		x	x					S26361-F2346-C951	157,00	
	Win Svr 2008 R2 SP1 Enterpr w/10CAL OEM	Win Srv 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x	x	x	x		S26361-F2567-E321	1.885,00	
	PCM Fujitsu Basic Services 1Y	Platform Cluster Manager Fujitsu Basic Services entitlement per HPC configuration 1-Year.		x	x					S26361-F2346-S951	7,00	
	Win Svr 2008 R2 SP1 Standard w/5CAL OEM	Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x	x	x	x		S26361-F2567-E311	585,00	
	PCM Fujitsu Enterprise per node 1y	Platform Cluster Manager Fujitsu Enterprise Edition pro Knoten (Kopf- und Arbeitsknoten) 5x9 level3 Support 1 Jahr.		x	x					S26361-F2346-C961	466,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)												
	Win SBS Standard 2011 w/5CAL OEM EN	Windows Small Business Server Standard 2011 with 5 CAL, OEM, English, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E350	630,00	
	Win SBS Standard 2011 w/5CAL OEM DE	Windows Small Business Server Standard 2011 with 5 CAL, OEM, German, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E351	630,00	
	Win SBS Standard 2011 w/5CAL OEM IT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Italian, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E352	630,00	
	Win SBS Standard 2011 w/5CAL OEM FR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, French, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E353	630,00	
	Win SBS Standard 2011 w/5CAL OEM ES	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Spanish, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E354	630,00	
	Win SBS Standard 2011 w/5CAL OEM CS	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Czech, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E355	630,00	
	Win SBS Standard 2011 w/5CAL OEM PT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Portuguese, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E356	630,00	
	Win SBS Standard 2011 w/5CAL OEM NL	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Dutch, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E357	630,00	
	Win SBS Standard 2011 w/5CAL OEM TR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Turkish, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E358	630,00	
	Win SBS Standard 2011 w/5CAL OEM HU	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Hungarian, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E359	630,00	
	Win SBS 2011 Prem Add-on w/5CAL OEM EN	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, English, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E370	925,00	
	Win SBS 2011 Prem Add-on w/5CAL OEM DE	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, German, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E371	925,00	
	Win SBS 2011 Prem Add-on w/5CAL OEM IT	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Italian, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E372	925,00	
	Win SBS 2011 Prem Add-on w/5CAL OEM FR	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, French, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E373	925,00	
	Win SBS 2011 Prem Add-on w/5CAL OEM ES	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Spanish, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E374	925,00	
	Identifier	FlexFrame Identifier, has to be ordered one time per FF configuration				x				D:FF4SAP-ID-V041	0,01	
	PCM Fujitsu Enterprise Services 1y	Platform Cluster Manager Fujitsu Enterprise Services entitlement per HPC configuration 1 year.			x	x				S26361-F2346-S961	7,00	
	Win Srv 2008 R2 Standard 5CAL PRC OEM	Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) Simplified Chinese. OEM DVD, License.	x	x	x	x	x	x		S26361-F2567-E318	530,00	
	Win Web Srv 2008 R2 MULI OEM	Win Web Srv 2008 R2 1-4 CPU EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x	x	x	x				S26361-F2567-E302	305,00	
	Red Hat EL HPC 1-2SOC Self-Support 3Y	Red Hat Enterprise Linux per HPC compute node up to 2-CPU Sockets Basic Support 1-Year			x	x				S26361-F2346-C852	170,00	
	Win Svrs 2008 R2 SP1 Service Pack DVD	Service Pack 1 Supplement DVD for Windows Servers 2008 R2.	x	x	x	x	x	x		S26361-F2567-E391	25,00	
	FF-CN-SW RTU	FlexFrame ControlNode Right to use				x				U21348-C101	5.451,65	
	PCM Fujitsu Basic per node 3Y	Platform Cluster Manager Fujitsu Basic Edition per node (head and compute node) 5x9 level3 support 3 years.			x	x				S26361-F2346-C952	470,00	
	Win Svrs 2008 R2 SP1 Language Pack DVD	Language Pack Supplement DVD with 34 worldwide language packs for Windows Servers 2008 R2 SP1.	x	x	x	x	x	x		S26361-F2567-E390	25,00	
	PCM Fujitsu Basic Services 3Y	Platform Cluster Manager Fujitsu Basic Services entitlement per HPC configuration 3 years.			x	x				S26361-F2346-S952	7,00	
	PCM Fujitsu Enterprise per node 3Y	Platform Cluster Manager Fujitsu Enterprise Edition per node (head and compute node) 5x9 level3 support 3 years.			x	x				S26361-F2346-C962	1.394,00	
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x	x	x	x	x		S26361-F2565-E328	25,00	Phased out
	PCM Fujitsu Enterprise Services 3Y	Platform Cluster Manager Fujitsu Enterprise Services entitlement per HPC configuration 3 years.			x	x				S26361-F2346-S962	7,00	
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x	x	x	x	x		S26361-F2565-E318	25,00	Phased out
	Win HPC Srv 2008 R2 Suite OEM	Win HPC Srv 2008 R2 Suite (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.			x	x	x			S26361-F2567-E360	750,00	
	FF-CN back level support 1 year	1 year backlevel support (3rd level) for FlexFrame for SAP ControlCenter Management Software.				x				U21348-C101-W1	1.470,00	
	FF-Staging-Identifier	FlexFrame staging identifier. Has to be ordered one time per configuration for preinstall and test of the configuration in the factory				x				U21348-C105	0,01	
	Win Srv 2008 R2 HPC Edition MUL OEM	Win Srv 2008 R2 HPC Edition (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.			x	x	x			S26361-F2567-E361	375,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)												
	Win HPC Pack 2008 R2 Express MUL OEM	Win HPC Pack 2008 R2 Express (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.	x	x	x	x				S26361-F2567-E362	25,00	
	Win HPC Pack 2008 R2 Workstation MUL OEM	Win HPC Pack 2008 R2 Workstation OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.	x	x	x	x				S26361-F2567-E363	110,00	
	Win HPC Srv 2008 R2 Suite ACADEMIC USA	Win HPC Srv 2008 R2 Suite (1-4 CPU) ACADEMIC OEM for USA. Ships per Request for Special Release only. Only for Qualified Educational Users in the U.S., only for shipments to U.S.A. OEM Recovery DVD Media Kit, COA, License.	x	x	x	x				S26361-F2567-E366	30,00	
	Win HPC Srv 2008 R2 Suite ACADEMIC PRC	Win HPC Srv 2008 R2 Suite (1-4 CPU) ACADEMIC OEM for PRC. Ships per Request for Special Release only. Only for Qualified Educational Users in the PRC, only for shipments to PRC. OEM Recovery DVD Media Kit, COA, License.	x	x	x	x				S26361-F2567-E368	30,00	
	FF-CN back level support 3 years	3 year backlevel support (3rd level) for FlexFrame for SAP ControlCenter Management Software.			x					U21348-C101-W3	4.415,84	
	FF4S RBAC Package Small	FlexFrame Control Center Role Based Access Control (RBAC) Right to use for up to 10 application nodes.			x					U21348-C108	1.099,00	
	FF-CN RBAC S back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC small option.			x					U21348-C108-W1	272,00	
	FF-CN RBAC S back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC small option.			x					U21348-C108-W3	742,00	
	FF4S RBAC Package Medium	FlexFrame Control Center Role Based Access Control (RBAC) Right to use for up to 50 application nodes.			x					U21348-C109	5.500,00	
	FF-CN RBAC M back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC medium option.			x					U21348-C109-W1	1.362,00	
	FF4S RBAC Package Large	FlexFrame Control Center Role Based Access Control (RBAC) Right to use for more than 50 application nodes.			x					U21348-C110	11.000,00	
	FF-CN RBAC M back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC medium option.			x					U21348-C109-W3	3.713,00	
	FF-CN RBAC L back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC large option.			x					U21348-C110-W1	2.723,00	
	FF-CN RBAC L back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC large option.			x					U21348-C110-W3	7.425,00	
	FF-AN RTU for RX600 S5/S6	FF4SAP RTU						x		U21348-C231	10.520,00	
	FF-AN RTU for RX900/RX800	FlexFrame ApplicationNode RTU for RX800 or RX900						x		U21348-C241	37.548,00	New product
	FF RTU RX300 S6/7, BX620 S6, BX92x S2/3	FlexFrame ApplicationNode RTU for RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2.	x	x						U21348-C291	4.785,00	
	FF-AN Accounting RTU RX600	FF4SAP Accounting RTU					x			U21348-C233	5.260,00	
	FF-AN Accounting RTU RX900/RX800	FlexFrame Application Node Accounting RTU for RX800 or RX900						x		U21348-C243	18.774,00	New product
	FF Acnt RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame Application Node Accounting RTU for RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2	x	x						U21348-C293	2.393,00	
	FF-AN Messenger RTU RX600 and BX960	FF4SAP Messenger RTU					x			U21348-C234	5.260,00	
	FF-AN Messenger RTU	FF4SAP Application Node Messenger Expert Right to use for RX900 or RX800						x		U21348-C244	18.774,00	New product
	FF Msg RX300S5/S6, BX620S5, BX920S1/S2	FF4SAP Application Node Messenger Expert Right to use for RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2	x	x						U21348-C294	2.393,00	
	FF VMware vSphere ESXi 5.0 Standard	FlexFrame VMware vSphere ESXi 5.0 Standard RTU. The license includes the corresponding number of VMware vSphere ESXi 5.0 Standard licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)						x		U21348-C434	3.943,00	
	FF VMware vSphere ESXi 5.0 Standard	FlexFrame VMware vSphere ESXi 5.0 Standard RTU. This license includes the two necessary VMware vSphere ESXi 5.0 Standard licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)	x	x						U21348-C494	1.892,00	
	FF VMware vSphere ESXi 5.0 Enterprise	FlexFrame VMware vSphere ESXi 5.0 Enterprise RTU. The license includes the corresponding number of VMware vSphere ESXi 5.0 Enterprise licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)					x			U21348-C435	8.068,00	
	FF VMware vSphere ESXi 5.0 Enterprise	FlexFrame VMware vSphere ESXi 5.0 Enterprise RTU. This license includes the two necessary VMware vSphere ESXi 5.0 Enterprise licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)	x	x						U21348-C495	3.954,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)												
	FF VMware vSphere ESXi 5.0 ENT PL	FlexFrame VMware vSphere ESXi 5.0 Enterprise Plus RTU. The license includes the corresponding number of VMware vSphere ESXi 5.0 Enterprise Plus licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service packages (SnS)							x	U21348-C436	9.434,00	
	FF VMware vSphere ESXi 5.0 ENT PL	FlexFrame VMware vSphere ESXi 5.0 Enterprise Plus RTU. This license includes the two necessary VMware vSphere ESXi 5.0 Enterprise Plus licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)		x	x					U21348-C496	4.637,00	
	FF-VMware Option	FlexFrame for SAP VMware option., This license is only orderable for customers outside EMEA. The necessary VMware vSphere licenses and support contracts have to be ordered via the local VMware contacts., These licenses can also be ordered, when the customer already has its own VMware vSphere licenses and support		x	x					U21348-C490	800,00	
	SUSE Linux ES 32SOC 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1 year subscription.	x	x	x	x	x	x	x	S26361-F2346-E611	249,00	
	SUSE Linux ES 32SOC 3Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 3 years subscription.	x	x	x	x	x	x	x	S26361-F2346-E612	670,00	
	SUSE Linux E 11 HA 32SOC 3Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 3 years subscription.	x	x	x	x	x	x	x	S26361-F2346-E622	1.350,00	
	SUSE Linux ES4SAP APPS 3Y	SUSE Linux Enterprise Server for SAP Applications per Server up to 32-CPU sockets 3 years subscription.	x					x	x	S26361-F2346-E662	2.958,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 1 year	x	x	x	x	x			S26361-F2346-S101	331,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 3 years	x	x	x	x	x			S26361-F2346-S102	889,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 1 year	x	x	x	x	x			S26361-F2346-S103	497,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 3 years	x	x	x	x	x			S26361-F2346-S104	1.334,00	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 1 year	x	x	x	x	x			S26361-F2346-S105	830,00	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 3 years	x	x	x	x	x			S26361-F2346-S106	2.224,00	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 1 year	x	x	x	x	x			S26361-F2346-S111	538,00	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 3 years	x	x	x	x	x			S26361-F2346-S112	1.445,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 1 year	x	x	x	x	x			S26361-F2346-S113	808,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 3 years	x	x	x	x	x			S26361-F2346-S114	2.169,00	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 1 year	x	x	x	x	x			S26361-F2346-S115	1.347,00	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 3 years	x	x	x	x	x			S26361-F2346-S116	3.615,00	
	Red Hat EL HA 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 1 year	x	x	x	x	x			S26361-F2346-S121	220,00	
	Red Hat EL HA 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 3 years	x	x	x	x	x			S26361-F2346-S122	607,00	
	Red Hat EL RS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 1 year	x	x	x	x	x			S26361-F2346-S131	441,00	
	Red Hat EL RS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 3 years	x	x	x	x	x			S26361-F2346-S132	1.215,00	
	Red Hat EL SFS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 1 year	x	x	x	x	x			S26361-F2346-S141	110,00	
	Red Hat EL SFS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 3 years	x	x	x	x	x			S26361-F2346-S142	303,00	
	Red Hat EL LB 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 1 year	x	x	x	x	x			S26361-F2346-S151	110,00	
	Red Hat EL LB 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 3 years	x	x	x	x	x			S26361-F2346-S152	303,00	
	Red Hat EL HPN 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 1 year	x	x	x	x	x			S26361-F2346-S161	110,00	
	Red Hat EL HPN 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 3 years	x	x	x	x	x			S26361-F2346-S162	303,00	
	Red Hat EL EUS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 1 year	x	x	x	x	x			S26361-F2346-S171	138,00	
	Red Hat EL EUS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 3 years	x	x	x	x	x			S26361-F2346-S172	380,00	
	Red Hat ELS 4SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Standard Support 1 year						x	x	S26361-F2346-S201	663,00	
	Red Hat ELS 4SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Standard Support 3 years						x	x	S26361-F2346-S202	1.778,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)												
	Red Hat ELS 4SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Standard Support 1 year					x	x		S26361-F2346-S203	994,00	
	Red Hat ELS 4SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Standard Support 3 years					x	x		S26361-F2346-S204	2.668,00	
	Red Hat ELS 4SOC uG 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Standard Support 1 year					x	x		S26361-F2346-S205	1.657,00	
	Red Hat ELS 4SOC uG 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Standard Support 3 years					x	x		S26361-F2346-S206	4.449,00	
	Red Hat ELS 8SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (up to 1 guest) level3 Standard Support 1 year						x		S26361-F2346-S301	1.325,00	
	Red Hat ELS 8SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (up to 1 guest) level3 Standard Support 3 years						x		S26361-F2346-S302	3.556,00	
	Red Hat ELS 8SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (up to 4 guests) level3 Standard Support 1 year						x		S26361-F2346-S303	1.988,00	
	Red Hat ELS 8SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (up to 4 guests) level3 Standard Support 3 years						x		S26361-F2346-S304	5.338,00	
	Red Hat ELS 8SOC uG 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (unlimited guests) level3 Standard Support 1 year						x		S26361-F2346-S305	3.315,00	
	Red Hat ELS 8SOC uG 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (unlimited guests) level3 Standard Support 3 years						x		S26361-F2346-S306	8.897,00	
	Red Hat ELS 4SOC 1G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Premium Support 1 year				x	x			S26361-F2346-S211	1.077,00	
	Red Hat ELS 4SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Premium Support 3 years				x	x			S26361-F2346-S212	2.891,00	
	Red Hat ELS 4SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Premium Support 1 year				x	x			S26361-F2346-S213	1.616,00	
	Red Hat ELS 4SOC 4G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Premium Support 3 years				x	x			S26361-F2346-S214	4.338,00	
	Red Hat ELS 4SOC uG 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Premium Support 1 year				x	x			S26361-F2346-S215	2.694,00	
	Red Hat ELS 4SOC uG 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Premium Support 3 years				x	x			S26361-F2346-S216	7.231,00	
	Red Hat ELS 8SOC 1G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (up to 1 guest) level3 Premium Support 1 year						x		S26361-F2346-S311	2.155,00	
	Red Hat ELS 8SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (up to 1 guest) level3 Premium Support 3 years						x		S26361-F2346-S312	5.782,00	
	Red Hat ELS 8SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (up to 4 guests) level3 Premium Support 1 year						x		S26361-F2346-S313	3.232,00	
	Red Hat ELS 8SOC 4G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (up to 4 guests) level3 Premium Support 3 years						x		S26361-F2346-S314	8.675,00	
	Red Hat ELS 8SOC uG 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (unlimited guests) level3 Premium Support 1 year						x		S26361-F2346-S315	5.388,00	
	Red Hat ELS 8SOC uG 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (unlimited guests) level3 Premium Support 3 years						x		S26361-F2346-S316	14.461,00	
	Red Hat EL HA 4SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (4 sockets) I3 Support 1 year				x	x			S26361-F2346-S221	441,00	
	Red Hat EL HA 4SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (4 sockets) I3 Support 3 years				x	x			S26361-F2346-S222	1.214,00	
	Red Hat EL HA 8SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (8 sockets) I3 Support 1 year						x		S26361-F2346-S321	882,00	
	Red Hat EL HA 8SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (8 sockets) I3 Support 3 years						x		S26361-F2346-S322	2.427,00	
	Red Hat EL RS 4SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (4 sockets) I3 Support 1 year						x		S26361-F2346-S231	883,00	
	Red Hat EL RS 4SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (4 sockets) I3 Support 3 years						x		S26361-F2346-S232	2.430,00	
	Red Hat EL RS 8SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (8 sockets) I3 Support 1 year				x	x			S26361-F2346-S331	1.767,00	
	Red Hat EL RS 8SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (8 sockets) I3 Support 3 years				x	x			S26361-F2346-S332	4.860,00	
	Red Hat EL SFS 4SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (4 sockets) I3 Support 1 year				x	x			S26361-F2346-S241	220,00	
	Red Hat EL SFS 4SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (4 sockets) I3 Support 3 years				x	x			S26361-F2346-S242	605,00	
	Red Hat EL SFS 8SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (8 sockets) I3 Support 1 year						x		S26361-F2346-S341	440,00	
	Red Hat EL SFS 8SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (8 sockets) I3 Support 3 years						x		S26361-F2346-S342	1.211,00	
	Red Hat EL LB 4SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (4 sockets) I3 Support 1 year				x	x			S26361-F2346-S251	220,00	
	Red Hat EL LB 4SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (4 sockets) I3 Support 3 years				x	x			S26361-F2346-S252	605,00	
	Red Hat EL LB 8SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (8 sockets) I3 Support 1 year						x		S26361-F2346-S351	440,00	
	Red Hat EL LB 8SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (8 sockets) I3 Support 3 years						x		S26361-F2346-S352	1.211,00	
	Red Hat EL HPN 4SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (4 sockets) I3 Support 1 year				x	x			S26361-F2346-S261	220,00	
	Red Hat EL HPN 4SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (4 sockets) I3 Support 3 years				x	x			S26361-F2346-S262	605,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)												
	Red Hat EL HPN 8SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (8 sockets) I3 Support 1 year							x	S26361-F2346-S361	440,00	
	Red Hat EL HPN 8SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (8 sockets) I3 Support 3 years							x	S26361-F2346-S362	1.211,00	
	Red Hat EL EUS 4SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (4 sockets) I3 Support 1 year					x	x		S26361-F2346-S271	275,00	
	Red Hat EL EUS 4SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (4 sockets) I3 Support 3 years					x	x		S26361-F2346-S272	757,00	
	Red Hat EL EUS 8SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (8 sockets) I3 Support 1 year							x	S26361-F2346-S371	551,00	
	Red Hat EL EUS 8SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (8 sockets) I3 Support 3 years							x	S26361-F2346-S372	1.515,00	
	Citrix XS AE, 3yr SA	Citrix XS AE, 3yr SA; XenServer V5.6+ Advanced Edition; License, 3 years Subscription Advantage, SW and Lizenze key per Download	x	x	x	x	x	x		S26361-F2341-S980	1.050,00	
	Citrix XS EE, 3yr SA	Citrix XS EE, 3yr SA; XenServer V5.6+ Enterprise Edition; License, 3 years Subscription Advantage, SW and Lizenze key per Download	x	x	x	x	x	x		S26361-F2341-S981	2.630,00	
	Citrix XS PE, 3yr SA	Citrix XS PE, 3yr SA; XenServer V5.6+ Platinum Edition; License, 3 years Subscription Advantage, SW and Lizenze key per Download	x	x	x	x	x	x		S26361-F2341-S982	5.290,00	
	Citrix XS AE-EE upgr, 3yr SA	Citrix XS AE-EE upgr, 3yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 3 years Subscription Advantage; SW and Lizenze key per Download	x	x	x	x	x	x		S26361-F2341-S983	2.000,00	
	Citrix XS AE-PE upgr, 3yr SA	Citrix XS AE-PE upgr, 3yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 3 years Subscription Advantage; SW and Lizenze key per Download	x	x	x	x	x	x		S26361-F2341-S984	4.880,00	
	Citrix XS EE-PE upgr, 3yr SA	Citrix XS EE-PE upgr, 3yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 3 years Subscription Advantage; SW and Lizenze key per Download	x	x	x	x	x	x		S26361-F2341-S985	3.540,00	
	Citrix XS AE, 1yr SA	Citrix XS AE, 1yr SA; XenServer V5.6+ Advanced Edition; License, 1 year Subscription Advantage, SW and Lizenze key per Download	x	x	x	x	x	x		S26361-F2341-S986	830,00	
	Citrix XS EE, 1yr SA	Citrix XS EE, 1yr SA; XenServer V5.6+ Enterprise Edition; License, 1 year Subscription Advantage, SW and Lizenze key per Download	x	x	x	x	x	x		S26361-F2341-S987	2.080,00	
	Citrix XS PE, 1yr SA	Citrix XS PE, 1yr SA; XenServer V5.6+ Platinum Edition; License, 1 year Subscription Advantage, SW and Lizenze key per Download	x	x	x	x	x	x		S26361-F2341-S988	4.170,00	
	Citrix XS AE-EE upgr, 1yr SA	Citrix XS AE-EE upgr, 1yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 1 year Subscription Advantage; SW and Lizenze key per Download	x	x	x	x	x	x		S26361-F2341-S989	1.460,00	
	Citrix XS AE-PE upgr, 1yr SA	Citrix XS AE-PE upgr, 1yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 1 year Subscription Advantage; SW and Lizenze key per Download	x	x	x	x	x	x		S26361-F2341-S990	3.750,00	
	Citrix XS EE-PE upgr, 1yr SA	Citrix XS EE-PE upgr, 1yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 1 year Subscription Advantage; SW and Lizenze key per Download	x	x	x	x	x	x		S26361-F2341-S991	2.420,00	
	VMware vSphere Embedded UFM Device	VMware vSphere Embedded UFM Device Embedded UFM Storage Device , inc. ESXi Single SRV Lic. (w/o SP)	x	x	x	x	x	x	x	S26361-F2341-E431	60,00	
	VMware ESXi 5.0 Single SRV w/o SP-1yr	VMware ESXi 5 Single Server for 1 CPU (32GB vRAM/CPU) - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S700	10,00	
	VMware vSphere 5 Media Kit OEM	VMware vSphere 5 Media Kit OEM w/ ESX 4,vCenter 5,vShield,Backup-Restore , VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore - No License	x	x	x	x	x	x	x	S26361-F2341-E300	80,00	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (32GB vRAM/CPU) - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E707	895,00	
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (32GB vRAM/CPU) - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E708	895,00	
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E709	2.585,00	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E710	2.585,00	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E711	3.145,00	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E712	3.145,00	
	VMware STD AK(8CPU+VC-STD)w/o SP-1yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E730	8.995,00	
	VMware STD AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E731	8.995,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E732	15.750,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)												
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E733	15,750.00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E734	19,750.00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E735	19,750.00	
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S736	4,495.00	
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S737	4,495.00	
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S738	1,345.00	
	VMware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S739	1,345.00	
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E740	4,045.00	
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E741	4,045.00	
	VMware Essentials w/1yr Sub,-no Support	VMware Essentials for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Inc. 1 year VMware Sub. - no Support	x	x	x	x	x	x	x	S26361-F2341-S800	504.00	
	VMware Essentials w/3yr Sub,-no Support	VMware Essentials for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Inc. 3 year VMware Sub. - no Support	x	x	x	x	x	x	x	S26361-F2341-S801	600.00	
	VMware SRM STD 25 VM Pack w/7x24-1yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S802	4,969.00	
	VMware SRM STD 25 VM Pack w/7x24-3yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S803	6,510.00	
	VMware SRM STD 25 VM Pack w/5x9-1yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S804	4,810.00	
	VMware SRM STD 25 VM Pack w/5x9-3yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S805	6,104.00	
	VMware SRM ENT 25 VM Pack w/7x24-1yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S806	12,573.00	
	VMware SRM ENT 25 VM Pack w/7x24-3yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S807	16,483.00	
	VMware SRM ENT 25 VM Pack w/5x9-1yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S808	12,169.00	
	VMware SRM ENT 25 VM Pack w/5x9-3yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S809	15,454.00	
	VMware View ENT Start 10 CLI w/o SP-1yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S742	1,220.00	
	VMware View ENT Start 10 CLI w/o SP-3yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S743	1,220.00	
	VMware View ENT 100 CLI w/o SP-1yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S744	12,195.00	
	VMware View ENT 100 CLI w/o SP-3yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S745	12,195.00	
	VMware View ENT Add-On 10 CLI w/o SP-1yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License w/VDM - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S748	730.00	
	VMware View ENT Add-On 10 CLI w/o SP-3yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License w/VDM - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S749	730.00	
	VMware View PRE Start 10 CLI w/o SP-1yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S750	2,030.00	
	VMware View PRE Start 10 CLI w/o SP-3yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S751	2,030.00	
	VMware View PRE 100 CLI w/o SP-1yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S752	20,295.00	
	VMware View PRE 100 CLI w/o SP-3yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S753	20,295.00	
	VMware View PRE Add-On 10 CLI w/o SP-1yr	VMware View PRE Add-On 10 Desktop VM's - Extends existing VS4 Lic. w/VDM,COMP,TA - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S756	1,540.00	
	VMware View PRE Add-On 10 CLI w/o SP-3yr	VMware View PRE Add-On 10 Desktop VM's - Extends existing VS4 Lic. w/VDM,COMP,TA - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S757	1,540.00	
	VMware vCloud Dir. 25 VM Pack w/7x24-1yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S810	3,992.00	
	VMware vCloud Dir. 25 VM Pack w/7x24-3yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S811	5,299.00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)												
	VMware Chargeback 25 VM Pack w/7x24-1yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S812	1.275,00	
	VMware Chargeback 25 VM Pack w/7x24-3yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S813	1.694,00	
	VMware vCloud Dir. 25 VM Pack w/5x9-1yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S814	3.865,00	
	VMware vCloud Dir. 25 VM Pack w/5x9-3yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S815	4.963,00	
	VMware Chargeback 25 VM Pack w/5x9-1yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S816	1.234,00	
	VMware Chargeback 25 VM Pack w/5x9-3yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S817	1.586,00	
	VMware vCloud Director 25 VM's	VMware vCloud Director 25 VM Pack Manage 25 VM's - for use in Dynamic Infrastructures	x							S26361-F2341-S820	5.227,00	Orderable from: 01/04/2012
	VMware vCenter Chargeback 25 VM's	VMware Chargeback 25 VM Pack Monitor 25 VM's - for use in Dynamic Infrastructures	x							S26361-F2341-S821	1.671,00	Orderable from: 01/04/2012
UPS/Power supply												
	Power Supply Module 850W (w/o power cord)	hot-plug Power Supply Module, 850W, 92% efficiency (CSCI gold), without power cord							x	S26113-F561-E20	295,00	
	Modular PSU 800W platinum hp new rev	800W modular Power Supply Module, hot plug, platinum (94% efficiency) new Revision						x		S26113-F574-E11	255,00	Orderable from: 30/07/2012
	Power Supply Dummy				x	x	x			S26113-F574-E99	3,00	
	Power Supply Module 2.000W	hot-plug Power Supply Module, 2.000W, 92% efficiency (gold)							x	S26113-F608-E10	880,00	
	Fan upgrade kit hot-plug redundancy	consists of two additional fans for fan redundancy				x				S26361-F3667-E1	45,00	
	Modular PSU 800W platinum hp	800W modular Power Supply Module, hot plug, platinum (94% efficiency)	x	x	x					S26113-F574-E10	255,00	
	Modular PSU 450W platinum hp	450W modular Power Supply Module, hot plug, platinum (94% efficiency)	x	x	x					S26113-F575-E10	225,00	
	Modular PSU DC -48V 800W gold hp	DC -48V gold modular PSU hp with redundancy option			x					S26113-F609-E10	340,00	New product, Orderable from: 06/08/2012
	Cable powercord rack, 4m, grey	Powercord for rackmounting, IEC 320 C14 -> C13 (10A plug), 4m	x	x	x	x	x			T26139-Y1968-E100	10,00	
	Cable powercord (USA), 1.8m, grey	suitable for USA, Cnd	x	x	x	x	x			T26139-Y1742-E10	10,00	
	No powercord as order option	For Countries without specific cable orderable like e.g. China	x	x	x	x	x			T26139-Y3850-E10	2,00	
Miscellaneous												
	HANA Single Node Staging	HANA Infrastructure Staging Single Node based							x	D:HANA-STAGE-001	6.670,00	
	Fan upgrade kit 2nd CPU	Fan upgrade RX200S7 for 2nd CPU, incl. 2 fans		x						S26361-F1386-E120	45,00	
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order	x	x	x				x	S26361-F1647-E410	25,00	
	LocalView Option Kit S2	LCD display with adapter				x				S26361-F2557-E105	70,00	
	LocalView Option Kit S2	LCD display with installation kit			x	x				S26361-F2557-E106	70,00	
	Service LAN Option	ntequirit in die vordere Bedieneinheit		x	x	x	x			S26361-F2571-E27	20,00	
	Opt. Front VGA + Service LAN	VGA and Service LAN connector, instead of Local Service Panel	x							S26361-F2571-E37	50,00	
	Serial port option	Cable for 2nd RS-232-C 9 pin interface		x						S26361-F3120-E3	40,00	
	RX100 S7p E-STAR FAM2 certification	Limits configurations in accordance with Energy Star Server 1.0, for SATA LFF base unit with std PSU and 4 core CPUs only	x							S26361-F3301-E112	3,00	New product
	TPM Module	Trusted Platform Module on motherboard, be aware of import restrictions!	x	x	x	x	x	x	x	S26361-F3552-E1	50,00	
	ServerView Local Service Panel Kit	Support for Customer Self Service (CSS)	x							S26361-F2557-E204	30,00	
	No RMK	no Rackmount-Kit - only with loose server order without rack mounting ex factory	x	x	x	x	x	x	x	S26361-F2735-E111	5,00	
SW Data Center Products												
	Citrix XD VDI, 10 U/D, 3yr SA	Citrix XD VDI, 10 U/D, 3yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x	x	x	x	x	x	x	S26361-F2341-E913	1.040,00	
	Citrix XD VDI, 50 U/D, 3yr SA	Citrix XD VDI, 50 U/D, 3yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x	x	x	x	x	x	x	S26361-F2341-E914	5.210,00	
	Citrix XD VDI, 100 U/D, 3yr SA	Citrix XD VDI, 100 U/D, 3yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x	x	x	x	x	x	x	S26361-F2341-E915	10.420,00	
	Citrix XD EE, 10 U/D, 3yr SA	Citrix XD EE, 10 U/D, 3yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x	x	x	x	x	S26361-F2341-E923	2.460,00	
	Citrix XD EE, 50 U/D, 3yr SA	Citrix XD EE, 50 U/D, 3yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x	x	x	x	x	S26361-F2341-E924	12.290,00	
	Citrix XD EE, 100 U/D, 3yr SA	Citrix XD EE, 100 U/D, 3yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x	x	x	x	x	S26361-F2341-E925	24.580,00	
	Citrix XD PE, 10 U/D, 3yr SA	Citrix XD PE, 10 U/D, 3yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x	x	x	x	x	S26361-F2341-E933	3.750,00	
	Citrix XD PE, 50 U/D, 3yr SA	Citrix XD PE, 50 U/D, 3yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x	x	x	x	x	S26361-F2341-E934	18.750,00	
	Citrix XD PE, 100 U/D, 3yr SA	Citrix XD PE, 100 U/D, 3yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x	x	x	x	x	S26361-F2341-E935	37.500,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
SW Data Center Products (Continued)												
	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	x	S26361-F2341-E960	2.170,00	
	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	x	S26361-F2341-E961	10.830,00	
	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	x	S26361-F2341-E962	21.670,00	
	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	x	S26361-F2341-E963	3.460,00	
	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	x	S26361-F2341-E964	17.290,00	
	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	x	S26361-F2341-E965	34.580,00	
	Citrix XD EE-PE upgr, 10 U/D, 3yr SA	Citrix XD EE-PE upgr, 10 U/D, 3yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	x	S26361-F2341-E966	2.210,00	
	Citrix XD EE-PE upgr, 50 U/D, 3yr SA	Citrix XD EE-PE upgr, 50 U/D, 3yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	x	S26361-F2341-E967	11.040,00	
	Citrix XD EE-PE upgr, 100 U/D, 3yr SA	Citrix XD EE-PE upgr, 100 U/D, 3yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	x	S26361-F2341-E968	22.080,00	
	Citrix XD VDI, 10 U/D, 1yr SA	Citrix XD VDI, 10 U/D, 1yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x	x	x	x	x	x	x	S26361-F2341-S913	790,00	
	Citrix XD VDI, 50 U/D, 1yr SA	Citrix XD VDI, 50 U/D, 1yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x	x	x	x	x	x	x	S26361-F2341-S914	3.960,00	
	Citrix XD VDI, 100 U/D, 1yr SA	Citrix XD VDI, 100 U/D, 1yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x	x	x	x	x	x	x	S26361-F2341-S915	7.920,00	
	Citrix XD EE, 10 U/D, 1yr SA	Citrix XD EE, 10 U/D, 1yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x	x	x	x	x	x	x	S26361-F2341-S923	1.880,00	
	Citrix XD EE, 50 U/D, 1yr SA	Citrix XD EE, 50 U/D, 1yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x	x	x	x	x	x	x	S26361-F2341-S924	9.380,00	
	Citrix XD EE, 100 U/D, 1yr SA	Citrix XD EE, 100 U/D, 1yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x	x	x	x	x	x	x	S26361-F2341-S925	18.750,00	
	Citrix XD PE, 10 U/D, 1yr SA	Citrix XD PE, 10 U/D, 1yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x	x	x	x	x	x	x	S26361-F2341-S933	2.920,00	
	Citrix XD PE, 50 U/D, 1yr SA	Citrix XD PE, 50 U/D, 1yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x	x	x	x	x	x	x	S26361-F2341-S934	14.580,00	
	Citrix XD PE, 100 U/D, 1yr SA	Citrix XD PE, 100 U/D, 1yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x	x	x	x	x	x	x	S26361-F2341-S935	29.170,00	
	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download	x	x	x	x	x	x	x	S26361-F2341-S960	1.580,00	
	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download	x	x	x	x	x	x	x	S26361-F2341-S961	7.920,00	
	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download	x	x	x	x	x	x	x	S26361-F2341-S962	15.830,00	
	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x	x	x	x	x	x	x	S26361-F2341-S963	2.630,00	
	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x	x	x	x	x	x	x	S26361-F2341-S964	13.130,00	
	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x	x	x	x	x	x	x	S26361-F2341-S965	26.250,00	
	Citrix XD EE-PE upgr, 10 U/D, 1yr SA	Citrix XD EE-PE upgr, 10 U/D, 1yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x	x	x	x	x	x	x	S26361-F2341-S966	1.380,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7P	PRIMERGY RX200 S7	PRIMERGY RX300 S7	PRIMERGY RX350 S7	PRIMERGY RX500 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
SW Data Center Products (Continued)												
	Citrix XD EE-PE upgr, 50 U/D, 1yr SA	Citrix XD EE-PE upgr, 50 U/D, 1yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x	x	x	x	x	x	x	S26361-F2341-S967	6.880,00	
	Citrix XD EE-PE upgr, 100 U/D, 1yr SA	Citrix XD EE-PE upgr, 100 U/D, 1yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x	x	x	x	x	x	x	S26361-F2341-S968	13.750,00	
	SVRCVEFCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (FC) Option (Windows)	x		x	x	x	x		U11420-C906	100,00	
	SVRCVEMCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (MAC) Option (Windows)	x		x	x	x	x		U11420-C936	100,00	
	XTN-CD V32 (PS) MED CD	x10sure CD 3.2: (Binaries / Documents) 1 Medium, German & English Version	x		x	x		x		U11420-C775	50,00	
	XTN-B V32 (PS) RTU -1CN1AN	x10sure 3.2 - Base License (RTU for 1 Control Node + 1 Application Node; no support nor updates included)	x		x	x		x		U11420-C877	1.400,00	
	XTN-B V32 (PS) UgrTU -1CN1AN	x10sure 3.2 - Upgrade Base License (Upgrade RTU for 1 Control Node + 1 Application Node from x10sure 2.x or 3.0; for maintenance renewal only)	x		x	x		x		U11420-C773-U	1,00	
	XTN-N V32 (PS) RTU -1 Node	x10sure 3.2 RTU for 1 additional Application- or Spare Node; no support nor updates included	x		x	x		x		U11420-C878	1.100,00	
	XTN-N V32 (PS) UgrTU -1 Node	x10sure 3.2 - Upgrade License (Upgrade RTU for 1 additional Application or Spare Node from x10sure 2.x or 3.0; for maintenance renewal only)	x		x	x		x		U11420-C774-U	1,00	
	XTNIS-CD V31 (PS) MED CD	x10sure IS CD 3.1; (Binaries / Documents) 1 Medium, German & English Version			x	x				U11420-C776	50,00	
	XTNIS-B V31 (PS) RTU -1CN1AN	x10sure IS 3.1 - License (RTU for one x10sure IS (Internal Storage) configuration consisting of 2 servers with internal RAID-storage; no support nor updates included)			x	x				U11420-C879	2.500,00	
	SVRORVEDEMO V3 (WIN/LIN) RTU	ServerView Resource Orchestrator VE Demo License (1 Server) V3	x	x	x	x	x	x		U11420-C954	0,01	
	SVRORCEDEMO V3 (WIN/LIN) RTU	ServerView Resource Orchestrator CE Demo License (1 Server) V3	x	x	x	x	x	x		U11420-C955	0,01	
	SVRORDVD V30 (WIN/LIN/SOL) MED DVD	ServerView Resource Orchestrator Media Pack V2.3 for Windows&Linux&Solaris	x	x	x	x	x	x		U11420-C956	50,00	
	SVRORCESVR V3 (WIN/LIN) RTU 1SVR 4C	ServerView Resource Orchestrator CE Server License (1 Server) 4CPU Class V3	x	x	x	x	x			U11420-C960	1.530,00	
	SVRORCESVR V3 (WIN/LIN) RTU 8SVR 4C	ServerView Resource Orchestrator CE Server License (8 Server) 4CPU Class V3	x	x	x	x	x			U11420-C961	11.383,00	
	SVRORCESVR V3 (WIN/LIN) RTU 18SVR 4C	ServerView Resource Orchestrator CE Server License (18 Server) 4CPU Class V3	x	x	x	x	x			U11420-C963	25.659,00	
	SVRORCESVR V3 (WIN/LIN) RTU 1SVR 8C	ServerView Resource Orchestrator CE Server License (1 Server) 8CPU Class V3						x		U11420-C964	3.060,00	
	SVRORVESVR V3 (WIN/LIN) RTU 1SVR 4C	ServerView Resource Orchestrator VE Server License (1 Server) 4CPU Class V3	x	x	x	x	x			U11420-C966	779,00	
	SVRORVESVR V3 (WIN/LIN) RTU 8SVR 4C	ServerView Resource Orchestrator VE Server License (8 Server) 4CPU Class V3	x	x	x	x	x			U11420-C967	5.538,00	
	SVRORVESVR V3 (WIN/LIN) RTU 18SVR 4C	ServerView Resource Orchestrator VE Server License (18 Server) 4CPU Class V3	x	x	x	x	x			U11420-C969	12.462,00	
	SVRORVESVR V3 (WIN/LIN) RTU 1SVR 8C	ServerView Resource Orchestrator VE Server License (1 Server) 8CPU Class V3						x		U11420-C970	1.988,00	
	SVRORCESVR V3 (WIN/LIN) UGRU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class Upgrade from ROR VE V3	x	x	x	x	x			U11420-C978	751,00	
	SVRORCESVR V3 (WIN/LIN) UGRU 8CSVR 4C	ServerView Resource Orchestrator CE Server License (8 Server) 4CPU Class Upgrade from ROR VE V3	x	x	x	x	x			U11420-C979	5.845,00	
	SVRORCESVR V3 (WIN/LIN) UGRU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class Upgrade from ROR VE V3	x	x	x	x	x			U11420-C981	13.198,00	
	SVRORCESVR V3 (WIN/LIN) UGRU 1SVR 8C	ServerView Resource Orchestrator CE Server License (1 Server) 8CPU Class Upgrade from ROR VE V3						x		U11420-C982	1.072,00	
Solution Identifier												
	ID HANA APPLIANCE SINGLE NODE RX600	HANA Single Node V1.0 Solution Identifier RX600						x		FTS:HANA-ID-V101	0,01	
	ID HANA APPLIANCE MULTI NODE RX600	HANA Multi Node V1.0 Solution Identifier RX600						x		FTS:HANA-ID-V201	0,01	
	ID HANA APPLIANCE SINGLE NODE RX900	HANA Single Node V1.0 Solution Identifier RX900						x		FTS:HANA-ID-V301	0,01	New product
	ID HANA APPLIANCE MULTI NODE RX900	HANA Multi Node V1.0 Solution Identifier RX900						x		FTS:HANA-ID-V401	0,01	New product
	HPC Solution Identifier			x	x					FTS:HPC-ID-V001	30,00	
	HPC Head Node Inst. ex works incl ICR	Please note configuration hints			x	x				S26361-F3638-E1	1.195,00	
	HPC Compute Node Inst. ex works incl ICR	Please note configuration hints		x	x					S26361-F3638-E2	205,00	



Positioning PRIMERGY Blade Servers



**PRIMERGY
BX900 S1**

The PRIMERGY BX900 S1 is a rack unit that has an installed height of 10U and accommodates 1 to 18 server blades and 1 to 6 storage blades. The energy-efficient Intel Nehalem Quad-Core processors are used in the server blades. Ethernet, Fibre Channel and Infiniband networks are accessed via 8 switch bays. Switches from Cisco, Brocade and Emulex can be used. With its transfer rate of 6.4 Gb/s, the midplane used is the fastest on the market. 100V and 200V power supplies are available. This hardware platform is ideal for server consolidation and virtualization in the datacenter.



**PRIMERGY
BX600 S3**

The PRIMERGY Blade Ecosystem provide high performance and maximum redundancy with minimum rack space, power consumption and cabling effort. PRIMERGY BX600 S3 can be equipped with up to ten Intel or AMD server blades, and are excellently suited for consolidation projects and for front- and mid-tier applications requiring enterprise-class availability, extreme flexibility and power efficiency. Due to its versatile design the system is ideal suited for smaller and mid market companies.



**PRIMERGY
SX650**

This storage blade for PRIMERGY BX600 offers an easy and cost effective opportunity for server consolidation. Rack and tower servers with high capacity of local hard disks are operating primarily in the area of small and medium enterprises. Very often it is essential having local access on large amounts of data; this for example applies to the wide area of Computer Aided Engineering (CAE), where smaller workgroups locally have to work on and create very large models. Operation within confined environments as file servers as well as for Microsoft SharePoint Servers and Microsoft SQL Servers are popular usage cases.



**PRIMERGY
SX940 S1**

The PRIMERGY SX940 S1 Direct Attached Storage Blade Disk can be used to extend the internal storage capacity of PRIMERGY BX92x Server Blades. A maximum of four internal disk drives greatly extends the maximum amount of disk storage of a Server Blade. One Storage Blade occupies a Blade slot within the PRIMERGY BX900 S1 system unit; it is positioned either on the left or right to an adjacent BX92x Server Blade, or between the two. The 1x 4 or 2x 2 disk drives of one SX940 S1 are driven by 1 or 2 integrated, highly functional SAS/RAID controllers with 512 Mbyte cache and BU. Each controller provides RAID levels 0, 1, 5 and 6. The connection to each Server Blade is realized via a midplane link to the high performing PCIe x4 interfaces of each Server Blade's system board.



**PRIMERGY
BladeFrame BF200**



**PRIMERGY
BladeFrame BF400 S2**

PRIMERGY BladeFrame is the platform to set up an application-independent and service-oriented IT infrastructure. The Processing Area Network (PAN) combines stateless servers (pBlades) with unique virtualization and management software, thus reducing the existing infrastructure complexity and providing a dynamic, high-availability system.

PRIMERGY BladeFrame uses the PAN architecture to manage a pool of computing, storage and network resources which can be dynamically allocated depending on business requirements. The PAN Manager is the central instance for configuring, managing and monitoring both the physical as well as virtual servers. With the PAN Manager a server is no longer a device with a defined configuration, operating system and application, but a software-based definition that can be dynamically assigned as needed. The PAN architecture thus expands the benefits of server virtualization and provides an integrated concept for high-availability (N+1 failover) and disaster recovery. The result is considerable savings in operational and total costs.



PRIMERGY BX400 S1

The Fujitsu PRIMERGY BX400 is a fully-featured blade system built from the ground up to be userfriendly and versatile, helping you meet large-scale computing and storage requirements. It provides an optimum combination of up to eight server or storage blades in a small enclosure, supported by a comprehensive set of solutions and services.

	Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations						
PRIMERGY BX400 S1						
	PY BX400 S1 System Unit	6 U Systemunit without Server Blades, 1x MMB, 1xPSU without power cord, ServerView Suite, All empty slots closed with Blind-Blades, 1 Y-Cable to connect USB and Display at the Front of the Server Blades (4x USB, 1x serial, 1x VGA)		S26361-K1335-V201	3.235,00	



PRIMERGY BX620 S4

PRIMERGY BX server blades represent the workhorses within the PRIMERGY BX600 blade server system. Server blades may also optionally be equipped with local hard disk drives and additional mezzanine cards as prerequisites for enhanced external connectivity. Based on those capabilities the PRIMERGY server blades enable customers to run various types of applications in either physical or virtualized environments. With their modular design for different requirements, the customer can create specific configurations to meet different usage scenarios.

The PRIMERGY BX620 S4 delivers optimal performance for enterprise environments with optimal memory and processor performance. This high-density server blade features low-voltage processors for better energy management. Up to ten dual socket server blades equipped with one to two Dual-Core CPUs of the Intel® Xeon® processor 5200 series with 6 MB shared second level cache or up to two Quad-Core CPUs of the Intel® Xeon® processor 5400 series with 2x 6 MB shared second level cache these server blades are designed for an optimal performance/watt ratio.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY BLADE BX620 S6					
	PY BX620 S6 Dual Server Blade	Dual Server Blade, base unit without processor and memory, for BX600 S3 (max. 10 Server Blades), 12 slots for DDR3 RDIMM or UDIMM memory modules (6 per CPU), 3x 2-channel GBit Ethernet LAN on-board, different configurable Storage Modules to drive (controller) the internal SATA or SAS hard disks, 2 bays for 2.5" SATA or SAS HDD s, RAID1 support for internal HDD s, graphics controller is part of iRMC S2 management controller.	S26361-K1355-V200	1.115,00	



PRIMERGY BX620 S5

The PRIMERGY BX620 S5 provides optimal functions for enterprise environments and offers improved features as regards main memory and processors. Up to ten of the dual socket server blades can be installed in a PRIMERGY BX600 S3 system unit. The BX620 S5 systems offer an efficient Cool-safe™ design with the latest generation of Dual- and Quad-Core Intel® Xeon® processor 5500 series CPUs as low-voltage, standard and high-performance versions so as to minimize power consumption and reduce cooling requirements in data centers. Due to the support of a high storage capacity with 12 DIMM slots, main memory of up to 96GB and memory speed of 1,333 MHz the BX620 S5 is ideally suited for front and mid-tier applications that require high availability, flexibility and performance efficiency.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY BLADE BX620 S6					
	PY BX620 S6 Dual Server Blade	Dual Server Blade, base unit without processor and memory, for BX600 S3 (max. 10 Server Blades), 12 slots for DDR3 RDIMM or UDIMM memory modules (6 per CPU), 3x 2-channel GBit Ethernet LAN on-board, different configurable Storage Modules to drive (controller) the internal SATA or SAS hard disks, 2 bays for 2.5" SATA or SAS HDD's, RAID1 support for internal HDD's, graphics controller is part of iRMC S2 management controller.	S26361-K1355-V200	1.115,00	



PRIMERGY BX92x S2

The PRIMERGY BX Blade Servers are the ideal choice for data center solutions of today and tomorrow. Our blade servers provide maximum performance and maximum redundancy, but with only minimum space requirements, low power consumption and a reduction in the time and effort required for cabling. The PRIMERGY BX system family is designed to share components between chassis in order to react quickly and easily to changing business requirements. Storage and server blades can be added without any extra effort, as would be needed when cabling or adding management software.

			Product Code	EUP (€)	Comments
Model	Description	Details			
Base unit configurations					
PRIMERGY BX960 S1					
	PY BX960 S1 Quad Server Blade	Quad Server Blade, base unit without processor and memory, max 4x CPU, max. 32 DIMM, w/o SSD, for PRIMERGY BX900 S1 (max. 9 server blades)	S26361-K1293-V200	3.695,00	Phased out



PRIMERGY BX960 S1

The PRIMERGY BX960 S1 server blade enables the use of the next generation Intel® Xeon® processors with up to 8 cores à two threads. In conjunction with the QuickPath architecture and the on-chip memory controllers, these processors enable a greatly increased Server Blade performance in contrast to the predecessor generations.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY BX960 S1					
	PY BX960 S1 Quad Server Blade	Quad Server Blade, base unit without processor and memory, max 4x CPU, max. 32 DIMM, w/o SSD, for PRIMERGY BX900 S1 (max. 9 server blades)	S26361-K1293-V200	3.695,00	Phased out



PRIMERGY SX910 S1

The PRIMERGY SX910 S1 Storage Blade Tape module can be used to archive and backup local data in the PRIMERGY BX400 and 900 system units. The SX910 S1 Storage Blade Tape can be equipped with one LTO tape drive. It requires a blade slot in the PRIMERGY blade enclosure. The built-in tape drive is operated via an integrated SAS Controller. It can be connected to a BX9xx Server Blade which is located directly left to it.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY SX910 S1					
	PY SX910 S1 Storage Blade Tape	1 x tape drive, max 1x SAS Controller, 5,25-inch half-height tape drive	S26361-K1290-V200	1.335,00	



PRIMERGY SX940 S1

The PRIMERGY SX940 S1 Direct Attached Storage Blade Disk can be used to extend the internal storage capacity of PRIMERGY BX92x Server Blades.

A maximum of four internal disk drives greatly extends the maximum amount of disk storage of a Server Blade. One Storage Blade occupies a Blade slot within the PRIMERGY BX900 S1 system unit; it is positioned either on the left or right to an adjacent BX92x Server Blade, or between the two. The 1x 4 or 2x 2 disk drives of one SX940 S1 are driven by 1 or 2 integrated, highly functional SAS/RAID controllers with 512 Mbyte cache and BBU. Each controller provides RAID levels 0, 1, 5 and 6. The connection to each Server Blade is realized via a midplane link to the high performing PCIe x4 interfaces of each Server Blade's system board.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY SX940 S1					
	PY SX940 S1 Storage Blade Disk	max 4x SAS HDD, max 2x SAS Controller	S26361-K1292-V200	955,00	



PRIMERGY SX960 S1

The Fujitsu PRIMERGY SX960 Storage Blade offers direct-attached storage for the PRIMERGY BX Blade Server with support of up to 10 hot-plug SAS or SATA hard disks. The storage blade can be inserted, like a server blade, in the front of the blade server housing. It can be hot-plugged and used with various types of server blades. The BX Blade Servers' midplanes offer PCI Express connections to the adjacent server blades, enabling top-quality memory access without using additional cables. The PRIMERGY SX960 Storage Blade has an onboard LSI MegaRAID controller with 512 MB Write Back Cache and optional Battery Backup Unit, for top performance and data security.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY SX960 S1					
	PY SX960 S1 Storage Blade Disk	max. 10x SAS/SATA HDD/SSD, max. 1x SAS Mega RAID Controller, The SX960S1 can be installed max. 2x in BX400/900	S26361-K1382-V202	1.635,00	



PRIMERGY SX980 S1

The Fujitsu PRIMERGY SX980 Storage Blade Disk is a SAS 2.0 storage solution that helps customers easily transition from direct attached to centralized storage. This storage blade is connected via midplane to a SAS Connection Blade (CB), holds up to 10 hot-plug SAS hard disks or SAS SSDs, and may be made accessible by any PRIMERGY BX Server Blade installed in the same enclosure. With currently available HDDs, the internal storage capacity may be extended to up to 27 TB (3x SX980) in PRIMERGY BX400 systems, and to up to 54 TB (6x SX980) in the PRIMERGY BX900 chassis. The storage blade can be inserted, like a server blade, in the front of the blade server housing. It is hot-pluggable and shares the power and cooling infrastructure.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY SX960 S1					
PY SX960 S1	Storage Blade Disk	max. 10x SAS/SATA HDD/SSD, max. 1x SAS Mega RAID Controller, The SX960S1 can be installed max. 2x in BX400/900	S26361-K1382-V202	1.635,00	



Blade Servers Accessories

Table with columns: Category, Description, Details, FJRCAT, Product Code, EU(€), and Comments. Contains numerous rows of server accessories and licenses.



Blade Servers Accessories

Table with columns: Category, Description, Details, Product Code, Price (EUR), and Comments. It lists various accessories for blade servers, including OS installation SW, UPS power supplies, network switches, and storage media.



Blade Servers Accessories

Table with columns: Category, Description, Details, Product Code, BUFC, Comments. Rows include Media (LTO4 data cartridge IBM no label, LTO3 data cartridge IBM with label, etc.), Cables (SAS cable external 2 m, SAS cable EXT 4m 8088-8088, etc.), and Software (OPENFT-CR (WINDOWS) V8.0, OPENFT-FTAM-2 (WINDOWS) V8.0, etc.).



Blade Servers Options

Category	Description	Details	FireCAT SX40	FC-Switch 8B10 Port Blade(SUS)	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch F4+18 Blade	FC-Switch F6+24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BLA DE BX620 S6	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX920 S3	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY Connection Blades	PRIMERGY BLADE BPT20	PRIMERGY SX08 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	Product Code	EUP (€)	Comments					
Options matrix																															
LCD/Display	PY BX400 Front Panel	BX400 Front Panel w/o LCD Display																							S26361-F4474-E400	55,00					
	PY BX400 LCD Unit Rack	Bx400 LCD Unit Rack																							S26361-F4474-E200	185,00					
	PY BX400 Floorstand Kit	PY BX400 Floorstand Kit																							S26361-F4474-E500	1.275,00					
Processor	Intel Xeon E7520 4C/8T 1.86 GHz 18 MB	Intel Xeon processor E7520 (4C/8T, 1.86 GHz, SLC: -, TLC: 18 MB, Turbo: No, 4.8 GT/s, 95 W) incl. heat sink																x							S26361-F4007-E520	1.220,00					
	Intel Xeon E7530 6C/12T 1.86 GHz 12 MB	Intel Xeon processor E7530 (6C/12T, 1.86 GHz, SLC: -, TLC: 12 MB, Turbo: 0/1/1/2, 5.86 GT/s, 105 W) incl. heat sink																	x						S26361-F4007-E530	1.940,00					
	Intel Xeon E7540 6C/12T 2.00 GHz 18 MB	Intel Xeon processor E7540 (6C/12T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/2, 6.4 GT/s, 105 W) incl. heat sink																		x						S26361-F4007-E540	2.750,00				
	Intel Xeon X7542 6C/6T 2.66 GHz 18 MB	Intel Xeon processor X7542 (6C/6T, 2.66 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/1, 5.86 GT/s, 130 W) incl. heat sink																			x						S26361-F4007-E542	2.750,00			
	Intel Xeon L7545 6C/12T 1.86 GHz 18 MB	Intel Xeon processor L7545 (6C/12T, 1.86 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/3/5, 5.86 GT/s, 95 W) incl. heat sink																			x						S26361-F4007-E545	3.000,00			
	Intel Xeon X7550 8C/16T 2.00 GHz 18 MB	Intel Xeon processor X7550 (8C/16T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink																				x						S26361-F4007-E550	3.800,00		
	Intel Xeon L7555 8C/16T 1.86 GHz 24 MB	Intel Xeon processor L7555 (8C/16T, 1.86 GHz, SLC: -, TLC: 24 MB, Turbo: 1/2/4/5, 5.86 GT/s, 95 W) incl. heat sink																									x	S26361-F4007-E555	4.400,00		
	Intel Xeon X7560 8C/16T 2.26 GHz 24 MB	Intel Xeon processor X7560 (8C/16T, 2.26 GHz, SLC: -, TLC: 24 MB, Turbo: 1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink																									x	S26361-F4007-E560	5.100,00		
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel Xeon processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																									x	S26361-F4434-E200	275,00	Phased out	
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel Xeon processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																									x	S26361-F4435-E240	510,00		
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel Xeon processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																									x	S26361-F4435-E266	905,00		
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel Xeon processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																									x	S26361-F4436-E266	1.080,00		
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel Xeon processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																									x	S26361-F4436-E280	1.300,00		
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel Xeon processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink																									x	S26361-F4437-E213	665,00		
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel Xeon processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink																									x	S26361-F4438-E226	1.135,00		
	2x Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel Xeon processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																									x	S26361-F4444-E200	550,00	Phased out	
	2x Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel Xeon processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																									x	S26361-F4445-E240	1.020,00		
	2x Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel Xeon processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																									x	S26361-F4445-E266	1.810,00		
	2x Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel Xeon processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																									x	S26361-F4446-E266	2.160,00		
	2x Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel Xeon processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																									x	S26361-F4446-E280	2.600,00		
	2x Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel Xeon processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink																									x	S26361-F4447-E213	1.330,00		
	2x Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel Xeon processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink																									x	S26361-F4448-E226	2.270,00		
	2x Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel Xeon processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																									x	S26361-F4456-E200	550,00	Phased out	
	2x Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel Xeon processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																									x	S26361-F4457-E240	1.020,00		
	2x Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel Xeon processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																									x	S26361-F4457-E266	1.810,00		
	2x Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel Xeon processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																									x	S26361-F4458-E266	2.160,00		
	2x Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel Xeon processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																									x	S26361-F4458-E280	2.600,00		
	2x Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel Xeon processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink																									x	S26361-F4459-E213	1.330,00		
	2x Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel Xeon processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink																									x	S26361-F4460-E226	2.270,00		
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel Xeon processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																										x	S26361-F4499-E160	255,00	
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel Xeon processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																										x	S26361-F4499-E213	325,00	



Blade Servers Options

Category	Description	Details	FibreCAT SX40	FC-Switch 8510 Port Blade(SU5)	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-16I Blade	FC-Switch FX4-24I Blade	FC-Switch Port Blade BRCD Serry	PRIMERGY BLADE BX420 S6	PRIMERGY BX400 S1	PRIMERGY BX500 S2	PRIMERGY BX420 S3	PRIMERGY BX420 S2	PRIMERGY BX420 S3	PRIMERGY BX424 S2	PRIMERGY BX424 S3	PRIMERGY BX400 S1	PRIMERGY Connection Blades	PRIMERGY rBLADE BF120	PRIMERGY S3005 S1	PRIMERGY S3010 S1	PRIMERGY S3040 S1	PRIMERGY S3060 S1	PRIMERGY S3080 S1	Product Code	EUP (€)	Comments		
Processor	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel Xeon processor E5645 (6C/12T, 2.40 GHz, SLC: -, T.LC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink								x																	S26361-F4500-E240	645.00		
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel Xeon processor E5649 (6C/12T, 2.53 GHz, SLC: -, T.LC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink									x																	S26361-F4500-E253	880.00	
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel Xeon processor X5675 (6C/12T, 3.06 GHz, SLC: -, T.LC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink										x																S26361-F4501-E306	1,500.00	
	Intel Xeon X5672 4C/8T 3.20 GHz 12 MB	Intel Xeon processor X5672 (4C/8T, 3.20 GHz, SLC: -, T.LC: 12 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink											x															S26361-F4502-E320	1,610.00	
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel Xeon processor E5603 (4C/4T, 1.60 GHz, SLC: -, T.LC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink										x																S26361-F4503-E160	255.00	
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel Xeon processor E5606 (4C/4T, 2.13 GHz, SLC: -, T.LC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink											x															S26361-F4503-E213	325.00	
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel Xeon processor E5645 (6C/12T, 2.40 GHz, SLC: -, T.LC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink											x															S26361-F4504-E240	645.00	
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel Xeon processor E5649 (6C/12T, 2.53 GHz, SLC: -, T.LC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink												x														S26361-F4504-E253	880.00	
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel Xeon processor X5675 (6C/12T, 3.06 GHz, SLC: -, T.LC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink												x														S26361-F4505-E306	1,500.00	
	Intel Xeon X5672 4C/8T 3.20 GHz 12 MB	Intel Xeon processor X5672 (4C/8T, 3.20 GHz, SLC: -, T.LC: 12 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink												x														S26361-F4506-E320	1,610.00	
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel Xeon processor E5603 (4C/4T, 1.60 GHz, SLC: -, T.LC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink										x			x													S26361-F4507-E160	255.00	
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel Xeon processor E5606 (4C/4T, 2.13 GHz, SLC: -, T.LC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink										x			x													S26361-F4507-E213	325.00	
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel Xeon processor E5645 (6C/12T, 2.40 GHz, SLC: -, T.LC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink											x			x												S26361-F4508-E240	645.00	
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel Xeon processor E5649 (6C/12T, 2.53 GHz, SLC: -, T.LC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink											x			x												S26361-F4508-E253	880.00	
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel Xeon processor X5675 (6C/12T, 3.06 GHz, SLC: -, T.LC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink											x			x												S26361-F4509-E306	1,500.00	
	Intel Xeon X5672 4C/8T 3.20 GHz 12 MB	Intel Xeon processor X5672 (4C/8T, 3.20 GHz, SLC: -, T.LC: 12 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink												x														S26361-F4510-E320	1,610.00	
	Intel Xeon X5647 4C/8T 2.93 GHz 12 MB	Intel Xeon processor X5647 (4C/8T, 2.93 GHz, SLC: -, T.LC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 130 W) incl. heat sink														x												S26361-F4512-E293	885.00	
	Intel Xeon X5690 6C/12T 3.46 GHz 12 MB	Intel Xeon processor X5690 (6C/12T, 3.46 GHz, SLC: -, T.LC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink														x												S26361-F4512-E346	1,805.00	
	Intel Xeon X5687 4C/8T 3.60 GHz 12 MB	Intel Xeon processor X5687 (4C/8T, 3.60 GHz, SLC: -, T.LC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink														x												S26361-F4512-E360	1,805.00	
	Intel Xeon X5647 4C/8T 2.93 GHz 12 MB	Intel Xeon processor X5647 (4C/8T, 2.93 GHz, SLC: -, T.LC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 130 W) incl. heat sink															x											S26361-F4513-E293	885.00	
	Intel Xeon X5690 6C/12T 3.46 GHz 12 MB	Intel Xeon processor X5690 (6C/12T, 3.46 GHz, SLC: -, T.LC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink															x											S26361-F4513-E346	1,805.00	
	Intel Xeon X5687 4C/8T 3.60 GHz 12 MB	Intel Xeon processor X5687 (4C/8T, 3.60 GHz, SLC: -, T.LC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink															x											S26361-F4513-E360	1,805.00	
	2x Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel Xeon processor E5603 (4C/4T, 1.60 GHz, SLC: -, T.LC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink															x											S26361-F4514-E160	510.00	
	2x Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel Xeon processor E5606 (4C/4T, 2.13 GHz, SLC: -, T.LC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																x										S26361-F4514-E213	650.00	
	2x Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel Xeon processor E5645 (6C/12T, 2.40 GHz, SLC: -, T.LC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink																										S26361-F4515-E240	1,290.00	
	2x Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel Xeon processor E5649 (6C/12T, 2.53 GHz, SLC: -, T.LC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink																										S26361-F4515-E253	1,760.00	
	2x Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel Xeon processor X5675 (6C/12T, 3.06 GHz, SLC: -, T.LC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																										S26361-F4516-E306	3,000.00	
	2x Xeon X5690 6C/12T 3.46 GHz 12 MB	Intel Xeon processor X5690 (6C/12T, 3.46 GHz, SLC: -, T.LC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																										S26361-F4516-E346	3,610.00	
	2x Xeon X5647 4C/8T 2.93 GHz 12 MB	Intel Xeon processor X5647 (4C/8T, 2.93 GHz, SLC: -, T.LC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 130 W) incl. heat sink																										S26361-F4517-E293	1,770.00	
	2x Xeon X5687 4C/8T 3.60 GHz 12 MB	Intel Xeon processor X5687 (4C/8T, 3.60 GHz, SLC: -, T.LC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																										S26361-F4517-E360	3,610.00	
	2x Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel Xeon processor E5603 (4C/4T, 1.60 GHz, SLC: -, T.LC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																										S26361-F4518-E160	510.00	
	2x Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel Xeon processor E5606 (4C/4T, 2.13 GHz, SLC: -, T.LC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																										S26361-F4518-E213	650.00	



Blade Servers Options

Category	Description	Details	FibreCAT SX40	FC-Switch 8510 Port Blade(SUB)	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-161 Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Servr	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX600 S2	PRIMERGY BX620 S3	PRIMERGY BX624 S2	PRIMERGY BX624 S3	PRIMERGY BX624 S1	PRIMERGY Connection Blades	PRIMERGY rBLADE BF120	PRIMERGY S3005 S1	PRIMERGY S3010 S1	PRIMERGY S3040 S1	PRIMERGY S3060 S1	PRIMERGY S3080 S1	Product Code	EUP (€)	Comments		
Processor	2x Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel Xeon processor E5645 (6C/12T, 2.40 GHz, SLC: -, T.LC: 12 MB, Turbo: 1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink													x										S26361-F4519-E240	1,290.00		
	2x Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel Xeon processor E5649 (6C/12T, 2.53 GHz, SLC: -, T.LC: 12 MB, Turbo: 1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink														x									S26361-F4519-E253	1,760.00		
	2x Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel Xeon processor X5675 (6C/12T, 3.06 GHz, SLC: -, T.LC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink														x									S26361-F4520-E306	3,000.00		
	2x Xeon X5672 4C/8T 3.20 GHz 12 MB	Intel Xeon processor X5672 (4C/8T, 3.20 GHz, SLC: -, T.LC: 12 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink														x									S26361-F4521-E320	3,220.00		
	Intel Xeon E5-2603 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2603 (4C/4T, 1.80 GHz, T.LC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink															x								S26361-F4543-E180	310.00		
	Intel Xeon E5-2609 4C/4T 2.40 GHz 10 MB	Intel Xeon processor E5-2609 (4C/4T, 2.40 GHz, T.LC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink															x								S26361-F4543-E240	395.00		
	Intel Xeon E5-2620 6C/12T 2.00 GHz 15 MB	Intel Xeon processor E5-2620 (6C/12T, 2.00 GHz, T.LC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink															x								S26361-F4544-E200	535.00		
	Intel Xeon E5-2630 6C/12T 2.30 GHz 15 MB	Intel Xeon processor E5-2630 (6C/12T, 2.30 GHz, T.LC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink															x								S26361-F4544-E230	765.00		
	Intel Xeon E5-2640 6C/12T 2.50 GHz 15 MB	Intel Xeon processor E5-2640 (6C/12T, 2.50 GHz, T.LC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink															x								S26361-F4544-E250	1,095.00		
	Intel Xeon E5-2650 8C/16T 2.00 GHz 20 MB	Intel Xeon processor E5-2650 (8C/16T, 2.00 GHz, T.LC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink															x								S26361-F4545-E200	1,305.00		
	Intel Xeon E5-2660 8C/16T 2.20 GHz 20 MB	Intel Xeon processor E5-2660 (8C/16T, 2.20 GHz, T.LC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink															x								S26361-F4545-E220	1,575.00		
	Intel Xeon E5-2670 8C/16T 2.60 GHz 20 MB	Intel Xeon processor E5-2670 (8C/16T, 2.60 GHz, T.LC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 115 W) incl. heat sink															x								S26361-F4545-E260	1,810.00		
	Intel Xeon E5-2680 8C/16T 2.70 GHz 20 MB	Intel Xeon processor E5-2680 (8C/16T, 2.70 GHz, T.LC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink															x								S26361-F4545-E270	2,035.00		
	Intel Xeon E5-2690 8C/16T 2.90 GHz 20 MB	Intel Xeon processor E5-2690 (8C/16T, 2.90 GHz, T.LC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 135 W) incl. heat sink															x								S26361-F4545-E290	2,395.00		
	Intel Xeon E5-2667 6C/12T 2.90 GHz 15 MB	Intel Xeon processor E5-2667 (6C/12T, 2.90 GHz, T.LC: 15 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink															x								S26361-F4546-E290	1,810.00		
	Intel Xeon E5-2637 2C/4T 3.00 GHz 5 MB	Intel Xeon processor E5-2637 (2C/4T, 3.00 GHz, T.LC: 5 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 80 W) incl. heat sink															x								S26361-F4546-E300	1,095.00		
	Intel Xeon E5-2643 4C/8T 3.30 GHz 10 MB	Intel Xeon processor E5-2643 (4C/8T, 3.30 GHz, T.LC: 10 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink															x								S26361-F4546-E330	1,095.00		
	Intel Xeon E5-2650L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2650L (8C/16T, 1.80 GHz, T.LC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 70 W) incl. heat sink															x								S26361-F4547-E180	1,305.00		
	Intel Xeon E5-2630L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2630L (6C/12T, 2.00 GHz, T.LC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink															x								S26361-F4547-E200	815.00		
	Intel Xeon E5-2603 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2603 (4C/4T, 1.80 GHz, T.LC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink															x								S26361-F4548-E180	310.00		
	Intel Xeon E5-2609 4C/4T 2.40 GHz 10 MB	Intel Xeon processor E5-2609 (4C/4T, 2.40 GHz, T.LC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink															x								S26361-F4548-E240	395.00		
	Intel Xeon E5-2620 6C/12T 2.00 GHz 15 MB	Intel Xeon processor E5-2620 (6C/12T, 2.00 GHz, T.LC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink															x								S26361-F4549-E200	535.00		
	Intel Xeon E5-2630 6C/12T 2.30 GHz 15 MB	Intel Xeon processor E5-2630 (6C/12T, 2.30 GHz, T.LC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink															x								S26361-F4549-E230	765.00		
	Intel Xeon E5-2640 6C/12T 2.50 GHz 15 MB	Intel Xeon processor E5-2640 (6C/12T, 2.50 GHz, T.LC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink															x								S26361-F4549-E250	1,095.00		
	Intel Xeon E5-2650 8C/16T 2.00 GHz 20 MB	Intel Xeon processor E5-2650 (8C/16T, 2.00 GHz, T.LC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink															x								S26361-F4550-E200	1,305.00		
	Intel Xeon E5-2660 8C/16T 2.20 GHz 20 MB	Intel Xeon processor E5-2660 (8C/16T, 2.20 GHz, T.LC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink															x								S26361-F4550-E220	1,575.00		
	Intel Xeon E5-2670 8C/16T 2.60 GHz 20 MB	Intel Xeon processor E5-2670 (8C/16T, 2.60 GHz, T.LC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 115 W) incl. heat sink															x								S26361-F4550-E260	1,810.00		
	Intel Xeon E5-2680 8C/16T 2.70 GHz 20 MB	Intel Xeon processor E5-2680 (8C/16T, 2.70 GHz, T.LC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink															x								S26361-F4550-E270	2,035.00		
	Intel Xeon E5-2690 8C/16T 2.90 GHz 20 MB	Intel Xeon processor E5-2690 (8C/16T, 2.90 GHz, T.LC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 135 W) incl. heat sink															x								S26361-F4550-E290	2,395.00		
	Intel Xeon E5-2667 6C/12T 2.90 GHz 15 MB	Intel Xeon processor E5-2667 (6C/12T, 2.90 GHz, T.LC: 15 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink															x								S26361-F4551-E290	1,810.00		
	Intel Xeon E5-2637 2C/4T 3.00 GHz 5 MB	Intel Xeon processor E5-2637 (2C/4T, 3.00 GHz, T.LC: 5 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 80 W) incl. heat sink															x								S26361-F4551-E300	1,095.00		
	Intel Xeon E5-2643 4C/8T 3.30 GHz 10 MB	Intel Xeon processor E5-2643 (4C/8T, 3.30 GHz, T.LC: 10 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 130 W) incl. heat sink															x								S26361-F4551-E330	1,095.00		
	Intel Xeon E5-2650L 8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2650L (8C/16T, 1.80 GHz, T.LC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 70 W) incl. heat sink															x								S26361-F4552-E180	1,305.00		
	Intel Xeon E5-2630L 6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2630L (6C/12T, 2.00 GHz, T.LC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink															x								S26361-F4552-E200	815.00		
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel Xeon processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, T.LC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																								S26361-F4422-E200	275.00	Phased out
	Intel Xeon E5-2403 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2403 (4C/4T, 1.80 GHz, T.LC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																								S26361-F4560-E180	265.00	
	2nd Xeon E5-2403 4C/4T 1.80 GHz 10 MB	Intel Xeon processor E5-2403 (4C/4T, 1.80 GHz, T.LC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																								S26361-F4564-E180	265.00	
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel Xeon processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, T.LC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																								S26361-F4424-E240	510.00	



Blade Servers Options

Category	Description	Details	FibreCAT SX40	FC-Switch 8510 Port Blade(SU5)	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-16i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX600 S2	PRIMERGY BX620 S3	PRIMERGY BX624 S2	PRIMERGY BX624 S3	PRIMERGY BX600 S1	PRIMERGY Connection Blades	PRIMERGY rBLADE BF20	PRIMERGY S060 S1	PRIMERGY S060 S2	PRIMERGY S060 S1	PRIMERGY S060 S1	PRIMERGY S060 S1	Product Code	EUP (€)	Comments		
Processor																												
Options matrix																												
(Continued)																												
Intel Xeon E5-2407	4C/4T 2.20 GHz 10 MB	Intel Xeon processor E5-2407 (4C/4T, 2.20 GHz, TJC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																								S26361-F4560-E220	305,00	
Intel Xeon E5640	4C/8T 2.66 GHz 12 MB	Intel Xeon processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TJC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																								S26361-F4424-E266	905,00	
2nd Xeon E5-2407	4C/4T 2.20 GHz 10 MB	Intel Xeon processor E5-2407 (4C/4T, 2.20 GHz, TJC: 10 MB, Turbo: No, 6.4 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																								S26361-F4564-E220	305,00	
Intel Xeon L5630	4C/8T 2.13 GHz 12 MB	Intel Xeon processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TJC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink																								S26361-F4428-E213	665,00	
Intel Xeon L5640	6C/12T 2.26 GHz 12 MB	Intel Xeon processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TJC: 12 MB, Turbo: 2/2/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink																								S26361-F4430-E226	1.135,00	
Intel Xeon E5-2420	6C/12T 1.90 GHz 15 MB	Intel Xeon processor E5-2420 (6C/12T, 1.90 GHz, TJC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																								S26361-F4561-E190	450,00	
Intel Xeon X5650	6C/12T 2.66 GHz 12 MB	Intel Xeon processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TJC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																								S26361-F4426-E266	1.080,00	
2nd Xeon E5-2420	6C/12T 1.90 GHz 15 MB	Intel Xeon processor E5-2420 (6C/12T, 1.90 GHz, TJC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																								S26361-F4565-E190	450,00	
Intel Xeon X5660	6C/12T 2.80 GHz 12 MB	Intel Xeon processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TJC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																								S26361-F4426-E280	1.300,00	
Intel Xeon E5-2430	6C/12T 2.20 GHz 15 MB	Intel Xeon processor E5-2430 (6C/12T, 2.20 GHz, TJC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																								S26361-F4561-E220	610,00	
2nd Xeon E5-2430	6C/12T 2.20 GHz 15 MB	Intel Xeon processor E5-2430 (6C/12T, 2.20 GHz, TJC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																								S26361-F4565-E220	610,00	
Intel Xeon E5503	2C/2T 2.00 GHz 4 MB	Intel Xeon processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TJC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																								S26361-F4423-E200	275,00	Phased out
Intel Xeon E5-2430L	6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2430L (6C/12T, 2.00 GHz, TJC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink																								S26361-F4563-E200	740,00	
2nd Xeon E5-2430L	6C/12T 2.00GHz 15MB	Intel Xeon processor E5-2430L (6C/12T, 2.00 GHz, TJC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink																								S26361-F4567-E200	740,00	
Intel Xeon E5620	4C/8T 2.40 GHz 12 MB	Intel Xeon processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TJC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																								S26361-F4425-E240	510,00	
Intel Xeon E5640	4C/8T 2.66 GHz 12 MB	Intel Xeon processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TJC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																								S26361-F4425-E266	905,00	
Intel Xeon E5-2440	6C/12T 2.40 GHz 15 MB	Intel Xeon processor E5-2440 (6C/12T, 2.40 GHz, TJC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																								S26361-F4561-E240	935,00	
2nd Xeon E5-2440	6C/12T 2.40 GHz 15 MB	Intel Xeon processor E5-2440 (6C/12T, 2.40 GHz, TJC: 15 MB, Turbo: Yes, 7.2 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																								S26361-F4565-E240	935,00	
Intel Xeon L5630	4C/8T 2.13 GHz 12 MB	Intel Xeon processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TJC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink																								S26361-F4429-E213	665,00	
Intel Xeon L5640	6C/12T 2.26 GHz 12 MB	Intel Xeon processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TJC: 12 MB, Turbo: 2/2/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink																								S26361-F4431-E226	1.135,00	
Intel Xeon X5650	6C/12T 2.66 GHz 12 MB	Intel Xeon processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TJC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																								S26361-F4427-E266	1.080,00	
Intel Xeon E5-2450	8C/16T 2.10 GHz 20 MB	Intel Xeon processor E5-2450 (8C/16T, 2.10 GHz, TJC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink																								S26361-F4562-E210	1.185,00	
Intel Xeon X5660	6C/12T 2.80 GHz 12 MB	Intel Xeon processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TJC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																								S26361-F4427-E280	1.300,00	
2nd Xeon E5-2450	8C/16T 2.10 GHz 20 MB	Intel Xeon processor E5-2450 (8C/16T, 2.10 GHz, TJC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink																								S26361-F4566-E210	1.185,00	
Intel Xeon E5-2450L	8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2450L (8C/16T, 1.80 GHz, TJC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 70 W) incl. heat sink																								S26361-F4563-E180	1.185,00	
2nd Xeon E5-2450L	8C/16T 1.80GHz 20MB	Intel Xeon processor E5-2450L (8C/16T, 1.80 GHz, TJC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 70 W) incl. heat sink																								S26361-F4567-E180	1.185,00	
Intel Xeon E5-2470	8C/16T 2.30 GHz 20 MB	Intel Xeon processor E5-2470 (8C/16T, 2.30 GHz, TJC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink																								S26361-F4562-E230	1.530,00	
2nd Xeon E5-2470	8C/16T 2.30 GHz 20 MB	Intel Xeon processor E5-2470 (8C/16T, 2.30 GHz, TJC: 20 MB, Turbo: Yes, 8.0 GT/s, Mem bus: 1600 MHz, 95 W) incl. heat sink																								S26361-F4566-E230	1.530,00	
Memory																												
Interleaving Mode Installation																												
BIOS setup for interleaving mode, preinstallation ex factory																												
8GB (4x2) DDR3 1333 MHz PC3-10600 rg d		8 GB (4 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																								S26361-F4003-E643	320,00	
16GB (4x4) DDR3 1333 MHz PC3-10600 rg s		16 GB (4 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																								S26361-F4003-E642	340,00	
32GB (4x8) DDR3 1333 MHz PC3-10600 rg d		32 GB (4 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																								S26361-F4003-E645	540,00	
64GB (4x16) DDR3 1066 MHz PC3-8500 rg q		64 GB (4 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM																								S26361-F4003-E646	1.220,00	
Memory Modules																												
Spare Channel Mode Installation																												
BIOS setup for spare mode, preinstallation ex factory																												
Mirrored Channel Mode Installation		BIOS setup for mirrored mode, preinstallation ex factory																								S26361-F3284-E3	5,00	
Independent Mode Installation		No specific memory RAS features are defined																								S26361-F3694-E10	5,00	
Independent Mode Installation		No specific memory RAS features are defined																								S26361-F3695-E10	5,00	
2 GB DDR3 1333 MHz PC3-10600 ub d		2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM																								S26361-F4413-E513	40,00	
Performance Mode Installation		BIOS setup for performance mode, preinstallation ex factory																								S26361-F3284-E2	5,00	
Performance Mode Installation		BIOS setup for performance mode, preinstallation ex factory																								S26361-F3694-E2	5,00	
Performance Mode Installation		BIOS setup for performance mode, preinstallation ex factory																								S26361-F3695-E2	5,00	



Blade Servers Options

Category	Description	Details	FibreCAT SX40	FC-Switch 8510 Port Blade(SU5)	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-16i Blade	FC-Switch FR4-24i Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BLADE BX620 S6	PRIMERGY BX600 S1	PRIMERGY BX600 S2	PRIMERGY BX620 S3	PRIMERGY BX624 S2	PRIMERGY BX624 S3	PRIMERGY BX600 S1	PRIMERGY rBLADE BF120	PRIMERGY S3005 S1	PRIMERGY S3010 S1	PRIMERGY S3040 S1	PRIMERGY S3060 S1	PRIMERGY S3080 S1	Product Code	EUP (€)	Comments		
Memory Modules (Continued)																											
	2 GB DDR3 1333 MHz PC3-10600 rg s	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x	x	x	x											S26361-F4412-E513	80.00		
	MM 4GB 2x2 DDR3 1333 MHz PC3-10600 rg s	2 modules 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, MM = 2GB usable memory for Mirrored Mode								x	x	x	x											S26361-F4412-E523	160.00		
	SP 6GB 3x2 DDR3 1333 MHz PC3-10600 rg s	6 GB (3 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM								x	x	x	x											S26361-F4412-E533	240.00		
	Rank Sparring Mode Installation	BIOS setup for rank sparring mode, preinstallation ex factory																						S26361-F3694-E1	5.00		
	Rank Sparring Mode Installation	BIOS setup for rank sparring mode, preinstallation ex factory																						S26361-F3695-E1	5.00		
	4 GB DDR3 1333 MHz PC3-10600 rg s/d	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x	x	x	x											S26361-F4412-E514	85.00		
	MM 8GB 2x4 DDR3 1333 MHz PC3-10600 rg s/d	8 GB (2 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM								x	x	x	x											S26361-F4412-E524	170.00		
	SP12GB 3x4 DDR3 1333 MHz PC3-10600 rg s/d	12 GB (3 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM								x	x	x	x											S26361-F4412-E534	255.00		
	8 GB DDR3 1333 MHz PC3-10600 rg d	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x	x	x	x											S26361-F4412-E515	135.00		
	MM 16GB 2x8 DDR3 1333 MHz PC3-10600 rg d	16 GB (2 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM								x	x	x	x											S26361-F4412-E525	270.00		
	MM 32GB 2x16 DDR3 1066 MHz PC3-8500 rg q	32 GB (2 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM								x	x	x	x											S26361-F4412-E526	610.00		
	SP 24GB 3x8 DDR3 1333 MHz PC3-10600 rg d	24 GB (3 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM								x	x	x	x											S26361-F4412-E535	405.00		
	2GB (1x2GB) 1Rx8 L DDR3-1600 U ECC	2 GB (1 module(s) 2 GB) DDR3 LV, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM												x	x									S26361-F3694-E613	50.00		
	16 GB DDR3 1066 MHz PC3-8500 rg q	16 GB (1 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM								x	x	x	x											S26361-F4412-E516	305.00		
	SP 48GB 3x16 DDR3 1066 MHz PC3-8500 rg q	48 GB (3 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM								x	x	x	x											S26361-F4412-E536	915.00		
	32 GB DDR3 1066 MHz PC3-8500 rg q ECC	1 module 32GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x	x	x	x											S26361-F3604-E517	1,705.00		
	4GB (1x4GB) 2Rx8 L DDR3-1600 U ECC	4 GB (1 module(s) 4 GB) DDR3 LV, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM												x	x									S26361-F3694-E614	75.00		
	MM 8GB 2x4 DDR3 LV1333 MHz 10600 rg s/d	8 GB (2 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM								x	x	x	x											S26361-F4415-E524	170.00		
	SP12GB 3x4 DDR3 LV1333 MHz 10600 rg s/d	12 GB (3 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM								x	x	x	x											S26361-F4415-E534	255.00		
	16 GB DDR3 LV 1333MHz PC3-10600 rg d ECC	16 GB (1 module(s) 16 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM												x										S26361-F4492-E516	305.00		
	4GB (1x4GB) 2Rx8 L DDR3-1600 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, unbuffered, ECC, 1600 MHz, PC3-12800, DIMM												x	x									S26361-F3695-E614	95.00		
	4 GB DDR3 LV 1333 MHz PC3-10600 rg s/d	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x	x	x	x											S26361-F4415-E514	85.00		
	MM 16GB 2x8 DDR3 LV 1333 MHz 10600 rg d	16 GB (2 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM								x	x	x	x											S26361-F4415-E525	270.00		
	SP 24GB 3x8 DDR3 LV 1333 MHz 10600 rg d	24 GB (3 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM								x	x	x	x											S26361-F4415-E535	405.00		
	4GB (1x4GB) 1Rx4 L DDR3-1333 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM												x	x									S26361-F3696-E614	85.00		
	8 GB DDR3 LV 1333 MHz PC3-10600 rg d	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x	x	x	x											S26361-F4415-E515	135.00		
	8GB (1x8GB) 2Rx4 L DDR3-1333 R ECC	8 GB (1 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM												x	x									S26361-F3696-E615	135.00		
	4GB (1x4GB) 1Rx4 L DDR3-1600 R ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1600 MHz, PC3-12800, DIMM												x	x									S26361-F3697-E614	95.00		
	8GB (1x8GB) 2Rx4 L DDR3-1600 R ECC	8 GB (1 module(s) 8 GB) DDR3, registered, ECC, 1600 MHz, PC3-12800, DIMM												x	x									S26361-F3697-E615	155.00		
	16GB (1x16GB) 2Rx4 L DDR3-1600 R ECC	16 GB (1 module(s) 16 GB) DDR3, registered, ECC, 1600 MHz, PC3-12800, DIMM												x	x									S26361-F3697-E616	335.00		
	16GB (1x16GB) 4Rx4 L DDR3-1333 LR ECC	16 GB (1 module(s) 16 GB) DDR3 LR LV, registered, ECC, 1333 MHz, PC3-10600, LRDIMM												x	x									S26361-F3698-E616	395.00		
	32GB (1x32GB) 4Rx4 L DDR3-1333 LR ECC	32 GB (1 module(s) 32 GB) DDR3 LR LV, registered, ECC, 1333 MHz, PC3-10600, LRDIMM												x	x									S26361-F3698-E617	1,850.00		
Removable Media Drives																											
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL DVD-RAM, slimline 0.5" fitting height, black																						x	S26361-F3269-E2	95.00	
	Blu-ray Triple Writer slimline SATA	Read: 6x BD-ROM, 6x DVD, 24x CD, Write: 6x BD, 6x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0.5" fitting height																						x	S26361-F3641-E2	165.00	
	RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" intern., USB 2.0 Connector: USB "B" with USB cable, 1.6" fitting height, black bezel, with description (G/US)																						x	S26361-F3857-E4	160.00	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B" with USB cable kit, 1.6" fitting height, black bezel, with description (G/US) and cleaning cartridge																						x	S26361-F3324-E4	500.00	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB (6MB/s 5.25" intern. USB 2.0 Connector: USB "B" with USB cable, 1.6" fitting height, black bezel, with cleaning cartridge																						x	S26361-F3325-E4	730.00	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge																						x	S26361-F3561-E4	1,395.00	
	Tape Kit LTO4HH 800GB 120MB/s SAS V2	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, with SAS cable, with cleaning cartridge																						x	S26361-F3626-E2	2,030.00	
	Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 9GB Interface, mini-SAS connector, 1.6" fitting height, with SAS cable, with cleaning cartridge																						x	S26361-F3627-E1	2,980.00	
Hard Disks																											
	HD SAS 3GB/s 300GB 15k hot pl 3.5" SX40	15,000 rpm, fitting height 1"																						x	S26361-F3244-E530	470.00	
	HD SAS 3GB/s 450GB 15k hot pl 3.5" SX40	15,000 rpm, fitting height 1"																						x	S26361-F3244-E545	545.00	
	HD SAS 3GB/s 600GB 15k hot pl 3.5" SX40	15,000 rpm, fitting height 1"																						x	S26361-F3244-E560	760.00	
	HD SATA 3GB/s 2TB 7.2k hot pl 3.5" SX40	7,200 rpm, fitting height 1"																						x	S26361-F3245-E200	895.00	
	HD SATA 3G 320GB 5.4K NO HOT PL 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, non hot plug, 2.5-inch, economic																						x	S26361-F3747-E320	225.00	
	HD SATA 3G 500GB 5.4K NO HOT PL 2.5" ECO	HDD SATA, 3 GB/s, 500 GB, 5400 rpm, non hot plug, 2.5-inch, economic																						x	S26361-F3747-E500	235.00	
	disk drive mounting kit	BX922 Disk drive mounting kit																						x	S26361-F4008-E1	70.00	Phased out
	disk drive mounting kit	BX924 Disk drive mounting kit																						x	S26361-F4008-E2	95.00	Phased out
	disk mounting kit onboard PCH	BX924 S3 Drive mounting kit																						x	S26361-F4008-E3	85.00	
	disk mounting kit SAS Mezz card	BX924 S3 Drive mounting kit																						x	S26361-F4008-E4	85.00	



Blade Servers Options

Category	Description	Details	FibreCAT SX40	FC-Switch 8510 Port Blade(SUB)	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-1R1 Blade	FC-Switch FX8-2R Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BLADE BX620 S6	PRIMERGY BX600 S1	PRIMERGY BX600 S2	PRIMERGY BX620 S3	PRIMERGY BX622 S2	PRIMERGY BX624 S2	PRIMERGY BX624 S3	PRIMERGY BX600 S1	PRIMERGY Connection Blades	PRIMERGY rBLADE BFT20	PRIMERGY S3005 S1	PRIMERGY S3010 S1	PRIMERGY S3040 S1	PRIMERGY S3060 S1	PRIMERGY S3080 S1	Product Code	EUP (€)	Comments		
Options matrix																													
Connection Blades (Continued)																													
PY CB DCB SW 10GB 18/6 Base (Brocade)	Ethernet / DCBI Switch 10GB/s 18/6 (Brocade VDX 2730 Base) Connection Blade for Fujitsu PRIMERGY Blade Servers, embedded in the basic unit are: - License for 24 Ports Ethernet / DCB, - License for 2 node VCS, Fibre Channel and FCoE requires additional licenses, contains NO SFP+ modules																									S26361-K1429-V100	12,500.00	Deliverable from: 01/08/2012,Orderable from: 01/10/2012	
PY CB DCB SW 10GB 18/6/6 Enterprise (Br)	Ethernet / DCBI Switch 10GB/s 18/6 (Brocade VDX 2730 Enterprise) Connection Blade for Fujitsu PRIMERGY Blade Servers, embedded in the basic unit are: - License for 24 Ports Ethernet / DCB, - License for VCS with more than 2 nodes, - License for Fibre-Channel Ports, - License for FCoE, contains NO SFP+ modules																										S26361-K1429-V200	19,000.00	Deliverable from: 01/08/2012,Orderable from: 01/10/2012
PY CB Eth FEH B22F 10GB 16/8	10GB LAN Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers., Cisco FEH for attachment to Cisco Nexus 5000 switches , Interfaces: intern:16x 1GB Eth (downlinks), extem: 8x SFP+ 10GBE																										S26361-K1440-V100	8,645.00	New product,Deliverable from: 20/08/2012,Orderable from: 03/09/2012
PY CB Eth FEH B22F with 16 FET 10GB 16/8	10GB LAN Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers., Cisco FEH with 16 FET modules for attachment to Cisco Nexus 5000 switches , Interfaces: intern:16x 1GB Eth (downlinks), extem: 8x SFP+ 10GBE																										S26361-K1440-V110	13,725.00	New product,Deliverable from: 20/08/2012,Orderable from: 03/09/2012
PY CB Eth Switch/IBP 1GB 36/12	LAN Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers., Usable as LAN switch or Intelligent Blade Panel (IBP) , Interfaces: intern: 36 (downlinks), extem.: 8 RJ45 GBE, 4 SFP GBE																										S26361-K1304-V100	3,000.00	
PY CB Eth Switch/IBP 1GB 36/8+2	LAN Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers., Usable as LAN switch or Intelligent Blade Panel (IBP) , Interfaces: intern: 36 (downlinks), extem.: 8 RJ45 GBE, 2 SFP+ 10GBE																										S26361-K1304-V101	5,500.00	
PY CB Eth Switch/IBP 10GB 18/8	10GB LAN Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers., Usable as LAN switch or Intelligent Blade Panel (IBP) , Interfaces: intern: 18x 10GB Eth (downlinks), extem: 8x SFP+ 10GBE																										S26361-K1304-V200	8,250.00	
PY CB FC Switch 8GB 18/8 14 (Brocade)	Fibre Channel Switch 8GB 18/8 (Brocade 5450) Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, embedded in the basic unit are: - License for 14 Ports with DPDD (Dynamic Ports on Demand), - Access Gateway, - License for Full Fabric, - License for Enhanced Group Management, - 4 x Brocade hot-pluggable SFP+ module, 8 (GBit/sec Short-Wavelength Laser (SWL), LC connector																										S26361-K1305-V14	7,600.00	
PY CB FC Switch 8GB 18/8 26 (Brocade)	Fibre Channel Switch 8GB 18/8 (Brocade 5450) Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, embedded in the basic unit are: - License for 26 Ports with DPDD (Dynamic Ports on Demand), - Access Gateway, - License for Full Fabric, - License for Enhanced Group Management, - 4 x Brocade hot-pluggable SFP+ module, 8 (GBit/sec Short-Wavelength Laser (SWL), LC connector																										S26361-K1305-V26	11,200.00	
PY CB FC SW 8G 18/8 26 Enterpr (Brocade)	Fibre Channel Switch 8GB 18/8 (Brocade 5450) Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, embedded in the basic unit are: - License for 26 Ports with DPDD (Dynamic Ports on Demand), - Access Gateway, - License for Full Fabric, - License for Enhanced Group Management, - License for Fabric Watch, - License for Advanced Performance Monitor, - License for ISL Trunking, - License for Extended Fabric, - License for Adaptive Networking, - License for Server Application Optimization, - 4 x Brocade hot-pluggable SFP+ module, 8 (GBit/sec Short-Wavelength Laser (SWL), LC connector																										S26361-K1305-V126	15,200.00	
PY CB IB Switch 40GB 18/18	InfiniBand Connection Blade for Fujitsu PRIMERGY BX900 blade server., Double wide, Single height., Quad Data Rate (QDR x4), Interfaces: , intern: 18x (downlinks), extem: 18x QSFP connectors (uplink)																										S26361-K1336-V200	11,800.00	
Mezzanine Cards																													
PY Mezz Card 2x10GB CNA MC-CNA102E	CNA mezzanine module, MC-CNA102E, 2 Channel, 8GB/s, PCIe x8, The mezzanine module is functional wise compatible with the Emulex CNA GCc10102. The CNA cards has 2 10GB Ethernet interfaces to the backplane and support the Data-Center-Bringing (Data Center Ethernet) protocol. In addition the Fibre Channel over Ethernet (FCoE) protocol is fully handled in hardware on the card.																										S26361-F3592-E502	890.00	Phased out
PY IB CX2 Mezz Card 40GB 2 Port	InfiniBand Mezzanine Card, 2-channel, 40GB/s, PCIe x8																										S26361-F3992-E2	1,220.00	
PY IB CX3 Mezz Card 56GB 2 Port	InfiniBand Mezzanine Card, 2 port , 56GB/s, PCIe x8																										S26361-F4534-E1	1,800.00	Orderable from: 10/08/2012
PY Eth Mezz Card 1GB 4 Port	4 Channel GBE Mezzanine Card, 2 Intel 82575EB LAN Controller																										S26361-F3331-E1	525.00	
PY Eth Mezz Card 10GB 2 Port	2 Channel 10GBE Mezzanine Card, Intel 82599EB LAN Controller																										S26361-F3997-E1	590.00	
PY FC Mezz Card 8GB 2 Port (MC-FC82E)	Fibre Channel mezzanine module, MC-FC82E, 2 Channel, 8GB/s, PCIe x8, The mezzanine module is functional wise compatible with the Emulex HBA LPe12002.																										S26361-F3874-E1	755.00	
PY SAS HBA Mezz Card 6GB	SAS HBA Mezzanine Card based on LSI Chipset SAS2008, PCIe 2.0 x8, SAS 2.0,																										S26361-F4480-E1	195.00	
PY SAS RAID Mezz Card 6GB	SAS RAID Mezzanine Card based on LSI MegaRAID SAS2108, PCIe 2.0 x8, SAS 2.0																										S26361-F4481-E1	350.00	
RAID Mezz HDD Connection Kit	SAS HDD backplane for BX920S2 to connect to SAS RAID mezzanine card. Thereby RAID 0,1 functionality can be realized on BX920S2																										S26361-F4481-E20	30.00	
SSD Connection Kit	SSD backplane for BX924S3 to connect to SAS mezzanine cards																										S26361-F4481-E30	75.00	
RAID Mezz IBBU Upgrade	IBBU Upgrade for LSI SAS2108																										S26361-F4481-E10	180.00	
Communication/Network																													



Blade Servers Options

Category	Description	Details	FibreCAT SX40	FC-Switch 8510 Port Blade(SUS)	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-181 Blade	FC-Switch FR4-24 Blade	FC-Switch Port Blade BRCD Servr	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX920 S2	PRIMERGY BX920 S3	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY rBLADE BFD20	PRIMERGY S3005 S1	PRIMERGY S3010 S1	PRIMERGY S3040 S1	PRIMERGY S3060 S1	PRIMERGY S3080 S1	Product Code	EUP (€)	Comments	
Communication/Network (Continued)																										
Options matrix																										
Eth Ctrl 2x1GBt PCIe x4 D2735-2 Cu Ip	Ethernet Server Adapter Eth Ctrl 2x1GBt PCIe x4 D2735-2 Cu Ip, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit									x														S26361-F3610-E202	155.00	
FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/s FCoE Controller, PCIe 2.0 x 8 Low Profile, SFP+ for opt. module or Twinax cable									x														S26361-F3592-E202	1,320.00	
SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCe10102									x														S26361-F3592-E108	400.00	
Rack-Infrastructure																										
Mounting in symmetrical Racks	Rack server mounting in symmetrical racks without support bracket									x	x													S26361-F4530-E10	5.00	
Mounting BX server in asymmetrical racks	Rack server mounting in asymmetrical PRIMECENTER racks with 10U support bracket											x												S26361-F4530-E14	5.00	
Mounting 1U in asymmetrical Racks	Rack server mounting in asymmetrical rack with 1U support bracket																							S26361-F4530-E11	5.00	
Mounting 3U in asymmetrical racks	Rack server mounting in asymmetrical rack with 2U support bracket									x														S26361-F4530-E13	5.00	
Rack installation ex works, SX10, 1U Nod	Service for installation of a server or subsystem ex works. With ordering this service, the 12/24/38U rack will be delivered completely pre-mounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.	x																						S26361-F1647-E302	65.00	
Rack installation ex works	Service for installation of a server or subsystem ex works. With ordering this service, the 12/24/38U rack will be delivered completely pre-mounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.									x	x													SNP-SY-F1647E301-P	130.00	
Blade Installation in System Unit	Service for installation of a server blade into the system unit ex works Augsburg. With ordering this service, the system unit will be delivered completely pre-mounted and tested ex works.									x	x	x	x	x	x	x		x	x	x	x			S26361-FZ749-E1	10.00	
Serverblade single package/delivery	Serverblade single package/delivery, incl. test, Service without integration ex works									x	x	x	x	x	x			x	x	x	x			S26361-FZ749-E2	45.00	
Country kits																										
region kit APAC/America/EMEA/India	Region-kit APAC/EMEA/ India									x	x													S26361-F1452-E100	10.00	
PRIMERGY-Software																										
BWA-Identifier	BWA V3.0 solution identifier									x														BWA-IDENT-V003	1.00	New product
Fujitsu BWA Infra. SW Lic. Base 3rd-L	1 year 3rd level support for Fujitsu BWA infrastructure software V3.0 base license (D.BWA-SW-001).												x											D.BWA-SW-001-W1	160.00	
Fujitsu BWA Infra. SW Lic. Base 3rd-L	3 year 3rd level support for Fujitsu BWA infrastructure software V3.0 base license (D.BWA-SW-001).												x											D.BWA-SW-001-W3	450.00	
Fujitsu BWA Infra. SW Lic. Ext. M 3rd-L	1 year 3rd level support of Fujitsu BWA infrastructure software V3.0 license extension package medium (D.BWA-SW-002).													x										D.BWA-SW-002-W1	134.00	
Fujitsu BWA Infra. SW Lic. Ext. M 3rd-L	3 year 3rd level support of Fujitsu BWA infrastructure software V3.0 license extension package medium (D.BWA-SW-002).													x										D.BWA-SW-002-W3	380.00	
Fujitsu BWA Infra. SW Lic. Ext. L 3rd-L	1 year 3rd level support of Fujitsu BWA infrastructure software V3.0 license extension package large (D.BWA-SW-003).														x									D.BWA-SW-003-W1	134.00	
Fujitsu BWA Infra. SW Lic. Ext. L 3rd-L	3 year 3rd level support of Fujitsu BWA infrastructure software V3.0 license extension package large (D.BWA-SW-003).														x									D.BWA-SW-003-W3	380.00	
DI Blocks Entry/Enterpr upgr identifier	DI Blocks Entry/Standard upgrade identifier. It identifies that all following order codes for upgrades belong to the DI Blocks.									x			x	x										S26361-DI009-E101	10.00	
DI Blocks Entry/Enterpr, RTU CPUcapacity	DI Blocks Entry/Standard RTU CPU-Capacity-Right to Use (RTU) per Blade compute power., separate Right to Use for each Blade in the DI Blocks														x	x								S26361-DI009-E200	2,240.00	Orderable from: 15/09/2011
DI-Cloud Entry/Enterpr, upgr identifier	DI-Cloud Entry/Enterprise upgrade identifier. It identifies that all following order codes for upgrades belong to the DI-Cloud block.									x						x								S26361-DI010-E101	10.00	
DI-Cloud Entry/Enterpr, RTU CPUcapacity	DI-Cloud Entry/Enterprise RTU CPU-Capacity - Right to Use (RTU) per Blade compute power., separate Right to Use for each Blade in the DI-Cloud block															x								S26361-DI010-E200	2,240.00	
SUSE Linux ES 1-2 SOCK Server 1Y	SUSE Linux ES 1-2SOC Server 1Y, 1-2 CPU Sockets, one physical server, subscription for 1 year									x	x	x	x	x	x									S26361-F2348-S101	290.00	New product
SUSE Linux ES 1-2 SOCK Server 3Y	SUSE Linux ES 1-2SOC Server 3Y, 1-2 CPU Sockets, one physical server, subscription for 3 years									x	x	x	x	x	x									S26361-F2348-S102	790.00	New product
SUSE Linux ES 1-2 SOCK Server 5Y	SUSE Linux ES 1-2SOC Server 5Y, 1-2 CPU Sockets, one physical server, subscription for 5 years									x	x	x	x	x	x									S26361-F2348-S103	1,160.00	New product
SUSE Linux ES 1-2 SOCK Serv+Virt. 1Y	SUSE Linux ES 1-2SOC Serv+Virt. 1Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 1 year									x	x	x	x	x	x									S26361-F2348-S111	440.00	New product
SUSE Linux ES 1-2 SOCK Serv+Virt 3Y	SUSE Linux ES 1-2SOC Serv+Virt 3Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 3 years									x	x	x	x	x	x									S26361-F2348-S112	1,180.00	New product
SUSE Linux ES 1-2 SOCK Serv+Virt 5Y	SUSE Linux ES 1-2SOC Serv+Virt 5Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 5 years									x	x	x	x	x	x									S26361-F2348-S113	1,760.00	New product
SUSE Linux ES HAE 1-2 SOCK 1Y	SUSE Linux ES HAE 1-2SOC 1Y, 1-2 CPU Sockets, high availability extension, subscription for 1 year									x	x	x	x	x	x									S26361-F2348-S121	590.00	New product
SUSE Linux ES HAE 1-2 SOCK 3Y	SUSE Linux ES HAE 1-2SOC 3Y, 1-2 CPU Sockets, high availability extension, subscription for 3 years									x	x	x	x	x	x									S26361-F2348-S122	1,570.00	New product
SUSE Linux ES HAE 1-2 SOCK 5Y	SUSE Linux ES HAE 1-2SOC 5Y, 1-2 CPU Sockets, high availability extension, subscription for 5 years									x	x	x	x	x	x									S26361-F2348-S123	2,330.00	New product
SUSE Linux ES BX400 Server+Virt 1J	SUSE Linux ES BX400 1Y, SUSE Linux Enterp. Server for BX400 Blade Chassis, unlimited virtualization, subscription for 1 year										x													S26361-F2348-S141	1,760.00	New product
SUSE Linux ES BX400 Server+Virt 3J	SUSE Linux ES BX400 3Y, SUSE Linux Enterp. Server for BX400 Blade Chassis, unlimited virtualization, subscription for 3 years										x													S26361-F2348-S142	4,720.00	New product
SUSE Linux ES BX400 Server+Virt 5J	SUSE Linux ES BX400 5Y, SUSE Linux Enterp. Server for BX400 Blade Chassis, unlimited virtualization, subscription for 5 years										x													S26361-F2348-S143	7,100.00	New product
SUSE Linux ES BX900 Server+Virt 1J	SUSE Linux ES BX900 1Y, SUSE Linux Enterp. Server for BX900 Blade Chassis, unlimited virtualization, subscription for 1 year											x												S26361-F2348-S151	3,960.00	New product
SUSE Linux ES BX900 Server+Virt 3J	SUSE Linux ES BX900 3Y, SUSE Linux Enterp. Server for BX900 Blade Chassis, unlimited virtualization, subscription for 3 years											x												S26361-F2348-S152	10,700.00	New product



Blade Servers Options

Category	Description	Details	FibreCAT SX40	FC-Switch 8510 Port Blade(SUS)	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-16i Blade	FC-Switch FX6-24i Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX600 S2	PRIMERGY BX620 S3	PRIMERGY BX622 S2	PRIMERGY BX624 S2	PRIMERGY BX624 S3	PRIMERGY BX680 S1	PRIMERGY Connection Blades	PRIMERGY rBLADE BF20	PRIMERGY S305 S1	PRIMERGY S309 S1	PRIMERGY S309 S2	PRIMERGY S309 S1	PRIMERGY S309 S1	Product Code	EUP (€)	Comments	
PRIMERGY-Software (Continued)	Options matrix																											
	SUSE Linux ES BX900 Server+Virt 5J	SUSE Linux ES BX900 5Y, SUSE Linux Enterp. Server for BX900 Blade Chassis, unlimited virtualization, subscription for 5 years									x															S26361-F2348-S153	15,900.00	New product
	SUSE Linux ES4SAP 1-2 SOCK Server 1Y	SUSE Linux ES4SAP 1-2SOCK Server 1Y, 1-2 CPU Sockets, one physical server, subscription for 1 year								x			x	x	x	x	x									S26361-F2348-S401	1,280.00	New product
	SUSE Linux ES4SAP 1-2 SOCK Server 3Y	SUSE Linux ES4SAP 1-2SOCK Server 3Y, 1-2 CPU Sockets, one physical server, subscription for 3 years								x		x	x	x	x	x										S26361-F2348-S402	3,450.00	New product
	SUSE Linux ES4SAP 1-2 SOCK Server 5Y	SUSE Linux ES4SAP 1-2SOCK Server 5Y, 1-2 CPU Sockets, one physical server, subscription for 5 years								x		x	x	x	x	x										S26361-F2348-S403	5,200.00	New product
	SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 1Y	SUSE Linux ES4SAP 1-2SOCK Serv+Virt 1Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 1 year								x		x	x	x	x	x										S26361-F2348-S411	1,920.00	New product
	SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 3Y	SUSE Linux ES4SAP 1-2SOCK Serv+Virt 3Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 3 years								x		x	x	x	x	x										S26361-F2348-S412	5,200.00	New product
	SUSE Linux ES4SAP 1-2 SOCK Serv+Virt 5Y	SUSE Linux ES4SAP 1-2SOCK Serv+Virt 5Y, 1-2 CPU Sockets, unlimited virtualization, subscription for 5 years								x		x	x	x	x	x										S26361-F2348-S413	7,700.00	New product
	PRIMERGY DuplexDataManager 5.01	for Windows Server 2008 and 2003, CD-ROM and License.								x		x	x	x	x	x										S26361-F2565-L596	2,745.00	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn OEM	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition, English, OEM DVD, License.								x		x	x	x	x	x										S26361-F2567-E20	380.00	
	MS SysCtr Essnrls 2010 OEM	MS System Center Essentials 2010, English, OEM DVD, License.								x		x	x	x	x	x										S26361-F2567-E30	115.00	
	Win Svr 2008 R2 SP1 Datactr 4CPU OEM	Win Svr 2008 R2 SP1 Dtc (4 CPU) EN DE ES FR IT JA and worldwide language packs, OEM DVD, License.																							x	S26361-F2567-E333	5,932.00	
	Egenera PAN Builder for BX900	1) The PAN Builder software license authorizes the use of the base PAN Manager software platform as specified in the applicable end user documentation and is required for every PAN pNode to be provisioned and managed by PAN Manager software. A PAN Builder license is valid for use only on certified/authorized Fujitsu BX900 System configured for PAN Manager. 2) PAN Builder licenses are priced and licensed based on the number of processor sockets an authorized pNode for which the functionality is licensed may have, with license covering authorized pNodes with up to 2 processor sockets. A PAN Builder license is not issued for a specific authorized pNode unit, but rather authorizes the use of the licensed functionality on any one (1) authorized pNode that meets the applicable processor socket limitation at a time. 3) The PAN vmBuilder/Blade license is included as part of the PAN Builder License and authorizes the use of vmBuilder software for any pNode with a valid PAN Builder License. This license authorizes the user to partition a physical									x						x									S26361-F4583-S100	2,500.00	
	Egenera PAN Server Portability for BX900	1) The PAN Server Portability software license is an optional add-on product to the PAN Builder license. This license authorizes the use of PAN Manager software to automatically move a pServer from one pNode to another pNode within a single PAN environment and such other functionality as is described in the applicable end user documentation. A PAN environment is defined by the number of pNodes supported by a particular redundant pair of PAN Controllers in a Fujitsu BX900 System configured for PAN Manager. A PAN Server Portability license is valid for use only on certified/authorized Fujitsu BX900 System configured for PAN Manager. 2) PAN Server Portability licenses are priced and licensed based on the number of processor sockets an authorized pNode for which the functionality is licensed may have, with license covering authorized pNodes with up to 2 processor sockets. A PAN Server Portability license is not issued for a specific authorized pNode unit, but rather authorizes the use of the licensed									x							x								S26361-F4583-S110	2,000.00	
	Egenera PAN Portability for BX900	1) The PAN Portability software license is an optional add-on product to the PAN Builder license. This license authorizes the use of PAN Manager software to configure a backup hardware environment and such other functionality as is described in the applicable end user documentation. This capability allows a PAN environment at one geographic location to act as a disaster recovery facility for one or more PAN environment(s) at other locations. A PAN environment is defined by the number of pNodes supported by a particular redundant pair of PAN Controllers in a Fujitsu BX900 System configured for PAN Manager. A PAN Portability license is valid for use only on certified/authorized Fujitsu BX900 System configured for PAN Manager. 2) PAN Portability licenses are priced and licensed based on the number of processor sockets an authorized pNode for which the functionality is licensed may have, with license covering authorized pNodes with up to 2 processor sockets. A PAN Portability license is not									x							x								S26361-F4583-S120	3,000.00	
	VIOM License f. operation of one server,	VIOM License for operation of one server, Service Pack mandatory								x	x	x	x	x	x	x										U15000-C311	315.00	
	VIOM License for operation of 8 servers,	VIOM License for operation of 8 servers, Service Pack mandatory								x	x	x	x	x	x	x										U15000-C312	1,890.00	
	VIOM License f. operation of 18 servers,	VIOM License for operation of 18 servers, Service Pack mandatory								x	x	x	x	x	x	x										U15000-C313	3,795.00	
	Red Hat EL HPC 1-2SOCK Self-Support 1Y	Red Hat Enterprise Linux per HPC compute node up to 2-CPU Sockets Basic Support 1-Year											x	x	x	x										S26361-F2346-C851	57.00	
	PRIMERGY MultiPath MPIO 5.01	for Windows Server 2008 and 2003, CD-ROM and License.								x		x	x	x	x	x										S26361-F2565-E593	875.00	
	PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003, CD-ROM and License.								x		x	x	x	x	x										S26361-F2565-E595	875.00	
	Win Svr 2008 R2 SP1 Datactr 2CPU OEM	Win Svr 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs, OEM DVD, License.								x		x	x	x	x	x										S26361-F2567-E331	2,966.00	
	PCM Fujitsu Basic per node 1Y	Platform Cluster Manager Fujitsu Basic Edition per node (read and compute node) 5x3 levels support 1 year.										x	x	x	x											S26361-F2346-C951	157.00	



Blade Servers Options

Category	Description	Details	FibreCAT SX40	FC-Switch 8510 Port Blade(SU5)	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-16i Blade	FC-Switch FX8-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BLADE BX620 S6	PRIMERGY BX600 S1	PRIMERGY BX600 S2	PRIMERGY BX620 S3	PRIMERGY BX622 S2	PRIMERGY BX624 S2	PRIMERGY BX624 S3	PRIMERGY BX620 S1	PRIMERGY Connection Blades	PRIMERGY rBLADE BF20	PRIMERGY S3005 S1	PRIMERGY S3010 S1	PRIMERGY S3040 S1	PRIMERGY S3060 S1	PRIMERGY S3080 S1	Product Code	EUP (€)	Comments	
PRIMERGY-Software (Continued)																												
	Win Srv 2008 R2 SP1 Entpr w/10CAL OEM	Win Srv 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.								x	x	x	x	x	x	x										S26361-F2567-E321	1,885.00	
	PCM Fujitsu Basic Services 1Y	Platform Cluster Manager Fujitsu Basic Services entitlement per HPC configuration 1-Year.											x	x	x	x										S26361-F2346-S951	7.00	
	Win Srv 2008 R2 SP1 Standard w/5CAL OEM	Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.								x	x	x	x	x	x											S26361-F2567-E311	585.00	
	PCM Fujitsu Enterprise per node 1y	Platform Cluster Manager Fujitsu Enterprise Edition pro Knoten (Kapf- und Arbeitsknoten) 5x9 level3 Support 1 Jahr.											x	x	x	x										S26361-F2346-C961	466.00	
	Win SBS Standard 2011 w/5CAL OEM EN	Windows Small Business Server Standard 2011 with 5 CAL, OEM, English, DVD Media set, COA, License											x	x	x	x										S26361-F2567-E350	630.00	
	Win SBS Standard 2011 w/5CAL OEM DE	Windows Small Business Server Standard 2011 with 5 CAL, OEM, German, DVD Media set, COA, License											x	x	x	x										S26361-F2567-E351	630.00	
	Win SBS Standard 2011 w/5CAL OEM IT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Italian, DVD Media set, COA, License											x	x	x	x										S26361-F2567-E352	630.00	
	Win SBS Standard 2011 w/5CAL OEM FR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, French, DVD Media set, COA, License											x	x	x	x										S26361-F2567-E353	630.00	
	Win SBS Standard 2011 w/5CAL OEM ES	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Spanish, DVD Media set, COA, License											x	x	x	x										S26361-F2567-E354	630.00	
	Win SBS Standard 2011 w/5CAL OEM CS	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Czech, DVD Media set, COA, License											x	x	x	x										S26361-F2567-E355	630.00	
	Win SBS Standard 2011 w/5CAL OEM PT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Portuguese, DVD Media set, COA, License											x	x	x	x										S26361-F2567-E356	630.00	
	Win SBS Standard 2011 w/5CAL OEM NL	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Dutch, DVD Media set, COA, License											x	x	x	x										S26361-F2567-E357	630.00	
	Win SBS Standard 2011 w/5CAL OEM TR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Turkish, DVD Media set, COA, License											x	x	x	x										S26361-F2567-E358	630.00	
	Win SBS Standard 2011 w/5CAL OEM HU	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Hungarian, DVD Media set, COA, License											x	x	x	x										S26361-F2567-E359	630.00	
	Win SBS 2011 Prem Add-On w/5CAL OEM EN	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, English, DVD Media set, COA, License											x	x	x	x										S26361-F2567-E370	925.00	
	Win SBS 2011 Prem Add-On w/5CAL OEM DE	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, German, DVD Media set, COA, License											x	x	x	x										S26361-F2567-E371	925.00	
	Win SBS 2011 Prem Add-On w/5CAL OEM IT	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Italian, DVD Media set, COA, License											x	x	x	x										S26361-F2567-E372	925.00	
	Win SBS 2011 Prem Add-On w/5CAL OEM FR	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, French, DVD Media set, COA, License											x	x	x	x										S26361-F2567-E373	925.00	
	Win SBS 2011 Prem Add-On w/5CAL OEM ES	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Spanish, DVD Media set, COA, License											x	x	x	x										S26361-F2567-E374	925.00	
	PCM Fujitsu Enterprise Services 1y	Platform Cluster Manager Fujitsu Enterprise Services entitlement per HPC configuration 1 year.											x	x	x	x										S26361-F2346-S961	7.00	
	Win Srv 2008 R2 Datacenter 2CPU MULI OEM	Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.								x	x	x	x	x												S26361-F2567-E330	3,315.00	Phased out
	Win Srv 2008 R2 Enterprise 10CAL MUL OEM	Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.								x	x	x	x	x												S26361-F2567-E320	2,085.00	Phased out
	Win Srv 2008 R2 Standard 5CAL MULI OEM	Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.								x	x	x	x	x												S26361-F2567-E310	655.00	Phased out
	Win Srv 2008 R2 Standard 5CAL PRC OEM	Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) Simplified Chinese. OEM DVD, License.								x	x	x	x	x												S26361-F2567-E318	530.00	
	Win Web Srv 2008 R2 MULI OEM	Win Web Srv 2008 R2 1-4 CPU EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.								x	x	x	x	x												S26361-F2567-E302	305.00	
	Fujitsu BWA Infra. SW License Base 3.0	Fujitsu BWA infrastructure software V3.0 base license. Covers first 48 GB RAM and staging efforts											x													D:BWA-SW-001	3,400.00	
	Red Hat EL HPC 1-2SOC Self-Support 3Y	Red Hat Enterprise Linux per HPC compute node up to 2-CPU Sockets Basic Support 1-Year											x	x	x	x										S26361-F2346-C852	170.00	
	Win Svcs 2008 R2 SP1 Service Pack DVD	Service Pack 1 Supplement DVD for Windows Servers 2008 R2.								x	x	x	x	x	x											S26361-F2567-E391	25.00	
	PCM Fujitsu Basic per node 3Y	Platform Cluster Manager Fujitsu Basic Edition per node (head and compute node) 5x9 level3 support 3 years.											x	x	x	x										S26361-F2346-C952	470.00	
	Win Svcs 2008 R2 SP1 Language Pack DVD	Language Pack Supplement DVD with 34 worldwide language packs for Windows Servers 2008 R2 SP1.								x	x	x	x	x	x											S26361-F2567-E390	25.00	
	PCM Fujitsu Basic Services 3Y	Platform Cluster Manager Fujitsu Basic Services entitlement per HPC configuration 3 years.											x	x	x	x										S26361-F2346-S952	7.00	
	PCM Fujitsu Enterprise per node 3Y	Platform Cluster Manager Fujitsu Enterprise Edition per node (head and compute node) 5x9 level3 support 3 years.											x	x	x	x										S26361-F2346-C962	1,394.00	
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system								x	x	x	x	x												S26361-F2565-E328	25.00	Phased out
	PCM Fujitsu Enterprise Services 3Y	Platform Cluster Manager Fujitsu Enterprise Services entitlement per HPC configuration 3 years.											x	x	x	x										S26361-F2346-S962	7.00	
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system								x	x	x	x	x												S26361-F2565-E318	25.00	Phased out
	Fujitsu BWA Infra. SW License Ext. M 3.0	Fujitsu BWA infrastructure software V3.0 license extension package medium. Covers the range of 48 GB to 240 GB RAM in steps of 12 GB												x												D:BWA-SW-002	840.00	
	Win HPC Srv 2008 R2 Suite OEM	Win HPC Srv 2008 R2 Suite (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.											x	x	x	x										S26361-F2567-E360	750.00	
	Win Srv 2008 R2 HPC Edition MUL OEM	Win Srv 2008 R2 HPC Edition (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.											x	x	x											S26361-F2567-E361	375.00	
	Win HPC Pack 2008 R2 Express MUL OEM	Win HPC Pack 2008 R2 Express (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.											x	x	x											S26361-F2567-E362	25.00	



Blade Servers Options

Category	Description	Details	FibreCAT SX40	FC-Switch 8510 Port Blade(SUS)	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-16i Blade	FC-Switch FX6-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BLADE BX620 S6	PRIMERGY BX600 S1	PRIMERGY BX600 S2	PRIMERGY BX620 S3	PRIMERGY BX622 S2	PRIMERGY BX624 S2	PRIMERGY BX624 S3	PRIMERGY BX600 S1	PRIMERGY Connection Blades	PRIMERGY rBLADE BF120	PRIMERGY S3005 S1	PRIMERGY S3010 S1	PRIMERGY S3040 S1	PRIMERGY S3060 S1	PRIMERGY S3080 S1	Product Code	EUP (€)	Comments	
PRIMERGY-Software (Continued)																												
Win HPC Pack 2008 R2 Workstation MUL OEM	Win HPC Pack 2008 R2 Workstation OEM EN, JA, XT, OEM Recovery DVD Media Kit, COA, License.																									S26361-F2567-E363	110,00	
Win HPC Srv 2008 R2 Suite ACADEMIC USA	Win HPC Srv 2008 R2 Suite (1-4 CPU) ACADEMIC OEM for USA. Ships per Request for Special Release only. Only for Qualified Educational Users in the U.S., only for shipments to U.S.A. OEM Recovery DVD Media Kit, COA, License.																									S26361-F2567-E366	30,00	
Win HPC Srv 2008 R2 Suite ACADEMIC PRC	Win HPC Srv 2008 R2 Suite (1-4 CPU) ACADEMIC OEM for PRC. Ships per Request for Special Release only. Only for Qualified Educational Users in the PRC, only for shipments to PRC. OEM Recovery DVD Media Kit, COA, License.																									S26361-F2567-E368	30,00	
Fujitsu BWA Infra. SW License Ext. L 3.0	Fujitsu BWA infrastructure software V3.0 license extension package large. Covers all main memory beyond 240 GB in steps of 24 GB.																									D-BWA-SW-003	840,00	
FF-AN RTU for RX600 S5/S6	FF4SAP RTU																									U21348-C231	10.520,00	
FF RTU RX300 S6/7, BX620 S6, BX924 S2/3	FlexFrame ApplicationNode RTU for RX300 S5/S6, BX620 S5/S6 and BX920 S1/S2.																									U21348-C291	4.785,00	
FF-AN back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX600 S5 and BX960 S1 Application Node Management Software.																									U21348-C231-W1	2.982,42	
FF-AN back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software.																									U21348-C291-W1	1.357,00	
FF SAN RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame Application Node SAN connection (optional). This RTU has to be ordered for each AN (RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2), which is connected via SAN to the database																									U21348-C292	2.393,00	
FF-AN back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX600 S5 and BX960 S1 Application Node Management Software.																									U21348-C231-W3	8.521,20	
FF-AN Accounting RTU RX600	FF4SAP Accounting RTU																									U21348-C233	5.260,00	
FF-AN back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software.																									U21348-C291-W3	3.876,00	
FF Acnt RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame Application Node Accounting RTU for RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2.																									U21348-C293	2.393,00	
FF-AN SAN back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX600 S5 and BX960 S1 Application Node Management Software – SAN option.																									U21348-C232-W1	1.491,21	
FF-AN Messenger RTU RX600 and BX960	FF4SAP Messenger RTU																									U21348-C234	5.260,00	
FF-AN SAN back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software.																									U21348-C292-W1	678,00	
FF Msg RX300S5/S6, BX620S5, BX920S1/S2	FF4SAP Application Node Messenger Expert Right to use for RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2																									U21348-C294	2.393,00	
FF-AN SAN back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX600 S5 and BX960 S1 Application Node Management Software – SAN option.																									U21348-C232-W3	4.260,60	
FF-AN SAN back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – SAN option.																									U21348-C292-W3	1.938,00	
FF VMware vSphere ESXi 5.0 Standard	FlexFrame VMware vSphere ESXi 5.0 Standard RTU. This license includes the two necessary VMware vSphere ESXi 5.0 Standard licenses. A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)																									U21348-C494	1.892,00	
FF-AN Acc back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX600 S5 and BX960 S1 Application Node Management Software – Accounting option.																									U21348-C233-W1	1.491,21	
FF-AN Acc back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Accounting option.																									U21348-C293-W1	678,00	
FF VMware vSphere ESXi 5.0 Enterprise	FlexFrame VMware vSphere ESXi 5.0 Enterprise RTU. This license includes the two necessary VMware vSphere ESXi 5.0 Enterprise licenses. A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)																									U21348-C495	3.954,00	
FF-AN Acc back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX600 S5 and BX960 S1 Application Node Management Software – Accounting option.																									U21348-C233-W3	4.260,60	
FF-AN Acc back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Accounting option.																									U21348-C293-W3	1.938,00	
FF VMware vSphere ESXi 5.0 ENT PL	FlexFrame VMware vSphere ESXi 5.0 Enterprise Plus RTU. This license includes the two necessary VMware vSphere ESXi 5.0 Enterprise Plus licenses. A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)																									U21348-C496	4.637,00	
FF-AN Mes back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX600 S5 and BX960 S1 Application Node Management Software – Messenger Expert option.																									U21348-C234-W1	1.491,21	
FF-AN Mes back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Messenger Expert option.																									U21348-C294-W1	678,00	
FF-VMware Option	FlexFrame for SAP VMware option. This license is only orderable for customers outside EMEA. The necessary VMware vSphere licenses and support contracts have to be ordered via the local VMware contacts. These licenses can also be ordered, when the customer already has its own VMware vSphere licenses and support																									U21348-C490	800,00	



Blade Servers Options

Category	Description	Details	FibreCAT SX40	FC-Switch 8510 Port Blade(SUS)	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-161 Blade	FC-Switch FX6-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX600 S2	PRIMERGY BX620 S3	PRIMERGY BX622 S2	PRIMERGY BX624 S2	PRIMERGY BX624 S3	PRIMERGY BX680 S1	PRIMERGY Connection Blades	PRIMERGY rBLADE BF20	PRIMERGY S300 S1	PRIMERGY S300 S2	PRIMERGY S300 S3	PRIMERGY S300 S4	PRIMERGY S300 S5	PRIMERGY S300 S6	Product Code	EUP (€)	Comments		
PRIMERGY-Software (Continued)																														
	FF-AN Mes back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX600 S5 and BX960 S1 Application Node Management Software – Messenger Expert option.																										U21348-C234-W3	4.260,60	
	FF-AN Mes back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Messenger Expert option.								x		x	x	x	x													U21348-C294-W3	1.938,00	
	FF-AN VMware back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP VMware option for a RX600 S5 or BX960 S1 server.																										U21348-C430-W1	290,20	
	FF-AN VMware back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP VMware option for a RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 or BX924 S2 server.								x		x	x	x	x													U21348-C490-W1	132,00	
	SUSE Linux ES 32SOC 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1 year subscription.								x		x	x	x	x	x												S26361-F2346-E611	249,00	
	SUSE Linux ES 32SOC 3Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 3 years subscription.								x		x	x	x	x	x												S26361-F2346-E612	670,00	
	SUSE Linux E 11 HAE 32SOC 3Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 3 years subscription.								x		x	x	x	x	x												S26361-F2346-E622	1.350,00	
	SUSE Linux ES BX600 3Y	SUSE Linux Enterprise Server for x86, x86_64 BX600 System Unit 3 years subscription.								x																		S26361-F2346-E632	3.363,00	
	SUSE Linux ES BX900 3Y	SUSE Linux Enterprise Server for x86, x86_64 BX900 System Unit 3 years subscription.										x	x	x	x	x												S26361-F2346-E642	6.020,00	
	SUSE Linux ES BX400 3Y	SUSE Linux Enterprise Server for x86, x86_64 BX400 System Unit 3 years subscription.										x	x	x	x	x												S26361-F2346-E652	2.692,00	
	FF-AN VMware back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP VMware option for a RX600 S5 or BX960 S1 server.																										U21348-C430-W3	791,52	
	FF-AN VMware back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP VMware option for a RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 or BX924 S2 server.								x		x	x	x	x													U21348-C490-W3	360,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 1 year								x		x	x	x	x													S26361-F2346-S101	331,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 3 years								x		x	x	x	x													S26361-F2346-S102	889,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 1 year								x		x	x	x	x													S26361-F2346-S103	497,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 3 years								x		x	x	x	x													S26361-F2346-S104	1.334,00	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 1 year								x		x	x	x	x													S26361-F2346-S105	830,00	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 3 years								x		x	x	x	x													S26361-F2346-S106	2.224,00	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 1 year								x		x	x	x	x													S26361-F2346-S111	538,00	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 3 years								x		x	x	x	x													S26361-F2346-S112	1.445,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 1 year								x		x	x	x	x													S26361-F2346-S113	808,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 3 years								x		x	x	x	x													S26361-F2346-S114	2.169,00	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 1 year								x		x	x	x	x													S26361-F2346-S115	1.347,00	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 3 years								x		x	x	x	x													S26361-F2346-S116	3.615,00	
	Red Hat EL HA 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 1 year								x		x	x	x	x													S26361-F2346-S121	220,00	
	Red Hat EL HA 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 3 years								x		x	x	x	x													S26361-F2346-S122	607,00	
	Red Hat EL RS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 1 year								x		x	x	x	x													S26361-F2346-S131	441,00	
	Red Hat EL RS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 3 years								x		x	x	x	x													S26361-F2346-S132	1.215,00	
	Red Hat EL SFS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 1 year								x		x	x	x	x													S26361-F2346-S141	110,00	
	Red Hat EL SFS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 3 years								x		x	x	x	x													S26361-F2346-S142	303,00	
	Red Hat EL LB 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 1 year								x		x	x	x	x													S26361-F2346-S151	110,00	
	Red Hat EL LB 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 3 years								x		x	x	x	x													S26361-F2346-S152	303,00	
	Red Hat EL HPN 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 1 year								x		x	x	x	x													S26361-F2346-S161	110,00	
	Red Hat EL HPN 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 3 years								x		x	x	x	x													S26361-F2346-S162	303,00	
	Red Hat EL EUS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 1 year								x		x	x	x	x													S26361-F2346-S171	138,00	
	Red Hat EL EUS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 3 years								x		x	x	x	x													S26361-F2346-S172	380,00	
	Red Hat ELS 4SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Standard Support 1 year																										S26361-F2346-S201	663,00	
	Red Hat ELS 4SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Standard Support 3 years																										S26361-F2346-S202	1.778,00	
	Red Hat ELS 4SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Standard Support 1 year																										S26361-F2346-S203	994,00	
	Red Hat ELS 4SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Standard Support 3 years																										S26361-F2346-S204	2.668,00	
	Red Hat ELS 4SOC uG 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Standard Support 1 year																										S26361-F2346-S205	1.657,00	
	Red Hat ELS 4SOC uG 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Standard Support 3 years																										S26361-F2346-S206	4.449,00	
	Red Hat ELS 4SOC 1G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Premium Support 1 year																										S26361-F2346-S211	1.077,00	
	Red Hat ELS 4SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Premium Support 3 years																										S26361-F2346-S212	2.891,00	



Blade Servers Options

Category	Description	Details	FibreCAT SX40	FC-Switch 8510 Port Blade(SUB)	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-181 Blade	FC-Switch FX6-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX600 S2	PRIMERGY BX620 S3	PRIMERGY BX624 S2	PRIMERGY BX624 S3	PRIMERGY BX624 S1	PRIMERGY BX620 S1	PRIMERGY rBLADE BF120	PRIMERGY S305 S1	PRIMERGY S3010 S1	PRIMERGY S3040 S1	PRIMERGY S3060 S1	PRIMERGY S3080 S1	Product Code	EUP (€)	Comments				
PRIMERGY-Software (Continued)																														
	Red Hat ELS 4SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Premium Support 1 year																								S26361-F2346-S213	1.616,00			
	Red Hat ELS 4SOC 4G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Premium Support 3 years																									S26361-F2346-S214	4.338,00		
	Red Hat ELS 4SOC uG 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Premium Support 1 year																									S26361-F2346-S215	2.694,00		
	Red Hat ELS 4SOC uG 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Premium Support 3 years																									S26361-F2346-S216	7.231,00		
	Red Hat EL HA 4SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (4 sockets) I3 Support 1 year																									S26361-F2346-S221	441,00		
	Red Hat EL HA 4SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (4 sockets) I3 Support 3 years																									S26361-F2346-S222	1.214,00		
	Red Hat EL RS 4SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (4 sockets) I3 Support 1 year																									S26361-F2346-S231	883,00		
	Red Hat EL RS 4SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (4 sockets) I3 Support 3 years																									S26361-F2346-S232	2.430,00		
	Red Hat EL SFS 4SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (4 sockets) I3 Support 1 year																									S26361-F2346-S241	220,00		
	Red Hat EL SFS 4SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (4 sockets) I3 Support 3 years																									S26361-F2346-S242	605,00		
	Red Hat EL LB 4SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (4 sockets) I3 Support 1 year																									S26361-F2346-S251	220,00		
	Red Hat EL LB 4SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (4 sockets) I3 Support 3 years																									S26361-F2346-S252	605,00		
	Red Hat EL HPN 4SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (4 sockets) I3 Support 1 year																									S26361-F2346-S261	220,00		
	Red Hat EL HPN 4SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (4 sockets) I3 Support 3 years																									S26361-F2346-S262	605,00		
	Red Hat EL EUS 4SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (4 sockets) I3 Support 1 year																									S26361-F2346-S271	275,00		
	Red Hat EL EUS 4SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (4 sockets) I3 Support 3 years																									S26361-F2346-S272	757,00		
	Citrix XS AE, 3yr SA	Citrix XS AE, 3yr SA; XenServer V5.6+ Advanced Edition; License, 3 years Subscription Advantage, SW and License key per Download																									S26361-F2341-S980	1.050,00		
	Citrix XS EE, 3yr SA	Citrix XS EE, 3yr SA; XenServer V5.6+ Enterprise Edition; License, 3 years Subscription Advantage, SW and License key per Download																									S26361-F2341-S981	2.630,00		
	Citrix XS PE, 3yr SA	Citrix XS PE, 3yr SA; XenServer V5.6+ Platinum Edition; License, 3 years Subscription Advantage, SW and License key per Download																									S26361-F2341-S982	5.290,00		
	Citrix XS AE-EE upgr, 3yr SA	Citrix XS AE-EE upgr, 3yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 3 years Subscription Advantage; SW and License key per Download																									S26361-F2341-S983	2.000,00		
	Citrix XS AE-PE upgr, 3yr SA	Citrix XS AE-PE upgr, 3yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 3 years Subscription Advantage; SW and License key per Download																									S26361-F2341-S984	4.880,00		
	Citrix XS EE-PE upgr, 3yr SA	Citrix XS EE-PE upgr, 3yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 3 years Subscription Advantage; SW and License key per Download																									S26361-F2341-S985	3.540,00		
	Citrix XS AE, 1yr SA	Citrix XS AE, 1yr SA; XenServer V5.6+ Advanced Edition; License, 1 year Subscription Advantage, SW and License key per Download																									S26361-F2341-S986	830,00		
	Citrix XS EE, 1yr SA	Citrix XS EE, 1yr SA; XenServer V5.6+ Enterprise Edition; License, 1 year Subscription Advantage, SW and License key per Download																									S26361-F2341-S987	2.080,00		
	Citrix XS PE, 1yr SA	Citrix XS PE, 1yr SA; XenServer V5.6+ Platinum Edition; License, 1 year Subscription Advantage, SW and License key per Download																									S26361-F2341-S988	4.170,00		
	Citrix XS AE-EE upgr, 1yr SA	Citrix XS AE-EE upgr, 1yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 1 year Subscription Advantage; SW and License key per Download																									S26361-F2341-S989	1.460,00		
	Citrix XS AE-PE upgr, 1yr SA	Citrix XS AE-PE upgr, 1yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 1 year Subscription Advantage; SW and License key per Download																									S26361-F2341-S990	3.750,00		
	Citrix XS EE-PE upgr, 1yr SA	Citrix XS EE-PE upgr, 1yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 1 year Subscription Advantage; SW and License key per Download																									S26361-F2341-S991	2.420,00		
	VMware vSphere Embedded UFM Device	VMware vSphere Embedded UFM Device Embedded UFM Storage Device, inc. ESXi Single SRV Lic. (w/o SP)																									S26361-F2341-E431	60,00		
	VMware ESXi 5.0 Single SRV w/o SP-1yr	VMware ESXi 5 Single Server for 1 CPU (32GB vRAM/CPU) - Mandatory 1 year Service Pack needed!																									S26361-F2341-S700	10,00		
	VMware vSphere 5 Media Kit OEM	VMware vSphere 5 Media Kit OEM w/ ESX 4 vCenter 5; vShield Backup-Restore - VMware vSphere 4 Media Kit OEM w/ ESX 4 vCenter 4; vShield Backup-Restore - No License																										S26361-F2341-E300	80,00	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (32GB vRAM/CPU) - Mandatory 1 year Service Pack needed!																									S26361-F2341-E707	895,00		
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (32GB vRAM/CPU) - Mandatory 3 year Service Pack needed!																									S26361-F2341-E708	895,00		
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 1 year Service Pack needed!																									S26361-F2341-E709	2.585,00		
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 3 year Service Pack needed!																									S26361-F2341-E710	2.585,00		
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year Service Pack needed!																									S26361-F2341-E711	3.145,00		
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!																									S26361-F2341-E712	3.145,00		
	VMware STD AK(8CPU+VC-STD)/w/o SP-1yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!																									S26361-F2341-E730	8.995,00		
	VMware STD AK(8CPU+VC-STD)/w/o SP-3yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!																									S26361-F2341-E731	8.995,00		
	VMware ENT AK(6CPU+VC-STD)/w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!																									S26361-F2341-E732	15.750,00		



Blade Servers Options

Category	Description	Details	FibreCAT SX40	FC-Switch 8510 Port Blade(SU5)	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-16i Blade	FC-Switch FX6-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX600 S2	PRIMERGY BX620 S3	PRIMERGY BX622 S2	PRIMERGY BX624 S2	PRIMERGY BX624 S3	PRIMERGY BX680 S1	PRIMERGY Connection Blades	PRIMERGY rBLADE BF120	PRIMERGY S3005 S1	PRIMERGY S3010 S1	PRIMERGY S3040 S1	PRIMERGY S3060 S1	PRIMERGY S3090 S1	Product Code	EUP (€)	Comments		
PRIMERGY-Software (Continued)																													
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!								x		x	x	x	x	x	x									S26361-F2341-E733	15,750.00		
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!								x		x	x	x	x	x	x									S26361-F2341-E734	19,750.00		
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!								x		x	x	x	x	x	x									S26361-F2341-E735	19,750.00		
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 1 year Service Pack needed!								x		x	x	x	x	x	x									S26361-F2341-S736	4,495.00		
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 3 year Service Pack needed!								x		x	x	x	x	x	x									S26361-F2341-S737	4,495.00		
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 1 year Service Pack needed!								x		x	x	x	x	x	x									S26361-F2341-S738	1,345.00		
	VMware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 3 year Service Pack needed!								x		x	x	x	x	x	x									S26361-F2341-S739	1,345.00		
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Mandatory 1 year Service Pack needed!								x		x	x	x	x	x	x									S26361-F2341-E740	4,045.00		
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Mandatory 3 year Service Pack needed!								x		x	x	x	x	x	x									S26361-F2341-E741	4,045.00		
	VMware Essentials w/1yr Sub.-no Support	VMware Essentials for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Inc. 1 year VMware Sub. - no Support								x		x	x	x	x	x	x									S26361-F2341-S800	504.00		
	VMware Essentials w/3yr Sub.-no Support	VMware Essentials for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Inc. 3 year VMware Sub. - no Support								x		x	x	x	x	x	x									S26361-F2341-S801	600.00		
	VMware SRM STD 25 VM Pack w/7x24-1yr	VMware SRM STD 25 VM Pack Protects 25 VMs - Inc. 1 year VMware 7x24 Service+Sub.								x		x	x	x	x	x	x									S26361-F2341-S802	4,969.00		
	VMware SRM STD 25 VM Pack w/7x24-3yr	VMware SRM STD 25 VM Pack Protects 25 VMs - Inc. 3 year VMware 7x24 Service+Sub.								x		x	x	x	x	x	x									S26361-F2341-S803	6,510.00		
	VMware SRM STD 25 VM Pack w/5x9-1yr	VMware SRM STD 25 VM Pack Protects 25 VMs - Inc. 1 year VMware 5x9 Service+Sub.								x		x	x	x	x	x	x									S26361-F2341-S804	4,810.00		
	VMware SRM STD 25 VM Pack w/5x9-3yr	VMware SRM STD 25 VM Pack Protects 25 VMs - Inc. 3 year VMware 5x9 Service+Sub.								x		x	x	x	x	x	x									S26361-F2341-S805	6,104.00		
	VMware SRM ENT 25 VM Pack w/7x24-1yr	VMware SRM ENT 25 VM Pack Protects 25 VMs - Inc. 1 year VMware 7x24 Service+Sub.								x		x	x	x	x	x	x									S26361-F2341-S806	12,573.00		
	VMware SRM ENT 25 VM Pack w/7x24-3yr	VMware SRM ENT 25 VM Pack Protects 25 VMs - Inc. 3 year VMware 7x24 Service+Sub.								x		x	x	x	x	x	x									S26361-F2341-S807	16,483.00		
	VMware SRM ENT 25 VM Pack w/5x9-1yr	VMware SRM ENT 25 VM Pack Protects 25 VMs - Inc. 1 year VMware 5x9 Service+Sub.								x		x	x	x	x	x	x									S26361-F2341-S808	12,169.00		
	VMware SRM ENT 25 VM Pack w/5x9-3yr	VMware SRM ENT 25 VM Pack Protects 25 VMs - Inc. 3 year VMware 5x9 Service+Sub.								x		x	x	x	x	x	x									S26361-F2341-S809	15,454.00		
	VMware View ENT Start 10 CLI w/o SP-1yr	VMware View ENT Start 10 Desktop VMs Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!								x		x	x	x	x	x	x									S26361-F2341-S742	1,220.00		
	VMware View ENT Start 10 CLI w/o SP-3yr	VMware View ENT Start 10 Desktop VMs Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!								x		x	x	x	x	x	x									S26361-F2341-S743	1,220.00		
	VMware View ENT 100 CLI w/o SP-1yr	VMware View ENT 100 Desktop VMs Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!								x		x	x	x	x	x	x									S26361-F2341-S744	12,195.00		
	VMware View ENT 100 CLI w/o SP-3yr	VMware View ENT 100 Desktop VMs Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!								x		x	x	x	x	x	x									S26361-F2341-S745	12,195.00		
	VMware View ENT Add-On 10 CLI w/o SP-1yr	VMware View ENT Add-On 10 Desktop VMs - Extends existing vSphere License w/VDM - Mandatory 1 year Service Pack needed!								x		x	x	x	x	x	x									S26361-F2341-S748	730.00		
	VMware View ENT Add-On 10 CLI w/o SP-3yr	VMware View ENT Add-On 10 Desktop VMs - Extends existing vSphere License w/VDM - Mandatory 3 year Service Pack needed!								x		x	x	x	x	x	x									S26361-F2341-S749	730.00		
	VMware View PRE Start 10 CLI w/o SP-1yr	VMware View PRE Start 10 Desktop VMs Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!								x		x	x	x	x	x	x									S26361-F2341-S750	2,030.00		
	VMware View PRE Start 10 CLI w/o SP-3yr	VMware View PRE Start 10 Desktop VMs Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!								x		x	x	x	x	x	x									S26361-F2341-S751	2,030.00		
	VMware View PRE 100 CLI w/o SP-1yr	VMware View PRE 100 Desktop VMs Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!								x		x	x	x	x	x	x									S26361-F2341-S752	20,295.00		
	VMware View PRE 100 CLI w/o SP-3yr	VMware View PRE 100 Desktop VMs Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!								x		x	x	x	x	x	x									S26361-F2341-S753	20,295.00		
	VMware View PRE Add-On 10 CLI w/o SP-1yr	VMware View PRE Add-On 10 Desktop VMs - Extends existing VS4 Lic. w/VDM,COMP,TA - Mandatory 1 year Service Pack needed!								x		x	x	x	x	x	x									S26361-F2341-S756	1,540.00		
	VMware View PRE Add-On 10 CLI w/o SP-3yr	VMware View PRE Add-On 10 Desktop VMs - Extends existing VS4 Lic. w/VDM,COMP,TA - Mandatory 3 year Service Pack needed!								x		x	x	x	x	x	x									S26361-F2341-S757	1,540.00		
	VMware vCloud Dir. 25 VM Pack w/7x24-1yr	VMware vCloud Director 25 VM Pack Manage 25 VMs - Inc. 1 year VMware 7x24 Service+Sub.								x		x	x	x	x	x	x									S26361-F2341-S810	3,992.00		
	VMware vCloud Dir. 25 VM Pack w/7x24-3yr	VMware vCloud Director 25 VM Pack Manage 25 VMs - Inc. 3 year VMware 7x24 Service+Sub.								x		x	x	x	x	x	x									S26361-F2341-S811	5,299.00		
	VMware Chargeback 25 VM Pack w/7x24-1yr	VMware Chargeback 25 VM Pack Monitor 25 VMs - Inc. 1 year VMware 7x24 Service+Sub.								x		x	x	x	x	x	x									S26361-F2341-S812	1,275.00		
	VMware Chargeback 25 VM Pack w/7x24-3yr	VMware Chargeback 25 VM Pack Monitor 25 VMs - Inc. 3 year VMware 7x24 Service+Sub.								x		x	x	x	x	x	x									S26361-F2341-S813	1,694.00		
	VMware vCloud Dir. 25 VM Pack w/5x9-1yr	VMware vCloud Director 25 VM Pack Manage 25 VMs - Inc. 1 year VMware 5x9 Service+Sub.								x		x	x	x	x	x	x									S26361-F2341-S814	3,865.00		
	VMware vCloud Dir. 25 VM Pack w/5x9-3yr	VMware vCloud Director 25 VM Pack Manage 25 VMs - Inc. 3 year VMware 5x9 Service+Sub.								x		x	x	x	x	x	x									S26361-F2341-S815	4,963.00		
	VMware Chargeback 25 VM Pack w/5x9-1yr	VMware Chargeback 25 VM Pack Monitor 25 VMs - Inc. 1 year VMware 5x9 Service+Sub.								x		x	x	x	x	x	x									S26361-F2341-S816	1,234.00		
	VMware Chargeback 25 VM Pack w/5x9-3yr	VMware Chargeback 25 VM Pack Monitor 25 VMs - Inc. 3 year VMware 5x9 Service+Sub.								x		x	x	x	x	x	x									S26361-F2341-S817	1,586.00		
OS/Application-SW																													
	SUSE Linux ES BF200 3Y	SUSE Linux Enterprise Server for all platforms BF200 System Unit 3-Years subscription																								x	U15045-C162-B	2,586.00	Phased out
	SUSE Linux ES BF400 3Y	SUSE Linux Enterprise Server for all platforms BF400 System Unit 3-Years subscription																								x	U15045-C172-B	10,340.00	Phased out
UPS/Power supply																													



Blade Servers Options

Category	Description	Details	FibreCAT SX40	FC-Switch 8510 Port Blade(SUS)	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-16i Blade	FC-Switch FX6-24i Blade	FC-Switch Port Blade BRCD Servr	PRIMERGY BLADE BX620 B6	PRIMERGY BX400 S1	PRIMERGY BX600 S2	PRIMERGY BX620 S3	PRIMERGY BX622 S2	PRIMERGY BX624 S2	PRIMERGY BX624 S3	PRIMERGY BX630 S1	PRIMERGY Connection Blades	PRIMERGY rBLADE BF20	PRIMERGY S305 S1	PRIMERGY S305 S2	PRIMERGY S305 S3	PRIMERGY S309 S1	PRIMERGY S309 S2	PRIMERGY S309 S3	Product Code	EUP (€)	Comments		
UPS/Power supply (Continued)																														
	PY BX400 PSU (1600W/1100W) w/o powercord	PY BX400 Power Supply (1600 W/1100 W) without power cable																									S26113-F607-E201	495,00		
	PY BX900 Rear Fan Unit	BX900 Rear Fan Unit with 4 Fans																									S26361-F3962-E100	285,00		
	PY BX400 Fan Unit	BX400 Fan Unit with 2 Fans																									S26361-F4474-E100	155,00		
	BX900 PSU 2.880W silver w/o power cord	BX900 Power supply 100-240V AC, w/o power cord																									S26113-F606-E290	675,00		
	BX900 PSU 2.880W platinum ho w/o power cord	BX900 Power Supply 2.880W platinum ho Power cord with connector IEC320 C20 ->plug IEC320 C20 for connection to UPS (connector 16A IEC320 C19)																									S26113-F606-E300	860,00		
	Power Cord 16A IEC320 C19->C20	Power cord with connector IEC320 C20 ->plug IEC320 C20 for connection to UPS (connector 16A IEC320 C19)																									S26361-F3151-E301	30,00		
	Power Cord 16A IEC320 C19->C20 1 m	Power cord 16A IEC320 C20 -> IEC320 C19 length 1 meter																									S26361-F3151-E10	30,00		
	Power Cord IEC320 C19 -> IEC 320 C14	Power cord with connector IEC320 C19 ->plug IEC320 C14 for connection to UPS or socket outlet (connector 16A IEC320 C19)																									S26361-F3151-E351	10,00		
	Cable powercord rack, 4m, grey	Powercord for rackmounting, IEC 320 C14 -> C13 (10A plug), 4m																									T26139-Y1968-E100	10,00		
	Cable powercord (USA), 1.8m, grey	Power cord with connector IEC320 C19 ->plug IEC320 C14 for connection to UPS or socket outlet (connector 16A IEC320 C19)																									T26139-Y1742-E10	10,00		
	Power cord IEC320 C19 -> IEC320 C14	Power cord with connector IEC320 C19 ->plug IEC320 C14 for connection to UPS or socket outlet (connector 16A IEC320 C19)																									S26361-F3151-E350	10,00		
	No powercord as order option	For Countries without specific cable orderable like e.g. China																									T26139-Y3850-E10	2,00		
	Power cord 16A IEC320 C19->C20	with connector IEC320 C20 ->plug IEC320 C20 for connection to UPS (connector 16A IEC320 C19)																									S26361-F3151-E300	30,00		
	Power cord 16A IEC320 C19->CEE 7/7	with connector IEC320 C19->CEE 7/7 (Schuko)																									S26361-F3151-E100	30,00		
	Power cord 16A IEC320 C19->16A CEE Blue	with connector IEC320 C20 -> 16A CEE (IEC309, blue), length 3.5m																									S26361-F3151-E200	30,00		
	Power cord IEC320 C19 -> US NEMA L6-20p	with connector IEC320 C20 -> US NEMA L6-20p																									S26361-F3151-E500	60,00		
Miscellaneous																														
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order	x																									S26361-F1647-E410	25,00	
	TPM Module	Trusted Platform Module on motherboard, be aware of import restrictions!																									S26361-F3552-E1	50,00		
	TPM Module for BX960	Trusted Platform Module on motherboard, be aware of import restrictions!																									S26361-F3552-E2	50,00		
FC/IP-Infrastructure																														
	S/W, 10 Gigabit Ethernet 1Y Maintenance	S/W, 10 Gigabit Ethernet 1 year Maintenance, Brocade number: BR-DCX10GE-01-M																										B-BR-DCX10GE-01-M	16.543,00	
	S/W, 10 Gigabit Ethernet 2Y Maintenance	S/W, 10 Gigabit Ethernet 2 years Maintenance, Brocade number: BR-DCX10GE-01-M-2																										B-BR-DCX10GE-02-M	17.412,00	
	S/W, 10 Gigabit Ethernet 3Y Maintenance	S/W, 10 Gigabit Ethernet 3 years Maintenance, Brocade number: BR-DCX10GE-01-M-3																										B-BR-DCX10GE-03-M	18.232,00	
	S/W, 10 Gigabit Ethernet 4Y Maintenance	S/W, 10 Gigabit Ethernet 4 years Maintenance, Brocade number: BR-DCX10GE-01-M-4																										B-BR-DCX10GE-04-M	19.117,00	
	S/W, 10 Gigabit Ethernet 5Y Maintenance	S/W, 10 Gigabit Ethernet 5Y Maintenance, Brocade number: BR-DCX10GE-01-M-5																										B-BR-DCX10GE-05-M	20.002,00	
	S/W,Advanced Extension 1Y Maintenance	S/W license Advanced Extension, enables FCIP Trunking, , 1 year SUP included, Brocade number BR-DCXAEX-01-M																										B-BR-DCXAEX-01-M	7.316,00	
	S/W,Advanced Extension 2Y Maintenance	S/W license Advanced Extension, enables FCIP Trunking, , 2 years SUP included, Brocade number BR-DCXAEX-01-M-2																										B-BR-DCXAEX-02-M	8.441,00	
	S/W,Advanced Extension 3Y Maintenance	S/W license Advanced Extension, enables FCIP Trunking, , 3 years SUP included, Brocade number BR-DCXAEX-01-M-3																										B-BR-DCXAEX-03-M	9.504,00	
	S/W,Advanced Extension 4Y Maintenance	S/W license Advanced Extension, enables FCIP Trunking, , 4 years SUP included, Brocade number BR-DCXAEX-01-M-4																										B-BR-DCXAEX-04-M	10.651,00	
	S/W,Advanced Extension 5Y Maintenance	S/W license Advanced Extension, enables FCIP Trunking, , 5 years SUP included, Brocade number: BR-DCXAEX-01-M-5																										B-BR-DCXAEX-05-M	11.798,00	
	S/W, Advanced Accelerator for FICON 1Y M	S/W, Advanced Accelerator for FICON 1 year Maintenance, Brocade Number: BR-DCXAFI-01-M																										B-BR-DCXAFI-01-M	27.142,00	
	S/W, Advanced Accelerator for FICON 2Y M	S/W, Advanced Accelerator for FICON 2 years Maintenance, Brocade Number: BR-DCXAFI-01-M-2																										B-BR-DCXAFI-02-M	31.321,00	
	S/W, Advanced Accelerator for FICON 3Y M	S/W, Advanced Accelerator for FICON 3 years Maintenance, Brocade Number: BR-DCXAFI-01-M-3																										B-BR-DCXAFI-03-M	35.267,00	
	S/W, Advanced Accelerator for FICON 4Y M	S/W, Advanced Accelerator for FICON 4 years Maintenance, Brocade Number: BR-DCXAFI-01-M-4																										B-BR-DCXAFI-04-M	39.522,00	
	S/W, Advanced Accelerator for FICON 5Y M	S/W, Advanced Accelerator for FICON 5 years Maintenance, Brocade number: BR-DCXAFI-01-M-5																										B-BR-DCXAFI-05-M	43.776,00	
	Integrated Routing (Inkl.-M), SUS 1 Year	Integrated Routing, 1 year Maintenance, Brocade number: BR-DCXIR-01-M																										B-BR-DCXIR-01-M	21.920,00	
	Integrated Routing (Inkl.-M), SUS 2years	Integrated Routing, 2 years Maintenance, Brocade number: BR-DCXIR-02-M																										B-BR-DCXIR-02-M	22.950,00	
	Integrated Routing (Inkl.-M), SUS 3years	Integrated Routing, 3 years Maintenance, Brocade number: BR-DCXIR-03-M																										B-BR-DCXIR-03-M	23.922,00	
	Integrated Routing (Inkl.-M), SUS 4years	Integrated Routing, 4 year Maintenance, Brocade number: BR-DCXIR-04-M																										B-BR-DCXIR-04-M	24.969,00	
	Integrated Routing (Inkl.-M), SUS 5years	Integrated Routing 5 years Maintenance, Brocade number: BR-DCXIR-01-M-5																										B-BR-DCXIR-05-M	26.018,00	
	FS8-18 Upgd(adv.crypt0 f.disk,1DCX chas)	FS8-18 Upgrade (adv.crypt0 f.disk, 1x per DCX chassis), Brocade number: BR-ENCPRF48-01																										B-BR-ENCPRF48-01	72.141,00	
	Sup&4 hr advance HW replacem.parts only	Remote support & 4 hr advance HW replacement (parts only). Only the first order possible! Brocade SVS-4P																										B-MAINT-SVS-4P	#####	
	BR SFP, LWL (SMF), 8GB/s 10Km, 1-Pack	1xSFP Single Mode Fibre, 8 GB/s, 10km, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000153 branded SFP)																										B-XBR-000153-M	1.394,00	Deliverable from: 01/06/2012,Orderable from: 01/06/2012
	BR Mini-SFP,SWL(MMF)8GB/s50m,100m,1-Pack	1x Mini-SFP+ Multi Mode Fibre, 8 GB/s, 50 / 100 m, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000160 branded SFP)																										B-XBR-000160-M	199,00	Deliverable from: 01/06/2012,Orderable from: 01/06/2012
	BR SFP, SWL(MMF), 8GB/s 50m,100m, 1-Pack	1x SFP+ Multi Mode Fibre, 8 GB/s, 50 / 100 m, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000163 branded SFP)																										B-XBR-000163-M	98,00	Deliverable from: 01/06/2012,Orderable from: 01/06/2012
	BR SFP, SWL(MMF), 8GB/s 50m,100m, 8-Pack	8x SFP+ Multi Mode Fibre, 8 GB/s, 50 / 100 m, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000164 branded SFP)																										B-XBR-000164-M	721,00	Deliverable from: 01/06/2012,Orderable from: 01/06/2012
	BR SFP, LWL (SMF), 8GB/s 10Km, 8-Pack	8x SFP+ Multi Mode Fibre, 8 GB/s, 50 / 10 km, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000172 branded SFP)																										B-XBR-000172-M	7.610,00	Deliverable from: 01/06/2012,Orderable from: 01/06/2012
	BR SFP+.SWL (MMF),16GB/s 50m,100m,1-Pack	1x SFP+.Sort Wave Lenghs,16GB/s, (Brocade XBR-000192 branded SFP)																										B-XBR-000192-M	461,00	Deliverable from: 01/06/2012,Orderable from: 01/06/2012
	BR SFP+.SWL (MMF),16GB/s 50m,100m,8-Pack	FRU SFP+.SWL,16G,8-PK,BR, (Brocade XBR-000193 branded SFP)																										B-XBR-000193-M	3.108,00	Deliverable from: 01/06/2012,Orderable from: 01/06/2012
	BR SFP, LWL (SMF), 16GB/s 10Km, 1-Pack	FRU SFP+.LWL,16G,10KM,1-PK,BR, (Brocade XBR-000198 branded SFP)																										B-XBR-000198-M	1.968,00	Deliverable from: 01/06/2012,Orderable from: 01/06/2012



Blade Servers Options

Category	Description	Details	FibreCAT SX40	FC-Switch 8510 Port Blade(SU5)	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-161 Blade	FC-Switch FR4-24 Blade	FC-Switch Port Blade BRCD Seriv	PRIMERGY BLADE BX620 S6	PRIMERGY BX600 S1	PRIMERGY BX600 S2	PRIMERGY BX620 S3	PRIMERGY BX624 S2	PRIMERGY BX624 S3	PRIMERGY BX600 S1	PRIMERGY rBLADE BFD20	PRIMERGY S3005 S1	PRIMERGY S3010 S1	PRIMERGY S3040 S1	PRIMERGY S3060 S1	PRIMERGY S3080 S1	Product Code	EUP (€)	Comments	
Options matrix																										
FC/IP-Infrastructure (Continued)																										
BR SFP, LWL (SMF), 16GB/s 10Km, 8-Pack	FRU SFP+LWL,16G,10KM,8-PK,BR, (Brocade XBR-000199 branded SFP)																							B-XBR-000199-M	13,502.00	Deliverable from: 01/06/2012,Orderable from: 01/06/2012
Brocade FRU, SFP+LWL,10GFC,10KM,1PK, BR	FRU, SFP+,LWL,10GFC,10KM,1-PK, BR, (Brocade XBR-000217 branded SFP)																							B-XBR-000217-M	1,183.00	Deliverable from: 01/06/2012,Orderable from: 01/06/2012
Brocade FRU, SFP+,SWL,10GFC,10KM,1PK, BR	FRU, SFP+,SWL,10GFC,1-PK, BR, (Brocade XBR-000218 branded SFP)																							B-XBR-000218-M	382.00	Deliverable from: 01/06/2012,Orderable from: 01/06/2012
10GBASE-CU SFP+ Cable 1 Meter	Cable with 2 integrated 10 GBE transceiver modules																							CIO-SFP-H10GB-CU1M	153.00	
BR SFP, SWL (MMF), 4GB/s 150m, 1-Pack	1x SFP Multi Mode Fibre, 4 GB/s 150 m, (depending on used fibre cable type OM2 / OM3), (Brocade branded SFP)																							D-FCSFP-B-MM4G	100.00	
BR SFP SWL (SMF) 4 GB/s 4 km, 1-Pack	1xSFP Single Mode Fibre, 4 GB/s, 4km, (depending on used fibre cable type OM2 / OM3), (Brocade branded SFP)																							D-FCSFP-B-SM4-04	460.00	
BR SFP, LWL (SMF), 4GB/s 10Km, 1-Pack	1xSFP Single Mode Fibre, 4 GB/s, 10 km, (depending on used fibre cable type OM2 / OM3), (Brocade branded SFP)																							D-FCSFP-B-SM4-10	826.00	
BR SFP SWL (SMF), 4 GB/s 30 km, 1-Pack	1xSFP Single Mode Fibre, 4 GB/s, 30km, (depending on used fibre cable type OM2 / OM3), (Brocade branded SFP)																							D-FCSFP-B-SM4-30	1,530.00	
1 GBE Cooper SFP (for IP)	1 GBE Copper SFP																							D-FCSFP-COP-1GBE	481.00	
SFP Single Mode Fibre, 4 GB/s, 30 km	SFP Single Mode Fibre, 4 GB/s, 30 km, Not usable for 8 GB/s Switches!																							D-FCSFP-SM4G-30	1,831.00	Phased out
PY RX900 Management Blade S1	Redundant Management Blade																							S2R361F3962-F500	790.00	
BR SFP, SWL(MMF), 8GB/s 50m,100m, 1-Pack	1x SFP+ Multi Mode Fibre, 8 GB/s, 50 / 100 m, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000163 branded SFP)																							B-XBR-000163	98.00	
BR SFP, SWL(MMF), 8GB/s 50m,100m, 8-Pack	8x SFP+ Multi Mode Fibre, 8 GB/s, 50 / 100 m, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000164 branded SFP)																							B-XBR-000164	721.00	
BR SFP, LWL (SMF), 8GB/s 10Km, 1-Pack	1xSFP Single Mode Fibre, 8 GB/s, 10km, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000153 branded SFP)																							B-XBR-000153	1,394.00	
BR SFP, LWL (SMF), 8GB/s 10Km, 8-Pack	8x SFP+ Multi Mode Fibre, 8 GB/s, 50 / 10 km, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000172 branded SFP)																							B-XBR-000172	7,610.00	
BR SFP, LWL (SMF), 8GB/s 25Km, 1-Pack	1xSFP Single Mode Fibre, 8 GB/s, 25km, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000174 branded SFP)																							B-XBR-000174	4,072.00	
BR Mini-SFP,SWL(MMF)8GB/s50m,100m,1-Pack	1x Mini-SFP+ Multi Mode Fibre, 8 GB/s, 50 / 100 m, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000160 branded SFP)																							B-XBR-000160	199.00	
BR SFP, SWL (MMF), 4GB/s 150m, 1-Pack	1x SFP Multi Mode Fibre, 4 GB/s 150 m, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000139 branded SFP)																							B-XBR-000139	122.00	
BR SFP, LWL (SMF), 4GB/s 4Km, 1-Pack	1xSFP Single Mode Fibre, 4 GB/s, 4km, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000142 branded SFP)																							B-XBR-000142	640.00	
BR SFP, LWL (SMF), 4GB/s 10Km, 1-Pack	1xSFP Single Mode Fibre, 4 GB/s, 10 km, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000144 branded SFP)																							B-XBR-000144	1,169.00	
BR SFP, SWL (MMF), 4GB/s 150m, 8-Pack	8x SFP Multi Mode Fibre, 4 GB/s 150 m, (depending on used fibre cable type OM2 / OM3), (Brocade XSM-000141 branded SFP)																							B-XSM-000141	411.00	
BR SFP, LWL (SMF), 4GB/s 4Km, 8-Pack	8xSFP Single Mode Fibre, 4 GB/s, 4km, (depending on used fibre cable type OM2 / OM3), (Brocade XSM-000143 branded SFP)																							B-XSM-000143	3,336.00	
Brocade FRU, SFP, LWL, 4G, 30km	1xSFP Single Mode Fibre, 4 GB/s, 30km, (depending on used fibre cable type OM2 / OM3), (Brocade XSM-000146 branded SFP)																							B-XSM-000146	1,688.00	
BR SFP, LWL (SMF), 4GB/s 10Km, 8-Pack	8x SFP+ Multi Mode Fibre, 4 GB/s, 50 / 10 km, (depending on used fibre cable type OM2 / OM3), (Brocade XSM-000157 branded SFP)																							B-XSM-000157	6,077.00	
Brocade SFP+, SR, 10GE, 1-PK, BR	1x SFP+ Multi Mode Fibre, SR, 10 GE, 50 / 100 m, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000180 branded SFP)																							B-XBR-000180	534.00	
Brocade SFP+, SR, 10GE, 8-PK, BR	SFP+, SR, 10GE, 8-PK, BR, (Brocade XBR-000181 branded SFP)																							B-XBR-000181	2,985.00	
Brocade SFP+, LR, 10GE, 1-PK, BR	SFP+, LR, 10GE, 1-PK, BR, (Brocade XBR-000182 branded SFP)																							B-XBR-000182	1,438.00	
Brocade SFP+, LR, 10GE, 8-PK, BR	SFP+, LR, 10GE, 8-PK, BR, (Brocade XBR-000181 branded SFP)																							B-XBR-000183	10,494.00	
Brocade FRU, SFP+LWL,10GFC,10KM,1PK, BR	FRU, SFP+,LWL,10GFC,10KM,1-PK, BR, (Brocade XBR-000217 branded SFP)																							B-XBR-000217	1,183.00	
Brocade FRU, SFP+,SWL,10GFC,10KM,1PK, BR	FRU, SFP+,SWL,10GFC,1-PK, BR, (Brocade XBR-000218 branded SFP)																							B-XBR-000218	382.00	
Brocade SFP, 1GE COPPER, 1-PK, ROHS	1x SFP+ Multi Mode Fibre, 1 GE, 50 / 100 m, (Brocade XBR-000190 branded SFP)																							B-XBR-000190	338.00	
BR SFP+SWL (MMF),16GB/s 50m,100m,1-Pack	1x SFP+, Sort Wave Lengths, 16GB/s, (Brocade XBR-000192 branded SFP)																							B-XBR-000192	461.00	
BR SFP+SWL (MMF),16GB/s 50m,100m,8-Pack	FRU,SFP+,SWL,16G,8-PK,BR, (Brocade XBR-000193 branded SFP)																							B-XBR-000193	3,108.00	
BR SFP, LWL (SMF), 16GB/s 10Km, 1-Pack	FRU,SFP+LWL,16G,10KM,1-PK,BR, (Brocade XBR-000198 branded SFP)																							B-XBR-000198	1,968.00	
BR SFP, LWL (SMF), 16GB/s 10Km, 8-Pack	FRU,SFP+LWL,16G,10KM,8-PK,BR, (Brocade XBR-000199 branded SFP)																							B-XBR-000199	13,502.00	
Cables																										
Direct Attached SFP+ Copper, 1m, 1-Pack	Brocade direct Attached cable SFP+, Copper, 1m, 1x, (Brocade XBR-TWX-0101 branded SFP)																							B-XBR-TWX-0101	128.00	
Direct Attached SFP+ Copper, 3m, 1-Pack	Brocade direct Attached cable SFP+, Copper, 3m, 1x, (Brocade XBR-TWX-0301 branded SFP)																							B-XBR-TWX-0301	159.00	
Direct Attached SFP+ Copper, 5m, 1-Pack	Brocade direct Attached cable SFP+, Copper, 5m, 1x, (Brocade XBR-TWX-0501 branded SFP)																							B-XBR-TWX-0501	208.00	
SFP+ active Twinax cable BRCD 5m	Brocade branded active Twinax copper cable 10GBE, 5m, SFP+ plugs at both sides.																							EBR800-TWX-5M	160.00	
SW Data Center Products																										
Citrix XD VDI, 10 U/D, 3yr SA	Citrix XD VDI, 10 U/D, 3yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download																							S26361-F2341-E913	1,040.00	
Citrix XD VDI, 50 U/D, 3yr SA	Citrix XD VDI, 50 U/D, 3yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download																							S26361-F2341-E914	5,210.00	
Citrix XD VDI, 100 U/D, 3yr SA	Citrix XD VDI, 100 U/D, 3yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download																							S26361-F2341-E915	10,420.00	
Citrix XD EE, 10 U/D, 3yr SA	Citrix XD EE, 10 U/D, 3yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download																							S26361-F2341-E923	2,460.00	
Citrix XD EE, 50 U/D, 3yr SA	Citrix XD EE, 50 U/D, 3yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download																							S26361-F2341-E924	12,290.00	



Blade Servers Options

Category	Description	Details	FibreCAT SX40	FC-Switch 8510 Port Blade(SUS)	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-1R1 Blade	FC-Switch FX8-2R1 Blade	FC-Switch Port Blade BRCD Servr	PRIMERGY BLADE BX620 B6	PRIMERGY BX400 S1	PRIMERGY BX600 S2	PRIMERGY BX620 S3	PRIMERGY BX622 S2	PRIMERGY BX624 S2	PRIMERGY BX624 S3	PRIMERGY BX626 S1	PRIMERGY Connection Blades	PRIMERGY rBLADE BFD20	PRIMERGY S3005 S1	PRIMERGY S3010 S1	PRIMERGY S3040 S1	PRIMERGY S3060 S1	PRIMERGY S3080 S1	Product Code	EUP (€)	Comments	
SW Data Center Products (Continued)	Citrix XD EE, 100 U/D, 3yr SA	Citrix XD EE, 100 U/D, 3yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download								x	x	x	x	x	x	x										S26361-F2341-E925	24,580.00	
	Citrix XD PE, 10 U/D, 3yr SA	Citrix XD PE, 10 U/D, 3yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download								x	x	x	x	x	x	x										S26361-F2341-E933	3,750.00	
	Citrix XD PE, 50 U/D, 3yr SA	Citrix XD PE, 50 U/D, 3yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download								x	x	x	x	x	x	x										S26361-F2341-E934	18,750.00	
	Citrix XD PE, 100 U/D, 3yr SA	Citrix XD PE, 100 U/D, 3yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download								x	x	x	x	x	x	x										S26361-F2341-E935	37,500.00	
	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download								x	x	x	x	x	x	x										S26361-F2341-E960	2,170.00	
	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download								x	x	x	x	x	x	x										S26361-F2341-E961	10,830.00	
	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download								x	x	x	x	x	x	x										S26361-F2341-E962	21,670.00	
	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download								x	x	x	x	x	x	x										S26361-F2341-E963	3,460.00	
	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download								x	x	x	x	x	x	x										S26361-F2341-E964	17,290.00	
	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download								x	x	x	x	x	x	x										S26361-F2341-E965	34,580.00	
	Citrix XD EE-PE upgr, 10 U/D, 3yr SA	Citrix XD EE-PE upgr, 10 U/D, 3yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download								x	x	x	x	x	x	x										S26361-F2341-E966	2,210.00	
	Citrix XD EE-PE upgr, 50 U/D, 3yr SA	Citrix XD EE-PE upgr, 50 U/D, 3yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download								x	x	x	x	x	x	x										S26361-F2341-E967	11,040.00	
	Citrix XD EE-PE upgr, 100 U/D, 3yr SA	Citrix XD EE-PE upgr, 100 U/D, 3yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download								x	x	x	x	x	x	x										S26361-F2341-E968	22,080.00	
	Citrix XD VDI, 10 U/D, 1yr SA	Citrix XD VDI, 10 U/D, 1yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download								x	x	x	x	x	x	x										S26361-F2341-S913	790.00	
	Citrix XD VDI, 50 U/D, 1yr SA	Citrix XD VDI, 50 U/D, 1yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download								x	x	x	x	x	x	x										S26361-F2341-S914	3,960.00	
	Citrix XD VDI, 100 U/D, 1yr SA	Citrix XD VDI, 100 U/D, 1yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download								x	x	x	x	x	x	x										S26361-F2341-S915	7,920.00	
	Citrix XD EE, 10 U/D, 1yr SA	Citrix XD EE, 10 U/D, 1yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download								x	x	x	x	x	x	x										S26361-F2341-S923	1,880.00	
	Citrix XD EE, 50 U/D, 1yr SA	Citrix XD EE, 50 U/D, 1yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download								x	x	x	x	x	x	x										S26361-F2341-S924	9,380.00	
	Citrix XD EE, 100 U/D, 1yr SA	Citrix XD EE, 100 U/D, 1yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download								x	x	x	x	x	x	x										S26361-F2341-S925	18,750.00	
	Citrix XD PE, 10 U/D, 1yr SA	Citrix XD PE, 10 U/D, 1yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download								x	x	x	x	x	x	x										S26361-F2341-S933	2,920.00	
	Citrix XD PE, 50 U/D, 1yr SA	Citrix XD PE, 50 U/D, 1yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download								x	x	x	x	x	x	x										S26361-F2341-S934	14,580.00	
	Citrix XD PE, 100 U/D, 1yr SA	Citrix XD PE, 100 U/D, 1yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download								x	x	x	x	x	x	x										S26361-F2341-S935	29,170.00	
	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download								x	x	x	x	x	x	x										S26361-F2341-S960	1,580.00	
	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download								x	x	x	x	x	x	x										S26361-F2341-S961	7,920.00	
	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download								x	x	x	x	x	x	x										S26361-F2341-S962	15,830.00	
	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download								x	x	x	x	x	x	x										S26361-F2341-S963	2,630.00	
	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download								x	x	x	x	x	x	x										S26361-F2341-S964	13,130.00	
	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download								x	x	x	x	x	x	x										S26361-F2341-S965	26,250.00	
	Citrix XD EE-PE upgr, 10 U/D, 1yr SA	Citrix XD EE-PE upgr, 10 U/D, 1yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download								x	x	x	x	x	x	x										S26361-F2341-S966	1,380.00	
	Citrix XD EE-PE upgr, 50 U/D, 1yr SA	Citrix XD EE-PE upgr, 50 U/D, 1yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download								x	x	x	x	x	x	x										S26361-F2341-S967	6,880.00	



Blade Servers Options

Category	Description	Details	FibreCAT SX40	FC-Switch 8510 Port Blade(SUB)	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-161 Blade	FC-Switch FX6-24 Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BLADE BX620 S6	PRIMERGY BX600 S1	PRIMERGY BX620 S2	PRIMERGY BX620 S3	PRIMERGY BX624 S2	PRIMERGY BX624 S3	PRIMERGY BX680 S1	PRIMERGY rBLADE BF120	PRIMERGY S305 S1	PRIMERGY S305 S2	PRIMERGY S309 S1	PRIMERGY S309 S2	Product Code	EUP (€)	Comments	
SW Data Center Products (Continued)																									
	Citrix XD EE-PE upgr, 100 UID, 1yr SA	Citrix XD EE-PE upgr, 100 UID, 1yr SA; XD Enterprise to Platinum upgrade 100UID; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download								x	x	x	x	x	x							S26361-F2341-S968	13.750,00		
	CD-Xprint-Unix-OS	CD-Xprint (Linux, UX, AIX, Solaris), Data media for Xprint Unix Allen, Intel/HP/IBM-based HW																x				U11436-C231	36,00		
	SVRCEFCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (FC) Option (Windows)								x	x	x	x	x	x							U11420-C906	100,00		
	SVRCEMCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (MAAC) Option (Windows)								x	x	x	x	x	x							U11420-C936	100,00		
	XTN-CD V32 (PS) MED CD	x10sure CD 3.2; (Binaries / Documents) 1 Medium, German & English Version								x		x	x	x	x							U11420-C775	50,00		
	XTN-B V32 (PS) RTU -1CN1AN	x10sure 3.2 - Base License (RTU for 1 Control Node + 1 Application Node; no support nor updates included)								x	x	x	x	x	x							U11420-C877	1.400,00		
	XTN-B V32 (PS) UgrRTU -1CN1AN	x10sure 3.2 - Upgrade Base License (Upgrade RTU for 1 Control Node + 1 Application Node from x10sure 2.x or 3.0; for maintenance renewal only)								x	x	x	x	x	x							U11420-C773-U	1,00		
	XTN-N V32 (PS) RTU -1 Node	x10sure 3.2 - RTU for 1 additional Application- or Spare Node; no support nor updates included								x	x	x	x	x	x							U11420-C878	1.100,00		
	XTN-N V32 (PS) UgrRTU -1 Node	x10sure 3.2 - Upgrade License (Upgrade RTU for 1 additional Application or Spare Node from x10sure 2.x or 3.0; for maintenance renewal only)								x	x	x	x	x	x							U11420-C774-U	1,00		
	Xprint-NET(WinServer) V8.0	Xprint-NET (W2K/2003) V8.0 LC f. Print Server up to 32 printers for Intel based HW (Licence no data media)																x				U11436-C568	4.374,00		
	Xprint-NET-CL (WinServer) V8.0	Xprint-NET-CL (W2K/2003) V8.0 LC f. Print Client in conn. with Server for Intel based HW (Licence no data media)																x				U11436-C569	1.188,00		
	Xprint-UGM (WinServer) V8.0	Xprint-UGM (W2K/2003) V8.0 LC f. connection of 33-128 printers for Intel based HW (Licence no data media)																x				U11436-C570	1.458,00		
	Xprint-UG2 (WinServer) V8.0	Xprint-UG2 (W2K/2003) V8.0 LC f. connection of 129-256 printers for Intel based HW (Licence no data media)																x				U11436-C571	1.458,00		
	Xprint-UG3 (WinServer) V8.0	Xprint-UG3 (W2K/2003) V8.0 LC f. connection of 257-512 printers for Intel based HW (Licence no data media)																x				U11436-C572	2.484,00		
	Xprint-UG4 (WinServer) V8.0	Xprint-UG4 (W2K/2003) V8.0 LC f. connection of 513-1024 printers for Intel based HW (Licence no data media)																x				U11436-C573	2.268,00		
	Xprint-UG5 (WinServer) V8.0	Xprint-UG5 (W2K/2003) V8.0 LC f. connection of 1025-2048 printers for Intel based HW (Licence no data media)																x				U11436-C574	1.890,00		
	Xprint-UG6 (WinServer) V8.0	Xprint-UG6 (W2K/2003) V8.0 LC f. connection of 2049-4096 printers for Intel based HW (Licence no data media)																x				U11436-C575	1.890,00		
	Xprint-UG7 (WinServer) V8.0	Xprint-UG7 (W2K/2003) V8.0 LC f. connection of 4097-8192 printers for Intel based HW (Licence no data media)																x				U11436-C576	1.890,00		
	Xprint-UG8 (WinServer) V8.0	Xprint-UG8 (W2K/2003) V8.0 LC f. connection of 8193-unlimited printers f. Intel based HW (Licence no data media)																x				U11436-C577	1.890,00		
	Xprint-ERP-Kit (WinServer) V8.0	Xprint-R/3-Kit (W2K/2003) V8.0 LC f. in connection with SAP R/3 Intel based HW (Licence no data media)																x				U11436-C578	4.439,00		
	Xprint-NET-UP (WinServer) V8.0	Xprint-NET-UP (W2K/2003) V8.0 LC f. Print Server up to 32 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																x				U11436-C580	1.761,00		
	Xprint-NET-CL-UP (WinServer) V8.0	Xprint-NET-CL-UP (W2K/2003) V8.0 LC f. Print Client in conn. with Server for Intel based HW Update from Xprint 7.0 to Xprint 8.0																x				U11436-C581	486,00		
	Xprint-UGM-UP (WinServer) V8.0	Xprint-UGM-UP (W2K/2003) V8.0 LC f. connection of 33-128 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																x				U11436-C582	589,00		
	Xprint-UG2-UP (WinServer) V8.0	Xprint-UG2-UP (W2K/2003) V8.0 LC f. connection of 129-256 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																x				U11436-C583	589,00		
	Xprint-UG3-UP (WinServer) V8.0	Xprint-UG3-UP (W2K/2003) V8.0 LC f. connection of 257-512 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																x				U11436-C584	1.005,00		
	Xprint-UG4-UP (WinServer) V8.0	Xprint-UG4-UP (W2K/2003) V8.0 LC f. connection of 513-1024 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																x				U11436-C585	908,00		
	Xprint-UG5-UP (WinServer) V8.0	Xprint-UG5-UP (W2K/2003) V8.0 LC f. connection of 1025-2048 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																x				U11436-C586	756,00		
	Xprint-UG6-UP (WinServer) V8.0	Xprint-UG6-UP (W2K/2003) V8.0 LC f. connection of 2049-4096 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																x				U11436-C587	756,00		
	Xprint-UG7-UP (WinServer) V8.0	Xprint-UG7-UP (W2K/2003) V8.0 LC f. connection of 4097-8192 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																x				U11436-C588	756,00		
	Xprint-UG8-UP (WinServer) V8.0	Xprint-UG8-UP (W2K/2003) V8.0 LC f. connection of 8193-unlimited printers f. Intel based HW Update from Xprint 7.0 to Xprint 8.0																x				U11436-C589	756,00		
	Xprint-ERP-Kit-UP (WinServer) V8.0	Xprint-R/3-Kit-UP (W2K/2003) V8.0 LC f. in connection with SAP R/3 Intel based HW Update from Xprint 7.0 to Xprint 8.0																x				U11436-C590	1.804,00		
	Xprint-NET (LINUX) V8.0	Xprint (LINUX) V8.0 LC f. up to 32 printers for Intel based HW (Licence no data media)																x				U11436-C616	4.374,00		
	Xprint-NET-CL (LINUX) V8.0	Xprint-NET-CL (LINUX) V8.0 LC f. Print Client in conn. with Server for Intel based HW (Licence no data media)																x				U11436-C617	1.188,00		
	Xprint-UGM (LINUX) V8.0	Xprint-UGM (LINUX) V8.0 LC f. connection of 33-128 printers for Intel based HW (Licence no data media)																x				U11436-C618	1.458,00		
	Xprint-UG2 (LINUX) V8.0	Xprint-UG2 (LINUX) V8.0 LC f. connection of 129-256 printers for Intel based HW (Licence no data media)																x				U11436-C619	1.458,00		
	Xprint-UG3 (LINUX) V8.0	Xprint-UG3 (LINUX) V8.0 LC f. connection of 257-512 printers for Intel based HW (Licence no data media)																x				U11436-C620	2.484,00		
	Xprint-UG4 (LINUX) V8.0	Xprint-UG4 (LINUX) V8.0 LC f. connection of 513-1024 printers for Intel based HW (Licence no data media)																x				U11436-C621	2.268,00		
	Xprint-UG5 (LINUX) V8.0	Xprint-UG5 (LINUX) V8.0 LC f. connection of 1025-2048 printers for Intel based HW (Licence no data media)																x				U11436-C622	1.890,00		
	Xprint-UG6 (LINUX) V8.0	Xprint-UG6 (LINUX) V8.0 LC f. connection of 2049-4096 printers for Intel based HW (Licence no data media)																x				U11436-C623	1.890,00		



Blade Servers Options

Category	Description	Details	FibreCAT SX40	FC-Switch 8510 Port Blade(SUS)	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FR4-16i Blade	FC-Switch FX4-24i Blade	FC-Switch Port Blade BRCD Serv	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX600 S2	PRIMERGY BX620 S3	PRIMERGY BX622 S2	PRIMERGY BX624 S2	PRIMERGY BX624 S3	PRIMERGY BX600 S1	PRIMERGY Connection Blades	PRIMERGY rBLADE BFD20	PRIMERGY S3005 S1	PRIMERGY S3010 S1	PRIMERGY S3040 S1	PRIMERGY S3060 S1	PRIMERGY S3090 S1	Product Code	EUP (€)	Comments			
SW Data Center Products (Continued)																														
	Xprint-UG7 (LINUX) V8.0	Xprint-UG7 (LINUX) V8.0 LC f. connection of 4097-8192 printers for Intel based HW (Licence no data media)																									U11436-C624	1.890,00		
	Xprint-UG8 (LINUX) V8.0	Xprint-UG8 (LINUX) V8.0 LC f. connection of 8193-unlimited printers f. Intel based HW (Licence no data media)																									U11436-C625	1.890,00		
	Xprint-ERP-Kit (LINUX) V8.0	Xprint-R/3-Kit (LINUX) V8.0 LC f. in connection with SAP R/3 Intel based HW (Licence no data media)																									U11436-C626	4.439,00		
	Xprint-NET-UP (LINUX) V8.0	Xprint-NET-UP (LINUX) V8.0 LC f. Print Server up to 32 printers for Intel based HW (Licence no data media)																									U11436-C628	1.761,00		
	Xprint-NET-CL-UP (LINUX) V8.0	Xprint-NET-CL-UP (LINUX) V8.0 LC f. Print Client in conn. with Server for Intel based HW Update from Xprint 7.0 to Xprint 8.0																									U11436-C629	486,00		
	Xprint-UGM-UP (LINUX) V8.0	Xprint-UGM-UP (LINUX) V8.0 LC f. connection of 33-128 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																									U11436-C630	589,00		
	Xprint-UG2-UP (LINUX) V8.0	Xprint-UG2-UP (LINUX) V8.0 LC f. connection of 129-256 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																									U11436-C631	589,00		
	Xprint-UG3-UP (LINUX) V8.0	Xprint-UG3-UP (LINUX) V8.0 LC f. connection of 257-512 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																									U11436-C632	1.005,00		
	Xprint-UG4-UP (LINUX) V8.0	Xprint-UG4-UP (LINUX) V8.0 LC f. connection of 513-1024 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																									U11436-C633	908,00		
	Xprint-UG5-UP (LINUX) V8.0	Xprint-UG5-UP (LINUX) V8.0 LC f. connection of 1025-2048 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																									U11436-C634	756,00		
	Xprint-UG6-UP (LINUX) V8.0	Xprint-UG6-UP (LINUX) V8.0 LC f. connection of 2049-4096 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																									U11436-C635	756,00		
	Xprint-UG7-UP (LINUX) V8.0	Xprint-UG7-UP (LINUX) V8.0 LC f. connection of 4097-8192 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																									U11436-C636	756,00		
	Xprint-UG8-UP (LINUX) V8.0	Xprint-UG8-UP (LINUX) V8.0 LC f. connection of 8193-unlimited printers f. Intel based HW Update from Xprint 7.0 to Xprint 8.0																									U11436-C637	756,00		
	Xprint-ERP-Kit-UP (LINUX) V8.0	Xprint-R/3-Kit (LINUX) V8.0 LC f. in connection with SAP R/3 Intel based HW (Licence no data media)																									U11436-C638	1.804,00		
	Xprint DMG-UG1 V1.0	Domain Monitoring GUI -UG1 V1.0 Licence for 3 to 8 instances																									U11436-C664	432,00		
	Xprint DMG-UG2 V1.0	Domain Monitoring GUI -UG2 V1.0 Licence for 9 to 16 instances																									U11436-C665	432,00		
	Xprint DMG-UG3 V1.0	Domain Monitoring GUI -UG3 V1.0 Licence for 17 to 32 instances																									U11436-C666	648,00		
	Xprint DMG-UG4 V1.0	Domain Monitoring GUI -UG4 V1.0 Licence for 33 to 64 instances																									U11436-C667	972,00		
	SVRORCEDRO V3 (WIN/LIN) RTU 1SVR	ServerView Resource Orchestrator DR Option License (1 Server) V3																									U11420-C953	3.777,00		
	SVRORVEDEMO V3 (WIN/LIN) RTU	ServerView Resource Orchestrator VE Demo License (1 Server) V3																									U11420-C954	0,01		
	SVRORCEDEMO V3 (WIN/LIN) RTU	ServerView Resource Orchestrator CE Demo License (1 Server) V3																									U11420-C955	0,01		
	SVRORDVD V30 (WIN/LIN/SOL) MED DVD	ServerView Resource Orchestrator Media Pack V2.3 for Windows/Linux/Solaris																									U11420-C956	50,00		
	SVRORCESVR V3 (WIN/LIN) RTU 1SVR 4C	ServerView Resource Orchestrator CE Server License (1 Server) 4CPU Class V3																									U11420-C960	1.530,00		
	SVRORCESVR V3 (WIN/LIN) RTU 8SVR 4C	ServerView Resource Orchestrator CE Server License (8 Server) 4CPU Class V3																									U11420-C961	11.383,00		
	SVRORCESVR V3 (WIN/LIN) RTU 18SVR 4C	ServerView Resource Orchestrator CE Server License (18 Server) 4CPU Class V3																									U11420-C963	25.659,00		
	SVRORVESVR V3 (WIN/LIN) RTU 1SVR 4C	ServerView Resource Orchestrator VE Server License (1 Server) 4CPU Class V3																									U11420-C966	779,00		
	SVRORVESVR V3 (WIN/LIN) RTU 8SVR 4C	ServerView Resource Orchestrator VE Server License (8 Server) 4CPU Class V3																									U11420-C967	5.538,00		
	SVRORVESVR V3 (WIN/LIN) RTU 18SVR 4C	ServerView Resource Orchestrator VE Server License (18 Server) 4CPU Class V3																									U11420-C969	12.462,00		
	SVRORCESVR V3 (WIN/LIN) UGRU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class Upgrade from ROR VE V3																									U11420-C978	751,00		
	SVRORCESVR V3 (WIN/LIN) UGRU 8CSVR 4C	ServerView Resource Orchestrator CE Server License (8 Server) 4CPU Class Upgrade from ROR VE V3																									U11420-C979	5.845,00		
	SVRORCESVR V3 (WIN/LIN) UGRU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class Upgrade from ROR VE V3																									U11420-C981	13.198,00		
Services																														
	FCIP Port Blade POH Support 1Y Extended	FCIP Port Blade POH Support 1 year Extended																									D-POH-BLFCIP-1-EXT	3.070,00		
	FCIP Port Blade POH Support 1Y Renewal	FCIP Port Blade POH Support 1 year Renewal																										D-POH-BLFCIP-1-UPG	3.643,00	
Solution identifier																														
	HPC Compute Node Inst. ex works incl ICR	Please note configuration hints																									S26361-F3638-E2	205,00		