

Displays

DISPLAY E19W-5, DVI,VGA

DISPLAY E19-6 LED, DVI, VGA

DISPLAY E22W-6 LED, DVI, VGA

DISPLAY B19-6 LED, DVI,VGA



Foto

Diagonal Size	48.1 cm (19-inch)	48.3 cm (19-inch)	55.9 cm (22-inch)	48.3 cm (19-inch)
Panel and backlight	TN/CCFL	TN/LED	TN/LED	TN/LED
Aspect ratio	16:10	5:4	16:10	5:4
Max. Resolution	1440 x 900 pixel	1280 x 1024 pixel	1680 x 1050 pixel	1280 x 1024 pixel
Brightness - typical	300 cd/m2	250 cd/m2	250 cd/m2	250 cd/m2
Contrast - typical	1000:1	1000:1	41,66736111	1000:1
Contrast - advanced	10,000:1	2,000,000:1	10,000:1	2,000,000:1
Response time typ	5 ms	5 ms	5 ms	5 ms
Viewing angle (h/v) - typical	170°/170°	170°/170° CR5:1	170°/170° CR5:1	170°/170° CR5:1

Connectivity

USB				
Video input	1 x DVI (HDCP) 1 x D-SUB	1 x DVI (HDCP) 1 x D-SUB	1 x DVI (HDCP) 1 x D-SUB	1 x DVI (HDCP) 1 x D-SUB

Stand

Rotation to portrait				90°
Height adjust range				110 mm
Swivel angle				340°
Tilt angle	-5° / +20°	-5° / +15°	-5° / +20°	-5° / +35°
Picture over desk				55 mm (min)

Special features

0 watt mode				
ECO System	•	•	•	•
ABC				

Compliance

Global	TCO Displays 5.0 ENERGY STAR® 5.0 EPEAT® Silver ISO9241-307 (Pixel fault class I)	TCO Displays 5.0 ENERGY STAR® 5.0 EPEAT® in progress ISO9241-307 (Pixel fault class I)	TCO Displays 5.0 ENERGY STAR® 5.0 EPEAT® in progress ISO9241-307 (Pixel fault class I)	TCO Displays 5.0 ENERGY STAR® 5.0 EPEAT® in progress ISO9241-307 (Pixel fault class I)
---------------	--	---	---	---

Adviesprijs (excl. BTW)

	€ 99	€ 133	€ 144	€ 173
Artikelnummer	S26361-K1331-V160	S26361-K1376-V160	S26361-K1377-V160	S26361-K1374-V140

DISPLAY B22W-6 LED proGREEN, DVI,VGA, matt black

DISPLAY B22W-6 LED, USB,DP,DVI,VGA

DISPLAY B23T-6 LED, USB,DP,DVI,VGA

DISPLAY B24W-5 ECO, DVI,VGA



Foto

Diagonal Size	55.9 cm (22-inch)	55.9 cm (22-inch)	58.4 cm (23-inch)	61 cm (24-inch)
Panel and backlight	TN/LED	TN/LED	TN/LED	TN/CCFL
Aspect ratio	16:10	16:10	16:9	16:10
Max. Resolution	1680 x 1050 pixel	1680 x 1050 pixel	1920 x 1080 pixel	1920 x 1200 pixel
Brightness - typical	250 cd/m2	250 cd/m2	250 cd/m2	300 cd/m2
Contrast - typical	1000:1	1000:1	1000:1	1000:1
Contrast - advanced	2,000,000:1	2,000,000:1	2,000,000:1	10,000:1
Response time typ	5 ms	5 ms	5 ms	5 ms
Viewing angle (h/v) - typical	170°/170° CR5:1	170°/170° CR5:1	170°/170° CR5:1	170°/170° CR5:1
Connectivity				
USB		4 x USB 2.0	4 x USB 2.0	
Video input	1 x DVI (HDCP) 1 x D-SUB	1 x DisplayPort 1 x DVI (HDCP)	1 x DisplayPort 1 x DVI (HDCP)	1 x DVI (HDCP) 1 x D-SUB
Stand				
Rotation to portrait	90°	90°	90°	
Height adjust range	110 mm	110 mm	120 mm	110 mm
Swivel angle	340°	340°	340°	90°
Tilt angle	-5° / +35°	-5° / +35°	-5° / +35°	-5° / +20°
Picture over desk	55 mm (min)	55 mm (min)	50 mm	70 mm (min)

Special features

0 watt mode

ECO System

ABC

Compliance

Global

TCO Displays 5.0	TCO Displays 5.0	TCO Displays 5.0	TCO Displays 5.0
ENERGY STAR® 5.0	ENERGY STAR® 5.0	ENERGY STAR® 5.0	ENERGY STAR® 5.0
EPEAT® in progress	EPEAT® in progress	EPEAT® in progress	EPEAT® Silver
ISO9241-307 (Pixel fault class I)	ISO9241-307 (Pixel fault class I)	ISO9241-307 (Pixel fault class I)	ISO9241-307 (Pixel fault class I)

Adviesprijs (excl. BTW)

Artikelnummer

€ 184

S26361-K1392-V160

€ 196

S26361-K1375-V140

€ 202

S26361-K1388-V140

€ 255

S26361-K1334-V140

DISPLAY P23T-6 IPS, USB,DP,DVI,VGA

DISPLAY P24W-6 IPS, USB,DP,DVI,VGA

DISPLAY P27T-6 IPS, USB,DP,DVI,VGA



Foto

Diagonal Size	58.4 cm (23-inch)	61 cm (24-inch)	68.6 cm (27-inch)
Panel and backlight	IPS/LED	IPS/CCFL	IPS/CCFL
Aspect ratio	16:9	16:10	16:9
Max. Resolution	1920 x 1080 pixel	1920 x 1200 pixel	2560 x 1440 pixel
Brightness - typical	250 cd/m ²	400 cd/m ²	350 cd/m ²
Contrast - typical	1000:1	1000:1	1,000:1
Contrast - advanced	2,000,000:1	20,000:1	20,000:1
Response time typ	5 ms (gtg)	5 ms (gtg)	6 ms (gtg)
Viewing angle (h/v) - typical	178°/178° CR10:1	178°/178° CR10:1	178°/178° CR10:1

Connectivity

USB	4 x USB 2.0	4 x USB 2.0	4 x USB 2.0
Video input	1 x DisplayPort 1 x DVI (HDCP)	1 x DisplayPort 1 x DVI (HDCP)	1 x DisplayPort 2 x HDMI

Stand

Rotation to portrait	90° (AutoPivot)	90° (AutoPivot)	90° (AutoPivot)
Height adjust range	120 mm	100 mm	125 mm
Swivel angle	340°	340°	340°
Tilt angle	-3° / +35°	-3° / +35°	-3° / +35°
Picture over desk	50 mm (min)	50 mm (min)	55 mm (min)

Special features

0 watt mode	•	•	•
ECO System	•	•	•
ABC	•	•	•

Compliance

Global	TCO Displays 5.0 ENERGY STAR® 5.0 EPEAT® in progress ISO9241-307 (Pixel fault class I)	TCO'03 ISO9241-307 (Pixel fault class I)	TCO'03 ISO9241-307 (Pixel fault class I)
---------------	---	---	---

Adviesprijs (excl. BTW)

	€ 260	€ 410	€ 566
Artikelnummer	S26361-K1370-V140	S26361-K1371-V140	S26361-K1372-V140