

**#1** Global Image Scanner Market Share  
Quality possesses definite technological strength




**FUJITSU Image Scanner** Because Results Matter

Human Centric Innovation  
Driving a Trusted Future

## #1 Global Image Scanner Market.

Quality possesses definite technological strength.

Do you know what defines a good scanner?  
User friendly and long-lasting scanners possess a precise foundation.



The data is based on the market share of document scanners.

The market share data for Japan and North America is based on the records of 2017 collected by KEYPOINT INTELLIGENCE (Info Trends) for 6 segments of document scanners excluding Mobile/Micro scanners. Collected records are mainly about document scanners with a speed of more than 8ppm. The market share data for Europe is based on the records of 2017 collected by InfoSource in Western Europe (including Turkey and Greece).



\* fi-7160

### Highlight Model

#### Image Scanner fi-7160

THB 31,900 Excl. VAT

Scanner Type	: ADF
Scanning Speed	: Simplex 60ppm Duplex 120ipm
Output Resolution	: Maximun 1,200 dpi
Document Size	: A8-A4 , Long Page Scan @ 5,588 mm
Interface	: USB 3.0
Paper Capacity	: 80 sheets
Dimension	: 300 x 170 x 163 mm
Weight	: 4.2 kg

# A4 Scanner Size

## FUJITSU Image Scanner fi-7260 A4 ADF and Flatbed



fi-7260

### Image Scanner fi-7240

THB **42,000** Excl. VAT 

Scanner Type : ADF and Flatbed  
Scanning Speed : Simplex 40 ppm  
Duplex 80 ipm  
Output Resolution : Maximun 1,200 dpi  
Document Size : A8-A4 , Long Page Scan  
@ 5,588 mm  
Interface : USB 2.0  
Paper Capacity : 80 sheets  
Dimension : 300 x 577 x 234 mm  
Weight : 8.8 kg

### Image Scanner fi-7260

THB **49,000** Excl. VAT 

Scanner Type : ADF and Flatbed  
Scanning Speed : Simplex 60 ppm  
Duplex 120 ipm  
Output Resolution : Maximun 1,200 dpi  
Document Size : A8-A4 , Long Page Scan  
@ 5,588 mm  
Interface : USB 3.0  
Paper Capacity : 80 sheets  
Dimension : 300 x 577 x 234 mm  
Weight : 8.8 kg

### Image Scanner fi-7280

THB **79,000** Excl. VAT 

Scanner Type : ADF and Flatbed  
Scanning Speed : Simplex 80 ppm  
Duplex 160 ipm  
Output Resolution : Maximun 1,200 dpi  
Document Size : A8-A4 , Long Page Scan  
@ 5,588 mm  
Interface : USB 3.0  
Paper Capacity : 80 sheets  
Dimension : 300 x 577 x 234 mm  
Weight : 8.8 kg

### Image Scanner fi-7140

THB **28,000** Excl. VAT 

Scanner Type : ADF  
Scanning Speed : Simplex 40 ppm  
Duplex 80 ipm  
Output Resolution : Maximun 1,200 dpi  
Document Size : A8-A4 , Long Page Scan  
@ 5,588 mm  
Interface : USB 2.0  
Paper Capacity : 80 sheets  
Dimension : 300 x 170 x 163 mm  
Weight : 4.2 kg

### Image Scanner fi-7180

THB **59,000** Excl. VAT 

Scanner Type : ADF  
Scanning Speed : Simplex 80 ppm  
Duplex 160 ipm  
Output Resolution : Maximun 1,200 dpi  
Document Size : A8-A4 , Long Page Scan  
@ 5,588 mm  
Interface : USB 3.0  
Paper Capacity : 80 sheets  
Dimension : 300 x 170 x 163 mm  
Weight : 4.2 kg




fi-7140

# FUJITSU Image Scanner fi-7600

The fi-7600 scans document at 100 ppm/200ipm (A4 landscape 200/300 dpi) and improves work efficiency with its ability to scan a wide variety of business documents as well as capacity to load 300 sheets at a time.

- Fast scanning at 100 ppm/200 ipm
- Paper chute capacity up to 300 sheets
- Capable of handling various thicknesses and sizes
- Paper Protect function which protects against paper jams by detecting anomalies in sound (iSOP: Intelligent Sonic Paper Protection) and document length
- Flexible design and LCD panel for easy operation
- Bypass the inconvenience of making fine adjustment OCR setting with the Paperstream IP scanner driver.



## Image Scanner fi-7460

THB **139,000** Excl. VAT

Scanner Type : ADF  
 Scanning Speed : Simplex 60 ppm  
 Duplex 120 ipm  
 Output Resolution : Maximun 1,200 dpi  
 Document Size : A8-A3 , Long Page Scan  
 @ 5,588 mm  
 Interface : USB 3.0  
 Paper Capacity : 100 sheets  
 Dimension : 380 x 209 x 168 mm  
 Weight : 7.6 kg

## Image Scanner fi-7480

THB **163,000** Excl. VAT

Scanner Type : ADF  
 Scanning Speed : Simplex 80 ppm  
 Duplex 160 ipm  
 Output Resolution : Maximun 1,200 dpi  
 Document Size : A8-A3 , Long Page Scan  
 @ 5,588 mm  
 Interface : USB 3.0  
 Paper Capacity : 100 sheets  
 Dimension : 380 x 209 x 168 mm  
 Weight : 7.6 kg

## Image Scanner fi-7600

THB **255,000** Excl. VAT

Scanner Type : ADF  
 Scanning Speed : Simplex 100 ppm  
 Duplex 200 ipm  
 Output Resolution : Maximun 1,200 dpi  
 Document Size : A8-A3 , Long Page Scan  
 @ 5,588 mm  
 Interface : USB 3.1  
 Paper Capacity : 300 sheets  
 Dimension : 236 x 432 x 214 mm  
 Weight : 11 kg



**A3 Scanner Size**

# FUJITSU Image Scanner fi-7700

Heavy-duty Flexible Production  
Scanner for Professional Use



## Image Scanner fi-7700S

THB **149,900** Excl. VAT 

Scanner Type : ADF and Flatbed  
Scanning Speed : Simplex 75 ppm  
Output Resolution : Maximun 1,200 dpi  
Document Size : A8-A4 , Long Page Scan  
@ 5,588 mm  
Interface : USB 3.1  
Paper Capacity : 300 sheets  
Dimension : 706 x 500 x 345 mm  
Weight : 35 kg

## Image Scanner fi-7700

THB **295,000** Excl. VAT 

Scanner Type : ADF and Flatbed  
Scanning Speed : Simplex 100 ppm  
Duplex 200 ipm  
Output Resolution : Maximun 1,200 dpi  
Document Size : A8-A4 , Long Page Scan  
@ 5,588 mm  
Interface : USB 3.1  
Paper Capacity : 300 sheets  
Dimension : 706 x 500 x 345 mm  
Weight : 35 kg

FUJITSU introduces the fi-7800 and fi-7900, the fastest huge-volume scanner with great usability for operators



fi-7900 front/open



fi-7900 side




## FUJITSU Image Scanner fi-7800, fi-7900

### Key Features

- ▶ High speed scanning up to 110 ppm for fi-7800
- ▶ High speed scanning up to 140 ppm for fi-7900
- ▶ Paper chute capacity up to 500 sheets
- ▶ Automatic Separation control function
- ▶ Skew reducer
- ▶ Stacking control function
- ▶ Manual Feed Mode
- ▶ Low profile design & LCD

#### Image Scanner fi-7800

THB **380,000** Excl. VAT 

Scanner Type	: ADF
Scanning Speed	: Simplex 110 ppm Duplex 220 ipm
Output Resolution	: Maximun 1,200 dpi
Document Size	: A8-A4 , Long Page Scan @ 5,588 mm
Interface	: USB 2.0
Paper Capacity	: 500 sheets
Dimension	: 460 x 430 x 310mm
Weight	: 32 kg

#### Image Scanner fi-7900

THB **580,000** Excl. VAT 

Scanner Type	: ADF
Scanning Speed	: Simplex 140 ppm Duplex 280 ipm
Output Resolution	: Maximun 1,200 dpi
Document Size	: A8-A3 , Long Page Scan @ 5,588 mm
Interface	: USB 2.0
Paper Capacity	: 500 sheets
Dimension	: 460 x 430 x 310mm
Weight	: 32 kg



Capture today.  
Advance tomorrow.



**ScanSnap iX1500**

## INTUITIVE SCANNING AT YOUR FINGERTIPS


### Access Point Connect Mode



### Direct Connect Mode




### Scansnap iX1500

THB **22,000** Excl. VAT 

- Scanner Type : ADF
- Scanning Speed : Simplex 30 ppm  
Duplex 60 ipm
- Output Resolution: Maximun 1,200 dpi
- Document Size : A4,A5,A6,B5,B6 , Letter,  
Business Card, Post Card,  
Legal and Custom sizes
- Interface : WiFi, USB 3.1
- Paper Capacity : 50 sheets
- Dimension : 292 x 162 x 152 mm
- Weight : 3.4 kg



### Scansnap iX100

THB **8,500** Excl. VAT 

- Scanner Type : CDF (Continuous Document Feeding)
- Scanning Speed : 5.2 Second / Page
- Output Resolution: Maximun 600 dpi
- Document Size : A4,A5,A6,B5,B6 , Letter,  
Business Card, Post Card,  
Legal and Custom sizes
- Interface : WiFi, USB 2.0
- Dimension : 273 x 47.5 x 36 mm
- Weight : 0.4 kg



### Scansnap S1300i

THB **10,200** Excl. VAT 

- Scanner Type : ADF
- Scanning Speed : Simplex 12 ppm  
Duplex 24ipm
- Output Resolution: Maximun 1,200 dpi
- Document Size : A4,A5,A6,B5,B6 , Letter,  
Business Card, Post Card,  
Legal and Custom sizes
- Interface : USB 2.0
- Paper Capacity : 10 sheets
- Dimension : 284 x 99 x 77 mm
- Weight : 1.4 kg



### Scansnap SV600 Book Scanner

THB **26,000** Excl. VAT 

- Scanner Type : Over Head System
- Scanning Speed : 3 Second / page
- Output Resolution: Maximun 1,200 dpi
- Document Size : Book, A3,A4,A5,A6,B5,  
B6 ,Letter,Business Card,  
Post Card, Legal and  
Custom sizes
- Interface : USB 2.0
- Document Thickness : 30 mm (Book)
- Dimension : 210 x 156 x 383 mm
- Weight : 3 kg



# SP Series

Basic SP Series model for professional use



## Image Scanner SP-1120

THB **14,500** Excl. VAT **1** Warranty year

Scanner Type : ADF  
 Scanning Speed : Simplex 20 ppm  
 Duplex 40 ipm  
 Output Resolution : Maximun 1,200 dpi  
 Document Size : A8-A4 , Long Page Scan  
 @ 3,048 mm  
 Interface : USB 2.0  
 Paper Capacity : 50 sheets  
 Dimension : 298 x 135 x 133 mm  
 Weight : 2.5 kg

## Image Scanner SP-1125

THB **17,500** Excl. VAT **1** Warranty year

Scanner Type : ADF  
 Scanning Speed : Simplex 25 ppm  
 Duplex 50 ipm  
 Output Resolution : Maximun 1,200 dpi  
 Document Size : A8-A4 , Long Page Scan  
 @ 3,048 mm  
 Interface : USB 2.0  
 Paper Capacity : 50 sheets  
 Dimension : 298 x 135 x 133 mm  
 Weight : 2.5 kg

## Image Scanner SP-1130

THB **19,000** Excl. VAT **1** Warranty year

Scanner Type : ADF  
 Scanning Speed : Simplex 30 ppm  
 Duplex 60 ipm  
 Output Resolution : Maximun 1,200 dpi  
 Document Size : A8-A4 , Long Page Scan  
 @ 3,048 mm  
 Interface : USB 2.0  
 Paper Capacity : 50 sheets  
 Dimension : 298 x 135 x 133 mm  
 Weight : 2.5 kg



## Image Scanner SP-1425

THB **27,000** Excl. VAT **1** Warranty year

Scanner Type : ADF and Flatbed  
 Scanning Speed : Simplex 25 ppm  
 Duplex 50 ipm  
 Output Resolution : Maximun 1,200 dpi  
 Document Size : A8-A4 , Long Page Scan  
 @ 3,048 mm  
 Interface : USB 2.0  
 Paper Capacity : 50 sheets  
 Dimension : 454 x 331 x 129 mm  
 Weight : 4.3 kg

## A6 Scanner Size



Close



Open

## Image Scanner fi-65F

THB **14,600** Excl. VAT **1** Warranty year

Scanner Type : Flatbed  
 Scanning Speed : Color 1.7 second  
 B/W 1.0 second  
 Output Resolution : Maximun 1,200 dpi  
 Document Size : A6 , Business Card,  
 ID Card, Passport  
 Interface : USB 2.0  
 Dimension : 145 x 234 x 40 mm  
 Weight : 0.9 kg

### Fujitsu (Thailand) Co., Ltd.

22-23 Fl., Exchange Tower, 388 Sukhumvit Road  
 Klongtoey, Klongtoey Bangkok 10110  
 Tel: +66 2302-1500 Fax: +66 2302-1555

- The company reserves the right to change all prices, conditions, cancel without notice.
- The company reserves the right to assume any responsibility due to printing errors.
- Price are exclude of VAT
- All model included warranty 1 year return to Fujitsu Service Center or Authorized Service Center (Not include consumable part).
- The pictures are for advertising only.



# Datasheet

## FUJITSU Image Scanner fi-800R

Compact and versatile scanner for the front office



The fi-800R scans A4 portrait documents at comfortable speeds of 40 ppm/80 ipm (200/300 dpi) and makes customer onboarding easy with its compact size and versatile scanning abilities.

### Ultra compact footprint for limited spaces

The fi-800R is the perfect scanner when space is limited. Designed to fit in narrow office spaces, it comes equipped with Dual Path Mechanism, enabling scanning of a wider variety of documents. Satisfy all your scanning needs, from plastic cards to booklets, with a single device.

### Versatile scanning functionalities

U-turn Scan using the ADF makes a small footprint even smaller. The stacker extends to provide neatly stacked output documents and returns to its original position once scanning has completed, so that users can easily start scanning their next batch.

### Clever ID scanning for a great customer onboarding process

Using Return Scan, scan passports and ID up to 5 mm thick without using a carrier sheet. Simple one sheet scanning also no longer requires the hassle of opening the feeder. Clever operation and fast scanning speeds of a mere 3.5 seconds reduce customer wait times and help provide great customer experiences.

### Stress-free operation with accurate paper feeding performance

Serve customers faster with the fi-800R's robust feeding functionalities. With Automatic Skew Correction functionality, documents are straightened one sheet at a time for precise paper feeding. Active Separation also adjusts pressure to ensure each sheet is separated and captured without any misfeeds. Confidently scan mixed batches and make customer onboarding more efficient.

### Advanced software for maximized efficiency

Empower reception workflows and use information more efficiently with our enhanced PaperStream IP scanner driver and integrated PaperStream Capture software. With the MRZ Recognition function, the Machine Readable Zone on passports are recognized and extracted as metadata for fast client retrieval. Users no longer need to organize documents or check if documents with photo IDs are scanned in face up, since the Front Side Detection function detects photos on ID cards and passports to automatically set pages with photos as the front side. With a few simple setting configurations, Automatic Profile Selection also allows documents to undergo image processing appropriate to each document format. All these functionalities work together to offer a wider variety of batch scanning features and make employees more efficient.

## Technical Information

Scanner Type	ADF (Automatic Document Feeder) / Manual Feed, Duplex	
Scanning Speed* <sup>1</sup> (A4 Portrait) (Color* <sup>2</sup> /Grayscale* <sup>2</sup> /Monochrome* <sup>3</sup> )	ADF	Simplex: 40 ppm (200/300 dpi) Duplex: 80 ipm (200/300 dpi)
	Manual Feed	3.5 seconds (200/300 dpi)
Image Sensor Type	CIS x 2 (front x 1, back x 1)	
Light Source	RGB LED (front x 1, back x 1)	
Optical Resolution	600 dpi	
Output Resolution* <sup>4</sup> (Color / Grayscale / Monochrome)	50 to 600 dpi (adjustable by 1 dpi increments) 1,200 dpi (driver)* <sup>5</sup>	
Output Format	Color: 24-bit, Grayscale: 8-bit, Monochrome: 1-bit	
Background Colors	White	
Document Size		
Maximum	215.9 x 355.6 mm (8.5 x 14 in.)	
Minimum	50.8 x 50.8 mm (2 x 2 in.)	
Long Page Scanning* <sup>6</sup>	5,588 mm (220 in.)	
Paper Weight (Thickness)		
ADF	Paper	40 to 127 g/m <sup>2</sup> (11 to 34 lb) For A6 or smaller: 40 to 209 g/m <sup>2</sup> (11 to 56 lb) For A8 or smaller: 127 to 209 g/m <sup>2</sup> (34 to 56 lb)
	Manual Feed	Paper: 20 to 413 g/m <sup>2</sup> (5.4 to 110 lb) Plastic Card: 1.4 mm or less Booklet: 5 mm or less
ADF Capacity* <sup>7</sup>	20 sheets (A4 80 g/m <sup>2</sup> or Letter 20 lb), 30 sheets (A4 52 g/m <sup>2</sup> or Letter 14 lb)	
Expected Daily Volume* <sup>8</sup>	4,500 sheets	
Multifeed Detection	Overlap detection (Ultrasonic sensor)	
Interface	USB 3.2 Gen 1x1 / USB 2.0 / USB 1.1	
Power Requirements	AC 100 to 240 V ± 10%	
Power Consumption		
Operating Mode	19 W or less	
Sleep Mode	1.7 W or less	
Auto Standby (Off) Mode	0.15 W or less	

Operating Environment	
Temperature	5 to 35 °C (41 to 95 °F)
Relative Humidity	20 to 80% (non-condensing)
Environmental Compliance	ENERGY STAR®, RoHS
Dimensions* <sup>9</sup> (Width x Depth x Height)	296 x 105 x 83 mm (11.7 x 4.1 x 3.3 in.)
Weight	2.0 kg (4.4 lb)
Supported Operating System	Windows® 10, Windows® 8.1, Windows® 7, Windows Server® 2019, Windows Server® 2016, Windows Server® 2012 R2, Windows Server® 2012, Windows Server® 2008 R2, Windows Server® 2008
Included Software / Drivers	PaperStream IP driver (TWAIN/TWAIN x64/ISIS), WIA Driver* <sup>10</sup> , PaperStream Capture, Software Operation Panel, Error Recovery Guide, ABBYY FineReader for ScanSnap™* <sup>11</sup> , Scanner Central Admin
Image Processing Functions	Multi image output, Automatic color detection, Blank page detection, Static threshold, Dynamic threshold (iDTC), Advanced DTC, SDTC, Error diffusion, Dither, De-Screen, Emphasis, Dropout color (None/Red/Green/Blue/White/Saturation/Custom), sRGB output, Hole punch removal, Cropping, Index tab cropping, Split image, De-Skew, Edge correction, Vertical streaks reduction, Character extraction, Background pattern removal
Included Items	AC cable, AC adapter, USB cable, Setup DVD-ROM

## Options

Carrier Sheets	PA03360-0013	Each package contains 5 carrier sheets
Photo Carrier Sheets	PA03770-0015	Each package contains 3 carrier sheets
Booklet Carrier Sheets	PA03795-0018	Each package contains 1 carrier sheet
2D Barcode for PaperStream	PA43404-A433	Reads PDF417, QR code, Data Matrix, Aztec Code

## Consumables

Pick Roller	PA03795-0001	Every 150,000 sheets or one year
Pad Unit	PA03795-0002	Every 30,000 sheets or one year

\*<sup>1</sup> Actual scanning speeds are affected by data transmission and software processing times. \*<sup>2</sup> Indicated speeds are from using JPEG compression. \*<sup>3</sup> Indicated speeds are from using TIFF CCITT Group 4 compression. \*<sup>4</sup> When scanning in high resolutions (500 dpi or above), scanning may be rejected depending on scanning mode, document size, memory size, and application program. Selectable maximum density may vary depending on the length of the scanned document. \*<sup>5</sup> Limitations may apply to the size of documents that can be scanned, depending on system environment, when scanning at high resolution (over 600 dpi). \*<sup>6</sup> Long page scanning is only available when using the ADF. Supports documents with lengths of up to 5,588 mm (220 in.) when resolutions are set to 200 dpi or less. For higher resolutions, supported document lengths vary. \*<sup>7</sup> Maximum capacity depends on paper weight and may vary. \*<sup>8</sup> Numbers are calculated using scanning speeds and typical hours of scanner use, and are not meant to guarantee daily volume or unit durability. \*<sup>9</sup> With the ADF paper chute closed. \*<sup>10</sup> Functions equivalent to those offered by PaperStream IP may not be available with the WIA Driver. \*<sup>11</sup> Software can be downloaded from the website designated in the Setup DVD-ROM.

## Trademarks

ISIS is a trademark of Open Text. Any other products or company names appearing in this document are the trademarks or registered trademarks of the respective companies.

## Safety Precautions

Be sure to carefully read all safety precautions prior to using this product and use this device as instructed. Do not place this device in wet, moist, steamy, dusty or oily areas. Using this product under such conditions may result in electrical shock, fire or damage to this product. Be sure to limit the use of this product to listed power ratings.

## ENERGY STAR®

PFU Limited, a Fujitsu company, has determined that this product meets the ENERGY STAR® guidelines for energy efficiency. ENERGY STAR® is a registered trademark of the United States.

Specifications are subject to change without notice. Visit the fi Series website for more information. <http://imagescanner.fujitsu.com/>

## Contact