



# Power Quality

U.S. Accessories & Supplies



# How to Order



## Shop online: [gehealthcare.com/accessories](https://gehealthcare.com/accessories)

Available 24/7, GE Healthcare Service Shop makes ordering supplies online fast and easy.

- Search real-time inventory of compatible, OEM products
- Take advantage of Auto Reorder for parts you buy regularly
- Batch order multiple items at once with Quick Order
- Get instant order and tracking confirmations
- Pay by PO or credit card or integrate your purchasing system

### **Visit GE Healthcare Service Shop to register.**

1. Visit GE Healthcare Service Shop, navigating to the registration link in the upper left-hand corner of the page.
2. Give us your account details. Pro tip: Provide your customer account number for expedited registration.
3. A welcome message will come to you through the email you provide. Start shopping!

**Register now** at [ServiceShop.GEHealthcare.com](https://ServiceShop.GEHealthcare.com)



## Other ways to order:

Phone: (866) 281-7545 Options 1, 2, 1, 2








Fax: (877) 279-6990

Email: [gehcaccessorysales@ge.com](mailto:gehcaccessorysales@ge.com)

EDI: Free – contact us for details

Hours: 7AM – 6PM (CST)

# Table of Contents

Uninterruptible Power Supplies .....	PQ 4	
Transformer .....	PQ 6	
Dynamic Sag Corrector .....	PQ 7	
Maintenance Bypass Panels .....	PQ 8	
Main Disconnect Panels .....	PQ 9	
AC Lighting Controllers .....	PQ 11	
Power Quality Compatibility Guide.....	PQ 12	



See Power Quality Compatibility Guide  
on page PQ 12-17

## Uninterruptible Power Supplies

### Uninterruptible Power Supplies (UPS)

- Helps provide reliable, clean, consistent power for Diagnostic Imaging and PACS systems
- Helps to eliminate power anomalies (noise, transients, over and undervoltage), which could damage the system's sensitive computer components
- Enables the DI system to complete scanning after the loss of supply power and allows for the saving of valuable data and orderly system shutdown
- GE has tested and approved specific On-Line Double Conversion UPS models with GE Healthcare Diagnostic Imaging systems
- Configurations are available to support multi-modalities or even complete departments



Cat#	Description	Warranty	Cat#	Description	Warranty
<b>CT UPS</b>			<b>MR UPS</b>		
E4502FB	100 kVA GE UPS SG Series	O	E4504FP	700 VA Partial System UPS	O
E4502FD	150 kVA GE UPS SG Series	O	E4504FN	Cable for Cat# E4504FM and E4504FP (Required for SIGNA Premier, SIGNA Voyager and SIGNA Pioneer)	O
E4502WA	150 kW 93PM (non-seismic) UPS, non-upgradeable, 6.1 min runtime	O	E4502FB	100 kVA GE UPS SG Series	O
E4502WB	150 kW 93PM (seismic) UPS, non-upgradeable, 6.1 min runtime	O	E4502FD	150 kVA GE UPS SG Series	O
E4502WC	150 kW 93PM (non-seismic) UPS, upgradeable, 8.4 min runtime	O	E45971AC	400 kW TLE UPS, non-seismic, 5 min runtime, with Maintenance Bypass Panel, for shipments via surface	O
E4502WD	150 kW 93PM (seismic) UPS, upgradeable, 8.4 min runtime	O	E45971AE	400 kW TLE UPS, non-seismic, 5 min runtime, with Maintenance Bypass Panel, for air freight	O
E4502WE	50 kW UPM field upgrade for E4502WC and E4502WD	O	<b>Interventional UPS</b>		
E4502WF	200 kW 93PM (non-seismic) UPS, non-upgradeable, 4.1 min runtime	O	E4502FD	150 kVA GE UPS SG Series	O
E4502WG	200 kW 93PM (seismic) UPS, non-upgradeable, 4.1 min runtime	O	E4502FF	300 kVA UPS	O
E4502FG	225 kVA GE UPS	O	E4502FH	20 kVA Partial UPS for Innova Systems	O
E4502FF	300 kVA UPS	O	<b>Ultrasound UPS</b>		
E4502F	14 kVA Partial UPS	O	E4502M	420 VA Powervar UPS	ZZ
E4502KZ	10 kVA Partial UPS	O	E4502KV	2 kVA UPS	D
E4504CP	15 kVA Partial UPS	O	E8349PA	1440 VA UPS (Medical Grade)	ZZ
E4502YA	Seismic Kit for Cat# E4502F and E4502KY UPS	O	<b>PET UPS</b>		
			E4502JS	10 kVA GE LanPro 11U Single Phase UPS	O
			E4502FB	100 kVA GE UPS SG Series	O
			E4502FG	225 kVA GE UPS	O
			E4502F	14 kVA Partial UPS	G
			E4502YA	Seismic Kit for Cat# E4502F	O



See Power Quality Compatibility Guide on page PQ 12-17

## Uninterruptible Power Supplies (UPS) *(cont.)*

Cat#	Description	Warranty
<b>Nuclear Medicine UPS</b>		
E4502KX	1.5 kVA Powercom VGS-1500 UPS for Discovery 750b	O
E4502JJ	6 kVA Eaton UPS	O
E4502FK	10 kVA GE LP33 Series UPS	G
E4502KZ	10 kVA Partial UPS	G
E4502YB	Seismic Kit for Cat# E4502JJ UPS	O
E4502KV	Powercom VGS-2000 2 kVA UPS, 120V, 50/60 Hz for Discovery NM530c	G
<b>RAD/R&amp;F UPS</b>		
E4502FD	150 kVA GE UPS SG Series	O
E4502FF	300 kVA UPS	O
E4502FQ	700 VA Partial UPS	O
<b>Mammography UPS</b>		
E4502JJ	6 kVA Eaton UPS	O
E4502JS	10 kVA GE LanPro 11u Single Phase UPS	O
<b>Lunar UPS</b>		
E4502LB	1.5 kVA UPS for LUNAR iDXA and Prodigy Systems (also requires E4502LC grounding kit)	G
E4502LC	Cable Kit for Cat# E4502LB UPS	G
<b>Multi-System UPS</b>		
E4502FF	300 kVA GE UPS SG Series	G
E4502FJ	500 kVA GE UPS SG Series	G



See Power Quality Compatibility Guide on page PQ 12-17



## Transformer

### Transformer

- Meets or exceeds DOE 2016, NEMA TP-1, NEMA premium and DOD CSL-3 efficiency requirements
- Qualified to the seismic requirements of ASCE7.05, IEEE-693-2005 and IBC-2006
- UL Listed
- Weather shields protect transformers from rain, snow and the elements when installed outdoors



Cat#	Description	Warranty
E4500TB	112.5 kVA Step Up Transformer – 208-480Y/277 Volt	Y
E4500AR	Weather Shield for 112.5 kVA Transformers	Y



See Power Quality Compatibility Guide on page PQ 12-17

## Dynamic Sag Corrector

### Dynamic Sag Corrector (DySC)

- Corrects for voltage sags at the system, department or facility level
- DySC is optimized for fast sag detection and response time (voltage detect time of 1 ms; sags are corrected with a peak voltage response time of 1.5 ms)
- A green power solution at > 99% energy efficiency, the DySC has no batteries and over time can offer lower cost of maintenance
- Smaller footprint and lighter weight than comparable (kVA) UPS systems
- Service Contracts offered by GE Healthcare



E4505SM/E4505SN

Transformer/Dynamic Sag Corrector

Cat#	Description	Warranty
E4505SL	110 Amp (92 kVA) ProDySC Dynamic Sag Corrector (includes limited, simple installation)	Y
E4505SJ	200 Amp (166 kVA) ProDySC Dynamic Sag Corrector (without installation)	Y
E4505SD	200 Amp (166 kVA) ProDySC Dynamic Sag Corrector (includes limited, simple installation)	Y
E4505SM	200 Amp GT (166 kVA) ProDySC Dynamic Sag Corrector (without installation)	Y
E4505SN	200 Amp GT (166 kVA) ProDySC Dynamic Sag Corrector (includes limited, simple installation)	Y
E4505SK	400 Amp (333 kVA) ProDySC Dynamic Sag Corrector (without installation)	Y
E4505SE	400 Amp (333 kVA) ProDySC Dynamic Sag Corrector (includes limited, simple installation)	Y



## Maintenance Bypass Panels

### Maintenance Bypass Panels

- The Maintenance Bypass Panel feeds power to the UPS in the normal mode and enables an imaging system to operate when the UPS is in the manual bypass mode for routine servicing of the UPS or in the event of UPS failure.
- The UPS input and output breakers provide branch overcurrent protection, a disconnection/isolation means and OSHA lock out/tag out provisions
- The bypass breaker includes a control contact which interfaces with the UPS to switch into static bypass
- Each circuit breaker is permanently identified by function for ease of operation
- Helps reduce installation time by providing a pre-designed and tested system, eliminating the need to mount and wire a number of individual components
- Standardized design and testing helps ensure high product quality and system reliability
- Operations manual to supplement UPS documentation
- UL and cUL listed, labeled, tested and conforms to National Electric Code



E4504CG

Cat#	Description	Warranty
E4504CG	100 kVA UPS Bypass Panel (Use with UPS Catalog E4502FB)	Y
E4504CH	150 kVA UPS Bypass Panel (Use with UPS Catalog E4502FD)	Y
E4504CJ	300 kVA UPS Bypass Panel (Use with UPS Catalog E4502FF)	Y
E4505CL	225 kVA UPS Bypass Panel (Use with UPS Catalog E4505FG)	Y
E4504CC	300 kVA UPS Bypass Panel	Y
E4504CE	500 kVA UPS Bypass Panel	Y
E4504CF	500 kVA UPS Bypass Panel – 4 Breaker Distribution	Y
E4504CM	500 kVA Bypass Panel with Feed-Through Lugs (Use with UPS Catalog E4502FJ)	Y
E4504CN	500 kVA Bypass Panel with 4-Feeder Breaker (Use with UPS Catalog E4502FJ)	Y



See Power Quality Compatibility Guide  
on page PQ 12-17



## Main Disconnect Panels

### Main Disconnect Panels

- Main Disconnect Panels provide emergency shut down, undervoltage protection, overcurrent protection, OSHA lockout tag provisions, and serves as a local disconnect for the GE Healthcare Diagnostic Imaging System.
- Helps reduce installation time by providing a single-point power connection, eliminating the need to mount and wire a number of individual components
- Standardized design and testing helps ensure high product quality and system reliability
- UL and cUL listed for compliance with National Electric Code
- Surface or semi-flush mounting
- Please consult your GE Healthcare Field Engineer to determine if this is the appropriate product for your needs before purchasing



E4502BB/BC/BE/BF

Cat#	Description	Warranty
<b>X-ray Main Disconnect Panels</b>		
E4502ST	25 KAIC X-ray Main Power Disconnect Panel – 80 Amp, 480V/208V	Y
E4502RP	25 KAIC X-ray Main Power Disconnect Panel – 90 Amp, Auto-Restart	Y
E4502RS	25 KAIC X-ray Main Power Disconnect Panel – 110 Amp, 480V/208V	Y
E4502SA	25 KAIC X-ray Main Power Disconnect Panel – 110 Amp, Auto-Restart	Y
E4502RT	25 KAIC X-ray Main Power Disconnect Panel – 150 Amp, 480V/208V	Y
E4502JH	X-ray Main Power Disconnect Panel – 225 Amp, 480V/208V	Y
E4502KP	480V, 50Hz, 90 Amp Precision RXi System Main Disconnect Panel	Y
E4502KR	380 – 400V, 50/50 Hz, 125 Amp Precision RXi System Main Disconnect Panel	Y
<b>CT Main Disconnect Panels</b>		
E4502BE	CT Main Disconnect Panel and UPS Control, 380 – 480 V, 50/60 Hz, 125 Amp	Y
E4502BF	CT Main Disconnect Panel and UPS Control, 380 – 480 V, 50/60 Hz, 150 Amp	Y
E4502BB	CT Main Disconnect Panel and UPS Control, 380 – 480 V, 50/60 Hz, 90 Amp	Y
E4502BC	CT Main Disconnect Panel and UPS Control, 380 – 480 V, 50/60 Hz, 110 Amp	Y
E4502BG	CT Main Disconnect Panel, 380 – 480V, 50/60 Hz, 175 Amp for Revolution CT Apex	Y
<b>NM/CT Disconnect Panels</b>		
E4502AG	90 Amp Main Disconnect Panel for NM/CT 670/870/850/860	Y
E4502AH	110 Amp Main Disconnect Panel for NM/CT 670/870/850/860	Y

See Power Quality Compatibility Guide on page PQ 12-17

**Main Disconnect Panels** *(cont.)*

Cat#	Description	Warranty
<b>MR Main Disconnect Panels</b>		
E4502SP	25 KAIC MR Signa* Main Disconnect Panel w/Shield Cooler Compressor	Y
<b>Nuclear Medicine/PET Main Disconnect Panels</b>		
E4502SN	25 KAIC Millennium VG Main Power Disconnect Panel – 208Y/120V	Y
E4502SU	Optima NM/CT 640 Main Power Disconnect Panel	Y
E4502SV	Discovery NM630 and Brivo NM615 Main Power Disconnect Panel	Y
<b>Mammography Main Disconnect Panels</b>		
E4502PA	MDP UL 208 – 240 V, 60 Hz, for Senographe Pristina/Essential/DS	Y
<b>Interventional Main Disconnect Panels</b>		
E46001BD	MDP for Innova IGS5, IGS7 and IGS 6 AutoRight™	Y



See Power Quality Compatibility Guide  
on page PQ 12-17

## AC Lighting Controllers

### AC Lighting Controllers

- “X-ray in Use” warning and room lighting control panel provide a low voltage interface between the “X-ray in Use” warning lights, interior room general lighting systems and the X-ray system
- Convenient, push on/off pre-wired footswitch for control of room general lighting
- Enhances servicing safety by the use of a low voltage interface circuit between the imaging system and the line voltage lighting system



E4502SS

Cat#	Description	Warranty
E4502SS	X-ray Warning and Room Lighting Control Panel (X-ray, Vascular, R&F)	Y
E4502RL	X-ray Warning Light Control Panel (CT, MR, X-ray)	Y
E4500AK	X-ray Warning Light Control Panel for Infinia Hawkeye	Y



See Power Quality Compatibility Guide on page PQ 12-17



## Power Quality Compatibility Guide

CT Systems	Full UPS Cat #	Full UPS Description	Partial UPS Cat #	Partial UPS Description	Maintenance Bypass Panel	Main Disconnect Panel	AC Lighting Controller
Discovery CT 750HD, Revolution CT, Revolution Frontier Revolution HD, Revolution GSI	E4502WA E4502WB E4502WC  E4502WD	150 kW UPS (non-seismic) 150 kW (seismic OHSPD) 150 kW UPS (non-seismic, upgradeable to 200 kW for Apex) 150 kW (seismic OHSPD, upgradeable to 200 kW for Apex)	E4502F (E4502CA UPS Long Cable Kit & E4502YA* UPS Seismic Kit)	14 kVA partial system UPS	E4502WA/WB/WC/WD configurations include their own MBP. E4502WA/WB configurations include a wall-mounted load distribution panel.	E4502BE 125 Amp	E4502SS E4502RL
CT Revolution Apex	E4502WF E4502WG E4502WE	200 kW UPS (non-seismic) 200 kW (seismic OHSPD) 50 kW field upgrade of E4502WC or WD for use with Apex (200 kW)	E4502F (E4502CA UPS Long Cable Kit & E4502YA UPS Seismic Kit)	14 kVA partial system UPS	E4502WF/WG configurations include their own MBP	E4502BG 175A	E4502SS E4502RL
Optima CT660, Optima CT540/CT520,	E4502WA E4502WB	150 kW UPS (non-seismic) 150 kW (seismic OHSPD)	E4502KZ	10 kVA partial system UPS	E4502WA/WB configurations include their own MBP and a wall-mounted load distribution panel	E4502BE 125 Amp	E4502SS E4502RL
Revolution EVO	E4502FB E4502WA E4502WB	100 kVA UPS (non-seismic) 150 kW UPS (non-seismic) 150 kW (seismic OHSPD)	E4502KZ	10 kVA partial system UPS	E4504CG (use with E4502FB) E4502WA/WB configurations include their own MBP and a wall-mounted load distribution panel	E4502BB 90A E4502BE 125A	E4502SS E4502RL
Optima CT580 RT, Discovery CT590 RT, Optima CT580w	E4502FB (non-seismic)	100 kVA UPS	E4502KZ	10 kVA partial system UPS	E4504CG (use with E4502FB)	E4502BE 125 Amp	E4502SS E4502RL
LightSpeed Pro 32, LightSpeed VCT (LightSpeed 7.x series)	E4502WA E4502WB	150 kW UPS (non-seismic) 150 kW (seismic OHSPD)	E4502F (E4502CA UPS Long Cable Kit & E4502YA UPS Seismic Kit)	14 kVA partial system UPS	E4502WA/WB configurations include their own MBP and a wall-mounted load distribution panel	E4502BE 125 Amp	E4502SS E4502RL
CT/I, LS Qx/I (LightSpeed 1.x & 2.x series) LS Plus & LS Ultra (LightSpeed 3.x series) LightSpeed 16 (LightSpeed 4.x series) LS Plus & LS Ultra & LS 16 (LightSpeed 5.x series) BrightSpeed (5.x series)	E4502FB	100 kVA UPS	E4502KZ	10 kVA partial system UPS	E4504CG (use with E4502FB)	E4502BB 90 Amp	E4502SS E4502RL

E4502KZ includes the seismic kit.

\*E4502YA is the seismic bracket for E4502F. E4502YB is the seismic bracket for E4502JJ.



Nuclear Medicine & Nuclear Medicine/CT Systems	Full UPS Cat #	Full UPS Description	Partial UPS Cat #	Partial UPS Description	Main Disconnect Panel
Discovery NM530c	E4502KV	2 kVA UPS			
Discovery NM630 & Brivo NM615	E4502JJ E4502YB*	6 kVA UPS			E4502SV
Discovery NM/CT 670, NM/CT 870, NM/CT850, NM/CT860	E4502FB	100 kVA UPS	E4502JJ E4502KZ	E4502YB* 6 kVA UPS for NM part 10 kVA Partial System UPS for CT part	E4502AG 90Amp E4502AH 110A
Optima NM/CT 640	E4502FH	20 kVA UPS	E4502JJ E4502YB*	6 kVA UPS	E4502SU
Discovery 750b	E4502KX	1.5 kVA UPS			
Millenium Series: MG/MC Myosite, MPR MPS	E4502KV	2 kVA UPS			
Ventri Systems	E4502KV	2 kVA UPS			

### Workstations

Xeleris, Xeleris View, Entegra, Genie P&R	EE4502KV	2 kVA UPS			
Xpert (Elscint)	E4502KV	2 kVA UPS			
POWERstation LNX	E4502KV	2 kVA UPS			

PET & PET/CT Systems	Full UPS Cat #	Full UPS Description	Partial UPS Cat #	Partial UPS Description	Maintenance Bypass Panel	Main Disconnect Panel	AC Lighting Controller
Discovery IQ, Discovery MI/MI-DR	E4502WA E4502WB	150 kW UPS (non-seismic) 150 kW (seismic OHSPD)			E4502WA/WB configurations include their own MBP and a wall-mounted load distribution panel		E4502SS E4502RL
Discovery ST (Including Mobile)	E4502FB	100 kVA UPS	E4502F E4502YA*	14 kVA Partial	E4504CG (use with E4502FB)	E4502BB 90 Amp w/ Auto restart	E4502SS E4502RL
Discovery ST-HP (PET w/LS 16 5.x series) (Including Mobile)	E4502FB	100 kVA UPS	E4502F E4502YA*	14 kVA Partial	E4504CG (use with E4502FB)	E4502BB 90 Amp w/ Auto restart	E4502SS E4502RL
Discovery-VCT (DVCT)	E4502FD	150 kVA UPS	E4502F E4502YA*	14 kVA Partial	E4504CH (use with E4502FD)	E4502BE 125 Amp w/ Auto restart	E4502SS E4502RL
Optima-PET/CT 560	E4502FB	100 kVA UPS	E4502F E4502YA*	14 kVA Partial	E4504CG (use with E4502FB)	E4502BB 90 Amp w/ Auto restart	E4502SS E4502RL
Optima-PET/CT 560 FX	E4502FB	100 kVA UPS	E4502F E4502YA*	14 kVA Partial	E4504CG (use with E4502FB)	E4502BB 90 Amp w/ Auto restart	E4502SS E4502RL
Discovery-PET/CT 600	E4502FB	100 kVA UPS	E4502F E4502YA*	14 kVA Partial	E4504CG (use with E4502FB)	E4502BB 90 Amp w/ Auto restart	E4502SS E4502RL
Discovery-PET/CT 690 elite	E4502WA E4502WB	150 kW UPS (non-seismic) 150 kW (seismic OHSPD)	E4502F E4502YA*	14 kVA Partial	E4502WA/WB configurations include their own MBP and a wall-mounted load distribution panel	E4502BB 90 Amp w/ Auto restart	E4502SS E4502RL
Discovery-PET/CT 690 VCT	E4502WA E4502WB	150 kW UPS (non-seismic) 150 kW (seismic OHSPD)	E4502F E4502YA*	14 kVA Partial	E4502WA/WB configurations include their own MBP and a wall-mounted load distribution panel	E4502BE 125 Amp w/ Auto restart	E4502SS E4502RL
Discovery-PET/CT 610 (16 & 64 slice)	E4502FB	100 kVA UPS	E4502F E4502YA*	14 kVA Partial	E4504CG (use with E4502FB)	E4502BB 90 Amp w/ Auto restart	E4502SS E4502RL
Discovery-PET/CT 710 (16 & 64 slice)	E4502WA E4502WB	150 kW UPS (non-seismic) 150 kW (seismic OHSPD)	E4502F E4502YA*	14 kVA Partial	E4502WA/WB configurations include their own MBP and a wall-mounted load distribution panel	E4502BE 125 Amp w/ Auto restart	E4502SS E4502RL
Radiotracer	E4502JS	10 kVA UPS					E4502SS E4502RL
MiniTrace Cyclotron	E4502FB	100 kVA UPS			E4504CG (use with E4502FB)		E4502SS E4502RL

\*E4502YA is the seismic bracket for E4502F.



MR Systems	Full UPS Cat #	Full UPS Description	Partial UPS Cat #	Partial UPS Description	Maintenance Bypass Panel	Main Disconnect Panel
SIGNA Premier	E45971AC	400kW UPS (for ship- ments via surface)	E4504FP and E4504FN (required cable)	0.7 kVA Partial System UPS	TBD	M7100AA*
	E45971AE	400 kW UPS (for air freight)				
SIGNA Artist SIGNA Architect	E4502FD	150 kVA UPS	E4504FP	0.7 kVA Partial System UPS	E4504CH	M7000WL*
SIGNA Creator SIGNA Explorer Brivo MR355 Optima MR360	E4502FB	100 kVA UPS	E4504FP	0.7 kVA Partial System UPS	E4504CG	M3088TM*
SIGNA Voyager SIGNA Pioneer	E4502FB	100 kVA UPS	E4504FP and E4504FN (required cable)	0.7 kVA Partial System UPS	E4504CG	M7000WL*
Discovery 450 1.5T Discovery 750 3.0T Optima 450w Discovery 750w SIGNA PET/MR	E4502FD	150 kVA UPS	E4504FP	0.7 kVA Partial System UPS	E4504CH	M7000WL*
SIGNA 1.0T and 1.5T MR/I Wide Open	E4502FB	100 kVA UPS	E4504FP	0.7 kVA Partial System UPS	E4504CG	E4502SP
Excite 1.5T, 3.0T, HDx, HDe	E4502FB	100 kVA UPS	E4504FP	0.7 kVA Partial System UPS	E4504CG	TBD

\*To order contact your local GE Healthcare representative.

Interventional Systems	Full UPS Cat #	Full UPS Description	Partial UPS Cat #	Partial UPS Description	Maintenance Bypass Panel	Main Disconnect Panel	AC Lighting Controller
Innova IGS 540, 530, 620	E4502FD E4502FF	150 kVA UPS 300 kVA UPS	E4502FH 20 kVA UPS	Needs interface kit S18751PS	E4504CH (Use with E4502FD) E4504CJ (Use with E4502FF)	E46001BD	E4502SS E4502RL
Discovery IGS 730, 740	E4502FD E4502FF	150 kVA UPS 300 kVA UPS	E4502FH 20 kVA UPS	Needs interface kit S18751PS	E4504CH (Use with E4502FD) E4504CJ (Use with E4502FF)	E46001BD	E4502SS E4502RL
Optima CL323i	E4502FD E4502FF	150 kVA UPS 300 kVA UPS	E4502FH 20 kVA UPS	Needs interface kit S18751PS	E4504CH (Use with E4502FD) E4504CJ (Use with E4502FF)		E4502SS E4502RL
Innova 2000, 2100, 3100, 4100 (requires Unity platform for 20 kVA UPS compatibility)	E4502FD E4502FF	150 kVA UPS 300 kVA UPS	E4502FH 20 kVA UPS	for older Innova systems w/o built-in UPS; not Innova 2000 (needs interface kit, S18751PS)	E4504CH (Use with E4502FD) E4504CJ (Use with E4502FF)	E4502JE - Innova 2100, 3100, 4100	E4502SS E4502RL
CathLab (Innova 2000/2100)	E4502FD E4502FF	150 kVA UPS 300 kVA UPS	E4502FH 20 kVA UPS	Needs interface kit S18751PS	E4504CH (Use with E4502FD) E4504CJ (Use with E4502FF)	E4502RP - 90 Amp, Auto Restart E4502ST - 80 Amp E4502RS - 110 Amp E4502RT - 150 Amp E4502JH - 225 Amp E4502RY - 125 Amp, Auto Restart	E4502SS E4502RL
ComboLab (Innova 3100/4100) (Vascular/Cath)	E4502FD E4502FF	150 kVA UPS 300 kVA UPS	E4502FH 20 kVA UPS	Needs interface kit S18751PS	E4504CH (Use with E4502FD) E4504CJ (Use with E4502FF)	E4502RP - 90 Amp, Auto Restart E4502ST - 80 Amp E4502RS - 110 Amp E4502RT - 150 Amp E4502JH - 225 Amp E4502RY - 125 Amp, Auto Restart	E4502SS E4502RL



X-ray Systems	Full UPS Cat #	Full UPS Description	Partial UPS Cat #	Partial UPS Description	Maintenance Bypass Panel	Main Disconnect Panel	AC Lighting Controller
R&F Precision 500D/Rxi/MPI, Proteus Xqi/XRd-2X*/XRa, Definium 8000*	E4502FD E4502FF	150 kVA UPS 300 kVA UPS	E4504FQ	0.7kVA Partial System UPS (* indicates approval for use with these systems)	E4504CH (Use with E4502FD) E4504CJ (use with E4502FF)	E4502RP - 90 Amp, Auto Restart E4502ST - 80 Amp E4502RS - 110 Amp E4502RT - 150 Amp E4502JH - 225 Amp E4502RY - 125 Amp, Auto Restart	E4502SS E4502RL
Brivo XR385	E4502FD E4502FF	150 kVA UPS 300 kVA UPS	E4504FQ	0.7 kVA Partial System UPS	E4504CH (Use with E4502FD) E4504CJ (use with E4502FF)	E4502RP - 90 Amp, Auto Restart E4502ST - 80 Amp E4502RS - 110 Amp E4502RT - 150 Amp E4502JH - 225 Amp E4502RY - 125 Amp, Auto Restart	E4502SS E4502RL
Optima XR640* Optima 646 Discovery XR650*	E4502FD E4502FF	150 kVA UPS 300 kVA UPS	E4504FQ	0.7 kVA Partial System UPS (* indicates approval for use with these systems)	E4504CH (Use with E4502FD) E4504CJ (use with E4502FF)	E4502RP - 90 Amp, Auto Restart E4502ST - 80 Amp E4502RS - 110 Amp E4502RT - 150 Amp E4502JH - 225 Amp E4502RY - 125 Amp, Auto Restart	E4502SS E4502RL
Discovery XR656	E4502FD E4502FF	150 kVA UPS 300 kVA UPS	E4504FQ	0.7 kVA Partial System UPS	E4504CH (Use with E4502FD) E4504CJ (use with E4502FF)	E4502RP - 90 Amp, Auto Restart E4502ST - 80 Amp E4502RS - 110 Amp E4502RT - 150 Amp E4502JH - 225 Amp E4502RY - 125 Amp, Auto Restart	E4502SS E4502RL



Mammography Systems	Full UPS Cat #	Full UPS Description	Main Disconnect Panel	AC Lighting Controller
Senographe Pristina	E4502JJ	6 kVA UPS	E4502PA	TBD
SenoClaire 3D	TBD	TBD	TBD	TBD
Senographe Essential/DS	E4502JS	10 kVA UPS	E4502PA	E4502SS E4502RL
Senographe (fixed or mobile), Senographe 2000D, Senographe 700T, Senographe 800T, Senographe DMR+, SenoVision	E4502JS	10 kVA UPS		E4502SS E4502RL

U/S	UPS Cat#	UPS Description
LOGIQ 200	TBD	TBD
LOGIQ 400	E4502KV	2 kVA UPS
LOGIQ 500	E4502KV	2 kVA UPS
LOGIQ L7	E4502KV	2 kVA UPS
LOGIQ 700	E4502KV	2 kVA UPS
LOGIQ P5	E4502M	0.4 kVA UPS (Battery - E4502NA) (10 ft cord - E4502NB)
LOGIQ P6	E4502KV	2 kVA UPS
LOGIQ E9	E8349PA	1440 VA UPS (Medical Grade)
LOGIQ P3	TBD	TBD
LOGIQ S7	TBD	TBD
LOGIQ S8	E8349PA	1440 VA UPS (Medical Grade)
Vivid 3	E4502KV	2 kVA UPS
Vivid 3 Expert	E4502KV	2 kVA UPS
Vivid 3 Pro	E4502KV	2 kVA UPS
Vivid Five	E4502KV	2 kVA UPS
Vivid 7	E4502KV	2 kVA UPS
Vivid 7 PRO	E4502KV	2 kVA UPS
Vivid P3	TBD	TBD
Vivid Five EchoPAC Review Stations, Options and Accessories	TBD	TBD
Voluson E8/E6	TBD	TBD



## Auto-Reorder

### Auto-Reorder

#### Set quantity, schedule frequency

Every 3 Months ▾

Customize the quantity and order frequency that works for you.



Add to Cart

#### Add to cart

It's that easy. Your first order has been placed. The product will be auto-delivered at your preferred delivery frequency.



#### Manage reorders

In advance of each delivery, we will send you a reminder email for your upcoming delivery. Skip your deliveries or cancel your subscriptions at any time.



## Quick Order

Know what you need to order? Batch order multiple items at once with Quick Order on Service Shop. Enter a list of item numbers or paste from an excel spreadsheet, select quantity and add to cart. Spend less time ordering!



## Payment Options

Pay by PO or credit card or integrate your purchasing system.

## Register now at [ServiceShop.GEHealthcare.com](https://www.gehealthcare.com)

1. Visit GE Healthcare Service Shop, navigating to the registration link in the upper left-hand corner of the page.
2. Give us your account details. Pro tip: Provide your customer account number for expedited registration.
3. A welcome message will come to you through the email you provide. Start shopping!



## Specifications

- All specifications are subject to change without notice
- The product and brand names herein are the trademarks or registered trademarks of their respective owners

## Pricing

- Please call to obtain current pricing. All pricing and product availability is subject to change without notice
- Price invoiced will be the price in effect at the time of order entry
- Quotations available upon request

## Blanket Purchase Orders

You can save time and money by ordering your consumable products with our Blanket Order program. Blanket orders must be scheduled for a year or more and a signed purchase order agreement must be on file. Contact us for additional details.

## Restocking Fee

- Returns are subject to, but not limited to, a minimum 15% restocking fee
- Certain items, such as sterile and environmentally controlled products within this catalog, are non-returnable and nonrefundable unless defective and have been noted as such

## Product Returns

- Immediately upon receipt, please inspect all deliveries for order accuracy and condition
- For products shipped in error, please obtain return authorization from the Accessories and Supplies Call Center within thirty (30) days of delivery
- Power Quality items are nonreturnable and nonrefundable

## Contact Us for General Information and Warranty Terms

### In U.S.

GE Healthcare  
Accessories and Supplies Customer Support Center  
P.O. Box 414, W-544  
Milwaukee, WI 53202

Phone: (866) 281-7545 – opt 1, opt 2, opt 1, opt 2

Fax: (877) 279-6990

Online: [www.gehealthcare.com/accessories](http://www.gehealthcare.com/accessories)

Email: [gehaccessorysales@ge.com](mailto:gehaccessorysales@ge.com)

### All other regions

Contact your local GE Representative.



## [www.gehealthcare.com](http://www.gehealthcare.com)

Harnessing data and analytics across hardware, software and biotech, GE Healthcare is the \$19 billion healthcare business of GE (NYSE:GE). As a leading provider of medical imaging equipment, with a track record of more than 100 years in the industry and more than 50,000 employees across 100 countries, we transform healthcare by delivering better outcomes for providers and patients.

## Imagination at work

GE Healthcare  
3000 North Grandview  
Waukesha, WI 53188  
USA  
[www.gehealthcare.com](http://www.gehealthcare.com)

©2021 General Electric Company.

General Electric Company reserves the right to make changes in specifications and features shown herein, or discontinue the product described at any time without notice or obligation. This does not constitute a representation or warranty or documentation regarding the product or service featured. The results expressed in this document may not be applicable to a particular site or installation and individual results may vary. This document and its contents are provided to you for informational purposes only and do not constitute a representation, warranty or performance guarantee from GE Healthcare.

GE, the GE Monogram, and imagination at work are trademarks of General Electric Company.

GE Healthcare, a division of General Electric Company.

All other product names and logos are trademarks or registered trademarks of their respective companies.

JB00645US

Rev. 01/21