

Cisco AIR-ANT2480V-N Datasheet



Cisco AIR-ANT2480V-N Aironet 8-dBi Omnidirectional Antenna

AIR-ANT2480V-N

Cisco AIR-ANT2480V-N Aironet 8-dBi Omnidirectional Antenna

This document outlines the specifications, describes the Cisco Aironet AIR-ANT2480V-N 8 dBi Omnidirectional Antenna, and provides instructions for mounting it. The antenna operates in the 2400-MHz frequency range and is designed for outdoor use with Cisco Aironet 1500 Series Lightweight Outdoor Mesh Access Points.

Technical Specifications

- Antenna type: Omni-directional (Co-linear Array)
- Operating frequency range: 2400MHz - 2484 MHz
- VSWR: < 1.7:1
- Gain: 8 dBi
- Polarization: Linear, vertical
- Horizontal half-power beamwidth: 10 degrees
- Vertical half-power beamwidth: Omni-directional
- Length: 19-1/2 in. (49.5 cm)
- Tube diameter: 3/4 in. (1.91 cm)
- Cable length and type: none
- Connector: N-male
- Operating temperature: -22 to 158°F (-30°C to +70°C)
- Wind rating: 100 mph operational, 165 mph gusts(160-265 kmh)

For more information of this Cisco AIR-ANT2480V-N, please visit Cisco website:

<https://www.cisco.com/c/en/us/td/docs/wireless/antenna/installation/guide/ant2480v.html>

[Buy Now](#)