

"T181-G24" Qualification Vender List

Please contact FAE support for below orange blocks

Intel CPU										
Product Name	Code Name	Q-Spec	Stepping	Cache	System Bus	# of Cores	Processor Base Frequency	Max Turbo Frequency	TDP	Memory Types
Purley - Intel® Xeon® Processor Scalable Family										
Intel® Xeon® Processor Platinum 8180	SKYLAKE-S	QMQ7	H0	38.5 MB L3	10.4 GT/s	28	2.50 GHz	3.80 GHz	205 W	DDR4-2666
Intel® Xeon® Processor Platinum 8176F	SKYLAKE-S	QNC8	H0	38.5 MB L3	10.4 GT/s	28	2.10 GHz	3.80 GHz	173 W	DDR4-2666
Intel® Xeon® Processor Platinum 8160	SKYLAKE-S	QMRV	H0	33 MB L3	10.4 GT/s	24	2.10 GHz	3.70 GHz	150 W	DDR4-2666
Intel® Xeon® Processor Platinum 8153	SKYLAKE-S	QMS7	H0	22 MB L3	10.4 GT/s	16	2.00 GHz	2.80 GHz	125 W	DDR4-2666
Intel® Xeon® Processor Gold 6154	SKYLAKE-S	QMQ9	H0	24.75 MB L3	10.4 GT/s	18	3.00 GHz	3.70 GHz	200 W	DDR4-2666
Intel® Xeon® Processor Gold 6152	SKYLAKE-S	QMRZ	H0	30.25 MB L3	10.4 GT/s	22	2.10 GHz	3.70 GHz	140 W	DDR4-2666
Intel® Xeon® Processor Gold 6150	SKYLAKE-S	QMQ6	H0	24.75 MB L3	10.4 GT/s	18	2.70 GHz	3.70 GHz	165 W	DDR4-2666
Intel® Xeon® Processor Gold 6148F	SKYLAKE-S	QN3G	H0	27.5 MB L3	10.4 GT/s	20	2.40 GHz	3.70 GHz	160 W	DDR4-2666
Intel® Xeon® Processor Gold 6148	SKYLAKE-S	QMS1	H0	27.5 MB L3	10.4 GT/s	20	2.40 GHz	3.70 GHz	150 W	DDR4-2666
Intel® Xeon® Processor Gold 6142F	SKYLAKE-S	QN3F	H0	22 MB L3	10.4 GT/s	16	2.60 GHz	3.70 GHz	160 W	DDR4-2666
Intel® Xeon® Processor Gold 6142	SKYLAKE-S	QMR7	H0	22 MB L3	10.4 GT/s	16	2.60 GHz	3.70 GHz	150 W	DDR4-2666
Intel® Xeon® Processor Gold 6138T	SKYLAKE-S	QMS9	H0	27.5 MB L3	10.4 GT/s	20	2.00 GHz	3.70 GHz	125 W	DDR4-2666
Intel® Xeon® Processor Gold 6138F	SKYLAKE-S	QN3H	H0	27.5 MB L3	10.4 GT/s	20	2.00 GHz	3.70 GHz	135 W	DDR4-2666
Intel® Xeon® Processor Gold 6136	SKYLAKE-S	QMRX	H0	24.75 MB L3	10.4 GT/s	12	3.00 GHz	3.70 GHz	150 W	DDR4-2666
Intel® Xeon® Processor Gold 6130F	SKYLAKE-S	QMHX	H0	22 MB L3	10.4 GT/s	16	2.10 GHz	3.70 GHz	135 W	DDR4-2666
Intel® Xeon® Processor Gold 6130	SKYLAKE-S	QMS6	H0	22 MB L3	10.4 GT/s	16	2.10 GHz	3.70 GHz	125 W	DDR4-2666
Intel® Xeon® Processor Gold 6128	SKYLAKE-S	QN34	H0	19.25 MB L3	10.4 GT/s	6	3.40 GHz	3.70 GHz	115 W	DDR4-2666
Intel® Xeon® Processor Gold 6126T	SKYLAKE-S	QN39	H0	19.25 MB L3	10.4 GT/s	12	2.60 GHz	3.70 GHz	125 W	DDR4-2666
Intel® Xeon® Processor Gold 6126F	SKYLAKE-S	QMS5	H0	19.25 MB L3	10.4 GT/s	12	2.60 GHz	3.70 GHz	135 W	DDR4-2666
Intel® Xeon® Processor Gold 6126	SKYLAKE-S	QMRV	H0	19.25 MB L3	10.4 GT/s	12	2.60 GHz	3.70 GHz	125 W	DDR4-2666
Intel® Xeon® Processor Gold 5122	SKYLAKE-S	QMRN	H0	16.5 MB L3	10.4 GT/s	4	3.60 GHz	3.70 GHz	105 W	DDR4-2666
Intel® Xeon® Processor Gold 5120T	SKYLAKE-S	QMXL	M0	19.25 MB L3	10.4 GT/s	14	2.20 GHz	3.20 GHz	105 W	DDR4-2400
Intel® Xeon® Processor Gold 5120	SKYLAKE-S	QMXJ	M0	19.25 MB L3	10.4 GT/s	14	2.20 GHz	3.20 GHz	105 W	DDR4-2400
Intel® Xeon® Processor Gold 5117F	SKYLAKE-S	QN98	H0	19.25MB L3	10.4 GT/s	14	2.00 GHz	2.80 GHz	113W	DDR4-2400
Intel® Xeon® Processor Gold 5115	SKYLAKE-S	QMXG	M0	13.75 MB L3	10.4 GT/s	10	2.40 GHz	3.20 GHz	85 W	DDR4-2400
Intel® Xeon® Processor Silver 4116T	SKYLAKE-S	QN7B	M0	16.5 MB L3	9.6 GT/s	12	2.10 GHz	3.00 GHz	85 W	DDR4-2400
Intel® Xeon® Processor Silver 4116	SKYLAKE-S	QN1J	M0	16.5 MB L3	9.6 GT/s	12	2.10 GHz	3.00 GHz	85 W	DDR4-2400
Intel® Xeon® Processor Silver 4114	SKYLAKE-S	QN0B	U0	13.75 MB L3	9.6 GT/s	10	2.20 GHz	3.00 GHz	85 W	DDR4-2400
Intel® Xeon® Processor Silver 4109T	SKYLAKE-S	QN0F	U0	11 MB L3	9.6 GT/s	8	2.00 GHz	3.00 GHz	70 W	DDR4-2400
Intel® Xeon® Processor Bronze 3106	SKYLAKE-S	QN0C	U0	11 MB L3	9.6 GT/s	8	1.70 GHz	None	85 W	DDR4-2133
Purley - Intel® Xeon® Processor Scalable Family										
Intel® Xeon® Processor Platinum 8280M	CascadeLake SP	QRL0	B0	38.5MB	10.4 GT/s	28	2.6 GHz		205W	DDR4-2933
Intel® Xeon® Processor Platinum 8280L	CascadeLake SP	QRL1	B0	38.5MB	10.4 GT/s	28	2.6 GHz		205W	DDR4-2933
Intel® Xeon® Processor Platinum 8280	CascadeLake SP	QRKZ	B0	38.5MB	10.4 GT/s	28	2.6 GHz		205W	DDR4-2933
Intel® Xeon® Processor Platinum 8276M	CascadeLake SP	QRAW	B0	38.5MB	10.4 GT/s	28	2.2 GHz		165W	DDR4-2933
Intel® Xeon® Processor Platinum 8276L	CascadeLake SP	QRAV	B0	38.5MB	10.4 GT/s	28	2.2 GHz		165W	DDR4-2933
Intel® Xeon® Processor Platinum 8270	CascadeLake SP	QRAU	B0	35.75MB	10.4 GT/s	26	2.7 GHz		205W	DDR4-2933
Intel® Xeon® Processor Platinum 8268	CascadeLake SP	QRAT	B0	33MB	10.4 GT/s	24	2.9 GHz		205W	DDR4-2933
Intel® Xeon® Processor Platinum 8260M	CascadeLake SP	QRC4	B0	33MB	10.4 GT/s	24	2.3 GHz		165W	DDR4-2933
Intel® Xeon® Processor Platinum 8260L	CascadeLake SP	QRC2	B0	33MB	10.4 GT/s	24	2.3 GHz		165W	DDR4-2933
Intel® Xeon® Processor Platinum 8256	CascadeLake SP	QRAP	B0	16.5MB	10.4 GT/s	4	3.8 GHz		105W	DDR4-2933
Intel® Xeon® Processor Platinum 8253	CascadeLake SP	QRAN	B0	22MB	10.4 GT/s	16	2.2 GHz		125W	DDR4-2933
Intel® Xeon® Processor Gold 6254	CascadeLake SP	QRAM	B0	24.75MB	10.4 GT/s	18	3.1 GHz		200W	DDR4-2933
Intel® Xeon® Processor Gold 6252	CascadeLake SP	QRAL	B0	33MB	10.4 GT/s	24	2.1 GHz		150W	DDR4-2933
Intel® Xeon® Processor Gold 6248	CascadeLake SP	QRAK	B0	27.5MB	10.4 GT/s	20	2.5 GHz		150W	DDR4-2933
Intel® Xeon® Processor Gold 6244	CascadeLake SP	QRAJ	B0	24.75MB	10.4 GT/s	8	3.6 GHz		150W	DDR4-2933
Intel® Xeon® Processor Gold 6242	CascadeLake SP	QRAH	B0	22MB	10.4 GT/s	16	2.8 GHz		150W	DDR4-2933
Intel® Xeon® Processor Gold 6240Y	CascadeLake SP	QRBX	B0	24.75MB	10.4 GT/s	18	2.6 GHz		150W	DDR4-2933
Intel® Xeon® Processor Gold 6240	CascadeLake SP	QRAG	B0	24.75MB	10.4 GT/s	18	2.6 GHz		150W	DDR4-2933

Intel® Xeon® Processor Gold 6238T	CascadeLake SP	QRBW	B0	30.25MB	10.4 GT/s	22	1.9 GHz		125W	DDR4-2933
Intel® Xeon® Processor Gold 6230	CascadeLake SP	QRAD	B0	27.5MB	10.4 GT/s	20	2.1 GHz		125W	DDR4-2933
Intel® Xeon® Processor Gold 5218	CascadeLake SP	QRA9	B0	22MB	10.4 GT/s	16	2.3 GHz		125W	DDR4-2666
Intel® Xeon® Processor Platinum 8260Y	CascadeLake SP	QRC1	B0	33MB	10.4 GT/s	24	2.3 GHz		165W	DDR4-2933
Intel® Xeon® Processor Platinum 8260	CascadeLake SP	QRC3	B0	33MB	10.4 GT/s	24	2.3 GHz		165W	DDR4-2933
Intel® Xeon® Processor Gold 5220	CascadeLake SP	QRGH	L0	24.75MB	10.4 GT/s	18	2.2 GHz		125W	DDR4-2666
Intel® Xeon® Processor Gold 5218N	CascadeLake SP	QRGD	L0	22MB	10.4 GT/s	16	2.3 GHz		105W	DDR4-2666
Intel® Xeon® Processor Gold 5218B	CascadeLake SP	QRGE	L0	22MB	10.4 GT/s	16	2.3 GHz		125W	DDR4-2666
Intel® Xeon® Processor Gold 5217	CascadeLake SP	QRGC	L0	11MB	10.4 GT/s	8	3.0 GHz		115W	DDR4-2666
Intel® Xeon® Processor Gold 5215L	CascadeLake SP	QRGB	L0	13.75MB	10.4 GT/s	10	2.5 GHz		85W	DDR4-2666
Intel® Xeon® Processor Gold 5215M	CascadeLake SP	QRGA	L0	13.75MB	10.4 GT/s	10	2.5 GHz		85W	DDR4-2666
Intel® Xeon® Processor Gold 5215	CascadeLake SP	QRG9	L0	13.75MB	10.4 GT/s	10	2.5 GHz		85W	DDR4-2666
Intel® Xeon® Processor Silver 4216	CascadeLake SP	QRG8	L0	22MB	9.6 GT/s	16	2.1 GHz		100W	DDR4-2133
Intel® Xeon® Processor Silver 4215	CascadeLake SP	QRG7	L0	11MB	9.6 GT/s	8	2.5 GHz		85W	DDR4-2133
Intel® Xeon® Processor Silver 4214Y	CascadeLake SP	QRHY	L0	16.5MB	9.6 GT/s	12	2.2 GHz		85W	DDR4-2133
Intel® Xeon® Processor Silver 4214	CascadeLake SP	QRG6	L0	16.5MB	9.6 GT/s	12	2.2 GHz		85W	DDR4-2133
Intel® Xeon® Processor Silver 4210	CascadeLake SP	QPJF	R0	13.75MB	9.6 GT/s	10	2.2 GHz		85W	DDR4-2133
Intel® Xeon® Processor Silver 4209T	CascadeLake SP	QPJM	R0	11MB	9.6 GT/s	8	2.2 GHz		70W	DDR4-2133
Intel® Xeon® Processor Silver 4208	CascadeLake SP	QPJG	R0	11MB	9.6 GT/s	8	2.1 GHz		85W	DDR4-2133
Intel® Xeon® Processor Gold 6252N	CascadeLake SP	QS1W	B1	35.75MB	10.4 GT/s	24	2.3 GHz		150W	DDR4-2933
Intel® Xeon® Processor Gold 5218T	CascadeLake SP	QS1T	B1	22MB	10.4 GT/s	16	2.1 GHz		105W	DDR4-2666
Intel® Xeon® Processor Gold 6240M	CascadeLake SP	QS25	B1	24.75MB	10.4 GT/s	18	2.6 GHz		150W	DDR4-2933
Intel® Xeon® Processor Gold 5220S	CascadeLake SP	QS1Z	B1	24.75MB	10.4 GT/s	18	2.7 GHz		125W	DDR4-2666
Intel® Xeon® Processor Gold 6222V	CascadeLake SP	QS2C	B1	27.5 MB	10.4 GT/s	20	1.8 GHz		115W	DDR4-2400
Intel® Xeon® Processor Gold 6238M	CascadeLake SP	QS27	B1	30.25MB	10.4 GT/s	22	2.1 GHz		140W	DDR4-2933
Intel® Xeon® Processor Gold 6262V	CascadeLake SP	QS2B	B1	33MB	10.4 GT/s	24	1.9 GHz		135W	DDR4-2933
Intel® Xeon® Processor Gold 6234	CascadeLake SP	QS1U	B1	24.75MB	10.4 GT/s	8	3.3 GHz		130W	DDR4-2933
Intel® Xeon® Processor Gold 6226	CascadeLake SP	QS1V	B1	19.25MB	10.4 GT/s	12	2.7 GHz		125W	DDR4-2933
Intel® Xeon® Processor Gold 6230N	CascadeLake SP	QS1X	B1	27.5MB	10.4 GT/s	20	2.3 GHz		125W	DDR4-2933
Intel® Xeon® Processor Gold 5220T	CascadeLake SP	QS1R	B1	24.75MB	10.4 GT/s	18	1.9 GHz		105W	DDR4-2666
Intel® Xeon® Processor Gold 6246	CascadeLake SP	QS1Q	B1	24.75MB	10.4 GT/s	8	3.3 GHz		165W	DDR4-2933
Intel® Xeon® Processor Gold 6238	CascadeLake SP	QS1S	B1	30.25MB	10.4 GT/s	22	2.1 GHz		140W	DDR4-2933
Intel® Xeon® Processor Gold 6230T	CascadeLake SP	QS1Y	B1	27.5MB	10.4 GT/s	20	2.1 GHz		125W	DDR4-2933
Intel® Xeon® Processor Gold 6240L	CascadeLake SP	QS26	B1	24.75MB	10.4 GT/s	18	2.6 GHz		150W	DDR4-2933
Intel® Xeon® Processor Gold 6238L	CascadeLake SP	QS28	B1	30.25MB	10.4 GT/s	22	2.1 GHz		140W	DDR4-2933
Memory										
Product Name	Memory Type	Module Supplier	Size	Chip Brand	Rank	Voltage	Data Transfer Rate	Error Correction	CAS Latency	Pins
RDIMM										
M393A8G40MB2-CTD7Q	DDR4	Samsung	64GB	Samsung-IDT	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
M393A4K40CB2-CTD7Q	DDR4	Samsung	32GB	Samsung-IDT	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
M393A2K40CB2-CTD6Q	DDR4	Samsung	16GB	Samsung-Montage	1Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
M393A4K40BB2-CTD	DDR4	Samsung	32GB	Samsung	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
CT8G4RFS8266.9FD1	DDR4	Crucial	8GB	Micron	1Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
MTA9ASF1G72PZ-2G6D1QG	DDR4	Micron	8GB	Micron	1Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
CT16G4RFD8266-2G6E1.001	DDR4	Crucial	16GB	Micron-Montage	2Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
CT16G4RFD8266.18FE1	DDR4	Crucial	16GB	Micron	2Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
MTA18ASF2G72PDZ-2G6E1QG	DDR4	Micron	16GB	Micron	2Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
CT8G4RFD8266.18FE1	DDR4	Crucial	8GB	Micron	2R X8	1.2v	2666MHz	ECC Registered	19	288-pin
CT8G4RFD8266-2G6E1	DDR4	Crucial	8GB	Micron	2R X8	1.2v	2666MHz	ECC Registered	19	288-pin
MTA18ASF1G72PDZ-2G6E1RG	DDR4	Micron	8GB	Micron	2R X8	1.2v	2666MHz	ECC Registered	19	288-pin

CT16G4RFS4266.18FD1	DDR4	Crucial	16GB	Micron	1Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
MTA18ASF2G72PZ-2G6D1QI	DDR4	Micron	16GB	Micron	1Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
CT16G4RFD8266.18FD1	DDR4	Crucial	16GB	Micron	2Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
CT16G4RFD8266.2G6D1	DDR4	Crucial	16GB	Micron	2Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
MTA18ASF2G72PDZ-2G6D1	DDR4	Micron	16GB	Micron	2Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
CT32G4RFD4266.2G6E1.001	DDR4	Crucial	32GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
CT32G4RFD4266.36FE1	DDR4	Crucial	32GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
MTA36ASF4G72PZ-2G6E1	DDR4	Micron	32GB	Micron	2Rx4	1.2V	2666MHz	ECC Registered	19	288-pin
CT32G4RFD4266.36FD1	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
CT32G4RFD4266-2G6D1.001	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
CT16G4RFD4266-2G6E1.001	DDR4	Crucial	16GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
MTA36ASF2G72PZ-2G6E1	DDR4	Micron	16GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
CT16G4RFD8266-2G6H1.001	DDR4	CRUCIAL	16GB	Micron	2Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
MTA18ASF2G72PDZ-2G6H1QG	DDR4	Micron	16GB	Micron	2Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
CT32G4RFD4266-2G6H1.001	DDR4	Crucial	32GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
MTA36ASF4G72PZ-2G6H1QG	DDR4	Micron	32GB	Micron	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
HMA82GR7AFR4N-VKT3	DDR4	SKhynix	16GB	Skhynix-Montage	1Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
HMA82GR7AFR4N-VKTF	DDR4	SKhynix	16GB	Skhynix-IDT	1Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
HMA82GR7AFR8N-VKT3	DDR4	SKhynix	16GB	Skhynix-Montage	2Rx8	1.2v	2666MHz	ECC Registered	19	288-pin
HMA84GR7AFR4N-VKT3	DDR4	SKhynix	32GB	Skhynix-Montage	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
KSM26RD4/32HAI	DDR4	Kingston	32GB	Skhynix-IDT	2Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
KSM26RS4/16HAI	DDR4	Kingston	16GB	Skhynix-IDT	1Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
CT16G4RFS4266.18FD1	DDR4	Crucial	16GB	Micron	1Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
MTA18ASF2G72PZ-2G6D1QI	DDR4	Micron	16GB	Micron	1Rx4	1.2v	2666MHz	ECC Registered	19	288-pin
M393A2K40CB2-CVFBO	DDR4	Samsung	16GB	Samsung-IDT	1Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
M393A2K43CB2-CVFBO	DDR4	Samsung	16GB	Samsung-IDT	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
M393A4K40CB2-CVFBO	DDR4	Samsung	32GB	Samsung-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
CT8G4RFS8293.9FE1	DDR4	CRUCIAL	8GB	Micron	1Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
CT8G4RFS8293-2G9E1.001	DDR4	CRUCIAL	8GB	Micron	1Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
MTA9ASF1G72PZ.2G9E1VG	DDR4	Micron	8GB	Micron-IDT	1Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
MTA9ASF1G72PZ.2G9E1UG	DDR4	Micron	8GB	Micron-Rambus	1Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
MTA9ASF1G72PZ.2G9E1TI	DDR4	Micron	8GB	Micron-Montage	1Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
CT16G4RFD8293.18FE1	DDR4	CRUCIAL	16GB	Micron	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
CT16G4RFD8293-2G9E1.001	DDR4	CRUCIAL	16GB	Micron	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin

MTA18ASF2G72PDZ.2G9E1UG	DDR4	Micron	16GB	Micron-Rambus	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
MTA18ASF2G72PDZ.2G9E1VG	DDR4	Micron	16GB	Micron-IDT	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
CT16G4RFS4293.18FE1	DDR4	CRUCIAL	16GB	Micron	1Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
T16G4RFS4293-2G9E1.001	DDR4	CRUCIAL	16GB	Micron	1Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA18ASF2G72PZ.2G9E1TK	DDR4	Micron	16GB	Micron-Montage	1Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA18ASF2G72PZ.2G9E1VG	DDR4	Micron	16GB	Micron-IDT	1Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
CT32G4RFD4293-2G9E2.001	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
CT32G4RFD4293.36FE2	DDR4	CRUCIAL	32GB	Micron	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF4G72PZ.2G9E2TG	DDR4	Micron	32GB	Micron-Montage	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF4G72PZ.2G9E2VG	DDR4	Micron	32GB	Micron-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
MTA36ASF4G72PZ.2G9E2UG	DDR4	Micron	32GB	Micron-Rambus	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
HMA81GR7CJR8N-WM TG	DDR4	SKhynix	8GB	SKhynix-IDT	1Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
HMA82GR7CJR8N-WM T4	DDR4	SKhynix	16GB	SKhynix-Montage	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
HMA84GR7CJR4N-WM TG	DDR4	SKhynix	32GB	SKhynix-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin
KSM29RD8/16MEI	DDR4	Kingston	16GB	Micron-IDT	2Rx8	1.2v	2933MHz	ECC Registered	21	288-pin
KSM29RD4/32MEI	DDR4	Kingston	32GB	Micron-IDT	2Rx4	1.2v	2933MHz	ECC Registered	21	288-pin

Apache Pass DIMM

Product Name	Memory Type	Module Supplier	Size	TDP	Pins	Note
NMA1XBD128G2SE 3DXP PAK 1	Apache Pass	Intel	128GB	15W	288-pin	

Seagate HDD (SAS HDD may need RAID Card support)

Product Name	Type	Vendor	Form Factor	Format	Capacity	Interface Speed	Series	Cache	RPM	Encryption
Seagate Enterprise Capacity 2.5 HDD										
ST1000NX0313	SATA	Seagate	2.5"	512e	1TB	6Gb/s	Exos 7E2000 (Enterprise Capacity V.3)	128MB	7200	N/A
ST2000NX0243	SATA	Seagate	2.5"	4Kn	2TB	6Gb/s	Exos 7E2000 (Enterprise Capacity V.3)	128MB	7200	N/A
ST2000NX0253	SATA	Seagate	2.5"	512E	2TB	6Gb/s	Exos 7E2000 (Enterprise Capacity V.3)	128MB	7200	N/A

SATA/SAS SSD

Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	FW	Note
SATA/SAS SSD								
SSDSC2KB480G701 (Series DC S4500)	SSD	Intel	2.5"	SATA	480GB	6Gb/s		
SSDSC2KB960G701 (Series DC S4500)	SSD	Intel	2.5"	SATA	960GB	6Gb/s		
SSDSC2KG019T701 (Series DC S4600)	SSD	Intel	2.5"	SATA	1.92TB	6Gb/s		
MZ7KM1T9HMP-0005 (SM863a)	SSD	Samsung	2.5"	SATA	1.92TB	6Gb/s		
MZ-7LH1T9NE 883 DCT Series	SSD	Samsung	2.5"	SATA	1.92TB	6Gb/s		
Micron 5100 MTFDDAK960TBY-1AR1ZABYY	SSD	Micron	2.5"	SATA	960GB	6Gb/s		
XA960LE10063	SSD	Seagate	2.5"	SATA	960GB	6Gb/s		

XA480LE10103	SSD	Seagate	2.5"	SATA	480GB	6Gb/s		
SRE100-960G00210000	SSD	Phison	2.5"	SATA	960GB	6Gb/s		
SRE100-480G00210000	SSD	Phison	2.5"	SATA	480GB	6Gb/s		
PCIe SSD								
Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed	FW	Note
Netlist N1951 E3 NS1951AH33T2 Gen3 x8 3.2TB								
U.2								
Product Name	Type	Vendor	Form Factor	Interface	Capacity	Interface Speed		Note
U.2 (VROC support)								
SSDPE2KX010T701 P4500 Series	U.2	Intel	2.5"	SFF8639(NVMe)	1TB	-		
U.2								
SSDPE2KX010T701 P4500 Series	U.2	Intel	2.5"	SFF8639(NVMe)	1TB	-		
MZ-QLB1T9N 983 DCT Series	U.2	Samsung	2.5"	SFF8639(NVMe)	1.92TB	-		
MZQLW1T9HMJP PM963 Series	U.2	Samsung	2.5"	SFF8639(NVMe)	1.92TB	-		
MTFDHAL3T2MCE	U.2	Micron	2.5"	SFF8639(NVMe)	3.2TB	-		
KCD51LUG960G CD5 Series	U.2	Toshiba	2.5"	SFF8639(NVMe)	960GB	-		
NS1951UF13T8 Netlist N1951 D2 Series	U.2	Netlist	2.5"	SFF8639(NVMe)	3.84TB	-		
NS1551U711T9 Netlist N1551 D2 Series	U.2	Netlist	2.5"	SFF8639(NVMe)	1.92TB	-		
M.2 PCIe Card								
Product Name	Type	Vendor	Form Factor	Interface	Max. Channels	Interface Speed		Note
CMT4032	PCIe	Gigabyte	22110	PCIe(NVMe)	2	Gen3 x 8bus		
CMT4034	PCIe	Gigabyte	22110	PCIe(NVMe)	4	Gen3 x 16bus		
SATA DOM								
Product Name	Type	Vendor	Capacity	Flash Type	Max. Channels	Max. Power Consumption		Note
SATA III								
Innodisk SATADOM-SL 3ME4 DESSL-A28M41BCADCB-D33	Vertical	INNODISK	128GB	MLC	1	1.02 W		
Innodisk SATADOM-SL 3ME4 DESSL-64GM41BC1SCB	Vertical	INNODISK	64GB	MLC	1	0.734 W		
Innodisk SATADOM-ML 3ME4 DESML-64GM41BCADCB	Vertical	INNODISK	64GB	MLC	2	0.815 W		
Innodisk SATADOM-SH TYPE C 3ME4 DESSC-64GM41BC1SCB	Horizontal	INNODISK	64GB	MLC	1	0.626 W		
GPGPU Card (GPGPU server only)								
Product Name	Processor Cores	Memory Bandwidth (GB/sec)		OpenGL	Microsoft DirectX	Graphics Card Power (W)	NVIDIA SLI / AMD CrossFire Ready	Note
NvidaTesla (http://www.nvidia.com/object/tesla-supercomputing-solutions.html)								
P40 (Pascal)	3840	346 GB/s	-	-	-	250 W	-	Maximum support 4pcs GPGPU
V100 (Volta)	5120	900 GB/s	-	-	-	250 W	-	Maximum support 4pcs GPGPU
RAID Cards								
Model	RAID-on-Chip Controller	Host Bus Type	Internal Ports	Internal Connectors	External Ports	External Connectors	Data Transfer Rates	Note
GIGABYTE Storage Cards								
RA201-A	LSI SAS 2208	PCIe- x8 Gen3 x8 bus	8	2 x Mini-SAS for 8x SAS	-	-	6Gb/s ports	
CRA3338	LSI SAS 3008	PCIe- x8 Gen3 x8 bus	8	2 xMini-SAS HD for 8x SAS	-	-	12Gb/s ports	
CSA3548	LSI SAS 3008	PCIe- x8 Gen3 x8 bus	-	-	8	2 x external Mini-SAS HD SFF8644	12Gb/s ports	
CRA4548	LSI SAS 3108	PCIe- x8 Gen3 x8 bus	4	1 x internal Mini-SAS HD SFF8643	4	1 x external Mini-SAS HD SFF8644	12Gb/s ports	
CRA4448	LSI SAS 3108	PCIe- x8 Gen3 x8 bus	8	2 x internal Mini-SAS HD SFF8643	-	-	12Gb/s ports	
PMC RAID Cards (Adaptec)								
Adaptec ASR-8885Q	-	8-lane PCIe Gen3	8	2 x internal mini SAS HD (SFF-8643).	8	2 x external mini SAS HD (SFF-8644)	12Gb/s per port	
Adaptec ASR-81605ZQ	-	8-lane PCIe Gen3	16	4 x internal mini SAS HD (SFF-8643)	-	-	12Gb/s per port	
LAN Cards								
Product Name	Connector	System Interface Type	# of Ports	System Interface Type	Data rate			Note
GIGABYTE LAN Cards								
CLN4121	RJ-45	PCIe x4 Gen3 x4	single		10Gb/s per port			INTEL X550-AT
CLN4222	RJ-45	PCIe x4 Gen3 x4	Dual		10Gb/s per port			INTEL X550-AT2
CLN4312	RJ-45	PCIe x4 Gen2 x4	Dual		1Gb/s per port			INTEL I350-AM2

CLN4314	RJ-45	PCIe x4 Gen2 x4	Quad	1Gb/s per port	INTEL I350-AM4
CLN4751	QSFP+	PCIe x8 Gen3 x8	Single	40Gb/s per port	INTEL XL710
CLN4752	QSFP+	PCIe x8 Gen3 x8	Dual	40Gb/s per port	INTEL XL710
CLN4831	SFP+	PCIe x8 Gen2 x8	Single	10Gb/s per port	INTEL 82599EN
CLN4832	SFP+	PCIe x8 Gen2 x8	Dual	10Gb/s per port	INTEL 82599ES
CLN4C42	SFP28	PCIe Gen3 x16	Dual	25Gb/s per port	Mellanox ConnectX-4
GC-MNXE21	SFP+	PCIe x8 Gen3 x8	Dual	10Gb/s per port	Mellanox ConnectX-3
GC-MLBZ1	SFP+	PCIe x8 Gen2 x8	Dual	10Gb/s per port	Broadcom BCM57810S
Solarflare Onload Server Adapters					
SFN8522-PLUS	QSFP+	PCIe 3.1 x8	Dual	10Gb/s per port	
SFN8522-ScaleOut Onload	QSFP+	PCIe 3.1 x8	Dual	10Gb/s per port	
Qlogic LAN Adapters					
QLE3442-RJ-CK	RJ-45	PCIe x8 Gen3 x8	Dual	10Gb/s per port	
Intel® Ethernet Converged Network Adapter X550-T2	RJ-45	PCIe v3.0 (8.0 GT/s)	Dual	10Gb/s per port	
USB Device					
Product Name	Type	Vendor	Capacity	Note	
USB 3.0					
GoFlex STAA500305	HDD	Seagate	500G		
TOSHIBA CANVIO BASIC	HDD	Toshiba	500G		
NA317U+	Device	ineo			
SST-TS13	Device	Silver Stone			
S1-DS3-Plus	Device	CyberSLIM			
MB981U3-1S	Device	ICYDOCK			
i310-SB3(6G)	Device	STARDOM			