# HP RP7 Retail System, Model 7800



#### The elegant powerhouse

Get ready for the next-generation all-in-one retail solution from HP. Sleek, stylish, and able to effortlessly integrate into your current environment, the HP RP7 Retail System can be customized for everything you need and nothing you don't.





### Impressive everywhere you look

Enhance your store image with the modern, space-saving HP RP7, which has all the capabilities of a traditional retail solution and a sleek design that effortlessly fits into retail and hospitality environments. Use it on a counter or mounted on a wall; the unique dual-hinge base supports adjustable tilt and height for maximum comfort.

Sleek, flush-bezel edges (available on the Projected Capacitive displays only) also make the HP RP7 an appealing self-service kiosk that will attract customers and that your employees can't wait to use. Connection points on all four sides of the display let you customize the exact combination of stylish HP retail peripherals (magnetic stripe reader, fingerprint reader, scanner, webcam, or CFD display) you need to complete your solution.<sup>1</sup>



#### Performance you can trust

Quad-core 2nd Generation Intel® Core™ processors with Intel® vPro™ Technology (select configurations) deliver hardware-based remote management technologies and a stable, secure, and reliable infrastructure.<sup>2,3</sup> DDR3 RAM technology helps ensure fast application loading and togqling between screens. Choose up to two hard drives or solid state drives with RAID capabilities.

Select a 15-inch or 17-inch diagonal display head, and then customize it with intuitive and familiar projected capacitive touch technology or the flexible navigation features of resistive touchscreen.<sup>5</sup> Intrusion protection helps protect against dust and liquid spills.

Add a sharp customer-facing display (CFD). The HP RP7 10.4-inch CFD Display is perfect for additional advertising and promotional opportunities. The HP RP7 VFD Customer Display offers easy-to-read price and product information.



#### **Substance beyond style**

The HP RP7 is retail-hardened for use in ambient environments up to 40°C. The steel chassis, on-board monitoring and alerts, and environmental and shock testing stand up to the long term wear and tear of retail environments.

The extended product lifecycle helps ensure consistency in your install base, and the three-year limited warranty on the entire solution gives you peace of mind about your investment.<sup>6</sup>

For more information, please visit hp.com/go/pos.

### **HP RP7 Retail Solution, Model 7800—Specifications**

Operating System	Preinstalled	Supported	
	Windows 10 (32-bit or 64-bit)	Windows 8.0 64-bit**	
	Windows IoT (32-bit or 64-bit)	Windows XP Professional Edition (32-bit)	
	Microsoft® Windows® 8.1 Pro 64-bit**7		
	Microsoft® Windows® Embedded 8.1 Industry Pro Retail 64-bit** <sup>7</sup>	Certified  Novell SUSE Linux Enterprise Desktop†	
	Windows 7 Professional (32-bit or 64-bit)*	Novell 303E Ellian Enterprise Desktop	
	Windows 7 Professional (32-bit or 64-bit) available through downgrade rights from Windows 8.1 Pro*8		
	Windows Embedded POSReady 7 (32-bit or 64-bit)		
	Windows Embedded POSReady 2009		
	FreeDOS		
Processor <sup>2,3</sup>	Intel® Core™ i5-2400S (2.50 GHz, 6 MB cache, 4 cores) featuring Intel® vPro™ Technology and Intel® HD Graphics 2000		
	Intel® Core™ i3-2120 (3.30 GHz, 3 MB cache, 2 cores) with Intel® HD Graphics 2000		
	Intel® Pentium® G850 with Intel® HD Graphics (2.90 GHz, 3 MB cache, 2 cores) Intel® Celeron® G540 with Intel® Graphics (2.50 GHz, 2 MB cache, 2 cores)		
Chipset	Intel® Q67 Express		
Memory <sup>10</sup>	4 GB DDR3-1600 SDRAM, 2 SODIMMS (Up to 16GB maximum)		
Internal Storage <sup>11</sup>	320GB or 500GB 7200 RPM SATA, 3.0 Gb/s 2.5"; available 64 GB (RAID not supported), 128 GB, or 256 GB 2.5" SSD, 128 GB, or 256 GB SATA 2.5" 3D SSD		
Audio <sup>12</sup>	Rear-line input (supports microphone or line input); High Definition Audio with Realtek ALC221 codec (all ports are stereo); SRS Premium Sound audio management technology; Multi-streaming capable; Dual Internal Speakers (standard)		
Communications	Integrated Intel® 82579LM Gigabit Ethernet Network Connection		
	Optional Wireless LAN: Intel WLAN 802.11 a/g/n 6205 Mini PCIe <sup>4</sup> , Intel 7260 802.11 a/b/g/n PCIe x1 NIC <sup>5</sup>		
Ports and Connectors	6 USB 2.0 2 USB+PWR 12V (1 available if HP RP7 VFD Customer Display is installed)	1 DVI-I for Secondary Display (not available if HP RP7 10.4-inch CFD is installed) 1 RJ-45 10/100/1000 LAN	
	1 USB+PWR 24V (Printer)	1 Audio line-in	
	and housed in I/O cover. Requires the HP security	1 Audio line-out (not available if HP RP7 10.4-inch CFD is installed and audio is connected)	
	screwdriver)  1 RJ-12 Cash Drawer (dual drawers via optional Y cable)	1 DC-in (for power supply)	
	2 RS-232 Powered (+5V/+12V, F-10 Setup Configurable) 1 Parallel	1 DC-out (for HP RP7 10.4-inch CFD only) 4 connectors for select HP integrated peripherals	
	1 PS/2 (supports keyboard or mouse, both through a splitter)		
Power Supply	180W EPS 87% Efficiency power supply – Active PFC; ENERGY STAR® qualified		
Dimensions (W x D x H)	With stand and 15-inch diagonal display: $14.41 \times 16.7$	x 13.22 in (36.6 x 42.4 x 33.58 cm)	
NOTE: Does not include MSR, Biometric Reader,	With stand and 17-inch diagonal display: 15.18 × 16.95 × 13.67 in (38.6 × 43.07 × 34.72 cm)		
Webcam, Scanner, VFD, or CFD	Without stand and with 15-inch diagonal display: 14.4		
	Without stand and with 17-inch diagonal display: 15.18 x 3.58 x 13.34 in (38.56 x 9.1 x 33.89 cm)		
Weight	With stand and with 15-inch diagonal display: 27.14 lb (12.31 kg)		
<b>NOTE:</b> Does not include MSR, Biometric Reader, Webcam, Scanner, VFD, or CFD	With stand and with 17-inch diagonal display: 28.73 lb (13.03 kg)		
	Without stand and with 15-inch diagonal display: 13.78 lb (6.25 kg)		
	Without stand and with 17-inch diagonal display: 15.43 lb (7 kg)		
Warranty <sup>9</sup>	3-3-3 limited warranty delivers on-site, next business-day service for parts and labor and includes free online support 24 x 7. You can also select from a range of HP CarePack services to extend your protection beyond the standard warranties. See hp.com/go/lookuptool for more information.		
Certification and compliance	US ENERGY STAR®, IT ECO declaration, EPEAT® Gold where HP registers commercial desktop products.  See epeat.net for registration status in your country.		

Display	HP RP7 15-inch Resistive AFD Display (BOT24AV)	HP RP7 15-inch Projected Capacitive AFD Display (BOT23AV)	HP RP7 17-inch Projected Capacitive AFD Display (B0T25AV)
Display panel	15-inch diagonal	15-inch diagonal	17-inch diagonal
Touch technology	5-wire resistive type	Projected Capacitive	Projected Capacitive
Resolution <sup>13</sup>	1024 x 768	1024 x 768	1024 x 768
Max color	16.7M	16.7M	16.7M
Contrast ratio <sup>13</sup>	700:1	700:1	800:1
Brightness	350 cd/m²	350 cd/m²	350 cd/m <sup>2</sup>
Pixel pitch	0.297 mm x 0.297 mm	0.297 mm x 0.297 mm	0.264 mm x 0.264 mm
Viewing angle	160° horizontally and 140° vertically	160° horizontally and 140° vertically	170° horizontally and 160° vertically
Response rate <sup>13</sup>	25 ms on/off	25 ms on/off	25 ms on/off

# HP RP7 Retail System, Model 7800—Options<sup>14</sup>

HP Retail Integrated Fingerprint Reader (BOT13AV/QZ672AA)	Eliminates password sign-in hassles and buddy-sign-in and enables additional security for employee authentication and manager approvals/transaction overrides. Requires fingerprint reader-enabled software/application, sold separately.		
HP Retail Integrated Single-Head MSR (J1A33AA/J1A34AA)	Maximize available space with the compact HP Retail Integrated Single-Head MSR, which plugs into your retail solution to accept credit cards (select regions), gift cards, and employee ID cards or loyalty cards. <sup>15</sup>		
HP Retail Integrated Dual-Head MSR (BOT12AV/QZ673AA)	Enables MSR credit card transactions or loyalty card integration without adding clutter to the retail work space.		
HP Retail Integrated Webcam¹ (BOTO3AV/QZ700AA)	Enables interactive technical support for retail serviceability; supports personalized customer interface with online/remote CSRs in a kiosk setup.		
HP Retail Integrated Barcode Scanner (E6N62AV/EIL07AA)	Quickly and accurately reads 1D and 2D barcodes, including driver's licenses and codes from mobile device screens. Flexible design allows retailers to swivel and adjust the scanner. Audio and visual good-read indicators confirm successful reads.		
HP Retail Integrated 7-inch Customer Facing Display (F7A92AA)	Give customers a clear view of their transactions and share dynamic content at the point-of-sale with this 7-inch diagonal LCD display. Integrates easily into your retail solution adding video content and graphics to improve the customer experience.		
HP RP7 10.4-inch CFD Display (BOT22AV/QZ702AA)	10.4-inch diagonal non-touch monitor perfect for advertising and promotional opportunities. Monitor comes standard as head only. HP Dual Position L6010 Stand (A1X79AA) is available for separate purchase.		
HP Retail Integrated 2x20 Display (G6U79AA/G7G29AA)	Give customers a clear view of pricing and product information at the point-of-sale with the HP Retail Integrated 2x20 Display, an LCD customer-facing display that easily plugs into your retail solution.		
HP RP7 VFD Customer Display (BOT26AV/QZ701AA)	2x20 customer-facing display offers easily readable price and product information.		
HP LCD Pole Display (F7A93AA)	Give customers a clear view of their transactions and share engaging, colorful, dynamic content at the point of sale.		
HP RP7 Adjustable Stand (BOTO2AV/QZ703AA)	Use the stand for on-the-counter placement of the HP RP7 Retail System		
HP RP7 Value Stand (E3A13AV/E5E14AA)	Use the stand for on-the-counter placement of the HP RP7 Retail System.		

# hp.com/go/pos

#### **HP RP7 Retail Solution, Model 7800**



- \* Not all features are in all editions of Windows 7. Systems may require upgraded and/or separately purchased hardware to take full advantage of Windows 7 functionality See microsoft.com/windows/windows-7 for details.
- \*\* Not all features are available in all editions of Windows 8.1. Systems may require upgraded and/or separately purchased hardware, drivers and/or software to take full advantage of Windows 8.1 functionality. See
- † The following are not supported by Novell SUSE Linux Enterprise Desktop: HP ProtectTools, Power Management features, Multi-touch capabilities (Projected Capacitive Touch option). Systems configured with Linux do not qualify for ENERGY STAR®.
- 1. Each sold separately. HP does not support the use of any other standard USB device on the displays beyond the HP Retail Integrated Fingerprint Reader, HP Retail Integrated Dual-Head MSR, and HP Retail Integrated Webcam
- 2. Multi-Core is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. 64-bit computing on Intel® architecture requires a computer system with a processor, chipset, BIOS, operating system, device drivers, and applications enabled for Intel® 64 architecture. Processors will not operate (including 32-bit operation) without an Intel® 64 architecture-enabled BIOS. Performance will vary depending on your hardware and software configurations. Intel's numbering is not a measurement of higher performance.
- 3. Some functionality of this technology, such as Intel® Active management technology and Intel Virtualization technology, requires additional 3rd party software in order to run. Availability of future "virtual appliances" applications for Intel vPro technology is dependent on 3rd party software providers. Microsoft Windows required
- 4. Only available for POSReady 2009 and FreeDOS (Not allowed in Indonesia)
- 5. Not allowed with POSReady2009 or FreeDOS(Not allowed in Indonesia)
- 6. Projected capacitive technology is available on 15-inch and 17-inch displays; resistive touchscreen is available on the 15-inch display.
- This device has been certified for Windows 8 as a Specialized PC (SPC). The SPC certification program allows for the certification of commercial devices designed with industry specific features that conflict with the standard Windows 8 multi-touch certification requirements expected of a touch panel. In this case the RP7800 is designed to support Retail Point Of Sale applications which only require single touch (Resistive) or simple multi-touch (Projected Capacitive) features. Please refer to the Display section on page 3 for display specifications.
   This system is preinstalled with Windows 9. The software and also comes with a license and media for Windows 8.1 Pro software. You may only use one version of the Windows software at a time. Switching between
- 8. This system is preinstalled with Windows® 7 Pro software and also comes with a license and media for Windows 8.1 Pro software. You may only use one version of the Windows software at a time. Switching between versions will require you to uninstall one version and install the other version. You must back up all data (files, photos, etc.) before uninstalling and installing operating systems to avoid loss of your data.
- 9. Certain restrictions and exclusions apply. HP Care Pack Services extend service contracts beyond the standard warranties. Service levels and response times for HP Care Packs may vary depending on your geographic location. Service starts from date of hardware purchase. To choose the right level of service for your HP product, use the HP Care Pack Services Lookup Tool at hp.com/go/lookuptool. Additional HP Care Pack Services information by product is available at hp.com/hps/carepack.
- 10. Above 3 GB, all memory may not be available due to system resource requirements.
- 1. For hard drives, GB = 1 billion bytes. Actual formatted capacity is less. Up to 16 GB (for Windows 7) of system disk is reserved for system recovery software.
- 12. Audio input ports are re-taskable as a Line-in or Microphone-in port. External speakers must be powered externally. Multi-streaming can be enabled in the Realtek control panel to allow independent audio streams to be sent to/from the front and rear jacks. This allows for different audio applications to use separate audio ports on the system. For example, the front jacks could be used with a headset for a communications application while the rear jacks are being used with external speakers and a multimedia application.
- 13. All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.
- 14. "Configure to order (CTO)" product numbers ending in AV should be used when configuring the system at the initial point of purchase. "After-market options (AMO)" product numbers ending in AA should be used when adding peripherals after the initial purchase of a configured solution.
- 15. Internet access required and sold separately

© 2013-2016 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

All other trademarks are the property of their respective owners. ENERGY STAR is a registered mark owned by the U.S. government. Intel, Celeron, Pentium, Core and vPro are trademarks of Intel Corporation in the U.S. and other countries. Microsoft, Windows 7, Windows 8 and Windows XP are U.S. registered trademarks of the Microsoft group of companies. To learn more, visit hp.com.

