SAFETY PRODUCTS CATALOG 2010



INDUSTRIAL SAFETY GROUP





UVEX TABLE OF CONTENTS

- **10** Safety Eyewear
- **26** Specialty Eyewear
- **27** Safety Goggles
- **30** Face Shields
- **30** Accessories

- 33 Reference: Application Selection &
 Technical Information, Eyewear Lens
 Tint Offerings, Lens Coating Descriptions,
 Chemical Resistance Chart
- **36** Uvex Eye & Face Protection Full Line SKU Listing
- 44 Uvex Safety Rx Eyewear

Uvex® safety eyewear is offered for sale by Sperian Protection exclusively in the Americas.

▲ WARNING! Uvex® equipment should only be used in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury including diminution or loss of vision.

4




TOGETHER, WE CAN BUILD A CULTURE OF SAFETY.

We realize keeping people safe takes more than a few corporate memos and a breakroom poster. It means understanding people on a human level to drive the kind of cultural changes that make people want to be safe. These changes won't happen on their own, but we can help by providing industry-leading products, educational tools and programs to get them started.



INSPIRING SAFETY™ www.uvex.us





These worksites are different.

That's why we created **Specifix**.

We designed four styles of safety glasses to fit the needs of workers according to their environment. The result is safer, more comfortable eye protection that helps build a stronger culture of safety.



Uvex VersaPro™

Ideal for assembly line work, shipping, machine operation and other light manufacturing tasks.



Uvex ExtremePro™

Ideal for foundries, chemical plants, metalworking, machining, pulp and paper, shipbuilding or oil and gas industries.



Uvex PrecisionPro™

Ideal for quality control, inspection, technical applications, lab work, aerospace, fine maintenance and mechanics.



Uvex SolarPro™

Ideal for construction, utility line work, landscaping, oil and gas industries and other outdoor applications.

The Uvex® Advantage

Delivering enduring products that can be worn with confidence is one of the ways Sperian is helping to build a culture of safety in the workplace. We've leveraged years of research and technological developments to deliver high-performance eye and face products that provide superior protection and long-term value. These include best-in-class lens coatings that perform under the harshest conditions; task-specific lens tints that optimize visual acuity; impact resistance that exceeds industry standards; and a lifetime frame guarantee that backs up our promise to each and every worker who puts on a pair of Uvex® eyewear. It's about providing peace of mind, and it's about inspiring safety in the minds of workers everywhere.

Superior Lens Coating Technology

Whether the problem is lenses that fog or lenses that scratch, Uvex® lens coatings offer a solution for almost any working environment.

NEW Supra-dura[™] Advanced Anti-Scratch Coating

For high particulate environments where lens scratching is a severe problem, our new Supra-dura advanced anti-scratch coating lasts 5x* longer than any other anti-scratch coating on the market today.

• Ultra-dura® Anti-scratch Coating

Our Ultra-dura anti-scratch coating is still one of the toughest, all-around anti-scratch coatings available. Permanently bonded to the lens, the Ultra-dura coating will not wear off after repeated cleanings and offers both superior scratch and chemical resistance.

NEW Uvextreme® Plus Advanced Anti-fog Coating

Our industry-leading anti-fog coating has been enhanced to last twice as long as before. Uvextreme Plus protects lenses from fogging and moisture build-up longer, so you can focus on your work, not your eyewear.

Uvextreme® Anti-fog Coating

For maintaining visibility in humid conditions or extreme temperatures, Uvextreme coating consistently delivers exceptional anti-fog protection. Permanently bonded to the lens, Uvextreme is a dual-action coating. When the lens is exposed to extreme moisture or humidity, its hydrophilic (water loving) properties absorb and release moisture from the lens. If the lens reaches a point of saturation, the hydrophobic (water repelling) properties take over, causing the moisture to sheet off the lens.

Dura-streme[™] Dual Anti-fog/Anti-scratch Coating

Our Dura-streme technology provides up to 3x* more lens life than other anti-fog lenses by bringing together the benefits of Uvextreme anti-fog and Ultra-dura anti-scratch coatings onto a single lens. Our Ultra-dura anti-scratch coating protects the outside of the lens by providing premium scratch and chemical resistance, while the Uvextreme anti-fog coated interior helps keep vision clear in environments where heat, mist and physical exertion are typical.

^{*}Comparative lens life test performed using a Bayer Abrasion Test method and may vary between environment and application.



Spectrum Control Technology® (SCT)

Sperian offers a wide range of task-specific lens tint options designed for use in various applications. Uvex* SCT lens tints incorporate unique dyes that absorb select wavelengths of light. By suppressing specific wavelengths, these tints provide functional assistance for specialized viewing tasks, such as in low light; under halogen, sodium vapor or fluorescent lighting; in bright sunlight; near high heat; or for torch welding, brazing or cutting.



Military Velocity Sub-Zero Ballistic Impact Protection

For even greater security and protection from the unexpected, the core line of Uvex $^{\circ}$ safety eyewear has undergone and passed Military V_0 ballistic impact testing. This means each of these eyewear styles can withstand impact energies 7x greater than the impact tests required by ANSI and CSA. Why be that much better than the standard? Because you can never be too safe.



Lifetime Frame Guarantee

Sperian stands behind its Uvex® product offering 100% — no questions asked! All Uvex® styles that offer replacement lenses come with our Lifetime Frame Guarantee. If something should happen to the eyewear during the course of normal use, regardless of age, simply send it in and we'll replace it. This guarantee is part of our commitment to quality and customer satisfaction.

Safety Eyewear







The most widely used safety spectacle on the market.

Demanded by workers on the job due to its traditional styling, comfortable fit and economical lens replacement system.

Duoflex® comfort-cushion temples are a standard feature on most models. Don't settle for an imposter, get the original.

For product tints and tint suggestions by application, see our Lens Charts on pages 33-34.

For more information or to order products on this page, please call Customer Care at 800 430-5490.

NEW! Uvex Ambient™ OTG

- Exceptional peripheral vision and coverage in a lightweight, wrap-around uni-lens design
- Available with multiple high-performance coating options
- Soft, flexible nasal fingers conform to a variety of facial profiles and minimize slippage
- Bendable, wire-core temples offer flexibility with a secure, customized fit
- Offered in two lens sizes (medium and large) to fit a variety of users and Rx styles
- · Lifetime frame guarantee and economical lens replacement system
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards

Item #	Frame Color/Lens Tint	Coating	Temple Style
S3150	Blue (Large)/Clear	Ultra-dura HC	Bendable Wire-core
S3150X	Blue (Large)/Clear	Uvextreme AF	Bendable Wire-core
S3150D	Blue (Large)/Clear	Dura-streme HC/AF	Bendable Wire-core
S3151	Blue (Large)/Amber	Ultra-dura HC	Bendable Wire-core
S3151X	Blue (Large)/Amber	Uvextreme AF	Bendable Wire-core
S3152	Blue (Large)/Standard Gray	Ultra-dura HC	Bendable Wire-core
S3152X	Blue (Large)/Standard Gray	Uvextreme AF	Bendable Wire-core
S3153	Blue (Large)/Shade 3.0	Ultra-dura HC	Bendable Wire-core
S3155	Blue (Large)/Shade 5.0	Ultra-dura HC	Bendable Wire-core

Additional SKUs available – see full SKU listing at end of Uvex section

Uvex Astrospec 3000®

- Lightweight unilens offers panoramic vision
- Lifetime frame guarantee and economical lens replacement system
- Adjustable lens inclination and temple length
- Custom imprinting available
- Meets military V₀ ballistic test for impact
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards
- Made in USA

Item #	Frame Color/Lens Tint	Coating	Temple Style
S135	Black/Clear	Ultra-dura HC	Spatula
S1359	Black/Clear	Ultra-dura HC	Duoflex
S135C	Black/Clear	Uvextreme AF	Spatula
S1359C	Black/Clear	Uvextreme AF	Duoflex
S136	Black/Gray	Ultra-dura HC	Spatula
S1369	Black/Gray	Ultra-dura HC	Duoflex
S136C	Black/Gray	Uvextreme AF	Spatula
S1360	Black/Light Gray	Ultra-dura HC	Spatula
S145	Black/Amber	Ultra-dura HC	Spatula
S137	Black/Silver Mirror	Ultra-dura HC	Spatula
S1379	Black/Silver Mirror	Ultra-dura HC	Duoflex
S112	Black/SCT-Low IR	Ultra-dura HC	Spatula
S1361	Black/SCT-Gray	Ultra-dura HC	Spatula
S1362C	Black/SCT-Vermilion	Uvextreme AF	Spatula
S13659X	Black/SCT-Blue	Uvextreme AF	Duoflex
S111029	Black/Shade 2.0 Infra-dura	Ultra-dura HC	Duoflex
S1111	Black/Shade 3.0 Infra-dura	Ultra-dura HC	Spatula
S1112	Black/Shade 5.0 Infra-dura	Ultra-dura HC	Spatula

 ${\it Additional SKUs available-see full SKU listing at end of Uvex section}$



Safety Eyewear

Uvex Astrospec 3000® S (Slim)

- Same features and benefits as the Uvex Astrospec 3000®
- 10 mm smaller for employees with slender facial profiles
- Lifetime frame guarantee and economical lens replacement system
- Meets military V₀ ballistic test for impact
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S2700	Black/Clear	Ultra-dura HC	Spatula
S2700C	Black/Clear	Uvextreme AF	Spatula
S2701	Black/Gray	Ultra-dura HC	Spatula
S2701C	Black/Gray	Uvextreme AF	Spatula
S2709	Black/Shade 5.0 Infra-dura	Ultra-dura HC	Spatula



Additional SKUs available - see full SKU listing at end of Uvex section

Uvex Astrospec 3000® CB (Custom Bridge)

- Same adjustability features as the Uvex Astrospec 3000®
- Designed to fit low profile nasal areas and high profile cheeks
- Lifetime frame guarantee and economical lens replacement system
- Meets ANSI Z87+ (High Impact) standard
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S2200	Black/Clear	Ultra-dura HC	Spatula
S2200C	Black/Clear	Uvextreme AF	Spatula



Uvex Astrospec 3000® S CB (Slim Custom Bridge)

- Same adjustability features as the Uvex Astrospec 3000®
- Designed to fit low profile nasal areas and 10 mm smaller for employees with slender facial profiles
- Lifetime frame guarantee and economical lens replacement system
- Meets ANSI Z87+ (High Impact) standard
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S2212	Blue/Clear	Ultra-dura HC	Spatula







Safety Eyewear



Uvex Astrospec® OTG 3001

- Same features as the Uvex Astrospec 3000® with attractive OTG (over-the-glass) styling
- An economical alternative to expensive Rx eyewear
- Lifetime frame guarantee and economical lens replacement system
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S2500	Black/Clear	Ultra-dura HC	Duoflex
S2500C	Black/Clear	Uvextreme AF	Duoflex
S2501	Black/Amber	Ultra-dura HC	Duoflex
S2504	Black/Gray	Ultra-dura HC	Duoflex
S2504C	Black/Gray	Uvextreme AF	Duoflex
S2505	Black/SCT-Low IR	Ultra-dura HC	Duoflex
S2506	Black/SCT-Gray	Ultra-dura HC	Duoflex
S2508	Black/Shade 3.0 Infra-dura	Ultra-dura HC	Duoflex
S2509	Black/Shade 5.0 Infra-dura	Ultra-dura HC	Duoflex

Additional SKUs available – see full SKU listing at end of Uvex section



Uvex Astrospec Rx® 3003

- Propionate carrier can be fitted with Rx lenses
- Same adjustability features as the Uvex Astrospec 3000®
- Carrier and lenses may be tinted
- · Lifetime frame guarantee
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S2570	Black/Clear	N/A	Duoflex
S2572	Blue/Clear	N/A	Duoflex
S2574	Patriot RWB/Clear	N/A	Duoflex

Bandido®

- Economical, frameless version of the Bandit™
- Replacement lenses not available
- Accent colors: black and hot red
- Meets ANSI Z87+ (High Impact) standard
- · Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S1730	Black/Clear	Ultra-dura HC	Spatula
S1730X	Black/Clear	Uvextreme AF	Spatula
S1731	Black/Espresso	Ultra-dura HC	Spatula
S1732	Black/Amber	Ultra-dura HC	Spatula

For product tints and tint suggestions by application, see our Lens Charts on pages 33-34.



Safety Eyewear

Bandit™

- Contemporary styling, sporty wrap-around temples provide non-slip fit and comfort
- Adjustable temple length
- Lifetime frame guarantee and economical lens replacement system
- Meets military V₀ ballistic test for impact
- Meets ANSI Z87+ (High Impact) standard
- · Made in USA, mirror lenses made in China

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S1600	Black/Clear	Ultra-dura HC	Spatulite
S1600X	Black/Clear	Uvextreme AF	Spatulite
S1601	Black/Amber	Ultra-dura HC	Spatulite
S1603	Black/Espresso	Ultra-dura HC	Spatulite
S1603X	Black/Espresso	Uvextreme AF	Spatulite
S1604	Black/Gold Mirror	Ultra-dura HC	Spatulite
S1606	Black/SCT-Reflect 50	Ultra-dura HC	Spatulite
S1607	Black/Red Mirror	Ultra-dura HC	Spatulite
S1604 S1606	Black/Gold Mirror Black/SCT-Reflect 50	Ultra-dura HC Ultra-dura HC	Spatulite Spatulite



Additional SKUs available - see full SKU listing at end of Uvex section

NEW! Uvex ExtremePro™

- MoistureWick™ brow accessory absorbs and wicks away perspiration to keep lenses clear in hot environments
- · Can be worn with or without browbar accessory
- Choose from NEW Supra-Dura™ advanced anti-scratch, new Uvextreme® Plus anti-fog or Dura-streme™ dual HC/AF coating options
- GripClick™ frame width adjustment ensures a comfortable fit for most face sizes
- FlexFit[™] bendable temples and nosepiece for a more comfortable, customized fit
- Ratcheting temples adjust the lens angle for a close fit
- Lifetime frame guarantee and economical lens replacement system
- Replaceable nosepiece and brow accessory
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards



Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
SX0300	Black & Gray/Clear	Supra-dura HC	Bendable Wire-core
SX0300XP	Black & Gray/Clear	Uvextreme Plus AF	Bendable Wire-core
SX0300D	Black & Gray/Clear	Dura-streme HC/AF	Bendable Wire-core
SX0301	Black & Gray/Espresso	Supra-dura HC	Bendable Wire-core
SX0301XP	Black & Gray/Espresso	Uvextreme Plus AF	Bendable Wire-core
SX0301D	Black & Gray/Espresso	Dura-streme HC/AF	Bendable Wire-core
SX0303	Black & Gray/Silver Mirror	Supra-dura HC	Bendable Wire-core
SX0304	Black & Gray/SCT-Reflect 50	Supra-dura HC	Bendable Wire-core
SX0307	Black & Gray/Shade 3.0 Infra-dura	Supra-dura HC	Bendable Wire-core
SX0308	Black & Gray/Shade 5.0 Infra-dura	Supra-dura HC	Bendable Wire-core
SX0312	Black & Gray/Dark Gray	Supra-dura HC	Bendable Wire-core
SX0312XP	Black & Gray/Dark Gray	Uvextreme Plus AF	Bendable Wire-core

Additional SKUs available – see full SKU listing at end of Uvex section



When conditions are at their worst, Uvex ExtremePro™ is at its best.

With a MoistureWick™ browbar to keep perspiration out of eyes, and our new coatings options — Uvextreme® Plus, our strongest anti-fog coating, and Supra-dura,™ our advanced anti-scratch coating that resists scratching 5x longer than other coatings on the market — Uvex ExtremePro holds up in the harshest environments.

Safety Eyewear







Falcon®

- · Sleek, frameless design with wrap-around 9-base unilens
- Weightless (22 grams) comfort and superior coverage providing complete and unobstructed vision
- Lifetime frame guarantee and economical lens replacement system
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S4500	Black/Clear	Ultra-dura HC	Spatulite
S4500X	Black/Clear	Uvextreme AF	Spatulite
S4501	Black/Espresso	Ultra-dura HC	Spatulite
S4501X	Black/Espresso	Uvextreme AF	Spatulite
S4502X	Black/Amber	Uvextreme AF	Spatulite
S4503	Black/Gold Mirror	Ultra-dura HC	Spatulite
S4504	Black/SCT-Reflect 50	Ultra-dura HC	Spatulite

Uvex FitLogic®

- · Revolutionary browbar self-adjusts for a secure fit
- · Smart nosepiece and sliding temple length adjust to fit most faces
- · Lifetime frame guarantee and economical lens replacement system • MMT - Multi-Material Technology®
- cushions all points of contact
- 100% dielectric
- Meets military V₀ ballistic test for impact
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards
- Most styles made in USA. All styles assembled in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S0400	Black and Silver/Clear	Ultra-dura HC	Cushioned
S0400X	Black and Silver/Clear	Uvextreme AF	Cushioned
S0401	Black and Silver/Gray	Ultra-dura HC	Cushioned
S0401X	Black and Silver/Gray	Uvextreme AF	Cushioned
S0402	Black and Silver/Amber	Ultra-dura HC	Cushioned
S0403	Black and Silver/Silver Mirror	Ultra-dura HC	Cushioned
S0404	Black and Silver/SCT-Reflect 50	Ultra-dura HC	Cushioned
S0405X	Black and Silver/SCT-Gray	Uvextreme AF	Cushioned
S0406X	Black and Silver/SCT-Vermilion	Uvextreme AF	Cushioned
S0407X	Black and Silver/SCT-Blue	Uvextreme AF	Cushioned

50400

Additional SKUs available - see full SKU listing at end of Uvex section

For product tints and tint suggestions by application, see our Lens Charts on pages 33-34.



Safety Eyewear

Uvex FitLogic® Reading Magnifiers

- · Same extensive offering of features as the Uvex FitLogic®
- · Offers increased magnification for reading, inspection and fine detail work
- Individual bifocal readers molded directly into lens in +1.5, +2.0 and +2.5 diopter strengths
- Lifetime frame guarantee and economical lens replacement system
- · Meets ANSI Z87+ (High Impact) standard



Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S0471	Black and Silver/Clear +1.5 Diopter	Ultra-dura HC	Cushioned
S0472	Black and Silver/Clear +2.0 Diopter	Ultra-dura HC	Cushioned
S0473	Black and Silver/Clear +2.5 Diopter	Ultra-dura HC	Cushioned

Flashback®

- · Classic dual lens look in a single lens design
- Lifetime frame guarantee and economical lens replacement system
- Excellent peripheral protection
- Adjustable Duoflex® cushioned temple length and lens inclination
- · Meets ANSI Z87+ (High Impact) and is
- Made in USA



Ultra-dura HC

Ultra-dura HC

Ultra-dura HC

Flashlite® HC

S4004

S4005

S4006

• Economical frameless version of the Flashback®

Black/Shade 2.0 Infra-dura

Black/Shade 3.0 Infra-dura

Black/Shade 5.0 Infra-dura

- · Replacement lenses not available
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards
- · Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S4300	Black/Clear	Ultra-dura HC	Spatula
S4300C	Black/Clear	Uvextreme AF	Spatula



For descriptions and chemical resistance, see our Coating Chart on page 35.

Duoflex

Duoflex

Duoflex



Safety Eyewear

Engineered for comfort, protection and style, the Genesis is the number one selling premium eyewear in the market, delivering an incredible range of superior product benefits.

Built with MMT-Multi-Material Technology® and a high level of adjustability, Genesis provides workers with extraordinary all-day comfort and raises the bar on compliance.



Genesis®

- Unparalleled comfort, protection and style
- Dual 9-base wrap-around lens provides uncompromised peripheral vision and protection
- Soft flexible fingers adjust and conform to almost any nasal profile and reduce slippage
- Soft elastomer browguard diffuses and deflects impact
- Available with a variety of high-performance lens coating options
- Lifetime frame guarantee and economical lens replacement system
- Adjustable temple length and lens inclination
- Meets military V₀ ballistic test for impact
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards
- · Made in USA, mirror lenses made in China

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S3200	Black/Clear	Ultra-dura HC	Spatulite
S3200-ADV	Black Adv TPE/Clear	Ultra-dura HC	Spatulite
S3200X	Black/Clear	Uvextreme AF	Spatulite
S3200X-ADV	Black Adv TPE/Clear	Uvextreme AF	Spatulite
S3200D	Black/Clear	Dura-streme AF/HC	Spatulite
S3201	Black/Espresso	Ultra-dura HC	Spatulite
S3201X	Black/Espresso	Uvextreme AF	Spatulite
S3202	Black/Amber	Ultra-dura HC	Spatulite
S3202X	Black/Amber	Uvextreme AF	Spatulite
S3203	Black/Gold Mirror	Ultra-dura HC	Spatulite
S3204	Black/SCT-Reflect 50	Ultra-dura HC	Spatulite
S3205X	Black/SCT-Gray	Uvextreme AF	Spatulite
S3206	Black/Shade 2.0 Infra-dura	Ultra-dura HC	Spatulite
S3207	Black/Shade 3.0 Infra-dura	Ultra-dura HC	Spatulite
S3208	Black/Shade 5.0 Infra-dura	Ultra-dura HC	Spatulite
S3209	Black/SCT-Low IR	Ultra-dura HC	Spatulite
S3210X	Black/SCT-Vermilion	Uvextreme AF	Spatulite
S3211X	Black/SCT-Blue	Uvextreme AF	Spatulite
S3212X	Black/Dark Gray	Uvextreme AF	Spatulite
S3213X	Black/50% Gray	Uvextreme AF	Spatulite

Additional SKUs available – see full SKU listing at end of Uvex section



- Same cushioned comfort and adjustment features as Genesis®
- Available in multiple lens tints and five diopter strengths from +1.0 to +3.0
- Lifetime frame guarantee and economical lens replacement system
- Meets ANSI Z87+ (High Impact) standard
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Magnification
S3760	Black/Clear	Ultra-dura HC	+1.0
S3761	Black/Clear	Ultra-dura HC	+1.5
S3762	Black/Clear	Ultra-dura HC	+2.0
S3763	Black/Clear	Ultra-dura HC	+2.5
S3764	Black/Clear	Ultra-dura HC	+3.0

Additional SKUs available - see full SKU listing at end of Uvex section



For product tints and tint suggestions by application, see our Lens Charts on pages 33-34.

For more information or to order products on this page, please call Customer Care at 800 430-5490.



Safety Eyewear

NEW! Genesis® S (Slim)

- Same cushioned comfort features as Genesis®
- Smaller frame for workers with slimmer faces
- Ratcheting temples adjust lens inclination for a customized fit
- Padded temple and tips provide all-day comfort
- Lifetime frame guarantee and economical lens replacement system
- Meets military V₀ ballistic test for impact
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S3700	Pewter & Black/Clear	Ultra-dura HC	Cushioned
S3700X	Pewter & Black/Clear	Uvextreme AF	Cushioned
S3700D	Pewter & Black/Clear	Dura-streme HC/AF	Cushioned
S3701	Pewter & Black/Gray	Ultra-dura HC	Cushioned
S3701X	Pewter & Black/Gray	Uvextreme AF	Cushioned
S3702	Pewter & Black/Amber	Ultra-dura HC	Cushioned
S3702X	Pewter & Black/Amber	Uvextreme AF	Cushioned
S3703	Pewter & Black/SCT-Reflect 50	Ultra-dura HC	Cushioned
S3704	Pewter & Black/Dark Gray	Ultra-dura HC	Cushioned



Genesis XC™

- Same cushioned comfort and adjustability features as Genesis®
- Extended wrap-around lens for up to 20% more extra cheek and side coverage
- Rx lens insert available
- · Available with a variety of high-performance lens coating options
- · Available with cushioned temples for all-day comfort
- Lifetime frame guarantee and economical lens replacement system
- Meets military V₀ ballistic test for impact
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S3300	Black/Clear	Ultra-dura HC	Cushioned
S3300-ADV	Black Adv TPE/Clear	Ultra-dura HC	Cushioned
S3300X	Black/Clear	Uvextreme AF	Cushioned
S3300X-ADV	Black Adv TPE/Clear	Ultra-dura HC	Cushioned
S3300D	Black/Clear	Dura-streme HC/AF	Cushioned
S3301	Black/Gray	Ultra-dura HC	Cushioned
S3301X	Black/Gray	Uvextreme AF	Cushioned
S3302	Black/SCT-Reflect 50	Ultra-dura HC	Cushioned
S3303X	Black/SCT-Gray	Uvextreme AF	Cushioned
S3304X	Black/SCT-Low IR	Uvextreme AF	Cushioned
S3305	Black/Shade 2.0 Infra-dura	Ultra-dura HC	Cushioned
S3306	Black/Shade 3.0 Infra-dura	Ultra-dura HC	Cushioned
S3307	Black/Shade 5.0 Infra-dura	Ultra-dura HC	Cushioned
S3308	Black/Silver Mirror	Ultra-dura HC	Cushioned
S3309	Black/Amber	Ultra-dura HC	Cushioned
S3310X	Black/50% Gray	Uvextreme AF	Cushioned
S3311X	Black/SCT-Vermilion	Uvextreme AF	Cushioned
S3312X	Black/SCT-Blue	Uvextreme AF	Cushioned


Additional SKUs available – see full SKU listing at end of Uvex section





The Genesis XC[™] eyewear sets the standard for extra coverage and extra comfort on the job.

The Genesis XC provides all-day comfort and coverage, and especially for prescription lens wearers, nothing protects like Genesis XC.





Safety Eyewear

The Genesis X2® adds a new level of sports-inspired style to the number one selling line of premium safety eyewear.



Genesis X2®

- · Same cushioned comfort features as Genesis®
- Dual 9-base wrap-around lens provides uncompromised peripheral vision, side protection and aggressive styling
- Ratcheting temples allow customized lens inclination
- · Available with a variety of high-performance lens coating options
- Lifetime frame guarantee and economical lens replacement system
- Meets military Vo ballistic test for impact
- Meets ANSI Z87+ (High Impact) standard
- Made in USA




Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S3520	Black and Yellow/Clear	Ultra-dura HC	Cushioned
S3520-ADV	Black Adv.TPE/Clear	Ultra-dura HC	Cushioned
S3520D	Black and Yellow/Clear	Dura-streme HC/AF	Cushioned
S3520X	Black and Yellow/Clear	Uvextreme AF	Cushioned
S3520X-ADV	Black Adv.TPE/Clear	Uvextreme AF	Cushioned
S3521	Black and Yellow/Espresso	Ultra-dura HC	Cushioned
S3521X	Black and Yellow/Espresso	Uvextreme AF	Cushioned
S3522	Black and Yellow/Amber	Ultra-dura HC	Cushioned
S3523	Black and Yellow/Gold Mirror	Ultra-dura HC	Cushioned
S3524	Black and Yellow/SCT-Reflect 50	Ultra-dura HC	Cushioned
S3530X	Black and Yellow/SCT-Vermilion	Uvextreme AF	Cushioned
S3531X	Black and Yellow/SCT-Blue	Uvextreme AF	Cushioned
S3532X	Black and Yellow/Gray	Uvextreme AF	Cushioned
S3533X	Black and Yellow/50% Gray	Uvextreme AF	Cushioned

Additional SKUs available - see full SKU listing at end of Uvex section

Uvex Horizon™

- Classic flip-up style offers versatility for workers in unique environments
- Shaded lens protects against high intensity light sources, and clear polycarbonate lens for superior protection against flying particles
- · Meets ANSI Z87+ (High Impact) standard





For product tints and tint suggestions by application, see our Lens Charts on pages 33-34.




S4410


Safety Eyewear

Uvex Ignite®

- · Sleek, sporty, wrap-around, close-to-the-face protection and superior coverage
- Lightweight frameless design offers unobstructed vision
- Two bold temple styles available: hot metallic red/silver or black/silver
- Unisex design appeals to a broad range of workers
- Saddle pad nosepiece reduces slippage and provides a personalized fit
- Soft temple tip pads ensure a fit that is both comfortable and secure
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards

Ite	em #	Frame Color/Lens Tint	Lens Coating	Temple Style
S	4410	Metallic Red and Silver/Clear	Hardcoat	Cushioned
S	4410X	Metallic Red and Silver/Clear	Uvextra AF	Cushioned
S	4411	Metallic Red and Silver/Gray	Hardcoat	Cushioned
S	4411X	Metallic Red and Silver/Gray	Uvextra AF	Cushioned
S	4412	Metallic Red and Silver/SCT-Reflect 50	Hardcoat	Cushioned
S	4413	Metallic Red and Silver/Silver Mirror	Hardcoat	Cushioned







- 8-base dual lens design provides superior coverage and a sleek, stylish look
- Changes from light to dark in 8 seconds (Visible Light Transmission of 21%)
- Changes from dark to light in 60 seconds (Visible Light Transmission of 86%)
- · Lightweight frame with spring-hinge temples for comfort and durability
- · Wire-core temples flex and bend for a personalized fit
- Adjustable saddle pad nosepiece provides a comfortable fit and reduces slippage
- Microfiber storage bag is included and doubles as a cleaning cloth
- Meets ANSI Z87+ (High Impact) standard

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S4025	Silver and Blue/Photochromic	Hardcoat	Bendable Wire-core

Uvex Millennia™

- Lightweight frame and wrap-around unilens for superior side and brow protection
- · Comfortable universal nose bridge
- Meets military V₀ ballistic test for impact
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards
- · Made in the USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
11150350	Black/Clear	Ultra-dura HC	Bayonette
11150351	Black/Gray	Ultra-dura HC	Bayonette
11150352	Black/Amber	Ultra-dura HC	Bayonette
11150353	Black/SCT-Reflect 50	Ultra-dura HC	Bayonette
11150354	Black/Silver Mirror	Ultra-dura HC	Bayonette
11150367	Black/SCT-Low IR	Ultra-dura HC	Bayonette
11150368	Black/SCT-Gray	Ultra-dura HC	Bayonette
11150355	Black/Clear	Uvextreme AF	Bayonette
11150356	Black/Gray	Uvextreme AF	Bayonette

Additional SKUs available - see full SKU listing at end of Uvex section





Safety Ev

EYE & FACE PROTECTION

Safety Eyewear





For jobs where seeing every detail in perfect clarity is critical, Uvex PrecisionPro™ is the answer.

Uvex PrecisionPro features SCT Spectrum Control Technology® lens tints for optimized, task-specific viewing, and Supra-dura™ advanced anti-scratch coating that resists scratching 5x longer than other coatings on the market.



For product tints and tint suggestions by application, see our Lens Charts on pages 33-34.

For more information or to order products on this page, please call Customer Care at 800 430-5490.

Pivot®

- Advanced, two-toned sport-style frame with textured detail
- Wrap-around 8-base lens design offers exceptional coverage
- Ratcheting temple angle adjustment
- · Ventilation channels minimize fogging
- Lifetime frame guarantee and economical lens replacement system
- Meets military V₀ ballistic test for impact
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S2140	Black and Silver/Clear	Ultra-dura HC	Cushioned
	Diack and Diverselati	01114 4414 114	
S2140X	Black and Silver/Clear	Uvextreme AF	Cushioned
S2141	Black and Silver/Gray	Ultra-dura HC	Cushioned
S2141X	Black and Silver/Gray	Uvextreme AF	Cushioned
S2142X	Black and Silver/Amber	Uvextreme AF	Cushioned
S2143	Black and Silver/Blue Ice Mirror	Ultra-dura HC	Cushioned
S2144	Black and Silver/Hot Orange Mirror	Ultra-dura HC	Cushioned
S2145	Black and Silver/SCT-Reflect 50	Ultra-dura HC	Cushioned

Additional SKUs available - see full SKU listing at end of Uvex section

Uvex® Polarized Safety Eyewear

- Comfortable, attractive sunglass styling
- Polarized lenses allow the wearer to see fine detail and deep colors
- Helps eliminate eye strain, eye fatigue, discomfort, and poor visual acuity
- Adjustable saddle-pad nosepiece improves comfort and fit
- Meets ANSI Z87+ (High Impact) standard

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S4100	Brushed Silver Metal/Gray Polarized	Hardcoat	Padded Metal Tips

NEW! Uvex PrecisionPro™

- Ultra-lightweight frameless design delivers all-day comfort and unobstructed views
- Precision optics are ideal for quality control, inspection, lab work, or technical applications
- Specialized, task-specific SCT Spectrum Control Technology® lens tints optimize lighting and enhance visual perception
- Choose from NEW Supra-Dura™ advanced anti-scratch or Uvextreme® anti-fog coating options
- FlexFit™ bendable temples and nosepiece for a more comfortable, customized fit
- Ratcheting temples adjust the lens angle for a close fit
- Replaceable nosepiece
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
SX0200	Clear	Supra-dura HC	Bendable Wire-core
SX0200X	Clear	Uvextreme AF	Bendable Wire-core
SX0202	Amber	Supra-dura HC	Bendable Wire-core
SX0209	SCT-Low IR	Supra-dura HC	Bendable Wire-core
SX0210X	SCT-Vermillion	Uvextreme AF	Bendable Wire-core
SX0211X	SCT-Blue	Uvextreme AF	Bendable Wire-core
SX0213X	50% Gray	Uvextreme AF	Bendable Wire-core
SX0214	Blue Mist	Supra-dura HC	Bendable Wire-core



Safety Eyewear

Uvex Protégé®

- Proprietary floating lens design offers increased flexibility and fit
- Ultra lightweight design at only 27.5 grams, weighs less than one ounce
- Secure wrap-around brow expands to fit a wide range of users
- · Soft temple tip pads provide a secure fit
- Soft, clear nose pads prevent slipping
- Meets military V₀ ballistic test for impact
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards
- Lifetime frame guarantee
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S4200	Metallic Black/Clear	Ultra-dura HC	Cushioned
S4200X	Metallic Black/Clear	Uvextreme AF	Cushioned
S4201	Metallic Black/Gray	Ultra-dura HC	Cushioned
S4201X	Metallic Black/Gray	Uvextreme AF	Cushioned
S4202	Metallic Black/SCT-Reflect 50	Ultra-dura HC	Cushioned
S4200XC	Metallic Black/Clear	Ultra-dura HC	Cushioned
S4200XXC	Metallic Black/Clear	Uvextreme AF	Cushioned
S4201XC	Metallic Black/Gray	Ultra-dura HC	Cushioned
S4201XXC	Metallic Black/Gray	Uvextreme AF	Cushioned
S4202XC	Metallic Black/SCT-Reflect 50	Ultra-dura HC	Cushioned
S4203	Metallic Black/Silver Mirror	Ultra-dura HC	Cushioned
S4221XC	Metallic Black/SCT-Blue	Ultra-dura HC	Cushioned
S4221XXC	Metallic Black/SCT-Blue	Uvextreme AF	Cushioned
S4222XC	Metallic Black/Amber	Ultra-dura HC	Cushioned
S4222XXC	Metallic Black/Amber	Uvextreme AF	Cushioned

Additional SKUs available – see full SKU listing at end of Uvex section

NEW! Uvex Seismic[™] (Sealed Eyewear)

- Provides protection against impact, sun, wind, dust and airborne debris
- Can be worn with temples or headband to address most applications
- Soft and flexible nasal pads conform to a variety of facial profiles and minimize slippage
- Soft, high-quality face cushioning and padded temple tips offer all-day comfort
- Highly adjustable flame-resistant headband provides excellent fit
- Available with a black or metallic blue frame
- · Available with a variety of high performance lens coating options
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards. (ANSI-certified for use with and without cushion-lined frame)

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S0600	Black/Clear	Hardcoat	Cushioned/Headband
S0600X	Black/Clear	Uvextra AF	Cushioned/Headband
S0600D	Black/Clear	Dura-streme HC/AF	Cushioned/Headband
S0601X	Black/Espresso	Uvextra AF	Cushioned/Headband
S0602X	Black/Amber	Uvextra AF	Cushioned/Headband
S0604X	Black/SCT-Reflect 50	Uvextra AF	Cushioned/Headband

Additional SKUs available - see full SKU listing at end of Uvex section

The Uvex Protégé® combines sports-styling with lightweight comfort and flexible design.

Whether in construction, heavy manufacturing, utilities or various clean industries, with the Uvex Protégé, workers get the protection they need with the comfort and style they want.




Designed for long-term performance and all-day comfort, the Uvex Seismic™ can improve workers' productivity in the most demanding work environments.

Uvex Seismic can be worn with temples or headband and with and without the cushioned foam subframe for the ultimate flexibility on the job.



Safety Eyewear





Skyline®

- 10 mm smaller than Skyper® for employees with slender facial profiles
- Lifetime frame guarantee and economical lens replacement system
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S2000	Black/Clear	Ultra-dura HC	Spatulite
S2000X	Black/Clear	Uvextreme AF	Spatulite
S2001X	Black/Espresso	Uvextreme AF	Spatulite
S2003	Black/SCT-Reflect 50	Ultra-dura HC	Spatulite

Skyper®

- Wrap-around protective eyewear offers exceptional comfort, protection and fit
- Lifetime frame guarantee and economical lens replacement system
- Adjustable temple length and lens inclination
- Meets military V₀ ballistic test for impact
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S1900	Black/Clear	Ultra-dura HC	Duoflex
S1900X	Black/Clear	Uvextreme AF	Duoflex
S1901	Black/Espresso	Ultra-dura HC	Duoflex
S1901X	Black/Espresso	Uvextreme AF	Duoflex
S1902	Black/Amber	Ultra-dura HC	Duoflex
S1903	Black/Gold Mirror	Ultra-dura HC	Duoflex
S1904X	Black/SCT-Gray	Uvextreme AF	Duoflex
S1905	Black/SCT-Reflect 50	Ultra-dura HC	Duoflex
S1906	Black/Shade 2.0 Infra-dura	Ultra-dura HC	Duoflex
S1907	Black/Shade 3.0 Infra-dura	Ultra-dura HC	Duoflex
S1908	Black/Shade 5.0 Infra-dura	Ultra-dura HC	Duoflex
S1930X	Black/SCT-Low IR	Uvextreme AF	Duoflex
S1931X	Black/SCT-Vermilion	Uvextreme AF	Duoflex
S1932X	Black/SCT-Blue	Uvextreme AF	Duoflex
S1933X	Black/SCT-Orange	Uvextreme AF	Duoflex
S1934X	Black/Gray	Uvextreme AF	Duoflex



For product tints and tint suggestions by application, see our Lens Charts on pages 33-34.



\$4112

Safety Eyewear

Skyper X2®

- · Sporty, wrap-around version of Skyper®
- Lifetime frame guarantee and economical lens replacement system
- Meets military V₀ ballistic test for impact and ANSI Z87+ (High Impact) standard
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S2810	Black/Clear	Ultra-dura HC	Spatulite
S2810X	Black/Clear	Uvextreme AF	Spatulite
S2811	Black/Amber	Ultra-dura HC	Spatulite
S2812	Black/Espresso	Ultra-dura HC	Spatulite
S2812X	Black/Espresso	Uvextreme AF	Spatulite
S2813X	Black/SCT-Gray	Uvextreme AF	Spatulite
S2814	Black/Gold Mirror	Ultra-dura HC	Spatulite
S2815	Black/SCT-Reflect 50	Ultra-dura HC	Spatulite



Uvex Slate™

- Sleek, lightweight metal frame with dual-lens design offers protection and modern style
- Flexible spring hinge temples and soft, adjustable, rubber temple tips offer extended comfort and a custom fit
- Adjustable saddle pad nosepiece adds comfort and helps prevent slippage
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S4110	Matte Gunmetal/Clear	Hardcoat	Padded Metal Tips
S4110X	Matte Gunmetal/Clear	Uvextra AF	Padded Metal Tips
S4111	Matte Gunmetal/Gray	Hardcoat	Padded Metal Tips
S4111X	Matte Gunmetal/Gray	Uvextra AF	Padded Metal Tips
S4112	Matte Gunmetal/Gold Mirror	Hardcoat	Padded Metal Tips

For when protection from the

For when protection from the sun is crucial to performance.

Uvex SolarPro™ delivers optimum peripheral vision and comfort in environments where protection from the sun is crucial to performance. Uvex SolarPro features high performance sun glass tints and mirrors as well as photochromic and polarized lens options.

NEW! Uvex SolarPro™

- Sport-inspired wrap-around design provides superior peripheral vision and side protection
- Available in a variety of lens tints including mirrors, polarized and photochromic to help reduce solar glare and eye fatigue
- Choose from NEW Supra-Dura™ advanced anti-scratch, Uvextreme® anti-fog or Dura-streme™ dual HC/AF coating options
- Soft, flexible nosepiece and temple tips prevent slippage and provide a comfortable fit
- · Ratcheting temples adjust the lens angle for a close fit
- 100% dielectric
- Meets ANSI Z87+ (High Impact) standard

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
SX0400	Gray/Clear	Supra-dura HC	Cushioned
SX0400X	Gray/Clear	Uvextreme AF	Cushioned
SX0401	Gray/Gray	Supra-dura HC	Cushioned
SX0401X	Gray/Gray	Uvextreme AF	Cushioned
SX0401D	Gray/Gray	Dura-streme HC/AF	Cushioned
SX0402	Gray/SCT Reflect 50	Supra-dura HC	Cushioned
SX0403	Gray/Silver Mirror	Hardcoat	Cushioned
SX0404	Gray/Blue Mirror	Hardcoat	Cushioned
SX0405	Gray/Polarized	Hardcoat	Cushioned
SX0406	Gray/Photochromic	Anti-Fog/Hardcoat	Cushioned



For descriptions and chemical resistance, see our Coating Chart on page 35.

For more information or to order products on this page, please call Customer Care at 800 430-5490.

Safety Eyewear






Spitfire®

- Sleek, frameless design with wrap-around 9-base unilens
- Adjustable temple length
- Lifetime frame guarantee and economical lens replacement system
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards
- · Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S1800	Black/Clear	Ultra-dura HC	Spatulite
S1800X	Black/Clear	Uvextreme AF	Spatulite
S1801	Black/Espresso	Ultra-dura HC	Spatulite
S1801X	Black/Espresso	Uvextreme AF	Spatulite
S1802	Black/Amber	Ultra-dura HC	Spatulite
S1803	Black/Gold Mirror	Ultra-dura HC	Spatulite

Tomcat®









• Meets ANSI Z87+ (High Impact) standard


Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S2450	Gunmetal/Clear	Hardcoat	Padded Metal Tips
S2451	Gunmetal/Gray	Hardcoat	Padded Metal Tips
S2453	Gunmetal/Silver Mirror	Hardcoat	Padded Metal Tips
S2454	Gunmetal/Mirror 50	Hardcoat	Padded Metal Tips



S3101X

- · Sporty wrap-around design
- Adjustable temple length
- Lifetime frame guarantee and economical lens replacement system
- Meets military V₀ ballistic test for impact
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S3100	Black/Clear	Ultra-dura HC	Spatulite
S3100X	Black/Clear	Uvextreme AF	Spatulite
S3101	Black/Espresso	Ultra-dura HC	Spatulite
S3101X	Black/Espresso	Uvextreme AF	Spatulite
S3102	Black/Amber	Ultra-dura HC	Spatulite
S3103	Black/Gold Mirror	Ultra-dura HC	Spatulite
S3104	Black/SCT-Reflect 50	Ultra-dura HC	Spatulite



For product tints and tint suggestions by application, see our Lens Charts on pages 33-34.

For more information or to order products on this page, please call Customer Care at 800 430-5490.



Safety Eyewear

Ultra-spec® 1000

- Ideal safety eyewear for visitors
- Uncoated 100% polycarbonate wrap-around unilens design with solid sideshields
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards
- · Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S300CS	Clear/Clear	Uncoated	Spatula
S302SS	Black/Clear	Uncoated	Spatula
S305CS	Clear/Gray	Uncoated	Spatula
S301CS	Clear/Clear	Uncoated	Spatula



Ultra-spec® 2000

- Coated 100% polycarbonate wrap-around unilens design
- Adjustable temple length
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S0390	Clear/Clear	Ultra-dura HC	Standard
S0250X	Clear/Clear	Uvextreme AF	Spatula
S0300	Clear/Clear	Ultra-dura HC	Spatula
S0290X	Amber/Amber	Uvextreme AF	Spatula
S0340	Amber/Amber	Ultra-dura HC	Spatula
S0391	Gray/Gray	Ultra-dura HC	Standard
S0280X	Gray/Gray	Uvextreme AF	Spatula
S0330	Gray/Gray	Ultra-dura HC	Spatula
S0360X	Orange/SCT-Orange	Uvextreme AF	Spatula



Ultra-spec® 2001 OTG

- · Lightweight over-the-glass unilens design fits over most Rx eyewear
- Adjustable Duoflex® cushioned temples
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S0112	Clear/Clear	Ultra-dura HC	Duoflex
S0112C	Clear/Clear	Uvextreme AF	Duoflex
S0113	Gray/Gray	Ultra-dura HC	Duoflex
S0113C	Gray/Gray	Uvextreme AF	Duoflex







Safety Eyewear

Uvex VersaPro™ offers streamlined design for light industrial applications where comfort and versatility are essential.

Uvex VersaPro features FlexFit™ bendable temples and nosepiece for customizable comfort, SCT Spectrum Control Technology® lens tints for optimized, task-specific viewing, and Supra-dura™ advanced antiscratch coating that resists scratching 5x longer than other coatings on the market.



NEW! Uvex VersaPro™

- Sleek, streamlined lens provides excellent coverage and protection
- FlexFit™ bendable temples and nosepiece for a more comfortable fit
- Available in two sizes to better fit a variety of users (medium is 7% smaller than the large)
- · Ratcheting temples adjust the lens angle for a close fit
- Choose from NEW Supra-Dura™ advanced anti-scratch, Uvextreme® anti-fog or Dura-streme™ dual HC/AF coating options
- · Lifetime frame guarantee and economical lens replacement system
- Replaceable nosepiece
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards

Item #	Lens Tint	Description	
SX0100	Blue & Black (Medium)/Clear	Supra-dura HC	Bendable Wire-core
SX0100X	Blue & Black (Medium)/Clear	Uvextreme AF	Bendable Wire-core
SX0101	Blue & Black (Medium)/Espresso	Supra-dura HC	Bendable Wire-core
SX0101X	Blue & Black (Medium)/Espresso	Uvextreme AF	Bendable Wire-core
SX0102	Blue & Black (Medium)/Amber	Supra-dura HC	Bendable Wire-core
SX0102X	Blue & Black (Medium)/Amber	Uvextreme AF	Bendable Wire-core
SX0103	Blue & Black (Medium)/Silver Mirror	Supra-dura HC	Bendable Wire-core
SX0104	Blue & Black (Medium)/SCT-Reflect 50	Supra-dura HC	Bendable Wire-core
SX0105X	Blue & Black (Medium)/SCT-Gray	Uvextreme AF	Bendable Wire-core

Additional SKUs available – see full SKU listing at end of Uvex section

Specialty Eyewear



For product tints and tint suggestions by application, see our Lens Charts on pages 33-34.

For more information or to order products on this page, please call Customer Care at 800 430-5490.

Uvex 870 Series (Klip Lifts for Safety Glasses)

- Converts existing plastic safety eyewear into furnace or laboratory viewing safety eyewear
- Integral spring clip holds 870 Series securely without screws, fasteners or tools
- Fits safety eyewear with 48mm S7-shaped plastic frames (Uvex S4150)
- Available with replaceable half or full lenses in green welding shades 4, 5, 6, 8;
 cobalt blue shades 6, 8; and didymium full 48mm lift front filters

Uvex 880 Series (Klip Lifts for Hard Hat Visors)

- Fits onto hard hat or bump cap brims
- · Worn in conjunction with existing protective eyewear
- Quickly flip down to enhance vision, then flip up when not needed
- Integral spring clip holds 880 Series securely without screws, fasteners or tools
- Available with half or full lenses in green welding shades 4, 5, 6, 8; cobalt blue shades 3, 4, 6, 8; and green glare reducing shade 3

Uvex S4150

S4150

- S7-shaped, 48mm plastic safety frame designed to fit 870 Series Klip Lifts
- Smoke frame with clear polycarbonate lenses and clear sideshields
- Eyewear frame can be fitted with prescription lenses

Item #	Lens Tint	Description
S4150	Clear	Safety Eyewear for Uvex 870 Series Klip Lifts



Safety Goggles

Uvex Classic™

- Four models available for dust, mist or chemical splash indirect vented, closed vented, indirect hooded; and for dust and mist only – indirect hooded with face foam
- Fits over most Rx spectacles
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards

Item #	Frame Color/Lens Tint	Lens Coating	Description
S350	Clear Body/Clear	Uvextreme AF	Hood Indirect Vent
S350CF*	Clear Body/Clear	Uvextreme AF	Face Foam
S360	Clear Body/Clear	Uvextreme AF	Indirect Vent
S364	Clear Body/Clear	Uvextreme AF	Closed Vent

^{*}S350CF not for chemical splash applications



- Ski-inspired design for cold and extreme weather conditions
- Replaceable dual pane lens: interior lens with anti-fog coating; exterior lens with scratch resistant hardcoat
- · Ventilation system minimizes fogging
- · Soft face foam and wide adjustable headband
- · Not for chemical splash
- · Meets ANSI Z87+ (High Impact) standard

Item #	Frame Color/Lens Tint	Lens Coating	Description
S390	Black Body/Clear	Anti-Fog/Ultra-dura HC	Dual Pane Lens
S391	Black Body/Gray	Anti-Fog/Ultra-dura HC	Dual Pane Lens

Flex Seal®

- Lightweight, silicone body conforms to face to assure the highest level of comfort and eye protection
- Cured silicone body stays soft and supple in extreme temperatures
- Provides exceptional chemical splash and impact resistance
- Low profile and optically correct polycarbonate lens provides full field of vision
- Uvextreme® AF anti-fog coating and indirect venting system minimize fogging
- Fits over most prescription eyewear
- Easy and economical lens replacement system
- Pivoting clips permit the wearer to position the goggle on a hard hat or position the headband above the ears
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Description
S3400X	Navy Body/Clear	Uvextreme AF	Neoprene Headband
S3405X	Navy Body/Clear	Uvextreme AF	Fabric Headband
S3410X	Navy Body/Gray	Uvextreme AF	Neoprene Headband
S3420X	Gray Body/Clear	Uvextreme AF	Neoprene Band
S3425X	Gray Body /Gray	Uvextreme AF	Neoprene Band
S3430X	Navy Body/Shade 3.0 Infra-dura	Uvextreme AF	Neoprene Headband
S3435X	Navy Body/Shade 5.0 Infra-dura	Uvextreme AF	Neoprene Headband





The Flex Seal® goggle is the first industrial OTG (over-the-glass) goggle with an all-silicone body.

No other goggle comes close to matching this level of comfort.

The lightweight, soft silicone body conforms to almost any facial profile and provides an exceptionally snug fit for superior protection even in extreme temperatures. Once workers experience it, they'll never want to wear anything else.





Safety Goggles



Never before have goggles offered such unsurpassed comfort and protection as well as sleek, futuristic styling.

The Uvex Stealth® goggle features new design, technologies and materials to create new levels of worker comfort and acceptance. They make it easy, and even fashionable, to wear goggles on the job.

Favorite End-User Goggle

- · Soft, supple seal around the face
- · Easy and economical lens replacement system
- Offered with Dura-streme™ coating technology



For product tints and tint suggestions by application, see our Lens Charts on pages 33-34.

For more information or to order products on this page, please call Customer Care at 800 430-5490.

Fury®

- Sleek, frameless design with wrap-around 9-base unilens
- Suggested for dust and small particulates
- Soft, flame resistant, replaceable face foam and headband
- · Easy and economical lens replacement system
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards
- Made in USA

Item #	Frame Color/Lens Tint	Lens Coating	Description
S1890X	Black/Clear	Uvextreme AF	Flame Resistant Headband

Uvex Futura™

- Wrap-around sports style provides excellent panoramic vision
- Indirect venting increases air flow and frosted brow guard reduces glare
- Two models: welding and dust/mist/impact/chemical splash
- Fits over most Rx eyewear
- Easy and economical lens replacement system
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards



Item #	Frame Color/Lens Tint	Lens Coating	Description
S345C	Clear/Clear	Uvextreme AF	Indirect Vent, Neoprene Band
S347C	Black/Shade 3.0 Infra-dura	Uvextreme AF	Indirect Vent, Neoprene Band
S348C	Black/Shade 5.0 Infra-dura	Uvextreme AF	Indirect Vent, Neoprene Band

Uvex Stealth®

- Futuristic, low profile design for chemical splash and impact
- Toric lens provides superior optics and peripheral vision
- Rx insert available
- Easiest lens replacement system available
- Indirect ventilation system and high-performance lens coatings minimize fogging
- · Quick-adjust headband
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards
- Made in USA

S3960C S3960D S3960CI S3961C	Frame Color/Lens Tint Gray and Gray/Clear Gray and Gray/Clear Gray and Gray/Clear Gray and Gray/Gray	Lens Coating Uvextreme AF Dura-streme HC/AF Uvextreme AF Uvextreme AF	Description Neoprene Band Neoprene Band Fabric Headband Neoprene Band
557005	,		·
557010	, , ,	o rexti ee / ii	·
S3962C S39610C	Gray and Gray/Amber Teal and Gray/Clear	Uvextreme AF Uvextreme AF	Neoprene Band Neoprene Band
S39611C	Teal and Gray/Gray	Uvextreme AF	Neoprene Band
S39630C	Orange and Gray/Clear	Uvextreme AF	Neoprene Band
S39630Cl S39631C	Orange and Gray/Clear Orange and Gray/Gray	Uvextreme AF Uvextreme AF	Fabric Headband Neoprene Band



Safety Goggles

NEW! Uvex Stealth® OTG

- · Fits comfortably over most prescription eyewear.
- High quality elastomer body conforms to facial contours for a secure, customized, gap-free fit
- Low-profile, wrap-around style provides complete coverage designed for all-day wear
- Pivoting headband clip and wide adjustable-slide headband provide a range of adjustability (fits comfortably with hard hats)
- Ideal for impact, dust/airborne particles, chemical splash, and optical radiation (UV and welding/heat radiation).
- Available with Dura-streme[™] dual anti-fog/anti-scratch coating
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards

Item #	Frame Color/Lens Tint	Lens Coating	Description
S3970D	Navy/Clear	Dura-streme HC/AF	Neoprene
S3971D	Navy/Standard Gray	Dura-streme HC/AF	Neoprene
S3972D	Navy/Amber	Dura-streme HC/AF	Neoprene
S3973D	Navy/Shade 3.0	Dura-streme HC/AF	Neoprene
S3975D	Navy/Shade 5.0	Dura-streme HC/AF	Neoprene
S3970DF	Navy/Clear	Dura-streme HC/AF	Fabric (Logoed)
S3971DF	Navy/Standard Gray	Dura-streme HC/AF	Fabric (Logoed)
S3972DF	Navy/Amber	Dura-streme HC/AF	Fabric (Logoed)

Additional SKUs available - see full SKU listing at end of Uvex section

Uvex Strategy®

- Lightweight, TPE body provides exceptional comfort and a snug fit for maximum protection
- Available in 4 models for a variety of work applications: direct vent, closed vent, indirect vent and indirect vent with foam lining for fine particle protection
- Uvextra™ AF anti-fog coating minimizes fogging
- Fits over most prescription eyewear
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards

Item #	Frame Color/Lens Tint	Lens Coating	Description
S3800	Gray Body/Clear	Uvextra AF	Direct Vent/Fabric Band
S3805	Gray Body/Clear	Uvextra AF	Closed Vent/Neoprene Band
S3810	Gray Body/Clear	Uvextra AF	Indirect Vent/Neoprene Band
S3815	Gray Body/Clear	Uvextra AF	Indirect Vent with Foam/Fabric Band
S3820	Hot Orange Body/Clear	Uvextra AF	Indirect Vent/Neoprene Band







Uvex Strategy® Goggle

The industry's only economical over-theglass (OTG) goggle that delivers both premium comfort and maximum protection.

With a powerful combination of innovative, face-hugging material and a rugged design that withstands the harshest environments, the Uvex Strategy goggle provides protection, peace of mind and total comfort.



Face Shields

The Bionic® Shield redefines technology in the face shield category.

- With over 15 design patents, the Bionic Shield is revolutionary. Its advanced ergonomic design combines superior protection and all-day comfort with the kind of easy-to-use features that workers desire.
- Designed for end users, by end users the Bionic Shield offers extended chin and top-of-head protection.

With 2,784 possible positions, this highly adjustable headgear tilts the visor nearer or farther from the face, depending on preference and application.

Bionic®

- Enhanced protection from airborne debris
- · Excellent optics and increased visibility
- Easily replaceable visor with dual position choices
- Secure visor attachment
- · Lightweight and balanced, ergonomic design for extended use
- · Comfortable cell foam on back of headgear
- · Breathable, removable, washable headband
- · Comfortably worn with most goggles and respirators
- · Face shield offers secondary protection and must be worn with spectacles or goggles
- Perfect for workers exposed to falling or flying objects, impact, chemical splash, and airborne debris





Accessories



Uvex® Lens Care Products

Uvex Clear® Lens Cleaning Products

· Specifically formulated for anti-fog and scratch resistant hardcoats

· Alcohol- and silicone-free

· Available in a 16 oz. refillable spray, 1 gallon refill or non-abrasive tissues (500/box)

500 non-abrasive tissues (S462)

Item # Description S462 **Uvex Clear Tissues** S463 **Uvex Clear Solution** S464 **Uvex Clear Refill Solution**



Hard Hat Adapter (No Suspension)

For product tints and tint suggestions by application, see our Lens Charts on pages 33-34.

For more information or to order products on this page, please call Customer Care at 800 430-5490.



Accessories

Uvex Clear® Permanent Lens Cleaning Station

- Includes 1 16 oz. Uvex Clear cleaning solution, 4 boxes of 500 tissues, 3.5" x 4.5" mirror
- Screw mounts and adhesive foam for quick wall mounting
- Measures 22.5" x 12.5"

Item # Description

S461 Uvex Clear Permanent Station



S461

Uvex Clear® Portable Cleaning Station

 Portable and disposable station holds 16 oz. of Uvex Clear cleaning spray and 1500 tissues

Item # Description

S467 Uvex Clear Disposable Lens Station

Uvex Clear® Towelettes

- Handy pocket size pre-moistened lens cleaning towelettes
- 100 towelettes per box

Item # Description

S468 Uvex Clear Towelettes

Uvex® Fog Eliminator Cloths

- Formulated to effectively protect lenses from all types of fogging caused by cold, high humidity or sudden temperature changes
- · Safe for all surfaces, including polycarbonate and glass
- Each cloth provides multiple applications
- Streak and film free, alcohol and silicone free
- Non-flammable and non-toxic
- Made in USA

Item # Description

S477 Uvex Fog Eliminator Cloths





\$467



5468



For descriptions and chemical resistance, see our Coating Chart on page 35.



Accessories





Uvex® Cases and Cords

Uvex® Eyewear Cases

- Fit most Uvex eyewear to protect lenses from scratches and abrasion
- Available in a nylon drawstring pouch, hard case* or economy case**

Item #	Description
S487	Rip-Stop Nylon Bag Eyewear Case, Black
S489	Hard Eyewear Case with Belt Loop, Black
S490	Economy Eyewear Case, Black

^{*}Not suitable for Uvex Astrospec 3000® series

Uvex® Packs

- · Made of durable nylon,

zippers and b • Available in e goggle sizes			
Item #	Description		
S491	Eyewear Pack, Black		
S493	Universal Goggle Pa	ck, Black	S491

Uvex® Hang Cords

- Provide convenient access to safety eyewear and encourage greater compliance
- Available in a universal or snap-fit cord

Item #	Description
S501	Universal Neck Cord, Black
S505D	Snap-Fit Neck Cord for Duoflex Cushioned Temples, Black



^{**}Not suitable for Uvex Astro OTG® 3001



Reference: Application Selection & Technical Information

EYE & FACE PROTECTION

	Lenses	Clear	Amber	SCT-Vermilion	50% Gray	SCT-Reflect 50	Espresso	Espresso Gold Mirror	Blue Mist	Light Gray	SCT-Gray	Standard Gray	Silver Mirror	Dark Gray	SCT-Low IR	Infra-dura® 2.0	Infra-dura® 3.0	Infra-dura® 5.0	SCT-Orange	SCT-Blue	SCT-Cobalt Blue	Didymium (Glass)	Polarized
Specifications	VLT (Visual Light Transmission)	92%	90%	55%	50%	50%	15%	15%	86%	35%	15%	15%	15%	10%	80%	35%	14%	2%	45%	57%	0.2%	48%	12%
Specifi	UV Absorption (>99.9% unless otherwise noted)	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	80%	99.9%
	Most indoor applications	0																					
	Low light applications in which contrast may be enhanced								•														
	Reduce lens glare from fluorescent and halogen lights																						
	Outdoor applications where sunlight and glare cause eye strain and fatigue																						
	Indoor/outdoor applications																						
Applications	Strong sunlight and glare																						
	Indoor applications where peripheral infrared radiation protection is required (under welding helmets, near welding sites)																						
	Work areas with high levels of yellow light using sodium vapor lighting																			•			
	Situations with high heat applications such as metal glare and glass blowing																				•	•	
	Torch welding, torch brazing and cutting																	a					
	Reduces eye fatigue by absorbing blue and green light (good for UV lamp exposure)																						



Reference: Eyewear Lens Tint Offerings

	Lenses	Clear	Espresso	Gray	Amber	50% Gray	Light Gray	Dark Gray	Silver Mirror	Gold Mirror	Orange Mirror	Red Mirror	Blue Mirror	SCT-Reflect 50	SCT-Vermilion	SCT-Blue	SCT-Orange	SCT-Gray	SCT-Low IR	Infra-dura® 2.0	Infra-dura® 3.0	Infra-dura® 5.0	Cobalt	Blue Mist	Photochromic	Polarized
	Tints									9		9				•						•	•			
	Uvex Ambient™ OTG	•		•	•																•	•				
	Uvex Astrospec 3000®	•		•	•		•		•					•	•	•		•	•	•	•	•				
	Uvex Astrospec 3000° S	•		•																		•				
	Uvex Astrospec 3000° CB	•																								
	Uvex Astrospec 3000° S CB	•																								
	Uvex Astrospec® OTG 3001	•		•	•													•	•	•	•	•				
	Uvex Astro Rx® 3003	•																								
	Bandido®	•	•		•																					
	Bandit™	•	•		•					•		•	•	•												
	Uvex ExtremePro™	•	•					•	•					•							•	•				
	Falcon®	•	•		•					•				•												
	Uvex FitLogic®	•		•	•				•					•	•	•		•								
	Uvex FitLogic® Reading Magnifiers	•																								
	Flashback [®]	•		•																•	•	•				
	Flashlite®	•																								
	Genesis®	•	•		•	•		•		•				•	•	•		•	•	•	•	•				
	Genesis® Reading Magnifiers	•		•	•									•												
	Genesis® S (Slim)	•		•	•			•						•												
ar	Genesis XC™	•		•	•	•			•					•	•	•		•	•	•	•	•				
ewe	Genesis X2®	•	•	•	•	•				•				•	•	•										
Ē	Uvex Horizon™	•																			•	•	•			
Uvex Eyewear	Uvex Ignite®	•		•					•					•												
	Uvex Milan™ (Photochromic)																								•	
	Uvex Millennia™	•		•	•				•					•				•	•							
	Pivot®	•		•	•						•		•	•												
	Uvex Polarized																									•
	Uvex PrecisionPro™	•			•	•									•	•			•					•		
	Uvex Protégé®	•		•	•				•					•		•										
	Uvex Seismic™	•	•		•									•												
	Uvex SolarPro™	•		•					•				•	•											•	•
	Skyline®	•	•											•												
	Skyper®	•	•	•	•					•				•	•	•	•	•	•	•	•	•				
	Skyper X2®	•	•		•					•				•				•								
	Uvex Slate™	•		•						•																
	Spitfire®	•	٠		•					•																
	Tomcat®	•		•					•																	
	Uvex U2®	•	•		•					•				•												
	Ultra-spec® 1000	•		•																						
	Ultra-spec® 2000	•		•	•												•									
	Ultra-spec® 2001 OTG	•		•																						
	Uvex VersaPro™	•	•		•				•					•				•								



Reference: Lens Coating Description & Chemical Resistance

EYE & FACE PROTECTION

Sperian has developed proprietary Uvex® coatings to meet the demands of even the most challenging work environments. Uvextreme® anti-fog coating offers superior performance under the most extreme conditions and will not wear off after repeated cleanings. Uvextreme® Plus offers the same anti-fog performance with extended wear. It is permanently bonded to the lens which helps it retain its anti-scratch, anti-static and UV protection properties. Ultra-dura® hardcoat is one of the toughest anti-scratch coatings in the world. It is also permanently bonded to the lens and offers excellent scratch and chemical resistance. Our new Supra-dura™ advanced anti-scratch coating is superior in high particulate

environments where lens scratching is a severe problem. It lasts 5x* longer than any other anti-scratch coating on the market today. In addition, Dura-streme™ technology combines the benefits of these industry-leading anti-fog and hardcoats onto one lens. While the advanced anti-fog properties of Uvextreme help keep the interior of the lens clear from fogging, the rugged properties of Ultra-dura hardcoat protect the exterior of the lens from scuffs and scratches, adding up to 3x* more life to lenses.

The chemical resistance chart below will help to determine the preferred coating for environments where workers are subject to chemical exposure.

	Y = Resistant • = Limited resistance N = Not resistant	Ultra-dura Hardcoat	Supra-dura Hardcoat	Uvextreme/ Uvextreme Plus Anti-Fog		Dual Coating (Uvextreme Lens Interior)		
	Acetone	Υ	Υ	N	Υ	N		
	Ammonia 10%	Υ	Υ	Υ	Υ	Υ		
	Benzene	Υ	Υ	N	Υ	N		
	Butanol	Υ	Υ	Υ	Υ	Υ		
	Butyl Acetate	Υ	Υ	N	Υ	N		
	Carbon Tetrachloride	Υ	Υ	Υ	Υ	Υ		
	Cyclohexanol	Υ	Υ	N	Υ	N		
	Diethylether	Υ	Υ	Υ	Υ	Υ		
	Ethanol	Υ	Υ	Υ	Υ	Υ		
	Ethulene Glycol	Υ	Υ	Υ	Υ	Υ		
	Formic Acid 30%	Υ	Υ	Υ	Υ	Υ		
Chemical	Gasoline (normal)	Υ	Υ	Υ	Υ	Υ		
Cher	Gasoline (super)	Y	Υ	N	Υ	N		
	Hydrofluoric Acid	•	•	Υ	•	Υ		
	Hydrofluoric Acid 20%	Y	Υ	Υ	Υ	Υ		
	Isopropyl Alcohol	Y	Υ	•	Υ	•		
	Methanol	Y	Υ	Υ	Υ	Υ		
	Methyene Chloride	Υ	Υ	N	Υ	N		
	Potassium Carbonate 30%	Υ	Υ	Υ	Υ	Υ		
	Sodium Carbonate 30%	Υ	Υ	Υ	Υ	Υ		
	Sulfuric Acid 50%	Υ	Υ	Υ	Υ	Υ		
	Toluene	Υ	Υ	N	Υ	N		
	Trichloroethylene	Υ	Υ	N	Υ	N		
	Xylene	Υ	Υ	N	Υ	N		

^{*}Comparative lens life test performed using a Bayer Abrasion Test method and may vary between environment and application.





FULL LINE SKU LISTING

Uvex Eye & Face Protection

Safety Eyewear

I	Uvex Ambient™ OTG										
	Item #	Frame Color/Lens Tint	Lens Coating	Temple Style							
	S3150	Blue (Large)/Clear	Ultra-dura HC	Bendable Wire-core							
	S3150X	Blue (Large)/Clear	Uvextreme AF	Bendable Wire-core							
	S3150D	Blue (Large)/Clear	Dura-streme HC/AF	Bendable Wire-core							
	S3151	Blue (Large)/Amber	Ultra-dura HC	Bendable Wire-core							
	S3151X	Blue (Large)/Amber	Uvextreme AF	Bendable Wire-core							
	S3152	Blue (Large)/Standard Gray	Ultra-dura HC	Bendable Wire-core							
	S3152X	Blue (Large)/Standard Gray	Uvextreme AF	Bendable Wire-core							
	S3153	Blue (Large)/Shade 3.0	Ultra-dura HC	Bendable Wire-core							
	S3155	Blue (Large)/Shade 5.0	Ultra-dura HC	Bendable Wire-core							
	S3160	Blue (Medium)/Clear	Ultra-dura HC	Bendable wire-core							
	S3160X	Blue (Medium)/Clear	Uvextreme AF	Bendable wire-core							
	S3161	Blue (Medium)/Amber	Ultra-dura HC	Bendable wire-core							
	S3162	Blue (Medium)/Standard Gray	Ultra-dura HC	Bendable wire-core							
	S3163	Blue (Medium)/Shade 3.0	Ultra-dura HC	Bendable wire-core							
	S3165	Blue (Medium)/Shade 5.0	Ultra-dura HC	Bendable wire-core							
ĺ	Replacement Lenses										

Item #	Lens Tint	Lens Coating
S6440	Large/Clear	Ultra-dura HC
S6440X	Large/Clear	Uvextreme AF
S6440D	Large/Clear	Dura-streme HC/AF
S6441	Large/Amber	Ultra-dura HC
S6441X	Large/Amber	Uvextreme AF
S6442	Large/Standard Gray	Ultra-dura HC
S6442X	Large/Standard Gray	Uvextreme AF
S6443	Large/Shade 3.0	Ultra-dura HC
S6445	Large/Shade 5.0	Ultra-dura HC
S6450	Medium/Clear	Ultra-dura HC
S6450X	Medium/Clear	Uvextreme AF
S6451	Medium/Amber	Ultra-dura HC
S6452	Medium/Standard Gray	Ultra-dura HC
S6453	Medium/Shade 3.0	Ultra-dura HC
S6455	Medium/Shade 5.0	Ultra-dura HC

Uvex Astrospec 3000®

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S135	Black/Clear	Ultra-dura HC	Spatula
S1359	Black/Clear	Ultra-dura HC	Duoflex
S135C	Black/Clear	Uvextreme AF	Spatula
S1359C	Black/Clear	Uvextreme AF	Duoflex
S136	Black/Gray	Ultra-dura HC	Spatula
S1369	Black/Gray	Ultra-dura HC	Duoflex
S136C	Black/Gray	Uvextreme AF	Spatula
S1360	Black/Light Gray	Ultra-dura HC	Spatula
S145	Black/Amber	Ultra-dura HC	Spatula
S137	Black/Silver Mirror	Ultra-dura HC	Spatula
S1379	Black/Silver Mirror	Ultra-dura HC	Duoflex
S112	Black/SCT-Low IR	Ultra-dura HC	Spatula
S1361	Black/SCT-Gray	Ultra-dura HC	Spatula
S1362C	Black/SCT-Vermilion	Uvextreme AF	Spatula
S13659X	Black/SCT-Blue	Uvextreme AF	Duoflex
S111029	Black/Shade 2.0 Infra-dura	Ultra-dura HC	Duoflex
S1111	Black/Shade 3.0 Infra-dura	Ultra-dura HC	Spatula
S1112	Black/Shade 5.0 Infra-dura	Ultra-dura HC	Spatula
S129	Blue/Clear	Ultra-dura HC	Spatula
S129C	Blue/Clear	Uvextreme AF	Spatula
S1299C	Blue/Clear	Uvextreme AF	Duoflex
S130	Blue/Gray	Ultra-dura HC	Spatula
S130C	Blue/Gray	Uvextreme AF	Spatula
S1169	Patriot RWB/Clear	Ultra-dura HC	Duoflex
S1169C	Patriot RWB/ Clear	Uvextreme AF	Duoflex
S1179	Patriot RWB/Gray	Ultra-dura HC	Duoflex
S1179C	Patriot RWB/Gray	Uvextreme AF	Duoflex

S11791	Patriot RWB/Light Gray	Ultra-dura HC	Duoflex						
S1159	Patriot RWB/Amber	Ultra-dura HC	Duoflex						
S1149	Patriot RWB/Silver Mirror	Ultra-dura HC	Duoflex						
Replacement Lenses									
Item #	Lens Tint	Lens Coating							
S535	Clear	Ultra-dura HC							
S535C	Clear	Uvextreme AF							
S536	Gray	Ultra-dura HC							
S536C	Gray	Uvextreme AF							
S537	Amber	Ultra-dura HC							
S538	Silver Mirror	Ultra-dura HC							
S541	SCT-Gray	Ultra-dura HC							
S539C	SCT-Vermilion	Uvextreme AF							
S540	SCT-Low IR	Ultra-dura HC							
S544C	SCT-Blue	Uvextreme AF							
S5410	SCT-Reflect 50	Ultra-dura HC							
S5412	Shade 2.0 Infra-dura	Ultra-dura HC							
S542	Shade 3.0 Infra-dura	Ultra-dura HC							
S543	Shade 5.0 Infra-dura	Ultra-dura HC							

Uvex Astrospec 3000® S (Slim)

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S2700	Black/Clear	Ultra-dura HC	Spatula
S2700C	Black/Clear	Uvextreme AF	Spatula
S2701	Black/Gray	Ultra-dura HC	Spatula
S2701C	Black/Gray	Uvextreme AF	Spatula
S2709	Black/Shade 5.0 Infra-dura	Ultra-dura HC	Spatula
S2710	Blue/Clear	Ultra-dura HC	Spatula
S2710C	Blue/Clear	Uvextreme AF	Spatula
S2711	Blue/Gray	Ultra-dura HC	Spatula
S2711C	Blue/Gray	Uvextreme AF	Spatula
S2730	Patriot RWB/Clear	Ultra-dura HC	Spatula
S2730C	Patriot RWB/Clear	Uvextreme AF	Spatula
S2731	Patriot RWB/Gray	Ultra-dura HC	Spatula
S2731C	Patriot RWB/Gray	Uvextreme AF	Spatula
Daula samana			

Replacement Lenses

	Item #	Lens Tint	Lens Coating
	S570	Clear	Ultra-dura HC
	S570C	Clear	Uvextreme AF
	S571	Gray	Ultra-dura HC
	S571C	Grav	Uvextreme AF

Uvex Astrospec 3000® CB (Custom Bridge)

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style		
S2200	Black/Clear	Ultra-dura HC	Spatula		
S2200C	Black/Clear	Uvextreme AF	Spatula		
Replacement Lenses					
Item #	Lens Tint	Lens Coating			
S528C	Clear	Uvextreme AF			

Uvex Astrospec 3000® S CB (Slim Custom Bridge)

Item #	Frame Color/ Lens Tint	Lens Coating	Temple Style
S2212	Blue/Clear	IIItra-dura HC	Snatula

Uvex Astrospec® OTG 3001

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S2500	Black/Clear	Ultra-dura HC	Duoflex
S2500C	Black/Clear	Uvextreme AF	Duoflex
S2501	Black/Amber	Ultra-dura HC	Duoflex
S2504	Black/Gray	Ultra-dura HC	Duoflex
S2504C	Black/Gray	Uvextreme AF	Duoflex
S2505	Black/SCT-Low IR	Ultra-dura HC	Duoflex
S2506	Black/SCT-Gray	Ultra-dura HC	Duoflex
S2508	Black/Shade 3.0 Infra-dura	Ultra-dura HC	Duoflex
S2509	Black/Shade 5.0 Infra-dura	Ultra-dura HC	Duoflex
S2510	Blue/Clear	Ultra-dura HC	Duoflex
S2510C	Blue/Clear	Uvextreme AF	Duoflex

FULL LINE SKU LISTING



Uvex Eye & Face Protection

S2514	Blue/Gray	Ultra-dura HC	Duoflex	SX0301	Black & Gray/Espresso	Supra-dura HC	Bendable Wire-cor
S2514C	Blue/Gray	Uvextreme AF	Duoflex		Black & Gray/Espresso	Uvextreme Plus AF	Bendable Wire-co
S2530	Patriot RWB/Clear	Ultra-dura HC	Duoflex	SX0301D	Black & Gray/Espresso	Dura-streme HC/AF	Bendable Wire-co
S2530C	Patriot RWB/Clear	Uvextreme AF	Duoflex	SX0303	Black & Gray/Silver Mirror	Supra-dura HC	Bendable Wire-co
S2534	Patriot RWB/Gray	Ultra-dura HC	Duoflex	SX0304	Black & Gray/SCT-Reflect 50	Supra-dura HC	Bendable Wire-co
S2534C	Patriot RWB/Gray	Uvextreme AF	Duoflex	SX0307	Black & Gray/Shade 3.0 Infra-dura	Supra-dura HC	Bendable Wire-co
S2536	Patriot RWB/SCT-Gray	Ultra-dura HC	Duoflex	SX0308	Black & Gray/Shade 5.0 Infra-dura	Supra-dura HC	Bendable Wire-co
Replacement				SX0312	Black & Gray/Dark Gray	Supra-dura HC	Bendable Wire-co
Item #	Lens Tint	Lens Coating			Black & Gray/Dark Gray	Uvextreme Plus AF	Bendable Wire-co
S560	Clear	Ultra-dura HC		Replaceme			
S561	Clear	Uvextreme AF		Item #	Lens Tint	Lens Coating	
S562	Gray	Ultra-dura HC		SX5300	Clear	Supra-dura HC	
S562C	Gray	Uvextreme AF		SX5300XP	Clear	Uvextreme Plus AF	
S563	SCT-Gray	Ultra-dura HC		SX5300D	Clear	Dura-streme HC/AF	
S566	Amber	Ultra-dura HC		SX5301	Espresso	Supra-dura HC	
S568	Shade 3.0 Infra-dura	Ultra-dura HC		SX5301XP	Espresso	Uvextreme Plus AF	
S569	Shade 5.0 Infra-dura	Ultra-dura HC		SX5301D	Espresso	Dura-streme HC/AF	
2307	Silade Sie iiii'a dara	oma aara me		SX5303	Silver Mirror	Supra-dura HC	
Uvex Astro	Rx® 3003			SX5304	SCT-Reflect 50	Supra-dura HC	
Item #	Frame Color/Lens Tint	Lens Coating	Temple Style	SX5307	Shade 3.0 Infra-dura	Supra-dura HC	
S2570	Black/Clear	N/A	Duoflex	SX5307	Shade 5.0 Infra-dura	Supra-dura HC	
S2570	Blue/Clear	N/A	Duoflex	SX5308	Dark Gray	Supra-dura HC	
S2574	Patriot RWB/Clear	N/A	Duoflex	SX5312 SX5312XP	Dark Gray	Uvextreme Plus AF	
5257.	r attroc titro, creat	1077	Buomex	Accessories	•	Ovextreme rius / ii	
Bandido®				Item #	Description		
Item #	Frame Color/Lens Tint	Lens Coating	Temple Style	SX0195	Replacement Nosepiece		
S1730	Black/Clear	Ultra-dura HC	Spatula	SX0396	Replacement MoistureWick	Rrow Accessory	
S1730X	Black/Clear	Uvextreme AF	Spatula	3/(03/0	replacement Moistarewick	DIOW Accessory	
S1731	Black/Espresso	Ultra-dura HC	Spatula	Falcon®			
S1732	Black/Amber	Ultra-dura HC	Spatula	Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S1700	Hot Red & Black/Clear	Ultra-dura HC	Spatula	S4500	Black/Clear	Ultra-dura HC	Spatulite
S1700X	Hot Red & Black/Clear	Uvextreme AF	Spatula	S4500X	Black/Clear	Uvextreme AF	Spatulite
S1700X	Hot Red & Black/Espresso	Ultra-dura HC	Spatula	S4501	Black/Espresso	Ultra-dura HC	Spatulite
31701	Hot Ned & Black/Espiesso	Oiti a dara i i c	Spatula	S4501X	Black/Espresso	Uvextreme AF	Spatulite
Bandit™				S4502X	Black/Amber	Uvextreme AF	Spatulite
Item #	Frame Color/Lens Tint	Lens Coating	Temple Style	S4502X	Black/Gold Mirror	Ultra-dura HC	Spatulite
S1600	Black/Clear	Ultra-dura HC	Spatulite	S4504	Black/SCT-Reflect 50	Ultra-dura HC	Spatulite
S1600X	Black/Clear	Uvextreme AF	Spatulite	Replaceme		Oitia dula lic	Spatunte
S1601	Black/Amber	Ultra-dura HC	Spatulite	Item #	Lens Tint	Lana Cantina	
S1603	Black/Espresso	Ultra-dura HC	Spatulite		Clear	Lens Coating Ultra-dura HC	
S1603X	Black/Espresso	Uvextreme AF	Spatulite	S6700 S6700X	Clear	Uvextreme AF	
S1604	Black/Gold Mirror	Ultra-dura HC	Spatulite			Ultra-dura HC	
S1606	Black/SCT-Reflect 50	Ultra-dura HC	Spatulite	S6701 S6701X	Espresso Espresso	Uvextreme AF	
S1607	Black/Red Mirror	Ultra-dura HC	Spatulite				
S1620	Slate Blue/Clear	Ultra-dura HC	Spatulite	S6702X	Amber	Uvextreme AF	
S1620X	Slate Blue/Clear	Uvextreme AF	Spatulite	S6703	Gold Mirror	Ultra-dura HC	
S1620A	Slate Blue/Amber	Ultra-dura HC	Spatulite	S6704	SCT-Reflect 50	Ultra-dura HC	
			•	Uvex FitL	ogic®		
S1623	Slate Blue/Espresso	Ultra-dura HC	Spatulite		•		
S1623X	Slate Blue/Espresso	Uvextreme AF	Spatulite	Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S1624	Slate Blue/Gold Mirror	Ultra-dura HC	Spatulite	S0400	Black & Silver/Clear	Ultra-dura HC	Cushioned
S1626	Slate Blue/SCT-Reflect 50	Ultra-dura HC	Spatulite	S0400X	Black & Silver/Clear	Uvextreme AF	Cushioned
S1627	Slate Blue/Blue Mirror	Ultra-dura HC	Spatulite	S0401	Black & Silver/Gray	Ultra-dura HC	Cushioned
Replacement				S0401X	Black & Silver/Gray	Uvextreme AF	Cushioned
Item #	Lens Tint	Lens Coating		S0402	Black & Silver/Amber	Ultra-dura HC	Cushioned
S6310	Clear	Ultra-dura HC		S0403	Black & Silver/Silver Mirror		Cushioned
S6310X	Clear	Uvextreme AF		S0404	Black & Silver/SCT-Reflect 50		Cushioned
S6311	Amber	Ultra-dura HC		S0405X	Black & Silver/SCT-Gray	Uvextreme AF	Cushioned
S6312	Espresso	Ultra-dura HC		S0406X	Black & Silver/SCT-Vermilion		Cushioned
S6312X	Espresso	Uvextreme AF		S0407X	Black & Silver/SCT-Blue	Uvextreme AF	Cushioned
S6313	Gold Mirror	Ultra-dura HC		Replaceme	nt Lenses		
S6314	SCT-Reflect 50	Ultra-dura HC		Item #	Lens Tint	Lens Coating	
	_ ***			S0490	Clear	Ultra-dura HC	
Uvex Extre	mePro™			S0490X	Clear	Uvextreme AF	
Item # F	rame Color/Lens Tint	Lens Coating	Temple Style	S0491	Gray	Ultra-dura HC	
	lack & Gray/Clear	Supra-dura HC	Bendable Wire-core	S0491X	Gray	Uvextreme AF	

Dura-streme HC/AF Bendable Wire-core

SX0300D Black & Gray/Clear

S4300C

Black/Clear





FULL LINE SKU LISTING

Uvex Eye & Face Protection

				•			
	Uvex FitLogic® I	Replacement Lenses <i>(continue</i>	d)				
	Item #	Lens Tint	Lens Coating				
	S0492	Amber	Ultra-dura HC				
	S0493	Silver Mirror	Ultra-dura HC				
	S0494	SCT-Reflect 50	Ultra-dura HC				
	S0495X	SCT-Gray	Uvextreme AF				
	S0496X	SCT-Vermilion	Uvextreme AF				
	S0497X	SCT-Blue	Uvextreme AF				
I	Replacement Ac	ccessories					
	Item #	Description					
	S0489	Replacement Nosepiece					
	Uvex FitLogic® Reading Magnifiers						
	Item #	Frame Color/Lens Tint	Lens Coating	Temple Style			
	S0471	Black & Silver/Clear +1.5 Diopter	Ultra-dura HC	Cushioned			
	S0472	Black & Silver/Clear +2.0 Diopter	Ultra-dura HC	Cushioned			

	S0471	Black & Silver/Clear +1.5 Diopter	Ultra-dura HC	Cushioned
	S0472	Black & Silver/Clear +2.0 Diopter	Ultra-dura HC	Cushioned
	S0473	Black & Silver/Clear +2.5 Diopter	Ultra-dura HC	Cushioned
I	Replacement Le	nses		
	Item #	Lens Tint	Lens Coating	
	S0481	Clear/+1.5 Diopter	Ultra-dura HC	
	S0482	Clear/+2.0 Diopter	Ultra-dura HC	

Flashback®		
S0483	Clear/+2.5 Diopter	Ultra-dura HC
S0482	Clear/+2.0 Diopter	Ultra-dura HC
50481	Clear/+1.5 Diopter	Ultra-dura HC

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S4000	Black/Clear	Ultra-dura HC	Duoflex
S4000C	Black/Clear	Uvextreme AF	Duoflex
S4001	Black/Gray	Ultra-dura HC	Duoflex
S4001C	Black/Gray	Uvextreme AF	Duoflex
S4004	Black/Shade 2.0 Infra-dura	Ultra-dura HC	Duoflex
S4005	Black/Shade 3.0 Infra-dura	Ultra-dura HC	Duoflex
S4006	Black/Shade 5.0 Infra-dura	Ultra-dura HC	Duoflex
Danie assessment I			

Replacement Lenses							
Item #	Lens Tint	Lens Coating					
S6410	Clear	Ultra-dura HC					
S6410C	Clear	Uvextreme AF					
S6411	Gray	Ultra-dura HC					
S6411C	Gray	Uvextreme AF					
S6413	Shade 2.0 Infra-dura	Ultra-dura HC					
S6414	Shade 3.0 Infra-dura	Ultra-dura HC					
S6/:15	Shado E O Infra-dura	Illtra-dura HC					

yle
t

Uvextreme AF

Spatula

Genesis®			
Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S3200	Black/Clear	Ultra-dura HC	Spatulite
S3200-ADV	Black Adv TPE/Clear	Ultra-dura HC	Spatulite
S3200X	Black/Clear	Uvextreme AF	Spatulite
S3200X-ADV	Black Adv TPE/Clear	Uvextreme AF	Spatulite
S3200D	Black/Clear	Dura-streme HC/AF	Spatulite
S3201	Black/Espresso	Ultra-dura HC	Spatulite
S3201X	Black/Espresso	Uvextreme AF	Spatulite
S3202	Black/Amber	Ultra-dura HC	Spatulite
S3202X	Black/Amber	Uvextreme AF	Spatulite
S3203	Black/Gold Mirror	Ultra-dura HC	Spatulite
S3204	Black/SCT-Reflect 50	Ultra-dura HC	Spatulite
S3205X	Black/SCT-Gray	Uvextreme AF	Spatulite
S3206	Black/Shade 2.0 Infra-dura	Ultra-dura HC	Spatulite
S3207	Black/Shade 3.0 Infra-dura	Ultra-dura HC	Spatulite
S3208	Black/Shade 5.0 Infra-dura	Ultra-dura HC	Spatulite
S3209	Black/SCT-Low IR	Ultra-dura HC	Spatulite
S3210X	Black/SCT-Vermilion	Uvextreme AF	Spatulite
S3211X	Black/SCT-Blue	Uvextreme AF	Spatulite

S3212X	Black/Dark Gray	Uvextreme AF	Spatulite
S3213X	Black/50% Gray	Uvextreme AF	Spatulite
S3220	Earth/Clear	Ultra-dura HC	Spatulite
S3220X	Earth/Clear	Uvextreme AF	Spatulite
S3221	Earth/Espresso	Ultra-dura HC	Spatulite
S3221X	Earth/Espresso	Uvextreme AF	Spatulite
S3222	Earth/Amber	Ultra-dura HC	Spatulite
S3223	Earth/Gold Mirror	Ultra-dura HC	Spatulite
S3224	Earth/SCT-Reflect 50	Ultra-dura HC	Spatulite
S3240	Vapor Blue/Clear	Ultra-dura HC	Spatulite
S3240X	Vapor Blue/Clear	Uvextreme AF	Spatulite
S3241	Vapor Blue/Espresso	Ultra-dura HC	Spatulite
S3241X	Vapor Blue/Espresso	Uvextreme AF	Spatulite
S3242	Vapor Blue/Amber	Ultra-dura HC	Spatulite
S3243	Vapor Blue/Gold Mirror	Ultra-dura HC	Spatulite
S3244	Vapor Blue/SCT-Reflect 50	Ultra-dura HC	Spatulite
S3260	Patriot RWB/Clear	Ultra-dura HC	Spatulite
S3260X	Patriot RWB/Clear	Uvextreme AF	Spatulite
S3263	Patriot RWB/Gold Mirror	Ultra-dura HC	Spatulite
S3600	Mercury Red/Clear	Ultra-dura HC	Spatulite
S3600X	Mercury Red/Clear	Uvextreme AF	Spatulite
S3601	Mercury Red/Espresso	Ultra-dura HC	Spatulite
S3601X	Mercury Red/Espresso	Uvextreme AF	Spatulite
S3602	Mercury Red/Amber	Ultra-dura HC	Spatulite
S3603	Mercury Red/Gold Mirror	Ultra-dura HC	Spatulite
S3604	Mercury Red/SCT-Reflect 50	Ultra-dura HC	Spatulite

	S3604	Mercury Red/SCI-Reflect 50	Ultra-dura HC	Spatulite				
I	Replacement Lenses							
	Item #	Lens Tint	Lens Coating					
	S6900	Clear	Ultra-dura HC					
	S6900D	Clear	Dura-streme HC/AF					
	S6900X	Clear	Uvextreme AF					
	S6901	Espresso	Ultra-dura HC					
	S6901X	Espresso	Uvextreme AF					
	S6902	Amber	Ultra-dura HC					
	S6902X	Amber	Uvextreme AF					
	S6903	Gold Mirror	Ultra-dura HC					
	S6904	SCT-Reflect 50	Ultra-dura HC					
	S6905X	SCT-Gray	Uvextreme AF					
	S6906	Shade 2.0 Infra-dura	Ultra-dura HC					
	S6907	Shade 3.0 Infra-dura	Ultra-dura HC					
	S6908	Shade 5.0 Infra-dura	Ultra-dura HC					
	S6909	SCT-Low IR	Ultra-dura HC					
	S6910X	SCT-Vermilion	Uvextreme AF					
	S6911X	SCT-Blue	Uvextreme AF					
	S6912X	Dark Gray	Uvextreme AF					
	S6913X	50% Gray	Uvextreme AF					

Genesis® Reading Magnifiers				
Item #	Frame Color/Lens Tint	Lens Coating	Magnification	
S3760	Black/Clear	Ultra-dura HC	+1.0	
S3761	Black/Clear	Ultra-dura HC	+1.5	
S3762	Black/Clear	Ultra-dura HC	+2.0	
S3763	Black/Clear	Ultra-dura HC	+2.5	
S3764	Black/Clear	Ultra-dura HC	+3.0	
S3765	Black/Amber	Ultra-dura HC	+1.0	
S3766	Black/Amber	Ultra-dura HC	+1.5	
S3767	Black/Amber	Ultra-dura HC	+2.0	
S3768	Black/Amber	Ultra-dura HC	+2.5	
S3769	Black/Amber	Ultra-dura HC	+3.0	
S3770	Black/Standard Gray	Ultra-dura HC	+1.0	
S3771	Black/Standard Gray	Ultra-dura HC	+1.5	
S3772	Black/Standard Gray	Ultra-dura HC	+2.0	
S3773	Black/Standard Gray	Ultra-dura HC	+2.5	
S3774	Black/Standard Gray	Ultra-dura HC	+2.5	
S3775	Black/SCT-Reflect 50	Ultra-dura HC	+1.0	
S3776	Black/SCT-Reflect 50	Ultra-dura HC	+1.5	

For more information or to order products on this page, please call Customer Care at 800 430-5490.



Uvex Eye & Face Protection

S3777	Black/SCT-Reflect 50	Ultra-dura HC	+2.0
S3778	Black/SCT-Reflect 50	Ultra-dura HC	+2.5
S3779	Black/SCT-Reflect 50	Ultra-dura HC	+3.0
Replaceme	nt Lenses		
Item #	Lens Tint	Lens Coating	Magnification
S6710	Clear	Ultra-dura HC	+1.0
S6711	Clear	Ultra-dura HC	+1.5
S6712	Clear	Ultra-dura HC	+2.0
S6713	Clear	Ultra-dura HC	+2.5
S6714	Clear	Ultra-dura HC	+3.0
Ganacic®	S /Slim)		

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S3700	Pewter & Black/Clear	Ultra-dura HC	Cushioned
S3700X	Pewter & Black/Clear	Uvextreme AF	Cushioned
S3700D	Pewter & Black/Clear	Dura-streme HC/AF	Cushioned
S3701	Pewter & Black/Gray	Ultra-dura HC	Cushioned
S3701X	Pewter & Black/Gray	Uvextreme AF	Cushioned
S3702	Pewter & Black/Amber	Ultra-dura HC	Cushioned
S3702X	Pewter & Black/Amber	Uvextreme AF	Cushioned
S3703	Pewter & Black/SCT-Reflect 50	Ultra-dura HC	Cushioned
S3704	Pewter & Black/Dark Gray	Ultra-dura HC	Cushioned
S3720	Blue Gray/Clear	Ultra-dura HC	Cushioned
S3720X	Blue Gray/Clear	Uvextreme AF	Cushioned
S3720D	Blue Gray/Clear	Dura-streme HC/AF	Cushioned
S3721	Blue Gray /Gray	Ultra-dura HC	Cushioned
S3721X	Blue Gray /Gray	Uvextreme AF	Cushioned
S3722	Blue Gray /Amber	Ultra-dura HC	Cushioned
S3722X	Blue Gray /Amber	Uvextreme AF	Cushioned
S3723	Blue Gray /SCT-Reflect 50	Ultra-dura HC	Cushioned
S3724	Blue Gray /Dark Gray	Ultra-dura HC	Cushioned

Replacement Lenses

Item #	Lens Tint	Lens Coating
S6610	Clear	Ultra-dura HC
S6610X	Clear	Uvextreme AF
S6610D	Clear	Dura-streme HC/AF
S6611	Gray	Ultra-dura HC
S6611X	Gray	Uvextreme AF
S6612	Amber	Ultra-dura HC
S6612X	Amber	Uvextreme AF
S6613	SCT-Reflect 50	Ultra-dura HC
S6614	Dark Grav	Ultra-dura HC

Genesis XC™

S6950X

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S3300	Black/Clear	Ultra-dura HC	Cushioned
S3300-ADV	Black Adv TPE/Clear	Ultra-dura HC	Cushioned
S3300X	Black/Clear	Uvextreme AF	Cushioned
S3300X-ADV	Black Adv TPE/Clear	Ultra-dura HC	Cushioned
S3300D	Black/Clear	Dura-streme HC/AF	Cushioned
S3301	Black/Gray	Ultra-dura HC	Cushioned
S3301X	Black/Gray	Uvextreme AF	Cushioned
S3302	Black/SCT-Reflect 50	Ultra-dura HC	Cushioned
S3303X	Black/SCT-Gray	Uvextreme AF	Spatulite
S3304X	Black/SCT-Low IR	Uvextreme AF	Cushioned
S3305	Black/Shade 2.0 Infra-dura	Ultra-dura HC	Spatulite
S3306	Black/Shade 3.0 Infra-dura	Ultra-dura HC	Cushioned
S3307	Black/Shade 5.0 Infra-dura	Ultra-dura HC	Spatulite
S3308	Black/Silver Mirror	Ultra-dura HC	Cushioned
S3309	Black/Amber	Ultra-dura HC	Spatulite
S3310X	Black/50% Gray	Uvextreme AF	Cushioned
S3311X	Black/SCT-Vermilion	Uvextreme AF	Spatulite
S3312X	Black/SCT-Blue	Uvextreme AF	Cushioned
Replacement Le	enses		
Item #	Lens Tint	Lens Coating	
S6950	Clear	Ultra-dura HC	

Uvextreme AF

S6950D	Clear	Dura-streme HC/AF	
S6951	Gray	Ultra-dura HC	
S6951X	Gray	Uvextreme AF	
S6952	SCT-Reflect 50	Ultra-dura HC	
S6953X	SCT-Gray	Uvextreme AF	
S6954X	SCT-Low IR	Uvextreme AF	
S6955	Shade 2.0 Infra-dura	Ultra-dura HC	
S6956	Shade 3.0 Infra-dura	Ultra-dura HC	
S6957	Shade 5.0 Infra-dura	Ultra-dura HC	
S6958	Silver Mirror	Ultra-dura HC	
S6959	Amber	Ultra-dura HC	
S6960X	50% Gray	Uvextreme AF	
S6961X	SCT-Vermilion	Uvextreme AF	
S6962X	SCT-Blue	Uvextreme AF	
Accessories			
Item #	Description		
S3350	Rx Insert		

Genesis X2®

Rx Pattern

S3351

00110313712			
Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S3500	Silver & Navy/Clear	Ultra-dura HC	Cushioned
S3500X	Silver & Navy/Clear	Uvextreme AF	Cushioned
S3501	Silver & Navy/Espresso	Ultra-dura HC	Cushioned
S3501X	Silver & Navy/Espresso	Uvextreme AF	Cushioned
S3502	Silver & Navy/Amber	Ultra-dura HC	Cushioned
S3503	Silver & Navy/Gold Mirror	Ultra-dura HC	Cushioned
S3504	Silver & Navy/SCT-Reflect 50	Ultra-dura HC	Cushioned
S3510X	Silver & Navy/SCT-Vermilion	Uvextreme AF	Cushioned
S3511X	Silver & Navy/SCT-Blue	Uvextreme AF	Cushioned
S3512X	Silver & Navy/Gray	Uvextreme AF	Cushioned
S3513X	Silver & Navy/50% Gray	Uvextreme AF	Cushioned
S3520	Black & Yellow/Clear	Ultra-dura HC	Cushioned
S3520-ADV	Black Adv. TPE/Clear	Ultra-dura HC	Cushioned
S3520D	Black & Yellow/Clear	Dura-streme HC/AF	Cushioned
S3520X	Black & Yellow/Clear	Uvextreme AF	Cushioned
S3520X-ADV	Black Adv.TPE/Clear	Uvextreme AF	Cushioned
S3521	Black & Yellow/Espresso	Ultra-dura HC	Cushioned
S3521X	Black & Yellow/Espresso	Uvextreme AF	Cushioned
S3522	Black & Yellow/Amber	Ultra-dura HC	Cushioned
S3523	Black & Yellow/Gold Mirror	Ultra-dura HC	Cushioned
S3524	Black & Yellow/SCT-Reflect 50	Ultra-dura HC	Cushioned
S3530X	Black & Yellow/SCT-Vermilion	Uvextreme AF	Cushioned
S3531X	Black & Yellow/SCT-Blue	Uvextreme AF	Cushioned
S3532X	Black & Yellow/Gray	Uvextreme AF	Cushioned
S3533X	Black & Yellow/50% Gray	Uvextreme AF	Cushioned

Replacement Lenses

Item #	Lens Tint	Lens Coating
S6920	Clear	Ultra-dura HC
S6920D	Clear	Dura-streme HC/AF
S6920X	Clear	Uvextreme AF
S6921	Espresso	Ultra-dura HC
S6921X	Espresso	Uvextreme AF
S6922	Amber	Ultra-dura HC
S6923	Gold Mirror	Ultra-dura HC
S6924	SCT-Reflect 50	Ultra-dura HC
S6926X	SCT-Vermilion	Uvextreme AF
S6927X	SCT-Blue	Uvextreme AF
S6928X	Gray	Uvextreme AF
S6929X	50% Gray	Uvextreme AF

Uvex Horizon™

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S212	Black/Clear with Shade 3.0	Hardcoat	Spatula w/Metal Core
S213	Black/Clear with Shade 5.0	Hardcoat	Spatula w/Metal Core
S214	Black/Clear with Cobalt Blue	Hardcoat	Spatula w/Metal Core





Uvex Eye & Face Protection

Uvex	Ignit	e٩

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S4400	Black & Silver/Clear	Hardcoat	Cushioned
S4400X	Black & Silver/Clear	Uvextra AF	Cushioned
S4401	Black & Silver/Gray	Hardcoat	Cushioned
S4401X	Black & Silver/Gray	Uvextra AF	Cushioned
S4402	Black & Silver/SCT-Reflect 50	Hardcoat	Cushioned
S4403	Black & Silver/Silver Mirror	Hardcoat	Cushioned
S4410	Metallic Red & Silver/Clear	Hardcoat	Cushioned
S4410X	Metallic Red & Silver/Clear	Uvextra AF	Cushioned
S4411	Metallic Red & Silver/Gray	Hardcoat	Cushioned
S4411X	Metallic Red & Silver/Gray	Uvextra AF	Cushioned
S4412	Metallic Red & Silver/SCT-Reflect 50	Hardcoat	Cushioned
S4413	Metallic Red & Silver/Silver Mirror	Hardcoat	Cushioned

Uvex Milan™ (Photochromic)

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S4025	Silver and Blue/Photochromic	Hardcoat	Bendable Wire-core

Uvex Millennia™

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
11150350	Black/Clear	Ultra-dura HC	Bayonette
11150351	Black/Gray	Ultra-dura HC	Bayonette
11150352	Black/Amber	Ultra-dura HC	Bayonette
11150353	Black/SCT-Reflect 50	Ultra-dura HC	Bayonette
11150354	Black/Silver Mirror	Ultra-dura HC	Bayonette
11150367	Black/SCT-Low IR	Ultra-dura HC	Bayonette
11150368	Black/SCT-Gray	Ultra-dura HC	Bayonette
11150355	Black/Clear	Uvextreme AF	Bayonette
11150356	Black/Gray	Uvextreme AF	Bayonette
11150370	Blue/Clear	Ultra-dura HC	Bayonette
11150371	Blue/Gray	Ultra-dura HC	Bayonette
11150372	Blue/SCT-Reflect 50	Ultra-dura HC	Bayonette
11150360	Silver/Clear	Ultra-dura HC	Bayonette
11150361	Silver/Gray	Ultra-dura HC	Bayonette
11150362	Silver/SCT-Reflect 50	Ultra-dura HC	Bayonette
11150363	Silver/Silver Mirror	IIItra-dura HC	Bayonette

Pivot®

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S2140	Black & Silver/Clear	Ultra-dura HC	Cushioned
S2140X	Black & Silver/Clear	Uvextreme AF	Cushioned
S2141	Black & Silver/Gray	Ultra-dura HC	Cushioned
S2141X	Black & Silver/Gray	Uvextreme AF	Cushioned
S2142X	Black & Silver/Amber	Uvextreme AF	Cushioned
S2143	Black & Silver/Blue Ice Mirror	Ultra-dura HC	Cushioned
S2144	Black & Silver/Hot Orange Mirror	Ultra-dura HC	Cushioned
S2145	Black & Silver/SCT-Reflect 50	Ultra-dura HC	Cushioned

Replacement Lenses

Item #	Lens Tint	Lens Coating	
S6010	Clear	Ultra-dura HC	
S6010X	Clear	Uvextreme AF	
S6011	Gray	Ultra-dura HC	
S6011X	Gray	Uvextreme AF	
S6012X	Amber	Uvextreme AF	
S6013	Blue Ice Mirror	Ultra-dura HC	
S6014	Hot Orange Mirror	Ultra-dura HC	
S6015	SCT-Reflect 50	Illtra-dura HC	

Uvex® Polarized Safety Eyewear

Item 1	Frame Color/Lens lint	Lens Coating	Temple Style
S4100	Brushed Silver Metal/Gray Polarized	Hardcoat	Padded Metal Tips

Uvex PrecisionPro™

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
SX0200	Clear	Supra-dura HC	Bendable Wire-core
SX0200X	Clear	Uvextreme AF	Bendable Wire-core

SX0202	Amber	Supra-dura HC	Bendable Wire-core
SX0209	SCT-Low IR	Supra-dura HC	Bendable Wire-core
SX0210X	SCT-Vermillion	Uvextreme AF	Bendable Wire-core
SX0211X	SCT-Blue	Uvextreme AF	Bendable Wire-core
SX0213X	50% Gray	Uvextreme AF	Bendable Wire-core
SX0214	Blue Mist	Supra-dura HC	Bendable Wire-core
Accessories			
Item #	Description		
SX0195	Replacement Nosepiece		

Uvex Protégé®

Over Froteg	E -		
Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S4200	Metallic Black/Clear	Ultra-dura HC	Cushioned
S4200XC	Metallic Black/Clear	Ultra-dura HC	Cushioned
S4200X	Metallic Black/Clear	Uvextreme AF	Cushioned
S4200XXC	Metallic Black/Clear	Uvextreme AF	Cushioned
S4201	Metallic Black/Gray	Ultra-dura HC	Cushioned
S4201XC	Metallic Black/Gray	Ultra-dura HC	Cushioned
S4201X	Metallic Black/Gray	Uvextreme AF	Cushioned
S4201XXC	Metallic Black/Gray	Uvextreme AF	Cushioned
S4202	Metallic Black/SCT-Reflect 50	Ultra-dura HC	Cushioned
S4202XC	Metallic Black/SCT-Reflect 50	Ultra-dura HC	Cushioned
S4203	Metallic Black/Silver Mirror	Ultra-dura HC	Cushioned
S4221XC	Metallic Black/SCT-Blue	Ultra-dura HC	Cushioned
S4221XXC	Metallic Black/SCT-Blue	Uvextreme AF	Cushioned
S4222XC	Metallic Black/Amber	Ultra-dura HC	Cushioned
S4222XXC	Metallic Black/Amber	Uvextreme AF	Cushioned
S4210	Sandstone/Clear	Ultra-dura HC	Cushioned
S4210X	Sandstone/Clear	Uvextreme AF	Cushioned
S4211	Sandstone/Gray	Ultra-dura HC	Cushioned
S4211X	Sandstone/Gray	Uvextreme AF	Cushioned
S4212	Sandstone/SCT-Reflect 50	Ultra-dura HC	Cushioned
S4213	Sandstone/Silver Mirror	Ultra-dura HC	Cushioned

Uvex Seismic™ (Sealed Evewear)

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style				
S0600	Black/Clear	Hardcoat	Cushioned/Headband				
S0600X	Black/Clear	Uvextra AF	Cushioned/Headband				
S0600D	Black/Clear	Dura-streme HC/AF	Cushioned/Headband				
S0601X	Black/Espresso	Uvextra AF	Cushioned/Headband				
S0602X	Black/Amber	Uvextra AF	Cushioned/Headband				
S0604X	Black/SCT-Reflect 50	Uvextra AF	Cushioned/Headband				
S0620	Metallic Blue/Clear	Hardcoat	Cushioned/Headband				
S0620X	Metallic Blue/Clear	Uvextra AF	Cushioned/Headband				
S0622X	Metallic Blue/Amber	Uvextra AF	Cushioned/Headband				
S0624X	Metallic Blue/SCT-Reflect 50	Uvextra AF	Cushioned/Headband				

Accessories

Accessor	icc33011c3				
Item #	Description				
S6249	Headband Replacement (Flame-Resistant)				
S6250	Cushioned-lined Subframe Replacement (Flame-Resistant)				

Frame Color/Lens Tint

SCT-Reflect 50

Skyline® Item

S2000	Black/Clear	Ultra-dura HC	Spatulite
S2000X	Black/Clear	Uvextreme AF	Spatulite
S2001X	Black/Espresso	Uvextreme AF	Spatulite
S2003	Black/SCT-Reflect 50	Ultra-dura HC	Spatulite
Replacemen	+ Lancac		
Replacemen	r relises		
Item #	Lens Tint	Lens Coating	
•		Lens Coating Ultra-dura HC	
Item #	Lens Tint		

Lens Coating

Ultra-dura HC

Temple Style

Skyper®

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S1900	Black/Clear	Ultra-dura HC	Duoflex



Uvex Eye & Face Protection

S1900X	Black/Clear	Uvextreme AF	Duoflex				
S1900X S1901				SX0401D	Gray/Gray	Dura-streme HC/AF	
	Black/Espresso	Ultra-dura HC	Duoflex	SX0402	Gray/SCT Reflect 50	Supra-dura HC	Cushioned
S1901X	Black/Espresso	Uvextreme AF	Duoflex	SX0403	Gray/Silver Mirror	Hardcoat	Cushioned
S1902	Black/Amber	Ultra-dura HC	Duoflex	SX0404	Gray/Blue Mirror	Hardcoat	Cushioned
S1903	Black/Gold Mirror	Ultra-dura HC	Duoflex	SX0405	Gray/Polarized	Hardcoat	Cushioned
S1904X	Black/SCT-Gray	Uvextreme AF	Duoflex	SX0406	Gray/Photochromic	Anti-Fog/Hardcoat	Cushioned
S1905	Black/SCT-Reflect 50	Ultra-dura HC	Duoflex				
S1906	Black/Shade 2.0 Infra-dura	Ultra-dura HC	Duoflex	Spitfire®			
S1907	Black/Shade 3.0 Infra-dura	Ultra-dura HC	Duoflex	Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S1908	Black/Shade 5.0 Infra-dura	Ultra-dura HC	Duoflex	S1800	Black/Clear	Ultra-dura HC	Spatulite
S1930X	Black/SCT-Low IR	Uvextreme AF	Duoflex	S1800X	Black/Clear	Uvextreme AF	Spatulite
S1931X	Black/SCT-Vermilion	Uvextreme AF	Duoflex	S1801	Black/Espresso	Ultra-dura HC	Spatulite
S1932X	Black/SCT-Blue	Uvextreme AF	Duoflex	S1801X	Black/Espresso	Uvextreme AF	Spatulite
S1933X	Black/SCT-Orange	Uvextreme AF	Duoflex	S1802	Black/Amber	Ultra-dura HC	Spatulite
S1934X	Black/Gray	Uvextreme AF	Duoflex	S1803	Black/Gold Mirror	Ultra-dura HC	Spatulite
Replacemen	nt Lenses			Replacement I	.enses		
Item #	Lens Tint	Lens Coating		Item #	Lens Tint	Lens Coating	
S6500	Clear	Ultra-dura HC		S6200	Clear	Ultra-dura HC	
S6500X	Clear	Uvextreme AF		S6200X	Clear	Uvextreme AF	
S6501	Espresso	Ultra-dura HC		S6201	Espresso	Ultra-dura HC	
S6501X	Espresso	Uvextreme AF		S6201X	Espresso	Uvextreme AF	
S6502	Amber	Ultra-dura HC		5020171	256.6333	ovexeme /	
S6503	Gold Mirror	Ultra-dura HC		Tomcat®			
S6504X	SCT-Gray	Uvextreme AF		Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S6505	SCT-Reflect 50	Ultra-dura HC		S2450	Gunmetal/Clear	Hardcoat	Padded Metal Tip
S6506	Shade 2.0 Infra-dura	Ultra-dura HC		S2451	Gunmetal/Gray	Hardcoat	Padded Metal Tip
S6507	Shade 3.0 Infra-dura	Ultra-dura HC		S2453	Gunmetal/Silver Mirror	Hardcoat	Padded Metal Tip
S6508	Shade 5.0 Infra-dura	Ultra-dura HC		S2454	Gunmetal/Mirror 50	Hardcoat	
S6509X	SCT-Low IR	Uvextreme AF		32434	dunnetai/Mirror 50	пагисоаг	Padded Metal Tip
S6512X	Gray	Uvextreme AF		Uvex U2®			
30312X	diay	Ovextreme Ar					
Skyper X2	0			Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
Item #	Frame Color/Lens Tint	Lens Coating	Temple Style	S3100	Black/Clear	Ultra-dura HC	Spatulite
S2810		Ultra-dura HC		S3100X	Black/Clear	Uvextreme AF	Spatulite
	Black/Clear		Spatulite	S3101	Black/Espresso	Ultra-dura HC	Spatulite
S2810X	Black/Clear	Uvextreme AF	Spatulite	S3101X	Black/Espresso	Uvextreme AF	Spatulite
S2811	Black/Amber	Ultra-dura HC	Spatulite	S3102	Black/Amber	Ultra-dura HC	Spatulite
S2812	Black/Espresso	Ultra-dura HC	Spatulite	S3103	Black/Gold Mirror	Ultra-dura HC	Spatulite
S2812X	Black/Espresso	Uvextreme AF	Spatulite	S3104	Black/SCT-Reflect 50	Ultra-dura HC	Spatulite
S2813X	Black/SCT-Gray	Uvextreme AF	Spatulite	Replacement I	.enses		
S2814	Black/Gold Mirror	Ultra-dura HC	Spatulite	Item #	Lens Tint	Lens Coating	
S2815	Black/SCT-Reflect 50	Ultra-dura HC	Spatulite	S6150	Clear	Ultra-dura HC	
Replacemen				S6150X	Clear	Uvextreme AF	
Item #	Lens Tint	Lens Coating		S6151	Espresso	Ultra-dura HC	
S6850	Clear	Ultra-dura HC		S6151X	Espresso	Uvextreme AF	
S6850X	Clear	Uvextreme AF		S6152	Amber	Ultra-dura HC	
S6851	Amber	Ultra-dura HC		S6153	Gold Mirror	Ultra-dura HC	
S6852	Espresso	Ultra-dura HC		S6154	SCT-Reflect 50	Ultra-dura HC	
S6852X	Espresso	Uvextreme AF					
S6853X	SCT-Gray	Uvextreme AF		Ultra-spec®	1000		
S6854	Gold Mirror	Ultra-dura HC		Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S6855	SCT-Reflect 50	Ultra-dura HC		S300CS	Clear/Clear	Uncoated	Spatula
				S302SS	Black/Clear	Uncoated	Spatula
Uvex Slate	e [™]			S305CS	Clear/Gray	Uncoated	Spatula
Item #	Frame Color/Lens Tint	Lens Coating	Temple Style	S301CS	Clear/Clear	Uncoated	Spatula
S4110	Matte Gunmetal/Clear	Hardcoat	Padded Metal Tips	220162	Clear/Clear	oncoated	Sparuia
S4110X	Matte Gunmetal/Clear	Uvextra AF	Padded Metal Tips	Ultra-spec®	2000		
S4110X	Matte Gunmetal/Gray	Hardcoat	Padded Metal Tips	•		Lana Canti	Towns of the
S4111	Matte Gunmetal/Gray	Uvextra AF	Padded Metal Tips	Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
	Matte Gunmetal/Gold Mirror			S0390	Clear/Clear	Ultra-dura HC	Standard
S4112	matte duffifietal/dold Mifror	Hardcoat	Padded Metal Tips	S0250X	Clear/Clear	Uvextreme AF	Spatula

Ultra-dura HC

Uvextreme AF

Ultra-dura HC

Ultra-dura HC

Uvextreme AF

Ultra-dura HC

Uvextreme AF

Spatula

Spatula

Spatula

Spatula

Spatula

Spatula

Standard

Temple Style

Cushioned

Cushioned

Cushioned

Cushioned

Lens Coating

Supra-dura HC

Uvextreme AF

Supra-dura HC

Uvextreme AF

Uvex SolarPro™

Frame Color/Lens Tint

Gray/Clear

Gray/Clear

Gray/Gray

Gray/Gray

Item #

SX0400

SX0401

SX0401X

SX0400X

S0300

S0340

S0391

S0280X

S0330

S0360X

S0290X

Clear/Clear

Gray/Gray

Gray/Gray

Gray/Gray

Amber/Amber

Amber/Amber

Orange/SCT-Orange





Uvex Eye & Face Protection

Ultra-spec® 2001 OTG (Over-the-Glass)

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S0112	Clear/Clear	Ultra-dura HC	Duoflex
S0112C	Clear/Clear	Uvextreme AF	Duoflex
S0113	Gray/Gray	Ultra-dura HC	Duoflex
S0113C	Gray/Gray	Uvextreme AF	Duoflex

Uvex VersaPro™

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
SX0100	Blue & Black (Medium)/Clear	Supra-dura HC	Bendable Wire-core
SX0100X	Blue & Black (Medium)/Clear	Uvextreme AF	Bendable Wire-core
SX0101	Blue & Black (Medium)/Espresso	Supra-dura HC	Bendable Wire-core
SX0101X	Blue & Black (Medium)/Espresso	Uvextreme AF	Bendable Wire-core
SX0102	Blue & Black (Medium)/Amber	Supra-dura HC	Bendable Wire-core
SX0102X	Blue & Black (Medium)/Amber	Uvextreme AF	Bendable Wire-core
SX0103	Blue & Black (Medium)/Silver Mirror	Supra-dura HC	Bendable Wire-core
SX0104	Blue & Black (Medium)/SCT-Reflect 50	Supra-dura HC	Bendable Wire-core
SX0105X	Blue & Black (Medium)/SCT-Gray	Uvextreme AF	Bendable Wire-core
SX0150	Blue & Black(Large) Clear	Supra-dura HC	Bendable Wire-core
SX0150X	Blue & Black(Large) Clear	Uvextreme AF	Bendable Wire-core
SX0151X	Blue & Black(Large) Espresso	Uvextreme AF	Bendable Wire-core
SX0152	Blue & Black(Large) Amber	Supra-dura HC	Bendable Wire-core
SX0154	Blue & Black(Large) SCT-Reflect 50	Supra-dura HC	Bendable Wire-core

Replacement Lenses

Item #

Item #	Lens Tint	Lens Coating
SX5100	Medium/Clear	Supra-dura HC
SX5100X	Medium/Clear	Uvextreme AF
SX5101	Medium/Espresso	Supra-dura HC
SX5101X	Medium/Espresso	Uvextreme AF
SX5102	Medium/Amber	Supra-dura HC
SX5102X	Medium/Amber	Uvextreme AF
SX5103	Medium/Silver Mirror	Supra-dura HC
SX5104	Medium/SCT-Reflect 50	Supra-dura HC
SX5105X	Medium/SCT-Gray	Uvextreme AF
SX5150	Large/Clear	Supra-dura HC
SX5150X	Large/Clear	Uvextreme AF
SX5151X	Large/Espresso	Uvextreme AF
SX5152	Large/Amber	Supra-dura HC
SX5154	Large/SCT-Reflect 50	Supra-dura HC
Accessorie	es .	

Specialty Eyewear

Uvex 870 Series (Klip Lifts for Safety Glasses)

Description SX0195 Replacement Nosepiece

Item #	Lens Tint	Description
32-0LFFB6-0000	Cobalt Blue Shade 6	Klip Lift-Full Front
32-0LFFB8-0000	Cobalt Blue Shade 8	Klip Lift-Full Front
32-00LFB6-0000	Cobalt Blue Shade 6	Klip Lift-Half Front
32-00LFB8-0000	Cobalt Blue Shade 8	Klip Lift-Half Front
32-0LFF08-0000	6C Didymium	Klip Lift-Full Lens
32-0LFFW4-0000	Welding Shade 4	Klip Lift-Full Front
32-0LFFW5-0000	Welding Shade 5	Klip Lift-Full Front
32-0LFFW6-0000	Welding Shade 6	Klip Lift-Full Front
32-0LFFW8-0000	Welding Shade 8	Klip Lift-Full Front
32-00LFW4-0000	Welding Shade 4	Klip Lift-Half Front
32-00LFW6-0000	Welding Shade 6	Klip Lift-Half Front
32-00LFW8-0000	Welding Shade 8	Klip Lift-Half Front

Uvex 880 Series (Klip Lifts for Hard Hat Visors)

Item #	Lens Tint	Description
32-8LFFB3-0000	Cobalt Blue Shade 3	Hardhat Klip Lift-Full Front
32-8LFFB4-0000	Cobalt Blue Shade 4	Hardhat Klip Lift-Full Front
32-8LFFB6-0000	Cobalt Blue Shade 6	Hardhat Klip Lift-Full Front
32-8LFFB8-0000	Cobalt Blue Shade 8	Hardhat Klip Lift-Full Front

32-08LFB6-0000	Cobalt Blue Shade 6	Hardhat Klip Lift-Half Front
32-08LFB8-0000	Cobalt Blue Shade 8	Hardhat Klip Lift-Half Front
32-8LFFW4-0000	Welding Shade 4	Hardhat Klip Lift-Full Front
32-8LFFW5-0000	Welding Shade 5	Hardhat Klip Lift-Full Front
32-8LFFW6-0000	Welding Shade 6	Hardhat Klip Lift-Full Front
32-8LFFW8-0000	Welding Shade 8	Hardhat Klip Lift-Full Front
32-08LFW4-0000	Welding Shade 4	Hardhat Klip Lift-Half Front
32-08LFW5-0000	Welding Shade 5	Hardhat Klip Lift-Half Front
32-08LFW6-0000	Welding Shade 6	Hardhat Klip Lift-Half Front
32-08I FW8-0000	Welding Shade 8	Hardhat Klin Lift-Half Front

Uvex S4150 (Safety Eyewear for Uvex 870 Series Klip Lifts)

Item #	Lens Tint	Description
S4150	Clear	Safety Eyewear for Uvex 870 Series Klip Lifts

Safety Goggles

Uvex Classic™

Item	#	Frame Color/Lens Tint	Lens Coating	Description
S350)	Clear Body/Clear	Uvextreme AF	Hood Indirect Vent
S350	CF*	Clear Body/ Clear	Uvextreme AF	Face Foam
S360)	Clear Body/Clear	Uvextreme AF	Indirect Vent
S364	+	Clear Body/Clear	Uvextreme AF	Closed Vent

*S350CF not for chemical splash applications

Accessories	
Item #	Description
S824	Gray Neoprene Band w/Slides

Uvex Climazone™

Item #	Frame Color/Lens Tint	Lens Coating	Description
S390	Black Body/Clear	Anti-fog/Ultra-dura	Dual Pane Lens
S391	Black Body/Gray	Anti-fog/Ultra-dura	Dual Pane Lens

Flex Seal®

Item #	Frame Color/Lens Tint	Lens Coating	Description
S3400X	Navy Body/Clear	Uvextreme AF	Neoprene Headband
S3405X	Navy Body/Clear	Uvextreme AF	Fabric Headband
S3410X	Navy Body/Gray	Uvextreme AF	Neoprene Headband
S3420X	Gray Body/Clear	Uvextreme AF	Neoprene Band
S3425X	Gray Body/Gray	Uvextreme AF	Neoprene Band
S3430X	Navy Body/Shade 3.0 Infra-dura	Uvextreme AF	Neoprene Headband
S3435X	Navy Body/Shade 5.0 Infra-dura	Uvextreme AF	Neoprene Headband

Replacement Lenses

Item #	Description
S710X	Clear Replacement Lens, Uvextreme AF Coating
S715X	Gray Replacement Lens, Uvextreme AF Coating

Accessories

Item #	Description
S828	Neoprene Headband with Slides
S829	Fabric Headband with Slides

Fury®

item #	Frame Color/Lens Tint	Lens Coating	Description
S1890X	Black/Clear	Uvextreme AF	Flame Resistant Headband
D I F)t -		

Replacement Parts

Item #	Description	
S823	Gray Flame Retardant Fabric	
S824	Gray Neoprene w/Slides	
Note: Use Ilyan Spitfire® raplacement lances with Ilyantrama Anti-Fog cogting only		

Note: Use Uvex Spitfire® replacement lenses with Uvextreme Anti-Fog coating only. Not for chemical applications.

Uvex Futura™

Item #	Frame Color/Lens Tint	Lens Coating	Description
S345C	Clear/Clear	Uvextreme AF	Indirect Vent, Neoprene Band
S347C	Black/Shade 3.0 Infra-dura	Uvextreme AF	Indirect Vent, Neoprene Band
S348C	Black/Shade 5.0 Infra-dura	Uvextreme AF	Indirect Vent, Neoprene Band



Uvex Eye & Face Protection

	Rep	lacement	Part:
--	-----	----------	-------

Item #	Description
S780C	Clear Replacement Lens, Uvextreme AF Coating
S824	Gray Neoprene Band w/Slides

Uvex Stealth®

Item #	Frame Color/Lens Tint	Lens Coating	Description
S3960C	Gray & Gray/Clear	Uvextreme AF	Neoprene Band
S3960D	Gray & Gray/Clear	Dura-streme HC/AF	Neoprene Band
S3960CI	Gray & Gray/Clear	Uvextreme AF	Fabric Headband
S3961C	Gray & Gray/Gray	Uvextreme AF	Neoprene Band
S3962C	Gray & Gray/Amber	Uvextreme AF	Neoprene Band
S39610C	Teal & Gray/Clear	Uvextreme AF	Neoprene Band
S39611C	Teal & Gray/Gray	Uvextreme AF	Neoprene Band
S39630C	Orange & Gray/Clear	Uvextreme AF	Neoprene Band
S39630Cl Orange & Gray/Clear	Orange & Gray/Clear	Uvextreme AF	Fabric Headband
S39631C	Orange & Gray/Gray	Uvextreme AF	Neoprene Band

Replacement Lenses

Description

Itelli #	Description
S700C	Clear Replacement Lens, Uvextreme AF Coating
S701C	Gray Replacement Lens, Uvextreme AF Coating
S702C	Amber Replacement Lens, Uvextreme AF Coating

Accessories

Item #	Description	
S3959	Rx Carrier	
S8999	Rx Pattern	
S821	Gray Neoprene Band w/out Slides	
S823	Gray Flame Retardant Fabric Band	

Uvex Stealth® OTG

Item #	Frame Color/Lens Tint	Lens Coating	Description
S3970D	Navy/Clear	Dura-streme HC/AF	Neoprene
S3971D	Navy/Standard Gray	Dura-streme HC/AF	Neoprene
S3972D	Navy/Amber	Dura-streme HC/AF	Neoprene
S3973D	Navy/Shade 3.0	Dura-streme HC/AF	Neoprene
S3975D	Navy/Shade 5.0	Dura-streme HC/AF	Neoprene
S3970DF	Navy/Clear	Dura-streme HC/AF	Fabric (Logoed)
S3971DF	Navy/Standard Gray	Dura-streme HC/AF	Fabric (Logoed)
S3972DF	Navy/Amber	Dura-streme HC/AF	Fabric (Logoed)
Replacement Lenses			
Item #	Description		
C7/.0D	Cloar	Dura-strome HC/AE	

S740D	Clear	Dura-streme HC/AF
S741D	Standard Gray	Dura-streme HC/AF
S742D	Amber	Dura-streme HC/AF
S743D	Shade 3.0	Dura-streme HC/AF
S745D	Shade 5.0	Dura-streme HC/AF
Accordanias		

item #	Description
S830	Neoprene Headband

Uvex Strategy®

Item #	Frame Color/Lens Tint	Lens Coating	Description
S3800	Gray Body/Clear	Uvextra AF	Direct Vent/Fabric Band
S3805	Gray Body/Clear	Uvextra AF	Closed Vent/Neoprene Band
S3810	Gray Body/Clear	Uvextra AF	Indirect Vent/Neoprene Band
S3815	Gray Body/Clear	Uvextra AF	Indirect Vent with Foam/Fabric Band
S3820	Hot Orange Body/Clear	Uvextra AF	Indirect Vent/Neoprene Band

Face Shields

Bionic [©]	Bionic® Shield						
Item #	Visor Tint/Visor Coating	Description					
S8500	Clear Polycarbonate/Uncoated	Black Matte Face Shield					
S8505	Clear Polycarbonate/Uncoated	Black Matte Face Shield &					
		Hard Hat Adapter (No Suspension)					
S8510	Clear Polycarbonate/Anti-fog/Hardcoat	Black Matte Face Shield					
S8515	Clear Polycarbonate/Anti-fog/Hardcoat	Black Matte Face Shield &					
		Hard Hat Adapter (No Suspension)					

Replacement Visors

Item #	Description
S8550	Clear Polycarbonate Uncoated
S8555	Clear Polycarbonate Anti-fog/Hardcoat
S8560	Shade 3.0 Polycarbonate Uncoated
S8565	Shade 5.0 Polycarbonate Uncoated
Accessories	
Accessories Item #	Description
	Description Replacement Sweatband
Item #	•

Accessories

Uvex® Lens Care Products

Item #	Description
S462	Uvex Clear Tissues
S468	Uvex Clear Towelettes
S477	Uvex Fog Eliminator Cloths
S463	Uvex Clear Solution
S464	Uvex Clear Refill Solution
S461	Uvex Clear Permanent Station
S467	Uvex Clear Disposable Lens Station

Uvex® Cases and Cords

Item #	Description
S487	Rip-Stop Nylon Bag Eyewear Case, Black
S489	Hard Eyewear Case with Belt Loop, Black
S490	Economy Eyewear Case, Black
S491	Eyewear Pack, Black
S493	Universal Goggle Pack, Black
S501	Universal Neck Cord, Black
S505D	Snap-Fit Neck Cord for Duoflex Cushioned Temples, Black



Uvex Safety Rx Eyewear



The Uvex® Difference

Engineered specifically for industrial applications where hazards are present, our products are designed for fashion but built to perform to ANSI requirements.

Superior service plays a main role at Uvex Rx. We believe it is important to treat everyone the way we would like to be treated...it's that simple.

Quality is a way of life at Uvex Rx. We are strict adherents to the ANSI Z87.1 Standard because this standard is the most stringent requirement. We test and re-test every product on a regular basis and make those results available to you any time you want or need them...no other safety Rx eyewear company does this.

An important component of all safety eyewear programs is prescription safety eyewear. If you have employees who require safety glasses outfitted with an individual prescription in them, Uvex Rx is your best resource to finding an optimal solution.

Uvex Rx works hand-in-hand with hundreds of safety optical laboratories in the Americas that can support your needs in building an efficient, cost effective and convenient safety prescription (Rx) eyewear program for your employees. Here's how:

- Assess Your Requirements
- Assist in the Choice of a Supplier Lab
- Provide Training Materials
- Support You with Seasoned Sales Professionals and Customer Care Personnel



Prescription Safety Frames

Titanium Collection

Titmus EXT2

- Sizes: 56.16.145; 58.16.150
- Colors: TOR Tortoise, ANP Antique Pewter, BRN Brown
- Features: Titanium, spring hinge, nickel-free plating
- Side Shield: CS83



Titmus EXT5

- Sizes: 48.20.140; 51.20.145
- Colors: BRN Lt. Brown/Tortoise, BRZ Satin Bronze, GRA Lt. Gray/Tortoise
- Features: Titanium, spring hinge, nickel-free plating
- Side Shield: T-LOC® only, CS95



Titmus EXT6

- Sizes: 49.19.140; 51.19.145
- Colors: GLD Goldtone, GRA Gray, BRN Brown
- Features: 100% Titanium, spring hinge, nickel-free plating
- Side Shield: T-LOC® only, gray shield available, CS60



Titmus EXT8

- Sizes: 49.19.140; 51.19.145
- Colors: BRN Brown, STL Steel, BUR Burgundy
- Features: Titanium, spring hinge, nickel-free plating
- Side Shield: T-LOC® only, gray shield available, CS64



- Sizes: 49.20.140; 51.20.145
- Colors: DBR Dark Brown Matte, DGY Dk. Gray Matte
- Features: Titanium, spring hinge, nickel-free plating
- Side Shield: T-LOC® only, CS67



All Uvex® Safety Rx Eyewear meet the ANSI Z87.1 Standard and are regularly tested on an ongoing basis to ensure continuing compliance.

Actual test data is made available to anyone requesting it on every product we provide to our customers.

No other industrial safety Rx eyewear company does this.

The "N-Tite™" System

The N-Tite™ System is designed to increase lens retention so that employees who work in environments where hazardous impacts are possible are protected in accordance with ANSI Z87.1 Standard guidelines.

This robust system is now available on selected products in the Titanium and Exclusive collections.

Titmus EXT10

- Sizes: 53.18.140; 55.18.145
- Colors: DBR Dark Brown Matte, DGM Dark Gunmetal
- Features: Titanium, spring hinge, nickel-free plating
- Side Shield: T-LOC® only, CS67







Prescription Safety Frames













Serving the industry for over 100 years!

For more information or to order products on this page, please call Customer Care at 800 446-1802.

Titanium Collection

NEW! Titmus EXT11

- Sizes: 50.19.140; 52.19.145
- · Colors: BRN Brown, GLD Gold and GML Gunmetal
- Features: Titanium 100, light, corrosion-resistant, OBE double action spring hinge,
 N-Tite™ system
- Side Shield: T-LOC® only, new patented flex shield, CS11

NEW! Titmus EXT12

- Sizes: 49.19.135, 51.19.140
- Colors: BRN Brown, GLD Gold and WIN Wine Matte, LGR Light Gray Matte
- Features: Titanium 100, light, corrosion-resistant, OBE double action spring hinge,
 N-Tite™ system
- Side Shield: T-LOC® only, new patented flex shield, CS12

Titmus EXTS 1

- Sizes: 48.21.140; 50.21.145
- · Colors: LBR Light Brown Matte, LGR Light Gray Matte
- Features: Titanium, spring hinge, nickel-free plating, N-Tite™ system
- Side Shield: T-LOC® only, gray shield available, CS60

Titmus EXTS 2

- Sizes: 48.21.140; 50.21.145
- Colors: LBR Light Brown Matte, DKB Dark Brown Matte
- Features: Titanium, spring hinge, nickel-free plating, N-Tite™ system
- Side Shield: T-LOC® only, gray shield available, CS60

SWRx Collection

Titmus SW02

- Sizes: 54.17.130; 56.17.135
- · Colors: BLV Blue Venom, GTW Gray Tumbleweed, ADB Adobe Brown
- Features: Stainless steel, spring hinge, 15° face-form wrap
- Side Shield: T-LOC® only, gray shield available, CS02

Titmus SW03

- Sizes: 54.15.135; 56.15.140; 58.15.145
- Colors: BLV Blue Venom, DSD Desert Sand, KCH Knife Chrome
- Features: Stainless steel, spring hinge, nickel-free plating, 15° face-form wrap
- Side Shield: T-LOC® only, gray shield available, CS03

NEW! Titmus SW04

- Sizes: 50.20.130; 53.20.135
- Colors: BLU Blue, BRN Brown, GML Gunmetal, WIN Wine
- Features: Stainless steel, spring hinge, N-Tite™ system
- Side Shield: Top/side shield, clear/smoke available, CS04/CS04S3



Prescription Safety Frames

NEW! Titmus SW06E

- Sizes: 57.16.125
- Colors: BRN Brown/Yellow accents, BLK Black/Orange accents
- Features: Trogamid nylon, no metal content, removable/replaceable dust dam, adjustable nose pads, superior coverage, integral shield design, 17° face-form wrap



NEW! Titmus SW08

- Sizes: 53.17.110, 56.17.115
- · Colors: BLK Black, BRN Brown, TOR Tortoise
- Features: Hand made acetate, wrapped endpieces
- Side Shield: None temple coverage meets requirements



Exclusive Collection

Titmus EX272

- Sizes: 48.20.135; 50.20.140; 52.20.145
- · Colors: GLD Goldtone, ROS Rose, ANB Antique Brown
- · Features: Spring hinge
- Side Shield: T-LOC® only, CS62



Titmus EX275S

- Sizes: 50.18.135; 52.20.140
- Colors: BLU Blue, BRN Brown, PEW Pewter
- Features: Stainless steel, spring hinge, N-Tite™ system
- Side Shield: T-LOC® only, gray shield available, CS65



Titmus EX278S

- Sizes: 54.18.135, 56.18.140
- · Colors: BLU Blue, BRN Brown, GRA Gray
- · Features: Stainless steel, spring hinge, rimless design
- Side Shield: T-LOC® only, CS27



Trendsetters Collection



Titmus TR301S

- Sizes: 48.19.140; 50.19.145; 52.19.145
- Colors: GRA Gray, BRN Brown
- · Features: Stainless steel, spring hinge
- Side Shield: T-LOC® only, gray shield available, CS65



Titmus TR302S

- Sizes: 49.21.140: 51.21.145
- Colors: GRA Gray, BRN Brown, BUR Burgundy
- Features: Stainless steel, spring hinge
- Side Shield: T-LOC® only, CS66

The "N-Tite™" System

The N-Tite System is designed to increase lens retention so that employees who work in environments where hazardous impacts are possible are protected in accordance with ANSI Z87.1 Standard guidelines.

This robust system is now available on selected products in the Titanium and Exclusive collections.

www.uvexrx.com

For more information or to order products on this page, please call Customer Care at 800 446-1802.



Prescription Safety Frames

Trendsetters Collection

Titmus TR303S

- Sizes: 48.21.140; 50.21.145
- · Colors: GRA Gray, BRN Brown
- Features: Stainless steel, spring hinge
- Side Shield: T-LOC® only, gray shield available, CS60



- Sizes: 49.20.140; 51.20.145
- · Colors: ROS Rose, GRA Gray, ANB Antique Brown
- · Features: Stainless steel, spring hinge
- Side Shield: T-LOC® only, gray shield available, CS60

Titmus TR305S

- Sizes: 48.18.140; 50.18.145
- · Colors: BRN Brown, GRA Black/Gray
- Features: Stainless steel, spring hinge
- Side Shield: T-LOC® only, CS67

Titmus TR309S

- Sizes: 46.19.135, 48.19.135, 50.19.140
- · Colors: BRN Brown, GRA Gray, VIO Violet
- Features: Stainless steel, spring hinge, N-Tite™ system
- Side Shield: T-LOC® only, CS60

Titmus TR310S

- Sizes: 47.19.135, 49.19.135, 51.19.140
- Colors: GRA Gray, GRN Green, VIO Violet
- Features: Stainless steel, spring hinge, N-Tite™ system
- Side Shield: T-LOC® only, CS64

NEW! Titmus TR311S

- Sizes: 56.14.135, 58.15.135, 60.16.140
- · Colors: BRN Brown, GLD Gold and PEW Pewter
- Features: Stainless steel, corrosion-resistant, OBE double action spring hinge, N-Tite™ system
- · Side Shield: New patented flex shield design, CS31

Premier Collection

Titmus PC250 or PC250SW

- Sizes: 54.16.140; 56.16/18.145. 58.18.145
- Colors: GLD Goldtone, PEW Pewter, TOR Tortoise, BRN Brown
- Features: Spring hinge, molded uni-fit bridge (PC250SW)
- Note: PC250SW not available in Goldtone
- Side Shield: Gray shield available, CS82







please call Customer Care at 800 446-1802.



Prescription Safety Frames



Titmus PC264

- Sizes: 50.20.140; 52.20.145
- Colors: GML Gunmetal, ANG Antique Goldtone, ANB Antique Brown
- · Features: Spring hinge
- · Side Shield: Gray shield available, CS64

Titmus PC265A

- Sizes: 53.16.145; 55.16.150
- Colors: BKT Black/Tortoise, SDM Steel Demi
- Side Shield: T-LOC® only, CS68



Titmus PC266A

- Sizes: 50.16.140; 52.16.145
- · Colors: TBL Tortoise/Blue, BKT Black/Tortoise
- Side Shield: T-LOC® only, CS68



Titmus PC267

- Sizes: 49.20.140: 51.20.145
- · Colors: GRA Gray, ANB Antique brown
- · Features: Spring hinge
- Side Shield: T-LOC® only, gray shield available, CS60



Titmus PC268

- Sizes: 53.20.140; 55.20.145
- · Colors: ANB Antique brown, CHR Chrome
- · Features: Spring hinge
- Side Shield: T-LOC® only, gray shield available, CS64



- Sizes: 49.16.125; 52.16.130
- Colors: GRA Gray, BLK Black, **BRN Brown**
- Features: Spring hinge, 135mm temples available
- Side Shield: T-LOC® only, gray shield available, CS69



Titmus PC280

- Sizes: 49.18.135: 52.18.140
- · Colors: BLU Blue, BRN Brown, **ROS Rose**
- Features: Spring hinge
- Side Shield: T-LOC® only, CS62



All Uvex® Safety Rx Eyewear meet the ANSI Z87.1 Standard and are regularly tested on an ongoing basis to ensure continuing compliance.

Actual test data is made available to anyone requesting it on every product we provide to our customers.

No other industrial safety Rx eyewear company does this.





Prescription Safety Frames



All Uvex® Safety Rx Eyewear meet the ANSI Z87.1 Standard and are regularly tested on an ongoing basis to ensure continuing compliance.

Actual test data is made available to anyone requesting it on every product we provide to our customers.

No other industrial safety Rx eyewear company does this.





Baseline Collection

Titmus FC703

- Sizes: 52.20.140; 54.20.145
- · Colors: GLD Goldtone, GML Gunmetal
- Side Shield: T-LOC® only, gray shield available, CS64

Titmus FC704

- Sizes: 49.18.140; 51.18.145
- · Colors: BRN Brown, GRA Gray
- Side Shield: CS94



Titmus FC705

- Sizes: 50.19.140; 52.19.145
- · Colors: BRN Brown, GRA Gray
- Side Shield: CS94



Titmus FC706

- Sizes: 49.20.140; 51.20.145
- Colors: ANB Antique Brown, ASM Antique Silver Matte
- Side Shield: T-LOC® only, gray shield available, CS60



Titmus FC707

- Sizes: 50.21.140; 52.21.145
- · Colors: ANB Antique Brown, DGM Dark Gunmetal
- Side Shield: T-LOC® only, gray shield available, CS67

Titmus BC101

- Sizes: 54.17.140; 56.17.145; 58.17.150
- Colors: GLD Goldtone, DMB Demi Amber, DGR Demi Gray
- · Features: Spring hinge
- Side Shield: C101



Serving the industry for over 100 years!

For more information or to order products on this page, please call Customer Care at 800 446-1802.



Prescription Safety Frames

Titmus BC104A

- Sizes: 51.19.140; 53.19.145
- Colors: GLD Goldtone, GML Gunmetal
- Features: Spring hinge
- Side Shield: T-LOC® only, gray shield available, CS64

Titmus BC109

- Sizes: 49.19.135; 51.19.140; 53.19.140
- Colors: ANG Antique Gold, DMB Demi Amber, DRD Demi Red
- Features: Spring hinge
- Side Shield: T-LOC® only, gray shield available, CS96



Titmus BC115

- Sizes: 48.20.140; 51.20.145
- · Colors: DBZ Dark Bronze, DST Dark Steel
- · Features: Spring hinge
- Side Shield: T-LOC® only, gray shield available, CS60



Standard Collection





Titmus MPD (MultiPurposeDevice)

- Sizes: 59.15.115-130
- Colors: SMK Smoke
- Features: Integral shields, no metal content, superior coverage, adjustable temples

NEW! Titmus SC910

- Sizes: 52.16.140, 55.18.145
- Colors: GRA Gray, BRN Brown
- Features: No temple corewires – low metal content, polycarbonate temples
- Side Shield: Integral design



www.uvexrx.com









SPERIAN Protection Americas, Inc. 900 Douglas Pike Smithfield, RI 02917 Tel: 800 343-3411 Fax: 800 322-1330 www.sperian.com



SAFETY PRODUCTS CATALOG 2010



INDUSTRIAL SAFETY GROUP





HOWARD LEIGHT HEARING PROTECTION TABLE OF CONTENTS

- Single-Use Earplugs
- Multiple-Use Earplugs
- Detectable Earplugs
- Banded Earplugs
- Earplug Dispensers
- Noise Blocking Earmuffs
- Sound Management Earmuffs

- 189 Radio Earmuffs
- Earmuff Accessories
- **192** HearForever, VeriPRO® Earplug Fit Testing Technology, QuietDose™ In-Ear Dosimetry
- Reference: Earplug and Earmuff Attenuation Charts, Fitting Instructions
- Howard Leight Hearing Protection Full Line SKU Listing

WARNING! Howard Leight® equipment should only be used in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury including diminution or loss of hearing.



Howard Leight Hearing Protection

YOUR EMPLOYEES DESERVE THE BEST HEARING PROTECTION, PERIOD.

From technical innovations to educational initiatives to field verification, Sperian Hearing Protection offers a suite of resources to make hearing conservation happen.

Sperian's Howard Leight® brand is a global leader in passive and intelligent hearing protection solutions, and particularly, the recently established HearForever™ initiative. For over 30 years, Howard Leight has been associated with the prevention of occupational hearing loss through innovation in hearing protection design, technology, performance and comfort, and the promotion of progressive Hearing Conservation Programs. Leading solutions include the highest attenuating Max® single-use earplug; patented Air Flow Control™ technology for optimal earmuff attenuation; QuietDose™ personal in-ear dosimetry; and the industry-changing VeriPRO® earplug fit testing system. Visit us online at www.howardleight.com



Earplugs It's all about choice.

A commitment to hearing protection means considering all the features that make one earplug different from another: material, shape, size and NRR. Sperian makes it easy to compare products and ensure that all your employees receive the right fit and protection.




Earmuffs

The ultimate in safety and protection.

Every day, employees count on Howard Leight® earmuffs to block noise and manage sound in some of the world's most acoustically challenging environments. We offer a range of earmuffs with varying product features and attenuation levels targeted to the demands of different users and environments.

It's a matter of choice.



Hearing conservation is about more than supplying your employees with earplugs or earmuffs that block the most noise. It is about finding the solution that's right for your people.

At Sperian Hearing Protection, we realize that the people who depend on our products to protect their hearing are as diverse as you can imagine. And the ways people select the right hearing protection are just as diverse. What's most important to you and your employees? Reusability vs. hygiene? Long-term comfort? NRR? Detectability? Convenience? Unique industry requirements? You'll find all of our Howard Leight® hearing protection options indexed in ways that help you find the solution you need, your way.

The right fit for every user, every environment.

Fit.

Fitting employees of all shapes and sizes doesn't have to be difficult. The right earplug or earmuff should feel comfortable without compromising protection. Howard Leight hearing protectors offer a combination of advanced design and material science that ensures the proper fit for every employee.

Selection.

Why so many earplugs and earmuffs?

Because people and their ears and their environments are all so different. Sperian Hearing Protection offers the widest range of styles to accommodate almost any situation.

Protection.

Your employees need the right level of protection.

Not enough and they're vulnerable to hearing damage. Too much and they become isolated from their environment. Our innovations deliver protection at both extremes, and every point in between.



Single-Use Earplugs

Single-Use Doesn't Mean Single Choice

Under the Howard Leight® brand, we offer a comprehensive selection of Single-Use Earplugs that includes the comfort features your employees deserve in a range of attenuation ratings.



Max®

- The world's most-used polyurethane foam earplug
- Contoured bell-shape is easier to insert, resists tendency to back-out of ear canal
- Polyurethane foam enhances comfort, especially for long-term wear
- Smooth, soil-resistant closed-cell foam skin prevents dirt build-up
- · Max USA in patriotic red/white/blue colors

Item #	Cording	Packaging	NRR	Canada Class
MAX-1	Uncorded	Polybag	33	A (L)
MAX-5	Uncorded	5PR Resealable Bag	33	A (L)
MAX-LS4	Uncorded	Bulk Refill Bag for Leight Source 400	33	A (L)
MAX-1-D	Uncorded	Bulk Refill Box for Leight Source 500	33	A (L)
MAX-30	Corded	Polybag	33	A (L)
MAX-30-PB	Corded	Paper Bag	33	A (L)
MAX1-USA	Max USA Uncorded	Polybag	33	A (L)
MAX-1-D-USA	Max USA Uncorded	Bulk Refill Box for Leight Source 500	33	A (L)
MAX30-USA	Max USA Corded	Polybag	33	A (L)

Max Lite®

- Ideal size for workers with smaller ear canals
- Low pressure polyurethane foam expands gently for comfortable long-term wear
- Contoured T-shape for easy handling and wear
- Smooth, soil-resistant closed-cell foam skin prevents dirt build-up

Item #	Cording	Packaging	NRR	Canada Class
LPF-1	Uncorded	Polybag	30	A (L)
LPF-1-PB	Uncorded	Paper Bag	30	A (L)
LPF-LS4	Uncorded	Bulk Refill Bag for Leight Source 400	30	A (L)
LPF-1-D	Uncorded	Bulk Refill Box for Leight Source 500	30	A (L)
LPF-30	Corded	Polybag	30	A (L)
LPF-30-PB	Corded	Polybag	30	A (L)
LPF-30-P	Cotton Cord	Paper Bag	30	A (L)

Laser Lite®

- Vibrant colors make protection visible
- · Self-adjusting foam expands to fit virtually every wearer
- Contoured T-shape for easy insertion and wear
- Smooth, soil-resistant closed-cell foam skin prevents dirt build-up



Item #	Cording	Packaging	NRR	Canada Class
LL-1	Uncorded	Polybag	32	A (L)
LL-1-PB	Uncorded	Paper Bag	32	A (L)
LL-LS4	Uncorded	Bulk Refill Bag for Leight Source 400	32	A (L)
LL-1-D	Uncorded	Bulk Refill Box for Leight Source 500	32	A (L)
LL-30	Corded	Polybag	32	A (L)
LL-30-PB	Corded	Paper Bag	32	A (L)



Single-Use Earplugs

Multi Max®

- Two-sizes-in-one design improves individual fit while simplifying inventory
- Self-adjusting polyurethane foam expands to fit virtually every wearer
- Smooth, soil-resistant closed-cell foam skin prevents dirt build-up



Item #	Cording	Packaging	NRR	Canada Class
MM-1	Uncorded	Polybag	31	A (L)
MM-1-PB	Uncorded	Paper Bag	31	A (L)
MM-LS4	Uncorded	Bulk Refill Bag for Leight Source 400	31	A (L)
MM-1-D	Uncorded	Bulk Refill Box for Leight Source 500	31	A (L)

Matrix™

- Patented no-roll design makes insertion fast and easy
- Smooth outer skin and reduced diameter provide long-term comfort
- Delivers instant protection upon proper insertion no need to wait for foam to expand
- Uniform attenuation profile blocks out noise while voice frequencies can be heard more naturally
- Three attenuation levels for targeted attenuation



Item #	Cording	Packaging	NRR	Canada Class
MTX-1-0R	Orange/Uncorded	Polybag	29	A (L)
MTX-1-GR	Green/Uncorded	Polybag	27	A (L)
MTX-1-BU	Blue/Uncorded	Polybag	23	A (L)
MTX-30-OR	Orange/Corded	Polybag	29	A (L)
MTX-30-GR	Green/Corded	Polybag	27	A (L)
MTX-30-BU	Blue/Corded	Polybag	23	A (L)
MTX-OR-LS4	Orange/Corded	Bulk Refill Bag for Leight Source 400	29	A (L)
MTX-GR-LS4	Green/Corded	Bulk Refill Bag for Leight Source 400	27	A (L)
MTX-BU-LS4	Blue/Corded	Bulk Refill Bag for Leight Source 400	23	A (L)
MTX-1-OR-D	Orange/Corded	Bulk Refill Box for Leight Source 500	29	A (L)
MTX-1-GR-D	Green/Corded	Bulk Refill Box for Leight Source 500	27	A (L)
MTX-1-BU-D	Blue/Corded	Bulk Refill Box for Leight Source 500	23	A (L)

Dispensers

The Leight® Source 400 and the Leight® Source 500 dispensers save time, space and waste. For information on these products, refer to page 183.

Special Packaging for Process Industries

Max®, Max Lite®, Laser Lite® and Multi Max® are available in a variety of styles for process industries, such as pulp and paper – including pulpable paper bags and cotton cords.



Multiple-Use Earplugs

SmartFit®

- Patented Conforming Material Technology™ uses body heat to adapt to the individual shape of each wearer's ear canal
- · Delivers superior comfort and a truly individual fit
- Simplifies inventory control a single product fits almost every wearer
- Detachable cord system and HearPack® storage case
- SmartFit Process Industry style features attached cotton cord and paper bag, ideal for process industries (SMF-30W-P)

Item #	Cording	Packaging	NRR	Canada Class
SMF-30	Detachable Cord	HearPack	25	A (L)
SMF-30W-P	Attached Cotton Cord	Paper Bag	25	A (L)

Multiple-Use Earplugs last for weeks, reduce waste and save money.

They can be easily cleaned with soap and water. Ideal for environments where workers can retain and store earplugs for reuse.

HARLEY-DAVIDSON®



HEARING PROTECTION

Multiple-Use Earplugs

Corded Options

In many environments, workers need to remove their earplugs during the course of a day's work.

Sperian offers a wide selection of products with cords that make removing and refitting more convenient, and reduce incidents of lost earplugs.



- · Patented dual-material design
- FlexiFirm® stem is easy to grasp, ensuring easy insertion into the ear canal
- SoftFlange™ creates comfortable seal in the ear canal for superior comfort and protection
- · Unique detachable nylon cord system adapts to virtually any application
- Two sizes fine-tune fit for personal comfort and safety (green/small, blue/regular)

Item #	Cording	Packaging	NRR	Canada Class
FUS30-HP	Regular/Corded	HearPack	27	A (L)
FUS30S-HP	Small/Corded	HearPack	27	A (L)



Clarity®

- Patented Sound Management Technology™ (SMT) enhances communication by blocking low and medium frequencies while higher frequencies (voice, signals, alarms) can be heard more naturally, with less distortion
- · Low attenuation ideal for marginal noise environments of 95 dB or lower
- Preventing overprotection and improving overall worker safety and compliance
- Patented quadruple SoftFlange™ design creates comfortable seal in the ear canal for all-day comfort
- Two sizes fine-tune fit for personal comfort and safety (green/small, blue/regular)
- · Cord adjuster adapts length to suit personal preference or application
- Reusable case with hook attaches to belt loop, apron, bag or other work tools

Item #	Cording	Packaging	NRR	Canada Class
1005329	Regular/Corded	Reusable Case	21	A (L)
1005328	Small/Corded	Reusable Case	21	A (L)

AirSoft®

AS-1

AS-30R


AS-30W

- · Advanced air pocket design features internal noise-blocking fins
- · Four-flange profile creates better seal in the ear canal
- Less pressure in the ear canal eliminates that "plugged up" feeling
- · Rounded flanges, tapered shape fits better in the
- · Firm stem facilitates easy insertion and removal
- Outstanding noise-blocking protection highest

Uncorded

Red Polycord

White Nylon Cord



Reusable Case

Reusable Case

Reusable Case

27


27


27

A (L)

A (L)

A (L)







Multiple-Use Earplugs

Quiet®

- · Patented "no-roll" design is easy to handle and fit
- Contoured shape comfortably matches contours of the ear canal
- Smooth, non-irritating skin provides all-day comfort, easy to clean for long-term use
- · Built-in insertion stem makes insertion quick and easy

Item #	Cording	Packaging	NRR	Canada Class
QD1	Uncorded	Polybag	26	A (L)
QD1-RC	Uncorded	Reusable Case	26	A (L)
QD-1-DS	Uncorded	Bulk Refill Box for Leight Source 500	26	A (L)
QD1-SM	Small/Uncorded	Polybag	26	A (L)
QD1-RC-SM	Small/Uncorded	Reusahle Case	26	A (L)
	J	Treasure case		
QD1-LG	Large/Uncorded	Polybag	26	A (L)
QD1-RC-LG	Large/Uncorded	Reusable Case	26	A (L)
QD30	Corded	Polybag	26	A (L)
QD30-RC	Corded	Reusable Case	26	A (L)
QD30-SM	Small/Corded	Polybag	26	A (L)
QD30-RC-SM	Small/Corded	Reusable Case	26	A (L)
QD30-LG	Large/Corded	Polybag	26	A (L)
QD30-RC-LG	Large/Corded	Reusable Case	26	A (L)



NEW! Pilot™

- Combines the performance of Quiet® with the superior comfort of Max® in a hybrid, push-in style earplug
- Delivers long-wearing comfort and total control over your fit
- Inserts easily into your ear with a simple fingertip twist of the Navigation Stem for a quick, snug and comfortable fit
- Soft, pearl-skinned Howard Leight® polyurethane foam is resilient and easy to clean, delivering reliable, long-wearing performance
 NRR 36 provides ideal, consistent hearing protection in more noise environments
- NRR 26 provides ideal, consistent hearing protection in more noise environments and for more workers
- Can be used for up to several working days/shifts without impacting its overall performance

Item #	Cording	Packaging	NRR	Canada Class
PLT-1	Uncorded	Polybag	26	A (L)
PLT-30	Corded	Polybag	26	A (L)




Detectable Earplugs

Laser Trak®

- Non-ferrous metal grommet and bright colors easily detected by visual and automated inspection
- Self-adjusting foam expands to fit virtually any wearer
- Contoured T-shape for easy insertion and wear

Item #	Cording	Packaging	NRR	Canada Class	
LT-30	Corded	Polybag	32	A (L)	



Available in Single-Use and Multiple-Use options and specially created for environments where contamination from foreign objects is unacceptable.



Detectable Earplugs





SmartFit® Detectable

- Conforming Material Technology™ adapts to the shape of the surrounding ear canal when in your ear
- Delivers superior comfort and a truly individual fit
- Simplifies inventory control a single product can fit almost every wearer
- Blue color provides high visibility in detection (SmartFit Detectable and SmartFit Blue)
- Metal ring on stem detectable by automated equipment (SmartFit Detectable only)

Item #	Cording	Packaging	NRR	Canada Class	
SDT-30	SmartFit Detectable/Attached Polycord	Polybag	25	A (L)	
SMF-30BU	SmartFit Blue/Nylon Cord	Polybag	25	A (L)	

Fusion® Detectable

- · Patented dual material design
- Blue color provides high visibility in automated detection
- FlexiFirm® stem is easy to grasp, ensures easy insertion into the ear canal
- SoftFlanges create comfortable seal in the ear canal for superior comfort and protection
- · Attached cord and metal stem ring easily detected by automated equipment
- · Cleans with soap and water, lasts for weeks
- Two sizes fine-tune fit for personal comfort and safety (clear stem/small, translucent blue stem/regular)

Item #	Cording	Packaging	NRR	Canada Class
FDT-30	Regular/Corded	HearPack	25	A (L)
FDT-30-SM	Small/Corded	HearPack	25	A (L)

Banded Earplugs

Howard Leight® Banded Earplugs offer a variety of performance featurés.

Our patented band design prevents ear pods from touching dirty or contaminated surfaces when set down.

Great for managers or for use in environments with intermittent noise hazards.



QB1HYG®

- Inner-aural protection
- Smooth, ergonomic pods fit in the ear for maximum protection
- Patented band design prevents pods from touching dirty or contaminated surfaces
- Lightweight and portable designed especially for environments with intermittent noise hazards
- · Includes pair of replacement pods

Item #	Description	Packaging	NRR	Canada Class
QB1HYG	Inner-Aural Band	Resealable Bag	27	B (L)
QB100HYG	Replacement Pods	Polybag		

QB2HYG®

- · Supra-aural protection
- Soft pods rest partially in the ear canal for a balance of comfort and protection
- Patented band design prevents pods from touching dirty or contaminated surfaces
- Lightweight and portable designed especially for environments with intermittent noise hazards
- · Includes pair of replacement pods

Item #	Description	Packaging	NRR	Canada Class
QB2HYG	Supra-Aural Band	Resealable Bag	25	B (L)
QB200HYG	Replacement Pods	Polybag		



Banded Earplugs

QB3HYG®

- Semi-aural protection
- Soft pods rest outside the ear canal opening for a balance of comfort and protection
- Patented band design prevents pods from touching dirty or contaminated surfaces
- Lightweight and portable designed especially for environments with intermittent noise hazards
- Includes pair of replacement pods

Item #	Description	Packaging	NRR	Canada Class
QB3HYG	Semi-Aural Band	Resealable Bag	23	B (L)
QB300HYG	Replacement Pods	Polybag		



PerCap®

- Semi-aural protection, super soft pods rest outside the ear canal opening
- Multiple position wear over the head, under the chin or behind the neck provides flexibility in wear
- · Compact, folding design easy to store in pocket

Item #	Description	Packaging	NRR	Canada Class
PERCAP	Folding Band	Resealable Bag	21	B (L)
PC100	Replacement Pods	Polybag		



Earplug Dispensers

Leight® Source 400

- Durable plastic design is an economical choice for dispensing earplugs
- Mounts to wall or stands as table-top dispenser with balanced footing
- Twist knob to dispense earplugs
- Catch basin prevents earplugs from falling to the ground
- Holds 400 pairs of Howard Leight[®] Single-Use earplugs: Max.[®] Max Lite.[®] Laser Lite.[®] Multi Max.[®] Matrix.[™]

Item #	Description	Packaging
LS-400	Leight Source 400	Box

LS-400, LL-LS4 Refill

Leight® Source 500

- · Heavy-duty anodized aluminum withstands constant use
- · Mount on wall for easy access
- Crank handle to dispense earplugs
- Ideal for large factories and process industries
- Holds 500 pairs of Howard Leight® earplugs: Max,® Max Lite,® Laser Lite,® Multi Max,® Matrix,™ and Quiet®

Item #	Description	Packaging
LS-500	Leight Source 500	Box

LS-500, MAX-1-D Refill

Save time, space and waste with earplug dispensers.

For big and small operations, dispensers offer an economical, hygienic and user-friendly source for hearing protection.





Noise Blocking Earmuffs

When you need to block noise, Howard Leight® earmuffs give you the tools to do the job right.

From maximum attenuation to maximum value, we set the standard for noise blocking and hearing protection. Our Leightning,® Thunder,® Viking® Mach™ and QM24+® series earmuffs provide a choice of features and protection ideal for many workers and environments.





Air Flow Control™ Technology

Sperian's patented Air Flow Control technology™ delivers optimal attenuation across all frequencies, without increasing earcup size or weight. A patented baseplate chamber and high-tech non-woven layer manage the flow of air inside the earmuff to control how sound reaches the ear.

The result is better, more consistent overall attenuation for virtually all industrial noise environments. Air Flow Control is a standard feature on all Leightning, Thunder and Viking® series earmuffs.

Leightning®

- · Robust steel construction withstands demanding use, especially in tough environments
- Features patented Air Flow Control™ technology for optimal attenuation
- Snap-in ear cushions make replacement quick and easy
- Multiple attenuation levels allow for targeted attenuation for a variety of applications Headband - L1, L2, L3
- Padded foam headband delivers superb comfort with minimal pressure on the head
- Telescopic height adjustment remains fixed during use

Cap-Mounted - L1H, L2H, L3H

- For use with a wide range of hard hats
- Earcups snap in place during use and swing back when not in use
- Includes pair of hard hat adapters

Neckband - LON, L1N, L2N, L3N

- Sleek, anatomical behind-the-neck design for use with face shields, visors, hard hats and other PPE
- Includes attached elastic headband strap for better positioning Folding - LOF, L2F
- · Convenient folding design for easy storage
- Folding Earmuff Belt Case also available Ultraslim - LON, LOF
- Ultraslim, lightweight earcups ideal for lower noise levels
- LON can be worn with welding shields, hard hats and other PPE
- LOF folds to less than 4" wide

Item #	Description	Style	NRR	Canada Class	Hygiene Kit
1013461	Leightning LOF	Folding	23	В	1011998
1013460	Leightning LON	Neckband	22	В	1011998
1010922	Leightning L1	Headband	25	В	1011998
1011991	Leightning L1H	Cap-Mounted	23	B (L)	1011998
1011994	Leightning L1N	Neckband	25	В	1011998
1010923	Leightning L2	Headband	27	B (L)	1011999
1011997	Leightning L2F	Folding	27	B (L)	1011999
1011992	Leightning L2H	Cap-Mounted	25	B (L)	1011999
1011995	Leightning L2N	Neckband	26	A (L)	1011999
1010924	Leightning L3	Headband	30	A (L)	1012000
1011993	Leightning L3H	Cap-Mounted	27	A (L)	1012000
1011996	Leightning L3N	Neckband	28	A (L)	1012000

Packaging: Individual box





For more information or to order products on this page, please call Customer Care at 800 430-5490.



Noise Blocking Earmuffs

Leightning® Hi-Visibility

- Bright green earcups provide high visibility and contrast
- Exclusive reflective headband illuminates under light for increased visibility and safety (L2FHV, L2HV)
- Ideal to wear at night, during the day, in low light and under inclement weather conditions
- Features patented Air Flow Control™ technology for optimal attenuation
- · Robust steel construction withstands demanding use, especially in tough environments
- Snap-in ear cushions make replacement quick and easy

Headband – L3HV

- Padded foam headband delivers superb comfort with minimal pressure on the head
- · Telescopic height adjustment remains fixed during use

Cap-Mounted - L1HHV

- For use with a wide range of hard hats
- Earcups snap in place during use and swing back when not in use
- Includes pair of hard hat adapters

Folding - L2FHV

· Convenient folding design for easy storage

• Folding Earmuff Belt Case also available



1013943

Item #	Description	Style	NRR	Canada Class	Hygiene Kit
1015020	Leightning L1HHV Hi-Vis	Cap-Mounted	23	B (L)	1011998
1013942	Leightning L2FHV Hi-Vis	Folding	27	B (L)	1011999
1013941	Leightning L3HV Hi-Vis	Headband	30	A (L)	1012000

Packaging: Individual box

Thunder®

- Dielectric construction suitable for all workplaces, especially electrical environments
- Features patented Air Flow Control™ technology for optimal attenuation
- · Quick-Click height adjustment remains fixed during wear
- Snap-in ear cushions make replacement quick and easy Headband – T1, T2, T2HV, T3
- Uniform headband pressure for all head sizes, providing better comfort for long-term wear
- Inner-ventilated headband minimizes pressure on the head, breathes easier in warm/humid climates (T2 and T3 only)
- Non-deforming outer headband withstands rough treatment Cap-Mounted T1H, T2H, T3H
- For use with a wide range of hard hats
- Earcups snap in place during use and swing back when not in use
- Includes pair of hard hat adapters

Folding - T1F

- · Convenient folding design for easy storage
- Folding Earmuff Belt Case also available



1015820

Item #	Description	Style	NRR	Canada Class	Hygiene Kit
1010928	Thunder T1	Headband	26	Α	1010974
1011600	Thunder T1F	Folding	25	Α	1010974
1011601	Thunder T1H	Cap-Mounted	23	Α	1010974
1010929	Thunder T2	Headband	28	A (L)	1010975
1015820	Thunder T2HV Hi-Vis	Headband	28	A (L)	1010975
1011602	Thunder T2H	Cap-Mounted	25	A (L)	1010975
1010970	Thunder T3	Headband	30	A (L)	1010976
1011603	Thunder T3H	Cap-Mounted	27	A (L)	1010976

Packaging: Individual box











Noise Blocking Earmuffs



Viking®

- Multiple-position headband allows wearer to select position over-the-head, behind-the-head or under-the-chin
- Alternative to cap-mounted earmuffs wear with hard hats, face shields, respirators and other PPE
- Inner-ventilated headband minimizes pressure on the head, breathes easier in warm/humid climates (V2 and V3 only)
- Non-deforming outer headband withstands rough treatment in the toughest workplaces
- Snap-in ear cushions make replacement quick and easy
- Includes attached elastic headband strap for better positioning when worn behind-the-head or under-the-chin
- Dielectric construction suitable for electrical environments

Item #	Description	Style	NRR	Canada Class	Hygiene Kit
1010925	Viking V1	Multiple-Position	25	В	1011998
1010926	Viking V2	Multiple-Position	27	A (L)	1011999
1010927	Viking V3	Multiple-Position	29	A (L)	1012000

Packaging: Individual box



Mach™ 1

- · Economical design delivers adequate protection at a low cost
- Extremely lightweight construction provides all-day comfort
- Dielectric construction suitable for all workplaces, especially electrical environments

Item #	Description	Style	NRR	Canada Class	Hygiene Kit
1010421	Mach 1	Headband	18	В	N/A

Packaging: Polybag



QM24+®

- · Ultra lightweight design
- Multiple-position headband allows wearer to select position over-the-head, behind-the-head or under-the-chin
- Alternative to cap-mounted earmuffs wear with hard hats, face shields, respirators and other PPE
- Dielectric construction suitable for electrical environments

Item #	Description	Style	NRR	Canada Class	Hygiene Kit
QM24+	QM24+	Multiple-Position	25	В	HK4

Packaging: Polybag

Proper Care & Maintenance of Earmuffs

- Regularly inspect earcups and ear cushions for cracks and leaks replace if cushions are visibly damaged or compromised
- Clean earcups and ear cushions regularly with mild soap and water
- Replace ear cushions and foam inserts every 6-8 months under normal wear, every 3-4 months with heavy use or in humid/extreme climates - refer to the Earmuff Accessories page for a complete listing of Howard Leight® earmuffs and specific hygiene kits

Sound Management Earmuffs

HEARING PROTECTION

Clarity®

- Uniform attenuation allows wearer to hear co-workers, instructions, and other important sounds more naturally while blocking out harmful noise
- Dielectric construction suitable for all workplaces, especially electrical environments
- · Quick-Click height adjustment remains fixed during wear
- Snap-in ear cushions make replacement quick and easy

Headband - C1, C3

- Uniform headband pressure for all head sizes, providing better comfort for long-term wear
- Inner-ventilated headband minimizes pressure on the head, breathes easier in warm/humid climates
- Non-deforming outer headband withstands rough treatment in the toughest workplaces Multiple-Position – C2
- Multiple-position headband allows wearer to select position over the head, behind the head or under the chin

Cap-Mounted - C1H, C3H


- · For use with a wide range of hard hats
- Earcups snap in place during use and swing back when not in use
- · Includes pair of hard hat adapters

Folding - C1F

- Convenient folding design for easy storage
- Folding Earmuff Belt Case also available

Item #	Description	Style	NRR	Canada Class	Hygiene Kit
1011142	Clarity C1	Headband	20	В	1006080
1011143	Clarity C1F	Folding	20	В	1006080
1011144	Clarity C1H	Cap-Mounted	20	В	1006080
1011145	Clarity C2	Multiple-Position	23	В	1006081
1011146	Clarity C3	Headband	27	B (L)	1006081
1011147	Clarity C3H	Cap-Mounted	25	B (L)	1006081









Avoid Overprotection!

Avoid overprotecting your employees by selecting hearing protectors with the right amount of attenuation for their workplace, especially in marginal noise environments.

Protectors with the highest attenuation may not be the most appropriate solution in lowlevel noise.

Also, consider their communication requirements. In some environments, workers need to communicate or hear signals and alarms while remaining protected from harmful noise.



Sound Management Earmuffs



Wearing Earmuffs with Other PPE?

Avoid compromising overall worker safety when utilizing other personal protection equipment (PPE).

- Welding Shields Eliminate interference by using corded earplugs, bands or ultraslim neckband earmuffs.
- Safety Eyewear As some frames can cause a gap between the head and earmuffs, Single-Use or Multiple-Use or banded earplugs are an ideal choice.
- Hard Hats Use cap-mounted earmuffs when possible. For full-brim hard hats, select Multiple-Position or neckband earmuffs, or banded earplugs.
- Respirators (SCBA, PAPR) Choose ultraslim earmuffs that allow clearance between earcup and hood, or earplugs.

Impact®

- Amplifies ambient sound to safe 82 dB response technology reverts to passive hearing protector when noise reaches 82 dB
- Sound amplification allows wearers to hear important communication alarms/warning signals, co-workers' voices
- Directionally placed stereo microphones amplify and enhance sound for more natural hearing
- · Inner-ventilated headband minimizes pressure on the head, breathes easier in warm/humid climates
- Non-deforming outer headband withstands rough treatment in the toughest workplaces
- · Quick-Click height adjustment remains fixed during wear
- · Snap-in ear cushions make replacement quick and easy
- Includes 2 AA batteries for 140 hours of use

Cap-Mounted - Impact H

- For use with a wide range of hard hats
- · Earcups snap in place during use and swing back when not in use
- · Includes pair of hard hat adapters

Item #	Description	Style	NRR	Canada Class	Hygiene Kit
1010376	Impact	Headband	23	В	1008000
1010632	Impact H	Cap-Mounted	21	В	1008000


Packaging: Individual box

Impact® Sport

- Amplifies ambient sound to safe 82 dB response technology reverts to passive hearing protector when noise reaches 82 dB
- Sound amplification allows wearers to hear important communication, alarms/warning signals, co-workers' voices
- · Directionally placed stereo microphones amplify and enhance sound for more natural hearing
- · Ultraslim, lightweight earcup design; low profile earcups with cut-out allow for full clearance of firearm stock, eliminating interference while shooting
- Contemporary leatherette headband, hunter green earcups
- Convenient folding design for easy storage
- · Integrated power/volume knob
- AUX input allows connection to external MP3 players or other audio devices for additional listening off the field
- · Snap-in ear cushions make replacement quick and easy
- Includes 2 AAA batteries



Packaging: Clamshell





Radio Earmuffs

AM/FM Radio

- · High quality AM/FM radio reception
- Radio volume does not exceed 82 dB
- Lightweight design provides all-day comfort
- Inner-ventilated headband minimizes pressure on the head, breathes easier in warm/humid climates
- Non-deforming outer headband withstands rough treatment in the toughest workplaces
- · Quick-Click height adjustment remains fixed during wear
- Snap-in ear cushions make replacement quick and easy
- 40-hour battery life from 2 AA batteries (included)

	•				
Item #	Description	Style	NRR	Canada Class	Hygiene Kit
1010375	AM/FM Radio	Haadhand	23	R	1008000

Packaging: Individual box

Radio Hi-Visibility

- Bright green earcups provide high visibility and contrast
- Reflective headband illuminates under light for increased visibility and safety
- · AUX input can connect to MP3 players and other
- · Radio volume does not exceed 82dB
- Features patented Air Flow Control™ Technology, delivering higher attenuation across all noise frequencies, especially in low frequencies
- Snap-in ear cushions make replacement quick and easy
- Includes 2 AA batteries and 3.5mm connection cable

Item #	Description	Style	NRR	Canada Class	Hygiene Kit
1015543	Radio Hi-Visibility	Headband	25	B (L)	1008000

Packaging: Clamshell

Electo®

- · Radio volume does not exceed 82 dB
- Sound amplification allows wearers to hear important communication alarms/warning signals, co-workers' voices
- Directionally placed stereo microphones amplify and enhance sound for more natural hearing
- Separate controls for sound amplification and radio volume
- · Snap-in ear cushions make replacement quick and easy
- Includes 2 AA batteries for 140 hours of use

Headband

- Inner-ventilated headband minimizes pressure on the head, breathes easier in warm/humid climates
- · Non-deforming outer headband withstands rough treatment in the toughest workplaces
- Quick-Click height adjustment remains fixed during wear

Cap-Mounted – Electo H

- For use with a wide range of hard hats
- Earcups snap in place during use and swing back when not in use
- Includes pair of hard hat adapters

Item #	Description	Style	NRR	Canada Class	Hygiene Kit
1010374	Electo	Headband	23	В	1008000
1010631	Electo H	Cap-Mounted	21	В	1008000

Packaging: Individual box



Add music and routine jobs become more satisfying.

Our Radio earmuffs provide protection from noise – and let you listen to music from a built-in AM/FM radio.







Earmuff Accessories

Everyday, workers count on Howard Leight® earmuffs to block noise and manage sound in some of the world's most acoustically challenging environments.

Our Earmuff Accessories ensure that these demands are met through a combination of performance and comfort features that put people first.





Polar Hood®

- · Balaclava-style hood provides protection from cold climates while ensuring optimal earmuff attenuation
- Patented side panels help to eliminate gap between earcup and ear, reducing hazardous noise exposure
- · Does not distort sound or earmuff attenuation
- · Seal around face prevents further exposure to the elements
- · Adjustable design includes front zipper for ventilation and foldaway visor
- · Bright green trim enhances visibility and safety outdoors
- Compatible with all Howard Leight® earmuffs, fits under most hard hats
- Ideal for airport ground crews, construction workers, oil/gas/petrochemical workers, frozen food production and other workers who require hearing protection while exposed to cold weather conditions

Item #	Description
1016870	Polar Hood – L/XL
1016871	Polar Hood – S/M

Packaging: Hang Card

Cool Pads

- · Apply to ear cushions to improve overall comfort and hygiene of earmuff wear
- Keep ears warm in cold climates, absorb moisture in humid areas
- · Made of dermatologically tested material
- Absorb 15 times their own weight in moisture
- Fit all Howard Leight® earmuffs

Item #	Description
1000365	Cool Pads
1000364	Cool Pads

Packaging: 1000365 is 5 pair packs envelope; 1000364 is 100 pair dispenser pack box

Slim Belt Clip

- · Easy to attach to belt or pockets
- · Convenient storage solution when the earmuff is not in use
- · Low profile design and lightweight

Item # Description 1016730 Slim Belt Clip

Packaging: Polybag



Earmuff Accessories

Folding Earmuff Belt Case

- · Loops slide onto any belt for easy access
- Velcro flap easy to open, especially with gloves, folds flat when not in use
- Durable nylon construction withstands abuse
- Fits Leightning® L2F, Leightning® Hi-Visibility L2FHV, Thunder® T1F, Clarity® C1F and Impact® Sport folding earmuffs

Item #	Description
1000251	Folding Earmuff Belt Case

Packaging: Polybag



- Includes one pair of replacement ear cushions and one pair of foam inserts
- Extends performance and lifetime of earmuff
- Recommended replacement every 6 months w/general use, more frequently w/heavy use
- Snap-in ear cushions are standard on all Howard Leight® earmuffs

·	<u> </u>
Item #	Description
1006080	Hygiene Kit – Clarity C1/C1F/C1H
1006081	Hygiene Kit – Clarity C2/C3/C3H
1010974	Hygiene Kit – Thunder T1/T1H/T1F
1010975	Hygiene Kit – Thunder T2/T2H/T2HV
1010976	Hygiene Kit – Thunder T3/T3H
1011998	Hygiene Kit – Leightning L1/L1H/L1N/L0N/L0F/L1HHV/Viking V1
1011999	Hygiene Kit – Leightning L2/L2H/L2N/L2F/L2FHV/Viking V2
1012000	Hygiene Kit – Leightning L3/L3H/L3N/L3HV/Viking V3
1008000	Hygiene Kit – Radio/Radio HV/Electo/Electo H/Impact/Impact H
1015280	Hygiene Kit – Impact Sport

Packaging: Polybag

Hard Hat Adapters

- Easy to snap into slots or mount onto hard hats
- Durable plastic and metal styles to withstand the most demanding conditions
- · Wide variety of adapters to fit nearly all available hard hats

Item #	Description
13910033	Hard Hat Adapter – Clip-On
13910034	Hard Hat Adapter – Dielectric Screw-On
13910035	Hard Hat Adapter – Centurion
13910036	Hard Hat Adapter – Balance, Bullard, LAS, MSA, Voss, Opus
13910037	Hard Hat Adapter – Norton, Bullard
13910038	Hard Hat Adapter – Protector, AO, JSP, Domeguard
13910039	Hard Hat Adapter – AO Safety, Bullard, Jackson, MSA North, Sperian

Packaging: Polybag







HearForever™



Listen Up

Despite years of regulation, the incidence of occupational noise-induced hearing loss (NIHL) continues to rise. The problem has grown to such an extent that the World Health Organization has called occupational noise-induced hearing loss, "the number one hidden disability in North America." The National Institute for Occupational Safety and Health (NIOSH) has called NIHL "the most common occupational illness" in North America, with over 22 million American workers exposed to hazardous noise on a daily basis, and 8 million who suffer from occupational hearing loss. In addition, a recent National Health Interview Survey showed hearing problems among individuals aged 45 to 64 up 26 percent over the past 30 years.

Occupational hearing loss often lacks priority as a disability because it is a silent affliction. Unlike other industrial disabilities, NIHL causes no pain or trauma, is accompanied by no visible wounds, and is generally not noticed for several years. Workers are unlikely to realize when their hearing is being affected, and few understand that once lost, hearing cannot be restored. There is no way medical science can completely repair damaged hearing. Ironically, however, NIHL is easily prevented.

Personalized Hearing Conservation

Hearing Conservation is about more than complying with government regulations or supplying employees with earplugs or earmuffs and documenting when they fail. It is about preventing noise-induced hearing loss in the first place. Fortunately, new research into the human factors involved in hearing protection and new technologies which allow a more precise approach to the problem are pointing out a new, more personalized way forward.


We live in an information age driven by new technology. Everything is measured. Everything is analyzed. Everything is connected. In transforming Hearing Conservation, safety professionals must also take a more measured approach to noise hazards and hearing loss prevention that relies on precise, real-time data to make intelligent decisions. The future of Hearing Conservation also requires a holistic approach. It's up to everyone involved in a Hearing Conservation Program – safety professionals, employees and company management to take ownership and responsibility to change.

A personalized approach to Hearing Conservation can provide a more sound, productive and cost-effective system for managing personal hearing health, noise exposure and overall expectations. By utilizing several recent innovations that can assess precise, personalized data, safety professionals can now actually ensure – and document – a successful Hearing Conservation Program.

By utilizing new technologies such as VeriPRO® earplug fit testing and QuietDose™ in-ear dosimetry, by adopting a more effective regime of one-on-one training, and by taking a holistic approach to Hearing Conservation programming, incidence of noise-induced hearing loss can actually be eliminated on the job and its progression halted among those already afflicted.

HearForever™

Hearing – and our ability to listen – defines our relationships and shapes our personalities. It keeps us connected to people and the environment around us, alerts us to danger, and helps to provide all of us with some form of social enjoyment. Hearing never sleeps – it keeps us aware every second of every day.



Your hearing is a key sense and it is yours to protect.

You have every right to maintain good hearing even if you work and play around hazardous noise.

Join our new initiative, HearForever, and learn more about how you can prevent noise-induced hearing loss, and become part of the next generation of Hearing Conservation at hearforever.org

Like you, we're dedicated to promoting effective hearing safety practices on and off the job by providing you with the latest and best information about Hearing Conservation at www.hearforever.org

Listen up. HearForever.



VeriPRO® Earplug Fit Testing Technology

VeriPRO®

A personal approach to Hearing Conservation.

VeriPRO makes it easy to get an accurate, real-world picture of your employees' hearing protection. Find out whether your employees are receiving optimal protection, require additional training on how to fit their earplugs, or need to try a different model. VeriPRO uses sophisticated software in a user-friendly format to find the Personal Attenuation Rating (PAR) your employees are receiving from their earplugs.

VeriPRO is a simple and effective way to implement better Hearing Conservation practices in any workplace:

- · Measures the Personal Attenuation Rating (PAR) for each employee
- · Captures real-world attenuation by using unmodified earplugs
- · Works with any earplug, corded or uncorded, from any manufacturer
- Fulfills regulatory requirements to ensure proper initial fitting of hearing protection
- Creates accurate, easy-to-understand reports within minutes, including PAR,
 Safe Exposure Levels and Protected Exposure Levels
- Documents training and proper fit for new or existing employees
- · Fit training videos provide additional training opportunity
- Provides an ideal opportunity for one-on-one education

Want VeriPRO to be part of your Hearing Conservation Program? Contact your Sperian representative, or call 1-877-VERIPRO or visit us online at www.howardleight.com/veripro



QuietDose™ In-Ear Dosimetry

NEW! QuietDose™

Know precisely. Protect personally.

The new QuietDose system from Sperian Hearing Protection provides the ultimate in accuracy for assessment of personal workplace noise risk.

QuietDose is the first noise level monitoring system that uses in-ear dosimetry to measure every sound that reaches the user's eardrum. Dramatically more precise than existing area or personal sampling devices currently in use, QuietDose data equips safety managers to:

- Determine whether workers are using their earplugs or earmuffs correctly
- Track and address the potential of noise-induced hearing loss (NIHL) in real time
- Potentially eliminate dual protection
- Provide workers more appropriate hearing protectors
- Streamline worker deployment by matching shift hours with proper protection more accurately



For more information on how QuietDose can be part of your Hearing Conservation Program, please contact your Sperian representative, or call 800 711-6776 or visit us online at www.howardleight.com/quietdose





Reference: Earplug Attenuation Chart

NRR testing in accordance with ANSI S.3.19-1974

Sing	le-l	llse	Fari	nlugs
Jilig		036	Lai	piugs

Jiligie U.	SE L	ai pii	ugs						
Max [®]			NRR :	33	Canad	a A (L)			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	40.9	43.0	44.8	38.9	37.2	47.4	48.5	47.7	47.8
Std. Dev.	3.5	3.9	3.8	2.8	2.7	4.5	3.1	4.4	3.9
Max Lite®			NRR:	30	Canad	a A (L)			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	33.5	33.6	36.0	37.5	39.4	42.5	43.9	43.7	45.2
Std. Dev.	3.6	3.4	3.2	3.5	3.5	3.4	5.1	4.8	5.1
Laser Lite®			NRR :	32	Canad	a A (L)			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	36.8	38.0	40.4	41.1	40.1	44.4	48.5	46.4	45.8
Std. Dev.	4.0	4.5	5.5	4.0	2.7	4.5	4.1	5.4	5.2
Multi Max®			NRR :	31	Canad	a A (L)			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	30.9	32.4	33.9	34.9	36.5	46.1	47.1	50.9	52.1
Std. Dev.	2.1	2.5	2.7	1.9	1.9	3.3	2.6	2.7	2.5
Matrix [™] – Ora	ange		NRR :	29	Canad	a A (L)			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	31.4	34.3	38.3	34.5	36.0	40.3	39.2	40.9	44
Std. Dev.	3.6	4.0	3.9	3.0	2.7	3.4	3.1	3.5	3.4
Matrix™ – Gr	een		NRR :	27	Canad	a A (L)			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	25.9	29.7	35.5	34.4	35.2	39.0	37.3	40.1	43.2
Std. Dev.	3.8	3.7	4.1	3.1	3.0	3.2	2.4	3.8	3.4
Matrix™ – Blu	ıe		NRR :	23	Canad	a A (L)			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	21.4	26.4	31.3	31.8	34.2	39.6	39.6	40.3	43.5
Std. Dev.	5.8	4.5	4.6	4.9	3.2	2.8	2.0	2.4	2.5

Multiple-Use Earplugs

SmartFit®			NRR :	25	Canada	a A (I)			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	29.5	28.0	30.5	31.6	33.5	40.5	40.0	41.8	42.1
Std. Dev.	3.5	4.1	3.6	3.2	3.5	3.3	4.2	5.3	4.7
Fusion®			NRR :	27	Canada	a A (L)			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	29.5	29.9	32.3	33.9	37.3	41.1	42.7	47.9	47.6
Std. Dev.	4.6	3.7	2.8	2.8	4.1	3.6	4.6	4.8	3.2
Clarity®			NRR :	21	Canada	a A (L)			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	27.7	27.4	25.1	29.6	33.5	31.2	31.6	39.0	41.5
Std. Dev.	3.3	3.6	3.2	4.1	3.2	3.4	4.0	5.4	3.5
AirSoft®			NRR :	27	Canada	a A			
						2450			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Frequency/Hz Mean Attn.	125 31.0	250 32.3	500 31.4	35.2	39.6	39.7	4000	6300 43.5	8000 44.2
' '									
Mean Attn.	31.0	32.3	31.4	35.2 3.6	39.6	39.7 4.8	42.2	43.5	44.2
Mean Attn. Std. Dev.	31.0	32.3	31.4 3.6	35.2 3.6	39.6 4.1	39.7 4.8	42.2	43.5	44.2
Mean Attn. Std. Dev. Quiet®	31.0 4.3	32.3 4.1	31.4 3.6 NRR	35.2 3.6 26	39.6 4.1 Canada	39.7 4.8 a A (L)	42.2 5.1	43.5 4.1	44.2 3.3
Mean Attn. Std. Dev. Quiet® Frequency/Hz	31.0 4.3	32.3 4.1 250	31.4 3.6 NRR 3	35.2 3.6 26 1000	39.6 4.1 Canada 2000	39.7 4.8 a A (L) 3150	42.2 5.1 4000	43.5 4.1 6300	44.2 3.3 8000
Mean Attn. Std. Dev. Quiet® Frequency/Hz Mean Attn.	31.0 4.3 125 26.3	32.3 4.1 250 29.0	31.4 3.6 NRR 500 28.7	35.2 3.6 26 1000 31.2 2.5	39.6 4.1 Canada 2000 36.3	39.7 4.8 a A (L) 3150 44.0 3.6	42.2 5.1 4000 45.1	43.5 4.1 6300 49.1	44.2 3.3 8000 47.2
Mean Attn. Std. Dev. Quiet® Frequency/Hz Mean Attn. Std. Dev.	31.0 4.3 125 26.3	32.3 4.1 250 29.0	31.4 3.6 NRR : 500 28.7 2.8	35.2 3.6 26 1000 31.2 2.5	39.6 4.1 Canada 2000 36.3 3.9	39.7 4.8 a A (L) 3150 44.0 3.6	42.2 5.1 4000 45.1	43.5 4.1 6300 49.1	44.2 3.3 8000 47.2
Mean Attn. Std. Dev. Quiet® Frequency/Hz Mean Attn. Std. Dev. Pilot™	31.0 4.3 125 26.3 3.3	32.3 4.1 250 29.0 2.6	31.4 3.6 NRR: 500 28.7 2.8	35.2 3.6 26 1000 31.2 2.5	39.6 4.1 Canada 2000 36.3 3.9 Canada	39.7 4.8 a A (L) 3150 44.0 3.6 a A (L)	42.2 5.1 4000 45.1 4.4	43.5 4.1 6300 49.1 4.4	44.2 3.3 8000 47.2 3.7
Mean Attn. Std. Dev. Quiet® Frequency/Hz Mean Attn. Std. Dev. Pilot™ Frequency/Hz	31.0 4.3 125 26.3 3.3	32.3 4.1 250 29.0 2.6	31.4 3.6 NRR : 500 28.7 2.8 NRR :	35.2 3.6 26 1000 31.2 2.5 26 1000	39.6 4.1 Canada 2000 36.3 3.9 Canada 2000	39.7 4.8 a A (L) 3150 44.0 3.6 a A (L) 3150	42.2 5.1 4000 45.1 4.4	43.5 4.1 6300 49.1 4.4	8000 47.2 3.7

Detectable Earplugs

Laser Trak®			NRR	32	Canad	a A (L)			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	33.3	36.1	41.7	42.3	40.5	48.3	49.7	49.7	52.0
Std. Dev.	4.4	3.6	2.6	4.4	3.5	3.2	3.6	2.9	3.6
SmartFit® De	tectab	le	NRR	25	Canad	a A (L)			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	29.5	28.0	30.5	31.6	33.5	40.5	40.0	41.8	42.1
Std. Dev.	3.5	4.1	3.6	3.2	3.5	3.3	4.2	5.3	4.7
Fusion® Dete	ctable		NRR	25	Canad	a A (L)			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	33.4	31.8	33.1	38.4	33.9	41.0	43.6	45.4	44.4
Std. Dev.	4.9	4.4	4.1	5.9	4.6	4.1	4.9	5.4	5.7

Banded Earplugs

QB1HYG®			NRR :	27	Canada	Canada B (L)		Under-the-Chin	
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	31.2	31.5	31.6	32.3	35.1	42.6	45.8	47.0	48.0
Std. Dev.	2.6	2.8	3.3	3.3	2.5	2.3	2.0	2.7	3.2
QB2HYG®			NRR :	25	Canad	a B (L)	Under-	the-Chir	1
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	28.2	28.3	26.8	29.6	34.4	40.7	40.3	43.3	42.4
Std. Dev.	2.5	2.5	2.8	2.0	1.2	2.7	1.2	2.3	2.2
QB3HYG®			NRR :	23	Canad	a B (L)	Under-	the-Chir	1
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	26.9	26.0	24.1	26.0	34.4	40.7	40.3	43.3	42.4
Std. Dev.	1.8	2.2	2.4	2.1	1.7	1.5	2.3	2.1	1.7
PerCap®			NRR :	21	Canada	a B (L)	Under-	the-Chir	1
PerCap® Frequency/Hz	125	250	NRR :	1000	Canada 2000	a B (L) 3150	Under- 4000	the-Chir 6300	8000
_	125 28.3	250 25.7							
Frequency/Hz			500	1000	2000	3150	4000	6300	8000
Frequency/Hz Mean Attn.	28.3	25.7	500 24.3	1000 25.6 3.5	2000 34.2 2.6	3150 39.0	4000 40.0 2.5	6300 43.8	8000 42.1
Frequency/Hz Mean Attn.	28.3	25.7	500 24.3 3.0	1000 25.6 3.5	2000 34.2 2.6	3150 39.0 2.1	4000 40.0 2.5	6300 43.8 3.5	8000 42.1
Frequency/Hz Mean Attn.	28.3 5.2	25.7 4.1	500 24.3 3.0 NRR	1000 25.6 3.5	2000 34.2 2.6 Canada	3150 39.0 2.1 a B (L)	4000 40.0 2.5 Over-t	6300 43.8 3.5 he-Head	8000 42.1 3.0
Frequency/Hz Mean Attn. Std. Dev.	28.3 5.2 125	25.7 4.1 250	500 24.3 3.0 NRR 2	1000 25.6 3.5 20 1000	2000 34.2 2.6 Canada 2000	3150 39.0 2.1 a B (L) 3150	4000 40.0 2.5 Over-t 4000	6300 43.8 3.5 he-Head 6300	8000 42.1 3.0 8000
Frequency/Hz Mean Attn. Std. Dev. Mean Attn.	28.3 5.2 125 24.9	25.7 4.1 250 22.3	500 24.3 3.0 NRR 2 500 21.1	1000 25.6 3.5 20 1000 23.9 2.5	2000 34.2 2.6 Canada 2000 32.5 2.4	3150 39.0 2.1 a B (L) 3150 37.4	4000 40.0 2.5 Over-t 4000 37.9 3.6	6300 43.8 3.5 he-Head 6300 40.8	8000 42.1 3.0 8000 42.1 2.8
Frequency/Hz Mean Attn. Std. Dev. Mean Attn.	28.3 5.2 125 24.9	25.7 4.1 250 22.3	500 24.3 3.0 NRR 2 500 21.1 2.6	1000 25.6 3.5 20 1000 23.9 2.5	2000 34.2 2.6 Canada 2000 32.5 2.4	3150 39.0 2.1 a B (L) 3150 37.4 3.2	4000 40.0 2.5 Over-t 4000 37.9 3.6	6300 43.8 3.5 he-Head 6300 40.8 3.8	8000 42.1 3.0 8000 42.1 2.8
Frequency/Hz Mean Attn. Std. Dev. Mean Attn.	28.3 5.2 125 24.9 3.9	25.7 4.1 250 22.3 3.1	500 24.3 3.0 NRR: 500 21.1 2.6	1000 25.6 3.5 20 1000 23.9 2.5	2000 34.2 2.6 Canada 2000 32.5 2.4	3150 39.0 2.1 a B (L) 3150 37.4 3.2 a B (L)	4000 40.0 2.5 Over-t 4000 37.9 3.6 Behind	6300 43.8 3.5 he-Head 6300 40.8 3.8	8000 42.1 3.0 8000 42.1 2.8

HEARING PROTECTION



Reference: Earmuff Attenuation Chart

NRR testing in accordance with ANSI S.3.19-1974

Noise	Blocking	Earmuffs
-------	----------	----------

Noise Bl	ockir	ig Ea	armı	ıffs					
Leightning®	L1		NRR :	25	Canad	a B			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	19.7	23.8	29.0	31.3	32.1	37.8	39.2	39.5	39.5
Std. Dev.	2.6	2.9	2.6	2.5	2.4	3.1	2.0	2.3	2.4
Leightning®	L2		NRR :	27	Canad	a B (L)			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	21.8	26.6	31.8	35.2	32.9	37.7	37.6	39.1	39.6
Std. Dev.	3.2	3.1	2.5	2.1	2.1	2.4	2.2	2.4	2.6
Leightning®	L3/HV		NRR :	30	Canad	a A (L)			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	23.8	28.8	36.5	39.9	35.3	38.7	39.0	41.0	40.8
Std. Dev.	2.2	2.3	2.4	1.9	2.3	2.8	2.1	2.4	2.3
Leightning®	L1H/HV		NRR :	23	Canad	a B (L)			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	20.0	22.4	26.9	29.6	32.1	36.4	37.4	40.2	39.6
Std. Dev.	2.9	3.4	2.8	2.2	2.8	3.3	2.9	3.7	4.9
Leightning®			NRR :		Canad				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	20.0	25.1	30.5	32.6	32.6	37.8	36.5	38.3	39.7
Std. Dev.	3.0	2.5	2.6	2.4	2.5	2.4	2.7	3.4	4.0
Leightning®			NRR :		Canad				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn. Std. Dev.	22.5	26.5	34.2	36.9	33.6	36.8	37.3	40.4	37.7
	3.4	2.5	3.4	3.2	2.4	3.0	2.9	1.9	2.8
Leightning®			NRR :		Canad				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn. Std. Dev.	15.6 2.5	19.9 2.1	24.2	26.8 2.0	30.2 2.5	35.9 3.2	39.1 2.8	39.3 2.2	39.9 2.7
		2.1					2.0	2.2	2.7
Leightning® Frequency/Hz	125	250	NRR :	1000	Canada 2000	а в 3150	4000	6300	8000
Mean Attn.	19.3	23.3	28.9	33.2	32.0	36.2	37.3	38.2	38.5
Std. Dev.	2.6	2.4	2.9	2.0	2.2	2.9	2.7	2.9	2.8
Leightning®			NRR :		Canad				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	20.4	25.3	31.2	35.0	33.2	37.7	37.7	38.9	39.4
Std. Dev.	3.4	2.9	2.7	2.2	2.5	3.2	2.2	2.3	2.7
Leightning®	L3N		NRR :	28	Canad	a A (L)			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	22.5	27.8	33.7	37.1	33.7	38.5	38.6	40.8	40.3
Std. Dev.	3.3	2.6	2.9	2.7	2.1	2.7	2.7	2.3	2.6
Leightning®	LoF		NRR :	23	Canad	а В			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	16.8	22.1	25.2	27.2	31.3	36.2	40.3	40.2	42.1
Std. Dev.	2.5	2.1	2.0	2.2	2.3	2.8	2.9	2.1	3.5
Leightning®	L2F/HV		NRR :	27	Canad	a B (L)			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	21.5	26.8	31.8	34.7	32.0	37.7	37.5	38.6	39.9
Std. Dev.	2.9	2.6	2.5	1.9	2.1	2.8	2.5	2.4	2.8
Thunder® T1			NRR :	26	Canad	a A			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	19.1	25.0	30.4	33.5	35.1	35.5	35.6	39.5	39.4
Std. Dev.	2.9	2.3	2.5	2.5	2.7	3.2	3.0	2.3	3.6
Thunder® T2			NRR :		Canad				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	22.3	28.1	34.7	37.2	36.2	36.8	36.8	38.8	38.8
Std. Dev.	2.8	3.3	2.6	2.9	2.5	3.1	2.7	2.7	2.6

Thunder® T3			NRR :	30	Canad	a A (L)			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	24.7	29.8	35.5	38.5	37.9	39.6	39.6	41.9	42.3
Std. Dev.	2.8	2.7	2.8	3.0	2.5	3.1	2.4	2.6	2.4
Thunder® T11	1		NRR :	23	Canad	a A			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	16.9	22.0	28.4	31.6	33.1	33.7	34.7	39.6	38.6
Std. Dev.	3.6	2.9	3.4	2.9	3.1	2.8	3.0	2.7	4.0
Thunder® T2I	1		NRR:	25	Canad	a A (L)			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	20.7	26.9	31.6	34.1	34.9	35.2	36.6	39.4	39.6
Std. Dev.	3.5	3.8	3.7	3.7	3.5	3.3	3.2	2.4	3.5
Thunder® T3I	1		NRR :	27	Canad	a A (L)			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	23.6	27.7	34.1	34.5	32.9	36.4	39.1	40.6	41.4
Std. Dev.	3.3	3.4	3.1	1.8	2.0	2.6	3.0	3.1	2.8
Thunder® T11			NRR:	25	Canad	a A			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	19.6	23.2	29.6	32.6	33.6	34.7	36.3	39.8	38.3
Std. Dev.	3.4	2.1	3.0	2.4	2.8	2.7	2.9	2.2	4.2
Viking® V1			NRR :	25	Canad	а В	Over-	the-Head	d
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	18.4	23.1	28.1	32.1	33.8	37.9	37.0	37.4	37.6
Std. Dev.	3.1	2.2	2.6	2.2	2.5	3.0	2.8	3.0	2.4
			NRR :	24	Canad	а В	Behin	d-the-H	ead
Mean Attn.	18.8	22.5	26.7	31.1	32.2	37.3	37.5	36.4	36.3
Std. Dev.	3.5	2.7	2.4	2.2	2.5	2.8	2.3	2.3	3.7
			NRR:	24	Canad	а В	Unde	r-the-Ch	in
Mean Attn.	18.8	22.8	27.4	32.5	32.0	37.5	36.8	35.5	36.1
				02.0	32.0	37.3			
Std. Dev.	3.6	3.0	2.7	2.1	2.7	3.1	2.7	2.0	2.2
Std. Dev. Viking® V2	3.6			2.1		3.1	2.7	2.0 the-Head	
	3.6 125		2.7	2.1	2.7	3.1	2.7		
Viking® V2 Frequency/Hz Mean Attn.	125 20.4	3.0 250 25.6	2.7 NRR : 500 30.6	2.1 27 1000 34.0	2.7 Canad	3.1 a A (L) 3150 36.7	2.7 Over-	6300 36.3	8000 37.4
Viking® V2 Frequency/Hz	125	3.0 250	2.7 NRR: 500	2.1 27 1000	2.7 Canada 2000	3.1 a A (L) 3150	2.7 Over- 4000	the-Head	d 8000
Viking® V2 Frequency/Hz Mean Attn.	125 20.4	3.0 250 25.6	2.7 NRR : 500 30.6	2.1 27 1000 34.0 1.8	2.7 Canada 2000 35.0	3.1 a A (L) 3150 36.7 2.6	2.7 Over- 4000 36.1 2.0	6300 36.3	8000 37.4 2.7
Viking® V2 Frequency/Hz Mean Attn.	125 20.4	3.0 250 25.6	2.7 NRR 500 30.6 2.6	2.1 27 1000 34.0 1.8	2.7 Canada 2000 35.0 2.2	3.1 a A (L) 3150 36.7 2.6	2.7 Over- 4000 36.1 2.0	6300 36.3 1.9	8000 37.4 2.7
Viking® V2 Frequency/Hz Mean Attn. Std. Dev.	125 20.4 3.5	250 25.6 1.9	2.7 NRR: 500 30.6 2.6 NRR:	2.1 27 1000 34.0 1.8	2.7 Canada 2000 35.0 2.2 Canada	3.1 a A (L) 3150 36.7 2.6	2.7 Over- 4000 36.1 2.0 Behin	6300 36.3 1.9	8000 37.4 2.7
Viking® V2 Frequency/Hz Mean Attn. Std. Dev. Mean Attn.	125 20.4 3.5	250 25.6 1.9	2.7 NRR 500 30.6 2.6 NRR 28.6	2.1 27 1000 34.0 1.8 25 32.5 3.2	2.7 Canada 2000 35.0 2.2 Canada 33.7	3.1 a A (L) 3150 36.7 2.6 a A 36.3 2.6	2.7 Over- 4000 36.1 2.0 Behin 36.8 2.6	6300 36.3 1.9 d-the-He	8000 37.4 2.7 ead 36.6 2.4
Viking® V2 Frequency/Hz Mean Attn. Std. Dev. Mean Attn.	125 20.4 3.5	250 25.6 1.9	2.7 NRR 500 30.6 2.6 NRR 2 28.6 2.8	2.1 27 1000 34.0 1.8 25 32.5 3.2	2.7 Canada 2000 35.0 2.2 Canada 33.7 2.6	3.1 a A (L) 3150 36.7 2.6 a A 36.3 2.6	2.7 Over- 4000 36.1 2.0 Behin 36.8 2.6	6300 36.3 1.9 d-the-He 36.5 2.2	8000 37.4 2.7 ead 36.6 2.4
Viking® V2 Frequency/Hz Mean Attn. Std. Dev. Mean Attn. Std. Dev.	125 20.4 3.5 19.8 2.9	250 25.6 1.9 24.2 2.2	2.7 NRR : 500 30.6 2.6 NRR : 28.6 2.8	2.1 27 1000 34.0 1.8 25 32.5 3.2	2.7 Canada 2000 35.0 2.2 Canada 33.7 2.6 Canada	3.1 a A (L) 3150 36.7 2.6 a A 36.3 2.6 a A	2.7 Over- 4000 36.1 2.0 Behin 36.8 2.6 Unde	6300 36.3 1.9 d-the-He 36.5 2.2	8000 37.4 2.7 ead 36.6 2.4
Viking® V2 Frequency/Hz Mean Attn. Std. Dev. Mean Attn. Std. Dev. Mean Attn.	125 20.4 3.5 19.8 2.9	250 25.6 1.9 24.2 2.2	2.7 NRR : 500 30.6 2.6 NRR : 28.6 2.8 NRR :	2.1 27 1000 34.0 1.8 25 32.5 3.2 25 34.1 2.3	2.7 Canada 2000 35.0 2.2 Canada 33.7 2.6 Canada 34.4	3.1 3150 36.7 2.6 3 A 36.3 2.6 3 A 36.8 3.0	2.7 Over- 4000 36.1 2.0 Behin 36.8 2.6 Unde 37.3 3.4	6300 36.3 1.9 d-the-He 36.5 2.2 r-the-Ch 35.4	8000 37.4 2.7 ead 36.6 2.4 in 36.3
Viking® V2 Frequency/Hz Mean Attn. Std. Dev. Mean Attn. Std. Dev. Mean Attn. Std. Dev.	125 20.4 3.5 19.8 2.9	250 25.6 1.9 24.2 2.2	2.7 NRR 500 30.6 2.6 NRR 28.6 2.8 NRR 28.7 2.9	2.1 27 1000 34.0 1.8 25 32.5 3.2 25 34.1 2.3	2.7 Canada 2000 35.0 2.2 Canada 33.7 2.6 Canada 34.4 2.9	3.1 3150 36.7 2.6 3 A 36.3 2.6 3 A 36.8 3.0	2.7 Over- 4000 36.1 2.0 Behin 36.8 2.6 Unde 37.3 3.4	the-Head 6300 36.3 1.9 d-the-He 36.5 2.2 r-the-Ch 35.4 3.2	8000 37.4 2.7 ead 36.6 2.4 in 36.3
Viking® V2 Frequency/Hz Mean Attn. Std. Dev. Mean Attn. Std. Dev. Mean Attn. Std. Dev. Viking® V3	125 20.4 3.5 19.8 2.9	250 25.6 1.9 24.2 2.2 24.1 2.9	2.7 NRR : 500 30.6 2.6 NRR : 28.6 2.8 NRR : 28.7 2.9	2.1 27 1000 34.0 1.8 25 32.5 3.2 25 34.1 2.3	2.7 Canado 2000 35.0 2.2 Canado 33.7 2.6 Canado 34.4 2.9	3.1 3.150 36.7 2.6 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0	2.7 Over- 4000 36.1 2.0 Behin 36.8 2.6 Unde 37.3 3.4 Over-	the-Head 6300 36.3 1.9 d-the-He 36.5 2.2 r-the-Ch 35.4 3.2 the-Head	8000 37.4 2.7 ead 36.6 2.4 in 36.3 3.4
Viking® V2 Frequency/Hz Mean Attn. Std. Dev. Mean Attn. Std. Dev. Mean Attn. Std. Dev. Viking® V3 Frequency/Hz	125 20.4 3.5 19.8 2.9 19.8 3.1	250 25.6 1.9 24.2 2.2 24.1 2.9	2.7 NRR 500 30.6 2.6 NRR 28.6 2.8 NRR 28.7 2.9 NRR 500	2.1 27 1000 34.0 1.8 25 32.5 3.2 25 34.1 2.3 29	2.7 Canada 2000 35.0 2.2 Canada 33.7 2.6 Canada 34.4 2.9 Canada 2000 36.0 2.5	3.1 3 A (L) 3150 36.7 2.6 a A 36.3 2.6 a A 36.8 3.0 a A (L) 3150 38.6 3.2	2.7 Over- 4000 36.1 2.0 Behin 36.8 2.6 Unde 37.3 3.4 Over- 4000 39.6 2.8	the-Head 6300 36.3 1.9 d-the-Head 36.5 2.2 r-the-Ch 35.4 3.2 the-Head 6300 39.3 2.3	8000 37.4 2.7 ead 36.6 2.4 in 36.3 3.4 d
Viking® V2 Frequency/Hz Mean Attn. Std. Dev. Mean Attn. Std. Dev. Mean Attn. Std. Dev. Viking® V3 Frequency/Hz Mean Attn.	125 20.4 3.5 19.8 2.9 19.8 3.1	250 25.6 1.9 24.2 2.2 24.1 2.9 250 28.7	2.7 NRR : 500 30.6 2.6 NRR : 28.6 2.8 NRR : 28.7 2.9 NRR : 500	2.1 27 1000 34.0 1.8 25 32.5 3.2 25 34.1 2.3 29 1000 36.7 2.0	2.7 Canada 2000 35.0 2.2 Canada 33.7 2.6 Canada 34.4 2.9 Canada 2000 36.0	3.1 3 A (L) 3150 36.7 2.6 a A 36.3 2.6 a A 36.8 3.0 a A (L) 3150 38.6 3.2	2.7 Over- 4000 36.1 2.0 Behin 36.8 2.6 Unde 37.3 3.4 Over- 4000 39.6 2.8	the-Head 6300 36.3 1.9 d-the-He 36.5 2.2 r-the-Ch 35.4 3.2 the-Head 6300 39.3	8000 37.4 2.7 ead 36.6 2.4 in 36.3 3.4 d
Viking® V2 Frequency/Hz Mean Attn. Std. Dev. Mean Attn. Std. Dev. Mean Attn. Std. Dev. Viking® V3 Frequency/Hz Mean Attn.	125 20.4 3.5 19.8 2.9 19.8 3.1	250 25.6 1.9 24.2 2.2 24.1 2.9 250 28.7	2.7 NRR 500 30.6 2.6 NRR 28.6 2.8 NRR 28.7 2.9 NRR 500 32.9 2.4	2.1 27 1000 34.0 1.8 25 32.5 3.2 25 34.1 2.3 29 1000 36.7 2.0	2.7 Canada 2000 35.0 2.2 Canada 33.7 2.6 Canada 34.4 2.9 Canada 2000 36.0 2.5	3.1 3 A (L) 3150 36.7 2.6 a A 36.3 2.6 a A 36.8 3.0 a A (L) 3150 38.6 3.2	2.7 Over- 4000 36.1 2.0 Behin 36.8 2.6 Unde 37.3 3.4 Over- 4000 39.6 2.8	the-Head 6300 36.3 1.9 d-the-Head 36.5 2.2 r-the-Ch 35.4 3.2 the-Head 6300 39.3 2.3	8000 37.4 2.7 ead 36.6 2.4 in 36.3 3.4 d
Viking® V2 Frequency/Hz Mean Attn. Std. Dev. Mean Attn. Std. Dev. Mean Attn. Std. Dev. Viking® V3 Frequency/Hz Mean Attn. Std. Dev.	125 20.4 3.5 19.8 2.9 19.8 3.1 125 23.8 2.5	250 25.6 1.9 24.2 2.2 24.1 2.9 250 28.7 2.3	2.7 NRR 500 30.6 2.6 NRR 28.6 2.8 NRR 28.7 2.9 NRR 500 32.9 2.4 NRR	2.1 27 1000 34.0 1.8 25 32.5 3.2 25 34.1 2.3 29 1000 36.7 2.0	2.7 Canada 2000 35.0 2.2 Canada 33.7 2.6 Canada 34.4 2.9 Canada 2000 36.0 2.5 Canada	3.1 3.1 3.150 36.7 2.6 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0	2.7 Over- 4000 36.1 2.0 Behin 36.8 2.6 Unde 37.3 3.4 Over- 4000 39.6 2.8 Behin	the-Head 6300 36.3 1.9 d-the-He 36.5 2.2 r-the-Ch 35.4 3.2 the-Head 6300 39.3 2.3 d-the-He	8000 37.4 2.7 ead 36.6 2.4 in 36.3 3.4 d 8000 40.4 2.8 ead
Viking® V2 Frequency/Hz Mean Attn. Std. Dev. Mean Attn. Std. Dev. Mean Attn. Std. Dev. Viking® V3 Frequency/Hz Mean Attn. Std. Dev. Mean Attn.	125 20.4 3.5 19.8 2.9 19.8 3.1 125 23.8 2.5	250 25.6 1.9 24.2 2.2 24.1 2.9 250 28.7 2.3	2.7 NRR 500 30.6 2.6 NRR 28.6 2.8 NRR 28.7 2.9 NRR 500 32.9 2.4 NRR 31.1	2.1 27 1000 34.0 1.8 25 32.5 3.2 25 34.1 2.3 29 1000 36.7 2.0 27 36.6 2.0	2.7 Canada 2000 35.0 2.2 Canada 33.7 2.6 Canada 34.4 2.9 Canada 2000 36.0 2.5 Canada 34.4	3.1 a A (L) 3150 36.7 2.6 a A 36.3 2.6 a A 36.8 3.0 a A (L) 3150 38.6 3.2 a A (L) 36.8 3.4	2.7 Over- 4000 36.1 2.0 Behin 36.8 2.6 Unde 37.3 3.4 Over- 4000 39.6 2.8 Behin 38.7 1.8	the-Head 6300 36.3 1.9 d-the-He 36.5 2.2 r-the-Ch 35.4 3.2 the-Head 6300 39.3 2.3 d-the-He 38.8	8000 37.4 2.7 ead 36.6 2.4 in 36.3 3.4 d 8000 40.4 2.8 ead 38.8 2.9
Viking® V2 Frequency/Hz Mean Attn. Std. Dev. Mean Attn. Std. Dev. Mean Attn. Std. Dev. Viking® V3 Frequency/Hz Mean Attn. Std. Dev. Mean Attn.	125 20.4 3.5 19.8 2.9 19.8 3.1 125 23.8 2.5	250 25.6 1.9 24.2 2.2 24.1 2.9 250 28.7 2.3	2.7 NRR 500 30.6 2.6 NRR 28.6 2.8 NRR 29.7 2.9 NRR 500 32.9 2.4 NRR 31.1 3.1	2.1 27 1000 34.0 1.8 25 32.5 3.2 25 34.1 2.3 29 1000 36.7 2.0 27 36.6 2.0	2.7 Canada 2000 35.0 2.2 Canada 33.7 2.6 Canada 34.4 2.9 Canada 2000 36.0 2.5 Canada 34.4 2.3	3.1 a A (L) 3150 36.7 2.6 a A 36.3 2.6 a A 36.8 3.0 a A (L) 3150 38.6 3.2 a A (L) 36.8 3.4	2.7 Over- 4000 36.1 2.0 Behin 36.8 2.6 Unde 37.3 3.4 Over- 4000 39.6 2.8 Behin 38.7 1.8	the-Heat 6300 36.3 1.9 d-the-He 36.5 2.2 r-the-Ch 35.4 3.2 the-Heat 6300 39.3 2.3 d-the-He 38.8 2.0	8000 37.4 2.7 ead 36.6 2.4 in 36.3 3.4 d 8000 40.4 2.8 ead 38.8 2.9
Viking® V2 Frequency/Hz Mean Attn. Std. Dev. Mean Attn. Std. Dev. Mean Attn. Std. Dev. Viking® V3 Frequency/Hz Mean Attn. Std. Dev. Mean Attn. Std. Dev.	125 20.4 3.5 19.8 2.9 19.8 3.1 125 23.8 2.5	250 25.6 1.9 24.2 2.2 24.1 2.9 250 28.7 2.3 26.5 2.7	2.7 NRR 500 30.6 2.6 NRR 28.6 2.8 NRR 29.7 2.9 NRR 500 32.9 2.4 NRR 31.1 3.1	2.1 27 1000 34.0 1.8 25 32.5 3.2 25 34.1 2.3 29 1000 36.7 2.0 27	2.7 Canada 2000 35.0 2.2 Canada 33.7 2.6 Canada 34.4 2.9 Canada 2000 36.0 2.5 Canada 34.4 2.3 Canada	3.1 a A (L) 3150 36.7 2.6 a A 36.3 2.6 a A 36.8 3.0 a A (L) 3150 38.6 3.2 a A (L) 36.8 3.4 a A (L)	2.7 Over- 4000 36.1 2.0 Behin 36.8 2.6 Unde 37.3 3.4 Over- 4000 39.6 2.8 Behin 38.7 1.8	the-Head 6300 36.3 1.9 d-the-He 36.5 2.2 r-the-Ch 35.4 3.2 the-Head 6300 39.3 2.3 d-the-He 38.8 2.0	8000 37.4 2.7 2.6 2.4 iin 36.6 3.4 d 8000 40.4 2.8 ead 38.8 2.9
Viking® V2 Frequency/Hz Mean Attn. Std. Dev. Mean Attn. Std. Dev. Mean Attn. Std. Dev. Viking® V3 Frequency/Hz Mean Attn. Std. Dev. Mean Attn. Std. Dev. Mean Attn.	125 20.4 3.5 19.8 2.9 19.8 3.1 125 23.8 2.5 20.9 4.2	250 25.6 1.9 24.2 2.2 24.1 2.9 250 28.7 2.3 26.5 2.7	2.7 NRR 500 30.6 2.6 NRR 28.6 2.8 NRR 28.7 2.9 NRR 500 32.9 2.4 NRR 31.1 3.1	2.1 27 1000 34.0 1.8 25 32.5 3.2 25 34.1 2.3 29 1000 36.7 2.0 27 36.6 2.0 27 36.7 2.1	2.7 Canada 2000 35.0 2.2 Canada 33.7 2.6 Canada 2.9 Canada 2000 36.0 2.5 Canada 34.4 2.3 Canada 35.2	3.1 a A (L) 3150 36.7 2.6 a A 36.3 2.6 a A 36.8 3.0 a A (L) 3150 38.6 3.2 a A (L) 36.8 3.4 a A (L) 36.8 3.4	2.7 Over- 4000 36.1 2.0 Behin 36.8 2.6 Unde 37.3 3.4 Over- 4000 39.6 2.8 Behin 38.7 1.8 Under- 39.0 2.8	the-Head 6300 36.3 1.9 d-the-He 36.5 2.2 r-the-Ch 35.4 3.2 the-Head 6300 39.3 2.3 d-the-He 38.8 2.0 -the-Chii 38.9	8000 37.4 2.7 ead 36.6 2.4 iin 36.3 3.4 d d 8000 40.4 2.8 ead 38.8 2.9
Viking® V2 Frequency/Hz Mean Attn. Std. Dev. Mean Attn. Std. Dev. Mean Attn. Std. Dev. Viking® V3 Frequency/Hz Mean Attn. Std. Dev. Mean Attn. Std. Dev. Mean Attn. Std. Dev. Mean Attn. Mean Attn. Std. Dev. Mean Attn. Mean Attn. Mean Attn.	125 20.4 3.5 19.8 2.9 19.8 3.1 125 23.8 2.5 20.9 4.2	250 25.6 1.9 24.2 2.2 24.1 2.9 250 28.7 2.3 26.5 2.7	2.7 NRR 500 30.6 2.6 NRR 28.6 2.8 NRR 28.7 2.9 NRR 500 32.9 2.4 NRR 31.1 3.1 NRR 31.8 3.2	2.1 27 1000 34.0 1.8 25 32.5 3.2 25 34.1 2.3 29 1000 36.7 2.0 27 36.6 2.0 27 36.7 2.1	2.7 Canada 2000 35.0 2.2 Canada 33.7 2.6 Canada 2.9 Canada 2000 36.0 2.5 Canada 34.4 2.3 Canada 35.2 2.7	3.1 a A (L) 3150 36.7 2.6 a A 36.3 2.6 a A 36.8 3.0 a A (L) 3150 38.6 3.2 a A (L) 36.8 3.4 a A (L) 36.8 3.4	2.7 Over- 4000 36.1 2.0 Behin 36.8 2.6 Unde 37.3 3.4 Over- 4000 39.6 2.8 Behin 38.7 1.8 Under- 39.0 2.8	the-Head 6300 36.3 1.9 d-the-He 36.5 2.2 r-the-Ch 35.4 3.2 the-Head 6300 39.3 2.3 d-the-He 38.8 2.0 -the-Chin 38.9 2.7	8000 37.4 2.7 ead 36.6 2.4 iin 36.3 3.4 d d 8000 40.4 2.8 ead 38.8 2.9
Viking® V2 Frequency/Hz Mean Attn. Std. Dev. Mean Attn. Std. Dev. Mean Attn. Std. Dev. Viking® V3 Frequency/Hz Mean Attn. Std. Dev. Mean Attn. Std. Dev. Mean Attn. Std. Dev.	125 20.4 3.5 19.8 2.9 19.8 3.1 125 23.8 2.5 20.9 4.2	250 25.6 1.9 24.2 2.2 24.1 2.9 250 28.7 2.3 26.5 2.7	2.7 NRR 500 30.6 2.6 NRR 28.6 2.8 NRR 28.7 2.9 NRR 500 32.9 2.4 NRR 31.1 3.1 NRR 31.8 3.2	2.1 27 1000 34.0 1.8 25 32.5 3.2 25 34.1 2.3 29 1000 36.7 2.0 27 36.6 2.0 27 36.7 2.1	2.7 Canada 2000 35.0 2.2 Canada 33.7 2.6 Canada 34.4 2.9 Canada 2000 36.0 2.5 Canada 34.4 2.3 Canada 35.2 2.7 Canada	3.1 a A (L) 3150 36.7 2.6 a A 36.3 2.6 a A 36.8 3.0 a A (L) 3150 38.6 3.2 a A (L) 36.8 3.4 a A (L) 36.8 3.4 a A (L) 38.1 3.1 a B	2.7 Over- 4000 36.1 2.0 Behin 36.8 2.6 Unde 37.3 3.4 Over- 4000 39.6 2.8 Behin 38.7 1.8 Under 39.0 2.8 Over-	the-Head 6300 36.3 1.9 d-the-Head 36.5 2.2 r-the-Ch 35.4 3.2 the-Head 6300 39.3 2.3 d-the-Head 38.8 2.0 -the-Chin 38.9 2.7 the-Head	8000 37.4 2.7 ead 36.6 2.4 iii 36.3 3.4 d 8000 40.4 2.8 ead 38.8 2.9 iii 38.1 2.6
Viking® V2 Frequency/Hz Mean Attn. Std. Dev. Mean Attn. Std. Dev. Mean Attn. Std. Dev. Viking® V3 Frequency/Hz Mean Attn. Std. Dev. Mean Attn. Std. Dev. Mean Attn. Std. Dev. Mean Attn. Frequency/Hz Frequency/Hz	125 20.4 3.5 19.8 2.9 19.8 3.1 125 23.8 2.5 20.9 4.2	250 25.6 1.9 24.2 2.2 24.1 2.9 250 28.7 2.3 26.5 2.7	2.7 NRR 500 30.6 2.6 NRR 28.6 2.8 NRR 28.7 2.9 NRR 500 32.9 2.4 NRR 31.1 3.1 NRR 31.8 3.2 NRR	2.1 27 1000 34.0 1.8 25 32.5 3.2 25 34.1 2.3 29 1000 36.7 2.0 27 36.6 2.0 27 36.7 2.1 18	2.7 Canada 2000 35.0 2.2 Canada 33.7 2.6 Canada 2.9 Canada 2.9 Canada 2.5 Canada 34.4 2.9 Canada 35.0 2.5 Canada 34.4 2.3 Canada 35.2 2.7 Canada 2000	3.1 a A (L) 3150 36.7 2.6 a A 36.3 2.6 a A 36.8 3.0 a A (L) 3150 38.6 3.2 a A (L) 36.8 3.4 a A (L) 36.8 3.4 a A (L) 37.8 a A (L) 38.8 a A (L)	2.7 Over- 4000 36.1 2.0 Behin 36.8 2.6 Unde 37.3 3.4 Over- 4000 39.6 2.8 Behin 38.7 1.8 Under- 39.0 2.8 Over- 4000	the-Head 6300 36.3 1.9 d-the-He 36.5 2.2 r-the-Ch 35.4 3.2 the-Head 6300 39.3 2.3 d-the-He 38.8 2.0 -the-Chi 38.9 2.7 the-Head 6300	8000 37.4 2.7 ead 36.6 2.4 8000 40.4 2.8 ead 38.8 2.9 n 38.1 2.6 d
Viking® V2 Frequency/Hz Mean Attn. Std. Dev. Mean Attn. Std. Dev. Mean Attn. Std. Dev. Viking® V3 Frequency/Hz Mean Attn. Std. Dev. Mean Attn. Std. Dev. Mean Attn. Std. Dev. Mean Attn. Frequency/Hz Mean Attn. Std. Dev. Mean Attn. Std. Dev. Mean Attn. Std. Dev. Mean Attn.	125 20.4 3.5 19.8 2.9 19.8 3.1 125 23.8 2.5 20.9 4.2 22.2 2.9	250 25.6 1.9 24.2 22.2 24.1 2.9 250 28.7 2.3 26.5 2.7 26.3 3.2 250 14.5	2.7 NRR 500 30.6 2.6 NRR 28.6 2.8 NRR 28.7 2.9 NRR 31.9 31.1 NRR 31.8 3.2 NRR 500 23.2	2.1 27 1000 34.0 1.8 25 32.5 3.2 25 34.1 2.3 29 1000 36.7 2.0 27 36.6 2.0 27 36.7 2.1 18 1000 29.6 3.2	2.7 Canada 2000 35.0 2.2 Canada 33.7 2.6 Canada 34.4 2.9 Canada 2000 36.0 2.3 Canada 34.4 2.3 Canada 35.2 2.7 Canada 2000 30.7	3.1 a A (L) 3150 36.7 2.6 a A 36.8 3.0 a A (L) 3150 38.6 3.2 a A (L) 3150 38.6 3.2 a A (L) 3150 38.6 3.1 a B 3150 31.5 3.0	2.7 Over- 4000 36.1 2.0 Behin 36.8 2.6 Unde 37.3 3.4 Over- 4000 39.6 2.8 Behin 38.7 1.8 Under 39.0 2.8 Over- 4000 31.7	the-Head 6300 36.3 1.9 d-the-Head 36.5 2.2 r-the-Ch 35.4 3.2 the-Head 6300 39.3 2.3 d-the-He 38.8 2.0 -the-Chi 38.9 2.7 the-Head 6300 31.5	8000 37.4 2.7 ead 36.6 2.4 8000 40.4 2.8 ead 38.8 2.9 n 38.1 2.6 d 8000 31.9
Viking® V2 Frequency/Hz Mean Attn. Std. Dev. Mean Attn. Std. Dev. Mean Attn. Std. Dev. Viking® V3 Frequency/Hz Mean Attn. Std. Dev. Mach"1 Frequency/Hz Mean Attn. Std. Dev. QM24+®	125 20.4 3.5 19.8 2.9 19.8 3.1 125 23.8 2.5 20.9 4.2 22.2 2.9	250 25.6 1.9 24.2 22.2 24.1 2.9 250 28.7 2.3 26.5 2.7 26.3 3.2 250 14.5	2.7 NRR 500 30.6 2.6 NRR 28.6 2.8 NRR 28.7 2.9 NRR 31.9 32.9 32.9 NRR 31.1 NRR 31.8 3.2 NRR 500 23.2 2.8	2.1 27 1000 34.0 1.8 25 32.5 3.2 25 34.1 2.3 29 1000 36.7 2.0 27 36.6 2.0 27 36.7 2.1 18 1000 29.6 3.2	2.7 Canada 2000 35.0 2.2 Canada 33.7 2.6 Canada 34.4 2.9 Canada 2000 36.0 2.5 Canada 34.4 2.3 Canada 35.2 2.7 Canada 2000 30.7 3.0	3.1 a A (L) 3150 36.7 2.6 a A 36.8 3.0 a A (L) 3150 38.6 3.2 a A (L) 3150 38.6 3.2 a A (L) 3150 38.6 3.1 a B 3150 31.5 3.0	2.7 Over- 4000 36.1 2.0 Behin 36.8 2.6 Unde 37.3 3.4 Over- 4000 39.6 2.8 Behin 38.7 1.8 Under 39.0 2.8 Over- 4000 31.7 2.9	the-Head 6300 36.3 1.9 d-the-Head 36.5 2.2 r-the-Ch 35.4 3.2 the-Head 6300 39.3 2.3 d-the-He 38.8 2.0 -the-Chi 38.9 2.7 the-Head 6300 31.5	8000 37.4 2.7 ead 36.6 2.4 8000 40.4 2.8 ead 38.8 2.9 n 38.1 2.6 d 8000 31.9
Viking® V2 Frequency/Hz Mean Attn. Std. Dev. Mean Attn. Std. Dev. Mean Attn. Std. Dev. Viking® V3 Frequency/Hz Mean Attn. Std. Dev.	125 20.4 3.5 19.8 2.9 19.8 3.1 125 23.8 2.5 20.9 4.2 22.2 2.9	250 25.6 1.9 24.2 22.2 24.1 2.9 250 28.7 2.3 26.5 2.7 26.3 3.2 250 14.5 2.6	2.7 NRR 500 30.6 2.6 NRR 28.6 2.8 NRR 28.7 2.9 NRR 31.1 NRR 31.8 3.2 NRR 500 23.2 2.8 NRR	2.1 27 1000 34.0 1.8 25 32.5 3.2 25 34.1 2.3 29 1000 36.7 2.0 27 36.6 2.0 27 36.7 2.1 18 1000 29.6 3.2	2.7 Canada 2000 35.0 2.2 Canada 33.7 2.6 Canada 2.9 Canada 2000 36.0 2.5 Canada 34.4 2.3 Canada 35.2 2.7 Canada 2000 30.7 3.0 Canada	3.1 a A (L) 3150 36.7 2.6 a A 36.8 3.0 a A (L) 3150 38.6 3.2 a A (L) 3150 38.6 3.2 a A (L) 3150 38.6 3.1 a B 3150 31.5 3.0	2.7 Over- 4000 36.1 2.0 Behin 36.8 2.6 Unde 37.3 3.4 Over- 4000 39.6 2.8 Behin 38.7 1.8 Under 39.0 2.8 Over- 4000 31.7	the-Head 6300 36.3 1.9 d-the-Head 36.5 2.2 r-the-Ch 35.4 3.2 the-Head 6300 39.3 2.3 d-the-He 38.8 2.0 -the-Chin 38.9 2.7 the-Head 6300 31.5 3.2	8000 37.4 2.7 ead 36.6 2.4 8000 40.4 2.8 ead 38.8 2.9 n 38.1 2.6 d 8000 31.9 2.8
Viking® V2 Frequency/Hz Mean Attn. Std. Dev. Mean Attn. Std. Dev. Mean Attn. Std. Dev. Viking® V3 Frequency/Hz Mean Attn. Std. Dev. Mach"1 Frequency/Hz Mean Attn. Std. Dev. QM24+® Frequency/Hz	125 20.4 3.5 19.8 2.9 19.8 3.1 125 23.8 2.5 20.9 4.2 22.2 2.9 9.3 3.2	250 25.6 1.9 24.2 2.2 24.1 2.9 250 28.7 2.3 26.5 2.7 26.3 3.2 250 250	2.7 NRR 500 30.6 2.6 NRR 28.6 2.8 NRR 28.7 2.9 NRR 500 32.9 2.4 NRR 31.1 NRR 31.1 NRR 500 23.2 NRR 500 23.2	2.1 27 1000 34.0 1.8 25 32.5 3.2 25 34.1 2.3 29 1000 36.7 2.0 27 36.6 2.0 27 36.7 2.1 18 1000 29.6 3.2 25 1000	2.7 Canada 2000 35.0 2.2 Canada 33.7 2.6 Canada 34.4 2.9 Canada 36.0 2.5 Canada 35.2 2.7 Canada 2000 30.7 3.0 Canada 2000	3.1 a A (L) 3150 36.7 2.6 a A 36.3 2.6 a A 36.8 3.0 a A (L) 3150 38.6 3.2 a A (L) 3150 38.6 3.1 a A (L) 36.8 3.1 a B 3150 31.5 3.0 a B 3150	2.7 Over- 4000 36.1 2.0 Behin 36.8 2.6 Unde 37.3 3.4 Over- 4000 39.6 2.8 Behin 38.7 1.8 Under 39.0 2.8 Over- 4000 31.7 2.9	the-Head 6300 36.3 1.9 d-the-Head 36.5 2.2 r-the-Ch 35.4 3.2 the-Head 6300 39.3 2.3 d-the-He 38.8 2.0 -the-Chin 38.9 2.7 the-Head 6300 31.5 3.2	d 8000 37.4 2.7 ead 36.6 2.4 iin 36.3 3.4 d 8000 40.4 2.8 ead 38.8 2.9 1.0 38.1 2.6 d 8000 31.9 2.8

Std. Dev.

2.7

1.9 1.9

2.0

3.8

3.0

3.9



FALL PROTECTION



HEARING PROTECTION

Reference: Earmuff Attenuation Chart

NRR testing in accordance with ANSI S.3.19-1974

Sound M	lana	gem	ent E	arm	uffs				
Clarity® C1			NRR :	20	Canada	а В			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	16.6	23.9	28.7	23.2	28.4	33.7	33.2	33.9	37.1
Std. Dev.	1.9	3.0	2.5	1.9	3.5	2.8	3.0	2.5	3.2
Clarity® C2			NDD :	22	Canad	. P	Over	the Hea	
			NRR :		Canada			the-Head	
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	18.2	25.1	29.0	29.7	29.4	30.7	30.6	30.7	31.9
Std. Dev.	2.7	3.0	2.6	2.1	2.0	2.5	2.2	2.7	2.2
			NRR :	22	Canada	а В	Behin	id-the-He	ead
Mean Attn.	17.1	25.2	30.0	28.3	29.3	31.1	30.7	30.3	31.3
Std. Dev.	2.9	3.0	2.4	2.2	2.3	2.7	2.6	3.0	2.7
			NRR :	22	Canada	a R	Undo	r-the-Chi	n
Mean Attn.	18.6	25.0	30.1	28.8	28.6	31.0	30.8	30.4	31.3
Std. Dev.	2.4		2.9			2.5			
Sta. Dev.	2.4	2.6	2.9	2.1	2.7	2.5	3.2	2.4	2.0
Clarity® C3			NRR :	27	Canada	a B (L)			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	26.5	31.2	36.0	31.7	31.4	33.6	36.4	37.3	37.6
Std. Dev.	3.1	3.2	2.1	1.7	2.2	2.0	1.6	2.7	2.6
Clarity® C1H			NRR :	20	Canada	а В			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	19.2	22.6	27.0	22.0	28.1	33.7	32.2	33.6	35.0
Std. Dev.	2.9	2.8	2.5	1.7	2.2	3.2	3.0	2.5	2.3
Clarity® C3H			NRR :	25	Canada	a B (I.)			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	26.5	30.0	34.0	29.8	29.4	33.6	37.4	36.6	38.1
Std. Dev.	2.7	3.0	2.9	1.9	2.1	2.7	2.9	2.7	2.2
		5.0					2.17	217	
Clarity® C1F			NRR :		Canada				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	19.5	23.3	27.8	24.2	27.6	32.0	32.9	31.5	30.1
Std. Dev.	4.0	2.8	2.9	2.2	2.7	2.9	2.9	3.2	3.4
Impact®			NRR :	23	Canada	а В			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	13.6	19.3	29.4	30.1	32.4	37.3	40.8	43.9	45.6
Std. Dev.	2.4	2.3	1.9	2.1	2.8	2.6	2.4	2.7	2.2
Impact® H			NRR :	21	Canada	a B			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	14.2	19.2	29.7	26.9	28.8	35.4	41.0	43.8	44.9
Std. Dev.	3.5	2.9	2.1	3.1	2.3	2.5	2.3	2.4	2.3
		2,					2.3	2.7	2.3
Impact® Spo			NRR :		Canada				
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	18.1	21.4	23.5	27.5	27.1	35.3	36.8	29.6	39.2

Radio Ea	ırmu	ffs							
Radio			NRR :	23	Canada	а В			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	13.6	19.3	29.4	30.1	32.4	37.3	40.8	43.9	45.6
Std. Dev.	2.4	2.3	1.9	2.1	2.8	2.6	2.4	2.7	2.2
Radio HV	NRR :	25	Canada	a B (L)					
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	20.6	26.0	29.8	31.0	31.7	36.6	40.4	42.3	42.0
Std. Dev.	2.6	2.5	2.9	2.3	2.5	1.8	3.5	3.3	4.1
Electo®			NRR :	23	Canada	а В			
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	13.6	19.3	29.4	30.1	32.4	37.3	40.8	43.9	45.6
Std. Dev.	2.4	2.3	1.9	2.1	2.8	2.6	2.4	2.7	2.2
Electo® H	NRR :	21	Canad	Canada B					
Frequency/Hz	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attn.	14.2	19.2	29.7	26.9	28.8	35.4	41.0	43.8	44.9
Std. Dev.	3.5	2.9	2.1	3.1	2.3	2.5	2.3	2.4	2.3

HEARING PROTECTION



Reference: Earplug Fitting Instructions

Roll-Down Foam

With clean hands, roll the entire earplug into the narrowest possible crease-free cylinder.



Reach over your head with a free hand, pull your ear up and back, and insert the earplug well inside your ear canal.



Hold for 30-40 seconds, until the earplug fully expands in your ear canal. If properly fitted, the end of the earplugs should not be visible to someone looking at you from the front.

Earplug Care and Maintenance

- Inspect earplugs prior to wear for dirt, damage or hardness
 discard immediately if compromised
- For proper hygiene, discard
 Single-Use earplugs after use
- With proper maintenance, Multiple-Use earplugs can last for 2-4 weeks; clean with mild soap/water and store in a case when not in use
- Clean and replace pods on Banded earplugs regularly

Multiple-Use



While holding the stem, reach a hand over your head and gently pull top of your ear up and back.



Insert the earplug so all flanges are well inside your ear canal.



If properly fitted, the tip of the earplug stem may be visible to someone looking at you from the front.

Banded



Position the band under your chin as shown above. Use your hands to press the ear pods well into the ear canal using an inward motion.



Protection levels are improved by pulling your ear up and back when fitting as shown.



In a noisy environment, lightly press the band inward with your fingertips as shown. You should not notice a significant difference in noise level.

Do's And Don'ts - Earplug Fitting



Proper Fit
If either or both earplugs do not
seem to be fitted properly, remove
the earplug and reinsert.



Removal
Gently twist the earplug while slowly pulling in an outward motion for removal.



Acoustical Check
In a noisy environment, with earplugs
inserted, cup your hands over your ears
and release. Earplugs should block
enough noise so that covering your
ears with your hands should not result
in a significant noise difference.



HEARING PROTECTION

Reference: Earmuff Fitting Instructions

Headband



Place earcups over each ear.



Adjust the headband by sliding the headband up or down.

Earmuffs Care and Maintenance

- Regularly inspect earcups and ear cushions for cracks and leaks – discard if earcups are visibly damaged or compromised
- Clean earcups and ear cushions regularly with mild soap and water
- Replace ear cushions and foam inserts every 6-8 months under normal wear, every 3-4 months with heavy use or in humid/extreme climates

Cap-Mounted



Attach adapters to each side of the hard hat by sliding them into the slots.



Attach each earmuff into its adapter by sliding the earmuff housing down into the adapter.



Place the hard hat on the head and adjust the earmuffs by sliding the cups up and down.



Ensure that the earmuff is firmly attached by lifting the arm up and down.

Multi-Position



Place the earcups over each ear.



Adjust the headband by sliding the headband up and down.



Multiple-Position earmuffs can be worn either over-the-head, behind-the-head or under-the-chin.



When the earmuff is worn with the headband behind-the-head or under-the-chin, the headband strap must be attached to the slot in the upper part of the earcup as shown.

Do's And Don'ts - Earmuff Fitting



Firm Seal
Do seal the cushions firmly against the head.



Avoid ObstructionsDo not allow hair to obstruct the ear or the earmuff's secure fit in any way.



Cover the Ear Completely
The earcups should never fit crooked
or askew over the ear.

FULL LINE SKU LISTING



Howard Leight® Hearing Protection

Single-Use Earplugs

Max®				
Item #	Cording	Packaging	NRR	Canada Class
MAX-1	Uncorded	Polybag	33	A (L)
MAX-5	Uncorded	5PR Resealable Bag	33	A (L)
MAX-LS4	Uncorded	Bulk Refill Bag for	33	A (L)
		Leight Source 400		
MAX-1-D	Uncorded	Bulk Refill Box for	33	A (L)
		Leight Source 500		
MAX-30	Corded	Polybag	33	A (L)
MAX-30-PB	Corded	Paper Bag	33	A (L)
MAX1-USA	Max USA Uncorded	Polybag	33	A (L)
MAX-1-D-USA	Max USA Uncorded	Bulk Refill Box for	33	A (L)
		Leight Source 500		
MAX30-USA	Max USA Corded	Polybag	33	A (L)

Max Lite®

Item #	Cording	Packaging	NRR	Canada Class
LPF-1	Uncorded	Polybag	30	A (L)
LPF-1-PB	Uncorded	Paper Bag	30	A (L)
LPF-LS4	Uncorded	Bulk Refill Bag for	30	A (L)
		Leight Source 400		
LPF-1-D	Uncorded	Bulk Refill Box for	30	A (L)
		Leight Source 500		
LPF-30	Corded	Polybag	30	A (L)
LPF-30-PB	Corded	Polybag	30	A (L)
LPF-30-P	Cotton Cord	Paper Bag	30	A (L)

Laser Lite®

Item #	Cording	Packaging	NRR	Canada Class
LL-1	Uncorded	Polybag	32	A (L)
LL-1-PB	Uncorded	Paper Bag	32	A (L)
LL-LS4	Uncorded	Bulk Refill Bag for Leight Source 400	32	A (L)
LL-1-D	Uncorded	Bulk Refill Box for Leight Source 500	32	A (L)
LL-30	Corded	Polybag	32	A (L)
LL-30-PB	Corded	Paper Bag	32	A (L)

Multi Max®

item #	Cording	rackagilig	INIVIN	Callada Class
MM-1	Uncorded	Polybag	31	A (L)
MM-1-PB	Uncorded	Paper Bag	31	A (L)
MM-LS4	Uncorded	Bulk Refill Bag for	31	A (L)
		Leight Source 400		
MM-1-D	Uncorded	Bulk Refill Box for	31	A (L)
		Leight Source 500		

Matrix™

Item #	Cording	Packaging	NRR	Canada Class
MTX-1-0R	Orange/Uncorded	Polybag	29	A (L)
MTX-1-GR	Green/Uncorded	Polybag	27	A (L)
MTX-1-BU	Blue/Uncorded	Polybag	23	A (L)
MTX-30-0R	Orange/Corded	Polybag	29	A (L)
MTX-30-GR	Green/Corded	Polybag	27	A (L)
MTX-30-BU	Blue/Corded	Polybag	23	A (L)

MTX-OR-LS4	Orange/Corded	Bulk Refill Bag for Leight Source 400	29	A (L)
MTX-GR-LS4	Green/Corded	Bulk Refill Bag for Leight Source 400	27	A (L)
MTX-BU-LS4	Blue/Corded	Bulk Refill Bag for Leight Source 400	23	A (L)
MTX-1-OR-D	Orange/Corded	Bulk Refill Box for Leight Source 500	29	A (L)
MTX-1-GR-D	Green/Corded	Bulk Refill Box for Leight Source 500	27	A (L)
MTX-1-BU-D	Blue/Corded	Bulk Refill Box for Leight Source 500	23	A (L)

Multiple-Use Earplugs

SmartFit®	Cording	Packaging	NRR	Canada Clas
SMF-30	Detachable Cord	HearPack	25	A (L)
SMF-30W-P	Attached Cotton Cord	Paper Bag	25	A (L)
31411 3000 1	Attached Cotton Cord	raper bag	23	A (L)
Fusion®				
Item #	Cording	Packaging	NRR	Canada Clas
FUS30-HP	Regular/Corded	HearPack	27	A (L)
FUS30S-HP	Small/Corded	HearPack	27	A (L)
Clarity®				
Item #	Cording	Packaging	NRR	Canada Cla
1005329	Regular/Corded	Reusable Case	21	A (L)
1005328	Small/Corded	Reusable Case	21	A (L)
AirSoft®				
Item #	Cording	Packaging	NRR	Canada Cla
DPAS-1	Uncorded	Polybag	27	A (L)
DPAS-30R	Red Polycord	Polybag	27	A (L)
DPAS-30W	White Nylon Cord	Polybag	27	A (L)
AS-1	Uncorded	Reusable Case	27	A (L)
AS-30R	Red Polycord	Reusable Case	27	A (L)
AS-30W	White Nylon Cord	Reusable Case	27	A (L)
Quiet®				
Item #	Cording	Packaging	NRR	Canada Cla
QD1	Uncorded	Polybag	26	A (L)
QD1-RC	Uncorded	Reusable Case	26	A (L)
QD-1-DS	Uncorded	Bulk Refill Box for	26	A (L)
004 614	Constitution of the	Leight Source 500	2.5	A (1)
QD1-SM	Small/Uncorded	Polybag	26	A (L)
QD1-RC-SM	Small/Uncorded	Reusable Case	26	A (L)
QD1-LG	Large/Uncorded	Polybag	26	A (L)
QD1-RC-LG	Large/Uncorded	Reusable Case	26	A (L)
QD30	Corded	Polybag	26	A (L)
QD30-RC	Corded	Reusable Case	26	A (L)
QD30-SM	Small/Corded	Polybag	26	A (L)
QD30-RC-SM	Small/Corded	Reusable Case	26	A (L)
QD30-LG	Large/Corded	Polybag	26	A (L)
QD30-RC-LG	Large/Corded	Reusable Case	26	A (L)

QB1HYG®

FALL PROTECTION



FULL LINE SKU LISTING

Howard Leight® Hearing Protection

Pilot™							
Item #	Cording	Packaging	NRR	Canada Class			
PLT-1	Uncorded	Polybag	26	A (L)			
PLT-30	Corded	Polybag	26	A (L)			

Detectable Earplugs

Laser Irak®									
	Item #	Cording	Packaging	NRR	Canada Class				
	LT-30	Corded	Polybag	32	A (L)				
	SmartFit	® Detectable							

Item #	Cording	Packaging	NRR	Canada Class
SDT-30	Attached Polycord	Polybag	25	A (L)
SMF-30BU	Nylon Cord	Polybag	25	A (L)

Fusion® Detectable									
Item #	Cording	Packaging	NRR	Canada Class					
FDT-30	Regular/Corded	HearPack®	25	A (L)					
FDT-30-SM	Small/Corded	HearPack®	25	A (L)					

Banded Earplugs

Item #	Cording	Packaging	NRR	Canada Class
QB1HYG	Inner-Aural Band	Resealable Bag	27	B (L)
QB100HYG	Replacement Pods	Polybag		
QB2HYG®				
Item #	Cording	Packaging	NRR	Canada Class
QB2HYG	Supra-Aural Band	Resealable Bag	25	B (L)
QB200HYG	Replacement Pods	Polybag		
QB3HYG®				
Item #	Cording	Packaging	NRR	Canada Class
QB3HYG	Semi-Aural Band	Resealable Bag	23	B (L)
QB300HYG	Replacement Pods	Polybag		
PerCap®				
PerCap®	Cording	Packaging	NRR	Canada Class

Earplug Dispensers

Polybag

Replacement Pods

Leight® Source 400							
Item #	Description	Packaging					
LS-400	Leight Source 400	Box					
Leight® So	urce 500						
Item #	Description	Packaging					
LS-500	Leight Source 500	Box					

Noise-Blocking Earmuffs

Leightning®								
Item #	Description	Style	Packaging	NRR	Canada Class	Hygiene Kit		
1013461	Leightning L0F	Folding	Ind. Box	23	В	1011998		
1013460	Leightning LON	Neckband	Ind. Box	22	В	1011998		
1010922	Leightning L1	Headband	Ind. Box	25	В	1011998		
1011991	Leightning L1H	Cap-Mounted	Ind. Box	23	B (L)	1011998		
1011994	Leightning L1N	Neckband	Ind. Box	25	В	1011998		
1010923	Leightning L2	Headband	Ind. Box	27	B (L)	1011999		
1011997	Leightning L2F	Folding	Ind. Box	27	B (L)	1011999		
1011992	Leightning L2H	Cap-Mounted	Ind. Box	25	B (L)	1011999		
1011995	Leightning L2N	Neckband	Ind. Box	26	A (L)	1011999		
1010924	Leightning L3	Headband	Ind. Box	30	A (L)	1012000		
1011993	Leightning L3H	Cap-Mounted	Ind. Box	27	A (L)	1012000		
1011996	Leightning L3N	Neckband	Ind. Box	28	A (L)	1012000		

Leightning® Hi-Visibility

Item #	Description	Style	Packaging	NRR	Canada Class	Hygiene Kit
1015020	Leightning L1HHV Hi-Vis	Cap-Mounted	Ind. Box	23	B (L)	1011998
1013942	Leightning L2FHV Hi-Vis	Folding	Ind. Box	27	B (L)	1011999
1013941	Leightning L3HV Hi-Vis	Headband	Ind. Box	30	A (L)	1012000

Thunder®

Item #	Description	Style	Packaging	NRR	Canada Class	Hygiene Kit
1010928	Thunder T1	Headband	Ind. Box	26	Α	1010974
1011600	Thunder T1F	Folding	Ind. Box	25	Α	1010974
1011601	Thunder T1H	Cap-Mounted	Ind. Box	23	Α	1010974
1010929	Thunder T2	Headband	Ind. Box	28	A (L)	1010975
1015820	Thunder	Headband	Ind. Box	28	A (L)	1010975
	T2HV Hi-Vis					
1011602	Thunder T2H	Cap-Mounted	Ind. Box	25	A (L)	1010975
1010970	Thunder T3	Headband	Ind. Box	30	A (L)	1010976
1011603	Thunder T3H	Cap-Mounted	Ind. Box	27	A (L)	1010976

Viking®

Item #	Description	Style	Packaging	NRR	Canada Class	Hygiene Kit
1010925	Viking V1	3-Position	Ind. Box	25	В	1011998
1010926	Viking V2	3-Position	Ind. Box	27	A (L)	1011999
1010927	Viking V3	3-Position	Ind. Box	29	A (L)	1012000

Mach™ 1

Item #	Description	Style	Packaging	NRR	Canada Class	Hygiene Kit
1010421	Mach 1	Headband	Polybag	18	В	N/A

QM24+®

Item #	Description	Style	Packaging	NRR	Canada Class	Hygiene Kit
QM24+	QM24+	3-Position	Polybag	25	В	HK4

FULL LINE SKU LISTING



Howard Leight® Hearing Protection

Sound Management Earmuffs

Clarity®						
Item #	Description	Style	Packaging	NRR	Canada Class	Hygiene Kit
1011142	Clarity C1	Headband	Ind. Box	20	В	1006080
1011143	Clarity C1F	Folding	Ind. Box	20	В	1006080
1011144	Clarity C1H	Cap-Mounted	Ind. Box	20	В	1006080
1011145	Clarity C2	3-Position	Ind. Box	23	В	1006081
1011146	Clarity C3	Headband	Ind. Box	27	B (L)	1006081
1011147	Clarity C3H	Cap-Mounted	Ind. Box	25	B (L)	1006081

Impact®

Item #	Description	Style	Packaging	NRR	Canada Class	Hygiene Kit
1010376	Impact	Headband	Ind. Box	23	В	1008000
1010632	Impact H	Cap-Mounted	Ind. Box	21	В	1008000

Impact® Sport

Item #	Description	Style	Packaging NRR	Canada Clas	s Hygiene Kit
R-01526	Impact Sport	Folding	Clamshell 22	B (L)	1008000

Radio Earmuffs

AM/FM Radio

Item #	Description	Style	Packaging	NRR	Canada Class	Hygiene Kit
1010375	AM/FM Radio	Headband	Ind. Box	23	В	1008000

Radio Hi-Visibility

Item #	Description	Style	Packaging N	IRR	Canada Class	Hygiene Kit
1015543	Radio Hi-Vis	Headband	Clamshell 2!	25	B (L)	1008000

Electo®

Item #	Description	Style	Packaging	NRR	Canada Class	Hygiene Kit
1010374	Electo	Headband	Ind. Box	23	В	1008000
1010631	Flecto H	Can-Mounted	Ind. Box	21	В	1008000

Earmuffs Accessories

Polar Hood®

Item #	Description	Packaging	
1016870	Polar Hood - L/XL	Hang Card	
1016871	Polar Hood - S/M	Hang Card	

Cool Pads

Item #	Description	Packaging
1000365	Cool Pads	5 Pair Packs Envelope
1000364	Cool Pads	100 Pair Dispenser Pack Box

Slim Belt Clip

Item #	Description	Packaging
1016730	Slim Belt Clip	Polybag

Folding Earmuff Belt Case

Item #	Description	Packaging
1000251	Folding Earmuff Belt Case	Polybag

Hygiene Kits

Item #	Description	Packaging
1006080	Clarity C1/C1F/C1H	Polybag
1006081	Clarity C2/C3/C3H	Polybag
1010974	Thunder T1/T1H/T1F	Polybag
1010975	Thunder T2/T2H/T2HV	Polybag
1010976	Thunder T3/T3H	Polybag
1011998	Leightning L1/L1H/L1N/L0N/L0F/L1HHV/Viking V1	Polybag
1011999	Leightning L2/L2H/L2N/L2F/L2FHV/Viking V2	Polybag
1012000	Leightning L3/L3H/L3N/L3HV/Viking V3	Polybag
1008000	Radio/Radio HV/Electo/Electo H/Impact/Impact H	Polybag
1015280	Impact Sport	Polybag

Hard Hat Adapters

Item #	Description	Packaging
13910033	Clip-On	Polybag
13910034	Dielectric Screw-On	Polybag
13910035	Centurion	Polybag
13910036	Balance, Bullard, LAS, MSA, Voss, Opus	Polybag
13910037	Norton, Bullard	Polybag
13910038	Protector, AO, JSP, Domeguard	Polybag
13910039	AO Safety, Bullard, Jackson, MSA North, Sperian	Polybag

Abbreviation Key

3-Position	Multiple-Position
Ind. Box	Individual Box
Hi-Vis	Hi-Visibility









SPERIAN Protection Americas, Inc. 900 Douglas Pike Smithfield, RI 02917 Tel: 800 343-3411 Fax: 800 322-1330 www.sperian.com




SAFETY PRODUCTS CATALOG 2010



INDUSTRIAL SAFETY GROUP





MILLER FALL PROTECTION TABLE OF CONTENTS

204 • Body Wear

• Connecting Devices

• Anchorage Connectors

• Fall Protection Kits

• Rescue/Descent Device

• Confined Space

• Horizontal Lifelines

• Training

• Engineered Solutions

• Reference: Personal Fall Arrest System

• Miller Fall Protection Full Line SKU Listing

MARNING! Miller Fall Protection equipment should be used only in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury or fatality.



Miller Fall Protection

ASK THE EXPERT. ASK MILLER.

Ask the experts at Sperian Fall Protection to assist you in developing an effective fall protection safety plan. As a total compliance safety provider, Sperian manufactures a comprehensive line of Miller® brand fall protection products, provides professional fall prevention and protection training, and employs global resources/services for designing and engineering solutions for complex safety-at-height applications.

Miller T.I.P.S.

Total Fall Protection Solutions



TRAINING

Professional Fall Protection Training

Key to worker safety, on-site awareness, and proper selection and use of fall protection equipment.



INSPECTION

Equipment Inspection & MaintenanceFailure is not an option – when in doubt, throw it out!



PRODUCTS

Proper Product Selection & Use

All work environments differ; use the right equipment for the job!



STANDARDS

Addressing the ANSI Z359 Fall Protection Code
Meeting voluntary industry standards indicates that
products pass accepted testing procedures.



RDT-OC/UBK

Body Wear

Engineered with 17 Unique Components and More Than 11 Key Product Features

The Turning Point in Fall Protection Technology

DualTech™ Webbing – Donning made easy with two-sided, contrasting color webbing and textures

Web Finial – Clip-on design safely organizes webbing after proper adjustment

Cam Buckles – Easy, one-handed adjustment/ release allows simultaneous adjustment of shoulder straps

PivotLink™ Connection -Unique rotary design provides greater comfort in bending/mobility

Self-Contained Label Pack - Integrated pack encapsulates labels, minimizing damage and loss

ErgoArmor[™] **Back Shield** – Semi-flexible back shield minimizes impact from sharp/heavy snap hooks and self-retracting lifelines

Integrated Accessory System – Modular attachment design provides connection points for belts/tools/accessories



For more information or to order products on this page, please call Customer Care at 800 430-5490.

Miller Revolution™ Harnesses

Item #	Description
DualTech Webbing	
RDT-QC/UBK	Quick-Connect Buckle Legs
RDT-TB/UBK	Tongue Buckle Legs
RDT-QC-B/UBK	Removable Belt, Quick-Connect Buckle Legs
RDT-TB-B/UBK	Removable Belt, Tongue Buckle Legs
RDT-QC-DP/UBK	Side D-Rings and Pad, Quick-Connect Buckle Legs
RDT-TB-DP/UBK	Side D-Rings and Pad, Tongue Buckle Legs
RDT-QC-BDP/UBK	Removable Belt, Side D-Rings and Pad, Quick-Connect Buckle Legs
RDT-TB-BDP/UBK	Removable Belt, Side D-Rings and Pad, Tongue Buckle Legs
DuraFlex Webbing	
RDF-QC/UGN	Quick-Connect Buckle Legs
RDF-TB/UGN	Tongue Buckle Legs
RDF-QC-B/UGN	Removable Belt, Quick-Connect Buckle Legs
RDF-TB-B/UGN	Removable Belt, Tongue Buckle Legs
RDF-QC-DP/UGN	Side D-Rings and Pad, Quick-Connect Buckle Legs
RDF-TB-DP/UGN	Side D-Rings and Pad, Tongue Buckle Legs
RDF-QC-BDP/UGN	Removable Belt, Side D-Rings and Pad, Quick-Connect Buckle Legs $$
RDF-TB-BDP/UGN	Removable Belt, Side D-Rings and Pad, Tongue Buckle Legs
DuraFlex Python Webb	ing
RPY-QC/UGN	Quick-Connect Buckle Legs
RPY-TB/UGN	Tongue Buckle Legs
RPY-QC-B/UGN	Removable Belt, Quick-Connect Buckle Legs

RPY-QC-B/UGN Removable Belt, Quick-Connect Buckle Legs
RPY-TB-B/UGN Removable Belt, Tongue Buckle Legs

RPY-QC-DP/UGN Side D-Rings and Pad, Quick-Connect Buckle Legs
RPY-TB-DP/UGN Side D-Rings and Pad, Tongue Buckle Legs

RPY-QC-BDP/UGN Removable Belt, Side D-Rings and Pad, Quick-Connect Buckle Legs
RPY-TB-BDP/UGN Removable Belt, Side D-Rings and Pad, Tongue Buckle Legs

Kevlar®-Nomex® Webbing

RKN-QC/UBK Quick-Connect Buckle Legs
RKN-TB/UBK Tongue Buckle Legs

RKN-QC-B/UBK Removable Belt, Quick-Connect Buckle Legs
RKN-TB-B/UBK Removable Belt, Tongue Buckle Legs

Model numbers listed are for Universal (Large/X-Large) size. Harnesses are also available in Small/Medium and XXL/XXXLarge, by replacing the "U" in the model number with "S/M" or "XXL/XXXL" (Ex: RDT-QC-B/XXXLBK). For front D-ring vest-style option, add "FD" to the corresponding harness model number (Ex: RDTFD-QC/UGN)

All Miller® brand fall protection products meet applicable OSHA, ANSI and CSA requirements

Kevlar® and Nomex® are registered trademarks of E.I. duPont de Nemours and Company

Miller Revolution™ Accessories

See page 222 for a list of Miller Revolution harness accessories.

Body Wear

DuraFlex Python® ULTRA Harness

- · Designed with cushioned tubular webbing in the shoulder straps to minimize discomfort around the neck and shoulders when required to wear a tool belt; patented DuraFlex® stretchable webbing in the lower torso for greater comfort, safety and productivity
- · Features sleek, quick-connect buckles on the chest and leg straps for easy donning
- · Specially-woven, breathable, comfort-touch back D-ring pad for greater comfort and tangle-free donning
- · Includes friction buckle shoulder straps and belt loops to accommodate a tool belt
- High visibility/chemical resistant lime green or blue webbing





Item #	Side D-Rings	Size	
P950QC/UGN	No	U	
P950QC-7/UGN	Yes	U	
P950QC-77/UGN	Yes	U	
P950QC-4/XXXLGN	No	XXXL	

Model numbers listed are for universal size. Harnesses are also available in Small/Medium and XX-Large, by replacing the "U" in the model number with "S/M" or "XXL"

Note: For front D-ring vest-style option, add "FD" to the corresponding harness model number (Ex: P950QCFD/UGN)

DuraFlex® ULTRA Harness

- · Designed with patented DuraFlex stretchable webbing for greater comfort, safety and productivity
- · Features sleek, quick-connect buckles on the chest and leg straps for easy donning
- Specially-woven, breathable, comfort-touch back D-ring pad for greater comfort and tangle-free donning
- · Includes friction buckle shoulder straps and belt loops to accommodate a tool belt
- · High visibility/chemical resistant lime green or blue webbing
- Universal (large/x-large) size fits most; rated to 400 lbs capacity

Item #	Side D-Rings	Size
E650QC/UGN	No	U
E650QC-7/UGN	Yes	U
E650QC-77/UGN	Yes	U

Model numbers listed are for universal size. Harnesses are also available in Small/Medium and XX-Large, by replacing the "U" in the model number with "S/M" or "XXL"

Note: For front D-ring vest-style option, add "FD" to the corresponding harness model number (Ex: P950QCFD/UGN)

Ultimate Comfort, Fit and Safety

FALL PROTECTION

A premier line of Miller® brand harnesses. Easy-to-wear Miller Ultra harnesses provide greater comfort and increased mobility, while improving safety and reducing worker fatigue. Meet all applicable OSHA, ANSI and **CSA Standards.**





Body Wear

Durable Stretch Webbing for Greater Comfort

Miller Titan T-FLEX™ Stretchable Harnesses have durable, stretch webbing construction for improved comfort and greater mobility. Meet applicable OSHA, ANSI A10.32 and CSA Standards.

Helps Prevent Suspension Trauma

The Miller Relief Step™ Safety Device alleviates the effects of orthostatic intolerance, also known as suspension trauma.

If a fall occurs, a person becomes suspended in a harness and remains both vertical and sedentary for a period of time, causing blood to "pool" in the veins of the legs. Subsequently, blood is restricted to the brain and other major organs that may initially result in unconsciousness. If not rescued promptly, serious injury or death may occur. The Miller Relief Step is designed to provide a short-term solution for alleviating suspension trauma.

Titan T-Flex™ Harnesses

- Fully adjustable design
- Sliding back D-ring and pad; back strap prevents roll-out
- Non-slip mating buckle shoulder straps and chest strap
- Pull-free lanyard ring
- Front D-ring option
- Universal (large/x-large) sizing fits most

Item #	Side D-Rings	Leg Strap Buckles
TF4000/UAK	No	Mating
TF4500/UAK	No	Tongue
TF4007/UAK	Yes	Mating
TF4507/UAK	Yes	Tongue

NOTE: Harnesses are also available in Small/Medium and XX-Large, by replacing the "U" in the model number with "S/M" or "XXL". For front D-ring vest-style option, add "FD" to the corresponding harness model number (Ex: TF4000FD/UAK)



TF 4500/UAK

Miller Relief Step™ Safety Device

- Alleviates the effects of orthostatic intolerance, also known as suspension trauma
- · Small and lightweight
- · Attaches to any brand of full-body harness

Item #Description9099X/121 Box of 12 Relief Step Safety Devices9099/36BULKBulk Quantity, 36 Relief Step Safety Devices





Connecting Devices

Manyard® II Stretchable Shock-Absorbing Lanyards

- Specially-woven shock-absorbing inner core smoothly expands up to 42 in. to reduce fall arrest forces
- Heavy-duty tubular outer jacket serves as a back-up lanyard
- Unique warning flag provides visual proof that a lanyard has been involved in a fall and must be removed from service
- Integral bright red core makes visual inspection easier and more reliable
- · Available in green or blue webbing

Item #	No. of Legs	Harness Connection	Anchorage Connection	Standard Length*
ANSI A10.32				
216M/6FTGN	1	Locking Snap Hook	Locking Snap Hook	6'
219M/6FTGN	1	Locking Snap Hook	Locking Rebar Hook	6'
231M/6FTGN	2	Locking Snap Hook	Locking Rebar Hooks	6'
232M/6FTGN	2	Locking Snap Hook	Locking Snap Hooks	6'
233M/6FTGN	1	Choke-Off Loop	Locking Snap Hook	6'
ANSI Z359				
216M-Z7/6FTGN	1	Locking Snap Hook	Locking Snap Hook	6'
219M-Z7/6FTGN	1	Locking Snap Hook	Locking Rebar Hook	6'
231M-Z7/6FTGN	2	Locking Snap Hook	Locking Rebar Hooks	6'
232M-Z7/6FTGN	2	Locking Snap Hook	Locking Snap Hooks	6'
233M-Z7/6FTGN	1	Choke-Off Loop	Locking Snap Hook	6'

^{*}Available in lengths from 4 ft. to 10 ft.

Note: Locking Snap Hook - 3/4-inch gate opening; Locking Rebar Hook - 2-1/2 inch gate opening

BackBiter® Tie-Back Stretchable Shock-Absorbing Lanyards

- All-in-one 6 ft. lanyard with SofStop® Shock Absorber and cross-arm anchorage connector
- First snap hook with a 5,000 lb. gate load capacity from any angle
- Heavy-duty polyester webbing and Cordura® nylon webbing with five times more abrasion resistance
- Specially-woven shock-absorbing inner core smoothly expands up to 42 in. to reduce fall arrest forces
- Heavy-duty tubular outer jacket serves as a back-up lanyard
- Unique warning flag provides visual proof that a lanyard has been involved in a fall and must be removed from service
- Integral bright red core makes visual inspection easier and more reliable
- · Available in green or blue webbing

Item #	No. of Legs	Harness Connection	Anchorage Connection
913B/6FTGN	1	Locking Snap Hook	Locking 5K Snap Hook
8798B/6FTGN	2	Locking Snap Hook	Locking 5K Snap Hooks

Note: Locking Snap Hook - 3/4-inch gate opening; Locking Rebar Hook - 2-1/2 inch gate opening. Cordura® is a registered trademark of E.I. duPont de Nemours and Company



Contracts 6 ft. to 4 ft., Manyard® II Lanyards greatly reduce the chances of tripping, snagging or dragging. Meets all applicable OSHA. ANSI and CSA Standards.



Tie-Back Safely

BackBiter® offers the ultimate in tie-back safety.

The webbing and snap hooks of regular lanyards are not designed to withstand the rigors of tying back. The innovative BackBiter Tie-Back Lanyard with a Miller 5K® Snap Hook was designed from top to bottom for tie-back use. Meets all applicable OSHA, ANSI Z359-2007 and CSA Standards.



8798BD/6FTBL



Connecting Devices

Lightweight and Durable Tubular or Pack-Type Stretch **Shock-Absorbing Lanyards**

The unique design of the lanyards provides 6 ft. to 4 ft. contraction to reduce tripping hazards. Meet all applicable OSHA, ANSI A10.32 and CSA Standards.



Designed for Tie-Back Use

The Titan T-BAK™ lanyard with a pack-type shock absorber is designed for tie-back use, eliminating the need for a separate anchorage connector. Meets all applicable OSHA, ANSI A10.32 and CSA Standards.



For more information or to order products on this page, please call Customer Care at 800 430-5490.

Titan™ Shock-Absorbing Lanyards

- Lightweight, durable webbing, 6 ft. length
- · Locking snap and rebar hooks
- Two-legged models available for continuous tie-off
- Specially-woven shock-absorbing inner core smoothly expands up to 42 in. to reduce fall arrest forces

Item #	No. of Legs	Harness Connection	Anchorage Connection
Stretch Tubular B	Built-In Shock-	Absorbing Lanyards*	
T5111SS/6FTAF	1	Locking Snap Hook	Locking Snap Hook
T5112SS/6FTAF	1	Locking Snap Hook	Large Locking Rebar Hook
T5121SS/6FTAF	2	Locking Snap Hook	Locking Snap Hooks
T5122SS/6FTAF	2	Locking Snap Hook	Large Locking Rebar Hooks
Stretch Pack-Typ	e Shock-Absor	bing Lanyards**	
T6111SS/6FTAF	1	Locking Snap Hook	Locking Snap Hook
T6112SS/6FTAF	1	Locking Snap Hook	Large Locking Rebar Hook
T6121SS/6FTAF	2	Locking Snap Hook	Locking Snap Hooks
T6122SS/6FTAF	2	Locking Snap Hook	Large Locking Rebar Hooks

^{*}Large Locking Rebar Hook (2-1/4" gate opening). Available from 4 ft. to 10 ft. lengths

Titan T-BAK™ Shock-Absorbing Lanyards

- · 6 ft. webbing
- · Forged sliding D-ring for ease of use
- Auto-locking carabiner for added safety
- Specially-woven shock-absorbing inner core smoothly expands up to 42 in. to reduce fall arrest forces

Item #	No. of Legs	Harness Connection	Anchorage Connection
ANSI A10.32			
T6111TB/6FTAF	1	Locking Snap Hook	Auto-Lock Carabiner
T6121TB/6FTAF	2	Locking Snap Hook	Auto-Lock Carabiner



^{**}Large Locking Rebar Hook (2-1/4" gate opening). Available from 3 ft. to 10 ft. lengths



Connecting Devices

TurboLite™ Personal Fall Limiter

- Compact and lightweight; unit attaches directly to the harness back D-ring for greater mobility and versatility
- Tripping hazards eliminated
- Arrests free falls within inches
- Engineered webbing for greater abrasion resistance and long service life
- · Rated for up to a 400 lbs (181kg) user

'	ν ο,	
Item #	Description and Unit Connector	Lanyard End Connector
ANSI A10.32		
MFL-1/6FT	TurboLite w/Steel Twist-Lock Carabiner	Locking Snap Hook
MFL-2/6FT	TurboLite w/Steel Twist-Lock Carabiner	Locking Rebar Hook
MFL-3/6FT	TurboLite without Unit Connector	Locking Snap Hook
MFL-4/6FT	TurboLite without Unit Connector	Locking Rebar Hook
MFL-5/6FT	TurboLite without Unit Connector	Locking Swivel Snap Hook
MFL-6/6FT	TurboLite without Unit Connector	Locking Swivel Rebar Hook
MFL-7/6FT	TurboLite w/D-ring Swivel Hook	Locking Snap Hook
MFL-8/6FT	TurboLite w/D-ring Swivel Hook	Locking Rebar Hook
MFL-9/6FT	TurboLite w/Locking Snap Hook	Locking Snap Hook
MFL-10/6FT	TurboLite w/Locking Snap Hook	Locking Rebar Hook
MFL-11/6FT	TurboLite w/Aluminum Twist-Lock Carabiner	Aluminum Locking Snap Hook
MFL-12/6FT	TurboLite w/Aluminum Twist-Lock Carabiner	Aluminum Locking Rebar Hook
ANSI Z359		
MFL-1-Z7/6FT	TurboLite w/Steel Twist-Lock Carabiner	Locking Snap Hook
MFL-2-Z7/6FT	TurboLite w/Steel Twist-Lock Carabiner	Locking Rebar Hook
MFL-3-Z7/6FT	TurboLite without Unit Connector	Locking Snap Hook
MFL-4-Z7/6FT	TurboLite without Unit Connector	Locking Rebar Hook
MFL-5-Z7/6FT	TurboLite without Unit Connector	Locking Swivel Snap Hook
MFL-9-Z7/6FT	TurboLite w/ANSI Z359 Locking Snap Hook	Locking Snap Hook
MFL-10-Z7/6FT	TurboLite w/ANSI Z359 Locking Snap Hook	Locking Rebar Hook

Never Need a Shock-Absorbing Lanyard Again!

The TurboLite is the smallest and lightest 6 ft. web lifeline on the market and will make shockabsorbing lanyards obsolete on the jobsite. Workers will no longer need to "switch-out" equipment to maintain a safe fall distance.

Twin Turbo™ Fall Protection System

- Innovative design that easily connects to the back D-ring of any fall protection harness
- Increases worker productivity and versatility with freedom of movement
- Permits TurboLite™ PFLs to swivel in multiple directions for greater mobility
- Adapts to most TurboLite PFL models
- Webbing payout smoothly extends/retracts without interruption
- Easy-to-use and assemble/disassemble

Item #	Description and Unit Connector	Lanyard End Connector	Weight			
Twin Turbo D	Twin Turbo D-Ring Connector					
MFLB/	Twin Turbo D-Ring Connector	N/A	12.7 oz (360g)			
MFLB-PARTS	D-Ring Connector Parts Kit: Slide Lock Bolt (1), PFL Spacer (2),	N/A	N/A			
	PFL Retainer Pin (2)					
Find a full listing of Twin Turbo Kit model numbers on page 223.						

An Effective Solution When Working with Low Fall Clearance

New patent-pending Twin Turbo™ D-Ring Connector easily adapts two (2) lightweight TurboLite™ Personal Fall Limiters (PFLs) for continuous 100% tie-off fall protection.



Connecting Devices

An Affordable Alternative to **Shock-Absorbing Lanyards**

The lightweight, compact design of the 9 ft. Miller Scorpion™ Personal Fall Limiter requires less fall clearance, offers greater mobility and reduces tripping hazards. Meets all applicable OSHA, ANSI and CSA Standards.



Miller Scorpion™ Personal Fall Limiters

- · Greater versatility through dual operation: attach directly to the harness D-ring for use as a personal fall limiter, or use as a traditional retractable lifeline
- Quick-activating, high-strength stainless steel braking system arrests free falls
- 400 lbs capacity models available upon request
- · No annual factory recertification required
- Visual load indicator indicates the unit must be removed from service

Unit Connector Options	Lanyard End Connector Options
None	Locking Snap hook
Steel Twist-Lock Carabiner	Locking Snap Hook
Stainless Steel Swivel Shackle	Locking Snap Hook
Carabiner and Swivel Shackle	Locking Snap Hook
D-Ring Swivel Hook	Locking Snap Hook
Rebar Hook and Swivel Shackle	Locking Snap Hook
Locking Snap Hook and Swivel Shackle	Locking Snap Hook
Captive Eye Carabiner	Locking Snap Hook
Steel Twist-Lock Carabiner	Locking Snap Hook
Carabiner and Swivel Shackle	Locking Snap Hook
Rebar Hook and Swivel Shackle	Locking Snap Hook
Locking Snap Hook and Swivel Shackle	Locking Snap Hook
None	Locking Swivel Snap Hook
Cab Mount Bracket and PFL-15-Z7/9FT Un	it
	None Steel Twist-Lock Carabiner Stainless Steel Swivel Shackle Carabiner and Swivel Shackle D-Ring Swivel Hook Rebar Hook and Swivel Shackle Locking Snap Hook and Swivel Shackle Captive Eye Carabiner Steel Twist-Lock Carabiner Carabiner and Swivel Shackle Rebar Hook and Swivel Shackle Locking Snap Hook and Swivel Shackle Locking Snap Hook and Swivel Shackle None

Note: Locking Snap Hook - 3/4-inch gate opening; Locking Rebar Hook - 2-1/2 inch gate opening

Smallest and Lightest 9 ft. Cable Lifeline on the Market

Black Rhino™ Self-Retracting Lifelines are designed with stainless steel wire rope to endure the daily rigors of harsh environments.

Suggested for concrete construction, welding, steel erection, food processing and warehouse applications. Meets all applicable OSHA, ANSI and CSA Standards.



- 9 ft. stainless steel wire rope
- Lightweight 4.3 lbs.

CFL-4-Z7/9FT

- Repairable; no annual factory recertification required lowering cost of ownership
- Quick-activating, high-strength stainless steel braking system arrests free falls, providing a quick, safe rescue
- · Variety of integral anchorage connectors available provides flexibility of use in a variety of applications

Item #	Unit Connector	ANSI			
Lanyard End: L	Lanyard End: Locking Swivel Snap Hook with Load Indicator				
CFL-1/9FT	None (Need Carabiner, Not Incl.)	ANSI A10.32			
CFL-2/9FT	Steel Twist-Lock Carabiner	ANSI A10.32			
CFL-3/9FT	Stainless Steel Swivel (Carabiner Not Included)	ANSI A10.32			
CFL-4/9FT	Stainless Steel Swivel and Steel Twist-Lock Carabiner	ANSI A10.32			
CFL-5/9FT	Stainless Steel Swivel and Rebar Locking Snap Hook	ANSI A10.32			
CFL-2-Z7/9FT	Steel Twist-Lock Carabiner	ANSI Z359-2007			
CFL-4-Z7/9FT	Stainless Steel Swivel and Steel Twist-Lock Carabiner	ANSI Z359-2007			
CFL-5-Z7/9FT	Stainless Steel Swivel and Rebar Locking Snap Hook	ANSI Z359-2007			
Lanyard End: L	Lanyard End: Locking Rebar Snap Hook				
CFL-6/9FT	Stainless Steel Swivel and Steel Twist-Lock Carabiner	ANSI A10.32			

Note: Locking Snap Hook - 3/4-inch gate opening; Locking Rebar Hook - 2-1/2 inch gate opening



Connecting Devices

Falcon™ Self-Retracting Lifelines

- Corrosion-resistant stainless steel and aluminum internal components extend service life and reduce replacement costs
- Lightest composite unit on the market easy to handle and transport to/from jobsites; easy to install
- Unique side payout design reduces wear on the entry guide bushing and cable for smooth operation with less drag
- Smooth, quiet operation; engineered spring retraction tension designed not to pull or drag on a worker to improve productivity and reduce fatigue
- Built-in, ergonomically-designed molded handle on the 50- and 65-ft. units provides support and leverage when attaching to anchorage connector
- Dual swivels (unit top and snap hook) included on all models to minimize twisting of lifeline during use
- New and improved load indicators identify when the unit needs to be removed from service (cable models – on snap hook, web models – flag on webbing)
- No annual factory recertification required* lowers cost of ownership and increases productivity
- Falcon cable SRL models rated to 400 lbs (181.4kg) capacity when using a SofStop® shock absorber (928LS/18INYL)
- Falcon web SRL models rated for up to 400 lbs (181.4kg) worker

raicon web SRL models rated for up to 400 lbs (181.4kg) worker				
Item #	Description			
ANSI A10.32				
MP16P/16FT	16' Web Lifeline with Tagline and Carabiner; Rated to 400 lbs			
MP20P/20FT	20' Web Lifeline with Tagline and Carabiner; Rated to 400 lbs			
MP20G/20FT	20' Galvanized Wire Rope with Tagline and Carabiner			
MP20SS/20FT	20' Stainless Steel Wire Rope with Tagline and Carabiner			
MP30G/30FT	30' Galvanized Wire Rope with Tagline and Carabiner			
MP30SS/30FT	30' Stainless Steel Wire Rope with Tagline and Carabiner			
MP50G/50FT	50' Galvanized Wire Rope with Tagline and Carabiner			
MP50SS/50FT	50' Stainless Steel Rope with Tagline and Carabiner			
MP65G/65FT	65' Galvanized Wire Rope with Tagline and Carabiner			
MP65SS/65FT	65' Stainless Steel Rope with Tagline and Carabiner			
928LS/18INBK	SofStop Shock Absorber Pack with Locking Snap			
ANSI Z359	Hook and D-ring (for 400 lbs Working Load)			
MP16P-Z7/16FT	16' Web Lifeline with Tagline and Carabiner; Rated to 400 lbs			
MP20P-Z7/20FT	20' Web Lifeline with Tagline and Carabiner; Rated to 400 lbs			
MP20G-Z7/20FT	20' Galvanized Wire Rope with Tagline and Carabiner			
MP30G-Z7/30FT	30' Galvanized Wire Rope with Tagline and Carabiner			
MP50G-Z7/50FT	50' Galvanized Wire Rope with Tagline and Carabiner			
MP65G-Z7/65FT	65' Galvanized Wire Rope with Tagline and Carabiner			

^{*}Except in Canada where the Canadian Standards Association requires annual factory recertification

Xtreme Durability

Lifetime Housing Guarantee (when used under typical working conditions).

Nearly indestructible, the high impact-resistant nylon housing withstands the harsh rigors of the toughest applications. The lightest, most rugged lines of composite retractables are designed with smooth, round edges to increase durability. Pound for pound the strongest, most durable retractable lifeline available in 20-, 30-, 50- and 65-ft. lengths. Meets all applicable OSHA, ANSI and CSA Standards.



Connecting Devices

11 Feet of **Working Capacity**

Requires less fall clearance than shock-absorbing lanyards, making rescue easier and reducing trip hazards. Meets all applicable OSHA, ANSI A10.32 and CSA Standards.



Designed to Endure the Demands of Rigorous Work Environments

Titan™ Self-Retracting Lifelines are designed for a full-range of applications, including general maintenance and construction. Meet all applicable OSHA 1926.502, ANSI A10.32 and CSA Z259.2.2-98 Type 2 Standards.

Titan™ Personal Fall Limiters

- 11 ft. of working capacity; compact, lightweight design
- · Quick-activating stainless steel braking mechanism arrests free falls
- · Corrosion-resistant interior components; visual load indicator
- · No annual factory recertification required

Item #	Description
TFL/11FT	Unit without an Anchorage Connector
TFL-1/11FT	Unit with Steel Twist-Lock Carabiner
TFL-2/11FT	Unit with Stainless Steel Swivel Shackle
TFL-3/11FT	Unit with Stainless Steel Swivel Shackle and Carabiner
TFL-6/11FT	Unit with Stainless Steel Swivel Shackle; Locking Rebar Hook (2-1/4" Gate Opening)

Titan™ Self-Retracting Lifeline Series

- Constructed with durable, impact-resistant nylon housings with steel frames
- Affordably priced
- · Quick-activating braking mechanism
- · Variety of working lengths
- No annual factory recertification required*
- · Snap hook with swivel; carabiner included
- · Narrow payout port

Item #	Length	Housing Material	Lifeline Material
TRW/20FT	20'	Aluminum and Stainless Steel	1" Webbing
TR20/20FT	20'	Glass-Filled Polypropylene	3/16" Galvanized Wire Rope
TR30/30FT	30'	Glass-Filled Polypropylene	3/16" Galvanized Wire Rope
TR50/50FT	50'	Glass-Filled Polypropylene	3/16" Galvanized Wire Rope
TR65/65FT	65'	Glass-Filled Polypropylene	3/16" Galvanized Wire Rope

Except in Canada where the Canadian Standards Association reauires annual factory recertification*

Anchorage Connectors

Portable/Reusable Anchorage **Connectors Designed for Use** in Concrete Applications

The anchorage connector is designed as the intermediary for securing a connecting device to an anchorage.

Careful consideration should be given to selecting a proper anchorage for ultimate safety. The anchorage should be easily accessible, located a safe distance above any lower obstacles and support 5,000 lbs per worker.



Miller Grip™ Temporary Anchorage Connectors

- A safe anchor point is established when the Miller Grip anchor is inserted into a properly-sized, cured concrete hole
- The reusable Miller Grip anchor can be removed and simply re-installed in a new location
- · Designed for vertical or overhead/ceiling surface applications
- Multi-use Grips can be used for anchoring scaffolding, material handling and removal of concrete debris after demolition



TR50/50FT

Item #	Size	Description	Max User Weight
496	3/4"	5,000 lbs Capacity for Single User Connection	400 lbs.
497	1"	10,000 lbs Capacity for Single User Connection	400 lbs.
498	3/4"	1,000 lbs Max Safe Working Load for Multi-Use Connection	Not for Fall Protection Use
499	1"	2,000 lbs Max Safe Working Load for Multi-Use Connection	Not for Fall Protection Use


MILLER

Anchorage Connectors

FALL PROTECTION

Miller Shadow® Beam Anchorage Connectors

- Once attached, units can slide along the beam with the worker, providing increased safety, mobility and productivity
- Fixed unit is designed to be tightened horizontally or vertically, firmly gripping the beam or column to provide a temporary or permanent anchorage attachment






Item #	Fits Flange Sizes	Description
8815-12	4" to 12"	Lightweight, Fixed Miller Shadow Beam Anchor – Stainless Steel and High-Strength Aluminum
8816-14	3" to 14"	Lightweight, Adjustable Miller ShadowLite Beam Anchor — High-Strength Aluminum and Bronze Construction
940WLS/6FTGN	-	6 ft. Shock-Absorbing Web Lanyard with Double SofStop Pack, 2 Locking Snap Hooks (Designed for 12' Fall — Use with Beam Anchors)

NEW! Vi-Go[™] Continuous Ladder Climbing Safety Systems with Automatic Pass-Through*

- Uninterrupted fall protection
- Attachment mechanism engineered to prevent incorrect installation
- Easy, one-hand operation
- Cable sleeve integrated shockabsorbing element
- Automatic pass-through cable guides

for details: 800 873-5242

- Accommodates 5/16-in (8mm) or 3/8-in (10mm) cable
- Kits include a top bracket assembly with shock-absorber, a bottom bracket assembly with lifeline tensioner, 3/8-in. (10mm)



Item #	Length of System	Number of Cable Guides	
VG/40FT	40-ft.	0	(NIEI/II)
VG/60FT	60-ft.	1	ILLUE STATES
VG/80FT	80-ft.	1	
VG/100FT	100-ft.	2	
Vi-Go Automa	tic Pass-Through	Cable Sleeve Sold Separa	ately 🧗 🃗
VGCS	Automatic Pass-	Through Cable Sleeve	
VGCS-C	Automatic Pass-	Through Cable Sleeve wit	th Carabiner
VGCS-SC	Automatic Pass-	Through Cable Sleeve wit	th Integral Swivel and Carabiner
Automatic or I	Manual climbing	design options are availa	ble. Call Miller Technical Service

*Other system kits are available in 10-ft (3.0m) increments up to 300-ft. (91.4m), and then 50-ft. (15.2m) increments up to 500-ft. (152.4m)

Connect horizontally to a wide range of I and H beam flanges.



Continuous Fall Protection when Climbing Fixed Ladders

New Vi-Go™ Ladder Climbing Safety Systems provide the ultimate in safety with continuous fall protection when climbing fixed ladders. Systems are available in easy-to-install kits.

- Lower Cost of Ownership Do-it-yourself kits for easy installation and inspection. NO costly, annual manufacturer inspection often required by other systems.
- Accommodate up to four workers at a time
 Increasing productivity.
- Automatic Personal Fall Arrestor Cable Sleeve – Designed to follow the user along the lifeline while ascending or descending, instantly locking in the event of a fall.





Anchorage Connectors

FALL PROTECTION

Continuous Fall Protection for Climbing Fixed Ladders

New GlideLoc® Vertical Height Access Ladder System provides an innovative solution for vertical climbing that is easy-to-use, requires minimal maintenance and provides superior safety. Kits are available in aluminum, galvanized or stainless steel construction. The easy-climb GlideLoc System offers handsfree safety at height that ultimately increases worker mobility, safety and productivity.



Better Systems by Design

Xenon® Permanent Horizontal Lifeline Kits provide automatic pass-through fall protection for multiple workers to increase worker mobility, safety and productivity. Xenon kits provide do-it-yourself installation and feature patented stainless steel components that are easy-to-use and require minimal maintenance. For use along crane rail runways, loading bays/docks, machinery, conveyors, rooftops, inside sports arenas, pipe racks, bridges and many industrial applications.

- · Easy installation
- Low deflection
- Extreme durability
- · Low cost of ownership

GlideLoc® Vertical Height Access Ladder System Kits

- Unique design keeps hands free for climbing
- Engineered for smooth operation for ascending/descending
- Easy to order and install do-it-yourself kits
- Durable construction for extended service life
- Accommodates multiple workers

Contact Miller Technical Service for Complete Details at 800 873-5242

Xenon® Permanent Horizontal Lifeline Kits

- In addition to meeting all applicable global standards for Safety at Height, all components of Xenon kits are designed for versatility, reliability and comfort
- Stainless steel 5/16-in. (8mm) wire rope
- Stainless steel, swageless fittings for quick, easy installation
- Stainless steel D-bolt anchorage connectors rated to 10,000 lbs (45kN)

Contact Miller Technical Service for Complete Details at 800 873-5242





Fall Protection Kits

Titan ReadyWorker™ Fall Protection Kits

- Harnesses include back D-ring, back straps, pull-free lanyard rings and universal (large/x-large) sizing
- 6 ft. lanyards are tubular, shock-absorbing design
- Waterproof storage container

Item #	Side D-Rings on Harness	Harness Leg Strap Buckles	Cross Arm Anchorage	
TFPK-1/U/6FTAK	No	Mating	No	No. of London
TFPK-2/U/6FTAK	No	Tongue	No No	
TFPK-3/U/6FTAK	Yes	Tongue	No 📜	
TFPK-4/U/6FTAK	No	Mating	Yes	
TFPK-5/U/6FTAK	No	Tongue	Yes	
TFPK-6/U/6FTAK	Yes	Tongue	Yes	

Note: Kits can also be purchased in bulk packs (48 units). Contact Miller Customer Service for details

Titan ReadyRoofer® Fall Protection System

- Lightweight, non-stretch harness mating buckle leg straps
- Versatile, reusable roof anchor with attachment D-ring
- Compact trailing rope grab stainless steel construction
- Shock-absorbing pack-type web lanyard 3 ft.
- High-strength rope lifeline 5/8" diameter synthetic rope
- Waterproof storage container

Item #	Description
BRFK25/25FT	ReadyRoofer System with 25' Rope Lifeline
BRFK50/50FT	ReadyRoofer System with 50' Rope Lifeline
BRFK75/75FT	ReadyRoofer System with 75' Rope Lifeline
BRFK100/100FT	ReadyRoofer System with 100' Rope Lifeline

Note: For harness with tongue buckle leg straps, add a "T" to the base model number after the letter "K" (Ex. BRFKT50/50FT)

Fall Protection Safety and Convenience at Your Fingertips





Rescue/Descent Device

NEW! Miller SafEscape™ ELITE Rescue/Descent Device

- · Automatic, controlled-descent device
- · Meets all applicable safety standards globally
- No annual factory recertification required
- · Accommodates a safe and quick rescue in an emergency
- Global solution for rescue/descent
- Lowers cost of ownership, enhances safety and is easy to use

Item#	Description
SEWPKT/75FT	Wind Energy Kit – Includes Miller SafEscape ELITE RDD with Hoisting Wheel
	and Ladder Bracket, T-bar, Edge Protector, 3 Anchor Slings, 3 Carabiners,
	Pulley, Adjustable Rope Anchor, Rescue Rope Grab, Accessory Bag and Kit Bag
SECRKT/75FT	Crane Rescue Kit – Includes Miller SafEscape ELITE RDD, Rescue Harness,
	Cross-Arm Strap, Retrieval Yoke and Rescue Bag
SE/75FT	Miller SafEscape ELITE RDD – Also Includes Anchor Slings and Rescue Bag
SEHW/75FT	Miller SafEscape ELITE RDD with Hoisting Wheel – Also Includes Anchor
	Slings and Rescue Bag
SEHWLB/75FT	Miller SafEscape ELITE RDD with Hoisting Wheel and Ladder Bracket – Also
	Includes Anchor Slings, Adjustable Rope Anchor and Rescue Bag



For more information or to order products on this page, please call Customer Care at 800 430-5490.



Confined Space

Safe, Lightweight and Portable Solutions for a Variety of Confined Space Applications

FALL PROTECTION

Applications include confined space entry, rescue, positioning and personnel/material handling.



Miller DuraHoist™ Portable Confined Space System

- System breaks down into four lightweight aluminum components
- Designed for manhole and confined space entry/retrieval and fall arrest applications

Miller DuraHoist™ Portable Fall Arrest Post

- Provides three independent swivel tie-off points for fall arrest anchorage
- Three-stage/four-position telescoping design and aluminum construction

Inree-stage/tour-position telescoping design and aluminum construction				
Item #	Description			
Miller DuraHoist Por	table Confined Space System			
DH-1/	Four-Piece System with ManHandler Hoist/Winch w/65-ft. (20m)			
	or 3/16 (4.76mm) Galvanized Steel Cable			
DH-2/	Four-Piece System without ManHandler Hoist/Winch			
DH-3/	One-Piece Adjustable Mast			
DH-21/	12-in. – 29-in. Two-Piece Adjustable Upper Mast			
DH-23	30-in. – 48-in. Two-Piece Adjustable Upper Mast			
DH-22/21	21-in. (.53m) Lower Mast Extension			
DH-22/33	33-in. (.84m) Lower Mast Extension			
DH-22/45	45-in. (1.14m) Lower Mast Extension			
DH-22/57	57-in. (1.45m) Lower Mast Extension			
DH-19-MILLER/	Complete Mounting Bracket Assembly			
Miller DuraHoist Por	table Fall Arrest Post			
DH-AP-1	Portable Fall Arrest Post			
DH-AP-3	Rescue/Material Handling Davit Arm			
DH-AP-11/	Complete Adapter Plate w/Bracket Assembly			
Note: A variety of base and accessory options for both systems are available. Call Miller Technical Service for more information at 800 873-5242				



MILLEIK by SPERIAN

Confined Space

Miller MightEvac® Self-Retracting Lifeline with Emergency Retrieval Hoist

- No annual factory recertification required* significant long-term savings/lower cost of ownership
- 20% lighter than competitive models
- Promotes quick and easy rescue with a 4:1 mechanical advantage (average speed of 25 ft. per minute)
- 310 lbs weight capacity
- · For emergency evacuation only
- Corrosion-resistant stainless steel/aluminum components
- · Convenient, heavy-duty carrying handle
- Available in galvanized or stainless steel wire rope and Kevlar® rope in lengths of 50 ft., 100 ft. and 130 ft., or Kevlar rope models in lengths of 40 ft. (SKU # MR40K/40FT) and 80 ft. (SKU # MR80K/80FT)

^{*}Does not apply to Canada (see CSA Z259.2.2-98). Must be inspected by a Miller authorized service center if involved in a fall or if fails user visual or function inspection

mivolved in a full of if fulls user visual of function inspection				
Item #	Description	Length		
Miller MightEvac Self	-Retracting Lifeline Units — ANSI A10.32			
MR50G/50FT	Miller MightEvac Unit w/Galvanized Wire Rope**	50'		
MR100G/100FT	Miller MightEvac Unit w/Galvanized Wire Rope**	100'		
MR130G/130FT	Miller MightEvac Unit w/Galvanized Wire Rope**	130'		
MR50GB/50FT	Miller MightEvac Unit w/Mounting Bracket	50'		
MR100GB/100FT	Miller MightEvac Unit w/Mounting Bracket	100'		
MR130GB/130FT	Miller MightEvac Unit w/Mounting Bracket	130'		
Miller MightEvac Self	-Retracting Lifeline Units — ANSI Z359			
MR50GB-Z7/50FT	Miller MightEvac Unit w/Mounting Bracket	50'		
MR100GB-Z7/100FT	Miller MightEvac Unit w/Mounting Bracket	100'		
MR130GB-Z7/130FT	Miller MightEvac Unit w/Mounting Bracket	130'		
Complete Confined Sp	pace Systems* – ANSI A10.32			
MR50GC/50FT	Miller MightEvac Unit w/7' Tripod and Mounting Bracket	50'		
MR100GC/100FT	Miller MightEvac Unit w/7' Tripod and Mounting Bracket	100'		
MR130GC/130FT	Miller MightEvac Unit w/7' Tripod and Mounting Bracket	130'		
MR50GCM/50FT	Miller MightEvac Unit w/7' Tripod, Mounting Bracket and ManHandler Hoist	50'		
MR50GX/50FT	Miller MightEvac Unit w/9' Tripod and Mounting Bracket	50'		
MR100GX/100FT	Miller MightEvac Unit w/9' Tripod and Mounting Bracket	100'		
MR130GX/130FT	Miller MightEvac Unit w/9' Tripod and Mounting Bracket	130'		
MR50GXM/50FT	Miller MightEvac Unit w/9' Tripod, Mounting Bracket and ManHandler Hoist	50'		
Complete Confined Sp	pace Systems* – ANSI Z359			
MR50GC-Z7/50FT	Miller MightEvac Unit w/7' Tripod and Mounting Bracket	50'		
MR100GC-Z7/100FT	Miller MightEvac Unit w/7' Tripod and Mounting Bracket	100'		
MR130GC-Z7/130FT	Miller MightEvac Unit w/7' Tripod and Mounting Bracket	130'		

^{*}Confined Space Systems also include a pulley, carabiner and two heavy-duty equipment bags

Note: ManHandler Hoist only available in 65 ft. and 100 ft. lengths

No Annual Factory Recertification Required

The Miller MightEvac® combines the superior performance and reliability of the best-selling MightyLite™ Self-Retracting Lifeline Series with a quick-activating retrieval mechanism for emergency evacuation. Meets all applicable OSHA, ANSI and CSA Standards.





^{**}For stainless steel wire rope, change the "G" to an "S" in the corresponding model number (Ex: MR50G/50FT becomes MR50S/50FT and MR130GC/130FT becomes MR130SC/130FT)



Horizontal Lifelines

Introducing a New Dimension in Horizontal Lifeline Fall Arrest Technology

The new SkyGrip® HLLY Systems are designed for easy installation on steel or concrete applications. A variety of innovative features have been engineered into

these new systems, making them extremely user friendly with enhanced safety considerations. Maximize worker safety/productivity and minimize liability!



- Systems available for steel and concrete applications
- Interchangeable stanchion posts enable systems for steel applications to be converted to concrete applications and systems for concrete applications to be converted for steel applications
- · Above the beam quick grip installation for increased safety
- Stainless steel energy absorber minimizes fall clearance
- Tension indicator insures proper tensioning critical to knowing fall clearance
- · Continuous pass-through design, lightweight and compact

Description Item#

Systems for Steel Applications*

SGS18/60FT 60-ft. Single-Span System Accommodates Up to 2 Workers SGS18/120FT 120-ft. Multi-Span System Accommodates Up to 4 Workers

Systems for Concrete Applications**

SGC/60FT 60-ft. Single-Span System Accommodates Up to 2 Workers SGC/120FT 120-ft Multi-Span System Accommodates Up to 4 Workers

Convert Systems

SGSB18 Base to Convert Stanchions for Concrete Applications for Use in

Steel Applications (One SGSB18 Required for Each Stanchion) SGCB Base to Convert Stanchions for Steel Applications for Use in Concrete Applications (One SGCA Required for Each Stanchion) Kit to Convert System for Steel Applications for Use in Concrete


Applications (One SGCA Required for Each Stanchion)

^{**}Attaches to rebar, concrete inserts or expansion bolt anchors





Always know your fall distance and select proper equipment to meet the fall clearance.



Remember:

UNDER 181/2 ft.*

Always use a **Self-Retracting Lifeline**

OVER 18-1/2 ft.

A Shock-Absorbing Lanyard or Self-Retracting Lifeline Can Be Used



*For fall clearance under 141/2 ft. contact Miller Technical Service 800 873-5242.

Fall

^{*}Accommodates flanges 4-in. – 18-in. wide and up to 2 1/4-in. thick



Fall Prevention and Protection Training

Open Enrollment Training Programs

- Experienced instructors
- · Live demonstrations and hands-on training
- Addresses site-specific variables and performance requirements of fall prevention and protection
- · Register online at www.millerfallprotection.com/training

Competent Person I Training

Competent Tower Climbers Training

Confined Space and Confined Space Entry Training

Confined Space Rescue

Confined Space Train the Trainer

Fall Protection Equipment Inspection

Fall Protection Rescue (Basic Rescue)

Hazardous Communication

Hazwoper (Hazardous Waste Operations and Emergency Response)

High-Access Rescue Training

Ladder Safety Training

OSHA 10-Hour General Industry Training

OSHA 30-Hour General Industry Training

Sacffolding Competent Person

Scaffolding Train the Trainer

Training Facilitators Class

NEW! Fall Protection Orientation I - Available Online in English or Spanish

One-hour orientation course provides an overview of fall hazards and basic skills related to proper use of fall protection equipment. This course is designed for non-supervisory personnel with limited or no knowledge of fall hazards or protection procedures.

NEW! Fall Protection Orientation II - Available Online in English or Spanish

70 minute course provides an introduction to hazard identification and basic skills related to proper use of fall protection equipment. This course is designed for non-supervisory personnel with limited exposure to fall hazards.

NEW! ANSI Standards - Available Online - FREE for a limited time

1-hour ANSI Standards Training video is now available to view exclusively online.

NEW! Wind Energy Basic Height Safety Training

One-day course designed as a basic work at height training for individuals who are not directly employed as wind energy engineers or technicians, but who may have an occasional need to limb a wind turbine under supervised conditions.

NEW! Wind Energy Competent Climber Training

Two-day course fulfills the basic work at height training requirements for field technicians and engineers employed within the wind energy sector.



Training is an integral part of a Fall Protection Program.

To maintain a safe and productive work environment, it is essential that employees working at heights:

- Recognize fall hazards
- · Evaluate the risk posed by each hazard
- Control the hazard through preventative or protective measures



Miller Announces NEW Online Fall Prevention & Protection Training

- Gain access to online fall protection training at your convenience and time schedules
- Learn proper fall protection techniques and procedures for working at height
- Receive a Certificate of Completion confirming course participation
- Bilingual courses available (in English and Spanish)

NEML



Engineered Solutions

Miller Engineered Solutions is dedicated to the design and installation of custom-engineered fall protection systems.

Our qualified, licensed and experienced personnel complete all work from design and engineering to final field commissioning, in accordance with federal and local codes and regulations.

Providing Innovative Solutions

With a complete range of engineering capabilities, Miller Engineered Solutions provides innovative and superior solutions to an array of fall protection needs. Engineering services include:

- Site survey consultation
- Design, supply and installation of passive and active fall protection systems
- Follow-up testing, training, inspection and certification

All engineered solutions are in accordance with our client's work environment. procedures and budget. The added benefits expected include a significant reduction in risk, maintaining or lowering insurance premiums, controlling workers compensation claims, regulatory compliance and, most importantly, safeguarding employee safety.

Site Survey Hazard Assessment

· Consultative approach to identifying the safety hazards associated with fall exposures

Passive Fall Arrest Systems

• Passive fall arrest systems, such as handrails, guardrails, catwalks/platforms, ladders and landings are a first-line solution to fall hazards

Active Fall Arrest Systems

- When a passive fall arrest system is not considered an effective or an aesthetic alternative, Miller Engineered Solutions designs, supplies and installs active fall arrest systems
- · Active Systems include: fall restraint systems that prevent a fall from occurring; fixed point anchors when fall protection is only required in a localized area; horizontal systems that provide continuous fall protection when travel and mobility are required at heights, Miller Engineered Solutions offers cable-based, flexible horizontal lifeline (HLL) systems; rigid rail systems constructed with conventional steel beams, fixed or mobile; lightweight, extruded aluminum; or compact, stainless steel
- Ladder Safety Climbing Systems: rigid-rail steel systems, cable-based systems, ladders with integrated safety rail, folding ladders with integrated safety rail

Contact Miller Engineered Solutions for complete details at 800 325-6746



Reference: Personal Fall Arrest System

3 key components of the Personal Fall Arrest System (PFAS) must be in place and properly used to provide maximum worker protection.

Anchorage/Anchorage Connector Body Wear Connecting Device

A Anchorage:

Commonly referred to as a tie-off point (i.e. I-beam)

Anchorage Connector:

Used to join the connecting device to the anchorage (i.e. cross-arm strap)


B Body Wear:

The personal protective equipment worn by the worker (i.e. full-body harness)

C Connecting Device:

The critical link that joins the body wear to the anchorage/anchorage connector (Ex: shock-absorbing lanyard (shown), or retractable lifeline)

Individually, these components will not provide protection from a fall. However, when used properly and in conjunction with each other, they form a Personal Fall Arrest System that becomes vitally important for safety on the jobsite.



6 Easy Steps That Could Save Your Life

How to Put a Harness On



Hold harness by back D-ring. Shake harness to allow all straps to fall in place.



If chest, leg and/or waist straps are buckled, release straps and unbuckle at this time.



Slip straps over shoulders so D-ring is located in middle of back between shoulder blades.



Pull leg strap between legs and connect to opposite end. Repeat with second leg strap. If belted harness, connect waist strap after leg straps.



Connect chest strap and position in mid-chest area. Tighten to keep shoulder straps taut.



After all straps have been buckled, tighten all buckles so that harness fits snugly but allows for full range of movement. Pass excess strap through loop keepers.



FULL LINE SKU LISTINGS

Miller Fall Protection

Body Wear

Miller Revolution™ Harnesses

DualTech™ Webbing

Item #	Description
RDT-QC/UBK	Quick-Connect Buckle Legs
RDT-TB/UBK	Tongue Buckle Legs
RDT-QC-B/UBK	Removable Belt, Quick-Connect Buckle Legs
RDT-TB-B/UBK	Removable Belt, Tongue Buckle Legs
RDT-QC-DP/UBK	Side D-Rings and Pad, Quick-Connect Buckle Legs
RDT-TB-DP/UBK	Side D-Rings and Pad, Tongue Buckle Legs
RDT-QC-BDP/UBK	Removable Belt, Side D-Rings and Pad, Quick-Connect Buckle Legs
RDT-TB-BDP/UBK	Removable Belt, Side D-Rings and Pad, Tongue Buckle Legs

DuraFlex® Webbing

Item #	Description
RDF-QC/UGN	Quick-Connect Buckle Legs
RDF-TB/UGN	Tongue Buckle Legs
RDF-QC-B/UGN	Removable Belt, Quick-Connect Buckle Legs
RDF-TB-B/UGN	Removable Belt, Tongue Buckle Legs
RDF-QC-DP/UGN	Side D-Rings and Pad, Quick-Connect Buckle Legs
RDF-TB-DP/UGN	Side D-Rings and Pad, Tongue Buckle Legs
RDF-QC-BDP/UGN	Removable Belt, Side D-Rings and Pad, Quick-Connect Buckle Legs
RDF-TB-BDP/UGN	Removable Belt, Side D-Rings and Pad, Tongue Buckle Legs

DuraFlex Python® Webbing

Item #	Description
RPY-QC/UGN	Quick-Connect Buckle Legs
RPY-TB/UGN	Tongue Buckle Legs
RPY-QC-B/UGN	Removable Belt, Quick-Connect Buckle Legs
RPY-TB-B/UGN	Removable Belt, Tongue Buckle Legs
RPY-QC-DP/UGN	Side D-Rings and Pad, Quick-Connect Buckle Legs
RPY-TB-DP/UGN	Side D-Rings and Pad, Tongue Buckle Legs
RPY-QC-BDP/UGN	Removable Belt, Side D-Rings and Pad, Quick-Connect Buckle Legs
RPY-TB-BDP/UGN	Removable Belt, Side D-Rings and Pad, Tongue Buckle Legs

Kevlar®-Nomex® Webbing

Item #	Description	
RKN-QC/UBK	Quick-Connect Buckle Legs	
RKN-TB/UBK	Tongue Buckle Legs	
RKN-QC-B/UBK	Removable Belt, Quick-Connect Buckle Legs	
RKN-TB-B/UBK	Removable Belt, Tongue Buckle Legs	

Model numbers listed are for Universal (Large/X-Large) size. Harnesses are also available in Small/Medium and XXL/XXXLarge, by replacing the "U" in the model number with "S/M" or "XXL/XXXL" (Ex: RDT-QC-B/XXL/XXXLBK). For front D-ring vest-style option, add "FD" to the corresponding harness model number (Ex: RDTFD-QC/UGN)

Miller Revolution™ Accessories

Item #	Description
RIA-T1	Mini Cell Phone Holder w/Snap-On Connector
RIA-T2	Regular Cell Phone/Jobsite Radio Holder, w/Snap-On Connector
RIA-T3	Water Bottle Holder, 1 Qt.
RIA-T4	Large Open Bolt and Bull Pin Bag w/Quick-Release Tool Snap
RIA-T5	Medium Open Bolt and Bull Pin Bag
RIA-T6	2-Pocket Nail and Tool Pouch
RIA-T7	Large Multi-Pouch Tool Bag w/2 Steel Hammer Loops
RIA-T8	Padded Hammer Loop
RIA-T9	Open End Pliers and Tool Holder
RIA-T10	Zippered Cylindrical Utility Pouch

Optional Padding

	RIA-P1	Shoulder/Leg Pads (2 pack)
	RIA-P2	Seat Pad
	Connection Po	vints
	Item #	Description
	RIA-C1	Sliding Belt Accessory Connectors (3 Pack)
	RIA-C2	Universal Accessory and Belt Attachment Clip (2 Pack)
I	Belts (fits size	s 32" to 54")
	Item #	Description
	RIA-B1	Belt with PivotLink Attachments, 5 Accessory Connectors

Belt with Pad and PivotLink Attachments, 5 Accessory Connectors **DuraFlex Python® ULTRA Harness**

Item #	Side D-Rings	Size	
P950QC/UGN	No	U	
P950QC-7/UGN	Yes	U	
P950QC-77/UGN	Yes	U	
P9500C-4/XXXLGN	No	XXXL	

Model numbers listed are for universal size. Harnesses are also available in Small/Medium and XX-Large, by replacing the "U" in the model number with "S/M" or "XXL" Note: For front D-ring vest-style option, add "FD" to the corresponding harness model number (Ex: P950QCFD/UGN)

DuraFlex® ULTRA Harness

Item #	Side D-Rings	Size
E650QC/UGN	No	U
E650QC-7/UGN	Yes	U
F6500C-77/HGN	Ves	II

Model numbers listed are for universal size. Harnesses are also available in Small/Medium and XX-Large, by replacing the "U" in the model number with "S/M" or "XXL" Note: For front D-ring vest-style option, add "FD" to the corresponding harness model number (Ex: P950QCFD/UGN); for blue webbing, substitute "BL" for "GN" in the suffix of the corresponding harness model number (Ex: E650QC-7/U BL)

Titan T-Flex™ Harnesses

Item #	Side D-Rings	Leg Strap Buckles
TF4000/UAK	No	Mating
TF4500/UAK	No	Tongue
TF4007/UAK	Yes	Mating
TF4507/UAK	Yes	Tongue

NOTE: Harnesses are also available in Small/Medium and XX-Large, by replacing the "U" in the model number with "S/M" or "XXL". For front D-ring vest-style option, add "FD" to the corresponding harness model number (Ex: TF4000FD/U)

Miller Relief Step™ Safety Device

Item #	Description
9099X/12	1 Box of 12 Relief Step Safety Devices
9099/36BULK	Bulk Quantity, 36 Relief Step Safety Devices

Connecting Devices

Manyard® II Shock-Absorbing Lanyards

ANSI A10.32

Item #	No. of Legs	Harness Connection	Anchorage Connection	Std Length*
216M/6FTGN	1	Locking Snap Hook	Locking Snap Hook	6'
219M/6FTGN	1	Locking Snap Hook	Locking Rebar Hook	6'
231M/6FTGN	2	Locking Snap Hook	Locking Rebar Hooks	6'
232M/6FTGN	2	Locking Snap Hook	Locking Snap Hooks	6'
233M/6FTGN	1	Choke-Off Loop	Locking Snap Hook	6'

FULL LINE SKU LISTING



Miller Fall Protection

ANSI Z359

Item #	No. of Legs	Harness Connection	Anchorage Connection	Std Length*
216M-Z7/6FTGN	1	Locking Snap Hook	Locking Snap Hook	6'
219M-Z7/6FTGN	1	Locking Snap Hook	Locking Rebar Hook	6'
231M-Z7/6FTGN	2	Locking Snap Hook	Locking Rebar Hooks	6'
232M-Z7/6FTGN	2	Locking Snap Hook	Locking Snap Hooks	6'
233M-Z7/6FTGN	1	Choke-Off Loop	Locking Snap Hook	6'

*Available in lengths from 4 ft. to 10 ft. Note: Locking Snap Hook - 3/4-inch gate opening; Locking Rebar Hook - 2-1/2 inch gate opening

BackBiter® Tie-Back Lanyards

Item #	No. of Legs	Harness Connection	Anchorage Connection
913B/6FTGN	1	Locking Snap Hook	Locking 5K Snap Hook
8798B/6FTGN	2	Locking Snap Hook	Locking 5K Snap Hooks

Note: Locking Snap Hook – 3/4-inch gate opening; Locking Rebar Hook – 2-1/2 inch gate opening.

Titan™ Shock-Absorbing Lanyards

Stretch Tubular Built-In Shock-Absorbing Lanyards*

Item #	No. of Legs	Harness Connection	Anchorage Connection
T5111SS/6FTAF	1	Locking Snap Hook	Locking Snap Hook
T5112SS/6FTAF	1	Locking Snap Hook	Large Locking Rebar Hook
T5121SS/6FTAF	2	Locking Snap Hook	Locking Snap Hooks
T5122SS/6FTAF	2	Locking Snap Hook	Large Locking Rebar Hooks

Stretch Pack-Type Shock-Absorbing Lanyards**

Item #	No. of Legs	Harness Connection	Anchorage Connection
T6111SS/6FTAF	1	Locking Snap Hook	Locking Snap Hook
T6112SS/6FTAF	1	Locking Snap Hook	Large Locking Rebar Hook
T6121SS/6FTAF	2	Locking Snap Hook	Locking Snap Hooks
T6122SS/6FTAF	2	Locking Snap Hook	Large Locking Rebar Hooks

^{*}Large Locking Rebar Hook (2-1/4" gate opening). Available from 4 ft. to 10 ft. lengths **Large Locking Rebar Hook (2-1/4" gate opening). Available from 3 ft. to 10 ft. lengths

Titan T-BAK™ Shock-Absorbing Lanyards ANSI A10.32

MFL-2-Z7/6FT TurboLite w/Steel Twist-Lock Carabiner

MFL-3-Z7/6FT TurboLite without unit connector

Item #	No. of Legs	Harness Connection	Anchorage Connection
T6111TB/6FTAF	1	Locking Snap Hook	Auto-Lock Carabiner
T6121TB/6FTAF	2	Locking Snap Hook	Auto-Lock Carabiner

TurboLite™ Personal Fall Limiter

ANSI A10.32		
Item #	Description and Unit Connector	Lanyard End Connector
MFL-1/6FT	TurboLite w/Steel Twist-Lock Carabiner	Locking Snap Hook
MFL-2/6FT	TurboLite w/Steel Twist-Lock Carabiner	Locking Rebar Hook
MFL-3/6FT	TurboLite without Unit Connector	Locking Snap Hook
MFL-4/6FT	TurboLite without Unit Connector	Locking Rebar Hook
MFL-5/6FT	TurboLite without Unit Connector	Locking Swivel Snap Hook
MFL-6/6FT	TurboLite without Unit Connector	Locking Swivel Rebar Hook
MFL-7/6FT	TurboLite w/D-ring Swivel Hook	Locking Snap Hook
MFL-8/6FT	TurboLite w/D-ring Swivel Hook	Locking Rebar Hook
MFL-9/6FT	TurboLite w/Locking Snap Hook	Locking Snap Hook
MFL-10/6FT	TurboLite w/Locking Snap Hook	Locking Rebar Hook
MFL-11/6FT	TurboLite w/Alum Twist-Lock Carabiner	Alum Locking Snap Hook
MFL-12/6FT	TurboLite w/Alum Twist-Lock Carabiner	Alum Locking Rebar Hook
ANSI Z359		
Item #	Description and Unit Connector	Lanyard End Connector
MFL-1-Z7/6FT	TurboLite w/Steel Twist-Lock Carabiner	Locking Snap Hook

MFL-4-Z7/6FT	TurboLite without Unit Connector	Locking Rebar Hook
MFL-5-Z7/6FT	TurboLite without Unit Connector	Locking Swivel Snap Hook
MFL-9-Z7/6FT	TurboLite w/ANSI Z359 Locking Snap Hook	Locking Snap Hook
MFL-10-Z7/6FT	TurboLite w/ANSI Z359 Locking Snap Hook	Locking Rebar Hook

Twin Turbo™ Fall Protection System

Twin Turbo D-Ring Connector

Item #	Description and Unit Connector	Lanyard End Connector	Weight
MFLB/	Twin Turbo D-Ring Connector	N/A	12.7 oz (395g)
MFLB-PARTS	D-Ring Connector Parts Kit:	N/A	N/A
	Slide Lock Bolt (1), PFL Spacer (2),		
	PFL Retainer Pin (2)		

TwinTurbo System Kits (all kits shipped completely assembled)

Item #	Description and Unit Connector	Lanyard End Connector	Weight
ANSI A10.32			
MFLB-3/6FT	TwinTurbo D-Ring Connector	Locking Snap Hooks	4.7 lbs (2.1kg)
	and 2 MFL-3/6FT TurboLite PFLs		
MFLB-4/6FT	TwinTurbo D-Ring Connector	Locking Rebar Hooks	6.1 lbs (2.8kg)
	and 2 MFL-4/6FT TurboLite PFLs		
MFLB-11/6FT	TwinTurbo D-Ring Connector	Alum Locking	4.7 lbs (2.1kg)
	and 2 MFL-11/6FT TurboLite PFLs	Snap Hooks	
MFLB-12/6FT	TwinTurbo D-Ring Connector	Alum Locking	6.1 lbs (2.8kg)
	and 2 MFL-12/6FT TurboLite PFLs	Rebar Hooks	
ANSI Z359			
MFLB-3-Z7/6FT	TwinTurbo D-Ring Connector	Locking ANSI	4.9 lbs (2.2kg)
	and 2 MFL-3-Z7/6FT TurboLite PFLs	Snap Hooks	
MFLB-4-Z7/6FT	TwinTurbo D-Ring Connector	Locking ANSI	6.7 lbs (3.0kg)
	and 2 MFL-4-Z7/6FT TurboLite PFLs	Rebar Hooks	

Miller Scorpion™ Personal Fall Limiters

ANSI A10.32

Item #	Unit Connector Options	Lanyard End Connector Options
PFL-1/9FT	None	Locking Snap Hook
PFL-2/9FT	Steel Twist-Lock Carabiner	Locking Snap Hook
PFL-3/9FT	Stainless Steel Swivel Shackle	Locking Snap Hook
PFL-4/9FT	Carabiner and Swivel Shackle	Locking Snap Hook
PFL-5/9FT	D-Ring Swivel Hook	Locking Snap Hook
PFL-6/9FT	Rebar Hook and Swivel Shackle	Locking Snap Hook
PFL-7/9FT	Locking Snap Hook and Swivel Shackle	Locking Snap Hook
PFL-8/9FT	Captive Eye Carabiner	Locking Snap Hook
ANSI Z359		

Item #	Unit Connector Options	Lanyard End Connector Options	
PFL-2-Z7/9FT	Steel Twist-Lock Carabiner	Locking Snap Hook	
PFL-4-Z7/9FT	Carabiner and Swivel Shackle	Locking Snap Hook	
PFL-6-Z7/9FT	Rebar Hook and Swivel Shackle	Locking Snap Hook	
PFL-7-Z7/9FT	Locking Snap Hook and Swivel Shackle	Locking Snap Hook	
PFL-15-Z7/9FT	None	Locking Swivel Snap Hook	
PFLCMK-Z7/	Cab Mount Bracket and PFL-15-Z7/9FT		
Note: Locking Span Hook = 3/L-inch gate opening: Locking Rober Hook = 2-1/2 inch gate opening			

Note: Locking Snap Hook – 3/4-inch gate opening; Locking Rebar Hook – 2-1/2 inch gate opening

Black Rhino™ Self-Retracting Lifelines

Lanyard End: Locking Swivel Snap Hook with Load Indicator

Item #	Unit Connector	ANSI
CFL-1/9FT	None (Need Carabiner, Not Incl.)	ANSI A10.32
CFL-2/9FT	Steel Twist-Lock Carabiner	ANSI A10.32
CFL-3/9FT	Stainless Steel Swivel (Carabiner Not Incl.)	ANSI A10.32
CFL-4/9FT	Stainless Steel Swivel and Steel Twist-Lock Carabiner	ANSI A10.32

Locking Rebar Hook

Locking Snap Hook





FULL LINE SKU LISTINGS

Miller Fall Protection

Black Rhino™ Self-Retracting Lifelines (continued)

	9	
Item #	Unit Connector	ANSI
CFL-5/9FT	Stainless Steel Swivel and Rebar Locking Snap Hook	ANSI A10.32
CFL-2-Z7/9FT	Steel Twist-Lock Carabiner	ANSI Z359-2007
CFL-4-Z7/9FT	Stainless Steel Swivel and Steel Twist-Lock Carabiner	ANSI Z359-2007
CFL-5-Z7/9FT	Stainless Steel Swivel and Rebar Locking Snap Hook	ANSI Z359-2007

Lanyard End: Locking Rebar Snap Hook

CFL-6/9FT	Stainless Steel Swivel and Steel Twist-Lock Carabiner	ANSI A10.32

Note: Locking Snap Hook - 3/4-inch gate opening; Locking Rebar Hook - 2-1/2 inch

Falcon™ Self-Retracting Lifelines

ANSI A10.32

Item #	Description
MP16P/16FT	16' Web Lifeline with Tagline and Carabiner
MP20P/20FT	20' Web Lifeline with Tagline and Carabiner
MP20G/20FT	20' Galvanized Wire Rope with Tagline and Carabiner
MP20SS/20FT	20' Stainless Steel Wire Rope with Tagline and Carabiner
MP30G/30FT	30' Galvanized Wire Rope with Tagline and Carabiner
MP30SS/30FT	30' Stainless Steel Wire Rope with Tagline and Carabiner
MP50G/50FT	50' Galvanized Wire Rope with Tagline and Carabiner
MP50SS/50FT	50' Stainless Steel Rope with Tagline and Carabiner
MP65G/65FT	65' Galvanized Wire Rope with Tagline and Carabiner
MP65SS/65FT	65' Stainless Steel Rope with Tagline and Carabiner
928LS/18INYL	Miller SofStop Shock Absorber Pack with Locking Snap Hook
	and D-ring (for 400 lbs Working Load)

ANSI Z359

Item #	Description
MP16P-Z7/16FT	16' Web lifeline with Tagline and Carabiner; Rated to 400 lbs
MP20P-Z7/20FT 20' Web lifeline with Tagline and Carabiner; Rated to	
MP20G-Z7/20FT	20' Galvanized Wire Rope with Tagline and Carabiner
MP30G-Z7/30FT	30' Galvanized Wire Rope with Tagline and Carabiner
MP50G-Z7/50FT	50' Galvanized Wire Rope with Tagline and Carabiner
MP65G-Z7/65FT	65' Galvanized Wire Rope with Tagline and Carabiner

Titan™ Personal Fall Limiters

Item #	Description
TFL/11FT	Unit without an Anchorage Connector
TFL-1/11FT	Unit w/Steel Twist-Lock Carabiner
TFL-2/11FT	Unit w/SS Swivel Shackle
TFL-3/11FT	Unit w/SS Swivel Shackle and Carabiner
TFL-6/11FT	Unit w/SS Swivel Shackle; Locking Rebar Hook (2-1/4" Gate Opening)

SS=Stainless Steel

Titan™ Self-Retracting Lifeline Series

Item #	Length	Housing Material	Lifeline Material
TRW/20FT	20'	Aluminum and Stainless Steel	1" Webbing
TR20/20FT	20'	Glass-Filled Polypropylene	3/16" Galvanized Wire Rope
TR30/30FT	30'	Glass-Filled Polypropylene	3/16" Galvanized Wire Rope
TR50/50FT	50'	Glass-Filled Polypropylene	3/16" Galvanized Wire Rope
TR65/65FT	65'	Glass-Filled Polypropylene	3/16" Galvanized Wire Rope

Anchorage Connectors

Miller Grip™ Temporary Anchorage Connectors

			, , , , , , , , , , , , , , , , , , , ,	
	Item #	Size	Description	Max User Weight
	496	3/4"	5,000 lbs Capacity for Single User Connection	400 lbs.
	497	1"	10,000 lbs Capacity for Single User Connection	400 lbs.

498	3/4"	1,000 lbs. Max Safe Working Load for	Not for Fall
		Multi-Use Connection	Protection Use
499	1"	2,000 lbs. Max Safe Working Load for	Not for Fall
		Multi-Use Connection	Protection Use

Miller Shadow® Beam Anchorage Connectors

		=
Item #	Fits Flange Sizes	Description
8815-12	4" to 12"	Lightweight, Fixed Shadow Beam Anchor -
		Stainless Steel and High-Strength Aluminum
8816-14	3" to 14"	Lightweight, Adjustable ShadowLite™ Beam Anchor –
		High-Strength Aluminum and Bronze Construction
940WLS/6FTGN	-	6 ft. Shock-Absorbing Web Lanyard with Double
		SofStop Pack, 2 Locking Snap Hooks (Designed for 12'
		Fall – Use with Beam Anchors)

ViGo™ Continuous Ladder Climbing Safety Systems

Vi-Go Continuous Ladder Climbing Safety System Kits with Automatic Pass-Through*

Item #	Length of System	No. of Cable Guides
VG/40FT	40-ft.	0
VG/60FT	60-ft.	1
VG/80FT	80-ft.	1
VG/100FT	100-ft.	2

*Other system kits are available in 10-ft (3.0m) increments up to 300-ft. (91.4m), and then 50-ft. (15.2m) increments up to 500-ft. (152.4m)

Vi-Go Automatic Pass-Through Cable Sleeve Sold Separately

Item #	Description
VGCS	Automatic Pass-Through Cable Sleeve
VGCS-C	Automatic Pass-Through Cable Sleeve with Carabiner
VGCS-SC	Automatic Pass-Through Cable Sleeve with Integral Swivel and Carabiner

GlideLoc® Fixed Rail Ladder Climbing Systems

Contact Miller Technical Service for Complete Details - 800 873-5242

Xenon® Permanent Horizontal Lifeline Systems

Contact Miller Technical Service for Complete Details - 800 873-5242

Fall Protection Kits

Titan ReadyWorker™ Fall Protection Kits

•			
Item #	Side D-Rings on Harness	Harness Leg Strap Buckles	Cross Arm Anchorage
TFPK-1/U/6FTAK	No	Mating	No
TFPK-2/U/6FTAK	No	Tongue	No
TFPK-3/U/6FTAK	Yes	Tongue	No
TFPK-4/U/6FTAK	No	Mating	Yes
TFPK-5/U/6FTAK	No	Tongue	Yes
TFPK-6/U/6FTAK	Yes	Tongue	Yes

Note: Kits can also be purchased in bulk packs (48 units). Contact Miller Customer Service

Titan ReadyRoofer® Fall Protection System

Item #	Description
BRFK25/25FT	ReadyRoofer System with 25' Rope Lifeline
BRFK50/50FT	ReadyRoofer System with 50' Rope Lifeline
BRFK75/75FT	ReadyRoofer System with 75' Rope Lifeline
BRFK100/100FT	ReadyRoofer System with 100' Rope Lifeline

Note: For harness with tongue buckle leg straps, add a "T" to the base model number after the letter "K" (Ex. BRFKT50/50FT)

FULL LINE SKU LISTINGS



Miller Fall Protection

Rescue/Descent Device

Miller SafEscape™ ELITE		
Item#	Description	
SEWPKT/75FT	Wind Energy Kit – Includes Miller SafEscape ELITE RDD with Hoisting Wheel and Ladder Bracket, T-bar, Edge Protector, 3 Anchor Slings, 3 Carabiners, Pulley, Adjustable Rope Anchor, Rescue Rope Grab, Accessory Bag and Kit Bag	
SECRKT/75FT	Crane Rescue Kit – Includes Miller SafEscape ELITE RDD, Rescue Harness, Cross-Arm Strap, Retrieval Yoke and Rescue Bag	
SE/75FT	Miller SafEscape ELITE RDD - Includes Anchor Alings and Rescue Bag	
SEHW/75FT	Miller SafEscape ELITE RDD w/Hoisting Wheel - Includes Anchor Slings and Rescue Bag	
SEHWLB/75FT	Miller SafEscape ELITE RDD w/Hoisting Wheel and Ladder Bracket - Includes Anchor Slings, Adjustable Rope Anchor and Rescue Bag	

Confined Space Systems

Miller DuraHoist™ Portable Confined Space Systems

	or i ortubic commen space systems
Item #	Description
DH-1/	Four-Piece System with ManHandler Hoist/Winch w/65-ft. (20m)
	or 3/16 (4.76mm) Galvanized Steel Cable
DH-2/	Four-Piece System without ManHandler Hoist/Winch
DH-3/	One-Piece Adjustable Mast
DH-21/	12-in 29-in. Two-Piece Adjustable Upper Mast
DH-23	30-in 48-in. Two-Piece Adjustable Upper Mast
DH-22/21	21-in. (.53m) Lower Mast Extension
DH-22/33	33-in. (.84m) Lower Mast Extension
DH-22/45	45-in. (1.14m) Lower Mast Extension
DH-22/57	57-in. (1.45m) Lower Mast Extension
DH-19-MILLER/	Complete Mounting Bracket Assembly

Miller DuraHoist™ Portable Fall Arrest Post

Item #	Description
DH-AP-1	Portable Fall Arrest Post
DH-AP-3	Rescue/Material Handling Davit Arm
DH-AP-11/	Complete Adapter Plate w/Bracket Assembly

Miller MightEvac® Self-Retracting Lifeline Units

Item #	Description	ANSI	Length
MR50G/50FT	Miller MightEvac Unit w/Galvanized Wire Rope**	A10.32	50'
MR100G/100FT	Miller MightEvac Unit w/Galvanized Wire Rope**	A10.32	100'
MR130G/130FT	Miller MightEvac Unit w/Galvanized Wire Rope**	A10.32	130'
MR50GB/50FT	Miller MightEvac Unit w/Mounting Bracket	A10.32	50'
MR100GB/100FT	Miller MightEvac Unit w/Mounting Bracket	A10.32	100'
MR130GB/130FT	Miller MightEvac Unit w/Mounting Bracket	A10.32	130'
MR50GB-Z7/50FT	Miller MightEvac Unit w/Mounting Bracket	Z359-2007	50'
MR100GB-Z7/100FT	Miller MightEvac Unit w/Mounting Bracket	Z359-2007	100'
MR130GB-Z7/130FT	Miller MightEvac Unit w/Mounting Bracket	Z359-2007	130'

Complete Confined Space Systems*

ANSI A10.32

Item #	Description	Length
MR50GC/50FT	Miller MightEvac Unit w/7' Tripod and Mounting Bracket	50'
MR100GC/100FT	Miller MightEvac Unit w/7' Tripod and Mounting Bracket	100'
MR130GC/130FT	Miller MightEvac Unit w/7' Tripod and Mounting Bracket	130'
MR50GCM/50FT	Miller MightEvac Unit w/7' Tripod, Mounting Bracket and ManHandler Hoist	50'
MR50GX/50FT	Miller MightEvac Unit w/9' Tripod and Mounting Bracket	50'

MR100GX/100FT	Miller MightEvac Unit w/9' Tripod and Mounting Bracket	100'
MR130GX/130FT	Miller MightEvac Unit w/9' Tripod and Mounting Bracket	130'
MR50GXM/50FT	Miller MightEvac Unit w/9' Tripod, Mounting Bracket	50'
	and ManHandler Hoist	

ANSI Z359

Item #	Description	Length
MR50GC-Z7/50FT	Miller MightEvac Unit w/7' Tripod and Mounting Bracket	50'
MR100GC-Z7/100FT	Miller MightEvac Unit w/7' Tripod and Mounting Bracket	100'
MR130GC-Z7/130FT	Miller MightEvac Unit w/7' Tripod and Mounting Bracket	130'

^{*}Confined Space Systems also include a pulley, carabiner and two heavy-duty

Horizontal Lifeline

SkyGrip® Temporary Horizontal Lifeline System

Systems for Steel Applications*

Item#	Description
SGS18/60FT	60-ft. Single-Span System Accommodates Up to 2 Workers
SGS18/120FT	120-ft. Multi-Span System Accommodates Up to 4 Workers

Systems for Concrete Applications**

Item#	Description	
SGC/60FT	60-ft. Single-Span System Accommodates Up to 2 Workers	
SGC/120FT	120-ft. Multi-Span System Accommodates Up to 4 Workers	

Convert Systems

Item#	Description
SGSB18	Base to Convert Stanchions for Concrete Applications for Use in Steel
	Applications (One SGSB18 Required for Each Stanchion)
SGCB	Base to Convert Stanchions for Steel Applications for Use in Concrete
	Applications (One SGCA Required for Each Stanchion)
SGCA	Kit to Convert System for Steel Applications for Use in Concrete
	Applications (One SGCA Required for Each Stanchion)

^{*}Accommodates flanges 4-in. to 18-in. wide and up to 2 1/4-in. thick

Miller Training

Online and Open Enrollment Training Programs

Register or access online courses at www.millerfallprotection.com Contact Miller Training for complete details at 800 873-5242

Engineered Solutions

Miller Engineered Solutions

Contact Miller Engineered Solutions for complete details at 800 325-6746

equipment bags
**For stainless steel wire rope, change the "G" to an "S" in the corresponding model number (Ex: MR50G/50FT becomes MR50S/50FT and MR130GC/130FT becomes MR130SC/130FT) Note: ManHandler Hoist only available in 65 ft. and 100 ft. lengths

^{**}Attaches to rebar, concrete inserts or expansion bolt anchors









SPERIAN Protection Americas, Inc. 900 Douglas Pike Smithfield, RI 02917 Tel: 800 343-3411 Fax: 800 322-1330 www.sperian.com



SAFETY PRODUCTS CATALOG 2010



INDUSTRIAL SAFETY GROUP





HARLEY-DAVIDSON® PERSONAL SAFETY WEAR TABLE OF CONTENTS

228 • Safety Eyewear

230 • Welding Helmets

232 • Hard Hats

AWARNING! Not intended for use when riding a motorcycle. Improper use of these products may result in serious personal injury or death.

AWARNING! Harley-Davidson® Personal Safety Wear should only be used in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury including diminution or loss of vision or fatality. **234** • Reference: Limited Warranty Information

235 • Harley-Davidson® Personal Safety Wear Full Line SKU Listing



©2010 H-D. All rights reserved.

Manufactured by Sperian Protection under license from Harley-Davidson Motor Company



Harley-Davidson® Personal Safety Wear

SAFETY KICKS INTO A WHOLE NEW GEAR

Unmistakable Harley-Davidson® styling with innovative designs provide personalized comfort and fit and make this the most distinctive line-up of personal protective equipment available today. An extensive range of products including safety eyewear, hard hats and welding helmets are available to provide complete protection in the broadest range of applications and settings. Loaded with unmatched comfort, fit and protection, Harley-Davidson® Personal Safety Wear kicks safety into a whole new gear.



Safety, Comfort, and Cool at an Unmatched Value

Be safe, comfortable and cool with the new HD1200 Series safety eyewear from Harley-Davidson® Personal Safety Wear. Lightweight, black frame features popular H-D® logos on both temples and is complemented by flame-orange nose pads

and temple tips for Harley-Davidson® styling. Priced right, this newest addition to our line puts all of the comfort, safety features, and Harley-Davidson® look you want at our best value ever.



Safety Eyewear



NEW! HD1200 Series

- Lightweight, black frame features popular Harley-Davidson® logos on both temples
- Flame-orange nose pads and temple tips for H-D® styling and superior comfort
- Priced right, the HD1200 Series puts all of the comfort, safety features and Harley-Davidson® look you want at a great value!

Item #	Frame Color	Lens Tint/Coating
HD1200	Black	Clear Hardcoat
HD1201	Black	Gray Hardcoat
HD1202	Black	Orange Mirror Hardcoa

Meets ANSI Z87+ Standard



NEW! HD1100 Series

- Weighing less than an ounce, this lightweight style is comfortable for all day, on-the-job use
- Secure wrap-around brow expands to comfortably fit a wide range of wearers
- Custom orange and black temples feature sleek H-D® styling including the legendary Bar and Shield logo
- Soft temple inserts and molded "finger" nose pads provide additional comfort

Item #	Frame Color	Lens Tint/Coating
HD1100	Orange and Black	Clear Hardcoat
HD1101	Orange and Black	Gray Hardcoat
HD1102	Orange and Black	Silver Mirror Hardcoat

Meets ANSI Z87+ and CSA Z94.3 Standards



HD1000 Series

- Raised chrome flame emblem with legendary Harley-Davidson® Bar and Shield logo on each temple for unmistakable Harley-Davidson® branding
- Dual lens design has a tight orbital wrap for a secure fit and superior protection
- Substantial plastic frame with a painted metallic finish gives a rugged look with
- lightweight protection for all-day user comfort
- Polycarbonate lenses feature scratch-resistant and anti-fog coatings for long-lasting durability in a wide range of applications

-
HD1002

Item #	Frame Color	Lens Tint/Coating
HD1000	Silver	Blue Mirror Hardcoat and Anti-Fog
HD1001	Black	Gray Hardcoat and Anti-Fog
HD1002	Gunmetal	Silver Mirror Hardcoat and Anti-Fog
HD1003	Gunmetal	Orange Mirror Hardcoat and Anti-Fog

Meets ANSI Z87+ Standard

For more information, visit us on the web: www.h-dpersonalsafetywear.com



Safety Eyewear

HD800 Series

- · Double 9-base frameless design is lightweight at just 27 grams
- Silver temples feature trailing flame design and Harley-Davidson® Bar and Shield logo
- Unique Harley-Davidson® metal detailing on nosebridge
- Striking mirrored lens options for outdoor work applications

Item #	Frame Color	Lens Tint/Coating
HD800	Silver Temples	Orange Mirror Hardcoat
HD801	Silver Temples	Blue Mirror Hardcoat
HD802	Silver Temples	Silver Mirror Hardcoat

Meets ANSI Z87+ and CSA Z94.3 Standards

HD700 Series

- · Double 8-base frame features springhinged temples for superior comfort
- Premium gunmetal frame with Harley-Davidson® Signature logo on temples
- H-D® Bar and Shield logo on lens
- · Lens options for both indoor and outdoor work applications

Item #	Frame Color	Lens Tint/Coating
HD700	Gunmetal	Brown Mirror Hardcoat
HD701	Gunmetal	Clear Hardcoat
HD702	Gunmetal	Gray Hardcoat
HD703	Gunmetal	Amber Hardcoat

Meets ANSI Z87+ Standard






HD500 Series

- · Silver chrome or sleek black metal frame with lightweight design
- · Spring-hinged temples for maximum comfort
- · Sport style wrap-around design with excellent side protection
- Harley-Davidson® logo on frame and lens

Item #	Frame Color	Lens Tint/Coating
HD501	Silver Matte	Clear Hardcoat
HD502	Silver Matte	Gray Hardcoat
HD503	Silver Matte	Silver Mirror Hardcoat
HD510	Black Matte	Blue Mirror Hardcoat
HD513	Black Matte	Silver Mirror Hardcoat

Meets ANSI Z87+ Standard





Safety Eyewear



HD400 Series

- Impact-resistant 9-base wrap-around lens
- 180 degrees of panoramic vision with excellent side and brow coverage
- Black break-away adjustable hang cord is included



Item #	Frame Color	Lens Tint/Coating
HD400	Black	Clear Hardcoat
HD401	Black	Mirror 50 Hardcoat
HD402	Black	Silver Mirror Hardcoat

Meets ANSI Z87+ and CSA Z94.3 Standards



HD100 Series

- Contemporary, wrap-around sport styling with a dual-lens look, molded-in sideshields, browguards and adjustable spatulite temples
- · Available in classic black with translucent orange accents
- Special limited edition HD100 features a silver frame with blue mirror lens

Item #	Frame Color	Lens Tint/Coating
HD100	Silver	Blue Mirror Hardcoat
HD101	Black	Clear Hardcoat
HD102	Black	Espresso Hardcoat
HD103	Black	Gold Mirror Hardcoat

Meets ANSI Z87+ Standard

Welding Helmets



H-D® Premium Style Series, Flames

- Variable shade 9-13 autodarkening filter provides a wide range of shade options
- High-gloss, high-graphic Harley-Davidson® flames design
- External shade selection knob allows for easy access shade selection
- Two-year warranty on solar-powered ADF





Shade Level
Variable Shade 9-13 ADF

For more information, visit us on the web: www.h-dpersonalsafetywear.com

For more information or to order products on this page, please call Customer Care at 800 430-5490.



Welding Helmets

H-D® Premium Style Series, Racing

- Variable shade 9-13 autodarkening filter provides a wide range of shade options
- High-gloss, high-graphic Harley-Davidson® racing design
- External shade selection knob allows for easy access shade selection
- Two-year warranty on solar-powered ADF



Item #	Description	Shade Level
K919	H-D® Racing Premium Style Series	Variable Shade 9-13 ADF

H-D® Signature Series

- Sleek, black helmet shell features Harley-Davidson® Bar and Shield and Signature logos
- Available in three filter configurations to suit a broad range of welding applications

Item #	Description	Shade Level
K915	H-D® Signature Series, 2" x 4 1/4" Flip-Up	Shade 10 Passive
K916	H-D® Signature Series, 4" x 5" Wide View	Shade 10 Passive
K917	H-D® Signature Series	Shade 10 ADF



Harley-Davidson® Welding Helmets

Harley-Davidson® welding helmets comply with ANSI Z89.1-2003 Impact Standard.

- Patented telescoping headgear design and extended coverage of the helmet shell provides unsurpassed coverage and protection
- Two-year warranty on ADF models (K917, K918 and K919)



For Harley-Davidson® Personal Safety Wear replacement parts and accessories, see page 235.



Hard Hats



H-D® Hard Hat, Flames Design

• High-gloss, full graphic shell with realistic flame design and the legendary Harley-Davidson® Bar and Shield logo

Item # Description

HDHHAT10 High Gloss, Black Hard Hat with Realistic Flames Design

Complies with ANSI Z89.1-2009 Impact Standard

H-D® Hard Hat, Racing Design

• High-gloss, fully decorated metallic silver shell with checkered flag Harley-Davidson® racing design and black and orange detailing

Item # Description

HDHHAT20 High Gloss, Silver Hard Hat with Checkered Flag Racing Design

Complies with ANSI Z89.1-2009 Impact Standard







For more information, visit us on the web: www.h-dpersonalsafetywear.com



Hard Hats

H-D® Skulls Hard Hat

- Orange metallic flames and razor sharp blades surround metallic skulls on the front and back of this high-gloss hard hat.
- Classic Harley-Davidson® Bar and Shield logo decal on the front

Item #

HDHHAT30 High Gloss, Orange and Black Hard Hat with Silver Skull and Blade Graphics

Complies with ANSI Z89.1-2009 Impact Standard

Special Edition! H-D® Special Edition Skulls Hard Hat

- Sleek, black matte hard hat features metallic silver flames, blades and skulls.
- Three-dimensional silver metal Bar and Shield logo emblem showcased on the front of this Special Edition hard hat

Item # Description

HDHHAT35 Smooth Matte, Black Hard Hat with Silver Skull and Blade Graphics

Complies with ANSI Z89.1-2009 Impact Standard





HDHHAT35



Harley-Davidson® Hard Hats

Harley-Davidson® hard hats comply with ANSI Z89.1-2009 Impact Standard.

Harley-Davidson® hard hats feature:

- High-gloss, full graphic shells
- · Smooth 6-point ratchet adjustment that is quick and easy to set, allowing for proper safety cap alignment
- · Cushioned sweatband that provides increased comfort for the wearer
- Type 1 Electric Class G and E

For Harley-Davidson® Personal Safety Wear replacement parts and accessories, see page 235.



Reference: Limited Warranty Information



Sperian Protection distributors must be authorized to distribute Harley-Davidson® Personal Safety Wear. Please see your Sperian Territory Sales Manager for details.

LIMITED WARRANTY

Sperian Protection warrants that its products are free from defects in material and workmanship. A product that is the subject of a warranty claim must first be made available to an authorized Sperian Protection distributor or to the seller from whom the product was purchased. All warranty returns must be shipped pre-paid. Sperian Protection will then determine whether repair or replacement of the product is the appropriate remedy. This will be done at no charge to the end user.

This limited warranty does not cover any Harley-Davidson® Personal Safety Wear product or component found by Sperian Protection to have been altered, misused, abused, tampered with or improperly maintained or to have deteriorated due to aging of any components made of rubber or any other elastomer.

This limited warranty does not cover any damage, loss or expense due to damage caused by accident, abuse, improper maintenance, use or misuse of the product.

For details regarding specific brand and product warranties, call 1-800-430-5490.



HARLEY-DAVIDSON® OFFICIAL LICENSED PRODUCT

©2010 H-D. All rights reserved. Manufactured by Sperian Protection under license from Harley-Davidson Motor Company.

▲ Harley-Davidson® Personal Safety Wear products should be used only in strict accordance with and adherence to the detailed instructions and warnings provided with the product.

▲ Harley-Davidson® Personal Safety Wear products are not intended for use when riding a motorcycle. Improper use may result in serious personal injury or death.

FULL LINE SKU LISTING



Harley-Davidson® Personal Safety Wear

Safety Eyewear

HD1200 Series

Item #	Frame Color	Lens Tint/Coating
HD1200	Black	Clear Hardcoat
HD1201	Black	Gray Hardcoat
HD1202	Black	Orange Mirror Hardcoat

HD1100 Series

Item #	Frame Color	Lens Tint/Coating
HD1100	Orange and Black	Clear Hardcoat
HD1101	Orange and Black	Gray Hardcoat
HD1102	Orange and Black	Silver Hardcoat

HD1000 Series

Item #	Frame Color	Lens Tint/Coating
HD1000	Silver	Blue Mirror Hardcoat and Anti-Fog
HD1001	Black	Gray Hardcoat and Anti-Fog
HD1002	Gunmetal	Silver Mirror Hardcoat and Anti-Fog
HD1003	Gunmetal	Orange Mirror Hardcoat and Anti-Fog

HD800 Series

Item #	Frame Color	Lens Tint/Coating
HD800	Silver Temples	Orange Mirror Lens
HD801	Silver Temples	Blue Mirror Lens
HD802	Silver Temples	Silver Mirror Lens

HD700 Series

Item #	Frame Color	Lens Tint/Coating
HD700	Gunmetal	Brown Mirror Hardcoat
HD701	Gunmetal	Clear Hardcoat
HD702	Gunmetal	Gray Hardcoat
HD703	Gunmetal	Amber Hardcoat

HD500 Series

Item #	Frame Color	Lens Tint/Coating
HD501	Silver Matte	Clear Hardcoat
HD502	Silver Matte	Gray Hardcoat
HD503	Silver Matte	Silver Mirror Hardcoat
HD510	Black Matte	Blue Mirror Hardcoat
HD513	Black Matte	Silver Mirror Hardcoat

HD400 Series

Item #	Frame Color	Lens Tint/Coating	
HD400	Black	Clear Hardcoat	
HD401	Black	Mirror 50 Hardcoat	
HD402	Black	Silver Mirror Hardcoat	

HD100 Series

Item #	Frame Color	Lens Tint/Coating
HD100	Silver	Blue Mirror Hardcoat
HD101	Black	Clear Hardcoat
HD102	Black	Espresso Hardcoat
HD103	Black	Gold Mirror Hardcoat

Welding Protection

H-D® Premium Style Series, Flames

Item #	Description	Shade Level
K918	H-D® Flames Premium Style Series	Variable Shade 9-13 ADF

H-D® Premium Style Series, Racing

Item #	Description	Shade Level
K919	H-D® Racing Premium Style Series	Variable Shade 9-13 ADF

H-D® Signature Series

Item #	Description	Shade Level
K915	H-D® Signature Series, 2" x 4 1/4" Flip-Up	Shade 10 Passive
K916	H-D® Signature Series, 4" x 5" Wide View	Shade 10 Passive
K917	H-D® Signature Series	Shade 10 ADF

Hard Hats

H-D® Hard Hat, Flames Design

Item #	Description
HDHHAT10	High Gloss, Black Hard Hat with Realistic Flames Design

H-D® Hard Hat, Racing Design

Item #	Description
HDHHAT20	$\label{thm:checkered} \textbf{High Gloss, Silver Hard Hat with Checkered Flag Racing Design}$

H-D® Skulls Hard Hat

HDHHAT30 High Gloss, Orange and Black Hard Hat with Silver Skull and Blade Graphics	It	em #	Description
	Н	IDHHAT30	

H-D® Special Edition Skulls Hard Hat

Item #	Description
HDHHAT35	Smooth Matte, Black Hard Hat with Silver Skull and Blade Graphics

Replacement Parts & Accessories

H-D® Safety Eyewear

Item #	Description
HD902	Hang Cord for Harley-Davidson® Safety Eyewear
HD903	Zipper Storage Case for Harley-Davidson® Safety Eyewear

H-D® Welding Protection

Item #	Description
K933	Replacement Head Gear for Harley-Davidson® Welding Helmets
More H-D® welding helmet replacement parts available, please call 800 430-5490 for ordering details	

H-D® Hard Hats

Item #	Description
HDHHAT05	4-Point Replacement Suspension for Harley-Davidson® Hard Hats
HDHHAT06	6-Point Replacement Suspension for Harley-Davidson® Hard Hats









SPERIAN Protection Americas, Inc. 900 Douglas Pike Smithfield, RI 02917 Tel: 800 343-3411 Fax: 800 322-1330 www.sperian.com



SAFETY PRODUCTS CATALOG 2010



INDUSTRIAL SAFETY GROUP





SPERIAN EYE & FACE PROTECTION TABLE OF CONTENTS

• Safety Eyewear

• Safety Goggles

• Face Shields

• Hard Hats

64 • Hard Hat Accessories

• Reference: Lens Tint Selection

• Sperian Eye & Face Protection Full Line SKU Listing

▲ WARNING! Sperian® safety eyewear products should be used only in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury, including diminished vision or loss of vision, or fatality. Sperian hard hat products should only be used in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury or death.



Sperian Eye & Face Protection

INDUSTRIAL STRENGTH STYLE

Sperian Eye & Face Protection recognizes the importance of finding the right safety eyewear, goggles, face shields and hard hats that fit your budget and meet your compliance requirements. Our expertise ranges from construction and laboratory, to automotive, industrial and manufacturing, and even office environments. You'll find a full selection of protective eye and face equipment that you and your co-workers will want to wear.



Hard Working Price

Comfort, style and security don't have to come with a high price. We engineer our products to offer world-class protection and style at an affordable price. Our experience spans over 130 years, so we understand the challenges that you face in the workplace. All of our sleek, contemporary designs meet Z87.1+ (High Impact) safety standards, and many also meet CSA Z94.3 safety standards. We understand the importance of personal eye protection.

Eyewear That Fits - Style and Comfort

Personal protective equipment has to fit properly in order for it to perform its best. Sperian® eyewear, such as the new W-series, hits the mark. Designed for women, the W-series offers detailed design in both fit and style. The W100 series, W200 series and W300 series create a new genre of protection that women will want to wear.

Similarly, our new A900 reader-magnifier series takes the style of our popular A900 eyewear and adds a perfectly-positioned reader-magnifier to the lens. Sports-inspired styling of 3 magnifications, 2 different lens tints and 2 lens shapes for the North American market.

Safety Eyewear









For tint suggestions by application, see our lens tint chart on page 65.

For more information or to order products on this page, please call Customer Care at 800 430-5490.

A900 Series

- · Sporty, 8-base wrap-around polycarbonate lens
- Non-slip rubber nose bridge and padded temples provide a comfortable fit
- Available with scratch-resistant hardcoat or optional Fog-Ban® anti-fog coating
- Meets ANSI Z87+ (High Impact) standard
- CSA version meets CSA Z94.3 standard

Item #	Frame Color/Lens Tint	Coating
A900	Black/Clear	Hardcoat
A902	Black/TSR Gray	Hardcoat
A904	Black/Silver Mirror	Hardcoat
A901	Black/Clear	Fog-Ban Anti-Fog
A903	Black/TSR Gray	Fog-Ban Anti-Fog
A900CSA	Black/Clear	Hardcoat
A902CSA	Black/TSR Gray	Hardcoat
A904CSA	Black/Silver Mirror	Hardcoat
A901CSA	Black/Clear	Fog-Ban Anti-Fog
A903CSA	Black/TSR Gray	Fog-Ban Anti-Fog

NEW! A900 Reader/Magnifier Series

Item#	Frame Color/Lens Tint	Magnifier Strength	Coating
A950	Black/Clear	+1.50	Hardcoat
A951	Black/Clear	+2.00	Hardcoat
A952	Black/Clear	+2.50	Hardcoat
A960	Black/TSR Gray	+1.50	Hardcoat
A961	Black/TSR Gray	+2.00	Hardcoat
A962	Black/TSR Gray	+2.50	Hardcoat
A950CSA*	Black/Clear	+1.50	Hardcoat
A951CSA*	Black/Clear	+2.00	Hardcoat
A952CSA*	Black/Clear	+2.50	Hardcoat
A960CSA*	Black/TSR Gray	+1.50	Hardcoat
A961CSA*	Black/TSR Gray	+2.00	Hardcoat
A962CSA*	Black/TSR Gray	+2.50	Hardcoat

^{*}CSA version provides extended coverage, but CSA does not certify reader/magnifiers at this time

A800 Series

- Sporty, 9-base wrap-around polycarbonate lens
- · Non-slip rubber nose bridge and unique padded temples
- Extra "flex" built into the temple for increased tension control
- Available with scratch-resistant hardcoat or optional Fog-Ban® anti-fog coating
- Meets ANSI Z87+ (High Impact) standard

Item #	Frame Color/Lens Tint	Coating
A800	Clear/Clear	Hardcoat
A801	Gray/TSR Gray	Hardcoat
A802	Amber/Amber	Hardcoat
A803	Gray/Blue Mirror	Hardcoat
A804	Gray/I/O Silver Mirror	Hardcoat
A805	Clear/Clear	Fog-Ban Anti-Fog
A806	Gray/TSR Gray	Fog-Ban Anti-Fog



Safety Eyewear

A700 Series

- Sport temples with soft temple tip pads for comfortable fit
- Secure wrap-around design
- Polycarbonate, distortion-free, hardcoat lenses
- Soft temple tip pads for a secure fit
- Available with scratch-resistant hardcoat or optional Fog-Ban® anti-fog coating
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards

Item #	Frame Color/Lens Tint	Coating
A700	Clear/Clear	Hardcoat
A701	Gray/TSR Gray	Hardcoat
A702	Amber/Amber	Hardcoat
A703	Gray/Blue Mirror	Hardcoat
A704	Gray/I/O Silver Mirror	Hardcoat
A705	Clear/Clear	Fog-Ban Anti-Fog



A400 Series

- Sporty, one piece wrap-around lens
- Available with scratch-resistant hardcoat or optional Fog-Ban® anti-fog coating
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards

Item #	Frame Color/Lens Tint	Coating
A400	Clear/Clear	Hardcoat
A401	Gray/Gray	Hardcoat
A402	Amber/Amber	Hardcoat
A403	Gray/Silver Mirror	Hardcoat
A404	Clear/I/O Silver	Hardcoat
A400AF	Clear/Clear	Fog-Ban Anti-Fog



A200 Series

- Economical protection and conventional style
- Durable frame with integrated side protection and adjustable temple lengths
- · Available with scratch-resistant hardcoat
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards
- Made in USA

Item #	Frame Color/Lens Tint	Coating	
A200	Black/Clear	Hardcoat	
A201	Black/Gray	Hardcoat	
A210	Blue/Clear	Hardcoat	
A220	Red, White & Blue/Clear	Hardcoat	







Safety Eyewear



NEW! W100 Series for Women

- Sleek, 8-base unilens
- · Adjustable nosepiece
- · Metallic and rhinestone accents add feminine styling
- Smaller size to fit women's faces better than traditional safety eyewear
- Available with scratch-resistant hardcoat or optional Fog-Ban® anti-fog coating
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards

Item#	Frame Color/Lens Tint	Coating
W100	Clear Frosted/Clear	Hardcoat
W101	Clear Frosted/Clear	Fog-Ban Anti-Fog
W102	Brown Frosted/Espresso	Hardcoat
W103	Clear Frosted/I/O Silver Mirror	Hardcoat



NEW! W200 Series for Women

- Affordable eye protection styled for women
- · Feminine dusty rose frame color
- Smaller size to fit women's faces better than traditional safety eyewear
- Available with scratch-resistant hardcoat or optional Fog-Ban® anti-fog coating
- Meets ANSI Z87+ (High Impact) standard

Item#	Frame Color/Lens Tint	Coating
W200	Matte Clear Dusty Rose/Clear	Hardcoat
W201	Matte Clear Dusty Rose/Clear	Fog-Ban Anti-Fog
W202	Matte Clear Dusty Rose/Silver Mirror	Hardcoat
W203	Matte Clear Dusty Rose/TSR Gray	Hardcoat



- 7-base polycarbonate unilens construction
- Designed and shaped to fit women
- · Available with scratch-resistant hardcoat
- Meets ANSI Z87+ (High Impact) standard

Item#	Frame Color/Lens Tint	Coating
W300	Tortoise Shell/Clear	Hardcoat
W301	Tortoise Shell/Espresso	Hardcoat
W302	Tortoise Shell/Autumn Rose Silver Mirror	Hardcoat





For tint suggestions by application, see our lens tint chart on page 65.



Safety Eyewear

Vapor®

- · Contoured fit design in a metallic blue painted frame
- Lightweight sporty styling for all-day wear
- 9-base wrap-around dual lenses and sport temples
- · Soft nose bridge for better comfort and fit
- Available with scratch-resistant hardcoat or optional Fog-Ban® anti-fog coating
- Includes adjustable break-away FlexiCord™
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards

Item #	Frame Color/Lens Tint	Coating
11150900	Metallic Blue/Clear	Hardcoat
11150901	Metallic Blue/TSR Gray	Hardcoat
11150904	Metallic Blue/Silver Mirror	Hardcoat
11150905	Metallic Blue/Clear	Fog-Ban Anti-Fog
11150906	Metallic Blue/TSR Gray	Fog-Ban Anti-Fog



Vapor® II

- Value-priced version of the Vapor with black frame
- Available with scratch-resistant hardcoat or optional Fog-Ban® anti-fog coating
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards

Item #	Frame Color/Lens Tint	Coating
11150910	Black/Clear	Hardcoat
11150911	Black/TSR Gray	Hardcoat
11150914	Black/Silver Mirror	Hardcoat
11150915	Black/Clear	Fog-Ban Anti-Fog
11150916	Black/TSR Gray	Fog-Ban Anti-Fog

Sperian Cruiser™

- Popular sporty wrap-around style with fin-shaped sides
- · Soft, non-slip, 2-position nose bridge
- Available with scratch-resistant hardcoat or optional Fog-Ban® anti-fog coating
- Includes adjustable break-away FlexiCord™
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards

Item #	Frame Color/Lens Tint	Coating
11150500	Black/Clear	Hardcoat
11150501	Black/TSR Gray	Hardcoat
11150502	Black/Amber	Hardcoat
11150504	Black/I/O Silver Mirror	Hardcoat
11150505	Black/Blue Mirror	Hardcoat
11150510	Black/Clear	Fog-Ban Anti-Fog
11150511	Black/TSR Gray	Fog-Ban Anti-Fog



Sperian® FlexiCord

As a bonus, a free FlexiCord™ neckcord comes standard with select Sperian styles to keep your eyewear close at hand. The adjustable break-away FlexiCord gives you added security and convenience — with no more lost time searching.



Safety Eyewear

SPERIAN





Sperian® FlexiCord

As a bonus, a free FlexiCord™ neckcord comes standard with select Sperian styles to keep your eyewear close at hand. The adjustable break-away FlexiCord gives you added security and convenience — with no more lost time searching.



Fuse®

- Gunmetal-colored metal frame with exceptional coverage
- · Aggressive wrap-around lens design
- Dual 9-base lenses of durable polycarbonate for full unobstructed field of vision
- Adjustable saddle nose pads and soft flexible temple tips
- Available with scratch-resistant hardcoat or optional Fog-Ban® anti-fog coating
- Includes adjustable break-away FlexiCord™
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards

Item #	Frame Color/Lens Tint	Coating
11150800	Gunmetal/Clear	Hardcoat
11150801	Gunmetal/TSR Gray	Hardcoat
11150804	Gunmetal/Silver Mirror	Hardcoat
11150805	Gunmetal/Clear	Fog-Ban Anti-Fog
11150806	Gunmetal/TSR Gray	Fog-Ban Anti-Fog

Prevail®

- Popular sporty design that encourages compliance
- Durable nylon frame with universal nose bridge
- Available with scratch-resistant hardcoat or optional Fog-Ban® anti-fog coating
- Includes adjustable break-away FlexiCord™
- Meets ANSI Z87+ (High Impact) standard

Item #	Frame Color/Lens Tint	Coating
11150300	Black/Clear	Hardcoat
11150303	Black/TSR Gray	Hardcoat
11150309	Black/Silver Mirror	Hardcoat
11150326	Black/I/O Silver Mirror	Hardcoat
11150339	Black/Dark TCG	Hardcoat
11150306	Black/Clear	Fog-Ban Anti-Fog
11150336	Black/TSR Gray	Fog-Ban Anti-Fog

Sperian Millennia Sport™

- Lightweight value frame with superior side and brow protection
- High impact dual 9-base wrap-around unilens
- · Comfortable universal nose bridge
- Available with scratch-resistant hardcoat or optional Fog-Ban® anti-fog
- Includes adjustable break-away FlexiCord™
- Meets ANSI Z87+ (High Impact) standard for all SKUs
- · Meets CSA Z94.3 standard with black temples only

Item #	Temple Color/Lens Tint	Coating
11150750	Black/Clear	Hardcoat
11150751	Black/TSR Gray	Hardcoat
11150754	Black/Silver Mirror	Hardcoat
11150755	Black/ Clear	Fog-Ban Anti-Fog
11150756	Black/TSR Gray	Fog-Ban Anti-Fog



Safety Eyewear

Op-tema®

- Frameless wrap-around lens styling for unobstructed vision
- Adjustable temple length and lens angle for personalized fit
- Adjustable soft nose bridge
- · Available with scratch-resistant hardcoat or optional Fog-Ban® anti-fog coating
- Includes adjustable break-away FlexiCord™
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards
- Made in USA

Item #	Frame Color/Lens Tint	Coating
11150400	Black/Clear	Hardcoat
11150401	Black/TSR Gray	Hardcoat
11150410	Blue/Clear	Hardcoat
11150405	Black/Clear	Fog-Ban Anti-Fog

NEW! Sperian XV100

- · Great fit and low cost
- · Meets ANSI Z87+ (High Impact) standard
- · This product does NOT meet CSA requirements
- XV100 Series eyewear is a no-frills, bargain-based safety spectacle

Item #	Frame Color/Lens Tint	Coating
XV100	Frosted/Clear	Hardcoat
XV101	Gray Frosted/Gray	Hardcoat
XV102	Frosted/I/O Mirror	Hardcoat
XV103	Frosted/Clear	Anti-fog

Sperian Visitorspec™

- Safety eyewear for visitors, wide viewing area with excellent coverage
- Superb optics for clear, distortion-free vision
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards
- Made in the USA

Item #	Frame Color/Lens Tint	Coating
11180025W	Black/Clear	Hardcoat

Polysafe®/Polysafe Plus

- Safety eyewear for visitors, with wide viewing area with excellent coverage
- Can be worn over most prescription eyewear (OTG compatible)
- · Available with scratch-resistant hardcoat
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards
- Made in the USA

Item #	Frame Color/Lens Tint/Description	Coating
Polysafe		
11180031	Clear/Clear, Bulk Pack 72 Pcs.	Uncoated
11180032	Gray/TSR Gray, Bulk Pack 72 Pcs.	Uncoated
11180029	Clear/Clear, Dispenser Pack 100 Pcs.	Uncoated
Polysafe Plus		
11180037	Clear/Clear, Bulk Pack 72 Pcs.	Hardcoat





Safety Eyewear for Visitors

Wide viewing area with excellent coverage.







Safety Goggles

Extra Coverage at Competitive Prices

Sperian® goggles provide direct vent and indirect vent protection for splash, dust and impact applications.









V-Maxx®

- Sleek wrap-around styling for a 180 degree, clear field of vision
- Direct and indirect ventilation styles available for impact or splash applications
- · Adjustable elastic or neoprene headband
- Pivoting headband clips to adjust strap around hard hats or hearing protection
- Peel-off goggle covers available to extend useful life of the lens
- Can be worn over most prescription eyewear (OTG compatible)
- Available in 3.0 and 5.0 welding shades
- Available with scratch-resistant hardcoat or optional Fog-Ban® anti-fog coating
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards

Item #	Description	Lens Tint	Coating
11250800	Direct Vent with Elastic Headband	Clear	Fog-Ban Anti-Fog
11250810	Indirect Vent with Neoprene Headband	Clear	Fog-Ban Anti-Fog
11250830	Indirect Vent with Elastic Headband	IR/PC Shade 3.0	Hardcoat
11250850	Indirect Vent with Elastic Headband	IR/PC Shade 5.0	Hardcoat

V-Maxx® Peel-off Goggle Covers

- V-Maxx peel-off lens covers extend useful life of the lens
- Protects the lens during paint and spray applications
- 10 covers per pack

Item #	Description
11250860	10 pack of Goggle Covers

A600

- · Economical splash goggle
- Fits over most prescription eyewear
- Available with optional Fog-Ban® anti-fog coating
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards

Item #	Description	Lens Tint	Coating
A610I	Impact Goggle with Transparent Green Body	Clear	Uncoated
A610S	Splash Goggle with Transparent Green Body	Clear	Fog-Ban Anti-Fog

A Guide to the Properties of Face Shield Replacement Visors

	▲ WARNING: Note: Face shields are secondary protectors, and must always be worn in conjunction with protective spectacles or goggles.	Polycarbonate	Propionate	Acetate
	Impact Resistance	Best	Better	Better
	Weather Resistance	Better	Good	Good
es	Scratch Resistance	Good	Better	Better
erti	Acid Resistance	Good	Better	Good
Properties	Alkaline Resistance	Good	Better	Good
<u>-</u>	Solvent Resistance	Good	Better	Good
	Heat Resistance	Best	Better	Good
	Maximum Temperature Use	250-280°F	175-200°F	150-180°F



Face Shields*

Protecto-Shield® ProLok® Headgear

- Constructed of tough thermoplastic for superior heat protection
- Designed with a chemical splash drip edge to prevent fluids from splashing down inside the visor
- · Easy sizing and tension adjustment for individual visor positioning
- · Visors easily attach with no snaps, posts or levers
- Available with ratchet headband with tension knob that allows easy sizing and adjustment for individual visor positioning
- Available with pinlock headband that provides adjustments similar to a baseball cap

Item #	Description
11380048	V5N Heat-Resistant Browguard with Ratchet Adjustment and Sweatband
11380049	V15N Heat-Resistant Browguard with Pinlock Adjustment and Sweatband
11340143	V5N Headgear with Clear Propionate Visor (Visor Only: Item # 11390044)
11340145	V5N Headgear with Clear Polycarbonate Visor (Visor Only: Item # 11390047)

Protecto-Shield® Replacement Visors

- Available in propionate, polycarbonate and acetate for a variety of environments
- · Popular industry sizes and thicknesses
- Easy attachment without snaps, posts or levers; reinforced edge to resist cracking
- Universal hole pattern allows the use of Sperian® visors with other popular manufacturers' headgear
- Aluminum bound acetate replacement visors form easily for a contoured, customized fit
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards

Item #	Lens Tint	Size
Molded Propionate	Replacement Visors	
11390064*	Clear	8.5" x 15" x .07"
11390044	Clear	8.5" x 15" x .07"
11390045	Medium Green	8.5" x 15" x .07"
1390046	Dark Green	8.5" x 15" x .07"
11390066	Shade 3.0	8.5" x 15" x .07"
11390067	Shade 4.0	8.5" x 15" x .07"
11390068	Shade 5.0	8.5" x 15" x .07"
11390069	Shade 6.0	8.5" x 15" x .07"
Molded Polycarboi	nate Replacement Visors	
11390065*	Clear	8.5" x 15" x .07"
11390047	Clear	8.5" x 15" x .07"
11390048	Medium Green	8.5" x 15" x .07"
11390049	Dark Green	8.5" x 15" x .07"
Aluminum Bound A	Acetate Replacement Visors	
11390054*	Clear	6" x 15" x .04"
11390055*	Clear	8.5" x 15" x .04"
11390056*	Medium Green	8.5" x 15" x .04"
11390057*	Clear	9" x 20" x .04"
11390058*	Clear	9" x 20" x .04" - Wide Style
	l - 4b	

^{*}Packaged 1/polybag; all others packaged 5/polybag



The Sperian® brand offers a substantial face shield line.

For construction, industrial, laboratory, manufacturing and more, you'll find that we offer a complete line of face shields with a variety of products to fill your specific need, and will also suit your budget.



Impact and Splash Protection

Adjustable headgear, a simple visor replacement system and quality optics make Sperian® face shields a must-have in your safety line-up.

*A WARNING! Face shields are secondary protectors, and must always be worn in conjunction with protective spectacles or goggles.

SPERIAN EYE & FACE PROTECTION Face Shields*







Specialty Replacement Visor – Electric Arc Visor

- Propionate visor fits Sperian Protecto-Shield® headgear (V5N and V15N)
- · Reinforced edge to resist cracking
- Universal hole pattern tested with most headgear on the market today
- · Lightweight design
- Superior optics and exceptional visual acuity with visual light transmission of 35%
- Carries a 9.3 cal/cm2 ARC rating (ATPV), exceeding the minimum requirement of 8 cal/cm²
- Tested by a kinectrics lab using the ASTM standard test (test results available upon request)
- Meets ANSI Z87+ (High Impact) and is certified to CSA Z94.3 standards
- Made in the IISA

· Made III tile	OJA		The second second
Item # 11391000	Lens Tint Green	Size 8.5" x 15" x 0.07"	11391000

Kwik-Klip® Headgear Accessories

· Accessories securely attach to Sperian and most other manufacturers' hard hats using simple spring tension

Item #	Description
11380030	V30 Plastic Visor Mounting Strip
11380031	V30P Plastic Visor Mounting Strip
11380032	V31 Aluminum Visor Mounting Strip
11380029	V40 Aluminum Bracket for Alpha and Beta Cap Hard Hat
11380057	Protecto-Shield ProLok Browguard Headgear for Safety Caps/V35N
12990056	Bracket Assembly for Browguard

Pro System®

- Combines head/eye/face/hearing protection components into one complete package
- Comfortable head, eye, face and hearing protection to meet a variety of needs
- · Multi-task system features a lightweight polyethylene hard hat with adjustable nape strap for secure fit
- Features high performance Howard Leight® cap-mounted earmuffs with NRR 25dB
- Includes a low glare steel mesh visor
- Polysafe® protective eyewear is included to provide primary safety eyewear for protection from flying debris
- · Ideal for a vast array of applications such as chain sawing, wood chipping and brush removal
- All Pro System components meet or exceed ANSI standards

Item #	Description
13910046	Complete Pro System
13910048	Replacement Poly Face Screen for Pro System

*AWARNING! Face shields are secondary protectors, and must always be worn in conjunction with protective spectacles or goggles.



Hard Hats

Alpha® Cap with 6-Point Suspension

- 6-point suspension available in two adjustable styles: with an updated easy-to-use Ratchet or PresLock closure
- Replaceable suspensions come with nylon straps and a padded sweatband which is replaceable as well
- Low profile, well-balanced high-density polyethylene shell
- · Patented shock-absorbing hangers to absorb shock evenly
- Replaceable, sponge padded sweatband
- Downward-angled nape strap for secure fit
- Universal accessory slots for cap attachments
- Custom imprinting available for the front, back and sides
- Meets or exceeds ANSI Z89.1-2003 standard. Type 1 Impact requirements and Class G and E electrical. Does NOT meet CSA Z94.3
- Made in the USA

Item #	Color	Suspension
12210250	White	Ratchet
12210254	Blue	Ratchet
12210255	Green	Ratchet
12210252	Orange	Ratchet
12210256	Red	Ratchet
12210251	Yellow	Ratchet
12210253	Gray	Ratchet
12210905	Fluorescent Yellow	Ratchet
12210102	White	PresLock
12210098	Blue	PresLock
12210099	Green	PresLock
12210100	Orange	PresLock
12210101	Red	PresLock
12210103	Yellow	PresLock
12210105	Gray	PresLock
12210907	Fluorescent Yellow	PresLock

Beta® Cap

- Low profile, high-density polyethylene shell
- Replaceable, adjustable, 4-point molded polyethylene PresLock suspension with padded sweatband
- · Economical pricing
- Custom imprinting available for the front, back and sides
- Meets or exceeds ANSI Z89.1 2003 standard. Type 1 Impact requirements and Class G and E electrical
- Made in the USA

Item#	Color	Suspension
12410001	White	PresLock
12410003	Blue	PresLock
12410006	Green	PresLock
12410005	Orange	PresLock
12410004	Red	PresLock
12410002	Yellow	PresLock



Protection for Your Head

Wherever there is a potential for falling objects, flying objects, or impact of bumps, Sperian hard hats should be there. Adjustable, imprintable and affordable, Sperian has the hard hat to meet your needs.











Green



Yellow

Orange

Red





Fluorescent Yellow



SPERIAN EYE & FACE PROTECTION

Hard Hats & Accessories







12110001



For more information or to order products on this page, please call Customer Care at 800 430-5490.

Full Brim Hard Hat

- Low profile, well-balanced high-density polyethylene shell
- Replaceable, 4-point, nylon ratchet suspension
- Patented shock-absorbing hangers to absorb shock evenly
- Replaceable, sponge padded sweatband
- · Downward-angled nape strap for secure fit
- Heavy-duty brim construction adds extra protection for sun glare and rain
- Custom imprinting available for the front, back and sides
- Meets or exceeds ANSI Z89.1 2003 standard. Type 1 Impact requirements and Class G and E electrical
- · Made in the USA

Item #	Color	Suspension
12510011	White	Ratchet
12510013	Blue	Ratchet
12510015	Orange	Ratchet
12510012	Yellow	Ratchet

Feather Kap™ Bump Cap

- Molded polyethylene shell and adjustable suspension with ventilated sweatband
- Use for bump and laceration hazards only does not meet ANSI Z89.1-2003 standard

Item #	Color	Suspension
12110022	White	PresLock
12110025	Yellow	PresLock
12110010	Orange	PresLock
12110001	Blue	PresLock

Winter Liners & Replacement Parts

Item #	Description
12800002	Gold Fleece with Hook and Loop Chin and Hard Hat Fasteners
12920001	Chin Strap for Alpha and Beta Cap Hard Hats
12910005	Suspension with Sweatband for Feather Kap Bump Cap
12910018	Std Suspension w/Integral Strap and Sweatband for Beta Cap (4-Pt. Plastic)
12910009	Std Suspension w/Integral Strap and Sweatband for Alpha Cap (4-Pt. Nylon)
12990053	Sponge-Padded Vinyl Sweatband for Alpha Cap
12990059	Vinyl Sweatband for Protecto-Shield ProLok Headgear and Ratchet Hard Hat
12910010	Ratchet Suspension w/Sweatband for Alpha Cap (4-Pt. Nylon Web, Dielectric)



Reference: Lens Tint Selection

Lens Tint Selections All Sperian® lenses provide 99.9% UVA and UVB protection.		Clear	Gradient Espresso	HDL Yellow	TSR [®] Gray	Blue Mirror	I/O Blue Mirror	Silver Mirror	I/O Silver Mirror	Dark TCG	IR/PC™ Shade 3.0	IR/PC™ Shade 5.0
ons	VLT (Visual Light Transmission)	92%	40%	88%	22%	12%	45%	12%	45%	18%	14%	2%
ficati	UV Absorption >99.9% (unless otherwise noted)	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%
Specifications	Meets the requirements of Z80.3 for Traffic Signal Recognition		•		•	•	•	•	•	•		
	General purpose applications where impact protection is required											
	Outdoor applications where sunlight and glare cause eye strain and fatigue					•				•		
Applications	High visibility and good contrast in low light conditions. Blue light protection and increased visual depth perception											
Appl	High performance lens for indoor/outdoor use to reduce artificial and solar glare											
	Outdoor use when there is a risk of electric arc-flash											
	For use when torch brazing and flame cutting to filter optical radiation											•

FULL LINE SKU LISTING

Eye & Face Protection

Safety Eyewear

A900 Series				
Item #	Frame Color/Lens Tint	Coating		
A900	Black/Clear	Hardcoat		
A902	Black/TSR Gray	Hardcoat		
A904	Black/Silver Mirror	Hardcoat		
A901	Black/Clear	Fog-Ban Anti-Fog		
A903	Black/TSR Gray	Fog-Ban Anti-Fog		
A900CSA	Black/Clear	Hardcoat		
A902CSA	Black/TSR Gray	Hardcoat		
A904CSA	Black/Silver Mirror	Hardcoat		
A901CSA	Black/Clear	Fog-Ban Anti-Fog		
A903CSA	Black/TSR Gray	Fog-Ban Anti-Fog		

A900 Reader/Magnifier Series

	•		
Item #	Frame Color/Lens Tint	Magnifier Strength	Coating
A950	Black/Clear	+1.50	Hardcoat
A951	Black/Clear	+2.00	Hardcoat
A952	Black/Clear	+2.50	Hardcoat
A960	Black/TSR Gray	+1.50	Hardcoat
A961	Black/TSR Gray	+2.00	Hardcoat
A962	Black/TSR Gray	+2.50	Hardcoat
A950CSA	Black/Clear	+1.50	Hardcoat
A951CSA	Black/Clear	+2.00	Hardcoat
A952CSA	Black/Clear	+2.50	Hardcoat
A960CSA	Black/TSR Gray	+1.50	Hardcoat
A961CSA	Black/TSR Gray	+2.00	Hardcoat
A962CSA	Black/TSR Gray	+2.50	Hardcoat

A800 Series

Item #	Frame Color/Lens Tint	Coating
A800	Clear/Clear	Hardcoat
A801	Gray/TSR Gray	Hardcoat
A802	Amber/Amber	Hardcoat
A803	Gray/Blue Mirror	Hardcoat
A804	Gray/I/O Silver Mirror	Hardcoat
A805	Clear/Clear	Fog-Ban Anti-Fog
A806	Gray/TSR Gray	Fog-Ban Anti-Fog

A700 Series

Item #	Frame Color/Lens Tint	Coating
A700	Clear/Clear	Hardcoat
A701	Gray/TSR Gray	Hardcoat
A702	Amber/Amber	Hardcoat
A703	Gray/Blue Mirror	Hardcoat
A704	Gray/I/O Silver Mirror	Hardcoat
A705	Clear/Clear	Fog-Ban Anti-Fog

A400 Series

Item #	Frame Color/Lens Tint	Coating
A400	Clear/Clear	Hardcoat
A401	Gray/Gray	Hardcoat
A402	Amber/Amber	Hardcoat
A403	Gray/Silver Mirror	Hardcoat
A404	Clear/I/O Silver	Hardcoat
A400AF	Clear/Clear	Fog-Ban Anti-Fog



SPERIAN

FULL LINE SKU LISTING

Sperian Eye & Face Protection

A200 Series

Item #	Frame Color/Lens Tint	Coating
A200	Black/Clear	Hardcoat
A201	Black/Gray	Hardcoat
A210	Blue/Clear	Hardcoat
A220	Red, White & Blue/Clear	Hardcoat

W100 Series for Women

Item #	Frame Color/Lens Tint	Coating
W100	Clear Frosted/Clear	Hardcoat
W101	Clear Frosted/Clear	Fog-Ban Anti-Fog
W102	Brown Frosted/Espresso	Hardcoat
W103	Clear Frosted/I/O Silver Mirror	Hardcoat

W200 Series for Women

Item #	Frame Color/Lens Tint	Coating
W200	Matte Clear Dusty Rose/Clear	Hardcoat
W201	Matte Clear Dusty Rose/Clear	Fog-Ban Anti-Fog
W202	Matte Clear Dusty Rose/Silver Mirror	Hardcoat
W203	Matte Clear Dusty Rose/TSR Gray	Hardcoat

W300 Series for Women

Item #	Frame Color/Lens Tint	Coating
W300	Tortoise Shell/Clear	Hardcoat
W301	Tortoise Shell/Espresso	Hardcoat
W302	Tortoise Shell/Autumn Rose Silver Mirror	Hardcoat

Vapor®

Item #	Frame Color/Lens Tint	Coating
11150900	Metallic Blue/Clear	Hardcoat
11150901	Metallic Blue/TSR Gray	Hardcoat
11150904	Metallic Blue/Silver Mirror	Hardcoat
11150905	Metallic Blue/Clear	Fog-Ban Anti-Fog
11150906	Metallic Blue/TSR Gray	Fog-Ban Anti-Fog

Vapor® II

Item ‡	Frame Color/Lens Tint Coating		Coating
11150	910	Black/Clear	Hardcoat
11150911	911	Black/TSR Gray	Hardcoat
11150	914	Black/Silver Mirror	Hardcoat
11150	915	Black/Clear	Fog-Ban Anti-Fog
11150	916	Black/TSR Gray	Fog-Ban Anti-Fog

Sperian Cruiser™

Item #	Frame Color/Lens Tint	Coating
11150500	Black/Clear	Hardcoat
11150501	Black/TSR Gray	Hardcoat
11150502	502 Black/Amber	Hardcoat
11150505	Black/Blue Mirror	Hardcoat
11150504	Black/I/O Silver Mirror	Hardcoat
11150510	Black/Clear	Fog-Ban Anti-Fog
11150511	Black/TSR Grav	Fog-Ban Anti-Fog

Fuse®

Item #	Frame Color/Lens Tint	Coating	
11150800	Gunmetal/Clear	Hardcoat	
11150801	Gunmetal/TSR Gray	Hardcoat	
11150804	Gunmetal/Silver Mirror	Hardcoat	
11150805	Gunmetal/Clear	Fog-Ban Anti-Fog	
11150806	Gunmetal/TSR Gray	Fog-Ban Anti-Fog	

Prevail®

Item #	Frame Color/Lens Tint	Coating
11150300	Black/Clear	Hardcoat
11150303	Black/TSR Gray	Hardcoat
11150309	Black/Silver Mirror	Hardcoat
11150326	Black/I/O Silver Mirror	Hardcoat
11150339	Black/Dark TCG	Hardcoat
11150306	Black/Clear	Fog-Ban Anti-Fog
11150336	Black/TSR Gray	Fog-Ban Anti-Fog

Sperian Millennia Sport™

Item #	Temple Color/Lens Tint	Coating
11150750	Black/Clear	Hardcoat
11150751	Black/TSR Gray	Hardcoat
11150755	Black/ Clear	Fog-Ban Anti-Fog
11150756	Black/TSR Gray	Fog-Ban Anti-Fog
11150754 Black/Silver Mirror		Hardcoat
11150774US Orange/Silver Mirror		Hardcoat

Op-tema®

Item #	Frame Color/Lens Tint	Coating	
11150400	Black/Clear	Hardcoat	
11150401	Black/TSR Gray	Hardcoat	
11150410	Blue/Clear	Hardcoat	
11150405	Black/Clear	Fog-Ban Anti-Fog	

Sperian XV100

Item #	Frame Color/Lens Tint	Coating
XV100	Frosted/Clear	Hardcoat
XV101	Gray Frosted/Gray	Hardcoat
XV102	Frosted/I/O Mirror	Hardcoat
XV103	Frosted/Clear	Anti-Fog

Sperian Visitorspec™

Item #	Frame Color/Lens Tint	Coating	
11180025W	Black/Clear	Hardcoat	

Polysafe®/Polysafe Plus

Polysafe

Item #	Frame Color/Lens Tint/Description	Coating
11180031	Clear/Clear, Bulk Pack 72 Pcs.	Uncoated
11180032	Gray/TSR Gray, Bulk Pack 72 Pcs.	Uncoated
11180029	Clear/Clear, Dispenser Pack 100 Pcs.	Uncoated
D I (DI		

Polysafe Plus

Item # Frame Color/Lens Tint/Description		Coating	
11180037	Clear/Clear, Bulk Pack 72 Pcs.	Hardcoat	

Safety Goggles

V-Maxx®

Item #	Lens Tint	Coating	Description
11250800	Clear	Fog-Ban Anti-Fog	Direct Vent w/Elastic Headband
11250810	Clear	Fog-Ban Anti-Fog	Indirect Vent w/Neoprene Headband
11250830	IR/PC Shade 3.0	Hardcoat	Indirect Vent w/Elastic Headband
11250850	IR/PC Shade 5.0	Hardcoat	Indirect Vent w/Elastic Headband

V-Maxx® Peel-off Goggle Covers

Item #	Description	
11250860	Goggle Covers, 10 Pack	

FULL LINE SKU LISTING



Sperian Eye & Face Protection

A600

Item #	Lens Tint	Coating	Description
A610I	Clear	Uncoated	Impact Goggle w/Transparent Green Body
A610S	Clear	Fog-Ban Anti-Fog	Chemical Goggle w/Transparent Green Body

Face Shields

Protecto-Shield® ProLok® Headgear

Item #	Description
11380048	V5N Heat-Resistant Browguard w/Ratchet Adjustment and Sweatband
11380049	V15N Heat-Resistant Browguard w/Pinlock Adjustment and Sweatband
11340143	V5N Headgear w/Clear Propionate Visor (Visor Only: Item # 11390044)
11340145	V5N Headgear w/Clear Polycarbonate Visor (Visor Only: Item # 11390047)

Protecto-Shield® Replacement Visors

Molded Propionate Replacement Visors

Item #	Lens Tint	Size
11390064*	Clear	8.5" x 15" x .07"
11390044	Clear	8.5" x 15" x .07"
11390045	Medium Green	8.5" x 15" x .07"
11390046	Dark Green	8.5" x 15" x .07"
11390066	Shade 3.0	8.5" x 15" x .07"
11390067	Shade 4.0	8.5" x 15" x .07"
11390068	Shade 5.0	8.5" x 15" x .07"
11390069	Shade 6.0	8.5" x 15" x .07"

Molded Polycarbonate Replacement Visors

Item #	Lens Tint	Size	
11390065*	Clear	8.5" x 15" x .07"	
11390047	Clear	8.5" x 15" x .07"	
11390048	Medium Green	8.5" x 15" x .07"	
11390049	Dark Green	8.5" x 15" x .07"	

Aluminum Bound Acetate Replacement Visors

Item #	Lens Tint	Size
11390054*	Clear	6" x 15" x .04"
11390055*	Clear	8.5" x 15" x .04"
11390056*	Medium Green	8.5" x 15" x .04"
11390057*	Clear	9" x 20" x .04"
11390058*	Clear	9" x 20" x .04" - Wide Style

^{*}Packaged 1/polybag; all others packaged 5/polybag

Specialty Replacement Visor - Electric Arc Visor

Item #	Lens Tint	Size
11391000	Green	8.5" x 15" x 0.07"

Kwik-Klip® Headgear Accessories

Item #	Description
11380030	V30 Plastic Visor Mounting Strip
11380031	V30P Plastic Visor Mounting Strip
11380032	V31 Aluminum Visor Mounting Strip
11380029	V40 Aluminum Bracket for Alpha and Beta Cap Hard Hat
11380057	Protecto-Shield ProLok Browguard Headgear for Safety Caps/V35N
12990056	Bracket Assembly for Browguard

Pro System®

Item #	Description
13910046	Complete Pro System
13910048	Replacement Poly Face Screen for Pro System

Hard Hats

Alpha® Cap with 6-Point Suspension

Item #	Color	Suspension
12210250	White	Ratchet
12210254	Blue	Ratchet
12210255	Green	Ratchet
12210252	Orange	Ratchet
12210256	Red	Ratchet
12210251	Yellow	Ratchet
12210253	Gray	Ratchet
12210905	Fluorescent Yellow	Ratchet
12210102	White	PresLock
12210098	Blue	PresLock
12210099	Green	PresLock
12210100	Orange	PresLock
12210101	Red	PresLock
12210103	Yellow	PresLock
12210105	Gray	PresLock
12210907	Fluorescent Yellow	PresLock

Beta® Cap

Item#	Color	Suspension
12410001	White	PresLock
12410003	Blue	PresLock
12410006	Green	PresLock
12410005	Orange	PresLock
12410004	Red	PresLock
12410002	Yellow	PresLock

Full Brim Hard Hat

Item #	Color	Suspension
12510011	White	Ratchet
12510013	Blue	Ratchet
12510015	Orange	Ratchet
12510012	Yellow	Ratchet

Feather Kap™ Bump Cap

Item #	Color	Suspension
12110022	White	PresLock
12110025	Yellow	PresLock
12110010	Orange	PresLock
12110001	Blue	PresLock

Hard Hat Accessories

Winter Liner & Replacement Parts

winter Liner & Replacement I alts		
Item #	Description	
12800002	Gold Fleece Winter Liner w/Hook and Loop Chin and Hard Hat Fasteners	
12920001	Chin Strap for Alpha and Beta Cap Hard Hats	
12910005	Suspension w/Sweatband for Feather Kap Bump Cap	
12910018	Std Suspension w/Integral Strap and Sweatband for Beta Cap (4-Pt. Plastic)	
12990053	Sponge-Padded Vinyl Sweatband for Alpha Cap	
12990059	Vinyl Sweatband for Protecto-Shield ProLok Headgear and Ratchet Hard Hat	
12910009	Std Suspension w/Integral Strap and Sweatband for Alpha, Beta and Full	
	Brim Caps (4-Pt. Nylon)	
12910010	Ratchet Suspension w/Sweatband for Alpha, Beta and Full Brim Caps (4-Pt. Nylon Web, Dielectric)	
12910011	6-Point Nylon Presslock Suspension w/Sweatband for Alpha and Beta Cap ONLY	
12910012	6-Point Nylon Ratchet Suspension w/Sweathand for Alpha and Beta Cap ONLY	









SPERIAN Protection Americas, Inc. 900 Douglas Pike Smithfield, RI 02917 Tel: 800 343-3411 Fax: 800 322-1330 www.sperian.com



SAFETY PRODUCTS CATALOG 2010



INDUSTRIAL SAFETY GROUP





SPERIAN WELDING PROTECTION TABLE OF CONTENTS

- Auto-Darkening Welding Helmets
- Passive Welding Helmets
- Respiratory Welding Helmets
- Welding Parts & Accessories

- Reference: Welding Protection
- 77 Sperian Welding Protection Full Line SKU Listing

⚠WARNING! Sperian® welding equipment should be used only in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury including diminution or loss of vision. Welding helmets and safety eyewear reduce the probability of injuries drastically and must be worn during all welding procedures.



Sperian Welding Protection

A COMPLETE AND COMPETITIVE PRODUCT SET DESIGNED TO ADDRESS ALL ARC WELDING APPLICATIONS

Sperian Protection delivers a broad selection of the most innovative, high-quality products to the welding market, providing welders with a robust selection to meet all of their welding needs. From our economical Optrel p420 (formerly Nova™) auto-darkening welding helmet, great for entry level welders or occasional users, to our Optrel e680 helmet with a proven track record of success and reliability, we address the most demanding needs of the expert welder. Sperian Welding Protection products absolutely cover all the bases.

The best just got better! The Optrel e680 is the ultimate welding helmet for style, comfort and versatility. Expansive Variable Shade 5-13 with Grind Mode.

An incomparable shade range and a host of premium performance features make the Optrel e680 auto-darkening welding helmet the perfect choice for virtually any welding operation. A lightweight design, individual adjustment options and ergonomic fit combine to provide the ultimate in comfort and control. Add to that high quality optics, an expanded field of view, and "Read Red" color recognition technology and you get a "must-have" for the professional welder.

Formerly known as the Satellite, the Optrel e680 has a 33% larger viewing area and is 15% lighter than its predecessor. The Optrel e680 is one of three new and improved auto-darkening welding helmets that make up the Optrel e600 family:

Optrel e680 - replaces the Satellite

Optrel e670 - replaces the Orion

Optrel e650 - all new, lower-cost premium welding helmet





Auto-Darkening Welding Helmets

Engineered for the expert welder, the Optrel e680 offers the ultimate in style, comfort and versatility.



NEW! Optrel e680 (formerly Satellite™)

- Variable shade range (5-9/9-13) and selectable Shade 4 grind mode make this helmet suitable for almost any arc welding or cutting operation
- Patented telescoping head-gear maximizes field of view and offers all-day comfort combined with adjustability for perfect balance
- Adjustable sensitivity controls, delay and variable arc detection sensors provide user with customized control
- Sleek helmet styling combines lightweight comfort and ergonomic fit with superior protection of head and neck
- ADF features advanced "Read Red" color recognition technology for improved clarity and visibility of red LEDs on welding equipment, and provides an effective 2" x 4" (50 x 100 mm) viewing area
- Spherical contouring of the Optrel e680 helmet makes it one of the only welding helmets recommended for overhead welding

Item #	Description	Color
K6800	Complete Optrel e680 Helmet	Copper
K6801	Complete Optrel e680 Helmet	Dark Blue
K6802	Complete Optrel e680 Helmet	Snow White
K6803	Complete Optrel e680 Helmet	Titan (Gray)
K6804	Complete Optrel e680 Helmet	Medium Blue
K6805	Complete Optrel e680 Helmet	Black

Take control of your productivity. Remove your helmet only when you want to.

Auto-darkening filter technology, combined with easily accessible external controls, eliminates the need for helmet removal.

- 1. **Grinding** Simply press the oversized shade control button and the auto-darkening filter is locked-in to a shade 4. This eliminates filter flickering while grinding or brazing. Both are now possible without helmet removal. Depress control button again to reset ADF.
- 2. **Shade Range Selection** This sliding switch can be used to select shade ranges of 5–9 and 9–13. Choose your range and then adjust to the appropriate shade using the shade level control knob.
- 3. Shade Level Control Adjust this control knob to select the shade within settings of 5-9 or 9-13. Selections can be made according to the welding process making this one of the most versatile helmets on the market.
- 4. Sensitivity Control Factory set at red dot for most procedures. Adjustable to meet different welding applications including micro plasma, plasma cutting, and low amperage TIG welding, to name a few. Match the sensitivity level to your specific need.
- Delay Switch By using the sliding switch, the time delay from dark to light can be adapted to your individual requirements.
- Solar Cells Sperian's proven solar technology ensures
 a continuous power supply while also eliminating the need
 for on/off switches and untimely/costly battery changes.

- 7. Adjustable Sensor Bar Eliminate the effects of ambient light. Simply slide the sensor bar up and the angle of detection will open from 60 degrees to 120, which optimizes performance during low current and over-the-head welding. Keep the sensor bar down and reduce the chances of a nearby arc darkening your lens.
- Eye Protection Several LCDs and special filters provide permanent Shade 14 protection from dangerous UV and IR radiation, even in the bright state.
- 9. Replaceable Lithium batteries.





Auto-Darkening Welding Helmets

NEW! Optrel e670 (formerly Orion™)

- Engineered for the expert welder, the Optrel e670 offers a unique filter that automatically adjusts shade level based on arc intensity, freeing the welder's hands for welding rather than tuning the shade level (variable 9-13)
- Since everyone's sensitivity to light is different, the user can tweak the shade by ± 1 shade for a personalized comfort level
- For full, personal control, simply switch Optrel e670 to the manual setting
- · Grind mode option lets you lock the ADF in Shade 4 for even more flexibility
- · ADF features advanced "Read Red" color recognition technology for improved clarity and visibility of red LEDs on welding equipment, and provides an effective 2" x 4" (50 x 100 mm) viewing area
- Patented telescoping head-gear maximizes field of view and offers all-day comfort combined with adjustability for perfect balance
- · Sleek helmet styling combines lightweight comfort and ergonomic fit with superior protection of head and neck
- Spherical contouring of the Optrel e670 helmet makes it one of the only welding helmets approved for overhead welding

Item # K6700	Description Complete Optrel e670 Helmet	Color Black Unpainted
K6701	Complete Optrel e670 Helmet	Cosmic Green
K6028	Optrel e670 ADF Only	N/A

NEW! Optrel e650

- Engineered for the expert welder, the Optrel e650 offers the ultimate in style, comfort and versatility
- Variable shade (9-13) range and selectable Shade 4 grind mode make this helmet suitable for almost any arc welding or cutting operation
- Patented telescoping head-gear maximizes field of view and offers all-day comfort combined with adjustability for perfect balance
- · Adjustable sensitivity controls, delay and variable arc detection sensors provide user with customized control
- · Sleek helmet styling combines lightweight comfort and ergonomic fit with superior protection of head and neck
- Popular traditional green tinted lens provides maximum UV/IR protection with an effective 2" x 4" (50 x 100 mm) viewing area

Item #	Description	Color
K6500	Complete Optrel e650 Helmet	Black Unpainted
K6501	Complete Optrel e650 Helmet	Shiny Ruby
K6029	Optrel e650 ADF Only	N/A







Auto-Darkening Welding Helmets

Style, Versatility, Performance and Value

The Optrel p250 welding helmet marks the beginning of a new generation of welding helmets and welding filters from Sperian.

Protection for the professional welder. The Optrel p250 boasts great styling and a handsome metallic paint finish.



The Sperian Optrel p350 welding helmet is a truly unique helmet design.

The bold futuristic narrow shape is perfect for those tight spaces and out-of-position applications.

The Optrel p350 offers a one-of-a-kind radius profile with vertically curved cover plate which quickly channels away smoke and spatter.



Optrel p250™

- Single shade: 10 or Variable shades: 9-13 with patented Light Guide™ sensing technology
- Front loading cover plate and auto-darkening cartridge
- Solar powered with replaceable lithium batteries
- Shade level and sensitivity adjustment knobs on back of filter cartridge
- · Patented telescoping headgear
- Built-in magnifying lens holder with available 1.0 to 4.0 magnification
- Two-year warranty on ADF filter



Item #	Description	Color
K2501	Complete Optrel p250 Helmet (Single Shade: 10)	Metallic Red
K2502	Complete Optrel p250 Helmet (Variable Shade: 9–13)	Metallic Red
K2507	ADF Only (Single Shade)	N/A
K2508	ADF Only (Variable Shade)	N/A

Optrel p350™

- Variable shades: 9-13 with patented Light Guide sensing technology
- Front loading cover plate and auto-darkening cartridge
- Solar powered with replaceable lithium batteries
- · Shade level and sensitivity adjustment knobs on back of filter cartridge
- Patented telescoping headgear
- Built-in magnifying lens holder with available 1.0 to 4.0 magnification
- Two-year warranty on ADF filter

Item #	Description	Color
K3501	Complete Optrel p350 Helmet	Metallic Blue
K3502	Complete Optrel p350 Helmet	Metallic Red With Decal
K2508	ADF Only (Variable Shade)	N/A

Optrel p420 (formerly Nova™)

- Fixed shade: 10
- Solar powered
- · Patented telescoping headgear
- · Two-year warranty on ADF filter

Item #	Description	Color
K703	Complete Optrel p420 Helmet	Unpainted Black
K590	Optrel b020 ADF Only (formerly Nova ADF)*	N/A

*Fits most 2" x 4 1/4" helmet openings



Passive Welding Helmets

Optrel p250™

- · Front loading cover plate and welding filter
- Patented telescoping headgear
- Built-in magnifying lens holder with available 1.0 to 4.0 magnification

Item #	Description	Color
K2500	Complete Optrel p250 Helmet	Metallic Black

Optrel p350™

- · Front loading cover plate and welding filter
- · Patented telescoping headgear
- Built-in magnifying lens holder with available 1.0 to 4.0 magnification

Item #	Description	Color
K3500	Complete Optrel p350 Helmet	Metallic Black

Optrel b630 with Flip-Up Filter Lens (formerly Galaxy®)

- Shade 10 passive filter and cover lens included
- 2" x 4 1/4" viewing area
- State-of-the-art headgear design reduces neck strain through balance and distribution of the helmet weight

Item #	Description	Color
K701	Complete Optrel b630 Helmet with Flip-Up Filter Lens	Unpainted Black

Optrel b630 with Wide View Filter Lens (formerly Galaxy®)

- Shade 10 passive filter and cover lens included
- 4" x 5 1/4" viewing area
- State-of-the-art headgear design reduces neck strain through balance and distribution of the helmet weight

Item #	Description	Color
K702	Complete Optrel b630 Helmet with Wide View Filter Lens	Unpainted Black











Respiratory Welding Helmets



Sperian® OS100 Powered Air Purifying Respirator (PAPR)

- Provides complete protection against dust, UV/IR radiation, flying particles and metal fumes emitted during the welding process
- Meets National Institute for Occupational Safety and Health (NIOSH) requirements
- Available as a complete system with the following helmet options: Optrel Satellite, Optrel Orion™, or Optrel MiraPlus™
- Utilizes the High Efficiency (HE) Particulate Filter System
- Powerful blower system exceeds the 170 LPM requirement set by NIOSH
- Audible and visible alarms serve to warn the user of a missing or clogged filter and low battery condition
- Air hose is enclosed in a flame-retardant cover that protects it from burn-through and snagging on surrounding structures
- Powered by lightweight and high capacity Lithium-Ion battery
- 1 year warranty on the motorized blower (excluding wear and consumable parts)
- · 2 year warranty on ADF

Item # OS100 US Optrel MiraPlus PAPR System Complete P560000 P570000 OS100 US Optrel Orion PAPR System Complete P580000 OS100 US Optrel Satellite PAPR System Complete





Welding Parts & Accessories

SKU	Description	Optrel e680 ADF	Optrel e670 ADF	Optrel e650 ADF	Optrel p250 ADF	Optrel p350 ADF	Optrel p420 ADF	Optrel p250 Passive	Optrel p350 Passive	Optrel b630 K701 Passive	Optrel b630 K702 Passive
K1360	Inside Cover Lens (Set of 5)						•			•	
K1361	Front Cover Lens (Set of 5)						•			•	
K1363	Flip-Up Adapter Cover Lens (Set of 5, 2.75" x 4.25")									•	
K1370	Wide-View Cover Lens (Set of 5)										
K1400	Filter Plate, Shade 10, 2" x 4.25" (Set of 2)									•	
K1410	Filter Plate, Shade 10, 4.5" x 5.25" (Set of 2)										
K2507	Auto-Darkening Welding Filter, Single Shade, Light 3/Dark 10				•						
K2508	Auto-Darkening Welding Filter, Variable Shade, Light 3/Dark 9–13				•	•					
K25102A	Outside Cover Plates, Optrel p250				•			•			
K25102A	Inside Cover Plates				•						
K25112A	Intermediate Cover Plates (passive and ADF) / Inside Cover Plates (passive)							•	•		
K25122A K2513A	Headgear Complete w/Sweatband				•			•	-		
K2513A K2514A	Welding Filter, Passive, Shade 10					-		•			
K2514A K2516	Shell, Optrel p250 Metallic Black w/Headgear							•			
K2510	Shell, Optrel p250 Metallic Red w/Headgear				•			•			
K2517 K25182A	Sweatband				•			•			
K25102A K2519K	Lens Retainer Kit, Optrel p250				•			•			
K35102A	Outside Cover Plates, Optrel p350 (2 pc)					•			•		
K35102A K3511	Shell, Optrel p350 Metallic Black w/Headgear								•		
K3511	Shell, Optrel p350 Metallic Blue w/Headgear										
K3512	Shell, Optrel p350 Metallic Red w/Decal, w/Headgear					•					\blacksquare
K3513	Lens Retainer Kit, Optrel p350					•			•		\vdash
K6024			•	•		_					
K6041	Inside Cover Lens (Set of 5)	·	•								\blacksquare
	Magnifying Lens, +1.00	•	•	•							
K6042	Magnifying Lens, +1.50	1		•							
K6043	Magnifying Lens, +2.00	•	•	•							
K6044	Magnifying Lens, +2.50	•	•								
K5821 K5822	Headgear (Constant)	•	•	•			•			•	•
	Sweatband (Set of 2)	•	•	•	•		•	•	_	•	•
K5825A K5826A	Magnifying Lens, +1.00					•			•		
	Magnifying Lens, +1.50				•	•		•			
K5827A	Magnifying Lens, +2.00				•	•		•	•		
K5828A	Magnifying Lens, +2.50				•	•		•	•		
K5829A	Magnifying Lens, +3.00				•	•		•	•		
K5834A	Magnifying Lens, +3.50				•	•		•	•		
K5835A	Magnifying Lens, +4.00				•	•		•	•		
K5910	Front Cover Lens (Set of 2)	•	•	•							
K5911	Front Cover Lens (Set of 5)	•	•	•							
K6025	1 Potentiometer Knob, 1 Back Cover, 1 Sensitivity Knob	•	•	•							
K6026	2 Cover Lens Latch Set	•	•	•							
K5930	Hard Hat Adapter – Universal Band Style	•	•	•	•	•	•	•	•	•	•
K5935	Hard Hat Adapter – for Slotted-Style Hard Hats	•	•	•	•	•	•	•	•	•	•
K5931	Leather Chest Protector	•	•	•	•	•	•	•	•	•	•
K5932	Leather Head and Neck Protector	•	•	•	•	•	•	•	•	•	•

EYE & FACE PROTECTION



Reference: Welding Protection


The Eyes Are Particularly Vulnerable

The eye is a particularly sensitive organ that can suffer untreatable damage from welding accidents. It is essential that special attention be given to eye protection. Risks include:

- · Mechanical injury caused by impact or particles
- · Radiation injury from infrared, ultraviolet or laser radiation
- · Electrical injury caused by electrical arc or short circuit
- · Thermal injury from contact with hot liquid, molten metal or flames

DIAGRAM OF THE HUMAN EYE

The cornea, lens, iris and retina of the eye are all subject to permanent damage during all welding procedures.



Welding helmets and safety eyewear drastically reduce the probability of any of these injuries and must be worn during all welding procedures.



FULL LINE SKU LISTING



Sperian Welding Protection

Auto-Darkening Welding Helmets

Optrel e680 <i>(formerly Satellite™)</i>				
Item #	Description	Color		
K6800	Complete Optrel e680 Helmet	Copper		
K6801	Complete Optrel e680 Helmet	Dark Blue		
K6802	Complete Optrel e680 Helmet	Snow White		
K6803	Complete Optrel e680 Helmet	Titan (Gray)		
K6804	Complete Optrel e680 Helmet	Medium Blue		
K6805	Complete Optrel e680 Helmet	Black		
K6027	Optrel 680 ADF Only	N/A		

Optrel e670 (formerly Orion™)

Item #	Description	Color
K6700	Complete Optrel e670 Helmet	Black Unpainted
K6701	Complete Optrel e670 Helmet	Cosmic Green
K6028	Optrel e670 ADF Only	N/A

Optrel e650

Item #	Description	Color
K6500	Complete Optrel e650 Helmet	Black Unpainted
K6501	Complete Optrel e650 Helmet	Shiny Ruby
K6029	Optrel e650 ADF Only	N/A

Optrel p250™

Item #	Description	Color
K2501	Complete Optrel p250 Helmet (Single Shade: 10)	Metallic Red
K2502	Complete Optrel p250 Helmet (Variable Shade: 9-13)	Metallic Red
K2507	ADF Only (Single Shade)	N/A
K2508	ADF Only (Variable Shade)	N/A

Optrel p350™

Item #	Description	Color
K3501	Complete Optrel p350 Helmet	Metallic Blue
K3502	Complete Optrel p350 Helmet	Metallic Red w/Decal
K2508	ADF Only (Variable Shade)	N/A

Optrel p420 (formerly Nova™)

Item #	Description	Color
K703	Complete Optrel p420 Helmet	Unpainted Black
K590	Optrel b020 ADF Only (formerly Nova ADF)*	N/A

^{*}Fits most 2" x 4 1/4" helmet openings

Passive Welding Helmets

Optrel p250™

Item #	Description	Color
K2500	Complete Optrel p250 Helmet	Metallic Black

Optrel p350™

Item #	Description	Color
K3500	Complete Optrel p350 Helmet	Metallic Black

Optrel b630 with Flip-Up Filter Lens (formerly Galaxy®)

Item #	Description	Color
K701	Complete Optrel b630 Helmet w/Flip-Up Filter Lens	Unpainted Black

Optrel b630 with Wide View Filter Lens (formerly Galaxy®)

Item #	Description	Color
K702	Complete Optrel b630 Helmet w/Wide View Filter Lens	Unpainted Black

Respiratory Welding Helmet

Sperian® OS100 Powered Air Purifying Respirator (PAPR)

Item #	Description
P560000	OS100 US Optrel MiraPlus PAPR System Complete
P570000	OS100 US Optrel Orion PAPR System Complete
P580000	OS100 US Optrel Satellite PAPR System Complete











SPERIAN Protection Americas, Inc. 900 Douglas Pike Smithfield, RI 02917 Tel: 800 343-3411 Fax: 800 322-1330 www.sperian.com




SAFETY PRODUCTS CATALOG 2010



INDUSTRIAL SAFETY GROUP





SPERIAN EMERGENCY EYEWASH TABLE OF CONTENTS

- Primary Emergency Eyewash Devices (Meets ANSI Z358.1-2009 15-minute flush requirement)
- Secondary Emergency Eyewash Devices (Does not meet ANSI Z358.1-2009 15-minute flush requirement)
- Personal Eyewash Bottles
- Personal Eyewash Wall Stations
- Emergency Eyewash Refills

- Emergency Eyewash Accessories
- Reference: Compliance Regulations, Eyewash Options, Sterile Eyewash Solutions, Product Features Matrix
- 94 Sperian Emergency Eyewash Full Line SKU Listing

▲ WARNING! Sperian® equipment should only be used in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury including diminution or loss of vision.



Sperian Emergency Eyewash

WORLD LEADER IN EMERGENCY EYE CARE

Since 1950, Sperian Protection and its predecessors have manufactured and distributed leading safety and health products worldwide. Sperian is the well-respected market leader in portable eyewash stations and is recognized for its wide range of emergency eyewash products including the *first* 100% sterile sealed-fluid cartridge and 100% sterile delivery station, the *first* self-contained gravity-fed station and the *first* heated self-contained gravity-fed station.

When Seconds Count, Portable Matters

The need for immediate flushing requires the installation of emergency eyewash devices in accessible locations that require no more than 10 SECONDS to reach. For a strong acid or strong caustic, the eyewash should be immediately adjacent to the hazard. Sperian® self-contained, portable eyewash stations require no plumbing for easy and affordable placement near any workplace hazard, and deliver a sterile or buffered saline solution superior to tap water for emergency eye care. Ordinary tap water, used in plumbed or some tank-type eyewash devices, may contain harmful bacteria or contaminants that can cause additional eye damage. A sterile or buffered saline solution is the most effective flushing fluid for emergency first aid.

Fendall 2000™

Introducing the Fendall 2000 100% Sterile Emergency Eyewash System – the kind of innovation you expect from Sperian. We've listened to our end-users and have built an eyewash station with all of the features and benefits that you would expect in a state-of-the-art, portable emergency eyewash station from Sperian. Our ingenious design delivers a steady soft ribbon of 100% sterile saline from a 100% sterile delivery system, minimizing the risk of further injury. We've added comfort features, ergonomic design, and an alarm system that together ensure compliance with the full 15-minute ANSI flushing requirement.





Primary Emergency Eyewash Devices

15-Minute Flush Time

- Meets ANSI standard
- 24-month maintenance*



Sterile Sealed Fluid Cartridge

Fendall 2000™

- Delivers 100% sterile saline from a 100% sterile delivery system
- 24-month cartridge life,* saves time and money on replacements and inspections
- Built-in alarm system that sounds when the unit has been activated and again when the injured individual has completed the required 15-minute flush
- Deactivation button that allows for fast and easy maintenance without false activation
- Arm/headrest provides user comfort, enabling better compliance
- Integrated waste containment to prevent spills and is easily emptied
- Sleek assembly that fits nearly anywhere
- Self-contained, with no plumbing required, makes this highly portable
- Easy-view side windows to check sterile solution expiration date and key contact information
- Comes complete with emergency eyewash station sign, mounting bracket, installation DVD, tamper seal, and 1-year warranty. Sterile saline solution cartridge sold separately
- Meets ANSI Z358.1-2009 15-minute flush requirement for primary eyewash stations

Item # Description

32-002000-0000 Sterile Eyewash Station (English)

32-ST2050-0000 Sterile Saline Refill Cartridge For Fendall 2000

One Chance. One Choice. Sterile.

With the Fendall 2000, injured workers are treated with 100% sterile, buffered and physiologically balanced saline solution.

0% Bacteria 0% Molds 0% Fungus 0% Pollutants

= 100% Sterile Eyewash

With the innovative Fendall 2000, the user benefits.



Easy-to-install single cartridge features 100% sterile saline



Alarm sounds upon both activation of the unit and completion of 15-minute flush



Maintenance button quickly deactivates unit for inspection



Reservoir collects waste solution for safety and for easy disposal



Full visibility is provided through side window to quickly check expiration date

Visit our website at: www.sperian.com. Visit www.ansi.org for the complete ANSI Z358.1-2009 Standard.

For more information or to order products on this page, please call Customer Care at 800 430-5490.

^{*}Shelf life determined by date of manufacture. Always check product expiration date

Primary Emergency Eyewash Devices

Sealed Fluid Cartridge with Sterile Option

Fendall Pure Flow 1000®

- Easy installation. No plumbing required. Can be easily and affordably placed near most workplace hazards with single bracket mounting device or transported with optional universal cart or stand
- Factory-sealed fluid cartridges eliminate mixing, measuring, and the opportunity for airborne particles or microorganisms to contaminate the fluid prior to use
- Easy to activate sure-grip handle provides instant, simple activation. When not in use, cover keeps dirt and other debris from collecting in the basin and nozzle area
- Unique nozzle design delivers a soft "ribbon" of our buffered saline solution
- Permits thorough flushing with a constant flow rate and stream height that provides 0.4 gpm for entire 15-minute cycle required by ANSI Z358.1-2009
- Captures waste fluid to eliminate spill hazards and simplify fluid disposal
- Integral valve at bottom of unit allows easy draining of reservoir after use
- 24-month cartridge life,* at least four times longer than other primary self-contained eyewash devices, saves time and money on replacements and inspections. Cartridges sold separately
- Cartridges remain sealed until activated. Expiration date is included on activation straps – and cartridge replacement takes less than five minutes

Item #	Description
32-001000-0000	Eyewash Station (English)
32-001000-0022	Eyewash Station (French Canadian)
32-001000-0070	Eyewash Station (Mexican Spanish)
32-001050-0000	Saline Refill Cartridges for Fendall Pure Flow 1000 (Trilingual)
32-ST1050-0000	Sterile Saline Refill Cartridges for Fendall Pure Flow 1000 (Trilingual)
32-001053-0000	Sperian High Humidity Brace for Fendall Pure Flow 1000 (Trilingual)

^{*}Shelf life determined by date of manufacture. Always check product expiration date

15-Minute Flush Time

- Meets ANSI standard
- 24-month maintenance*





Factory Sealed Fluid Cartridges - No Mixing or Measuring

Fendall Pure Flow 1000's sealed cartridge design eliminates mixing, measuring, and the opportunity for airborne particles or microorganisms to contaminate the fluid prior to use. Factory-sealed cartridges feature an integral nozzle and hose design to ensure delivery of purified, contaminant-free, and physiologically correct saline solution.



Sperian® High Humidity Brace

This adapter helps prevent Fendall Pure Flow 1000® saline cartridges from bowing or deteriorating because of uncontrolled humid environmental conditions. It allows the Fendall Pure Flow 1000 unit and its cardboard saline cartridges to withstand high humidity environments that cannot be easily regulated. (*Cartridges sold separately.*)

32-001053-0000



Primary Emergency Eyewash Devices

15-Minute Flush Time

- Meets ANSI Standard
- 3-6 month maintenance cycle

Fendall Porta Stream® III

In addition to the Fendall Porta Stream®II features, the Fendall Porta Stream III is freeze-protected by a special form fitted insulated cover and twin, 600 watt, 110 volt thermostatically controlled heaters for indoor and outdoor use. The fluid-heating system makes it ideal for use between 72°F and -32°F (22°C to -36°C).




Refillable

Fendall Porta Stream® II + III

- Easy installation with no plumbing required. Can be easily and affordably placed near most workplace hazards with single bracket mounting device or transported with optional universal cart or universal stand. Molded handle accepts hanging bracket for vertical or horizontal surface installation
- Versatile flushing fluid options include Sperian® Saline - a buffered, saline solution superior to tap water for emergency eye care, and Sperian® Water Additive
- Large 16 gallon (60.5L) capacity permits thorough flushing by providing 0.4 gpm over the entire 15-minute flushing period required by ANSI Z358.1-2009





- Properly installed, the system may be safely leaned upon during use
- Large fill hole/lockable fill cap to simplify refilling and cleaning. Reduces risk of possible tampering
- Easy-to-use design features simple, highly visible operating instructions on the unit itself
- Saline Concentrate requires 6-month maintenance cycle. Water Additive requires a 4-month maintenance cycle

Item #	Description
32-000200-0000	Eyewash Station (English) with Saline Concentrate
32-000200-0020	Eyewash Station (English) with Saline Concentrate (English/French Canadian)
32-000200-0022	Eyewash Station (French Canadian) with Saline Concentrate
32-000200-0070	Eyewash Station (Mexican Spanish) with Saline Concentrate
32-000230-0000	Eyewash Station (English) with Water Additive
32-000230-0020	Eyewash Station (English) with Water Additive (English/ French Canadian)
32-000230-0022	Eyewash Station (French Canadian) with Water Additive
32-000230-0070	Eyewash Station (Mexican Spanish) with Water Additive
32-000310-0000	Eyewash Station (Freeze Protected) with Saline Concentrate

Visit our website at: www.sperian.com. Visit www.ansi.org for the complete ANSI Z358.1-2009 Standard.

For more information or to order products on this page, please call Customer Care at 800 430-5490.



Secondary Emergency Eyewash Devices

Refillable

Fendall Porta Stream® I

- Delivers 6 minutes of uninterrupted, hands-free flushing without costly plumbing
- Easy installation with no plumbing required. Can be easily and affordably placed near most workplace hazards with single bracket mounting device or transported with optional universal cart or universal stand. Molded handle accepts hanging bracket for vertical or horizontal surface installation
- Supplied with either 70 oz. (2.07L) of Saline Concentrate which, when mixed with tap water, provides 6 gallons (22.7L) of buffered, saline solution superior to tap water for emergency eye care, or 8 oz. of Water Additive, enough for 14-16 gallons of water
- Nozzle strap is easily removed for hands-free flushing, leaving hands free to hold eyelids open
- · Low maintenance with one-piece, molded construction and no moving parts
- · Large fill hole simplifies refilling and cleaning
- Easy-to-use design features simple, highly visible operating instructions on the unit itself
- Saline Concentrate requires 6-month maintenance cycle. Water Additive requires a 4-month maintenance cycle
- Does not meet ANSI Z358.1-2009 15-minute flushing requirement

Item #	Description
32-000100-0000	Eyewash Station (English) with Saline Concentrate
32-000100-0020	Eyewash Station (English/French Canadian) with Saline Concentrate
32-000100-0022	Eyewash Station (French) with Saline Concentrate
32-000100-0070	Eyewash Station (Spanish) with Saline Concentrate
32-000130-0000	Eyewash Station (English) with Water Additive
32-000130-0020	Eyewash Station (English/French Canadian) with Water Additive
32-000130-0022	Eyewash Station (French Canadian) with Water Additive
32-000130-0070	Eyewash Station (Spanish) with Water Additive

Fendall Flash Flood®

- Easy installation with no plumbing required. Can be easily wall-mounted for placement near most workplace hazards
- One-gallon sealed cartridges are easy to store and offer quick changes without mixing or measuring
- Dual nozzles provide simultaneous flushing to both eyes for three minutes
- Unique cartridge design delivers Sperian® Saline a buffered, pH-balanced saline solution that is superior to tap water for emergency eye care
- Highly portable system may be easily wall or table mounted
- Nozzle strap is easily removed for hands-free flushing, leaving hands free to hold eyelids open
- Easy-to-use design features simple, highly visible operating instructions
- Sperian Saline cartridges, once installed, require a 6-month maintenance cycle. Unopened cartridges have a shelf life of up to 24 months*
- Does not meet ANSI Z358.1-2009 15-minute flushing requirement

Item #	Description
32-000400-0000	Eyewash Station (English)
32-000400-0022	Eyewash Station (French Canadian)
32-000402-0000	Wire Storage Rack for Fendall Flash Flood
32-000401-0000	Saline Refill Cartridges (English) for Fendall Flash Flood
32-000401-0022	Saline Refill Cartridges (French Canadian) for Fendall Flash Flood

^{*}Shelf life determined by date of manufacture. Always check product expiration date

6-Minute Flush Time

- Great for dust or particles
- 3-6 month maintenance cycle




Secondary Eyewash Devices

- Do not meet the ANSI Z358.1-2009 Standard for 15-minute flushing requirements.
- Intended to support, not replace, primary plumbed or self-contained units.

Fendall Porta Stream I and Fendall Flash Flood units are suitable for nuisance situations such as dust or particle flushing where a 15-minute flushing device is not a requirement.







Personal Eyewash Bottles

Sperian[®] Saline Personal Eyewash Products

Personal Eyewash Products contain a buffered, saline solution that is sterile. Personal eyewash devices are intended to supplement, not replace, primary eyewash units.

Personal products may also be used for continued irrigation when moving an injured person from a primary eyewash unit to medical care. 36-month shelf life from date of manufacturing.*





Visit our website at: www.sperian.com. Visit www.ansi.org for the complete ANSI Z358.1-2009 Standard.

For more information or to order products on this page, please call Customer Care at 800 430-5490.

Sperian® Saline Personal Travel Bag

- Rugged, durable bag securely holds six 1 oz. and six 4 oz. bottles of Sperian saline sterile eyewash
- One-piece case construction with pockets to hold bottles, and a separate insert for important documents or additional first aid necessities
- · Adjustable strap allows bag to fit around the back of a car, truck or sport utility vehicle seat for easy transport and convenience
- Bag is made of vinyl material allowing it to remain clean and visible
- · Sperian saline bottles proudly made in the USA



Item #	Description
32-000440-0000	Sperian Personal Travel Bag (English) 13" x 9" x 4", Qty 1, 4 lbs.
32-000440-0020	Sperian Personal Travel Bag (French Canadian) 13" x 9" x 4", Qty 1, 4 lbs.

Sperian® Saline Eyewash Bottles

- Bottles contain a buffered, saline solution that is sterile and superior to tap water for emergency eye care
- Blow-fill-seal bottles are tamper resistant, yet easily removed in an emergency
- Extended-flow nozzles (16 and 32 oz. containers) provide longer flow than conventional 16 and 32 oz. containers
- User-controlled volume delivery (1, 4, 8 oz. products). Delivers drops or an irrigating stream of solution, depending on the squeeze pressure applied to the bottle
- Ensured quality and lasting value with FDA-grade polyethylene bottles featuring lot numbers and expiration dates
- · Does not meet ANSI Z358.1-2009 15-minute flushing requirement

Item #	Description
32-000455-0000	Sperian 32 oz. Bottles (English/Spanish) with Extended Flow Nozzles
32-000455-0020	Sperian 32 oz. Bottles (English/French Canadian) with Extended Flow Nozzles
32-000454-0000	Sperian 16 oz. Bottles (English/Spanish) with Extended Flow Nozzles
32-000454-0020	Sperian 16 oz. Bottles (English/French Canadian) with Extended Flow Nozzles
32-000445-0000	Sperian 8 oz. Bottles (English/Spanish) w/User-Controlled Delivery – Drops or Stream
32-000445-0020	Sperian 8 oz. Bottles (English/French Canadian) w/User-Controlled Delivery – Drops or Stream
32-000452-0000	Sperian 4 oz. Bottles (English/Spanish) w/User-Controlled Delivery – Drops or Stream
32-000452-0020	Sperian 4 oz. Bottles (English/French Canadian) w/User-Controlled Delivery – Drops or Stream
32-000451-0000	Sperian 1 oz. Bottles (English/Spanish) w/User-Controlled Delivery – Drops or Stream
32-000451-0020	Sperian 1 oz. Bottles (English/French Canadian) w/User-Controlled Delivery – Drops or Stream

^{*}Shelf life determined by date of manufacture. Always check product expiration date



Personal Eyewash Wall Stations

Sperian® Saline Wall Stations

- Sealed, sterile, bottles contain Sperian Saline a buffered, saline solution superior to tap water for emergency eye care
- Blow-fill-seal bottles are tamper resistant, yet easily removed in an emergency
- Extended flow opening provides longer flow rate than conventional bottles
- Durable, open face design holds bottles firmly in place with easy access to bottles in an emergency
- Mounts to wall with provided screws
- Integral overhang protects bottles from dust and debris to minimize maintenance requirements
- Durable plastic is easy to clean
- Simple, highly visible operating instructions are provided on each unit. 16 and 32 oz. bottles feature English/Spanish bi-lingual instructions
- Ensured quality and lasting value with FDA-grade polyethylene bottles featuring lot numbers and expiration dates
- Does not meet ANSI Z358.1-2009 15-minute flushing requirement



32-000471-0000

Item #	Description
32-000460-0000	Sperian 16 oz. Single Eyewash Wall Station
32-000460-0020	Sperian 16 oz. Single Eyewash Wall Station (English/French Canadian)
32-000461-0000	Sperian 32 oz. Single Eyewash Wall Station
32-000461-0020	Sperian 32 oz. Single Eyewash Wall Station (English/French Canadian)
32-000462-0000	Sperian 32 oz. Double Eyewash Wall Station
32-000462-0020	Sperian 32 oz. Double Eyewash Wall Station (English/French Canadian)
32-000471-0000	Sperian 32 oz. Double Body Flush Wall Station (English/Spanish)
32-000471-0020	Sperian 32 oz. Double Body Flush Wall Station (English/
	French Canadian)

^{*}Shelf life determined by date of manufacture. Always check product expiration date





Keep Bottles Near Your Workers

Durable Wall Stations provide immediate flushing until the injured person can be helped to a primary emergency eyewash device. They offer high visibility in a hazardous area and are readily available for emergency flushing and decontamination of the eyes, face and body.



Emergency Eyewash Refills

Why is a sterile eyewash solution better?

- Sterile solution offers unmatched safety.
- When compared to tap water, sterile solution offers the best protection from contaminants and bacteria that could lead to secondary trauma to an injured eye.
- Sterile solution reduces the risk of potential liability if eye injury from flushing with contaminated water occurs.





Fendall 2000™ Sterile Saline Cartridge

- Up to 24 month* cartridge life
- 6.87 gallons (26L) total
- · Sterile, buffered, pH balanced, saline solution
- Cartridge change takes less than 5 minutes

Item # Description

32-ST2050-0000 Sterile Saline Refill Cartridge for Fendall 2000 (Trilingual)

*Shelf life determined by date of manufacture. Always check product expiration date

Fendall Pure Flow 1000® Sterile Saline Cartridges

- Up to 24 month* cartridge life
- 3.5 gallon (13.2L) each, 7 gallon (26.4L) total
- Sterile, buffered, pH balanced, saline solution
- · Cartridge change takes less than 5 minutes



*Shelf life determined by date of manufacture. Always check product expiration date

Fendall Pure Flow 1000® Saline Cartridges

- Up to 24 month* cartridge life
- 3.5 gallon (13.2L) each, 7 gallon (26.4L) total
- · Preserved, buffered, pH balanced, saline solution
- · Cartridge change takes less than 5 minutes

 Item #
 Description

 32-001050-0000
 Saline Refill Cartridges for Fendall Pure Flow 1000 (Trilingual)

Sperian® High Humidity Brace for Fendall Pure Flow 1000® Cartridges

 Designed for units located in high heat or humidity moisture levels of 80% and higher

Item #Description32-001053-0000Sperian High Humidity Brace for Fendall Pure Flow 1000 (Trilingual)

^{*}Shelf life determined by date of manufacture. Always check product expiration date



Emergency Eyewash Refills

Fendall Flash Flood® Cartridge

- Up to 24 month* unopened cartridge shelf life (6 months activated)
- Preserved, buffered, pH balanced, saline solution
- Cartridge change takes less than 1 minute

Item #	Description
32-000401-0000	Saline Refill Cartridges for Fendall Flash Flood
32-000401-0020	Saline Refill Cartridges (French Canadian) for Fendall Flash Flood

^{*}Shelf life determined by date of manufacture. Always check product expiration date



Sperian® Saline Solution

- Use directly from container (1 gal, 3.8L) to refill the eyewash device. No mixing or measuring required
- Preserved, buffered, pH balanced, saline solution

Item # 32-000502-0000	Description Sperian Saline Solution, (Premixed) for Use with
32-000502-0020	Fendall Porta Stream I, II, III Sperian Saline Solution (Premixed, English/French Canadian), for Use with Fendall Porta Stream I. II. III

^{*}Shelf life determined by date of manufacture. Always check product expiration date

Always check product expiration date

Sperian® Saline Concentrate

- Mix with clean, potable water (10:1 ratio)
- · Creates a preserved, buffered, saline solution

Item #	Description
32-000513-0000	Sperian Saline Concentrate for Use with Fendall Porta Stream II, III
32-000513-0020	Sperian Saline Concentrate (English/French Canadian) for Use with Fendall Porta Stream II, III
32-000509-0000	Sperian Saline Concentrate for Use with Fendall Porta Stream I
32-000509-0020	Sperian Saline Concentrate (English/French Canadian) for Use with Fendall Porta Stream I

^{*}Shelf life determined by date of manufacture. Always check product expiration date

Sperian® Water Additive

- Mix with clean potable water
- One bottle (8 oz.) suitable for 14-16 gallons
- 30-month* shelf life (unopened)
- · Sold in cases of four with tamper-evident seals

Item #	Description
32-001100-0000	Sperian Water Additive for Use with All Portable Devices
32-001100-0020	Sperian Water Additive (English/French Canadian) for Use with All Portable Devices

^{*}Shelf life determined by date of manufacture. Always check product expiration date





SPERIAN EYE & FACE PROTECTION

Emergency Eyewash Accessories



Sperian® Dust Cover

- · Protects eyewash basin from dirt, dust and debris
- · Attaches to the eyewash activation handle or pull strap
- · Cover and activation handle or pull strap are detached in one motion

Item # Description

32-002015-0000 Fendall 2000 Dust Cover

32-001015-0000 Fendall Pure Flow 1000 Dust Cover

32-000517-0000 Sperian Dust Cover for Fendall Porta Stream I, II



Sperian® Reflective Cover

- · Protective cover helps maintain fluid temperature
- · Use in environments of high solar energy
- Flap and pull strap are removed in one motion

Description 32-000532-0000 Sperian Reflective Cover for Use with Fendall Porta Stream II 32-000531-0000 Sperian Reflective Cover for Use with Fendall Porta Stream I



Sperian® Fluid Disposal Cart

- · Allows easy collection of used flushing fluid
- · Concave top surface with center drain
- · Dual wheels, molded handle for easy portability

Item #

Sperian Disposal Cart for Use with Fendall Porta Stream I, II, III, 32-000511-0000

and Fendall Flash Flood

Sperian® Universal **Eyewash Cleaning Kit**

- · For use with all tank-type, eyewash stations
- · Allows thorough eyewash device cleaning
- · Clean prior to refilling, to remove contamination
- · Helps remove contaminants from tank interior



Item # Description 32-000518-0000 Sperian Cleaning Kit for Use with All Tank-Type, Eyewash Stations



Sperian® Waste Container

- 28 gallon waste container fits securely on cart
- Not required for Fendall Pure Flow 1000® or Fendall 2000™

Item # Description 32-001061-0000 Sperian Waste Container for Use with Universal Cart #32-001060-000

Emergency Eyewash Accessories

Sperian® Universal Bottle Mounting Device

- Expandable strap with magnetic backing holds various personal eyewash bottle sizes up to 32 oz.
- Can be mounted for permanent placement
- · Easy installation, takes less than one minute
- · Fits all Sperian personal eyewash bottles as well as most competitor bottles
- 4 per case sold in cases only

Item # Description 32-000435-0000 Sperian Universal Bottle Mounting Device

Sperian® Universal Eyewash Stand

- · Inexpensive alternative to wall mounting
- · Versatile stand can be mounted to a floor or be used as free standing
- Compact and easy to assemble (assembly time 5 minutes or less)
- · All assembly parts are included
- Lightweight, sturdy steel tubing design (25 lbs)

Item #	Description
32-001065-0000	Sperian Eyewash stand for use with Fendall 2000, Fendall Pure Flow
	1000. and Fendall Porta Stream I. II and III

Sperian® Universal Eyewash Cart

- · Provides quick, easy portability for self-contained, gravity-fed emergency eyewash devices
- · Reliable, hand-truck design ensures durability

Item #	Description
32-001060-0000	Sperian Eyewash Cart for Use with All Portable Devices

Sperian® Wire Storage Rack

- Wire rack holds 4, 1-gallon cartridges
- Allows multiple cartridges to be stored in immediate vicinity of Fendall Flash Flood®

Item #	Description
32-000402-0000	Sperian Wire Rack for Use with Fendall Flash Flood





EYE & FACE PROTECTION





Reference: Compliance Regulations

10 SECOND RUSH

Experts agree the most important first aid procedure for eye contact with hazardous materials is abundant irrigation within seconds. The need for immediate flushing requires the installation of emergency eyewash devices in accessible locations that require no more than 10 SECONDS to reach. Studies have shown there is a significant difference in the outcome of chemically burned eyes that receive prompt irrigation compared with those that did not undergo immediate flushing - patients receiving prompt irrigation required less surgery, had shorter hospital stays, and faster recoveries.

15 MINUTE FLUSH

The type of emergency eyewash device, the flushing solution used, and the maintenance of that device can greatly affect the treatment and eventual recovery of an injured eye. Safety professionals can choose from a variety of delivery systems and flushing fluids when selecting emergency eyewash devices. The primary eyewash unit required for a hazard area must meet the requirements set by ANSI Z358.1-2009. Eyewash stations and bottles that supply less than the minimum flushing requirements of ANSI Z358.1-2009 are intended to support, not replace, primary units. These supplemental or personal eyewash units are referred to as secondary devices.



Secondary/Personal



Fendall Flash Flood®



Sperian Personal Evewash Bottles

COMPLIANCE REGULATIONS

OSHA Requirements

OSHA specifies requirements for workplace eye hazard areas. High incident eye injury areas have activities involving use of paints and solvents, battery charging, tool parts washing, laboratory work, chemical storage, and chemical pumping and mixing. Injurious materials may be present in solid, liquid, powder, mist or vapor form.

Hazard Communication Standard, 29 CFR 1910. 1200, requires employers to identify chemicals used in the workplace. This regulation further mandates that employers provide information to employees regarding appropriate safety equipment and emergency procedures for the safe use of workplace chemicals. CFR Title 29, Parts 1901 to 1910 are applicable. Part 1910.151(c) states: "Where the eyes or body of any person may be exposed to injurious corrosive materials, suitable facilities for quick drenching or flushing of the eyes and body shall be provided within the work area for immediate emergency use."

ANSI Standard

The ANSI Z358.1-2009 Standard for Emergency Shower and Eyewash Equipment is the definitive standard for meeting the OSHA requirement for "suitable facilities."

ANSI Z358.1-2009 states specific installation requirements for plumbed/self-contained eyewashes.

It is the employer's responsibility to ensure that eyewashes shall be in accessible locations that require no more than 10 seconds to reach.

The eyewash unit shall be located on the same level as the hazard and the path of travel shall be free of obstructions that may inhibit the immediate use of the equipment. For a strong acid or strong caustic, the eyewash should be immediately adjacent to the hazard.

Performance requirements for plumbed/selfcontained eyewash units are also specified by ANSI Z358.1-2009:

Plumbed and self-contained eyewash equipment shall be capable of delivering flushing fluid to the eyes not less than 1.5 liters (0.4 gpm) per minute for 15 minutes.

A means shall be provided to ensure that a controlled flow of flushing fluid is provided to both eyes simultaneously at a velocity low enough to be non-injurious to the user.

Nozzles shall be protected from airborne contaminants. Whatever means is used to afford such protection, its removal shall not require a separate motion by the operator when activating the unit.

The eyewash unit shall be designed to provide enough room to allow the eyelids to be held open with the hands while the eyes are in the flushing fluid stream.

Visit www.ansi.org for complete ANSI Z358.1-2009 details



Reference: Eyewash Options

SPERIAN® SALINE SOLUTIONS

Sperian's world-renowned delivery systems and devices utilize a sterile solution or buffered saline solution, both of which are superior to tap water or water with an additive for emergency eye care. Unlike tap water that may contain contaminants that can further irritate or damage the eyes, saline solution is purified and physiologically balanced to the pH and salinity of human tears.

Saline solution is offered in factory-sealed cartridges and personal eyewash bottles. Factory-sealed fluid cartridges eliminate mixing, measuring, and the opportunity for airborne particles or microorganisms to contaminate the fluid prior to use. Sealed fluid containers last up to 24 months* and replacement takes less than five minutes. There is a 36-month shelf life* on sterile personal eyewash bottles.

FEATURES	BENEFITS
• Sterile	Free from living microorganisms and bacteria, especially those that can cause disease and further harm to an already injured or compromised eye
Buffered	Ensures neutral pH of flushing fluid and reduces likelihood of fluid causing additional damage to an injured eye
Saline solution	Minimizes irritation and maximizes flushing comfort with a solution that is physiologically balanced to the pH and salinity of human tears
Contaminant-free	Does not contain irritants like chlorine, rust and various microbial contaminants that may be found in tap water
• User-friendly	Allows maximum user comfort and flushing effectiveness over the entire 15-minute flushing period required by ANSI Z358.1-2009
• Versatile	Saves maintenance costs with quick fluid change options including up to 24 month* sealed cartridge life

OTHER SPERIAN SOLUTION OPTIONS

*Shelf life determined by date of manufacture. Always check product expiration date

Sperian® Concentrate

Sperian Concentrate creates a flushing fluid solution that reacts better with the eye than does water or water with an additive. Sperian Concentrate contains special additives to provide a cost-effective solution for eyewash refills. When mixed in the proper ratio with potable (drinking) water, Sperian Concentrate provides a preserved, buffered, saline solution.

Sperian® Water Additive

When mixed with potable water, Sperian Water Additive provides a preserved solution for use in self-contained eyewash devices. Sperian Water Additive mixed with water is cost-effective, but does not impact possible contaminants. Sperian Water Additive is non-toxic in the recommended concentration.

EMERGENCY EYEWASH CONSIDERATIONS

Cost - Plumbed vs. Self-Contained

Once potential hazards have been identified, the employer must select and install emergency eyewash units in appropriate locations throughout the facility that require no more than 10 seconds for any person using hazardous materials to reach.

Depending on the number of hazard locations and facility layout, installation of plumbed emergency eyewash devices within 10 seconds of potential hazards can be cost-prohibitive. Plumbed units require a readily available water source close at hand and a drain to service the unit.

Self-contained emergency eyewash devices use sealed fluid cartridges or a gravity-fed, tank design with no costly plumbing needed. Self-contained systems provide affordable, portable placement within 10 seconds of most workplace hazards.

Maintenance

Proper maintenance of eyewash devices is essential. ANSI Z358.1-2009 requires that plumbed units be activated weekly to verify proper operation. Self-contained devices must be inspected and maintained according to manufacturer's instructions.

Fluid in devices using water mixed with an additive or a factory prepared liquid concentrate must be changed in accordance with the manufacturer's directions.

Factory-sealed fluid cartridges offer low maintenance charging up to 24 months unless the eyewash device is activated sooner.*

All emergency eyewash systems must be inspected at least annually to ensure conformance with ANSI Z358.1-2009 requirements.

*Shelf life determined by date of manufacture. Always check product expiration date

Flushing Fluid Quality

While tap water is widely available, it is not the preferred solution for emergency eye flushing. Tap water used in plumbed systems or some tank-type eyewashes may contain various particulates or harmful contaminants.

Particles in the flushing stream can injure the eye and may obstruct fluid flow. Tap water may also contain various microorganisms and bacterial contaminants from the interior surface of water pipes that can pose a threat to injured eye tissue.

The ideal solution for emergency eye flushing is 100% sterile or clean, contamination-free, buffered, and pH balanced saline solution which minimizes the extent of damage caused by injurious materials.



Reference: Sterile Eyewash Solutions

THE SPLASH ON STERILE EMERGENCY EYEWASH SOLUTIONS

Recent research has proven that sterile emergency eyewash solutions deliver additional benefits to the patient being treated. The findings were compelling enough to advance the FDA's plans to enforce regulations on the use of sterile solutions in portable emergency eyewash.

Why Is A Sterile Eyewash Solution Better?

- · Sterile solution offers unmatched safety.
- When compared to tap water, sterile solution offers the best protection from contaminants and bacteria that could lead to secondary trauma to an injured eye.
- Sterile solution reduces the risk of potential liability if eye injury from flushing with contaminated water occurs.
- Flushing eyes with tap water can be very painful. People find it virtually impossible to flush their eyes with tap water for the recommended 15 minutes. The water is often too cold or too hot to be tolerated. The presence of chemicals and contaminants in tap water can exacerbate the problem.
- Flushing with tap water can damage the epithelial layer of the eye. A study conducted by the Louisiana State University Health Sciences Center and the Kentucky Lions Eye Center found that flushing with tap water can further disrupt the eye's protective epithelial cell layer and cause additional corneal cell damage because it is incompatible with the pH of the eye.
- · Tap water introduces contaminants into the injured eye. Plumbed eyewash stations can develop rust and scale in their supply lines. Though tap water is suitable for drinking, it does contain various irritants and contaminants including the free-living amoeba, Acanthamoebae. In fact, a December 2005 survey by the Environmental Working Group (EWG), a nonprofit environmental research and advocacy group based in Washington, DC, found 141 unregulated chemicals and an additional 119 for which the Environmental Protection Agency (EPA) has set health-based limits. Most common among the chemicals found were disinfection by-products, nitrates, chloroform, barium, arsenic and copper. Flushing these harmful elements into an already damaged eye can cause serious secondary injury and possible vision loss.
- · By definition, Sterile means free from living microorganisms and bacteria, especially those that can cause disease and bring further harm to an already injured or compromised eye.

An easy formula to illustrate Sterile is:

0% Bacteria

0% Mold

0% Fungus

0% Pollutants

= 100% Sterile Eyewash

Essentially, there are no contaminants, no minerals, no scale, no living microorganisms, no rust, no chlorine and no irritants as a result of the sterilization process. The solution remains 100% Sterile; until the injured eye needs it!



Reference: Product Features Matrix

Item #	Description	Primary Device	Secondary Device	Personal Device	Portable	Sealed-Fluid Cartridge	Sterile Saline Solution	Buffered Saline Solution	Saline Concentrate	Water Additive	Refillable	Heated/Freeze Protected	Meets ANSI 15-Min. Requirement	SEI Certified
32-002000-0000	Fendall 2000 Sterile Eyewash Station (English)													
32-002000-0070	Fendall 2000 Sterile Eyewash Station (Spanish)													
32-ST2050-0000	Sterile Saline Refill Cartridge for Fendall 2000													
32-001000-0000	Fendall Pure Flow 1000 Eyewash Station (English)	•			•	•								•
	<u> </u>	•			•									
32-001000-0022	Fendall Pure Flow 1000 Eyewash Station (French Canadian)				_									
32-001000-0070	Fendall Pure Flow 1000 Eyewash Station (Mexican Spanish)	•			•	•								i i
32-001050-0000	Saline Refill Cartridge for Fendall Pure Flow 1000					•		•						
32-ST1050-0000	Sterile Saline Refill Cartridge for Fendall Pure Flow 1000					•	•							
32-001052-0000	High Humidity Saline Refill Cartridge for Fendall Pure Flow 1000					•		•						
32-000200-0000	Fendall Porta Stream II Eyewash Station (English) w/Saline Concentrate	•			•				•		•		•	•
32-000200-0022	Fendall Porta Stream II Eyewash Station (French Canadian) w/Saline Concentrate	•			•				•		•		•	•
32-000200-0070	Fendall Porta Stream II Eyewash Station (Mexican Spanish) w/Saline Concentrate	•			•				•		•		٠	•
32-000230-0000	Fendall Porta Stream II Eyewash Station (English) w/Water Additive	•			•					•	•		٠	•
32-000230-0022	Fendall Porta Stream II Eyewash Station (French Canadian) w/Water Additive	•			•					٠	•		•	•
32-000230-0070	Fendall Porta Stream II Eyewash Station (Mexican Spanish) w/Water Additive	•			•					•	•		•	•
32-000310-0000	Fendall Porta Stream III Eyewash Stn. (Freeze Protected) w/Saline Concentrate	•			•				•		•	•	•	•
32-000100-0000	Fendall Porta Stream I Eyewash Station (English) with Saline Concentrate		•		•				•		•			
32-000100-0022	Fendall Porta Stream I Eyewash Station (French) with Saline Concentrate		•		•				•		•			
32-000100-0070	Fendall Porta Stream I Eyewash Station (Spanish) with Saline Concentrate		•		•				•		•			
32-000130-0000	Fendall Porta Stream I Eyewash Station (English) with Water Additive		•		•					•	•			
32-000400-0000	Fendall Flash Flood Eyewash Station (English)		•		•			•			•			
32-000400-0022	Fendall Flash Flood Eyewash Station (French Canadian)		•		•			•			•			
32-000400-0070	Fendall Flash Flood Eyewash Station (Mexican Spanish)		•		•			•			•			
32-000401-0000	Saline Refill Cartridges for Fendall Flash Flood							•						
32-000440-0000	Saline Bottle Personal Carry Bag			•	•		•							
32-000455-0000	32 oz. Bottles with Extended Flow Nozzles			•	•		•							
32-000454-0000	16 oz. Bottles with Extended Flow Nozzles			•	•									
32-000445-0000	8 oz. Bottles with User-Controlled Delivery – Drops or Stream			•	•		•							
32-000452-0000	4 oz. Bottles with User-Controlled Delivery – Drops or Stream			•			•							
32-000451-0000	1 oz. Bottles with User-Controlled Delivery - Drops or Stream			•			•							
32-000460-0000	16 oz. Single Eyewash Wall Station			•										
32-000461-0000	32 oz. Single Eyewash Wall Station			•										
32-000462-0000	32 oz. Double Eyewash Wall Station			•			•							
32-000471-0000	32 oz. Double Body Flush Wall Station			•										
32-000502-0000	Saline Solution (Premixed) for Use w/Fendall Porta Stream I, II, III													
32-000513-0000	Saline Concentrate for Use with Fendall Porta Stream II, III								•					
32-000509-0000	Saline Concentrate for Use with Fendall Porta Stream I								•					
32-001100-0000	Water Additive for Use with all Portable Devices									•				
52 001100 0000	The state of the s													





FULL LINE SKU LISTING

Sperian Emergency Eyewash

Primary Emergency Eyewash Devices

	Cildaii 2000	
	Item #	Description
	32-002000-0000	Sterile Eyewash Station (English)
	32-ST2050-0000	Sterile Saline Refill Cartridge for Fendall 2000
	Fendall Pure Flo	w 1000®
	Item #	Description
	32-001000-0000	Eyewash Station (English)
	32-001000-0022	Eyewash Station (French Canadian)
	32-001000-0070	Eyewash Station (Mexican Spanish)
	32-001050-0000	Saline Refill Cartridge for Fendall Pure Flow 1000 (Trilingual)
	32-ST1050-0000	Sterile Saline Refill Cartridge for Fendall Pure Flow 1000 (Trilingual)
	32-001052-0000	High Humidity Saline Refill cartridge for Fendall Pure Flow 1000

Fendall Porta Stream® II + III

Fendall 2000™

Item #	Description
32-000200-0000	Eyewash Station (English) with Saline Concentrate
32-000200-0020	Eyewash Station (English) with Saline Concentrate (English/French Canadian)
	,
32-000200-0022	Eyewash Station (French Canadian) with Saline Concentrate
32-000200-0070	Eyewash Station (Mexican Spanish) with Saline Concentrate
32-000230-0000	Eyewash Station (English) with Water Additive
32-000230-0020	Eyewash Station (English/French Canadian) with Water Additive
32-000230-0022	Eyewash Station (English) with Water Additive
	(English/French Canadian)
32-000230-0070	Eyewash Station (Mexican Spanish) with Water Additive
32-000310-0000	Eyewash Station (Freeze Protected) with Saline Concentrate

Secondary Emergency Eyewash Devices

Fendall Porta Stream® I

Item #	Description
32-000100-0000	Eyewash Station (English) with Saline Concentrate
32-000100-0020	Eyewash Station (English) with Saline Concentrate
	(English/French Canadian)
32-000100-0022	Eyewash Station (French) with Saline Concentrate
32-000100-0070	Eyewash Station (Spanish) with Saline Concentrate
32-000130-0000	Eyewash Station (English) with Water Additive
32-000130-0020	Eyewash Station (English) with Water Additive
	(English/French Canadian)
32-000130-0022	Eyewash Station (French Canadian) with Water Additive
32-000130-0070	Eyewash Station (Spanish) with Water Additive
Fandall Flack Fl	

Fendall Flash Flood®

Item #	Description
32-000400-0000	Eyewash Station (English)
32-000400-0022	Eyewash Station (French Canadian)
32-000402-0000	Wire Storage Rack for Fendall Flash Flood
32-000401-0000	Saline Refill Cartridges (English) for Fendall Flash Flood
32-000401-0022	Saline Refill Cartridges (French Canadian) for
	Fendall Flash Flood

Personal Eyewash Bottles

Sperian® Saline Personal Travel Bag

Item #	Description
32-000440-0000	Sperian Personal Travel Bag (English) 13" x 9" x 4", Qty 1, 4 lbs.
32-000440-0020	Sperian Personal Travel Bag (French Canadian) 13" x 9" x 4",
	Qty 1, 4 lbs.

For more information or to order products on this page, please call Customer Care at 800 430-5490.

Sperian® Saline Eyewash Bottles

Item #	Description
32-000455-0000	Sperian 32 oz. Bottles (English/Spanish) w/ Extended Flow Nozzles
32-000455-0020	Sperian 32 oz. Bottles (English/French Canadian) w/
	Extended Flow Nozzles
32-000454-0000	Sperian 16 oz. Bottles (English/Spanish) w/ Extended Flow Nozzles
32-000454-0020	Sperian 16 oz. Bottles (English/French Canadian) w/
	Extended Flow Nozzles
32-000445-0000	Sperian 8 oz. Bottles (English/Spanish) w/ User-Controlled Delivery
	- Drops or Stream
32-000445-0020	Sperian 8 oz. Bottles (English/French Canadian) w/ User-Controlled
	Delivery - Drops or Stream
32-000452-0000	Sperian 4 oz. Bottles (English/Spanish) w/ User-Controlled Delivery
	- Drops or Stream
32-000452-0020	Sperian 4 oz. Bottles (English/French Canadian) w/ User-Controlled
	Delivery – Drops or Stream
32-000451-0000	Sperian 1 oz. Bottles (English/Spanish) w/ User-Controlled Delivery
	- Drops or Stream
32-000451-0020	Sperian 1 oz. Bottles (French Canadian) w/ User-Controlled
	Delivery – Drops or Stream

Personal Eyewash Wall Stations

Sperian® Saline Wall Stations

Item #	Description
32-000460-0000	Sperian 16 oz. Single Eyewash Wall Station
32-000460-0020	Sperian 16 oz. Single Eyewash Wall Station (English/French Canadian)
32-000461-0000	Sperian 32 oz. Single Eyewash Wall Station
32-000461-0020	Sperian 32 oz. Single Eyewash Wall Station (English/French Canadian)
32-000462-0000	Sperian 32 oz. Double Eyewash Wall Station
32-000462-0020	Sperian 32 oz. Double Eyewash Wall Station (English/French Canadian)
32-000471-0000	Sperian 32 oz. Double Body Flush Wall Station (English/Spanish)
32-000471-0020	Sperian 32 oz. Double Body Flush Wall Station (English/French Canadian)

Emergency Eyewash Refills

Fendall 2000™ Sterile Saline Cartridges

Item #	Description
32-ST2050-0000	Sterile Saline Refill Cartridges for Fendall 2000 (Trilingual)

Fendall Pure Flow 1000® Sterile Saline Cartridges

Item #	Description
32-ST1050-0000	Sterile Saline Refill Cartridges for Fendall Pure Flow 1000 (Trilingual)
	(Tillingual)

Fendall Pure Flow 1000® Saline Cartridges

Item #	Description
32-001050-0000	Saline Refill Cartridges for Fendall Pure Flow 1000 (Trilingual)

Sperian® High Humidity Brace for Fendall Pure Flow 1000® Cartridges

	•	-
Item #	Description	
32-001053-0000	Sperian High Humidity Brace for Fendall Pure Flow 1000	
	(Trilingual)	

Fendall Flash Flood® Cartridge

К		
	Item #	Description
	32-000401-0000	Saline Refill Cartridges for Fendall Flash Flood
	32-000401-0020	Saline Refill Cartridges (French Canadian) for
		Fendall Flash Flood

FULL LINE SKU LISTING



Sperian Emergency Eyewash

Sperian® Saline Solution

Item #	Description
32-000502-0000	Sperian Saline Solution (Premixed) for Use with
	Fendall Porta Stream I, II, III
32-000502-0020	Sperian Saline Solution (Premixed, English/French Canadian)
	for Use with Fendall Porta Stream I. II. III

Sperian® Saline Concentrate

Item #	Description
32-000513-0000	Sperian Saline Concentrate for Use with Porta Stream II, III
32-000513-0020	Sperian Saline Concentrate (English/French Canadian) for Use with Porta Stream II, III
32-000509-0000	Sperian Saline Concentrate for Use with Porta Stream I
32-000509-0020	Sperian Saline Concentrate (English/French Canadian) for
	Use with Porta Stream I

Sperian® Water Additive

Item #	Description
32-001100-0000	Sperian Water Additive for Use with all Portable Devices
32-001100-0020	Sperian Water Additive (English/French Canadian) for Use
	with all Portable Devices

Emergency Eyewash Accessories

Sperian® Dust Covers

•	
Item #	Description
32-002015-0000	Fendall 2000 Dust Cover
32-001015-0000	Fendall Pure Flow 1000 Dust Cover
32-000517-0000	Sperian Dust Cover for Fendall Porta Stream I, II

Sperian® Reflective Covers

Item #	Description
32-000532-0000	Sperian Reflective Cover for Use with Fendall Porta Stream II
32-000531-0000	Sperian Reflective Cover for Use with Fendall Porta Stream I

Sperian® Fluid Disposal Cart

Item #	Description
32-000511-0000	Sperian Disposal Cart for Use with Fendall Porta Stream I, II, III, and Fendall Flash Flood

Sperian® Universal Eyewash Cleaning Kit

item #	Description
32-000518-0000	Sperian Cleaning Kit for Use with All Tank-Type Eyewash Stations

Sperian® Waste Container

Item #	Description
32-001061-0000	Sperian Waste Container for Use with Universal Cart #32-001060-000

Sperian® Universal Bottle Mounting Device

Item #	Description
32-000435-0000	Sperian Universal Bottle Mounting Device

Sperian® Universal Eyewash Stand

Item #	Description
32-001065-0000	Sperian Eyewash Stand for Use with Fendall 2000, Fendall
	Pure Flow 1000, and Fendall Porta Stream I, II and III

Sperian Eyewash Cart for Use with all Portable Devices

Sperian® Universal Eyewash Cart		
Item #	Description	

Sperian® Wire Storage Rack

Item #	Description	
32-000402-0000	Sperian Wire Rack for Use with Fendall Flash Flood	











SPERIAN Protection Americas, Inc. 900 Douglas Pike Smithfield, RI 02917 Tel: 800 343-3411 Fax: 800 322-1330 www.sperian.com



SAFETY PRODUCTS CATALOG 2010



INDUSTRIAL SAFETY GROUP





SPERIAN LASER EYEWEAR TABLE OF CONTENTS

- **98** Sperian Laser Eyewear (Spectacles, OTG, Goggles)
- **101** Polymer and Glass Windows
- **101** Specialty Filters and Custom Solutions
- **101** LAZAN Software
- 102 Reference: How to Choose Protective Laser Eyewear, Most Popular Sperian Laser Filters

MARNING! Sperian® Laser products should be used only in conjunction with the manufacturer's instructions. Failure to follow such instructions and warnings may result in serious personal injury and serious illness, including blindness.



Sperian Laser Eyewear

DESIGNED FOR SUPERIOR LASER PROTECTION. COMFORT AND STYLE

Since 1968, we have been the worldwide leader in serving the laser industry with laser protective eyewear, patient eye shield products and specialty filters for every industry where lasers are used. Our motto in product design is "Protection You Can Trust." Key factors considered in every design are: protection, visibility, comfort and style.



Our frames are designed with fashion in mind and incorporate features for a personalized fit that help make the eyewear comfortable to wear. We manufacture our products in the USA in an ISO 9001 certified facility in Smithfield, Rhode Island. In addition, many of our products carry the CE sign, signifying that they meet European standards, which involves extra third party

product testing and reviews of our quality control. Sperian Laser offers a large range of products manufactured to ANSI, EN 207 and EN 208 standards. We also have a sales office in Mainz, Germany. Our international sales team consists of Certified Laser and Medical Safety Officers with nearly 90 years of combined experience in the laser field.



Laser Eyewear

When combined with our extensive line of Laser Filters, Sperian® protective laser eyewear provides you with a product that you can trust, incorporating protection, visibility, comfort and style.

When selecting a suitable frame style, consider requirements for adjustability, comfort, the need to wear prescription frames, etc. The style you select will have a great impact on the weight distribution and comfort, as well as ensuring that you look and feel good.



Filter Technology: Polymer

Polymer filters are designed to maximize visibility while providing unsurpassed attenuation by narrowing the absorption band to the specific laser wavelengths.

These feather-weight, impact-resistant, polymer lenses are available for all of today's lasers, and custom designs are available upon request.

Each Sperian® Laser Eyewear includes cleaning cloth or a microfiber cloth bag (which doubles as a cleaning cloth), a hard-case for storage and a safety hang cord to carry the eyewear around your neck. The LOTG and LGM eyewear do not include the hard-case.

Serving the laser community since 1968.

For more information or to order products on this page, please call Customer Care at 800 500-4739.

Spectacles

EYE & FACE PROTECTION

NEW! Sperian New York[™] Series

- · High level protection and style, by adding stylish anodized metal pieces as accents in strategic locations
- · High quality OBE brand spring hinges provide the ultimate in comfort and durability
- Temples can be conformed for an improved face-form fit
- Lifetime warranty on frame and lens (scratches not covered)
- Meets Standards: ANSI Z136.1, ANSI Z87.1 (impact), CE EN207
- · Filter Technology: Glass, Crystal Clarity

Sperian Milan™ Series

- · Adjustable nose bridge to fit a majority of facial profiles
- Spring hinges provide the ultimate in comfort
- Flexible, multi-material temples allow you to personalize the fit
- Lifetime warranty on frame and lens (scratches not covered)
- Meets Standards: ANSI Z136.1, ANSI Z87+ (high impact), CE EN207, CE EN208
- Filter Technology: Polymer, HT; Coatings on lens: Anti-Fog, Anti-Scratch

GPT XC®

- · Soft elastomeric brow guard and flexible "nose bridge fingers" cushion every point of contact with the face
- · Adjustable temple length and inclination
- · Wrap-around lens for uninterrupted peripheral vision and superior coverage
- Detachable prescription insert available upon request: fits up to 6 diopters
- Lifetime warranty on frame and lens (scratches not covered)
- Meets Standards: ANSI Z136.1, ANSI Z87+ (high impact), CE EN207, CE EN208
- Filter Technology: Polymer, HT; Coatings on lens: Anti-Fog, Anti-Scratch

GPT LS5 Series

- Features a large 66 mm curved glass lens for uninterrupted vision
- · Ratcheting hinge and Duoflex® comfort-cushion, adjustable temples
- · Lifetime warranty on frame and lens (scratches not covered)
- Meets Standards: ANSI Z136.1
- Filter Technology: Glass
- Available only in USA







Laser Eyewear

GPT LGM Series

- Contemporary style combined with wrap-around protection
- Superior optics provide a large protective area with unrestricted wide angle viewing
- Limited 2-year warranty on frame and lens (scratches not covered)
- Meets Standards: ANSI Z136.1, ANSI Z87.1 (impact), CE EN207
- Filter Technology: Polymer; Coatings on lens: Anti-Scratch
- · Limited filter availability



- · This comfortable, lightweight design frame is prescription compatible
- · Side shield and eyebrow coverage
- · Limited 2-year warranty on frame and lens (scratches not covered)
- Meets Standards: ANSI Z136.1
- Filter Technology: Glass
- · Available only in USA



Over-the-Glass (OTG)

GPT LGF Series

- · One-piece, impact-resistant polymer lens with integral molded sideshield
- · Offers a large protective area with unrestricted wide-angle viewing
- Fits over many prescription frames
- · Adjustable temples
- · Lifetime warranty on frame and lens (scratches not covered)
- Meets Standards: ANSI Z136.1, ANSI Z87.1 (impact), CE EN207, CE EN208
- · Filter Technology: Polymer, HT; Coatings on lens: Anti-Scratch

GPT Encore™ Series

- · Comfortable to wear over long periods of time
- · Adjustable and flexible temples
- · Fits over a majority of prescription eyewear
- Available in 2 sizes, Encore Large (Polymer Filter) and Encore Small (Glass and Crystal Clarity™ Filter)
- · Lifetime warranty on frame and lens (scratches not covered)
- Meets Standards: ANSI Z136.1, ANSI Z87.1 (polymer filters), CE EN207, CE EN208
- Filter Technology: Polymer, HT, Glass, Crystal Clarity; Coatings on polymer lens: Anti-Scratch







Filter Technology: HT™ Polymer

Sperian's patent-pending High Transmission (HT) polymer filters help maximize productivity by providing excellent overall vision.

These filters incorporate a patented notch dye technology that maximizes visible light transmission by limiting the wavelength band covered while providing the required protection level for your application.



Each Sperian® Laser Eyewear includes cleaning cloth or a microfiber cloth bag (which doubles as a cleaning cloth), a hard-case for storage and a safety hang cord to carry the eyewear around your neck. The LOTG and LGM eyewear do not include the hard-case.

Serving the laser community since 1968.

SPERIAN

EYE & FACE PROTECTION

Laser Eyewear



Filter Technology: Glass

Glass Filters can absorb higher heat densities than Polymer filters, thus they can offer higher protection levels.

These mineral glass filters have properties that protect against a specific laser by absorbing the light passing through the filter, hence providing maximum visibility and protection. These filters are by nature heavier than polymer filters.



Filter Technology: Crystal Clarity™

This technology protects against a laser light by reflecting it.

These dielectrically-coated filters provide protection over a 30-degree angle of incidence in accordance with domestic and international laser eyewear standards.

Each Sperian® Laser Eyewear includes cleaning cloth or a microfiber cloth bag (which doubles as a cleaning cloth), a hard-case for storage and a safety hang cord to carry the eyewear around your neck. The LOTG and LGM eyewear do not include the hard-case.

Serving the laser community since 1968.

For more information or to order products on this page, please call Customer Care at 800 500-4739.

GPT LOTG Series

- Fits comfortably over many different prescription eyewear styles due to its larger size
- · Ratcheting hinge and temple length adjustments
- Duoflex® comfort-cushion temples
- Limited 2-year warranty on frame and lens (scratches not covered)
- Meets Standards: ANSI Z136.1, ANSI Z87.1 (impact), CE EN207
- Filter Technology: Polymer; Coatings on lens: Anti-Scratch
- · Limited availability

Goggles

GPT Flex Seal® Goggle

- Has an indirect ventilation system that enhances comfort and minimizes fogging
- Fits comfortably over prescription eyewear
- · Silicon flange and adjustable headband provides a secure fit
- · Lifetime warranty on frame and lens (scratches not covered)
- Meets Standards: ANSI Z136.1. ANSI Z87.1+ (high impact), CE EN207
- · Filter Technology: Polymer, HT; Coatings on lens: Anti-Fog, Anti-Scratch



GPT LS6 Goggle

- · Designed for high protection
- Fits comfortably over prescription eyewear
- · Removable pads for personalized fit and hygiene
- Anti-fog design provides a free flow of air from bottom to top ensuring a cool, comfortable fit
- Lifetime warranty on frame and lens (scratches not covered)
- Meets Standards: ANSI Z136.1, CE EN207
- Filter Technology: Glass





Polymer and Glass Windows

Polymer and Glass Windows

- Range of polymer and glass windows for today's most common wavelengths
- Typical polymer window sizes: 2' x 3' (60cm x 90cm) or 3' x 4' (90cm x 120cm)
- Available for Nd:YAG (high transmission), YAG/CO₂, YAG/KTP, Argon/KTP, Excimer/CO₂
- May be used as windows in the housing around laser machines, screens for laser workplaces or display panels
- Meets standards: ANSI Z136.1. Select polymer/glass windows are certified to EN 12254 and/or EN 207
- · Custom wavelengths and sizes available upon request



Specialty Filters and Custom Solutions

Specialty Filters and Custom Solutions

- In any application where you need to control the light, our specialty filters offer virtually unlimited potential
- Laser absorbers can be processed in various polymers to meet special design needs
- Our chemists and engineers work as consultants for you to develop the dye that accommodates your application
- From research and development through testing, design, molding and manufacturing, Sperian offers the services and expertise you need for a finished product



Some examples of special filters we have developed:

- To improve the response of automatic light control systems in vehicles
- For manufacturing processes and the pharmaceutical industry
- Avionics filters for military night vision goggles to suppress infrared light from cockpit and displays

LAZAN Software

LAZAN Software

- Free web-based software program developed exclusively for authorized Sperian® distributors
- · Aids in the laser eyewear selection process
- Step-by-step program prompts for essential parameters
- Calculates required optical density (OD) or EN 207 protection level
- Suggests appropriate Sperian Laser Eyewear for the application
- Fine tune your results based on frame style, Visible Light Transmission (VLT), and filter technology
- To learn more, visit www.sperian.com



Serving the laser community since 1968.

Reference: How to Choose Protective Laser Eyewear

If You Know the Eyewear Specifications

STEP 1: Define specifications for eyewear - wavelength and OD or EN 207/EN 208 protection level.

STEP 2: Select a filter according to the required protection. Consider the following factors:

- · Weight a lightweight product will generally be more comfortable to wear. Polymer filters are much lighter than glass filters.
- Select the highest possible VLT (Visible Light Transmission). The higher the VLT, the better you will be able to see.
- Do you need protection for multiple wavelengths?
- Do you need to see specific colors such as warning lights, colored wires, etc? Assess what impact the filter color and VLT may have on your ability to perform tasks while wearing the eyewear.
- · Does the eyewear filter have anti-scratch and anti-fog capabilities?

STEP 3: Select a frame style. Frame style selection is critical and the following factors must be taken into account:

- Design: This is critical for all-day comfort, because it determines whether the weight of the product is evenly distributed, thereby avoiding unnecessary pressure on the nose bridge or temple area.
- · Adjustments: Multiple frame adjustments will ensure an optimal, individual fit.
- Does the eyewear need to fit over prescription glasses? Consider the GPT XC® with an Rx insert.
- · Do you wear the eyewear for long periods of time?
- Does the eyewear provide good peripheral vision and side protection?

STEP 4: Provide the filter number and frame style to your Sperian® representative or distributor.

If You Do Not Know the Eyewear Specifications

Please refer to your laser device manufacturer for the specifications or look at the identifying labels on your laser device. The specifications required to process the request are:

- a. Laser type (ex. CO₂, Nd:YAG, HeNe, etc.)
- b. Wavelength in nanometers (nm)
- c. Mode of operation Continuous Wave, Pulsed Laser, Q-Switched Laser, etc.
- d. Is there an alignment wavelength for the Laser?
- e. In case of CW Lasers, Power (W or mW)
- f. In case of Pulsed Lasers, Energy (| or m|), Pulse length (seconds), Pulse frequency (Hz)
- g. Specific requirements for your application
- h. Frame style desired





Reference: Most Popular Sperian® Laser Filters

Listed in increasing order of wavelength – from UV to IR. This list is indicative of the variety of filters we manufacture, but is not exhaustive. We are continuously developing new filters and making improvements to our current filters. Please visit our website at www.sperian.com for the latest list of filters.

	Wavelength (in nm)	Laser Type	Filter #	VLT	Color	Filter Technology	CE
3 🗏	200-380	Excimer	113	70%	Pink	Polymer	CE
· _	190-532	UV, Argon, 532nm	13	42%	Orange	Glass	
	488	Alignment: 488nm	150	72%	Yellow	Polymer	-
	488-514	Alignment: Argon	154	70%	Amber	Polymer	-
	532	Alignment: 532nm	151	65%	Amber	Polymer	CE
	200-532	Argon / KTP	103	50%	Orange	Polymer	CE
	488-676	Alignment: Argon / Krypton	156	22%	Light Blue-Green	Polymer	-
	515	Alignment: Argon	66	60%		Glass	-
	580-590	585nm Ophthalmic	130	25%	Pink	Polymer	-
	567-582	Yellow Diode	147	27%	Blue	Polymer	_
	582-589	Dye	10	35%	Violet	Glass	
	591-597	Dye laser	124	25%	Light Blue	Polymer	CE
	592-600	Dye	105	24%	Blue	Polymer	
	614-666	Red Diode	118	21%	Light Blue	Polymer	
	532 & 660	Green & Red Diodes	144	18%	Light blue	Polymer	
	610-695	PDT PDT	116	18%	Blue	Polymer	CE
` _	630-650	Alignment: HeNe	152	40%	Light Blue	Polymer	
	670	Alignment: 670nm Diode	153	62%	Light Blue	Polymer	
	625-680	Alignment: Red Diodes	135	52%	Aqua	Polymer	CE
	625-800	Low level lasers	117	10%	Red	Polymer	
	681-789	Ruby Plus	115	16%	Violet	Polymer	CE
	655-905	Low level lasers	160	28%	Green	Polymer	CE
	600-1064	Low level lasers	128	12%	Blue	Polymer	CE
	705-810	Alexandrite	106	35%	Dark Pink	Polymer	CE
	745-765	Alexandrite	129	60%	Yellow-Green	Polymer	CE
	755-855	Alexandrite, Diode lasers	104	45%	Light Magenta	Polymer	CE
	755-855	Femtosecond Diode	300	45%	Light Magenta	Polymer	CE
	750-860	Alexandrite, Diode lasers	119	24%	Magenta	Polymer	_
	800-830	Diode 800nm, HT Filter	121	72%	Light Yellow-Green	Polymer HT	CE
	800-830 & 2700-3000	Diode 800nm, Erbium, HT Filter	131	72%	Yellow	Polymer HT	CE
	755-3000	Alexandrite, Diode, YAG, Ho, Er	40	72%	Light Gray	Crystal Clarity	CE
	755 & 800-1064	Alexandrite, Diode & YAG	132	37%	Green	Polymer	CE
	800-1800	Telecom, Diode	107	16%	Green	Polymer	CE
				70%		Glass	CE
	910-1500	YAG, Ho, Er, CO ₂ Telecom, Diode	16	80%	Light Gray	Glass	-
	980-1700		94		Light Gray		
	810-1080	YAG, Diodes, HT Filter	137	68%	Lime	Polymer HT	CE
	925-1064	YAG, Diodes	42	80%	Clear	Crystal Clarity	CE
	1064-2940	YAG, Ho, Er	96	75%	Light Gray	Glass	CE
	800-1070	YAG, CO ₂	101	52%	Yellow-Green	Polymer	CE
	755-1064	GaAs, Ti, YAG, CO ₂	108	32%	Green	Polymer	CE
	800-1064 & 630-650	YAG, HeNe	157	37%		Polymer	-
	980-2100	YAG, Ho, Er	95	75%	Light Gray	Glass	-
	750-1350	Alexandrite, Ti, YAG, CO ₂	70	50%	Aqua	Glass	CE
	694-1320	Ruby, Alexandrite, YAG, CO2	45	36%	Green	Glass	_
	980-10600	High powered Nd:YAG lasers	06	72%	Light Gray	Glass	
	1050-1064	YAG & Harmonics	33	40%	Orange	Glass	-
	532 & 1050-164	Alignment: 532nm, YAG/Harmonics	55	32%	Orange	Glass	-
	200-532, 800-1070	YAG & Harmonics, OD 7	102	40%	Light Brown	Polymer	CE
F	200-532, 850-1070	YAG & Harmonics, Alignment: 532nm	155	40%	Amber	Polymer	CE
	532 & 1064	YAG & Double Harmonic	200	50%	Clear	Crystal Clarity	CE
	200-532, 735-810, 1064	YAG, Alex, Diode, KTP	159	20%	Brown	Polymer	-
	750-1050			9%		<u> </u>	
		Broadband	29		Brown/Orange	Glass	-
	200-532, 700-1064	Argon, Ti, Diodes, YAG, CO ₂	111	14%	Brown	Polymer	CE
	200-532, 770-1070	Diode 800nm, YAG, Alignment: 532nm	136	23%	Brown	Polymer	
	200-532 & 800-1080	Femtosecond YAG & Harmonics	123	14%	Brown	Polymer	CE
	2700-3000	Erbium	109	90%	Clear	Polymer	CE
¥ ☐	5000-11100	CO ₂	100	89%	Clear	Polymer	CE
	10600	CO ₂	19	90%	Clear	Glass	









SPERIAN Protection Americas, Inc. 900 Douglas Pike Smithfield, RI 02917 Tel: 800 343-3411 Fax: 800 322-1330 www.sperian.com



SAFETY PRODUCTS CATALOG 2010



INDUSTRIAL SAFETY GROUP





SPERIAN VISION SCREENER MODEL COMPARISON

Model Features	Titmus V4	Titmus i400	Titmus V3	Titmus V2
Membrane Control Panel	•	•	•	
Built-In Membrane Switches				•
Natural Line of Sight Testing		•		
Electronic Pointing System			•	
Ergonomics (Height Adjustment)	•	•	•	•
New Fluorescent Light Source	•	•	•	•
Portability	•		•	•
Soft Foam Headrest	•	•	•	•
Head Positioning Sensor	•	•	•	
Peripheral Vision Testing	•	•		•
Test Slide Advance/Reverse	Automatic	Automatic	Automatic	Manual
Night Vision Testing	•	•		
Carrying Case (Soft-Sided)	Optional	Optional	Standard	Optional
Standard Accessories	•	•	•	•



Sperian Vision Screeners

VISION SCREENING PRODUCTS

A Sperian predecessor set the standard for vision screening instruments in 1959 with the introduction of the OV7 model vision screener. Often referred to as the "Titmus," the older OV7 model as well as the later-generation Titmus2, are still in use in many industrial locations, optical practices, as well as schools nationwide. As the market leader, Sperian has developed the new Titmus VSeries™ of vision screeners. These are ergonomically-designed, precision-built stereoscopic instruments providing precise and prompt measurement of visual performance. The screeners are engineered for accuracy, validity, and reliability of the test results, with emphasis on convenience and ease of administration.



What is Vision Screening?

Vision Screening is an efficient, practical and economical process to increase safety and productivity. A vision screener provides benefits to both employees and employers. It provides the employer with knowledge for proper selection and placement of employees leading to better quality, improved productivity and fewer accidents. In addition, employees benefit from improved vision which allows them to do a better job, experience less eye fatigue and possibly lead to early detection of pathological conditions.

NEW! The Next Generation of Premium Vision Screening.

The Titmus VSeries™ family of vision screening instruments features an ergonomic design for patient comfort, standardized test illumination and an integrated handle for ease of transport. All models in the Titmus VSeries family combine a variety of vision screening tests like visual acuity, binocularity, color and depth perception, muscle balance, astigmatism and peripheral vision to meet your vision screening requirements.

For more information, please call us at 1-800-446-1802 (international customers, +1-804-452-5200)









SPERIAN Protection Americas, Inc. 900 Douglas Pike Smithfield, RI 02917 Tel: 800 343-3411 Fax: 800 322-1330 www.sperian.com



SAFETY PRODUCTS CATALOG 2010



INDUSTRIAL SAFETY GROUP





SPERIAN RESPIRATORY PROTECTION TABLE OF CONTENTS

- Disposable Respirators
- Reusable Respirators
- S-Series (screw-on) Cartridges and Filters
- T-Series (twist lock) Cartridges and Filters
- Escape Solutions
- Powered Air Purifying Respirators (PAPR)
- 124 Continuous Flow Supplied Air Respirators (CF-SAR)

- 126 Pressure Demand Supplied Air Respirators (PD-SAR)
- Respiratory Fit Test Kits
- Accessories
- Self-Contained Breathing Apparatus (SCBA)
- SCBA Accessories
- Sperian Respiratory Protection Full Line SKU Listing

AWARNING! Sperian® respiratory equipment should only be used in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury, illness or fatality.



Sperian Respiratory Protection

SPERIAN RESPIRATORY PROTECTION USA

As a leading manufacturer of respiratory protection products, Sperian Respiratory Protection has been protecting workers against respiratory hazards in many different environments around the world for over 100 years. We've merged several well-known respiratory brands and grown from a prominent manufacturer of self-contained breathing apparatus (SCBA) to our present status as the total respiratory solution. Sperian is recognized as a worldwide leader in the Personal Protective Equipment (PPE) industry.



Sperian® - The Complete Respiratory Solution

The Respiratory Protection product range offered by Sperian Respiratory Protection covers a wide assortment of needs for workers at risk, in industries such as chemicals and paint, first responder services, pandemic preparedness services, fire fighting, police, military, medical, mining, welding and many more. Sperian offers an extensive and complete product line that includes: disposable filtering facepieces, disposable elastomeric half masks, reusable half masks, full facepiece respirators, powered air purifying respirators (PAPR), continuous flow supplied air respirators (CF-SAR), pressure demand supplied air respirators (PD-SAR), and self-contained breathing apparatus (SCBA) equipment. Sperian has a respiratory solution for any respiratory need.

SPERIAN RESPIRATORY PROTECTION

Disposable Respirators



SAF-T-Fit® Flat Folds: N9510F/N9520F • Flat Fold N95 respirator for use with

- Flat Fold N95 respirator for use with particulate aerosols free of oil
- Boomerang nose seal is adjustable for added comfort and a secure fit
- Nose clip is color-coded for visible size recognition
- · Offered in valved and non-valved
- · Spring-open design for quick donning
- · Latex free

Item #

14110452



Item #	Style #	Size	Description
14110321	N9510FM	Medium	Flat Fold, N95 w/Boomerang Nose Seal
14110324	N9520FM	Medium	Flat Fold, N95 w/Boomerang Nose Seal and Exhalation Valve

Selecting and Using Particulate Filter Disposable Respirators

Filter Categories

There are nine filter categories for particulate respirators. Consisting of three filter classes (N, R, P) at three filter efficiencies (95%, 99%, 99.97%).

N-class particulate respirators are approved for solid and liquid particulates, excluding oils.

R-class is for both oil and non-oil solid and liquid particulates, with a maximum 8-hour or one shift use restriction when used for oil mists.

P-class respirators are approved for both oil and non-oil particulates and have no time use restriction.



ONE-Fit™ W1400 N95 Flat Fold Particulate Respirator

- Meets NIOSH and CDC Standards for N95 protection against M. tuberculosis
- · Bonded wire nose clip can be easily molded to nose for increased fit
- · Foam nose seal provides added comfort
- Lightweight materials allow for longer wear times with less wearer fatigue
- Single, continuous loop elastic strap provides for both lower and upper headband support
- When donned, the W1400 offers a large cone for easier and cooler breathing

Style #

W1400



ONE-Fit™ NBW95 and NBW95V Molded Cup Particulate Respirators

Size

1 Size

- Exclusive design and shape that contours with the natural shape of the face
- 95% filtration efficiency against solid particulates and non-petroleum based liquid aerosols
- Strong and rigid outer shell prevents mask from collapse in high humidity or moist environments
- Contoured mask fits with the natural shape of the face minimizing pressure points
- Molded nose bridge, comfortably fits a variety of face shapes and sizes
- Dual welded head straps keep the respirator comfortably on the user's face

Item #	Style #	Size	Description
14110444	NBW95	1 Size	Molded Cup, N95 Non-Valved
14110445	NBW95V	1 Size	Molded Cup, N95 Valved

For more size options, see full line SKU listing on page 134.

N1105



Disposable Respirators

SAF-T-Fit® Plus

- Nose clip is color-coded for visible size recognition
- N95, N99, P95 or P100 protection to choose from
- · Molded cup design
- Low breathing resistance
- Incorporates humidity-resistant filter media
- Durable suspension straps
- · Latex free

			100000000000000000000000000000000000000
Item #	Style #	Filtration	Description
Size: Mediu	ım/Large		
14110388	N1105 M/L	N95	N95 Basic
14110391	N1115 M/L	N95	Boomerang Nose Seal
14110394	N1125 M/L	N95	Boomerang Nose Seal, Exhalation Valve
14110397	N1125-OV M/L	N95	Boomerang Nose Seal, Exhalation Valve, Nuisance OV
14110400	N1125-AG M/L	N95	Boomerang Nose Seal, Exhalation Valve, Nuisance AG
14110403	N1139 M/L	N99	Full Face Seal, Adjustable Straps, Exhalation Valve
14110426	P1115 M/L	P95	Boomerang Nose Seal
14110428	P1135 M/L	P95	Full Face Seal, Adjustable Straps, Exhalation Valve
14110430	P1135-1 M/L	P95	Full Face Seal, Adjustable Straps, Exhalation Valve,
			Nuisance OV
14110440	P1130	P100	Full Face Seal, Adjustable Straps, Exhalation Valve

Nuisance Disposable Dust Mask

- Basic protection against non-toxic dust, pollen, mold and dander (provides no respiratory protection)
- · Adjustable nose bridge clip offers a secure fit
- One size fits most face shapes and sizes

Item #	Style #	Size	Description
14110094CC	CP1000VP	1 Size	Nuisance Disposable Dust Mask





NIOSH-Approved Protection Categories:

N95 = 95% particulate efficiency against oil-free particulates

N99 = 99% particulate efficiency against oil-free particulates

P95 = 95% particulate efficiency against aerosols containing oil

P100 = 99.97% particulate efficiency against oil and non-oil based particulates

For more size options, see full line SKU listing on page 134.

Disposable

RESPIRATORY PROTECTION

Disposable Respirators

SPERIAN

HC-NB295F

- Lightweight and thin construction flat fold, with a soft inner layer designed for comfort and convenience
- Elastic head straps are sonic welded to inside of the outer layers
- Latex-free and silicone-free construction
- Masks are individually bagged to keep from soiling and contamination
- Tear-away section on the bag for easy opening
- Dispenser style box with tear-out/cut-out panel for ease of access

Item #	Style #	Size	Description
14110451	HC-NB295F	1 Size	Flat Fold Surgical Respirator

ONE-Fit™ Healthcare N95 Flat Fold and Molded Cup Disposable Surgical Respirators

HC-NB095 and HC-NB295F Protection:

- Universal, one-size surgical respirator designed to fit most face sizes and shapes
- NIOSH-approved as an N95 particulate respirator
- Meets CDC guidelines for M. tuberculosis exposure control
- Ranks as "high barrier" class 160 mmHg in conformance to ASTM F1862 requirements for fluid penetration and splash resistance
- Reduces the transfer of microorganisms and other airborne particulate matter
- Designed for the healthcare setting and use in emergency rooms, operating rooms and intensive care units
- Proprietary technology that makes the mask incredibly lightweight
- Provides >99.9% (BFE) Bacterial Filtration Efficiency
- Offers >95.5% (PFE) Particle Filtration Efficiency
- Offers >99.9% (VFE) Viral Filtration Efficiency

HC-NB095

- Lightweight and rigid outer shell that resists collapsing
- Molded cup mask contours with the natural shape of a face, minimizing pressure points
- Soft inner layer designed for comfort and convenience
- Inner layer ultrasonically welded to outer shell
- Latex-free and silicone-free construction
- Bagged into a single plastic sleeve to protect from exposure and contamination when the box is opened
- Plastic sleeve bag with a tear-away portion for easy opening

Item #	Style #	Size	Description
14110446	HC-NB095	1 Size	Molded Cup Surgical Respirator



For more size options, see full line SKU listing on page 134.

For more information or to order products on this page, please call Customer Care at 800 430-5490.



Disposable Respirators

Air Hoods

- Provides coverage of the head, face and shoulders (provides no respiratory protection)
- Large interior cavity accommodates the use of a respirator in conjunction with the hood
- Disposable, no need to decontaminate
- Breathable cloth material and integrated visor for comfort (#14530001)
- Tyvek® material for durability and to prevent absorption of sprayed substance (#14530002 and 14530005)

Item #	Description
14530001	Cotton Twill Hood with Visor
14530002	Tyvek Hood for Use with Hard Hat
14530005	Tyvek Hood with Adjustable Headgear



Freedom® Disposable Respirator

- Pre-assembled with cartridges for convenience and eliminates assembly mistakes
- Rolled edges, broad sealing flange, chin port and forward angled nosepiece provide secure, comfortable fit
- Sliding suspension for easy donning
- · Low-profile nose bridge accommodates eyewear
- Use until cartridges are expended then simply throw away
- Packaged in a resealable bag to protect the respirator from contamination when not in use
- 1 mask per bag

Style #	Size	Description
2208	Medium	UNI-SORB Multi-Contaminant Respirator
2201	Medium	Organic Vapor Respirator
221R95	Medium	Organic Vapor Respirator w/R95
2205	Medium	Organic Vapor and Acid Gas Respirator
2210P100	Medium	P100 Respirator
2218P100	Medium	UNI-SORB and P100 Respirator
	2208 2201 221R95 2205 2210P100	2208 Medium 2201 Medium 221R95 Medium 2205 Medium 2210P100 Medium



For more infomation, visit sperian.com.



Reusable Respirators

Half-Mask Respirators

Multiple options to choose from - economy to premium masks. All are available in multiple sizes for a wide range of fit.



Economy

Survivair VALUAIR® Plus 🖨 🙃




- Thermoplastic elastomer facepiece
- Soft-sealing flange and forward angled nosepiece easily accommodate eyewear
- Perspiration port reduces facepiece slippage and skin irritation
- Facepiece replacement parts are available
- Compatible with S-Series or T-Series filters and cartridges

Item #	Size	Description
302500	Medium	Survivair VALUAIR Plus S-Series, Basic Facepiece Assembly
302000	Medium	Survivair VALUAIR Plus T-Series, Basic Facepiece Assembly
302110	Medium	Survivair VALUAIR Plus T-Series, Respirator w/Organic Vapor/N95
302120	Medium	Survivair VALUAIR Plus T-Series, Respirator w/Organic Vapor/R95

Standard

Survivair Blue 1[™] 🔄 🕣





- · Available with an optional speaking diaphragm for improved communication
- Continuous Flow SAR adapter kit available
- Compatible with S-Series filters and cartridges
- · Packaged in a resealable bag to protect the respirator from contamination when not in use

Description

III	8	
Assembly		

item #	Size	Description
B220000	Medium	Survivair Blue 1 S-Series, Basic Assembly
B220010	Medium	Survivair Blue 1 S-Series, Assembly w/Speaking Diaphragm



Cartridge and Filter Offering

Sperian has two connecting systems for filters and cartridges. As indicated by the icons below, half mask and full facepiece respirators are compatible with either the S-Series (screw-on) or the T-Series (twist lock) or both types of filters and cartridges (not interchangeable).

Threaded Cartridges

This icon indicates selected Sperian® products that will accept S-Series (screw-on) cartridges.

• Threads easily for tightening cartridge on seal.

Bayonet Cartridges

This icon indicates selected Sperian® products that will accept T-Series (twist lock) cartridges.

· Audible click indicating positive lock on connector.

For more size options, see full line SKU listing on pages 134-135.

For more information or to order products on this page, please call Customer Care at 800 430-5490.



Reusable Respirators

Survivair 2000™ 🦃



- · Head harness designed to reduce facepiece slippage
- Silicone facepiece construction is lightweight and durable
- Rear split strap for easy donning and better support
- Easily converts to belt-mounted PAPR or CF-SAR
- · Compatible with S-Series filters and cartridges

Item # Size Description B260000 Medium Survivair 2000 S-Series, Basic Assembly



Survivair 2000™ Belt Mount 🔄



- Belt mounted APR for welding applications
- Fits easily under welding helmets
- Cartridges are worn on belt for less head weight and bulk
- · High-quality breathing hose assembly
- · Compatible with S-Series filters and cartridges

Item # Size Description 260050 Medium Survivair 2000 S-Series, Belt-Mount Assembly w/Breathing Hose and **Belt-Mounted Plenum**



Air Purifying Respirators

Sperian Respiratory Protection offers an extensive line of reusable Air Purifying Respirators for all applications, without compromising your respiratory budget.


Reusable APR Suggested Applications:

- Automotive
- · Chemical Manufacturing
- · Lead and Asbestos Abatement
- · Painting/Paint Spraying
- Pesticide Spraying
- Petrochemical Situations
- Pharmaceutical
- · Primary Metals
- Woodworking



When choosing an Air Purifying Respirator, follow these simple steps:





Half-Mask Respirator/Full Facepiece Respirator



3. Select a Cartridge Type

S-Series (screw-on)/T-Series (twist lock)

4. Select a Filter

N95/N99/R95/P100

5. Select a Filter Base

S-Series (screw-on)/T-Series (twist lock)

6. Select a Filter Retainer

S-Series (screw-on)/T-Series (twist lock)









Reusable Respirators



Survivair PREMIER® 5 0





- Large inhalation port offers low breathing resistance
- Perspiration port reduces facepiece slippage and skin irritation
- · Low-profile nosepiece allows for compatibility with eyewear
- · Headstraps adjust at the crown for a more customizable fit
- Available with rubber headstraps for those who decontaminate regularly
- Rear split strap for better support with retainer clips to hold excess straps in place
- Compatible with S-Series or T-Series filters and cartridges





Survivair PREMIER® Plus 🕥 🙃



- Triple flange design provides added sealing security
- Silicone facepiece construction is lightweight and durable
- Wide, wraparound, pleated silicone facepiece fits a large variety of facial types
- Strategic lateral placement of inhalation valves and cartridge ports enhances field of vision
- Yoke strap is contoured to match the skirt shape for even pressure point placement
- Cradle and straps are wider to assist in weight distribution for enhanced comfort
- Rear split strap for better support with retainer clips to hold excess straps in place
- · Compatible with S-Series or T-Series filters and cartridges

Item #	Size	Description
322500	Medium/Large	Survivair PREMIER Plus S-Series, Basic Assembly
322510	Medium/Large	Survivair PREMIER Plus S-Series, Respirator w/Organic Vapor/N95
322000	Medium/Large	Survivair PREMIER Plus T-Series, Basic Assembly
322020	Medium/Large	Survivair PREMIER Plus T-Series, Organic Vapor/R95



For more size options, see full line SKU listing on page 135.



Reusable Respirators

Full Facepiece Respirators

Survivair Opti-Fit™ APR 🕥 🛈

- Choose from a 5-point strap or industrial mesh headnet to fit your comfort and needs
- · Silicone skirt offers exceptional durability and comfort
- All straps are attached to the rim of the facepiece, rather than the silicone skirt, to reduce pressure points and distortion of the sealing surface when tightened
- Replaceable, high impact resistant polycarbonate lens treated with anti-scratch coating
- Mask designed with a wide viewing area offering distortion free visibility and optical clarity
- Molded-in speaking diaphragm provides improved audio transmission for communication
- Available in 3 sizes for wide range of fit
- Compatible with S-Series or T-Series filters and cartridges

Item #	Size	Description
762000	Medium	Survivair Opti-Fit APR S-Series, 5-Strap Suspension
762100	Medium	Survivair Opti-Fit APR S-Series, Mesh Headnet
768000	Medium	Survivair Opti-Fit APR T-Series, 5-Strap Suspension
768100	Medium	Survivair Opti-Fit APR T-Series, Mesh Headnet

Survivair Opti-Fit™ Conversion Kits and Accessories

Item #	Description
981415	Continuous Flow SAR Conversion Kit (Survivair Opti-Fit APR to CF SAR) w/Tube
981416	Continuous Flow SAR Conversion Kit (Survivair Opti-Fit APR to CF SAR) w/Upgraded Tube

NEW! Opti-Fit™ Convertible **⑤**

- The Survivair Opti-Fit convertible full facepiece respirator is NIOSH approved for various respiratory applications: APR, PAPR or CF-SAR
- Simply use the facepiece caps with the appropriate ports to convert applications
- Only one fit test needed for APR, PAPR and CF-SAR applications saving on inventory, time and cost

Item #	Size	Description			
Survivair	Survivair Opti-Fit Convertible Facepiece				
764000	Medium	Survivair Opti-Fit Convertible APR, 5-Strap Suspension			
764100	Medium	Survivair Opti-Fit Convertible APR, Mesh Headnet			
Survivair	Survivair Opti-Fit CF-SAR				
981501	Medium	Survivair Opti-Fit, 5-Pt. Strap, CF-SAR Assembly, Front Port			
981551	Medium	Survivair Opti-Fit, Mesh Headnet, CF-SAR Assembly, Front Port			
981209		CF-SAR Front Port Kit with P100 Egress, No Facepiece			
Survivair	Opti-Fit PA	PR			
520600	Medium	Survivair Opti-Fit, 5-Pt. Strap, Mask-Mounted PAPR			
520620	Medium	Survivair Opti-Fit, Mesh Headnet, Mask-Mounted PAPR			
540610	Medium	Survivair Opti-Fit, 5-Pt. Strap, Belt-Mounted PAPR			
541610	Medium	Survivair Opti-Fit, Mesh Headnet, Belt-Mounted PAPR			
500085		Belt-Mounted PAPR Blower and Battery Kit			



The Sperian® full facepiece category is designed to provide excellent protection, clarity and comfort.



For more size options, see full line SKU listing on page 135.



Reusable Respirators



Full Facepiece Respirators


RESPIRATORY PROTECTION

Survivair Opti-Fit™ CBRN Gas Mask

- Durable, chemical-resistant butyl rubber face skirt
- Optional hydration drink tube allows for quick hydration
- Superior field of vision offers an unobstructed view in critical situations where vision is essential
- Anti-scratch coated polycarbonate lens provides excellent optics and vision
- Three-position canister mounting adaptable for various applications (right, left and front mount)
- DIN-threaded 40 mm connectors make attaching and removing canisters to the front or on either side of the facepiece quick and easy
- NIOSH CBRN approved with the model 1690 CBRN canister (NIOSH Cap-1 approved, # TC-14G-0272)

Item #	Size	Description
769000	Medium	Survivair Opti-Fit CBRN Gas Mask
769020	Medium	Survivair Opti-Fit CBRN Gas Mask w/Drink Tube
169000	N/A	Survivair Opti-Fit CBRN Canister
168800	N/A	Survivair Opti-Fit CN/CS/P100 Canister






- Full facepiece constructed of soft silicone for excellent comfort, fit and durability
- 3-position canister mounting adaptable for various applications (right, left and front mount)
- Anti-scratch coated polycarbonate lens provides excellent optics and visual acuity
- 5-strap head harness easily adjusts and secures facepiece into place
- · Low breathing resistance
- NIOSH approved with the Model 1688 Canister to provide protection against choloracetophenone (CN), chlorobenzylidene malononitrile (CS) and includes a P100 filter for use against particulates such as pepper spray

Item #	Size	Description
763000	Medium	Survivair Opti-Fit Tactical Gas Mask
168800	N/A	Survivair NBC Canister (CN/CS/P100)



For more size options, see full line SKU listing on pages 135-136.





Reusable Respirators

Survivair 4000™ APR 🖨 🙃



- Optional black silicone facepiece for welding (and non-welding) applications
- · Welding shield easily clamps onto facepiece lens without the use of tools or mask disassembly
- · Converts easily to PAPR or CF-SAR without converter kits (PAPR and CF-SAR parts sold separately)
- · Pliable silicone facepiece ensures comfort
- · Scratch-resistant lens
- Choice of 4-point or 5-point headstrap
- · Compatible with S-Series filters and cartridges

Item #	Size	Description
420010	Standard	Survivair 4000 S-Series, Blue, 4-Pt. Headstrap
420075	Standard	Survivair 4000 S-Series, Blue, 5-Pt. Headstrap, w/Nose Cup
Welding		
420090	Standard	Survivair 4000 S-Series, Black Facepiece, 5-Pt. Headstrap (Use for Welding Applications)
420079	Standard	Survivair 4000 S-Series, Black Facepiece, 5-Pt. Headstrap w/Nose Cup (Use for Welding Applications)
430000		Survivair 4000 Welding Lens Attachment, Shade 10
430030		Survivair 4000 Welding Lens Attachment w/Auto Darkening, Variable Shade 9-12

SurvivairMAX® APR 🕥 🙃





- Optional speech transmission system (note: not compatible with economy)
- High-grade dark blue soft silicone facepiece
- Economy-version also available (note: economy version is a light blue facepiece)
- Choose from Tite-Seal® ratchet, 5-point strap or industrial mesh headnet to fit your comfort and needs
- · Distortion-free lens with anti-fog and anti-scratch coatings provides outstanding optical clarity
- Compatible with S-Series or T-Series filters and cartridges

Item #	Size	Description
802500	Medium	SurvivairMAX APR S-Series, Economy Facepiece, 5-Strap
822000	Medium	SurvivairMAX APR T-Series, Facepiece, 5-Strap
852000	Medium	SurvivairMAX APR T-Series, Economy Facepiece, 5-Strap



For more size options, see full line SKU listing on page 136. INSTRUMENTATION

SPERIAN

RESPIRATORY PROTECTION

S-Series (screw-on) Cartridges and Filters

Selection of the appropriate cartridge and filter combination is dependent on a number of factors, including the type of contaminant, the level of exposure, and the length of exposure. Thus, the information on the cartridge/filter pages is presented as an overview only. For full details on cartridge and filter selection, please visit www.sperian.com.

Gas/Vapor Protection

OV - Organic Vapors

Approved for use against Organic Vapors

AG - Acid Gases

Approved for use against Chlorine, Hydrogen Chloride, Sulfur Dioxide, Formaldehyde

OV/AG - Organic Vapors/Acid Gases

Approved for use against Organic Vapors, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Chlorine Dioxide, Hydrogen Fluoride, Hydrogen Sulfide (Escape)

AM/MA - Ammonia/Methylamine

Approved for use against Ammonia, Methylamine

MC - Multi-Contaminant

Approved for use against Organic Vapors, Ammonia, Methylamine, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Chlorine Dioxide, Hydrogen Fluoride, Hydrogen Sulfide (Escape), Formaldehyde, Nitrogen Dioxide

MV/CL - Mercury Vapor or Chlorine

Approved for use against Mercury, Chlorine Vapor

www.sperian.com

For more information or to order products on this page, please call Customer Care at 800 430-5490.




HM = Survivair Half Mask FF = Survivair Full Facepiece 4000 = Survivair Classic Mask OF = Survivair Opti-Fit Max = Survivair MAX BM = Survivair Half Mask

Cartridges

Belt Mount

S-Series	S01	
Cartridge	B100100	6/box
	B100144	144/case
NIOSH	TC-23C-28	37 (HM)
Approval	TC-23C-35	1 (4000)
	TC-23C-17	'82 (OF, Max



S-Series	S05	
Cartridge	B100300	6/box
	B100344	144/case
NIOSH	TC-23C-31	8 (HM)
Approval	TC-23C-45	4 (4000)
	TC-23C-17	84 (OF, Max)

S-Series	S04	
Cartridge	B100400	6/box
	B100444	144/case
NIOSH	TC-23C-42	22 (HM)
Approval	TC-23C-42	23 (4000)
	TC-23C-17	'85 (OF, Ma

S-Series	S08	
Cartridge	100800	6/box
	100844	144/case
NIOSH	TC-23C-1	803 (HM)
Approval		806 (OF, Max
		804 (4000)
)	TC-23C-1	805 (BM)

S-Series	S07	
Cartridge	100600	6/box
	100644	144/case
NIOSH	TC-23C-1	483 (HM)
Approval	TC-23C-1	786 (4000)
	TC-23C-1	483 (BM)

N95 Filters

95% Efficient Against Particulate Aerosols Free Of Oil



Filter Base	B140074	2/pkg
Filter	106010	24/box
Retainer	140170	2/pkg
	140172	50/box
	140173	100/box
NIOSH	TC-84A-14	26 (HM)
Approval	TC-84A-14	
	TC-84A-14	19 (OF, Max)
	TC-84A-14	33 (BM)

	UV/N95 F	iiter	
	Cartridge	B100100	6/box
	Filter	106010	24/box
١	Retainer	140170	2/pkg
)	NIOSH	TC-84A-14	+27 (HM)
	Approval	TC-84A-14	, , , ,
			¥20 (OF, Max
		TC-84A-14	434 (BM)



	AG/N95 F	ılter	
	Cartridge	B100200	6/box
	Filter	106010	24/box
2	Retainer	140170	2/pkg
)	NIOSH	TC-84A-14	+28 (HM)
)	Approval	TC-84A-14	+15 (4000)
J		TC-84A-14	+21 (OF, Max
		TC-84A-14	+35 (BM)



	OV/AG/N	95 Filter	
	Cartridge	B100300	6/box
	Filter	106010	24/box
)	Retainer	140170	2/pkg
)	NIOSH	TC-84A-14	+29 (HM)
1	Approval	TC-84A-14	
		TC-84A-14	422 (OF, Max
		TC-84A-14	436 (BM)



AM/MA/N95 Filter		
Cartridge	B100400	6/box
Filter	106010	24/box
Retainer	140170	2/pkg
NIOSH	TC-84A-14	+30 (HM)
Approval	TC-84A-14	+17 (4000)
	TC-84A-14	+23 (OF, Max
	TC-84A-14	+37 (BM)



MC/N95 Filter		
Cartridge	100800	6/box
Filter	106010	24/box
Retainer	140170	2/pkg
NIOSH	TC-84A-1	,
Approval		418 (4000)
		425 (OF, Ma
	TC-84A-1	439 (BM)



MV/CL/N93 Filler		
Cartridge	100600	6/box
Filter	106010	24/box
Retainer	140170	2/pkg
NIOSH	TC-84A-1	431 (HM)
Approval	TC-84A-1	424 (OF, Max)
TC-84A-1438 (E		438 (BM)

MV/CI /Nos Eiltor



S-Series (screw-on) Cartridges and Filters

N99 Filters

R95 Filters

Combined Cartridges with P100 Filters

99.97% Efficient Against All Particulate Aerosols

99% Efficient Against Particulate Aerosols Free Of Oil

Filter Base	B140074	2/pkg
Filter	107010	24/box
Retainer	140170	2/pkg
	140172	50/box
	140173	100/box
NIOSH	TC-84A-1804 (HM)	
Approval	TC-84A-1791 (4000)	

TC-84A-1791 (4000) TC-84A-1797 (OF, Max) TC-84A-1811 (BM) OV/N99 Filter

6/box

24/box

2/pkg

TC-84A-1806 (HM)

TC-84A-1793 (4000) TC-84A-1799 (OF, Max)

TC-84A-1813 (BM)

TC-8

Cartridge	B100100	6/box
Filter	107010	24/box
Retainer	140170	2/pkg
NIOSH	TC-84A-18	305 (HM)
Approval	TC-84A-17	792 (4000)
	TC-84A-17	798 (OF, Max)
	TC-84A-18	312 (BM)

Non-Oil Based Particulates | Time Use Restrictions Apply For Oil-Based Particulates

95% Efficient Against Oil | 99% Efficient Against

Filter Base	B140074	2/pkg
Filter	107010	24/box
Retainer	140170	2/pkg
	140172	50/box
	140173	100/box
NIOSH	TC-84A-18	04 (HM)
Approval	TC-84A-17	91 (4000)
	TC-84A-17	'97 (OF, Max
	TC-84A-18	311 (BM)

OV/R95 Filter

Cartridge	B100100	6/box
Filter	107010	24/box
Retainer	140170	2/pkg
NIOSH	TC-84A-18	305 (HM)
Approval	TC-84A-17	792 (4000)
	TC-84A-17	798 (OF, Max)
	TC-844-18	R12 (RM)

Cartridge	B100
Filter	1070
Retainer	1401
NIOSH	TC-8
Approval	TC-8
	TC-8
	TC -

OV/AG/N99 Filter

AG/N99 Filter

Filter

Retainer

Approval

NIOSH

Cartridge B100200

107010

140170

Cartridge	B100300	6/box
Filter	107010	24/box
Retainer	140170	2/pkg
NIOSH	TC-84A-18	807 (HM)
Approval	TC-84A-17	94 (4000)
	TC-84A-18	00 (OF, Max)
	TC-84A-18	314 (BM)

AM/MA/N99 Filter

Cartridge	B100400	6/box
Filter	107010	24/box
Retainer	140170	2/pkg
NIOSH	TC-84A-18	308 (HM)
Approval	TC-84A-17	795 (4000)
	TC-84A-18	301 (OF, Max)
	TC-84A-18	315 (BM)

MC/N99 Filter

Cartridge	100800	6/box
Filter	107010	24/box
Retainer	140170	2/pkg
NIOSH	TC-84A-1	810 (HM)
Approval	TC-84A-1	796 (4000)
	TC-84A-1	803 (OF, Max)
	TC-84A-1	817 (BM)

MV/CL/N99 Filter

Cartridge	100600	6/box	
Filter	107010	24/box	
Retainer	140170	2/pkg	
NIOSH	TC-84A-1	809 (HM)	
Approval	TC-84A-1802 (OF, Max)		
	TC-84A-1	816 (BM)	

AG/R95 Filter

Cartridge	B100200	6/box
Filter	107010	24/box
Retainer	140170	2/pkg
NIOSH	TC-84A-18	306 (HM)
Approval	TC-84A-17	793 (4000)
	TC-84A-17	799 (OF, Max
	TC-9/1/\ -10	12 (RM)

OV/AG/R95 Filter

Cartridge	B100300	6/box
Filter	107010	24/box
Retainer	140170	2/pkg
NIOSH	TC-84A-18	307 (HM)
Approval	TC-84A-17	794 (4000)
	TC-84A-18	300 (OF, Max)
	TC-84A-18	314 (BM)

AM/MA/R95 Filter

Cartridge	B100400	6/box
Filter	107010	24/box
Retainer	140170	2/pkg
NIOSH	TC-84A-18	08 (HM)
Approval	TC-84A-17	95 (4000)
		01 (OF, Max)
	TC-84A-18	315 (BM)

MC/R95 Filter

Cartridge	100800	6/box
Filter	107010	24/box
Retainer	140170	2/pkg
NIOSH	TC-84A-1	810 (HM)
Approval		796 (4000)
	TC-84A-1	803 (OF, Max
	TC-84A-1	817 (BM)

MV/CL/R95 Filter

Cartridge	100600	6/box
Filter	107010	24/box
Retainer	140170	2/pkg
NIOSH	TC-84A-1	809 (HM)
Approval	TC-84A-1	802 (OF, Max)
	TC-84A-1	816 (BM)

S-Sarias (micro)

2 Selles	(IIIICI O)	
Filter	105005	10/box
	105014	100/case
NIOSH	TC-84A-1	.239 (HM)
Approval	TC-84A-1	.240 (4000)
	TC-84A-1	.242 (OF, Max
	TC-84A-1	.241 (BM)

S-Series (slimline)

Filter	119010	20/case
	119044	100/case
NIOSH	TC-84A-3	
Approval	TC-84A-3	067 (4000)
	TC-84A-3	072 (OF, Max)
	TC-84A-3	068 (BM)
	_	



OV/P100 Filte

Cartridge	105110	4/box
	105114	84/case
NIOSH	TC-84A-0	439 (HM)
Approval	TC-84A-0	440 (4000)
	TC-84A-0	877 (OF, Max)
	TC-84A-2	001 (BM)



AG/P100 Filter

Cartridge	105210	4/box
	105214	84/case
NIOSH	TC-84A-0	441 (HM)
Approval	TC-84A-0	442 (4000)
	TC-84A-0	878 (OF, Max)
	TC-84A-2	002 (BM)



OV/AG/P100 Filter

Cartridge	105310	4/box
	105314	84/case
NIOSH	TC-84A-0	443 (HM)
Approval	TC-84A-0	444 (4000)
	TC-84A-0	879 (OF, Max)
	TC-84A-0	445 (BM)



AM/MA/P100 Filter

Cartridge	105410	4/box
	105414	84/case
NIOSH	TC-84A-0	446 (HM)
Approval	TC-84A-0	447 (4000)
	TC-84A-0	880 (OF, Max)
	TC-84A-2	003 (BM)



MC/P100 Filter

Cartridge	105810	4/box
	105814	84/case
NIOSH	TC-84A-1	022 (HM)
Approval	TC-84A-1	023 (4000)
	TC-84A-1	024 (OF, Max)
	TC-84A-2	004 (BM)



MV/CL/P100 Filter

Cartridge	105610	4/box
	105614	84/case
NIOSH	TC-84A-0	448 (HM)
Approval	TC-84A-0	881 (OF, Max)
	TC-84A-0	449 (BM)

www.sperian.com





T-Series (twist lock) Cartridges and Filters

Selection of the appropriate cartridge and filter combination is dependent on a number of factors, including the type of contaminant, the level of exposure, and the length of exposure. Thus, the information on the cartridge/filter pages is presented as an overview only. For full details on cartridge and filter selection, please visit www.sperian.com.

Gas/Vapor Protection

OV - Organic Vapors

Approved for use against Organic Vapors

AG - Acid Gases

Approved for use against Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide (Escape), Formaldehyde

OV/AG - Organic Vapors/Acid Gases

Approved for use against Organic Vapors, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Chlorine Dioxide, Hydrogen Fluoride, Hydrogen Sulfide (Escape)

Ammonia/Methylamine

Approved for use against Ammonia, Methylamine

MC - Multi-Contaminant

Approved for use against Organic Vapors, Ammonia, Methylamine, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Chlorine Dioxide, Hydrogen Fluoride, Hydrogen Sulfide (Escape), Formaldehyde

ND - Nitrogen Dioxide

Approved for use against Nitrogen Dioxide, Chlorine, Formaldehyde

MV/CL - Mercury Vapor or Chlorine

Approved for use against Mercury, Chlorine Vapor

www.sperian.com

For more information or to order products on this page, please call Customer Care at 800 430-5490.



HM = Survivair Half Mask FF = Survivair Full Facepiece 4000 = Survivair Classic Mask OF = Survivair Opti-Fit Max = SurvivairMAX BM = Survivair Half Mask

Belt Mount **Cartridges**


	T-Series	T01	
	Cartridge	T100100	6/box
		T100144	144/case
	NIOSH	TC-23C-7	37 (HM)
	Approval	TC-23C-18	890 (OF, Max
(2000) 200	300		














N95 Filters

95% Efficient Against Particulate Aerosols Free Of Oil



	Filter Base	14900578 (RP21)	10/box
)	Filter	T106010	24/box
,	Retainer	14900975 (RP22R)	10/box
	NIOSH	TC-84A-628 (HM)	
)	Approval	TC-84A-2631 (OF, N	1ax)



	OV/N95	Filter	
1	Cartridge	T100100	6/box
	Filter	106010	24/box
3	Retainer	14900975 (RP222R)	10/box
1	NIOSH	TC-84A-629 (HM)	
)	Approval	TC-84A-2632 (OF, N	lax)



	AG/N95	Filter	
	Cartridge	T100200	6/box
)	Filter	T106010	24/box
)	Retainer	14900975 (RP222R)	10/box
	NIOSH	TC-84A-632 (HM)	
	Approval	TC-84A-2635 (OF, M	lax)



	OV/AG/N	95 Filter	
	Cartridge	T100300	6/box
)	Filter	T106010	24/box
	Retainer	14900975 (RP222R)	10/box
	NIOSH	TC-84A-631 (HM)	
	Approval	TC-84A-2634 (OF, M	ax)



	AM/MA/	N95 Filter	
Á	Cartridge	T100400	6/box
)	Filter	T106010	24/box
)	Retainer	14900975 (RP222R)	10/box
ĺ	NIOSH	TC-84A-630 (HM)	
1	Approval	TC-84A-2633 (OF, N	lax)



	MC/N95	Filter	
	Cartridge	T100800	6/box
)	Filter	T106010	24/box
)	Retainer	14900975 (RP222R)	10/box
١	NIOSH	TC-84A-633 (HM)	
	Approval	TC-84A-2636 (OF, M	ax)



ND/N95	Filter	
Cartridge	T100900	6/box
Filter	T106010	24/box
Retainer	14900975 (RP222R)	10/box
NIOSH Approval	TC-84A-3214 (HM) TC-84A-3211 (OF, Max)	





T-Series (twist lock) Cartridges and Filters

N99 Filters

R95 Filters

Combined Cartridges with P100 Filters

99.97% Efficient Against All Particulate Aerosols

99% Efficient Against Particulate

Aerosols Free Of Oil

Filter Base	14900578 (RP21)	10/box
Filter	T117010	24/box
Retainer	14900975 (RP22R)	10/box
NIOSH	TC-84A-733 (HM)	
Approval	TC-84A-2637 (OF,	Max)

95% Efficient Against Oil | Time Use Restrictions Apply For Oil-Based Particulates

	Filter Base	14900578 (RP21)	10/box
	Filter	T117010	24/box
	Retainer	14900975 (RP22R)	10/box
	NIOSH	TC-84A-4182 (HM)	
	Approval	TC-84A-4124 (OF.	Max)

P100 Filters Filter T105005 T105014 NIOSH TC-84A-236 (HM) Approval TC-84A-2649 (OF, Max)

10/box	Filter	T108010	10/box
100/case		T108014	100/case
- (1100)			

100/case TC-84A-2904 (HM) NIOSH Approval TC-84A-1905 (OF, Max)

T-Series (low profile)



Cartridge	T100100	6/box
Filter	T117010	24/box
Retainer	14900975 (RP22R)	10/box
NIOSH	TC-84A-735 (HM)	
Approval	TC-84A-2638 (OF,	Max)

OV/R95 Filter

Cartridge	T100100	6/box
Filter	T117010	24/box
Retainer	14900975 (RP22R)	10/box
NIOSH	TC-84A-4183 (HM)	
Approval	TC-84A-4125 (OF,	Max)



OV/P100 Filter

Cartridge	T105110	Γ105110 4/box	
	T105114	84/case	
NIOSH	TC-84A-238 (HM)		
Approval	TC-84A-2650 (OF,		

AG/N99 Filter

Cartridge	T100200	6/box
Filter	T117010	24/box
Retainer	14900975 (RP22R)	10/box
NIOSH	TC-84A-741 (HM)	
Approval	TC-84A-2641 (OF.	Max)

AG/R95 Filter

Cartridge	T100200	6/box
Filter	T117010	24/box
Retainer	14900975 (RP22R)	10/box
NIOSH	TC-84A-4186 (HM)	
Approval	TC-84A-4128 (OF,	Max)



AG/P100 Filter

Cartridge	T105210	4/box
NIOSH	TC-84A-244 (HM)	
Approval	oval TC-84A-2653 (OF, N	

OV/AG/N99 Filter

Cartridge	T100300	6/box
Filter	T117010	24/box
Retainer	14900975 (RP22R)	10/box
NIOSH	TC-84A-739 (HM)	
Approval	TC-84A-2640 (OF.	Max)



Cartridge	T100300	6/box
Filter	T117010	24/box
Retainer	14900975 (RP22R)	10/box
NIOSH	TC-84A-4185 (HM)	
Approval	TC-84A-4127 (OF,	Max)



OV/AG/P100 Filter

Cartridge	T105310	4/box	
	T105314	84/case	
NIOSH	TC-84A-242	42 (HM)	
Approval	oval TC-84A-2652 (OF, Ma		

AM/MA/N99 Filter

Cartridge	T100400	6/box
Filter	T117010	24/box
Retainer	14900975 (RP22R)	10/box
NIOSH	TC-84A-737 (HM)	
Approval	TC-84A-2639 (OF.	Max)

AM/MA/R95 Filter

Cartridge	T100400	6/box
Filter	T117010	24/box
Retainer	14900975 (RP22R)	10/box
NIOSH	TC-84A-4184 (HM)	
Approval	TC-84A-4126 (OF.	Max)



AM/MA/Pinn Filtor

AIVI/IVIA/	AM/MA/F100 FIILEI		
Cartridge	T105410	4/box	
NIOSH	TC-84A-24	0 (HM)	
Approval	TC-84A-26	51 (OF, Max)	

MC/N99 Filter

Cartridge	T100800	6/box
Filter	T117010	24/box
Retainer	14900975 (RP22R)	10/box
NIOSH Approval	TC-84A-743 (HM) TC-84A-2642 (OF,	Max)



Cartridge	T100800	6/box
Filter	T117010	24/box
Retainer	14900975 (RP22R)	10/box
NIOSH	TC-84A-4187 (HM	
Approval	TC-84A-4129 (OF,	Max)



MC/P100 Filter

Cartridge	T105810	4/box
	T105814	84/case
NIOSH	NIOSH TC-84A-24	
Approval	TC-84A-26	54 (OF, Max)

ND/N99 Filter

Cartridge	T100900	6/box
Filter	T117010	24/box
Retainer	14900975 (RP	22R) 10/box
NIOSH	TC-84A-3216	
Approval	TC-84A-3212	(OF, Max)

ND/R95 Filter

Cartridge	T100900	6/box
Filter	T117010	24/box
Retainer	14900975 (RP22R) 10/box
NIOSH	TC-84A-4232 (HN	1)
Approval	TC-84A-4181 (OF,	Max)



ND/P100 Filter

Cartridge	T105910	4/box
NIOSH	TC-84A-323	32 (HM)
Approval	TC-84A-323	31 (OF, Max)

MV/CL/R95 Filter

Cartridge	T100600	6/box
Filter	T117010	24/box
Retainer	14900975 (RP22R)	10/box
NIOSH	TC-84A-4231 (HM)	
Approval	TC-84A-4179 (OF.	Max)



MV/CL/P100 Filter

Cartridge	T105610	4/box
NIOSH	TC-84A-298	32 (HM)
Approval	TC-84A-298	34 (OF, Max)

www.sperian.com

INSTRUMENTATION



RESPIRATORY PROTECTION

Escape Solutions



Survivair Mouthbit

- Provides filtered air in acid gas emergency escape situations
- · Unit can be donned in ten seconds or less
- · Low breathing resistance
- · Mouthpiece and nose clip made of soft, pliable material
- · Breakaway lanyard included

 Item #
 Description

 600200
 Survivair Acid Gas Mouthbit Respirator

 600250
 Nylon Carrying Pouch



- EBA-5/10 is composed of a refillable cylinder
- Features a valve and pressure gauge assembly, breathing tube, protective air hood, and regulator assembled in a carry pouch for added convenience
- Fits easily over eyeglasses, beards, and hard hats
- Elastic drawstring provides a secure neck seal for minimum leakage and maximum protection



Powered Air Purifying Respirators (PAPR)



Mask-Mounted PAPR

- Lightweight unit will not slow worker efficiency
- Low-cost high-efficiency (HE) filter that consolidates inventory and reduces inventory costs
- Battery pack is water resistant and contoured for wearer comfort, with an automatic resetting circuit protector requiring no fuses, which protects against battery short circuits
- · Silicone facepiece offers high durability and unmatched comfort
- Long-lasting battery pack with trouble-free recharging
- Full facepiece easily convertible to negative pressure Air Purifying or Continuous Flow SAR
- Includes: facepiece, blower, battery charger, power cord, HE filter, belt and air flow tester

Item #	Size	Description
520600	Medium	Survivair Opti-Fit Mask Mounted PAPR, Facepiece
		w/5-Pt. Headstrap, Battery and Blower
520620	Medium	Survivair Opti-Fit Mask Mounted PAPR, Facepiece
		w/Mesh Headnet, Battery and Blower
520015	Standard	Survivair 4000 Mask Mounted PAPR, Facepiece
		w/5-Pt. Headstrap, Battery and Blower
Accessor	ies	
108000		Survivair PAPR Filter, High Efficiency (HE) (Box of 4 Filters)
108044		Survivair PAPR Filter, High Efficiency (HE) (Bulk Pack - Case of 84 Filters)



High Efficiency (HE) Powered

Sperian has developed a line designed

to be economical and durable without

compromising user comfort or protection.

Choose between a mask-mounted PAPR

system or a belt-mounted PAPR system

dependent on your applications and needs.

Air Purifying Respirators

Powered Air Purifying Respirators (PAPR)

Belt-Mounted PAPR

- Choice of silicone full facepiece, silicone half mask, or Tyvek® single bib hood
- Low-cost high-efficiency (HE) filter that consolidates inventory and reduces inventory costs
- Battery pack is water resistant and contoured for wearer comfort, with an automatic resetting circuit protector requiring no fuses, which protects against battery short circuits
- Battery pack, blower kit and filters fit comfortably on wearer's hips
- · Efficient motor provides high air flow rate
- · Long-lasting battery pack with trouble-free recharging
- Blower kit and high efficiency filters sold separate

	•	
Item #	Size	Description
540610	Medium	Survivair Opti-Fit PAPR Facepiece Kit
		w/5-Pt. Strap for Belt-Mounted Blower and Battery
541610	Medium	Survivair Opti-Fit PAPR Facepiece Kit
		w/Mesh Headnet for Belt-Mounted Blower and Battery
540083	Standard	Survivair 4000 PAPR Facepiece Kit
		w/5-Pt. Strap for Belt-Mounted Blower and Battery
560085	Medium	Survivair 2000 PAPR Facepiece Kit
		for Belt-Mounted Blower and Battery
500085	1 Size	Belt-Mounted PAPR Blower and Battery Kit Assembly
590085	1 Size	Tyvek Single Bib Hood
Accessorie	s	
108000		PAPR Filter, High Efficiency (HE) (Box of 4 Filters)
108044		PAPR Filter, High Efficiency (HE) (Bulk Pack - Case of 84 Filters)

NEW! SC420 CBRN PAPR

- Optically true facepiece with greater peripheral vision and unobstructed view
- Blower unit based on the C420 blower design being used by 50,000 military personnel
- EPDM breathing hose is resistant to the harshest of chemical agents and nuclear debris
- Three separate power supply options, all hot-swappable
- D-cell alkaline battery holder pack, rechargeable NiMH battery or Lithium battery
- Canisters provide respiratory protection against chemical, biological and nuclear agents
- Meets and exceeds NIOSH CBRN APR/PAPR requirements
- Successfully tested against numerous CBRN agents

Item #	Size	Description
769500	Medium	Survivair Opti-Fit CBRN w/Kevlar Headnet
769520	Medium	Survivair Opti-Fit CBRN w/Kevlar Headnet, Drinking Tube
769000	Medium	Survivair Opti-Fit CBRN w/5-Pt. Strap
769020	Medium	Survivair Opti-Fit CBRN w/5-Pt. Strap, Drinking Tube
Accessories	s	
769550		SC420 Blower, Decon Belt and Airflow Indicator Tool
769515		SC420 38" Breathing Hose Assembly
769540		Decon Belt
169000		CBRN Canister
769535		D Cell Battery Holder Pack (batteries not included)
769531		Nickel Metal Hydride Rechargeable Battery
769545		Nickel Metal Hydride Charger
769532		Lithium Sulfur Dioxide Battery



For more size options and accessories, see full line SKU listing on pages 136-137.



Continuous Flow Supplied Air Respirators (CF-SAR)

Continuous Flow Supplied Air Respirators

CF-SAR is a highly cost-effective solution for respiratory protection in non-IDLH (immediately dangerous to life or health) environments.



SAR Continuous Flow for Grade D Breathing and Ambient Air Pump Use

Ordering a Supplied Air System is easy and customizable.

Choose from each of the following components:

- 1. Select a CF-SAR tight fitting facepiece or loose fitting hood
- 2. Select accessories/options
- 3. Select coupling kit #1 for facepiece to hose connection (includes male and female fittings)
- 4. Select a hose(s) (total length may not exceed 300 ft. or 3 sections per respirator)
- 5. Select coupling kit #2 for hose interconnection and to breathing air source - order one coupling set per each hose length (for ex: three 50 ft. hoses = 3 coupling kits)
- 6. Select ambient air pump (if not using Grade D breathing air)

For all CF-SAR components and accessories, see SKU index on page 137.

For more information or to order products on this page, please call Customer Care at 800 430-5490.

Facepieces

- Survivair Opti-Fit™, 5-point strap full facepiece is available with a side mounted tube, front mounted tube, or single bib Tyvek® hood
- Half masks and full facepieces are convertible to APR applications
- Full facepieces and hood are convertible to Powered Air Purifying Respirator applications
- · Our Continuous Flow SARs are also compatible with a wide variety of common breathing air sources

Item #	Size	Description
CF-SAR	Tight Fitting	Facepiece
981401	Medium	Survivair Opti-Fit, 5-Pt. Strap, Side Port w/Rubber Breathing Tube
981501	Medium	Survivair Opti-Fit, 5-Pt. Strap, Front Port w/Rubber Breathing Tube
981550	Medium	Survivair Opti-Fit, Mesh Headnet, Front Port w/Rubber Breathing Tube
981290	Standard	Black Survivair 4000, 5-Pt. Strap for Welding
CF-SAR	Fight Fitting	Half-Mask Facepiece
981300	Medium	Survivair Blue 1 Half-Mask
981380	Medium	Survivair 2000 Half-Mask
CF-SAR I	.oose Fitting	Hoods
981820	1 Size	Survivair Hood with Polyester Lens, Single Bib, Knit Collar, Breathing Tube

Coupling Kits for Facepiece-Air Source Connection and Hose Interconnection

- Coupling kit #1 and #2- facepiece (male fitting) and air source connection (female fitting)
- Order one coupling kit for facepiece to air source connection
- Also order one coupling set for each hose length (for example, three 50 ft. hoses = 3 coupling kits)

Item #	Description
930820	Schrader Kit (includes 1 Male and 1 Female Fitting)
930830	Hansen Kit (includes 1 Male and 1 Female Fitting)
930810	Foster Kit (includes 1 Male and 1 Female Fitting)
930840	OBAC Kit (includes 1 Male and 1 Female Fitting)

Note: Coupling type must be the same throughout the entire system; if using Ambient Air Pump, must use OBAC couplings





Continuous Flow Supplied Air Respirators (CF-SAR)

Hoses

• Total length may not exceed 300 ft. or 3 sections per respirator

Item #	Description
930870	Survivair 3/8" High Performance 10'
930861	Survivair 3/8" High Performance 25'
930862	Survivair 3/8" High Performance 50'
930863	Survivair 3/8" High Performance 100'



Ambient Air Pumps

 1/4 and 3/4 horsepower pumps also available as complete CF-SAR systems (see below)

Item #	Description
985200	Survivair 3/4 Horsepower Pump (Operates 1 Hood or 2 Tight-Fitting Facepieces)
985210	Survivair 1/4 Horsepower Pump (Operates 1 Tight-Fitting Facepiece)
985225	Survivair 1-1/2 Horsepower Pump (Operates 3 Hoods or 4 Tight-Fitting Facepieces)

Standard SAR Assemblies

• Continuous Flow SAR Systems assembled for convenience

Item #	Size	Description
981442	Medium	Survivair Opti-Fit SAR, 1-Person 1/4 HP Pump
981452	Medium	Survivair Opti-Fit SAR, 1-Person/2-Person 3/4 HP Pump
981462	Medium	Survivair Opti-Fit SAR, 2-Person 3/4 HP Pump
981852	1 Size	Full Survivair SAR Hood, 1-Person 3/4 HP Pump

Survivair Personal Vortex Coolers

- Reduces hot and humid ambient air by as much as 30°F (17°C)
- Requires 40 psi to operate

D----i-4:---

- NIOSH-certified for use with all of Sperian's Continuous Flow Supplied Air Respirators
- · No moving or electrical parts to break or repair
- Not compatible with Ambient Air Pumps or Pressure Demand SARs

981847	Survivair Vortex Cooler Assembly

Continuous Flow SAR Units for Ambient Air Pump Use

Sperian's 1/4, 3/4 and 1-1/2 horsepower Ambient Air Pumps are sold separately.

The 1/4 and 3/4 horsepower pumps are available as complete CF-SAR systems, including facepiece, air line hose and couplings. These lightweight, highly-portable air sources are ideal for a variety of applications including spray painting and clean-up of hazardous materials. Powered by 115-volt electric motors, ambient air pumps come completely assembled and ready for use.

Whatever your environment dictates, Sperian's versatile continuous flow SARs provide maximum protection and value.

For more size options, see full line SKU listing on page 137.



Pressure Demand Supplied Air Respirators (PD-SAR)

RESPIRATORY PROTECTION





For more information, visit sperian.com.

For more information or to order products on this page, please call Customer Care at 800 430-5490.

Tight-Fitting Pressure Demand SAR

- Respirators and Hip-Pacs provide the highest level of interchangeability, protection, and ease of operation
- Full Facepiece PD SARs offer the simplicity and reliability of Survivair Panther® mask-mounted regulators
- Hip-Pacs enhance protection in environments immediately dangerous to life or health (IDLH), with 5-, 10-, or 15-minute escape cylinders
- Survivair Panther PD SARs and Hip-Pacs provide significant cost savings and convenience as part of fully interchangeable respirator systems

and convenience as part of fully interchangeable respirator systems		
Item # Description		
Survivair Panther Series, Full Facepiece, Mask-Mounted Regulator		
P968446 (Small), No Coupling, TC-19C-302		
P968445 (Medium), No Coupling, TC-19C-302		
P968447 (Large), No Coupling, TC-19C-302		
P968435 (Classic), w/P100, No Coupling, TC-84A-0229		
P968437 (Classic), Black (Welding), w/P100 Escape, No Coupling, TC-84A-0229		
Survivair Panther Hip-Pac, Mask-Mounted Regulator, with 5-Minute Emergency Escape		
P968455 2216 psig, Aluminum, w/Quick Disconnect, No Coupling, TC-13F-300		
P968457 2216 psig, Aluminum, w/out Quick Disconnect, No Coupling, TC-13F-300		
Survivair Panther Hip-Pac, Mask-Mounted Regulator, with 10-Minute Emergency Escape		
P968475 3000 psig, Aluminum, w/Quick Disconnect, No Coupling, TC-13F-301		
P968477 3000 psig, Aluminum, w/out Quick Disconnect, No Coupling, TC-13F-301		
P968605 4500 psig, Fully Wrapped Carbon, w/Quick Disconnect, No Coupling, TC-13F-482		
P968615 4500 psig, Fully Wrapped Carbon, w/Quick Disconnect, No Coupling, with COMPASS Integrated PASS Device, w/Buddy Breather, TC-13F-482		
Survivair Panther Hip-Pac, Mask-Mounted Regulator, with 15-Minute Emergency Escape		
P968500 3000 psig, Hoop-Wrapped Fiberglass, w/Quick Disconnect, No Coupling, TC-13F-307		
Survivair Panther Series, Pressure Demand SAR and Hip-Pac Upgrade and Conversion Kits		
P968452 Survivair Panther 5-Minute SCBA Conversion Kit (Hip-Pac w/out Facepiece and Regulator, with Quick Disconnect), No Coupling		
P968453 Survivair Panther 5-Minute SAR Upgrade Kit (to Convert Pressure Demand SAR to Hip-Pac)		
P968472 Survivair Panther 10-Minute SCBA Conversion Kit (Hip-Pac, Aluminum Cylinder, w/out Facepiece and Regulator, w/Quick Disconnect), No Coupling		
P968473 Survivair Panther 10-Minute SAR Upgrade Kit (to Convert Pressure Demand SAR to Hip-Pac)		
P968540 Survivair Panther 15-Minute SCBA Conversion Kit (Hip-Pac, w/out Facepiece and Regulator, w/Quick Disconnect), No Coupling		
P968535 Survivair Panther 15-Minute SAR Upgrade Kit (to Convert Pressure Demand SAR to Hip-Pac)		
Spare Hip-Pac Cylinders		
975081 Survivair Spare Cylinder (2216 psig, Aluminum), 5-Minute Hip-Pac		
975154 Survivair Spare Cylinder (3000 psig, Aluminum), 10-Minute Hip-Pac		
917250 Survivair Spare Cylinder (4500 psig, Fully Wrapped Carbon), 10-Minute Hip-Pac		
968513 Survivair Spare Cylinder (3000 psig, Hoop-Wrapped Fiberglass), 15-Minute Hip-Pac		

Conversion Kits for XL-Style Hip-Pacs to Survivair Panther Hip-Pacs

P968454 Survivair Panther Hip-Pac Without Cylinder, w/Quick Disconnect, No Coupling

P968459 Survivair Panther Hip-Pac Without Cylinder, w/out Quick Disconnect, No Coupling



Pressure Demand Supplied Air Respirators (PD-SAR)


Air Line Coupling Hardware

Item #	Description
930810	Foster Kit (1 Each, Male and Female)
930424	Foster Coupling
930429	Foster Plug
930820	Schrader Kit (1 Each, Male and Female)
930437	Schrader Coupling
930433	Schrader Plug
930830	Hansen Kit (1 Each, Male and Female)
930465	Hansen Coupling
930466	Hansen Plug
945007	Hansen Kit - Stainless Steel (1 Each, Male and Female)
945010	Hansen Stainless Steel Coupling
945011	Hansen Stainless Steel Plug

Air Line Hose

• Lightweight or high-performance grades

Item #	Grade	Description
930801	Lightweight	Survivair 25' Hose without Couplings
930802	Lightweight	Survivair 50' Hose without Couplings
930804	Lightweight	Survivair 100' Hose without Couplings
930870	High Performance	Survivair 10' Hose without Couplings
930861	High Performance	Survivair 25' Hose without Couplings
930862	High Performance	Survivair 50' Hose without Couplings
930864	High Performance	Survivair 100' Hose without Couplings





Pressure Demand Supplied Air Respirators (PD-SAR)

Standard Accessories

Item #	Description
951015	Survivair Anti-Fog Solution (1 Oz.)
951016	Survivair Anti-Fog Solution (16 Oz.)
962900	Survivair APR Adapter/Quantitative Fit Test Adapter, Pressure Demand SAR (No Nose Cup Included – Survivair TwentyTwenty/TwentyTwenty Plus Facepiece)
962911	Survivair APR Adapter/Quantitative Fit Test Adapter, Pressure Demand SAR (Slotted Medium Nose Cup Included – Survivair TwentyTwenty/TwentyTwenty Plus Facepiece)
962912	Survivair APR Adapter/Quantitative Fit Test Adapter, Pressure Demand SAR (Slotted Standard Nose Cup Included – Survivair Classic Facepiece)
962913	Survivair APR Adapter/Quantitative Fit Test Adapter, Pressure Demand SAR (Slotted Large Nose Cup Included – Survivair Classic Facepiece)
B140096	Survivair Facepiece Cleaner Box (100 Each)
140082	Survivair Facepiece Cleaner Canister (220 Each)
980500	Survivair Fit Test Adapter, Mark 2-Style Pressure Demand SAR
966065	Survivair Hip-Pac Bag
968027	Survivair Hip-Pac Carrying Case (All Models)
B140095	Survivair Lens Cover (25 Each) - Survivair Classic Facepiece
702028	Survivair Lens Cover, Clear (25 Each) - Survivair TwentyTwenty Plus Facepiece
941899	Survivair Probed Full Facepiece Lens Kit - Survivair Classic Facepiece
962253	Survivair Probed Full Facepiece Lens Kit - Survivair TwentyTwenty Facepiece
962262	Survivair Probed Full Facepiece Lens Kit - Survivair TwentyTwenty Plus Facepiece
962920	Survivair Quantitative Fit Test Adapter, Survivair Panther-Style Pressure Demand SAR (Requires 962900/11/12)
995605	Survivair SAR Video
941107	Survivair Spectacles Kit - Survivair XL-Style Facepiece
980003	Survivair Spectacles Kit - Survivair Classic Facepiece
962260	Survivair Spectacles Kit - Survivair TwentyTwenty/TwentyTwenty Plus Facepiece
980200	Survivair Suit Pass-Through Kit
940118	Survivair Zipper Facepiece Bag



Survivair Air Cart

- Used as either a primary air source or an emergency air supply
- Survivair Air Cart can contain up to two independently operating 30-, 45-, or 60minute high pressure (4500 psig) cylinders, or up to two independently operating 30-minute low pressure (2216 psig) cylinders
- An inlet allows a regulated air source to be used with an optional bypass to allow an unregulated air source
- The built-in manifold allows up to five Foster, Hansen, or Schrader quickdisconnect couplings to supply air for up to five workers
- A built-in low air warning whistle sounds at 550 psig

Item #	Pressure	Description
731200	Low (2216 psig)	w/out Cylinders, w/out Fittings
731240	Low (2216 psig)	High Pressure Bypass (Quick-Disconnect Sold Separately)
731250	High (4500 psig)	w/out Cylinders, w/out Fittings
731245	High (4500 psig)	High Pressure Bypass

For more information, visit sperian.com.




Pressure Demand Supplied Air Respirators (PD-SAR)

Survivair Cascade System

- Compressed and purified Grade D (minimum) air stored in the cylinders is drawn off through a pressure reducing regulator and supplied to the SAR system at the required pressure level
- · A manifold can be used when supplying air for two or more workers
- A central filling station, typically located next to the storage cylinders, can provide the compressed and purified air to the cylinders in the Cascade System

Item #	Ref. No.	Description
238010	1	Survivair Tee Connection, CGA 346 (3000 psi Maximum)
238009	2	Survivair Tee Connection, CGA 347 (5500 psi Maximum)
731158	3	Survivair Pigtail Hose, CGA 346 to CGA 347 (3000 psi Maximum)
731157	4	Survivair Pigtail Hose, CGA 346 to CGA 347 (5500 psi Maximum)
912005	5	Survivair Man Regulator w/out Couplings (3000 psi Maximum)
731020	6	Survivair Man Regulator w/out Couplings (5500 psi Maximum)
960020	7	Survivair Relief Valve
960603	8	Survivair Audible Alarm, CGA 346 LP
960642	9	Survivair Audible Alarm, CGA 347 HP
960050	10	Survivair Manifold with Threaded Plugs
960056	11	Survivair Threaded Plug
731012	12	Survivair Isolation or Bleed Valve (3000 psi Maximum)
731013	13	Survivair Isolation or Bleed Valve (5500 psi Maximum)

A Cascade System consists of at least two storage cylinders interconnected by a series of couplings and pigtails.



Survivair SAR Attachment Kit for 1997-Style Survivair Panther® and Survivair Cougar™/Survivair Puma™ SCBAs

- Enables Survivair Panther SCBA users to utilize supplied air sources easily and conveniently
- Contains a short pigtail hose with a Rectus male connector on one end and a bare opposite end (for use with Foster, Schrader, or Hansen quick-disconnect couplings)
- Strap and retainer attach to the Survivair Panther waist strap to hold the pigtail and incoming hose line
- · Check valve mounts onto the buddy breathing adapter block

Item #	Description
961800	Survivair Supplied Air Attachment Kit, 1997-Style
961522	Survivair Supplied Air Attachment Kit, 2002-Style Survivair Panther SCBA


The 961800 kit requires the prior installation of a Survivair Panther buddy breathing kit (961148). The 961522 SAR attachment kit is available for the 2002-style Survivair Panther SCBA and requires the installation of a 965110 or 965119 buddy breather

Survivair Suit Pass-Through Kit

- NIOSH-certified fitting safely supplies air to Class A chemical suits, keeping out contaminants while allowing a quick-disconnect if escape is necessary
- The pass-through can be used with Foster or Schrader quick-disconnect couplings
- Constructed of stainless steel and brass components to give it maximum resistance to corrosive chemicals
- The pass-through is recommended for use with suits of .020" to .080" thickness

Item #	Description
980200	Survivair Suit Pass-Through Kit Survivair Panther/Cougar/Puma SCBA





For more information, visit sperian.com.



Respiratory Fit Test Kits







Fit Test Kits

- · OSHA-accepted
- Provide an easy and affordable method of qualitative fit testing
- For both disposable particulate and reusable respirators

Item #	Description
140090	Survivair Irritant Smoke Fit Test Kit
140038	Replacement Tubes, Irritant Smoke Fit Test Kit, 6/box
193140	Survivair Isoamyl Acetate (IAA) Fit Test Kit
194040	Survivair Deluxe Fit Test Kit, Isoamyl Acetate (IAA)
193170	Survivair Bitrex Fit Test Kit
193171	Survivair Bitrex Fit Test Solution
193172	Survivair Bitrex Sensitivity Solution
420025	Survivair Probed Fit Test Adapter, QNFT, S-Series facepieces
193120	Survivair Saccharin Fit Test Kit

Accessories

OSHA requires all employers to provide a medical evaluation to determine an employee's ability to use a respirator prior to respirator use.



Fit Test Videos

· Sperian fit-test videos provide step-by-step instructions to ensure your fit testing complies with OSHA-accepted guidelines

Item # Description

DVD, Fit Testing Use and Care Video (English and Spanish) 260081

Survivair OSHA MedCert

- Sperian has partnered with OSHA MedCert to offer a fully web-based online respirator medical evaluation and tracking system
- · Easy to use, reliable and cost effective
- Users have the opportunity to receive medical certification in 5 to 10 minutes
- Provides certification for employees who are required to use filtering facepiece respirators (dust masks), half mask, or full-facepiece respirators

Item #	Description
230096	Survivair OSHA MedCert Online Medical Evaluation

For more information or to order products on this page, please call Customer Care at 800 430-5490.




Industrial Self-Contained Breathing Apparatus (SCBA)

Survivair Cougar™

- Silicone rubber facepiece provides unsurpassed comfort and durability, even in extreme heat or cold. Won't oxidize or react with ozone. Also provides better sealing ability for improved comfort and fit. Five-strap head harness and skirt are available in 3 color-coded sizes (Survivair TwentyTwenty® Plus facepiece). Available in small and standard sizes in blue and black (Classic™ facepiece)
- · Optional Survivair headnet mesh-style head harness
- First stage regulator has minimal moving parts, dramatically enhancing reliability while reducing maintenance costs. Choice of three low air alarms bell, plain whistle, or warbling whistle
- · Second stage regulator has compact, low profile; Survivair Air Klic™ fastening system; first-breath-on; better downward vision for less chance of damage; allows attachment in any orientation; regulator holder on waist strap allows regulator to be kept in stand-by mode
- · Survivair Mighty-Light® backpack is one of the lightest, easiest to use, and most comfortable backpacks in the industry; no tools required - no bolts or screws on harness for quick, easy disassembly and assembly

Item # Description 888888 Survivair Cougar





- The Survivair Puma is a Survivair Cougar with a tight-fitting hood with a neoprene neck seal and is rated for entry into IDLH environments
- No need for spectacles kits the user can wear normal street glasses (although sports straps on the temples are useful to keep the glasses in place while donning)
- Hood is made from Challenge® NXT barrier fabric (fluoropolymer films laminated to aramid substrates) for excellent permeation resistance; lens is made from 10 mil FEP Teflon
- Flexible neoprene neck seal provides excellent protection against contaminants in IDLH atmospheres
- Factory-installed silicone nose cup; available in 3 sizes; reduces fogging and CO2 buildup in hood

Item # Description 777777 Survivair Puma

Stock configuration includes: Survivair Cougar/Puma, 2216 psig, without alarm, without cylinder, without facepiece (P964323). Plain whistle alarm (22PW). 2216 psig, 30-minute aluminum cylinder, without locking collar (915141). Survivair Puma hood with medium nose cup (968006)



The Survivair Cougar™ meets the demands of industrial users who want the finest respiratory protection against environments that are immediately dangerous to life or health (IDLH), but do not require the performance of an NFPA-compliant SCBA.

The Survivair Cougar design eliminates unnecessary fire fighting features, keeping costs under control for today's dollarconscious industrial users, yet provides superior safety and comfort.

Survivair Puma™ is the first NIOSH-certified, OSHA-compliant, hooded pressure demand SCBA designed for users with street glasses or facial configurations that are hard to fit with a conventional facepiece.

> Additional configurations are available. See your local Sperian distributor for more information.

Firefighting Self-Contained Breathing Apparatus (SCBA)

The Sperian Warrior™ is a new type of SCBA, based on proven technologies and updated with features suggested by firefighters themselves.

Experienced professional firefighters from around the country helped us to design a new kind of SCBA, placing the firefighter at the center of the design process.

Comfortable, reliable, and simple to use under the worst conditions, the Sperian Warrior represents a major advance in thinking about what an SCBA is and how it should work.

Sperian Warrior™

- All functional components integrated into the AirPod™ backpack, removing potential snag or catch points
- Ergonomic design, allowing the firefighter free range of movement when donned – up to 30% increased forward bending movement and 2x greater neck mobility
- SpeedChange™ cylinder retention system allows easy cylinder changes in less than 35 seconds
- The optional IntelliPASS™, a completely reengineered PASS device that incorporates a manual PASS alert, a PASS reset button, an analog pressure gauge and data logging
- Certified as compliant with NFPA 1981, 1982, 2007 Editions

The Sperian Warrior is offered in 2216, 3000, and 4500 psig versions, with 30-, 45- and 60-minute cylinders. The Sperian Warrior can be purchased with a wide range of options and accessories. See your local Sperian distributor for more information on all the configurations available



SCBA Accessories

Two Best-In-Class Communication Options:

- Voice Amplification System (VAS) with distortion-free, crystal-clear person-toperson communication.
- Wireless Radio Communication System (RCS) that provides clear, remote communication utilizing Digital Spread Spectrum technology.



For more information or to order products on this page, please call Customer Care at 800 821-7236.

Survivair CommCommand™ Communications

- Both the VAS and RCS are modular, stand-alone components
- Streamlined design and integration of the RCS and VAS; attaches securely to the Survivair TwentyTwenty® Plus facepiece

Item #	Description
X242135	Survivair CommCommand Wireless Radio Communication System (RCS)
X242136	Survivair CommCommand Voice Amplification System (VAS)
X242137	Survivair CommCommand RCS and VAS (Combo)
X242138	Survivair CommCommand Facepiece Modification Kit (VAS w/out
	Amplifier Module)

Survivair CN/CS/WMD Adapter

- Attaches to Survivair TwentyTwenty® Plus facepiece to convert to APR for CN/CS/WMD use
- Accommodates 40 mm NATO-style canister

псш т	Description
960150	Survivair CN/CS/WMD Adapter
168800	Survivair CN/CS/OS w/P100 Caniste



SCBA Accessories

Fit Test Adapters

- Survivair APR Adapter converts Survivair TwentyTwenty® Plus facepiece to APR use
- Survivair APR Adapter NIOSH-certified for use with P100 filter or Multi-Contaminant/P100 cartridge/filter; also used to perform qualitative fit testing
- · Allows easy interface with Portacount® fit tester

Item #	Description
962900	Survivair APR Adapter/Qualitative Fit Test Adapter
962920	Quantitative Fit Test Adapter (Requires 962900)

NEW! Warrior™ Digital Dashboard

- Digital Dashboard is tucked away in the TwentyTwenty® Plus facepiece and does not interfere with the user's peripheral vision
- Display turns off within minutes once the air is bled out of the system, conserving precious battery power
- Stand-alone component, offering the flexibility to upgrade as budgets allow
- Consists of two pieces: the HUD display module that is installed inside the mask with no tools necessary, and the second stage regulator infrared (IR) module
- · Activates automatically when pnuematics are powered up
- Two "AAA" alkaline batteries power the Digital Dashboard HUD display module

Item #	Description
974444	Complete kit: HUD display module for facepiece and IR module
	for second stage regulator
974544	HUD module only
975608	Replacement IR module for second stage regulator

NEW! Warrior™ Remote Push-To-Talk

- Enables the use of radio communication in extreme and hazardous conditions
- Oversized remote push to talk lever works great with a gloved hand or finger
- Simple installation on a Sperian CommCommand™ lapel mic
- Interfaces with the Sperian CommCommand Wireless Radio Communication System
- Incorporates a streamlined design which does not create snag or catch points







FULL LINE SKU LISTINGS

Respiratory Protection

D :			_		
Dis	posal	ble	Kesr	pirators	5

SAF-T-Fit	t® Flat Fold	d Particulate Respirator	
Item #	Style #	Description	Size
14110320	N9510FS	Flat Fold, N95, Boomerang Nose Seal	S
14110321	N9510FM	Flat Fold, N95, Boomerang Nose Seal	М
14110322	N9510FL	Flat Fold, N95, Boomerang Nose Seal	L
14110323	N9520FS	Flat Fold, N95, Boomerang Nose Seal and Valve	S
14110324	N9520FM	Flat Fold, N95, Boomerang Nose Seal and Valve	M
14110325	N9520FL	Flat Fold, N95, Boomerang Nose Seal and Valve	L
W1400 N	95 Flat Fol	d Particulate Respirator	
Item #	Style #	Description	Size
14110452	W1400	Flat Fold, N95	1 Size
ONF-Fit™	NRW95 at	nd NBW95V Molded Cup Particulate Respir	ators
Item #	Style #	Description	Size
14110444	NBW95	Molded Cup, N95 Non-Valved	1 Size
14110445	NBW95V	Molded Cup, N95 Valved	1 Size
			1 3126
SAF-T-Fit		ticulate Respirator	
Item #	Style #	Description	Size
14110387	N1105 S	N95 Basic	S
14110388	N1105 M/L	N95 Basic	M/L
14110389	N1105 XL	N95 Basic	XL
14110390	N1115 S	N95, Boomerang Nose Seal	S
14110391	N1115 M/L	N95, Boomerang Nose Seal	M/L
14110392	N1115 XL	N95, Boomerang Nose Seal	XL
14110393	N1125S	N95, Boomerang Nose Seal, Exhal Valve	S
14110394	N1125 M/L	N95, Boomerang Nose Seal, Exhal Valve	M/L
14110395	N1125 XL	N95, Boomerang Nose Seal, Exhal Valve	XL
14110396	N1125-0V	N95, Boomerang Nose Seal, Exhal Valve, Nuisance OV Filtration	S
14110397	N1125-	N95, Boomerang Nose Seal Exhal Valve,	M/L
	OV M/L	Nuisance OV Filtration	
14110398	N1125-	N95, Boomerang Nose Seal, Exhal Valve,	XL
	OV XL	Nuisance OV Filtration	
14110399	N1125-	N95, Boomerang Nose Seal, Exhal Valve,	S
	AG S	Nuisance AG Filtration	
14110400	N1125-	N95, Boomerang Nose Seal, Exhal Valve,	M/L
	AG M/L	Nuisance AG Filtration	
14110401	N1125-	N95, Boomerang Nose Seal, Exhal Valve,	XL
	AG XL	Nuisance AG Filtration	
14110402	N1139 S	N99, Full Face Seal, Adjustable Straps, Exhal Valve	S
14110403	N1139 M/L	N99, Full Face Seal, Adjustable Straps, Exhal Valve	M/L
14110404	N1139 XL	N99, Full Face Seal, Adjustable Straps, Exhal Valve	XL
14110426	P1115 M/L	P95, Boomerang Nose Seal	M/L
14110427	P1115 XL	P95, Boomerang Nose Seal	XL
14110428	P1135 M/L	P95, Full Face Seal, Adjustable Straps, Exhal Valve	M/L
14110429	P1135 XL	P95 Full Face Seal, Adjustable Straps, Exhal Valve	XL
14110430	P1135-	P95, Full Face Seal, Adjustable Straps, Exhal Valve,	M/L
	1 M/L	Nuisance OV Filtration	
14110431	P1135-1 XL	Full Face Seal, Adjustable Straps, Exhal Valve,	XL
		Nuisance OV Filtration	
14110439	P1130 S	P100, Full Face Seal, Adjustable Straps, Exhal Valve	S
14110440	P1130 M/L	P100, Full Face Seal, Adjustable Straps, Exhal Valve	M/L
14110441	P1130 XL	P100, Full Face Seal, Adjustable Straps, Exhal Valve	XL

item #	Style #	Description	Size
14150086	2108	UNI-SORB Multi-Contaminant Respirator	S
14150087	2208	UNI-SORB Multi-Contaminant Respirator	M
14150088	2308	UNI-SORB Multi-Contaminant Respirator	L
14150001	2101	Organic Vapor Respirator	S
14150002	2201	Organic Vapor Respirator	M
14150003	2301	Organic Vapor Respirator	L
14130475	211R95	Organic Vapor Respirator w/ R95	S
14130476	221R95	Organic Vapor Respirator w/ R95	М
14130477	231R95	Organic Vapor Respirator w/ R95	L
14150013	2105	Organic Vapor and Acid Gas Respirator	S
14150014	2205	Organic Vapor and Acid Gas Respirator	M
14150015	2305	Organic Vapor and Acid Gas Respirator	L
14150096	2110P100	P100 Respirator	S
14150097	2210P100	P100 Respirator	M
14150098	2310P100	P100 Respirator	L
14150089	2118P100	UNI-SORB and P100 Respirator	S
14150090	2218P100	UNI-SORB and P100 Respirator	М
14150091	2318P100	UNI-SORB and P100 Respirator	L

Nuisance Disposable Dust Mask

Item #	Style #	Description	Size
14110094CC	CP1000VP	Nuisance Disposable Dust Mask	1 Size

Air Hoods

Item #	Description	
14530001	Cotton Twill Hood with Visor	
14530002	Tyvek Hood for Use with Hard Hat	
14530005	Tyvek Hood with Adjustable Headgear	

HC-NB295F and HC-NB095 Surgical Respirators

Item #	Style #	Description	Size
14110451	HC-NB295F	Flat Fold Surgical Respirator	1 Size
14110446	HC-NB095	Molded Cup Surgical Respirator	1 Size

Half-Mask Respirators

Survivair VALUAIR® Plus			
Item #	Description	Size	
301500	S-Series, Basic Facepiece Assembly	S	
302500	S-Series, Basic Facepiece Assembly	M	
303500	S-Series, Basic Facepiece Assembly	L	
301000	T-Series, Basic Facepiece Assembly	S	
302000	T-Series, Basic Facepiece Assembly	M	
303000	T-Series, Basic Facepiece Assembly	L	
301110	T-Series, Respirator w/Organic Vapor/N95	S	
302110	T-Series, Respirator w/Organic Vapor/N95	M	
303110	T-Series, Respirator w/Organic Vapor/N95	L	
302120	T-Series, Respirator w/Organic Vapor/R95	M	
Survivair Rlue 1™			

Survivair Blue 1™

Item #	Description	Size
B210000	S-Series, Basic Assembly	S
B220000	S-Series, Basic Assembly	M
B230000	S-Series, Basic Assembly	
B210010	S-Series, Assembly w/Speaking Diaphragm	S
B220010	S-Series, Assembly w/Speaking Diaphragm	M
B230010	S-Series. Assembly w/Speaking Diaphragm	L

FULL LINE SKU LISTINGS



Sperian Respiratory Protection

Survivair 2000™				
	Item #	Description	Size	
	B250000	S-Series, Basic Assembly	S	
	B260000	S-Series, Basic Assembly	М	
	B270000	S-Series, Basic Assembly	L	
	250050	S-Series, Belt-Mount Assembly w/Breath Hose & Belt-Mounted Plenum	S	
	260050	S-Series, Belt-Mount Assembly w/Breath Hose & Belt-Mounted Plenum	М	
	270050	S-Series, Belt-Mount Assembly w/Breath Hose & Belt-Mounted Plenum	L	

Survivair PREMIER®

Item #	Description	Size
311500	S-Series, Basic Assembly w/Elastic Headstraps	S
312500	S-Series, Basic Assembly w/Elastic Headstraps	M
313510	S-Series, Basic Assembly w/Rubber Headstraps	L
311510	S-Series, Basic Assembly w/Rubber Headstraps	S
312510	S-Series, Basic Assembly w/Rubber Headstraps	M
313500	S-Series, Basic Assembly w/Elastic Headstraps	L
311000	T-Series, Basic Assembly w/Elastic Headstraps	S
312000	T-Series, Basic Assembly w/Elastic Headstraps	M
312010	T-Series, Basic Assembly w/Rubber Headstraps	M
312110	T-Series, Respirator w/Organic Vapor/N95	M
311130	T-Series, Respirator w/Organic Vapor/R95	M
312820	T-Series, Respirator w/Unisorb/R95	М

Survivair PREMIER® Plus

Item #	Description	Size
321500	S-Series, Basic Assembly	S
322500	S-Series, Basic Assembly	M/L
322510	S-Series, Respirator w/Organic Vapor/N95	M/L
321000	T-Series, Basic Assembly	S
322000	T-Series, Basic Assembly	M/L
322020	T-Series, Organic Vapor/R95	M/L

Full Facepiece Respirators

Survivair	Opti-Fit™ APR	
Item #	Description	

Item #	Description	Size
752000	S-Series, Survivair Opti-Fit APR, 5-Strap Suspension	S
762000	S-Series, Survivair Opti-Fit APR, 5-Strap Suspension	M
772000	S-Series, Survivair Opti-Fit APR, 5-Strap Suspension	L
752100	S-Series, Survivair Opti-Fit APR, Mesh Headnet	S
762100	S-Series, Survivair Opti-Fit APR, Mesh Headnet	M
772100	S-Series, Survivair Opti-Fit APR, Mesh Headnet	L
758000	T-Series, Survivair Opti-Fit APR, 5-Strap Suspension	S
768000	T-Series, Survivair Opti-Fit APR, 5-Strap Suspension	M
758100	T-Series, Survivair Opti-Fit APR, Mesh Headnet	S
778100	T-Series, Survivair Opti-Fit APR, Mesh Headnet	L
768100	T-Series, Survivair Opti-Fit APR, Mesh Headnet	M

Conversion Kits and Accessories

Item #	Description
981415	Continuous Flow SAR Conversion Kit (Survivair Opti-Fit APR to CF SAR) w/Tube
981416	Continuous Flow SAR Conversion Kit (Survivair Opti-Fit APR to CF SAR) w/Upgraded Tube
702019	Tinted Peel-off Lens Covers (25 ea.)
702028	Clear Peel-off Lens Covers (25 ea.)
702031	Neckstrap Kit
962260	Spectacles Kit

Opti-Fit™ Convertible

Item #	Description	Size
754000	Survivair Opti-Fit Convertible APR, 5-Strap Suspension	S
764000	Survivair Opti-Fit Convertible APR, 5-Strap Suspension	M
774000	Survivair Opti-Fit Convertible APR, 5-Strap Suspension	L
754100	Survivair Opti-Fit Convertible APR, Mesh Headnet	S
764100	Survivair Opti-Fit Convertible APR, Mesh Headnet	M
774100	Survivair Opti-Fit Convertible APR, Mesh Headnet	L
Survivair 0	pti-Fit™ CF-SAR	
981500	Survivair Opti-Fit, 5-Pt. Strap, CF-SAR Assembly, Front Port	S
981501	Survivair Opti-Fit, 5-Pt. Strap, CF-SAR Assembly, Front Port	M
981503	Survivair Opti-Fit, 5-Pt. Strap, CF-SAR Assembly, Front Port	L
981550	Survivair Opti-Fit, Mesh Headnet, CF-SAR Assembly, Front Port	S
981551	Survivair Opti-Fit, Mesh Headnet, CF-SAR Assembly, Front Port	M
981553	Survivair Opti-Fit, Mesh Headnet, CF-SAR Assembly, Front Port	L
981205	CF-SAR Front Port Kit, No Facepiece	
981209	CF-SAR Front Port Kit with P100 Egress, No Facepiece	
981415	Side Port Plastic Hose Kit	
981416	Side Port Rubber Hose Kit	
Survivair O	pti-Fit™ PAPR	
520500	Survivair Opti-Fit, 5-Pt. Strap, Mask-Mounted PAPR	S
520600	Survivair Opti-Fit, 5-Pt. Strap, Mask-Mounted PAPR	M
520700	Survivair Opti-Fit, 5-Pt. Strap, Mask-Mounted PAPR	L
520520	Survivair Opti-Fit, Mesh Headnet, Mask-Mounted PAPR	S
520620	Survivair Opti-Fit, Mesh Headnet, Mask-Mounted PAPR	M
520720	Survivair Opti-Fit, Mesh Headnet, Mask-Mounted PAPR	L
520075	Mask-Mounted PAPR Kit, No Facepiece	
540510	Survivair Opti-Fit, 5-Pt. Strap, Belt-Mounted PAPR	S
540610	Survivair Opti-Fit, 5-Pt. Strap, Belt-Mounted PAPR	M
540710	Survivair Opti-Fit, 5-Pt. Strap, Belt-Mounted PAPR	L
541510	Survivair Opti-Fit, Mesh Headnet, Belt-Mounted PAPR	S
541610	Survivair Opti-Fit, Mesh Headnet, Belt-Mounted PAPR	M
541710	Survivair Opti-Fit, Mesh Headnet, Belt-Mounted PAPR	L
500085	Belt-Mounted PAPR Blower and Battery Kit	
B420030	Belt-Mounted PAPR Breathing Tube	

Survivair Opti-Fit™ CBRN

Item #	Description	Size
759000	Survivair Opti-Fit CBRN Gas Mask	Size
769000	Survivair Opti-Fit CBRN Gas Mask	M
779000	Survivair Opti-Fit CBRN Gas Mask	L
759020	Survivair Opti-Fit CBRN Gas Mask w/Drink Tube	S
769020	Survivair Opti-Fit CBRN Gas Mask w/Drink Tube	M
779020	Survivair Opti-Fit CBRN Gas Mask w/Drink Tube	L
169000	CBRN Canister	
168800	CN/CS/P100 Canister	
962260	Spectacle Kit	
702031	Neck Strap	
702028	Clear Peel-Away Lens Cover, 25/Box	
981808	Anti-Fog Wipes, 100/Box	

Survivair Opti-Fit™ Tactical

Item #	Description	Size
753000	Survivair Opti-Fit Tactical Gas Mask	S
763000	Survivair Opti-Fit Tactical Gas Mask	M
773000	Survivair Opti-Fit Tactical Gas Mask	L



FULL LINE SKU LISTINGS

Sperian Respiratory Protection

Survivair Opti-Fit™ Tactical (continued)		
Accessori		
Item #	Description NPC Conjector (CN/CC/P100)	
168800	NBC Canister (CN/CS/P100)	
702019	Tinted Lens Covers, 25/Box	
702028	Clear Lens Covers, 25/Box	
962260	Spectacles Kit	
763076 Survivair	Gas Mask Pouch, Black 4000™ APR	
Item #	Description	Size
410010	S-Series, Blue, 4-Pt. Headstrap	S
420010	S-Series, Blue, 4-Pt. Headstrap	Std
410071	S-Series, 4-Pt. Headstrap, w/Nose Cup	S
420071	S-Series, Blue, 4-Pt. Headstrap, w/Nose Cup	Std
Accessorie	·	Jiu
Item #	Description	
140095	Clear Polyester Peel-off Lens Covers (25 ea.)	
140635	Smoke-Tinted Polyester Peel-off Lens Covers (25 ea.)	
140079	Filter Retainer	
940135	Neck Strap Kit	
980003	Prescription Spectacles Kit	
Welding		
Item #	Description	Size
410090	S-Series, Blk Facepiece, 5-Pt. Headstrap	S
420090	S-Series, Blk Facepiece, 5-Pt. Headstrap	Std
410079	S-Series, Blk Facepiece, 5-Pt. Headstrap w/Nose Cup	S
420079	S-Series, Blk Facepiece, 5-Pt. Headstrap w/Nose Cup	Std
430000	Welding Lens Attachment, Shade 10	
430030	Welding Lens Attachment w/Auto Darkening, Variable Shade 9-12	
430005	Flame Retardant Lower Protective Bib	
430010	Flame Retardant Upper Protective Bib	
140105	Spark Cover for P100 Slimline Filters	
	MAX® APR	
Survivair Item#	MAX® APK Description	Size
801500	S-Series, Economy Facepiece, 5-Strap	S
802500	S-Series, Economy Facepiece, 5-Strap	M
803500	S-Series, Economy Facepiece, 5-Strap	L
821000	T-Series, Facepiece, 5-Strap	S
822000	T-Series, Facepiece, 5-Strap	M
823000	T-Series, Facepiece, 5-Strap	L
	T-Series, Economy Facepiece, 5-Strap	S
851000 852000	T-Series, Economy Facepiece, 5-Strap	M
853000	T-Series, Economy Facepiece, 5-Strap	L
Accessorie		_
Item #	Description	
14901010	Prescription Spectacle Adapter Kit	
14901017	Prescription Spectacle Adapter Mounting	
14901017	Clear Lens Cover	
14701011	Cicui Ecila Covei	

Escape Solutions

Survivai	r Mouthbit
Item #	Description
600200	Acid Gas Mouthbit Respirator
Survivai	r Escape Breathing Apparatus (EBA)
975080	5-Minute Escape Breathing Apparatus (EBA-5)
975090	10-Minute Escape Breathing Apparatus (EBA-10)
975190	5-Minute High-Flow Escane Breathing Annaratus (FBA-HF5)

975080	5-Minute Escape Breathing Apparatus (EBA-5)	
975090	10-Minute Escape Breathing Apparatus (EBA-10)	
975190	5-Minute High-Flow Escape Breathing Apparatus (EBA-HF5)	
Po	wered Air Purifying Respirators (PAP	R)
Mask Mo	ounted PAPR	
Item #	Description	Size
520500	Survivair Opti-Fit Facepc w/5-Pt. Strap, Btry/Blwr	S
520600	Survivair Opti-Fit Facepc w/5-Pt. Strap, Btry/Blwr	М
520700	Survivair Opti-Fit Facepc w/5-Pt. Strap, Btry/Blwr	L
520520	Survivair Opti-Fit Facepc w/Mesh Headnet, Btry/Blwr	S
520620	Survivair Opti-Fit Facepc w/Mesh Headnet, Btry/Blwr	М
520720	Survivair Opti-Fit Facepc w/Mesh Headnet, Btry/Blwr	L
510015	Survivair 4000 Facepc w/5-Pt. Strap, Btry/Blwr	S
520015	Survivair 4000 Facepc w/5-Pt. Strap, Btry/Blwr	Std
Accessorie	es e	
Item #	Description	
108000	PAPR Filter, High Efficiency (HE) (Box of 4 Filters)	
108044	PAPR Filter, High Efficiency (HE) (Bulk Pack - Case of 84 Filters)	
981177	Filter Shower Cap w/Holes	
981178	Filter Shower Cap w/out Holes	
Belt Mou	inted PAPR	
Item #	Description	Size
540510	Survivair Opti-Fit Facepc Kit w/5-Pt. Strap for Btry/Blwr	S
540610	Survivair Opti-Fit Facepc Kit w/5-Pt. Strap for Btry/Blwr	М
540710	Survivair Opti-Fit Facepc Kit w/5-Pt. Strap for Btry/Blwr	L
541510	Survivair Opti-Fit Facepc Kit w/Mesh Headnet for Btry/Blwr	S
541610	Survivair Opti-Fit Facepc Kit w/Mesh Headnet for Btry/Blwr	М
541710	Survivair Opti-Fit Facepc Kit w/Mesh Headnet for Btry/Blwr	L
530083	Survivair 4000 Facepc Kit w/5-Pt. Strap for Btry/Blwr	S
540083	Survivair 4000 Facepc Kit w/5-Pt. Strap for Btry/Blwr	Std
550085	Survivair 2000 Facepc Kit for Btry/Blwr	S
560085	Survivair 2000 Facepc Kit for Btry/Blwr	М
570085	Survivair 2000 Facepc Kit for Btry/Blwr	L
500085	Btry and Blwr Kit Assembly	1 Size
590085	Tyvek Single Bib Hood	1 Size
Accessorie	es .	
Item #	Description	
108000	PAPR Filter, High Efficiency (HE) (Box of 4 filter)	

Item #	Description
108000	PAPR Filter, High Efficiency (HE) (Box of 4 filter)
108044	PAPR Filter, High Efficiency (HE) (Bulk Pack – Case of 84 Filters)
981177	Filter Shower Cap w/Holes
981178	Filter Shower Cap w/out Holes
981814	Hard Hat Adapter for Hood (#891820) (Hard Hat Not Included)

SC420 CBRN PAPR

Item #	Description	Size
759500	Survivair Opti-Fit CBRN w/Kevlar Headnet	S
769500	Survivair Opti-Fit CBRN w/Kevlar Headnet	M

14901012 Blue Lens Cover 14900043 Neckstrap Kit

FULL LINE SKU LISTING



Sperian Respiratory Protection

981812

779500	Survivair Opti-Fit CBRN w/Kevlar Headnet	L
759520	Survivair Opti-Fit CBRN w/Kevlar Headnet, Drinking Tube	S
769520	Survivair Opti-Fit CBRN w/Kevlar Headnet, Drinking Tube	M
779520	Survivair Opti-Fit CBRN w/Kevlar Headnet, Drinking Tube	L
759000	Survivair Opti-Fit CBRN w/5-Pt. Strap	S
769000	Survivair Opti-Fit CBRN w/5-Pt. Strap	М
779000	Survivair Opti-Fit CBRN w/5-Pt. Strap	L
759020	Survivair Opti-Fit CBRN w/5-Pt. Strap, Drinking Tube	S
769020	Survivair Opti-Fit CBRN w/5-Pt. Strap, Drinking Tube	M
779020	Survivair Opti-Fit CBRN w/5-Pt. Strap, Drinking Tube	L
Accessori	es	
769550	SC420 Blower, Decon Belt and Airflow Indicator Tool	
769515	38" Breathing Hose Assembly	
769540	Decon Belt	
769535	D-Cell Battery Holder Pack (batteries not included)	
769531	Nickel Metal Hydride Rechargeable Battery	
769545	Nickel Metal Hydride Charger	
769532	Lithium Sulfur Dioxide Battery	
169000	CBRN Canister	

Continuous Flow Supplied Air Respirators (CF-SAR)

Standard CF-SAR Assemblies

Item #	Description	Size
981441	Survivair Opti-Fit SAR, 1-Person 1/4 HP Pump	S
981442	Survivair Opti-Fit SAR, 1-Person 1/4 HP Pump	M
981443	Survivair Opti-Fit SAR, 1-Person 1/4 HP Pump	L
981451	Survivair Opti-Fit SAR, 1-Person/2-Person 3/4 HP Pump	S
981452	Survivair Opti-Fit SAR, 1-Person/2-Person 3/4 HP Pump	M
981453	Survivair Opti-Fit SAR, 1-Person/2-Person 3/4 HHP Pump	L
981461	Survivair Opti-Fit SAR, 2-Person 3/4 HP Pump	S
981462	Survivair Opti-Fit SAR, 2-Person 3/4 HP Pump	M
981463	Survivair Opti-Fit SAR, 2-Person 3/4 HP Pump	L
981852	Full Survivair SAR Hood, 1-Person 3/4 HP Pump	1 Size

CF-SAR Tight Fitting Facepiece or Loose Fitting Hood			
Item #	Description	Size	
981400	Survivair Opti-Fit, 5-Pt. Strap, Side Port w/Rubber Breathing Tube	S	
981401	Survivair Opti-Fit, 5-Pt. Strap, Side Port w/Rubber Breathing Tube	M	
981403	Survivair Opti-Fit, 5-Pt. Strap, Side Port w/Rubber Breathing Tube	L	
981500	Survivair Opti-Fit, 5-Pt. Strap, Front Port w/Rubber Breathing Tube	S	
981501	Survivair Opti-Fit, 5-Pt. Strap, Front Port w/Rubber Breathing Tube	M	
981501	Survivair Opti-Fit, 5-Pt. Strap, Front Port w/Rubber Breathing Tube	L	
981292	Survivair 4000, 5-Pt. Strap for Welding, Black	S	
981290	Survivair 4000, 5-Pt. Strap for Welding, Black	Std	
CF-SAR Tight Fitting Half-Mask Facepiece			
Item #	Description	Size	
981310	Survivair Blue 1 Half-Mask	S	
981300	Survivair Blue 1 Half-Mask	M	

981381 Survivair 2000 Half-Mask **CF-SAR Loose Fitting Hoods**

981320

981379

981380

Survivair Blue 1 Half-Mask

Survivair 2000 Half-Mask

Survivair 2000 Half-Mask

Item #	Description	Size	
981820	Survivair Hood w/Polyester Lens, Sngl Bib, Knit Collar, Breath Tube	1 Size	

981840	Survivair Hood w/Polyester Lens, Sngl Bib, Knit Collar,	1 Size
	Plastic Breath Tube, Ratchet Suspension	
Survivair (Opti-Fit™ Accessories	
Item #	Description	
702019	Tinted Peel-Away Lens Covers (25 Per Package)	
702028	Clear Peel-Away Lens Covers (25 Per Package)	
962260 Prescription Spectacles Kit		
urvivair 4	4000™ Accessories	
Item #	Description	
140635	Smoke-Tinted Polyester Peel-Off Lens Covers (25 Per Package)	
140095	Clear Polyester Peel-Off Lens Covers (25 Per Package)	
980003	Prescription Spectacles Kit	
981814 Hard Hat Strap for 4000 Series Full Facepiece		
Hood Ac	cessories	
Item # Description		

Coupling Kit #1 and #2- Facepiece (Male fitting) and Air Source Connection (Female fitting) Note: Coupling type must be the same throughout the entire system If using Ambient Air Pump – must use OBAC couplings

Replacement Sngl Bib Full Tyvek Hood w/Knit Collar (1 Box of 3)

Item #	Description		
Coupling/Ho	ose Kits (if selected – do not need coupling kit #2)		
930863	Survivair 3/8" High Performance 100'		
930862	Survivair 3/8" High Performance 50'		
930861	Survivair 3/8" High Performance 25'		
930870	Survivair 3/8" High Performance 10'		
930804	Survivair 3/8" Standard Pressure 100'		
930802	Survivair 3/8" Standard Pressure 50'		
930801	Survivair 3/8" Standard Pressure 25'		
Hoses			
985247	OBAC Male Plug		
985248	OBAC Female Coupling		
930840	OBAC Kit (Includes 1 Male and 1 Female Fitting)		
930429	Foster Male Plug		
930424	Foster Female Coupling		
930810	Foster Kit (Includes 1 Male and 1 Female Fitting)		
930466	Hansen Male Plug		
930465	Hansen Female Coupling		
930830	Hansen Kit (Includes 1 Male and 1 Female Fitting)		
930433	Schrader Male Plug		
930437	Schrader Female Coupling		
930820	Schrader Kit (Includes 1 Male & 1 Female Fitting)		

Coupling/Hose Kits (if selected — do not need coupling kit #2)			
Item #	Description		
985241	Survivair 25' Hose w/OBAC Couplings for Ambient Air Pumps		
985242	Survivair 50' Hose w/OBAC Couplings for Ambient Air Pumps		
985244	Survivair 100' Hose w/OBAC Couplings for Ambient Air Pumps		
Ambient Air Pumps			

	Item #	Description
	985200	Survivair 3/4 HP Pump (Operates 1 Hood or 2 Tight-Fitting Facepieces)
	985210	Survivair 1/4 HP Pump (Operates 1 Tight-Fitting Facepiece)
	985225	Survivair 1-1/2 HP Pump (Operates 3 Hoods or 4 Tight-Fitting Facepieces)
	985244	Survivair 1-1/2 HP Pump (Operates 3 Hoods or 4 Tight-Fitting Facepieces)
Commission Demonstrates Constant		

Survivair Personal Vortex Coolers

S



FULL LINE SKU LISTING

Sperian Respiratory Protection

Pressure Demand Supplied Air Respirators

Tight-Fitting Pressure Demand SAR			
P968446 (Small), No Coupling, TC-19C-302			
P968445	(Medium), No Coupling, TC-19C-302		
P968447	(Large), No Coupling, TC-19C-302		
P968435	(Classic), w/P100, No Coupling, TC-84A-0229		
P968437	(Classic), Black (Welding), w/P100 Escape, No Coupling, TC-84A-0229		
P968455	2216 psig, Aluminum, w/out Quick Disconnect, No Coupling, TC-13F-300		
P968457	2216 psig, Aluminum, w/Quick Disconnect, No Coupling, TC-13F-300		
P968475	3000 psig, Aluminum, w/Quick Disconnect, No Coupling, TC-13F-301		
P968477	3000 psig, Aluminum, w/out Quick Disconnect, No Coupling, TC-13F-301		
P968605	4500 psig, Fully Wrapped Carbon, w/Quick Disconnect,		
	No Coupling, TC-13F-482		
P968615	4500 psig, Fully Wrapped Carbon, w/Quick Disconnect, No Coupling,		
	with COMPASS Integrated PASS Device, w/Buddy Breather, TC-13F-482		
P968500	3000 psig, Hoop-Wrapped Fiberglass, w/Quick Disconnect,		
	No Coupling, TC-13F-307		
P968452	Survivair Panther 5-Minute SCBA Conversion Kit (Hip-Pac w/out Facepiece		
	and Regulator, with Quick Disconnect), No Coupling		
P968453	Survivair Panther 5-Minute SAR Upgrade Kit		
	(to Convert Pressure Demand SAR to Hip-Pac)		
P968472	Survivair Panther 10-Minute SCBA Converersion Kit (Hip-Pac,		
	Alumuninum Cylinder, w/out Facepiece and Regulator,		
	w/Quick Disconnect), No Coupling		
P968473	Survivair Panther 10-Minute SAR Upgrade Kit		
	(to Convert Pressure Demand SAR to Hip-Pac)		
P968540	Survivair Panther 15-Minute SCBA Conversion Kit (Hip-Pac, w/out		
	Facepiece and Regulator, w/Quick Disconnect), No Coupling		
P968535	Survivair Panther 15-Minute SAR Upgrade Kit (to Convert Pressure		
	Demand SAR to Hip-Pac)		
975081	Spare Cylinder (2216 psig, Aluminum), 5-Minute Hip-Pac		
975154	Spare Cylinder (3000 psig, Aluminum), 10-Minute Hip-Pac		
917250	Spare Cylinder (4500 psig, Fully Wrapped Carbon), 10-Minute Hip-Pac		
968513	Spare Cylinder (3000 psig, Hoop-Wrapped Fiberglass), 15-Minute Hip-Pac		
P968454	Survivair Panther Hip-Pac w/out Cylinder, w/Quick Disconnect, No Coupling		
P968459	Survivair Panther Hip-Pacw/out Cylinder, w/out Quick Disconnect, No Coupling		

Air Line Coupling Hardware

Item #	Description		
930810	Survivair Foster Kit (1 Each, Male and Female)		
930424	Survivair Foster Coupling		
930429	Survivair Foster Plug		
930820	Survivair Schrader Kit (1 Each, Male and Female)		
930437	Survivair Schrader Coupling		
930433	Survivair Schrader Plug		
930830	Survivair Hansen Kit (1 Each, Male and Female)		
930465	Survivair Hansen Coupling		
930466	Survivair Hansen Plug		
945007	Survivair Hansen Kit - Stainless Steel (1 Each, Male and Female)		
945010 Survivair Hansen Stainless Steel Coupling			
945011	Survivair Hansen Stainless Steel Plug		

Air Line Hose

Item #	Grade	Description
930801	Lightweight	Survivair 25' Hose w/out Couplings
930802	Lightweight	Survivair 50' Hose w/out Couplings
930804	Lightweight	Survivair 100' Hose w/out Couplings

930870	High Performance	Survivair 10' Hose w/out Couplings
930861	High Performance	Survivair 25' Hose w/out Couplings
930862	High Performance	Survivair 50' Hose w/out Couplings
930864	High Performance	Survivair 100' Hose w/out Couplings

Standard Accessories

Item #	Description	
951015	Survivair Anti-Fog Solution (1 Oz.)	
951016	Survivair Anti-Fog Solution (16 Oz.)	
962900	APR Adapter/Quantitative Fit Test Adapter, Pressure Demand SAR (No	
	Nose Cup Included - TwentyTwenty/TwentyTwenty Plus Facepiece)	
962911	APR Adapter/Quantitative Fit Test Adapter, Pressure Demand SAR (Slotted	
	${\bf Medium\ Nose\ Cup\ Included\ -\ TwentyTwenty/TwentyTwenty\ Plus\ Facepiece)}$	
962912	${\sf APR}\ {\sf Adapter/Quantitative}\ {\sf Fit}\ {\sf Test}\ {\sf Adapter},\ {\sf Pressure}\ {\sf Demand}\ {\sf SAR}\ ({\sf Slotted}$	
	Standard Nose Cup Included - Classic Facepiece)	
962913	$\label{eq:APR-Adapter-Quantitative} \ \ \text{Fit Test Adapter, Pressure Demand SAR (Slotted)}$	
	Large Nose Cup Included - Classic Facepiece)	
B140096	Facepiece Cleaner Box (100 Each)	
140082	Facepiece Cleaner Canister (220 Each)	
980500	Fit Test Adapter, Mark 2-Style Pressure Demand SAR	
966065	Hip-Pac Bag	
968027	Hip-Pac Carrying Case (All Models)	
B140095	Lens Cover (25 Each) - Classic Facepiece	
702028	Lens Cover, Clear (25 Each) - Survivair TwentyTwenty Plus Facepiece	
941899	Probed Full Facepiece Lens Kit - Classic Facepiece	
962253	Probed Full Facepiece Lens Kit – Survivair TwentyTwenty Facepiece	
962262	Probed Full Facepiece Lens Kit – Survivair TwentyTwenty Plus Facepiece	
962920	Quantitative Fit Test Adapter, Survivair Panther-Style Pressure Demand	
	SAR (Requires 962900/11/12)	
995605	Survivair SAR Video	
941107	Survivair Spectacles Kit – XL-Style Facepiece	
980003	Survivair Spectacles Kit - Classic Facepiece	
962260	Survivair Spectacles Kit - TwentyTwenty/TwentyTwenty Plus Facepiece	
980200	Survivair Suit Pass-Through Kit	
940118	Survivair Zipper Facepiece Bag	

Survivair Air Cart

Item #	Pressure	Description
731200	Low (2216 psig)	w/out Cylinders, w/out Fittings
731240	Low (2216 psig)	High Pressure Bypass (Quick-Disconnect Sold Separately)
731250	High (4500 psig)	w/out Cylinders, w/out Fittings
731245	High (4500 psig)	High Pressure Bypass

Survivair Cascade System

Item #	Ref. No.	Description
238010	1	Tee Connection, CGA 346 (3000 psi Maximum)
238009	2	Tee Connection, CGA 347 (5500 psi Maximum)
731158	3	Pigtail Hose, CGA 346 to CGA 347 (3000 psi Maximum)
731157	4	Pigtail Hose, CGA 346 to CGA 347 (5500 psi Maximum)
912005	5	Man Regulator w/out Couplings (3000 psi Maximum)
731020	6	Man Regulator w/out Couplings (5500 psi Maximum)
960020	7	Relief Valve
960603	8	Audible Alarm, CGA 346 LP
960642	9	Audible Alarm, CGA 347 HP
960050	10	Manifold with Threaded Plugs
960056	11	Threaded Plug
731012	12	Isolation or Bleed Valve (3000 psi Maximum)
731013	13	Isolation or Bleed Valve (5500 psi Maximum)

FULL LINE SKU LISTING



Sperian Respiratory Protection

SAR Attachment Kit for 1997-Style

Survivair Panther® and Survivair Cougar™/Puma™ SCBAs

Item #	Description
961800	Survivair Supplied Air Attachment Kit, 1997-Style
961522	Survivair Supplied Air Attachment Kit, 2002-Style Survivair Panther SCBA

Survivair Suit Pass-Through Kit

Item #	Description
980200	Survivair Suit Pass-Through Kit Survivair Panther/Cougar/Puma SCBA

Respiratory Fit Test Kits

Fit Test Kits

Item #	Description
140090	Survivair Irritant Smoke Fit Test Kit
140038	Replacement Tubes, Irritant Smoke Fit Test Kit, 6/Box
193140	Survivair Isoamyl Acetate (IAA) Fit Test Kit
194040	Survivair Deluxe Fit Test Kit, Isoamyl Acetate (IAA)
193170	Survivair Bitrex Fit Test Kit
193171	Survivair Bitrex Fit Solution
193172	Survivair Bitrex Sensitivity Solution
420025	Survivair Probed Fit Test Adapter, QNFT, S-Series Facepieces
193120	Survivair Saccharin Fit Test Kit

Accessories

Fit Test Videos

Item #	Description
260081	DVD. Survivair Fit Testing Use/Care Video (English and Spanish)

OSHA MedCert

Item #	Description
230096	Survivair OSHA MedCert Online Medical Evaluation

Self-Contained Breathing Apparatus

Survivair	Cougar™
-----------	---------

888888 Survivair Cougar	Item #	Description
	888888	Survivair Cougar

Survivair Puma™

Item #	Description
777777	Survivair Puma

SCBA Accessories

Survivair CommCommand™ Communications

Item #	Description
X242135	Survivair CommCommand Wireless Radio Communication System (RCS)
X242136	Survivair CommCommand Voice Amplification System (VAS)
X242137	Survivair CommCommand RCS and VAS (Combo)
X242138	Survivair CommCommand Facepiece Modification Kit (VAS w/out
	Amplifier Module)

Survivair CN/CS/WMD Adapter

Item #	Description
960150	Survivair CN/CS/WMD Adapter
168800	Survivair CN/CS/OS w/P100 Canister

Fit Test Adapters

Item #	Description
962900	Survivair APR Adapter/Qualitative Fit Test Adapter
962920	Survivair Quantitative Fit Test Adapter (Requires 962900)

Warrior™ Digital Dashboard

Item #	Description
974444	Complete kit – HUD Display Module for Facepiece and IR Module for
	Second Stage Regulator
974544	HUD Module Only
975608	Replacement IR Module for Second Stage Regulator

Warrior™ Remote Push-To-Talk

Item #	Description
970025	Remote Push-to-Talk Kit

Abbreviation Key:

Blk	Black
Breath	Breathing
Btry/Blwr	Battery and Blower
Exhal	Exhalation
Facepc	Facepiece
Orgn	Organic
Sngl	Single
RBT	Rubber Breathing Tube









SPERIAN Protection Americas, Inc. 900 Douglas Pike Smithfield, RI 02917 Tel: 800 343-3411 Fax: 800 322-1330 www.sperian.com




SAFETY PRODUCTS CATALOG 2010



INDUSTRIAL SAFETY GROUP





SPERIAN INSTRUMENTATION TABLE OF CONTENTS

• Single-Sensor Gas Monitors

• Multi-Sensor Gas Monitors

• Fixed Systems

• Air Filtration System

• SCBA Performance Tester

• Reference: Docking Stations

• Sperian Instrumentation Full Line SKU Listing

MARNING! Sperian® equipment should only be used in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury or fatality.



Sperian Instrumentation

GAS DETECTION PRODUCTS

Sperian Protection Instrumentation offers a complete line of gas detection products that are easy to use, easy to maintain and budget-friendly. Since 1981, Sperian Protection and its predecessor companies have been a world leader in designing and manufacturing these high quality products that allow safe work in hazardous environments. From confined space gas detectors to respirator maintenance equipment and other monitoring systems, Sperian® products work at optimum levels under extreme conditions.

Sperian Instrumentation strives to make gas detectors and calibration stations that are easy to use and maintain.

The Biosystems PHD6™ is our newest multi-gas detector. Fifteen available toxic gas sensors, along with oxygen, LEL, a PID sensor for

the detection of Volatile Organic Compounds (VOCs), and IR sensors for the detection of CO_2 and CH_4 make it our most versatile gas detector ever. In addition, the Biosystems PHD6 offers automatic calibration, menu control over all instrument settings and a status bar with easily-understood icons at the bottom of the LCD to give the user immediate access to everything from time to calibration status. With 5 sensor ports and up to 6 channels of detection, the Biosystems PHD6 is a powerful ally to help keep you safe in dangerous conditions.

The Biosystems IQ6™ Dock is designed from the ground up to be the easiest to use dock on the market. The dock is configured at the factory with default settings and can be used right out of the box for instrument processing. More advanced users will appreciate the standard USB or optional Ethernet connections. The automatic instrument download feature allows the user to streamline

recordkeeping and makes it virtually hands-free. Common Biosystems PHD6 configurations can be processed by the dock in under a minute, reducing labor and calibration gas expenses.

www.sperian.com



Single-Sensor Gas Monitors



Biosystems ToxiLtd®

INSTRUMENTATION

- Two-year disposable single gas detector
- Compact and rugged design with one-button operation
- Top and front-mounted bright LED
- · Continuous real-time gas reading during alarm
- · Optional vibrating alarm
- · Automatic event logger
- Compatible with the Biosystems IQ Express™ Single Gas Docking Station

Item #Description54-44-01Carbon Monoxide54-44-02Hydrogen Sulfide

Value pack and vibrating alarm options available; accessories also available



Biosystems ToxiPro®

- Compact and rugged design with one-button operation
- Available sensors: O₂, CO, CO+, H₂S, SO₂, Cl₂, ClO₂, NH₃, NO₂, PH₃, HCN, CO-H
- Three highly visible yellow and red alarm LEDs that chase
- Continuous real-time gas reading during alarm
- · Blackbox data recorder and event logger standard
- Optional vibrating alarm, datalogging, and case
- Compatible with the Biosystems IQ Express™ Single-Gas Docking Station

Item #Description54-45-90Oxygen54-45-01Carbon Monoxide54-45-02Hydrogen Sulfide

Value pack, vibrating alarm and datalogging options available; replacement sensors and accessories also available

Biosystems ToxiPro® by Sperian has three visual alarm windows for increased worker safety. Each alarm window comes standard with both high visibility yellow and red alarm LEDs. Plus, the Biosystems ToxiPro has an audible alarm that is 10% louder than previous models!



Additional options available. Visit www.sperian.com or contact Sperian Customer Care for ordering information.

INSTRUMENTATION



Single-Sensor Gas Monitors

Biosystems IQ Express™ Docking Station

- A fully automated bump test and calibration station for the Biosystems ToxiPro® and ToxiLtd® single gas monitors
- Automatically identifies instrument, tests alarms and battery, and downloads records
- · Automatic instrument calibration, if necessary
- Link up to four docks to a single gas supply
- Connects to PC via USB port or Ethernet (optional)
- Demand flow regulators, calibration gas and Biosystems ToxiPro and ToxiLtd each sold separately

Item #	Description
54-46-9000	IQ Express with Accessories for O ₂ , CO, SO ₂ , or H ₂ S Instruments
54-46-9100N	Ethernet-Ready Enhanced IQ Express for $\rm O_2$, CO, $\rm H_2S$, SO $_2$, CI $_2$, NO $_2$, NH $_3$, HCN, or PH $_3$ Instruments

Demand flow regulators, calibration gas and Biosystems ToxiPro/ToxiLtd each sold separately

Biosystems Toxi Vision® IR

- Utilizes Infrared Sensor Technology
- CO2 or CH4 versions available
- Rugged, chrome metal-plated, single sensor gas detector
- · Easy one-button operation
- · Large LCD display can be seen easily from several feet away
- RFI protection prevents operating interference from electronic devices
- Optional internal vibrating alarm and value pack available

Item #	Description
54-37-50A	CO ₂ Detector with Alkaline Battery
54-37-51N	CH. Detector with Rechargeable Battery

Additional options available; contact Sperian Customer Care for complete ordering information

Biosystems Toxi Vision® EX

- Rugged, nickel-plated single sensor gas monitor for the detection of combustible gas
- Utilizes a poison-resistant catalytic bead sensor which increases sensor longevity
- RFI shielding prevents operating interference from two-way radios and other electronic devices
- Up to 13-hour battery life, 15-hours for NiMH rechargeable
- Event logger and blackbox recorder are standard equipment on the NiMH version
- Optional internal vibrating alarm and value pack available

Item #	Description
54-37-80A	Combustible Gas Detector with Alkaline Batteries
54-37-80N	Combustible Gas Detector with Rechargeable Battery





Additional options available.
Visit www.sperian.com or contact Sperian
Customer Care for ordering information.



Multi-Sensor Gas Monitors



Biosystems PHD6™ Confined Space Gas Monitor

· Monitors up to six atmospheric hazards simultaneously

INSTRUMENTATION

- Sensors available for oxygen, combustible gas, volatile organic compounds, and several different toxic gases
- Optional Photo Ionization (PID) sensor available for the detection of VOCs
- Optional IR sensors available for the detection of CO2 or CH4
- Built-in blackbox data recorder and datalogging option provides a record of atmospheric conditions during operation
- · Optional screw-on pump with automatic leak test and low flow alarm
- Compatible with the Biosystems IQ6™ Docking System

Item #	Description
54-53-A14008000AV	O ₂ /Duo-Tox (CO/H ₂ S)/LEL Alkaline Value Pack
54-53-A01028085N	O ₂ /CO/H ₂ S/LEL/PID Rechargeable
54-53-A01028050N	O ₂ /CO/H ₂ S/LEL/IR-CO ₂ Rechargeable
54-53-A14005100NC	$\rm O_2/Duo\text{-}Tox~(CO/H_2S)/IR\text{-}CH_4~Rechargeable~Complete~Kit}$



Biosystems IQ6™ Docking Station

- A fully automated bump test and calibration station for the Biosystems PHD6™ gas monitor
- Automatically identifies instrument, tests alarms/battery, downloads records
- Automatic instrument bump test and calibration, if necessary
- Connects to PC via USB port or Ethernet
- Recharges instrument if left in dock (rechargeable Biosystems PHD6 only)
- Demand flow regulators, calibration gas and Biosystems PHD6 sold separately



Item #	Description
54-54-9200	Biosystems IQ6 Dock w/Software, Installation Disks and Manual
54-54-9200N	Ethernet-Ready Biosystems IQ6 Dock

Demand flow regulators, calibration gas and Biosystems PHD6 sold separately



Biosystems MultiPro™ Confined Space Gas Monitor

- · Real-time readings of up to four gases simultaneously
- · Easy one-button operation and calibration
- · Large, easy-to-read, front-mounted, backlit LCD display
- Optional screw-on pump with automatic leak test and low flow alarm
- · Automatic event logger, blackbox recorder and optional datalogging
- Interchangeable alkaline or rechargeable Li-Ion battery packs
- Compatible with Biosystems MultiPro™ IQ Express™ Docking Station

Item #	Description
54-48-301A	O ₂ /CO/LEL Alkaline
54-48-302N	0 ₂ /H ₂ S/LEL Rechargeable
54-48-314AV	O ₂ /Duo-Tox (CO/H ₂ S)/LEL Alkaline Value Pack
54-48-314NC	O ₂ /Duo-Tox (CO/H ₂ S)/LEL Rechargeable Complete Kit

Additional options and accessories available; contact Sperian Customer Care for complete ordering information

Additional options available. Visit www.sperian.com or contact Sperian Customer Care for ordering information.



Multi-Sensor Gas Monitors

Biosystems MultiPro™ IQ Express™ Docking Station

- Fully automated bump test and calibration station for the Biosystems MultiPro gas detector
- Automatically identifies instrument, tests alarms and battery, and downloads records
- Automatic instrument bump test and calibration, if necessary
- Connects to PC via USB port or Ethernet (optional)
- Demand flow regulators, calibration gas and Biosystems MultiPro sold separately

		1
Item #	Description	
54-49-9000	Biosystems MultiPro IQ Express Dock w/Software,	
	Installation Disks, Manual	- 1
54-49-9000N	Ethernet-Ready Biosystems MultiPro IQ Express Dock	
Demand flow regulators	s, calibration gas and Biosystems MultiPro sold separately; compatible with docking	station



- Easy one-button operation and automatic calibration
- · Rugged and weatherproof chrome-plated ABS case
- · Optional built-in pump
- Confined space kit and value pack available

Item #	Description
54-40-30100A	O ₂ /CO/LEL Alkaline
54-40-30200N	O ₂ /H ₂ S/LEL Rechargeable
54-40-30102AV	O ₂ /Duo-Tox (CO/H ₂ S)/LEL Alkaline Value Pack
54-40-30102NC	$O_2/Duo ext{-}Tox (CO/H_2S)/LEL$ Rechargeable Complete Kit

Biosystems Cannonball3™

- Available with optional, high-sensitivity combustible gas sensor capable of displaying trace PPM-level combustible gases and vapors
- Optional patented dilution pump for proper monitoring of combustible gases and vapors in oxygen deficient (less than 10%) or oxygen-free (fully inerted) environments
- · Scratch-resistant, oversized display for easy reading
- Large control buttons and navigation arrows are designed for use with a gloved hand
- Three bright visual alarms ensure that at least one of the LEDs can be viewed at all times

Item #	Description
54-34-30102N	O ₂ /CO/H ₂ S/LEL Rechargeable
54-35-30102N	O ₂ /CO/H ₂ S/LEL Rechargeable with Dilution Pump





Additional options available.
Visit www.sperian.com or contact Sperian
Customer Care for ordering information.



Fixed Systems

The Biosystems NXP™ is a safe and reliable fixed placement gas detection system that is both cost effective and ultra easy to install.

The NXP offers a full range of installation options and incredible standard features. You can relax with the NXP on the job. Plug it in. Be protected.

NEW! Biosystems NXP™

INSTRUMENTATION

- Plugs into standard wall outlet for easy installation
- Integrated twin color high-intensity strobes
- Integrated 105dB Audio Alarm
- Three user-available programmable on-board relays: Warning, Danger and Fault
- On-board event logger records last 128 events
- Tough IP66, NEMA 4X housing protects unit in harsh conditions or during wash-downs
- Unit can be a stand-alone monitor, a remote sensing head and single point control unit or as a transmitter in a larger system

Item #	Description
54-55-010	Carbon Monoxide
54-55-020	Hydrogen Sulfide
54-55-190	Carbon Monoxide with Reduced Hydrogen Sensitivity
54-55-900	Oxygen

NEVV.

Safety orange housing option available; accessories also available

Air Filtration System



The Biosystems TravelPanel 50MP sets the benchmark for ease of use in the portable air filtration market.

Filter changes can be made in just a few minutes. Locking stabilizer legs keep it upright. Calibration of the built-in Biosystems MultiPro gas detector can be made in under a minute.

Additional options available.
Visit www.sperian.com or contact Sperian
Customer Care for ordering information.

For more information or to order products on this page, please call Customer Care at 800 711-6776.

Biosystems TravelPanel™ 50MP (Portable Air Filtration System)

- Designed to deliver Grade-D breathing air for up to four workers using supplied air respirators
- Can supply 50 CFM (cubic feet per minute) of purified air
- Three stage filtration system removes particulates, liquids, oil mists and odors. Includes automatic filter change indicator
- Available with NiMH rechargeable or alkaline battery, both with run times as long as 100 hours
- Rugged Pelican™ case with optional stabilizer legs
- Built-in Biosystems MultiPro™ gas detector automatically monitors outlet air for CO (carbon monoxide) contamination
- · Optional wall mounting bracket available

Item #	Options
CO/O ₂ Sensors	
54-50-331NH0	LED Strobe Light, Locking Stabilizer Legs, Low Pressure Alarm, Rechargeable Battery, and Hansen Outlet Fittings
54-50-300NH1	No Additional Alarm Options, Rechargeable Battery, Hansen Outlet Fittings, MultiPro Datalogger Upgrade, Yellow Case
54-50-331NH3B	LED Strobe Light, Locking Stabilizer Bars, Low Pressure Alarm Option, Rechargeable Battery, Hansen Outlet Fittings, Biosystems MultiPro Datalogger Upgrade and Dustcovers, Black Case
CO Sensor Only	
54-50-100NS0	No Additional Alarm Options, Rechargeable Battery, Schrader Outlet Fittings, No Secondary Options, Yellow Case

Optional wall mounting bracket available

SCBA Performance Tester

INSTRUMENTATION

NEW! Biosystems Posi 3 USB™ (SCBA Performance Tester)

- USB communication capability
- Computerized test bench, tests performance of virtually any brand SCBA
- Tests Low Pressure (2216 psig) and High Pressure (4500 psig) units
- Optional Sound Detection System (SDS) automates the primary audible alarm test
- Quick Test evaluates the operational readiness of a SCBA in less than 2 minutes

Item #	Description
54-56-1117	Low and High Pressure (2216 and 4500 psig) with Middle Stage Transducer, Including Enhanced Precision (EP) Transducer and Biosystems Posi 3 USB SCBA Test Software
54-56-1117-L	Biosystems Posi 3 USB (EP) with Laptop Computer Package
54-56-2117	Low and High Pressure (2216 and 4500 psig) with Middle Stage Transducer, Including Enhanced Precision (EP) Transducer, Sound Detection System (SDS) and Biosystems Posi 3 USB SCBA Test Software
54-56-2117-L	Biosystems Posi 3 USB (EP and SDS) with Laptop Computer Package

Upgrade Your Existing PosiChek3®

Item #	Description
54-21-09	Upgrade a Biosystems PosiChek3 to a Biosystems Posi 3 USB
54-21-10	Upgrade a Biosystems PosiChek3 with Sound Detection System
	to a Biosystems Posi 3 USB



The Biosystems Posi 3 USB™ is the industry's leading NFPA-Compliant SCBA Test Bench.

Fire Departments, refineries, chemical plants, and nuclear power stations rely on the Biosystems Posi 3 USB to verify that their SCBAs are fit for use.



Additional options available.
Visit www.sperian.com or contact Sperian
Customer Care for ordering information.

Reference: Docking Stations

Docks: The Most Important Part of an Effective Gas Detection Program

INSTRUMENTATION


At Sperian Protection, we're convinced that we make the best docks on the market. Our docks offer incredible processing power and flexibility while being extremely easy to use. The worker just drops the detector in the dock at the beginning of his or her shift and the dock processes the instrument according to your recordkeeping protocols. It's that easy.

1. Docks reduce calibration gas expenses

Sperian's docks use a lot less gas than is used during manual calibrations. Here's an example: If you have 10 Biosystems MultiPro™ gas detectors and follow the ISEA guideline that recommends daily sensor verification, you could spend over \$10,000 per year in gas costs. If you purchase a dock, you can reduce your gas costs by over 60%. So the Biosystems IQ Express™ Dock could save you well over \$6,000 per year in gas costs alone.

2. Docks reduce labor expenses by cutting down on the time needed to perform a calibration

To set up and perform a manual bump test of a single instrument takes the average user about 2 minutes. A Biosystems IQ Express™ Dock can perform a bump test in about 22 seconds. If you need to bump 10 instruments every morning, you could save over 60 hours of labor by the end of the first year.



Let's face it: Recordkeeping is a lot of work. Downloading individual instrument records one at a time into a PC can take hours. Tracking calibration and exposure records by hand is even worse. In a Biosystems IQ Express™ Dock, both of these procedures occur automatically during instrument processing.

4. Docks can reduce your legal liability

No matter how good your recordkeeping is, manual systems are prone to error. In case of an accident, errors mean liability. Our docks accurately record every test. Your recordkeeping is flawless.



Sperian's IQ Docking Stations pay for themselves in no time!

FULL LINE SKU LISTING



Sperian Instrumentation

Single-Sensor Gas Monitors

Biosystems ToxiLtd® Single Gas Detector

Item #	Description
54-44-01	Biosystems ToxiLtd with CO Sensor
54-44-01V	Biosystems ToxiLtd with CO Sensor w/Vibrating Alarm
54-44-02	Biosystems ToxiLtd with H ₂ S Sensor
54-44-02V	Biosystems ToxiLtd with H ₂ S Sensor w/Vibrating Alarm

Biosystems ToxiPro® Single Gas Detector

Item #	Description
54-45-90	Biosystems ToxiPro with O ₂ Sensor
54-45-90V	Biosystems ToxiPro with O ₂ Sensor w/Vibrating Alarm
54-45-01	Biosystems ToxiPro with CO Sensor
54-45-01V	Biosystems ToxiPro with CO Sensor w/Vibrating Alarm
54-45-05	Biosystems ToxiPro with CO+ Sensor
54-45-05V	Biosystems ToxiPro with CO+ Sensor w/Vibrating Alarm
54-45-19	Biosystems ToxiPro with CO-H Sensor
54-45-19V	Biosystems ToxiPro with CO-H Sensor w/Vibrating Alarm
54-45-02	Biosystems ToxiPro with H ₂ S Sensor
54-45-02V	Biosystems ToxiPro with H ₂ S Sensor w/Vibrating Alarm
54-45-03	Biosystems ToxiPro with SO ₂ Sensor
54-45-03V	Biosystems ToxiPro with SO ₂ Sensor w/Vibrating Alarm
54-45-21	Biosystems ToxiPro with NH ₃ Sensor
54-45-21V	Biosystems ToxiPro with NH ₃ Sensor w/Vibrating Alarm
54-45-18	Biosystems ToxiPro with Cl ₂ (specific) Sensor
54-45-18V	Biosystems ToxiPro with Cl ₂ (specific) Sensor w/Vibrating Alarm
54-45-20	Biosystems ToxiPro with CIO ₂ Sensor
54-45-20V	Biosystems ToxiPro with CIO ₂ Sensor w/Vibrating Alarm
54-45-09	Biosystems ToxiPro with NO ₂ Sensor
54-45-09V	Biosystems ToxiPro with NO ₂ Sensor w/Vibrating Alarm
54-45-10	Biosystems ToxiPro with HCN Sensor
54-45-10V	Biosystems ToxiPro with HCN Sensor w/Vibrating Alarm
54-45-13	Biosystems ToxiPro with PH ₃ Sensor
54-45-13V	Biosystems ToxiPro with PH ₃ Sensor w/Vibrating Alarm
Diagradama T	TaviBua® Bankasamant Canagus

Biosystems ToxiPro® Replacement Sensors

Item #	Description
54-47-90	Biosystems ToxiPro O ₂ Sensor Oxygen (2 Years)
54-47-01	Biosystems ToxiPro CO Sensor
54-47-05	Biosystems ToxiPro CO+ Dual purpose CO/H ₂ S Sensor
	(Provides a Non-Specific Readout for CO and H ₂ S)
54-47-19	Biosystems ToxiPro CO-H Sensor, Reduced Sensitivity to H ₂
54-47-02	Biosystems ToxiPro H ₂ S Sensor
54-47-03	Biosystems ToxiPro SO ₂ Sensor
54-47-15	Biosystems ToxiPro SO ₂ -Ext Sensor (extended range)
54-47-21	Biosystems ToxiPro NH ₃ Sensor
54-47-18	Biosystems ToxiPro Cl ₂ Sensor (specific)
54-47-20	Biosystems ToxiPro CIO ₂ Sensor (specific)
54-47-09	Biosystems ToxiPro NO ₂ Sensor
54-47-10	Biosystems ToxiPro HCN Sensor
54-47-13	Biosystems ToxiPro PH ₃ Sensor

Biosystems ToxiPro®/ToxiLtd® IQ Express™ Docking Station

Item #	Description	
54-46-9000	Biosystems IQ Express Docking Station, Standard Version	
	(for O_2 , CO , SO_2 or H_2S)	

54-46-9000N	Biosystems IQ Express Docking Station, Ethernet-Ready Standard
	Version (for O ₂ , CO, SO ₂ or H ₂ S)
54-46-9100	Biosystems IQ Express Dock, Enhanced Version (for O ₂ , CO, H ₂ S, SO ₂ ,
	Cl ₂ , NO ₂ , NH ₃ , HCN or PH ₃)
54-46-9100N	Biosystems IQ Express Dock, Ethernet-Ready Enhanced (for O_2 , CO , $\mathrm{H}_2\mathrm{S}$,

Biosystems Toxi Vision® IR Single Gas Detector

SO₂, Cl₂, NO₂, NH₃, HCN or PH₃)

Item #	Description
54-37-50A	Biosystems Toxi Vision IR CO ₂ with Alkaline Batteries
54-37-50N	Biosystems Toxi Vision IR CO2 with Rechargeable Battery
54-37-51A	Biosystems Toxi Vision IR CH ₄ with Alkaline Batteries
54-37-51N	Riosystems Toxi Vision IR CH, with Rechargeable Rattery

Biosystems Toxi Vision® EX Single Gas Detector

Item #	Description
54-37-80A	Biosystems Toxi Vision EX with Alkaline Batteries
54-37-80N	Biosystems Toxi Vision EX with Rechargeable NiMH Battery

Multi-Sensor Gas Monitors

Biosystems PHD6™ Multi-Gas Detector

Biosystems PHD6"	" Multi-Gas Detector
Item #	Description
54-53-A14008000AV	O ₂ /Duo-Tox (CO/H ₂ S)/LEL Alkaline Value Pack
54-53-A14005100NC	O ₂ /Duo-Tox (CO/H ₂ S)/IR-CH ₄ Rechargeable Complete Kit
54-53-A01028000A	Biosystems PHD6 with O ₂ /CO/H ₂ S/LEL Alkaline
54-53-A01028000AV	Biosystems PHD6 with O ₂ /CO/H ₂ S/LEL Alkaline Value Pack
54-53-A01028000AC	Biosystems PHD6 with O ₂ /CO/H ₂ S/LEL Alkaline Confined Space Kit
54-53-A01028000N	Biosystems PHD6 with O ₂ /CO/H ₂ S/LEL Li-Ion Rechargeable
54-53-A01028000NC	Biosystems PHD6 with O ₂ /CO/H ₂ S/LEL Li-Ion Confined Space Kit
54-53-A01028000ND	Biosystems PHD6 with $O_2/CO/H_2S/LEL$ Li-Ion, Datalogger Upgrade
54-53-A01028000NY	Biosystems PHD6 with O ₂ /CO/H ₂ S/LEL Li-Ion, Vibrating Alarm
54-53-A01028000NW	Biosystems PHD6 with O ₂ /CO/H ₂ S/LEL Li-Ion, Datalogger Upgrade, Vibrating Alarm
54-53-A14035100N	Biosystems PHD6 with O ₂ /Duo-Tox(CO/H ₂ S)/SO ₂ /IR-CH ₄ Li-Ion Rechargeable
54-53-A14035100NC	Biosystems PHD6 with $\rm O_2/Duo\text{-}Tox(CO/H_2S)/SO_2/IR\text{-}CH_4$ Li-Ion Confined Space Kit
54-53-A01028050N	Biosystems PHD6 with O ₂ /CO/H ₂ S/LEL/IR-CO ₂ Li-Ion Rechargeable
54-53-A01028050NC	Biosystems PHD6 with O ₂ /CO/H ₂ S/LEL/IR-CO ₂ Li-Ion Confined Space Kit
54-53-A01028085N	Biosystems PHD6 w/O ₂ /CO/H ₂ S/LEL/PID Li-Ion Rechargeable
54-53-A01028085NC	Biosystems PHD6 w/O ₂ /CO/H ₂ S/LEL/PID Li-Ion Confined Space Kit
54-53-A14038000N	Biosystems PHD6 with O ₂ /Duo-Tox(CO/H ₂ S)/SO ₂ /LEL Li-lon Rechargeable
54-53-A14038000NC	Biosystems PHD6 with O ₂ /Duo-Tox(CO/H ₂ S)/SO ₂ /LEL Li-Ion Confined Space Kit
54-53-A14218085N	Biosystems PHD6 with $O_2/Duo\text{-Tox}(CO/H_2S)/NH_3/LEL/PID Li-lon$ Rechargeable
54-53-A14218085NC	Biosystems PHD6 with O ₂ /Duo-Tox(CO/H ₂ S)/NH ₃ /LEL/PID Li-Ion Confined Space Kit
54-53-A14188085N	Biosystems PHD6 with $O_2/Duo\text{-Tox}(CO/H_2S)/Cl_2/LEL/PID Li-lon$ Rechargeable
54-53-A14188085NC	Biosystems PHD6 with O ₂ /Duo-Tox(CO/H ₂ S)/Cl ₂ /LEL/PID Li-Ion Confined Space Kit
54-53-A14108085N	Biosystems PHD6 with O ₂ /Duo-Tox(CO/H ₂ S)/HCN/LEL/PID Li-Ion



FULL LINE SKU LISTING

Sperian Instrumentation

Biosystems PHD6™ Multi-Gas Detector (continued)

Item #	Description
54-53-A14108085NC	Biosystems PHD6 with O ₂ /Duo-Tox(CO/H ₂ S)/HCN/LEL/PID Li-Ion
	Confined Space Kit

Biosystems IQ6™ Docking Station for PHD6

Item #	Description
54-54-9200	Biosystems IQ6 Docking Station for Biosystems PHD6
54-54-9200N	Biosystems Ethernet-Ready IQ6 Docking Station for Biosystems PHD6

Biosystems MultiPro™ Multi-Gas Detector

•	
Item #	Description
54-48-300A	Biosystems MultiPro with O2/LEL Alkaline
54-48-300AV	Biosystems MultiPro with O2/LEL Alkaline Value Pack
54-48-300AC	Biosystems MultiPro with O ₂ /LEL Alkaline Complete Kit
54-48-300N	Biosystems MultiPro with O2/LEL Li-Ion Rechargeable
54-48-300NV	Biosystems MultiPro with O2/LEL Li-Ion Value Pack
54-48-300NC	Biosystems MultiPro with O2/LEL Li-Ion Complete Kit
54-48-301A	Biosystems MultiPro with O2/LEL/CO Alkaline
54-48-301AV	Biosystems MultiPro with O2/LEL/CO Alkaline Value Pack
54-48-301AC	Biosystems MultiPro with O2/LEL/CO Alkaline Complete Kit
54-48-301N	Biosystems MultiPro with O2/LEL/CO Li-Ion Rechargeable
54-48-301NV	Biosystems MultiPro with O2/LEL/CO Li-Ion Value Pack
54-48-301NC	Biosystems MultiPro with O2/LEL/CO Li-Ion Complete Kit
54-48-302A	Biosystems MultiPro with O ₂ /LEL/H ₂ S Alkaline
54-48-302AV	Biosystems MultiPro with O2/LEL/H2S Alkaline Value Pack
54-48-302AC	Biosystems MultiPro with O2/LEL/H2S Alkaline Complete Kit
54-48-302N	Biosystems MultiPro with O2/LEL/H2S Li-Ion Rechargeable
54-48-302NV	Biosystems MultiPro with O2/LEL/H2S Li-Ion Value Pack
54-48-302NC	Biosystems MultiPro with O2/LEL/H2S Li-Ion Complete Kit
54-48-314A	Biosystems MultiPro with O2/LEL/CO/H2S Alkaline
54-48-314AV	Biosystems MultiPro with O2/LEL/CO/H2S Alkaline Value Pack
54-48-314AC	Biosystems MultiPro with O ₂ /LEL/CO/H ₂ S Alkaline Complete Kit
54-48-314N	Biosystems MultiPro with O2/LEL/CO/H2S Li-Ion Rechargeable
54-48-314NV	Biosystems MultiPro with O ₂ /LEL/CO/H ₂ S Li-Ion Value Pack
54-48-314NC	Biosystems MultiPro with O ₂ /LEL/CO/H ₂ S Li-Ion Complete Kit
Rinevetame Mu	ItiPro™ Sansars

Biosystems MultiPro™ Sensors

Item #	Description
54-49-80	Biosystems MultiPro LEL Sensor (Combustible Gas)
54-49-90	Biosystems MultiPro O ₂ Sensor (Oxygen)
54-49-01	Biosystems MultiPro CO Sensor (Carbon Monoxide)
54-49-02	Biosystems MultiPro H₂S Sensor (Hydrogen Sulfide)
54-49-14	Biosystems MultiPro Duo-Tox Sensor (Dual Channel CO/H ₂ S)
54-49-200	Biosystems MultiPro Sensor Exchange Set O ₂ , LEL, Duo-Tox
54-49-201	Biosystems MultiPro Sensor Exchange Set O ₂ , LEL, CO
54-49-202	Biosystems MultiPro Sensor Exchange Set O ₂ , LEL, H ₂ S

Diosysteins M	ultillo Accessories
Item #	Description
54-49-103-1	Slip-In Fast Charger (110 VAC) for Biosystems MultiPro
	Includes "Wall Cube" Supply
54-49-103-12	Slip-In Fast Vehicle Charger (12 VDC) for Biosystems MultiPro
	Includes Adapter, and Vehicle Mounting Hardware
54-49-106	Biosystems MultiPro Alkaline Battery Pack
54-49-107	Biosystems MultiPro Li-Ion Rechargeable Battery Pack
54-49-108	Biosystems MultiPro Datalogger Upgrade. Software and Activation
	Codes. Serial Number Required to Order
54-26-0603	MultiPro Biotrak Software Kit. Includes Biotrak Software and Manual

Biosystems MultiPro™ IQ Express Dock

Item #	Description
54-49-9000	Biosystems IQ Express Docking Station with Software, Installation
	Disks and Manuals
54-49-9000N	Ethernet-Ready Biosystems IQ Express Docking Station with
	Software, Installation Disks and Manuals

Biosystems Multi Vision™ Multi-Gas Detector

Item #	Description
54-40-30000A	Biosystems Multi Vision with O ₂ /LEL Alkaline
54-40-30000AV	Biosystems Multi Vision with O ₂ /LEL Alkaline Value Pack
54-40-30000AC	Biosystems Multi Vision with O ₂ /LEL Alkaline Complete Kit
54-40-30000N	Biosystems Multi Vision with O ₂ /LEL NiMH Rechargeable
54-40-30000NC	Biosystems Multi Vision with O ₂ /LEL NiMH Complete Kit
54-40-30100A	Biosystems Multi Vision with O ₂ /LEL/CO Alkaline
54-40-30100AV	Biosystems Multi Vision with O ₂ /LEL/CO Alkaline Value Pack
54-40-30100AC	Biosystems Multi Vision with O ₂ /LEL/CO Alkaline Complete Kit
54-40-30100N	Biosystems Multi Vision with O ₂ /LEL/CO NiMH Rechargeable
54-40-30100NC	Biosystems Multi Vision with O ₂ /LEL/CO NiMH Complete Kit
54-40-30200A	Biosystems Multi Vision with O ₂ /LEL/H ₂ S Alkaline
54-40-30200AV	Biosystems Multi Vision with O ₂ /LEL/H ₂ S Alkaline Value Pack
54-40-30200AC	Biosystems Multi Vision with O ₂ /LEL/H ₂ S Alkaline Complete Kit
54-40-30200N	Biosystems Multi Vision with O ₂ /LEL/H ₂ S NiMH Rechargeable
54-40-30200NC	Biosystems Multi Vision with O ₂ /LEL/H ₂ S NiMH Complete Kit
54-40-30102A	Biosystems Multi Vision with O ₂ /LEL/CO/H ₂ S Alkaline
54-40-30102AV	Biosystems Multi Vision with O ₂ /LEL/CO/H ₂ S Alkaline Value Pack
54-40-30102AC	Biosystems Multi Vision with O ₂ /LEL/CO/H ₂ S Alkaline Complete Kit
54-40-30102N	Biosystems Multi Vision with O ₂ /LEL/CO/H ₂ S NiMH Rechargeable
54-40-30102NC	Biosystems Multi Vision with O ₂ /LEL/CO/H ₂ S NiMH Complete Kit

Biosystems Multi Vision™ Sensors

Item #	Description
54-42-80	Biosystems Multi Vision LEL Combustible Gas
54-42-90	Biosystems Multi Vision O ₂ Oxygen
54-42-01	Biosystems Multi Vision CO Carbon Monoxide
54-42-02	Biosystems Multi Vision H₂S Hydrogen Sulfide
54-42-101	Biosystems Multi Vision Exchange Set of 4 Sensors, O2, LEL, CO and H2S

Biosystems Multi Vision™ Accessories

Item #	Description
54-41-004B	Biosystems Multi Vision Rubber Boot, Black
54-41-004R	Biosystems Multi Vision Rubber Boot, Red
54-41-004Y	Biosystems Multi Vision Rubber Boot, Yellow
54-41-007	Biosystems Multi Vision Manual Sample Draw Kit. Includes Adapter,
	Squeeze Bulb, 10' Of Tubing
54-41-008	Biosystems Multi Vision Biotrak Download Software
	Requires Multi Vision Datalogging Option Be Installed

Biosystems Cannonball3™ Multi-Gas Detector

	Item #	Description
	54-34-30000A	Biosystems Cannonball3 with O ₂ /LEL Alkaline
	54-34-30000N	Biosystems Cannonball3 with $O_2/LEL\ NiMH\ Rechargeable$
	54-35-30000N	Biosystems Cannonball3 with O ₂ /LEL NiMH, Dilution Pump
	54-34-30102A	Biosystems Cannonball3 with O ₂ /LEL/CO/H ₂ S Alkaline
	54-34-30102N	Biosystems Cannonball3 with O ₂ /LEL/CO/H ₂ S NiMH Rechargeable
	54-34-31403N	Biosystems Cannonball3 with O ₂ /LEL/Duo-Tox (CO/H ₂ S)/SO ₂ NiMH Rechargeable

FULL LINE SKU LISTING



Sperian Instrumentation

Fixed Systems

Item #	Description
54-55-010	Biosystems NXP with CO Sensor w/Light Grey Housing
54-55-020	Biosystems NXP with H ₂ S Sensor w/Light Grey Housing
54-55-030	Biosystems NXP with SO ₂ Sensor w/Light Grey Housing
54-55-190	Biosystems NXP with CO-H Sensor w/Light Grey Housing
54-55-800	Biosystems NXP with LEL Sensor w/Light Grey Housing
54-55-900	Biosystems NXP with O ₂ Sensor w/Light Grey Housing
54-55-011	Biosystems NXP with CO Sensor w/Safety Orange Housing
54-55-021	Biosystems NXP with H ₂ S Sensor w/Safety Orange Housing
54-55-031	Biosystems NXP with SO ₂ Sensor w/Safety Orange Housing
54-55-191	Biosystems NXP with CO-H Sensor w/Safety Orange Housing
54-55-801	Biosystems NXP with LEL Sensor w/Safety Orange Housing
54-55-901	Biosystems NXP with O ₂ Sensor w/Safety Orange Housing

Biosystems NXP™ Accessories

Item #	Description
54-57-00N	Biosystems Non-Explosion Proof Remote Sensor Kit
54-57-00E	Biosystems Explosion-Proof Remote Sensor Kit
54-57-05C	5 ft / 1.5 m Cable for Biosystems Remote Sensor Kit
54-57-10C	10 ft / 3.0 m Cable for Biosystems Remote Sensor Kit
54-57-50C	50 ft / 15 m Cable for Biosystems Remote Sensor Kit
54-57-100C	100 ft / 30 m Cable for Biosystems Remote Sensor Kit

Biosystems NXP™ Replacement Sensors

	Item #	Description
	54-57-01\$	Biosystems NXP CO Smart Sensor Carbon Monoxide
	54-57-02S	Biosystems NXP H₂S Smart Sensor Hydrogen Sulfide
	54-57-03S	Biosystems NXP SO ₂ Smart Sensor Sulfur Dioxide
	54-57-19S	Biosystems NXP CO-H Smart Sensor Carbon Monoxide,
		Reduced Sensitivity to H ₂
	54-57-80S	Biosystems NXP LEL Smart Sensor Combustible Gas
	54-57-90\$	Biosystems NXP O ₂ Smart Sensor Oxygen

Air Filtration System

Biosystems TravelPanel™ 50MP

2.00,010		
Item #	Description	
54-50-331NH0	Biosystems TravelPanel 50MP w/Biosystems MultiPro ${\rm CO/O_2}$, Strobe Light,	
	Locking Legs, Low Pressure Alarm, NiMH Rech. Battery, Hansen Fittings	
54-50-300NH1	No Additional Alarm Options, Rechargeable Battery, Hansen Outlet	
	Fittings, MultiPro Datalogger Upgrade, Yellow Case	
54-50-331NH3B	LED Strobe Light, Locking Stabilizer Bars, Low Pressure Alarm Option,	
	Rechargeable Battery, Hansen Outlet Fittings, Biosystems MultiPro	
	Datalogger Upgrade and Dustcovers, Black Case	
54-50-100NS0	CO Sensor Only, No Additional Alarm Options, Rechargeable Battery,	
	Schrader Outlet Fittings, No Secondary Options, Yellow Case	
54-50-130AH0	Biosystems TravelPanel 50MP w/Biosystems MultiPro CO, Strobe	
	Light, Locking Legs, Alk Battery, Hansen Fittings	
54-50-130NH0	Biosystems TravelPanel 50MP w/Biosystems MultiPro CO, Strobe	
	Light, Locking Legs, NiMH Rech. Battery, Hansen Fittings	
54-50-331AH0	Biosystems TravelPanel 50MP w/Biosystems MultiPro CO/O ₂ , Strobe	
	Light, Locking Legs, Low Pressure Alarm, Alk Battery, Hansen Fittings	

Biosystems TravelPanel™ 50MP Accessories

Item #	Description
61-007	Replacement Element for Pre-Filter
61-081	Replacement Element for Coalescing Filter
61-009	Replacement Element for Activated Charcoal Filter
17-076	O-Ring for Pre-Filter
17-007	O-Ring for Coalescing and Charcoal Filters (One Each Required)
54-51-001	Calibration Kit (Includes 54-9033 CO Calibration/Test Gas, 12-023
	Regulator and Case)
54-51-002	Value Calibration Kit (Includes 54-9036 CO Calibration/Test Gas, 12-022
	Regulator and Case)

SCBA Performance Tester

Biosystems Posi 3 USB™ SCBA Tester

•	
Item #	Description
54-56-1117	Low and High Pressure (2216 and 4500 psig) with Middle Stage
	Transducer, Including Enhanced Precision (EP) Transducer and
	Biosystems Posi 3 USB SCBA Test Software
54-56-1117-L	Biosystems Posi 3 USB (EP) with Laptop Computer Package
54-56-2117	Low and High Pressure (2216 and 4500 psig) with Middle Stage
	Transducer, Including Enhanced Precision (EP) Transducer, Sound
	Detection System (SDS) and Biosystems Posi 3 USB SCBA Test Software
54-20-2117-L	Biosystems Posi 3 USB (EP and SDS) with Laptop Computer Package

Upgrade Your Existing PosiChek3®

item #	Description
54-21-09	Upgrade a Biosystems PosiChek3 to a Biosystems Posi 3 USB
54-21-10	Upgrade a Biosystems PosiChek3 with Sound Detection System
	to a Biosystems Posi 3 USB









SPERIAN Protection Americas, Inc. 900 Douglas Pike Smithfield, RI 02917 Tel: 800 343-3411 Fax: 800 322-1330 www.sperian.com



SAFETY PRODUCTS CATALOG 2010



INDUSTRIAL SAFETY GROUP





SPERIAN HAND & ARM PROTECTION TABLE OF CONTENTS

• Cut-Resistant Gloves

• Cut-Resistant Body Protection

• General Purpose Gloves

• Arc Flash Hazard Gloves

• Heat-Resistant Gloves

• Chemical/Liquid Resistant Gloves

• Arm Protection

• Sperian Hand & Arm Protection Full Line SKU Listing

▲WARNING! Sperian® protective glove products should only be used in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury.

Hand protection with a Perfect Fit



Sperian Hand & Arm Protection

HAND PROTECTION WITH A PERFECT FIT

Sperian Protective Gloves USA, LLC, the new name of Perfect Fit Glove Co., LLC, has long been a leader in hand and arm protection. Since 1973, we have dedicated ourselves to providing our customers with better, more cost-effective protection against work hazards.



More than 35 years later, Sperian Protective Gloves is evolving in the changing world of safety and protection. We have a clear vision of our future and are taking bold, innovative strides to achieve this vision. We remain a leader in seamless knits, and we are developing new technology in fibers and coatings to enhance their performance. We have refined our product offering to allow for innovation of new products and expansion of well-defined existing product lines.

To meet the demands of today's increasingly specialized industries, we offer design creativity, global glove knowledge and the widest array of fibers, coatings and reinforcements available. Our worldwide dedicated team of experienced problem solvers works with safety professionals to determine which gloves will provide the best protection for every unique or demanding application.

Our Hand Protection Specialists are available for on-site reviews and wear-testing of products so that you can be confident of expert attention on every project.



Cut-Resistant Gloves

DuPont® Kevlar® brand fiber construction for cut resistance (Kevlar is a highly cut- and heat-resistant fiber).

Cut-resistant gloves, manufactured by Sperian, are constructed with DuPont Kevlar brand fiber, providing exceptional cut, slash, heat and flame resistance.

100% Kevlar brand fiber is five times stronger than steel on an equal weight basis, providing excellent protection from cut, slash and abrasion hazards. Kevlar brand fiber can withstand temperatures up to 900°F (480°C).

Applications:

- · Sheet Metal
- · Glass Handling
- Canning
- Automotive Sub-Assembly
- Welding
- Injection Molding
- Metal Stamping
- · Automotive Manufacturing
- · Steel Manufacturing

DuPont® and Kevlar® are registered trademarks of E.I. duPont de Nemours and Company or its affiliated companies.



▲ Warning: Gloves are not cut- or puncture-proof, not recommended for use with moving or serrated blades.

Hand protection with a Perfect Fit

For more information or to order products on this page, please call Customer Care at 800 430-5490.

DuPont® Kevlar® Cut-Resistant Gloves

Perfect Fit® (Uncoated)

HAND & ARM PROTECTION

- · Seamless knit construction eliminates uncomfortable seams that can rub or chafe
- 100% Kevlar can withstand temperatures up to 900°F (480°C) without breaking down
- · Gloves are easily laundered with minimized shrinkage
- Offered in a variety of weights, sizes and coating options for the ultimate in performance, comfort and fit

Item #	Description	Size
KV13A	Lightweight 100% Kevlar, Yellow	Men's
KVSP13A	Lightweight Kevlar/Lycra Blend, Yellow	Men's
KV18A-100	Standard Weight 100% Kevlar, Yellow	Men's
BK-KV18	Standard Weight 100% Kevlar, Black	Men's
KV17A-PL	Lightweight Kevlar/Cotton Plated, Yellow/White	Men's
KV20A-100	Heavyweight 100% Kevlar, Yellow	Men's

Perfect Fit® (Coated)

- PVC coatings available in various colors
- · Coatings are durable, flexible and long lasting through a unique coating process
- · Coatings provide added abrasion resistance and sure grip
- Coating pattern can be applied on one or both sides of the glove

Item #	Description	Size
KVD18A-100	Single Side PVC Dot, Standard Weight 100% Kevlar	Men's
KVD18AR-100	Double Side PVC Dot, Standard Weight 100% Kevlar	Men's
KVD20AR-100	Double Side PVC Dot, Heavyweight 100% Kevlar	Men's

KVD18A-100

NEW! Perfect Fit CRT™

- Proprietary blend of cut-resistant fibers
- ANSI Level 4 cut protection, lightweight comfort without sacrificing protection
- · Seamless knit construction eliminates irritation caused by seams that can rub or chafe
- Soft and flexible gloves offer excellent dexterity for applications
- · High abrasion level allows gloves to wear longer

Item #	Description	Size
CRT13	Lightweight Seamless Knit	Men's
CRT17	Economy, Standard Weight Seamless Knit	Men's
CRT18	Standard Weight Seamless Knit	Men's
CRT20	Heavyweight Seamless Knit	Men's



Cut-Resistant Gloves

Sperian® Junk Yard Dog® Series

Top Dog™

- DuPont® Kevlar® Armor is an engineered varn of Kevlar and stainless steel
- · Sheath core design covers the stainless steel core with Kevlar which optimizes comfort
- ANSI/ASTM cut level 4 for superior protection

Item #	Description	4
KV18-55	Standard Weight Kevlar Armor Liner, Leather Pa	lm

Men's

Junk Yard Dog®

- 100% DuPont® Kevlar® seamless knit liner
- Premium leather palm is great for grip of oily objects
- · Leather reinforced thumb crotch

Item #	Description	Size
KV18A-100-50	Standard Weight, 100% Kevlar with Full Premium Leather Palm	Men's

Bull Dog™

- 100% DuPont® Kevlar® knit liner is comfortable and flexible
- Leather covers palm, fingers and wraps between fingers for more protection
- A great price for the performance

	10.15	
Item #	Description	Size
KV18-45	Standard Weight 100% Kevlar Liner with Leather Palm	Men's

GuardDog®

- 100% Kevlar® fiber lining for superior hand protection in hazardous applications
- · Double-lock Kevlar fiber stitched construction for added reinforcement
- · Premium grade leather for added durability and improved grip in oily applications
- · Safety cuff for easy on-off and increased wrist protection



Item #	Description	Size
KV224D	Premium, Heavy Duty Work Glove with Kevlar Seamless Liner	Men's
KV260G	Premium, Heavy Duty Work Glove with Kevlar Seamless Liner,	Men's
	5 1/2" Cuff	

Sperian® Junk Yard Dog Series

Applications:

- Automotive Assembly
- · Sheet Metal
- Glass Handling
- · Metal Stamping
- · Metal Fabrication
- Recycling
- Canning
- · Injection Molding
- Pulp and Paper Industry





▲ Warning: Gloves are not cut- or puncture-proof, not recommended for use with moving or serrated blades.

Hand protection with a Perfect Fit





Cut-Resistant Gloves

Perfect Fit HPPE Fiber

HPPE, High Performance Polyethylene (also called UHMWPE, Ultra High Molecular Weight Polyethylene) is an extremely high tenacity, engineered yarn. A core of HPPE fiber and glass fiber are wrapped and sealed with a HPPE filament yarn. Other fibers such as steel, aramid, or nylon can be spun with HPPE to enhance even further the properties of our gloves and sleeves.

HPPE gloves withstand commercial laundryroom detergents and cool water temperatures up to 120°F (49°C). Lower heat settings (up to 180°F) are suggested for drying as extreme heat may cause shrinking and degradation of fiber. The product may be repeatedly bleached with diluted solution or disinfected without harm and will not discolor.

Applications:

- Food Processing
- Food Packaging
- · Meat and Poultry Industries
- Restaurants
- Commercial Fishing

Cut-Resistant Gloves with HPPE Fibers

Perfect Fit® (Uncoated)

- · Color coded sizing on cuffs for easy sizing after laundering
- · HPPE is lightweight, low-linting, and does not easily absorb liquids
- · ASTM cut level 4 (on some items) for advanced protection

Item #	Description	Size
PF13	Lightweight HPPE Fiber, White or Gray (PF13-GY)	XS-XL
PF10-GY	Medium Weight HPPE Fiber, Gray	XS-XL
HPF7	Heavyweight HPPE Fiber, White or Gray (HPF7-GY)	XS-XL
PF13GY-(size)-SS	Lightweight HPPE Fiber and Stainless Steel, Gray	S-XL
PF7-GY-(size) SS	Heavyweight HPPE Fiber with Stainless Steel, Gray	XS-XL
KVPF7	Heavyweight, Kevlar and HPPE blend	XS-XL

PF13-GY-SS

Ordering Key: Add -XS,-S,-M,-L,-XL after part number on coated styles to denote size

Perfect Fit® (Treated and Leather Palm)

- · Gloves are blended with AlphaSan,® a silver-based antimicrobial agent
- · Treated fiber resists product discoloration and inhibits the growth of bacterial odors
- PF13-GY-SS-PL provides ANSI/ASTM cut level 4
- KVPF7-50DS provides ANSI/ASTM cut level 5

Item #	Description	Size
PF13-GY-(size)-SS-PL	Lightweight HPPE Fiber with HPPE/ Spandex Plating, Gray	S-XL
KVPF7-(size)-(hand)-50DS	Heavyweight Kevlar and HPPE Blend, Split Leather Deer Skin Palm	S-XL

Ordering Key: Add -S,-M,-L,-XL after part number on coated styles to denote size



AlphaSan® is a registered trademark of Milliken & Company.

▲ Warning: Gloves are not cut- or puncture-proof, not recommended for use with moving or serrated blades.

Hand protection with a Perfect Fit



Cut-Resistant Gloves

Stainless Steel with Synthetic Fiber

Perfect Fit® (Uncoated)

- Cut-resistant fibers blended with stainless steel
- Flexible steel strands increase cut and slash protection
- Heavyweight, double or triple strand stainless steel cords are wrapped in synthetic fiber
- Fiber construction is durable, comfortable and insures optimum cut protection



Item #	Description	Size
PF2SS	Double Strand Stainless Steel Core with White Filament Wrap	XS-XL
PF5SS	Triple Strand Stainless Steel Core with White Filament Wrap	S-L
KV5SS	Triple Strand Stainless Steel Core with Gold Filament Wrap	XS-XL

Perfect Fit® (Coated)

- Heavyweight, triple strand, cut-resistant fibers blended with stainless steel
- · PVC coatings increase grip ability
- Coatings help prevent worker's hand from sliding against sharp edges

against snarp edges		KVB5SS
Item #	Description	Size
KVB5SS-(size)-(hand)	Stainless Steel Core with Single Side PVC Block Coating	M, L

Ordering Key: Add -M,-L after part number on coated styles to denote size and -RH or -LH where noted

Metal Mesh Gloves & Garments

Whiting + Davis™ by Chainex (Mesh Gloves)

- 3-step reversible design, glove can be turned inside-out for wear on opposite hand
- Bacteria-resistant straps
- Straps are color coded by size for ease in sorting

Item #	Description	Size
A513(size) D	Thumb and Two Finger Glove with Dome Fastener	XXS-XXL
A515(size) D	Full Hand Glove with Dome Fastener and Side Slit	XXS-XXL
5902(size) DP	Fully Enclosed (No Side Slit) Glove with Dome Fastener	XXS-XXL
525(size)	Fully Enclosed (No Side Slit) Glove with Strap Protecting "Mesh Pocket"	XXS-XXL

Ordering Key: Add -XXS,-S,-M,-L,-XXL where noted to denote size



Cut-Resistant Stainless Steel with Synthetic Fiber Gloves

Applications:

- Sheet Metal
- · Glass Handling
- Textiles
- · Food Processing
- · Meat & Poultry Industry
- Printing Industry
- · Commercial Fishing
- Restaurants

Metal Mesh Gloves & Garments

Applications:

- · Meat, Poultry, Fish Processing
- Food Service
- · Knife and Blade Sharpening and Cleaning
- Fishing
- · Garment Manufacturing
- Veterinary Services
- Animal Control
- Pulp and Paper Industry

▲ Warning: Metal mesh gloves and garments are not cut- or puncture-proof and are not recommended for use with moving or serrated blades.

Hand protection with a Perfect Fit

Cut-Resistant Gloves

Metal Mesh Gloves & Garments

Whiting + Davis™ has been the premier manufacturer of stainless steel metal mesh in the United States since the late 1800s. Today, Whiting + Davis mesh gloves and body protection provide the same popular and reliable styles but with Chainex® quality mesh and innovative improvements on design. All Whiting + Davis by Chainex gloves are constructed with 4 ring joining at the seams and 3 ring joining at the thumb seam.

This high quality construction prevents knife tip sticks at seams and provides a more durable glove. Tapered fingers and contoured hand design fit workers better for safety as well as comfort.

Note: All mesh items can be manufactured in either stainless steel or titanium. Titanium is 43% lighter than steel.

All metal mesh gloves are sold individually, not in pairs.

52300

▲ Warning: Metal mesh gloves and garments are not cut- or puncture-proof and are not recommended for use with moving or serrated blades.

Hand protection with a Perfect Fit

For more information or to order products on this page, please call Customer Care at 800 430-5490.

Metal Mesh Gloves & Garments (continued)

Whiting + Davis[™] by Chainex (Mesh Gloves with Specialty Straps)

- Metal spring cuff is 100% stainless steel for easy cleaning
- · Elastic straps fit securely
- · Both straps allow for ease in putting on or removing

	The state of the s	
Item #	Description	Size
5902(size) MS	Fully Enclosed Glove with Stainless Steel Spring Cuff	XXS-XXL
5902(size) E	Fully Enclosed Glove with Elasticized Cuff	XXS-XXL

Ordering Key: Add -XXS,-S,-M,-L,-XXL where noted to denote size

Whiting + Davis™ by Chainex (Mesh Gloves with Extended Cuff)

- Cuffs available in 3 1/2" or 7 1/2" lengths
- Polypropylene stiffeners in cuff keep cuff in place on the worker's arm
- All styles are suitable for left or right hand with 3-step reversible process



Item #	Description	Size
5912(size) DP	Full Hand Mesh Glove with 3 1/2" Cuff, Removable Strap at Wrist	XXS-XXL
5962(size) DP	Full Hand Mesh Glove with 7 1/2" Cuff, Removable Strap at Wrist	XXS-XXL
525(size) SC	Fully Enclosed Glove with 3 1/2" Cuff, Two Removable	XXS-XXL
	Polypropylene Strap-In "Mesh Pockets"	

Ordering Key: Add -XXS,-S,-M,-L,-XXL where noted to denote size

Chainex,® Chainexpert™ (Mesh Gloves)

- · Self-adjusting stainless steel band cuff
- · Longer cuff gloves have a spring at wrist for ease of donning
- Fully enclosed gloves, 100% stainless steel, are bacteria-resistant and easy to clean

Item #	Description	Size
52300	Stainless Steel Band Cuff, Wrist Length	0-5
53341	3 1/2" Length Safety Cuff, Steel Stiffeners in Cuff Keep Cuff in Place	0-5
53331	7 1/2" Length Safety Cuff, Steel Stiffeners in Cuff Keep Cuff in Place	0-5

Ordering Key: Add -0,-1,-2,-3,-4,-5 after part number to denote size

Chainex,® Chainextra™ (Mesh Gloves)

- Replaceable plastic straps, made with an anti-bacterial agent
- Straps are food processing safe, easily cleaned and replaceable
- Fully enclosed stainless steel gloves

Item #	Description	Size
54200	Wrist Length, Metal Mesh Glove	1-5
54241	3 1/2" Length Safety Cuff, Steel Stiffeners in Cuff Keep Cuff in Place	1-5
54231	7 1/2" Length Safety Cuff, Steel Stiffeners in Cuff Keep Cuff in Place	0-5

Ordering Key: Add -0,-1,-2,-3,-4,-5 after part number to denote size

Cut-Resistant Body Protection

Whiting + Davis™ (Metal Mesh Sleeves)

- · Color coded polypropylene straps, for ease in sizing
- · Mesh is extremely flexible to allow full mobility
- Stainless steel sleeves provide full arm and shoulder protection

Item #	Description	Size
A588(size) E	Single Sleeve Fits Either Left or Right Arm	XXS-XXL
D2588	Double Sleeve with Polypropylene Harness	XXS-XXXL

Ordering Key: Add -XXS,-S,-M,-L,-XXL after part number or where noted to denote size

Whiting + Davis™ (Metal Mesh Aprons)

- · Mesh is extremely flexible to allow full range of mobility
- Stainless steel apron provides upper and middle torso and upper thigh protection
- · Color coded polypropylene straps, for ease in sizing

Ite	m #	Description	Size
A2	2020	Adjustable Shoulder Straps	20" x 20"
A2	2025	Adjustable Shoulder Straps	20" x 25"
A2	2030	Adjustable Shoulder and Back Straps	20" x 30"
A2	1634	Adjustable Shoulder and Back Straps	26" x 34"
A2	2640 S/L	Split Leg	26" x 40"

Whiting + Davis™ (Metal Mesh T-Shirts)

- · Stainless steel is highly cut and slash resistant
- Mesh fabric is flexible for a full range of mobility
- Upper torso, shoulder and full arm protection

Item #	Description	Size
ST200	Stainless Steel Mesh Double Sleeve Cropped T-Shirt	XXS-XXL
ST100(size)L	Stainless Steel Mesh Cropped T-Shirt, Single Sleeve, Left Arm	XXS-XXL
ST100(size)R	Stainless Steel Mesh Cropped T-Shirt, Single Sleeve, Right Arm	XXS-XXL

Ordering Key: Add -XXS,-S,-M,-L,-XXL after part number or where noted to denote size

Whiting + Davis™ (Metal Mesh Tunic)

- · Stainless steel is highly cut and slash resistant
- Mesh fabric is flexible for a full range of mobility
- Mesh coat, full sleeves, length past knees (dependent on worker's height)

Item #	Description	Size
MT50	Stainless Steel Mesh Tunic	S-XXL
MT60	Titanium Mesh Tunic	S-XL



Metal Mesh Glove & Garment Repair Service

The use of gloves and aprons in extreme working conditions may occasionally require the need for repairs due to worn or broken rings or straps. A dedicated workshop for repair that can help extend the life of our products is located at the Sperian Metal Mesh facility. Choosing Sperian Metal Mesh as your repair center will decrease the risk of faulty rings due to improper repair. Each glove will be refurbished to "like new" quality.



A2634



▲ Warning: Metal mesh gloves and garments are not cut- or puncture-proof and are not recommended for use with moving or serrated blades.

Hand protection with a Perfect Fit



General Purpose Gloves





Seamless Knits (Uncoated)

Applications:

- Assembly and Parts Handling
- General Maintenance
- · Warehousing
- Fabrication
- Automotive



Seamless Knits (Uncoated)

HAND & ARM PROTECTION

- Seamless construction is more comfortable
- 7-cut standard weight is excellent for clean-up for general maintenance
- 7-cut heavy weight is great for heavy duty purposes
- 7-cut thermal has longer cuff and is great for cold weather general purpose use

Item #	Description	Size		
7-Cut Standard	d Weight			
K17A	Cotton Blend, Natural	Men's		
PAK18A	Acrylic, White	Men's		
UL18A	Cotton Liner, Natural	Men's		
UL18ATC	Cotton Liner with Extended Thermal Cuff, Natural	Men's		
WK18A	Cotton/Polyester Liner, Black	Men's		
WK18ATC	Cotton/Polyester Liner with 4" Thermal Cuff, Black	Men's		
7-Cut Heavy W	7-Cut Heavy Weight			
TSK19A	Cotton/Polyester Blend, Natural, Economy	Men's		
TSK19A-GY	Cotton/Polyester Blend, Gray, Economy	Men's		

NEW! EarthSmart™

- Seamless knit, from recycled PET plastic bottles
- Quality yarn is easy to launder without shrinkage

Item #	Description	Size
RG7	Light Green, Seamless Knit, Made from Recycled Green Plastic Pop Bottles	Men's

Low Linting Styles

- Lightweight polyester or nylon gloves
- Excellent glove for product protection applications
- Great dexterity and tactile sensitivity

tactile sensiti	vity NY13-1	
Item #	Description	Size
LFN13A	13-Cut, 100% Polyester, White	Men's
NY13-1	13-Cut, 100% Nylon, White, Economy	Men's

Thermostat™ Liners

- Synthetic hollow-core fiber
- · Helps provide insulation from cold weather

Item #	Description	Size
TH13A	13-Cut, 100% Thermostat, White	One Size Fits All
TH13A-BL	13-Cut, 100% Thermostat, Blue	One Size Fits All
TH13A-BK	13-Cut, 100% Thermostat, Black	One Size Fits All

Hand protection with a Perfect Fit

General Purpose Gloves

Seamless Knits (Coated)

- Superior curing processes
- PVC adheres more firmly to gloves
- · Coatings enhance resistance to abrasion

Item #	Description	Size
CD5A	Std Wt, Cotton/Polyester Blend, Single Side Brown Dots	Men's
CD5AR	Std Wt, Cotton/Polyester Blend, Double Side Brown Dots	Men's
PKD18A	Med Wt, Cotton/Polyester, Single Side White Dots	Men's
CB18A	Std Wt, Cotton/Polyester, Single Side Blue Blocks	Men's
CB18AR	Std Wt, Cotton/Polyester, Double Side Blue Blocks	Men's
CV18AR	Std Wt, Cotton/Polyester, Double Side V Coating	Men's
NVC13A	Lt Wt, Cotton/Polyester Blend, Single Side Rust Coating	Men's
VC18A-BR	Std Wt, Cotton/Polyester, Single Side Brown Coating	Men's

NEW! EarthSmart™ (Coated)

- · Seamless knit, from recycled PET plastic bottles
- Our unique, soybean oil based safety grip coating is also environmentally friendly
- · Quality yarn is easy to launder without shrinkage

Item #	Description	Size
RGD7	Light Green, Seamless Knit, Made from Recycled Green Plastic Pop Bottles, Black Dot Palm	Men's

Sperian WorkEasy® Series

Polyester Fiber Styles

- 13 gauge, lightweight, seamless knit liners
- Soft, thin and flexible polyurethane or nitrile coatings
- · Economical without sacrificing quality

Item #	Description	Size
WE100	White Polyester Liner with Gray Nitrile Coating	S-XXL
WE110	Black Polyester Liner with Black Nitrile Coating	S-XXL
WE200	White Polyester Liner with Gray Polyurethane Coating	S-XXL
WE210	Black Polyester Liner with Gray Polyurethane Coating	S-XXL

HPPE (High Performance Polyethylene) Fiber Styles

• 13 gauge, lightweight, HPPE cut-resistant, seamless knit liner

Item #	Description	Size
WE300	Light Gray, HPPE Fiber Liner with Gray Polyurethane Coating	S-XXL

Seamless Knits (Coated)

Applications:

- Assembly and Parts Handling
- General Maintenance
- Warehousing
- Fabrication
- Automotive
- · Automotive Sub-Assembly
- Materials Handling
- Construction







Hand protection with a Perfect Fit



General Purpose Gloves

Sperian Pure Fit™ Series

Lightweight knit enhances ventilation to keep hands cool and dry. Lightweight fibers provide superior tactile sensitivity for precision handling and delicate operations.

Palm-dipped design helps reduce hand fatigue and offers extreme dexterity. The coatings help prevent glove "blow out" gloves last longer than standard cut and sewn gloves.

Nitrile Applications:

- Automotive Assembly
- · Parts Assembly
- Parts Handling
- · Automotive Repair
- Oil Refineries

Polyurethane Applications:

- · Electronic/Small Parts Assembly
- High-Tech Applications
- Automotive Sub-Assembly
- Light Fabrication
- · Micro-Engineering
- Packaging
- Inspection
- Light Industrial





PF542

Hand protection with a Perfect Fit


For more information or to order products on this page, please call Customer Care at 800 430-5490.

Sperian Pure Fit[™] Series

HAND & ARM PROTECTION

Nylon Styles

- · Lightweight nylon is synthetic and low-linting
- Synthetic coatings resist nicks, cuts and abrasions
- · Palm dipped design helps reduce hand fatigue and offers extreme dexterity
- Great dexterity and tactile sensitivity



DuPont® Kevlar® Styles

- · Lightweight Kevlar cut-resistant fiber
- Kevlar blended with spandex offers excellent tactile sensitivity
- · Black nitrile palm dip enhances cut, abrasion and heat resistance

Item #	Description	Size
KV371	Kevlar Knit Liner with Ultra Thin Black Palm and Fingertip Coating	S-XL

DuPont® Kevlar® Comfort Styles

- Lightweight Keylar Comfort liner is more comfortable than other aramid liners
- · Patented mulit-filament blend of Kevlar, nylon and spandex



HPPE (High Performance Polyethylene) Fiber Styles

- HPPE fiber, cut-resistant, lightweight liners
- · Full palm and fingertip coatings
- · Formed finger design for worker comfort

Item #	Description	Size
PF540	White HPPE Liner with White Polyurethane Palm and Fingertip Coating	S-XL
PF541	Charcoal HPPE Liner with Gray Polyurethane Palm and Fingertip Coating	S-XL
PF542	White HPPE Fiber Liner with Gray Polyurethane Coating	S-XL
PF545	Light Gray HPPE Liner with Blue Nitrile Palm and Fingertip Coating	S-XL
PF570	Gray HPPE Fiber/Stainless Steel Liner w/HPPE Plating, Gray Nitrile Coating	S-XL



General Purpose Gloves

NEW! Sperian Tuff-Glo™

- · High visibility, cut-resistant gloves
- · Lightweight HPPE and polyester seamless knit
- ANSI level 2 cut resistance

Item #	Description	Size
PF541HVZ	Lightweight HPPE and Polyester Blend, Hi-Viz Yellow	S-XL
	Liner, Bright Orange PU Dip Coating	
PF5413QHVZ	Lightweight HPPE and Polyester Blend, Hi-Viz Yellow	S-XL
	Liner, Bright Orange PU 3/4 Dip Coating	



Sperian Perfect Coat™ Series

Perfect Coat™ General Purpose

- Economical, comfortable cotton/polyester knit liners
- · Full palm and fingertip coatings
- Excellent protection for light or heavy duty applications

Item #	Description	Size
300PC	Med Weight Gray Cotton/Polyester Liner w/Blue Natural Rubber* Coating	S-XL
317PC	Med Weight Fluorescent Yellow Polyester Liner w/Orange Natural* Rubber Palm	S-XL
320PC	Med Weight Gray Cotton/Polyester Liner w/Black Natural Rubber* Coating	S-XL
350PC	Med Weight Gray Cotton/Polyester Liner w/Green Nitrile Palm Coating	S-XL

Perfect Coat™ Reinforced

- Economical, comfortable cotton/polyester knit liners
- · Full palm and fingertip, textured natural rubber* coating
- Extra layer of natural rubber* in thumb crotch

Item #	Description	Size
330PC	Medium Weight Gray Liner with Black Rubber* Coating,	M-XL
	Added Layer of Rubber* at High-Wear Area	

Perfect Coat™ Extended Coating

- Economical, comfortable cotton/polyester knit liners
- Full palm and fingertip, textured natural rubber* coating
- Natural rubber* extends over knuckles and back of hand

Item #	Description	Size
305PC	Medium Weight Gray Liner with Blue Rubber* Coating	S-XL

Perfect Coat™ Thermal

- · Soft, napped cotton/polyester knit liners
- Napped Liner provides a cushion of air for protection in cold applications
- Textured natural rubber* palm and fingertip coating for abrasion resistance

Iter	n #	Description	Size
451	LPC	Heavyweight Light Gray Liner with Gray Rubber* Coating	S-XL



*A WARNING: These products contain natural rubber/latex which may cause allergies in some individuals. These allergies can lead to serious illness or death. If an allergic reaction occurs (skin rashes, hives, flushing, itching, nasal, eye, or sinus symptoms, shortness of breath, asthma or shock), stop using this product immediately and consult a medical provider.

Hand protection with a Perfect Fit



General Purpose Gloves





Sperian Tuff-Coat® Gloves

Applications:

- Construction
- Recycling
- Lumber and Mill Work
- Glass Handling
- Metal Stamping
- Automotive
- Sub-Assembly
- Landscaping



Sperian Perfect Coat™ Series (continued)

Perfect Coat™ Kevlar® & Natural Rubber

- DuPont® Kevlar seamless knit liner for greater cut and slash protection
- Natural rubber* palm and fingertip coating provides excellent grip
- ANSI cut level 2

HAND & ARM PROTECTION

Item #	Description	Size
KV300	Medium Weight Yellow Kevlar Liner with Blue Rubber* Coating	S-XL

Perfect Coat™ Kevlar®/Stainless Steel

- DuPont® Kevlar fiber and stainless steel combined
- ANSI cut level 4, great cut and slash protection
- Textured natural rubber* palm and fingertip coating for abrasion resistance

Item #	Description	Size
KV303	Medium Weight Yellow Kevlar/Steel/Polyester Blend Liner	S-XL
	with Black Rubber* Coating	

Perfect Coat™ Kevlar® & Nitrile

- DuPont® Kevlar knit liners, for extra cut resistance
- · Nitrile palm and fingertip coating offers excellent wet/dry grip

Item #	Description	Size
KV350	Medium Weight Yellow Kevlar Knit Liner with Green Nitrile Coating	S-XL

Sperian Tuff-Coat®

- Quality dipped gloves at a value
- · Worker safety gloves that are comfortable and flexible
- Palm and fingertip coating improves grip and increases protection

Item #	Description	Size
125	Lt Wt White Nylon Liner with Blue Latex Crinkle Coating	S-XXL
200	Med Wt Gray Cotton/Poly Liner with Black Natural Rubber* Coating	S-XXL
250	Med Wt Black Poly/Cotton Knit Liner with Black Nitrile Coating	S-XXL
400	Med Wt Brushed Acrylic, Hi-Viz Yellow Liner with	S-XXL
	Black Natural Rubber* Coating	
KV200	Med Wt Yellow Kevlar® Liner with Blue Natural Rubber* Coating	S-XXL
KV250	Med Wt Yellow Kevlar Liner with Green Rough Texture Nitrile Coating	S-XXL

*A WARNING: These products contain natural rubber/latex which may cause allergies in some individuals. These allergies can lead to serious illness or death. If an allergic reaction occurs (skin rashes, hives, flushing, itching, nasal, eye, or sinus symptoms, shortness of breath, asthma or shock), stop using this product immediately and consult a medical provider.

Hand protection with a Perfect Fit

HAND & ARM PROTECTION SPERIAN

Arc Flash Hazard Gloves*

Lightweight Knit Gloves

- Worn alone, or as a liner under voltage-rated gloves
- · Oxidized, thermally stabilized fiber will not burn, melt, soften or drip
- · All styles are tagged with arc rating value and HRC number
- ATPV Value (cal/cm2) 13.8 (minimum arc rating of PPE required cal/cm² exposure)
- HRC Risk Category 2



Item #	Description	Size
ATX20	7 Gauge, Standard Weight Knit Liner	Men's
ATX20-50	7 Gauge, Standard Weight with Premium Quality Cowhide Palm Patch	Men's

Heavy Weight Terry Cloth


- 24 oz loop-in or loop out seamless knit gloves
- Oxidized, thermally stabilized fiber will not burn, melt, soften or drip
- · All styles are tagged with arc rating value and HRC number
- 5" flared cuff
- ATPV Value (cal/cm²) 38.6 (minimum arc rating of PPE required cal/cm² exposure)
- HRC Risk Category 3

Item #	Description	Size
ATX24-5FL	24 oz Heavy Weight Terry, Loop-Out, with 5" Flared Cuff	Men's
TKATX24-5FL	24 oz Heavy Weight Terry, Loop-In, with 5" Flared Cuff	Men's

Thermal Terry Cloth

- · Glove-within-a-glove design
- Double layer of thermal terry cloth
- Oxidized, thermally stabilized fiber will not burn, melt, soften or drip
- · All styles are tagged with arc rating value and HRC number
- ATPV Value (cal/cm²) 49.9 (minimum arc rating of PPE required cal/cm² exposure)
- HRC Risk Category 4

Item #	Description	Size
ATX737-BT	Double Layer of Thermal Terry Cloth	Men's



*▲ WARNING: Arc-Tex™ gloves and sleeves are not dielectric, and do not provide protection against electrical shock, but may be worn under voltage rated gloves as liners for added protection.





Hand protection with a Perfect Fit



Heat-Resistant Knit Gloves

Heat-Resistant Knit Gloves

Applications:

- · Glass Handling
- · Injection Molding
- Plastic Processing
- Steel Manufacturing
- Refining
- Metal Stamping
- Automotive Assembly



Note: The range of thermal protection varies according to the duration of exposure and the weight of item.

Twaron® is a registered trademark of Teijin Aramid B.V.

Loop-In and Loop-Out Terry Cloth

- High quality cotton blends ensure minimized shrinkage during laundering
- Terry "loops" provide interference to sharp edges and blade travel, helping to prevent cuts and tears
- Loop-in styles increase longevity of glove by reducing snags (allows materials to "roll off" hand)
- Loop-out styles increase longevity of glove in abrasive applications and provide better grip in oily applications

Item #	Description	Size
14 Ounce, Loop-li	n	
TK14A-1	Loop-In Terry, Natural	Men's
24 Ounce, Loop-II	n	
TK24A-1	Terry Cloth, Natural	Men's
24 Ounce, Loop-O	Out	
24A-1	Terry Cloth with Knit Wrist, Natural, Economy	Men's
24AC-1	Terry Cloth with Continuous Cuff, Natural, Economy	Men's
24A-GY-1	Terry Cloth with Knit Wrist, Gray, Economy	Men's
MT24A	Mock Twist Kevlar/Cotton Terry with Knit Wrist	Men's
24 Ounce, Twaro	n®	
TTC24GC-(size)	Twaron, Mock Twist with Continuous Cuff	7-9

Ordering Key: Add -7,-8,-9 after part number on 24 ounce Twaron® style to denote size

Chemical/Liquid Resistant Gloves

Chemical/Liquid **Resistant Gloves**

PVC Coating Applications:

- Glass Handling
- · Injection Molding
- · Plastic Processing
- · Steel Manufacturing
- Refining
- Metal Stamping
- Automotive Assembly





PowerCoat® PVC

- · Super flexible PVC coating resists caustics, bases, alcohols, and many acids
- · Superior grip and dexterity, flexibility reduces hand fatigue, and promotes increased productivity
- Supple as natural latex, but has the chemical resistance of PVC
- Ideal alternative for workers with latex allergies

Item #	Description	Size
610	10" Double-Dipped with Rough Grip, Orange	M-XXL
620	12" Double-Dipped with Rough Grip, Orange	S-XXL
640	12" Double-Dipped with Clear Vinyl Sleeve Extension (25" Length)	M-XL
650	10" Triple-Dipped with Rough Grip, Blue	M-XXL
660	12" Triple-Dipped with Rough Grip, Blue	M-XXL
KV660	12" Triple-Dipped with 100% DuPont Kevlar Liner, Blue	L-XL
460	12" Double-Dipped with Thermal Fleece Lining and Rough Grip, Orange	M-XL
490	12" Triple-Dipped with Thermal Fleece Lining and Rough Grip, Blue	M-XL

Hand protection with a Perfect Fit



Chemical/Liquid Resistant Gloves

PS-BU14-R

PC-NI-VL

PowerCoat® Butyl

- · Resistance to acids, aldehydes, keytones, esters, and polar organic solvents
- Butyl provides dependable protection for tough industrial jobs
- · Available in a variety of weights, sizes and grip options

Item #	Description	Size
PS-BU14-R	Unsupported, 14" 14 Mil with Rough Grip, Black	M-XL

PowerCoat® Nitrile

- · Resistance to many solvents, bases, fats and oils, and esters
- Superior resistance to snags, puncture, abrasion and cuts
- · Provides outstanding wet or dry grip
- Flexible and comfortable PowerCoat nitrile is available lined or unlined

Item #	Description	Size
PC-NI-VL	Supported, 13" Med Weight with Knit Liner and V-Grip, Green	9-11
PS-NI15-FL-V	Flock-Lined, 13" 18 Mil with V-Grip, Green	7-11
NI22-18	Unsupported, 18" 22 Mil	8-11
772	Supported, 26" Med Weight with Elastic Cuff and Rough Grip, Yellow	M-XL
1520	Supported, 12" Med Weight, Blue Over Blue	M-XXL

PowerCoat® Latex*

- Latex* gloves resist punctures and cuts
- · Resistance to dilute acids, bases, alcohols, and aqueous solutions
- Latex* provides secure grip in wet or dry applications
- · Excellent elasticity and resistance to cuts and tears

Item #	Description	Size
PC-LBL	Supported, 12" Med Weight Double-Dipped with Smooth Grip, Blue	S-XL

PowerCoat® Neoprene

- · Resistance to a broad range of oils, acids, caustics, and solvents
- Offers secure grip in greasy or oily applications
- · Flame retardant and offers resistance to sunlight and ozone degradation

Item #	Description	Size
PC-NE14	Supported, 14" Med Wt, Double-Dipped w/Rough Grip, Black/Blue	M-XL

PowerCoat® Disposables

- · Available in nitrile, good for those with natural rubber allergies
- Tri-polymer* blend of latex/neoprene/nitrile useful for splash protection
- PSD-N18 and PSD-N14 are manufactured in an ISO certified, silicone-free facility

Item #	Description	Size
PSD-N14	Powder Free, 9.5" 4 Mil Disposable Nitrile, 100 Pcs/Bx, Blue	S-XXL
PSD-N18	Powder Free, 12" 8 Mil Disposable Nitrile, 50 Pcs/Bx, Blue	S-XXL
PSD-TRIP	Powder Free, 12" 5 Mil Disposable Tri-Polymer,* 100 Pcs/Bx, Purple	S-XL

*A WARNING: These products contain natural rubber/latex which may cause allergies in some individuals. These allergies can lead to serious illness or death. If an allergic reaction occurs (skin rashes, hives, flushing, itching, nasal, eye, or sinus symptoms, shortness of breath, asthma or shock), stop using this product immediately and consult a medical provider.



Butyl Coating Applications:

- · Chemical Handling
- · Chemical Manufacturing
- Emergency Response
- Hazmat
- · Petro-Chemical

Nitrile Coating Applications:

- Chemical Handling
- Petro-Chemical
- Refining
- · Degreasing
- Food Processing*

*In compliance with FDA Regulations 21 CFR170-199 for food handling







Hand protection with a Perfect Fit



Arm Protection











KVS-2-14TH-90

ATX-21



- · Cotton is cooler and more comfortable to wear than synthetic sleeves
- Terry cloth sleeve is good for some radiant heat applications
- · Easily laundered, and durable


Item #	Description	Size (Inches)
CS-2-18	2-Ply Cotton, 18" Length	18
CS-2-18TH	2-Ply Cotton, 18" Length with Thumb Hole	18
CS-1-15L0	Loop-out Terry Sleeve, Cotton, Knit Wrist	18
CS-1-18L0	Loop-out Terry Sleeve, Cotton, Knit Wrist	18

DuPont® Kevlar®

- 100% DuPont Kevlar brand fiber provides excellent protection from cut, slash and abrasion hazards
- Kevlar can withstand temperatures up to 900°F (480°C) without breaking down
- Kevlar will not support a flame, providing excellent flame resistance
- 2-ply sleeves are comfortable, and conform to all sizes of arms
- · Styles with thumb hole hold sleeve in place, offering increased protection in the palm area

Item #	Description	Size (Inches)
KVSL-2-(length)	Lightweight, 100% Kevlar, Yellow	18
KVS-2-(length)	Std Weight, 100% Kevlar, Yellow	10, 14, 18
KVS-2-(length)TH	Std Weight, 100% Kevlar with Thumb Hole, Yellow	14, 18, 22, 24
KVS-2-(length)TH-3BT	Std Weight, 100% Kevlar with Thumb Hole and 3 Finger Bar Tacks, Yellow	14
KVS-2-(length)TH-90	Std Weight, 100% Kevlar with Thumb Hole and Leather Reinforcement, Yellow	14, 18
KVS-2-(length)TH-NS	Std Weight, 100% Kevlar with Thumb Hole and	
	No-Slip Top, Yellow	18, 20
KVS44-2-(length)	Std Weight, Kevlar and Cotton Blend	14, 18
KVS44-2-(length)TH	Std Weight, Kevlar and Cotton Blend with Thumb Hole	14, 18
BK-KVS-2-(length)	Std Weight, 100% Kevlar Knit, Black	10, 14, 18, 24
BK-KVS-2-(length)TH	Std Weight, 100% Kevlar Knit, Black with Thumb Hole	18, 23





- Wrist to forearm coverage, available in 8" or 9-1/2" widths
- ATPV Value (cal/cm²) 10
- HRC* Risk Category 2

Item #	Description	Size
ATX-21	21" blouse sleeve	M, L

 $[\]star$ CAUTION: A worker can still receive burns if the heat is high enough. If the heat passing through PPE is sufficiently high, it can melt elastic, buttons, or ignite the fabric of the clothing underneath. A good rule of thumb is to specify protective apparel that has an arc rating equal to or greater than the calculated incident energy.

Hand protection with a Perfect Fit

^{*▲} WARNING: Arc-Tex™ gloves and sleeves are not dielectric, and do not provide protection against electrical shock, but may be worn under voltage rated gloves as liners for added protection.



Arm Protection

Sperian Perfect Fit CRT™

- · Proprietary blend of cut-resistant fibers
- ANSI Level 4 cut protection, lightweight comfort without sacrificing protection
- Soft, comfortable sleeve, fits close to the arm so there is less chance to get caught in machinery
- · High abrasion level allows sleeves to be worn longer

Item #	Description	Size (Inches)
CRTS-2-(length)	Std Weight, 2-ply CRT Fiber	14, 18
CRTS-2-(length)TH	Std Weight, 2-ply CRT Fiber with Thumb Hole	14, 18
CRTS-2-24TH-3BT	Std Weight, 2-ply CRT fiber with Thumb Hole, 3 Bar Tack for Fingers	24



Sperian Comfortrel™

- · Proprietary blend of cut-resistant fibers
- ANSI Cut level 4, 2-ply cut-resistant sleeve
- · White fiber sleeve is cooler to wear in hot temperatures
- · Not recommended for heat protection

Item #	Description	Size (Inches)
CTSS-2-(length)	Standard Weight, 2-ply Comfortrel Fiber	14, 18
CTSS-2-(length)TH	Standard Weight, 2-ply Comfortrel Fiber with Thumb Hole	14, 18



I PFSI -21-AC

Sperian Perfect Fit® (HPPE Fibers)

- Superior cut protection with HPPE fibers
- HPPE is an engineered fiber combining a strand of high-performing polyethylene fiber and glass fiber
- Most sleeves, depending on weight, have an ANSI cut level of 4

Item #	Description	Size (Inches)
PFSL-10-GY	10" Standard Weight HPPE Fiber Bloused Sleeve, Gray	10
LPFSL-21-AC	21" Lightweight HPPE Fiber Sleeve with Alligator Clip, White	21

Stainless Steel Mesh Sleeves

- · Tapered design for under arm comfort
- Snap wrist closure and elastic straps for secure fit
- Ambidextrous

Item #	Description	Size
A588(size) E	SS Mesh Sleeve with Elastic Strap and Side Adjustment	XXS-XXL
D2588	Double SS Mesh Sleeve with Polypropylene Harness	XXS-XXL

Ordering Key: Add -XXS,-S,-M,-L,-XXL after part number to denote size



Hand protection with a Perfect Fit





FULL LINE SKU LISTING

Sperian Hand & Arm Protection

Cut-Resistant Gloves

Perfect Fit® -	- DuPont® Kevlar® Seamless Knits (Uncoated) Description	Size
KV13A	13-Cut, Lt Wt 100% Kevlar, Yellow	Men's
KV13AL	13-Cut, Lt Wt 100% Kevlar, Yellow	Ladies'
KV13A	13-Cut, Lt Wt 100% Kevlar, Yellow	Jumbo
KVSP13	13-Cut, Lt Wt Kevlar/Lycra, Yellow	Men's
KVSP13AL	13-Cut, Lt Wt Kevlar/Lycra, Yellow	Ladies'
KV18A-100	7-Cut, Std Wt 100% Kevlar, Yellow	Men's
KV18AL-100	7-Cut, Std Wt 100% Kevlar, Yellow	Ladies
KV18AJ-100	7-Cut, Std Wt 100% Kevlar, Yellow	Jumbo
BK-KV18	7-Cut, Std Wt 100% Kevlar, Black	Men's
BK-KV18L	7-Cut, Std Wt 100% Kevlar, Black	Ladies'
BK-KV18AJ-100	7-Cut, Std Wt 100% Kevlar, Black	Jumbo
KV17A-PL	7-Cut, Lt Wt Kevlar/Cotton Plated, Yellow/White	Men's
KV17AL-PL	7-Cut, Lt Wt Kevlar/Cotton Plated, Yellow/White	Ladies'
KV17AJ-PL	7-Cut, Lt Wt Kevlar/Cotton Plated, Yellow/White	Jumbo
KV17AY-PL	7-Cut, Lt Wt Kevlar/Cotton Plated, Yellow/White	Youth
KV20A-100	7-Cut, Hvy Wt 100% Kevlar, Yellow	Men's
KV20AL-100	7-Cut, Hvy Wt 100% Kevlar, Yellow	Ladies'
KV20AJ-100	7-Cut, Hvy Wt 100% Kevlar, Yellow	Jumbo
KV20AY-100	7-Cut, Hvy Wt 100% Kevlar, Yellow	Youth
Perfect Fit® -	- DuPont® Keylar® Seamless Knits (Cogted)	

Item #	Description	Size
KVD18A-100	7-Cut, Std Wt 100% Yel Kevlar, Sngl Sd Brown PVC Dot Coat	Men's
KVD18AL-100	7-Cut, Std Wt 100% Yel Kevlar, Sngl Sd Brown PVC Dot Coat	Ladies
KVD18AJ-100	7-Cut, Std Wt 100% Yel Kevlar, Sngl Sd Brown PVC Dot Coat	Jumbo
KVD18AY-100	7-Cut, Std Wt 100% Yel Kevlar, Sngl Sd Brown PVC Dot Coat	Youth
KVD18AR-100	7-Cut, Std Wt 100% Yel Kevlar, Dbl Sd Brown PVC Dot Coat	Men's
KVD18ALR-100	7-Cut, Std Wt 100% Yel Kevlar, Dbl Sd Brown PVC Dot Coat	Ladies
KVD18ARJ-100	7-Cut, Std Wt 100% Yel Kevlar, Dbl Sd Brown PVC Dot Coat	Jumbo
KVD18ARY-100	7-Cut, Std Wt 100% Yel Kevlar, Dbl Sd Brown PVC Dot Coat	Youth
KVD20AR-100	7-Cut, Hvy Wt 100% Yel Kevlar, Dbl Sd Brown PVC Dot Coat	Men's
KVD20ALR-100	7-Cut, Hvy Wt 100% Yel Kevlar, Dbl Sd Brown PVC Dot Coat	Ladies
KVD20ARJ-100	7-Cut, Hvy Wt 100% Yel Kevlar, Dbl Sd Brown PVC Dot Coat	Jumbo
KVD20ARY-100	7-Cut, Hvy Wt 100% Yel Kevlar, Dbl Sd Brown PVC Dot Coat	Youth
KVD18AR-1	7-Cut, Std Wt Yel Kevlar/Nylon, Dbl Sd Brown PVC Dot Coat	Men's
KVD18ALR-1	7-Cut, Std Wt Yel Kevlar/Nylon, Dbl Sd Brown PVC Dot Coat	Ladies
KVD18ARJ-1	7-Cut, Std Wt Yel Kevlar/Nylon, Dbl Sd Brown PVC Dot Coat	Jumbo
KVD18ARV-1	7-Cut Std Wt Vel Keylar/Nylon Dhl Sd Brown PVC Dot Coat	Vouth

Perfect Fit CRT™

KV18L-55

	Item #	Description	Size
	CRT13	Lightweight Seamless Knit	Men's
	CRT13L	Lightweight Seamless Knit	Ladies'
	CRT17	Economy, Standard Weight Seamless Knit	Men's
	CRT17L	Economy, Standard Weight Seamless Knit	Ladies'
	CRT18	Standard Weight Seamless Knit	Men's
	CRT18L	Standard Weight Seamless Knit	Ladies'
	CRT20	Heavyweight Seamless Knit	Men's
	CRT20L	Heavyweight Seamless Knit	Ladies'
Top Dog™			
	Item #	Description	Size
	KV18-55	7-Cut. Std Wt Keylar Armor Tech. Prem Leather Palm-	Men's

7-Cut, Std Wt Kevlar Armor Tech, Prem Leather Palm-

KV18AJ-55	7-Cut, Std Wt Kevlar Armor Tech, Prem Leather Palm- Thumb Crotch, Kevlar Rnfrcd Stitch	Jumbo
Junk Yard Dog	®	
Item #	Description	Size
KV18A-100-50	7-Cut, Std Wt, 100% Kevlar, Full Prem Leather Palm, Rnfrcd Thumb Crotch	Men's
KV18AL-100-50	7-Cut, Std Wt, 100% Kevlar, Full Prem Leather Palm, Rnfrcd Thumb Crotch	Ladies'
KV18AJ-100-50	7-Cut, Std Wt, 100% Kevlar, Full Prem Leather Palm, Rnfrcd Thumb Crotch	Jumbo
Bull Dog™		
Item #	Description	Size
KV18-45	7-Cut, Std Wt 100% Kevlar Liner, Full Leather Palm, Rnfrcd Thumb Crotch	Men's
KV18L-45	7-Cut, Std Wt 100% Kevlar Liner, Full Leather Palm, Rnfred Thumh Crotch	Ladies'

Item #	Description	Size
KV224D	Prem Gr Leather Palm, Dbl-Lock Kevlar Rnfrcd Stitch, Safety Cuff, 100% Kevlar Seamless Knit Liner	Men's
KV224DL	Prem Gr Leather Palm, Dbl-Lock Kevlar Rnfrcd Stitch, Safety Cuff, 100% Kevlar Seamless Knit Liner	Ladies'
KV224DJ	Prem Gr Leather Palm, Dbl-Lock Kevlar Rnfrcd Stitch, Safety Cuff, 100% Kevlar Seamless Knit Liner	Jumbo
KV260G	Prem Gr Leather Palm, Full Leather Back, Dbl-Lock Kevlar Rnfrcd Stitch, Gauntlet Cuff, 100% Kevlar Seamless Knit Liner	Men's
KV260GL	Prem Gr Leather Palm, Full Leather Back, Dbl-Lock Kevlar Rnfrcd Stitch, Gauntlet Cuff, 100% Kevlar Seamless Knit Liner	Ladies
KV260GI	Prem Gr Leather Palm Full Leather Back Dhl-Lock Keylar	lumho

Rnfrcd Stitch, Gauntlet Cuff, 100% Kevlar Seamless Knit Liner

7-Cut, Std Wt 100% Kevlar Liner, Full Leather Palm,

Perfect Fit® - Cut-Resistant Gloves with HPPE Fibers

Item #	Description	Size
PF13	13-Cut, Lt Wt HPPE Fiber, White	XS-XL
PF13-GY	13-Cut, Lt Wt HPPE Fiber, Gray	XS-XL
PF10-GY	10-Cut, Med Wt HPPE Fiber, Gray	XS-XL
HPF7	7-Cut, Hvy Wt HPPE Fiber, White	XS-XL
HPF7-GY	7-Cut, Hvy Wt HPPE Fiber, Gray	XS-XL
PF13-GY-(size)-SS	13-Cut, Lt Wt HPPE Fiber with Stainless Steel, Gray	XS-XL
PF7-GY-(size) SS	7-Cut, Hvy Wt HPPE Fiber with Stainless Steel, Gray	XS-XL
KVPF7	7-Cut, Extra Hvy Wt HPPE Fiber and Kevlar Yellow	XS-XL

Perfect Fit® - Treated and Leather Palm

	item #	Description	Size
	PF13-GY-(size)- -SS-PL	13-Cut, Lt Wt HPPE Fiber w/Spectra/Spandex Plating, Gray	S-XL
	KVPF7-(size)- (hand)-50DS	Hvy Wt, HPPE and Kevlar blend w/Split Leather Palm	S-XL

Perfect Fit® - Cut-Resistant Stainless Steel with Synthetic Fiber

Item #	Description	Size
PF2SS	7-Cut, Hvy Wt, 2 Strand SS Core with White Filament Wrap	XS-XL
PF5SS	7-Cut, Hvy Wt, 3 Strand SS Core with White Filament Wrap	S-L
KV5SS	7-Cut, Hvy Wt, 3 Strand SS Core with Gold Filament Wrap	XS-XL
KVB5SS-(size) -(hand)	7-Cut, Hvy Wt, 2 Strand SS Core, Gold Filament Wrap, Single Side Blue PVC Block Coating	S-XL

Thumb Crotch, Kevlar Rnfrcd Stitch

Thumb Crotch, Kevlar Rnfrcd Stitch

Ladies'

FULL LINE SKU LISTING



Sperian Hand & Arm Protection

	•	
Whiting + Da	avis™ by Chainex Mesh Gloves Description	Size
A513(size) D	Thumb and Two Finger Glove with Dome Fastener	XXS-XXL
A515(size) D	Full-Hand Glove with Dome Fastener and Side Slit	XXS-XXL
5902(size) DP	Fully Enclosed (No Side Slit) Glove with Dome Fastener	XXS-XXL
525(size)	Fully Enclosed (No Side Slit) Glove with "Mesh Pocket" to Protect Strap	XXS-XXL
Whiting + Da	avis™ by Chainex Mesh Gloves with Specialty S Description	Straps Size
5902(size) MS	Fully Enclosed Glove with Stainless Steel Spring Cuff	XXS-XXL
5902(size) E	Fully Enclosed Glove with Elasticized Cuff	XXS-XXL
Whiting + Da	avis™ by Chainex Mesh Gloves with Extended Description	Cuffs Size
5912(size) DP	Full Hand Glove, 3 1/2" Cuff, Removable Strap at Wrist	XXS-XXL
5962(size) DP	Full Hand Glove, 7 1/2" Cuff, Removable Strap at Wrist	XXS-XXL
525(size) SC	Fully Enclosed Glove, 3 1/2" Cuff, Two Removable Polypropylene Straps in "Mesh Pockets"	XXS-XXL
Chainex,® Ch	ainexpert™ Mesh Gloves with Stainless Steel St Description	raps Size
52300	Stainless Steel Band Cuff, Wrist Length	0-5
53341	3 1/2" Length Safety Cuff, Steel Stiffeners in Cuff Keep Cuff in Place	0-5
53331	7 1/2" Length Safety Cuff, Steel Stiffeners in Cuff Keep Cuff in Place	0-5
Chainex,® Ch	ainextra™ Mesh Gloves with Replaceable Plast Description	ic Straps
54200	Wrist Length, Metal Mesh Glove	0-5
54241	3 1/2" Length Safety Cuff, Steel Stiffeners in Cuff Keep Cuff in Place	0-5
54231	7 1/2" Length Safety Cuff, Steel Stiffeners in Cuff Keep Cuff in Place	0-5

	Chainex, Chainextra Mesh Gloves With Replaceable Plastic Straps				
	Item #	Description	Size		
	54200	Wrist Length, Metal Mesh Glove	0-5		
	54241	3 1/2" Length Safety Cuff, Steel Stiffeners in Cuff Keep Cuff in Place	0-5		
	54231	7 1/2" Length Safety Cuff, Steel Stiffeners in Cuff Keep Cuff in Place	0-5		
1	Whiting + Davis™ Mesh Sleeves				

winding . Davis Messi Siccves			
Item #	Description	Size	
A588 E	Single Sleeve Fits Either Left or Right Arm	XXS-XXL	
D2588	Double Sleeve with Polypropylene Harness	XXS-XXXL	

wniting + Da	ivis Mesh Aprons	
Item #	Description	Size
A2020	SS Mesh Apron, Adjustable Shoulder Straps	20" x 20"
A2025	SS Mesh Apron, Adjustable Shoulder Straps	20" x 25"
A2030	SS Mesh Apron, Adjustable Shoulder and Back Straps	20" x 30"
A2634	SS Mesh Apron, Adjustable Shoulder and Back Straps	26" x 34"
A2640 S/L	SS Mesh Apron, Split Leg	26" x 40"

Whiting + Davis™ Mesh T-Shirts		
Item #	Description	Size
ST200	Stainless Steel Mesh Double Sleeve Cropped T-Shirt	XXS-XXL
ST100(size)L	Stainless Steel Mesh Cropped T-Shirt, Single Sleeve, Left Arm	XXS-XXL
ST200	Stainless Steel Mesh Double Sleeve Cropped T-Shirt	XXS-XXL

Whiting +	Davis''' Mesh Tunics	
Item #	Description	Size
MT50	Stainless Steel Mesh Tunic	S-XXL
MT60	Titanium Mesh Tunic	S-XL

General Purpose Gloves

Seamless Knits (Uncoated)		
Item #	Description	Size
K17A	7-Cut, Std Wt Cotton Blend, Natural	Men's
K17AL	7-Cut, Std Wt Cotton Blend, Natural	Ladies'
TSK19A	7-Cut, Hvy Wt Cotton/Poly, Natural, Economy	Men's
TSK19AL	7-Cut, Hvy Wt Cotton/Poly, Natural, Economy	Ladies'
TSK19AY	7-Cut, Hvy Wt Cotton/Poly, Natural, Economy	Youth
TSK19A-GY	7-Cut, Hvy Wt Cotton/Poly, Gray, Economy	Men's
TSK19AL-GY	7-Cut, Hvy Wt Cotton/Poly, Gray, Economy	Ladies'
PAK18A	7-Cut, Std Wt Acrylic, White	Men's
PAK18AL	7-Cut, Std Wt Acrylic, White	Ladies'
UL18A	7-Cut, Std Wt Cotton Liner, Natural	Men's
UL18ATC	7-Cut, Std Wt Cotton Liner, Extnd Thermal Cuff, Natural	Men's
UL18ALTC	7-Cut, Std Wt Cotton Liner, Extnd Thermal Cuff, Natural	Ladies'
WK18ATC	7-Cut, Std Wt Cotton/Poly Liner, 4" Thermal Cuff, Black	Men's
WK18ALTC	7-Cut, Std Wt Cotton/Poly Liner, 4" Thermal Cuff, Black	Ladies'

Seamless Knits - Low Linting Styles

Item #	Description	Size
LFN13A	13-Cut, Lt Wt 100% Polyester, White	Men's
LFN13AL	13-Cut, Lt Wt 100% Polyester, White	Ladies'
NY13-1	13-Cut, Lt Wt 100% Nylon, White, Economy	Men's
NY13L-1	13-Cut. Lt Wt 100% Nylon, White, Economy	Ladies'

Seamless Knits - Thermostat™ Liners

Item #	Description	Size
TH13A	13-Cut, 100% Thermostat, White	One Size Fits All
TH13A-BL	13-Cut, 100% Thermostat, Blue	One Size Fits All
TH13A-BK	13-Cut, 100% Thermostat, Black	One Size Fits All

Sperian EarthSmart™

Item #	Description	Size
RG7	Lt Green, Seamless Knit, Made from Recycled Green Plastic Pop Bottles	Men's
RG7L	Lt Green, Seamless Knit, Made from Recycled Green Plastic Pop Bottles	Ladies'

Seamless Knits (Coated)

Item #	Description	Size
CD5A	7-Cut, Std Wt Natural Cotton/Poly, Sngl Sd Brown PVC Dot Coat	Men's
CD5AL	7-Cut, Std Wt Natural Cotton/Poly, Sngl Sd Brown PVC Dot Coat	Ladies'
CD5AJ	7-Cut, Std Wt Natural Cotton/Poly, Sngl Sd Brown PVC Dot Coat	Jumbo
CD5AY	7-Cut, Std Wt Natural Cotton/Poly, Sngl Sd Brown PVC Dot Coat	Youth
CD5AR	7-Cut, Std Wt Natural Cotton/Poly, Dbl Sd Brown PVC Dot Coat	Men's
CD5ALR	7-Cut, Std Wt Natural Cotton/Poly, Dbl Sd Brown PVC Dot Coat	Ladies'
CD5AYR	7-Cut, Std Wt Natural Cotton/Poly, Dbl Sd Brown PVC Dot Coat	Youth
CV18AR	7-Cut, Med Wt Natural Cotton, Dbl Sd Blu "V" Ptrn PVC Coat	Men's
CV18ALR	7-Cut, Med Wt Natural Cotton, Dbl Sd Blu "V" Ptrn PVC Coat	Ladies'
CV18ARJ	7-Cut, Med Wt Natural Cotton, Dbl Sd Blu "V" Ptrn PVC Coat	Jumbo
CV18AYR	7-Cut, Med Wt Natural Cotton, Dbl Sd Blu "V" Ptrn PVC Coat	Youth
PKD18A	7-Cut, Med Wt Wht Cotton/Poly, Sngl Sd White PVC Dot Coat	Men's
PKD18AL	7-Cut, Med Wt Wht Cotton/Poly, Sngl Sd White PVC Dot Coat	Ladies'
CB18A	7-Cut, Std Wt Natural Cotton/Poly, Sngl Sd Blue PVC Block Coat	Men's
CB18AL	7-Cut, Std Wt Natural Cotton/Poly, Sngl Sd Blue PVC Block Coat	Ladies'
CB18AY	7-Cut, Std Wt Natural Cotton/Poly, Sngl Sd Blue PVC Block Coat	Youth
CB18AR	7-Cut, Std Wt Natural Cotton/Poly, Dbl Sd Blue PVC Block Coat	Men's
CB18ALR	7-Cut, Std Wt Natural Cotton/Poly, Dbl Sd Blue PVC Block Coat	Ladies'
CB18AYR	7-Cut, Std Wt Natural Cotton/Poly, Dbl Sd Blue PVC Block Coat	Youth
NVC13A	13-Cut, Lt Wt Natural Cotton/Poly, Sngl Sd Rust PVC Full Palm Coat	Men's
NVC13AL	13-Cut, Lt Wt Natural Cotton/Poly, Sngl Sd Rust PVC Full Palm Coat	Ladies'

PF570

Item # Description





FULL LINE SKU LISTING

Sperian Hand & Arm Protection

Seamless k	Inits (Coated, Continued)	
Item #	Description	Size
CPVC13J-RS	13-Cut, Lt Wt Natural Cotton/Poly, Sngl Sd Rust PVC Full Palm Coat	Jumbo
NVC13AY	13-Cut, Lt Wt Natural Cotton/Poly, Sngl Sd Rust PVC Full Palm Coat	Youth
VC18A-BR	7-Cut, Std Wt Natural Cotton/Poly, Sngl Sd Brown PVC Full Palm Coat	Men's
VC18AL-BR	7-Cut, Std Wt Natural Cotton/Poly, Sngl Sd Brown PVC Full Palm Coat	Ladies
VC18AY-BR	7-Cut, Std Wt Natural Cotton/Poly, Sngl Sd Brown PVC Full Palm Coat	Youth
Sperian Ea	rthSmart™ Description	Size
RGD7	Lt Green, Seamless Knit, Made from Recycled Green Plastic Pop Bottles, Black Dot Pattern	Men's
RGD7L	Lt Green, Seamless Knit, Made from Recycled Green Plastic Pop Bottles, Black Dot Pattern	Ladies
Sperian Wo	orkEasy® Series Description	Size
WE100	White Polyester Liner with Gray Nitrile Coating	S-XXL
WE110	Black Polyester Liner with Black Nitrile Coating	S-XXL
WE200	White Polyester Liner with Gray Polyurethane Coating	S-XXL
WE210	Black Polyester Liner with Gray Polyurethane Coating	S-XXL
WE300	Light Gray, HPPE Fiber Liner with Gray Polyurethane Coating	S-XXL
ltem #	Dipped Gloves, Nylon Liner Description	Size
369	White Liner with Gray Nitrile Palm Coating	S-XL
375	Black Liner with Gray Nitrile Palm Coating	S-XL
380	Black Liner with Black Nitrile Palm Coating	S-XL
390	White Liner with Gray Foamed Nitrile Palm Coating	S-XL
395	Black Liner with Gray Foamed Nitrile Palm Coating	S-XL
PF525	White Liner with Gray Polyurethane Palm Coating	S-XL
PF550	Black Liner with Gray Polyurethane Palm Coating	S-XL
PF560	Black Liner with Black Polyurethane Coating – 3/4	S-XL
	Dipped to Extend Over Knuckles	
PF600	White Liner with White Polyurethane Fingertip Coating	S-XL
Pure Fit™ -	· Dipped Gloves, DuPont® Kevlar® Liner	Size
KV371	Kevlar Knit Liner with Ultra Thin Black Palm and Fingertip Coating	S-XL
KV372	Kevlar Knit Liner with Ultra Thin Gray Palm and Fingertip Coating	S-XL
Sperian Tut	ff-Glo ™ Description	Size
PF541HVZ	Hi-Viz HPPE and Polyester Fiber Liner w/Orange	S-XL
113411172	Polyurethane Coating	J AL
PF5413QHVZ	Hi-Viz HPPE and Polyester Fiber Liner w/Orange Polyurethane Coating, 3/4 Dipped to Extend Over Knuckles	S-XL
Pure Fit™ -	· Dipped Gloves, HPPE Fiber Liner Description	Size
PF540	White HPPE Liner w/White PU Palm and Fingertip Coating	S-XL
PF541	Charcoal HPPE Liner w/Gray PU Palm and Fingertip Coating	S-XL
PF542	White HPPE Fiber Liner w/Gray PU Coating	S-XL
PF545	Light Gray HPPE Liner w/Blue Nitrile Palm and Fingertip Coating	S-XL

Parfact Cast	™ Reinforced	
Item #	Description	Size
330PC	Med Wt Gray Liner w/Black Coating, Added Layer of Rubber* at High-Wear Area	M-XL
Perfect Coat	™ Extended Coating	
Item #	Description	Size
305PC	Medium Weight Gray Liner with Blue Coating	S-XL
Perfect Coat	™ Thermal Description	Size
451PC	Heavyweight Light Gray Liner with Gray Coating	S-XL
Perfect Coat	™ Kevlar® & Natural Rubber Description	Size
KV300	Med Wt Yellow Kevlar Liner w/Blue Rubber* Coating	S-XL
	™ Kevlar® & Stainless Steel	
Item #	Description	Size S-XI
KV303	Medium Weight Yellow Kevlar/Steel/Polyester Blend	2-XL
Perfect Coat Item #	™ Kevlar® & Nitrile Description	Size
KV350	Med Wt Yellow DuPont™ Kevlar® Knit liner with Green Coating	S-XL
perian Tuff	-Coat® Description	Size
125	Lt Wt White Nylon Liner with Blue Latex* Crinkle Coating	S-XXL
200	Med Wt Gray Cotton/Poly Liner with Black Natural Rubber* Coating	S-XXL
250	Med Wt Black Poly/Cotton Knit Liner with Black Nitrile Coating	S-XXL
400	Med Wt Brushed Acrylic, Hi-Viz Yellow Liner with Black Natural Rubber* Coating	S-XXL
Sperian Tuff	-Coat® Dipped Gloves, Kevlar® Fiber Liner	Size
KV200	Med Wt Yellow Kevlar Liner with Blue Natural Rubber* Coating	S-XXL
KV250	Med Wt Yellow Kevlar Liner with Green Rough Texture Nitrile Coating	S-XXL
	Arc Flash Hazard Gloves	

Sperian Arc	Sperian Arc-Tex™ Item # Description Size				
	Description				
ATX20	7 Gauge, Standard Weight Knit Liner	Men's			
ATX20L	7 Gauge, Standard Weight Knit Liner	Ladies'			
ATX20J	7 Gauge, Standard Weight Knit Liner	Jumbo			
ATX20-50	7 Gauge, Std Weight w/Premium Quality Cowhide Palm Patch	Men's			
ATX20L-50	7 Gauge, Std Weight w/Premium Quality Cowhide Palm Patch	Ladies			
ATX24-5FL	24 oz Heavy Weight Terry, Loop-Out, with 5 Inch Flared Cuff	Men's			
ATX24L-5FL	24 oz Heavy Weight Terry, Loop-Out, with 5 Inch Flared Cuff	Ladies'			
ATX24J-5FL	24 oz Heavy Weight Terry, Loop-Out, with 5 Inch Flared Cuff	Jumbo			
TKATX24-5FL	24 oz Heavy Weight Terry, Loop-In, with 5 Inch Flared Cuff	Men's			
TKATX24L-5FL	24 oz Heavy Weight Terry, Loop-In, with 5 Inch Flared Cuff	Ladies			
TKATX24J-5FL	24 oz Heavy Weight Terry, Loop-In, with 5 Inch Flared Cuff	Jumbo			
ATX737-BT	Double Layer of Thermal Terry Cloth	Men's			
ATX737J-BT	Double Layer of Thermal Terry Cloth	Jumbo			

Gray Nitrile Coating

Sperian Perfect Coat™ Series

Gray HPPE Fiber/Stainless Steel Liner w/HPPE Plating,

300PC Med Wt Gray Cotton/Polyester Liner w/Blue Natural Rubber* Coating

317PC Med Wt Fluorescent Yellow Polyliner w/Orange Natural Rubber* Palm

320PC Med Wt Gray Cotton/Polyester Liner w/Black Natural Rubber* Coating

350PC Med Wt Gray Cotton/Polyester Liner w/Green Nitrile Palm Coating

Size

S-XL

S-XL

S-XL

^{*•} WARNING: These products contain natural rubber/latex which may cause allergies in some individuals. These allergies can lead to serious illness or death. If an allergic reaction occurs (skin rashes, hives, flushing, itching, nasal, eye, or sinus symptoms, shortness of breath, asthma or shock), stop using this product immediately and consult a medical provider.

FULL LINE SKU LISTING



Sperian Hand & Arm Protection

Heat-Resistant Knit Gloves

Loop-In and	Loop-Out Terry Cloth Description	Size
TK14A-1	14 Oz, Loop-In Cotton Blend Terry Cloth, Natural, Economy	Men's
TK14AL-1	14 Oz, Loop-In Cotton Blend Terry Cloth, Natural, Economy	Ladies
24A-1	24 Oz, Loop-Out Cotton Blend Terry Cloth, Knit Wrist, Natural	Men's
24AL-1	24 Oz, Loop-Out Cotton Blend Terry Cloth, Knit Wrist, Natural	Ladies
24AC-1	24 Oz, Loop-Out Cotton Blend Terry Cloth, Continuous Cuff, Natural, Economy	Men's
24ALC-1	24 Oz, Loop-Out Cotton Blend Terry Cloth, Continuous Cuff, Natural, Economy	Ladies
24A-GY-1	24 Oz, Loop-Out Cotton Blend Terry Cloth, Knit Wrist, Gray, Economy	Men's
24AL-GY-1	24 Oz, Loop-Out Cotton Blend Terry Cloth, Knit Wrist, Gray, Economy	Ladies
TK24A-1	24 Oz, Loop-In Cotton Blend Terry Cloth, Natural	Men's
TK24AL-1	24 Oz, Loop-In Cotton Blend Terry Cloth, Natural	Ladies
MT24A	24 Oz, Loop-Out Mock Twist Kevlar/Cotton Terry Cloth, Knit Wrist, Brown/Yellow/Natural	Men's
MT24AL	24 Oz, Loop-Out Mock Twist Kevlar/Cotton Terry Cloth,	Ladies
TTC24GC-(size)	24 Oz, Twaron/Cotton/Poly Mock Twist, Cont Cuff, Gray	7-9

Chemical/Liquid Resistant Gloves

owerCoa	t® PVC	
Item #	Description	Size
610	10" Double-Dipped, Rough Grip, Orange	M-XXL
620	12" Double-Dipped, Rough Grip, Orange	S-XXL
640	12" Double-Dipped, Clear Vinyl Sleeve Extension (25" Length)	M-XL
650	10" Triple-Dipped, Rough Grip, Blue	M-XXL
560	12" Triple-Dipped, Rough Grip, Blue	M-XXL
KV660	12" Triple-Dipped, 100% Kevlar liner, Blue	L-XL
460	12" Double-Dipped, Thermal Fleece Lining, Rough Grip, Orange	M-XL
490	12" Triple-Dipped, Thermal Fleece Lining, Rough Grip, Blue	M-XL
owerCoa	t® Butyl	

I OWEI COAL	Butyi	
Item #	Description	Size
PS-BU14-R	Unsupported, 14" 14 Mil with Rough Grip, Black	M-XL
PowerCoat®	Nitrile	

PowerCoat® Nitrile			
	Item #	Description	Size
	PC-NI-VL	Supported, 13" Med Weight, Knit Liner and V-Grip, Green	7-11
	PS-NI15-FL-V	Flock-Lined, 13" 18 Mil with V-Grip, Green	7-11
	NI22-18	Unsupported, 18" 22 Mil	7-11
	772	Supported, 26" Med Wt, Elastic Cuff, Rough Grip, Yellow	M-XL
	1520	Supported, 12" Med Wt, Blue Over Blue	M-XXL
	PowerCoat® Latex*		

rower coat - Latex			
	Item #	Description	Size
	PC-LBL	Supported, 12" Med Wt, Double-Dipped, Smooth Grip, Blue	S-XL

PowerCoat® Neoprene

Item #	Description	Size
PC-NE14	Supported, 14" Med Wt, Double-Dipped, Rough Grip, Black/Blue	M-XL

PowerCoat® Disposables

Item #	Description	Size
PSD-N14	Powder Free, 12" 4 Mil Disposable Nitrile, 50 Pcs/Bx, Blue	S-XXL
PSD-N18	Powder Free, 12" 8 Mil Disposable Nitrile, 50 Pcs/Bx, Blue	S-XXL
PSD-TRIP	Powder Free, 12" 5 Mil Disposable Tri-Polymer, 100 Pcs/Bx, Purple	S-XL

^{*}A WARNING: These products contain natural rubber/latex which may cause allergies in some individuals. These allergies can lead to serious illness or death. If an allergic reaction occurs (skin rashes, hives, flushing, itching, nasal, eye, or sinus symptoms, shortness of breath, asthma or shock), stop using this product immediately and consult a medical provider.

Arm Protection

DuPont® Kevlar®		
Item #	Description	Size (Inches)
KVSL-2-(length)	Lt Wt, 100% Kevlar, Yellow	18
KVS-2-(length)	Std Wt, 100% Kevlar, Yellow	10, 14, 18
KVS-2-(length)TH	Std Wt, 100% Kevlar with Thumb Hole, Yellow	14, 18, 22, 24
KVS-2-(length)TH-3BT	Std Wt, 100% Kevlar with Thumb Hole and 3 Finger Bar Tacks, Yellow	14
KVS-2-(length)TH-90	Std Wt, 100% Kevlar with Thumb Hole and Leather Reinforcement, Yellow	14, 18
KVS-2-(length)TH-NS	Std Wt, 100% Kevlar with Thumb Hole and No-Slip Top, Yellow	18, 20
KVS44-2-(length)	Std Wt, Kevlar and Cotton Blend	14, 18
KVS44-2-(length)TH	Std Wt, Kevlar And Cotton Blend w/Thumb Hole	14, 18
BK-KVS-2-(length)	Std Wt, 100% Kevlar Knit, Black	10, 14, 18, 24
BK-KVS-2-(length)TH	Std Wt, 100% Kevlar Knit, Black w/Thumb Hole	18, 23
Cotton		
Item #	Description	Size (Inches)
CS-2-(length)	2-Ply 100% Cotton Knit	18, 20
CS-1-(length)LO	Loop-Out Terry Cloth Sleeve	15, 18
Sperian Arc Tex™		
Item #	Description	Size (Inches)
ATX-21-M	21" Blouse Sleeve, 8" width	21
ATX-21-L	21" Blouse Sleeve, 9-1/2" width	21
Sperian Perfect Fi	t CRT™ Description	Size (Inches)
CRTS-2-(length)	Std Weight, 2-ply CRT Fiber	14, 18
CRTS-2-(length)TH	Std Weight, 2-ply CRT Fiber w/Thumb Hole	14, 18

Item #	Description	Size (Inches)
CRTS-2-(length)	Std Weight, 2-ply CRT Fiber	14, 18
CRTS-2-(length)TH	Std Weight, 2-ply CRT Fiber w/Thumb Hole	14, 18
CRTS-2-24TH-3BT	Std Weight, 2-ply CRT Fiber w/Thumb Hole, and Finger Bar Tack	24

Sperian Comfortrel™

Item #	Description	Size (Inches)
CTSS-2-(length)	Std Wt, 2-ply Comfortrel Fiber	14, 18
CTSS-2-(length)TH	Std Wt, 2-ply Comfortrel Fiber with Thumb Hol	e 14, 18

Perfect Fit® - HPPE Fibers

Item #	Description	Size (Inches)
PFSL-10-GY	10" Standard Weight HPPE Fiber, Bloused Sleeve, Gray	10
LPFSL-21-AC	21" Lightweight HPPE Fiber Sleeve, Alligator Clip, White	21

Whiting + Davis™ Mesh Sleeves

Item #	Description	Size
A588(size)E	Stainless Steel Mesh Sleeve, Elastic Strap and Side Adjustment	XXS-XXL
D2588	Double Stainless Steel Mesh Sleeve, Polypropylene Harness	XXS-XXL

Abbreviation Key

,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,		
Blk	Black	Coat	Coating
Bwn	Brown	Rnfrcd	Reinforced
Wht	White	Tech	Technology
Ylw	Yellow	Prem	Premium
Blu	Blue	Prem Gr	Premium Grade
Orng	Orange	Stitch	Stitching
Std Wt	Standard Weight	Extnd	Extended
Lt Wt	Lightweight	Ptrn	Pattern
Hvy Wt	Heavyweight	Synth Blend	Synthetic Blend
Med Wt	Medium Weight	Oz	Ounce
Sngl Sd	Single Side	Cotton/Poly	Cotton/Polyester
Dbl Sd	Double Side	Cont	Continuous









SPERIAN Protection Americas, Inc. 900 Douglas Pike Smithfield, RI 02917 Tel: 800 343-3411 Fax: 800 322-1330 www.sperian.com

