

February 26, 2023

Diane Czarnecki Industrial Hygienist Facilities Management Division GSA Public Buildings Service – Heartland Region 2300 Main Street Kansas City, MO 64108

Re: Goodfellow Federal Center – Building 107 Air and Wipe Sampling Evaluation Addendum Project No. 121244

Dear Ms. Czarnecki:

Thank you for the opportunity to provide the General Services Administration (GSA) with the above referenced environmental sampling activities. The following is our report.

INTRODUCTION

As requested, Burns & McDonnell conducted area air sampling and wipe sampling for the presence of seven (7) RCRA metals including arsenic, barium, cadmium, chromium, lead, selenium, and silver within the occupied areas of the first floor of building 107 of the Goodfellow Federal Center located at 4300 Goodfellow Boulevard in St. Louis, Missouri. The purpose of the investigation was to provide ongoing sampling data to monitor conditions at the site. This report serves as an addendum to the *Goodfellow Federal Center – Building 107 Air and Wipe Sampling Evaluation*, dated December 27, 2021.

SAMPLING METHODOLOGY

Dust wipe sampling was conducted in accordance with ASTM Standard E1728: *Standard Practice for Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Lead Determination* and ASTM Standard D6966: *Standard Practice for Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Determination of Metals*. ASTM Standards E1728 and D6966 are consistent with the methodology described in the Housing and Urban Development Guidelines-Appendix 13.1 and 40 CFR 745.63. The Brookhaven National Laboratory's Surface Wipe Sampling Procedure (IH75190) was also used as a guideline.

A representative surface area of approximately one square foot (1 SF) was measured and delineated. The dust wipe samples were collected using dedicated dust wipe cloths meeting ASTM E1792 Standard. Each dust wipe cloth was pre-moistened and individually wrapped. Each sample was collected by wiping in a back and forth "S" pattern over a measured sampling area using a clean, disposable glove. Then, the wipe was folded over itself and the area was wiped again in a direction perpendicular to the first wipe orientation. Then, the wipe folded over itself again and the area was wiped around the perimeter. The wipe sample was then placed into a labeled, clean container.



Diane Czarnecki Facilities Management Division February 26, 2023 Page 2

Air samples for RCRA metals were collected on 37-millimeter (mm) cassettes with 0.8 micrometer (μ m) mixed cellulose ester (MCE) filters, using powered air sampling pumps, in accordance with the National Institute for Occupational Safety and Health (NIOSH) Method 7300. The sampling strategy included collecting a minimum sample volume of 500 liters based on the calibrated pump flow rate and sample duration.

All samples were submitted under chain-of-custody to Environmental Hazards Services, LLC (EHS) in Richmond, Virginia for independent analysis of 7 RCRA metals. Air samples were analyzed by Inductively Coupled Plasma (ICP) according to NIOSH method 7300. Wipe samples were analyzed according to Environmental Protection Agency (EPA) method SW846-3050B/6010D. EHS is accredited under the American Industrial Hygiene Association (AIHA) Industrial Hygiene Laboratory Accreditation Program (IHLAP) program, identification number LAP-100420.

SAMPLE SUMMARY AND RESULTS

Air and wipe samples were collected on February 08, 2023, by Jeff Smith of OCCU-TEC.

One (1) air sample was collected on February 08, 2023. The sample was collected on the 1st floor in Room 134, north conference room, on top of the eastern cabinet. All analytes were below laboratory reporting limits. The complete air sampling laboratory reports from EHS are included as Appendix A.

One (1) wipe sample was collected on February 08, 2023 on the 1st floor in Room 134, north conference room, from the top of the conference room table. All analytes were below laboratory reporting limits. The complete wipe sampling laboratory report from EHS is included in Appendix B.

LIMITATIONS

The scope of this assessment was limited in nature. Burns & McDonnell collected samples from a representative number of surfaces in an effort to minimize cost while providing a general overview of site conditions. Sample locations do not encompass all surfaces at the site. Additionally, samples were only analyzed for a select number of potential contaminants. Burns & McDonnell is not responsible for potential contaminants not identified in this report.

Burns & McDonnell appreciates the opportunity to work for GSA on this project. Please contact us if you have any questions regarding this report or if we may be of any additional service.



Diane Czarnecki Facilities Management Division February 26, 2023 Page 3

Sincerely,



Matt Shanahan, CHMM Project Manager

Attachments:

Appendix A – Air Sampling Laboratory Report Appendix B – Wipe Sampling Laboratory Report

Information in Appendices A and B are not accessible for people using screen reader technology. If this information is required, it can be furnished upon request by contacting 816-223-6198 or r6environmental@gsa.gov.

APPENDIX A – AIR SAMPLING LABORATORY REPORT



Environmental Hazards Services, L.L.C. 7469 Whitepine Rd Richmond, VA 23237 Telephone: 800.347.4010

Air Metals Analysis Report

Client:	Burns & McDonnell Engineering	Report Number:	23-02-01801
	9400 Ward Pkwy.	Received Date:	02/10/2023
	Kansas City, MO 64114	Reported Date:	02/17/2023

Project/Test Address: 168765; GFC / 4300 Goodfellow Blvd

Client Number: 26-3514

Laboratory Results

Fax Number: 816-822-3494

Lab Sample Number	Client Sample Number	Analyzed Date	Analyte	Air Volume (L)	Total Metal (ug)	Concentration (ug/m ³)	Narrative ID
23-02-01801-001	104-A-01	02/16/2023	Arsenic (As)	488	<0.15	<0.31	
			Barium (Ba)		<0.15	<0.31	
			Cadmium (Cd)		<0.030	<0.062	
			Chromium (Cr)		<0.75	<1.6	
			Lead (Pb)		<0.15	<0.31	
			Selenium (Se)		<0.75	<1.6	
			Silver (Ag)		<0.15	<0.31	
23-02-01801-002	104-A-02	02/16/2023	Arsenic (As)		<0.15		
			Barium (Ba)		<0.15		
			Cadmium (Cd)		<0.030		
			Chromium (Cr)		<0.75		
			Lead (Pb)		<0.15		
			Selenium (Se)		<0.75		
			Silver (Ag)		<0.15		
23-02-01801-003	107-A-01	02/16/2023	Arsenic (As)	465	<0.15	<0.33	
			Barium (Ba)		<0.15	<0.33	
			Cadmium (Cd)		<0.030	<0.065	

Environmental Hazards Services, L.L.C

Client Number: 26-3514 Project/Test Address: 168765; GFC / 4300 Goodfellow Blvd

Report Number: 23-02-01801

Lab Sample Number	Client Sample Number	Analyzed Date	Analyte	Air Volume (L)	Total Metal (ug)	Concentration (ug/m ³)	Narrative ID
			Chromium (Cr)		<0.75	<1.7	
			Lead (Pb)		<0.15	<0.33	
			Selenium (Se)		<0.75	<1.7	
			Silver (Ag)		<0.15	<0.33	
23-02-01801-004	107-A-02	02/16/2023	Arsenic (As)		<0.15		
			Barium (Ba)		<0.15		
			Cadmium (Cd)		<0.030		
			Chromium (Cr)		<0.75		
			Lead (Pb)		<0.15		
			Selenium (Se)		<0.75		
			Silver (Ag)		<0.15		

Sample Narratives:

Method: NIOSH 7300M Analyst: Carlos Gonzalez

Reviewed By Authorized Signatory:

(b) (6) /:

Tasha Eaddy QA/QC Clerk

Sample Results denoted with a "less than" (<) sign contains less than the reporting limit for each particular metal, based on a 15mL volume. The reporting limit is 0.03ug for Cadmium, 0.15ug for Arsenic, Barium, Lead and Silver, and 0.75ug for Chromium and Selenium.

The condition of the samples analyzed was acceptable upon receipt per laboratory protocol unless otherwise noted on this report. Results represent the analysis of samples submitted by the client. Unless otherwise noted, samples are reported without a dry weight correction. Sample location, description, area, volume, etc., was provided by the client. If the report does not contain the result for a field blank, it is due to the fact that the client did not include a field blank with their samples. These sample results do not reflect blank correction. This report shall not be reproduced except in full, without the written consent of Environmental Hazards Services, L.L.C. NY ELAP #11714.

LEGEND	ug = microgram	ug/m ³ = micrograms per cubic meter
	mL = milliliter	L= Liters

ENVIRONMENTAL HAZARDS SERVICES, LLC

		ENVIRO								ZARUS Custody					LE	:3,	, L	LC	De	And the second se	l
		Burns & McDo			51		all		<u> </u>	Jusiou	y 	Coll Colors	Acco		<u>#</u>	26	-35	514	Pg_	C	f
	Company Name				,							/ City/		1929-1101	-			as City	/. MO	6411	4
	mpany Address Phone	9400 Ward Pa 314-302-4661		way	y					·····				Ema	in artice Registration			taett@			
	roject Name / Te			113	00 0	300	ndfe		v R	vd					<u> </u>						
٢	PO Number	168765								ollected By)e(20	Ś		+	[
Tu	rn-Around Time					-							<u> </u>		$ \leq $	m	1				
		5 DAY	1	3	DAY			2 D		(1 D/	AY			54	7IVIF	: DA	YU	K WEEK	END-I	viust C	all Ahead
					MI	ETA	LS			Ro.			P4	ARTI	CUL	ATES	5		AIR		WIPES
AB NUMBER	Client	Collection	0	A 8	otal	Profile	e Profile	Ъ	otal	15.			ce Dust	Dust	letric		_	Total Time	Flow Rate	Vol.	AREA
LAB N	Sample ID	Date & Time	Pb TCLP	TCLP RCRA 8	RCRA 8 Total	Toxic Metal Profile	Welding Fume Profile	TX 11 TCLP	CA 17 Total	Other Metals			Total Nuisance Dust	Respirable Dust	TSP Gravimetric	TSP Pb	PM- 10	Mins.	L/min.	Total Liters	Circle The Unit of Measurement Used cm or in
1	104-A-01	2-7-23 1000		veneo.Taki		1000000				Ag, As, Ba, Cd Pb, Se	1, C	r,						193	2.53	488	x
2	104-A-02	2-7-23 1000								1									etiars,	egistetter,	x
3	101 11 00																				x
4	104-10-01	2-7-23 1315		•																	12 × 12
5	104-W-02																		1		X
6	101000	6 6 7 1700		12						· ·											x
7	107-19-01	2-8-23 0800																183	2.53	HIS	x
8																					x
9	10 / // 0 4	20170000																			x
10	107-00-01	2-8-23 0830			1																12×12
11	107-W-02	2-8-23 0830																			et an and a second seco
12	101 00 000	2027000																			x
13					+				+												×
14								<u> </u>	+		4								+		x
14																					×
	Released By:	ILL	<u>P</u>	1/		<u> </u>	I			Date:		•7.	9.	-1	7	1	I	Time		0900	」 つ
	Signature:	(b) (6)	nM	~~						120120199392030403	9.991		<u> </u>	ber	<u> </u>						
				Ny second d			LAB U	JSE C	ONLY	- BELOW THIS I	LIN								4004		
Reco	eived By: <u>A. (</u> (b) (6)	Valler															23	-02-0	1801		
	ature:																				
Date	e: 02,10	<u>23</u>		3	:		13)	Ľ		PM						02	ue Dat /17/2	023		
	Portal Contact	Added																(Friday EL	()	MM	 -L
2	7469 WHITEPI	NE RD, RICHMOND,	, VA	232	237	(8	00)-3	347-	401	0											

RESULTS VIA CLIENT PORTAL AVAILABLE @ www.leadlab.com

APPENDIX B – WIPE SAMPLING LABORATORY REPORT



Environmental Hazards Services, L.L.C. 7469 Whitepine Rd Richmond, VA 23237

Telephone: 800.347.4010

Wipe Metals Analysis Report

Client:	Burns & McDonnell Engineering 9400 Ward Pkwy.	Report Number:	23-02-01805
	Kansas City, MO 64114	Received Date:	02/10/2023
		Analyzed Date:	02/16/2023
Project/Te	st Address: 168765: GEC / 1300 Goodfellow Blvd	Reported Date:	02/17/2023

Project/Test Address: 168765; GFC / 4300 Goodfellow Blvd

Client Number:

26-3514

Laboratory Results

Fax Number: 816-822-3494

Lab Sample Number	Client Sample Number	Analyte:	Wipe Area (ft²)	Total Metal (ug)	Concentration (ug/ft ²)	Narrative ID
23-02-01805-001	104-W-01	Arsenic (As)	1.00	<2.50	<2.5	L01
		Barium (Ba)	1.00	1.06	1.1	L01
		Cadmium (Cd)	1.00	<0.100	<0.10	L01
		Chromium (Cr)	1.00	<1.00	<1.0	L01
		Lead (Pb)	1.00	22.0	22	L01
		Selenium (Se)	1.00	<2.50	<2.5	L01
		Silver (Ag)	1.00	<0.500	<0.50	L01
23-02-01805-002	104-W-02	Arsenic (As)		<2.50		L01
		Barium (Ba)		<0.500		L01
		Cadmium (Cd)		<0.100		L01
		Chromium (Cr)		<1.00		L01

Environmental Hazards Services, L.L.C

Report Number: 2

23-02-01805

Client Number: 26-3514 Project/Test Address: 168765; GFC / 4300 Goodfellow Blvd

Lab Sample Number	Client Sample Number	Analyte:	Wipe Area (ft²)	Total Metal (ug)	Concentration (ug/ft ²)	Narrative ID
		Lead (Pb)		<0.500		L01
		Selenium (Se)		<2.50		L01
		Silver (Ag)		<0.500		L01
23-02-01805-003	107-W-01	Arsenic (As)	1.00	<2.50	<2.5	L01
		Barium (Ba)	1.00	<0.500	<0.50	L01
		Cadmium (Cd)	1.00	<0.100	<0.10	L01
		Chromium (Cr)	1.00	<1.00	<1.0	L01
		Lead (Pb)	1.00	<0.500	<0.50	L01
		Selenium (Se)	1.00	<2.50	<2.5	L01
		Silver (Ag)	1.00	<0.500	<0.50	L01
23-02-01805-004	107-W-02	Arsenic (As)		<2.50		L01
		Barium (Ba)		<0.500		L01
		Cadmium (Cd)		<0.100		L01
		Chromium (Cr)		<1.00		L01
		Lead (Pb)		<0.500		L01
		Selenium (Se)		<2.50		L01
		Silver (Ag)		<0.500		L01

	Env	ironmental Haz	ards Service	es, L.L.C		
Client Number: Project/Test Add	26-3514 ress: 168765; GFC / 430	0 Goodfellow Blvd		Report	Number: 23-02-	-01805
Lab Sample Number	Client Sample Number	Analyte:	Wipe Area (ft²)	Total Metal (ug)	Concentration (ug/ft²)	Narrative ID
Sample Narra	tives:					
L01: LCS ar	nd LCSD percent recovery fo	r Se were outside of acc	ceptable control lim	its.		
Analyst: C	arlos Gonzalez					
Method: EF	PA SW846 3050B/6010D					
				(b) (6)		
		Reviewed By Auth	orized Signator	ry:		
			-	Tasha Eaddy		
				QA/QC Clerk		
Sample Results de is 0.5ug.	enoted with a "less than" (<) sign	contains less than the rep	orting limit based on a	a 50mL volume. The	reporting limit for Lead	

The condition of the samples analyzed was acceptable upon receipt per laboratory protocol unless otherwise noted on this report. Results represent the analysis of samples submitted by the client. Unless otherwise noted, samples are reported without a dry weight correction. Sample location, description, area, volume, etc., was provided by the client. If the report does not contain the result for a field blank, it is due to the fact that the client did not include a field blank with their samples. These sample results do not reflect blank correction. This report shall not be reproduced except in full, without the written consent of Environmental Hazards Services, L.L.C. NY ELAP #11714.

Legend	ug = microgram	ug/ft ² = micrograms per square foot
	mL = milliliter	ft ² = square foot

		Burns & McD			13					Custody	an an Solaise	Cargo Sur -	A 1993 A 199		26	3514	Pg		of
	Company Name	9400 Ward P				·····			- 1		City		unt			isas C	ity MC	6411	4
	Phone	314-302-466		way	y						City		Ema			nstaett			
Pr	oject Name / Te			/ 43	00	God	odfe	ellov	vВ	lvd			LIIIG			101201	<u>e</u> bun	omea	
	PO Number	168765								ollected By)ef	ئە (5		+1			
Tur	n-Around Time	5 DAY		с з	ΠΔΥ	,	ĉ	2 D	ΔΥ	([^] 1 DA	v	*****		ME	אר	ORWE	EKEND.	Must (all Ahead
		/~~													271	ORME		Teraje e	
					M	ETA	LS			R.		PA	RTIC	ULA [:]	res		AIR		WIPES
LAB NUMBER	Client Sample ID	Collection Date & Time	Pb TCLP	TCLP RCRA 8	RCRA 8 Total	Toxic Metal Profile	Welding Fume Profile	TX 11 TCLP	CA 17 Total	Other Metals		Total Nuisance Dust	Respirable Dust	TSP Gravimetric	TSP Pb	Total Time	Flow Rate	Vol. Total Liters	AREA Circle The Unit Measurement 1 cm or (1
1	104-A-01 2	-7-23 1000		<u>1999</u> 99	oden i kalete		<u>200900</u>	den ber		Ag, As, Ba, Cd, Pb, Se	Cr,	30035202	0.000 (0)	<u>839 855</u>	nin with	193	2.53	488	x
2	104-A-02 1		*****																x
3										n andere andere and									x
4	104-10-01	2-7-23 1315		•						Designed of the second									12 × 1
5	104-12-02	2-7-23 1320																	X
G		-		÷.															x
7		2-8-23 0800														183	2.53	465	x
8	107-A-02	2-8-23 0800																Magaari	x
9		0													_				x
0	Management of the second	2-8-23 0830																	12×1
1	107-W-02	2-8-23 0830								<u>v</u>					_				erine Xuaar
.2															_				×
.3													_						×
.4																			×
Next Sector	Released By:	ILLE	<u>-</u>					I	l	Date:	17	9	23	,		Tim		0900	x
	Signature:	(b) (6)	いトイ	2						Date:	har "		63	>				0-(0)	
NUSS.						L	AB U	ISE OI	NLY -	BELOW THIS LIN	NE								
cei	ved By: A. U	Valker	an daa iyoo ahaa ahaa		Dalabari Di Lavyari		Harid A papara				******				23	3-02-0)1805		
	(b) (6)																		
	ture:					i				*					ШШ Г	ue Da	llillillillilli to:		
te:	02,10	<u>/23</u> Time:		5		4	3	l	С		Л					2/17/2			
										1						(Frida			
] P	ortal Contact A	Aded														EL		MM	-L