HP DesignJet T630 24-in Printer



Simply the world's easiest large-format plotters¹ – affordability without tradeoffs



Extreme simplicity

- Print multi-size A3/B and A1/D projects automatically, without manually switching the media source.
- Save time with the world's easiest job submission – send multiple files in one click with HP Click software.2
- Print with confidence you'll get the results you expect with an intuitive driver and true print preview

Fits your office and budget

- Save space with the world's smallest plotters³ designed to fit your office, including a built-in
- Use up to 95% less ink for routine maintenance vs competitor and get up to 100 extra A1/D pages per month.4
- More sustainable design reduces CO2e up to 7.3 tons/year by units sold by using up to 30% recycled plastic.5

Fits the way you work

- Avoid waiting by the printer with high-speed printing as fast as 26 seconds per A1/D plot.
- Be more productive save time from job prep to final print by printing your projects up to 2x faster.6
- Print your jobs and manage your plotter from virtually anywhere, anytime with the HP Smart
- Get high-quality results HP Bright Office Inks plot up to 31% more line accuracy and up to 65% more gamut.⁷

For more information, please visit http://www.hp.com/go/designjett630

¹ The HP DesignJet T600 Printer series and the HP DesignJet Studio Printer series are the only solutions providing seamless printing of both large- and small-format sheets automatically in a multi-size print basket compared to competitive alternatives with comparable size and features as of January, 2020.

² One-click printing with HP Click software. Applicable to PDF, JPEG, TIFF, DWF, and HP-GL/2 files.

³ HP Design1et T650 36-in series printers are up to 17% smaller compared to competitive alternatives with comparable size and features as of January, 2020. The world's smallest large-format plotters based on most compact footprint.

compact footprint.

4 One-click printing with HP Click software. Applicable to PDF, JPEG, TIFF, DWF, and HP-GL/2 files.

5 More sustainable design compared to the previous printer models (HP DesignJet T500 Printer series) replaced with the HP DesignJet T600 Printer series. Based on calculations in accordance with ISO 14040/14044 Life Cycle Assessments using ReCiPe (H) v. 1.1 (2016) on GaBi 8.5 (2018) software and scaled to reflect expected yearly sales.

6 Three-click printing with HP Click software compared to up to 11 clicks with competitive alternatives when printing 5 files of different sizes. Applicable to PDF, JPEG, TIFF, DWF, and HP-GL/2 files. Based on testing the HP DesignJet T650 36-in Printer, from job prep to print is up to 2x faster than competitive alternatives with comparable size and features as of January, 2020.

7 Up to 31% more line accuracy based on HP internal testing, September 2019 of 1 pixel vertical line straightness comparing prints from the HP DesignJet T600 Printer series and Canon TM-305 Printer on plain paper using equivalent fast/draft print modes. Up to 65% more colour gamut based on HP internal testing, September 2019, of gamut volume comparing prints from the HP DesignJet T600 Printer series and Canon TM-305 Printer series and Canon TM-305 Printer on Potents on Core 75csm plain paper using against paper using a Printer on Oce 75gsm plain paper using equivalent fast/draft print modes

Print	
Print speed	30 sec/page on A1, 76 A1 prints per hour ¹
Print resolution	Up to 2400 x 1200 optimized dpi
Technology	HP Thermal Inkjet
Margins	Roll: 5 x 5 x 5 x 5 mm Sheet: 5 x 5 x 5 x 5 mm
Ink types	Dye-based (C, M, Y); pigment-based (K)
Page Yield	20 ml of ink yields 101 A1/D pages, taking into account maintenance routines ²
Ink drop	5.5 pl (C, M, Y); 12 pl (K)
Printheads	1 (cyan, magenta, yellow, black)
Printhead nozzles	1376
Line accuracy	±0.1% ³
Minimum line width	0.02 mm
Max optical density	8 L* min/2.10 D ⁴
Media	
Handling	Sheet feed, roll feed, automatic sheet feeder, media bin, automatic horizontal cutter
Roll size	279 to 610 mm
Sheet size	Auto sheet feeder: 210 x 279 to 330 x 482 mm manual feed: 210 x 279 to 610 x 1897 mm
Standard sheets	Auto sheet feeder: A4, A3 manual feed: A4, A3, A2, A1
Grammage	60 to 280 g/m² (roll/manual feed); 60 to 220 g/m² (auto sheet feeder)
Thickness	Up to 0.3 mm
Applications	Line drawings; Presentations; Renderings
Memory	1 GB
Hard disk	None
Connectivity	
Interfaces	Gigabit Ethernet (1000Base-T), Hi-Speed USB 2.0, Wi-Fi 802.11
Print languages (standard)	HP-GL/2, HP-RTL, CALS G4, JPEG, URF
Drivers	Raster driver for Windows and macOS
Dimensions (w x d x h)	
Printer	1013 x 605 x 932 mm
Shipping	1155 x 575 x 475 mm
Weight	ווווו כיזיא כינכא כו ו
	20.0 kg
Printer	28.9 kg
Shipping What's in the box	37.4 kg
HP Software and solutions	HP Design.let T630 24-in Printer, printer stand, automatic sheet feeder, printhead, introductory ink cartridges, spindle, quick reference guide, setup poster, power cord HP Click, HP Smart app, HP Print Preview for Windows, HP Easy Start, HP Design.let Utility for Windows, HP Support
	Assistant
Remote print enabled	Yes
One-click multi-size printing	Yes
Environmental ranges	
Recycled plastic in printer	30%
Operating temperature	5 to 40°C
Operating humidity	20 to 80% RH
Operating altitude	Up to 3000 m
Storage temperature	-25 to 55°C
Acoustics	
Sound pressure	42 dB(A) (operating), <16 dB(A) (idle)
Sound power	5.8 B(A) (operating), <3.4 B(A) (idle)
Power	
Consumption	<35 W (printing), <5.6 W (ready), <2.1 W (sleep), <0.2 W (standby)
Requirements	Input voltage (auto ranging): 220-240 V (±10%), 50/60 Hz (±3 Hz), 1200 mA max
Certification	Fig. 1. Section (and an experience of the control o
	FILIND ENGAGED 1 and ENGOZED 1 compliants Dursia Polarus Kharaketan (EAC): Illenia- (HA)
Safety	EU (LVD, EN 60950-1 and EN 62368-1 compliant); Russia, Belarus, Khazakstan (EAC); Ukraine (UA)
Electromagnetic	Compliant with Class B requirements EU (EMC/RED Directives)
Environmental Warranty	ENERGY STAR; WEEE; EU ROHS; EAEU ROHS; REACH; ErP; EPEAT GOID
	One-year limited hardware warranty

Ordering information

HP DesignJet T630 24-in Printe

'n	

9GF94A B3Q36A	HP DesignJet T200/T600 24-in Roll Cover HP DesignJet 24-in Spindle		
Original HP printing supplies			
3ED58A 3ED67A 3ED68A 3ED69A 3ED70A 3ED71A 3ED77A 3ED78A 3ED79A	HP 713 DesignJet Printhead Replacement Kit HP 712 29-ml (vyan DesignJet In K. Cartridge HP 712 29-ml Magenta DesignJet Ink Cartridge HP 712 29-ml Yellow DesignJet Ink Cartridge HP 712 38-ml Black DesignJet Ink Cartridge HP 712 38-ml Black DesignJet Ink Cartridge HP 712 39-mc X-9-ml (vyan DesignJet Ink Cartridge HP 712 3-pack 29-ml (vyan DesignJet Ink Cartridge HP 712 3-pack 29-ml Wangenta DesignJet Ink Cartridge HP 712 3-pack 29-ml Velan DesignJet Ink Cartridge		

Use Original HP inks and printheads, and HP large format printing materials, to experience consistent high quality and reliable performance that enable less downtime. These critical components are designed and engineered together as an optimized printing system, and Original HP inks are designed to maximize the life of HP printheads. Protect your HP printer investment by using Original HP inks for full HP warranty protection. For more information, visit hp.com/go/OriginalHPinks.

Original HP large format printing materials

For the entire HP Large Format Printing Materials portfolio, please see HPLFMedia.com.

Service and Support

UDSH6PE HP 1 year Post Warranty Next Business Day Hardware Support for DesignJet T630 24-in UDSJ3PE HP 1 year Post Warranty Next Business Day Hardware Support for DesignJet T630 24-in UDSJ3PE HP 1 year Post Warranty Parts Coverage Hardware Support for DesignJet T630 24-in UDSJ3PE HP 2 year Post Warranty Parts Coverage Hardware Support for DesignJet T630 24-in U18JHE HP 2 year Next Business Day Hardware Support for DesignJet T630 24-in U18JHE HP 3 year Next Business Day Hardware Support for DesignJet T630 24-in U18JHE HP 4 year Next Business Day Hardware Support for DesignJet T630 24-in U18JHE HP 3 year Next Business Day Hardware Support for DesignJet T630 24-in U18JHE HP 3 year Next Business Day Hardware Support for DesignJet T630 24-in U18JHE HP 3 year Parts Coverage Hardware Support for DesignJet T630 24-in U18JHE HP 3 year Parts Coverage Hardware Support for DesignJet T630 24-in U18JHE HP 5 year Parts Coverage Hardware Support for DesignJet T630 24-in U18JHE HP 5 year Parts Coverage Hardware Support for DesignJet T630 24-in U18JHE HP 5 year Parts Coverage Hardware Support for DesignJet T630 24-in U18JHE HP 5 year Parts Coverage Hardware Support for DesignJet T630 24-in U18JHE HP 5 year Parts Coverage Hardware Support for DesignJet T630 24-in U18JHE HP 5 year Parts Coverage Hardware Support for DesignJet T630 24-in U18JHE HP 5 year Parts Coverage Hardware Support for DesignJet T630 24-in U18JHE HP 5 year Parts Coverage Hardware Support for DesignJet T630 24-in U18JHE HP 5 year Parts Coverage Hardware Support for DesignJet T630 24-in U18JHE HP 5 year Parts Coverage Hardware Support for DesignJet T630 24-in U18JHE HP 5 year Parts Coverage Hardware Support for DesignJet T630 24-in U18JHE HP 5 year Parts Coverage Hardware Support for DesignJet T630 24-in U18JHE HP 5 year Parts Coverage Hardware Support for DesignJet T630 24-in U18JHE HP 5 year Parts Coverage Hardware Support for DesignJet T630 24-in U18JHE HP 5 year Parts Coverage Hardware Support for DesignJet T630 24-in U18JHE HP 5 year Parts Coverage Hardware

HP DesignJet Support Services offer installation, maintenance, and extended support services (e.g. 2,3, 4 and 5 years). For more information, please visit hp.com/go/cpc

ECO highlights

- ENERGY STAR® certified¹ and EPEAT® Gold registered² Free, convenient HP ink cartridge recycling³ Fc®-certified papers and a range of recyclable HP media with a take-back program⁴ Reduces CO2e up to 7.3 tons/year by units sold by using up to 30% recycled plastic⁵

Please recycle printing hardware and eligible printing supplies and prints. Find out how at our website: http://www.hp.com/ecosolutions

ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental

¹ ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency.

² EPEAP* registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

³ Visit http://www.hp.com/recycle to see how to participate and for HP Planet Partners program features and availability, program may not be available in your area.

⁴ BMG trademark license code FSC*-C115319, see http://www.fsc.org. HP trademark license code FSC*-C017543, see http://www.HP-LPMedia.com.

⁵ More sustainable design compared to the previous printer models (HP Designlet T500 Printer series) replaced with the HP Designlet T600 Printer series. Based on calculations in accordance with ISO 140401/10442 Life Cycle Assessments using ReCiPe (H) v. 1.1 (2016) on GaBi 8.5 (2018) software and scaled to reflect expected yearly sales.

Nechanical printing time. Printed in Fast mode with Economode on, using HP Bright White Inkjet Paper (bond) and Original HP inks. Actual performance may vary based on a variety of conditions, including but not limited to network configuration.

Calculation done taking into account two normal printhead cleanings and ink on an A1/D CAD drawing with black and color lines and a pixel coverage of 5.2%.

3 ±0.1% of the specified vector length or 3.02 mm (whichever greater) at 23°C (73°F), 50-60% relative humidity, on A0/E printing material in Best or Normal mode with HP Heavyweight Coated roll feed and Original HP inks.

4 with HP Premium Instant Dry Photo Gloss media with Original HP inks.

5 BMG trademark license code FSC°-C115319, see http://www.fsc.org. HP trademark license code FSC°-C017543, see http://www.fsc.org.





















HP DesignJet T630 36-in Printer



Simply the world's easiest large-format plotters¹ – affordability without tradeoffs



Extreme simplicity

- Print multi-size A3/B and A0/E projects automatically, without manually switching the media source.
- Save time with the world's easiest job submission – send multiple files in one click with HP Click software.2
- Print with confidence you'll get the results you expect with an intuitive driver and true print preview

Fits your office and budget

- Save space with the world's smallest plotters³ designed to fit your office, including a built-in
- Use up to 95% less ink for routine maintenance vs competitor and get up to 100 extra A1/D pages per month.4
- More sustainable design reduces CO2e up to 7.3 tons/year by units sold by using up to 30% recycled plastic.5

Fits the way you work

- Avoid waiting by the printer with high-speed printing as fast as 25 seconds per A1/D plot.
- Be more productive save time from job prep to final print by printing your projects up to 2x faster.6
- Print your jobs and manage your plotter from virtually anywhere, anytime with the HP Smart
- Get high-quality results HP Bright Office Inks plot up to 31% more line accuracy and up to 65% more gamut.⁷

For more information, please visit http://www.hp.com/go/designjett630

¹ The HP DesignJet T600 Printer series and the HP DesignJet Studio Printer series are the only solutions providing seamless printing of both large- and small-format sheets automatically in a multi-size print basket compared to competitive alternatives with comparable size and features as of January, 2020.

² One-click printing with HP Click software. Applicable to PDF, JPEG, TIFF, DWF, and HP-GL/2 files.

³ HP Design1et T650 36-in series printers are up to 17% smaller compared to competitive alternatives with comparable size and features as of January, 2020. The world's smallest large-format plotters based on most

compact footprint.

compact footprint.

4 One-click printing with HP Click software. Applicable to PDF, JPEG, TIFF, DWF, and HP-GL/2 files.

5 More sustainable design compared to the previous printer models (HP DesignJet T500 Printer series) replaced with the HP DesignJet T600 Printer series. Based on calculations in accordance with ISO 14040/14044 Life Cycle Assessments using ReCiPe (H) v. 1.1 (2016) on GaBi 8.5 (2018) software and scaled to reflect expected yearly sales.

6 Three-click printing with HP Click software compared to up to 11 clicks with competitive alternatives when printing 5 files of different sizes. Applicable to PDF, JPEG, TIFF, DWF, and HP-GL/2 files. Based on testing the HP DesignJet T650 36-in Printer, from job prep to print is up to 2x faster than competitive alternatives with comparable size and features as of January, 2020.

7 Up to 31% more line accuracy based on HP internal testing, September 2019 of 1 pixel vertical line straightness comparing prints from the HP DesignJet T600 Printer series and Canon TM-305 Printer on plain paper using equivalent fast/draft print modes. Up to 65% more colour gamut based on HP internal testing, September 2019, of gamut volume comparing prints from the HP DesignJet T600 Printer series and Canon TM-305 Printer series and Canon TM-305 Printer on Potents on Core 75csm plain paper using against paper using a Printer on Oce 75gsm plain paper using equivalent fast/draft print modes

Print	
Print speed	30 sec/page on A1, 76 A1 prints per hour ¹
Print resolution	Up to 2400 x 1200 optimized dpi
Technology	HP Thermal Inkjet
Margins	Roll: 5 x 5 x 5 x 5 mm Sheet: 5 x 5 x 5 x 5 mm
Ink types	Dye-based (C, M, Y); pigment-based (K)
Page Yield	20 ml of ink yields 101 A1/D pages, taking into account maintenance routines ²
Ink drop	5.5 pl (C, M, Y); 12 pl (K)
Printheads	1 (cyan, magenta, yellow, black)
Printhead nozzles	1376
Line accuracy	±0.1% ³
Minimum line width	0.02 mm
Max optical density	8 L* min/2.10 D ⁴
Media	
Handling	Sheet feed, roll feed, automatic sheet feeder, media bin, automatic horizontal cutter
Roll size	279 to 914 mm
Sheet size	Auto sheet feeder: 210 x 279 to 330 x 482 mm manual feed: 210 x 279 to 914 x 1897 mm
Standard sheets	Auto sheet feeder: A4, A3 manual feed: A4, A3, A2, A1, A0
Grammage	60 to 280 g/m² (roll/manual feed); 60 to 220 g/m² (auto sheet feeder)
Thickness	Up to 0.3 mm
Applications	Line drawings; Presentations; Renderings
Memory	1 GB
Hard disk	None
Connectivity	
Interfaces	Gigabit Ethernet (1000Base-T), Hi-Speed USB 2.0, Wi-Fi 802.11
Print languages (standard)	HP-GL/2, HP-RTL, CALS G4, JPEG, URF
Drivers	Raster driver for Windows and macOS
Dimensions (w x d x h)	
Printer	1317 x 605 x 932 mm
Shipping	1470 x 575 x 590 mm
Weight	1707373733011111
Printer	34.7 kg
Shipping	55.3 kg
What's in the box	HP DesignJet T630 36-in Printer, printer stand, automatic sheet feeder, printhead, introductory ink cartridges, spindle, quick reference quide, setup poster, power cord
HP Software and solutions	HP Click, HP Smart app, HP Print Preview for Windows, HP Easy Start, HP DesignJet Utility for Windows, HP Support Assistant
Remote print enabled	Yes
One-click multi-size printing	Yes
Environmental ranges	
Recycled plastic in printer	30%
Operating temperature	5 to 40°C
Operating humidity	20 to 80% RH
Operating altitude	Up to 3000 m
Storage temperature	-25 to 55°C
Acoustics	-23 (0 33-0
	42 JD(A) (
Sound pressure	42 dB(A) (operating), <16 dB(A) (idle)
Sound power	5.8 B(A) (operating), < 3.4 B(A) (idle)
Power	
Consumption	<35 W (printing), <5.6 W (ready), <2.1 W (sleep), <0.2 W (standby)
Requirements	<35 W (printing), <5.6 W (ready), <2.1 W (sleep), <0.2 W (standby) Input voltage (auto ranging): 220-240 V (±10%), 50/60 Hz (±3 Hz), 1200 mA max
Requirements	Input voltage (auto ranging): 220-240 V (±10%), 50/60 Hz (±3 Hz), 1200 mA max EU (LVD, EN 60950-1 and EN 62368-1 compliant); Russia, Belarus, Khazakstan (EAC); Ukraine (UA)
Requirements Certification	Input voltage (auto ranging): 220-240 V (±10%), 50/60 Hz (±3 Hz), 1200 mA max
Requirements Certification Safety	Input voltage (auto ranging): 220-240 V (±10%), 50/60 Hz (±3 Hz), 1200 mA max EU (LVD, EN 60950-1 and EN 62368-1 compliant); Russia, Belarus, Khazakstan (EAC); Ukraine (UA)

Ordering information

'n	

5HB11A HP DesignJet T630 36-in Printer

B3Q37A HP DesignJet 36-in Spindle

Original HP printing supplies

HP 713 DesignJet Printhead Replacement Kit HP 712 29-ml (yan DesignJet Ink Cartridge HP 712 29-ml Nagenta DesignJet Ink Cartridge HP 712 29-ml Yellow DesignJet Ink Cartridge HP 712 38-ml Black DesignJet Ink Cartridge HP 712 80-ml Black DesignJet Ink Cartridge HP 713 3-pack 29-ml Yellow DesignJet Ink Cartridge HP 712 3-pack 29-ml Magenta DesignJet Ink Cartridge HP 712 3-pack 29-ml Myellow DesignJet Ink Cartridge

SED/34 HP 1/12.3-pack.29-fill Yealow Designer from a frinting materials, to experience consistent high quality and reliable performance that enable less downtime. These critical components are designed and engineered together as an optimized printing system, and Original HP inks are designed to maximize the life of HP printheads. Protect your HP printer investment by using Original HP inks for full HP warranty protection. For more information, visit hp.com/go/OriginalHPinks.

Original HP large format printing materials

Q1396A HP Universal Bond Paper (FSC® certified)⁵ (recyclable)⁶ 610 mm x 45.7 m (24 in x 150 ft)
C6019B HP Coated Paper (FSC® certified)⁵ (recyclable)⁶ 610 mm x 45.7 m (24 in x 150 ft)
C6029C HP Heavyweight Coated Paper (FSC® certified)⁵ (recyclable)⁶ 610 mm x 30.5 m (24 in x 100 ft) For the entire HP Large Format Printing Materials portfolio, please see HPLFMedia.com.

Service and Support

Service and Support

U18KPE HP 1 year Post Warranty Next Business Day Hardware Support for DesignJet T630 36-in
U18KPE HP 2 year Post Warranty Next Business Day Hardware Support for DesignJet T630 36-in
U18KPE HP 1 year Post Warranty Parts Coverage Hardware Support for DesignJet T630 36-in
U18KPE HP 2 year Post Warranty Parts Coverage Hardware Support for DesignJet T630 36-in
U18JES HP 2 year Next Business Day Hardware Support for DesignJet T630 36-in
U18JEH HP 3 year Next Business Day Hardware Support for DesignJet T630 36-in
U18JEH HP 4 year Next Business Day Hardware Support for DesignJet T630 36-in
U18JEH HP 5 year Next Business Day Hardware Support for DesignJet T630 36-in
U18JEH HP 3 year Next Business Day Hardware Support for DesignJet T630 36-in
U18JEH HP 3 year Parts Coverage Hardware Support for DesignJet T630 36-in
U18JEH HP 3 year Parts Coverage Hardware Support for DesignJet T630 36-in
U18JEH HP 3 year Parts Coverage Hardware Support for DesignJet T630 36-in
U18JEH HP 3 year Parts Coverage Hardware Support for DesignJet T630 36-in
U18JEH HP 3 year Parts Coverage Hardware Support for DesignJet T630 36-in
U18JEH HP 3 year Parts Coverage Hardware Support for DesignJet T630 36-in
U18JEH HP 3 year Parts Coverage Hardware Support for DesignJet T630 36-in
U18JEH HP 3 year Parts Coverage Hardware Support for DesignJet T630 36-in

ECO highlights

- ENERGY STAR® certified¹ and EPEAT® Gold registered² Free, convenient HP ink cartridge recycling³ Fc®-certified papers and a range of recyclable HP media with a take-back program⁴ Reduces CO2e up to 7.3 tons/year by units sold by using up to 30% recycled plastic⁵

Please recycle printing hardware and eligible printing supplies and prints. Find out how at our website: http://www.hp.com/ecosolutions

ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental

1 ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency,
2 EPEAT* registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.
3 Visit http://www.hp.com/recycle to see how to participate and for HP Planet Partners program features and availability, program may not be available in your area.
4 BMG trademark license code FSC®-C115319, see http://www.fsc.org. HP trademark license code FSC®-C115319, see http://www.fsc.org. HP trademark license code FSC®-C115319, see http://www.fsc.org. HP trademark license code PSC®-C115319, see http://www.fsc.org. HP trademark license code TSC®-C115319, see http://www.fsc.org. HP Printing materials are recyclable through commonly available recycling programs. For information about HP large format printing materials, please visit http://www.HPLPMedia.com.
3 More sustainable design compared to the previous printer models (HP DesignJet T500 Printer series) replaced with the HP DesignJet T500 Printer series. Based on calculations in accordance with ISO 14040/14044 Life Cycle Assessments using ReCiPe (H) v. 1.1 (2016) on GaBI 8.5 (2018) software and scaled to reflect expected yearly sales.

Mechanical printing time. Printed in Fast mode with Economode on, using HP Bright White Inkjet Paper (bond) and Original HP inks. Actual performance may vary based on a variety of conditions, including but not limited to network configuration.

**Calculation done taking into account two normal printhead cleanings and ink on an A1/D CAD drawing with black and color lines and a pixel coverage of 5.2%.

**3 ±0.1% of the specified vector length or 2.0 zmm (whichever greater) at 23°C (73°F), 50-60% relative humidity, on A0/E printing material in Best or Normal mode with HP Heavyweight Coated roll feed and Original HP inks.

**With HP Premium Instant Dry Photo Gloss media with Original HP inks.

**BMG trademark license code FSC*-C115319, see http://www.fsc.org. HP trademark license code FSC*-C115319, see http://www.fsc.org. HP trademark license code FSC*-C115319.





















HP DesignJet T650 24-in Printer



Simply the world's easiest large-format plotters¹ – affordability without tradeoffs



Extreme simplicity

- Print multi-size A3/B and A1/D projects automatically, without manually switching the media source.
- Save time with the world's easiest job submission – send multiple files in one click with HP Click software.2
- Print with confidence you'll get the results you expect with an intuitive driver and true print preview

Fits your office and budget

- Save space with the world's smallest plotters³ designed to fit your office, including a built-in
- Use up to 95% less ink for routine maintenance vs competitor and get up to 100 extra A1/D pages per month.4
- More sustainable design reduces CO2e up to 7.3 tons/year by units sold by using up to 30% recycled plastic.5

Fits the way you work

- Avoid waiting by the printer with high-speed printing as fast as 26 seconds per A1/D plot.
- Be more productive save time from job prep to final print by printing your projects up to 2x faster.6
- Print your jobs and manage your plotter from virtually anywhere, anytime with the HP Smart
- Get high-quality results HP Bright Office Inks plot up to 31% more line accuracy and up to 65% more gamut.⁷

For more information, please visit http://www.hp.com/go/designjett650

¹ The HP DesignJet T600 Printer series and the HP DesignJet Studio Printer series are the only solutions providing seamless printing of both large- and small-format sheets automatically in a multi-size print basket compared to competitive alternatives with comparable size and features as of January, 2020.

² One-click printing with HP Click software. Applicable to PDF, JPEG, TIFF, DWF, and HP-GL/2 files.

³ HP Design1et T650 36-in series printers are up to 18% smaller compared to competitive alternatives with comparable size and features as of January, 2020. The world's smallest large-format plotters based on most compact footprint.

compact footprint.

4 One-click printing with HP Click software. Applicable to PDF, JPEG, TIFF, DWF, and HP-GL/2 files.

5 More sustainable design compared to the previous printer models (HP DesignJet T500 Printer series) replaced with the HP DesignJet T600 Printer series. Based on calculations in accordance with ISO 14040/14044 Life Cycle Assessments using ReCiPe (H) v. 1.1 (2016) on GaBi 8.5 (2018) software and scaled to reflect expected yearly sales.

6 Three-click printing with HP Click software compared to up to 11 clicks with competitive alternatives when printing 5 files of different sizes. Applicable to PDF, JPEG, TIFF, DWF, and HP-GL/2 files. Based on testing the HP DesignJet T650 36-in Printer, from job prep to print is up to 2x faster than competitive alternatives with comparable size and features as of January, 2020.

7 Up to 31% more line accuracy based on HP internal testing, September 2019 of 1 pixel vertical line straightness comparing prints from the HP DesignJet T600 Printer series and Canon TM-305 Printer on plain paper using equivalent fast/draft print modes. Up to 65% more colour gamut based on HP internal testing, September 2019, of gamut volume comparing prints from the HP DesignJet T600 Printer series and Canon TM-305 Printer series and Canon TM-305 Printer on Potents on Core 75csm plain paper using against paper using a Printer on Oce 75gsm plain paper using equivalent fast/draft print modes

Print	
Print speed	26 sec/page on A1, 81 A1 prints per hour ¹
Print resolution	Up to 2400 x 1200 optimized dpi
Technology	HP Thermal Inkjet
Margins	Roll: 5 x 5 x 5 x 5 mm Sheet: 5 x 5 x 5 x 5 mm
Ink types	Dye-based (C, M, Y); pigment-based (K)
Page Yield	20 ml of ink yields 101 A1/D pages, taking into account maintenance routines ²
Ink drop	5.5 pl (C, M, Y); 12 pl (K)
Printheads	1 (cyan, magenta, yellow, black)
Printhead nozzles	1376
Line accuracy	±0.1% ³
Minimum line width	0.02 mm
Max optical density	8 L* min/2.10 D ⁴
Media	
Handling	Sheet feed, roll feed, automatic sheet feeder, media bin, automatic horizontal cutter
Roll size	279 to 610 mm
Sheet size	Auto sheet feeder: 210 x 279 to 330 x 482 mm manual feed: 210 x 279 to 610 x 1897 mm
Standard sheets	Auto sheet feeder: A4, A3 manual feed: A4, A3, A2, A1
Grammage	60 to 280 g/m² (roll/manual feed); 60 to 220 g/m² (auto sheet feeder)
Thickness	Up to 0.3 mm
Applications	Line drawings; Presentations; Renderings
Memory	1 GB
Hard disk	None
Connectivity	
Interfaces	Gigabit Ethernet (1000Base-T), Hi-Speed USB 2.0, Wi-Fi 802.11
Print languages (standard)	HP-GL/2, HP-RTL, CALS G4, JPEG, URF
Drivers	Raster driver for Windows and macOS
Dimensions (w x d x h)	
Printer	1013 x 605 x 932 mm
Shipping	1155 x 575 x 475 mm
Weight	
Printer	29.5 kg
Shipping	38 kg
What's in the box	HP DesignJet T650 24-in Printer, printer stand, automatic sheet feeder, roll cover, printhead, introductory ink cartridges, spindle, quick reference guide, setup poster, power cord
HP Software and solutions	HP Click, HP Smart app, HP Print Preview for Windows, HP Easy Start, HP DesignJet Utility for Windows, HP Support Assistant
Remote print enabled	Yes
One-click multi-size printing	Yes
Environmental ranges	
Recycled plastic in printer	30%
Operating temperature	5 to 40°C
Operating humidity	20 to 80% RH
Operating altitude	Up to 3000 m
Storage temperature	-25 to 55°C
Acoustics	
Sound pressure	42 dB(A) (operating), <16 dB(A) (idle)
Sound power	5.8 B(A) (operating), <3.4 B(A) (idle)
Power	
Consumption	<35 W (printing), <5.6 W (ready), <2.1 W (sleep), <0.2 W (standby)
Requirements	Input voltage (auto ranging): 220-240 V (±10%), 50/60 Hz (±3 Hz), 1200 mA max
Certification	Fig. 1. White the second secon
Safety	EU (LVD, EN 60950-1 and EN 62368-1 compliant); Russia, Belarus, Khazakstan (EAC); Ukraine (UA)
Electromagnetic	Compliant with Class B requirements EU (EMC/RED Directives)
	ENERGY STAR; WEEE; EU ROHS; EAEU ROHS; REACH; ErP; EPEAT Gold
Environmental Warranty	
Trailuncy	Two-year limited hardware warranty.

Ordering information

HP DesignJet T650 24-in Printer 5HB08A

B3Q36A HP DesignJet 24-in Spindle

Original HP printing supplies

HP 713 DesignJet Printhead Replacement Kit HP 712 29-ml (yan DesignJet Ink Cartridge HP 712 29-ml Nagenta DesignJet Ink Cartridge HP 712 29-ml Yellow DesignJet Ink Cartridge HP 712 38-ml Black DesignJet Ink Cartridge HP 712 80-ml Black DesignJet Ink Cartridge HP 713 3-pack 29-ml Yellow DesignJet Ink Cartridge HP 712 3-pack 29-ml Magenta DesignJet Ink Cartridge HP 712 3-pack 29-ml Myellow DesignJet Ink Cartridge

SED/34 HP 1/12.3-pack.29-fill Yealow Designer from a frinting materials, to experience consistent high quality and reliable performance that enable less downtime. These critical components are designed and engineered together as an optimized printing system, and Original HP inks are designed to maximize the life of HP printheads. Protect your HP printer investment by using Original HP inks for full HP warranty protection. For more information, visit hp.com/go/OriginalHPinks.

Original HP large format printing materials

Q1396A HP Universal Bond Paper (FSC® certified)⁵ (recyclable)⁶ 610 mm x 45.7 m (24 in x 150 ft)
C6019B HP Coated Paper (FSC® certified)⁵ (recyclable)⁶ 610 mm x 45.7 m (24 in x 150 ft)
C6029C HP Heavyweight Coated Paper (FSC® certified)⁵ (recyclable)⁶ 610 mm x 30.5 m (24 in x 100 ft) For the entire HP Large Format Printing Materials portfolio, please see HPLFMedia.com.

Service and Support

UDSHGPE HP 1 year Post Warranty Next Business Day Hardware Support for DesignJet T650 24-in UDSHGPE HP 1 year Post Warranty Next Business Day Hardware Support for DesignJet T650 24-in UDSJ3PE HP 1 year Post Warranty Next Business Day Hardware Support for DesignJet T650 24-in UDSJ3PE HP 2 year Post Warranty Parts Coverage Hardware Support for DesignJet T650 24-in UD6C3E HP 3 year Next Business Day Hardware Support for DesignJet T650 24-in UD6C3E HP 3 year Next Business Day Hardware Support for DesignJet T650 24-in UD6C5E HP 5 year Next Business Day Hardware Support for DesignJet T650 24-in UD6C6E HP 3 year Parts Coverage Hardware Support for DesignJet T650 24-in UD6C6E HP 4 year Parts Coverage Hardware Support for DesignJet T650 24-in UD6C6E HP 5 year Parts Coverage Hardware Support for DesignJet T650 24-in HP DesignJet Support Services offer installation, maintenance, and extended support services (e.g. 2,3, 4 and 5 years). For more information, please visit hp.com/go/cpc

ECO highlights

- ENERGY STAR® certified¹ and EPEAT® Gold registered² Free, convenient HP ink cartridge recycling³ Fc®-certified papers and a range of recyclable HP media with a take-back program Reduces CO2e up to 7.3 tons/year by units sold by using up to 30% recycled plastic⁵

Please recycle printing hardware and eligible printing supplies and prints. Find out how at our website: $\frac{1}{2} \frac{1}{2} \frac{1$

¹ ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental

I ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency,
2 EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.
3 Visit http://www.hp.com/recycle to see how to participate and for HP Planet Partners program features and availability, program may not be available in your area.
4 BMG trademark license code FSC®-C115319, see http://www.fs.corg. HP trademark license code FSC®-C115419, see http://www.fs.corg. HP printing materials are recyclable through commonly available recycling programs. For information about HP large format printing materials, please visit http://www.HPLFMedia.com.
5 More sustainable design compared to the previous printer models (HP Designlet T500 Printer series) replaced with the HP Designlet T600 Printer series. Based on calculations in accordance with ISO 1404011 Q442 Life Cycle Assessments using ReCiPe (H) v. 1.1 (2016) on GaBI 8.5 (2018) software and scaled to reflect expected yearly sales.

Nechanical printing time. Printed in Fast mode with Economode on, using HP Bright White Inkjet Paper (bond) and Original HP inks. Actual performance may vary based on a variety of conditions, including but not limited to network configuration.

Calculation done taking into account two normal printhead cleanings and ink on an A1/D CAD drawing with black and color lines and a pixel coverage of 5.2%.

3 ±0.1% of the specified vector length or 10.2 mm (whichever greater) at 23°C (73°F), 50-60% relative humidity, on A0/E printing material in Best or Normal mode with HP Heavyweight Coated roll feed and Original HP inks.

4 with HP Piernium Instant Dry Photo Gloss media with Original HP inks.

5 BMG trademark license code FSC®-C115319, see http://www.fsc.org. HP trademark license code FSC®-C115319, see http://www.fsc.org.





















HP DesignJet T650 36-in Printer



Simply the world's easiest large-format plotters¹ – affordability without tradeoffs



Extreme simplicity

- Print multi-size A3/B and A0/E projects automatically, without manually switching the media source.
- Save time with the world's easiest job submission – send multiple files in one click with HP Click software.2
- Print with confidence you'll get the results you expect with an intuitive driver and true print preview

Fits your office and budget

- Save space with the world's smallest plotters³ designed to fit your office, including a built-in
- Use up to 95% less ink for routine maintenance vs competitor and get up to 100 extra A1/D pages per month.4
- More sustainable design reduces CO2e up to 7.3 tons/year by units sold by using up to 30% recycled plastic.5

Fits the way you work

- Avoid waiting by the printer with high-speed printing as fast as 25 seconds per A1/D plot.
- Be more productive save time from job prep to final print by printing your projects up to 2x faster.6
- Print your jobs and manage your plotter from virtually anywhere, anytime with the HP Smart
- Get high-quality results HP Bright Office Inks plot up to 31% more line accuracy and up to 65% more gamut.⁷

For more information, please visit http://www.hp.com/go/designjett650

¹ The HP DesignJet T600 Printer series and the HP DesignJet Studio Printer series are the only solutions providing seamless printing of both large- and small-format sheets automatically in a multi-size print basket compared to competitive alternatives with comparable size and features as of January, 2020.

² One-click printing with HP Click software. Applicable to PDF, JPEG, TIFF, DWF, and HP-GL/2 files.

³ HP Design1et T650 36-in series printers are up to 18% smaller compared to competitive alternatives with comparable size and features as of January, 2020. The world's smallest large-format plotters based on most compact footprint.

compact footprint.

4 One-click printing with HP Click software. Applicable to PDF, JPEG, TIFF, DWF, and HP-GL/2 files.

5 More sustainable design compared to the previous printer models (HP DesignJet T500 Printer series) replaced with the HP DesignJet T600 Printer series. Based on calculations in accordance with ISO 14040/14044 Life Cycle Assessments using ReCiPe (H) v. 1.1 (2016) on GaBi 8.5 (2018) software and scaled to reflect expected yearly sales.

6 Three-click printing with HP Click software compared to up to 11 clicks with competitive alternatives when printing 5 files of different sizes. Applicable to PDF, JPEG, TIFF, DWF, and HP-GL/2 files. Based on testing the HP DesignJet T650 36-in Printer, from job prep to print is up to 2x faster than competitive alternatives with comparable size and features as of January, 2020.

7 Up to 31% more line accuracy based on HP internal testing, September 2019 of 1 pixel vertical line straightness comparing prints from the HP DesignJet T600 Printer series and Canon TM-305 Printer on plain paper using equivalent fast/draft print modes. Up to 65% more colour gamut based on HP internal testing, September 2019, of gamut volume comparing prints from the HP DesignJet T600 Printer series and Canon TM-305 Printer series and Canon TM-305 Printer on Potents on Core 75csm plain paper using against paper using a Printer on Oce 75gsm plain paper using equivalent fast/draft print modes

Print	
Print speed	25 sec/page on A1, 82 A1 prints per hour ¹
Print resolution	Up to 2400 x 1200 optimized dpi
Technology	HP Thermal Inkjet
Margins	Roll: 5 x 5 x 5 x 5 mm Sheet: 5 x 5 x 5 x 5 mm
Ink types	Dye-based (C, M, Y); pigment-based (K)
Page Yield	20 ml of ink yields 101 A1/D pages, taking into account maintenance routines ²
Ink drop	5.5 pl (C, M, Y); 12 pl (K)
Printheads	1 (cyan, magenta, yellow, black)
Printhead nozzles	1376
Line accuracy	±0.1% ³
Minimum line width	0.02 mm
Max optical density	8 L* min/2.10 D ⁴
Media	
Handling	Sheet feed, roll feed, automatic sheet feeder, media bin, automatic horizontal cutter
Roll size	279 to 914 mm
Sheet size	Auto sheet feeder: 210 x 279 to 330 x 482 mm manual feed: 210 x 279 to 914 x 1897 mm
Standard sheets	Auto sheet feeder: A4, A3 manual feed: A4, A3, A2, A1, A0
Grammage	60 to 280 g/m² (roll/manual feed); 60 to 220 g/m² (auto sheet feeder)
Thickness	Up to 0.3 mm
Applications	Line drawings; Presentations; Renderings
Memory	1 GB
Hard disk	None
Connectivity	
Interfaces	Gigabit Ethernet (1000Base-T), Hi-Speed USB 2.0, Wi-Fi 802.11
Print languages (standard)	HP-GL/Z, HP-RTL, CALS G4, JPEG, URF
Drivers	Raster driver for Windows and macOS
Dimensions (w x d x h)	
Printer	1317 x 605 x 932 mm
Shipping	1470 x 575 x 590 mm
Weight	
Printer	35.4 kg
Shipping	56 kg
What's in the box	HP Design.Jet T650 36-in Printer, printer stand, automatic sheet feeder, roll cover, printhead, introductory ink cartridges, spindle, quick reference guide, setup poster, power cord
HP Software and solutions	HP Click, HP Smart app, HP Print Preview for Windows, HP Easy Start, HP DesignJet Utility for Windows, HP Support Assistant
Remote print enabled	Yes
One-click multi-size printing	Yes
Environmental ranges	
Recycled plastic in printer	30%
Operating temperature	5 to 40°C
Operating humidity	20 to 80% RH
Operating altitude	Up to 3000 m
Storage temperature	-25 to 55°C
Acoustics	
Sound pressure	42 dB(A) (operating), <16 dB(A) (idle)
Sound power	5.8 B(A) (operating), <3.4 B(A) (idle)
Power	
Consumption	<35 W (printing), <5.6 W (ready), <2.1 W (sleep), <0.2 W (standby)
Requirements	Input voltage (auto ranging): 220-240 V (±10%), 50/60 Hz (±3 Hz), 1200 mA max
Certification	
Safety	EU (LVD, EN 60950-1 and EN 62368-1 compliant); Russia, Belarus, Khazakstan (EAC); Ukraine (UA)
Electromagnetic	Compliant with Class B requirements EU (EMC/RED Directives)
Environmental	ENERGY STAR; WEEE; EU ROHS; EAEU ROHS; REACH; ErP; EPEAT Gold
Warranty	Two-year limited hardware warranty.
	·

Ordering information

5HB10A

HP DesignJet T650 36-in Printer

B3Q37A HP DesignJet 36-in Spindle

Original HP printing supplies

HP 713 DesignJet Printhead Replacement Kit HP 712 29-ml (yan DesignJet Ink Cartridge HP 712 29-ml Nagenta DesignJet Ink Cartridge HP 712 29-ml Yellow DesignJet Ink Cartridge HP 712 38-ml Black DesignJet Ink Cartridge HP 712 80-ml Black DesignJet Ink Cartridge HP 713 3-pack 29-ml Yellow DesignJet Ink Cartridge HP 712 3-pack 29-ml Magenta DesignJet Ink Cartridge HP 712 3-pack 29-ml Myellow DesignJet Ink Cartridge

SED/34 HP 1/12.3-pack.29-fill Yealow Designer from a frinting materials, to experience consistent high quality and reliable performance that enable less downtime. These critical components are designed and engineered together as an optimized printing system, and Original HP inks are designed to maximize the life of HP printheads. Protect your HP printer investment by using Original HP inks for full HP warranty protection. For more information, visit hp.com/go/OriginalHPinks.

Original HP large format printing materials

Q1396A HP Universal Bond Paper (FSC® certified)⁵ (recyclable)⁶ 610 mm x 45.7 m (24 in x 150 ft)
C6019B HP Coated Paper (FSC® certified)⁵ (recyclable)⁶ 610 mm x 45.7 m (24 in x 150 ft)
C6029C HP Heavyweight Coated Paper (FSC® certified)⁵ (recyclable)⁶ 610 mm x 30.5 m (24 in x 100 ft) For the entire HP Large Format Printing Materials portfolio, please see HPLFMedia.com.

Service and Support

UDSKOPE HP 1 year Post Warranty Next Business Day Hardware Support for Designlet T650 36-in UDSKOPE HP P2 year Post Warranty Next Business Day Hardware Support for Designlet T650 36-in UDSKOPE HP 1 year Post Warranty Next Business Day Hardware Support for Designlet T650 36-in UDSKOPE HP 2 year Post Warranty Parts Coverage Hardware Support for Designlet T650 36-in UD6BWE HP 3 year Next Business Day Hardware Support for Designlet T650 36-in UD6BWE HP 4 year Next Business Day Hardware Support for Designlet T650 36-in UD6BWE HP 5 year Next Business Day Hardware Support for Designlet T650 36-in UD6BWE HP 5 year Parts Coverage Hardware Support for Designlet T650 36-in UD6BWE HP 5 year Parts Coverage Hardware Support for Designlet T650 36-in UD6BWE HP 5 year Parts Coverage Hardware Support for Designlet T650 36-in UD6BWE HP 5 year Parts Coverage Hardware Support for Designlet T650 36-in HP Designlet Support Services offer installation, maintenance, and extended support services (e.g. 2,3, 4 and 5 years). For more information, please visit hp.com/go/cpc

ECO highlights

- ENERGY STAR® certified¹ and EPEAT® Gold registered² Free, convenient HP ink cartridge recycling³ Fc®-certified papers and a range of recyclable HP media with a take-back program Reduces CO2e up to 7.3 tons/year by units sold by using up to 30% recycled plastic⁵

Please recycle printing hardware and eligible printing supplies and prints. Find out how at our website: $\frac{1}{2} \frac{1}{2} \frac{1$

¹ ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental

I ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency,
2 EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.
3 Visit http://www.hp.com/recycle to see how to participate and for HP Planet Partners program features and availability, program may not be available in your area.
4 BMG trademark license code FSC®-C115319, see http://www.fs.corg. HP trademark license code FSC®-C115419, see http://www.fs.corg. HP printing materials are recyclable through commonly available recycling programs. For information about HP large format printing materials, please visit http://www.HPLFMedia.com.
5 More sustainable design compared to the previous printer models (HP Designlet T500 Printer series) replaced with the HP Designlet T600 Printer series. Based on calculations in accordance with ISO 1404011 Q442 Life Cycle Assessments using ReCiPe (H) v. 1.1 (2016) on GaBI 8.5 (2018) software and scaled to reflect expected yearly sales.

Nechanical printing time. Printed in Fast mode with Economode on, using HP Bright White Inkjet Paper (bond) and Original HP inks. Actual performance may vary based on a variety of conditions, including but not limited to network configuration.

Calculation done taking into account two normal printhead cleanings and ink on an A1/D CAD drawing with black and color lines and a pixel coverage of 5.2%.

3 ±0.1% of the specified vector length or 10.2 mm (whichever greater) at 23°C (73°F), 50-60% relative humidity, on A0/E printing material in Best or Normal mode with HP Heavyweight Coated roll feed and Original HP inks.

4 with HP Piernium Instant Dry Photo Gloss media with Original HP inks.

5 BMG trademark license code FSC®-C115319, see http://www.fsc.org. HP trademark license code FSC®-C115319, see http://www.fsc.org.

















