


# AV1000 Gigabit Passthrough Powerline Starter Kit

Smooth HD Streaming in Every Room









# Highlights


#### HomePlug AV2 Standard Compliant

The HomePlug AV2 standard creates high-speed data transfer rates of up to 1000Mbps to support all your online activities.

HomePlug AV 600Mbps 1000Mbps HomePlug AV2

#### Gigabit Ethernet for Fast Connections


The Gigabit Ethernet port provides reliable high-speed wired connections for game consoles, smart TVs, STB and more.



# Highlights


### Plug, Pair and Play!

Powerline adapters and extenders must be deployed in a set of two or more.



## Internet from Any Outlet

The AV1000 Gigabit Passthrough Powerline Starter Kit brings internet to any area with a power outlet using your home's electrical wiring.



#### **Features**



#### Speed

- · Ultra-fast Powerline Speed HomePlug AV2 standard compliant, high-speed data transfer rate of up to 1000Mbps, ideal for Ultra HD streaming and online gaming
- · Gigabit Port 1 Gigabit Ethernet Port allows your TVs, game consoles or PCs to connect to the internet at high speeds



#### Range

· 300-meter Range – Up to 300-meter range over the household power circuit.



## Reliability

· Mains Filter – Mains Filter inside the outlet reduces electrical noise interference and improves powerline communication performance



### Ease of Use

- · Plug, pair and play Plug, pair and play, no configuration required
- · No new wires No new wires, use existing electrical wiring to expand your home network
- · Keep your outlet An integrated socket lets you power regular devices as normal, and a built-in noise filter prevents them from interrupting the powerline signal.
- · TP-Link tpPLC Allows you to easily manage your network using the tpPLC Utility



#### Security

· Pair Button – 128-bit AES encryption easily at a push of "Pair" button




### **Energy Saving**

Power Saving – Power Saving Mode helps reducing power consumption by up to 85%

## **Specifications**

#### Hardware

- · Plug Type: EU
- · Standards and Protocols: HomePlug AV2, HomePlug AV, IEEE 1901, IEEE 802.3, IEEE 802.3u, IEEE 802.3ab
- Power Consumption: Maximum: 2.64W (220V/50Hz)
   Typical: 2.49W (220V/50Hz)
   Standby: 0.45W (220V/50Hz)
- · Range: Up to 300 Meters/1000 feet over existing electrical wiring
- · Interface: Gigabit Ethernet Port, Power Socket
- · Button: Pair Button
- · LED Indicator: Power, Powerline, Ethernet
- · Dimensions (W × D × H):  $5.0 \times 2.8 \times 1.7$  in. (126 × 71 × 42 mm)





For more information, please visit

<a href="http://www.tp-link.com/us/products/details/TL-PA7010P-KIT.html">http://www.tp-link.com/us/products/details/TL-PA7010P-KIT.html</a>
or scan the OR code left

#### Software

- · Modulation Technology: OFDM (PLC)
- · Encryption: Powerline Security: 128-bit AES

#### **Others**

- · Certification: CE, RoHS
- · Package Contents:

AV1000 Gigabit Passthrough Powerline Adapter 2 \* TL-PA7010P

2 \* Ethernet Cable

Quick Installation Guide

· System Requirements:

Windows 2000/XP/2003/Vista, Windows 7/8/8.1/10, Mac, Linux

· System Requirements for tpPLC Utility

Windows 10/8.1/8/7/Vista/XP and Mac OS X (10.7 or later)

· Environment:

Operating Temperature: 0°C~40°C (32°F~104°F)

Storage Temperature: -40°C~70°C (-40°F~158°F)

Operating Humidity: 10%~90% non-condensing

Storage Humidity: 5%~90% non-condensing

Specifications are subject to change without notice. TP-Link Technologies Co., Ltd. Other brands and product names are trademarks of their respective holders. Copyright ©2017 TP-Link Technologies Co., Ltd. All rights reserved.

\* Compatible with all HomePlug AV & AV2 Standard Powerline adapters.

<sup>\*</sup> Listed AV and Wi-Fi speeds refer to the theoretical maximum physical-layer data transfer rate. Actual data speeds vary and are influenced by the home's Wi-Fi/electrical/physical environment, and if adapters are placed on the same home circuit.