










SuperMassive 9000 Series



Product	SuperMassive 9200	SuperMassive 9400	SuperMassive 9600	SuperMassive 9800
Part Numbers	01-SSC-3810 01-SSC-3813 TotalSecure 01-SSC-3811 High Availability Appliance	01-SSC-3800 01-SSC-3803 TotalSecure 01-SSC-3801 High Availability Appliance	01-SSC-3880 01-SSC-3883 TotalSecure 01-SSC-3881 High Availability Appliance	01-SSC-0200 01-SSC-0802 TotalSecure 01-SSC-0801 High Availability Appliance
Market Positioning and Specific Features	<p>Designed for enterprise organization, the SuperMassive 9200 next-generation firewall delivers scalability, reliability and deep security at multi-gigabit speeds. Includes:</p> <ul style="list-style-type: none"> Application Intelligence and Control 24-Core Processor Unrestricted Nodes 2,000 VPN Client Licenses 512 802.1q VLAN Interfaces Object/Group-based Policy Mgmt QoS/Bandwidth Management Stateful A/P High Availability Active/Active DPI Server Load Balancing 	<p>Designed for enterprise organization, the SuperMassive 9400 next-generation firewall delivers scalability, reliability and deep security at multi-gigabit speeds. Includes:</p> <ul style="list-style-type: none"> Application Intelligence and Control 32-Core Processor Unrestricted Nodes 2,000 VPN Client Licenses 512 802.1q VLAN Interfaces Object/Group-based Policy Mgmt QoS/Bandwidth Management Stateful A/P High Availability Active/Active DPI Server Load Balancing 	<p>Designed for enterprise organization, the SuperMassive 9600 next-generation firewall delivers scalability, reliability and deep security at multi-gigabit speeds. Includes:</p> <ul style="list-style-type: none"> Application Intelligence and Control 32-Core Processor Unrestricted Nodes 2,000 VPN Client Licenses 512 802.1q VLAN Interfaces Object/Group-based Policy Mgmt QoS/Bandwidth Management Stateful A/P High Availability Active/Active DPI Server Load Balancing 	<p>Designed for enterprise organization, the SuperMassive 9800 next-generation firewall delivers scalability, reliability and deep security at multi-gigabit speeds. Includes:</p> <ul style="list-style-type: none"> Application Intelligence and Control 64-Core Processor Unrestricted Nodes 2,000 VPN Client Licenses 512 802.1q VLAN Interfaces Object/Group-based Policy Mgmt QoS/Bandwidth Management Stateful A/P High Availability Active/Active DPI Server Load Balancing
Bundled Services	<ul style="list-style-type: none"> 30 Days Capture ATP service 30 Days IPS, Anti-malware and Application Int/Control/Visualization 30 Days Analyzer Reporting Software 30 Days CFS and CF Client 30 Days 50-user Client/Server AV Suite 	<ul style="list-style-type: none"> 30 Days Capture ATP service 30 Days IPS, Anti-malware and Application Int/Control/Visualization 30 Days Analyzer Reporting Software 30 Days CFS and CF Client 30 Days 50-user Client/Server AV Suite 	<ul style="list-style-type: none"> 30 Days Capture ATP service 30 Days IPS, Anti-malware and Application Int/Control/Visualization 30 Days Analyzer Reporting Software 30 Days CFS and CF Client 30 Days 50-user Client/Server AV Suite 	<ul style="list-style-type: none"> 30 Days IPS, Anti-malware and Application Int/Control/Visualization 30 Days Analyzer Reporting Software 30 Days CFS and CF Client 30 Days 50-user Client/Server AV Suite
General Features Across all SM 9000 Appliances	<ul style="list-style-type: none"> Deep Packet Inspection Firewall Clean VPN Dynamic Routing OSPF/RIP IPSec 3DES/AES Encryption Voice and Video over IP Route-based VPN DHCP Server/DHCP Relay Policy-based User Authentication Active/Active DPI Bandwidth Management/QoS 			
Specifications	<p>Unrestricted 24 Nodes Cores Interfaces 4 SFP+ 10 GbE, 8 SFP+ GbE, 8 GbE, 2 USB, 1 GbE Mgmt, 1 Console</p> <p>Firewall Inspection Throughput 15 Gbps</p> <p>Application Inspection Throughput 5 Gbps</p> <p>IPS Throughput 5 Gbps</p> <p>Anti-malware Inspection Throughput 3.5 Gbps</p> <p>IMIX Throughput 4.4 Gbps</p> <p>VPN Performance 5 Gbps</p> <p>Site-to-Site VPN Policies 6,000</p> <p>IPSec VPN Client Licenses 2,000 Bundled/4,000 Max</p> <p>SSL VPN Licenses 2 Bundled/50 Max</p> <p>Concurrent Connections (SPI/DPI) 1,250,000 (Max)/1,000,000 (Max)</p> <p>New Connections/Second 100,000</p> <p>Support Warranty Must be purchased with appliance 1-Yr Limited Hardware</p>	<p>Unrestricted 32 Nodes Cores Interfaces 4 SFP+ 10 GbE, 8 SFP+ GbE, 8 GbE, 2 USB, 1 GbE Mgmt, 1 Console</p> <p>Firewall Inspection Throughput 20 Gbps</p> <p>Application Inspection Throughput 8 Gbps</p> <p>IPS Throughput 8 Gbps</p> <p>Anti-malware Inspection Throughput 4.5 Gbps</p> <p>IMIX Throughput 5.5 Gbps</p> <p>VPN Performance 10 Gbps</p> <p>Site-to-Site VPN Policies 10,000</p> <p>IPSec VPN Client Licenses 2,000 Bundled/6,000 Max</p> <p>SSL VPN Licenses 2 Bundled/50 Max</p> <p>Concurrent Connections (SPI/DPI) 1,250,000 (Max)/1,000,000 (Max)</p> <p>New Connections/Second 130,000</p> <p>Support Warranty Must be purchased with appliance 1-Yr Limited Hardware</p>	<p>Unrestricted 32 Nodes Cores Interfaces 4 SFP+ 10 GbE, 8 SFP+ GbE, 8 GbE, 2 USB, 1 GbE Mgmt, 1 Console</p> <p>Firewall Inspection Throughput 20 Gbps</p> <p>Application Inspection Throughput 9.7 Gbps</p> <p>IPS Throughput 8 Gbps</p> <p>Anti-malware Inspection Throughput 5 Gbps</p> <p>IMIX Throughput 5.5 Gbps</p> <p>VPN Performance 11.5 Gbps</p> <p>Site-to-Site VPN Policies 10,000</p> <p>IPSec VPN Client Licenses 2,000 Bundled/10,000 Max</p> <p>SSL VPN Licenses 2 Bundled/50 Max</p> <p>Concurrent Connections (SPI/DPI) 1,500,000 (Max)/1,250,000 (Max)</p> <p>New Connections/Second 130,000</p> <p>Support Warranty Must be purchased with appliance 1-Yr Limited Hardware</p>	<p>Unrestricted 64 Nodes Cores Interfaces 4 SFP+ 10 GbE, 12 SFP+ GbE, 8 GbE, 2 USB, 1 GbE Mgmt, 1 Console</p> <p>Firewall Inspection Throughput 40 Gbps</p> <p>Application Inspection Throughput 24 Gbps</p> <p>IPS Throughput 9.7 Gbps</p> <p>Anti-malware Inspection Throughput 10 Gbps</p> <p>IMIX Throughput 9 Gbps</p> <p>VPN Performance 18 Gbps</p> <p>Site-to-Site VPN Policies 25,000</p> <p>IPSec VPN Client Licenses 2,000 Bundled/10,000 Max</p> <p>SSL VPN Licenses 2 Bundled/50 Max</p> <p>Concurrent Connections (SPI/DPI) 3,000,000 (Max)/2,500,000 (Max)</p> <p>New Connections/Second 280,000</p> <p>Support Warranty Must be purchased with appliance 1-Yr Limited Hardware</p>
General Upgrade Options Across all SM 9000 Appliances	<ul style="list-style-type: none"> Intrusion Prevention, Anti-malware and Application Intelligence, Control and Visualization Comprehensive Gateway Security Suite Capture Advanced Threat Prevention (except 9800) Client/Server Anti-Virus Suite Content Filtering Service Secure Virtual Assist Global Management System Analyzer Reporting Software Global VPN Client Gold Support 24x7 Mobile Connect SSL VPN iOS/Android/Kindle Fire/Windows 8.1 4-hr RMA 			
Key Selling Points	<ul style="list-style-type: none"> Breakthrough multi-core next-generation firewall performance Ultra high-speed multi-layer threat protection Next-generation protection with Application Intelligence, Control and Visualization Unsurpassed business continuity and high availability protection Extensible and modular architecture Deployment scalability and flexibility Continually updatable platform 			

Security Services for SuperMassive 9000 Series Solutions











Product		Part Numbers	Description
Comprehensive Gateway Security Suite		For SM 9200 (2 Years/3 Years) 01-SSC-4173/01-SSC-4174 For SM 9400 (2 Years/3 Years) 01-SSC-4137/01-SSC-4138 For SM 9600 (2 Years/3 Years) 01-SSC-4101/01-SSC-4102 For SM 9800 (2 Years/3 Years) 01-SSC-0810/01-SSC-0811 <i>Note: TotalSecure solutions ship with one year of CGSS included</i>	Comprehensive Gateway Security Suite (CGSS) combines enterprise security, productivity and support in a single solution. Available on SuperMassive Series appliances, it is the perfect solution for turning your customers' Dell SonicWALLs into total security and productivity platforms. The Comprehensive Gateway Security Suite is available in one, two and three-year subscriptions that include the following: <ul style="list-style-type: none"> • Intrusion Prevention, Anti-Malware and Application Control • Content Filtering Service Premium Edition • Gold Support 24x7
Advanced Gateway Security Suite Bundle		For SM 9200 (2 Years/3 Years) 01-SSC-1571/01-SSC-1572 For SM 9400 (2 Years/3 Years) 01-SSC-1581/01-SSC-1582 For SM 9600 (2 Years/3 Years) 01-SSC-1591/01-SSC-1592	Advanced Gateway Security Suite (AGSS) is a combination of the same tools within CGSS with the addition of Capture ATP. Available on Gen 6 firewalls, it combine the best tools to stop known and unknown threats in a single package: <ul style="list-style-type: none"> • Intrusion Prevention, Anti-Malware and Application Control • Content Filtering Service Premium Edition • Gold Support 24x7
Intrusion Prevention, Anti-Malware and Application Control		For SM 9200 (2 Years/3 Years) 01-SSC-4203/01-SSC-4204 For SM 9400 (2 Years/3 Years) 01-SSC-4167/01-SSC-4168 For SM 9600 (2 Years/3 Years) 01-SSC-4131/01-SSC-4132 For SM 9800 (2 Years/3 Years) 01-SSC-0840/01-SSC-0841	Available on Dell SonicWALL SuperMassive 9000 Series appliances, Intrusion Prevention, Anti-Malware and Application Control integrates gateway anti-virus, anti-spyware and intrusion prevention to deliver intelligent, real-time network security protection against a comprehensive array of dynamic threats including viruses, spyware, worms, Trojans and software vulnerabilities such as buffer overflows, as well as peer-to-peer and instant messenger applications, backdoor exploits, and other malicious code.
Capture Advanced Threat Prevention		For SM 9200 (2 Years/3 Years) 01-SSC-1576/01-SSC-1577 For SM 9400 (2 Years/3 Years) 01-SSC-1586/01-SSC-1587 For SM 9600 (2 Years/3 Years) 01-SSC-1596/01-SSC-1597	Capture Advanced Threat Protection (ATP) is a multi-engine sandbox cloud service that blocks potentially malicious files. An add-on subscription service for SonicWALL firewalls, Capture examines potentially malicious files, programs, and code in the cloud and can hold them at the gateway until a security verdict is determined. After malware is discovered, SonicWALL's GRID network deploys remediation signatures to other network security appliances.
Enforced Client Anti-Virus and Anti-Spyware		5 users (1 Yr) McAfee 01-SSC-2743 10 users (1 Yr) McAfee 01-SSC-2740 25 users (1 Yr) McAfee 01-SSC-2745 50 users (1 Yr) McAfee 01-SSC-2741 100 users (1 Yr) McAfee 01-SSC-2742 Discounted two- and three-year clients available	Enforced Client Anti-Virus and Anti-Spyware provides comprehensive protection with little administrative overhead. Anti-virus and anti-spyware policies are automatically enforced network-wide whenever new threats appear. <ul style="list-style-type: none"> • Comprehensive virus and spyware protection using a single integrated client • Automated enforcement of virus and spyware protection policies • Automated deployments of anti-virus and anti-spyware definition and software updates • Full featured email attachment filtering
Secure Virtual Assist		Up to 1 Technician 01-SSC-5967 Up to 5 Technicians 01-SSC-5974 Up to 10 Technicians 01-SSC-5971 Up to 25 Technicians 01-SSC-5972	Secure Virtual Assist is a remote support tool that enables a technician to assume control of a customer's PC or laptop for the purpose of providing remote technical assistance. With the customer's permission, the technician can gain instant access to a computer using a Web browser, making it easy to diagnose and fix a problem remotely without the need for a pre-installed "fat" client.
Content Filtering Service Content Filtering Client	 	CFS for SM 9200 (2 Years/3 Years) 01-SSC-4185/01-SSC-4186 CFS for SM 9400 (2 Years/3 Years) 01-SSC-4149/01-SSC-4150 CFS for SM 9600 (2 Years/3 Years) 01-SSC-4113/01-SSC-4114 CFS for SM 9800 (2 Years/3 Years) 01-SSC-0822/01-SSC-0823 CF Client 10/25 users (1 Yr) 01-SSC-1252/01-SSC-1225	Content Filtering Service provides granular controls and unequalled content filtering to enforce acceptable use policies and block access to websites containing information or images that are objectionable or unproductive. Extend enforcement of internal web use policies to block objectionable and unproductive internet content for devices located outside the firewall perimeter with the Content Filtering Client.
Analyzer <i>Note: Also available as a Virtual Appliance</i>		For SM 9000 Series 01-SSC-3382	Analyzer is an easy-to-use web-based application traffic analytics and reporting tool that provides real-time and historical insight into the health, performance and security of the network. Analyzer supports Dell SonicWALL firewalls, backup/recovery appliances, and secure remote access devices while leveraging application traffic analytics for security event reports.
Global Management System <i>Note: Also available as a Virtual Appliance</i>		5-node License 01-SSC-7680 10-node License 01-SSC-3363 25-node License 01-SSC-3311	Global Management System (GMS™) provides organizations, distributed enterprises and service providers with a flexible, powerful and intuitive solution to centrally manage and rapidly deploy Dell SonicWALL firewall, anti-spam, backup and recovery, and secure remote access solutions. GMS also provides centralized real-time monitoring, and comprehensive policy and compliance reporting.
Gold Support 24x7		Gold Support 24x7 SKUs by product Discounted two- and three-year contracts available	Gold Support 24x7 provides the advanced support features enterprise organizations need to keep their networks running reliably and securely. With Gold Support 24x7, you have around-the-clock access to seasoned support engineers and the latest firmware features plus Advance Exchange hardware replacement, all of which combine to protect and maximize your Dell SonicWALL investment. Includes: <ul style="list-style-type: none"> • Direct access to a team of seasoned Senior Support Engineers • Annual subscription to software and firmware updates and upgrades • Advance Exchange hardware replacement in the event of failure • Annual subscription to Dell SonicWALL Service Bulletins and access to electronic support tools

NSA Series



Product	NSA 2600	NSA 3600	NSA 4600	NSA 5600	NSA 6600
Part Numbers	01-SSC-3860 01-SSC-3863 TotalSecure	01-SSC-3850 01-SSC-3853 TotalSecure	01-SSC-3840 01-SSC-3843 TotalSecure	01-SSC-3830 01-SSC-3833 TotalSecure	01-SSC-3820 01-SSC-3823 TotalSecure
Market Positioning and Specific Features	The NSA 2600 is designed specifically with the needs of growing small businesses, branch offices and school campuses in mind. The NSA 2600 equipped with TotalSecure can prevent intrusions, block malware and control access to questionable web content. Includes: <ul style="list-style-type: none"> ISP Failover/WAN Load Balancing 2 SSL VPN licenses (250 Max) 256 802.1q VLAN Interfaces Object/Group-based Policy Mgmt Stateful A/P HA (Option) Server Load Balancing 	Secure your growing small to medium-sized organization, branch office and retail sites with the Dell SonicWALL NSA 3600 next-generation firewall with enterprise-class features and uncompromising performance. Includes: <ul style="list-style-type: none"> ISP Failover/WAN Load Balancing 2 SSL VPN/350 VPN Clients 256 802.1q VLAN Interfaces Object/Group-based Policy Mgmt Stateful A/P HA (Option) Server Load Balancing 	Secure your growing medium-sized organization or branch office with the Dell SonicWALL NSA 4600 next-generation firewall with enterprise-class features and uncompromising performance. Includes: <ul style="list-style-type: none"> ISP Failover/WAN Load Balancing 2 SSL VPN/500 VPN Clients 256 802.1q VLAN Interfaces Object/Group-based Policy Mgmt Stateful A/P High Availability Server Load Balancing 	The Dell SonicWALL NSA 5600 is ideal for distributed, branch office and corporate environments with enterprise-class features and uncompromising performance. Includes: <ul style="list-style-type: none"> Multi-WAN Support ISP Failover and WAN Load Balancing Single Sign-On Route-based VPN 400 802.1q VLAN Interfaces Object/Group-based Policy Mgmt QoS/Bandwidth Management Stateful A/P High Availability Active/Active DPI 	Secure your emerging large organization with the Dell SonicWALL NSA 6600 next-generation firewall featuring enterprise-class features and uncompromising performance. Includes: <ul style="list-style-type: none"> Multi-WAN Support ISP Failover and WAN Load Balancing Single Sign-On Route-based VPN 500 802.1q VLAN Interfaces Object/Group-based Policy Mgmt QoS/Bandwidth Management Stateful A/P High Availability Active/Active DPI
Bundled Services	<ul style="list-style-type: none"> 30 Days Capture ATP service 30 Days GAV, Anti-Spyware, IPS/App Intel/Control/Visualize 30 Days Analyzer Reporting 30 Days CFS and CF Client 30 Days 25-user Client/Server Anti-Virus Suite 	<ul style="list-style-type: none"> 30 Days Capture ATP service 30 Days GAV, Anti-Spyware, IPS/App Intel/Control/Visualize 30 Days Analyzer Reporting 30 Days CFS and CF Client 30 Days 25-user Client/Server Anti-Virus Suite 	<ul style="list-style-type: none"> 30 Days Capture ATP service 30 Days GAV, Anti-Spyware, IPS/App Intel/Control/Visualize 30 Days Analyzer Reporting 30 Days CFS and CF Client 30 Days 25-user Client/Server Anti-Virus Suite 	<ul style="list-style-type: none"> 30 Days Capture ATP service 30 Days GAV, Anti-Spyware, IPS and Application Int/Control/Visualization 30 Days Analyzer Reporting Software 30 Days CFS and CF Client 30 Days 25-user Client/Server AV Suite 	<ul style="list-style-type: none"> 30 Days Capture ATP service 30 Days GAV, Anti-Spyware, IPS and Application Int/Control/Visualization 30 Days Analyzer Reporting Software 30 Days CFS and CF Client 30 Days 50-user Client/Server AV Suite
General Features	<ul style="list-style-type: none"> Deep Packet Inspection Firewall Clean VPN 	<ul style="list-style-type: none"> Dynamic Routing OSPF/RIP IPSec 3DES/AES Encryption 	<ul style="list-style-type: none"> Voice and Video over IP Route-based VPN 	<ul style="list-style-type: none"> DHCP Server/DHCP Relay Policy-based User Authentication 	<ul style="list-style-type: none"> Bandwidth Management/QoS Single Sign-On
Specifications	<p>Nodes Interfaces</p> <p>Unrestricted 8 GbE, 2 USB, 1 Console</p>	<p>Unrestricted 12 GbE, 4 1GbE (SFP), 2 10GbE (SFP+), 2 USB, 1 Console</p>	<p>Unrestricted 12 GbE, 4 1GbE (SFP), 2 10GbE (SFP+), 2 USB, 1 Console</p>	<p>Unrestricted 12 GbE, 4 1GbE (SFP), 2 10GbE (SFP+), 2 USB, 1 Console</p>	<p>Unrestricted 8 GbE, 8 1GbE (SFP), 4 10GbE (SFP+), 2 USB, 1 Console</p>
Stateful Firewall Performance	1.9 Gbps	3.4 Gbps	6.0 Gbps	9.0 Gbps	12.0 Gbps
GAV Performance	400 Mbps	600 Mbps	1.1 Gbps	1.7 Gbps	3.0 Gbps
IPS Performance	700 Mbps	1.1 Gbps	2.0 Gbps	3.0 Gbps	4.5 Gbps
Full DPI Performance	300 Mbps	500 Mbps	800 Mbps	1.6 Gbps	3.0 Gbps
VPN Performance	1.1 Gbps (3DES/AES)	1.5 Gbps (3DES/AES)	3.0 Gbps (3DES/AES)	4.5 Gbps (3DES/AES)	5.0 Gbps (3DES/AES)
Site-to-Site VPN Policies	250	1,000	3,000	4,000	6,000
IPSec VPN Client Licenses	10 standard, non-shareable/250 Max	50 standard, non-shareable/1,000 Max	500 standard, non-shareable/3,000 Max	2,000 standard, non-shareable/4,000 Max	2,000 standard, non-shareable/6,000 Max
SSL VPN Client Licenses	2 Bundled/250 Max	2 Bundled/350 Max	2 Bundled/500 Max	2 Bundled/1,000 Max	2 Bundled/1,500 Max
Virtual Assist Technicians	1 Bundled/5 Max	2 Bundled/10 Max	2 Bundled/10 Max	2 Bundled/10 Max	2 Bundled/10 Max
Concurrent Connections	225,000 (Max)	325,000 (Max)	400,000 (Max)	562,500 (Max)	750,000 (Max)
New Connections/Second	15,000	20,000	40,000	60,000	90,000
Warranty	1-Yr Limited Hardware/90 days Limited Software	1-Yr Limited Hardware/90 days Limited Software	1-Yr Limited Hardware/90 days Limited Software	1-Yr Limited Hardware/90 days Limited Software	1-Yr Limited Hardware/90 days Limited Software
General Upgrade Options Across all NSA Appliances	<ul style="list-style-type: none"> Gateway AV, Anti-Spyware, IPS and Application Intelligence, Control and Visualization Comprehensive Gateway Security Suite 	<ul style="list-style-type: none"> Comprehensive Anti-Spam Service Client/Server Anti-Virus Suite Capture Advanced Threat Prevention 	<ul style="list-style-type: none"> Content Filtering Service and Client Global VPN Client Virtual Assist/Access 	<ul style="list-style-type: none"> Global Management System Analyzer Reporting Software 	<ul style="list-style-type: none"> Mobile Connect SSL VPN iOS/Android/Kindle Fire/Windows 8.1 8x5 and 24x7 Support
Key Selling Points	<ul style="list-style-type: none"> Breakthrough multi-core next-generation firewall performance Ultra high-speed multi-layer threat protection Next-generation protection with Application Intelligence Unsurpassed business continuity and high availability protection Extensible and modular architecture Deployment scalability and flexibility Continually updatable platform 				

Security Services for NSA Series Solutions










Product		Part Numbers	Description
Comprehensive Gateway Security Suite		For NSA 2600 (2 Years/3 Years) 01-SSC-4454/01-SSC-4455 For NSA 3600 (2 Years/3 Years) 01-SSC-4430/01-SSC-4431 For NSA 4600 (2 Years/3 Years) 01-SSC-4406/01-SSC-4407 For NSA 5600 (2 Years/3 Years) 01-SSC-4236/01-SSC-4236 For NSA 6600 (2 Years/3 Years) 01-SSC-4211/01-SSC-4212 <i>Note: TotalSecure solutions ship with one year of CGSS included</i>	Comprehensive Gateway Security Suite (CGSS) combines security, productivity, reporting and support in a single, low-cost solution. Available on all NSA Series appliances, it is the perfect solution for turning your customers' Dell SonicWALLs into total security and productivity platforms. The Comprehensive Gateway Security Suite is available in one, two and three-year subscriptions that include the following: <ul style="list-style-type: none"> • Gateway Anti-malware, Anti-Spyware and Intrusion Prevention Service and Application Intelligence/Control • Content Filtering Service Premium Edition • Silver/Dynamic Support 24x7
Advanced Gateway Security Suite Bundle		For NSA 2600 (2 Years/3 Years) 01-SSC-1471/01-SSC-1472 For NSA 3600 (2 Years/3 Years) 01-SSC-1481/01-SSC-1482 For NSA 4600 (2 Years/3 Years) 01-SSC-1491/01-SSC-1492 For NSA 5600 (2 Years/3 Years) 01-SSC-1551/01-SSC-1552 For NSA 6600 (2 Years/3 Years) 01-SSC-1561/01-SSC-1562	Advanced Gateway Security Suite (AGSS) is a combination of the same tools within CGSS with the addition of Capture ATP. Available on Gen 6 firewalls, it combine the best tools to stop known and unknown threats in a single package: <ul style="list-style-type: none"> • Intrusion Prevention, Anti-Malware and Application Control • Content Filtering Service Premium Edition • Silver/Gold Support 24x7
Silver/Dynamic Support 8x5 and 24x7		Silver/Dynamic Support 8x5 Silver/Dynamic Support 24x7 Gold 24x7 for NSA 5600 Gold 24x7 for NSA 6600 SKUs by product SKUs by product SKUs by product SKUs by product Discounted two- and three-year contracts available	For customers who need continued protection through ongoing firmware updates and advanced technical support, Silver and Dynamic Support Services deliver the support features and quality of service that organizations require to keep their networks running smoothly and efficiently. These services include: <ul style="list-style-type: none"> • Annual subscription to software and firmware updates and upgrades • Access to telephone and Web-based support for installation, configuration and troubleshooting help • Advance Exchange hardware replacement in the event of failure • Annual subscription to Dell SonicWALL Service Bulletins and access to electronic support tools
Gateway Anti-malware, Intrusion Prevention and Application Intelligence, Control and Visualization		For NSA 2600 (2 Years/3 Years) 01-SSC-4460/01-SSC-4461 For NSA 3600 (2 Years/3 Years) 01-SSC-4436/01-SSC-4437 For NSA 4600 (2 Years/3 Years) 01-SSC-4412/01-SSC-4413 For NSA 5600 (2 Years/3 Years) 01-SSC-4241/01-SSC-4242 For NSA 6600 (2 Years/3 Years) 01-SSC-4217/01-SSC-4218	Gateway Anti-malware, Intrusion Prevention and Application Intelligence, Control and Visualization integrates gateway anti-virus, anti-spyware and intrusion prevention to deliver intelligent, real-time network security protection against a comprehensive array of dynamic threats including viruses, spyware, worms, Trojans and software vulnerabilities such as buffer overflows, as well as peer-to-peer and instant messenger applications, backdoor exploits, and other malicious code.
Capture Advanced Threat Prevention		For NSA 2600 (2 Years/3 Years) 01-SSC-1476/01-SSC-1477 For NSA 3600 (2 Years/3 Years) 01-SSC-1486/01-SSC-1487 For NSA 4600 (2 Years/3 Years) 01-SSC-1496/01-SSC-1497 For NSA 5600 (2 Years/3 Years) 01-SSC-1556/01-SSC-1557 For NSA 6600 (2 Years/3 Years) 01-SSC-1566/01-SSC-1567	Capture Advanced Threat Protection (ATP) is a multi-engine sandbox cloud service that blocks potentially malicious files. An add-on subscription service for SonicWALL firewalls, Capture examines potentially malicious files, programs, and code in the cloud and can hold them at the gateway until a security verdict is determined. After malware is discovered, SonicWALL's GRID network deploys remediation signatures to other network security appliances.
Enforced Client Anti-Virus and Anti-Spyware		5 users (1 Yr) McAfee 01-SSC-2743 10 users (1 Yr) McAfee 01-SSC-2740 25 users (1 Yr) McAfee 01-SSC-2745 50 users (1 Yr) McAfee 01-SSC-2741 100 users (1 Yr) McAfee 01-SSC-2742 Discounted two- and three-year clients available	Enforced Client Anti-Virus and Anti-Spyware provides comprehensive protection with little administrative overhead. Anti-virus and anti-spyware policies are automatically enforced network-wide whenever new threats appear. <ul style="list-style-type: none"> • Comprehensive virus and spyware protection using a single integrated client • Automated enforcement of virus and spyware protection policies • Automated deployments of anti-virus and anti-spyware definition and software updates • Full featured email attachment filtering
Comprehensive Anti-Spam Service <i>Note: Recommended for up to 250 users.</i>		For NSA 2600 (2 Years/3 Years) 01-SSC-4472/01-SSC-4473 For NSA 3600 (2 Years/3 Years) 01-SSC-4448/01-SSC-4449 For NSA 4600 (2 Years/3 Years) 01-SSC-4424/01-SSC-4425 For NSA 5600 (2 Years/3 Years) 01-SSC-9010/01-SSC-9011 For NSA 6600 (2 Years/3 Years) 01-SSC-4229/01-SSC-4230	Comprehensive Anti-Spam Service adds powerful enterprise-class protection that can immediately improve network performance by eliminating spam, phishing and viruses from entering your network. With just one mouse click, you can enable advanced cloud-based inbound SMTP protection based on the same technology as in Dell SonicWALL's award-winning line of Email Security software and appliances. Effective enough to be your primary anti-spam solution, or use in front of any existing anti-spam product as a first touch to reduce bandwidth consumption and improve security.
Secure Virtual Assist		Up to 1 Technician 01-SSC-5967 Up to 5 Technicians 01-SSC-5974 Up to 10 Technicians 01-SSC-5971 Up to 25 Technicians 01-SSC-5972	Secure Virtual Assist is a remote support tool that enables a technician to assume control of a customer's PC or laptop for the purpose of providing remote technical assistance. With the customer's permission, the technician can gain instant access to a computer using a Web browser, making it easy to diagnose and fix a problem remotely without the need for a pre-installed "fat" client.
Content Filtering Service Content Filtering Client	 	For NSA 2600 (2 Years/3 Years) 01-SSC-4466/01-SSC-4467 For NSA 3600 (2 Years/3 Years) 01-SSC-4442/01-SSC-4443 For NSA 4600 (2 Years/3 Years) 01-SSC-4418/01-SSC-4419 For NSA 5600 (2 Years/3 Years) 01-SSC-4247/01-SSC-4248 For NSA 6600 (2 Years/3 Years) 01-SSC-4223/01-SSC-4224 CF Client 10/25 users (1 Yr) 01-SSC-1252/01-SSC-1225	Content Filtering Service provides granular controls and unequalled content filtering to enforce acceptable use policies and block access to websites containing information or images that are objectionable or unproductive. Extend enforcement of internal web use policies to block objectionable and unproductive internet content for devices located outside the firewall perimeter with the Content Filtering Client.
Analyzer <i>Note: Also available as a Virtual Appliance</i>		For NSA 3600 01-SSC-3380 For NSA 4600 01-SSC-3381 For NSA 5600/5600 01-SSC-3382	Analyzer is an easy-to-use web-based application traffic analytics and reporting tool that provides real-time and historical insight into the health, performance and security of the network. Analyzer supports Dell SonicWALL firewalls, backup/recovery appliances, and secure remote access devices while leveraging application traffic analytics for security event reports.
Global Management System <i>Note: Also available as a Virtual Appliance</i>		5-node License 01-SSC-7680 10-node License 01-SSC-3363 25-node License 01-SSC-3311	Global Management System (GMS™) provides organizations, distributed enterprises and service providers with a flexible, powerful and intuitive solution to centrally manage and rapidly deploy Dell SonicWALL firewall, anti-spam, backup and recovery, and secure remote access solutions. GMS also provides centralized real-time monitoring, and comprehensive policy and compliance reporting.

TZ Series



Product Part Numbers	SOHO/SOHO Wireless-N	TZ300/300 Wireless-AC	TZ400/400 Wireless-AC	TZ500/500 Wireless-AC	TZ600
Market Positioning and Specific Features	<p>The SOHO Series offers small offices big-business protection and uncompromising security over wired and wireless networks. Includes:</p> <ul style="list-style-type: none"> Unrestricted Nodes Dual Core Processor SonicOS 5.9.x/6.2.x Firmware Gigabit Ethernet WAN and LAN IPSec and SSL VPN Remote Access 3G/4G Wireless Broadband 5-port Auto-MDIX GbE Switch PortShield Architecture Additional Wireless Features: Optional 802.11n Wireless Wireless Intrusion Detection/Prevention 	<p>The TZ300 Series offers affordable protection over wired and wireless networks for small businesses that need enterprise-level security. Includes:</p> <ul style="list-style-type: none"> Unrestricted Nodes Dual Core Processor SonicOS 6.x Firmware IPSec and SSL VPN Remote Access 3G/4G Wireless Broadband 5-port Auto-MDIX GbE Switch USB Port PortShield Architecture Additional Wireless Features: Optional 802.11ac Wireless Wireless Intrusion Detection/Prevention 	<p>Regardless of the size of the organization, the TZ400 Series delivers big-business protection for distributed enterprises with remote offices. Includes:</p> <ul style="list-style-type: none"> Unrestricted Nodes Quad Core Processor SonicOS 6.x Firmware Gigabit Ethernet WAN and LAN IPSec and SSL VPN Remote Access 3G/4G Wireless Broadband 8-port Auto-MDIX GbE Switch 7-port Auto-MDIX GbE Switch USB Port PortShield Architecture Additional Wireless Features: Optional 802.11ac Wireless Wireless Intrusion Detection/Prevention 	<p>The TZ500 Series offers a no-compromise approach to securing growing networks for distributed enterprises with remote offices. Includes:</p> <ul style="list-style-type: none"> Unrestricted Nodes Quad Core Processor SonicOS 6.x Firmware IPSec and SSL VPN Remote Access 3G/4G Wireless Broadband 8-port Auto-MDIX GbE Switch USB Ports PortShield Architecture Additional Wireless Features: Optional 802.11ac Wireless Wireless Intrusion Detection/Prevention 	<p>The TZ600 offers enterprise-class features and uncompromising performance for distributed enterprises with remote offices. Includes:</p> <ul style="list-style-type: none"> Unrestricted Nodes Quad Core Processor SonicOS 6.x Firmware IPSec and SSL VPN Remote Access 3G/4G Wireless Broadband 10-port Auto-MDIX GbE Switch USB Ports PortShield Architecture Additional Wireless Features: Optional 802.11ac Wireless Wireless Intrusion Detection/Prevention
Bundled Services	<ul style="list-style-type: none"> 30 Days GAV, Anti-Spyware, IPS, App Intelligence and Control 30 Days CFS Premium Edition 30 Days Enforced Desktop Anti-Virus 30 Days Analyzer Reporting Software 	<ul style="list-style-type: none"> 30 Days Capture ATP service 30 Days GAV, Anti-Spyware, IPS, App Intelligence, Control and Visualization 30 Days CFS Premium Edition 30 Days Enforced Desktop Anti-Virus 30 Days Analyzer Reporting Software 	<ul style="list-style-type: none"> 30 Days Capture ATP service 30 Days GAV, Anti-Spyware, IPS, App Intelligence, Control and Visualization 30 Days CFS Premium Edition 30 Days Enforced Desktop Anti-Virus 30 Days Analyzer Reporting Software 	<ul style="list-style-type: none"> 30 Days Capture ATP service 30 Days GAV, Anti-Spyware, IPS, App Intelligence, Control and Visualization 30 Days CFS Premium Edition 30 Days Enforced Desktop Anti-Virus 30 Days Analyzer Reporting Software 	<ul style="list-style-type: none"> 30 Days Capture ATP service 30 Days GAV, Anti-Spyware, IPS, App Intelligence, Control and Visualize 30 Days CFS Premium Edition 30 Days Enforced Desktop Anti-Virus 30 Days Analyzer Reporting SW
General Features	<ul style="list-style-type: none"> Deep Packet Inspection Firewall Clean VPN 	<ul style="list-style-type: none"> Dynamic DNS IPSec 3DES/AES Encryption 	<ul style="list-style-type: none"> Voice and Video over IP Route-based VPN 	<ul style="list-style-type: none"> DHCP Server Policy-based User Authentication 	<ul style="list-style-type: none"> PPTP/DHCP/PPPoE/L2TP Client Bandwidth Management
Specifications	<p>Unrestricted 5 GbE, 1 USB, 1 Console 300 Mbps 50 Mbps 100 Mbps 50 Mbps 100 Mbps (3DES/AES) 10 1/5 Max 1/10 Max 10,000 (Max) 1-Yr Limited Hardware/90 days Limited Software</p>	<p>Unrestricted 5 GbE, 1 USB, 1 Console 750 Mbps 100 Mbps 300 Mbps 100 Mbps 300 Mbps (3DES/AES) 10 1/10 Max 1/50 Max 50,000 (Max) 1-Yr Limited Hardware/90 days Limited Software</p>	<p>Unrestricted 7 GbE, 1 USB, 1 Console 1.3 Gbps 300 Mbps 500 Mbps 300 Mbps 900 Mbps (3DES/AES) 20 2/25 Max 2/100 Max 100,000 (Max) 1-Yr Limited Hardware/90 days Limited Software</p>	<p>Unrestricted 8 GbE, 2 USB, 1 Console 1.4 Gbps 400 Mbps 1.0 Gbps 400 Mbps 1.0 Gbps (3DES/AES) 25 2/25 Max 2/150 Max 125,000 (Max) 1-Yr Limited Hardware/90 days Limited Software</p>	<p>Unrestricted 10 GbE, 2 USB, 1 Console, 1 Expansion 1.5 Gbps 500 Mbps 1.1 Gbps 500 Mbps 1.1 Gbps (3DES/AES) 50 2/25 Max 2/200 Max 150,000 (Max) 1-Yr Limited Hardware/90 days Limited Software</p>
General Upgrade Options Across all TZ Appliances	<ul style="list-style-type: none"> Comprehensive Gateway Security Suite Gateway AV, Anti-Spyware and IPS Virtual Assist 	<ul style="list-style-type: none"> Content Filtering Service and Client Enforced Client Anti-Virus and Anti-Spyware Mobile Connect SSL VPN Mac OS X/iOS/ Android/Kindle Fire/Windows/ Chrome OS 	<ul style="list-style-type: none"> Comprehensive Anti-Spam Service 8x5 and 24x7 Support Global VPN Client 	<ul style="list-style-type: none"> Analyzer Reporting Software Global Management System Capture Advanced Threat Prevention (except SOHO) 	
X-Series Switches	<p>X1008 (P)* Total Ports 8 1GbE Ports 8 SFP 0 SFP+ 0 PoE Ports Supporting 0 (PoE Only) SonicPoints</p>	<p>X1018 (P)* 18 16 2 0 0 (PoE Only)</p>	<p>X1026 (P) 26 24 2 0 12</p>	<p>X1052 (P) 52 48 0 4 12</p>	<p>X4012 12 0 0 12 No PoE configuration available</p>

Security Services for TZ Series Solutions

Product		Part Numbers	Description
Comprehensive Gateway Security Suite		For SOHO Series (2 Years/3 Years) 01-SSC-0689/01-SSC-0690 For TZ300 Series (2 Years/3 Years) 01-SSC-0638/01-SSC-0640 For TZ400 Series (2 Years/3 Years) 01-SSC-0568/01-SSC-0569 For TZ500 Series (2 Years/3 Years) 01-SSC-0489/01-SSC-0490 For TZ600 (2 Years/3 Years) 01-SSC-0259/01-SSC-0260 <i>Note: TotalSecure solutions ship with one year of CGSS included</i>	Comprehensive Gateway Security Suite (CGSS) combines security, productivity, reporting and support in a single, low-cost solution. Available on all TZ Series appliances, it is the perfect solution for turning your customers' Dell SonicWALLs into total security and productivity platforms. The Comprehensive Gateway Security Suite includes the following: <ul style="list-style-type: none"> • Gateway Anti-malware, Intrusion Prevention and Application Intelligence and Control • Application Visualization (not available on SOHO Series) • Content Filtering Service Premium Edition • 24x7 Support
Advanced Gateway Security Suite Bundle		For TZ300 Series (2 Years/3 Years) 01-SSC-1431/01-SSC-1432 For TZ400 Series (2 Years/3 Years) 01-SSC-1441/01-SSC-1442 For TZ500 Series (2 Years/3 Years) 01-SSC-1451/01-SSC-1452 For TZ600 (2 Years/3 Years) 01-SSC-1461/01-SSC-1462	Advanced Gateway Security Suite (AGSS) is a combination of the same tools within CGSS with the addition of Capture ATP. Available on Gen 6 firewalls, it combine the best tools to stop known and unknown threats in a single package: <ul style="list-style-type: none"> • Intrusion Prevention, Anti-Malware and Application Control • Content Filtering Service Premium Edition • 24x7 Support
Gateway Anti-malware, Intrusion Prevention and Application Control		For SOHO Series (2 Years/3 Years) 01-SSC-0670/01-SSC-0671 For TZ300 Series (2 Years/3 Years) 01-SSC-0603/01-SSC-0604 For TZ400 Series (2 Years/3 Years) 01-SSC-0535/01-SSC-0536 For TZ500 Series (2 Years/3 Years) 01-SSC-0459/01-SSC-0460 For TZ600 (2 Years/3 Years) 01-SSC-0229/01-SSC-0230	Gateway Anti-malware, Intrusion Prevention and Application Intelligence Control integrates gateway anti-virus, anti-spyware and intrusion prevention to deliver intelligent, real-time network security protection against a comprehensive array of dynamic threats including viruses, spyware, worms, Trojans and software vulnerabilities such as buffer overflows, as well as peer-to-peer and instant messenger applications, backdoor exploits, and other malicious code.
Capture Advanced Threat Prevention		For TZ300 Series (2 Years/3 Years) 01-SSC-1436/01-SSC-1437 For TZ400 Series (2 Years/3 Years) 01-SSC-1446/01-SSC-1447 For TZ500 Series (2 Years/3 Years) 01-SSC-1456/01-SSC-1457 For TZ600 (2 Years/3 Years) 01-SSC-1466/01-SSC-1467	Capture Advanced Threat Protection (ATP) is a multi-engine sandbox cloud service that blocks potentially malicious files. An add-on subscription service for SonicWALL firewalls, Capture examines potentially malicious files, programs, and code in the cloud and can hold them at the gateway until a security verdict is determined. After malware is discovered, SonicWALL's GRID network deploys remediation signatures to other network security appliances.
Enforced Client Anti-Virus and Anti-Spyware		5 users (1 Yr) McAfee 01-SSC-2743 10 users (1 Yr) McAfee 01-SSC-2740 25 users (1 Yr) McAfee 01-SSC-2745 50 users (1 Yr) McAfee 01-SSC-2741 100 users (1 Yr) McAfee 01-SSC-2742 Discounted two- and three-year clients available	Enforced Client Anti-Virus and Anti-Spyware provides comprehensive protection with little administrative overhead. Anti-virus and anti-spyware policies are automatically enforced network-wide whenever new threats appear. <ul style="list-style-type: none"> • Comprehensive virus and spyware protection using a single integrated client • Automated enforcement of virus and spyware protection policies • Automated deployments of anti-virus and anti-spyware definition and software updates • Full featured email attachment filtering
Comprehensive Anti-Spam Service <i>Note: Recommended for up to 250 users.</i>		For SOHO Series (2 Years/3 Years) 01-SSC-0683/01-SSC-0684 For TZ300 Series (2 Years/3 Years) 01-SSC-0633/01-SSC-0634 For TZ400 Series (2 Years/3 Years) 01-SSC-0562/01-SSC-0563 For TZ500 Series (2 Years/3 Years) 01-SSC-0483/01-SSC-0484 For TZ600 (2 Years/3 Years) 01-SSC-0253/01-SSC-0254	Comprehensive Anti-Spam Service adds powerful enterprise-class protection that can immediately improve network performance by eliminating spam, phishing and viruses from entering your network. With just one mouse click, you can enable advanced cloud-based inbound SMTP protection based on the same technology as in Dell SonicWALL's award-winning line of Email Security software and appliances. Effective enough to be your primary anti-spam solution, or use in front of any existing anti-spam product as a first touch to reduce bandwidth consumption and improve security.
Secure Virtual Assist		Up to 1 Technician 01-SSC-5967 Up to 5 Technicians 01-SSC-5974 Up to 10 Technicians 01-SSC-5971 Up to 25 Technicians 01-SSC-5972	Secure Virtual Assist is a remote support tool that enables a technician to assume control of a customer's PC or laptop for the purpose of providing remote technical assistance. With the customer's permission, the technician can gain instant access to a computer using a Web browser, making it easy to diagnose and fix a problem remotely without the need for a pre-installed "fat" client.
Content Filtering Service Content Filtering Client		For SOHO Series (2 Years/3 Years) 01-SSC-0677/01-SSC-0678 For TZ300 Series (2 Years/3 Years) 01-SSC-0609/01-SSC-0610 For TZ400 Series (2 Years/3 Years) 01-SSC-0541/01-SSC-0542 For TZ500 Series (2 Years/3 Years) 01-SSC-0465/01-SSC-0466 For TZ600 (2 Years/3 Years) 01-SSC-0235/01-SSC-0236 CF Client 10/25 users (1 Yr) 01-SSC-1252/01-SSC-1225	Content Filtering Service provides granular controls and unequalled content filtering to enforce acceptable use policies and block access to websites containing information or images that are objectionable or unproductive. Extend enforcement of internal web use policies to block objectionable and unproductive internet content for devices located outside the firewall perimeter with the Content Filtering Client.
Analyzer <i>Note: Also available as a Virtual Appliance</i>		For TZ Series 01-SSC-3378	Analyzer is an easy-to-use web-based application traffic analytics and reporting tool that provides real-time and historical insight into the health, performance and security of the network. Analyzer supports Dell SonicWALL firewalls, backup/recovery appliances, and secure remote access devices while leveraging application traffic analytics for security event reports.
Global Management System <i>Note: Also available as a Virtual Appliance</i>		5-node License 01-SSC-7680 10-node License 01-SSC-3363 25-node License 01-SSC-3311	Global Management System (GMS™) provides organizations, distributed enterprises and service providers with a flexible, powerful and intuitive solution to centrally manage and rapidly deploy Dell SonicWALL firewall, anti-spam, backup and recovery, and secure remote access solutions. GMS also provides centralized real-time monitoring, and comprehensive policy and compliance reporting.
Dynamic Support 8x5 and 24x7		Dynamic Support 8x5 SKUs by product Dynamic Support 24x7 SKUs by product Discounted two- and three-year contracts available	For customers who need continued protection through ongoing firmware updates and advanced technical support, Dynamic Support Services deliver the support features and quality of service that organizations require to keep their networks running smoothly and efficiently. These services include: <ul style="list-style-type: none"> • Annual subscription to software and firmware updates and upgrades • Access to telephone and Web-based support for installation, configuration and troubleshooting help • Advance Exchange hardware replacement in the event of failure

WAN Acceleration



Product	WXA 500 Software ⁵	WXA 2000	WXA 4000	WXA 5000 Virtual Appliance	WXA 6000 Software ⁵
Part Numbers	01-SSC-9438 (Includes 1 year Software Subscription and Dynamic Support 24x7) 01-SSC-9446 (Software and 24x7 Support 1 Yr) 01-SSC-9447 (Software and 24x7 Support 2 Yrs) 01-SSC-9448 (Software and 24x7 Support 3 Yrs)	01-SSC-9440 (Includes 1 Year of Dynamic Support 24x7)	01-SSC-9442 (Includes 1 year of Dynamic Support 24x7)	01-SSC-9444 (Includes 1 year Software Subscription and Dynamic Support 24x7) 01-SSC-9455 (Software and 24x7 Support 1 Yr) 01-SSC-9456 (Software and 24x7 Support 2 Yrs) 01-SSC-9457 (Software and 24x7 Support 3 Yrs)	01-SSC-9078 (Includes 1 year Software Subscription and Dynamic Support 24x7) 01-SSC-9079 (Software and 24x7 Support 1 Yr) 01-SSC-9039 (Software and 24x7 Support 2 Yrs) 01-SSC-9040 (Software and 24x7 Support 3 Yrs)
WXA Client Licenses	01-SSC-7160 Add 1 Concurrent User	01-SSC-7161 Add 5 Concurrent Users	01-SSC-7162 Add 10 Concurrent Users	01-SSC-7163 Add 25 Concurrent Users	
Market Positioning and Specific Features	The Dell SonicWALL WAN Acceleration Appliance (WXA) Series significantly enhances WAN application performance and improves the end user experience for small- to medium-sized organizations with remote and branch offices. After initial file transfer, the WXA solution dramatically reduces all subsequent traffic by transmitting only new or changed data across the network. Unlike standalone products, the WXA Series is an integrated add-on to Dell SonicWALL E-Class NSA, NSA and TZ firewalls, thus simplifying deployment, configuration, routing and management. When deployed in conjunction with Dell SonicWALL Application Intelligence and Control, the WXA Series offers the unique combined benefit of both prioritizing application traffic and minimizing traffic between sites.				
Specifications	Requires SonicOS 5.8.1.0 or later	Requires SonicOS 5.8.1.0 or later	Requires SonicOS 5.8.1.0 or later	Requires SonicOS 5.8.1.0 or later	Requires SonicOS 5.8.1.0 or later
Management					
Maximum Users ¹	20	120	240	360	2,000
Maximum Connections	100	600	1,200	1,800 ³	10,000
Included/Max WXA Client Concurrent Licenses ⁴	2/20	2/50	2/125	2/125	2/125
Byte Caching	Yes	Yes	Yes	Yes	Yes
Web (HTTP) Caching	Yes	Yes	Yes	Yes	Yes
TCP/File Compression	Yes	Yes	Yes	Yes	Yes
CIFS/SMB Acceleration	Yes ²	Yes	Yes	Yes	Yes
Signed SMB Support	Yes	Yes	Yes	Yes*	Yes*








1. Maximum users may vary depending on the number of connections being generated per user. 2. CIFS/SMB acceleration is available only when the Live CD image is installed on the provided hardware. 3. The max number of connections is dependent on the hardware specifications and may vary depending on the hardware configuration. 4. NetExtender is required in order to use the WXA client software. Please refer to the WXA release notes for supported operating systems. 5. Requires specific Dell hardware in order to operate.

Wireless Solutions



Product	SonicPoint ACe, SonicPoint ACi and SonicPoint N2 Access Points	Power over Ethernet (PoE) Injector
Part Numbers	SonicPoint ACe with PoE Injector and 1-year 24x7 Support 01-SSC-0883 SonicPoint ACe without PoE Injector and 3-year 24x7 Support 01-SSC-0892 (4-pack) 01-SSC-0893 (8-pack) SonicPoint ACi with PoE Injector and 1-year 24x7 Support 01-SSC-0886 SonicPoint ACi without PoE Injector and 3-year 24x7 Support 01-SSC-0894 (4-pack) 01-SSC-0895 (8-pack) SonicPoint N2 with PoE Injector and 1-year 24x7 Support 01-SSC-0889 SonicPoint N2 without PoE Injector and 3-year 24x7 Support 01-SSC-0896 (4-pack) 01-SSC-0897 (8-pack)	01-SSC-0176 (802.3at Gigabit AC)
Market Positioning and Specific Features	The Dell SonicPoint Series featuring the SonicPoint ACe, SonicPoint ACi and SonicPoint N2 are dependent access points that provide secure wireless LAN connectivity to users on the network. Includes: <ul style="list-style-type: none"> • Automatic detection and provisioning from TZ, NSA, E-Class NSA and Supermassive 9000 Series firewalls* • Support for multiple security options (WPA, WPA2, WEP, SSL VPN, IPSec) • Support for up to 8 distinct SSIDs with distinct security policies using Virtual Access Points (VAP) • Multiple input, Multiple output technology (MIMO) • IEEE 802.3at Power Over Ethernet receive capability** • Detachable antennas (SonicPoint ACe and SonicPoint N2 only) • Plenum rated • Wall or ceiling mountable * Requires SonicOS 5.9.1.0 (Gen5) or 6.2.2.0 (Gen6) **SonicPoint ACi and SonicPoint N2 access points support PoE power only. SonicPoint ACe access points can also be powered directly through an AC adapter.	The Dell SonicWALL PoE Injector is an IEEE 1 GbE 802.3at compliant power injector that detects the presence of PoE-compatible devices and “injects” the appropriate power into the data cable. Includes: <ul style="list-style-type: none"> • Remote power feeding • IEEE 802.3at compliant • Advanced auto-sensing algorithm • Interlocking






SSL VPN for the Enterprise: Secure Mobile Access

Product	SonicWALL Secure Mobile Access (SMA) gateway enables administrators to easily provision secure mobile access and role-based privileges for managed and unmanaged devices. You can provide mobile workers with policy-enforced per-app VPN access to the allowed enterprise data and resources that they require — while protecting the corporate network from mobile security threats.							
Key Features	<ul style="list-style-type: none"> Enables mobile worker productivity with secure per app SSL VPN connection and granular, policy-enforced access to resources Restricts VPN access to a set of IT authorized trusted mobile apps and enables management and enforcement of BYOD authorization policy terms Includes the Mobile Connect app, which provides Windows, iOS, Mac OS X, Android, Kindle Fire and Linux devices with easy per-app VPN access to permitted resources Provides context-aware authentication to ensure that only authorized users and trusted mobile applications and devices are granted VPN access Enables efficient object-based policy management of all users, groups, resources and devices and clientless, HTML5 portal access to resources 							
Appliance Models	 SMA 6200	 SMA 7200	 SRA EX9000	 SMA 8200v Virtual Appliance				
Step 1: Select Appliance	01-SSC-2300		01-SSC-2301		01-SSC-9574		01-SSC-8468	
Step 2: Select User Count (Stackable)	Dell SMA User License - Stackable							
	Concurrent User Count				High Availability (HA) Concurrent User Count			
	01-SSC-7864 (2500 User) 01-SSC-7863 (1000 User) 01-SSC-7862 (500 User) 01-SSC-7861 (250 User) 01-SSC-7860 (100 User) 01-SSC-7858 (25 User)		01-SSC-7953 (20000 User) 01-SSC-7951 (15000 User) 01-SSC-7949 (10000 User) 01-SSC-7948 (7500 User) 01-SSC-7865 (5000 User)		01-SSC-5294 (2500 User) 01-SSC-5293 (1000 User) 01-SSC-5292 (500 User) 01-SSC-5291 (250 User) 01-SSC-5290 (100 User) 01-SSC-5288 (25User)		01-SSC-5299 (20000 User HA) 01-SSC-5298 (15000 User HA) 01-SSC-5297 (10000 User HA) 01-SSC-5296 (7500 User HA) 01-SSC-5295 (5000 User HA)	
Step 3: Select Support (Stackable)	Dell Gold Support 24x7 for SMA 6200 1 Year Stackable (For 2 & 3 year options, contact Dell SonicWALL)		Dell Gold Support 24x7 for SMA 7200 1 Year Stackable (For 2 & 3 year options, contact Dell SonicWALL)		Dell Gold Support 24x7 for EX9000 1 Year Stackable (For 2 & 3 year options, contact Dell SonicWALL)		Dell Gold Support 24x7 for SMA Virtual Appliance 1 Year Stackable (For 2 & 3 year options, contact Dell SonicWALL)	
	01-SSC-2338 (2000 User) 01-SSC-2335 (1000 User) 01-SSC-2332 (500 User) 01-SSC-2329 (250 User)	01-SSC-2326 (100 User) 01-SSC-2388 (25 User) 01-SSC-2323 (5 User Lab)	01-SSC-2365 (10000 User) 01-SSC-2362 (7500 User) 01-SSC-2359(5000 User) 01-SSC-2356(2000 User) 01-SSC-2353(1000 User)	01-SSC-2350(500 User) 01-SSC-2347(250 User) 01-SSC-2344 (100 User) 01-SSC-2379 (25 User) 01-SSC-2362 (5 User Lab)	01-SSC-2191 (20000 User) 01-SSC-2188 (15000 User) 01-SSC-2185 (10000 User) 01-SSC-2182 (7500 User)	01-SSC-2179 (5000 User) 01-SSC-2176 (2500 User) 01-SSC-2173(1000 User)	01-SSC-7913 (5000 User) 01-SSC-8336 (2500 User) 01-SSC-8313 (1000 User) 01-SSC-8310 (500 User)	01-SSC-8449 (250 User) 01-SSC-8446 (100 User) 01-SSC-8443 (50 User) 01-SSC-8440 (25 User) 01-SSC-8437 (10 User)
Step 4: Select Add-On Features (Optional)	Advanced Reporting delivers a robust hierarchical log analysis tool that enables organizations to track and evaluate all remote user access to enterprise resources over a SonicWALL E-Class SRA. <ul style="list-style-type: none"> SMA 6200: 01-SSC-8227 SMA 7200: 01-SSC-8227 EX9000: 01-SSC-8227 SMA Virtual Appliance: 01-SSC-8227 		Spike Licenses allows for the immediate increase of the remote user count in the event of a business disruption. <ul style="list-style-type: none"> SMA 6200: Contact Dell SonicWALL SMA 7200: Contact Dell SonicWALL EX9000: Contact Dell SonicWALL SMA Virtual Appliance: Contact Dell SonicWALL 		Secure Virtual Assist is a remote support tool that enables a technician to assume control of a customer's PC or laptop for the purpose of providing remote technical assistance. <ul style="list-style-type: none"> Up to 10 Concurrent Technicians: 01-SSC-8464 Up to 25 Concurrent Technicians: 01-SSC-8465 Up to 50 Concurrent Technicians: 01-SSC-8466 Up to 100 Concurrent Technicians: 01-SSC-8467 			

SSL VPN for the SMB



Product	SMA 200	SMA 400	SMA 500v Virtual Appliance
Part Numbers	01-SSC-2231 (SMA 200 5 Users) 01-SSC-2232 (SMA 200 Add 5 Users) 01-SSC-2233 (SMA 200 Add 10 Users)	01-SSC-2243 (SMA 400 25 Users) 01-SSC-2244 (SMA 400 Add 10 Users) 01-SSC-2245 (SMA 400 Add 25 Users) 01-SSC-2246 (SMA 400 Add 100 Users)	01-SSC-8469 (SMA 500v 5 Users) 01-SSC-9182 (SMA 500v Add 5 Users) 01-SSC-9183 (SMA 500v Add 10 Users) 01-SSC-9184 (SMA 500v Add 25 Users)
Market Positioning and Specific Features	<p>The Dell SonicWALL SMA 200 (up to 50 concurrent users) provides small enterprises with a simple, affordable secure and clientless remote network and application access solution for remote and mobile employees. Users can easily and securely access email, files, intranets, remote desktops; Citrix (ICA) based applications and other resources on the corporate LAN from any location through a standard Web browser. Includes:</p> <ul style="list-style-type: none"> Seamless integration behind virtually any firewall NetExtender technology on Windows, Mac, Linux, Windows Mobile and Google Android operating systems provides advanced remote access capabilities Granular policy configuration controls Personalized portal experience with context-sensitive help Tokenless two-factor authentication Remote support capability using Secure Virtual Assist Mobile Connect on Apple iOS, Mac OS X, Google Android, Kindle Fire and Microsoft Windows 8.1 provides layer-3 access to entire intranet Basic IPv6 support in anticipation of the new standard Application offloading to secure access to Web applications Layer-7 Load Balancing End Point Control (EPC) for Windows devices 	<p>The Dell SonicWALL SMA 400 (up to 250 concurrent users) provides mid-size enterprises with a simple, affordable secure and clientless remote network and application access solution for remote and mobile employees. Users can easily and securely access email, files, intranets, remote desktops; Citrix (ICA) based applications and other resources on the corporate LAN from any location through a standard Web browser. Includes:</p> <ul style="list-style-type: none"> Seamless integration behind virtually any firewall NetExtender technology on Windows, Mac, Linux, Windows Mobile and Google Android operating systems provides advanced remote access capabilities Granular policy configuration controls Personalized portal experience with context-sensitive help Tokenless two-factor authentication Remote support capability using Secure Virtual Assist Mobile Connect on Apple iOS, Mac OS X, Google Android, Kindle Fire and Microsoft Windows 8.1 provides layer-3 access to entire intranet Basic IPv6 support in anticipation of the new standard Application offloading to secure access to Web applications Layer-7 Load Balancing Active/Passive High Availability End Point Control (EPC) for Windows devices 	<p>The Dell SonicWALL SMA 500v Virtual Appliance (up to 50 concurrent users) provides small-to-medium enterprises with a simple, affordable secure and clientless remote network and application access solution for remote and mobile employees. Users can easily and securely access email, files, intranets, remote desktops; Citrix (ICA) based applications and other resources on the corporate LAN from any location through a standard Web browser.</p> <p>* Available for VMware ESX and ESXi (version 4.0 and greater) * Needs 2GB of memory and 2GB of hard disk space</p> <p>Includes:</p> <ul style="list-style-type: none"> Seamless integration behind virtually any firewall NetExtender technology on Windows, Mac, Linux, Windows Mobile and Google Android operating systems provides advanced remote access capabilities Granular policy configuration controls Personalized portal experience with context-sensitive help Tokenless two-factor authentication Remote support capability using Secure Virtual Assist Mobile Connect on Apple iOS, Mac OS X, Google Android, Kindle Fire and Microsoft Windows 8.1 provides layer-3 access to entire intranet Basic IPv6 support in anticipation of the new standard Application offloading to secure access to Web applications Layer-7 Load Balancing End Point Control (EPC) for Windows devices

Add-On Features (Optional)	<p>Secure Virtual Assist is a remote support tool that enables a technician to assume control of a customer's Windows, Mac or Linux-based PC or laptop for the purpose of providing remote technical assistance. With the customer's permission, the technician can gain instant access to a computer using a Web browser, making it easy to diagnose and fix a problem remotely without the need for a pre-installed "fat" client.</p>	<p>Secure Virtual Access is a remote PC control tool that enables authorized end users to gain secure remote access to their unattended Windows-based computers from anywhere.</p> <p>Secure Virtual Meeting is a collaboration tool that allows multiple participants to collaborate securely. Apart from host screen sharing, there is also the ability to participate in text chat and polling (voting) sessions.</p>	<p>Secure Virtual Assist/Virtual Access/Virtual Meeting</p> <ul style="list-style-type: none"> Up To 5 Concurrent Technicians: 01-SSC-2242 Up To 10 Concurrent Technicians: 01-SSC-2255 	 
	<p>Web Application Firewall (WAF) Service applies reverse proxy analysis of Layer 7 traffic against known signatures, denies access upon detecting Web application malware, and redirects users to an explanatory error page. Dell SonicWALL WAF detects attacks such as Cross-Site Scripting (CSS), SQL Injection, Cross-Site Request Forgery (CSRF) and cookie tampering, to help attain PCI compliance. By preventing theft of credit card and SSN information, Dell SonicWALL WAF can achieve Data Leak Protection (DLP). WAF custom rule chains provide the extra flexibility to follow positive or negative security model to detect custom pattern in HTTP(S) traffic. In addition to custom rules, Application Profiling can help monitor web traffic to build a dynamic model of protected applications and help suggest custom rules based on the same.</p>		<ul style="list-style-type: none"> SMA 200 Add-On Web Application Firewall (1 Year): 01-SSC-2241 SMA 400 Add-On Web Application Firewall (1 Year): 01-SSC-2254 SMA 500v Add-On Web Application Firewall (1 Year): 01-SSC-9185 	
	<p>Dell SonicWALL Spike Licenses allow for the immediate increase of the remote user count in the event of a business disruption such as an earthquake or snowstorm.</p>		<ul style="list-style-type: none"> SMA 500v 10 day 50 User Spike: 01-SSC-9175 SMA 200 10-day 50-User Spike: 01-SSC-2240 SMA 400 10-day 500 User Spike: 01-SSC-2253 	
	<p>Dell SonicWALL Analyzer provides reporting on remote user access activity on SRA devices. Analyzer also reports on activity on Dell SonicWALL firewalls, backup and recovery, and SMA devices.</p>		<ul style="list-style-type: none"> Analyzer for SMA 200, SMA 500v: 01-SSC-3387 Analyzer for SMA 400: 01-SSC-3388 	

Email Security - In 3 Easy Steps:

Step 1: Software/Appliance/Hosted

Software Platform

Dell SonicWALL Email Security Software is for the organizations that desire an email security solution to run on their existing Windows 2003 or 2008 Server system.



Software – 01-SSC-6636

System Requirements – OS: Windows Server 2003 Server or 2008 Server; CPU: 2.66 GHz min.; RAM: 2 GB recommended; Hard Drive: 40 GB free space min.

Virtual Appliance Platform – 01-SSC-7636

For organizations that desire an email security solution to run in a VMware environment.

System Requirements: VMware ESXi™ and ESX™ (version 4.0 and newer); Allocated Memory 2 GB; Appliance Disk Size 80 GB.

Appliance Platforms



Dell SonicWALL Email Security Appliances come with the Dell SonicWALL Email Security software pre-installed.

Appliance Models

ESA 3300 – 01-SSC-6607

2 GB RAM, 250 GB hard drive, Intel 2.0 GHz CPU

ESA 4300 – 01-SSC-6608

4 GB RAM, 2x 250 GB hard drive (RAID-1), Intel Dual core 2.13 GHz CPU

ESA ES8300 – 01-SSC-6609

4 GB RAM, 4x750 GB HDD (RAID-5), Quad core 2 GHz CPU

Hosted Platform



Dell SonicWALL™ Hosted Email Security offers superior cloud-based protection from inbound and outbound threats including spam, phishing, zombie attacks and malware, while minimizing deployment, administration and bandwidth expense.

Hosted Email Security and Dynamic Support 24x7 (1 Yr)

10 Users	01-SSC-5030
25 Users	01-SSC-5033
50 Users	01-SSC-5036
100 Users	01-SSC-5039
250 Users	01-SSC-5042
500 Users	01-SSC-5045
750 Users	01-SSC-5057
1,000 Users	01-SSC-5048
2,000 Users	01-SSC-5051

Step 2: Add Email Protection

This required subscription activates features in the Dell SonicWALL Email Security (SES) system, Appliance or Software, for up to the number of users purchased. This subscription comes with either 8x5 or 24x7 Dynamic Support services. *NOTE: Steps 2 is not required when selecting Hosted Email Security. Hosted Email security includes Email Protection subscription features.*

Email Protection Subscription

SonicWALL Email Protection subscription with Dynamic Support (8x5 or 24x7) provides threat protection for SonicWALL Email Security Software or Appliances. Includes:

- Anti-Spam, Anti-Phishing & Anti-Virus automatic updates from the SonicWALL GRID Network
- Software and firmware updates
- Phone-based support (8x5 or 24x7), Web-based support anytime
- RMA for the appliance - One (1) year warranty for repair or replacement of any defective product due to manufacturer's defects

User Packs	8 x 5 Support	24 x 7 Support
25 user pack	01-SSC-6659	01-SSC-6669
50 user pack	01-SSC-6660	01-SSC-6670
100 user pack	01-SSC-6666	01-SSC-6676
250 user pack	01-SSC-6661	01-SSC-6671
500 user pack	01-SSC-6667	01-SSC-6677
750 user pack	01-SSC-6662	01-SSC-6672
1,000 user pack	01-SSC-6668	01-SSC-6678
2,000 user pack	01-SSC-6663	01-SSC-6673
5,000 user pack	01-SSC-6664	01-SSC-6674
10,000 user pack	01-SSC-6716	01-SSC-6730

User Packs can be quantity stacked to obtain the desired number of users for a given subscription, e.g. 75 users = 50 user pack + 25 user pack.

Step 3: Add Optional Protection

Optional subscription services can be added to SonicWALL Email Security solutions. The number of users must be the same as the Email Protection subscription. *Note: Hosted Email Security includes Compliance and Anti-Virus subscription features. Encryption is available as an optional subscription service.*

Email Compliance Subscription

Includes: Compliance Dictionaries, Attachment Scanning, Approval Boxes, Record ID matching, Archive, and Compliance Reports.

25 user pack	01-SSC-6639
50 user pack	01-SSC-6640
100 user pack	01-SSC-6646
250 user pack	01-SSC-6641
500 user pack	01-SSC-6627
750 user pack	01-SSC-6642
1,000 user pack	01-SSC-6648
2,000 user pack	01-SSC-6643
5,000 user pack	01-SSC-6644
10,000 user pack	01-SSC-6735

Email Encryption Subscription

Includes: Email Compliance features plus policy-enforced email encryption and secure email exchange

	Software/Appliance	Hosted
25 user pack	01-SSC-6639	01-SSC-5081
50 user pack	01-SSC-6640	01-SSC-5084
100 user pack	01-SSC-6646	01-SSC-5087
250 user pack	01-SSC-6641	01-SSC-5091
500 user pack	01-SSC-6627	01-SSC-5094
750 user pack	01-SSC-6642	01-SSC-5097
1,000 user pack	01-SSC-6648	01-SSC-5104
2,000 user pack	01-SSC-6643	01-SSC-5107
5,000 user pack	01-SSC-6644	
10,000 user pack	01-SSC-6735	

Anti-Virus Subscription

Includes McAfee Anti-Virus, SonicWALL Time-Zero Anti-Virus and Zombie detection

25 user pack	01-SSC-6759
50 user pack	01-SSC-6760
100 user pack	01-SSC-6766
250 user pack	01-SSC-6761
500 user pack	01-SSC-6767
750 user pack	01-SSC-6762
1,000 user pack	01-SSC-6768
2,000 user pack	01-SSC-6763
5,000 user pack	01-SSC-6764
10,000 user pack	01-SSC-7562

SonicWALL Contact Information

SonicWALL Austria
SonicWALL Benelux
SonicWALL Eastern Europe
SonicWALL Germany
SonicWALL France
SonicWALL Italy

austria@sonicwall.com
benelux@sonicwall.com
easterneurope@sonicwall.com
germany@sonicwall.com
france@sonicwall.com
italy@sonicwall.com

SonicWALL MEA
SonicWALL Nordic
SonicWALL Portugal/Spain
SonicWALL Switzerland
SonicWALL UK/Ireland

mea@sonicwall.com
nordic@sonicwall.com
spain@sonicwall.com
switzerland@sonicwall.com
uk@sonicwall.com