

تعداد	توضیحات کالا	مشخصه کالا تجهیزات	نوع محصول	ردیف
۸	Catalyst 9500 24-port x 1/10/25G + 4-port 40/100G, Advantage	C9500-24Y4C-A	Cisco Catalyst 9500	۱
۸	650W AC Config 4 Power Supply front to back cooling	C9K-PWR-650WAC-R		
۱۴	650W AC Config 4 Power Supply front to back cooling	C9K-PWR-650WAC-R/2		
۱۶	Power Cord, 250VAC 10A CEE 7/7 Plug, EU	CAB-9K10A-EU		
۸	C9500 DNA Advantage, Term License	C9500-DNA-24Y4C-A		
۸	DNA Advantage 5 Year License	C9500-DNA-A-5Y		
۳۲	Extension rails and brackets for four-point mounting for Cisco Catalyst 9500 Series	C9500-4PTH-KIT=		
۲	Catalyst 9500 48-port x 1/10/25G + 4-port 40/100G, Advantage	C9500-48Y4C-A	Cisco Catalyst 9500	۲
۲	650W AC Config 4 Power Supply front to back cooling	C9K-PWR-650WAC-R		
۶	650W AC Config 4 Power Supply front to back cooling	C9K-PWR-650WAC-R/2		
۲	Power Cord, 250VAC 10A CEE 7/7 Plug, EU	CAB-9K10A-EU		
۲	C9500 DNA Advantage, Term License	C9500-DNA-48Y4C-A		
۲	DNA Advantage 5 Year License	C9500-DNA-A-5Y		
۱۲	Extension rails and brackets for four-point mounting for Cisco Catalyst 9500 Series	=C9500-4PTH-KIT		
۱	Catalyst 4500-X 16 Port 10GE IP Base, Front-to-Back Cooling, No P/S	+WS-C4500X-16SFP	Cisco Catalyst 4500	۳
۴	Catalyst 4500-X 750W AC Front-to-Back Cooling Power Supply	C4KX-PWR-750AC-R		
۱	4x Gigabit Ethernet/2 x 10 Gigabit Ethernet network module	C3850-NM-2-10G	---	۴
۴۴	10GBASE-SR SFP+ 850nm 300m DOM Transceiver Module (Standard)	SFP-10GSR-85		
۶۰۶	10GBASE-LR SFP+ 1310nm 10km DOM Transceiver	SFP-10GLR-31		
۶	10G SFP+ Passive Copper Twinax Cable (PCC)	SFPP-PC03		
۱۶	Cisco GLC-TE Compatible 1000BASE-T SFP Copper RJ-45 100m Transceiver Module	SFP-GB-GE-T		
۶	40GBASE-SR Bi-Directional QSFP+ LC Duplex Transceiver for MMF	QSFP-BD-40G		
۲	QSFP to SFP10G adapter	CVR-QSFP-SFP10		
۱	Cisco ASR1001-X Chassis, 6 built-in GE, Dual P/S, 8GB DRAM	ASR1001-X	Cisco ASR1000	۵
۴	Cisco ASR1001-X AC Power Supply	ASR1001-X-PWR-AC		
۰	Cisco DNA Center Appliance (Gen 2) - 44 Core	DN2-HW-APL	Cisco DNA	۶
۵	Cisco UCS 770W AC Power Supply for Rack Server	=UCSC-PSU1-770W		
۱	Cisco 12G Modular RAID controller with 2GB cache	=UCSC-RAID-M5		
۱	2.1 GHz 6152/140W 22C/30.25MB Cache/DDR4 2666MHz	=UCS-CPU-6152		
۲	32GB DDR4-2666-MHz RDIMM/PC4-21300/dual rank/x4/1.2v	=UCS-MR-X32G2R5-H		
۲	Intel X710-DA2 dual-port 10G SFP+ NIC	=UCSC-PCIE-ID10GF		
۲	1.9TB 2.5 inch Enterprise Value 6G SATA SSD	=UCS-SD19TM1X-EV		
۲	480 GB 2.5 inch Enterprise Value 6G SATA SSD	=UCS-SD480GM1X-EV		
۲	Intel X710 quad-port 10G SFP+ NIC	=UCSC-PCIE-IQ10GF		
۴	1M Type 1 Stacking Cable	STACK-T1-1M	---	۷
۸	Catalyst 9200 48-port data only, Network Advantage	C9200-L-48T-4G	Cisco Catal	۸
۸	Europe AC Type A Power Cable	CAB-TA-EU		

8	C9200 Cisco DNA Advantage, 48-Port, 5 Year Term License	C9200-DNA-A-48-5Y	Iyst 9200	
8	.125W AC Config 5 Power Supply - Secondary Power Supply	PWR-C5-125WAC/2		
2	Catalyst 9200 24-port data only, Network Advantage	C9200-L-24T-4G	Cisco Catalyst 9200	9
2	Europe AC Type A Power Cable	CAB-TA-EU		
2	C9200 Cisco DNA Advantage, 24-Port, 5 Year Term License	C9200-DNA-A-24-5Y		
0	.125W AC Config 5 Power Supply - Secondary Power Supply	PWR-C5-125WAC/20	Cisco Catalyst 9300	10
43	Catalyst 9300L 24p data, Network Advantage ,4x10G Uplink	C9300L-24T-4X-A		
43	Europe AC Type A Power Cable	CAB-TA-EU		
43	C9300L Cisco DNA Advantage, 24-port Term Licenses	C9300L-DNA-A-24		
43	C9300L Cisco DNA Advantage, 24-port, 5 Year Term license	C9300L-DNA-A-24-5Y		
40	.350W AC 80+ platinum Config 1 Secondary Power Supply	PWR-C1-350WAC-P/2	Cisco Catalyst 9300	11
40	Fan module	FAN-T2=		
63	Catalyst 9300L 48p data, Network Advantage ,4x10G Uplink	C9300L-48T-4X-A		
63	Europe AC Type A Power Cable	CAB-TA-EU		
63	C9300L Cisco DNA Advantage, 48-port Term Licenses	C9300L-DNA-A-48		
63	C9300L Cisco DNA Advantage, 48-port, 5 Year Term license	C9300L-DNA-A-48-5Y		
40	.350W AC 80+ platinum Config 1 Secondary Power Supply	PWR-C1-350WAC-P/2	Cisco Catalyst 9400	12
40	Fan module	FAN-T2=		
2	Cisco Catalyst 9400 Series 7 slot chassis	C9407R		
16	Cisco Catalyst 9400 Series 3200W AC Power Supply	C9400-PWR-3200AC		
2	Cisco Catalyst 9400 DNA Advantage Term License	C9400-DNA-A		
2	Cisco Catalyst 9400 DNA Advantage - 5 Year License	C9400-DNA-A-5Y		
2	Cisco Catalyst 9400 Series Supervisor 1XL Module	C9400-SUP-1XL		
8	Cisco Catalyst 9400 Series 24-Port 10 Gigabit Ethernet(SFP+)	C9400-LC-24XS	Cisco Nexus 9300	13
8	CEE 7/7 to IEC-C19 13ft Europe	CAB-CEE77-C19-EU		
0	Nexus 9K ACI & NX-OS Spine, 32p 40/100G & 2p 10G	N9K-C9332C		
0	Nexus AC 1100W PSU - Port Side Intake	NXA-PAC-1100W-PI2		
2	Nexus AC 1100W PSU Spare - Port Side Intake	NXA-PAC-1100W-PI2=		
5	Nexus 2K/3K/9K Single Fan, 35CFM, port side intake airflow	NXA-FAN-35CFM-PI		
0	Nexus 3K/9K Fixed Accessory Kit	N3K-C3064-ACC-KIT		
0	ACI Advantage Term N9300 XF, 5Y	C1A1TN9300XF-5Y		
0	Nexus 9500 or 9300 ACI Base Software NX-OS Rel 14.1.2	ACI-N9KDK9-14.1.2		14
1	1.7 GHz 3106/85W 8C/11MB Cache/DDR4 2133MHz	=UCS-CPU-3106		
2	16GB DDR4-2666-MHz RDIMM/PC4-21300/single rank/x4/1.2v	=UCS-MR-X16G1RS-H		
2	1 TB 12G SAS 7.2K RPM SFF HDD	=UCS-HD1T7K12N		
2	Cisco UCS VIC 1455 Quad Port 10/25G SFP28 CNA PCIE	=UCSC-PCIE-C25Q-04		
2	Cisco UCS 770W AC Power Supply for Rack Server	=UCSC-PSU1-770W		
2	400GB2.5inEntrprsprfrmc12GSAS SSD(3Xendrnrc) <b>REMANUFACTURED</b>	=UCSSD400H123XEP <b>RF</b>		
1	Cisco 12G Modular RAID controller with 2GB cache	=UCSC-RAID-M5		
0	Nexus 9300 with 48p 10/25G SFP+ and 6p 100G QSFP28	N9K-C93180YC-EX	Cisco Nei	18
0	Nexus 9500 or 9300 ACI Base Software NX-OS Rel 14.1.2	ACI-N9KDK9-14.1.2		
0	Nexus 3K/9K Fixed Accessory Kit	N3K-C3064-ACC-KIT		

۴	Nexus 2K/3K/9K Single Fan, port side intake airflow	NXA-FAN-30CFM-B	Nexus 9300	۱۶
۲	Nexus NEBs AC 650W PSU - Port Side Intake	NXA-PAC-650W-PI		
•	ACI Advantage Term N9300 XF, 5Y	C1A1TN9300XF-5Y		
۲	Nexus 9300 with 48p 10G BASE-T and 6p 100G QSFP28	N9K-C93108TC-EX	Cisco Nexus 9300	۱۶
۲	SOLN SUPP 8X5XNBD Nexus 9300 with 48p 10G BASE-T and 6p 10	CON-SSSNT-93108TCX		
۲	Nexus 9500, 9300, 3000 Base NX-OS Software Rel 9.3.3	NXOS-9.3.3		
۸	Nexus 3K/9K Fixed Accessory Kit, 1RU front and rear removal	NXK-ACC-KIT-1RU		
۴	Nexus NEBs AC 650W PSU - Port Side Intake	NXA-PAC-650W-PI		
۲	Power Cord, 250VAC 10A CEE 7/7 Plug, EU	CAB-9K10A-EU		
۲	Nexus 2K/3K/9K Single Fan, port side intake airflow	NXA-FAN-30CFM-B		
۲	HPE G2 Basic 7.3kVA/60309 3-wire 32A/230V Outlets (36) C13 (6) C19/Vertical INTL PDU	P9Q46A	رک های HP	۱۷
۸	HPE Premier Flex LC/LC Multi-mode OM4 2 fiber 2m Cable	QK733A	Patch Cord Hp	۱۸
۸	HPE Premier Flex LC/LC Multi-mode OM4 2 fiber 5m Cable	QK734A		
۲•	HPE Premier Flex LC/LC Multi-mode OM4 2 fiber 15m Cable	QK735A		
۱•	HPE Premier Flex LC/LC Multi-mode OM4 2 fiber 30m Cable	QK736A		
۱	Citrix Application Delivery Controller (ADC)	MPX/SDX 8930 PLATINUM EDITION	---	۱۹
۲	Spare power supply	AIR-PSU1-770W=		
۲	Spare fan - Cisco 5520 Wireless Controller	AIR-FAN-C220M4=		
۱	PCIe Network Interface 20G	AIR-CT6870-NIC-K9		
۲	Medium Secure Network Server for ISE Applications	SNS-3655-K9	ISE	۲۱
۱	SOLN SUPP 8X5XNBD Medium Secure Network Server for ISE App	CON-SSSNT-SNS3655K		
۴	Power Cord, 250VAC 10A CEE 7/7 Plug, EU	CAB-9K10A-EU		
۸	600GB 12G SAS 10K RPM SFF HDD	SNS-HD600G10K12N		
۲	Cisco ISE Software Load on SNS-36x5-K9 appliance	SW-36X5-ISE-K9		
۴	770W power supply	SNS-PSU1-770W		
۲	Intel i350 Quad Port 1Gb Adapter	SNS-PCIE-IRJ45		
۲	Cisco 12G Modular RAID controller with 2GB cache	SNS-RAID-M5		
۲	2.1 GHz 4116/85W 12C/16.50MB Cache/DDR4 2400MHz	SNS-CPU-4116		
۲	Enable RAID 10 Setting	R2XX-RAID10		
۱۲	16GB DDR4-2933-MHz RDIMM/1Rx4/1.2v	SNS-MR-X16G1RT-H		
۴	Cisco ISE Virtual Machine Medium	R-ISE-VMM-K9=		
۱	SOLN SUPP SWSS Cisco ISE Virtual Machine Medium	CON-ECMUS-RVISEVM9		
۱	cisco ISE Premium PLR License for 15000 user HA deployment			
۲	Medium Secure Network Server for ISE Applications	SNS-3655-K9	ISE	۲۲
۱	SOLN SUPP 8X5XNBD Medium Secure Network Server for ISE App	CON-SSSNT-SNS3655K		
۴	Power Cord, 250VAC 10A CEE 7/7 Plug, EU	CAB-9K10A-EU		
۸	600GB 12G SAS 10K RPM SFF HDD	SNS-HD600G10K12N		
۲	Cisco ISE Software Load on SNS-36x5-K9 appliance	SW-36X5-ISE-K9		
۴	770W power supply	SNS-PSU1-770W		
۲	Intel i350 Quad Port 1Gb Adapter	SNS-PCIE-IRJ45		
۲	Cisco 12G Modular RAID controller with 2GB cache	SNS-RAID-M5		
۲	2.1 GHz 4116/85W 12C/16.50MB Cache/DDR4 2400MHz	SNS-CPU-4116		
۲	Enable RAID 10 Setting	R2XX-RAID10		

۱۲	16GB DDR4-2933-MHz RDIMM/1Rx4/1.2v	SNS-MR-X16G1RT-H		
۱	cisco ISE Premium PLR License for8000 user HA deployment			