

Introduction	AutoStrada Basics >>	3
	AutoStrada Materials and Details >>	4
	AutoStrada Finishes and Fabric Options >>	5
Applied Wall	Introduction >>	6
	Planning the applied wall system >>	7
	Specifying the applied wall system >>	8
	Applied wall frames >>	9
	Horizontal channels >>	10
	Wall trim and corners >>	13
	Wall covers >>	14
	Display shelves >>	28
	Glass shelves >>	29
	Bookshelves >>	30
	Open overhead cabinets >>	31
	Sliding door overhead cabinets with glass doors >>	32
	Sliding door overhead cabinets with laminate or veneer doors >>	33
	Hinged door overhead cabinets >>	34
	Overhead storage mounting kits >>	35
Power and wire management >>	36	
Accessories >>	38	
Spine and linkable screens	Service wall frames >>	39
	Wall crown and base trim covers >>	40
	Structural base cover kits >>	42
	Access covers >>	44
	Spine ends and connectors >>	49
	Panel system starters and ends >>	53
	Power components, spine >>	59
	Add up glass panels, for spine >>	62
	Linkable screens and windows >>	63
Panels	Tiled/Monolithic - mono side only with base raceway >>	69
	Tiled/Monolithic - both sides with base raceway >>	73
	Tiled one side/Slatwall combo other >>	77
	Slatwall/Fabric combo both sides - both sides with base raceway >>	81
	Frameless glass add-ups for panels >>	82
	Posts, panels >>	84
	Trim, panels >>	89
	Power distribution components for one side raceway panels >>	93
	Power distribution components >>	94
Medians	Medians with binder depth top shelf >>	98
	Medians with binder depth top shelf cont'd >>	99
	Medians with legal depth top shelf >>	100
	Medians with legal depth top shelf cont'd >>	101
	Medians with double end gable >>	102
	Median storage, binder depth >>	103
Median storage, legal depth >>	104	
Bridges	Bridge units >>	105
	Top shelves for bridges >>	106
	Window kits for bridges >>	108
Cabinets	Storage Anchored Cabinets, w/BBF and FF configurations >>	109
	Storage Anchored Cabinets, with hinged door configurations >>	110
	Storage Anchored Cabinets w/front and back access >>	111
	Storage Anchored Cabinets, front access >>	116
	Storage Anchored brackets >>	119
	Worksurface to storage anchored cabinet trim >>	120
	Freestanding Cabinets for private office >>	121
Freestanding Cabinets for open plan >>	123	
Lower Storage	Metal case >>	124
	Wood or laminate case >>	129

Overhead Storage	Overhead storage, wood cases >>	132
	Reuter flat front overhead cabinet >>	150
	Reuter overhead cabinet mounting options >>	151
	T-5 Task lamp for Reuter or wood overhead storage >>	152
	Reuter T5 mounting kit >>	153
Worksurfaces	Flush, user edge tapered >>	155
	Cord drop, user edge tapered >>	158
	Rectilinear, user and approach edges tapered >>	161
	Wedge, user and approach edges tapered >>	163
	Peninsula, user and approach edges tapered >>	164
	Tables >>	165
Support Components	Spine-based support >>	166
	Linkable screen mounted worksurface support >>	167
	Panel hung worksurface support >>	168
	Worksurface support >>	169
	Stiffeners >>	172
Accessories	Tackboard sections for medians and bridges >>	173
	Slatwall sections for medians and bridges >>	174
	Wall hung tackboards >>	175
	Worksurface stand-offs and cabinet feet >>	176
Crinion Open Table	Introduction >>	177
	Specifications >>	178
	Worksurfaces with center hinged power access >>	179
	Worksurfaces with edge grommet >>	180
	Worksurfaces with cord drop >>	181
	End counters >>	182
	Extended end counters >>	183
	Complete base assemblies fixed height 24" D dual >>	184
	Complete base assemblies fixed height 24" D single sided >>	185
	Complete base assemblies fixed height 30" D dual >>	186
	Complete base assemblies fixed height 30" D single sided >>	187
	Complete base assemblies adjustable height 30" D dual >>	188
	Complete base assemblies adjustable height 30" D single sided >>	189
	Complete base assemblies fixed height 36" D dual >>	190
	Complete base assemblies fixed height 36" D single sided >>	191
	Complete base assemblies adjustable height 36" D dual >>	192
	Complete base assemblies adjustable height 36" D single sided >>	193
	Top channels >>	194
	Beams for single sided or dual tables >>	195
	Beams for dual tables >>	196
	Beams for single sided tables >>	197
	End legs, intermediate leg sets for dual tables >>	198
	End legs, intermediate leg sets for single sided tables >>	200
	Beam trusses >>	201
	Worksurface support >>	202
	Modular Raceway >>	204
	Hardwire Raceway >>	208
	Cable tray and cable clips >>	209
	Center screens >>	210
	Side screens >>	211
	Dual end screens >>	212
	Single sided end screen >>	213
	Frameless glass Add up >>	214
Original Crinion privacy screens >>	215	
Morrison Network privacy screens >>	216	
File tops >>	217	
Alpha-Numeric Index >>	218	
Selling Policy >>	231	
KnollKey Lock Program >>	233	
General Ordering Information >>	234	

## Introduction

With a commitment to innovation and modern aesthetics, Knoll sets the standard for the environment in which people work. AutoStrada is one of the most comprehensive office concepts to be developed by Knoll. Evolving workplace needs are met with innovative design, from private offices to collaborative spaces for team interaction.

AutoStrada addresses any office combination with a consistent aesthetic of high quality materials and carefully detailed design. Whether an office requires a high-performance open plan system, refined architectural case goods, progressive private office furniture, or a collaborative “big table” concept, AutoStrada provides a solution.

AutoStrada is a planning approach that combines furniture and interior architecture for both open plan and private offices spaces.

AutoStrada is a premium, one-source design.

AutoStrada is the definition of the most advanced technology management capabilities.

AutoStrada is modern. It is absolute design with a strong, basic design premise.

## The Planning Models

Four AutoStrada planning models offer one set of continuous, intelligent, solutions-oriented capabilities.

Four ways AutoStrada redefines space:

- Spine-based planning
- Storage-anchored planning
- Collaborative table-based planning
- Architectural office planning

Any one environment could include solutions provided by any mix or all of the four planning models. Diverse planning models meet cross-cultural workplace environments everywhere.

## AS1 AutoStrada spine based planning

AutoStrada spine based planning provides wall-like architectural order to office interiors and offers high performance technological support. The spine supports continuous off-module attachment of workspaces, storage components, KnollExtra accessories, and perpendicular linkable screens or panels to define workstations. The spine also manages and distributes power and communications throughout clusters of workstations, enabling convenient outlets at desk height and unobstructed access to cabling.

Spines can be built to any one foot increment of length and can be freestanding with outriggers to support cantilevered workspaces and overhead storage. Spines may also be integrated with attached panels or screens for support and enclosure. T-ends enable the spine to extend to absorb the dimensional gain of attached panels.

Spine covers include veneer, laminate, dry-erase marker, tackable fabric, integral shelves, slatwall and integral cable tray surfaces. Spines are available in three horizons--39”H, 48”H and 64”H--and may be fitted with frameless glass add ups for additional privacy above any of four crown profiles.

Linkable screens are available in tackable upholstered or glazed panels and windows, with a complete range of connectors that also support workspaces and storage.

## AS2 AutoStrada storage anchored planning

AutoStrada storage anchored planning redefines the open office architecture with aesthetic and functional alternatives to conventional panel-based systems. Storage anchored planning begins with the anchor cabinet to which either AutoStrada panels or wood or laminate surrounds are attached to create individual or shared work areas. Storage anchored planning combines the performance of systems furniture with elegant details more like custom millwork.

AutoStrada panels feature a laminate or veneer tiled grid to the floor, with aluminum reveals between tiles on the exterior, and fabric or fabric and slatwall surfaces on the inside of the workstation. Interior base raceway distributes power and communications throughout a cluster with outlets only on the inside of the panels. AutoStrada panel heights enable seated access (42”H), seated privacy (49”H) or standing privacy (64”H). Frameless glass add ups can be added to panels for additional privacy. Connectors support workspaces, overhead storage or shelves and KnollExtra paper management and technology support tools.

AutoStrada surrounds, in veneer or laminate surface, are ideal for raised floor environments and a visual alternative to panels. Median surrounds or median storage form the backbone to which bridges and anchor cabinets are attached. Medians include a back panel, one or two end gables, a counter surface and a workspace or shelves. Bridges include a back panel and workspace. AutoStrada surrounds typically describe workstation boundaries at a 49” horizon.

## AS3 AutoStrada wall based planning

AutoStrada wall based planning integrates freestanding and wall supported storage, desks and tables to build distinctive workspaces in private offices and walled collaborative areas.

AutoStrada Applied Walls add systems performance to built walls, enabling various surface materials and off module support for shelves, overheads and workspaces. Applied wall is either 69”H or 84”H, in any 6” increment of width. Horizontal channels contain interchangeable inserts like veneer, marker surface, fabric, glass, slatwall or recessed covers, and accept brackets for a variety of accessories at any point. Wall frames transfer most of the supported load directly to the floor.

AutoStrada overheads and tackboards can also be directly attached to most built walls. Freestanding AutoStrada cabinets for private offices are available in 70” and 84” horizons.

## AS4 AutoStrada collaborative planning

AutoStrada collaborative planning is based on the Crinion Open Table, which creates open shared workspaces for groups from two to ten or more at a continuous workspace “bench”. Designed to support teams of people Crinion Open Table is ideal for trading rooms, libraries and conference rooms.

Crinion Open Table offers a unique alternative to traditional workstations, with continuous cantilevered workspaces, unobstructed kneespace, convenient, capable power and communications distribution, and optional desktop privacy screens. An extremely strong structure supports workspaces up to 36”d each side and virtually unlimited in length.

Crinion Open Table may be complemented with AutoStrada metal or wood storage, or Calibre files and cabinets as parallel file banks or as returns.

### Materials

AutoStrada offers a range of exceptional materials and finishes, including premium grade hardwood veneers, Techwood, laminate, clear anodized aluminum, and architectural glass.

Veneers are all hand selected to best showcase the beauty of natural grain. Every effort is made to ensure that Knoll veneers are the best that can be sourced in quality of color, consistency and size. Natural variations of wood are not considered to be defects. The natural process of color change in real wood products is part of the beauty and unique character of the material. Knoll expects wood to patina over time.

Techwood is a genuine wood veneer which has been enhanced by technology to provide color and grain consistency.

High recycled content aluminum is used in the manufacture of aluminum components.

High-pressure laminate surface materials have been selected for their durability and low maintenance.

FSC (Forest Stewardship Council) certified materials are available by request.

### Construction details

All AutoStrada worksurfaces are 1 1/4" thick and are a 3 ply solid construction. Worksurfaces are available in rectilinear and wedge shapes. The distinctive 3/8" tapered edge can be specified on just the user side or also on the approach side. Worksurfaces can be specified "full depth" with or without grommets, or with a 3/8" cord drop along the back with a centered edge grommet.

Worksurfaces appear to "float" 1" above lower storage components. Pedestals and legs can support a worksurface height of 28 1/4"H (typically in open plan) or 29 5/8" (in private offices). The higher worksurface height requires wood pedestals equipped with cabinet feet.

Pedestals and overhead storage are available in either metal or wood case. Wood pedestals have full extension file drawer slides with bottom-loadable steel floor and 3/4 extension slides all wood construction box drawers.

Metal pedestals and Reuter overhead storage cabinets with flat front are durable steel construction with painted, laminate or veneer drawer fronts.

Metal pedestals feature full width protruding aluminum pull. Metal pedestals have all full extension personal, data and file drawer slides.

Wood cases incorporate 3 ply construction and components are finished on all sides. Core material is 45lb density particleboard. Wood drawers feature dovetail joinery details. File drawers have steel floor and are bottom loadable. Wood drawers feature full width anodized aluminum recessed or protruding pull. File drawers deeper than 20" include file bars to support letter or legal suspended filing in either direction.

Freestanding private office cabinets are supported by cylindrical extruded aluminum feet which match an optional worksurface standoff detail.

Spine, linkable screens, panels, legs and metal storage offer 1" or greater levelling capacity. Wood storage has 1/2" levelling.

### Cable management

AutoStrada incorporates discreet and concealed wire management as well as four or six circuit power distribution in all four planning models, supporting low to very high technology requirements. Storage anchored surrounds, designed for raised floor environments, are the only planning type that does not have power distribution capability.

### Leg design

AutoStrada support legs are a refined shape in clear anodized aluminum finish. Legs feature either lockable casters or a unique glide sleeve that allows leveling without exposed glide threads. A pair of straight legs or one 9" wide leg can support one end of a work surface when the other end is supported by a worksurface, the applied wall, spine, linkable screen or panel. Straight legs can also be used to build freestanding tables.

### Locks

All pedestals and cabinets with drawers are supplied with a ganglock mechanism in place. In addition, cabinets 30" wide and over with drawers have an interlock anti-tip feature to prevent the opening of a second drawer when one is already open. Drawer fronts and door fronts where applicable are routed to receive the lock itself. Keying instructions for key alike must accompany all orders and are field installed. Products are shipped from the factory with random locks or lock plugs for key-alike orders.

### Representative Dimensions

All dimensions in this price list are nominal and for representative purposes only. For specific build dimensions please consult specification planning tools or contact your Customer Service representative.

Line drawings in this price list are strictly for quick product identification.

**Finishes****L - Laminate**

117	Soft Grey
118	Bright White
114	Folkstone Grey
111	Jet Black
119	Pumice

**V1 - Techwood Closed Pore**

Y319	Cherry
Y326	Dark Mahogany
Y316	Maple
Y323	Medium Walnut
Y311	Beech
Y324	Ash
Y325	Chestnut
Y327	Light Oak
Y328	Mahogany
Y329	Medium Oak

**V1 - Techwood Open Pore**

Y111	Beech
Y116	Maple
Y119	Cherry
Y123	Medium Walnut
Y124	Ash
Y125	Chestnut
Y126	Dark Mahogany
Y127	Light Oak
Y128	Mahogany
Y129	Medium Oak
Y131	Ebonized Black

**V2 – Natural veneer**

V312	Bronzed Cherry
V313	Burnt Walnut
V316	Light Maple
V311	Beech
V314	Dark Cherry
V315	Light Cherry
V318	Mahogany on Walnut
V319	Medium Cherry
V323	Medium Walnut on Walnut
V342	Qtr. cut/slip match Bronzed Cherry
V344	Qtr. cut/slip match Dark Cherry
V345	Qtr. cut/slip match Light Cherry
V349	Qtr. cut/slip match Medium Cherry

**V3 – Exotic veneer**

V512	Quartered Figured Anigre
V514	Quartered Makore
V515	Quartered Sycamore
V513	Quartered Graphite Oak
V516	Quartered Whitened Oak

**Paint****P1**

111	Jet Black
112	Brown
113	Dark Grey
114	Folkstone Grey
115	Medium Grey
116	Sandstone
117	Soft Grey

**P2**

611	Beige Mist Metallic
612	Medium Metallic Grey

**P3**

118	Bright White
613	Silver

**Anodized**

AA	Anodized Aluminum
----	-------------------

**Plated**

PT	Brushed Pewter
----	----------------

**Glass**

TEMP	Clear Tempered
------	----------------

**Architectural**

GL6	Block Matrix
GL13	Powder

**Fabric Options****Grade 10**

Bailey II (W359)
Broadcloth (W288)
Foundation (W351)
Growth Spurt (W692)
Newbury (W812)
Solid Crepe (W257)
Symbolic Detail (W693)
Tailor Made (W133)
Taurus (T)
Versatility (W432)

**Grade 15**

Marche (W321)
Regency (W210)

**Grade 20**

Banyan (W443)
Bauhaus Block (W296)
Boardwalk (W911)
Clarity (W281)
Criss Cross (W305)
Devon (W809)
Frequency (W340)
Labyrinth (W352)
Litchfield (W808)
Melbourne (W228)
Outback (W229)
Playa (W422)
Reflect (W884)
Resolution (W280)
Walkabout (W230)
Weave Three (W298)

**Grade 30**

Basket Draft (W249)
Elan (W444)
Flow (W565)
Harmony (W232)
Micro (W465)*
Progression (W403)
Promenade (W913)
Raku Cloth (W566)
Walls of Rain (W923)

**Grade 35**

Saxony Plus (5)
-----------------

**Grade 40**

<i>(Monolithic panels and tackboards only)</i>
Boxstep (W325)
Eurythmic (W268)
Freefall (W922)
Sennit (W337)
Sierra (R)
Spinoff Nuance (W319)

**Grade 45**

Casual Elegance (W920)
Dristi (K872)*
Mezzo (W543)

*\*with backing only*

*The following textiles are approved for use on panels. Consult Knoll representative for pricing:*

**Grade 50**

Ricochet (W498)
-----------------

**Grade 55**

Transition (W816)
-------------------

**Customers Own Material**


Prices for panels that are to be manufactured with a customer supplied fabric will follow Grade 10 panel pricing. COM fabrics are subject to a testing charge prior to acceptance for use on panels. Panels bearing COM fabrics are subject to extended leadtimes. It is the responsibility of the customer's purchasing agent to ensure COM fabric is supplied for testing and manufacturing. Delays in receiving COM fabric for manufacturing will result in rescheduled delivery dates.

**Introduction**

AutoStrada Applied Wall System is designed for systems performance in built wall environments. Applied Wall enables a variety of interchangeable wall surface materials, continuous support for worksurfaces, shelves and overhead storage, power distribution and integrated wire management. Applied Wall System supports AutoStrada components in private offices and collaborative work spaces, while transmitting much of the weight load directly to the floor.

Applied Wall System includes:

- wall mount frames which stand on leveling glides and are secured to built walls
- horizontal channels that are attached to the frames
- covers that insert between the channels
- shelves and overhead storage components that can be engaged anywhere along the channels
- cable tray, worksurface support brackets and accessories



## Frames

Wall mount frames are available in 69" and 84" horizons, 36" or 48" wide. Frames are steel weldments that include two or three horizontal rails through which frames are bolted to the vertical structure of the built wall. Adjacent frames can be leveled and shims enable each frame to be made plumb. At each side are vertical frame members with leveling glides. Between the side frame members are one or two intermediate studs that extend from approximately 24" above the floor to the top of the frame.

## Channels

Channels are natural anodized aluminum extrusions that hold covers and feature a continuous curved slot into which components and brackets are inserted. Channels are attached to the frames at each side member and stud with a bracket above and below. Channels do not need to align with frame widths and can extend up to 6" beyond the side of a frame.

Top channels, 36"-144" in width in 6" increments, attach only at the top of the frame and finish off the top of the assembly. Intermediate channels, 24"-144" in 6" increments of width, attach typically every 15" below the top channel, but may also be set at 7 1/2" or 22 1/2" increments to accommodate specific purpose covers such as slatwall or markerboards. Bottom channels, 36"-144" in 6" increments of width, attach only at the base of a wall frame to support covers below worksurface height (between 1 1/2" and 24" above the floor). If no covers are planned below 24" no bottom channel is required but intermediate bottom trim cover and vertical frame covers are recommended to enclose the structural frame.

## Covers

Wall covers are designed to insert between channels and may be interchanged without removing channels. Covers are optional and not required behind overhead storage cabinets or below worksurface height, for example. The scope of wall covers includes:


- 7 1/2"H recess covers for surface-mounted plugmold and voice/data outlets, normally mounted just below worksurface height, with optional cable trays
- 7 1/2"H slatwall covers to support KnollExtra accessories
- 15" and 22 1/2"H tackable linoleum covers
- 7 1/2", 15", 22 1/2" and 30"H veneer, laminate, paint, fabric, tackable fabric covers
- 7 1/2", 15", 22 1/2", 30", 45" H marker.

All covers are available from 24"-96" in 6" increments of width except laminate and marker, 24"-72".



## Components

- 5 1/2" deep display shelves of clear anodized aluminum, 24"-72" wide in 6" increments
- 9" deep, 1/2" thick glass shelves and 12" deep plastic laminate or wood veneer bookshelves, 24"-72" wide, designed to align with the bottom of an adjacent cabinet,
- 9" deep glass and 12" deep plastic or veneer bookshelves to align with the top of an adjacent cabinet,
- open overhead storage units in plastic laminate or wood veneer, 18"-96" wide
- overhead storage units with solid or glass sliding doors, 42"-96" wide in 6" increments
- fully enclosed overhead storage units with hinged doors, 18"-96" wide,
- Reuter overhead storage, task lights and fascias for wood overhead storage,
- grommets for wall covers, surface mounted plugmold raceway and cable trays,
- support brackets for the back or end of a worksurface, and
- accessories such as coat hook, picture hook, marker tray, notepad, and horizontal/vertical wire manager clips.

### Other cover sets




69" frames




sliding doors

### display wall with marker surface




84" frames


### Upper shelf, lower shelf, glass shelf and overhead



open overhead



hinged doors



Recess cover with cable tray and worksurface brackets

**How to specify Applied Wall**

1. Plan frames to support the height and width of the intended overall wall system. Frames can be installed side-by-side or as much as 12" apart to provide adequate structure for horizontal channels up to 6" wider than the frame on each side. For example, a 10' length of channels and wall covers can be supported by three 36" wide frames or by two 48" wide frames.
2. Specify horizontal channels at each level required for covers and overhead storage or shelves. A top channel is always required and intermediate channels may be attached to the frame at any 7 1/2" increment above 24", 31 1/2", 39", 46 1/2", 54", 61 1/2", or 69" above the floor.
3. Typically intermediate channels are planned at 24", 39" and 54" to support 15"h covers. An additional channel at 31 1/2" will enable 7 1/2"h covers above and below worksurface height for slatwall and power/wire management. Horizontal channels can be planned the full width of the wall or may be segmented to allow taller covers such as a markerboard in specific locations. Alternatively intermediate channels may be planned at 24" and 46 1/2" on a 69"H frame to support all 22 1/2" H covers.
4. Specify bottom channel to support 22 1/2"H covers between floor and 24". Specify intermediate bottom trim and vertical frame covers if leaving the frame open below 24".
5. Specify end trim if end of wall is visible and specify corner connectors, if any.
6. Specify functional covers such as recess cover, the mounting location for surface mounted power distribution and voice/data outlets, and slatwall covers. Also specify tackable or marker surface covers. Then fill in the wall with decorative covers such as wood veneer, plastic laminate, non-tackable fabric, or backpainted glass. If planning a bookshelf the cover below the shelf cannot be glass. Covers are not required behind overhead storage cabinets.
7. Specify overhead storage: display shelves at 31 1/2" or 39", lower bookshelves at 54" and upper bookshelves at 69" to align with adjacent overhead storage cabinets. Specify open, partially open or fully enclosed overhead storage in veneer or laminate surface. Overhead storage cabinets usually hang from a channel at 69" and bear against a channel at 54" above the floor.
8. Specify power and cable trays. Power is distributed by a surface mounted plugmold raceway with ten simplex outlets, available in three configurations: one- circuit three-wire, two-circuit four wire, or two-circuit six wire. A 24" wide plugmold with eight simplex outlets is also available. Raceways are always hardwired to the building power supply by an electrical contractor. Contractor will punch a hole through the recess cover behind the plugmold to connect from the wall to the plugmold. Recess cover also accommodates voice/data outlets and cable grommets are available to line a punched hole.
9. Specify worksurface supports. Worksurface support brackets can be attached to the channel at 24" above the floor or may be attached within a cable tray at the same level.
10. Add accessories.

**Customer's Responsibility:****Attachment of AutoStrada Applied Wall System to built walls**

It is the responsibility of the customer and their structural engineer/architect to verify that the permanent built wall (studs, blocks, solid masonry, or other) to which the Applied Wall System is intended to be attached is designed to support the load bearing standards set forth below. It is also the responsibility of the customer and their structural engineer/architect to specify the fasteners and method for attaching the frames to the built wall and confirm that the installers have followed these specifications. For local standards and additional requirements such as seismic the customer should consult local building and safety codes.


**Design loads:**


69"H Applied wall: 240#/foot of width. Assume four 60 lb. vertical loads spaced evenly between 24" and 69" above the floor, with the load centered 11" from the built wall.  
 84"H Applied wall: 300#/foot of width. Assume five 60 lb. vertical loads spaced evenly between 24" and 84" above the floor, with the load centered 11" from the built wall.

**Warning/Disclaimer**

Knoll is not responsible for the attachment method of the Applied Wall System product, which is the responsibility of the customer and its structural engineer/architect. Knoll is not responsible for the cost of preparing an existing wall nor the additional cost for a new wall to make them appropriate for the installation of the Applied Wall System product. Failure to properly attach the Applied Wall System to a wall capable of supporting the loads listed above can lead to property damage and/or personal injury.



description	h	w	d	pattern number	black
69"H frames 	69"	36"	1 1/4"	<b>AAWS F6936</b>	\$450.
	69"	48"	1 1/4"	<b>AAWS F6948</b>	560.


84"H frames 	84"	36"	1 1/4"	<b>AAWS F8436</b>	505.
	84"	48"	1 1/4"	<b>AAWS F8448</b>	615.

Order Code	Specification Information	Application Notes
Example: <b>AAWS F6936</b>	Applied wall frames are painted black	Wall frames attach to built walls to provide level, vertical structure for complete applied wall system assemblies. Wall frames include two leveling glides, studs on 14" centers, and horizontal beams.
<b>A</b> AutoStrada		
<b>AWS</b> Applied wall system		
<b>F</b> Wall frame		
<b>69</b> Height		
<b>36</b> Width		

**Knoll does not supply or recommend specific hardware to fasten frame to built wall.**

# Horizontal channels


## Top channels

description	h	w	d	pattern number	aluminum
Top channel	1"	36"	1"	<b>AAWS TC 036 ( )</b>	\$60.
	1"	42"	1"	<b>AAWS TC 042 ( )</b>	70.
	1"	48"	1"	<b>AAWS TC 048 ( )</b>	80.
	1"	54"	1"	<b>AAWS TC 054 ( )</b>	95.
	1"	60"	1"	<b>AAWS TC 060 ( )</b>	100.
	1"	66"	1"	<b>AAWS TC 066 ( )</b>	105.
	1"	72"	1"	<b>AAWS TC 072 ( )</b>	110.
	1"	78"	1"	<b>AAWS TC 078 ( )</b>	120.
	1"	84"	1"	<b>AAWS TC 084 ( )</b>	130.
	1"	90"	1"	<b>AAWS TC 090 ( )</b>	140.
	1"	96"	1"	<b>AAWS TC 096 ( )</b>	145.
	1"	102"	1"	<b>AAWS TC 102 ( )</b>	150.
	1"	108"	1"	<b>AAWS TC 108 ( )</b>	160.
	1"	114"	1"	<b>AAWS TC 114 ( )</b>	165.
	1"	120"	1"	<b>AAWS TC 120 ( )</b>	170.
	1"	126"	1"	<b>AAWS TC 126 ( )</b>	175.
	1"	132"	1"	<b>AAWS TC 132 ( )</b>	190.
	1"	138"	1"	<b>AAWS TC 138 ( )</b>	195.
	1"	144"	1"	<b>AAWS TC 144 ( )</b>	200.

Order Code	Specification Information	Application
Example: <b>AAWS TC 036 AA</b>	AA- Anodized Aluminum only.	<p>Top channel attaches only at the top of wall frames to provide continuous slot for component support and retention for top of wall covers. Top channel encloses top of frames to within 1/4" of the built wall for cord passage.</p> <p>Specify top channel in length to match overall length of applied wall covers, or in shorter segments. Top channel can extend past wall frame up to 6" on each end.</p>
<b>A</b> AutoStrada		
<b>AWS</b> Applied wall system		
<b>TC</b> Top channel		
<b>036</b> Width		
<b>AA</b> Finish		

# Horizontal channels

## Intermediate channels

description	h	w	d	pattern number	aluminum
Intermediate channel 	1"	24"	1"	<b>AAWS IC 024 ( )</b>	\$50.
	1"	30"	1"	<b>AAWS IC 030 ( )</b>	55.
	1"	36"	1"	<b>AAWS IC 036 ( )</b>	60.
	1"	42"	1"	<b>AAWS IC 042 ( )</b>	70.
	1"	48"	1"	<b>AAWS IC 048 ( )</b>	75.
	1"	54"	1"	<b>AAWS IC 054 ( )</b>	90.
	1"	60"	1"	<b>AAWS IC 060 ( )</b>	95.
	1"	66"	1"	<b>AAWS IC 066 ( )</b>	100.
	1"	72"	1"	<b>AAWS IC 072 ( )</b>	105.
	1"	78"	1"	<b>AAWS IC 078 ( )</b>	115.
	1"	84"	1"	<b>AAWS IC 084 ( )</b>	135.
	1"	90"	1"	<b>AAWS IC 090 ( )</b>	140.
	1"	96"	1"	<b>AAWS IC 096 ( )</b>	145.
	1"	102"	1"	<b>AAWS IC 102 ( )</b>	150.
	1"	108"	1"	<b>AAWS IC 108 ( )</b>	155.
	1"	114"	1"	<b>AAWS IC 114 ( )</b>	160.
	1"	120"	1"	<b>AAWS IC 120 ( )</b>	170.
	1"	126"	1"	<b>AAWS IC 126 ( )</b>	180.
	1"	132"	1"	<b>AAWS IC 132 ( )</b>	190.
	1"	138"	1"	<b>AAWS IC 138 ( )</b>	195.
1"	144"	1"	<b>AAWS IC 144 ( )</b>	200.	

### Order Code

Example: <b>AAWS IC 024 AA</b>	
<b>A</b>	AutoStrada
<b>AWS</b>	Applied wall system
<b>IC</b>	Intermediate channel
<b>024</b>	Width
<b>AA</b>	Finish

### Specification Information

AA- Anodized Aluminum only.


### Application Notes

Intermediate channels attach to wall frames to provide continuous slot for component support and retention for top and bottom of wall covers. Horizontal channels attach to wall frames at predetermined mounting locations depending on what height covers and overhead storage are planned on wall surface: 24", 31 1/2", 39", 46 1/2", 54", 61 1/2", 69" above the floor.

Specify channels in length to match overall length of applied wall covers, or in shorter segments. Intermediate channels can extend past wall frame up to 6" on each end. Channels include mounting hardware to attach to wall frame studs.

# Horizontal channels

## *Bottom channels*

description	h	w	d	pattern number	aluminum
Bottom channel	1"	36"	1"	<b>AAWS BC 036 ( )</b>	\$50.
	1"	42"	1"	<b>AAWS BC 042 ( )</b>	55.
	1"	48"	1"	<b>AAWS BC 048 ( )</b>	60.
	1"	54"	1"	<b>AAWS BC 054 ( )</b>	70.
	1"	60"	1"	<b>AAWS BC 060 ( )</b>	75.
	1"	66"	1"	<b>AAWS BC 066 ( )</b>	80.
	1"	72"	1"	<b>AAWS BC 072 ( )</b>	85.
	1"	78"	1"	<b>AAWS BC 078 ( )</b>	90.
	1"	84"	1"	<b>AAWS BC 084 ( )</b>	100.
	1"	90"	1"	<b>AAWS BC 090 ( )</b>	105.
	1"	96"	1"	<b>AAWS BC 096 ( )</b>	110.
	1"	102"	1"	<b>AAWS BC 102 ( )</b>	115.
	1"	108"	1"	<b>AAWS BC 108 ( )</b>	120.
	1"	114"	1"	<b>AAWS BC 114 ( )</b>	125.
	1"	120"	1"	<b>AAWS BC 120 ( )</b>	130.
	1"	126"	1"	<b>AAWS BC 126 ( )</b>	135.
	1"	132"	1"	<b>AAWS BC 132 ( )</b>	140.
	1"	138"	1"	<b>AAWS BC 138 ( )</b>	145.
	1"	138"	1"	<b>AAWS BC 144 ( )</b>	150.

### Order Code

Example:	<b>AAWS BC 036 AA</b>
<b>A</b>	AutoStrada
<b>AWS</b>	Applied wall system
<b>BC</b>	Bottom channel
<b>036</b>	Width
<b>AA</b>	Finish

### Specification Information




AA - Anodized Aluminum only.

### Application Notes

Bottom channels attach to bottom of wall frames to retain bottom of wall covers planned below 24". Specify channels in length to match overall length of applied wall covers, or in shorter segments. Bottom channels can extend past wall frame up to 6" on each end.


Includes hardware.

Bottom channel is not required if no covers are planned below intermediate channel mounted at 24" above floor. Specify intermediate bottom trim and vertical frame covers to cover exposed studs at bottom of each wall frame.

description	type	h	w	d	pattern no.	list	aluminum
	69"H frame	69"	1/8"	2 1/4"	<b>AAWS ET 69 ( )</b>		\$90.
	69"H frame, open bottom	48"	1/8"	2 1/4"	<b>AAWS ETO 69 ( )</b>		70.
	84"H frame	84"	1/8"	2 1/4"	<b>AAWS ET 84 ( )</b>		120.
	84"H frame, open bottom	63"	1/8"	2 1/4"	<b>AAWS ETO 84 ( )</b>		85.
Intermediate trim cover		1 1/8"	144"	3/4"	<b>AAWS IBT ( )</b>	90.	
Vertical frame covers ( pair )		21"	2 1/2"	2"	<b>AAWS VFC ( )</b>	40.	
	69"H frame	69"	2 1/4"	2 1/4"	<b>AAWS IL 69 ( )</b>		120.
	69"H frame, open base	48"	2 1/4"	2 1/4"	<b>AAWS ILO 69 ( )</b>		95.
	84"H frame	84"	2 1/4"	2 1/4"	<b>AAWS IL 84 ( )</b>		155.
	84"H frame, open base	63"	2 1/4"	2 1/4"	<b>AAWS ILO 84 ( )</b>		115.
	69"H frame	69"	2 1/4"	2 1/4"	<b>AAWS OL 69 ( )</b>		190.
	69"H frame, open base	48"	2 1/4"	2 1/4"	<b>AAWS OLO 69 ( )</b>		140.
	84"H frame	84"	2 1/4"	2 1/4"	<b>AAWS OL 84 ( )</b>		240.
	84"H frame, open base	63"	2 1/4"	2 1/4"	<b>AAWS OLO 84 ( )</b>		175.

Order Code	Specification Information	Application
Example: <b>AAWS ET 69 AA</b>		
<b>A</b> AutoStrada	Intermediate bottom trim and Vertical frame covers are only available in Easy Grey ( 812 ).	Wall end trim encloses exposed end of applied wall frame. If no wall covers are planned below 24" datum specify corresponding wall end trims. 48"h for 69" h frames or 63"h for 84'h frames. If no covers are planned below 24" datum specify optional intermediate bottom trim, which may be cut on site to overall width of applied wall, and one pair of vertical frame covers to cover exposed studs of each wall frame.
<b>AWS</b> Applied wall system	AA - Anodized Aluminum only.	
<b>ET</b> End trim		
<b>69</b> Width		
<b>AA</b> Finish		
		Inside corners and outside corners align and enclose the 90° junction of two wall frames.

Wall covers  
Recess surface

description	h	w	d	pattern no.	aluminum
Recess cover 	7 1/2"	24"	1/2"	<b>AAWS C0724 R ( )</b>	\$70.
	7 1/2"	30"	1/2"	<b>AAWS C0730 R ( )</b>	80.
	7 1/2"	36"	1/2"	<b>AAWS C0736 R ( )</b>	90.
	7 1/2"	42"	1/2"	<b>AAWS C0742 R ( )</b>	100.
	7 1/2"	48"	1/2"	<b>AAWS C0748 R ( )</b>	108.
	7 1/2"	54"	1/2"	<b>AAWS C0754 R ( )</b>	126.
	7 1/2"	60"	1/2"	<b>AAWS C0760 R ( )</b>	135.
	7 1/2"	66"	1/2"	<b>AAWS C0766 R ( )</b>	144.
	7 1/2"	72"	1/2"	<b>AAWS C0772 R ( )</b>	153.
	7 1/2"	78"	1/2"	<b>AAWS C0778 R ( )</b>	162.
	7 1/2"	84"	1/2"	<b>AAWS C0784 R ( )</b>	171.
	7 1/2"	90"	1/2"	<b>AAWS C0790 R ( )</b>	189.
	7 1/2"	96"	1/2"	<b>AAWS C0796 R ( )</b>	198.


Order Code	
Example:	<b>AAWS C0724 R AA</b>
<b>A</b>	AutoStrada
<b>AWS</b>	Applied wall system
<b>C</b>	Cover
<b>07</b>	Height
<b>24</b>	Width
<b>R</b>	Recess cover
<b>AA</b>	Finish

**Specification Information**  
AA - Anodized Aluminum only.

**Application**  
Recess covers provide mounting location for continuous, surface-mounted plugmold strip or voice/data outlets. Recess covers are typically mounted below or just above desk height ( 24"-35 1/2" above floor).  
Recess covers insert between intermediate channels and are secured in position with screws. Recess covers are extruded, clear anodized aluminum surface.

# Wall covers





## Slatwall surface

description	h	w	d	pattern no.	aluminum
Slatwall cover	7 1/2"	24"	1/2"	<b>AAWS C0724 S ( )</b>	\$80.
	7 1/2"	30"	1/2"	<b>AAWS C0730 S ( )</b>	90.
	7 1/2"	36"	1/2"	<b>AAWS C0736 S ( )</b>	100.
	7 1/2"	42"	1/2"	<b>AAWS C0742 S ( )</b>	110.
	7 1/2"	48"	1/2"	<b>AAWS C0748 S ( )</b>	120.
	7 1/2"	54"	1/2"	<b>AAWS C0754 S ( )</b>	140.
	7 1/2"	60"	1/2"	<b>AAWS C0760 S ( )</b>	150.
	7 1/2"	66"	1/2"	<b>AAWS C0766 S ( )</b>	160.
	7 1/2"	72"	1/2"	<b>AAWS C0772 S ( )</b>	170.
	7 1/2"	78"	1/2"	<b>AAWS C0778 S ( )</b>	180.
	7 1/2"	84"	1/2"	<b>AAWS C0784 S ( )</b>	190.
	7 1/2"	90"	1/2"	<b>AAWS C0790 S ( )</b>	210.
	7 1/2"	96"	1/2"	<b>AAWS C0796 S ( )</b>	220.

Order Code	Specification Information	Application
Example: <b>AAWS C0724 S AA</b>	AA - Anodized Aluminum only.	<p>Slatwall covers provide four continuous, horizontal slots to accept a variety of KnollExtra paper management accessories and flat screen monitor arms. Slatwall covers are typically installed just above desk height (31 1/2 - 39" above floor).</p> <p>Slatwall covers insert between intermediate channels and are secured in position with screws. Slatwall covers are extruded, clear anodized aluminum surface.</p>
<b>A</b> AutoStrada		
<b>AWS</b> Applied wall system		
<b>C</b> Cover		
<b>07</b> Height		
<b>24</b> Width		
<b>S</b> Slatwall cover		
<b>AA</b> Finish		

# Wall covers

## Marker surface

description	h	w	d	pattern no.	list
Marker cover, 7 1/2"H 	7 1/2"	24"	1/2"	AAWS C0724 M ( )	\$61.
	7 1/2"	30"	1/2"	AAWS C0730 M ( )	68.
	7 1/2"	36"	1/2"	AAWS C0736 M ( )	73.
	7 1/2"	42"	1/2"	AAWS C0742 M ( )	77.
	7 1/2"	48"	1/2"	AAWS C0748 M ( )	81.
	7 1/2"	54"	1/2"	AAWS C0754 M ( )	85.
	7 1/2"	60"	1/2"	AAWS C0760 M ( )	90.
	7 1/2"	66"	1/2"	AAWS C0766 M ( )	94.
	7 1/2"	72"	1/2"	AAWS C0772 M ( )	99.
Marker cover, 15"H 	15"	24"	1/2"	AAWS C1524 M ( )	80.
	15"	30"	1/2"	AAWS C1530 M ( )	89.
	15"	36"	1/2"	AAWS C1536 M ( )	97.
	15"	42"	1/2"	AAWS C1542 M ( )	105.
	15"	48"	1/2"	AAWS C1548 M ( )	116.
	15"	54"	1/2"	AAWS C1554 M ( )	126.
	15"	60"	1/2"	AAWS C1560 M ( )	134.
	15"	66"	1/2"	AAWS C1566 M ( )	143.
	15"	72"	1/2"	AAWS C1572 M ( )	150.
Marker cover, 22 1/2"H 	22 1/2"	24"	1/2"	AAWS C2224 M ( )	99.
	22 1/2"	30"	1/2"	AAWS C2230 M ( )	111.
	22 1/2"	36"	1/2"	AAWS C2236 M ( )	130.
	22 1/2"	42"	1/2"	AAWS C2242 M ( )	142.
	22 1/2"	48"	1/2"	AAWS C2248 M ( )	154.
	22 1/2"	54"	1/2"	AAWS C2254 M ( )	166.
	22 1/2"	60"	1/2"	AAWS C2260 M ( )	193.
	22 1/2"	66"	1/2"	AAWS C2266 M ( )	198.
	22 1/2"	72"	1/2"	AAWS C2272 M ( )	202.
Marker cover, 30"H 	30"	24"	1/2"	AAWS C3024 M ( )	116.
	30"	30"	1/2"	AAWS C3030 M ( )	134.
	30"	36"	1/2"	AAWS C3036 M ( )	154.
	30"	42"	1/2"	AAWS C3042 M ( )	170.
	30"	48"	1/2"	AAWS C3048 M ( )	186.
	30"	54"	1/2"	AAWS C3054 M ( )	206.
	30"	60"	1/2"	AAWS C3060 M ( )	223.
	30"	66"	1/2"	AAWS C3066 M ( )	238.
	30"	72"	1/2"	AAWS C3072 M ( )	254.

Order Code	
Example: <b>AAWS C0724 M LW</b>	
<b>A</b>	AutoStrada
<b>AWS</b>	Applied wall system
<b>C</b>	Cover
<b>07</b>	Height
<b>24</b>	Width
<b>M</b>	Marker cover
<b>LW</b>	Finish


**Specification Information**  
LW - Markerboard surface

**Application**  
Markerboard cover is a white, dry-erase surface that fits flush with adjacent wall covers. Marker covers insert between channels set at the corresponding height differences.



# Wall covers

## Marker surface

description	h	w	d	pattern no.	list
Marker cover, 45"H 	45"	24"	1/2"	<b>AAWS C4524 M ( )</b>	\$155.
	45"	30"	1/2"	<b>AAWS C4530 M ( )</b>	177.
	45"	36"	1/2"	<b>AAWS C4536 M ( )</b>	216.
	45"	42"	1/2"	<b>AAWS C4542 M ( )</b>	239.
	45"	48"	1/2"	<b>AAWS C4548 M ( )</b>	263.
	45"	54"	1/2"	<b>AAWS C4554 M ( )</b>	287.
	45"	60"	1/2"	<b>AAWS C4560 M ( )</b>	310.
	45"	66"	1/2"	<b>AAWS C4566 M ( )</b>	334.
	45"	72"	1/2"	<b>AAWS C4572 M ( )</b>	358.

### Order Code

Example:	<b>AAWS C0724 M LW</b>
<b>A</b>	AutoStrada
<b>AWS</b>	Applied wall system
<b>C</b>	Cover
<b>07</b>	Height
<b>24</b>	Width
<b>M</b>	Marker cover
<b>LW</b>	Finish

### Specification Information



LW - Markerboard surface

### Application

Markerboard cover is a white, dry-erase surface that fits flush with adjacent wall covers. Marker covers insert between channels set at the corresponding height differences.

# Wall covers

## Tackable linoleum



description	h	w	d	pattern no.	list
Linoleum cover, 15"H 	15"	24"	1/2"	<b>AAWS C1524 L ( )</b>	\$130.
	15"	30"	1/2"	<b>AAWS C1530 L ( )</b>	155.
	15"	36"	1/2"	<b>AAWS C1536 L ( )</b>	185.
	15"	42"	1/2"	<b>AAWS C1542 L ( )</b>	210.
	15"	48"	1/2"	<b>AAWS C1548 L ( )</b>	240.
	15"	54"	1/2"	<b>AAWS C1554 L ( )</b>	270.
	15"	60"	1/2"	<b>AAWS C1560 L ( )</b>	300.
	15"	66"	1/2"	<b>AAWS C1566 L ( )</b>	325.
	15"	72"	1/2"	<b>AAWS C1572 L ( )</b>	355.
	15"	78"	1/2"	<b>AAWS C1578 L ( )</b>	385.
	15"	84"	1/2"	<b>AAWS C1584 L ( )</b>	415.
	15"	90"	1/2"	<b>AAWS C1590 L ( )</b>	440.
15"	96"	1/2"	<b>AAWS C1596 L ( )</b>	470.	
Linoleum cover, 22 1/2"H 	22 1/2"	24"	1/2"	<b>AAWS C2224 L ( )</b>	180.
	22 1/2"	30"	1/2"	<b>AAWS C2230 L ( )</b>	220.
	22 1/2"	36"	1/2"	<b>AAWS C2236 L ( )</b>	260.
	22 1/2"	42"	1/2"	<b>AAWS C2242 L ( )</b>	300.
	22 1/2"	48"	1/2"	<b>AAWS C2248 L ( )</b>	345.
	22 1/2"	54"	1/2"	<b>AAWS C2254 L ( )</b>	390.
	22 1/2"	60"	1/2"	<b>AAWS C2260 L ( )</b>	435.
	22 1/2"	66"	1/2"	<b>AAWS C2266 L ( )</b>	470.
	22 1/2"	72"	1/2"	<b>AAWS C2272 L ( )</b>	515.
	22 1/2"	78"	1/2"	<b>AAWS C2278 L ( )</b>	555.
	22 1/2"	84"	1/2"	<b>AAWS C2284 L ( )</b>	600.
	22 1/2"	90"	1/2"	<b>AAWS C2290 L ( )</b>	640.
22 1/2"	96"	1/2"	<b>AAWS C2296 L ( )</b>	690.	

Order Code	Specification Information
Example: <b>AAWS C0724 L 851</b>	
<b>A</b> AutoStrada	851
<b>AWS</b> Applied wall system	852
<b>C</b> Cover	853
<b>07</b> Height	854
<b>24</b> Width	855
<b>L</b> Tackable linoleum	856
<b>851</b> Finish	

Specification Information	Application
851 Forbo #2186	Linoleum covers insert between horizontal channels to provide tackable, non-upholstered surface. Linoleum covers are tackable with 1/2" pushpins. Linoleum surface is firm enough to permit open shelf brackets to bear against face of cover.
852 Forbo #2162	
853 Forbo #2182	
854 Forbo #2166	
855 Forbo #2204	
856 Forbo #2202	

# Wall covers



## Tackable upholstered

description	h	w	d	pattern no.	Grade									
					10	15	20	30	35	40	45	50	55	
Tackable upholstered cover, 7 1/2"H 	7 1/2"	24"	1/2"	<b>AAWS C0724 A ( )</b>	\$70.	\$72.	\$74.	\$78.	\$80.	\$82.	\$84.	\$90.	\$95.	
	7 1/2"	30"	1/2"	<b>AAWS C0730 A ( )</b>	75.	77.	79.	83.	85.	87.	89.	95.	100.	
	7 1/2"	36"	1/2"	<b>AAWS C0736 A ( )</b>	80.	82.	84.	88.	90.	92.	94.	100.	105.	
	7 1/2"	42"	1/2"	<b>AAWS C0742 A ( )</b>	92.	94.	95.	96.	98.	101.	102.	105.	110.	
	7 1/2"	48"	1/2"	<b>AAWS C0748 A ( )</b>	103.	105.	106.	107.	109.	111.	113.	115.	119.	
	7 1/2"	54"	1/2"	<b>AAWS C0754 A ( )</b>	114.	115.	117.	118.	119.	122.	123.	126.	130.	
	7 1/2"	60"	1/2"	<b>AAWS C0760 A ( )</b>	125.	126.	127.	129.	130.	133.	134.	137.	141.	
	7 1/2"	66"	1/2"	<b>AAWS C0766 A ( )</b>	135.	137.	138.	139.	141.	143.	145.	147.	151.	
	7 1/2"	72"	1/2"	<b>AAWS C0772 A ( )</b>	146.	147.	149.	150.	151.	154.	155.	158.	162.	
Tackable upholstered cover, 15"H 	15"	24"	1/2"	<b>AAWS C1524 A ( )</b>	104.	105.	106.	107.	109.	111.	113.	114.	121.	
	15"	30"	1/2"	<b>AAWS C1530 A ( )</b>	124.	125.	126.	127.	129.	131.	133.	134.	141.	
	15"	36"	1/2"	<b>AAWS C1536 A ( )</b>	144.	145.	146.	147.	149.	151.	153.	154.	161.	
	15"	42"	1/2"	<b>AAWS C1542 A ( )</b>	164.	165.	166.	168.	169.	172.	173.	174.	181.	
	15"	48"	1/2"	<b>AAWS C1548 A ( )</b>	184.	185.	186.	188.	189.	192.	193.	194.	201.	
	15"	54"	1/2"	<b>AAWS C1554 A ( )</b>	204.	205.	206.	208.	209.	212.	213.	214.	221.	
	15"	60"	1/2"	<b>AAWS C1560 A ( )</b>	224.	225.	226.	228.	229.	232.	233.	235.	241.	
	15"	66"	1/2"	<b>AAWS C1566 A ( )</b>	245.	246.	247.	248.	249.	252.	253.	255.	261.	
	15"	72"	1/2"	<b>AAWS C1572 A ( )</b>	265.	266.	267.	268.	269.	272.	273.	275.	281.	

Order Code	Specification Information	Application
Example: <b>AAWS C0724 A 288-6</b>	See finish page for Knoll textile selections.	Tackable upholstered covers insert between horizontal channels to provide tackable, fabric surface. Covers are tackable with 1/2" pushpins.  <b>Fabric is railroaded.</b>  Open shelves cannot be positioned immediately above tackable fabric covers. Tackable core is not firm enough to permit open shelf brackets to bear against face of cover.
<b>A</b> AutoStrada		
<b>AWS</b> Applied wall system		
<b>C</b> Cover		
<b>07</b> Height		
<b>24</b> Width		
<b>A</b> Tackable upholstered		
<b>288-6</b> Fabric		

# Wall covers



## Tackable upholstered

description	h	w	d	pattern no.	Grade									
					10	15	20	30	35	40	45	50	55	
Tackable upholstered cover, 22½"H 	22½"	24"	½"	<b>AAWS C2224 A ( )</b>	\$147.	\$151.	\$154.	\$157.	\$161.	\$164.	\$168.	\$174.	\$184.	
	22½"	30"	½"	<b>AAWS C2230 A ( )</b>	179.	182.	186.	189.	192.	196.	199.	206.	216.	
	22½"	36"	½"	<b>AAWS C2236 A ( )</b>	210.	214.	217.	220.	224.	227.	230.	237.	247.	
	22½"	42"	½"	<b>AAWS C2242 A ( )</b>	242.	245.	249.	252.	255.	259.	262.	269.	279.	
	22½"	48"	½"	<b>AAWS C2248 A ( )</b>	273.	277.	280.	283.	287.	290.	293.	300.	310.	
	22½"	54"	½"	<b>AAWS C2254 A ( )</b>	305.	308.	312.	315.	318.	322.	325.	332.	342.	
	22½"	60"	½"	<b>AAWS C2260 A ( )</b>	336.	340.	343.	346.	350.	353.	356.	363.	373.	
	22½"	66"	½"	<b>AAWS C2266 A ( )</b>	368.	371.	375.	378.	381.	385.	388.	395.	405.	
	22½"	72"	½"	<b>AAWS C2272 A ( )</b>	399.	403.	406.	409.	413.	416.	419.	426.	436.	
Tackable upholstered cover, 30"H 	30"	24"	½"	<b>AAWS C3024 A ( )</b>	269.	273.	275.	278.	283.	287.	291.	295.	312.	
	30"	30"	½"	<b>AAWS C3030 A ( )</b>	324.	328.	330.	333.	338.	342.	346.	350.	366.	
	30"	36"	½"	<b>AAWS C3036 A ( )</b>	379.	383.	385.	388.	393.	397.	401.	405.	421.	
	30"	42"	½"	<b>AAWS C3042 A ( )</b>	434.	438.	440.	443.	448.	452.	456.	460.	476.	
	30"	48"	½"	<b>AAWS C3048 A ( )</b>	489.	492.	494.	498.	503.	507.	511.	515.	531.	
	30"	54"	½"	<b>AAWS C3054 A ( )</b>	544.	547.	549.	553.	557.	561.	566.	570.	586.	
	30"	60"	½"	<b>AAWS C3060 A ( )</b>	599.	602.	604.	608.	612.	616.	621.	624.	641.	
	30"	66"	½"	<b>AAWS C3066 A ( )</b>	654.	657.	659.	663.	667.	671.	676.	679.	696.	
	30"	72"	½"	<b>AAWS C3072 A ( )</b>	709.	712.	714.	718.	722.	726.	731.	734.	751.	

Order Code	Specification Information	Application
Example: <b>AAWS C0724 A 288-6</b>	See finish page for Knoll textile selections.	Tackable upholstered covers insert between horizontal channels to provide tackable, fabric surface. Covers are tackable with ½" pushpins.  <b>Fabric is railroaded.</b>  Open shelves cannot be positioned immediately above tackable fabric covers. Tackable core is not firm enough to permit open shelf brackets to bear against face of cover.
<b>A</b> AutoStrada		
<b>AWS</b> Applied wall system		
<b>C</b> Cover		
<b>07</b> Height		
<b>24</b> Width		
<b>A</b> Tackable upholstered		
<b>288-6</b> Fabric		

# Wall covers



## Non-tackable upholstered

description	h	w	d	pattern no.	Grade									
					10	15	20	30	35	40	45	50	55	
Non-tackable upholstered cover, 7 1/2"H 	7 1/2"	24"	1/2"	<b>AAWS C0724 F ( )</b>	\$70.	\$72.	\$74.	\$78.	\$80.	\$82.	\$84.	\$90.	\$95.	
	7 1/2"	30"	1/2"	<b>AAWS C0730 F ( )</b>	75.	77.	79.	83.	85.	87.	89.	95.	100.	
	7 1/2"	36"	1/2"	<b>AAWS C0736 F ( )</b>	80.	82.	84.	88.	90.	92.	94.	100.	105.	
	7 1/2"	42"	1/2"	<b>AAWS C0742 F ( )</b>	85.	87.	89.	93.	95.	97.	99.	105.	110.	
	7 1/2"	48"	1/2"	<b>AAWS C0748 F ( )</b>	90.	92.	94.	98.	100.	102.	104.	110.	115.	
	7 1/2"	54"	1/2"	<b>AAWS C0754 F ( )</b>	95.	97.	99.	103.	105.	107.	109.	115.	120.	
	7 1/2"	60"	1/2"	<b>AAWS C0760 F ( )</b>	100.	102.	104.	108.	110.	112.	114.	120.	125.	
	7 1/2"	66"	1/2"	<b>AAWS C0766 F ( )</b>	105.	107.	109.	113.	115.	117.	119.	125.	130.	
	7 1/2"	72"	1/2"	<b>AAWS C0772 F ( )</b>	110.	112.	114.	118.	120.	122.	124.	130.	135.	
	7 1/2"	78"	1/2"	<b>AAWS C0778 F ( )</b>	115.	117.	119.	123.	125.	127.	129.	135.	140.	
	7 1/2"	84"	1/2"	<b>AAWS C0784 F ( )</b>	120.	122.	124.	128.	130.	132.	134.	140.	145.	
	7 1/2"	90"	1/2"	<b>AAWS C0790 F ( )</b>	125.	127.	129.	133.	135.	137.	139.	145.	150.	
	7 1/2"	96"	1/2"	<b>AAWS C0796 F ( )</b>	130.	132.	134.	138.	140.	142.	144.	150.	155.	
Non-tackable upholstered cover, 15"H 	15"	24"	1/2"	<b>AAWS C1524 F ( )</b>	87.	90.	92.	98.	100.	102.	105.	107.	112.	
	15"	30"	1/2"	<b>AAWS C1530 F ( )</b>	97.	100.	102.	108.	110.	112.	115.	117.	122.	
	15"	36"	1/2"	<b>AAWS C1536 F ( )</b>	107.	110.	112.	118.	120.	122.	125.	127.	132.	
	15"	42"	1/2"	<b>AAWS C1542 F ( )</b>	117.	120.	122.	128.	130.	132.	135.	137.	142.	
	15"	48"	1/2"	<b>AAWS C1548 F ( )</b>	127.	130.	132.	138.	140.	142.	145.	147.	152.	
	15"	54"	1/2"	<b>AAWS C1554 F ( )</b>	137.	140.	142.	148.	150.	152.	155.	157.	162.	
	15"	60"	1/2"	<b>AAWS C1560 F ( )</b>	147.	150.	152.	158.	160.	162.	165.	167.	172.	
	15"	66"	1/2"	<b>AAWS C1566 F ( )</b>	157.	160.	162.	168.	170.	172.	175.	177.	182.	
	15"	72"	1/2"	<b>AAWS C1572 F ( )</b>	167.	170.	172.	178.	180.	182.	185.	187.	192.	
	15"	78"	1/2"	<b>AAWS C1578 F ( )</b>	177.	180.	182.	188.	190.	192.	195.	197.	202.	
	15"	84"	1/2"	<b>AAWS C1584 F ( )</b>	187.	190.	192.	198.	200.	202.	205.	207.	212.	
	15"	90"	1/2"	<b>AAWS C1590 F ( )</b>	197.	200.	202.	208.	210.	212.	215.	217.	222.	
	15"	96"	1/2"	<b>AAWS C1596 F ( )</b>	207.	210.	212.	218.	220.	222.	225.	227.	232.	

Order Code	Specification Information	Application
Example: <b>AAWS C0724 F 288-6</b>	See finish page for Knoll textile selections.	Non-tackable upholstered covers insert between horizontal channels to provide fabric surface.
<b>A</b> AutoStrada		
<b>AWS</b> Applied wall system	<b>Fabric is railroaded.</b>	Wood core is firm enough to permit open shelf brackets to bear against face of cover.
<b>C</b> Cover		
<b>07</b> Height		
<b>24</b> Width		
<b>F</b> Non-tackable upholstered		
<b>288-6</b> Fabric		

# Wall covers

## Non-tackable upholstered

description	h	w	d	pattern no.	Grade									
					10	15	20	30	35	40	45	50	55	
Non-tackable upholstered cover, 22 1/2"H 	22 1/2"	24"	1/2"	<b>AAWS C2224 F ( )</b>	\$118.	\$123.	\$126.	\$135.	\$140.	\$145.	\$150.	\$160.	\$175.	
	22 1/2"	30"	1/2"	<b>AAWS C2230 F ( )</b>	130.	137.	140.	149.	154.	159.	164.	174.	189.	
	22 1/2"	36"	1/2"	<b>AAWS C2236 F ( )</b>	144.	151.	154.	163.	168.	173.	178.	188.	203.	
	22 1/2"	42"	1/2"	<b>AAWS C2242 F ( )</b>	158.	165.	168.	177.	182.	187.	192.	202.	217.	
	22 1/2"	48"	1/2"	<b>AAWS C2248 F ( )</b>	172.	179.	182.	191.	196.	201.	206.	216.	231.	
	22 1/2"	54"	1/2"	<b>AAWS C2254 F ( )</b>	186.	193.	196.	205.	210.	215.	220.	230.	245.	
	22 1/2"	60"	1/2"	<b>AAWS C2260 F ( )</b>	200.	207.	210.	219.	224.	229.	234.	244.	259.	
	22 1/2"	66"	1/2"	<b>AAWS C2266 F ( )</b>	214.	221.	224.	233.	238.	243.	248.	258.	273.	
	22 1/2"	72"	1/2"	<b>AAWS C2272 F ( )</b>	228.	235.	238.	247.	252.	257.	262.	272.	287.	
	22 1/2"	78"	1/2"	<b>AAWS C2278 F ( )</b>	242.	249.	252.	261.	266.	271.	276.	286.	301.	
	22 1/2"	84"	1/2"	<b>AAWS C2284 F ( )</b>	256.	263.	266.	275.	280.	285.	290.	300.	315.	
	22 1/2"	90"	1/2"	<b>AAWS C2290 F ( )</b>	270.	277.	280.	289.	294.	299.	304.	314.	329.	
22 1/2"	96"	1/2"	<b>AAWS C2296 F ( )</b>	284.	291.	294.	303.	308.	313.	318.	328.	343.		
Non-tackable upholstered cover, 30"H 	30"	24"	1/2"	<b>AAWS C3024 F ( )</b>	135.	142.	145.	155.	165.	170.	175.	180.	195.	
	30"	30"	1/2"	<b>AAWS C3030 F ( )</b>	153.	160.	163.	173.	183.	188.	193.	198.	213.	
	30"	36"	1/2"	<b>AAWS C3036 F ( )</b>	171.	178.	181.	191.	201.	206.	211.	216.	231.	
	30"	42"	1/2"	<b>AAWS C3042 F ( )</b>	189.	196.	199.	209.	219.	224.	229.	234.	249.	
	30"	48"	1/2"	<b>AAWS C3048 F ( )</b>	207.	214.	217.	227.	237.	242.	247.	252.	267.	
	30"	54"	3/4"	<b>AAWS C3054 F ( )</b>	225.	232.	235.	245.	255.	260.	265.	270.	285.	
	30"	60"	1/2"	<b>AAWS C3060 F ( )</b>	243.	250.	253.	263.	273.	278.	283.	288.	303.	
	30"	66"	1/2"	<b>AAWS C3066 F ( )</b>	261.	268.	271.	281.	291.	296.	301.	306.	321.	
	30"	72"	1/2"	<b>AAWS C3072 F ( )</b>	279.	286.	289.	299.	309.	314.	319.	324.	339.	
	30"	78"	1/2"	<b>AAWS C3078 F ( )</b>	297.	304.	307.	317.	327.	332.	337.	342.	357.	
	30"	84"	1/2"	<b>AAWS C3084 F ( )</b>	315.	322.	325.	335.	345.	350.	355.	360.	375.	
	30"	90"	1/2"	<b>AAWS C3090 F ( )</b>	333.	340.	343.	353.	363.	368.	373.	378.	393.	
	30"	96"	1/2"	<b>AAWS C3096 F ( )</b>	351.	358.	361.	371.	381.	386.	391.	396.	411.	

**Order Code**

Example:	<b>AAWS C0724 F 288-6</b>
<b>A</b>	AutoStrada
<b>AWS</b>	Applied wall system
<b>C</b>	Cover
<b>07</b>	Height
<b>24</b>	Width
<b>F</b>	Non-tackable upholstered
<b>288-6</b>	Fabric

**Specification Information**

See finish page for Knoll textile selections.

**Application**



Non-tackable upholstered covers insert between horizontal channels to provide fabric surface.

**Fabric is railroaded.**

Wood core is firm enough to permit open shelf brackets to bear against face of cover.

# Wall covers

## Laminate or Veneer surface

description	h	w	d	pattern no.	L	V1	V2	V3
Laminate or Veneer cover, 7 1/2"H 	7 1/2"	24"	1/2"	<b>AAWS C0724 ( )</b>	\$58.	\$125.	\$156.	\$211.
	7 1/2"	30"	1/2"	<b>AAWS C0730 ( )</b>	65.	132.	159.	221.
	7 1/2"	36"	1/2"	<b>AAWS C0736 ( )</b>	68.	135.	161.	239.
	7 1/2"	42"	1/2"	<b>AAWS C0742 ( )</b>	72.	139.	168.	259.
	7 1/2"	48"	1/2"	<b>AAWS C0748 ( )</b>	75.	143.	173.	276.
	7 1/2"	54"	1/2"	<b>AAWS C0754 ( )</b>	79.	147.	179.	294.
	7 1/2"	60"	1/2"	<b>AAWS C0760 ( )</b>	83.	151.	186.	314.
	7 1/2"	66"	1/2"	<b>AAWS C0766 ( )</b>	86.	154.	191.	331.
	7 1/2"	72"	1/2"	<b>AAWS C0772 ( )</b>	90.	158.	197.	349.
	7 1/2"	78"	1/2"	<b>AAWS C0778 ( )</b>	n/a	162.	203.	369.
	7 1/2"	84"	1/2"	<b>AAWS C0784 ( )</b>	n/a	166.	209.	386.
	7 1/2"	90"	1/2"	<b>AAWS C0790 ( )</b>	n/a	170.	216.	406.
	7 1/2"	96"	1/2"	<b>AAWS C0796 ( )</b>	n/a	174.	221.	424.
Laminate or Veneer cover, 15"H 	15"	24"	1/2"	<b>AAWS C1524 ( )</b>	74.	142.	172.	273.
	15"	30"	1/2"	<b>AAWS C1530 ( )</b>	81.	149.	184.	310.
	15"	36"	1/2"	<b>AAWS C1536 ( )</b>	88.	156.	195.	344.
	15"	42"	1/2"	<b>AAWS C1542 ( )</b>	95.	163.	207.	380.
	15"	48"	1/2"	<b>AAWS C1548 ( )</b>	104.	173.	221.	419.
	15"	54"	1/2"	<b>AAWS C1554 ( )</b>	113.	182.	238.	455.
	15"	60"	1/2"	<b>AAWS C1560 ( )</b>	120.	189.	246.	491.
	15"	66"	1/2"	<b>AAWS C1566 ( )</b>	127.	197.	257.	527.
	15"	72"	1/2"	<b>AAWS C1572 ( )</b>	133.	204.	268.	561.
	15"	78"	1/2"	<b>AAWS C1578 ( )</b>	n/a	211.	280.	597.
	15"	84"	1/2"	<b>AAWS C1584 ( )</b>	n/a	218.	291.	631.
	15"	90"	1/2"	<b>AAWS C1590 ( )</b>	n/a	225.	303.	668.
	15"	96"	1/2"	<b>AAWS C1596 ( )</b>	n/a	232.	314.	704.

**Order Code**

Example:	<b>AAWS C0724 118</b>
<b>A</b>	AutoStrada
<b>AWS</b>	Applied wall system
<b>C</b>	Cover
<b>07</b>	Height
<b>24</b>	Width
<b>118</b>	Finish

**Specification Information**

See finish page for laminate and veneer finish codes.



**Application**

Veneer or laminate covers insert between horizontal channels.

**Techwood and natural veneer grain direction is horizontal.**

# Wall covers

## Laminate or Veneer surface

description	h	w	d	pattern no.	L	V1	V2	V3
Laminate or Veneer cover, 22 1/2"H 	22 1/2"	24"	1/2"	<b>AAWS C2224</b> ( )	\$90.	\$159.	\$198.	\$348.
	22 1/2"	30"	1/2"	<b>AAWS C2230</b> ( )	100.	169.	212.	390.
	22 1/2"	36"	1/2"	<b>AAWS C2236</b> ( )	117.	186.	238.	460.
	22 1/2"	42"	1/2"	<b>AAWS C2242</b> ( )	127.	197.	255.	513.
	22 1/2"	48"	1/2"	<b>AAWS C2248</b> ( )	136.	207.	272.	563.
	22 1/2"	54"	1/2"	<b>AAWS C2254</b> ( )	146.	217.	288.	615.
	22 1/2"	60"	1/2"	<b>AAWS C2260</b> ( )	169.	228.	307.	673.
	22 1/2"	66"	1/2"	<b>AAWS C2266</b> ( )	173.	239.	322.	721.
	22 1/2"	72"	1/2"	<b>AAWS C2272</b> ( )	176.	249.	339.	773.
	22 1/2"	78"	1/2"	<b>AAWS C2278</b> ( )	n/a	259.	356.	826.
	22 1/2"	84"	1/2"	<b>AAWS C2284</b> ( )	n/a	270.	373.	879.
	22 1/2"	90"	1/2"	<b>AAWS C2290</b> ( )	n/a	281.	390.	932.
22 1/2"	96"	1/2"	<b>AAWS C2296</b> ( )	n/a	291.	407.	984.	
Laminate or Veneer cover, 30"H 	30"	24"	1/2"	<b>AAWS C3024</b> ( )	104.	173.	221.	420.
	30"	30"	1/2"	<b>AAWS C3030</b> ( )	119.	189.	245.	491.
	30"	36"	1/2"	<b>AAWS C3036</b> ( )	137.	207.	272.	564.
	30"	42"	1/2"	<b>AAWS C3042</b> ( )	150.	221.	294.	634.
	30"	48"	1/2"	<b>AAWS C3048</b> ( )	163.	234.	316.	703.
	30"	54"	1/2"	<b>AAWS C3054</b> ( )	180.	253.	343.	776.
	30"	60"	1/2"	<b>AAWS C3060</b> ( )	193.	267.	366.	848.
	30"	66"	1/2"	<b>AAWS C3066</b> ( )	206.	281.	388.	917.
	30"	72"	1/2"	<b>AAWS C3072</b> ( )	220.	294.	410.	986.
	30"	78"	1/2"	<b>AAWS C3078</b> ( )	n/a	308.	433.	1,055.
	30"	84"	1/2"	<b>AAWS C3084</b> ( )	n/a	322.	455.	1,124.
	30"	90"	1/2"	<b>AAWS C3090</b> ( )	n/a	336.	477.	1,193.
30"	96"	1/2"	<b>AAWS C3096</b> ( )	n/a	349.	499.	1,262.	

Order Code	
Example: <b>AAWS C0724 118</b>	
<b>A</b>	AutoStrada
<b>AWS</b>	Applied wall system
<b>C</b>	Cover
<b>07</b>	Height
<b>24</b>	Width
<b>118</b>	Finish



**Specification Information**  
See finish page for laminate and veneer finish codes.

**Application**  
Veneer or laminate covers insert between horizontal channels.  
**Techwood and natural veneer grain direction is horizontal.**



# Wall covers

## Painted surface

description	h	w	d	pattern no.	paint
Painted cover, 7 1/2"H 	7 1/2"	24"	1/2"	<b>AAWS C0724 P ( )</b>	\$107.
	7 1/2"	30"	1/2"	<b>AAWS C0730 P ( )</b>	108.
	7 1/2"	36"	1/2"	<b>AAWS C0736 P ( )</b>	109.
	7 1/2"	42"	1/2"	<b>AAWS C0742 P ( )</b>	135.
	7 1/2"	48"	1/2"	<b>AAWS C0748 P ( )</b>	137.
	7 1/2"	54"	1/2"	<b>AAWS C0754 P ( )</b>	138.
	7 1/2"	60"	1/2"	<b>AAWS C0760 P ( )</b>	164.
	7 1/2"	66"	1/2"	<b>AAWS C0766 P ( )</b>	166.
	7 1/2"	72"	1/2"	<b>AAWS C0772 P ( )</b>	167.
	7 1/2"	78"	1/2"	<b>AAWS C0778 P ( )</b>	169.
	7 1/2"	84"	1/2"	<b>AAWS C0784 P ( )</b>	196.
	7 1/2"	90"	1/2"	<b>AAWS C0790 P ( )</b>	198.
7 1/2"	96"	1/2"	<b>AAWS C0796 P ( )</b>	199.	
Painted cover, 15"H 	15"	24"	1/2"	<b>AAWS C1524 P ( )</b>	114.
	15"	30"	1/2"	<b>AAWS C1530 P ( )</b>	117.
	15"	36"	1/2"	<b>AAWS C1536 P ( )</b>	120.
	15"	42"	1/2"	<b>AAWS C1542 P ( )</b>	148.
	15"	48"	1/2"	<b>AAWS C1548 P ( )</b>	151.
	15"	54"	1/2"	<b>AAWS C1554 P ( )</b>	153.
	15"	60"	1/2"	<b>AAWS C1560 P ( )</b>	181.
	15"	66"	1/2"	<b>AAWS C1566 P ( )</b>	184.
	15"	72"	1/2"	<b>AAWS C1572 P ( )</b>	187.
	15"	78"	1/2"	<b>AAWS C1578 P ( )</b>	190.
	15"	84"	1/2"	<b>AAWS C1584 P ( )</b>	219.
	15"	90"	1/2"	<b>AAWS C1590 P ( )</b>	222.
15"	96"	1/2"	<b>AAWS C1596 P ( )</b>	225.	

### Order Code

Example:	<b>AAWS C0724 P 118</b>
<b>A</b>	AutoStrada
<b>AWS</b>	Applied wall system
<b>C</b>	Cover
<b>07</b>	Height
<b>24</b>	Width
<b>P</b>	Painted surface
<b>118</b>	Finish

### Specification Information



See finish page for painted finish codes.

### Application

Painted wood covers insert between horizontal channels.  
 Painted covers are powder coat or wet spray on medium density fiberboard.

# Wall covers

## Painted surface

description	h	w	d	pattern no.	paint
Painted cover, 22 1/2"H 	22 1/2"	24"	1/2"	<b>AAWS C2224 P ( )</b>	\$120.
	22 1/2"	30"	1/2"	<b>AAWS C2230 P ( )</b>	125.
	22 1/2"	36"	1/2"	<b>AAWS C2236 P ( )</b>	129.
	22 1/2"	42"	1/2"	<b>AAWS C2242 P ( )</b>	158.
	22 1/2"	48"	1/2"	<b>AAWS C2248 P ( )</b>	162.
	22 1/2"	54"	1/2"	<b>AAWS C2254 P ( )</b>	167.
	22 1/2"	60"	1/2"	<b>AAWS C2260 P ( )</b>	196.
	22 1/2"	66"	1/2"	<b>AAWS C2266 P ( )</b>	200.
	22 1/2"	72"	1/2"	<b>AAWS C2272 P ( )</b>	205.
	22 1/2"	78"	1/2"	<b>AAWS C2278 P ( )</b>	209.
	22 1/2"	84"	1/2"	<b>AAWS C2284 P ( )</b>	240.
	22 1/2"	90"	1/2"	<b>AAWS C2290 P ( )</b>	244.
22 1/2"	96"	1/2"	<b>AAWS C2296 P ( )</b>	248.	
Painted cover, 30"H 	30"	24"	1/2"	<b>AAWS C3024 P ( )</b>	126.
	30"	30"	1/2"	<b>AAWS C3030 P ( )</b>	132.
	30"	36"	1/2"	<b>AAWS C3036 P ( )</b>	138.
	30"	42"	1/2"	<b>AAWS C3042 P ( )</b>	169.
	30"	48"	1/2"	<b>AAWS C3048 P ( )</b>	174.
	30"	54"	1/2"	<b>AAWS C3054 P ( )</b>	180.
	30"	60"	1/2"	<b>AAWS C3060 P ( )</b>	211.
	30"	66"	1/2"	<b>AAWS C3066 P ( )</b>	217.
	30"	72"	1/2"	<b>AAWS C3072 P ( )</b>	222.
	30"	78"	1/2"	<b>AAWS C3078 P ( )</b>	228.
	30"	84"	1/2"	<b>AAWS C3084 P ( )</b>	261.
	30"	90"	1/2"	<b>AAWS C3090 P ( )</b>	266.
30"	96"	1/2"	<b>AAWS C3096 P ( )</b>	272.	

### Order Code

Example:	<b>AAWS C0724 P 118</b>
<b>A</b>	AutoStrada
<b>AWS</b>	Applied wall system
<b>C</b>	Cover
<b>07</b>	Height
<b>24</b>	Width
<b>P</b>	Painted surface
<b>118</b>	Finish

### Specification Information

See finish page for painted finish codes.

### Application



Painted wood covers insert between horizontal channels.  
 Painted covers are powder coat or wet spray on medium density fiberboard.

# Wall covers

## Backpainted glass surface

AutoStrada

Applied Wall

description	h	w	pattern no.	881	882
Backpainted glass, 15"H 	15"	24"	<b>AAWS C1524 G ( )</b>	\$240.	\$290.
	15"	30"	<b>AAWS C1530 G ( )</b>	280.	330.
	15"	36"	<b>AAWS C1536 G ( )</b>	320.	370.
	15"	42"	<b>AAWS C1542 G ( )</b>	360.	410.
	15"	48"	<b>AAWS C1548 G ( )</b>	400.	450.
	15"	54"	<b>AAWS C1554 G ( )</b>	440.	490.
	15"	60"	<b>AAWS C1560 G ( )</b>	480.	530.
	15"	66"	<b>AAWS C1566 G ( )</b>	520.	570.
15"	72"	<b>AAWS C1572 G ( )</b>	560.	610.	
Backpainted glass, 22 1/2"H 	22 1/2"	24"	<b>AAWS C2224 G ( )</b>	315.	380.
	22 1/2"	30"	<b>AAWS C2230 G ( )</b>	375.	435.
	22 1/2"	36"	<b>AAWS C2236 G ( )</b>	430.	490.
	22 1/2"	42"	<b>AAWS C2242 G ( )</b>	490.	550.
	22 1/2"	48"	<b>AAWS C2248 G ( )</b>	545.	620.
	22 1/2"	54"	<b>AAWS C2254 G ( )</b>	600.	690.
	22 1/2"	60"	<b>AAWS C2260 G ( )</b>	660.	760.
	22 1/2"	66"	<b>AAWS C2266 G ( )</b>	715.	830.
	22 1/2"	72"	<b>AAWS C2272 G ( )</b>	770.	900.

### Order Code

Example:	<b>AAWS C1524 G 881</b>
<b>A</b>	AutoStrada
<b>AWS</b>	Applied wall system
<b>C</b>	Cover
<b>15</b>	Height
<b>24</b>	Width
<b>G</b>	Backpainted glass
<b>881</b>	Finish


### Specification Information

Backpainted glass is 4mm thick.  
 Specify glass surface:  
 881 sea glass white  
 882 star white  
 Sea glass has natural glass tint.  
 Star glass has low lead content for pure white appearance.

### Application

Backpainted glass covers insert between horizontal channels to provide nearly opaque glass surface. Glass covers may be used as dry-erase marker surface.

**Bookshelves cannot be mounted in channel directly above glass cover.**

description	h	w	d	pattern no.	list	aluminum
Display shelf 	1"	24"	5 1/2"	<b>AAWS DS2405 ( )</b>		\$180.
	1"	30"	5 1/2"	<b>AAWS DS3005 ( )</b>		190.
	1"	36"	5 1/2"	<b>AAWS DS3605 ( )</b>		205.
	1"	42"	5 1/2"	<b>AAWS DS4205 ( )</b>		225.
	1"	48"	5 1/2"	<b>AAWS DS4805 ( )</b>		240.
	1"	54"	5 1/2"	<b>AAWS DS5405 ( )</b>		260.
	1"	60"	5 1/2"	<b>AAWS DS6005 ( )</b>		270.
	1"	66"	5 1/2"	<b>AAWS DS6605 ( )</b>		280.
	1"	72"	5 1/2"	<b>AAWS DS7205 ( )</b>		290.
Book end post ( set of 5 )	6"			<b>AAWS BE</b>	*	

**Order Code**

Example:	<b>AAWS DS2405 AA</b>
<b>A</b>	AutoStrada
<b>AWS</b>	Applied wall system
<b>DS</b>	Display shelf
<b>24</b>	Width
<b>05</b>	Depth
<b>AA</b>	Finish



**Specification Information**

AA - Anodized Aluminum only.

**Application**

Display shelf is natural anodized aluminum extrusion with integral bracket detail that engages into horizontal channel at any point. Display shelves are typically mounted in channels at 31 1/2" or 39" above the floor. Underside of display shelf has continuous channel for bookend posts to organize materials on shelf below. Display shelf can be mounted in channel between glass covers.

\*Consult your Knoll Representative for pricing and availability.



description	h	w	d	pattern no.	list	glass
Powder glass lower shelf 	1 1/2"	24"	9"	<b>AAWS LS2409 G ( )( )</b>		\$420.
	1 1/2"	30"	9"	<b>AAWS LS3009 G ( )( )</b>		450.
	1 1/2"	36"	9"	<b>AAWS LS3609 G ( )( )</b>		485.
	1 1/2"	42"	9"	<b>AAWS LS4209 G ( )( )</b>		525.
	1 1/2"	48"	9"	<b>AAWS LS4809 G ( )( )</b>		565.
	1 1/2"	54"	9"	<b>AAWS LS5409 G ( )( )</b>		610.
	1 1/2"	60"	9"	<b>AAWS LS6009 G ( )( )</b>		650.
	1 1/2"	66"	9"	<b>AAWS LS6609 G ( )( )</b>		695.
	1 1/2"	72"	9"	<b>AAWS LS7209 G ( )( )</b>		740.
Powder glass upper shelf 	1 1/2"	24"	9"	<b>AAWS US2409 G ( )( )</b>		420.
	1 1/2"	30"	9"	<b>AAWS US3009 G ( )( )</b>		450.
	1 1/2"	36"	9"	<b>AAWS US3609 G ( )( )</b>		485.
	1 1/2"	42"	9"	<b>AAWS US4209 G ( )( )</b>		525.
	1 1/2"	48"	9"	<b>AAWS US4809 G ( )( )</b>		565.
	1 1/2"	54"	9"	<b>AAWS US5409 G ( )( )</b>		610.
	1 1/2"	60"	9"	<b>AAWS US6009 G ( )( )</b>		650.
	1 1/2"	66"	9"	<b>AAWS US6609 G ( )( )</b>		695.
	1 1/2"	72"	9"	<b>AAWS US7209 G ( )( )</b>		740.
Book end post ( set of 5 )	6"			<b>AAWS BE</b>		*

Order Code	Specification Information	Application
Example: <b>AAWS LS2409 G GL13 AA</b>	GL13 - Powder glass only.	Glass shelves are supported by a 5 1/2" clear anodized aluminum platform with integral bracket detail that engages into horizontal channel at any point. Specify lower shelf for most applications to align with bottom of adjacent overhead storage cabinet. Specify upper shelf only to align with top of adjacent overhead storage cabinet. Underside of shelf has continuous channel for bookend posts to organize materials on shelf below. Shelf bracket bears against surface of cover below so it cannot be positioned above glass or tackable fabric covers.
<b>AA</b> AutoStrada	AA - Anodized Aluminum only.	
<b>AWS</b> Applied wall system		
<b>LS</b> Shelf		
<b>24</b> Width		
<b>09</b> Depth		
<b>G</b> Glass		
<b>GL13</b> Glass finish		
<b>AA</b> Support finish		

# Bookshelves

## *laminate and veneer*


AutoStrada

description	h	w	d	pattern no.	list	L	V1	V2	V3
Laminate or veneer lower shelf 	1 1/2"	24"	12"	<b>AAWS LS2412 ( ) ( )</b>		\$190.	\$247.	\$284.	\$383.
	1 1/2"	30"	12"	<b>AAWS LS3012 ( ) ( )</b>		210.	273.	314.	423.
	1 1/2"	36"	12"	<b>AAWS LS3612 ( ) ( )</b>		230.	299.	344.	463.
	1 1/2"	42"	12"	<b>AAWS LS4212 ( ) ( )</b>		250.	325.	374.	504.
	1 1/2"	48"	12"	<b>AAWS LS4812 ( ) ( )</b>		270.	351.	404.	544.
	1 1/2"	54"	12"	<b>AAWS LS5412 ( ) ( )</b>		290.	377.	434.	584.
	1 1/2"	60"	12"	<b>AAWS LS6012 ( ) ( )</b>		310.	403.	463.	625.
	1 1/2"	66"	12"	<b>AAWS LS6612 ( ) ( )</b>		330.	429.	493.	665.
	1 1/2"	72"	12"	<b>AAWS LS7212 ( ) ( )</b>		350.	455.	523.	705.
Laminate or veneer upper shelf 	1 1/2"	24"	12"	<b>AAWS US2412 ( ) ( )</b>		190.	247.	284.	383.
	1 1/2"	30"	12"	<b>AAWS US3012 ( ) ( )</b>		210.	273.	314.	423.
	1 1/2"	36"	12"	<b>AAWS US3612 ( ) ( )</b>		230.	299.	344.	463.
	1 1/2"	42"	12"	<b>AAWS US4212 ( ) ( )</b>		250.	325.	374.	504.
	1 1/2"	48"	12"	<b>AAWS US4812 ( ) ( )</b>		270.	351.	404.	544.
	1 1/2"	54"	12"	<b>AAWS US5412 ( ) ( )</b>		290.	377.	434.	584.
	1 1/2"	60"	12"	<b>AAWS US6012 ( ) ( )</b>		310.	403.	463.	625.
	1 1/2"	66"	12"	<b>AAWS US6612 ( ) ( )</b>		330.	429.	493.	665.
	1 1/2"	72"	12"	<b>AAWS US7212 ( ) ( )</b>		350.	455.	523.	705.
Book end post ( set of 5 )	6"			<b>AAWS BE</b>	*				

Order Code	Specification Information	Application	
Example: <b>AAWS LS2412 118 AA</b>	Support finish is AA - Anodized Aluminum only.	Laminate and veneer bookshelves are supported by a 5 1/2" clear anodized aluminum platform with integral bracket detail that engages into horizontal channel at any point.	* Consult your Knoll Representative for pricing and availability.
<b>A</b> Autostrada			
<b>AWS</b> Applied wall system	See finish page for laminate and veneer finish codes.	Specify lower shelf for most applications to align with bottom of adjacent overhead storage cabinet. Specify upper shelf only to align with top of adjacent overhead storage cabinet.	
<b>LS</b> Shelf		Underside of shelf has continuous channel for bookend posts to organize materials on shelf below. Shelf bracket bears against surface of cover below so it cannot be positioned above glass or tackable fabric covers.	
<b>24</b> Width			
<b>12</b> Depth			
<b>118</b> Shelf finish			
<b>AA</b> Support finish			

# Open overhead cabinets

## Laminate or wood veneer

description	h	w	d	pattern no.	L	V1	V2	V3
Open overhead, binder depth  96" w shown	15"	18"	14 1/4"	<b>AAWS OBO 18 ( )</b>	\$1,163.	\$1,207.	\$1,390.	\$1,807.
	15"	24"	14 1/4"	<b>AAWS OBO 24 ( )</b>	1,195.	1,239.	1,425.	1,853.
	15"	30"	14 1/4"	<b>AAWS OBO 30 ( )</b>	1,227.	1,271.	1,462.	1,900.
	15"	36"	14 1/4"	<b>AAWS OBO 36 ( )</b>	1,260.	1,304.	1,499.	1,948.
	15"	42"	14 1/4"	<b>AAWS OBO 42 ( )</b>	1,293.	1,336.	1,538.	1,999.
	15"	48"	14 1/4"	<b>AAWS OBO 48 ( )</b>	1,328.	1,372.	1,579.	2,053.
	15"	54"	14 1/4"	<b>AAWS OBO 54 ( )</b>	1,397.	1,443.	1,662.	2,159.
	15"	60"	14 1/4"	<b>AAWS OBO 60 ( )</b>	1,466.	1,514.	1,743.	2,266.
	15"	66"	14 1/4"	<b>AAWS OBO 66 ( )</b>	1,508.	1,559.	1,792.	2,330.
	15"	72"	14 1/4"	<b>AAWS OBO 72 ( )</b>	1,548.	1,604.	1,841.	2,394.
	15"	78"	14 1/4"	<b>AAWS OBO 78 ( )</b>	1,625.	1,684.	1,933.	2,513.
	15"	84"	14 1/4"	<b>AAWS OBO 84 ( )</b>	1,675.	1,734.	1,991.	2,589.
	15"	90"	14 1/4"	<b>AAWS OBO 90 ( )</b>	1,725.	1,787.	2,051.	2,666.
	15"	96"	14 1/4"	<b>AAWS OBO 96 ( )</b>	1,776.	1,840.	2,113.	2,966.
	Open overhead, legal depth	15"	18"	17 1/4"	<b>AAWS OGO 18 ( )</b>	1,256.	1,304.	1,500.
15"		24"	17 1/4"	<b>AAWS OGO 24 ( )</b>	1,290.	1,338.	1,539.	2,002.
15"		30"	17 1/4"	<b>AAWS OGO 30 ( )</b>	1,326.	1,373.	1,578.	2,052.
15"		36"	17 1/4"	<b>AAWS OGO 36 ( )</b>	1,361.	1,409.	1,619.	2,105.
15"		42"	17 1/4"	<b>AAWS OGO 42 ( )</b>	1,396.	1,443.	1,661.	2,159.
15"		48"	17 1/4"	<b>AAWS OGO 48 ( )</b>	1,434.	1,482.	1,706.	2,217.
15"		54"	17 1/4"	<b>AAWS OGO 54 ( )</b>	1,509.	1,558.	1,794.	2,333.
15"		60"	17 1/4"	<b>AAWS OGO 60 ( )</b>	1,584.	1,635.	1,882.	2,447.
15"		66"	17 1/4"	<b>AAWS OGO 66 ( )</b>	1,627.	1,684.	1,936.	2,517.
15"		72"	17 1/4"	<b>AAWS OGO 72 ( )</b>	1,672.	1,732.	1,989.	2,585.
15"		78"	17 1/4"	<b>AAWS OGO 78 ( )</b>	1,756.	1,819.	2,089.	2,715.
15"		84"	17 1/4"	<b>AAWS OGO 84 ( )</b>	1,808.	1,874.	2,151.	2,796.
15"		90"	17 1/4"	<b>AAWS OGO 90 ( )</b>	1,863.	1,929.	2,215.	2,880.
15"		96"	17 1/4"	<b>AAWS OGO 96 ( )</b>	1,919.	1,987.	2,282.	2,966.

Order Code	
Example: <b>AAWS OBO 18 118</b>	
<b>A</b>	AutoStrada
<b>AWS</b>	Applied wall system
<b>OBO</b>	Open overhead cabinet
<b>18</b>	Width
<b>118</b>	Finish

**Specification Information**  
See finish page for laminate and veneer finish codes.


**Application**  
Open overhead cabinets include continuous mounting extrusion that engages into top or intermediate channel at any point.  
Overhead cabinets also include anti-dislodgement brackets that engage into intermediate channel below cabinet.  
Overhead cabinets normally mount between 54" and 69" above the floor.

Open overhead cabinets are binder height.

# Sliding door overhead cabinets with glass doors

## Laminate or wood veneer

AutoStrada

description	h	w	d	pattern no.	L	V1	V2	V3	
 <p>96" w shown</p>	15"	42"	15 1/4"	<b>AAWS OBR 42</b> ( ) ( )	\$2,402.	\$2,508.	\$3,145.	\$3,774.	
	15"	48"	15 1/4"	<b>AAWS OBR 48</b> ( ) ( )	2,476.	2,590.	3,241.	3,891.	
	15"	54"	15 1/4"	<b>AAWS OBR 54</b> ( ) ( )	2,550.	2,673.	3,337.	4,005.	
	15"	60"	15 1/4"	<b>AAWS OBR 60</b> ( ) ( )	2,624.	2,755.	3,434.	4,121.	
	15"	66"	15 1/4"	<b>AAWS OBR 66</b> ( ) ( )	2,697.	2,838.	3,531.	4,237.	
	15"	72"	15 1/4"	<b>AAWS OBR 72</b> ( ) ( )	2,771.	2,919.	3,627.	4,353.	
	15"	78"	15 1/4"	<b>AAWS OBR 78</b> ( ) ( )	2,910.	3,066.	3,809.	4,571.	
	15"	84"	15 1/4"	<b>AAWS OBR 84</b> ( ) ( )	2,997.	3,158.	3,924.	4,708.	
	15"	90"	15 1/4"	<b>AAWS OBR 90</b> ( ) ( )	3,087.	3,252.	4,041.	4,849.	
	15"	96"	15 1/4"	<b>AAWS OBR 96</b> ( ) ( )	3,180.	3,349.	4,162.	4,995.	
	Open/Sliding door(s) glass, legal depth	15"	42"	18 1/4"	<b>AAWS OGR 42</b> ( ) ( )	2,593.	2,709.	3,394.	4,071.
		15"	48"	18 1/4"	<b>AAWS OGR 48</b> ( ) ( )	2,673.	2,798.	3,499.	4,198.
15"		54"	18 1/4"	<b>AAWS OGR 54</b> ( ) ( )	2,753.	3,101.	3,604.	4,324.	
15"		60"	18 1/4"	<b>AAWS OGR 60</b> ( ) ( )	2,833.	2,976.	3,709.	4,450.	
15"		66"	18 1/4"	<b>AAWS OGR 66</b> ( ) ( )	2,914.	3,064.	3,813.	4,575.	
15"		72"	18 1/4"	<b>AAWS OGR 72</b> ( ) ( )	2,993.	3,152.	3,918.	4,702.	
15"		78"	18 1/4"	<b>AAWS OGR 78</b> ( ) ( )	3,143.	3,311.	4,114.	4,937.	
15"		84"	18 1/4"	<b>AAWS OGR 84</b> ( ) ( )	3,237.	3,410.	4,237.	5,085.	
15"		90"	18 1/4"	<b>AAWS OGR 90</b> ( ) ( )	3,334.	3,512.	4,365.	5,238.	
15"		96"	18 1/4"	<b>AAWS OGR 96</b> ( ) ( )	3,435.	3,618.	4,495.	5,394.	

Order Code	Specification Information	Application
Example: <b>AAWS ORB 42 118 GL13 AA</b>	See finish page for laminate, veneer and glass finish codes.	Sliding door overhead cabinets include continuous mounting extrusion that engages into top or intermediate channel at any point. Overhead cabinets also include anti-dislodgement brackets that engage into intermediate channel below cabinet. Overhead cabinets normally mount between 54" and 69" above the floor.
<b>A</b> AutoStrada	Trim finish is AA only.	Overhead cabinets are binder height.
<b>AWS</b> Applied wall system		No locks.
<b>ORB</b> Sliding glass door binder depth overhead		
<b>42</b> Width		
<b>118</b> Case finish		
<b>GL13</b> Glass finish		
<b>AA</b> Trim finish		




# Sliding door overhead cabinets with laminate or veneer doors

## Laminate or wood veneer

AutoStrada

Applied Wall


description	h	w	d	pattern no.	L	V1	V2	V3	
Open/Sliding door(s) laminate or veneer, binder depth  96" w shown	15"	42"	15 1/4"	<b>AAWS OBS 42</b> ( ) ( )	\$2,013.	\$2,111.	\$2,681.	\$3,486.	
	15"	48"	15 1/4"	<b>AAWS OBS 48</b> ( ) ( )	2,075.	2,180.	2,764.	3,593.	
	15"	54"	15 1/4"	<b>AAWS OBS 54</b> ( ) ( )	2,137.	2,248.	2,846.	3,700.	
	15"	60"	15 1/4"	<b>AAWS OBS 60</b> ( ) ( )	2,199.	2,317.	2,929.	3,807.	
	15"	66"	15 1/4"	<b>AAWS OBS 66</b> ( ) ( )	2,261.	2,385.	3,011.	3,914.	
	15"	72"	15 1/4"	<b>AAWS OBS 72</b> ( ) ( )	2,323.	2,454.	3,093.	4,022.	
	15"	78"	15 1/4"	<b>AAWS OBS 78</b> ( ) ( )	2,439.	2,577.	3,249.	4,223.	
	15"	84"	15 1/4"	<b>AAWS OBS 84</b> ( ) ( )	2,511.	2,654.	3,346.	4,350.	
	15"	90"	15 1/4"	<b>AAWS OBS 90</b> ( ) ( )	2,587.	2,734.	3,446.	4,480.	
	15"	96"	15 1/4"	<b>AAWS OBS 96</b> ( ) ( )	2,664.	2,815.	3,549.	4,615.	
	Open/Sliding door(s) laminate or veneer, legal depth	15"	42"	18 1/4"	<b>AAWS OGS 42</b> ( ) ( )	2,175.	2,277.	2,903.	3,764.
		15"	48"	18 1/4"	<b>AAWS OGS 48</b> ( ) ( )	2,242.	2,352.	2,990.	3,880.
15"		54"	18 1/4"	<b>AAWS OGS 54</b> ( ) ( )	2,308.	2,427.	3,076.	3,995.	
15"		60"	18 1/4"	<b>AAWS OGS 60</b> ( ) ( )	2,374.	2,502.	3,163.	4,111.	
15"		66"	18 1/4"	<b>AAWS OGS 66</b> ( ) ( )	2,442.	2,577.	3,252.	4,228.	
15"		72"	18 1/4"	<b>AAWS OGS 72</b> ( ) ( )	2,508.	2,650.	3,342.	4,343.	
15"		78"	18 1/4"	<b>AAWS OGS 78</b> ( ) ( )	2,633.	2,783.	3,509.	4,560.	
15"		84"	18 1/4"	<b>AAWS OGS 84</b> ( ) ( )	2,712.	2,867.	3,613.	4,697.	
15"		90"	18 1/4"	<b>AAWS OGS 90</b> ( ) ( )	2,794.	2,952.	3,721.	4,839.	
15"		96"	18 1/4"	<b>AAWS OGS 96</b> ( ) ( )	2,878.	3,041.	3,834.	4,984.	

Order Code	Specification Information	Application
Example: <b>AAWS OBS 42 118 AA</b> <b>A</b> AutoStrada <b>AWS</b> Applied wall system <b>OBS</b> Sliding solid door binder depth overhead <b>42</b> Width <b>118</b> Finish <b>AA</b> Trim finish	See finish page for laminate and veneer finish codes. Trim finish is AA only.	Sliding door overhead cabinets include continuous mounting extrusion that engages into top or intermediate channel at any point. Overhead cabinets also include anti-dislodgement brackets that engage into intermediate channel below cabinet. Overhead cabinets normally mount between 54" and 69" above the floor. Sliding door overheads are not available with locks.
		Overhead cabinets are binder height. No locks.

# Hinged door overhead cabinets

## Laminate or wood veneer

AutoStrada


description	h	w	d	#drs/locks	pattern no.	L	V1	V2	V3
Hinged door overhead binder depth  96" w shown	15"	18"	15 1/4"	1/1	<b>AAWS OBD 18L ( ) ( )</b>	\$1,599.	\$1,651.	\$1,896.	\$2,465.
	15"	18"	15 1/4"	1/1	<b>AAWS OBD 18R ( ) ( )</b>	1,599.	1,651.	1,896.	2,465.
	15"	24"	15 1/4"	2/1	<b>AAWS OBD 24 ( ) ( )</b>	1,690.	1,745.	2,005.	2,608.
	15"	30"	15 1/4"	2/1	<b>AAWS OBD 30 ( ) ( )</b>	1,786.	1,846.	2,122.	2,758.
	15"	36"	15 1/4"	2/1	<b>AAWS OBD 36 ( ) ( )</b>	1,887.	1,952.	2,245.	2,918.
	15"	42"	15 1/4"	3/2	<b>AAWS OBD 42 ( ) ( )</b>	1,901.	1,967.	2,261.	2,939.
	15"	48"	15 1/4"	3/2	<b>AAWS OBD 48 ( ) ( )</b>	1,939.	2,003.	2,306.	2,997.
	15"	54"	15 1/4"	3/2	<b>AAWS OBD 54 ( ) ( )</b>	2,039.	2,107.	2,426.	3,153.
	15"	60"	15 1/4"	4/2	<b>AAWS OBD 60 ( ) ( )</b>	2,136.	2,207.	2,539.	3,301.
	15"	66"	15 1/4"	4/2	<b>AAWS OBD 66 ( ) ( )</b>	2,200.	2,276.	2,617.	3,402.
	15"	72"	15 1/4"	4/2	<b>AAWS OBD 72 ( ) ( )</b>	2,260.	2,336.	2,687.	3,492.
	15"	78"	15 1/4"	5/3	<b>AAWS OBD 78 ( ) ( )</b>	2,374.	2,459.	2,823.	3,670.
	15"	84"	15 1/4"	5/3	<b>AAWS OBD 84 ( ) ( )</b>	2,445.	2,533.	2,907.	3,780.
	15"	90"	15 1/4"	6/3	<b>AAWS OBD 90 ( ) ( )</b>	2,516.	2,609.	2,995.	3,894.
	15"	96"	15 1/4"	6/3	<b>AAWS OBD 96 ( ) ( )</b>	2,594.	2,687.	3,085.	4,010.
Hinged door overhead legal depth	15"	18"	18 1/4"	1/1	<b>AAWS OGD 18L ( ) ( )</b>	1,727.	1,783.	2,047.	2,662.
	15"	18"	18 1/4"	1/1	<b>AAWS OGD 18R ( ) ( )</b>	1,727.	1,783.	2,047.	2,662.
	15"	24"	18 1/4"	2/1	<b>AAWS OGD 24 ( ) ( )</b>	1,824.	1,885.	2,166.	2,816.
	15"	30"	18 1/4"	2/1	<b>AAWS OGD 30 ( ) ( )</b>	1,929.	1,993.	2,292.	2,979.
	15"	36"	18 1/4"	2/1	<b>AAWS OGD 36 ( ) ( )</b>	2,038.	2,108.	2,425.	3,151.
	15"	42"	18 1/4"	3/2	<b>AAWS OGD 42 ( ) ( )</b>	2,053.	2,134.	2,442.	3,175.
	15"	48"	18 1/4"	3/2	<b>AAWS OGD 48 ( ) ( )</b>	2,094.	2,162.	2,490.	3,238.
	15"	54"	18 1/4"	3/2	<b>AAWS OGD 54 ( ) ( )</b>	2,203.	2,275.	2,619.	3,405.
	15"	60"	18 1/4"	4/2	<b>AAWS OGD 60 ( ) ( )</b>	2,307.	2,384.	2,742.	3,565.
	15"	66"	18 1/4"	4/2	<b>AAWS OGD 66 ( ) ( )</b>	2,376.	2,458.	2,826.	3,673.
	15"	72"	18 1/4"	4/2	<b>AAWS OGD 72 ( ) ( )</b>	2,441.	2,523.	2,902.	3,772.
	15"	78"	18 1/4"	5/3	<b>AAWS OGD 78 ( ) ( )</b>	2,564.	2,656.	3,048.	3,963.
	15"	84"	18 1/4"	5/3	<b>AAWS OGD 84 ( ) ( )</b>	2,641.	2,735.	3,140.	4,082.
	15"	90"	18 1/4"	6/3	<b>AAWS OGD 90 ( ) ( )</b>	2,720.	2,817.	3,235.	4,205.
	15"	96"	18 1/4"	6/3	<b>AAWS OGD 96 ( ) ( )</b>	2,801.	2,902.	3,332.	4,331.

Order Code	Specification Information	Application
Example: <b>AAWS OBD 24 L 118 AA</b> <b>A</b> AutoStrada <b>AAWS</b> Applied wall system <b>OBD</b> Hinged door binder depth overhead <b>24</b> Width <b>L</b> Lock <b>118</b> Case & matching door finish <b>AA</b> Trim finish	See finish page for laminate and veneer finish codes.  Trim finish is AA only.	Hinged door overhead cabinets include continuous mounting extrusion that engages into top or intermediate channel at any point. Overhead cabinets also include anti-dislodgement brackets that engage into intermediate channel below cabinet. Overhead cabinets normally mount between 54" and 69" above the floor.
		Overhead cabinets are binder height.

# Overhead storage mounting kits

## Adapters for Reuter and wall-attached wood overheads

description	type	w	pattern no.	P	aluminum
Reuter overhead storage downmount kit	Applied Wall		<b>AAWS RO MK ( )</b>	\$155.	



Adapter kit for wood overhead storage				
	18"	16 1/2"	<b>AAWS WOMK 18 ( )</b>	74.
	24"	22 1/2"	<b>AAWS WOMK 24 ( )</b>	79.
	30"	28 1/2"	<b>AAWS WOMK 30 ( )</b>	83.
	36"	34 1/2"	<b>AAWS WOMK 36 ( )</b>	88.
	42"	40 1/2"	<b>AAWS WOMK 42 ( )</b>	92.
	48"	46 1/2"	<b>AAWS WOMK 48 ( )</b>	97.
	54"	52 1/2"	<b>AAWS WOMK 54 ( )</b>	101.
	60"	58 1/2"	<b>AAWS WOMK 60 ( )</b>	106.
	66"	64 1/2"	<b>AAWS WOMK 66 ( )</b>	110.
	72"	70 1/2"	<b>AAWS WOMK 72 ( )</b>	125.
	78"	76 1/2"	<b>AAWS WOMK 78 ( )</b>	132.
	84"	82 1/2"	<b>AAWS WOMK 84 ( )</b>	137.
90"	88 1/2"	<b>AAWS WOMK 90 ( )</b>	141.	
96"	94 1/2"	<b>AAWS WOMK 96 ( )</b>	146.	

Order Code	
Example: <b>AAWS WOMK 18 AA</b>	
<b>A</b>	AutoStrada
<b>AWS</b>	Applied wall system
<b>WOMK</b>	Wall mount bracket kit
<b>18</b>	Width
<b>AA</b>	Finish

**Specification Information**

AA - Anodized Aluminum only.

For Reuter overhead downmount brackets - see finish page for painted finish code options.



**Application**

Reuter overhead storage downmount kit adapts Reuter flat front or curved front cabinets to attach to top or intermediate channel. Kit includes two anti-dislodgement brackets that engage into intermediate channel below the cabinet.

Adapter kit for wood overhead storage converts AutoStrada wall-attached single-high overhead cabinets to mount on the applied wall system.

# Power and wire management





## Cable trays and worksurface supports

description	application	h	w	d	pattern no.	list	aluminum
		2 1/4"	24"	1 3/4"	<b>AAWS CT24 ( )</b>		\$60.
		2 1/4"	30"	1 3/4"	<b>AAWS CT30 ( )</b>		65.
		2 1/4"	36"	1 3/4"	<b>AAWS CT36 ( )</b>		75.
		2 1/4"	42"	1 3/4"	<b>AAWS CT42 ( )</b>		85.
		2 1/4"	48"	1 3/4"	<b>AAWS CT48 ( )</b>		95.
		2 1/4"	54"	1 3/4"	<b>AAWS CT54 ( )</b>		110.
		2 1/4"	60"	1 3/4"	<b>AAWS CT60 ( )</b>		115.
		2 1/4"	66"	1 3/4"	<b>AAWS CT66 ( )</b>		120.
	2 1/4"	72"	1 3/4"	<b>AAWS CT72 ( )</b>		125.	
	28 3/8" H worksurface	3"	2"		<b>AAWS BE27 ( )</b>	100.	
	29 5/8" H worksurface	4"	2"		<b>AAWS BE28 ( )</b>	100.	

Order Code	Specification Information	Application
<p>Example: <b>AAWS CT18 AA</b></p> <p><b>A</b> AutoStrada</p> <p><b>AWS</b> Applied Wall System</p> <p><b>CT</b> Cable tray</p> <p><b>18</b> Width</p> <p><b>AA</b> Finish</p>	<p>Cable trays are available in AA - Anodized Aluminum only.</p> <p>End support brackets are available in all standard paint finishes.</p>	<p>Cable trays mount anywhere along any intermediate channel, and are typically installed below worksurface height in the channel 24" above the floor.</p> <p>When combined with recess cover above cable tray is effectively expanded from 1 3/4" to 2 1/2" deep.</p> <p>End support brackets include a flat base plate to engage into a slot in the base of the cable tray.</p>
		<p>End support brackets also directly engage into intermediate channel at 24" above floor to support back edge or one end of worksurface.</p>

# Power and wire management

## Surface mounted plugmold raceway

description	h	w	d	pattern no.	aluminum
Plugmold, single circuit ( 3 wire, grey outlets ) 	1 1/2"	60"	1 1/8"	<b>AAWS RPM1 05 ( )</b>	\$360.
Plugmold, two circuits ( 4 wire, grey outlets shared neutral and ground ) 	1 1/2"	60"	1 1/8"	<b>AAWS RPM2 05 ( )</b>	450.
Plugmold, isolated ( 6 wire, gray + orange outlets independent neutral and ground ) 	1 1/2"	60"	1 1/8"	<b>AAWS RPM2I 05 ( )</b>	450.
Plugstrip, two circuits ( 4 wire, grey + orange outlets shared neutral and ground ) 	1 1/2"	24"	1 1/8"	<b>AAWS RPM2 02 ( )</b>	220.

### Order Code

<b>Example:</b>	<b>AAWS RPM1 03 AA</b>
<b>A</b>	AutoStrada
<b>AWS</b>	Applied Wall System
<b>RPM1</b>	Plugmold raceway, one circuit
<b>03</b>	36" width
<b>AA</b>	Finish, Aluminum

### Specification Information

AA - Aluminum only available finish.

Plugmold is 60" wide with outlets every 6" ( ten simplex outlets total ).

Plugstrip is 24" wide with outlets every 3" ( eight outlets total ).


### Application

Plugmold is surface mounted raceway for one or two circuits. Plugmold includes ten simplex outlets, anodized aluminum covers and end caps. Plugmold may be linked or trimmed to length on site.

Plugstrip includes eight simplex outlets.

Plugstrip mounts to 30" or wider recess cover.

Power supply must be made by an electrical contractor, including hardwire connection from junction box in building to back side of plugmold raceway. Typically contractor punches a hole for connection through a recess cover positioned just above a junction box in the building wall.



description	h	w	d	pattern no.	aluminum
	3/4"	24"	2 1/2"	<b>AAWS MT24 ( )</b>	\$55.
	3/4"	30"	2 1/2"	<b>AAWS MT30 ( )</b>	60.
	3/4"	36"	2 1/2"	<b>AAWS MT36 ( )</b>	65.
	3/4"	42"	2 1/2"	<b>AAWS MT42 ( )</b>	70.
	3/4"	48"	2 1/2"	<b>AAWS MT48 ( )</b>	75.
	3/4"	54"	2 1/2"	<b>AAWS MT54 ( )</b>	95.
	3/4"	60"	2 1/2"	<b>AAWS MT60 ( )</b>	100.
	3/4"	66"	2 1/2"	<b>AAWS MT66 ( )</b>	105.
	3/4"	72"	2 1/2"	<b>AAWS MT72 ( )</b>	110.
Easel pad holder				<b>AAWS EASEL</b>	85.
Picture hook				<b>AAWS PH</b>	*
Coat hook				<b>AAWS CH</b>	*
Wire manager clips (10/pk )	3/4"	3/8"	3/4"	<b>AAWS WMC</b>	12.
Cable grommet (10/pk)	1 1/4"		1 1/4"	<b>AAWS CG</b>	10.

Order Code	Specification Information	Application Notes
Example: <b>AAWS MT24 AA</b>	AA - anodized aluminum only.	<p>Applied wall system accessories include integral bracket detail that engages into top or intermediate channels at any point.</p> <p>Wire manager clips may me used for horizontal or vertical wire managment of lamp cords on the face of the applide wall.</p> <p>Cable grommet is 1 1/4" diameter trim ring for 1" diameter hole which may be punched in recess covers to route data/communications cables from inside of applied wall to the surface.</p>
<b>A</b> AutoStrada		
<b>AWS</b> Applied wall system		
<b>MT</b> Markder tray		
<b>24</b> Width		
<b>AA</b> Finish		





\* Consult your Knoll Representative for pricing and availability.

# Service wall frames

## Standard and compact crown




description	type	w	d	h	pattern number	black	list
 Wall frame, standard crown	39"H	48"	5"	43"	<b>APF1 3948</b>	\$414.	
		60"	5"	43"	<b>APF1 3960</b>	476.	
		72"	5"	43"	<b>APF1 3972</b>	590.	
	48"H	48"	5"	52"	<b>APF1 4848</b>	456.	
		60"	5"	52"	<b>APF1 4860</b>	522.	
		72"	5"	52"	<b>APF1 4872</b>	651.	
	64"H	48"	5"	68"	<b>APF1 6448</b>	543.	
		60"	5"	68"	<b>APF1 6460</b>	621.	
		72"	5"	68"	<b>APF1 6472</b>	777.	
 Wall frame, compact crown	39"H	48"	5"	40"	<b>APFA1 3948</b>	331.	
		60"	5"	40"	<b>APFA1 3960</b>	381.	
		72"	5"	40"	<b>APFA1 3972</b>	471.	
	48"H	48"	5"	49"	<b>APFA1 4848</b>	364.	
		60"	5"	49"	<b>APFA1 4860</b>	417.	
		72"	5"	49"	<b>APFA1 4872</b>	521.	
	64"H	48"	5"	65"	<b>APFA1 6448</b>	435.	
		60"	5"	65"	<b>APFA1 6460</b>	496.	
		72"	5"	65"	<b>APFA1 6472</b>	621.	
Acoustical inserts	39"H		2"	34"	<b>APA 39</b>		21.
	48"H		2"	43"	<b>APA 48</b>		25.
	64"H		2"	59"	<b>APA 64</b>		34.

Order Code	Specification Information	Application
Example: <b>APFA1 3948</b>	Wall frame pattern numbers begin with APF (standard crown) and APFA (compact crown) prefixes.	Service wall frames are the structural component of spine-based planning. Specify frames in any combination of widths to create the overall wall length required.
APF Spine frame		Frames include vertical studs every 12" on center, with cover mounting clips and cable manager inserts on both sides. Frames also include 4"H or 1" top crown with continuous channel for add-up panels. Standard crown frames include shaped crowns for upmounting shelves and overhead storage cabinets, canopy lighting, or awnings at any point. Compact crown frames feature a slim profile crown with downmounting capability only.
A compact crown		Crown is bored to accept stackable add-up panels at 3" increments.
1 Generation	<i>Specify:</i>	Wall frames include two levelling feet with 2" travel, 12" from each side edge.
39 Height	<i>Fifth position: height</i>	Acoustical inserts fit between studs in service wall frame to increase control of sound transmission. Inserts are bagged in heights corresponding to wall frame. Specify four inserts for 48"W frame, five for 60"W frame, and six for 72"W frame. Service walls with acoustical inserts have been tested to STC 33. Inserts do not affect the NRC rating of the wall which is .40.
48 Width	39 39"H 48 48"H 64 64"H	Specify crown covers, raceway covers, structural base covers, and wall covers for each face of frame, and specify power components separately.
	<i>Seventh position: width</i>	
	48 48"W 60 60"W 72 72"W	
	All wall frames include 3" diameter, 2" levelling glides and one set of connectors to adjacent frame or wall connector. Frames are black painted finish.	

description	type	w	d	h	pattern number	paint	list	anodized alum
Crown covers (pair)	standard 	48"	5"	4"	<b>APT 48 ( )</b>	\$26.		
		60"	5"	4"	<b>APT 60 ( )</b>	31.		
		72"	5"	4"	<b>APT 72 ( )</b>	35.		
		(specify painted finish)						
compact crown, integral color 	48"	5"	1"	<b>APTA 48 ( )</b>			40.	
	60"	5"	1"	<b>APTA 60 ( )</b>			48.	
	72"	5"	1"	<b>APTA 72 ( )</b>			82.	
flat, low profile 	48"	5"	1"	<b>APTL 48 ( )</b>				62.
	60"	5"	1"	<b>APTL 60 ( )</b>				78.
	72"	5"	1"	<b>APTL 72 ( )</b>				94.
	96"	5"	1"	<b>APTL 96 ( )</b>				125.
	120"	5"	1"	<b>APTL 120 ( )</b>				156.
(finish default AA, anodized aluminum)								
flat, high profile 	48"	5"	1 1/4"	<b>APTH 48 ( )</b>				62.
	60"	5"	1 1/4"	<b>APTH 60 ( )</b>				78.
	72"	5"	1 1/4"	<b>APTH 72 ( )</b>				94.
	96"	5"	1 1/4"	<b>APTH 96 ( )</b>				125.
	120"	5"	1 1/4"	<b>APTH 120 ( )</b>				156.
(finish default AA, anodized aluminum)								

Order Code	Specification Information	Application
Example: <b>APRA 480 AA</b>		
<b>APR A</b> Base trim	Wall crown pattern numbers begin with APT- (standard) and APTA- (compact) prefix, then frame width.	Crown, base trim, and structural base covers are required for every wall frame in corresponding widths. Covers are specified in pairs to cover both sides of a frame.
<b>48</b> Width	Standard crown covers are available in painted finish. Please specify painted finish from paint options listed on page 5.	
<b>0</b> Outlet openings	Compact crown covers are available in Integral light grey (812 Easy grey) or dark grey (813 Trim grey) plastic.	Crown top caps are optional fillers for the crown where no add-up panels are planned. Standard crown end caps are included with all connectors. Compact crown end caps can be ordered separately in kits of 10.
<b>AA</b> Finish	Flat crown covers are available in clear anodized aluminum only.	Flat crown end caps in corresponding low or high profile are ordered separately as individual units.
	Base trim covers begin with APRA- prefix, then frame width. Base trim covers are aluminum with clear anodized finish.	Flat crown end caps are required for all connectors except flat ends.



description	type	w	d	h	pattern number	paint	list	anodized alum
	no outlets			2 1/2"	<b>APRA 480 ( )</b>			\$114.
				2 1/2"	<b>APRA 600 ( )</b>			137.
				2 1/2"	<b>APRA 720 ( )</b>			164.
	integral color only, plastic	24"	2"	–	<b>APT C24 ( )</b>		8.	
		36"	2"	–	<b>APT C36 ( )</b>		12.	
		48"	2"	–	<b>APT C48 ( )</b>		20.	
		60"	2"	–	<b>APT C60 ( )</b>		23.	
		72"	2"	–	<b>APT C72 ( )</b>		27.	
	default finish AA, anodized aluminum	24"	2"	–	<b>APTA C24 ( )</b>			21.
		36"	2"	–	<b>APTA C36 ( )</b>			26.
		48"	2"	–	<b>APTA C48 ( )</b>			31.
		60"	2"	–	<b>APTA C60 ( )</b>			36.
		72"	2"	–	<b>APTA C72 ( )</b>			42.
Crown end cap	standard (replacement part)				<b>APT ( )</b>		5.	
	compact (kit of 10)				<b>APTA CC ( )</b>		85.	
Crown end cap, metal	flat, low profile				<b>APTL ( )</b>		26.	
	flat, high profile				<b>APTH ( )</b>		26.	


Order Code	Specification Information	Application
Example: <b>APRA 480 AA</b> <b>APR A</b> Base trim <b>48</b> Width <b>0</b> Outlet openings <b>AA</b> Finish	Wall crown pattern numbers begin with APT- (standard) and APTA- (compact) prefix, then frame width.  Standard crown covers are available in painted finish. Please specify painted finish from paint options listed on page 5.  Compact crown covers are available in Integral light grey (812 Easy grey) or dark grey (813 Trim grey) plastic.  Flat crown covers are available in clear anodized aluminum only.  Base trim covers begin with APRA- prefix, then frame width. Base trim covers are aluminum with clear anodized finish.	Crown, base trim, and structural base covers are required for every wall frame in corresponding widths. Covers are specified in pairs to cover both sides of a frame.  Crown top caps are optional fillers for the crown where no add-up panels are planned. Standard crown end caps are included with all connectors. Compact crown end caps can be ordered separately in kits of 10.  Flat crown covers in high profile are designed for 48" h spine to align with attached AutoStrada 49" h panels. In all other applications, specify low profile crown covers.  Flat crown end caps in corresponding low or high profile are ordered separately as individual units.  Flat crown end caps are required for all connectors except flat ends.

# Structural base cover kits

## *Painted steel surface (pair)*

AutoStrada

description	type	width	depth	height	pattern number	paint
Structural base covers (pair)	painted steel	48"	1"	16"	<b>APCA AZ48S( )</b>	\$211.
		60"	1"	16"	<b>APCA AZ60S( )</b>	246.
		72"	1"	16"	<b>APCA AZ72S( )</b>	289.



### Order Code

Example:	<b>APCA AZ48S 118</b>
<b>APCA</b>	Autostrada wall cover
<b>AZ</b>	Attachment zone
<b>48</b>	Width
<b>S</b>	Steel
<b>118</b>	Finish

### Specification Information

Structural base cover kit pattern numbers begin with APCA AZ prefix, then cover width.

*Starting at tenth position specify paint finish*

*Please specify painted finish for structural base covers from paint options listed on page 5.*

### Application Notes


Structural base covers are required for every wall frame in corresponding widths. Covers are specified in pairs to cover both sides of a frame.

Structural base covers bolt to each side of the wall frame up to 21"H for structure and continuous attachment capability.

# Structural base cover kits

## Veneer and laminate surface (pair)

description	type	width	depth	height	pattern number	L	V1	V2	V3
Structural base covers (pair)	anodized aluminum trim	48"	1"	16"	<b>APCA AZ48 ( )</b>	\$628.	\$673.	\$730.	\$994.
		60"	1"	16"	<b>APCA AZ60 ( )</b>	692.	735.	804.	1,124.
		72"	1"	16"	<b>APCA AZ72 ( )</b>	721.	752.	843.	1,224.



### Order Code

Example:	<b>APCA AZ48 V312</b>
<b>APCA</b>	AutoStrada wall cover
<b>AZ</b>	Attachment zone
<b>48</b>	Width
<b>V312</b>	Finish

### Specification Information

Structural base cover kit pattern numbers begin with APCA AZ prefix, then cover width.

*Starting at ninth position specify laminate, veneer or techwood finish*

Laminate and veneer covers have an anodized aluminum trim at the top and bottom of each cover.

*Please specify laminate, V1, V2 or V3 finish from finish options listed on page 5.*




### Application Notes

Structural base covers are required for every wall frame in corresponding widths. Covers are specified in pairs to cover both sides of a frame.

Structural base covers bolt to each side of the wall frame up to 21"H for structure and continuous attachment capability.

# Access covers

## Slatwall, cable tray and outlets covers

description	height	depth	width	pattern number	list	textured
9"H cable tray covers 	9"	1"	12"	<b>APCA 0912 C ( )</b>	\$61.	
		1"	24"	<b>APCA 0924 C ( )</b>	74.	
		1"	36"	<b>APCA 0936 C ( )</b>	85.	
		1"	48"	<b>APCA 0948 C ( )</b>	111.	
		1"	60"	<b>APCA 0960 C ( )</b>	142.	
		1"	72"	<b>APCA 0972 C ( )</b>	172.	
9"H slatwall covers 	9"	1"	12"	<b>APCA 0912 S ( )</b>	54.	
		1"	24"	<b>APCA 0924 S ( )</b>	63.	
		1"	36"	<b>APCA 0936 S ( )</b>	75.	
		1"	48"	<b>APCA 0948 S ( )</b>	97.	
		1"	60"	<b>APCA 0960 S ( )</b>	124.	
		1"	72"	<b>APCA 0972 S ( )</b>	150.	
Outlets cover 	9"	1"	12"	<b>APCA OC ( )</b>		54.

### Order Code

Example:	<b>APCA 0948C</b>
<b>APCA</b>	Autostrada wall cover
<b>09</b>	Height
<b>48</b>	Width
<b>C</b>	Type

### Specification Information

Cable tray and slatwall covers are aluminum with an anodized finish.

Outlets covers are painted plastic with anodized aluminum extrusion on the top and bottom.

*Please specify painted finish for outlets cover face from paint options listed on page 5.*

### Application Notes

Cable tray mounts from 21" - 30" only on any panel frame. Adjacent trays form continuous, easily accessible cable management at worksurface or table height. Shorter segments provide local cable management below outlet modules. Covers may span across a straight wall frame connection.

Bottom half of cable tray cover permits cables to be managed on surface of studs with one cable holder (55 CAT5 cables) or two clips (28 cables).

Slatwall supports KnollExtra task lights, monitor arms, paper trays, file holders and other accessories.

Locate outlets covers on wall frames before specifying other wall covers.

Outlets cover mounts between 21" and 30" (below standard desk height), 30" - 39" (above desk height) or 39" - 48" on spine wall frame.


Outlets cover is 12" wide, and mounts anywhere on wall frame between 21" and 48" above the floor. Outlets cover corresponds to power components (specified separately) mounted on wall frame.

Outlets covers have four openings for power or PDC outlets. Specify outlet fillers for unused outlet openings in cover.


# Access covers

## Hardwire outlets and covers

description	height	depth	width	pattern number	list	smooth	textured
Hardwire outlets cover	9"	1"	12"	<b>APC HOC ( )</b>		\$34.	\$38.




Hardwire outlet box, desk height				<b>AR1 HOB</b>	153.		
				<b>AR1 HOB2</b>	202.		



Order Code	Specification Information	Application Notes
Example: <b>APCA HOC 613</b>	<p>Hardwire outlets covers are painted steel with anodized aluminum extrusion top and bottom.</p> <p><i>Please specify painted finish for outlets cover face from paint options listed on page 5.</i></p>	<p>For hardwire power applications (required in City of Chicago) specify hardwire outlets cover and hardwire outlets box, instead of standard outlets covers and modular power components. Do not specify cable tray covers at same level as hardwire power.</p> <p>Hardwire outlets cover mounts between 21" and 30" (below standard desk height) or 30" - 39" (above desk height) on spine frame.</p> <p>Outlets covers have four openings for power or PDC outlets. Specify outlet fillers for unused outlet openings in cover.</p>
<b>APCA</b> AutoStrada wall cover		
<b>H</b> Hardwire		
<b>OC</b> Outlets cover		
<b>613</b> Finish		<p>Hardwire outlet box accepts two Decora-style duplex outlets, and includes mounting brackets for one face of wall between 21" and 48"H. Two quad hardwire outlet box accepts four duplex outlets on one face.</p> <p>Outlet boxes include openings to permit continuous lay-in wiring with Wiremold® raceway. Electrical contractor supplies infeed cable, Wiremold 2400®, and duplex outlets. Outlet boxes can be planned back to back, with distribution on one side of service wall. Wiremold will not fit behind cable tray covers.</p>


# Access covers

## Integral shelf

description	height	width of shelf	pattern number	L	V1	V2	V3
Integral shelf covers 	9"	21"	<b>APSA 0921</b> ( )	\$521.	\$545.	\$556.	\$593.
		24"	<b>APSA 0924</b> ( )	521.	545.	556.	593.
		33"	<b>APSA 0933</b> ( )	589.	613.	625.	676.
		36"	<b>APSA 0936</b> ( )	589.	613.	625.	676.
		45"	<b>APSA 0945</b> ( )	633.	657.	673.	737.
		48"	<b>APSA 0948</b> ( )	633.	657.	673.	737.
		57"	<b>APSA 0957</b> ( )	700.	724.	740.	818.
		60"	<b>APSA 0960</b> ( )	700.	724.	740.	818.
		69"	<b>APSA 0969</b> ( )	752.	776.	794.	886.
	72"	<b>APSA 0972</b> ( )	752.	776.	794.	886.	
	16"	21"	<b>APSA 1621</b> ( )	531.	555.	569.	631.
		24"	<b>APSA 1624</b> ( )	531.	555.	569.	631.
		33"	<b>APSA 1633</b> ( )	599.	623.	642.	728.
		36"	<b>APSA 1636</b> ( )	599.	623.	642.	728.
		45"	<b>APSA 1645</b> ( )	650.	674.	696.	807.
		48"	<b>APSA 1648</b> ( )	650.	674.	696.	807.
		57"	<b>APSA 1657</b> ( )	721.	745.	770.	905.
		60"	<b>APSA 1660</b> ( )	721.	745.	770.	905.
		69"	<b>APSA 1669</b> ( )	775.	799.	828.	988.
72"		<b>APSA 1672</b> ( )	775.	799.	828.	988.	

Order Code	Specification Information	Application Notes
Example: <b>APSA 0948 118</b>		
<b>APSA</b> Autostrada integral shelf cover	Please specify laminate, V1, V2 or V3 finish for spine wall cover from finish options listed on page 5.	Service wall covers enclose frames between 21"H and the top crown. Covers may be specified in any combination of widths corresponding to the total wall length. Covers may span across a straight wall frame connection.
<b>09</b> Height	Shelf is extruded aluminum with an anodized finish.	
<b>48</b> Width		
<b>118</b> Finish		The integral shelf cover features a full width 8" deep display shelf crafted in anodized aluminum. The cover is also available with a shelf that is 3" less wide to accommodate a panel connected to the spine wall.

Access covers  
Laminate, marker and veneer

description	height	width	pattern number	L	V1	V2	V3
Access covers 	9"	12"	<b>APCA 0912 ( )</b>	\$207.	\$232.	\$241.	\$268.
		24"	<b>APCA 0924 ( )</b>	219.	243.	256.	305.
		36"	<b>APCA 0936 ( )</b>	242.	265.	282.	349.
		48"	<b>APCA 0948 ( )</b>	251.	274.	294.	379.
		60"	<b>APCA 0960 ( )</b>	271.	294.	318.	422.
		72"	<b>APCA 0972 ( )</b>	285.	308.	334.	457.
	16"	12"	<b>APCA 1612 ( )</b>	212.	237.	250.	296.
		24"	<b>APCA 1624 ( )</b>	229.	253.	271.	353.
		36"	<b>APCA 1636 ( )</b>	254.	277.	301.	414.
		48"	<b>APCA 1648 ( )</b>	268.	290.	319.	465.
		60"	<b>APCA 1660 ( )</b>	295.	316.	352.	529.
		72"	<b>APCA 1672 ( )</b>	312.	331.	373.	583.
	18"	12"	<b>APCA 1812 ( )</b>	214.	238.	251.	304.
		24"	<b>APCA 1824 ( )</b>	233.	255.	275.	366.
		36"	<b>APCA 1836 ( )</b>	258.	280.	306.	434.
		48"	<b>APCA 1848 ( )</b>	275.	295.	328.	491.
		60"	<b>APCA 1860 ( )</b>	301.	320.	360.	560.
		72"	<b>APCA 1872 ( )</b>	319.	341.	386.	622.
	27"	12"	<b>APCA 2712 ( )</b>	222.	248.	263.	341.
		24"	<b>APCA 2724 ( )</b>	245.	270.	295.	428.
		36"	<b>APCA 2736 ( )</b>	281.	304.	340.	525.
48"		<b>APCA 2748 ( )</b>	300.	321.	364.	604.	
60"		<b>APCA 2760 ( )</b>	335.	354.	407.	701.	
72"		<b>APCA 2772 ( )</b>	358.	375.	438.	786.	

Spine and linkable screens

**Order Code**

Example:	<b>APCA 0948 V312</b>
<b>APCA</b>	Autostrada wall cover
<b>09</b>	Height
<b>48</b>	Width
<b>V312</b>	Finish

**Specification Information**

Please specify laminate, V1, V2 or V3 finish for access covers from finish options listed on page 5.

Specify finish code: LW for markerboard surface.


**Application Notes**

Service wall covers enclose frames between 21"H and the top crown. Covers may be specified in any combination of widths corresponding to the total wall length. Covers may span across a straight wall frame connection.

For active surfaces with access to cables and power/data/communications outlets, specify 9" and 16"H segmented covers as described in Specification Information.

# Access covers

## Tackable upholstered





description	height	depth	width	pattern number	10	15	20	30	35	40	45	50	55
Access covers 	9"	1"	12"	<b>APCA 0912 A ( )</b>	\$83.	\$84.	\$85.	\$88.	\$90.	\$94.	\$96.	\$99.	\$106.
		1"	24"	<b>APCA 0924 A ( )</b>	100.	102.	103.	106.	108.	110.	111.	114.	124.
		1"	36"	<b>APCA 0936 A ( )</b>	111.	113.	114.	118.	120.	123.	124.	127.	134.
		1"	48"	<b>APCA 0948 A ( )</b>	126.	128.	129.	131.	134.	136.	137.	140.	148.
		1"	60"	<b>APCA 0960 A ( )</b>	136.	138.	139.	142.	145.	148.	150.	152.	160.
		1"	72"	<b>APCA 0972 A ( )</b>	n/a	151.	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	16"	1"	12"	<b>APCA 1612 A ( )</b>	96.	100.	102.	107.	112.	116.	119.	126.	141.
		1"	24"	<b>APCA 1624 A ( )</b>	113.	118.	119.	126.	131.	135.	137.	144.	160.
		1"	36"	<b>APCA 1636 A ( )</b>	127.	131.	133.	138.	144.	148.	151.	157.	173.
		1"	48"	<b>APCA 1648 A ( )</b>	141.	146.	147.	154.	159.	163.	165.	172.	188.
		1"	60"	<b>APCA 1660 A ( )</b>	155.	159.	160.	166.	171.	177.	179.	185.	201.
		1"	72"	<b>APCA 1672 A ( )</b>	n/a	172.	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	18"	1"	12"	<b>APCA 1812 A ( )</b>	98.	101.	103.	109.	113.	119.	121.	128.	144.
		1"	24"	<b>APCA 1824 A ( )</b>	115.	119.	121.	128.	133.	137.	139.	146.	162.
		1"	36"	<b>APCA 1836 A ( )</b>	129.	133.	135.	140.	146.	151.	153.	159.	175.
		1"	48"	<b>APCA 1848 A ( )</b>	158.	161.	163.	170.	174.	180.	181.	188.	205.
		1"	60"	<b>APCA 1860 A ( )</b>	158.	161.	163.	170.	174.	180.	181.	188.	205.
		1"	72"	<b>APCA 1872 A ( )</b>	n/a	175.	n/a	n/a	n/a	n/a	n/a	n/a	n/a
27"	1"	12"	<b>APCA 2712 A ( )</b>	110.	116.	119.	129.	136.	142.	146.	156.	180.	
	1"	24"	<b>APCA 2724 A ( )</b>	130.	136.	139.	148.	156.	163.	165.	175.	200.	
	1"	36"	<b>APCA 2736 A ( )</b>	145.	152.	155.	163.	171.	179.	181.	190.	215.	
	1"	48"	<b>APCA 2748 A ( )</b>	162.	168.	172.	181.	188.	194.	198.	208.	232.	
	1"	60"	<b>APCA 2760 A ( )</b>	178.	184.	186.	196.	204.	210.	213.	223.	246.	
	1"	72"	<b>APCA 2772 A ( )</b>	n/a	198.	n/a	n/a	n/a	n/a	n/a	n/a	n/a	

Order Code	Specification Information	Application Notes
Example: <b>APCA 0948 W210</b> <b>APCA</b> Autostrada wall cover <b>09</b> Height <b>48</b> Width <b>A</b> Surface type <b>W210</b> Fabric	<p>For active face of 39"H frame, specify two 9"H covers. For passive face (along corridor or wall) specify one 18" cover.</p> <p>For active face of 48"H frame, specify three 9"H covers or one 9"H and one 18"H cover. For passive face, specify 27"H cover.</p> <p>For active face of 64"H frame, specify three 9"H covers and one 16"H cover or one 9"H, one 18"H, and one 16"H cover. For passive face, specify one 27" and one 16"H cover.</p> <p>For full fabric surface between 5" and 21", order upholstered attachment zone cover.</p> <p><i>Surface type:</i>                      A tackable upholstered</p>	<p>Tackable upholstered service wall covers enclose wall frames between 21" and the top crown. Covers incorporate a tackable, acoustical core in the same outward profile as other upholstered covers.</p> <p>Specify widths corresponding to wall frame width, or in any 12" increment to accommodate 12"W outlets covers or slatwall covers. Covers may span across a straight wall frame connection.</p> <p>For active surfaces with access to cables and power/data/communications outlets, specify 9" and 16"H segmented covers as described in Specification Information.</p> <p>For passive wall surfaces (corridors or conference areas) specify 18"H or 27"H covers in place of two or three 9"H covers.</p> <p>18"H covers may also be specified above 9"H covers including outlets covers below desk height on 48" or 64"H service walls.</p> <p>Service wall with upholstered tackable covers has been tested to NRC .40 and STC 22.</p> <p>When ordering 60" or wider covers, please check width of fabric specified.</p>



# Spine ends and connectors

## Flat ends

description	type	height	depth	pattern no.	paint
Flat end	standard crown 	39"	5"	<b>AX1A F39 ( ) ( )</b>	\$80.
		48"	5"	<b>AX1A F48 ( ) ( )</b>	92.
		64"	5"	<b>AX1A F64 ( ) ( )</b>	102.
	compact crown 	39"	5"	<b>AX1A C39 ( )</b>	80.
		48"	5"	<b>AX1A C48 ( )</b>	92.
		64"	5"	<b>AX1A C64 ( )</b>	102.
	low profile flat crown 	39"	5"	<b>AX1A EL39 ( )</b>	80.
		48"	5"	<b>AX1A EL48 ( )</b>	92.
		64"	5"	<b>AX1A EL64 ( )</b>	100.
high profile flat crown 	39"	5"	<b>AX1A EH39 ( )</b>	80.	
	48"	5"	<b>AX1A EH48 ( )</b>	92.	
	64"	5"	<b>AX1A EH64 ( )</b>	100.	

### Order Code

Example:	<b>AX1A C48 118</b>
<b>AX1A</b>	AutoStrada connector
<b>C</b>	Type
<b>48</b>	Height
<b>118</b>	vertical cover finish

### Specification Information

For flat ends specify:

*Starting seventh position:*  
painted finish for outside trim cover and raceway cover

*Starting eleventh position:*  
painted finish for crown end cap

Please specify painted finishes from paint finish options listed on page 5.

### Application Notes





Flat end finishes end of corresponding height spine when end of wall is supported by outriggers or perpendicular screens or panels. Flat ends include end cover for compact crown or standard crown, as specified.

High-low straight connectors join service wall of different heights in a straight line.

Straight connector is replacement hardware kit to join Currents wall frames of the same height end to end. Kit includes four barrel-shape connectors and hardware.

# Spine ends and connectors

## Corner, T, X, V and Y connections


description	type	height	width	depth	pattern number	list
90° connector	T connector 	39"	6"	7"	<b>AX1A T39</b> ( ) ( )	\$254.
		48"	6"	7"	<b>AX1A T48</b> ( ) ( )	304.
		64"	6"	7"	<b>AX1A T64</b> ( ) ( )	356.
	X connector 	39"	7"	7"	<b>AX1A X39</b> ( )	254.
		48"	7"	7"	<b>AX1A X48</b> ( )	278.
		64"	7"	7"	<b>AX1A X64</b> ( )	304.
	L connector	39"	6"	6"	<b>AX1A L39</b> ( ) ( )	254.
		48"	6"	6"	<b>AX1A L48</b> ( ) ( )	304.
		64"	6"	6"	<b>AX1A L64</b> ( ) ( )	356.
120° connector	V connector 	39"	5 1/2"	5 1/2"	<b>AX1A V39</b> ( ) ( )	254.
		48"	5 1/2"	5 1/2"	<b>AX1A V48</b> ( ) ( )	304.
		64"	5 1/2"	5 1/2"	<b>AX1A V64</b> ( ) ( )	356.
	Y connector 	39"	6 1/2"	5 1/2"	<b>AX1A Y39</b> ( ) ( )	254.
		48"	6 1/2"	5 1/2"	<b>AX1A Y48</b> ( ) ( )	304.

Order Code	Specification Information	Application Notes
Example: <b>AX1A L48 118</b>	<p>For L, T, V and Y connectors specify:</p> <p><i>Seventh position:</i> painted finish for vertical trim cover and raceway cover</p> <p><i>Eighth position, and X connectors:</i> painted finish for top cap and standard crown end caps</p> <p>Please specify painted finish as applicable from paint options listed on page 5.</p>	<p>L, T, and X connectors join spines frames at 90° angles and include vertical trim covers, top cap and standard crown end caps, and one spare set of straight connectors.</p> <p>When ordering connectors for the spine frame with compact crown, specify crown end caps separately.</p>
<b>AX1A</b> AutoStrada connector		
<b>L</b> Type		
<b>48</b> Height		
<b>118</b> vertical cover finish		
		<p>V and Y connectors join spine frames at 120° angles and include vertical trim covers, topcap and standard crown end caps.</p>

# Spine ends and connectors

## Corner, T, X, V and Y connections



description	type	height	width	depth	pattern number	list
120° connector	Y connector	64"	6½"	5½"	<b>AX1A Y64 ( ) ( )</b>	\$356.



Order Code	Specification Information	Application Notes
Example: <b>AX1A L48 118</b>	For L, T, V and Y connectors specify:	L, T, and X connectors join spine frames at 90° angles and include vertical trim covers, top cap and standard crown end caps, and one spare set of straight connectors.
<b>AX1A</b> AutoStrada connector	<i>Seventh position:</i> painted finish for vertical trim cover and raceway cover	V and Y connectors join spine frames at 120° angles and include vertical trim covers, topcap and standard crown end caps.
<b>L</b> Type	<i>Eighth position, and X connectors:</i> painted finish for top cap and standard crown end caps	When ordering connectors for the spine frame with compact crown, specify crown end caps separately.
<b>48</b> Height	Please specify painted finish as applicable from paint options listed on page 5.	
<b>118</b> vertical cover finish		

# Spine ends and connectors


## Stabilizer cabinet, outriggers and spine starters

description	type	height	width	depth	pattern number	list
Outrigger 	deep	21"	3"	15"	<b>AA1ORD( )</b>	\$141.
	standard	21"	3"	8"	<b>AA1OR( )</b>	102.
Stabilizer end cabinet 	no lock	39"		19"	<b>AX1 STC39 3 ( ) ( )</b>	1,217.
		48"		19"	<b>AX1 STC48 3 ( ) ( )</b>	1,319.
		64"		19"	<b>AX1 STC64 3 ( ) ( )</b>	1,520.
	with lock	39"		19"	<b>AX1 STC39 L3 ( ) ( )</b>	1,371.
		48"		19"	<b>AX1 STC48 L3 ( ) ( )</b>	1,471.
		64"		19"	<b>AX1 STC64 L3 ( ) ( )</b>	1,674.
Service wall starter	39"	39"		2"	<b>AX1 SWS39 ( )</b>	79.
	48"	48"		2"	<b>AX1 SWS48 ( )</b>	88.
	64"	64"		2"	<b>AX1 SWS64 ( )</b>	100.
Straight connector kit (replacement)		-	-	-	<b>AX1 S</b>	16.
High low straight connector for spine with standard crown only	48 - 39"	48"		5"	<b>AX1 HLS4839 ( ) ( )</b>	137.
	64 - 39"	64"		5"	<b>AX1 HLS6439 ( ) ( )</b>	236.
	64 - 48"	64"		5"	<b>AX1 HLS6448 ( ) ( )</b>	158.

Order Code	Specification Information	Application Notes
Example: <b>AA1 ORD 118</b> <b>AA1</b> Accessory <b>ORD</b> Outrigger deep <b>118</b> Finish	For stabilizer end specify:  <i>Tenth position:</i> cabinet finish  <i>Eleventh position:</i> top cap finish  Please specify painted finish as applicable from finish options listed on page 5.	Outrigger connects to structural base cover at any point. Outriggers (or perpendicular systems panels) are required every 8' and adjacent to flat end for adequate support. Specify deep outriggers when cantilevering 24"D worksurfaces without adjacent perpendicular systems panels or spine wall connectors.  Stabilizer end cabinet supports one end of the wall spine. Hinged cover panels in cabinet open for access to data/telecom consolidation point and cable storage. Stabilizer end cabinet with lock has recessed KnollKey lock in finger pull reveal.
		Stabilizer end cabinet expands the end of the spine 3 1/2" to accommodate intermediate panel divisions between workstations. In the 3 1/2" x 5" space above this extension a ceiling infed panel may be added. Inside back corner covers may be removed for unobstructed access to cabinet and wall frame surface.  Service wall starter connects service wall to building wall.

# Panel system starters and ends

## Linkable screen panel starters

description	type	width	depth	height	pattern number	paint	
	Morrison and linkable screen panel starters	30"H panel	4"	1"	26"	<b>AA1MPS30( )</b>	\$92.
	39"H panel/screen	4"	1"	35"	<b>AA1MPS39( )</b>	92.	
	42"H panel	4"	1"	38"	<b>AA1MPS42( )</b>	92.	
	48"H panel/screen	4"	1"	44"	<b>AA1MPS48( )</b>	97.	
	56"H panel	4"	1"	52"	<b>AA1MPS56( )</b>	102.	
	64"H panel/screen	4"	1"	60"	<b>AA1MPS64( )</b>	106.	
	74"H panel	4"	1"	70"	<b>AA1MPS74( )</b>	111.	
	80"H panel	4"	1"	76"	<b>AA1MPS80( )</b>	111.	
	Morrison raceway shroud	2 1/4"	3"	4"	<b>AA1MRS( )</b>	40.	
	panel/screen top clip				<b>AA2 MTC ( )</b>	44.	
Linkable screen starter fillers	39"H linkable screen	1"	2"	18"	<b>AA1CET39 ( )</b>	28.	
48"H linkable screen	1"	2"	27"	<b>AA1CET48 ( )</b>	32.		
64"H linkable screen	1"	2"	43"	<b>AA1CET64 ( )</b>	40.		

Spine and linkable screens

### Order Code

Example:	<b>AA1 MPS48 3</b>
<b>AA1</b>	Accessory
<b>M</b>	Morrison
<b>PS</b>	Panel starter
<b>48</b>	Panel height
<b>V3</b>	Finish

### Specification Information

Please specify painted finish for panel starters, Morrison raceway shroud and end trim from paint finish options listed on page 5.

Linkable screen fillers are trim grey or easy grey integral color.

### Application Notes

Panel starters attach perpendicular panels or linkable screens to spine wall structural base covers (5" - 21"H).

Panel starters include clamp bracket to any height spine wall and full height connector track with modified top wedge block.


Top clip connects panel connector track to spine wall crown. Specify top clip for added stiffness of panels higher than 48" or whenever cantilevering components from panel. Top clip is not compatible with end trim.


Specify raceway shroud if connecting power from spine wall to Morrison panel.


Linkable screen fillers are optional fillers for linkable screen starters. End trims may interfere with easy access to wall covers.

# Panel system starters and ends

## Morrison panel/linkable screen T-ends

description	type	width	depth	height	pattern number	extension, 0 or 1 1/8	extension, 3 1/2
	39" screen/39" spine	2 1/4"-5 3/4"	7"	39"	<b>AX2 C3939</b> ( ) ( )	\$634.	\$710.
	48" screen/39" spine	2 1/4"-5 3/4"	7"	48"	<b>AX2 C4839</b> ( ) ( )	735.	812.
	48" screen/48" spine	2 1/4"-5 3/4"	7"	48"	<b>AX2 C4848</b> ( ) ( )	684.	761.
	64" screen/39" spine	2 1/4"-5 3/4"	7"	64"	<b>AX2 C6439</b> ( ) ( )	838.	913.
	64" screen/48" spine	2 1/4"-5 3/4"	7"	64"	<b>AX2 C6448</b> ( ) ( )	786.	863.
	64" screen/64" spine	2 1/4"-5 3/4"	7"	64"	<b>AX2 C6464</b> ( ) ( )	786.	863.

T ends for Morrison panels	type	width	depth	height	pattern number	extension, 0 or 1 1/8	extension, 3 1/2
	39" panel/39" spine	6"	7"	39"	<b>AX1 M3939</b> ( ) ( )	634.	710.
	42" panel/39" spine	6"	7"	42"	<b>AX1 M4239</b> ( ) ( )	684.	761.
	48" panel/39" spine	6"	7"	48"	<b>AX1 M4839</b> ( ) ( )	735.	812.
	48" panel/48" spine	6"	7"	48"	<b>AX1 M4848</b> ( ) ( )	684.	761.
	56" panel/39" spine	6"	7"	56"	<b>AX1 M5639</b> ( ) ( )	786.	863.
	56" panel/48" spine	6"	7"	56"	<b>AX1 M5648</b> ( ) ( )	735.	812.
	64" panel/39" spine	6"	7"	64"	<b>AX1 M6439</b> ( ) ( )	838.	913.
	64" panel/48" spine	6"	7"	64"	<b>AX1 M6448</b> ( ) ( )	786.	863.
	64" panel/64" spine	6"	7"	64"	<b>AX1 M6464</b> ( ) ( )	786.	863.
	80" panel/39" spine	6"	7"	80"	<b>AX1 M8039</b> ( ) ( )	1,015.	1,116.
	80" panel/48" spine	6"	7"	80"	<b>AX1 M8048</b> ( ) ( )	1,015.	1,116.
	80" panel/64" spine	6"	7"	80"	<b>AX1 M8064</b> ( ) ( )	1,015.	1,116.


T-end raceway adapter kit	type	extension	pattern number	extension, 0 or 1 1/8	extension, 3 1/2
	1 1/8" extension		<b>AX1 RF1</b>	37.	37.
	3 1/2" extension		<b>AX1 RF3</b>	54.	54.


T-end raceway end cover	type	extension	pattern number	extension, 0 or 1 1/8	extension, 3 1/2
			<b>AA1 ARE</b> ( )	22.	22.

Order Code	Specification Information	Application Notes														
<p>Example: <b>AX1 M6448 3 613 613</b></p> <table border="1"> <tr> <td><b>AX1</b></td> <td>Spine connector</td> </tr> <tr> <td><b>M</b></td> <td>Morrison</td> </tr> <tr> <td><b>64</b></td> <td>Morrison height</td> </tr> <tr> <td><b>48</b></td> <td>Spine height</td> </tr> <tr> <td><b>3</b></td> <td>Extension</td> </tr> <tr> <td><b>613</b></td> <td>Top cap finish</td> </tr> <tr> <td><b>613</b></td> <td>Vertical trim cover</td> </tr> </table>	<b>AX1</b>	Spine connector	<b>M</b>	Morrison	<b>64</b>	Morrison height	<b>48</b>	Spine height	<b>3</b>	Extension	<b>613</b>	Top cap finish	<b>613</b>	Vertical trim cover	<p><i>T ends begin with AX1-prefix. Fourth position indicates attached panel system:</i></p> <p>C Linkable screen M Morrison panel</p> <p><i>Fifth position: height of panel. Seventh position: height of service wall. Ninth position: extension at end of spine.</i></p> <p>0 0" extension 1 1 1/8" extension 3 3 1/2" extension</p> <p><i>Please specify painted finish for Morrison top cap, crown end, vertical trim cover, raceway cover and T end vertical cover from from paint finish options listed on page 5.</i></p>	<p>T-end encloses the end of a spine wall and connects to linkable screens or panels on one or both sides. T-ends include Morrison-style top trim for the 7" wide connection to panels or screens. Currents T-end includes 5" and 6" wide trim and two end caps. Morrison T-end includes 7" wide trim. Use 5" wide trim and two end caps when connecting to Currents screens on both sides. Use 6" wide trim and one end cap when connecting to Currents screens on one side only. Specify Morrison end connector separately to finish side edge without a connected screen. Use 7" wide trim when connecting to Morrison panels. Specify Morrison end counter, top cap and raceway cover kits separately to finish side edge of Morrison T-ends without a connected panel.</p> <p>T-ends for linkable screens and Morrison panels capture the end of the wall (no extension) or extend the wall 1 1/8" or 3 1/2". This extension enables precise planning of multiple workstations and intermediate screens or panels between workstations.</p> <p>Specify two 0" T-ends for a single workstation on each side (no intermediate screens).</p> <p>Specify two 1 1/8" T-ends for one intermediate screen, one 1 1/8" and one 3 1/2" for two screens, and two 3 1/2" for three intermediate screens.</p> <p>T-ends with 3 1/2" extension have removable inside covers and accept ceiling infed panel.</p> <p>The Raceway Adapter kit finishes the bottom of a T-end with the Autostrada base trim profile. No adapter kit is necessary for 0" T-ends.</p>
<b>AX1</b>	Spine connector															
<b>M</b>	Morrison															
<b>64</b>	Morrison height															
<b>48</b>	Spine height															
<b>3</b>	Extension															
<b>613</b>	Top cap finish															
<b>613</b>	Vertical trim cover															

# Panel system starters and ends

## *AutoStrada and Reff panel starters and T-ends*

description	type	pattern number	list	extension, 0 or 1 1/8	extension, 3 1/2
 AutoStrada or Reff panel starter	34"H (includes AA1RTC bracket)	<b>AA1RPS34</b> ( )( )( )	\$102.		
	42"H (includes AA1RTC bracket)	<b>AA1RPS42</b> ( )( )( )	177.		
	49"H (includes AA1RTC bracket)	<b>AA1RPS49</b> ( )( )( )	182.		
	64"H (includes AA1RTC bracket)	<b>AA1RPS64</b> ( )( )( )	193.		
	79"H (includes AA1RTC bracket)	<b>AA1RPS79</b> ( )( )( )	202.		

 T-end frame for AutoStrada or Reff panels	42" panel to 39" spine frame	<b>AX1 R34239</b> ( )( )		761.	838.
	49" panel to 39" spine frame	<b>AX1 R34939</b> ( )( )		770.	847.
	49" panel to 48" spine frame	<b>AX1 R34948</b> ( )( )		721.	796.
	64" panel to 39" spine frame	<b>AX1 R36439</b> ( )( )		851.	927.
	64" panel to 48" spine frame	<b>AX1 R36448</b> ( )( )		801.	877.
	64" panel to 64" spine frame	<b>AX1 R36464</b> ( )( )		801.	877.
	79" panel to 39" spine frame	<b>AX1 R37939</b> ( )( )		857.	934.
	79" panel to 48" spine frame	<b>AX1 R37948</b> ( )( )		807.	883.
	79" panel to 64" spine frame	<b>AX1 R37964</b> ( )( )		781.	857.

T-end frame for AutoStrada panel without base raceway	42" panel to 39" spine frame	<b>AX1 A34239</b> ( )( )		761.	838.
	49" panel to 39" spine frame	<b>AX1 A34939</b> ( )( )		770.	847.
	49" panel to 48" spine frame	<b>AX1 A34948</b> ( )( )		721.	796.
	64" panel to 39" spine frame	<b>AX1 A36439</b> ( )( )		851.	927.


Order Code	Specification Information	Application Notes												
Example: <b>AA1-RPS6448E613AA</b> <b>AA1</b> Accessory <b>R</b> Reff/AutoStrada <b>PS</b> Panel starter <b>64</b> Panel height <b>48</b> Adjoining panel width <b>E</b> Panel top trim profile <b>613</b> Finish, panel starter <b>AA</b> Panel top trim finish	<p><i>For T-end specify extension at end of spine, then paint finish. Extension at end of spine:</i></p> <table border="0"> <tr><td>0</td><td>0" extension</td></tr> <tr><td>1</td><td>1 1/8" extension</td></tr> <tr><td>3</td><td>3 1/2" extensions</td></tr> </table> <p><i>Specify following for panel starter:</i></p> <ol style="list-style-type: none"> <li>Adjoining panel width (<i>panel starter includes extended panel top trim for panel attached to starter</i>)</li> <li>Top trim profile of adjoining panel <i>E = Extruded aluminum top trim</i></li> <li>Painted finish for panel starter</li> <li>Top trim finish <i>AA = Anodized aluminum finish</i></li> </ol> <p><i>Please specify painted finish for panel starters and inside covers of T-end from paint finish options listed on page 5.</i></p>	0	0" extension	1	1 1/8" extension	3	3 1/2" extensions	<p>Panel starters attach perpendicular AutoStrada panels to spine wall. Panel starter includes clamp bracket to structural base cover, top clip, and vertical extrusion corresponding to AutoStrada panel height.</p> <p>T-end encloses the end of a spine wall and connects to perpendicular AutoStrada panels on one or both sides.</p> <p>Specify AutoStrada straight connector separately to attach panel.</p> <p>Specify AutoStrada end connector to finish side edge without a connected wall.</p> <p>Specify T-end with 0", 1 1/8", or 3 1/2" of extension to accommodate the "creep" of panels between workstations on each side of service wall.</p> <p>Specify two 0" T-ends for a single workstation on each side (no intermediate panels).</p> <p>Specify two 1 1/8" T-ends for one intermediate panel, one 1 1/8" and one 3 1/2" for two panels, and two 3 1/2" for three intermediate panels.</p> <p>T-ends with 3 1/2" extension have removable inside covers and accept ceiling infeed panel.</p> <p>Finish options for AA1RTC( ) top clip:</p> <table border="0"> <tr><td>118</td><td>White</td></tr> <tr><td>111</td><td>Black</td></tr> <tr><td>613</td><td>Silver</td></tr> </table> <p>To complete T - end solution, must specify frame, crown cap (APTACC), raceway extender and cover set.</p>	118	White	111	Black	613	Silver
0	0" extension													
1	1 1/8" extension													
3	3 1/2" extensions													
118	White													
111	Black													
613	Silver													

# Panel system starters and ends

## *AutoStrada and Reff panel starters and T-ends*

AutoStrada

description	type	pattern number	list	extension, 0 or 1 1/8	extension, 3 1/2
T-end frame for AutoStrada panel without base raceway	64" panel to 48" spine frame	<b>AX1 A36448( )</b>		\$801.	\$877.
	64" panel to 64" spine frame	<b>AX1 A36464( )</b>		801.	877.
Top clip (replacement part)		<b>AA1RTC( )</b>	76.		



### Order Code

Example:	<b>AA1-RPS6448E613AA</b>
<b>AA1</b>	Accessory
<b>R</b>	Reff/AutoStrada
<b>PS</b>	Panel starter
<b>64</b>	Panel height
<b>48</b>	Adjoining panel width
<b>E</b>	Panel top trim profile
<b>613</b>	Finish, panel starter
<b>AA</b>	Panel top trim finish

### Specification Information

*For T-end specify extension at end of spine, then paint finish. Extension at end of spine:*

0	0" extension
1	1 1/8" extension
3	3 1/2" extensions

*Specify following for panel starter:*

1. Adjoining panel width (*panel starter includes extended panel top trim for panel attached to starter*)
2. Top trim profile of adjoining panel  
*E = Extruded aluminum top trim*
3. Painted finish for panel starter
4. Top trim finish  
*AA = Anodized aluminum finish*

*Please specify painted finish for panel starters and inside covers of T-end from paint finish options listed on page 5.*

### Application Notes

Panel starters attach perpendicular AutoStrada panels to spine wall. Panel starter includes clamp bracket to structural base cover, top clip, and vertical extrusion corresponding to AutoStrada panel height.

T-end encloses the end of a spine wall and connects to perpendicular AutoStrada panels on one or both sides.

Specify AutoStrada straight connector separately to attach panel.

Specify AutoStrada end connector to finish side edge without a connected wall.

Specify T-end with 0", 1 1/8", or 3 1/2" of extension to accommodate the "creep" of panels between workstations on each side of service wall.

Specify two 0" T-ends for a single workstation on each side (no intermediate panels).

Specify two 1 1/8" T-ends for one intermediate panel, one 1 1/8" and one 3 1/2" for two panels, and two 3 1/2" for three intermediate panels.

T-ends with 3 1/2" extension have removable inside covers and accept ceiling infed panel.

Finish options for AA1RTC( ) top clip:

118	White
111	Black
613	Silver




To complete T - end solution, must specify frame, crown cap (APTACC), raceway extender and cover set.



# Panel system starters and ends

## T-end fabric and wood cover sets (AutoStrada or Reff panels)

AutoStrada

description	type	height	pattern number	list		
 Monolithic cover set	Fabric	42"	<b>R3B0P0F4207</b>	\$101.		
		49"	<b>R3B0P0F4907</b>	113.		
		64"	<b>R3B0P0F6407</b>	134.		
		79"	<b>R3B0P0F7907</b>	154.		
	L/V1/V2/V3	42"	<b>R3B0P0H4207</b>	103.		
		49"	<b>R3B0P0H4907</b>	116.		
		64"	<b>R3B0P0H6407</b>	137.		
		79"	<b>R3B0P0H7907</b>	157.		
		 Tiled cover set	Fabric	42"	<b>R3B0T0F4207</b>	101.
				49"	<b>R3B0T0F4907</b>	113.
64"	<b>R3B0T0F6407</b>			134.		
79"	<b>R3B0T0F7907</b>			154.		
L/V1/V2/V3	42"		<b>R3B0T0H4207</b>	103.		
	49"		<b>R3B0T0H4907</b>	116.		
	64"		<b>R3B0T0H6407</b>	137.		
	79"		<b>R3B0T0H7907</b>	157.		
	 Tiled cover set, no base raceway		L/V1/V2/V3	42"	<b>R3R0T0H4207</b>	119.
				49"	<b>R3R0T0H4907</b>	135.
64"		<b>R3R0T0H6407</b>		159.		

Spine and linkable screens

### Order Code

Example: <b>R3B0P0F4207 E 4</b>
<b>R3B</b> Generation 3
<b>0P0F</b> Monolithic
<b>42</b> Panel height
<b>07</b> Width
<b>E</b> Top trim profile
<b>4</b> 4" base height
<b>W359-</b> Fabric
<b>AA</b> Trim finish
<b>111</b> Outside base finish
<b>111</b> Inside base finish

### Specification Information

See Reff System for full selection of painted finishes, fabrics and wood veneers for T-end cover sets.

#### Specify:

1. Top trim profile
2. Panel finishes
3. Top trim finish
4. Base finish

#### Top trim profile:

E Extruded Aluminum

#### Base height:

4 4" base height

### Application Notes

Specify covers in monolithic or tiled sets to complete T-end frames for AutoStrada or Reff panel..

Monolithic cover sets include a raceway cover and a single snap-in panel above.

Tiled sets include raceway cover and segmented tiles corresponding to adjacent AutoStrada or Reff tiled panels.




AutoStrada or Reff tiled module horizontal reveals are at nominal 19", 34", 49" and 64" above the floor and do not align with service wall cover reveals.

*Please see page 5 for list of applicable finishes.*

# Panel system starters and ends

## *Universal panel starter and T-end*

AutoStrada

description	width	depth	height	pattern number	paint
 Universal T-end adapter	2-6"	7"	39"	<b>AA1UA39( )</b>	\$60.
	2-6"	7"	48"	<b>AA1UA48( )</b>	72.
	2-6"	7"	64"	<b>AA1UA64( )</b>	80.
 Universal panel starters	3"	1"	39"	<b>AA1UPS39( )</b>	141.
	3"	1"	48"	<b>AA1UPS48( )</b>	153.
	3"	1"	64"	<b>AA1UPS64( )</b>	162.
 Universal top clip				<b>AA2 UTC ( )</b>	57.

### Order Code

Example:	<b>AA1 UPS48 111</b>
<b>AA1</b>	Accessory
<b>UPS</b>	Panel starter
<b>48</b>	Panel height
<b>111</b>	Finish

### Specification Information

*Please specify painted finish for universal end and panel starters from paint finish options listed on page 5.*

### Application Notes

Universal adapters and starters integrate other panel systems with the AutoStrada spine. Vertical surface accepts architectural wall starter of most other systems.


T-end adapters include connector to corresponding height T-end for linkable screen (specified separately).

Panel starter includes clamp bracket to structural base cover on service wall.

Top clip gives added stability to attached panels of the same height or higher than the service wall.

# Power components, spine

## 2+2 power components

description	type	w	d	h	pattern number	black	orange (-O) or orange triangle (-T)	no finish
Desk height outlet module	21-48"H	5"	-	6"	<b>AR1 EOM</b>			\$126.
								
Central switch	21-48"H				<b>AR1-ELS-B</b>			350.
Duplex outlet	Circuit A				<b>AR1 DA</b>	30.		
	Circuit B				<b>AR1 DB</b>	30.		
	Circuit X				<b>AR1 DX</b>	30.		35.
	Circuit Y				<b>AR1 DY</b>	30.		35.
Power infeeds, modular	Desk height power	85"			<b>AR1 EPI5</b>			145.
	Ceiling infeed	145"			<b>AR1 EPIC</b>			181.
Hardwire base infeeds (NYC)	One connector				<b>AR1 EPH1</b>			241.
	Two connectors				<b>AR1 EPH2</b>			361.
Transitional connectors for Morrison or Reff	12"	61"			<b>AR1 ET1</b>			133.
	36"	85"			<b>AR1 ET3</b>			168.
	60"	109"			<b>AR1 ET5</b>			193.
	96"	133"			<b>AR1 ET8</b>			216.
Jumper cable	12"	37"			<b>AR1 EJ1</b>			73.
	24"	49"			<b>AR1 EJ2</b>			96.
	36"	61"			<b>AR1 EJ3</b>			109.
	48"	73"			<b>AR1 EJ4</b>			120.
	60"	85"			<b>AR1 EJ5</b>			133.
	72"	97"			<b>AR1 EJ6</b>			145.
	96"	121"			<b>AR1 EJ8</b>			168.
	120"	145"			<b>AR1 EJ10</b>			193.
	144"	169"			<b>AR1 EJ12</b>			216.

### Order Code

Example:	<b>AR1 EOM</b>
<b>AR1</b>	Power component
<b>E</b>	2+2
<b>OM</b>	Outlet module

### Application Notes

Autostrada power components distribute four 20-amp circuits at desk height: two convenience circuits and two protected circuits, with separate grounds and heavy duty #10 neutrals. Power may be distributed point-to-point between outlet modules at or below desk height. Outlet modules accept two duplex outlets on each face and four jumper cables to connect to other modules or infeed power.

Modular desk-height outlet module mounts between frame studs at any height from 21" - 48", above or below adjacent worksurfaces. Each 12"W frame bay can accept two outlet housings (up to four duplex outlets on each side) side by side.

Central switch controls three outlets inside wall frame for task or ambient lights. Switch occupies right-hand outlet opening in outlets cover on one side of wall.

Switches cannot be positioned back-to-back in combination with an outlet module. Central switch includes white rocker switch, connector to adjacent outlet module, and three simplex outlets on circuit B (2+2 or 3+3).

Outlet modules accept two duplex outlets on each face. Specify outlets with black face for convenience circuits. Specify orange face or black with orange triangle for protected circuits with separate ground and neutral in building power supply.

Desk height power infeed connects from floor box to outlets module in spine. Infeed includes 6' cable with pigtail. Ceiling infeed connects from ceiling mounted box to desk height outlet module. Specify ceiling infeed panel separately.

Hardwire base infeed is approved for installations in the City of New York. Infeed includes junction box for base raceway and connector to outlet module.


Jumper cables join power from outlet module to outlet module. Application dimension is distance between modules.

Transitional connectors connect power from AutoStrada spine to powered Morrison or Reff panels attached to the spine. Application dimension suggests distance from outlet to panel. Transitional connectors have watertight conduit between modular ends. Do not specify transitional connectors in City of New York installations.

# Power components, spine

## 3+3 power components

AutoStrada

description	type	w	d	h	pattern number	black	orange (-O) or orange triangle (-T)	no finish
Desk-height outlet module	21"-48"H	6"	1"	9"	<b>AR1 TOM</b>			\$145.
								
Central switch	21-48"H				<b>AR1-ELS-B</b>			350.
Duplex outlet	Circuit A				<b>AR1 DA</b>	30.		
	Circuit B				<b>AR1 DB</b>	30.		
	Circuit C				<b>AR1 DC</b>	30.		
	Circuit X				<b>AR1 DX</b>	30.		35.
	Circuit Y				<b>AR1 DY</b>	30.		35.
	Circuit Z				<b>AR1 DZ</b>	30.		35.
Power infeeds	Desk height power	85"			<b>AR1 TPI5</b>			168.
	Ceiling infeed	145"			<b>AR1 TPIC</b>			205.
Hardwire base infeeds (NYC)	One connector				<b>AR1 TPH1</b>			265.
	Two connectors				<b>AR1 TPH2</b>			410.
Transitional connectors for Morrison or Reff	12"	61"			<b>AR1 TT1</b>			157.
	36"	85"			<b>AR1 TT3</b>			193.
	60"	109"			<b>AR1 TT5</b>			216.
	96"	133"			<b>AR1 TT8</b>			241.
Jumper cable	120"				<b>AR1 TJ10</b>			216.
	12"	37"			<b>AR1 TJ1</b>			84.
	24"	49"			<b>AR1 TJ2</b>			109.
	36"	61"			<b>AR1 TJ3</b>			133.
	48"	73"			<b>AR1 TJ4</b>			145.
	60"	85"			<b>AR1 TJ5</b>			157.
	72"	97"			<b>AR1 TJ6</b>			168.
	96"	121"			<b>AR1 TJ8</b>			193.
	144" wall	169"			<b>AR1 TJ12</b>			241.

### Order Code

Example:	<b>AR1 TOM</b>
<b>AR1</b>	Power component
<b>T</b>	3+3
<b>OM</b>	Outlet module

### Application Notes

AutoStrada power components distribute six 20-amp circuits at desk height or wall base: three convenience circuits and three protected circuits, with separate grounds and heavy-duty #10 neutrals.



Service wall power may be distributed point-to-point between outlet modules at desk height or in the base raceway. Outlet modules and power rails accept two duplex outlets on each face and four connector/jumper cables.

Modular desk-height outlet module mounts between frame studs at any height from 21" - 48", above or below adjacent worksurfaces. Each 12"W frame bay can accept two outlet housings (up to four duplex outlets on each side.)


Central switch controls three outlets inside wall frame for task or ambient lights. Switch occupies right-hand outlet opening in outlets cover on one side of wall.

Central switch includes white rocker switch, connector to adjacent outlet module, and three simplex outlets on circuit B (2+2 or 3+3).

Outlet modules and power rails accept two duplex outlets on each face. Specify outlets with black face for convenience circuits. Specify orange face or black with orange triangle for protected circuits with separate ground and neutral in building power supply.

description	width	depth	height	pattern number	no finish	paint
High capacity cable holders (10)	1"	3/4"	2 1/2"	<b>AR1 HCC H10</b>	\$25.	
						
Cable clips for wall studs (100)	1/4"	1/2"	1 1/2"	<b>AR1 PCC 100</b>	60.	
						
Ceiling infeed panel for stabilizer end cabinet or T-end with 3 1/2" extension		5"	48"	<b>APX CIP4 ( )</b>		358.
		5"	72"	<b>APX CIP6 ( )</b>		418.
		5"	96"	<b>APX CIP8 ( )</b>		477.


Order Code	Specification Information	Application Notes
Example: <b>AR1 PCC 100</b>	Cable clips and cable managers are black plastic.	Specify cable clips, approximately 50 per wall frame to support and manage cables on the face of studs in the spine wall frame. Each clip manages up to 14 Category 5 or fiber optic cables; four clips attach between 21"-30", 30"-39", 39"-48"; six between 48"-64"H. Only two clips fit behind a cable tray cover at the 21"-30" height.
<b>AR1</b> Raceway	Cable holders are light grey plastic.	Specify high capacity cable holders approximately 20 per wall frame to support and manage larger bundles of cables. Each holds up to 55 Cat 5 cables; two holders attach to studs at each 9" level; three holders at the 16" level of a 64"H wall. Only one holder fits behind a cable tray cover at the 21"-30" height (upside down).
<b>PCC</b> Cable clip	<i>Please specify painted finish for hardware outlets cover or ceiling infeed panel from paint finish options listed on page 5.</i>	Raceway cable managers are U-shape cable supports that snap into the underside of the panel frame. Plan one per foot to contain data cables or power jumpers in the base raceway.
<b>100</b> Size/Quantity		Ceiling infeed panel attaches to end of spine adjacent to stabilizer end cabinet or Currents, Morrison, or Ref T-end panel with 3 1/2" extension, or to power monument. Center channel, 2" x 2 1/2", accommodates one or two power infeed cables. Each side channel is 1 1/2" x 3 1/2" lay-in cable raceway, for continuous lay-in cabling from ceiling to wall surface.
		Specify ceiling infeed separately.

description	type	width	depth	height	pattern number	clear tempered	powder
Add up panels	frameless glass 	24"	1/2"	12"	<b>AUA1 1224 G ( )</b>	\$260.	\$270.
		36"	1/2"	12"	<b>AUA1 1236 G ( )</b>	364.	379.
		48"	1/2"	12"	<b>AUA1 1248 G ( )</b>	468.	487.
		60"	1/2"	12"	<b>AUA1 1260 G ( )</b>	572.	595.
		72"	1/2"	12"	<b>AUA1 1272 G ( )</b>	676.	703.

Order Code	Specification Information	Application Notes
Example: <b>AUA1 1248 G TEMP</b>	<i>Add up type:</i>	
<b>AUA1</b> Autostrada add up panel	G Glass	Add-up panels add acoustical privacy and light control above any height spine wall.
<b>12</b> Height	Glass add-ups are available with the following glass options:	Anodized aluminum base frame inserts in center of any spine crown and is secured by bolts within crown.
<b>48</b> Width	TEMP Clear tempered	
<b>G</b> Type	GL13 Powder	Frameless glass add-ups can be positioned at any 3" increment in standard or compact crown with any cover type.
<b>TEMP</b> Finish		

# Linkable screens and windows

## Upholstered

description	type	height	depth	width	pattern number	10	15	20	30	35	40	45	50	55
	30"H	30"	2 1/4"	18"	<b>AP1L 3018 N ( )</b>	\$211.	\$238.	\$253.	\$295.	\$309.	\$331.	\$331.	\$370.	\$411.
		30"	2 1/4"	24"	<b>AP1L 3024 N ( )</b>	243.	275.	292.	340.	355.	381.	423.	445.	470.
		30"	2 1/4"	30"	<b>AP1L 3030 N ( )</b>	267.	302.	319.	372.	388.	415.	462.	488.	514.
		30"	2 1/4"	36"	<b>AP1L 3036 N ( )</b>	304.	343.	362.	420.	438.	469.	521.	549.	578.
		30"	2 1/4"	42"	<b>AP1L 3042 N ( )</b>	348.	391.	414.	480.	501.	537.	595.	626.	658.
		30"	2 1/4"	48"	<b>AP1L 3048 N ( )</b>	383.	431.	454.	525.	548.	587.	650.	684.	722.
		30"	2 1/4"	60"	<b>AP1L 3060 N ( )</b>	453.	508.	536.	617.	688.	762.	n/a	n/a	n/a
		30"	2 1/4"	72"	<b>AP1L 3072 N ( )</b>	n/a	634.	n/a	n/a	n/a	n/a	n/a	n/a	n/a
39"H	39"	2 1/4"	18"	<b>AP1L 3918 N ( )</b>	254.	281.	296.	339.	353.	374.	413.	432.	454.	
	39"	2 1/4"	24"	<b>AP1L 3924 N ( )</b>	287.	318.	335.	383.	398.	424.	466.	489.	514.	
	39"	2 1/4"	30"	<b>AP1L 3930 N ( )</b>	310.	345.	362.	415.	432.	459.	505.	531.	557.	
	39"	2 1/4"	36"	<b>AP1L 3936 N ( )</b>	347.	386.	406.	463.	482.	513.	565.	593.	622.	
	39"	2 1/4"	42"	<b>AP1L 3942 N ( )</b>	391.	435.	458.	523.	544.	579.	639.	670.	702.	
	39"	2 1/4"	48"	<b>AP1L 3948 N ( )</b>	426.	474.	497.	569.	592.	629.	694.	728.	764.	
	39"	2 1/4"	60"	<b>AP1L 3960 N ( )</b>	496.	550.	578.	659.	687.	732.	806.	n/a	n/a	
	39"	2 1/4"	72"	<b>AP1L 3972 N ( )</b>	n/a	666.	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
48"H	48"	2 1/4"	18"	<b>AP1L 4818 N ( )</b>	298.	331.	346.	396.	413.	439.	484.	508.	534.	
	48"	2 1/4"	24"	<b>AP1L 4824 N ( )</b>	337.	374.	393.	450.	468.	498.	547.	574.	603.	
	48"	2 1/4"	30"	<b>AP1L 4830 N ( )</b>	366.	407.	427.	488.	509.	541.	595.	624.	655.	
	48"	2 1/4"	36"	<b>AP1L 4836 N ( )</b>	411.	456.	478.	546.	569.	606.	667.	700.	734.	
	48"	2 1/4"	42"	<b>AP1L 4842 N ( )</b>	461.	512.	538.	615.	642.	681.	750.	786.	826.	
	48"	2 1/4"	48"	<b>AP1L 4848 N ( )</b>	502.	557.	586.	669.	697.	740.	815.	856.	899.	
	48"	2 1/4"	60"	<b>AP1L 4860 N ( )</b>	584.	649.	681.	779.	811.	863.	950.	n/a	n/a	
	48"	2 1/4"	72"	<b>AP1L 4872 N ( )</b>	n/a	790.	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
64"H	64"	2 1/4"	18"	<b>AP1L 6418 A ( )</b>	387.	430.	452.	515.	538.	571.	628.	659.	694.	
	64"	2 1/4"	24"	<b>AP1L 6424 A ( )</b>	426.	474.	497.	569.	592.	629.	694.	728.	764.	
	64"	2 1/4"	30"	<b>AP1L 6430 A ( )</b>	478.	532.	558.	640.	666.	706.	779.	816.	857.	
	64"	2 1/4"	36"	<b>AP1L 6436 A ( )</b>	517.	575.	605.	692.	721.	765.	842.	884.	929.	
	64"	2 1/4"	42"	<b>AP1L 6442 A ( )</b>	571.	634.	667.	762.	794.	844.	929.	976.	1,024.	
	64"	2 1/4"	48"	<b>AP1L 6448 A ( )</b>	612.	679.	711.	814.	849.	902.	993.	1,043.	1,094.	
	64"	2 1/4"	60"	<b>AP1L 6460 A ( )</b>	694.	769.	808.	924.	962.	1,022.	1,125.	n/a	n/a	

Spine and linkable screens

Order Code	Specification Information	Application Notes
Example: <b>AP1L 3948N 15-812</b> <b>AP1</b> AutoStrada <b>L</b> linkable screen <b>39</b> height <b>48</b> width <b>N</b> core <b>15</b> fabric grade <b>812</b> trim color	Linkable screens include top cap and 4"H x 2 1/2"W extruded aluminum legs with levellers.  Top cap is integral color trim grey or easy grey.	Linkable screens divide workstations perpendicular to spine where base raceway is not required. Linkable screens connect to the wall with screen starters and to each other with screen connectors. Specify starters and connectors separately.  Linkable screens with connectors can end support or cantilever worksurfaces, upmount or downmount overhead storage, with brackets designed for Morrison panel mounting.  30"H upholstered screens are primarily intended for use in combination with 18"H windows, connected to other 48"H screens with 48"H screen connectors.


39"H screens align with the underside of either compact or standard crown on 39"H spines. 39"H screens enable seated visual access.

48"H screens align with the underside of either compact or standard crown on 48"H spines. 48"H screens provide some seated privacy.

64"H screens align with the underside of either compact or standard crown on 64"H spines. 64"H screens provide seated privacy, and include a high-acoustical core for improved sound absorption.

# Linkable screens and windows

## Glazed


description	type	width	depth	height	pattern number	clear tempered	architectural
 Linkable screen	39"H	18"	2 1/4"	39"	<b>AP1L 3918G</b> ( ) ( )	\$468.	\$574.
		24"	2 1/4"	39"	<b>AP1L 3924G</b> ( ) ( )	504.	647.
		30"	2 1/4"	39"	<b>AP1L 3930G</b> ( ) ( )	562.	742.
		36"	2 1/4"	39"	<b>AP1L 3936G</b> ( ) ( )	578.	797.
		42"	2 1/4"	39"	<b>AP1L 3942G</b> ( ) ( )	623.	878.
		48"	2 1/4"	39"	<b>AP1L 3948G</b> ( ) ( )	645.	938.
	48"H	18"	2 1/4"	48"	<b>AP1L 4818G</b> ( ) ( )	508.	642.
		24"	2 1/4"	48"	<b>AP1L 4824G</b> ( ) ( )	546.	729.
		30"	2 1/4"	48"	<b>AP1L 4830G</b> ( ) ( )	599.	830.
		36"	2 1/4"	48"	<b>AP1L 4836G</b> ( ) ( )	630.	908.
		42"	2 1/4"	48"	<b>AP1L 4842G</b> ( ) ( )	678.	1,004.
		48"	2 1/4"	48"	<b>AP1L 4848G</b> ( ) ( )	705.	1,078.
	64"H	18"	2 1/4"	64"	<b>AP1L 6418G</b> ( ) ( )	583.	769.
		24"	2 1/4"	64"	<b>AP1L 6424G</b> ( ) ( )	633.	886.
		30"	2 1/4"	64"	<b>AP1L 6430G</b> ( ) ( )	693.	1,009.
		36"	2 1/4"	64"	<b>AP1L 6436G</b> ( ) ( )	727.	1,111.
		42"	2 1/4"	64"	<b>AP1L 6442G</b> ( ) ( )	788.	1,238.
		48"	2 1/4"	64"	<b>AP1L 6448G</b> ( ) ( )	823.	1,337.

Order Code	Specification Information	Application Notes
Example: <b>AP1L 3948G GL6 812</b> <b>AP1</b> AutoStrada <b>L</b> linkable screen <b>39</b> height <b>48</b> width <b>G</b> glazed <b>GL6</b> glass type <b>812</b> trim color	<p>Glazed linkable screens include top cap and two 4"H x 2 1/2"W extruded aluminum legs with levellers. Top cap is integral color trim grey or easy grey.</p> <p>Window frame is anodized aluminum extrusions.</p> <p>Glass is tempered clear. Architectural glass is available in powder or block matrix finishes.</p> <p>TEMP Clear Tempered            GL6 Block Matrix            GL13 Powder</p>	<p>Linkable screens divide workstations perpendicular to spine where base raceway is not required. Linkable screens connect to the wall with screen starters and to each other with screen connectors. Specify starters and connectors separately.</p> <p>Glazed linkable screens feature nearly flush glazing on one surface and a perimeter frame of anodized aluminum. Glazed linkable screens with connectors can end support or cantilever worksurfaces with brackets designed for Morrison panel mounting.</p> <p>39"H screens align with the underside of either compact or standard crown on 39"H spines. 39"H screens enable seated visual access.</p> <p>48"H screens align with the underside of either compact or standard crown on 48"H spines. 48"H screens provide some seated privacy.</p> <p>64"H screens align with the underside of either compact or standard crown on 64"H spines.</p>



# Linkable screens and windows

## Windows

description	type	height	width	pattern number	clear tempered	architectural
Window 	linkable screen	16"	24"	<b>AP1W 1624G</b> ( )	\$392.	\$408.
		16"	30"	<b>AP1W 1630G</b> ( )	432.	449.
		16"	36"	<b>AP1W 1636G</b> ( )	484.	503.
		16"	42"	<b>AP1W 1642G</b> ( )	522.	543.
		16"	48"	<b>AP1W 1648G</b> ( )	578.	601.
		16"	60"	<b>AP1W 1660G</b> ( )	639.	665.
		16"	72"	<b>AP1W 1672G</b> ( )	730.	759.
		18"	24"	<b>AP1W 1824G</b> ( )	407.	423.
		18"	30"	<b>AP1W 1830G</b> ( )	448.	466.
		18"	36"	<b>AP1W 1836G</b> ( )	502.	522.
		18"	42"	<b>AP1W 1842G</b> ( )	542.	564.
		18"	48"	<b>AP1W 1848G</b> ( )	598.	622.
		18"	60"	<b>AP1W 1860G</b> ( )	694.	722.
		18"	72"	<b>AP1W 1872G</b> ( )	850.	884.
		25"	24"	<b>AP1W 2524G</b> ( )	435.	452.
		25"	30"	<b>AP1W 2530G</b> ( )	478.	497.
		25"	36"	<b>AP1W 2536G</b> ( )	538.	560.
		25"	42"	<b>AP1W 2542G</b> ( )	580.	603.
		25"	48"	<b>AP1W 2548G</b> ( )	638.	664.
		25"	60"	<b>AP1W 2560G</b> ( )	738.	768.
25"	72"	<b>AP1W 2572G</b> ( )	921.	958.		

Spine and linkable screens

### Order Code

Example: <b>AP1W 1624G GL6</b>
<b>AP1</b> AutoStrada linkable screen
<b>W</b> Window
<b>16</b> Height
<b>24</b> Width
<b>G</b> Surface type
<b>GL6</b> Glass finish

### Specification Information

Window frame is anodized aluminum extrusions.

Glass is tempered clear. Architectural glass is available in powder or block matrix finishes.

TEMP Clear Tempered  
 GL6 Block Matrix  
 GL13 Powder

### Application Notes

Windows add on to linkable screens to build partially glazed screens. Linkable screens with windows connect to the wall with screen starters and to each other with screen connectors. Specify starters and connectors in the same height as the combination of screen and window.

Windows feature nearly flush glazing on one surface and a perimeter frame of anodized aluminum.






Specify 16"H windows on 48"H linkable screens and connect with 64"H connectors.

Specify 18"H windows on 30"H linkable screens and connect with 48"H connectors.

Specify 25"H windows on 39"H linkable screens and connect with 64"H connectors.

# Linkable screens and windows

## Connectors and trim

description	type	height	depth	width	pattern number	no finish	integral color	list
90° connector	4-way X 	39"	2 1/4"	2 1/4"	<b>AC1 39X4</b>	\$171.		
		48"	2 1/4"	2 1/4"	<b>AC1 48X4</b>	190.		
		64"	2 1/4"	2 1/4"	<b>AC1 64X4</b>	212.		
	2-way L 	39"	2"		<b>AC1 39L2 ( )</b>			115.
		48"	2"		<b>AC1 48L2 ( )</b>			121.
		64"	2"		<b>AC1 64L2 ( )</b>			130.
	3-way T 	39"	2"		<b>AC1 39T3 ( )</b>			146.
		48"	2"		<b>AC1 48T3 ( )</b>			154.
		64"	2"		<b>AC1 64T3 ( )</b>			166.
120° connector	2-way V 	39"			<b>AC1 39V2</b>			128.
		48"			<b>AC1 48V2</b>			133.
		64"			<b>AC1 64V2</b>			145.
	3-way Y 	39"			<b>AC1 39Y3</b>			157.

### Order Code

Example:	<b>AC1 39L2 812</b>
<b>AC1</b>	Linkable screen connector
<b>39</b>	Height
<b>L2</b>	90° 2-way L
<b>812</b>	Finish

### Specification Information

All top and vertical trim is easy grey (812) or trim grey (813) integral color surface.

Connector post is painted black extrusion.

Carpet grips are black integral color surface.

### Application Notes

Connectors join linkable screens in straight or 90° post configurations.

Linkable screen connectors include connector tracks, universal posts and top and vertical trim (where required).

Connector tracks have cantilever slots for worksurface and storage support.

L, T and X connectors include a universal post and 2, 3 or 4 connector tracks and top cap.






End trim may be specified instead of an end connector if cantilever capability is not required.

Carpet grips snap into linkable screen glides to prevent components from sliding. Glide rotates in carpet grip to permit levelling.

Non-skid grips snap into glides to prevent sliding on hard surface floors.

# Linkable screens and windows

## Connectors and trim

description	type	height	depth	width	pattern number	no finish	integral color	list
120° connector	3-way Y	48"			<b>AC1 48Y3 ( )</b>			\$162.
		64"			<b>AC1 64Y3 ( )</b>			174.
								
Connector track	No trim	39"	–	–	<b>MC1-39S1</b>			37.
		48"	–	–	<b>MC1-48S1</b>			42.
		64"	–	–	<b>MC1-64S1</b>			46.
								
End connector	with connector track	30"			<b>ACA1 30E1 ( )</b>			49.
		39"			<b>ACA1 39E1 ( )</b>			51.
		48"			<b>ACA1 48E1 ( )</b>			61.
		64"			<b>ACA1 64E1 ( )</b>			71.
								
linkable screen end trim (no connector)		30"			<b>AA1 30E ( )</b>			32.
		39"			<b>AA1 39E ( )</b>			34.
		48"			<b>AA1 48E ( )</b>			35.
		64"			<b>AA1 64E ( )</b>			36.
								
top trim, linkable screen (replacement)				6"	<b>AA1 T06 ( )</b>			8.
				18"	<b>AA1 T18 ( )</b>			10.
				24"	<b>AA1 T24 ( )</b>			12.
				30"	<b>AA1 T30 ( )</b>			17.
				36"	<b>AA1 T36 ( )</b>			19.
				42"	<b>AA1 T42 ( )</b>			20.
				48"	<b>AA1 T48 ( )</b>			22.
								
					60"	<b>AA1 T60 ( )</b>		

### Order Code

Example:	<b>AC1 39L2 812</b>
<b>AC1</b>	Linkable screen connector
<b>39</b>	Height
<b>L2</b>	90° 2-way L
<b>812</b>	Finish

### Specification Information

All top and vertical trim is easy grey (812) or trim grey (813) integral color surface.

Connector post is painted black extrusion.

Carpet grips are black integral color surface.

### Application Notes

Connectors join linkable screens in straight or 90° post configurations.

Linkable screen connectors include connector tracks, universal posts and top and vertical trim (where required).

Connector tracks have cantilever slots for worksurface and storage support.

L, T and X connectors include a universal post and 2, 3 or 4 connector tracks and top cap.



End trim may be specified instead of an end connector if cantilever capability is not required.

Carpet grips snap into linkable screen glides to prevent components from sliding. Glide rotates in carpet grip to permit levelling.

Non-skid grips snap into glides to prevent sliding on hard surface floors.

# Linkable screens and windows


## Connectors and trim

description	type	height	depth	width	pattern number	no finish	integral color	list
top trim, linkable screen (replacement)				72"	<b>AA1 T72 ( )</b>			\$27.
								
linkable screen feet, pair	replacement part				<b>APA1 LF</b>			54.
								
Raceway cover for Currents end connector or end trim on Morrison panel					<b>AA1RE( )</b>			22.
Non-skid pads (set of 10)					<b>AA1NSK</b>			28.
Carpet grips (set of 10)					<b>MM2-CG</b>			16.

Order Code	Specification Information	Application Notes
Example: <b>AC1 39L2 812</b>		
<b>AC1</b> Linkable screen connector	All top and vertical trim is easy grey (812) or trim grey (813) integral color surface.	Connectors join linkable screens in straight or 90° post configurations.
<b>39</b> Height	Connector post is painted black extrusion.	Linkable screen connectors include connector tracks, universal posts and top and vertical trim (where required).
<b>L2</b> 90° 2-way L	Carpet grips are black integral color surface.	Connector tracks have cantilever slots for worksurface and storage support.
<b>812</b> Finish		L, T and X connectors include a universal post and 2, 3 or 4 connector tracks and top cap.
		End trim may be specified instead of an end connector if cantilever capability is not required.
		Carpet grips snap into linkable screen glides to prevent components from sliding. Glide rotates in carpet grip to permit levelling.
		Non-skid grips snap into glides to prevent sliding on hard surface floors.

Tiled/Monolithic - mono side only with base raceway  
*Tiled one side - Laminate/Monolithic side - fabric*

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Tiled laminate one side, fabric monolithic other side (tiled side without base raceway)	34"	18"	R3R1AFL3418 ( ) ( ) ( ) ( ) ( ) ( ) ( )	\$499.	\$508.	\$533.	\$563.	\$585.	\$623.	\$642.
		24"	R3R1AFL3424 ( ) ( ) ( ) ( ) ( ) ( ) ( )	533.	542.	568.	598.	620.	657.	677.
		30"	R3R1AFL3430 ( ) ( ) ( ) ( ) ( ) ( ) ( )	571.	581.	607.	636.	658.	696.	716.
		36"	R3R1AFL3436 ( ) ( ) ( ) ( ) ( ) ( ) ( )	608.	617.	642.	672.	694.	732.	751.
		42"	R3R1AFL3442 ( ) ( ) ( ) ( ) ( ) ( ) ( )	698.	708.	733.	763.	785.	822.	842.
		48"	R3R1AFL3448 ( ) ( ) ( ) ( ) ( ) ( ) ( )	723.	733.	758.	788.	810.	847.	867.
	49"	18"	R3R1AFL4918 ( ) ( ) ( ) ( ) ( ) ( ) ( )	616.	631.	668.	713.	746.	803.	831.
		24"	R3R1AFL4924 ( ) ( ) ( ) ( ) ( ) ( ) ( )	658.	673.	710.	755.	789.	844.	874.
		30"	R3R1AFL4930 ( ) ( ) ( ) ( ) ( ) ( ) ( )	709.	724.	761.	806.	839.	896.	924.
		36"	R3R1AFL4936 ( ) ( ) ( ) ( ) ( ) ( ) ( )	751.	766.	804.	849.	882.	937.	967.
		42"	R3R1AFL4942 ( ) ( ) ( ) ( ) ( ) ( ) ( )	846.	861.	899.	944.	977.	1,033.	1,063.
		48"	R3R1AFL4948 ( ) ( ) ( ) ( ) ( ) ( ) ( )	893.	908.	946.	991.	1,024.	1,080.	1,110.
	64"	18"	R3R1AFL6418 ( ) ( ) ( ) ( ) ( ) ( ) ( )	705.	725.	775.	835.	880.	953.	993.
		24"	R3R1AFL6424 ( ) ( ) ( ) ( ) ( ) ( ) ( )	752.	773.	822.	882.	927.	1,000.	1,041.
30"		R3R1AFL6430 ( ) ( ) ( ) ( ) ( ) ( ) ( )	811.	831.	881.	941.	984.	1,059.	1,099.	
36"		R3R1AFL6436 ( ) ( ) ( ) ( ) ( ) ( ) ( )	860.	881.	930.	990.	1,035.	1,109.	1,148.	
42"		R3R1AFL6442 ( ) ( ) ( ) ( ) ( ) ( ) ( )	980.	999.	1,050.	1,109.	1,153.	1,228.	1,268.	
48"		R3R1AFL6448 ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,029.	1,050.	1,099.	1,159.	1,204.	1,278.	1,317.	




both sides 64x48 shown, 49" h with three tiles; 34" h with two tiles

Panels

Order Code	Specification Information	Application Notes
Example: <b>R3R1AFL3418EAA4K</b> <b>613W359-118N</b>	<i>To order please specify pattern number including:</i>	Monolithic side with base raceway only. Tiled side inserts extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
<b>R3</b> AutoStrada w/generation 3 frame	1. Height	Tiled side includes aluminum panel reveals between laminate inserts. Aluminum vertical hookstrip cover ordered separately. Anodized aluminum finish only.
<b>R1</b> Base raceway monolithic side only	2. Width	
<b>A</b> Tiled one side, Monolithic other	3. Extruded Aluminum Top Trim <i>E - default</i>	Panels are not for use with medians, storage medians or bridges.
<b>F</b> Fabric, monolithic side	4. Finish, Aluminum trim <i>AA - anodized aluminum only</i>	
<b>L</b> Laminate, tiled side	5. Base raceway height <i>4 = 4" h, default</i>	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
<b>34</b> 34" high	6. Knock-out option <i>K = with knock-outs</i> <i>N = no knock-outs</i>	
<b>18</b> 18" wide	7. Base raceway finish <i>(painted or plated finish options only)</i>	Panels on this page will accept standard Reff System stacking window modules.
<b>E</b> Extruded Aluminum top trim	8. Fabric selection	
<b>AA</b> Top Trim anodized aluminum finish	9. Finish, Laminate	
<b>4</b> 4" high base raceway	10. Milled for ported components <i>M = milled for (\$11 list upcharge applicable)</i> <i>N = not milled for</i>	
<b>K</b> Knock-outs in base raceway		
<b>613</b> Finish, base raceway	See page 5 for finish options applicable.	
<b>W359-</b> Finish, fabric		
<b>118</b> Finish, Bright White		
<b>N</b> Not milled for ported components		


Tiled/Monolithic - mono side only with base raceway  
*Tiled one side - V1 Techwood/Monolithic - fabric*

description	h	w	pattern no.	Grade							
				10	15	20	30	35	40	45	
Tiled V1 techwood one side, fabric monolithic other side (tiled side without base raceway)		34"	18"	<b>R3R1AF13418</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	\$508.	\$518.	\$542.	\$572.	\$595.	\$632.	\$653.
		24"	<b>R3R1AF13424</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	546.	555.	580.	610.	632.	670.	689.	
		30"	<b>R3R1AF13430</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	584.	594.	618.	648.	671.	708.	728.	
		36"	<b>R3R1AF13436</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	618.	629.	654.	684.	705.	743.	763.	
		42"	<b>R3R1AF13442</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	715.	724.	749.	779.	801.	839.	858.	
		48"	<b>R3R1AF13448</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	738.	748.	773.	803.	825.	862.	882.	
		49"	18"	<b>R3R1AF14918</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	627.	642.	679.	724.	758.	813.	843.
		24"	<b>R3R1AF14924</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	671.	686.	722.	767.	800.	857.	887.	
		30"	<b>R3R1AF14930</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	721.	736.	774.	819.	852.	907.	937.	
		36"	<b>R3R1AF14936</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	766.	781.	819.	862.	897.	952.	982.	
42"	<b>R3R1AF14942</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	866.	881.	918.	962.	996.	1,052.	1,082.			
48"	<b>R3R1AF14948</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	913.	928.	965.	1,009.	1,043.	1,099.	1,129.			
both sides 64x48 shown, 49" h with three tiles; 34" h with two tiles	64"	18"	<b>R3R1AF16418</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	720.	740.	790.	850.	895.	968.	1,008.	
	24"	<b>R3R1AF16424</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	769.	789.	838.	898.	943.	1,018.	1,057.		
	30"	<b>R3R1AF16430</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	827.	847.	897.	957.	1,000.	1,075.	1,115.		
	36"	<b>R3R1AF16436</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	876.	897.	946.	1,006.	1,051.	1,125.	1,165.		
	42"	<b>R3R1AF16442</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	998.	1,019.	1,068.	1,128.	1,173.	1,247.	1,286.		
	48"	<b>R3R1AF16448</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,051.	1,070.	1,120.	1,179.	1,224.	1,299.	1,339.		

Order Code	Specification Information	Application Notes
Example: <b>R3R1AF13418EAA4K</b> <b>613W359-Y319N</b>	<i>To order please specify pattern number including:</i>	Monolithic side with base raceway only. Tiled side inserts extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
<b>R3</b> AutoStrada w/generation 3 frame	1. Height	Tiled side includes aluminum panel reveals between V1 inserts. Aluminum vertical hookstrip cover ordered separately. Anodized aluminum finish only.
<b>R1</b> Base raceway monolithic side only	2. Width	
<b>A</b> Tiled one side, Monolithic other	3. Extruded Aluminum Top Trim <i>E - default</i>	Panels are not for use with medians, storage medians or bridges.
<b>F</b> Fabric, monolithic side	4. Finish, Aluminum trim <i>AA - anodized aluminum only</i>	
<b>1</b> V1 Techwood, tiled side	5. Base raceway height <i>4 = 4" h, default</i>	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
<b>34</b> 34" high	6. Knock-out option <i>K = with knock-outs</i> <i>N = no knock-outs</i>	
<b>18</b> 18" wide	7. Base raceway finish <i>(painted or plated finish options only)</i>	Panels on this page will accept standard Reff System stacking window modules.
<b>E</b> Extruded Aluminum top trim	8. Fabric selection	
<b>AA</b> Top Trim anodized aluminum finish	9. Finish, V1 Techwood	
<b>4</b> 4" high base raceway	10. Milled for ported components <i>M = milled for (\$11 list upcharge applicable)</i> <i>N = not milled for</i>	
<b>K</b> Knock-outs in base raceway		
<b>613</b> Finish, base raceway	See page 5 for finish options applicable.	
<b>W359-</b> Finish, fabric		
<b>Y319</b> Finish, Cherry		
<b>N</b> Not milled for ported components		

Tiled/Monolithic - mono side only with base raceway  
*Tiled one side - V2 Natural/Monolithic - fabric*

description	h	w	pattern no.	Grade							
				10	15	20	30	35	40	45	
Tiled V2 natural one side, fabric monolithic other side (tiled side without base raceway)	34"	18"	<b>R3R1AF23418</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	\$519.	\$530.	\$554.	\$584.	\$607.	\$643.	\$663.	
		24"	<b>R3R1AF23424</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	556.	567.	592.	622.	643.	681.	701.	
		30"	<b>R3R1AF23430</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	595.	605.	630.	660.	682.	719.	739.	
		36"	<b>R3R1AF23436</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	631.	641.	666.	696.	718.	755.	775.	
		42"	<b>R3R1AF23442</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	727.	736.	762.	791.	813.	851.	871.	
		48"	<b>R3R1AF23448</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	753.	763.	788.	817.	840.	877.	897.	
		49"	18"	<b>R3R1AF24918</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	641.	656.	693.	737.	771.	827.	857.
			24"	<b>R3R1AF24924</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	684.	699.	736.	781.	814.	870.	900.
			30"	<b>R3R1AF24930</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	738.	753.	791.	836.	869.	924.	954.
			36"	<b>R3R1AF24936</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	782.	797.	835.	880.	913.	968.	998.
		42"	<b>R3R1AF24942</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	881.	896.	932.	977.	1,011.	1,067.	1,097.	
		48"	<b>R3R1AF24948</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	930.	945.	982.	1,027.	1,060.	1,116.	1,146.	
	64"	18"	<b>R3R1AF26418</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	735.	755.	805.	865.	910.	983.	1,023.	
		24"	<b>R3R1AF26424</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	783.	804.	853.	913.	958.	1,031.	1,072.	
		30"	<b>R3R1AF26430</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	842.	862.	912.	972.	1,015.	1,090.	1,130.	
		36"	<b>R3R1AF26436</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	896.	915.	965.	1,024.	1,069.	1,144.	1,183.	
		42"	<b>R3R1AF26442</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,020.	1,039.	1,089.	1,148.	1,193.	1,268.	1,308.	
		48"	<b>R3R1AF26448</b> ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,070.	1,090.	1,140.	1,199.	1,244.	1,318.	1,359.	




both sides 64x48 shown, 49" h with three tiles; 34" h with two tiles

Panels

Order Code	Specification Information	Application Notes
Example: <b>R3R1AF23418EAA4K</b> <b>613W359-V316N</b>	To order please specify pattern number including:	Monolithic side with base raceway only. Tiled side inserts extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
<b>R3</b> AutoStrada w/generation 3 frame	1. Height	
<b>R1</b> Base raceway monolithic side only	2. Width	
<b>A</b> Tiled one side, Monolithic other	3. Extruded Aluminum Top Trim <i>E - default</i>	Tiled side includes aluminum panel reveals between V2 inserts. Aluminum vertical hookstrip cover ordered separately. Anodized aluminum finish only.
<b>F</b> Fabric, monolithic side	4. Finish, Aluminum trim <i>AA - anodized aluminum only</i>	
<b>2</b> V2 Natural, tiled side	5. Base raceway height <i>4 = 4" h, default</i>	
<b>34</b> 34" high	6. Knock-out option <i>K = with knock-outs</i> <i>N = no knock-outs</i>	Panels are not for use with medians, storage medians or bridges.
<b>18</b> 18" wide	7. Base raceway finish <i>(painted or plated finish options only)</i>	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
<b>E</b> Extruded Aluminum top trim	8. Fabric selection	
<b>AA</b> Top Trim anodized aluminum finish	9. Finish, V2 Natural	
<b>4</b> 4" high base raceway	10. Milled for ported components <i>M = milled for (\$11 list upcharge applicable)</i> <i>N = not milled for</i>	Panels on this page will accept standard Reff System stacking window modules.
<b>K</b> Knock-outs in base raceway		
<b>613</b> Finish, base raceway	See page 5 for finish options applicable.	
<b>W359-</b> Finish, fabric		
<b>V316</b> Finish, Maple		
<b>N</b> Not milled for ported components		

Tiled/Monolithic - mono side only with base raceway  
*Tiled one side - V3 Exotic/Monolithic - fabric*

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Tiled V3 exotic one side, fabric monolithic other side (tiled side without base raceway)	34"	18"	<b>R3R1AF33418</b> (X)(X)(X)(X)(X)	\$690.	\$703.	\$735.	\$775.	\$804.	\$852.	\$877.
		24"	<b>R3R1AF33424</b> (X)(X)(X)(X)(X)	738.	751.	784.	823.	852.	900.	926.
	30"	<b>R3R1AF33430</b> (X)(X)(X)(X)(X)	789.	801.	834.	873.	902.	950.	976.	
	36"	<b>R3R1AF33436</b> (X)(X)(X)(X)(X)	836.	849.	881.	919.	948.	997.	1,023.	
	42"	<b>R3R1AF33442</b> (X)(X)(X)(X)(X)	960.	973.	1,005.	1,043.	1,073.	1,121.	1,147.	
	48"	<b>R3R1AF33448</b> (X)(X)(X)(X)(X)	994.	1,007.	1,039.	1,077.	1,106.	1,155.	1,181.	
	49"	18"	<b>R3R1AF34918</b> (X)(X)(X)(X)(X)	855.	874.	922.	980.	1,024.	1,097.	1,135.
		24"	<b>R3R1AF34924</b> (X)(X)(X)(X)(X)	911.	930.	979.	1,037.	1,081.	1,153.	1,192.
		30"	<b>R3R1AF34930</b> (X)(X)(X)(X)(X)	982.	1,002.	1,050.	1,107.	1,151.	1,224.	1,263.
		36"	<b>R3R1AF34936</b> (X)(X)(X)(X)(X)	1,039.	1,058.	1,106.	1,164.	1,208.	1,281.	1,319.
42"		<b>R3R1AF34942</b> (X)(X)(X)(X)(X)	1,166.	1,186.	1,234.	1,291.	1,335.	1,408.	1,447.	
48"		<b>R3R1AF34948</b> (X)(X)(X)(X)(X)	1,231.	1,250.	1,298.	1,357.	1,400.	1,472.	1,511.	
64"	18"	<b>R3R1AF36418</b> (X)(X)(X)(X)(X)	984.	1,010.	1,075.	1,152.	1,210.	1,308.	1,359.	
	24"	<b>R3R1AF36424</b> (X)(X)(X)(X)(X)	1,048.	1,073.	1,138.	1,216.	1,273.	1,371.	1,422.	
	30"	<b>R3R1AF36430</b> (X)(X)(X)(X)(X)	1,124.	1,149.	1,213.	1,291.	1,349.	1,447.	1,498.	
	36"	<b>R3R1AF36436</b> (X)(X)(X)(X)(X)	1,193.	1,219.	1,283.	1,361.	1,419.	1,515.	1,568.	
	42"	<b>R3R1AF36442</b> (X)(X)(X)(X)(X)	1,355.	1,380.	1,445.	1,523.	1,580.	1,677.	1,729.	
	48"	<b>R3R1AF36448</b> (X)(X)(X)(X)(X)	1,421.	1,447.	1,511.	1,588.	1,647.	1,743.	1,794.	




both sides 64x48 shown, 49" h with three tiles; 34" h with two tiles

Order Code	Specification Information	Application Notes
Example: <b>R3R1AF33418EAA4K</b> <b>613W359-V515N</b>	To order please specify pattern number including:	Monolithic side with base raceway only. Tiled side inserts extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
<b>R3</b>	1. Height	Tiled side includes aluminum panel reveals between V3 inserts. Aluminum vertical hookstrip cover ordered separately. Anodized aluminum finish only.
	2. Width	
<b>R1</b>	3. Extruded Aluminum Top Trim <i>E - default</i>	Panels are not for use with medians, storage medians or bridges.
	4. Finish, Aluminum trim <i>AA - anodized aluminum only</i>	
<b>A</b>	5. Base raceway height <i>4 = 4" h, default</i>	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
	6. Knock-out option <i>K = with knock-outs</i> <i>N = no knock-outs</i>	
<b>F</b>	7. Base raceway finish <i>(painted or plated finish options only)</i>	Panels on this page will accept standard Reff System stacking window modules.
<b>3</b>	8. Fabric selection	
<b>34</b>	9. Finish, V3 Exotic	
<b>18</b>	10. Milled for ported components <i>M = milled for (\$11 list upcharge applicable)</i> <i>N = not milled for</i>	
<b>E</b>	See page 5 for finish options applicable.	
<b>AA</b>		
<b>4</b>		
<b>K</b>		
<b>613</b>		
<b>W359-</b>		
<b>V515</b>		
<b>N</b>		



Tiled/Monolithic - both sides with base raceway  
*Tiled one side - Laminate/Monolithic side - fabric*

description	h	w	pattern no.	Grade							
				10	15	20	30	35	40	45	
Tiled laminate one side, fabric monolithic other side (both sides w/ base raceway)	34"	18"	<b>R3R2AFL3418</b> ( ) ( ) ( ) ( ) ( ) ( )	\$499.	\$508.	\$533.	\$563.	\$585.	\$623.	\$642.	
		24"	<b>R3R2AFL3424</b> ( ) ( ) ( ) ( ) ( ) ( )	533.	542.	568.	598.	620.	657.	677.	
		30"	<b>R3R2AFL3430</b> ( ) ( ) ( ) ( ) ( ) ( )	571.	581.	607.	636.	658.	696.	716.	
		36"	<b>R3R2AFL3436</b> ( ) ( ) ( ) ( ) ( ) ( )	608.	617.	642.	672.	694.	732.	751.	
		42"	<b>R3R2AFL3442</b> ( ) ( ) ( ) ( ) ( ) ( )	698.	708.	733.	763.	785.	822.	842.	
		48"	<b>R3R2AFL3448</b> ( ) ( ) ( ) ( ) ( ) ( )	723.	733.	758.	788.	810.	847.	867.	
		49"	18"	<b>R3R2AFL4918</b> ( ) ( ) ( ) ( ) ( ) ( )	616.	631.	668.	713.	746.	803.	831.
			24"	<b>R3R2AFL4924</b> ( ) ( ) ( ) ( ) ( ) ( )	658.	673.	710.	755.	789.	844.	874.
			30"	<b>R3R2AFL4930</b> ( ) ( ) ( ) ( ) ( ) ( )	709.	724.	761.	806.	839.	896.	924.
			36"	<b>R3R2AFL4936</b> ( ) ( ) ( ) ( ) ( ) ( )	751.	766.	804.	849.	882.	937.	967.
			42"	<b>R3R2AFL4942</b> ( ) ( ) ( ) ( ) ( ) ( )	846.	861.	899.	944.	977.	1,033.	1,063.
			48"	<b>R3R2AFL4948</b> ( ) ( ) ( ) ( ) ( ) ( )	893.	908.	946.	991.	1,024.	1,080.	1,110.
	64"	18"	<b>R3R2AFL6418</b> ( ) ( ) ( ) ( ) ( ) ( )	705.	725.	775.	835.	880.	953.	993.	
		24"	<b>R3R2AFL6424</b> ( ) ( ) ( ) ( ) ( ) ( )	752.	773.	822.	882.	927.	1,000.	1,041.	
		30"	<b>R3R2AFL6430</b> ( ) ( ) ( ) ( ) ( ) ( )	811.	831.	881.	941.	984.	1,059.	1,099.	
		36"	<b>R3R2AFL6436</b> ( ) ( ) ( ) ( ) ( ) ( )	860.	881.	930.	990.	1,035.	1,109.	1,148.	
		42"	<b>R3R2AFL6442</b> ( ) ( ) ( ) ( ) ( ) ( )	980.	999.	1,050.	1,109.	1,153.	1,228.	1,268.	
		48"	<b>R3R2AFL6448</b> ( ) ( ) ( ) ( ) ( ) ( )	1,029.	1,050.	1,099.	1,159.	1,204.	1,278.	1,317.	




both sides 64x48 shown, 49" h with three tiles; 34" h with two tiles

Panels

Order Code	Specification Information	Application Notes
Example: <b>R3R2AFL3418EAA4K613W359-118N</b>	To order please specify pattern number including:	Tiled side includes aluminum panel reveals between laminate inserts. Aluminum vertical hookstrip cover ordered separately. Anodized aluminum only.
<b>R3</b> AutoStrada w/generation 3 frame	1. Height	
<b>R2</b> Base raceway both sides	2. Width	
<b>A</b> Tiled one side, Monolithic other	3. Extruded Aluminum Top Trim <i>E - default</i>	Panels are not for use with medians, storage medians or bridges.
<b>F</b> Fabric, monolithic side	4. Finish, Aluminum trim <i>AA - anodized aluminum only</i>	
<b>L</b> Laminate, tiled side	5. Base raceway height <i>4 = 4" h, default</i>	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
<b>34</b> 34" high	6. Knock-out option <i>K = with knock-outs</i> <i>N = no knock-outs</i>	
<b>18</b> 18" wide	7. Base raceway finish <i>(painted or plated finish options only)</i>	Panels on this page will accept standard Reff System stacking window modules.
<b>E</b> Extruded Aluminum top trim	8. Fabric selection	
<b>AA</b> Top Trim anodized aluminum finish	9. Finish, Laminate	
<b>4</b> 4" high base raceway	10. Milled for ported components <i>M = milled for (\$11 list upcharge applicable)</i> <i>N = not milled for</i>	
<b>K</b> Knock-outs in base raceway		
<b>613</b> Finish, base raceway	See page 5 for finish options applicable.	
<b>W359-</b> Finish, fabric		
<b>118</b> Finish, laminate tile side		
<b>N</b> Not milled for ported components		

Tiled/Monolithic - both sides with base raceway  
 Tiled one side - V1 Techwood/Monolithic - fabric

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Tiled V1 techwood one side, fabric monolithic other side (both sides w/ base raceway)    <i>both sides 64x48 shown, 49" h with three                      tiles; 34" h with two tiles</i>	34"	18"	R3R2AF13418 ( ) ( ) ( ) ( ) ( ) ( ) ( )	\$508.	\$518.	\$542.	\$572.	\$595.	\$632.	\$653.
		24"	R3R2AF13424 ( ) ( ) ( ) ( ) ( ) ( ) ( )	546.	555.	580.	610.	632.	670.	689.
		30"	R3R2AF13430 ( ) ( ) ( ) ( ) ( ) ( ) ( )	584.	594.	618.	648.	671.	708.	728.
		36"	R3R2AF13436 ( ) ( ) ( ) ( ) ( ) ( ) ( )	618.	629.	654.	684.	705.	743.	763.
		42"	R3R2AF13442 ( ) ( ) ( ) ( ) ( ) ( ) ( )	715.	724.	749.	779.	801.	839.	858.
		48"	R3R2AF13448 ( ) ( ) ( ) ( ) ( ) ( ) ( )	738.	748.	773.	803.	825.	862.	882.
	49"	18"	R3R2AF14918 ( ) ( ) ( ) ( ) ( ) ( ) ( )	627.	642.	679.	724.	758.	813.	843.
		24"	R3R2AF14924 ( ) ( ) ( ) ( ) ( ) ( ) ( )	671.	686.	722.	767.	800.	857.	887.
		30"	R3R2AF14930 ( ) ( ) ( ) ( ) ( ) ( ) ( )	721.	736.	774.	819.	852.	907.	937.
		36"	R3R2AF14936 ( ) ( ) ( ) ( ) ( ) ( ) ( )	766.	781.	819.	862.	897.	952.	982.
		42"	R3R2AF14942 ( ) ( ) ( ) ( ) ( ) ( ) ( )	866.	881.	918.	962.	996.	1,052.	1,082.
		48"	R3R2AF14948 ( ) ( ) ( ) ( ) ( ) ( ) ( )	913.	928.	965.	1,009.	1,043.	1,099.	1,129.
	64"	18"	R3R2AF16418 ( ) ( ) ( ) ( ) ( ) ( ) ( )	720.	740.	790.	850.	895.	968.	1,008.
		24"	R3R2AF16424 ( ) ( ) ( ) ( ) ( ) ( ) ( )	769.	789.	838.	898.	943.	1,018.	1,057.
30"		R3R2AF16430 ( ) ( ) ( ) ( ) ( ) ( ) ( )	827.	847.	897.	957.	1,000.	1,075.	1,115.	
36"		R3R2AF16436 ( ) ( ) ( ) ( ) ( ) ( ) ( )	876.	897.	946.	1,006.	1,051.	1,125.	1,165.	
42"		R3R2AF16442 ( ) ( ) ( ) ( ) ( ) ( ) ( )	998.	1,019.	1,068.	1,128.	1,173.	1,247.	1,286.	
48"		R3R2AF16448 ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,051.	1,070.	1,120.	1,179.	1,224.	1,299.	1,339.	


Order Code	Specification Information	Application Notes
Example: <b>R3R2AF13418EAA4K</b> <b>613W359-Y319N</b>	To order please specify pattern number including:	Tiled side includes aluminum panel reveals between V1 inserts.
<b>R3</b>	AutoStrada w/generation 3 frame	Aluminum vertical hookstrip cover ordered separately. Anodized aluminum only.
<b>R2</b>	Base raceway both sides	
<b>A</b>	Tiled one side, Monolithic other	Panels are not for use with medians, storage medians or bridges.
<b>F</b>	Fabric, monolithic side	
<b>1</b>	V1 Techwood, tiled side	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
<b>34</b>	34" high	
<b>18</b>	18" wide	
<b>E</b>	Extruded Aluminum top trim	Panels on this page will accept standard Reff System stacking window modules.
<b>AA</b>	Top Trim anodized aluminum finish	
<b>4</b>	4" high base raceway	
<b>K</b>	Knock-outs in base raceway	
<b>613</b>	Finish, base raceway	
<b>W359-</b>	Finish, fabric	
<b>Y319</b>	Finish, Cherry	
<b>N</b>	Not milled for ported components	

Specification Information	Application Notes
1. Height	
2. Width	
3. Extruded Aluminum Top Trim <i>E - default</i>	
4. Finish, Aluminum trim <i>AA - anodized aluminum only</i>	
5. Base raceway height <i>4 = 4" h, default</i>	
6. Knock-out option <i>K = with knock-outs</i> <i>N = no knock-outs</i>	
7. Base raceway finish <i>(painted or plated finish options only)</i>	
8. Fabric selection	
9. Finish, V1 Techwood	
10. Milled for ported components <i>M = milled for (\$11 list upcharge applicable)</i> <i>N = not milled for</i>	

See page 5 for finish options applicable.

Tiled/Monolithic - both sides with base raceway  
*Tiled one side - V2 Natural/Monolithic - fabric*

description	h	w	pattern no.	Grade							
				10	15	20	30	35	40	45	
Tiled V2 natural one side, fabric monolithic other side (both sides w/ base raceway)	34"	18"	<b>R3R2AF23418</b> ( ) ( ) ( ) ( ) ( ) ( )	\$519.	\$530.	\$554.	\$584.	\$607.	\$643.	\$663.	
		24"	<b>R3R2AF23424</b> ( ) ( ) ( ) ( ) ( ) ( )	556.	567.	592.	622.	643.	681.	701.	
		30"	<b>R3R2AF23430</b> ( ) ( ) ( ) ( ) ( ) ( )	595.	605.	630.	660.	682.	719.	739.	
		36"	<b>R3R2AF23436</b> ( ) ( ) ( ) ( ) ( ) ( )	631.	641.	666.	696.	718.	755.	775.	
		42"	<b>R3R2AF23442</b> ( ) ( ) ( ) ( ) ( ) ( )	727.	736.	762.	791.	813.	851.	871.	
		48"	<b>R3R2AF23448</b> ( ) ( ) ( ) ( ) ( ) ( )	753.	763.	788.	817.	840.	877.	897.	
		49"	18"	<b>R3R2AF24918</b> ( ) ( ) ( ) ( ) ( ) ( )	641.	656.	693.	737.	771.	827.	857.
			24"	<b>R3R2AF24924</b> ( ) ( ) ( ) ( ) ( ) ( )	684.	699.	736.	781.	814.	870.	900.
			30"	<b>R3R2AF24930</b> ( ) ( ) ( ) ( ) ( ) ( )	738.	753.	791.	836.	869.	924.	954.
			36"	<b>R3R2AF24936</b> ( ) ( ) ( ) ( ) ( ) ( )	782.	797.	835.	880.	913.	968.	998.
		42"	<b>R3R2AF24942</b> ( ) ( ) ( ) ( ) ( ) ( )	881.	896.	932.	977.	1,011.	1,067.	1,097.	
		48"	<b>R3R2AF24948</b> ( ) ( ) ( ) ( ) ( ) ( )	930.	945.	982.	1,027.	1,060.	1,116.	1,146.	
	64"	18"	<b>R3R2AF26418</b> ( ) ( ) ( ) ( ) ( ) ( )	735.	755.	805.	865.	910.	983.	1,023.	
		24"	<b>R3R2AF26424</b> ( ) ( ) ( ) ( ) ( ) ( )	783.	804.	853.	913.	958.	1,031.	1,072.	
		30"	<b>R3R2AF26430</b> ( ) ( ) ( ) ( ) ( ) ( )	842.	862.	912.	972.	1,015.	1,090.	1,130.	
		36"	<b>R3R2AF26436</b> ( ) ( ) ( ) ( ) ( ) ( )	896.	915.	965.	1,024.	1,069.	1,144.	1,183.	
		42"	<b>R3R2AF26442</b> ( ) ( ) ( ) ( ) ( ) ( )	1,020.	1,039.	1,089.	1,148.	1,193.	1,268.	1,308.	
		48"	<b>R3R2AF26448</b> ( ) ( ) ( ) ( ) ( ) ( )	1,070.	1,090.	1,140.	1,199.	1,244.	1,318.	1,359.	




both sides 64x48 shown, 49" h with three tiles; 34" h with two tiles

Order Code	Specification Information	Application Notes
Example: <b>R3R2AF23418EAA4K613W359-V316N</b>	To order please specify pattern number including:	Tiled side includes aluminum panel reveals between V2 inserts. Aluminum vertical hookstrip cover ordered separately. Anodized aluminum only.
<b>R3</b> AutoStrada w/generation 3 frame	1. Height	
<b>R2</b> Base raceway both sides	2. Width	
<b>A</b> Tiled one side, Monolithic other	3. Extruded Aluminum Top Trim <i>E - default</i>	Panels are not for use with medians, storage medians or bridges.
<b>F</b> Fabric, monolithic side	4. Finish, Aluminum trim <i>AA - anodized aluminum only</i>	
<b>2</b> V2 Natural, tiled side	5. Base raceway height <i>4 = 4" h, default</i>	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
<b>34</b> 34" high	6. Knock-out option <i>K = with knock-outs</i> <i>N = no knock-outs</i>	
<b>18</b> 18" wide	7. Base raceway finish <i>(painted or plated finish options only)</i>	Panels on this page will accept standard Reff System stacking window modules.
<b>E</b> Extruded Aluminum top trim	8. Fabric selection	
<b>AA</b> Top Trim anodized aluminum finish	9. Finish, V2 Natural	
<b>4</b> 4" high base raceway	10. Milled for ported componenets <i>M = milled for (\$11 list upcharge applicable)</i> <i>N = not milled for</i>	
<b>K</b> Knock-outs in base raceway		
<b>613</b> Finish, base raceway	See page 5 for finish options applicable.	
<b>W359-</b> Finish, fabric		
<b>V316</b> Finish, Maple		
<b>N</b> Not milled for ported components		

Tiled/Monolithic - both sides with base raceway  
*Tiled one side - V3 Exotic/Monolithic - fabric*

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Tiled V3 exotic one side, fabric monolithic other side (both sides w/ base raceway)	34"	18"	<b>R3R2AF33418</b> (X)(X)(X)(X)(X)(X)	\$690.	\$703.	\$735.	\$775.	\$804.	\$852.	\$877.
		24"	<b>R3R2AF33424</b> (X)(X)(X)(X)(X)(X)	738.	751.	784.	823.	852.	900.	926.
		30"	<b>R3R2AF33430</b> (X)(X)(X)(X)(X)(X)	789.	801.	834.	873.	902.	950.	976.
		36"	<b>R3R2AF33436</b> (X)(X)(X)(X)(X)(X)	836.	849.	881.	919.	948.	997.	1,023.
		42"	<b>R3R2AF33442</b> (X)(X)(X)(X)(X)(X)	960.	973.	1,005.	1,043.	1,073.	1,121.	1,147.
		48"	<b>R3R2AF33448</b> (X)(X)(X)(X)(X)(X)	994.	1,007.	1,039.	1,077.	1,106.	1,155.	1,181.
49"	18"	<b>R3R2AF34918</b> (X)(X)(X)(X)(X)(X)	855.	874.	922.	980.	1,024.	1,097.	1,135.	
	24"	<b>R3R2AF34924</b> (X)(X)(X)(X)(X)(X)	911.	930.	979.	1,037.	1,081.	1,153.	1,192.	
	30"	<b>R3R2AF34930</b> (X)(X)(X)(X)(X)(X)	982.	1,002.	1,050.	1,107.	1,151.	1,224.	1,263.	
	36"	<b>R3R2AF34936</b> (X)(X)(X)(X)(X)(X)	1,039.	1,058.	1,106.	1,164.	1,208.	1,281.	1,319.	
	42"	<b>R3R2AF34942</b> (X)(X)(X)(X)(X)(X)	1,166.	1,186.	1,234.	1,291.	1,335.	1,408.	1,447.	
	48"	<b>R3R2AF34948</b> (X)(X)(X)(X)(X)(X)	1,231.	1,250.	1,298.	1,357.	1,400.	1,472.	1,511.	
64"	18"	<b>R3R2AF36418</b> (X)(X)(X)(X)(X)(X)	984.	1,010.	1,075.	1,152.	1,210.	1,308.	1,359.	
	24"	<b>R3R2AF36424</b> (X)(X)(X)(X)(X)(X)	1,048.	1,073.	1,138.	1,216.	1,273.	1,371.	1,422.	
	30"	<b>R3R2AF36430</b> (X)(X)(X)(X)(X)(X)	1,124.	1,149.	1,213.	1,291.	1,349.	1,447.	1,498.	
	36"	<b>R3R2AF36436</b> (X)(X)(X)(X)(X)(X)	1,193.	1,219.	1,283.	1,361.	1,419.	1,515.	1,568.	
	42"	<b>R3R2AF36442</b> (X)(X)(X)(X)(X)(X)	1,355.	1,380.	1,445.	1,523.	1,580.	1,677.	1,729.	
	48"	<b>R3R2AF36448</b> (X)(X)(X)(X)(X)(X)	1,421.	1,447.	1,511.	1,588.	1,647.	1,743.	1,794.	




both sides 64x48 shown, 49" h with three tiles; 34" h with two tiles

Order Code	Specification Information	Application Notes
Example: <b>R3R2AF33418EAA4K</b> <b>613W359-V515N</b>	To order please specify pattern number including:	Tiled side includes aluminum panel reveals between V3 inserts.
<b>R3</b> AutoStrada w/generation 3 frame	1. Height	Aluminum vertical hookstrip cover ordered separately. Anodized aluminum only.
<b>R2</b> Base raceway both sides	2. Width	
<b>A</b> Tiled one side, Monolithic other	3. Extruded Aluminum Top Trim <i>E - default</i>	Panels are not for use with medians, storage medians or bridges.
<b>F</b> Fabric, monolithic side	4. Finish, Aluminum trim <i>AA - anodized aluminum only</i>	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
<b>3</b> V3 Exotic, tiled side	5. Base raceway height <i>4 = 4" h, default</i>	
<b>34</b> 34" high	6. Knock-out option <i>K = with knock-outs</i> <i>N = no knock-outs</i>	Panels on this page will accept standard Reff System stacking window modules.
<b>18</b> 18" wide	7. Base raceway finish <i>(painted or plated finish options only)</i>	
<b>E</b> Extruded Aluminum top trim	8. Fabric selection	
<b>AA</b> Top Trim anodized aluminum finish	9. Finish, V3 Exotic	
<b>4</b> 4" high base raceway	10. Milled for ported components <i>M = milled for (\$11 list upcharge applicable)</i> <i>N = not milled for</i>	
<b>K</b> Knock-outs in base raceway		
<b>613</b> Finish, base raceway	See page 5 for finish options applicable.	
<b>W359-</b> Finish, fabric		
<b>V515</b> Finish, Quartered Clear Figured Sycamore		
<b>N</b> Not milled for ported components		

# Tiled one side/Slatwall combo other

## Tiled one side - Laminate/Slatwall and Fabric other side

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Tiled laminate one side, slatwall/fabric other side (tiled side without base raceway)	42"	18"	<b>R3R1CXL4218</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	\$747.	\$758.	\$784.	\$822.	\$846.	\$886.	\$908.
		24"	<b>R3R1CXL4224</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	826.	837.	863.	901.	926.	965.	988.
		30"	<b>R3R1CXL4230</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	905.	916.	943.	980.	1,005.	1,044.	1,067.
		36"	<b>R3R1CXL4236</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	984.	995.	1,022.	1,059.	1,084.	1,124.	1,146.
		42"	<b>R3R1CXL4242</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,064.	1,074.	1,101.	1,138.	1,163.	1,203.	1,225.
		48"	<b>R3R1CXL4248</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,144.	1,155.	1,181.	1,219.	1,243.	1,283.	1,305.
		49"	18"	<b>R3R1CXL4918</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	856.	869.	901.	939.	968.	1,017.
		24"	<b>R3R1CXL4924</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	948.	961.	993.	1,031.	1,060.	1,109.	1,134.
		30"	<b>R3R1CXL4930</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,040.	1,053.	1,085.	1,124.	1,152.	1,201.	1,226.
		36"	<b>R3R1CXL4936</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,132.	1,145.	1,177.	1,216.	1,244.	1,293.	1,318.
		42"	<b>R3R1CXL4942</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,224.	1,237.	1,269.	1,308.	1,336.	1,385.	1,410.
		48"	<b>R3R1CXL4948</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,317.	1,330.	1,362.	1,401.	1,430.	1,478.	1,503.
	64"	18"	<b>R3R1CXL6418</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	947.	964.	1,007.	1,058.	1,097.	1,161.	1,195.
		24"	<b>R3R1CXL6424</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,071.	1,088.	1,131.	1,182.	1,221.	1,285.	1,319.
		30"	<b>R3R1CXL6430</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,195.	1,212.	1,255.	1,306.	1,345.	1,409.	1,443.
		36"	<b>R3R1CXL6436</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,319.	1,336.	1,379.	1,431.	1,469.	1,533.	1,568.
		42"	<b>R3R1CXL6442</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,443.	1,461.	1,503.	1,555.	1,593.	1,657.	1,692.
		48"	<b>R3R1CXL6448</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,568.	1,585.	1,627.	1,679.	1,717.	1,782.	1,816.




both sides 64x48 shown, 42" & 49" h do not have insert above slatwall section

Panels

Order Code	Specification Information	Application Notes
Example: <b>R3R1CXL4218EAA4K 613W359-118AA</b>	To order please specify pattern number including:	Tiled side includes aluminum panel reveals between laminate inserts. Aluminum vertical hookstrip cover ordered separately. Anodized aluminum finish only. Tiled side inserts extend to the floor, there is no base raceway on this panel side. Be sure to specify power rails for panels with one sided base raceways.
<b>R3</b> AutoStrada w/generation 3 frame	1. Height	Slatwall/fabric side combination: Slatwall above worksurface is nominally 15" h for 42" high panels, and 22 1/2" h for both 49" and 64" high panels. Fabric insert begins at just below worksurface height to the base raceway. (64" high panels also have a fabric insert above the slatwall section).
<b>R1</b> Base raceway slatwall combo side only	2. Width	
<b>C</b> Tiled one side, Slatwall combo other	3. Extruded Aluminum Top Trim <i>E - default</i>	
<b>X</b> Fabric/Slatwall combo side	4. Finish, Aluminum trim <i>AA - anodized aluminum only</i>	
<b>L</b> Laminate, tiled side	5. Base raceway height <i>4 = 4" h, default</i>	
<b>42</b> 42" high	6. Knock-out option <i>K = with knock-outs</i> <i>N = no knock-outs</i>	
<b>18</b> 18" wide	7. Base raceway finish <i>(painted or plated finish options only)</i>	
<b>E</b> Extruded Aluminum top trim	8. Fabric selection	
<b>AA</b> Top Trim anodized aluminum finish	9. Finish, Laminate	
<b>4</b> 4" high base raceway	10. Finish, Slatwall <i>(painted or AA - anodized aluminum)</i>	
<b>K</b> Knock-outs in base raceway	See page 5 for finish options applicable.	Black PVC hookstrip reveals should be ordered for panel side with slatwall.
<b>613</b> Finish, base raceway		Panels on this page will accept standard Reff System stacking window modules.
<b>W359-</b> Finish, Fabric (combo side)		
<b>118</b> Finish, Bright white (tiled side)		
<b>AA</b> Finish, Slatwall		

Tiled one side - V1 Techwood/Slatwall and Fabric other side

description	h	w	pattern no.	Grade							
				10	15	20	30	35	40	45	
Tiled V1 techwood one side, slatwall/fabric other side (tiled side without base raceway)	42"	18"	<b>R3R1CX14218</b> (X)(X)(X)(X)(X)(X)	\$1,053.	\$1,064.	\$1,090.	\$1,128.	\$1,152.	\$1,192.	\$1,214.	
		24"	<b>R3R1CX14224</b> (X)(X)(X)(X)(X)(X)	1,134.	1,145.	1,172.	1,209.	1,234.	1,273.	1,296.	
		30"	<b>R3R1CX14230</b> (X)(X)(X)(X)(X)(X)	1,216.	1,226.	1,253.	1,290.	1,315.	1,355.	1,377.	
		36"	<b>R3R1CX14236</b> (X)(X)(X)(X)(X)(X)	1,297.	1,308.	1,334.	1,372.	1,396.	1,436.	1,458.	
		42"	<b>R3R1CX14242</b> (X)(X)(X)(X)(X)(X)	1,378.	1,389.	1,416.	1,453.	1,478.	1,517.	1,540.	
		48"	<b>R3R1CX14248</b> (X)(X)(X)(X)(X)(X)	1,457.	1,468.	1,495.	1,532.	1,557.	1,596.	1,619.	
		49"	18"	<b>R3R1CX14918</b> (X)(X)(X)(X)(X)(X)	1,163.	1,176.	1,208.	1,247.	1,275.	1,324.	1,349.
			24"	<b>R3R1CX14924</b> (X)(X)(X)(X)(X)(X)	1,257.	1,270.	1,302.	1,341.	1,370.	1,418.	1,443.
			30"	<b>R3R1CX14930</b> (X)(X)(X)(X)(X)(X)	1,351.	1,364.	1,396.	1,435.	1,464.	1,512.	1,538.
			36"	<b>R3R1CX14936</b> (X)(X)(X)(X)(X)(X)	1,446.	1,458.	1,491.	1,529.	1,558.	1,606.	1,632.
			42"	<b>R3R1CX14942</b> (X)(X)(X)(X)(X)(X)	1,540.	1,553.	1,585.	1,623.	1,652.	1,700.	1,726.
			48"	<b>R3R1CX14948</b> (X)(X)(X)(X)(X)(X)	1,635.	1,648.	1,680.	1,718.	1,747.	1,795.	1,821.
		64"	18"	<b>R3R1CX16418</b> (X)(X)(X)(X)(X)(X)	1,332.	1,349.	1,392.	1,443.	1,482.	1,546.	1,580.
			24"	<b>R3R1CX16424</b> (X)(X)(X)(X)(X)(X)	1,464.	1,481.	1,524.	1,575.	1,614.	1,678.	1,712.
		30"	<b>R3R1CX16430</b> (X)(X)(X)(X)(X)(X)	1,595.	1,612.	1,655.	1,707.	1,745.	1,809.	1,844.	
		36"	<b>R3R1CX16436</b> (X)(X)(X)(X)(X)(X)	1,727.	1,744.	1,787.	1,838.	1,877.	1,941.	1,975.	
		42"	<b>R3R1CX16442</b> (X)(X)(X)(X)(X)(X)	1,859.	1,876.	1,919.	1,970.	2,008.	2,073.	2,107.	
		48"	<b>R3R1CX16448</b> (X)(X)(X)(X)(X)(X)	1,990.	2,007.	2,050.	2,101.	2,140.	2,204.	2,238.	




both sides 64x48 shown, 42" & 49" h do not have insert above slatwall section

Order Code	Specification Information	Application Notes
Example: <b>R3R1CX14218EAA4K</b> <b>613W359-Y319AA</b>	To order please specify pattern number including:	Tiled side includes aluminum panel reveals between V1 inserts.
<b>R3</b> AutoStrada w/generation 3 frame	1. Height	Aluminum vertical hookstrip cover ordered separately. Anodized aluminum finish only. Tiled side inserts extend to the floor, there is no base raceway on this panel side.
<b>R1</b> Base raceway slatwall combo side only	2. Width	Be sure to specify power rails for panels with one sided base raceways.
<b>C</b> Tiled one side, Slatwall combo other	3. Extruded Aluminum Top Trim <i>E - default</i>	Slatwall/fabric side combination: Slatwall above worksurface is nominally 15" h for 42" high panels, and 22 1/2" h for both 49" and 64" high panels. Fabric insert begins at just below worksurface height to the base raceway. (64" high panels also have a fabric insert above the slatwall section).
<b>X</b> Fabric/Slatwall combo side	4. Finish, Aluminum trim <i>AA - anodized aluminum only</i>	Black PVC hookstrip reveals should be ordered for panel side with slatwall.
<b>1</b> V1 Techwood, tiled side	5. Base raceway height <i>4 = 4" h, default</i>	Panels on this page will accept standard Reff System stacking window modules.
<b>42</b> 42" high	6. Knock-out option <i>K = with knock-outs</i> <i>N = no knock-outs</i>	
<b>18</b> 18" wide	7. Base raceway finish <i>(painted or plated finish options only)</i>	
<b>E</b> Extruded Aluminum top trim	8. Fabric selection	
<b>AA</b> Top Trim anodized aluminum finish	9. Finish, V1 Techwood	
<b>4</b> 4" high base raceway	10. Finish, Slatwall <i>(painted or AA - anodized aluminum)</i>	
<b>K</b> Knock-outs in base raceway	See page 5 for finish options applicable.	
<b>613</b> Finish, base raceway		
<b>W359-</b> Finish, Fabric (combo side)		
<b>Y319</b> Finish, Cherry (tiled side)		
<b>AA</b> Finish, Slatwall		

# Tiled one side/Slatwall combo other


## Tiled one side - V2 Natural/Slatwall and Fabric other side

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Tiled V2 natural one side, slatwall/fabric other side (tiled side without base raceway)    <i>both sides 64x48 shown, 42" &amp; 49" h do not have insert above slatwall section</i>	42"	18"	<b>R3R1CX24218</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	\$1,096.	\$1,106.	\$1,133.	\$1,171.	\$1,195.	\$1,235.	\$1,257.
	24"	<b>R3R1CX24224</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,188.	1,198.	1,225.	1,263.	1,287.	1,327.	1,349.	
	30"	<b>R3R1CX24230</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,280.	1,290.	1,317.	1,355.	1,379.	1,419.	1,441.	
	36"	<b>R3R1CX24236</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,372.	1,382.	1,409.	1,447.	1,471.	1,511.	1,533.	
	42"	<b>R3R1CX24242</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,464.	1,474.	1,501.	1,539.	1,563.	1,603.	1,625.	
	48"	<b>R3R1CX24248</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,556.	1,566.	1,593.	1,631.	1,655.	1,695.	1,717.	
	49"	18"	<b>R3R1CX24918</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,212.	1,225.	1,257.	1,296.	1,325.	1,373.	1,398.
	24"	<b>R3R1CX24924</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,319.	1,332.	1,364.	1,403.	1,432.	1,480.	1,505.	
	30"	<b>R3R1CX24930</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,426.	1,439.	1,471.	1,510.	1,539.	1,587.	1,612.	
	36"	<b>R3R1CX24936</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,534.	1,547.	1,579.	1,618.	1,647.	1,695.	1,721.	
42"	<b>R3R1CX24942</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,641.	1,654.	1,686.	1,725.	1,754.	1,802.	1,828.		
48"	<b>R3R1CX24948</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,749.	1,762.	1,794.	1,833.	1,862.	1,910.	1,936.		
64"	18"	<b>R3R1CX26418</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,398.	1,416.	1,458.	1,510.	1,548.	1,612.	1,647.	
24"	<b>R3R1CX26424</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,547.	1,564.	1,607.	1,659.	1,697.	1,761.	1,795.		
30"	<b>R3R1CX26430</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,696.	1,713.	1,756.	1,807.	1,846.	1,910.	1,944.		
36"	<b>R3R1CX26436</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,845.	1,862.	1,905.	1,956.	1,994.	2,059.	2,093.		
42"	<b>R3R1CX26442</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,993.	2,011.	2,053.	2,105.	2,143.	2,207.	2,242.		
48"	<b>R3R1CX26448</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	2,142.	2,159.	2,202.	2,253.	2,292.	2,356.	2,390.		

Order Code	Specification Information	Application Notes
Example: <b>R3R1CX24218EAA4K</b> <b>613W359-V316AA</b>	<i>To order please specify pattern number including:</i>	Tiled side includes aluminum panel reveals between V2 inserts.
<b>R3</b> AutoStrada w/generation 3 frame	1. Height	Aluminum vertical hookstrip cover ordered separately. Anodized aluminum finish only. Tiled side inserts extend to the floor, there is no base raceway on this panel side.
<b>R1</b> Base raceway slatwall combo side only	2. Width	Be sure to specify power rails for panels with one sided base raceways.
<b>C</b> Tiled one side, Slatwall combo other	3. Extruded Aluminum Top Trim <i>E - default</i>	Slatwall/fabric side combination: Slatwall above worksurface is nominally 15" h for 42" high panels, and 22 1/2" h for both 49" and 64" high panels. Fabric insert begins at just below worksurface height to the base raceway. (64" high panels also have a fabric insert above the slatwall section).
<b>X</b> Fabric/Slatwall combo side	4. Finish, Aluminum trim <i>AA - anodized aluminum only</i>	Black PVC hookstrip reveals should be ordered for panel side with slatwall.
<b>2</b> V2 Natural, tiled side	5. Base raceway height <i>4 = 4" h, default</i>	Panels on this page will accept standard Ref System stacking window modules.
<b>42</b> 42" high	6. Knock-out option <i>K = with knock-outs</i> <i>N = no knock-outs</i>	
<b>18</b> 18" wide	7. Base raceway finish <i>(painted or plated finish options only)</i>	
<b>E</b> Extruded Aluminum top trim	8. Fabric selection	
<b>AA</b> Top Trim anodized aluminum finish	9. Finish, V2 Natural	
<b>4</b> 4" high base raceway	10. Finish, Slatwall <i>(painted or AA - anodized aluminum)</i>	
<b>K</b> Knock-outs in base raceway	See page 5 for finish options applicable.	
<b>613</b> Finish, base raceway		
<b>W359-</b> Finish, Fabric (combo side)		
<b>V316</b> Finish, Maple (tiled side)		
<b>AA</b> Finish, Slatwall		

Tiled one side/Slatwall combo other  
*Tiled one side - V3 Exotic/Slatwall and Fabric other side*

description	h	w	pattern no.	Grade							
				10	15	20	30	35	40	45	
Tiled V3 exotic one side, slatwall/fabric other side (tiled side without base raceway)	42"	18"	<b>R3R1CX34218</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	\$1,443.	\$1,457.	\$1,492.	\$1,541.	\$1,573.	\$1,624.	\$1,653.	
		24"	<b>R3R1CX34224</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,562.	1,576.	1,611.	1,660.	1,692.	1,743.	1,773.	
		30"	<b>R3R1CX34230</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,682.	1,696.	1,731.	1,779.	1,812.	1,863.	1,893.	
		36"	<b>R3R1CX34236</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,802.	1,816.	1,851.	1,899.	1,931.	1,983.	2,012.	
		42"	<b>R3R1CX34242</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,922.	1,936.	1,970.	2,019.	2,051.	2,103.	2,131.	
		48"	<b>R3R1CX34248</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	2,042.	2,055.	2,090.	2,139.	2,171.	2,222.	2,251.	
		49"	18"	<b>R3R1CX34918</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,598.	1,615.	1,656.	1,706.	1,744.	1,806.	1,839.
			24"	<b>R3R1CX34924</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,737.	1,754.	1,795.	1,845.	1,883.	1,945.	1,978.
			30"	<b>R3R1CX34930</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,876.	1,893.	1,935.	1,984.	2,022.	2,084.	2,118.
			36"	<b>R3R1CX34936</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	2,016.	2,033.	2,075.	2,125.	2,162.	2,225.	2,259.
		42"	<b>R3R1CX34942</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	2,155.	2,172.	2,214.	2,264.	2,302.	2,364.	2,398.	
		48"	<b>R3R1CX34948</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	2,296.	2,312.	2,354.	2,404.	2,442.	2,505.	2,538.	
	64"	18"	<b>R3R1CX36418</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,847.	1,869.	1,925.	1,991.	2,042.	2,125.	2,170.	
		24"	<b>R3R1CX36424</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	2,040.	2,063.	2,119.	2,185.	2,235.	2,319.	2,363.	
		30"	<b>R3R1CX36430</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	2,234.	2,256.	2,311.	2,379.	2,429.	2,512.	2,556.	
		36"	<b>R3R1CX36436</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	2,427.	2,449.	2,505.	2,571.	2,622.	2,705.	2,750.	
		42"	<b>R3R1CX36442</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	2,620.	2,643.	2,699.	2,765.	2,815.	2,899.	2,944.	
		48"	<b>R3R1CX36448</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	2,814.	2,836.	2,891.	2,959.	3,009.	3,092.	3,136.	




both sides 64x48 shown, 42" & 49" h do not have insert above slatwall section

Order Code	Specification Information	Application Notes
Example: <b>R3R1CX34218EAA4K 613W359-V515AA</b>	<i>To order please specify pattern number including:</i>	Tiled side includes aluminum panel reveals between V3 inserts. Aluminum vertical hookstrip cover ordered separately. Anodized aluminum finish only. Tiled side inserts extend to the floor, there is no base raceway on this panel side. Be sure to specify power rails for panels with one sided base raceways.
<b>R3</b> AutoStrada w/generation 3 frame	1. Height	Panels with slatwall one or both sides do not accommodate ported power or data modules.
<b>R1</b> Base raceway slatwall combo side only	2. Width	
<b>C</b> Tiled one side, Slatwall combo other	3. Extruded Aluminum Top Trim <i>E - default</i>	
<b>X</b> Fabric/Slatwall combo side	4. Finish, Aluminum trim <i>AA - anodized aluminum only</i>	
<b>3</b> V3 Exotic, tiled side	5. Base raceway height <i>4 = 4" h, default</i>	
<b>42</b> 42" high	6. Knock-out option <i>K = with knock-outs</i> <i>N = no knock-outs</i>	
<b>18</b> 18" wide	7. Base raceway finish <i>(painted or plated finish options only)</i>	
<b>E</b> Extruded Aluminum top trim	8. Fabric selection	
<b>AA</b> Top Trim anodized aluminum finish	9. Finish, V3 Exotic	
<b>4</b> 4" high base raceway	10. Finish, Slatwall <i>(painted or AA - anodized aluminum)</i>	
<b>K</b> Knock-outs in base raceway	See page 5 for finish options applicable.	Black PVC hookstrip reveals should be ordered for panel side with slatwall.
<b>613</b> Finish, base raceway		Panels on this page will accept standard Reff System stacking window modules.
<b>W359-</b> Finish, Fabric (combo side)		
<b>V515</b> Finish, Quartered Clear Figured Sycamore (tiled side)		
<b>AA</b> Finish, Slatwall		



# Slatwall/Fabric combo both sides - both sides with base raceway

description	h	w	pattern no.	Grade							
				10	15	20	30	35	40	45	
Slatwall/Fabric both sides (base raceway both sides)	42"	18"	<b>R3R2SXX4218</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	\$834.	\$855.	\$908.	\$983.	\$1,033.	\$1,112.	\$1,157.	
		24"	<b>R3R2SXX4224</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	911.	932.	985.	1,060.	1,110.	1,189.	1,234.	
		30"	<b>R3R2SXX4230</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	988.	1,009.	1,063.	1,137.	1,187.	1,266.	1,311.	
		36"	<b>R3R2SXX4236</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,065.	1,086.	1,140.	1,214.	1,264.	1,343.	1,388.	
		42"	<b>R3R2SXX4242</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,142.	1,163.	1,217.	1,291.	1,341.	1,420.	1,465.	
		48"	<b>R3R2SXX4248</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,221.	1,242.	1,296.	1,371.	1,420.	1,499.	1,544.	
		49"	18"	<b>R3R2SXX4918</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,029.	1,055.	1,119.	1,196.	1,254.	1,350.	1,402.
			24"	<b>R3R2SXX4924</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,125.	1,150.	1,214.	1,291.	1,349.	1,446.	1,497.
			30"	<b>R3R2SXX4930</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,220.	1,245.	1,310.	1,387.	1,445.	1,541.	1,592.
			36"	<b>R3R2SXX4936</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,315.	1,341.	1,405.	1,482.	1,540.	1,636.	1,687.
		42"	<b>R3R2SXX4942</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,410.	1,436.	1,500.	1,577.	1,635.	1,731.	1,783.	
		48"	<b>R3R2SXX4948</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,505.	1,531.	1,595.	1,672.	1,730.	1,826.	1,878.	
	64"	18"	<b>R3R2SXX6418</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,057.	1,091.	1,177.	1,280.	1,357.	1,485.	1,554.	
		24"	<b>R3R2SXX6424</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,157.	1,191.	1,277.	1,379.	1,456.	1,585.	1,653.	
		30"	<b>R3R2SXX6430</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,256.	1,290.	1,376.	1,479.	1,556.	1,684.	1,753.	
		36"	<b>R3R2SXX6436</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,356.	1,390.	1,476.	1,578.	1,655.	1,784.	1,852.	
		42"	<b>R3R2SXX6442</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,455.	1,489.	1,575.	1,678.	1,755.	1,883.	1,952.	
		48"	<b>R3R2SXX6448</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1,554.	1,588.	1,673.	1,776.	1,853.	1,982.	2,050.	




both sides 64x48 shown, 42"h and 49"h do not have inserts above slatwall sections

Panels


Order Code	Specification Information	Application Notes
Example: <b>R3R2SXX4218EAA4K613W359-W359-AA</b>	To order please specify pattern number including:	Slatwall/fabric combination: Panels with slatwall one or both sides do not accommodate ported power or data modules.
<b>R3</b> AutoStrada w/generation 3 frame	1. Height	Slatwall above worksurface is nominally 15"h for 42" high panels; and 22 1/2"h for both 49" and 64" high panels. Fabric insert begins just below worksurface height to base raceway. (64" high panels also have a fabric insert above the slatwall section.)  Black PVC hookstrip reveals should be ordered for both panel sides with slatwall.  Panels on this page will accept standard Reff System stacking window modules.
<b>R2</b> Base raceway both sides	2. Width	
<b>S</b> Slatwall/Fabric combo both sides	3. Extruded Aluminum Top Trim <i>E - default</i>	
<b>X</b> Fabric/Slatwall combo side 1	4. Finish, Aluminum trim <i>AA - anodized aluminum only</i>	
<b>X</b> Fabric/Slatwall combo side 2	5. Base raceway height <i>4 = 4"h, default</i>	
<b>42</b> 42" high	6. Knock-out option <i>K = with knock-outs</i> <i>N = no knock-outs</i>	
<b>18</b> 18" wide	7. Base raceway finish <i>(painted or plated finish options only)</i>	
<b>E</b> Extruded Aluminum top trim	8. Fabric selection (side 1)	
<b>AA</b> Top Trim anodized aluminum finish	9. Fabric selection (side 2)	
<b>4</b> 4" high base raceway	10. Finish, Slatwall <i>(painted or AA - anodized aluminum)</i>	
<b>K</b> Knock-outs in base raceway	See page 5 for finish options applicable.	
<b>613</b> Finish, base raceway		
<b>W359-</b> Finish, Fabric (side 1)		
<b>W359-</b> Finish, Fabric (side 2)		
<b>AA</b> Finish, Slatwall		

description	w	d	pattern no.	clear temp	GL13	list
Frameless glass add-up 8"h, for panels	18"		<b>R3GAU0818</b> ( )( )	\$206.	\$257.	
	20"		<b>R3GAU0820</b> ( )( )	219.	279.	
	24"		<b>R3GAU0824</b> ( )( )	233.	301.	
	30"		<b>R3GAU0830</b> ( )( )	258.	343.	
	36"		<b>R3GAU0836</b> ( )( )	282.	384.	
	42"		<b>R3GAU0842</b> ( )( )	327.	444.	
	48"		<b>R3GAU0848</b> ( )( )	338.	474.	
Frameless glass add-up 12"h, for panels	18"		<b>R3GAU1218</b> ( )( )	226.	308.	
	20"		<b>R3GAU1220</b> ( )( )	243.	339.	
	24"		<b>R3GAU1224</b> ( )( )	259.	370.	
	30"		<b>R3GAU1230</b> ( )( )	291.	428.	
	36"		<b>R3GAU1236</b> ( )( )	321.	486.	
	42"		<b>R3GAU1242</b> ( )( )	372.	564.	
	48"		<b>R3GAU1248</b> ( )( )	391.	610.	
Frameless glass add-up 15"h, for panels	18"		<b>R3GAU1518</b> ( )( )	233.	329.	
	20"		<b>R3GAU1520</b> ( )( )	252.	363.	
	24"		<b>R3GAU1524</b> ( )( )	270.	397.	
	30"		<b>R3GAU1530</b> ( )( )	303.	462.	
	36"		<b>R3GAU1536</b> ( )( )	337.	527.	
	42"		<b>R3GAU1542</b> ( )( )	390.	612.	
	48"		<b>R3GAU1548</b> ( )( )	412.	665.	
Frameless glass add-up 8"h, for panels for hi/lo condition no post involved	18"		<b>R3GAUHL0818</b> ( )( )	206.	257.	
	20"		<b>R3GAUHL0820</b> ( )( )	219.	279.	
	24"		<b>R3GAUHL0824</b> ( )( )	233.	301.	
	30"		<b>R3GAUHL0830</b> ( )( )	258.	343.	
	36"		<b>R3GAUHL0836</b> ( )( )	282.	384.	
	42"		<b>R3GAUHL0842</b> ( )( )	327.	444.	
	48"		<b>R3GAUHL0848</b> ( )( )	338.	474.	



Order Code	Specification Information	Application Notes
Example: <b>R3GAU0818GL13AA</b>	<i>To order please specify pattern number including:</i>	<b>Frameless glass add-ups only for use with non-progressive tile construction panels with at least one side fabric tiles.</b>
<b>R3</b> AutoStrada w/generation 3 frame	1. Height <b>08</b> = 42"h panel with add-up will align with top of 49"h panel <b>12</b> = 49"h panel with add-up will align with 48"h spine with spine add-up (overall height 61" nominal) <b>15</b> = add-up will align with tile segments of 34"h, 49"h or 64"h panels (ie: 34"h panel with add-up align to 49"h panel)	<b>It is necessary to order replacement post caps and end trim caps to work specifically with frameless glass add-up modules.</b> <i>To order please specify pattern number including configuration condition:</i>
<b>GAU</b> Glass add-up	2. Width	1 = add-up on one side of post 2 = add-ups on two sides of post 3 = add-ups on three sides of post (applicable T and X post caps) 4 = add-ups on four sides of post (applicable X post caps only)
<b>08</b> height	3. Glass Finish <i>TEMP</i> = clear tempered glass <i>GL13</i> = powder	Finish: AA - anodized aluminum only
<b>18</b> width	4. Finish, capture/trim <i>AA</i> - anodized aluminum only	
<b>GL13</b> glass finish, powder		
<b>AA</b> finish, capture/trim		


description	w	d	pattern no.	clear temp	GL13	list
Frameless glass add-up 12”h, for panels for hi/lo condition no post involved	18”		<b>R3GAUHL1218</b> ( ) ( )	\$226.	\$308.	
	20”		<b>R3GAUHL1220</b> ( ) ( )	243.	339.	
	24”		<b>R3GAUHL1224</b> ( ) ( )	259.	370.	
	30”		<b>R3GAUHL1230</b> ( ) ( )	291.	428.	
	36”		<b>R3GAUHL1236</b> ( ) ( )	321.	486.	
	42”		<b>R3GAUHL1242</b> ( ) ( )	372.	564.	
	48”		<b>R3GAUHL1248</b> ( ) ( )	391.	610.	
Frameless glass add-up 15”h, for panels for hi/lo condition no post involved	18”		<b>R3GAUHL1518</b> ( ) ( )	233.	329.	
	20”		<b>R3GAUHL1520</b> ( ) ( )	252.	363.	
	24”		<b>R3GAUHL1524</b> ( ) ( )	270.	397.	
	30”		<b>R3GAUHL1530</b> ( ) ( )	303.	462.	
	36”		<b>R3GAUHL1536</b> ( ) ( )	337.	527.	
	42”		<b>R3GAUHL1542</b> ( ) ( )	390.	612.	
	48”		<b>R3GAUHL1548</b> ( ) ( )	412.	665.	
End trim cap (use with glass add up)			<b>A1ECAU</b> ( )			47.
L post cap (use with glass add up)			<b>A1LPCAU</b> ( ) ( )			44.
Straight post cap (use with glass add up)			<b>A1SPCAU</b> ( ) ( )			39.
T post cap (use with glass add up)			<b>A1TPCAU</b> ( ) ( )			39.
X post cap (use with glass add up)			<b>A1XPCAU</b> ( ) ( )			39.



Order Code	Specification Information	Application Notes
Example: <b>R3GAU0818GL13AA</b>	<i>To order please specify pattern number including:</i>	<b>Frameless glass add-ups only for use with non-progressive tile construction panels with at least one side fabric tiles.</b>
<b>R3</b> AutoStrada w/generation 3 frame	1. Height <b>08</b> = 42”h panel with add-up will align with top of 49”h panel <b>12</b> = 49”h panel with add-up will align with 48”h spine with spine add-up (overall height 61” nominal) <b>15</b> = add-up will align with tile segments of 34”h, 49”h or 64”h panels (ie: 34”h panel with add-up align to 49”h panel)	<b>It is necessary to order replacement post caps and end trim caps to work specifically with frameless glass add-up modules.</b> <i>To order please specify pattern number including configuration condition:</i>
<b>GAU</b> Glass add-up	2. Width	1 = add-up on one side of post 2 = add-ups on two sides of post 3 = add-ups on three sides of post (applicable T and X post caps) 4 = add-ups on four sides of post (applicable X post caps only)
<b>08</b> height	3. Glass Finish <i>TEMP</i> = clear tempered glass <i>GL13</i> = powder	Finish: AA - anodized aluminum only
<b>18</b> width	4. Finish, capture/trim <i>AA</i> - anodized aluminum only	
<b>GL13</b> glass finish, powder		
<b>AA</b> finish, capture/trim		

# Posts, panels


## T post

description	h	pattern no.	list
 T post, tiled laminate (no base plate)	34"	R3R0TTL34 ( ) ( )	\$197.
	42"	R3R0TTL42 ( ) ( )	216.
	49"	R3R0TTL49 ( ) ( )	245.
	64"	R3R0TTL64 ( ) ( )	271.
T post, tiled V1 techwood (no base plate)	34"	R3R0TT134 ( ) ( )	208.
	42"	R3R0TT142 ( ) ( )	227.
	49"	R3R0TT149 ( ) ( )	257.
	64"	R3R0TT164 ( ) ( )	285.
T post, tiled V2 natural (no base plate)	34"	R3R0TT234 ( ) ( )	228.
	42"	R3R0TT242 ( ) ( )	249.
	49"	R3R0TT249 ( ) ( )	282.
	64"	R3R0TT264 ( ) ( )	312.
T post, tiled V3 exotic (no base plate)	34"	R3R0TT334 ( ) ( )	296.
	42"	R3R0TT342 ( ) ( )	324.
	49"	R3R0TT349 ( ) ( )	367.
	64"	R3R0TT364 ( ) ( )	407.

Order Code	Specification Information	Application Notes
Example: <b>R3R0TTL34E2AA118</b>	<i>To order please specify pattern number including:</i>	5. Finish, Aluminum trim (top cap and reveals)
<b>R3</b> AutoStrada w/generation 3 post	1. Surface <i>L = Painted to match laminate</i>	<i>AA- anodized aluminum only</i>
<b>R0</b> No base raceway exposed	<i>V1 = V1 Techwood</i>	6. Finish, Tiles
<b>T</b> T post	<i>V2 = V2 Natural</i>	<i>Laminate *, V1, V2 or V3 finish</i>
<b>T</b> Tiled	<i>V3 = V3 Exotic</i>	See page 5 for finish options applicable.
<b>L</b> Laminate match	2. Height	
<b>34</b> 34" high	3. Extruded aluminum top cap <i>E = default</i>	
<b>E</b> Extruded aluminum top cap	4. Top Cap Configuration <i>1 = Regular L, finished 2 adjacent sides</i>	
<b>2</b> Regular T cap configuration	<i>2 = Regular T, finished one side</i>	
<b>AA</b> Finish, top cap and reveal	<i>3 = Regular X, no sides finished</i>	
<b>118</b> Finish, tiles	<i>4 = Hi/Lo cap at direction change, finished 3 sides</i>	
	<i>5 = Hi/Lo cap in line, finished 2 opposite sides</i>	

# Posts, panels

## *L post, no base plates*


description	h	pattern no.	list
L post, tiled laminate (no base plate) 	34"	R3R0LTL34 ( ) ( )	\$163.
	42"	R3R0LTL42 ( ) ( )	245.
	49"	R3R0LTL49 ( ) ( )	271.
	64"	R3R0LTL64 ( ) ( )	300.
L post, tiled V1 techwood (no base plate)	34"	R3R0LT134 ( ) ( )	171.
	42"	R3R0LT142 ( ) ( )	257.
	49"	R3R0LT149 ( ) ( )	285.
	64"	R3R0LT164 ( ) ( )	315.
L post, tiled V2 natural (no base plate)	34"	R3R0LT234 ( ) ( )	188.
	42"	R3R0LT242 ( ) ( )	282.
	49"	R3R0LT249 ( ) ( )	312.
	64"	R3R0LT264 ( ) ( )	346.
L post, tiled V3 exotic (no base plate)	34"	R3R0LT334 ( ) ( )	244.
	42"	R3R0LT342 ( ) ( )	367.
	49"	R3R0LT349 ( ) ( )	407.
	64"	R3R0LT364 ( ) ( )	449.

Panels

Order Code	Specification Information	Application Notes
Example: <b>R3R0LTL34E1AA118</b>	<i>To order please specify pattern number including:</i>	5. Finish, Aluminum trim (top cap and reveals)
<b>R3</b> AutoStrada w/generation 3 post	1. Finish type tiles <i>L = Painted to match laminate</i>	AA - Anodized aluminum only
<b>R0</b> No base raceway exposed	<i>V1 = V1 Techwood</i>	6. Finish, Tiles
<b>L</b> L post	<i>V2 = V2 Natural</i>	<i>Laminate *, V1, V2 or V3 finish</i>
<b>T</b> Tiled (both faces)	<i>V3 = V3 Exotic</i>	See page 5 for finish options applicable.
<b>L</b> Laminate match	2. Height	
<b>34</b> 34" high	3. Extruded aluminum top cap <i>E = default</i>	
<b>E</b> Extruded aluminum top cap	4. Top Cap Configuration <i>1 = Regular L, finished 2 adjacent sides</i>	
<b>1</b> Regular L cap configuration	<i>2 = Regular T, finished one side</i>	
<b>AA</b> Finish, top cap and reveal	<i>3 = Regular X, no sides finished</i>	
<b>118</b> Finish, tiles	<i>4 = Hi/Lo cap at direction change, finished 3 sides</i>	
	<i>5 = Hi/Lo cap in line, finished 2 opposite sides</i>	

# Posts, panels

## L post, one face only w/base plate

description	h	pattern no.	list
L post, tiled laminate left face w/o base, fabric/mono right face w/base 	34"	<b>R3R1LALL34</b> ( ) ( ) ( ) ( ) ( ) ( )	\$163.
	42"	<b>R3R1LALL42</b> ( ) ( ) ( ) ( ) ( ) ( )	245.
	49"	<b>R3R1LALL49</b> ( ) ( ) ( ) ( ) ( ) ( )	271.
	64"	<b>R3R1LALL64</b> ( ) ( ) ( ) ( ) ( ) ( )	300.
L post, tiled laminate right face w/o base, fabric/mono left face w/base	34"	<b>R3R1LARL34</b> ( ) ( ) ( ) ( ) ( ) ( )	163.
	42"	<b>R3R1LARL42</b> ( ) ( ) ( ) ( ) ( ) ( )	245.
	49"	<b>R3R1LARL49</b> ( ) ( ) ( ) ( ) ( ) ( )	271.
	64"	<b>R3R1LARL64</b> ( ) ( ) ( ) ( ) ( ) ( )	300.
L post, tiled V1 techwood left face w/o base, fabric/mono right face w/base	34"	<b>R3R1LAL134</b> ( ) ( ) ( ) ( ) ( ) ( )	171.
	42"	<b>R3R1LAL142</b> ( ) ( ) ( ) ( ) ( ) ( )	257.
	49"	<b>R3R1LAL149</b> ( ) ( ) ( ) ( ) ( ) ( )	285.
	64"	<b>R3R1LAL164</b> ( ) ( ) ( ) ( ) ( ) ( )	315.
L post, tiled V1 techwood right face w/o base, fabric/mono left face w/base	34"	<b>R3R1LAR134</b> ( ) ( ) ( ) ( ) ( ) ( )	171.
	42"	<b>R3R1LAR142</b> ( ) ( ) ( ) ( ) ( ) ( )	257.
	49"	<b>R3R1LAR149</b> ( ) ( ) ( ) ( ) ( ) ( )	285.
	64"	<b>R3R1LAR164</b> ( ) ( ) ( ) ( ) ( ) ( )	315.
L post, tiled V2 natural left face w/o base, fabric/mono right face w/base	34"	<b>R3R1LAL234</b> ( ) ( ) ( ) ( ) ( ) ( )	188.
	42"	<b>R3R1LAL242</b> ( ) ( ) ( ) ( ) ( ) ( )	282.
	49"	<b>R3R1LAL249</b> ( ) ( ) ( ) ( ) ( ) ( )	312.
	64"	<b>R3R1LAL264</b> ( ) ( ) ( ) ( ) ( ) ( )	346.

Order Code	Specification Information	Application Notes
Example: <b>R3R1LALL34E1AA4N 613118W359-</b>	<i>To order please specify pattern number including:</i>	6. Finish, Aluminum trim (top cap and reveals) <i>AA - Anodized aluminum only</i>
<b>R3</b> AutoStrada w/generation 3 post	1. Tiled side <i>L = Tiled left face, monolithic right face</i> <i>R = Tiled right face, monolithic left face</i>	7. Base height <i>4 = 4"h, default</i>
<b>R1</b> Base raceway, mono side	2. Finish type tiled side <i>L = Painted to match laminate</i> <i>V1 = V1 Techwood</i> <i>V2 = V2 Natural</i> <i>V3 = V3 Exotic</i>	8. Base infeed - applicable for face with base plate only <i>N = None</i> <i>F = Base infeed fabric face side</i>
<b>L</b> L post	3. Height	9. Finish, base raceway
<b>A</b> Tiled one side/Mono other	4. Extruded aluminum top cap <i>E = default</i>	10. Finish, Tiles <i>Laminate *, V1, V2 or V3 finish</i>
<b>L</b> Left face tiled	5. Top Cap Configuration <i>1 = Regular L, finished 2 adjacent sides</i> <i>2 = Regular T, finished one side</i> <i>3 = Regular X, no sides finished</i> <i>4 = Hi/Lo cap at direction change, finished 3 sides</i> <i>5 = Hi/Lo cap in line, finished 2 opposite sides</i>	11. Finish, monolithic face <i>Fabric selection</i>
<b>L</b> Laminate match		See page 5 for finish options applicable.
<b>34</b> 34" high		
<b>E</b> Extruded aluminum top cap		
<b>1</b> Regular L cap configuration		
<b>AA</b> Finish, top cap and reveal		
<b>4</b> 4" high base		
<b>N</b> No base infeed		
<b>613</b> Finish, base plate		
<b>118</b> Finish, tiles		
<b>W359-</b> Finish, fabric (mono side)		



# Posts, panels

## L post, one face only w/base plate

description	h	pattern no.	list
L post, tiled V2 natural right face w/o base, fabric/mono left face w/base	34"	R3R1LAR234 ( ) ( ) ( ) ( ) ( )	\$188.
	42"	R3R1LAR242 ( ) ( ) ( ) ( ) ( )	282.
	49"	R3R1LAR249 ( ) ( ) ( ) ( ) ( )	312.
	64"	R3R1LAR264 ( ) ( ) ( ) ( ) ( )	346.
L post, tiled V3 exotic left face w/o base, fabric/mono right face w/base	34"	R3R1LAL334 ( ) ( ) ( ) ( ) ( )	244.
	42"	R3R1LAL342 ( ) ( ) ( ) ( ) ( )	367.
	49"	R3R1LAL349 ( ) ( ) ( ) ( ) ( )	407.
	64"	R3R1LAL364 ( ) ( ) ( ) ( ) ( )	449.
L post, tiled V3 exotic right face w/o base, fabric/mono left face w/base	34"	R3R1LAR334 ( ) ( ) ( ) ( ) ( )	244.
	42"	R3R1LAR342 ( ) ( ) ( ) ( ) ( )	367.
	49"	R3R1LAR349 ( ) ( ) ( ) ( ) ( )	407.
	64"	R3R1LAR364 ( ) ( ) ( ) ( ) ( )	449.

Order Code	Specification Information	Application Notes
Example: <b>R3R1LALL34E1AA4N 613118W359-</b>	<i>To order please specify pattern number including:</i>	6. Finish, Aluminum trim (top cap and reveals) <i>AA - Anodized aluminum only</i>
<b>R3</b> AutoStrada w/generation 3 post	1. Tiled side <i>L = Tiled left face, monolithic right face</i>	7. Base height <i>4 = 4"h, default</i>
<b>R1</b> Base raceway, mono side	<i>R = Tiled right face, monolithic left face</i>	8. Base infeed - applicable for face with base plate only <i>N = None</i>
<b>L</b> L post	2. Finish type tiled side <i>L = Painted to match laminate</i>	<i>F = Base infeed fabric face side</i>
<b>A</b> Tiled one side/Mono other	<i>V1 = V1 Techwood</i>	9. Finish, base raceway
<b>L</b> Left face tiled	<i>V2 = V2 Natural</i>	10. Finish, Tiles <i>Laminate *, V1, V2 or V3 finish</i>
<b>L</b> Laminate match	<i>V3 = V3 Exotic</i>	11. Finish, monolithic face <i>Fabric selection</i>
<b>34</b> 34" high	3. Height	See page 5 for finish options applicable.
<b>E</b> Extruded aluminum top cap	4. Extruded aluminum top cap <i>E = default</i>	
<b>1</b> Regular L cap configuration	5. Top Cap Configuration <i>1 = Regular L, finished 2 adjacent sides</i>	
<b>AA</b> Finish, top cap and reveal	<i>2 = Regular T, finished one side</i>	
<b>4</b> 4" high base	<i>3 = Regular X, no sides finished</i>	
<b>N</b> No base infeed	<i>4 = Hi/Lo cap at direction change, finished 3 sides</i>	
<b>613</b> Finish, base plate	<i>5 = Hi/Lo cap in line, finished 2 opposite sides</i>	
<b>118</b> Finish, tiles		
<b>W359-</b> Finish, fabric (mono side)		

# Posts, panels x and straight posts

description	h	pattern no.	list
 X post, universal aluminum top cap	34"	<b>R3X34E ( )</b>	\$184.
	42"	<b>R3X42E ( )</b>	200.
	49"	<b>R3X49E ( )</b>	216.
	64"	<b>R3X64E ( )</b>	245.
 Straight post, tiled laminate face w/o base, fabric/mono face w/base	34"	<b>R3R1SAL34 ( ) ( ) ( ) ( ) ( )</b>	163.
	42"	<b>R3R1SAL42 ( ) ( ) ( ) ( ) ( )</b>	245.
	49"	<b>R3R1SAL49 ( ) ( ) ( ) ( ) ( )</b>	271.
	64"	<b>R3R1SAL64 ( ) ( ) ( ) ( ) ( )</b>	300.
Straight post, tiled V1 techwood face w/o base, fabric/mono face w/base	34"	<b>R3R1SA134 ( ) ( ) ( ) ( ) ( )</b>	171.
	42"	<b>R3R1SA142 ( ) ( ) ( ) ( ) ( )</b>	257.
	49"	<b>R3R1SA149 ( ) ( ) ( ) ( ) ( )</b>	285.
	64"	<b>R3R1SA164 ( ) ( ) ( ) ( ) ( )</b>	315.
Straight post, tiled V2 natural face w/o base, fabric/mono face w/base	34"	<b>R3R1SA234 ( ) ( ) ( ) ( ) ( )</b>	188.
	42"	<b>R3R1SA242 ( ) ( ) ( ) ( ) ( )</b>	282.
	49"	<b>R3R1SA249 ( ) ( ) ( ) ( ) ( )</b>	312.
	64"	<b>R3R1SA264 ( ) ( ) ( ) ( ) ( )</b>	346.
Straight post, tiled V3 exotic face w/o base, fabric/mono face w/base	34"	<b>R3R1SA334 ( ) ( ) ( ) ( ) ( )</b>	244.
	42"	<b>R3R1SA342 ( ) ( ) ( ) ( ) ( )</b>	367.
	49"	<b>R3R1SA349 ( ) ( ) ( ) ( ) ( )</b>	407.
	64"	<b>R3R1SA364 ( ) ( ) ( ) ( ) ( )</b>	449.

Order Code	Order Code	Specification Information
Example: <b>R3X34E3AA</b> <b>R3</b> AutoStrada w/generation 3 Post <b>X</b> X post <b>34</b> 34" high <b>E</b> Extruded aluminum top cap <b>3</b> Regular X cap configuration <b>AA</b> Finish, aluminum top cap	Example: <b>R3R1SAL34E1AA4 N613118W359-</b> <b>R3</b> AutoStrada w/generation 3 Post <b>R1</b> Base raceway, fabric mono side <b>S</b> Straight post <b>A</b> Tiled one face/mono other <b>L</b> Tiled face, Laminate match <b>34</b> 34" high <b>E</b> Extruded aluminum top cap <b>1</b> Reg L cap config <b>AA</b> Finish, aluminum top cap & reveal <b>4</b> 4" high base <b>N</b> No base infeed <b>613</b> Finish, base raceway <b>118</b> Finish, tiled side <b>W359-</b> Finish, mono side	To order please specify pattern number including: 1. Post type <i>X = X post</i> <i>S = Straight post</i> 2. Tiled surface type (applicable straight posts only, embedded in pattern number) <i>L = Painted to match laminate</i> <i>1 = V1 Techwood</i> <i>2 = V2 Natural</i> <i>3 = V3 Exotic</i> 3. Height 4. Extruded aluminum top cap <i>E = default</i> 5. Top Cap Configuration <i>1 = Regular L, finished 2</i> <i>adjacent sides</i> <i>2 = Regular T, finished one side</i> <i>3 = Regular X, no sides finished</i> <i>4 = Hi/Lo cap at direction</i> <i>change, finished 3 sides</i> <i>5 = Hi/Lo cap in line, finished 2</i> <i>opposite sides</i> 6. Finish, Aluminum top cap and reveals <i>AA - Anodized aluminum only</i> 7. Base height <i>4 = 4" h, default</i> 8. Base infeed (applicable straight posts only) <i>N = None</i> <i>F = Base infeed fabric face side</i> 9. Finish, base raceway (applicable straight posts only) 10. Finish, Tiled side <i>Laminate *, V1, V2 or V3 finish</i> 11. Finish, mono side <i>Fabric selection</i>  See page 5 for finish options applicable.  Anodized aluminum vertical hookstrip cover ordered separately.  * Painted to match laminate.







# Trim, panels *aluminum reveals*

description	h	w	pattern no.	AA finish
Aluminum hookstrip cover condition including stacking modules without exposed 4" raceway	33.5"		<b>R2AHCN34</b>	\$50.
	41.5"		<b>R2AHCN42</b>	62.
	48.5"		<b>R2AHCN49</b>	72.
	63.5"		<b>R2AHCN64</b>	96.
	78.5"		<b>R2AHCN79</b>	121.
Alum horizontal reveal for between base panel and stacking window module		18"	<b>R2AHWR18</b>	29.
		20"	<b>R2AHWR20</b>	29.
		24"	<b>R2AHWR24</b>	31.
		30"	<b>R2AHWR30</b>	32.
		36"	<b>R2AHWR36</b>	35.
		42"	<b>R2AHWR42</b>	37.
		48"	<b>R2AHWR48</b>	41.
Alum horizontal reveal for between two stacking window modules		18"	<b>R2AHBW18</b>	29.
		20"	<b>R2AHBW20</b>	29.
		24"	<b>R2AHBW24</b>	31.
		30"	<b>R2AHBW30</b>	32.
		36"	<b>R2AHBW36</b>	35.
		42"	<b>R2AHBW42</b>	37.
		48"	<b>R2AHBW48</b>	41.
Alum horizontal reveal for between base panel and stacking module (FL/F1/F2)		18"	<b>R2AHSR18</b>	29.
		20"	<b>R2AHSR20</b>	29.
		24"	<b>R2AHSR24</b>	31.
		30"	<b>R2AHSR30</b>	32.
		36"	<b>R2AHSR36</b>	35.
		42"	<b>R2AHSR42</b>	37.
		48"	<b>R2AHSR48</b>	41.



Order Code	Specification Information	Application Notes
Example: <b>R2AHCN34 AA</b>	<i>To order please specify pattern number including:</i>	Aluminum hookstrip covers best suited for laminate, V1, V2 or V3 tiled side of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only.
<b>R2</b> AutoStrada/Reff		
<b>A</b> Aluminum	1. height or	When and where aluminum vertical hookstrip cover installed, forfeit panel hung capability.
<b>HC</b> Hookstrip cover	2. width	
<b>N</b> No exposed raceway	Anodized aluminum finish only.	
<b>34</b> for 34"h		
<b>AA</b> Finish, anodized aluminum		

# Trim, panels end trim and post trim

description	height	to height	width	pattern no.	list
Aluminum end trim (full height), w/hookstrip 	34"			<b>A1FHETE34 ( )</b>	\$108.
	42"			<b>A1FHETE42 ( )</b>	126.
	49"			<b>A1FHETE49 ( )</b>	145.
	64"			<b>A1FHETE64 ( )</b>	163.
Aluminum end trim for Hi/Lo w/hookstrip (no post involved) 	34"	42"		<b>A1HLETE3442 ( )</b>	95.
	34"	49"		<b>A1HLETE3449 ( )</b>	97.
	34"	64"		<b>A1HLETE3464 ( )</b>	100.
	42"	49"		<b>A1HLETE4249 ( )</b>	95.
	42"	64"		<b>A1HLETE4264 ( )</b>	97.
	49"	64"		<b>A1HLETE4964 ( )</b>	100.
Post cover trim for Hi/Lo (post involved) 	34"	42"		<b>A1HLPTE3442 ( )</b>	26.
	34"	49"		<b>A1HLPTE3449 ( )</b>	37.
	34"	64"		<b>A1HLPTE3464 ( )</b>	75.
	42"	49"		<b>A1HLPTE4249 ( )</b>	26.
	42"	64"		<b>A1HLPTE4264 ( )</b>	62.
	49"	64"		<b>A1HLPTE4964 ( )</b>	37.
Alum Top Trim for Hi/Lo condition, no post involved 			18"	<b>AHLTTE18 ( )</b>	18.
			20"	<b>AHLTTE20 ( )</b>	20.
			24"	<b>AHLTTE24 ( )</b>	23.
			30"	<b>AHLTTE30 ( )</b>	27.
			36"	<b>AHLTTE36 ( )</b>	35.
			42"	<b>AHLTTE42 ( )</b>	36.
		48"	<b>AHLTTE48 ( )</b>	49.	

Order Code	Specification Information	Application Notes
Example: <b>A1HLETE3442AA</b> <b>A</b> AutoStrada <b>1</b> Generation 1 <b>HL</b> Hi/Lo <b>ET</b> End Trim <b>E</b> Extruded Aluminum Profile <b>3442</b> 34"h to 42"h <b>AA</b> Finish, anodized aluminum	To order please specify pattern number including: 1. Hi/Lo Condition <i>E</i> TE = End trim, no post w/hookstrip, height changes does not involve a post <i>P</i> TE = Post end trim, height change involves post 2. Hi/Lo Height 3442 = 34"h to 42"h 3449 = 34"h to 49"h 3464 = 34"h to 64"h 4249 = 42"h to 49"h 4264 = 42"h to 64"h 4964 = 49"h to 64"h 3. Finish AA = Anodized aluminum only	Aluminum end trim (full height), with hookstrip does not have base plate detail.  Post cover trim for hi/lo conditions are available in choice of fabric, V1, V2, V3 or painted to match laminate finishes only.  See page 5 for finish options applicable.

# Trim, panels full length top trim

description	width	pattern no.	AA	list
Continuous run top trim 	60"	<b>A1CRTT60 ( )</b>	\$65.	
	66"	<b>A1CRTT66 ( )</b>	65.	
	72"	<b>A1CRTT72 ( )</b>	70.	
	78"	<b>A1CRTT78 ( )</b>	70.	
	84"	<b>A1CRTT84 ( )</b>	80.	
	90"	<b>A1CRTT90 ( )</b>	105.	
	96"	<b>A1CRTT96 ( )</b>	105.	
	102"	<b>A1CRTT102 ( )</b>	115.	
	108"	<b>A1CRTT108 ( )</b>	115.	
	114"	<b>A1CRTT114 ( )</b>	115.	
	120"	<b>A1CRTT120 ( )</b>	115.	
	126"	<b>A1CRTT126 ( )</b>	120.	
	132"	<b>A1CRTT132 ( )</b>	120.	
	138"	<b>A1CRTT138 ( )</b>	125.	
	144"	<b>A1CRTT144 ( )</b>	125.	
Continuous run top trim for Hi/Lo conditions 	60"	<b>A1CHLTT60 ( )</b>	65.	
	66"	<b>A1CHLTT66 ( )</b>	65.	
	72"	<b>A1CHLTT72 ( )</b>	70.	
	78"	<b>A1CHLTT78 ( )</b>	70.	
	84"	<b>A1CHLTT84 ( )</b>	80.	
	90"	<b>A1CHLTT90 ( )</b>	105.	
	96"	<b>A1CHLTT96 ( )</b>	105.	
	102"	<b>A1CHLTT102 ( )</b>	115.	
	108"	<b>A1CHLTT108 ( )</b>	115.	
	114"	<b>A1CHLTT114 ( )</b>	115.	
	120"	<b>A1CHLTT120 ( )</b>	115.	
	126"	<b>A1CHLTT126 ( )</b>	120.	
	132"	<b>A1CHLTT132 ( )</b>	120.	
	138"	<b>A1CHLTT138 ( )</b>	125.	
	144"	<b>A1CHLTT144 ( )</b>	125.	
PVC carrier to use with continuous run top trim	18"	<b>A1TTC18</b>		10.
	20"	<b>A1TTC20</b>		11.
	24"	<b>A1TTC24</b>		12.
	30"	<b>A1TTC30</b>		13.
	36"	<b>A1TTC36</b>		15.
	42"	<b>A1TTC42</b>		16.
	48"	<b>A1TTC48</b>		18.


Panels

Order Code	Specification Information	Application Notes
Example: <b>A1CRTT60AA</b>	<i>To order please specify pattern number including:</i>	Continuous run top trim for spanning multiple panels with one piece of trim. Continuous run top trim ships without PVC carrier which secures trim to panel frame. Carrier must correspond to individual panel widths below one piece top trim. May reuse PVC carrier from individual top trim that ships with panel; installer would remove carrier from single width top trim and then slide multiple carrier pieces onto continuous run top trim to align with panels below top trim.
<b>A</b> AutoStrada	1. Width	
<b>1</b> Generation 1	2. Finish, where applicable	
<b>CR</b> Continuous Run	<i>AA - anodized aluminum only</i>	
<b>TT</b> Top Trim		
<b>60</b> 60" wide		
<b>AA</b> Finish, anodized aluminum		

# Trim, panels


## panel trim and install aids

description	type	h	pattern no.	list
Hookstrip cover strips, black flexible PVC	15 pcs/pack	79"	<b>RHSC15</b>	\$0.
	70 pcs/pack	79"	<b>RHSC70</b>	0.
	250 pcs/pack	79"	<b>RHSC250</b>	0.
cut to size to fit during installation recommended use interior of station or where aluminum vertical reveals not installed				
Panel alignment kits	panel-to-panel		<b>RSPABPP</b>	5.
	window-to-panel		<b>RSPABPW</b>	5.
	window-to-window		<b>RSPABWW</b>	5.
	stacking module-to-panel		<b>R3SPABPT</b>	5.
	stacking module-to-stacking module		<b>R3SPABTT</b>	5.
	window-to-stacking module		<b>R3SPABTW</b>	5.
Panel leveling plates	10 pcs/pack		<b>APLP10</b>	30.
	25 pcs/pack		<b>APLP25</b>	69.
Carpet grippers	10 pcs/pack		<b>R2CG</b>	15.




Order Code	Specification Information	Application Notes
Example: <b>APLP10</b>	<i>To order please specify pattern number including:</i> 1. Pack quantity required	Panel leveling plates are for installation aid only. The plate fits on top of the hookstrip connecting two panels and spans the joint between the panels. Simply drop the plate in the cavity between the two panels, tighten top wedges as you would normally during installation. The dimension and shape will force panel alignment. Remove the plate and proceed onto the next connection.
<b>A</b> AutoStrada		
<b>P</b> Panel		
<b>L</b> Leveling		
<b>P</b> Plates		
<b>10</b> Pack of 10	Panel alignment kits are required for stacking modules and long panel runs. Panel alignment kits are required at the highest point of each panel and stacking module connection. They are recommended when panels are supporting overhead storage. One alignment bracket required for every two panels. Please refer to Reff planning guide, page 45 for additional information.	

description	type	h	w	d	pattern no.	list
Power rail for panel with one side only base raceway (8 wire)	24" panel	2"	6"	2"	<b>RR3-E24S</b>	\$124.
	30" panel	2"	12"	2"	<b>RR3-E30S</b>	143.
	36" panel	2"	18"	2"	<b>RR3-E36S</b>	155.
	42" panel	2"	24"	2"	<b>RR3-E42S</b>	168.
	48" panel	2"	30"	2"	<b>RR3-E48S</b>	173.





Power rail for panel with one side only base raceway (10 wire)	24" panel	2"	6"	2"	<b>RR3-T24S</b>	149.
	30" panel	2"	12"	2"	<b>RR3-T30S</b>	162.
	36" panel	2"	18"	2"	<b>RR3-T36S</b>	173.
	42" panel	2"	24"	2"	<b>RR3-T42S</b>	188.
	48" panel	2"	30"	2"	<b>RR3-T48S</b>	193.



Order Code	Specification Information	Application Notes
Example: <b>RR3-T24S</b>		
<b>RR3</b> Reff panel frame raceway		
<b>T</b> Ten wire, 3+3		
<b>24</b> for 24" w panel		
<b>S</b> Single sided raceway		
	Power rails are the primary power distribution component. Each rail provides outlet mounting position on one side and receptacles for branching power connectors at each end.	Power rails on this page are for use with panels with one side raceway only.
	Power rail for 24" wide panel accepts one duplex outlet or one power infeed. Power rails for 30" to 48" wide panels accept two outlets.	Power connections and duplexes as required to be specified from following pages for 8 or 10 wire as required for panels with either one sided base raceway or both sides with base raceway.

Power distribution components  
 2+2 Base Raceway  
 four circuit, eight-wire raceway for panels  
 power rails and connector

description	type	w	d	h	pattern no.	list price
	24" panel	6"	2"	2"	<b>RR3-E24</b>	\$118.
	30" panel	12"	2"	2"	<b>RR3-E30</b>	131.
	36" panel	18"	2"	2"	<b>RR3-E36</b>	143.
	42" panel	24"	2"	2"	<b>RR3-E42</b>	149.
	48" panel	30"	2"	2"	<b>RR3-E48</b>	155.
	60" panel	42"	2"	2"	<b>RR3-E60-4</b>	236.
	66" panel	48"	2"	2"	<b>RR3-E66-4</b>	249.
	72" panel	54"	2"	2"	<b>RR3-E72-4</b>	267.

	Straight	16 1/2"	2"	2"	<b>RR3-EPC24</b>	69.
		18 1/2"	2"	2"	<b>RR3-EPCS</b>	69.
		20 1/4"	2"	2"	<b>RR3-EPC</b>	69.
	Through post	19"	2"	2"	<b>RR3-EPCP24</b>	69.
21"		2"	2"	<b>RR3-EPCPS</b>	69.	
22 3/4"		2"	2"	<b>RR3-EPCP</b>	69.	

Use **RR3-EPC24** for straight 24" to 24" wide panel.


Use **RR3-EPCS** for straight 24" to any other width panel and for 30" to 30" wide panels.


Use **RR3-EPC** for all other straight power connection configurations.

Use **RR3-EPCP24** for through post 24" to 24" wide panels.

Use **RR3-EPCPS** for through post 24" to any other width panel and for 30" to 30" wide panels.

Use **RR3-EPCP** for all other through post power connection configurations.

	Circuit A	<b>RR3-DA</b>	32.
	Circuit B	<b>RR3-DB</b>	32.
	Circuit X	<b>RR3-DX</b>	32.
	Circuit Y	<b>RR3-DY</b>	32.

	Circuit X	<b>RR3-DXO</b>	37.
	Circuit Y	<b>RR3-DYO</b>	37.




Order Code	Specification Information	Application Notes
Example: <b>RR3-E-30</b>		
<b>RR3</b> Reff raceway	Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two protected 20-amp circuits (X and Y) with separate neutral and ground. In Canada circuits carry 15 amp load resting.  Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.	Power rails are the primary power distribution component of the Reff 2+2 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for two branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway, shielded from power conductors and outlets by grounded steel barriers.  Rail for 24" wide panel accepts one duplex outlet or power infeed centered on each side. Rails for 30" to 48" panels accept two outlets (or one outlet and one infeed) on each side. 60", 66" and 72"W panels accept four duplex outlets per side. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard
<b>E</b> Eight wire 2+2		
<b>30</b> for 30" panel		
		outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment.  Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T, X or L post connection.  Power connectors are enclosed in steel flexible conduit.  *Power connectors must be specified according to the panel widths in the specified orientation.

# Power distribution components

## 2+2 Base Raceway

### four circuit, eight-wire raceway for panels

### jumpers and infeed

description	type	w	d	h	pattern no.	list price
	18" panel	38"	2"	2"	<b>RR3-EJ18</b>	\$86.
	20" panel	40"	2"	2"	<b>RR3-EJ20</b>	86.
	24" panel	44"	2"	2"	<b>RR3-EJ24</b>	92.
	30" panel	50"	2"	2"	<b>RR3-EJ30</b>	99.
	36" panel	56"	2"	2"	<b>RR3-EJ36</b>	107.
	42" panel	62"	2"	2"	<b>RR3-EJ42</b>	112.
	48" panel	68"	2"	2"	<b>RR3-EJ48</b>	118.
	54" panel run	76 1/2"	2"	2"	<b>RR3-EJ54P</b>	124.
	60" panel run	82 1/2"	2"	2"	<b>RR3-EJ60P</b>	131.
	66" panel run	88 1/2"	2"	2"	<b>RR3-EJ66P</b>	137.
	72" panel run	94 1/2"	2"	2"	<b>RR3-EJ72P</b>	143.
	78" panel run	100 1/2"	2"	2"	<b>RR3-EJ78P</b>	149.
	84" panel run	106 1/2"	2"	2"	<b>RR3-EJ84P</b>	155.
90" panel run	112 1/2"	2"	2"	<b>RR3-EJ90P</b>	162.	
96" panel run	118 1/2"	2"	2"	<b>RR3-EJ96P</b>	168.	
	18" + post	40 1/2"	2"	2"	<b>RR3-EJ18P</b>	86.
	20" + post	42 1/2"	2"	2"	<b>RR3-EJ20P</b>	86.
	24" + post	46 1/2"	2"	2"	<b>RR3-EJ24P</b>	92.
	30" + post	52 1/2"	2"	2"	<b>RR3-EJ30P</b>	99.
	36" + post	58 1/2"	2"	2"	<b>RR3-EJ36P</b>	107.
	42" + post	64 1/2"	2"	2"	<b>RR3-EJ42P</b>	112.
	48" + post	70 1/2"	2"	2"	<b>RR3-EJ48P</b>	118.
	Ceiling power cable infeed				<b>RR3-EPVR</b>	229.
	Hardwire infeed (NYC) one direction				<b>RR3-EPNY1</b>	173.
	Hardwire infeed (NYC) two directions				<b>RR3-EPNY2</b>	260.
	Panel base end feed				<b>RR3-REPI</b>	206.
	Panel base side infeed				<b>RR3-EPI</b>	206.
	Surge suppressors				<b>RR3-SP-(A,B,X,Y)</b>	149.

Panels


Order Code	Specification Information	Application Notes								
<p>Example: <b>RR3-EPVR</b></p> <table border="1"> <tr> <td><b>RR3</b></td> <td>Reff raceway</td> </tr> <tr> <td><b>E</b></td> <td>Eight wire 2+2</td> </tr> <tr> <td><b>P</b></td> <td>power infeed</td> </tr> <tr> <td><b>VR</b></td> <td>for vertical raceway</td> </tr> </table>	<b>RR3</b>	Reff raceway	<b>E</b>	Eight wire 2+2	<b>P</b>	power infeed	<b>VR</b>	for vertical raceway	<p>Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two 20-amp circuits (X and Y) with separate neutral and ground.</p> <p>For use in Canada, all circuits are CGA rated 15 amp capacity.</p> <p><i>Note:</i> For NYC hardwire infeeds specify bracket height: 4", 5", or 6"H.</p> <p>Beltway panels can use jumpers at the panel base in a straight run or around a corner.</p>	<p>Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.</p> <p>Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection</p> <p>into panel base through power pole adjacent to panel with power rail. Power pole and post must be ordered separately.</p> <p>Hardwire infeed, used in all New York City installations, includes junction box that mounts within non-powered panel base (any width 30" or greater). Electrical contractor supplies watertight conduit from building power supply to panel and trims power connectors to length. <b>RR3-EPNY2</b> includes two power connectors to power panels on both sides of infeed panel; <b>RR3-EPNY1</b> includes only one power connector.</p> <p>Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.</p>
<b>RR3</b>	Reff raceway									
<b>E</b>	Eight wire 2+2									
<b>P</b>	power infeed									
<b>VR</b>	for vertical raceway									


# Power distribution components

## 3+3 Base Raceway

### six circuit, ten-wire raceway for panels

### power rails and connectors

description	type	w	d	h	pattern no.	list price
	24" panel	6"	2"	2"	<b>RR3-T24</b>	\$137.
	30" panel	12"	2"	2"	<b>RR3-T30</b>	149.
	36" panel	18"	2"	2"	<b>RR3-T36</b>	162.
	42" panel	24"	2"	2"	<b>RR3-T42</b>	173.
	48" panel	30"	2"	2"	<b>RR3-T48</b>	180.
	60" panel	42"	2"	2"	<b>RR3-T60-4</b>	280.
	66" panel	48"	2"	2"	<b>RR3-T66-4</b>	292.
	72" panel	54"	2"	2"	<b>RR3-T72-4</b>	312.

	Straight	16 1/2"	2"	2"	<b>RR3-TPC24</b>	86.
		18 1/2"	2"	2"	<b>RR3-TPCS</b>	86.
		20 1/4"	2"	2"	<b>RR3-TPC</b>	86.
	Through post	19"	2"	2"	<b>RR3-TPCP24</b>	86.
21"		2"	2"	<b>RR3-TPCPS</b>	86.	
22 3/4"		2"	2"	<b>RR3-TPCP</b>	86.	

Use **RR3-TPC24** for through post 24" to 24" wide panels.

Use **RR3-TPCS** for through post 24" to any other width panel and for 30" to 30" wide panels.


Use **RR3-TPC** for all other through post power connection configurations.

Use **RR3-TPCP24** for through post 24" to 24" wide panels.

Use **RR3-TPCPS** for through post 24" to any other width panel and for 30" to 30" wide panels.

Use **RR3-TPCP** for all other through post power connection configurations.

	Circuit A	<b>RR3-DA</b>	32.
	Circuit B	<b>RR3-DB</b>	32.
	Circuit C	<b>RR3-DC</b>	32.
	Circuit X	<b>RR3-DX</b>	32.
	Circuit Y	<b>RR3-DY</b>	32.
	Circuit Z	<b>RR3-DZ</b>	32.

	Circuit X	<b>RR3-DXO</b>	37.
	Circuit Y	<b>RR3-DYO</b>	37.
	Circuit Z	<b>RR3-DZO</b>	37.

Order Code	Specification Information	Application Notes
Example: <b>RR3-T-30</b>		
<b>RR3</b> Reff raceway	Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A,B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.	Power rails are the primary power distribution component of the Reff 3+3 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway, shielded from power conductors and outlets by grounded steel septums.
<b>T</b> Ten wire 3+3	A, B, X, Y outlets are identical to eight wire, 2+2 components.	Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T or X or L post connection.
<b>30</b> for 30" panel	Duplex outlet circuits are designated by white letters on black background.  In Canada, circuits carry a 15 amp load rating.	Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment; all duplexes are black.
	<i>Note:</i> Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.	Rail for 24"W panel accepts one duplex outlet or power infeed one either side. Rails for 30" to 48" panels accept two outlets each side, 60", 66" and 72" rails accept four duplex outlets per side.  *Power connectors must be specified according to the panel widths in the specified orientation.






# Power distribution components

## 3+3 Base Raceway

### six circuit, ten-wire raceway for panels


### jumpers and infeed


description	type	w	d	h	pattern no.	list price
	18" panel	38"	2"	2"	<b>RR3-TJ18</b>	\$99.
	20" panel	40"	2"	2"	<b>RR3-TJ20</b>	99.
	24" panel	44"	2"	2"	<b>RR3-TJ24</b>	107.
	30" panel	50"	2"	2"	<b>RR3-TJ30</b>	112.
	36" panel	56"	2"	2"	<b>RR3-TJ36</b>	118.
	42" panel	62"	2"	2"	<b>RR3-TJ42</b>	131.
	48" panel	68"	2"	2"	<b>RR3-TJ48</b>	143.
	54" panel run	76 1/2"	2"	2"	<b>RR3-TJ54P</b>	149.
	60" panel	82 1/2"	2"	2"	<b>RR3-TJ60P</b>	155.
	66" panel run	86 1/2"	2"	2"	<b>RR3-TJ66P</b>	162.
	72" panel run	94 1/2"	2"	2"	<b>RR3-TJ72P</b>	168.
	78" panel run	100 1/2"	2"	2"	<b>RR3-TJ78P</b>	173.
	84" panel run	106 1/2"	2"	2"	<b>RR3-TJ84P</b>	188.
90" panel run	112 1/2"	2"	2"	<b>RR3-TJ90P</b>	193.	
96" panel run	118 1/2"	2"	2"	<b>RR3-TJ96P</b>	198.	
	18" + post	40 1/2"	2"	2"	<b>RR3-TJ18P</b>	99.
	20" + post	46 1/2"	2"	2"	<b>RR3-TJ20P</b>	99.
	24" + post	46 1/2"	2"	2"	<b>RR3-TJ24P</b>	107.
	30" + post	52 1/2"	2"	2"	<b>RR3-TJ30P</b>	122.
	36" + post	58 1/2"	2"	2"	<b>RR3-TJ36P</b>	118.
	42" + post	64 1/2"	2"	2"	<b>RR3-TJ42P</b>	131.
	48" + post	70 1/2"	2"	2"	<b>RR3-TJ48P</b>	143.
	Ceiling power cable infeed				<b>RR3-TPVR</b>	278.
	Hardwire infeed (NYC) one direction **				<b>RR3-TPNY1</b>	198.
	Hardwire infeed (NYC) two directions **				<b>RR3-TPNY2</b>	286.
	Panel base end feed				<b>RR3-RTPI</b>	236.
	Panel base side infeed				<b>RR3-TPI</b>	236.
	Surge suppressors *				<b>RR3-SP-(A, B, C, X, Y, Z)</b>	149.

\* Select which circuit needs protecting and order the specified surge processor.  
 \*\* For RR3-TPNY1 and RR3-TPNY2 specify base height of panel for NYC.


Order Code	Specification Information	Application Notes
Example: <b>RR3-TPVR</b> <b>RR3</b> Reff raceway <b>T</b> Ten wire 3+3 <b>P</b> power infeed <b>VR</b> for vertical raceway	Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A, B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.  In Canada, circuits carry a 15 amp load rating.  Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection into panel base through standard power pole. Power pole and post must be ordered separately.	Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.  Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.  Beltway panels can use jumpers at the panel base in a straight run or around a corner.

Panels


description	type	h	w	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 <p>left hand shown, worksurface height fixed 27" h to underside</p>	left hand	49"	42"	26 1/2"	<b>AMBL424</b> ( ) ( ) ( ) ( ) ( ) ( )	\$1,339.	\$1,446.	\$1,662.	\$2,161.
		49"	48"	26 1/2"	<b>AMBL484</b> ( ) ( ) ( ) ( ) ( ) ( )	1,393.	1,505.	1,730.	2,249.
		49"	54"	26 1/2"	<b>AMBL544</b> ( ) ( ) ( ) ( ) ( ) ( )	1,448.	1,563.	1,799.	2,337.
		49"	60"	26 1/2"	<b>AMBL604</b> ( ) ( ) ( ) ( ) ( ) ( )	1,503.	1,622.	1,866.	2,427.
		49"	66"	26 1/2"	<b>AMBL664</b> ( ) ( ) ( ) ( ) ( ) ( )	1,557.	1,681.	1,934.	2,515.
		49"	72"	26 1/2"	<b>AMBL724</b> ( ) ( ) ( ) ( ) ( ) ( )	1,612.	1,741.	2,002.	2,603.
		49"	78"	26 1/2"	<b>AMBL784</b> ( ) ( ) ( ) ( ) ( ) ( )	1,666.	1,800.	2,071.	2,691.
		49"	84"	26 1/2"	<b>AMBL844</b> ( ) ( ) ( ) ( ) ( ) ( )	1,721.	1,859.	2,138.	2,779.
		49"	90"	26 1/2"	<b>AMBL904</b> ( ) ( ) ( ) ( ) ( ) ( )	1,776.	1,917.	2,206.	2,869.
		49"	96"	26 1/2"	<b>AMBL964</b> ( ) ( ) ( ) ( ) ( ) ( )	1,830.	1,976.	2,274.	2,957.
	right hand	49"	42"	26 1/2"	<b>AMBR424</b> ( ) ( ) ( ) ( ) ( ) ( )	1,339.	1,446.	1,662.	2,161.
49"		48"	26 1/2"	<b>AMBR484</b> ( ) ( ) ( ) ( ) ( ) ( )	1,393.	1,505.	1,730.	2,249.	
49"		54"	26 1/2"	<b>AMBR544</b> ( ) ( ) ( ) ( ) ( ) ( )	1,448.	1,563.	1,799.	2,337.	
49"		60"	26 1/2"	<b>AMBR604</b> ( ) ( ) ( ) ( ) ( ) ( )	1,503.	1,622.	1,866.	2,427.	
49"		66"	26 1/2"	<b>AMBR664</b> ( ) ( ) ( ) ( ) ( ) ( )	1,557.	1,681.	1,934.	2,515.	
49"		72"	26 1/2"	<b>AMBR724</b> ( ) ( ) ( ) ( ) ( ) ( )	1,612.	1,741.	2,002.	2,603.	
49"		78"	26 1/2"	<b>AMBR784</b> ( ) ( ) ( ) ( ) ( ) ( )	1,666.	1,800.	2,071.	2,691.	
49"		84"	26 1/2"	<b>AMBR844</b> ( ) ( ) ( ) ( ) ( ) ( )	1,721.	1,859.	2,138.	2,779.	
49"		90"	26 1/2"	<b>AMBR904</b> ( ) ( ) ( ) ( ) ( ) ( )	1,776.	1,917.	2,206.	2,869.	
49"		96"	26 1/2"	<b>AMBR964</b> ( ) ( ) ( ) ( ) ( ) ( )	1,830.	1,976.	2,274.	2,957.	

description	type	h	w	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 <p>left hand shown, worksurface height fixed 27" h to underside</p>	left hand	49"	42"	32 1/2"	<b>AMBL425</b> ( ) ( ) ( ) ( ) ( ) ( )	1,416.	1,515.	1,742.	2,265.
		49"	48"	32 1/2"	<b>AMBL485</b> ( ) ( ) ( ) ( ) ( ) ( )	1,470.	1,573.	1,809.	2,352.
		49"	54"	32 1/2"	<b>AMBL545</b> ( ) ( ) ( ) ( ) ( ) ( )	1,525.	1,631.	1,876.	2,439.
		49"	60"	32 1/2"	<b>AMBL605</b> ( ) ( ) ( ) ( ) ( ) ( )	1,578.	1,689.	1,943.	2,525.
		49"	66"	32 1/2"	<b>AMBL665</b> ( ) ( ) ( ) ( ) ( ) ( )	1,633.	1,747.	2,010.	2,612.
		49"	72"	32 1/2"	<b>AMBL725</b> ( ) ( ) ( ) ( ) ( ) ( )	1,687.	1,805.	2,077.	2,700.
		49"	78"	32 1/2"	<b>AMBL785</b> ( ) ( ) ( ) ( ) ( ) ( )	1,741.	1,863.	2,144.	2,787.
		49"	84"	32 1/2"	<b>AMBL845</b> ( ) ( ) ( ) ( ) ( ) ( )	1,796.	1,922.	2,210.	2,874.
		49"	90"	32 1/2"	<b>AMBL905</b> ( ) ( ) ( ) ( ) ( ) ( )	1,849.	1,979.	2,277.	2,961.
		49"	96"	32 1/2"	<b>AMBL965</b> ( ) ( ) ( ) ( ) ( ) ( )	1,904.	2,037.	2,345.	3,048.


Order Code	Specification Information	Application Notes
Example: <b>AMBL424GFEV316</b> <b>V316613AA</b>	To order please specify pattern number including:	7. Finish, surround, top shelf and worksurface front edge <i>Laminate, V1, V2 or V3 finish</i>
<b>A</b> AutoStrada	1. Hand <i>L = Left hand</i> <i>R = Right hand</i>	8. Finish, worksurface <i>Laminate, V1, V2 or V3 finish</i>
<b>M</b> Median	2. Width	9. Finish, Grommet(s) <i>specify painted or plated finish</i>
<b>B</b> Binder depth top shelf	3. Depth <i>4 = 26.5" d nominal</i> <i>5 = 32.5" d nominal</i>	10. Finish, Aluminum trim <i>AA - Anodized aluminum only</i>
<b>L</b> Left hand	4. Grommet option <i>G = Grommet(s)</i> <i>N = No grommet(s)</i>	Order worksurface stiffener for unsupported spans exceeding 48", see page 172.
<b>42</b> 42" wide	5. Face drill option <i>F = face drill for attachment to next unit</i> <i>N = no drill, last unit in run</i>	Width noted is interior nominal dimension, overall footprint additional 1" nominal.
<b>4</b> 26.5" d	6. End drill option <i>E = end drill gable to attach to bridge</i> <i>N = no drill</i>	Median end without gable to be attached to a storage anchored cabinet. Optional face drill option is to drill outside face of gable to attach to next median in line, if last unit in run specify no drill. Optional end drill gable option is for attachment to bridge units on page 105, specify no drill if configuration does not include bridge unit.
<b>G</b> Grommet		Mixed finish options applicable with V1, V2 or V3 finish surround, top shelf and worksurface front edge with laminate finish worksurface.
<b>F</b> Face drill gable		See page 5 for finish options applicable.
<b>E</b> End drill gable		
<b>V316</b> Finish, surround, top shelf & worksurface edge		
<b>V316</b> Finish, worksurface		
<b>613</b> Finish, grommet		
<b>AA</b> Trim, anodized aluminum		

description	type	h	w	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 <p>left hand shown, worksurface height fixed 27" h to underside</p>	right hand	49"	42"	32 1/2"	<b>AMBR425</b> ( ) ( ) ( ) ( ) ( ) ( )	\$1,416.	\$1,515.	\$1,742.	\$2,265.
	49"	48"	32 1/2"	<b>AMBR485</b> ( ) ( ) ( ) ( ) ( ) ( )	1,470.	1,573.	1,809.	2,352.	
	49"	54"	32 1/2"	<b>AMBR545</b> ( ) ( ) ( ) ( ) ( ) ( )	1,525.	1,631.	1,876.	2,439.	
	49"	60"	32 1/2"	<b>AMBR605</b> ( ) ( ) ( ) ( ) ( ) ( )	1,578.	1,689.	1,943.	2,525.	
	49"	66"	32 1/2"	<b>AMBR665</b> ( ) ( ) ( ) ( ) ( ) ( )	1,633.	1,747.	2,010.	2,612.	
	49"	72"	32 1/2"	<b>AMBR725</b> ( ) ( ) ( ) ( ) ( ) ( )	1,687.	1,805.	2,077.	2,700.	
	49"	78"	32 1/2"	<b>AMBR785</b> ( ) ( ) ( ) ( ) ( ) ( )	1,741.	1,863.	2,144.	2,787.	
	49"	84"	32 1/2"	<b>AMBR845</b> ( ) ( ) ( ) ( ) ( ) ( )	1,796.	1,922.	2,210.	2,874.	
	49"	90"	32 1/2"	<b>AMBR905</b> ( ) ( ) ( ) ( ) ( ) ( )	1,849.	1,979.	2,277.	2,961.	
	49"	96"	32 1/2"	<b>AMBR965</b> ( ) ( ) ( ) ( ) ( ) ( )	1,904.	2,037.	2,345.	3,048.	


Order Code	Specification Information	Application Notes
Example: <b>AMBR425GFEV316</b> <b>V316613AA</b>	To order please specify pattern number including:	
<b>A</b> AutoStrada	1. Hand <i>L = Left hand</i> <i>R = Right hand</i>	7. Finish, surround, top shelf and worksurface front edge <i>Laminate, V1, V2 or V3 finish</i>
<b>M</b> Median	2. Width	8. Finish, worksurface <i>Laminate, V1, V2 or V3 finish</i>
<b>B</b> Binder depth top shelf	3. Depth <i>4 = 26.5" d nominal</i> <i>5 = 32.5" d nominal</i>	9. Finish, Grommet(s) <i>specify painted or plated finish</i>
<b>R</b> Right hand	4. Grommet option <i>G = Grommet(s)</i> <i>N = No grommet(s)</i>	10. Finish, Aluminum trim <i>AA - Anodized aluminum only</i>
<b>42</b> 42" wide	5. Face drill option <i>F = face drill for attachment to next unit</i> <i>N = no drill, last unit in run</i>	Order worksurface stiffener for unsupported spans exceeding 48", see page 172.
<b>5</b> 32.5" d	6. End drill option <i>E = end drill gable to attach to bridge</i> <i>N = no drill</i>	Width noted is interior nominal dimension, overall footprint additional 1" nominal.
<b>G</b> Grommet		Mixed finish options applicable with V1, V2 or V3 finish surround, top shelf and worksurface front edge with laminate finish worksurface.
<b>F</b> Face drill gable		See page 5 for finish options applicable.
<b>E</b> End drill gable		
<b>V316</b> Finish, surround, top shelf & worksurface edge		
<b>V316</b> Finish, worksurface		
<b>613</b> Finish, grommet		
<b>AA</b> Trim, anodized aluminum		

description	type	h	w	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 <p>left hand shown, worksurface height fixed 27" h to underside</p>	left hand	49"	42"	26 1/2"	AMGL424 ( ) ( ) ( ) ( ) ( ) ( )	\$1,366.	\$1,475.	\$1,696.	\$2,204.
		49"	48"	26 1/2"	AMGL484 ( ) ( ) ( ) ( ) ( ) ( )	1,422.	1,535.	1,765.	2,294.
		49"	54"	26 1/2"	AMGL544 ( ) ( ) ( ) ( ) ( ) ( )	1,477.	1,595.	1,834.	2,385.
		49"	60"	26 1/2"	AMGL604 ( ) ( ) ( ) ( ) ( ) ( )	1,533.	1,655.	1,904.	2,475.
		49"	66"	26 1/2"	AMGL664 ( ) ( ) ( ) ( ) ( ) ( )	1,589.	1,715.	1,973.	2,565.
		49"	72"	26 1/2"	AMGL724 ( ) ( ) ( ) ( ) ( ) ( )	1,644.	1,776.	2,042.	2,655.
		49"	78"	26 1/2"	AMGL784 ( ) ( ) ( ) ( ) ( ) ( )	1,700.	1,835.	2,112.	2,745.
		49"	84"	26 1/2"	AMGL844 ( ) ( ) ( ) ( ) ( ) ( )	1,756.	1,895.	2,181.	2,835.
		49"	90"	26 1/2"	AMGL904 ( ) ( ) ( ) ( ) ( ) ( )	1,811.	1,955.	2,250.	2,925.
		49"	96"	26 1/2"	AMGL964 ( ) ( ) ( ) ( ) ( ) ( )	1,867.	2,016.	2,319.	3,016.

	right hand	49"	42"	26 1/2"	AMGR424 ( ) ( ) ( ) ( ) ( ) ( )	1,366.	1,475.	1,696.	2,204.
		49"	48"	26 1/2"	AMGR484 ( ) ( ) ( ) ( ) ( ) ( )	1,422.	1,535.	1,765.	2,294.
		49"	54"	26 1/2"	AMGR544 ( ) ( ) ( ) ( ) ( ) ( )	1,477.	1,595.	1,834.	2,385.
		49"	60"	26 1/2"	AMGR604 ( ) ( ) ( ) ( ) ( ) ( )	1,533.	1,655.	1,904.	2,475.
		49"	66"	26 1/2"	AMGR664 ( ) ( ) ( ) ( ) ( ) ( )	1,589.	1,715.	1,973.	2,565.
		49"	72"	26 1/2"	AMGR724 ( ) ( ) ( ) ( ) ( ) ( )	1,644.	1,776.	2,042.	2,655.
		49"	78"	26 1/2"	AMGR784 ( ) ( ) ( ) ( ) ( ) ( )	1,700.	1,835.	2,112.	2,745.
		49"	84"	26 1/2"	AMGR844 ( ) ( ) ( ) ( ) ( ) ( )	1,756.	1,895.	2,181.	2,835.
		49"	90"	26 1/2"	AMGR904 ( ) ( ) ( ) ( ) ( ) ( )	1,811.	1,955.	2,250.	2,925.
		49"	96"	26 1/2"	AMGR964 ( ) ( ) ( ) ( ) ( ) ( )	1,867.	2,016.	2,319.	3,016.

description	type	h	w	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 <p>left hand shown, worksurface height fixed 27" h to underside</p>	left hand	49"	42"	32 1/2"	AMGL425 ( ) ( ) ( ) ( ) ( ) ( )	1,445.	1,546.	1,777.	2,310.
		49"	48"	32 1/2"	AMGL485 ( ) ( ) ( ) ( ) ( ) ( )	1,499.	1,604.	1,845.	2,398.
		49"	54"	32 1/2"	AMGL545 ( ) ( ) ( ) ( ) ( ) ( )	1,555.	1,664.	1,913.	2,487.
		49"	60"	32 1/2"	AMGL605 ( ) ( ) ( ) ( ) ( ) ( )	1,610.	1,723.	1,981.	2,577.
		49"	66"	32 1/2"	AMGL665 ( ) ( ) ( ) ( ) ( ) ( )	1,665.	1,782.	2,050.	2,665.
		49"	72"	32 1/2"	AMGL725 ( ) ( ) ( ) ( ) ( ) ( )	1,721.	1,841.	2,118.	2,754.
		49"	78"	32 1/2"	AMGL785 ( ) ( ) ( ) ( ) ( ) ( )	1,776.	1,901.	2,187.	2,842.
		49"	84"	32 1/2"	AMGL845 ( ) ( ) ( ) ( ) ( ) ( )	1,831.	1,959.	2,255.	2,932.
		49"	90"	32 1/2"	AMGL905 ( ) ( ) ( ) ( ) ( ) ( )	1,887.	2,018.	2,324.	3,020.
		49"	96"	32 1/2"	AMGL965 ( ) ( ) ( ) ( ) ( ) ( )	1,941.	2,078.	2,392.	3,109.

Order Code	Specification Information	Application Notes
Example: <b>AMGL424GFEV316 V316613AA</b>	To order please specify pattern number including:	
<b>A</b> AutoStrada	1. Left or Right hand <i>L = Left hand</i> <i>R = Right hand</i>	Median end without gable to be attached to a storage anchored cabinet. Optional face drill option is to drill outside face of gable to attach to next median in line, if last unit in run specify no drill. Optional end drill gable option is for attachment to bridge units on page 105, specify no drill if configuration does not include bridge unit.  Mixed finish options applicable with V1, V2 or V3 finish surround, top shelf and worksurface front edge with laminate finish worksurface.  See page 5 for finish options applicable.
<b>M</b> Median	2. Width	
<b>G</b> Legal depth top shelf	3. Depth <i>4 = 26.5" d nominal</i> <i>5 = 32.5" d nominal</i>	
<b>L</b> Left hand	4. Grommet option <i>G = Grommet(s)</i> <i>N = No grommet(s)</i>	
<b>42</b> 42" wide	5. Face drill option <i>F = face drill for attachment to next unit</i> <i>N = no drill, last unit in run</i>	
<b>4</b> 26.5" d	6. End drill option <i>E = end drill gable to attach to bridge</i> <i>N = no drill</i>	
<b>G</b> Grommet	7. Finish, surround, top shelf & worksurface edge <i>Laminate, V1, V2 or V3 finish</i>	
<b>F</b> Face drill gable	8. Finish, worksurface <i>Laminate, V1, V2 or V3</i>	
<b>E</b> End drill gable	9. Finish, Grommet(s) <i>specify painted or plated finish</i>	
<b>V316</b> Finish, surround, top shelf & worksurface edge	10. Finish, Aluminum trim <i>AA - Anodized aluminum only</i>	
<b>V316</b> Finish, worksurface	Order worksurface stiffener for unsupported spans exceeding 48", see page 172.	
<b>613</b> Finish, grommet	Width noted is interior nominal dimension, overall footprint additional 1" nominal.	
<b>AA</b> Trim, anodized aluminum		



description	type	h	w	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 <p>left hand shown, worksurface height fixed 27" h to underside</p>	right hand	49"	42"	32 1/2"	<b>AMGR425</b> ( ) ( ) ( ) ( ) ( ) ( )	\$1,445.	\$1,546.	\$1,777.	\$2,310.
		49"	48"	32 1/2"	<b>AMGR485</b> ( ) ( ) ( ) ( ) ( ) ( )	1,499.	1,604.	1,845.	2,398.
		49"	54"	32 1/2"	<b>AMGR545</b> ( ) ( ) ( ) ( ) ( ) ( )	1,555.	1,664.	1,913.	2,487.
		49"	60"	32 1/2"	<b>AMGR605</b> ( ) ( ) ( ) ( ) ( ) ( )	1,610.	1,723.	1,981.	2,577.
		49"	66"	32 1/2"	<b>AMGR665</b> ( ) ( ) ( ) ( ) ( ) ( )	1,665.	1,782.	2,050.	2,665.
		49"	72"	32 1/2"	<b>AMGR725</b> ( ) ( ) ( ) ( ) ( ) ( )	1,721.	1,841.	2,118.	2,754.
		49"	78"	32 1/2"	<b>AMGR785</b> ( ) ( ) ( ) ( ) ( ) ( )	1,776.	1,901.	2,187.	2,842.
		49"	84"	32 1/2"	<b>AMGR845</b> ( ) ( ) ( ) ( ) ( ) ( )	1,831.	1,959.	2,255.	2,932.
		49"	90"	32 1/2"	<b>AMGR905</b> ( ) ( ) ( ) ( ) ( ) ( )	1,887.	2,018.	2,324.	3,020.
		49"	96"	32 1/2"	<b>AMGR965</b> ( ) ( ) ( ) ( ) ( ) ( )	1,941.	2,078.	2,392.	3,109.

Order Code	Specification Information	Application Notes
Example: <b>AMGR425GFEV316</b> <b>V316613AA</b>	<i>To order please specify pattern number including:</i>	
<b>A</b> AutoStrada	1. Left or Right hand <i>L = Left hand</i> <i>R = Right hand</i>	
<b>M</b> Median	2. Width	
<b>G</b> Legal depth top shelf	3. Depth <i>4 = 26.5" d nominal</i> <i>5 = 32.5" d nominal</i>	
<b>R</b> Right hand	4. Grommet option <i>G = Grommet(s)</i> <i>N = No grommet(s)</i>	
<b>42</b> 42" wide	5. Face drill option <i>F = face drill for attachment to next unit</i> <i>N = no drill, last unit in run</i>	
<b>5</b> 32.5" d	6. End drill option <i>E = end drill gable to attach to bridge</i> <i>N = no drill</i>	
<b>G</b> Grommet	7. Finish, surround, top shelf & worksurface edge <i>Laminate, V1, V2 or V3 finish</i>	
<b>F</b> Face drill gable	8. Finish, worksurface <i>Laminate, V1, V2 or V3</i>	
<b>E</b> End drill gable	9. Finish, Grommet(s) <i>specify painted or plated finish</i>	
<b>V316</b> Finish, surround, top shelf & worksurface edge	10. Finish, Aluminum trim <i>AA - Anodized aluminum only</i>	
<b>V316</b> Finish, worksurface	Order worksurface stiffener for unsupported spans exceeding 48", see page 172.	Median end without gable to be attached to a storage anchored cabinet. Optional face drill option is to drill outside face of gable to attach to next median in line, if last unit in run specify no drill. Optional end drill gable option is for attachment to bridge units on page 105, specify no drill if configuration does not include bridge unit.
<b>613</b> Finish, grommet	Width noted is interior nominal dimension, overall footprint additional 1" nominal.	Mixed finish options applicable with V1, V2 or V3 finish surround, top shelf and worksurface front edge with laminate finish worksurface.
<b>AA</b> Trim, anodized aluminum		See page 5 for finish options applicable.



# Medians with double end gable

description	h	w	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
Medians with double end gable	49"	60"	26.5"	AMBE604( ) ( ) ( ) ( ) ( )	\$1,847.	\$2,024.	\$2,337.	\$3,040.
26.5"d with binder depth top shelf	49"	66"	26.5"	AMBE664( ) ( ) ( ) ( ) ( )	1,902.	2,083.	2,406.	3,128.
	49"	72"	26.5"	AMBE724( ) ( ) ( ) ( ) ( )	1,956.	2,143.	2,474.	3,216.
	49"	78"	26.5"	AMBE784( ) ( ) ( ) ( ) ( )	2,011.	2,202.	2,542.	3,304.
	49"	84"	26.5"	AMBE844( ) ( ) ( ) ( ) ( )	2,065.	2,261.	2,609.	3,393.
	49"	90"	26.5"	AMBE904( ) ( ) ( ) ( ) ( )	2,120.	2,319.	2,678.	3,482.
	49"	96"	26.5"	AMBE964( ) ( ) ( ) ( ) ( )	2,175.	2,378.	2,746.	3,570.
Medians with double end gable	49"	60"	32.5"	AMBE605( ) ( ) ( ) ( ) ( )	1,944.	2,115.	2,451.	3,186.
32.5"d with binder depth top shelf	49"	66"	32.5"	AMBE665( ) ( ) ( ) ( ) ( )	1,998.	2,172.	2,518.	3,273.
	49"	72"	32.5"	AMBE725( ) ( ) ( ) ( ) ( )	2,053.	2,230.	2,585.	3,360.
	49"	78"	32.5"	AMBE785( ) ( ) ( ) ( ) ( )	2,106.	2,288.	2,652.	3,447.
	49"	84"	32.5"	AMBE845( ) ( ) ( ) ( ) ( )	2,161.	2,347.	2,718.	3,534.
	49"	90"	32.5"	AMBE905( ) ( ) ( ) ( ) ( )	2,214.	2,405.	2,786.	3,621.
	49"	96"	32.5"	AMBE965( ) ( ) ( ) ( ) ( )	2,269.	2,462.	2,853.	3,709.
Medians with double end gable	49"	60"	26.5"	AMGE604( ) ( ) ( ) ( ) ( )	1,877.	2,057.	2,375.	3,088.
26.5"d with legal depth top shelf	49"	66"	26.5"	AMGE664( ) ( ) ( ) ( ) ( )	1,933.	2,117.	2,444.	3,178.
	49"	72"	26.5"	AMGE724( ) ( ) ( ) ( ) ( )	1,989.	2,178.	2,514.	3,269.
	49"	78"	26.5"	AMGE784( ) ( ) ( ) ( ) ( )	2,044.	2,238.	2,583.	3,358.
	49"	84"	26.5"	AMGE844( ) ( ) ( ) ( ) ( )	2,100.	2,297.	2,652.	3,448.
	49"	90"	26.5"	AMGE904( ) ( ) ( ) ( ) ( )	2,156.	2,357.	2,722.	3,539.
	49"	96"	26.5"	AMGE964( ) ( ) ( ) ( ) ( )	2,211.	2,418.	2,791.	3,629.
Medians with double end gable	49"	60"	32.5"	AMGE605( ) ( ) ( ) ( ) ( )	1,975.	2,148.	2,490.	3,237.
32.5"d with legal depth top shelf	49"	66"	32.5"	AMGE665( ) ( ) ( ) ( ) ( )	2,031.	2,207.	2,558.	3,325.
	49"	72"	32.5"	AMGE725( ) ( ) ( ) ( ) ( )	2,086.	2,266.	2,626.	3,415.
	49"	78"	32.5"	AMGE785( ) ( ) ( ) ( ) ( )	2,141.	2,326.	2,695.	3,503.
	49"	84"	32.5"	AMGE845( ) ( ) ( ) ( ) ( )	2,197.	2,385.	2,764.	3,592.
	49"	90"	32.5"	AMGE905( ) ( ) ( ) ( ) ( )	2,252.	2,443.	2,832.	3,680.
	49"	96"	32.5"	AMGE965( ) ( ) ( ) ( ) ( )	2,307.	2,503.	2,900.	3,770.

Order Code	Specification Information	Application Notes
Example: <b>AMBE604GFNEBV316 V316613AA</b>	<i>To order please specify pattern number including:</i>	
<b>A</b> AutoStrada	1. Width	6. Finish, surround, top shelf and worksurface front edge <i>Laminate, V1, V2 or V3 finish</i>
<b>M</b> Median	2. Depth <i>4 = 26.5" d nominal</i> <i>5 = 32.5" d nominal</i>	7. Finish, worksurface <i>Laminate, V1, V2 or V3 finish</i>
<b>B</b> Binder depth top shelf	3. Grommet option <i>G = Grommet(s)</i> <i>N = No grommet(s)</i>	8. Finish, Grommet(s) <i>specify painted or plated finish</i>
<b>E</b> End gables, both sides	4. Face drill option <i>FL = face drill left gable for ganging</i> <i>FR = face drill right gable for ganging</i> <i>FN = face drill none</i>	9. Finish, Aluminum trim <i>AA - Anodized aluminum only</i>
<b>60</b> 60" wide	5. End drill option <i>EL = end drill left gable to attach to bridge</i> <i>ER = end drill right gable to attach to bridge</i> <i>EB = end drill both gables to attach to bridges (applicable 84"w, 90"w and 96"w only)</i> <i>EN = no drill (for freestanding applications)</i>	Order worksurface stiffener for unsupported spans exceeding 48", see page 172.
<b>4</b> 26.5" d		Width noted is interior nominal dimension, overall footprint additional 2" nominal.
<b>G</b> Grommet		Mixed finish options applicable with V1, V2 or V3 finish surround, top shelf and worksurface front edge with laminate finish worksurface.
<b>FN</b> Face drill gable, none		See page 5 for finish options applicable.
<b>EB</b> End drill gable, both		
<b>V316</b> Finish, surround, top shelf & worksurface edge		
<b>V316</b> Finish, worksurface		
<b>613</b> Finish, grommet		
<b>AA</b> Trim, anodized aluminum		


description	type	h	w	d	pattern no.	L	V1	V2	V3
 <p>center gable only in units 54" w and over</p>	binder depth	49"	42"	14"	<b>ASMWB42</b> ( ) ( ) ( )	\$1,539.	\$1,663.	\$1,911.	\$2,485.
		49"	48"	14"	<b>ASMWB48</b> ( ) ( ) ( )	1,602.	1,730.	1,990.	2,586.
		49"	54"	14"	<b>ASMWB54</b> ( ) ( ) ( )	1,752.	2,049.	2,463.	3,203.
		49"	60"	14"	<b>ASMWB60</b> ( ) ( ) ( )	1,819.	2,125.	2,557.	3,323.
		49"	66"	14"	<b>ASMWB66</b> ( ) ( ) ( )	1,884.	2,203.	2,650.	3,445.
		49"	72"	14"	<b>ASMWB72</b> ( ) ( ) ( )	1,950.	2,280.	2,743.	3,566.
		49"	78"	14"	<b>ASMWB78</b> ( ) ( ) ( )	2,016.	2,357.	2,836.	3,688.
		49"	84"	14"	<b>ASMWB84</b> ( ) ( ) ( )	2,082.	2,434.	2,930.	3,808.
		49"	90"	14"	<b>ASMWB90</b> ( ) ( ) ( )	2,148.	2,512.	3,023.	3,929.
		49"	96"	14"	<b>ASMWB96</b> ( ) ( ) ( )	2,214.	2,588.	3,115.	4,051.
 <p>center gable only in units 54" w and over</p>	binder depth	49"	42"	14"	<b>ASMMB42</b> ( ) ( ) ( ) ( )	2,078.	2,182.	2,218.	2,661.
		49"	48"	14"	<b>ASMMB48</b> ( ) ( ) ( ) ( )	2,163.	2,271.	2,308.	2,770.
		49"	54"	14"	<b>ASMMB54</b> ( ) ( ) ( ) ( )	2,366.	2,483.	2,858.	3,429.
		49"	60"	14"	<b>ASMMB60</b> ( ) ( ) ( ) ( )	2,455.	2,577.	2,966.	3,558.
		49"	66"	14"	<b>ASMMB66</b> ( ) ( ) ( ) ( )	2,543.	2,671.	3,073.	3,689.
		49"	72"	14"	<b>ASMMB72</b> ( ) ( ) ( ) ( )	2,632.	2,765.	3,182.	3,819.
		49"	78"	14"	<b>ASMMB78</b> ( ) ( ) ( ) ( )	2,722.	2,858.	3,290.	3,948.
		49"	84"	14"	<b>ASMMB84</b> ( ) ( ) ( ) ( )	2,811.	2,952.	3,398.	4,078.
		49"	90"	14"	<b>ASMMB90</b> ( ) ( ) ( ) ( )	2,900.	3,045.	3,506.	4,207.
		49"	96"	14"	<b>ASMMB96</b> ( ) ( ) ( ) ( )	2,989.	3,140.	3,614.	4,338.

Order Code	Specification Information	Application Notes
Example: <b>ASMWB42FNELV316AA</b>	To order please specify pattern number including:	Storage medians may be used in free-standing applications alone or multiple units side by side. When specifying side by side applications, be sure to select appropriate face drilling option (see specification option #4) and EN for no end drilling in gables. Storage medians may also be used with bridges on page 105 for creating L shaped work area configurations. When specifying for use with bridges, be sure to specify appropriate end drill option (see specification option #5).  Center shelf fixed at 27" h to underside to align with bridge worksurface height and always same material as case (wood or laminate); other two shelves are adjustable 2 1/2" up or down from location shown either wood, laminate or metal. Nominally top shelf 7 1/2" h, other two 13" h.
<b>A</b> AutoStrada	1. Wood or Metal shelves <i>Embedded in pattern number</i> <i>W = wood shelves</i> <i>M = metal shelves</i> (Two piece extruded assembly) <i>Note: shelf at worksurface height always wood</i>	
<b>SM</b> Storage Median	2. Depth <i>Embedded in pattern number</i> <i>B = Binder depth</i> <i>G = Legal depth</i>	
<b>W</b> Wood shelves	3. Width	
<b>B</b> Binder depth	4. Face drill option <i>FL = face drill left gable for ganging</i> <i>FR = face drill right gable for ganging</i> <i>FB = face drill both gables for ganging</i> <i>FN = face drill none</i>	
<b>42</b> 42" wide	5. End drill option <i>EL = end drill left gable to attach to bridge</i> <i>ER = end drill right gable to attach to bridge</i> <i>EB = end drill both gables to attach to bridges (applicable 84" w, 90" w and 96" w only)</i> <i>EN = no drill (for freestanding applications)</i>	
<b>FN</b> Face drill gable, no	6. Finish <i>Laminate, V1, V2 or V3 finish</i>	
<b>EL</b> End drill left gable	7. Finish, metal shelves <i>(painted if applicable)</i>	
<b>V316</b> Finish, Maple	8. Finish, Aluminum trim <i>AA - Anodized aluminum only</i>	
<b>AA</b> Trim, anodized aluminum	See page 5 for finish options applicable.	


description	type	h	w	d	pattern no.	L	V1	V2	V3
 <p>Storage Median, w/wood shelves</p> <p><i>center gable only in units 54" w and over</i></p>	legal depth	49"	42"	17"	<b>ASMWG42</b> ( ) ( ) ( )	\$1,617.	\$1,746.	\$2,007.	\$2,609.
		49"	48"	17"	<b>ASMWG48</b> ( ) ( ) ( )	1,682.	1,817.	2,090.	2,716.
		49"	54"	17"	<b>ASMWG54</b> ( ) ( ) ( )	1,840.	2,150.	2,587.	3,363.
		49"	60"	17"	<b>ASMWG60</b> ( ) ( ) ( )	1,909.	2,232.	2,685.	3,490.
		49"	66"	17"	<b>ASMWG66</b> ( ) ( ) ( )	1,978.	2,313.	2,783.	3,617.
		49"	72"	17"	<b>ASMWG72</b> ( ) ( ) ( )	2,048.	2,394.	2,880.	3,744.
		49"	78"	17"	<b>ASMWG78</b> ( ) ( ) ( )	2,117.	2,475.	2,978.	3,871.
		49"	84"	17"	<b>ASMWG84</b> ( ) ( ) ( )	2,186.	2,556.	3,075.	3,998.
		49"	90"	17"	<b>ASMWG90</b> ( ) ( ) ( )	2,255.	2,638.	3,174.	4,125.
		49"	96"	17"	<b>ASMWG96</b> ( ) ( ) ( )	2,325.	2,718.	3,272.	4,254.
 <p>Storage Median, w/ metal shelves</p> <p><i>center gable only in units 54" w and over</i></p>	legal depth	49"	42"	17"	<b>ASMMG42</b> ( ) ( ) ( )	2,182.	2,291.	2,328.	2,794.
		49"	48"	17"	<b>ASMMG48</b> ( ) ( ) ( )	2,271.	2,385.	2,423.	2,909.
		49"	54"	17"	<b>ASMMG54</b> ( ) ( ) ( )	2,483.	2,607.	3,001.	3,600.
		49"	60"	17"	<b>ASMMG60</b> ( ) ( ) ( )	2,577.	2,706.	3,114.	3,737.
		49"	66"	17"	<b>ASMMG66</b> ( ) ( ) ( )	2,671.	2,805.	3,228.	3,873.
		49"	72"	17"	<b>ASMMG72</b> ( ) ( ) ( )	2,765.	2,902.	3,341.	4,009.
		49"	78"	17"	<b>ASMMG78</b> ( ) ( ) ( )	2,858.	3,001.	3,455.	4,145.
		49"	84"	17"	<b>ASMMG84</b> ( ) ( ) ( )	2,952.	3,100.	3,568.	4,282.
		49"	90"	17"	<b>ASMMG90</b> ( ) ( ) ( )	3,045.	3,197.	3,681.	4,417.
		49"	96"	17"	<b>ASMMG96</b> ( ) ( ) ( )	3,140.	3,296.	3,795.	4,554.

Order Code	Specification Information	Application Notes
<p>Example: <b>ASMWG42FNELV316AA</b></p> <p><b>A</b> AutoStrada</p> <p><b>SM</b> Storage Median</p> <p><b>W</b> Wood shelves</p> <p><b>G</b> Legal depth</p> <p><b>42</b> 42" wide</p> <p><b>FN</b> Face drill gable, no</p> <p><b>EL</b> End drill left gable</p> <p><b>V316</b> Finish, Maple</p> <p><b>AA</b> Trim, anodized aluminum</p>	<p>To order please specify pattern number including:</p> <p>1. Wood or Metal shelves  <i>Embedded in pattern number</i>  <i>W = wood shelves</i>  <i>M = metal shelves (Two piece extruded assembly)</i>  <i>Note: shelf at worksurface height always wood</i></p> <p>2. Depth  <i>Embedded in pattern number</i>  <i>B = Binder depth</i>  <i>G = Legal depth</i></p> <p>3. Width</p> <p>4. Face drill option  <i>FL = face drill left gable for ganging</i>  <i>FR = face drill right gable for ganging</i>  <i>FB = face drill both gables for ganging</i>  <i>FN = face drill none</i></p> <p>5. End drill option  <i>EL = end drill left gable to attach to bridge</i>  <i>ER = end drill right gable to attach to bridge</i>  <i>EB = end drill both gables to attach to bridges (applicable 84" w, 90" w and 96" w only)</i>  <i>EN = no drill (for freestanding applications)</i></p> <p>6. Finish  <i>Laminate, V1, V2 or V3 finish</i></p> <p>7. Finish, metal shelves  <i>(painted if applicable)</i></p> <p>8. Finish, Aluminum trim  <i>AA - Anodized aluminum only</i></p> <p>See page 5 for finish options applicable.</p>	<p>Storage medians may be used in free-standing applications alone or multiple units side by side. When specifying side by side applications, be sure to select appropriate face drilling option (see specification option #4) and EN for no end drilling in gables. Storage medians may also be used with bridges on page 105 for creating L shaped work area configurations. When specifying for use with bridges, be sure to specify appropriate end drill option (see specification option #5).</p> <p>Center shelf fixed at 27" h to underside to align with bridge worksurface height and always same material as case (wood or laminate); other two shelves are adjustable 2 1/2" up or down from location shown either wood, laminate or metal. Nominally top shelf 7 1/2" h, other two 13" h.</p>




description	h	w	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
Bridge assembly, includes worksurface	49"	42"	26 1/2"	<b>AOBS42</b> ( ) ( ) ( ) ( )	\$887.	\$959.	\$1,103.	\$1,433.
	49"	48"	26 1/2"	<b>AOBS48</b> ( ) ( ) ( ) ( )	924.	998.	1,148.	1,492.
	49"	54"	26 1/2"	<b>AOBS54</b> ( ) ( ) ( ) ( )	960.	1,036.	1,193.	1,551.
	49"	60"	26 1/2"	<b>AOBS60</b> ( ) ( ) ( ) ( )	996.	1,076.	1,238.	1,609.
	49"	66"	26 1/2"	<b>AOBS66</b> ( ) ( ) ( ) ( )	1,032.	1,115.	1,283.	1,667.
	49"	72"	26 1/2"	<b>AOBS72</b> ( ) ( ) ( ) ( )	1,069.	1,154.	1,328.	1,726.
	49"	78"	26 1/2"	<b>AOBS78</b> ( ) ( ) ( ) ( )	1,105.	1,193.	1,372.	1,785.

worksurface height fixed 27" h to underside

description	h	w	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
Window Bridge assembly, includes worksurface	28"	42"	26 1/2"	<b>AWBS42</b> ( ) ( ) ( ) ( )	830.	896.	1,030.	1,340.
	28"	48"	26 1/2"	<b>AWBS48</b> ( ) ( ) ( ) ( )	863.	932.	1,072.	1,394.
	28"	54"	26 1/2"	<b>AWBS54</b> ( ) ( ) ( ) ( )	897.	969.	1,115.	1,449.
	28"	60"	26 1/2"	<b>AWBS60</b> ( ) ( ) ( ) ( )	931.	1,006.	1,157.	1,504.
	28"	66"	26 1/2"	<b>AWBS66</b> ( ) ( ) ( ) ( )	965.	1,042.	1,199.	1,558.
	28"	72"	26 1/2"	<b>AWBS72</b> ( ) ( ) ( ) ( )	999.	1,078.	1,241.	1,613.
	28"	78"	26 1/2"	<b>AWBS78</b> ( ) ( ) ( ) ( )	1,032.	1,115.	1,283.	1,667.
	28"	84"	26 1/2"	<b>AWBS84</b> ( ) ( ) ( ) ( )	1,066.	1,152.	1,325.	1,722.
	28"	90"	26 1/2"	<b>AWBS90</b> ( ) ( ) ( ) ( )	1,099.	1,189.	1,367.	1,777.
	28"	96"	26 1/2"	<b>AWBS96</b> ( ) ( ) ( ) ( )	1,133.	1,225.	1,409.	1,831.

worksurface height fixed 27" h to underside



Order Code	Specification Information	Application Notes
Example: <b>AOBS42GDV316V316613</b>	To order please specify pattern number including:	Overall depth is 26.5" nominal
<b>A</b> AutoStrada	1. Width	Bridge units attach one side to gable end of medians or storage medians, and other end to 26.5" deep storage anchored cabinets. Attachment method is universal, bridge units are not handed.
<b>OB</b> Open Bridge	2. Grommet option G = Grommet(s) N = No grommet(s)	
<b>S</b> Single	3. Drill for top shelf option <i>Note: not applicable for window bridges</i>	Mixed finish options must only be combination of laminate surface with V1 or V2 or V3 back and edge.
<b>42</b> 42" wide	<i>D = drill for top shelf attachment</i> <i>N = no drill for top shelf attachment</i>	
<b>G</b> Grommet	4. Finish, back and worksurface edge <i>Laminate, V1, V2 or V3 finish</i>	Window kit and window trim kit for window bridge assembly specified separately, refer to page 108.
<b>D</b> Drill for top shelf attachment	5. Finish, worksurface <i>Laminate, V1, V2 or V3 finish</i>	
<b>V316</b> Finish, back panel & edge	6. Finish, Grommet(s) <i>specify painted or plated finish</i>	Optional top shelf for bridge assembly specified separately, refer to page 106. Be sure to specify drill for top shelf if required.
<b>V316</b> Finish, worksurface		
<b>613</b> Finish, grommet		

description	thickness	w	d	pattern no.	L	V1	V2	V3
Top shelf for bridge assy to median w/26.5" gable & binder depth top 	1 1/4"	54 7/16"	14"	<b>ATSBA42 ( ) ( )</b>	\$267.	\$288.	\$331.	\$431.
	1 1/4"	60 7/16"	14"	<b>ATSBA48 ( ) ( )</b>	277.	299.	344.	447.
	1 1/4"	66 7/16"	14"	<b>ATSBA54 ( ) ( )</b>	288.	311.	358.	465.
	1 1/4"	72 7/16"	14"	<b>ATSBA60 ( ) ( )</b>	299.	322.	372.	483.
	1 1/4"	78 7/16"	14"	<b>ATSBA66 ( ) ( )</b>	310.	335.	384.	500.
	1 1/4"	84 7/16"	14"	<b>ATSBA72 ( ) ( )</b>	320.	347.	398.	518.
	1 1/4"	90 7/16"	14"	<b>ATSBA78 ( ) ( )</b>	332.	358.	412.	536.
Top shelf for bridge assy to median w/26.5" gable & legal depth top	1 1/4"	51 7/16"	14"	<b>ATSBB42 ( ) ( )</b>	267.	288.	331.	431.
	1 1/4"	57 7/16"	14"	<b>ATSBB48 ( ) ( )</b>	277.	299.	344.	447.
	1 1/4"	63 7/16"	14"	<b>ATSBB54 ( ) ( )</b>	288.	311.	358.	465.
	1 1/4"	69 7/16"	14"	<b>ATSBB60 ( ) ( )</b>	299.	322.	372.	483.
	1 1/4"	75 7/16"	14"	<b>ATSBB66 ( ) ( )</b>	310.	335.	384.	500.
	1 1/4"	81 7/16"	14"	<b>ATSBB72 ( ) ( )</b>	320.	347.	398.	518.
	1 1/4"	87 7/16"	14"	<b>ATSBB78 ( ) ( )</b>	332.	358.	412.	536.
Top shelf for bridge assy to median w/32.5" gable & binder depth top	1 1/4"	60 7/16"	14"	<b>ATSBC42 ( ) ( )</b>	331.	357.	411.	533.
	1 1/4"	66 7/16"	14"	<b>ATSBC48 ( ) ( )</b>	343.	371.	427.	555.
	1 1/4"	72 7/16"	14"	<b>ATSBC54 ( ) ( )</b>	357.	385.	444.	576.
	1 1/4"	78 7/16"	14"	<b>ATSBC60 ( ) ( )</b>	371.	400.	460.	599.
	1 1/4"	84 7/16"	14"	<b>ATSBC66 ( ) ( )</b>	384.	415.	477.	621.
	1 1/4"	90 7/16"	14"	<b>ATSBC72 ( ) ( )</b>	398.	429.	494.	643.
	1 1/4"	96 7/16"	14"	<b>ATSBC78 ( ) ( )</b>	411.	444.	510.	664.
Top shelf for bridge assy to median w/32.5" gable & legal depth top	1 1/4"	57 7/16"	14"	<b>ATSBD42 ( ) ( )</b>	331.	357.	411.	533.
	1 1/4"	63 7/16"	14"	<b>ATSBD48 ( ) ( )</b>	343.	371.	427.	555.
	1 1/4"	69 7/16"	14"	<b>ATSBD54 ( ) ( )</b>	357.	385.	444.	576.
	1 1/4"	75 7/16"	14"	<b>ATSBD60 ( ) ( )</b>	371.	400.	460.	599.
	1 1/4"	81 7/16"	14"	<b>ATSBD66 ( ) ( )</b>	384.	415.	477.	621.
	1 1/4"	87 7/16"	14"	<b>ATSBD72 ( ) ( )</b>	398.	429.	494.	643.
	1 1/4"	93 7/16"	14"	<b>ATSBD78 ( ) ( )</b>	411.	444.	510.	664.
Top shelf for bridge assy to storage median	1 1/4"	42"	14"	<b>ATSBE42 ( ) ( )</b>	267.	288.	331.	431.
	1 1/4"	48"	14"	<b>ATSBE48 ( ) ( )</b>	277.	299.	344.	447.
	1 1/4"	54"	14"	<b>ATSBE54 ( ) ( )</b>	288.	311.	358.	465.

Order Code	Specification Information	Application Notes
Example: <b>ATSBA42V316AA</b> <b>A</b> AutoStrada <b>TS</b> Top Shelf <b>B</b> Bridge <b>A</b> for bridge to median condition A <b>42</b> 42" wide plus condition A <b>V316</b> Finish, Maple <b>AA</b> Trim, anodized aluminum	To order please specify pattern number including: 1. Bridge to Median condition <i>A = to 26.5" d median w/binder depth top shelf</i> <i>B = to 26.5" d median w/legal depth top shelf</i> <i>C = to 32.5" d median w/binder depth top shelf</i> <i>D = to 32.5" d median w/legal depth top shelf</i> <i>E = to storage median binder or legal depth</i> 2. Width <i>specify same as corresponding bridge assembly</i> 3. Finish, Shelf <i>Laminate, V1, V2 or V3 finish</i> 4. Finish, Aluminum trim <i>AA - Anodized aluminum only</i>	Top shelf extends width of bridge assembly plus exposed portion of the median gable where the median gable extends beyond median's top shelf.  Top shelf assembly includes aluminum trim to install between bridge assembly and underside of top shelf; and aligns with aluminum trim detail of median or storage median.  See page 5 for finish options applicable.


description	thickness	w	d	pattern no.	L	V1	V2	V3
Top shelf for bridge assy to storage median	1 1/4"	60"	14"	<b>ATSBE60 ( )()</b>	\$299.	\$322.	\$372.	\$483.
	1 1/4"	66"	14"	<b>ATSBE66 ( )()</b>	310.	335.	384.	500.
	1 1/4"	72"	14"	<b>ATSBE72 ( )()</b>	320.	347.	398.	518.
	1 1/4"	78"	14"	<b>ATSBE78 ( )()</b>	332.	358.	412.	536.

Order Code	Specification Information	Application Notes
Example: <b>ATSBA42V316AA</b>	<i>To order please specify pattern number including:</i>	Top shelf extends width of bridge assembly plus exposed portion of the median gable where the median gable extends beyond median's top shelf.
<b>A</b> AutoStrada		
<b>TS</b> Top Shelf		
<b>B</b> Bridge		
<b>A</b> for bridge to median condition A	1. Bridge to Median condition <i>A = to 26.5" d median w/binder depth top shelf</i> <i>B = to 26.5" d median w/legal depth top shelf</i> <i>C = to 32.5" d median w/binder depth top shelf</i> <i>D = to 32.5" d median w/legal depth top shelf</i> <i>E = to storage median binder or legal depth</i>	Top shelf assembly includes aluminum trim to install between bridge assembly and underside of top shelf; and aligns with aluminum trim detail of median or storage median.
<b>42</b> 42" wide plus condition A		
<b>V316</b> Finish, Maple		
<b>AA</b> Trim, anodized aluminum	2. Width <i>specify same as corresponding bridge assembly</i> 3. Finish, Shelf <i>Laminate, V1, V2 or V3 finish</i> 4. Finish, Aluminum trim <i>AA - Anodized aluminum only</i>	See page 5 for finish options applicable.

description	h	w	pattern no.	clear	architectural	list
Window Bridge Kit 	21"	42"	<b>AWBK42 ( ) ( ) ( )</b>	\$533.	\$641.	
	21"	48"	<b>AWBK48 ( ) ( ) ( )</b>	575.	690.	
	21"	54"	<b>AWBK54 ( ) ( ) ( )</b>	616.	740.	
	21"	60"	<b>AWBK60 ( ) ( ) ( )</b>	658.	790.	
	21"	66"	<b>AWBK66 ( ) ( ) ( )</b>	699.	839.	
	21"	72"	<b>AWBK72 ( ) ( ) ( )</b>	741.	889.	
	21"	78"	<b>AWBK78 ( ) ( ) ( )</b>	782.	939.	
	21"	84"	<b>AWBK84 ( ) ( ) ( )</b>	824.	989.	
	21"	90"	<b>AWBK90 ( ) ( ) ( )</b>	865.	1,038.	
	21"	96"	<b>AWBK96 ( ) ( ) ( )</b>	907.	1,089.	
Median gable top trim for window to median w/26.5" gable&binder depth top		12"	<b>AMGTTA ( )</b>			78.
						
Median gable top trim for window to median w/26.5" gable&legal depth top		9"	<b>AMGTTB ( )</b>			65.
Median gable top trim for window to median w/32.5" gable&binder depth top		18"	<b>AMGTTC ( )</b>			95.
Median gable top trim for window to median w/32.5" gable&legal depth top		15"	<b>AMGTTD ( )</b>			84.


Order Code	Specification Information	Application Notes
Example: <b>AWBK42EAAGL13AA</b> <b>A</b> AutoStrada <b>W</b> Window <b>BK</b> Bridge kit <b>42</b> 42" wide <b>E</b> Extruded Aluminum Top Trim <b>AA</b> Finish, window frame <b>GL13</b> Finish, glass <b>AA</b> Finish, aluminum top trim	To order please specify pattern number including:  Window bridge kit: 1. Width <i>Note: Be sure to specify window bridge kit to correspond with width of window bridge assembly</i> 2. Extruded Aluminum Top Trim profile <i>E = default</i> 3. Finish, window frame <i>Paint or Anodized Aluminum</i> 4. Finish, glass <i>TEMP - Clear, tempered</i> <i>GL6 - Block Matrix</i> <i>GL13 - Powder</i> 5. Finish, Aluminum top trim <i>AA - anodized aluminum only</i>	Window bridge kits are for use with window bridge assemblies on page 105.  Be sure to include median gable top trim when attaching window bridge assembly and window bridge kit to medians for the appropriate condition of median gable and top shelf. The median gable top trim is an aluminum extrusion which finishes the exposed portion of the median gable and continues a consistent aluminum trim detail from one unit to the next.

description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, BBF front, open interior side	left	49"	19"	24"	<b>ACAL4924</b> ( ) ( ) ( ) ( )	\$2,905.	\$3,169.	\$3,510.	\$4,562.
		49"	19"	30"	<b>ACAL4930</b> ( ) ( ) ( ) ( )	3,128.	3,351.	3,750.	4,876.
		49"	19"	26.5"	<b>ACAL4926</b> ( ) ( ) ( ) ( )	3,016.	3,260.	3,631.	4,720.
		49"	19"	32.5"	<b>ACAL4932</b> ( ) ( ) ( ) ( )	3,239.	3,441.	3,871.	5,032.
	right	49"	19"	24"	<b>ACAR4924</b> ( ) ( ) ( ) ( )	2,905.	3,169.	3,510.	4,562.
		49"	19"	30"	<b>ACAR4930</b> ( ) ( ) ( ) ( )	3,128.	3,351.	3,750.	4,876.
		49"	19"	26.5"	<b>ACAR4926</b> ( ) ( ) ( ) ( )	3,016.	3,260.	3,631.	4,720.
		49"	19"	32.5"	<b>ACAR4932</b> ( ) ( ) ( ) ( )	3,239.	3,441.	3,871.	5,032.



left hand shown, shelf aligns with worksurface at 28 1/4" overall, or 27" h to underside

Storage anchored cabinet, FF front, open interior side	left	49"	19"	24"	<b>ACBL4924</b> ( ) ( ) ( ) ( )	2,490.	2,736.	3,097.	4,026.
		49"	19"	30"	<b>ACBL4930</b> ( ) ( ) ( ) ( )	2,680.	2,893.	3,310.	4,302.
		49"	19"	26.5"	<b>ACBL4926</b> ( ) ( ) ( ) ( )	2,585.	2,814.	3,204.	4,164.
		49"	19"	32.5"	<b>ACBL4932</b> ( ) ( ) ( ) ( )	2,777.	2,971.	3,415.	4,441.
	right	49"	19"	24"	<b>ACBR4924</b> ( ) ( ) ( ) ( )	2,490.	2,736.	3,097.	4,026.
		49"	19"	30"	<b>ACBR4930</b> ( ) ( ) ( ) ( )	2,680.	2,893.	3,310.	4,302.
		49"	19"	26.5"	<b>ACBR4926</b> ( ) ( ) ( ) ( )	2,585.	2,814.	3,204.	4,164.
		49"	19"	32.5"	<b>ACBR4932</b> ( ) ( ) ( ) ( )	2,777.	2,971.	3,415.	4,441.




left hand shown, shelf aligns with worksurface at 28 1/4" h overall, or 27" h to underside

Order Code	Specification Information	Application Notes
Example: <b>ACAL4924NEDWV316AA</b>	To order please specify pattern number including:	*Upcharge applicable as follows for ACA(L/R) and ACB(L/R) cabinets: Option S upcharge for L/V1/V2 or V3 to correspond to shelf to match case; Option M upcharge under AA for anodized aluminum metal shelf
<b>A</b> AutoStrada	1. Hand L = User's Left R = User's Right	When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or with stations back to back with panel run perpendicular to two cabinets, you then need to specify one 24" d with one 26.5" d or 30" d with one 32.5" d cabinet to go side by side or back to back as the case may be. Brackets to secure cabinets to panel are required, specified separately - see page 119.
<b>C</b> Cabinet	2. Height	
<b>A</b> BBF front, Open interior side	3. Depth 24 = 24" deep 26 = 26.5" deep 30 = 30" deep 32 = 32.5" deep	
<b>L</b> Left Hand	4. Shelf option for open interior side depth V2 V3 24" \$182 236 26.5" \$188 244 30" \$197 257 32.5" \$203 265	
<b>49</b> 49" high	N = No shelf S = Shelf to match case * M = Two piece anodized aluminum metal shelf assembly * (*upcharge applicable)	
<b>24</b> 24" deep	5. Pull depth AA 24" \$225 26.5" \$240 30" \$264 32.5" \$278	
<b>N</b> No Shelf	E = extruded aluminum pull P = extruded aluminum protruding pull	
<b>E</b> Extruded Aluminum Pull	6. Drill option, <b>applicable only for 24" and 30" deep units</b> D = drilled to anchor to panel or median F = no drill, freestanding	
<b>D</b> Drilled to anchor	7. Interior W = wood interior only, default	
<b>W</b> Wood interior	8. Finish Laminate, V1, V2 or V3 finish	
<b>V316</b> Finish, Maple	9. Finish, Aluminum trim (trim & pull) AA - Anodized aluminum only	When planning with medians and bridges (single station or clusters of stations) specify either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth. Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.
<b>AA</b> Finish, trim & pull, anodized aluminum		Cabinets drilled for locks, keying instructions must accompany order.  Cabinets include angle bracket to side support worksurfaces.  See page 5 for finish options applicable.


Cabinets

description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, Hinged Door front, open interior side	left	49"	19"	24"	<b>ACCL4924</b> ( ) ( ) ( )	\$2,075.	\$2,280.	\$2,581.	\$3,354.
		49"	19"	30"	<b>ACCL4930</b> ( ) ( ) ( )	2,234.	2,411.	2,758.	3,586.
		49"	19"	26.5"	<b>ACCL4926</b> ( ) ( ) ( )	2,154.	2,345.	2,670.	3,470.
		49"	19"	32.5"	<b>ACCL4932</b> ( ) ( ) ( )	2,313.	2,476.	2,846.	3,700.
	right	49"	19"	24"	<b>ACCR4924</b> ( ) ( ) ( )	2,075.	2,280.	2,581.	3,354.
		49"	19"	30"	<b>ACCR4930</b> ( ) ( ) ( )	2,234.	2,411.	2,758.	3,586.
		49"	19"	26.5"	<b>ACCR4926</b> ( ) ( ) ( )	2,154.	2,345.	2,670.	3,470.
		49"	19"	32.5"	<b>ACCR4932</b> ( ) ( ) ( )	2,313.	2,476.	2,846.	3,700.



left hand shown, shelf aligns with worksurface at 28 1/4" h overall, or 27" h to underside


Storage anchored cabinet, Hinged Door front, open side	left	49"	19"	24"	<b>ACDL4924</b> ( ) ( ) ( )	2,344.	2,577.	2,916.	3,791.
		49"	19"	30"	<b>ACDL4930</b> ( ) ( ) ( )	2,524.	2,724.	3,117.	4,051.
		49"	19"	26.5"	<b>ACDL4926</b> ( ) ( ) ( )	2,434.	2,650.	3,016.	3,922.
		49"	19"	32.5"	<b>ACDL4932</b> ( ) ( ) ( )	2,614.	2,798.	3,216.	4,182.
	right	49"	19"	24"	<b>ACDR4924</b> ( ) ( ) ( )	2,344.	2,577.	2,916.	3,791.
		49"	19"	30"	<b>ACDR4930</b> ( ) ( ) ( )	2,524.	2,724.	3,117.	4,051.
		49"	19"	26.5"	<b>ACDR4926</b> ( ) ( ) ( )	2,434.	2,650.	3,016.	3,922.
		49"	19"	32.5"	<b>ACDR4932</b> ( ) ( ) ( )	2,614.	2,798.	3,216.	4,182.



left hand shown, shelf aligns with worksurface at 28 1/4" h overall, or 27" h to underside

Order Code	Specification Information	Application Notes
Example: <b>ACCL4924NEDV316AA</b>	To order please specify pattern number including:	*Upcharge applicable as follows for ACC(L/R) units on this page: For option S upcharge for L/V1/V2 or V3 to correspond to shelf to match case; option M upcharge under AA for anodized aluminum metal shelf
<b>A</b> AutoStrada	1. Hand L = User's Left R = User's Right	When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or with stations back to back with panel run perpendicular to two cabinets, you then need to specify one 24" d with one 26.5" d or 30" d with one 32.5" d cabinet to go side by side or back to back as the case may be. Brackets to secure cabinets to panel are required, specified separately - see page 119.
<b>C</b> Cabinet	2. Height	
<b>C</b> HD front, Open interior side	3. Depth 24 = 24" deep 30 = 30" deep 26 = 26.5" deep 32 = 32.5" deep	depth L V1 V3 24" \$ 87 164 26.5" \$ 92 169 30" \$ 96 177 32.5" \$101 181
<b>L</b> Left Hand	4. Shelf option for open interior side <b>applicable for ACC(L/R) cabinets only</b> N = No shelf S = Shelf to match case * M = Two piece anodized aluminum metal shelf assembly * (*upcharge applicable)	depth V2 V3 24" \$182 236 26.5" \$188 244 30" \$197 257 32.5" \$203 265
<b>49</b> 49" high	5. Pull E = extruded aluminum pull P = extruded aluminum protruding pull	depth AA 24" \$225 26.5" \$240 30" \$264 32.5" \$278
<b>24</b> 24" deep	6. Drill option <b>applicable only for 24" and 30" deep units</b> D = drilled to anchor to panel or median F = no drill, freestanding	When planning with medians and bridges (single station or clusters of stations) specify either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth. Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.
<b>N</b> No Shelf	7. Finish Laminate, V1, V2 or V3 finish	Cabinets drilled for locks, keying instructions must accompany order.
<b>E</b> Extruded Aluminum Pull	8. Finish, Aluminum trim (trim & pull) AA - Anodized aluminum only	Cabinets include angle bracket to side support worksurfaces. See page 5 for finish options applicable.
<b>D</b> Drilled to anchor		
<b>V316</b> Finish, Maple		
<b>AA</b> Finish, trim & pull, anodized aluminum		


description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, FF lower front, open interior back	49"h left	49"	24"	19"	<b>ACEL4924</b> ( ) ( ) ( ) ( )	\$2,555.	\$2,808.	\$3,122.	\$4,060.
		49"	30"	19"	<b>ACEL4930</b> ( ) ( ) ( ) ( )	2,752.	2,969.	3,337.	4,338.
		49"	26.5"	19"	<b>ACEL4926</b> ( ) ( ) ( ) ( )	2,654.	2,889.	3,229.	4,199.
		49"	32.5"	19"	<b>ACEL4932</b> ( ) ( ) ( ) ( )	2,849.	3,050.	3,444.	4,477.
	49"h right	49"	24"	19"	<b>ACER4924</b> ( ) ( ) ( ) ( )	2,555.	2,808.	3,122.	4,060.
		49"	30"	19"	<b>ACER4930</b> ( ) ( ) ( ) ( )	2,752.	2,969.	3,337.	4,338.
		49"	26.5"	19"	<b>ACER4926</b> ( ) ( ) ( ) ( )	2,654.	2,889.	3,229.	4,199.
		49"	32.5"	19"	<b>ACER4932</b> ( ) ( ) ( ) ( )	2,849.	3,050.	3,444.	4,477.
	64"h left	64"	24"	19"	<b>ACEL6424</b> ( ) ( ) ( ) ( )	2,811.	3,089.	3,435.	4,465.
		64"	30"	19"	<b>ACEL6430</b> ( ) ( ) ( ) ( )	3,027.	3,266.	3,670.	4,771.
		64"	26.5"	19"	<b>ACEL6426</b> ( ) ( ) ( ) ( )	2,919.	3,178.	3,552.	4,618.
		64"	32.5"	19"	<b>ACEL6432</b> ( ) ( ) ( ) ( )	3,134.	3,354.	3,789.	4,925.
	64"h right	64"	24"	19"	<b>ACER6424</b> ( ) ( ) ( ) ( )	2,811.	3,089.	3,435.	4,465.
		64"	30"	19"	<b>ACER6430</b> ( ) ( ) ( ) ( )	3,027.	3,266.	3,670.	4,771.



left hand shown, shelf aligns with worksurface at 28 1/4" h overall, or 27" h to underside

Order Code	Specification Information	Application Notes
Example: <b>ACEL4924SEWV316AA</b>	To order please specify pattern number including:	See page 5 for finish options applicable.
<b>A</b> AutoStrada	6. Drawer Interior applicable ACE(L/R) and ACI(L/R) only W = wood interior only	When planning with medians and bridges (single station or clusters of stations) specify 49"h cabinets in either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth.
<b>C</b> Cabinet	7. Finish Laminate, V1, V2 or V3 finish	When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or back to back stations with panel run perpendicular to two cabinets, you then need to specify one 24"d with one 26.5" d or 30" d with one one 32.5" d cabinet to go side by side or back to back as the case may be.
<b>E</b> File/File lower front, Interior back open shelf	8. Finish, Aluminum trim (trim & pull) AA - Anodized aluminum only	Cabinets with front and back access not to be used in freestanding applications.
<b>L</b> Left Hand	Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.	Cabinet to panel attachment brackets required, see page 119.
<b>49</b> 49" high	64"h cabinets include shelf to match case in price list above. Upcharge below applicable as follows for 49"h shelf to match case for L/V1/V2/V3 or AA for anodized aluminum metal shelf for M option for both 49"h and 64"h cabinets.	Cabinets include angle bracket to side support worksurfaces. Cabinets drilled for locks, keying instructions must accompany order.
<b>24</b> 24" deep	depth L V1 24" \$ 87 164 26.5" \$ 92 169 30" \$ 96 177 32.5" \$ 101 181	19" deep cabinet file drawers do not accommodate legal filing side to side.
<b>S</b> w/shelf to match cabinet case	depth V2 V3 24" \$182 236 26.5" \$188 244 30" \$197 257 32.5" \$203 265	
<b>E</b> Extruded Aluminum Pull	depth AA 24" \$225 26.5" \$240 30" \$264 32.5" \$278	
<b>W</b> Wood interior		
<b>V316</b> Finish, Maple		
<b>AA</b> Finish, trim & pull, anodized aluminum		
	1. Hand L = User's Left R = User's Right	
	2. Height 49 = 49" h (for use with medians, bridges or panels) 64 = 64" h (for use with panels)	
	3. Depth 24 = 24" deep (use with 26.5" d unit for side by side cabinet application with panels) 30 = 30" deep (use with 32.5" d unit for side by side cabinet application with panels) 26 = 26.5" deep (use with medians, bridges & panels) 32 = 32.5" deep (use with medians, bridges & panels)	
	4. Shelf option for open interior side N = No shelf, optional for 49" h units only S = Shelf to match case * (optional 49" and 64" h) M = Two piece anodized aluminum metal shelf assembly * (optional 49" and 64" h) (*upcharge applicable)	
	5. Pull E = extruded aluminum pull P = extruded aluminum protruding pull	

description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, FF lower front, open interior back	64" h right	64"	26.5"	19"	<b>ACER6426</b> (X)(X)(X)(X)	\$2,919.	\$3,178.	\$3,552.	\$4,618.
		64"	32.5"	19"	<b>ACER6432</b> (X)(X)(X)(X)	3,134.	3,354.	3,789.	4,925.




left hand shown, shelf aligns with work surface at 28 1/4" h overall, or 27" h to underside

Order Code	Specification Information	Application Notes
Example: <b>ACEL4924SEWV316AA</b>	To order please specify pattern number including:	See page 5 for finish options applicable.
<b>A</b> AutoStrada		
<b>C</b> Cabinet		
<b>E</b> File/File lower front, Interior back open shelf		When planning with medians and bridges (single station or clusters of stations) specify 49" h cabinets in either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth.
<b>L</b> Left Hand		
<b>49</b> 49" high	1. Hand L = User's Left R = User's Right	
<b>24</b> 24" deep	2. Height 49 = 49" h (for use with medians, bridges or panels) 64 = 64" h (for use with panels)	
<b>S</b> w/shelf to match cabinet case	3. Depth 24 = 24" deep (use with 26.5" d unit for side by side cabinet application with panels) 30 = 30" deep (use with 32.5" d unit for side by side cabinet application with panels) 26 = 26.5" deep (use with medians, bridges & panels) 32 = 32.5" deep (use with medians, bridges & panels)	When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or back to back stations with panel run perpendicular to two cabinets, you then need to specify one 24" d with one 26.5" d or 30" d with one 32.5" d cabinet to go side by side or back to back as the case may be.
<b>E</b> Extruded Aluminum Pull	4. Shelf option for open interior side N = No shelf, optional for 49" h units only S = Shelf to match case * (optional 49" and 64" h) M = Two piece anodized aluminum metal shelf assembly * (optional 49" and 64" h) (*upcharge applicable)	
<b>W</b> Wood interior		
<b>V316</b> Finish, Maple		
<b>AA</b> Finish, trim & pull, anodized aluminum	5. Pull E = extruded aluminum pull P = extruded aluminum protruding pull	
	6. Drawer Interior applicable ACE(L/R) and ACI(L/R) only W = wood interior only	See page 5 for finish options applicable.
	7. Finish Laminate, V1, V2 or V3 finish	
	8. Finish, Aluminum trim (trim & pull) AA - Anodized aluminum only	
	Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.	
	64" h cabinets include shelf to match case in price list above. Upcharge below applicable as follows for 49" h shelf to match case for L/V1/V2/V3 or AA for anodized aluminum metal shelf for M option for both 49" h and 64" h cabinets.	
	depth L V1	
	24" \$ 87 164	
	26.5" \$ 92 169	
	30" \$ 96 177	
	32.5" \$ 101 181	
	depth V2 V3	
	24" \$182 236	
	26.5" \$188 244	
	30" \$197 257	
	32.5" \$203 265	
	depth AA	
	24" \$225	
	26.5" \$240	
	30" \$264	
	32.5" \$278	
		Cabinets with front and back access not to be used in freestanding applications.
		Cabinet to panel attachment brackets required, see page 119.
		Cabinets include angle bracket to side support work surfaces. Cabinets drilled for locks, keying instructions must accompany order.
		19" deep cabinet file drawers do not accommodate legal filing side to side.



description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, HD lower front, open interior back	49"h left	49"	24"	19"	ACFL4924( ) ( ) ( )	\$2,262.	\$2,486.	\$2,813.	\$3,657.
		49"	30"	19"	ACFL4930( ) ( ) ( )	2,435.	2,628.	3,006.	3,908.
		49"	26.5"	19"	ACFL4926( ) ( ) ( )	2,349.	2,556.	2,909.	3,782.
		49"	32.5"	19"	ACFL4932( ) ( ) ( )	2,522.	2,699.	3,103.	4,034.
	49"h right	49"	24"	19"	ACFR4924( ) ( ) ( )	2,262.	2,486.	2,813.	3,657.
		49"	30"	19"	ACFR4930( ) ( ) ( )	2,435.	2,628.	3,006.	3,908.
		49"	26.5"	19"	ACFR4926( ) ( ) ( )	2,349.	2,556.	2,909.	3,782.
		49"	32.5"	19"	ACFR4932( ) ( ) ( )	2,522.	2,699.	3,103.	4,034.
	64"h left	64"	24"	19"	ACFL6424( ) ( ) ( )	2,488.	2,734.	3,094.	4,022.
		64"	30"	19"	ACFL6430( ) ( ) ( )	2,678.	2,890.	3,306.	4,299.
		64"	26.5"	19"	ACFL6426( ) ( ) ( )	2,583.	2,812.	3,200.	4,160.
		64"	32.5"	19"	ACFL6432( ) ( ) ( )	2,773.	2,968.	3,413.	4,437.
	64"h right	64"	24"	19"	ACFR6424( ) ( ) ( )	2,488.	2,734.	3,094.	4,022.
		64"	30"	19"	ACFR6430( ) ( ) ( )	2,678.	2,890.	3,306.	4,299.




left hand shown, shelf aligns with worksurface at 28 1/4" h overall, or 27" h to underside

Order Code	Specification Information	Application Notes
Example: <b>ACEL4924SEWV316AA</b>	To order please specify pattern number including:	See page 5 for finish options applicable.
<b>A</b> AutoStrada	6. Drawer Interior applicable ACE(L/R) and ACI(L/R) only W = wood interior only	When planning with medians and bridges (single station or clusters of stations) specify 49"h cabinets in either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth.
<b>C</b> Cabinet	7. Finish Laminate, V1, V2 or V3 finish	When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or back to back stations with panel run perpendicular to two cabinets, you then need to specify one 24"d with one 26.5" d or 30" d with one one 32.5" d cabinet to go side by side or back to back as the case may be.
<b>E</b> File/File lower front, Interior back open shelf	8. Finish, Aluminum trim (trim & pull) AA - Anodized aluminum only	Cabinets with front and back access not to be used in freestanding applications.
<b>L</b> Left Hand	Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.	Cabinet to panel attachment brackets required, see page 119.
<b>49</b> 49" high	64"h cabinets include shelf to match case in price list above. Upcharge below applicable as follows for 49"h shelf to match case for L/V1/V2/V3 or AA for anodized aluminum metal shelf for M option for both 49"h and 64"h cabinets.	Cabinets include angle bracket to side support worksurfaces. Cabinets drilled for locks, keying instructions must accompany order.
<b>24</b> 24" deep	depth L V1 24" \$ 87 164 26.5" \$ 92 169 30" \$ 96 177 32.5" \$ 101 181	19" deep cabinet file drawers do not accommodate legal filing side to side.
<b>S</b> w/shelf to match cabinet case	depth V2 V3 24" \$182 236 26.5" \$188 244 30" \$197 257 32.5" \$203 265	
<b>E</b> Extruded Aluminum Pull	depth AA 24" \$225 26.5" \$240 30" \$264 32.5" \$278	
<b>W</b> Wood interior		
<b>V316</b> Finish, Maple		
<b>AA</b> Finish, trim & pull, anodized aluminum		

Cabinets


description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, HD lower front, open interior back	64" h right	64"	26.5"	19"	<b>ACFR6426</b> ( ) ( ) ( )	\$2,583.	\$2,812.	\$3,200.	\$4,160.
		64"	32.5"	19"	<b>ACFR6432</b> ( ) ( ) ( )	2,773.	2,968.	3,413.	4,437.



left hand shown, shelf aligns with worksurface at 28 1/4" h overall, or 27" h to underside

Order Code	Specification Information	Application Notes
Example: <b>ACEL4924SEWV316AA</b>	To order please specify pattern number including:	See page 5 for finish options applicable.
<b>A</b> AutoStrada	6. Drawer Interior applicable ACE(L/R) and ACI(L/R) only	When planning with medians and bridges (single station or clusters of stations) specify 49" h cabinets in either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth.
<b>C</b> Cabinet	7. Finish Laminate, V1, V2 or V3 finish	When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or back to back stations with panel run perpendicular to two cabinets, you then need to specify one 24" d with one 26.5" d or 30" d with one 32.5" d cabinet to go side by side or back to back as the case may be.
<b>E</b> File/File lower front, Interior back open shelf	8. Finish, Aluminum trim (trim & pull) AA - Anodized aluminum only	Cabinets with front and back access not to be used in freestanding applications.
<b>L</b> Left Hand	Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.	Cabinet to panel attachment brackets required, see page 119.
<b>49</b> 49" high	64" h cabinets include shelf to match case in price list above. Upcharge below applicable as follows for 49" h shelf to match case for L/V1/V2/V3 or AA for anodized aluminum metal shelf for M option for both 49" h and 64" h cabinets.	Cabinets include angle bracket to side support worksurfaces. Cabinets drilled for locks, keying instructions must accompany order.
<b>24</b> 24" deep	depth L V1 24" \$ 87 164 26.5" \$ 92 169 30" \$ 96 177 32.5" \$ 101 181	19" deep cabinet file drawers do not accommodate legal filing side to side.
<b>S</b> w/shelf to match cabinet case	depth V2 V3 24" \$182 236 26.5" \$188 244 30" \$197 257 32.5" \$203 265	
<b>E</b> Extruded Aluminum Pull	depth AA 24" \$225 26.5" \$240 30" \$264 32.5" \$278	
<b>W</b> Wood interior		
<b>V316</b> Finish, Maple		
<b>AA</b> Finish, trim & pull, anodized aluminum		

description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, Personal wardrobe and storage	left	64"	30"	19"	<b>ACIL6430( ) ( ) ( ) ( )</b>	\$3,649.	\$3,972.	\$4,441.	\$5,773.
		64"	32.5"	19"	<b>ACIL6432( ) ( ) ( ) ( )</b>	3,918.	4,193.	4,736.	6,156.
	right	64"	30"	19"	<b>ACIR6430( ) ( ) ( ) ( )</b>	3,649.	3,972.	4,441.	5,773.
		64"	32.5"	19"	<b>ACIR6432( ) ( ) ( ) ( )</b>	3,918.	4,193.	4,736.	6,156.





left hand shown, attach perpendicular to panel at back right side

Left hand = wardrobe on left front side  
 Right hand = wardrobe on right front side  
 bottom of open storage aligns with worksurface at 28 1/4" overall, 27" h to underside  
 wardrobe includes coat rod

Order Code	Specification Information	Application Notes
Example: <b>ACEL4924SEWV316AA</b>	To order please specify pattern number including:	See page 5 for finish options applicable.
<b>A</b> AutoStrada	6. Drawer Interior applicable ACE(L/R) and ACI(L/R) only W = wood interior only	When planning with medians and bridges (single station or clusters of stations) specify 49" h cabinets in either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth.
<b>C</b> Cabinet	7. Finish Laminate, V1, V2 or V3 finish	When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or back to back stations with panel run perpendicular to two cabinets, you then need to specify one 24" d with one 26.5" d or 30" d with one one 32.5" d cabinet to go side by side or back to back as the case may be.
<b>E</b> File/File lower front, Interior back open shelf	8. Finish, Aluminum trim (trim & pull) AA - Anodized aluminum only	Cabinets with front and back access not to be used in freestanding applications.
<b>L</b> Left Hand	Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.	Cabinet to panel attachment brackets required, see page 119.
<b>49</b> 49" high	64" h cabinets include shelf to match case in price list above. Upcharge below applicable as follows for 49" h shelf to match case for L/V1/V2/V3 or AA for anodized aluminum metal shelf for M option for both 49" h and 64" h cabinets.	Cabinets include angle bracket to side support worksurfaces. Cabinets drilled for locks, keying instructions must accompany order.
<b>24</b> 24" deep	depth L V1 24" \$ 87 164 26.5" \$ 92 169 30" \$ 96 177 32.5" \$ 101 181	19" deep cabinet file drawers do not accommodate legal filing side to side.
<b>S</b> w/shelf to match cabinet case	depth V2 V3 24" \$182 236 26.5" \$188 244 30" \$197 257 32.5" \$203 265	
<b>E</b> Extruded Aluminum Pull	depth AA 24" \$225 26.5" \$240 30" \$264 32.5" \$278	
<b>W</b> Wood interior		
<b>V316</b> Finish, Maple		
<b>AA</b> Finish, trim & pull, anodized aluminum		


Cabinets

description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, FFF and HD above (49"h)	left	49"	24"	19"	<b>ACGL4924</b> ( ) ( ) ( ) ( )	\$2,899.	\$2,998.	\$3,445.	\$4,479.
		49"	30"	19"	<b>ACGL4930</b> ( ) ( ) ( ) ( )	2,998.	3,086.	3,622.	4,709.
		49"	26.5"	19"	<b>ACGL4926</b> ( ) ( ) ( ) ( )	2,949.	3,042.	3,534.	4,594.
		49"	32.5"	19"	<b>ACGL4932</b> ( ) ( ) ( ) ( )	3,048.	3,130.	3,711.	4,824.
	right	49"	24"	19"	<b>ACGR4924</b> ( ) ( ) ( ) ( )	2,899.	2,998.	3,445.	4,479.
		49"	30"	19"	<b>ACGR4930</b> ( ) ( ) ( ) ( )	2,998.	3,086.	3,622.	4,709.
		49"	26.5"	19"	<b>ACGR4926</b> ( ) ( ) ( ) ( )	2,949.	3,042.	3,534.	4,594.
		49"	32.5"	19"	<b>ACGR4932</b> ( ) ( ) ( ) ( )	3,048.	3,130.	3,711.	4,824.
Storage anchored cabinet, FFF and HD above (64"h)	left	64"	24"	19"	<b>ACGL6424</b> ( ) ( ) ( ) ( )	3,043.	3,148.	3,618.	4,703.
		64"	30"	19"	<b>ACGL6430</b> ( ) ( ) ( ) ( )	3,149.	3,240.	3,804.	4,944.
		64"	26.5"	19"	<b>ACGL6426</b> ( ) ( ) ( ) ( )	3,096.	3,194.	3,711.	4,824.
		64"	32.5"	19"	<b>ACGL6432</b> ( ) ( ) ( ) ( )	3,201.	3,286.	3,896.	5,065.
	right	64"	24"	19"	<b>ACGR6424</b> ( ) ( ) ( ) ( )	3,043.	3,148.	3,618.	4,703.
		64"	30"	19"	<b>ACGR6430</b> ( ) ( ) ( ) ( )	3,149.	3,240.	3,804.	4,944.
		64"	26.5"	19"	<b>ACGR6426</b> ( ) ( ) ( ) ( )	3,096.	3,194.	3,711.	4,824.
		64"	32.5"	19"	<b>ACGR6432</b> ( ) ( ) ( ) ( )	3,201.	3,286.	3,896.	5,065.




64" h includes adjustable shelf behind hinged doors

Order Code	Specification Information	Application Notes
Example: <b>ACGL4924EDWV316AA</b>	To order please specify pattern number including:	<p><b>Products listed on this page are for use with panel based stations or freestanding applications. Not to be used with median based storage anchored planning model.</b></p> <p>When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand with stations back to back with panel run perpendicular to two cabinets you then need to specify one 24" d with one 26.5" d or 30" d with one one 32.5" d cabinet to go side by side or back to back as the case may be.</p> <p>Cabinet to panel attachment brackets required, see page 119</p>
<b>A</b> AutoStrada	1. Hand (applicable for personal wardrobe & storage units only) L = wardrobe on left R = wardrobe on right	
<b>C</b> Cabinet	2. Height 49 = 49" h (where applicable) 24 = 24" h	
<b>G</b> File drawers w/Hinged doors above	3. Depth 24 = 24" deep (use with one 26.5" d for side by side or freestanding) 30 = 30" deep (use with one 32.5" d for side by side or freestanding) 26 = 26.5" deep (use with panels) 32 = 32.5" deep (use with panels)	
<b>L</b> Left Hand	4. Pull (where applicable) E = Extruded aluminum pull P = Extruded aluminum protruding pull	
<b>49</b> 49" high	5. Drill option, applicable only for 24" and 30" deep units D = drilled to anchor to panel F = no drill, freestanding	
<b>24</b> 24" deep	6. Interior option W = wood interior only	
<b>E</b> Extruded Aluminum Pull	7. Finish Laminate, V1, V2 or V3 finish	
<b>D</b> Drilled to anchor	8. Finish, Metal Shelves (if applicable) (paint finish or anodized aluminum two piece assembly)	
<b>W</b> Wood interior	9. Finish, Aluminum trim (trim & pull) AA - Anodized aluminum only	
<b>V316</b> Finish, Maple	Hinged doors above feature touch latches and do not lock.	
<b>AA</b> Finish, trim & pull, anodized aluminum	19" d cabinet file drawers do not accommodate legal filing side to side. File drawers are drilled for locks, keying instructions must accompany order.	
	Cabinets include angle brackets to side support worksurfaces perpendicular to cabinet.	


description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, 49"h bookcase w/metal shelves  	left	49"	24"	19"	<b>ACHL4924M</b> ( ) ( ) ( )	\$1,809.	\$1,871.	\$2,151.	\$2,582.
		49"	30"	19"	<b>ACHL4930M</b> ( ) ( ) ( )	1,957.	2,023.	2,327.	2,793.
		49"	26.5"	19"	<b>ACHL4926M</b> ( ) ( ) ( )	1,883.	1,947.	2,240.	2,687.
		49"	32.5"	19"	<b>ACHL4932M</b> ( ) ( ) ( )	2,031.	2,099.	2,415.	2,899.
	right	49"	24"	19"	<b>ACHR4924M</b> ( ) ( ) ( )	1,809.	1,871.	2,151.	2,582.
		49"	30"	19"	<b>ACHR4930M</b> ( ) ( ) ( )	1,957.	2,023.	2,327.	2,793.
		49"	26.5"	19"	<b>ACHR4926M</b> ( ) ( ) ( )	1,883.	1,947.	2,240.	2,687.
		49"	32.5"	19"	<b>ACHR4932M</b> ( ) ( ) ( )	2,031.	2,099.	2,415.	2,899.

left hand shown

Storage anchored cabinet, 64"h bookcase w/metal shelves  	left	64"	24"	19"	<b>ACHL6424M</b> ( ) ( ) ( )	1,900.	1,965.	2,259.	2,710.
		64"	30"	19"	<b>ACHL6430M</b> ( ) ( ) ( )	2,055.	2,124.	2,444.	2,932.
		64"	26.5"	19"	<b>ACHL6426M</b> ( ) ( ) ( )	1,977.	2,045.	2,351.	2,822.
		64"	32.5"	19"	<b>ACHL6432M</b> ( ) ( ) ( )	2,133.	2,204.	2,536.	3,043.
	right	64"	24"	19"	<b>ACHR6424M</b> ( ) ( ) ( )	1,900.	1,965.	2,259.	2,710.
		64"	30"	19"	<b>ACHR6430M</b> ( ) ( ) ( )	2,055.	2,124.	2,444.	2,932.
		64"	26.5"	19"	<b>ACHR6426M</b> ( ) ( ) ( )	1,977.	2,045.	2,351.	2,822.
		64"	32.5"	19"	<b>ACHR6432M</b> ( ) ( ) ( )	2,133.	2,204.	2,536.	3,043.


left hand shown

Order Code	Specification Information	Application Notes
Example: <b>ACGL4924EDWV316AA</b>	To order please specify pattern number including:	<p><b>Products listed on this page are for use with panel based stations or freestanding applications. Not to be used with median based storage anchored planning model.</b></p> <p>When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand with stations back to back with panel run perpendicular to two cabinets you then need to specify one 24" d with one 26.5" d or 30" d with one 32.5" d cabinet to go side by side or back to back as the case may be.</p> <p>Cabinet to panel attachment brackets required, see page 119</p>
<b>A</b> AutoStrada	1. Hand (applicable for personal wardrobe & storage units only) L = wardrobe on left R = wardrobe on right	
<b>C</b> Cabinet	2. Height 49 = 49" h (where applicable) 24 = 24" h	
<b>G</b> File drawers w/Hinged doors above	3. Depth 24 = 24" deep (use with one 26.5" d for side by side or freestanding) 30 = 30" deep (use with one 32.5" d for side by side or freestanding) 26 = 26.5" deep (use with panels) 32 = 32.5" deep (use with panels)	
<b>L</b> Left Hand	4. Pull (where applicable) E = Extruded aluminum pull P = Extruded aluminum protruding pull	
<b>49</b> 49" high	5. Drill option, applicable only for 24" and 30" deep units D = drilled to anchor to panel F = no drill, freestanding	
<b>24</b> 24" deep	6. Interior option W = wood interior only	
<b>E</b> Extruded Aluminum Pull	7. Finish Laminate, V1, V2 or V3 finish	
<b>D</b> Drilled to anchor	8. Finish, Metal Shelves (if applicable) (paint finish or anodized aluminum two piece assembly)	
<b>W</b> Wood interior	9. Finish, Aluminum trim (trim & pull) AA - Anodized aluminum only	
<b>V316</b> Finish, Maple	Hinged doors above feature touch latches and do not lock.	
<b>AA</b> Finish, trim & pull, anodized aluminum	19" d cabinet file drawers do not accommodate legal filing side to side. File drawers are drilled for locks, keying instructions must accompany order.	
	Cabinets include angle brackets to side support worksurfaces perpendicular to cabinet.	

description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, 49" h bookcase w/shelves 	left	49"	24"	19"	<b>ACHL4924W</b> ( ) ( ) ( )	\$2,156.	\$2,345.	\$2,669.	\$3,470.
		49"	30"	19"	<b>ACHL4930W</b> ( ) ( ) ( )	2,246.	2,443.	2,780.	3,614.
		49"	26.5"	19"	<b>ACHL4926W</b> ( ) ( ) ( )	2,195.	2,387.	2,717.	3,532.
		49"	32.5"	19"	<b>ACHL4932W</b> ( ) ( ) ( )	2,278.	2,479.	2,821.	3,667.
	right	49"	24"	19"	<b>ACHR4924W</b> ( ) ( ) ( )	2,156.	2,345.	2,669.	3,470.
		49"	30"	19"	<b>ACHR4930W</b> ( ) ( ) ( )	2,246.	2,443.	2,780.	3,614.
		49"	26.5"	19"	<b>ACHR4926W</b> ( ) ( ) ( )	2,195.	2,387.	2,717.	3,532.
		49"	32.5"	19"	<b>ACHR4932W</b> ( ) ( ) ( )	2,278.	2,479.	2,821.	3,667.

left hand shown

shelves same as case finish


Storage anchored cabinet, 64" h bookcase w/shelves 	left	64"	24"	19"	<b>ACHL6424W</b> ( ) ( ) ( )	2,379.	2,588.	2,945.	3,828.
		64"	30"	19"	<b>ACHL6430W</b> ( ) ( ) ( )	2,483.	2,703.	3,075.	3,999.
		64"	26.5"	19"	<b>ACHL6426W</b> ( ) ( ) ( )	2,424.	2,638.	3,001.	3,901.
		64"	32.5"	19"	<b>ACHL6432W</b> ( ) ( ) ( )	2,527.	2,750.	3,130.	4,068.
	right	64"	24"	19"	<b>ACHR6424W</b> ( ) ( ) ( )	2,379.	2,588.	2,945.	3,828.
		64"	30"	19"	<b>ACHR6430W</b> ( ) ( ) ( )	2,483.	2,703.	3,075.	3,999.
		64"	26.5"	19"	<b>ACHR6426W</b> ( ) ( ) ( )	2,424.	2,638.	3,001.	3,901.
		64"	32.5"	19"	<b>ACHR6432W</b> ( ) ( ) ( )	2,527.	2,750.	3,130.	4,068.

left hand shown

shelves same as case finish

Order Code	Specification Information	Application Notes
Example: <b>ACGL4924EDWV316AA</b>	To order please specify pattern number including:	<p><b>Products listed on this page are for use with panel based stations or freestanding applications. Not to be used with median based storage anchored planning model.</b></p> <p>When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand with stations back to back with panel run perpendicular to two cabinets you then need to specify one 24" d with one 26.5" d or 30" d with one 32.5" d cabinet to go side by side or back to back as the case may be.</p> <p>Cabinet to panel attachment brackets required, see page 119</p>
<b>A</b> AutoStrada	1. Hand (applicable for personal wardrobe & storage units only) L = wardrobe on left R = wardrobe on right	
<b>C</b> Cabinet	2. Height 49 = 49" h (where applicable) 64 = 64" h	
<b>G</b> File drawers w/Hinged doors above	3. Depth 24 = 24" deep (use with one 26.5" d for side by side or freestanding) 30 = 30" deep (use with one 32.5" d for side by side or freestanding) 26 = 26.5" deep (use with panels) 32 = 32.5" deep (use with panels)	
<b>L</b> Left Hand	4. Pull (where applicable) E = Extruded aluminum pull P = Extruded aluminum protruding pull	
<b>49</b> 49" high	5. Drill option, applicable only for 24" and 30" deep units D = drilled to anchor to panel F = no drill, freestanding	
<b>24</b> 24" deep	6. Interior option W = wood interior only	
<b>E</b> Extruded Aluminum Pull	7. Finish Laminate, V1, V2 or V3 finish	
<b>D</b> Drilled to anchor	8. Finish, Metal Shelves (if applicable) (paint finish or anodized aluminum two piece assembly)	
<b>W</b> Wood interior	9. Finish, Aluminum trim (trim & pull) AA - Anodized aluminum only	
<b>V316</b> Finish, Maple	Hinged doors above feature touch latches and do not lock.	
<b>AA</b> Finish, trim & pull, anodized aluminum	19" d cabinet file drawers do not accommodate legal filing side to side. File drawers are drilled for locks, keying instructions must accompany order.	
	Cabinets include angle brackets to side support worksurfaces perpendicular to cabinet.	


description	type	pattern no.	49" h	64" h
Bracket kit, cabinet to panel attachment <i>top and bottom connection for single cabinet attachment to panel run</i>		<b>A3CPBS ( )</b>	\$112.	\$119.



*kit includes hookstrip connector (not shown)*

Bracket kit, cabinet to panel attachment <i>top and bottom connection for use with two cabinets side by side or back to back attached perpendicular to panel run</i>	left	<b>A3CPBDL ( )</b>	204.	214.
	right	<b>A3CPBDR ( )</b>	204.	214.

Note - one of the two cabinets should be 2.5" wider or deeper (width or depth dimension depending on style of cabinet) than the other



*Left hand shown, (kit includes hookstrip connector not shown)*

Order Code	Specification Information	Application Notes
Example: <b>A3CPBS4</b>	<i>To order please specify pattern number including:</i>	Bracket kits for use when attaching storage anchored cabinets to panels; kit includes top and bottom bracket as shown and ships with hookstrip connector. Please be sure to specify height to correspond with cabinet and panel height. When one cabinet perpendicular to panel run, use S bracket; when two cabinets are side by side and perpendicular to panel run, use D bracket.
<b>A3</b> AutoStrada, generation3	1. Hand (if applicable) <i>L = left hand attachment R = right hand attachment</i>	
<b>CPB</b> Cabinet to Panel bracket	2. Hookstrip connector height <i>4 = for 49" h cabinet to panel connection 6 = for 64" h cabinet to panel connection</i>	Brackets are NOT to be used with Reff stacking modules. Only use for cabinet to panel attachment (panel and cabinet at same height) or with cabinet to panel plus window modules (overall at same height).
<b>S</b> Single		
<b>4</b> with 49" h hookstrip connector		

description	d	pattern no.	list
Worksurface to cabinet trim	24"	<b>AWTCT24</b>	\$80.
	30"	<b>AWTCT30</b>	89.

### Order Code

Example:	<b>AWTCT24AA</b>
<b>A</b>	AutoStrada
<b>W</b>	Worksurface
<b>TC</b>	to Cabinet
<b>T</b>	Trim
<b>24</b>	24" d worksurface
<b>AA</b>	Finish, anodized aluminum

### Specification Information

*To order please specify pattern number including:*


1. Depth of worksurface  
*24 = 24" d worksurface*  
*30 = 30" d worksurface*
2. Finish  
*AA = anodized aluminum*

### Application Notes


Anodized aluminum spacer optional to fill 1/8" gap at worksurface and storage anchored cabinet connection in AS-2 storage anchored panel based planning. Trim piece installed at worksurface level and rests on side support bracket to cabinet.




description	type	h	w	d	pattern no.	L	V1	V2	V3
File drawers (2) with open wood shelves above		70"	30"	24"	<b>ACJ722WE</b> ( ) ( ) ( )	\$3,047.	\$3,129.	\$3,709.	\$4,821.
		70"	36"	24"	<b>ACJ723WE</b> ( ) ( ) ( )	3,138.	3,222.	3,820.	4,966.




File drawers (3) with open wood shelves above		84"	30"	24"	<b>ACJ822WE</b> ( ) ( ) ( )	3,565.	3,660.	4,339.	5,641.
		84"	36"	24"	<b>ACJ823WE</b> ( ) ( ) ( )	3,672.	3,770.	4,469.	5,810.




Open bookcase	metal shelves	h	w	d	pattern no.	L	V1	V2	V3
		70"	30"	24"	<b>ACL722M</b> ( ) ( ) ( )	2,617.	2,688.	2,823.	3,669.
		70"	36"	24"	<b>ACL723M</b> ( ) ( ) ( )	2,766.	2,830.	2,971.	3,864.
		84"	30"	24"	<b>ACL822M</b> ( ) ( ) ( )	2,914.	2,972.	3,121.	4,057.
		84"	36"	24"	<b>ACL823M</b> ( ) ( ) ( )	3,062.	3,115.	3,271.	4,252.
	wood shelves	h	w	d	pattern no.	L	V1	V2	V3
		70"	30"	24"	<b>ACL722W</b> ( ) ( ) ( )	2,094.	2,165.	2,490.	3,237.
		70"	36"	24"	<b>ACL723W</b> ( ) ( ) ( )	2,213.	2,277.	2,639.	3,430.
		84"	30"	24"	<b>ACL822W</b> ( ) ( ) ( )	2,332.	2,389.	2,787.	3,623.
		84"	36"	24"	<b>ACL823W</b> ( ) ( ) ( )	2,450.	2,503.	2,936.	3,817.




Order Code	Specification Information	Application Notes
Example: <b>ACKL722WEV316AAAA</b>	<i>To order please specify pattern number including:</i>	
<b>A</b> AutoStrada		
<b>C</b> Cabinet		
<b>K</b> Wardrobe/Open bookcase	1. Hand <i>(applicable for units with wardrobes only)</i> <i>L = wardrobe on left</i> <i>R = wardrobe on right</i>	
<b>L</b> Left Hand	2. Height <i>7 = 70" h</i> <i>8 = 84" h</i>	
<b>7</b> 70" high	3. Width <i>2 = 30" wide</i> <i>3 = 36" wide</i>	
<b>2</b> 24" deep	4. Interior & shelf <i>W = wood interior and wood shelves</i> <i>M = wood interior and metal shelves</i>	
<b>2</b> 30" wide	5. Extruded aluminum pull <i>E = extruded aluminum pull (default)</i>	
<b>W</b> Wood interior	6. Finish <i>Laminate, V1, V2 or V3 finish</i>	
<b>E</b> Extruded Aluminum Pull	7. Finish, Metal Shelves <i>(if applicable)</i> <i>(paint finish or anodized aluminum three piece assembly)</i>	
<b>V316</b> Finish, Maple	8. Finish, Aluminum trim (trim & if pull) <i>AA - Anodized aluminum only</i>	
<b>AA</b> Finish, trim & pull, anodized aluminum	9. Finish, cabinet feet <i>AA - Anodized aluminum</i> <i>111 - Painted black</i>	
<b>AA</b> Finish, cabinet feet, anodized alum	See page 5 for finish options applicable.	
		Cabinets on this page are styled for the private office and include aluminum feet detail which is optional addition to lower storage beginning on page 129. Specify 70" h cabinets for use with single high overhead storage and 84" h cabinets for use with double high overhead storage.
		Hinged doors feature touch latches and do not lock. Sliding doors do not lock. File drawers drilled for locks, keying instructions must accompany order.
		Coat rod included in wardrobes.

description	type	h	w	d	pattern no.	L	V1	V2	V3	
Wardrobe with hinged door open bookcase w/wood shelves  	left hand	70"	30"	24"	<b>ACKL722WE</b> ( ) ( )	\$3,310.	\$3,603.	\$4,027.	\$5,237.	
		70"	36"	24"	<b>ACKL723WE</b> ( ) ( )	3,475.	3,782.	4,230.	5,498.	
		84"	30"	24"	<b>ACKL822WE</b> ( ) ( )	3,872.	4,215.	4,712.	6,127.	
		84"	36"	24"	<b>ACKL823WE</b> ( ) ( )	4,066.	4,426.	4,949.	6,433.	
	<i>left hand = wardrobe on left side facing cabinet (1/3rd of width)</i>									
	right hand	70"	30"	24"	<b>ACKR722WE</b> ( ) ( )	3,310.	3,603.	4,027.	5,237.	
		70"	36"	24"	<b>ACKR723WE</b> ( ) ( )	3,475.	3,782.	4,230.	5,498.	
		84"	30"	24"	<b>ACKR822WE</b> ( ) ( )	3,872.	4,215.	4,712.	6,127.	
		84"	36"	24"	<b>ACKR823WE</b> ( ) ( )	4,066.	4,426.	4,949.	6,433.	
	<i>right hand = wardrobe on right side facing cabinet (1/3rd of width)</i>									

left hand shown

Wardrobe w/sliding door open bookcase w/wood shelves  	left hand	70"	30"	24"	<b>ACMWL722</b> ( ) ( )	2,324.	2,403.	2,764.	3,593.
		70"	36"	24"	<b>ACMWL723</b> ( ) ( )	2,456.	2,527.	2,929.	3,807.
		84"	30"	24"	<b>ACMWL822</b> ( ) ( )	2,587.	2,653.	3,093.	4,022.
		84"	36"	24"	<b>ACMWL823</b> ( ) ( )	2,720.	2,778.	3,258.	4,236.
	right hand	70"	30"	24"	<b>ACMWR722</b> ( ) ( )	2,324.	2,403.	2,764.	3,593.
		70"	36"	24"	<b>ACMWR723</b> ( ) ( )	2,456.	2,527.	2,929.	3,807.
		84"	30"	24"	<b>ACMWR822</b> ( ) ( )	2,587.	2,653.	3,093.	4,022.
		84"	36"	24"	<b>ACMWR823</b> ( ) ( )	2,720.	2,778.	3,258.	4,236.


left hand shown

Wardrobe w/sliding door open bookcase w/metal shelves  	left hand	70"	30"	24"	<b>ACMML722</b> ( ) ( ) ( )	2,905.	2,984.	3,133.	4,072.
		70"	36"	24"	<b>ACMML723</b> ( ) ( ) ( )	3,070.	3,142.	3,299.	4,289.
		84"	30"	24"	<b>ACMML822</b> ( ) ( ) ( )	3,235.	3,300.	3,465.	4,504.
		84"	36"	24"	<b>ACMML823</b> ( ) ( ) ( )	3,399.	3,457.	3,631.	4,720.
	right hand	70"	30"	24"	<b>ACMMR722</b> ( ) ( ) ( )	2,905.	2,984.	3,133.	4,072.
		70"	36"	24"	<b>ACMMR723</b> ( ) ( ) ( )	3,070.	3,142.	3,299.	4,289.
		84"	30"	24"	<b>ACMMR822</b> ( ) ( ) ( )	3,235.	3,300.	3,465.	4,504.
		84"	36"	24"	<b>ACMMR823</b> ( ) ( ) ( )	3,399.	3,457.	3,631.	4,720.


left hand shown

Order Code	Specification Information	Application Notes
Example: <b>ACKL722WEV316AAAA</b>	To order please specify pattern number including:	Cabinets on this page are styled for the private office and include aluminum feet detail which is optional addition to lower storage beginning on page 129. Specify 70" h cabinets for use with single high overhead storage and 84" h cabinets for use with double high overhead storage.  Hinged doors feature touch latches and do not lock. Sliding doors do not lock. File drawers drilled for locks, keying instructions must accompany order.  Coat rod included in wardrobes.
<b>A</b> AutoStrada		
<b>C</b> Cabinet		
<b>K</b> Wardrobe/Open bookcase		
<b>L</b> Left Hand		
<b>7</b> 70" high		
<b>2</b> 24" deep		
<b>2</b> 30" wide		
<b>W</b> Wood interior		
<b>E</b> Extruded Aluminum Pull		
<b>V316</b> Finish, Maple		
<b>AA</b> Finish, trim & pull, anodized aluminum		
<b>AA</b> Finish, cabinet feet, anodized alum		
	1. Hand <i>(applicable for units with wardrobes only)</i> <i>L = wardrobe on left</i> <i>R = wardrobe on right</i>	
	2. Height <i>7 = 70" h</i> <i>8 = 84" h</i>	
	3. Width <i>2 = 30" wide</i> <i>3 = 36" wide</i>	
	4. Interior & shelf <i>W = wood interior and wood shelves</i> <i>M = wood interior and metal shelves</i>	
	5. Extruded aluminum pull <i>E = extruded aluminum pull (default)</i>	
	6. Finish <i>Laminate, V1, V2 or V3 finish</i>	
	7. Finish, Metal Shelves <i>(if applicable)</i> <i>(paint finish or anodized aluminum three piece assembly)</i>	
	8. Finish, Aluminum trim (trim & if pull) <i>AA - Anodized aluminum only</i>	
	9. Finish, cabinet feet <i>AA - Anodized aluminum</i> <i>111 - Painted black</i>	
	See page 5 for finish options applicable.	

description	h	w	d	pattern no.	lam. case	lam. case	lam. case	lam. case	lam. case	ven. case	ven. case	ven. case
					P1/P2/P3 front	lam front	V1 front	V2 front	V3 front	V1 front	V2 front	V3 front
Freestanding cabinet, 48" h	48"	24"	24"	<b>AAV1 4824 S2D1F ( ) ( ) ( ) ( )</b>	\$2,357.	\$2,288.	\$2,501.	\$2,623.	\$3,089.	*	*	*
	48"	30"	24"	<b>AAV1 4830 S2D1F ( ) ( ) ( ) ( )</b>	2,393.	2,468.	2,601.	2,744.	3,283.	*	*	*



Freestanding cabinet, 64" h	64"	24"	24"	<b>AAV1 6424 S2D2F ( ) ( ) ( ) ( )</b>	2,466.	2,552.	2,708.	2,800.	3,407.	*	*	*
	64"	30"	24"	<b>AAV1 6430 S2D2F ( ) ( ) ( ) ( )</b>	2,592.	2,692.	2,825.	2,946.	3,650.	*	*	*



Order Code	Specification Information	Application Notes
Example: <b>AAV1 4824 S2D1F L 118 P 613 AA</b>	<i>To order please specify pattern number including:</i>	Freestanding cabinets for open plan are designed to match drawerfronts of AutoStrada metal pedestals in heights and thickness. Doors have 5 1/2" wide protruding pull and drawers have full width pulls. Cabinets are wood construction with 1 1/2" telescoping glides to match pedestals.
<b>AAV1</b> Freestanding cabinet	L Lock	48"H cabinets have 2 doors over 1 file.
<b>48</b> Height	N No lock	64"H cabinets have 2 doors over 2 files.
<b>24</b> Width	Case finish	Files are full extension steel drawers that accept suspended legal file folders side to side. File bars are included to also support suspended letter or A4 side to side or front to back. File drawers are not bottom loadable.
<b>S</b> Depth	( laminate or veneer only )	Cabinets are laminate case and top with painted, laminate or veneer fronts, or all veneer case and fronts.
<b>2D</b> Two door	Front type	
<b>1F</b> One file	L Laminate	
<b>L</b> With lock	P Paint	
<b>118</b> Case finish	V Veneer	
<b>P</b> Front type	Front finish code	
<b>613</b> Front finish	Pull finish ( AA only )	
<b>AA</b> Pull finish		

Metal case  
Pedestals  
Floorstanding

description	type	width	depth	height	pattern number	P1/P2 front	P3 front	L front	V1 front	V2 front	V3 front
Floorstanding pedestal	personal/data/file	15"	17"	27"	<b>ASFS1 PDF18</b> ( ) ( ) ( )	\$951.	\$998.	\$920.	\$1,107.	\$1,163.	\$1,263.
		15"	23"	27"	<b>ASFS1 PDF24</b> ( ) ( ) ( )	1,030.	1,082.	1,009.	1,154.	1,212.	1,316.
	file/file	15"	17"	27"	<b>ASFS1 FF18</b> ( ) ( ) ( )	812.	853.	811.	961.	1,036.	1,136.
		15"	23"	27"	<b>ASFS1 FF24</b> ( ) ( ) ( )	882.	926.	884.	1,006.	1,084.	1,186.



**Order Code**

Example:	<b>ASFS1 FF18 111 P 114</b>
<b>ASFS1</b>	Autostrada floorstanding pedestal
<b>FF</b>	Configuration
<b>18</b>	Depth
<b>111</b>	Finish for case
<b>P</b>	Finish type for fronts
<b>114</b>	Finish for fronts

**Specification Information**

All pedestals include front lock with KnollKey lock system. Personal drawer is 4"h. Data drawer is 7"h. File drawers are 11"h. Deep file drawers include file support for letter (width) or legal (depth) suspended file folders. All drawers have full extension, ball bearing drawer slides.


*Please specify painted finish for case or fronts from paint finish options; front finish also optional from laminate, V1, V2 or V3 finish options listed on page 5.*

**Application Notes**

Floorstanding pedestals include levelling glides and closed top with 1" spacer to support one end of a worksurface at 27"h to underside of worksurface. 18"d pedestals fit under any worksurface with standard stiffener. Deep floorstanding pedestals fit under worksurfaces with worksurface stiffener 18" less than nominal width.

The metal case pedestals come with a 1"h board spacer that installs between the case and the worksurface it is supporting. The tops of the pedestals are drilled to accept the attachment screws.

Metal case  
Pedestals  
Mobile

description	type	width	depth	height	pattern number	P1/P2 front	P3 front	L front	V1 front	V2 front	V3 front
	Mobile pedestal Standard - data/file	15"	17"	22"	ASMS1 DF18 ( ) ( )	\$802.	\$842.	\$811.	\$974.	\$1,061.	\$1,104.
	Deep - data/file	15"	23"	22"	ASMS1 DF24 ( ) ( )	908.	954.	915.	1,118.	1,211.	1,256.
	Standard - personal/data/file	15"	17"	26 1/2"	ASMS1 PDF18 ( ) ( )	936.	983.	915.	1,109.	1,163.	1,258.
	Deep - personal/data/file	15"	23"	26 1/2"	ASMS1 PDF24 ( ) ( )	1,041.	1,093.	1,019.	1,258.	1,318.	1,425.
	Standard - file/file	15"	17"	26 1/2"	ASMS1 FF18 ( ) ( )	847.	889.	848.	1,021.	1,097.	1,104.
	Deep - file/file	15"	23"	26 1/2"	ASMS1 FF24 ( ) ( )	953.	1,000.	957.	1,118.	1,198.	1,305.
Mobile pedestal, open top	Standard - data/file	15"	17"	22"	ASMS1 DFO18 ( ) ( )	759.	797.	765.	946.	1,034.	1,075.
	Deep - data/file	15"	23"	22"	ASMS1 DFO24 ( ) ( )	855.	898.	858.	1,084.	1,175.	1,222.

Order Code

Example:	<b>ASMS1 FF18 111 P 114</b>
<b>ASMS1</b>	Autostrada mobile pedestal
<b>FF</b>	Configuration
<b>18</b>	Depth
<b>111</b>	Finish for case
<b>P</b>	Finish type for fronts
<b>114</b>	Finish for fronts

Specification Information

All pedestals include front lock with KnollKey lock system. Personal drawer is 4"H. Data drawer is 7"H. File drawers are 11"H. Deep file drawers include file support for letter (width) or legal (depth) suspended file folders. All drawers have full extension, ball bearing drawer slides.


*Please specify painted finish for case or fronts from paint finish options; front finish also optional from laminate, V1, V2 or V3 finish options listed on page 5.*

Application Notes

Mobile pedestals are independent storage components with locking casters and pull. Standard mobile pedestals roll under worksurfaces set at 28" or higher. Deep mobile pedestals with two files or personal/data/file will not fit under stiffener of universal worksurface or desk set at 29" or lower. Specify data/file mobile pedestal under worksurfaces adjusted lower than 28"H.

Metal case  
*Pedestals*  
*Accessories*  
*cushion - fabric*

description	type	width	depth	pattern number	A	B	C	D	E	F	G	H	I
Cushion	Deep	15"	23"	<b>AS1 DPAD ( )</b>	\$186.	\$208.	\$243.	\$255.	\$278.	\$302.	\$336.	\$371.	\$383.
	Standard	15"	17"	<b>AS1 SPAD ( )</b>	151.	174.	197.	208.	220.	243.	266.	302.	313.



**Order Code**

Example: **AS1 SPAD**

**AS1** Pedestal

**S** Depth

**PAD** Cushion

**Specification Information**

There is a \$65 upcharge on CAL133 backing on the cushion.


Consult the Knoll seating price list for fabric information and grades

**Application Notes**

Pedestal cushions are for use on open top mobile pedestals.

Metal case  
*Pedestals*  
*Accessories*  
*cushion - leather*

description	type	width	depth	pattern number	U	V	W	X	Y
Cushion	Deep	15"	23"	<b>AS1 DPAD ( )</b>	\$371.	\$440.	\$544.	\$568.	\$602.
	Standard	15"	17"	<b>AS1 SPAD ( )</b>	290.	347.	428.	440.	463.



**Order Code**

Example: **AS1 SPAD**

AS1 Pedestal

S Depth

PAD Cushion

**Specification Information**



There is a \$65 upcharge on CAL133 backing on the cushion.

Consult the Knoll seating price list for leather information and grades.

**Application Notes**

Pedestal cushions are for use on open top mobile pedestals.

Metal case  
*Pedestals*  
*Accessories*  
*various*

description	type	width	depth	height	pattern number	list
Pencil tray 	Personal or data drawer				<b>AS1 PT</b>	\$30.
Drawer divider 	Personal or data drawer				<b>MD6-BD</b>	27.
File support rail	File drawer, set of 2				<b>MD6-FS</b>	11.
Bumper kits for mobile pedestal	21"H pedestal			21"	<b>AS1 BKL</b>	35.
	26"H pedestal			26"	<b>AS1 BKH</b>	42.

**Order Code**

Example: **AS1 PT**

**AS1** Pedestal

**PT** Pencil tray

**Specification Information**

Pencil tray is black molded plastic.  
 Drawer divider is black painted steel.

Replacement worksurface stiffeners are black painted steel.

Bumper kit is trim grey plastic.

**Application Notes**




Pencil tray sets in top of personal or data drawer. Moveable dividers organize pencils, pens, and paper clips in separate compartments.

Drawer divider mounts in slots in bottom of personal or data drawer. U-shaped divider supports two rows of four CDs with titles visible in data drawer.

File support spans width of file drawer to support side-to-side letter or legal width suspended files.




# Wood or laminate case Pedestals

description	type	h	w	d	pattern no.	L	V1	V2	V3	
	19" deep	26"	16"	19"	<b>AFPB10(E/P)(W)( ) ( )</b>	\$1,018.	\$1,054.	\$1,212.	\$1,576.	
		26"	19"	19"	<b>AFPB11(E/P)(W)( ) ( )</b>	1,018.	1,054.	1,212.	1,576.	
	23" deep	26"	16"	23"	<b>AFPB20(E/P)(W)( ) ( )</b>	1,119.	1,159.	1,333.	1,733.	
		26"	19"	23"	<b>AFPB21(E/P)(W)( ) ( )</b>	1,119.	1,159.	1,333.	1,733.	
	29" deep	26"	16"	29"	<b>AFPB30(E/P)(W)( ) ( )</b>	1,287.	1,332.	1,533.	1,993.	
		26"	19"	29"	<b>AFPB31(E/P)(W)( ) ( )</b>	1,287.	1,332.	1,533.	1,993.	
		19" deep	26"	16"	19"	<b>AFPF10(E/P)(W)( ) ( )</b>	960.	993.	1,141.	1,483.
			26"	19"	19"	<b>AFPF11(E/P)(W)( ) ( )</b>	960.	993.	1,141.	1,483.
			26"	30"	19"	<b>AFPF12(E/P)(W)( ) ( )</b>	1,241.	1,281.	1,469.	1,909.
			26"	36"	19"	<b>AFPF13(E/P)(W)( ) ( )</b>	1,517.	1,571.	1,805.	2,345.
26"			42"	19"	<b>AFPF14(E/P)(W)( ) ( )</b>	1,860.	1,927.	2,217.	2,883.	
23" deep		26"	16"	23"	<b>AFPF20(E/P)(W)( ) ( )</b>	1,104.	1,142.	1,312.	1,706.	
		26"	19"	23"	<b>AFPF21(E/P)(W)( ) ( )</b>	1,104.	1,142.	1,312.	1,706.	
		26"	30"	23"	<b>AFPF22(E/P)(W)( ) ( )</b>	1,424.	1,472.	1,690.	2,196.	
		26"	36"	23"	<b>AFPF23(E/P)(W)( ) ( )</b>	1,745.	1,806.	2,076.	2,697.	
		26"	42"	23"	<b>AFPF24(E/P)(W)( ) ( )</b>	2,139.	2,216.	2,550.	3,315.	
29" deep		26"	16"	29"	<b>AFPF30(E/P)(W)( ) ( )</b>	1,270.	1,313.	1,509.	1,961.	
		26"	19"	29"	<b>AFPF31(E/P)(W)( ) ( )</b>	1,270.	1,313.	1,509.	1,961.	
Counterweight (for file/file configurations when used in single use freestanding applications)					<b>RCOUNTWT</b>	81.				
		19" deep	21 3/4"	16"	19"	<b>AMPB10(E/P)(W)( ) ( )</b>	1,394.	1,441.	1,657.	2,154.
			21 3/4"	19"	19"	<b>AMPB11(E/P)(W)( ) ( )</b>	1,394.	1,441.	1,657.	2,154.
	23" deep	21 3/4"	16"	23"	<b>AMPB20(E/P)(W)( ) ( )</b>	1,603.	1,657.	1,906.	2,477.	
		21 3/4"	19"	23"	<b>AMPB21(E/P)(W)( ) ( )</b>	1,603.	1,657.	1,906.	2,477.	


Order Code	Specification Information	Application Notes
Example: <b>AFPB21EWW316AA</b>	To order please specify pattern number including:	
<b>A</b> AutoStrada	1. Pedestal type (embedded in pattern number) F = Floor standing M = Mobile	5. Pull E = extruded aluminum pull P = extruded aluminum protruding pull
<b>F</b> Floor standing	2. Pedestal configuration B = BBF (floorstanding) or BF (mobile) F = File/File	6. Interior W = wood interior (only)
<b>P</b> Pedestal	3. Depth (nominal) 1 = 19" deep 2 = 23" deep 3 = 29" deep * (*available only in 16" or 19" widths)	7. Finish Laminate, V1, V2 or V3 finish
<b>B</b> Box/Box/File configuration	4. Width 0 = 16" wide (nominal) 1 = 19" wide (nominal) 2 = 30" wide (nominal) 3 = 36" wide (nominal) 4 = 42" wide (nominal)	8. Finish, pull AA - Anodized aluminum only
<b>2</b> 23" deep (nominal)		See page 5 for finish options applicable.
<b>1</b> 19" wide (nominal)		Note: Optional cabinet feet are recommended when pedestals used in free-standing applications to achieve overall desk height of 29 5/8" (see page 176).
<b>E</b> Extruded aluminum pull		Wood pencil tray included with BBF pedestals.
<b>W</b> Wood interior		19" wide (nominal) units accommodate legal filing front to back. File bars included to accommodate letter filing front to back. 30", 36" and 42" wide units include file bars to accommodate legal and letter filing front to back and side to side.
<b>V316</b> Finish, Maple		File drawers are bottom loadable.
<b>AA</b> Finish, pull (anodized aluminum)		Pedestals drilled for locks, keying instructions must accompany order.

Wood or laminate case  
Lower storage

description	type	h	w	d	pattern no.	L	V1	V2	V3
 36" w shown	19" deep	26"	16"	19"	<b>AFPHL10(E/P)(L/N)(W)( ) ( )</b>	\$666.	\$688.	\$792.	\$1,030.
		26"	16"	19"	<b>AFPHR10(E/P)(L/N)(W)( ) ( )</b>	666.	688.	792.	1,030.
		26"	19"	19"	<b>AFPHL11(E/P)(L/N)(W)( ) ( )</b>	666.	688.	792.	1,030.
		26"	19"	19"	<b>AFPHR11(E/P)(L/N)(W)( ) ( )</b>	666.	688.	792.	1,030.
		26"	30"	19"	<b>AFPH12(E/P)(L/N)(W)( ) ( )</b>	790.	816.	938.	1,221.
		26"	36"	19"	<b>AFPH13(E/P)(L/N)(W)( ) ( )</b>	988.	1,019.	1,174.	1,525.
		26"	42"	19"	<b>AFPH14(E/P)(L/N)(W)( ) ( )</b>	1,235.	1,271.	1,466.	1,906.
	23" deep	26"	16"	23"	<b>AFPHL20(E/P)(L/N)(W)( ) ( )</b>	765.	792.	911.	1,184.
		26"	16"	23"	<b>AFPHR20(E/P)(L/N)(W)( ) ( )</b>	765.	792.	911.	1,184.
		26"	19"	23"	<b>AFPHL21(E/P)(L/N)(W)( ) ( )</b>	765.	792.	911.	1,184.
		26"	19"	23"	<b>AFPHR21(E/P)(L/N)(W)( ) ( )</b>	765.	792.	911.	1,184.
		26"	30"	23"	<b>AFPH22(E/P)(L/N)(W)( ) ( )</b>	908.	939.	1,080.	1,404.
		26"	36"	23"	<b>AFPH23(E/P)(L/N)(W)( ) ( )</b>	1,135.	1,172.	1,349.	1,754.
		26"	42"	23"	<b>AFPH24(E/P)(L/N)(W)( ) ( )</b>	1,420.	1,462.	1,685.	2,191.

Order Code	Specification Information	Application Notes
Example: <b>AFPHL21ELWW316AA</b>	To order please specify pattern number including:	Units on this page include a finished top and anti-tip spacer. Height to underside of worksurface including anti-tip spacer is 27" h. Optional work surface stand-offs are specified separately from page 176.  <b>Note:</b> Optional cabinet feet are recommended when units used in free-standing applications to achieve overall desk height of 29 <sup>5</sup> / <sub>8</sub> " (see page 176).
<b>A</b> AutoStrada	1. Hand (applicable 16" and 19" wide units) <i>L = hinges on left</i> <i>R = hinges on right</i>	
<b>F</b> Floor standing	2. Depth <i>1 = 20" deep</i> <i>2 = 24" deep</i>	
<b>P</b> Pedestal	3. Width <i>0 = 16" wide</i> <i>1 = 19" wide</i> <i>2 = 30" wide</i> <i>3 = 36" wide</i> <i>4 = 42" wide</i>	
<b>H</b> Hinged door/open shelf above	4. Pull <i>E = Extruded aluminum pull</i> <i>P = Extruded aluminum protruding pull</i>	
<b>L</b> Left hand	5. Lock option <i>L = drilled for locks</i> <i>N = not drilled for locks</i>	
<b>2</b> 24" deep	6. Interior <i>W = wood interior (only)</i>	
<b>1</b> 19" wide	7. Finish <i>Laminate, V1, V2 or V3 finish</i>	
<b>E</b> Extruded aluminum pull	8. Finish, pull <i>AA - Anodized aluminum only</i>	
<b>L</b> Drilled for lock	Optional lock drilled to be specified. If drilled for locks selected, keying instructions must accompany order.	
<b>W</b> Wood interior	See page 5 for finish options applicable.	
<b>V316</b> Finish, Maple		
<b>AA</b> Finish, pull (anodized aluminum)		

Wood or laminate case  
*Finished backs for lower storage*

description	h	w	thickness	pattern no.	L	V1	V2	V3
 Finished back	25 1/2"	16"	1/2"	<b>AFB16 ( )</b>	\$97.	\$100.	\$117.	\$152.
	25 1/2"	19"	1/2"	<b>AFB19 ( )</b>	97.	100.	117.	152.
	25 1/2"	30"	1/2"	<b>AFB30 ( )</b>	195.	200.	229.	297.
	25 1/2"	36"	1/2"	<b>AFB36 ( )</b>	230.	239.	273.	355.
	25 1/2"	42"	1/2"	<b>AFB42 ( )</b>	320.	355.	410.	533.
	25 1/2"	60"	1/2"	<b>AFB60 ( )</b>	388.	433.	498.	647.
	25 1/2"	72"	1/2"	<b>AFB72 ( )</b>	447.	498.	574.	745.
	25 1/2"	84"	1/2"	<b>AFB84 ( )</b>	504.	563.	646.	840.
	25 1/2"	90"	1/2"	<b>AFB90 ( )</b>	534.	596.	684.	889.
25 1/2"	96"	1/2"	<b>AFB96 ( )</b>	548.	610.	701.	912.	

**Order Code**

Example:	<b>AFB19V316</b>
<b>A</b>	AutoStrada
<b>FB</b>	Finished back
<b>19</b>	19" wide
<b>V316</b>	Finish, Maple

**Specification Information**

*To order please specify pattern number including:*

- Width
  - 16 = for 16" wide units
  - 19 = for 19" wide units
  - 30 = for 30" wide units
  - 36 = for 36" wide units
  - 42 = for 42" wide units
  - 60 = for two 30" w side by side
  - 72 = for two 36" w side by side
  - 84 = for two 42" w side by side
  - 90 = for three 30" w side by side
  - 96 = for two 30" w & one 36" w side by side
- Finish
  - Laminate, V1, V2 or V3 finish

**Application Notes**


Finished backs are used with lower storage in free-standing applications where the back is exposed. Backs are 1/2" thick. Finished backs also recommended for "ganging" units together when creating build-to-spec credenza units.

See page 5 for finish options applicable.

# Overhead storage, wood cases

## Stack-on Overheads (for use with Medians)

### open

description	type	sections	h	w	d	pattern no.	L	V1	V2	V3
Stack-on Overhead, Open  96" w shown	binder depth	2	15"	42"	14 1/4"	<b>ASOBO42</b> ( ) ( )	\$1,280.	\$1,323.	\$1,522.	\$1,978.
		2	15"	48"	14 1/4"	<b>ASOBO48</b> ( ) ( )	1,326.	1,371.	1,576.	2,049.
		2	15"	54"	14 1/4"	<b>ASOBO54</b> ( ) ( )	1,341.	1,386.	1,594.	2,074.
		2	15"	60"	14 1/4"	<b>ASOBO60</b> ( ) ( )	1,356.	1,402.	1,614.	2,097.
		2	15"	66"	14 1/4"	<b>ASOBO66</b> ( ) ( )	1,509.	1,559.	1,794.	2,333.
		2	15"	72"	14 1/4"	<b>ASOBO72</b> ( ) ( )	1,662.	1,716.	1,975.	2,567.
		3	15"	78"	14 1/4"	<b>ASOBO78</b> ( ) ( )	1,717.	1,774.	2,040.	2,653.
		3	15"	84"	14 1/4"	<b>ASOBO84</b> ( ) ( )	1,773.	1,832.	2,107.	2,738.
		3	15"	90"	14 1/4"	<b>ASOBO90</b> ( ) ( )	1,829.	1,890.	2,172.	2,825.
	3	15"	96"	14 1/4"	<b>ASOBO96</b> ( ) ( )	1,894.	1,959.	2,251.	2,926.	
	legal depth	2	15"	42"	17 1/4"	<b>ASOGO42</b> ( ) ( )	1,381.	1,427.	1,644.	2,137.
		2	15"	48"	17 1/4"	<b>ASOGO48</b> ( ) ( )	1,432.	1,480.	1,702.	2,213.
		2	15"	54"	17 1/4"	<b>ASOGO54</b> ( ) ( )	1,448.	1,497.	1,723.	2,240.
		2	15"	60"	17 1/4"	<b>ASOGO60</b> ( ) ( )	1,464.	1,514.	1,742.	2,265.
		2	15"	66"	17 1/4"	<b>ASOGO66</b> ( ) ( )	1,630.	1,683.	1,938.	2,519.
		2	15"	72"	17 1/4"	<b>ASOGO72</b> ( ) ( )	1,794.	1,853.	2,133.	2,772.
		3	15"	78"	17 1/4"	<b>ASOGO78</b> ( ) ( )	1,854.	1,915.	2,204.	2,865.
		3	15"	84"	17 1/4"	<b>ASOGO84</b> ( ) ( )	1,914.	1,978.	2,275.	2,957.
3		15"	90"	17 1/4"	<b>ASOGO90</b> ( ) ( )	1,974.	2,040.	2,347.	3,051.	
3	15"	96"	17 1/4"	<b>ASOGO96</b> ( ) ( )	2,046.	2,115.	2,431.	3,161.		


Order Code	Specification Information	Application Notes
Example: <b>ASOBO42V316AA</b>	To order please specify pattern number including:	Stack-on overheads, as the description implies "stack-on" median top shelf, please make sure median top shelf depth and overhead depth correspond.
<b>A</b> AutoStrada	1. Depth	
<b>S</b> Stack-on	<i>B = Binder depth</i>	
<b>O</b> Overhead	<i>G = Legal depth</i>	
<b>B</b> Binder depth	2. Width	
<b>O</b> Open	3. Finish	
<b>42</b> 42" wide	<i>Laminate, V1, V2 or V3</i>	
<b>V316</b> Finish, Maple	4. Finish, support feet	
<b>AA</b> Finish, Support feet	<i>AA - Anodized aluminum</i>	
	<i>111 - Painted black</i>	

See page 5 for finish options applicable.

# Overhead storage, wood cases

## Stack-on Overheads (for use with Medians)

### hinged door

description	type	# drs/locks	h	w	d	pattern no.	L	V1	V2	V3	
 <p>96" w shown</p>	Stack-on Overhead, Wood Hinged Doors	binder depth	3/2	15"	42"	15 1/4"	<b>ASOBD42</b> ( ) ( ) ( )	\$1,420.	\$1,467.	\$1,690.	\$2,196.
			3/2	15"	48"	15 1/4"	<b>ASOBD48</b> ( ) ( ) ( )	1,471.	1,522.	1,749.	2,275.
			3/2	15"	54"	15 1/4"	<b>ASOBD54</b> ( ) ( ) ( )	1,488.	1,539.	1,770.	2,302.
			4/2	15"	60"	15 1/4"	<b>ASOBD60</b> ( ) ( ) ( )	1,505.	1,557.	1,790.	2,327.
			4/2	15"	66"	15 1/4"	<b>ASOBD66</b> ( ) ( ) ( )	1,675.	1,730.	1,991.	2,588.
			4/2	15"	72"	15 1/4"	<b>ASOBD72</b> ( ) ( ) ( )	1,846.	1,910.	2,197.	2,856.
			5/3	15"	78"	15 1/4"	<b>ASOBD78</b> ( ) ( ) ( )	1,906.	1,969.	2,265.	2,945.
			5/3	15"	84"	15 1/4"	<b>ASOBD84</b> ( ) ( ) ( )	1,968.	2,033.	2,338.	3,040.
			6/3	15"	90"	15 1/4"	<b>ASOBD90</b> ( ) ( ) ( )	2,032.	2,098.	2,413.	3,137.
			6/3	15"	96"	15 1/4"	<b>ASOBD96</b> ( ) ( ) ( )	2,104.	2,175.	2,502.	3,253.
		legal depth	3/2	15"	42"	18 1/4"	<b>ASOGD42</b> ( ) ( ) ( )	1,533.	1,585.	1,824.	2,372.
			3/2	15"	48"	18 1/4"	<b>ASOGD48</b> ( ) ( ) ( )	1,589.	1,644.	1,890.	2,457.
			3/2	15"	54"	18 1/4"	<b>ASOGD54</b> ( ) ( ) ( )	1,607.	1,662.	1,912.	2,486.
			4/2	15"	60"	18 1/4"	<b>ASOGD60</b> ( ) ( ) ( )	1,626.	1,681.	1,933.	2,513.
			4/2	15"	66"	18 1/4"	<b>ASOGD66</b> ( ) ( ) ( )	1,808.	1,869.	2,151.	2,796.
			4/2	15"	72"	18 1/4"	<b>ASOGD72</b> ( ) ( ) ( )	1,993.	2,063.	2,372.	3,085.
			5/3	15"	78"	18 1/4"	<b>ASOGD78</b> ( ) ( ) ( )	2,059.	2,126.	2,446.	3,180.
			5/3	15"	84"	18 1/4"	<b>ASOGD84</b> ( ) ( ) ( )	2,125.	2,196.	2,525.	3,283.
			6/3	15"	90"	18 1/4"	<b>ASOGD90</b> ( ) ( ) ( )	2,195.	2,266.	2,605.	3,388.
			6/3	15"	96"	18 1/4"	<b>ASOGD96</b> ( ) ( ) ( )	2,272.	2,349.	2,702.	3,513.

**Order Code**

Example:	<b>ASOBD42LV316AA</b>
<b>A</b>	AutoStrada
<b>S</b>	Stack-on
<b>O</b>	Overhead
<b>B</b>	Binder depth
<b>D</b>	Hinged Door
<b>42</b>	42" wide
<b>L</b>	Locking
<b>V316</b>	Finish, Maple
<b>AA</b>	Finish, support feet

**Specification Information**

To order please specify pattern number including:

- Depth  
*B = Binder depth*  
*G = Legal depth*
- Width
- Lock option  
*L = Lock hole drilled*  
*N = Not drilled for locks*
- Finish  
*Laminate, V1, V2 or V3*
- Finish, support feet  
*AA - Anodized aluminum*  
*111 - Painted black*

See page 5 for finish options applicable.

**Application Notes**

Stack-on overheads, as the description implies "stack-on" median top shelf, please make sure median top shelf depth and overhead depth correspond.


Hinged doors extend slightly beyond case construction to allow for easy finger pull access along the bottom. No pulls available.

Optional lock drilling to be specified. If drilled for locks selected, keying instructions must accompany order.

# Overhead storage, wood cases

## Stack-on Overheads (for use with Medians)

### open / hinged door / open

description	type	locks	h	w	d	pattern no.	L	V1	V2	V3	
Stack-on Overhead, Open/Wood hinged doors/Open 	binder depth	1	15"	60"	15 1/4"	<b>ASOBT60</b> ( ) ( )	\$1,423.	\$1,472.	\$1,694.	\$2,202.	
		1	15"	66"	15 1/4"	<b>ASOBT66</b> ( ) ( )	1,584.	1,637.	1,884.	2,449.	
		1	15"	72"	15 1/4"	<b>ASOBT72</b> ( ) ( )	1,745.	1,802.	2,074.	2,695.	
		1	15"	78"	15 1/4"	<b>ASOBT78</b> ( ) ( )	1,803.	1,863.	2,143.	2,785.	
		1	15"	84"	15 1/4"	<b>ASOBT84</b> ( ) ( )	1,862.	1,923.	2,212.	2,875.	
		1	15"	90"	15 1/4"	<b>ASOBT90</b> ( ) ( )	1,920.	1,984.	2,281.	2,965.	
		1	15"	96"	15 1/4"	<b>ASOBT96</b> ( ) ( )	1,989.	2,057.	2,364.	3,073.	
	96" w shown	legal depth	1	15"	60"	18 1/4"	<b>ASOGT60</b> ( ) ( )	1,538.	1,590.	1,830.	2,379.
			1	15"	66"	18 1/4"	<b>ASOGT66</b> ( ) ( )	1,711.	1,768.	2,034.	2,645.
			1	15"	72"	18 1/4"	<b>ASOGT72</b> ( ) ( )	1,884.	1,946.	2,240.	2,911.
			1	15"	78"	18 1/4"	<b>ASOGT78</b> ( ) ( )	1,947.	2,012.	2,314.	3,009.
			1	15"	84"	18 1/4"	<b>ASOGT84</b> ( ) ( )	2,011.	2,077.	2,389.	3,105.
			1	15"	90"	18 1/4"	<b>ASOGT90</b> ( ) ( )	2,074.	2,142.	2,463.	3,203.
			1	15"	96"	18 1/4"	<b>ASOGT96</b> ( ) ( )	2,147.	2,221.	2,553.	3,318.

Order Code	
Example:	<b>ASOBT60LV316AA</b>
<b>A</b>	AutoStrada
<b>S</b>	Stack-on
<b>O</b>	Overhead
<b>B</b>	Binder depth
<b>T</b>	Open/Hinged Door/Open
<b>60</b>	60" wide
<b>L</b>	Locking
<b>V316</b>	Finish, Maple
<b>AA</b>	Finish, support feet


Specification Information
To order please specify pattern number including:
1. Depth B = Binder depth G = Legal depth
2. Width
3. Lock option L = Lock hole drilled N = Not drilled for locks
4. Finish Laminate, V1, V2 or V3
5. Finish, support feet AA - Anodized aluminum 111 - Painted black

Application Notes
Stack-on overheads, as the description implies "stack-on" median top shelf, please make sure median top shelf depth and overhead depth correspond.
Hinged doors extend slightly beyond case construction to allow for easy finger pull access along the bottom. No pulls available.
Optional lock drilling to be specified. If drilled for locks selected, keying instructions must accompany order

See page 5 for finish options applicable.

# Overhead storage, wood cases

## Stack-on Overheads (for use with Medians with sliding wood door(s))

description	type	h	w	d	pattern no.	L	V1	V2	V3	
 <p>96" w shown</p>	binder depth	15"	42"	15 1/4"	<b>ASOBS42 ( ) ( )</b>	\$1,919.	\$2,022.	\$2,557.	\$3,323.	
		15"	48"	15 1/4"	<b>ASOBS48 ( ) ( )</b>	1,988.	2,097.	2,648.	3,442.	
		15"	54"	15 1/4"	<b>ASOBS54 ( ) ( )</b>	2,011.	2,121.	2,679.	3,483.	
		15"	60"	15 1/4"	<b>ASOBS60 ( ) ( )</b>	2,033.	2,144.	2,710.	3,524.	
		15"	66"	15 1/4"	<b>ASOBS66 ( ) ( )</b>	2,263.	2,385.	3,014.	3,918.	
		15"	72"	15 1/4"	<b>ASOBS72 ( ) ( )</b>	2,493.	2,626.	3,318.	4,313.	
		15"	78"	15 1/4"	<b>ASOBS78 ( ) ( )</b>	2,575.	2,714.	3,428.	4,457.	
		15"	84"	15 1/4"	<b>ASOBS84 ( ) ( )</b>	2,659.	2,802.	3,540.	4,601.	
		15"	90"	15 1/4"	<b>ASOBS90 ( ) ( )</b>	2,742.	2,891.	3,650.	4,744.	
		15"	96"	15 1/4"	<b>ASOBS96 ( ) ( )</b>	2,841.	2,997.	3,781.	4,917.	
		legal depth	15"	42"	18 1/4"	<b>ASOGS42 ( ) ( )</b>	2,073.	2,185.	2,762.	3,590.
			15"	48"	18 1/4"	<b>ASOGS48 ( ) ( )</b>	2,147.	2,265.	2,860.	3,718.
			15"	54"	18 1/4"	<b>ASOGS54 ( ) ( )</b>	2,172.	2,291.	2,893.	3,761.
			15"	60"	18 1/4"	<b>ASOGS60 ( ) ( )</b>	2,196.	2,317.	2,928.	3,805.
			15"	66"	18 1/4"	<b>ASOGS66 ( ) ( )</b>	2,444.	2,575.	3,255.	4,232.
			15"	72"	18 1/4"	<b>ASOGS72 ( ) ( )</b>	2,692.	2,836.	3,583.	4,659.
			15"	78"	18 1/4"	<b>ASOGS78 ( ) ( )</b>	2,782.	2,931.	3,703.	4,814.
15"	84"		18 1/4"	<b>ASOGS84 ( ) ( )</b>	2,872.	3,027.	3,822.	4,969.		
15"	90"		18 1/4"	<b>ASOGS90 ( ) ( )</b>	2,962.	3,122.	3,942.	5,124.		
15"	96"	18 1/4"	<b>ASOGS96 ( ) ( )</b>	3,069.	3,237.	4,084.	5,309.			

**Order Code**

Example:	<b>ASOBS42V316AA</b>
<b>A</b>	AutoStrada
<b>S</b>	Stack-on
<b>O</b>	Overhead
<b>B</b>	Binder depth
<b>S</b>	Open/Sliding (wood) Door
<b>42</b>	42" wide
<b>V316</b>	Finish, Maple
<b>AA</b>	Finish, support feet

**Specification Information**

To order please specify pattern number including:

- Depth  
*B = Binder depth*  
*G = Legal depth*
- Sliding door material  
*S = wood, same as case*  
*R = glass*
- Width
- Finish  
*Laminate, V1, V2 or V3*
- Finish, support feet  
*AA - Anodized aluminum*  
*111 - Painted black*

**Application Notes**

Sliding doors are not available with locks.

Stack-on overheads, as the description implies "stack-on" median top shelf, please make sure median top shelf depth and overhead depth correspond.


Sliding door pulls included, not visible on image.

See page 5 for finish options applicable.

# Overhead storage, wood cases

## Stack-on Overheads (for use with Medians)

### with sliding glass door(s)

description	type	h	w	d	pattern no.	L	V1	V2	V3	
 <p>96" w shown</p>	Stack-on Overhead, Glass Sliding Door(s)	binder depth	15"	42"	15 1/4"	<b>ASOBR42</b> ( ) ( ) ( )	\$2,290.	\$2,406.	\$2,998.	\$3,898.
	15"	48"	15 1/4"	<b>ASOBR48</b> ( ) ( ) ( )	2,372.	2,494.	3,105.	4,037.		
	15"	54"	15 1/4"	<b>ASOBR54</b> ( ) ( ) ( )	2,400.	2,523.	3,142.	4,084.		
	15"	60"	15 1/4"	<b>ASOBR60</b> ( ) ( ) ( )	2,427.	2,551.	3,178.	4,131.		
	15"	66"	15 1/4"	<b>ASOBR66</b> ( ) ( ) ( )	2,701.	2,838.	3,534.	4,595.		
	15"	72"	15 1/4"	<b>ASOBR72</b> ( ) ( ) ( )	2,975.	3,123.	3,891.	5,058.		
	15"	78"	15 1/4"	<b>ASOBR78</b> ( ) ( ) ( )	3,074.	3,228.	4,020.	5,227.		
	15"	84"	15 1/4"	<b>ASOBR84</b> ( ) ( ) ( )	3,174.	3,333.	4,151.	5,395.		
	15"	90"	15 1/4"	<b>ASOBR90</b> ( ) ( ) ( )	3,272.	3,439.	4,280.	5,564.		
	15"	96"	15 1/4"	<b>ASOBR96</b> ( ) ( ) ( )	3,391.	3,565.	4,435.	5,765.		
	legal depth	15"	42"	18 1/4"	<b>ASOGR42</b> ( ) ( ) ( )	2,473.	2,599.	3,238.	4,209.	
	15"	48"	18 1/4"	<b>ASOGR48</b> ( ) ( ) ( )	2,563.	2,694.	3,353.	4,359.		
	15"	54"	18 1/4"	<b>ASOGR54</b> ( ) ( ) ( )	2,592.	2,724.	3,393.	4,411.		
	15"	60"	18 1/4"	<b>ASOGR60</b> ( ) ( ) ( )	2,620.	2,755.	3,433.	4,462.		
	15"	66"	18 1/4"	<b>ASOGR66</b> ( ) ( ) ( )	2,917.	3,064.	3,817.	4,963.		
	15"	72"	18 1/4"	<b>ASOGR72</b> ( ) ( ) ( )	3,212.	3,373.	4,202.	5,462.		
	15"	78"	18 1/4"	<b>ASOGR78</b> ( ) ( ) ( )	3,320.	3,487.	4,342.	5,644.		
	15"	84"	18 1/4"	<b>ASOGR84</b> ( ) ( ) ( )	3,427.	3,601.	4,482.	5,827.		
	15"	90"	18 1/4"	<b>ASOGR90</b> ( ) ( ) ( )	3,534.	3,714.	4,622.	6,009.		
15"	96"	18 1/4"	<b>ASOGR96</b> ( ) ( ) ( )	3,662.	3,850.	4,789.	6,226.			


Order Code	Specification Information	Application Notes
Example: <b>ASOBR42V316GL6AA</b> <b>AA</b>	To order please specify pattern number including:	Sliding doors are not available with locks.
<b>A</b> AutoStrada	1. Depth	Stack-on overheads, as the description implies "stack-on" median top shelf, please make sure median top shelf depth and overhead depth correspond.
<b>S</b> Stack-on	<i>B = Binder depth</i>	
<b>O</b> Overhead	<i>G = Legal depth</i>	Sliding door pulls included, not visible on image.
<b>B</b> Binder depth	2. Sliding door material	
<b>R</b> Open/Sliding (glass) Door	<i>S = wood, same as case</i>	See page 5 for finish options applicable.
<b>42</b> 42" wide	<i>R = glass</i>	
<b>V316</b> Finish, Maple	3. Width	Sliding door pulls included, not visible on image.
<b>GL6</b> Glass, Block Matrix	4. Finish	
<b>AA</b> Frame, anodized aluminum	<i>Laminate, V1, V2 or V3</i>	See page 5 for finish options applicable.
<b>AA</b> Finish, support feet	5. Finish, Glass sliding door	
	<i>TEMP - Clear, tempered</i>	Sliding door pulls included, not visible on image.
	<i>GL6 - Block Matrix</i>	
	<i>GL13 - Powder</i>	See page 5 for finish options applicable.
	6. Finish, Glass sliding door frame	
	<i>AA - Anodized aluminum only</i>	Sliding door pulls included, not visible on image.
	7. Finish, support feet	
	<i>AA - Anodized aluminum</i>	See page 5 for finish options applicable.
	<i>111 - Painted black</i>	



# Overhead storage, wood cases

## Panel hung overheads

### open

description	type	sections	h	w	d	pattern no.	L	V1	V2	V3	
 <p>96" w shown</p>	binder depth	2	15"	42"	14 1/4"	<b>APHOBO42 ( )</b>	\$1,280.	\$1,323.	\$1,522.	\$1,978.	
		2	15"	48"	14 1/4"	<b>APHOBO48 ( )</b>	1,326.	1,371.	1,576.	2,049.	
		2	15"	54"	14 1/4"	<b>APHOBO54 ( )</b>	1,341.	1,386.	1,594.	2,074.	
		2	15"	60"	14 1/4"	<b>APHOBO60 ( )</b>	1,356.	1,402.	1,614.	2,097.	
		2	15"	66"	14 1/4"	<b>APHOBO66 ( )</b>	1,509.	1,559.	1,794.	2,333.	
		2	15"	72"	14 1/4"	<b>APHOBO72 ( )</b>	1,662.	1,716.	1,975.	2,567.	
		3	15"	78"	14 1/4"	<b>APHOBO78 ( )</b>	1,717.	1,774.	2,040.	2,653.	
		3	15"	84"	14 1/4"	<b>APHOBO84 ( )</b>	1,773.	1,832.	2,107.	2,738.	
		3	15"	90"	14 1/4"	<b>APHOBO90 ( )</b>	1,829.	1,890.	2,172.	2,825.	
		3	15"	96"	14 1/4"	<b>APHOBO96 ( )</b>	1,894.	1,959.	2,251.	2,926.	
		legal depth	2	15"	42"	17 1/4"	<b>APHOGO42 ( )</b>	1,381.	1,427.	1,644.	2,137.
			2	15"	48"	17 1/4"	<b>APHOGO48 ( )</b>	1,432.	1,480.	1,702.	2,213.
			2	15"	54"	17 1/4"	<b>APHOGO54 ( )</b>	1,448.	1,497.	1,723.	2,240.
			2	15"	60"	17 1/4"	<b>APHOGO60 ( )</b>	1,464.	1,514.	1,742.	2,265.
			2	15"	66"	17 1/4"	<b>APHOGO66 ( )</b>	1,630.	1,683.	1,938.	2,519.
			2	15"	72"	17 1/4"	<b>APHOGO72 ( )</b>	1,794.	1,853.	2,133.	2,772.
3	15"		78"	17 1/4"	<b>APHOGO78 ( )</b>	1,854.	1,915.	2,204.	2,865.		
3	15"		84"	17 1/4"	<b>APHOGO84 ( )</b>	1,914.	1,978.	2,275.	2,957.		
3	15"		90"	17 1/4"	<b>APHOGO90 ( )</b>	1,974.	2,040.	2,347.	3,051.		
3	15"	96"	17 1/4"	<b>APHOGO96 ( )</b>	2,046.	2,115.	2,431.	3,161.			

**Order Code**

Example: <b>APHOBO42V316</b>
<b>A</b> AutoStrada
<b>PH</b> Panel hung
<b>O</b> Overhead
<b>B</b> Binder depth
<b>O</b> Open
<b>42</b> 42" wide
<b>V316</b> Finish, Maple

**Specification Information**

To order please specify pattern number including:


1. Depth  
*B = Binder depth*  
*G = Legal depth*
2. Width
3. Finish  
*Laminate, V1, V2 or V3*

See page 5 for finish options applicable.

**Application Notes**

Panel hung overhead storage units include hardware to hang unit on panels.

*Panel hung overheads  
hinged door*

description	type	# drs/locks	h	w	d	pattern no.	L	V1	V2	V3		
 <p>96" w shown</p>	binder depth	3/2	15"	42"	15 1/4"	<b>APHOBD42 ( )( )</b>	\$1,420.	\$1,467.	\$1,690.	\$2,196.		
		3/2	15"	48"	15 1/4"	<b>APHOBD48 ( )( )</b>	1,471.	1,522.	1,749.	2,275.		
		3/2	15"	54"	15 1/4"	<b>APHOBD54 ( )( )</b>	1,488.	1,539.	1,770.	2,302.		
		4/2	15"	60"	15 1/4"	<b>APHOBD60 ( )( )</b>	1,505.	1,557.	1,790.	2,327.		
		4/2	15"	66"	15 1/4"	<b>APHOBD66 ( )( )</b>	1,675.	1,730.	1,991.	2,588.		
		4/2	15"	72"	15 1/4"	<b>APHOBD72 ( )( )</b>	1,846.	1,910.	2,197.	2,856.		
		5/3	15"	78"	15 1/4"	<b>APHOBD78 ( )( )</b>	1,906.	1,969.	2,265.	2,945.		
		5/3	15"	84"	15 1/4"	<b>APHOBD84 ( )( )</b>	1,968.	2,033.	2,338.	3,040.		
		6/3	15"	90"	15 1/4"	<b>APHOBD90 ( )( )</b>	2,032.	2,098.	2,413.	3,137.		
		6/3	15"	96"	15 1/4"	<b>APHOBD96 ( )( )</b>	2,104.	2,175.	2,502.	3,253.		
		legal depth		3/2	15"	42"	18 1/4"	<b>APHOGD42 ( )( )</b>	1,533.	1,585.	1,824.	2,372.
				3/2	15"	48"	18 1/4"	<b>APHOGD48 ( )( )</b>	1,589.	1,644.	1,890.	2,457.
				3/2	15"	54"	18 1/4"	<b>APHOGD54 ( )( )</b>	1,607.	1,662.	1,912.	2,486.
4/2	15"			60"	18 1/4"	<b>APHOGD60 ( )( )</b>	1,626.	1,681.	1,933.	2,513.		
4/2	15"			66"	18 1/4"	<b>APHOGD66 ( )( )</b>	1,808.	1,869.	2,151.	2,796.		
4/2	15"			72"	18 1/4"	<b>APHOGD72 ( )( )</b>	1,993.	2,063.	2,372.	3,085.		
5/3	15"			78"	18 1/4"	<b>APHOGD78 ( )( )</b>	2,059.	2,126.	2,446.	3,180.		
5/3	15"			84"	18 1/4"	<b>APHOGD84 ( )( )</b>	2,125.	2,196.	2,525.	3,283.		
6/3	15"			90"	18 1/4"	<b>APHOGD90 ( )( )</b>	2,195.	2,266.	2,605.	3,388.		
6/3	15"	96"	18 1/4"	<b>APHOGD96 ( )( )</b>	2,272.	2,349.	2,702.	3,513.				

**Order Code**Example: **APHOBD42LV316**

<b>A</b>	AutoStrada
<b>PH</b>	Panel hung
<b>O</b>	Overhead
<b>B</b>	Binder depth
<b>D</b>	Hinged Door
<b>42</b>	42" wide
<b>L</b>	Locking
<b>V316</b>	Finish, Maple

**Specification Information**

To order please specify pattern number including:

- Depth  
*B = Binder depth*  
*G = Legal depth*
- Width
- Lock option  
*L = Lock hole drilled*  
*N = Not drilled for locks*
- Finish  
*Laminate, V1, V2 or V3*

See page 5 for finish options applicable.


**Application Notes**

Panel hung overhead storage units include hardware to hang unit on panels.

Hinged doors extend slightly beyond case construction to allow for easy finger pull access along the bottom. No pulls available.


Optional lock drilling to be specified. If drilled for locks selected, keying instructions must accompany order.

Overhead storage, wood cases  
*Panel hung overheads*  
*open / hinged door / open*

description	type	locks	h	w	d	pattern no.	L	V1	V2	V3	
Panel hung Overhead, Open/Wood hinged doors/Open  	binder depth	1	15"	60"	15 1/4"	<b>APHOBT60</b> ( ) ( )	\$1,423.	\$1,472.	\$1,694.	\$2,202.	
		1	15"	66"	15 1/4"	<b>APHOBT66</b> ( ) ( )	1,584.	1,637.	1,884.	2,449.	
		1	15"	72"	15 1/4"	<b>APHOBT72</b> ( ) ( )	1,745.	1,802.	2,074.	2,695.	
		1	15"	78"	15 1/4"	<b>APHOBT78</b> ( ) ( )	1,803.	1,863.	2,143.	2,785.	
		1	15"	84"	15 1/4"	<b>APHOBT84</b> ( ) ( )	1,862.	1,923.	2,212.	2,875.	
		1	15"	90"	15 1/4"	<b>APHOBT90</b> ( ) ( )	1,920.	1,984.	2,281.	2,965.	
		1	15"	96"	15 1/4"	<b>APHOBT96</b> ( ) ( )	1,989.	2,057.	2,364.	3,073.	
	96" w shown	legal depth	1	15"	60"	18 1/4"	<b>APHOGT60</b> ( ) ( )	1,538.	1,590.	1,830.	2,379.
			1	15"	66"	18 1/4"	<b>APHOGT66</b> ( ) ( )	1,711.	1,768.	2,034.	2,645.
			1	15"	72"	18 1/4"	<b>APHOGT72</b> ( ) ( )	1,884.	1,946.	2,240.	2,911.
			1	15"	78"	18 1/4"	<b>APHOGT78</b> ( ) ( )	1,947.	2,012.	2,314.	3,009.
			1	15"	84"	18 1/4"	<b>APHOGT84</b> ( ) ( )	2,011.	2,077.	2,389.	3,105.
			1	15"	90"	18 1/4"	<b>APHOGT90</b> ( ) ( )	2,074.	2,142.	2,463.	3,203.
			1	15"	96"	18 1/4"	<b>APHOGT96</b> ( ) ( )	2,147.	2,221.	2,553.	3,318.

Order Code	Specification Information	Application Notes
Example: <b>APHOBT60LV316</b>	<i>To order please specify pattern number including:</i>	Panel hung overhead storage units include hardware to hang unit on panels.
<b>A</b> AutoStrada	1. Depth <i>B = Binder depth</i> <i>G = Legal depth</i>	Optional lock drilling to be specified. If drilled for locks selected, keying instructions must accompany order.
<b>PH</b> Panel hung	2. Width	
<b>O</b> Overhead	3. Lock option <i>L = Lock hole drilled</i> <i>N = Not drilled for locks</i>	
<b>B</b> Binder depth	4. Finish <i>Laminate, V1, V2 or V3</i>	
<b>T</b> Open/Hinged Door/Open	See page 5 for finish options applicable.	Hinged doors extend slightly beyond case construction to allow for easy finger pull access along the bottom. No pulls available
<b>60</b> 60" wide		
<b>L</b> Locking		
<b>V316</b> Finish, Maple		

Overhead storage, wood cases  
*Panel hung overheads*  
*with sliding wood door(s)*

description	type	sections	h	w	d	pattern no.	L	V1	V2	V3	
 96" w shown	binder depth	1/1	15"	42"	15 1/4"	<b>APHOBS42 ( )</b>	\$1,919.	\$2,022.	\$2,557.	\$3,323.	
		1/1	15"	48"	15 1/4"	<b>APHOBS48 ( )</b>	1,988.	2,097.	2,648.	3,442.	
		1/1	15"	54"	15 1/4"	<b>APHOBS54 ( )</b>	2,011.	2,121.	2,679.	3,483.	
		2/2	15"	60"	15 1/4"	<b>APHOBS60 ( )</b>	2,033.	2,144.	2,710.	3,524.	
		2/2	15"	66"	15 1/4"	<b>APHOBS66 ( )</b>	2,263.	2,385.	3,014.	3,918.	
		2/2	15"	72"	15 1/4"	<b>APHOBS72 ( )</b>	2,493.	2,626.	3,318.	4,313.	
		2/2	15"	78"	15 1/4"	<b>APHOBS78 ( )</b>	2,575.	2,714.	3,428.	4,457.	
		2/2	15"	84"	15 1/4"	<b>APHOBS84 ( )</b>	2,659.	2,802.	3,540.	4,601.	
		2/2	15"	90"	15 1/4"	<b>APHOBS90 ( )</b>	2,742.	2,891.	3,650.	4,744.	
		2/2	15"	96"	15 1/4"	<b>APHOBS96 ( )</b>	2,841.	2,997.	3,781.	4,917.	
		legal depth	1/1	15"	42"	18 1/4"	<b>APHOGS42 ( )</b>	2,073.	2,185.	2,762.	3,590.
			1/1	15"	48"	18 1/4"	<b>APHOGS48 ( )</b>	2,147.	2,265.	2,860.	3,718.
			1/1	15"	54"	18 1/4"	<b>APHOGS54 ( )</b>	2,172.	2,291.	2,893.	3,761.
2/2	15"		60"	18 1/4"	<b>APHOGS60 ( )</b>	2,196.	2,317.	2,928.	3,805.		
2/2	15"		66"	18 1/4"	<b>APHOGS66 ( )</b>	2,444.	2,575.	3,255.	4,232.		
2/2	15"		72"	18 1/4"	<b>APHOGS72 ( )</b>	2,692.	2,836.	3,583.	4,659.		
2/2	15"		78"	18 1/4"	<b>APHOGS78 ( )</b>	2,782.	2,931.	3,703.	4,814.		
2/2	15"		84"	18 1/4"	<b>APHOGS84 ( )</b>	2,872.	3,027.	3,822.	4,969.		
2/2	15"		90"	18 1/4"	<b>APHOGS90 ( )</b>	2,962.	3,122.	3,942.	5,124.		
2/2	15"		96"	18 1/4"	<b>APHOGS96 ( )</b>	3,069.	3,237.	4,084.	5,309.		

**Order Code**Example: **APHOBS42V316**

<b>A</b>	AutoStrada
<b>PH</b>	Panel hung
<b>O</b>	Overhead
<b>B</b>	Binder depth
<b>S</b>	Open/Sliding (wood) Door
<b>42</b>	42" wide
<b>V316</b>	Finish, Maple

**Specification Information**

To order please specify pattern number including:

- Depth  
*B = Binder depth*  
*G = Legal depth*
- Sliding door material  
*S = wood, same as case*  
*R = glass*
- Width
- Finish  
*Laminate, V1, V2 or V3*

See page 5 for finish options applicable.

**Application Notes**

Sliding doors are not available with locks.


Panel hung overhead storage units include hardware to hang unit on panels.

Sliding door pulls included, not visible on image.

# Overhead storage, wood cases

## Panel hung overheads

### with sliding glass door(s)


description	type	sections	h	w	d	pattern no.	L	V1	V2	V3		
 <p>96" w shown</p>	binder depth	1/1	15"	42"	15 1/4"	<b>APHOBR42</b> ( ) ( )	\$2,290.	\$2,406.	\$2,998.	\$3,898.		
		1/1	15"	48"	15 1/4"	<b>APHOBR48</b> ( ) ( )	2,372.	2,494.	3,105.	4,037.		
		1/1	15"	54"	15 1/4"	<b>APHOBR54</b> ( ) ( )	2,400.	2,523.	3,142.	4,084.		
		2/2	15"	60"	15 1/4"	<b>APHOBR60</b> ( ) ( )	2,427.	2,551.	3,178.	4,131.		
		2/2	15"	66"	15 1/4"	<b>APHOBR66</b> ( ) ( )	2,701.	2,838.	3,534.	4,595.		
		2/2	15"	72"	15 1/4"	<b>APHOBR72</b> ( ) ( )	2,975.	3,123.	3,891.	5,058.		
		2/2	15"	78"	15 1/4"	<b>APHOBR78</b> ( ) ( )	3,074.	3,228.	4,020.	5,227.		
		2/2	15"	84"	15 1/4"	<b>APHOBR84</b> ( ) ( )	3,174.	3,333.	4,151.	5,395.		
		2/2	15"	90"	15 1/4"	<b>APHOBR90</b> ( ) ( )	3,272.	3,439.	4,280.	5,564.		
		2/2	15"	96"	15 1/4"	<b>APHOBR96</b> ( ) ( )	3,391.	3,565.	4,435.	5,765.		
		legal depth		1/1	15"	42"	18 1/4"	<b>APHOGR42</b> ( ) ( )	2,473.	2,599.	3,238.	4,209.
				1/1	15"	48"	18 1/4"	<b>APHOGR48</b> ( ) ( )	2,563.	2,694.	3,353.	4,359.
				1/1	15"	54"	18 1/4"	<b>APHOGR54</b> ( ) ( )	2,592.	2,724.	3,393.	4,411.
				2/2	15"	60"	18 1/4"	<b>APHOGR60</b> ( ) ( )	2,620.	2,755.	3,433.	4,462.
2/2	15"			66"	18 1/4"	<b>APHOGR66</b> ( ) ( )	2,917.	3,064.	3,817.	4,963.		
2/2	15"			72"	18 1/4"	<b>APHOGR72</b> ( ) ( )	3,212.	3,373.	4,202.	5,462.		
2/2	15"			78"	18 1/4"	<b>APHOGR78</b> ( ) ( )	3,320.	3,487.	4,342.	5,644.		
2/2	15"			84"	18 1/4"	<b>APHOGR84</b> ( ) ( )	3,427.	3,601.	4,482.	5,827.		
2/2	15"			90"	18 1/4"	<b>APHOGR90</b> ( ) ( )	3,534.	3,714.	4,622.	6,009.		
2/2	15"			96"	18 1/4"	<b>APHOGR96</b> ( ) ( )	3,662.	3,850.	4,789.	6,226.		

Order Code	Specification Information	Application Notes
Example: <b>APHOBR42V316GL6AA</b>	To order please specify pattern number including:	Sliding doors are not available with locks.
<b>A</b> AutoStrada	1. Depth <i>B = Binder depth</i>	Panel hung overhead storage units include hardware to hang unit on panels.
<b>PH</b> Panel hung	<i>G = Legal depth</i>	
<b>O</b> Overhead	2. Sliding door material <i>S = wood, same as case</i>	Sliding door pulls included, not visible on image.
<b>B</b> Binder depth	<i>R = glass</i>	
<b>R</b> Open/Sliding (glass) Door	3. Width	See page 5 for finish options applicable.
<b>42</b> 42" wide	4. Finish <i>Laminate, V1, V2 or V3</i>	
<b>V316</b> Finish, Maple	5. Finish, Glass sliding door <i>TEMP - Clear, tempered</i>	
<b>GL6</b> Glass, Block Matrix	<i>GL6 - Block Matrix</i>	
<b>AA</b> Frame, anodized aluminum	<i>GL13 - Powder</i>	
	6. Finish, Glass sliding door frame <i>AA - Anodized aluminum only</i>	

# Overhead storage, wood cases

## Wall-attached overheads for private office

### open, single high

description	type	h	w	d	pattern no.	L	V1	V2	V3
 <p>96" w shown</p>	binder height & depth	15"	30"	14 1/4"	<b>AWHOBSO30</b> ( ) ( )	\$1,227.	\$1,271.	\$1,462.	\$1,900.
		15"	36"	14 1/4"	<b>AWHOBSO36</b> ( ) ( )	1,260.	1,304.	1,499.	1,948.
		15"	42"	14 1/4"	<b>AWHOBSO42</b> ( ) ( )	1,293.	1,336.	1,538.	1,999.
		15"	48"	14 1/4"	<b>AWHOBSO48</b> ( ) ( )	1,328.	1,372.	1,579.	2,053.
		15"	54"	14 1/4"	<b>AWHOBSO54</b> ( ) ( )	1,397.	1,443.	1,662.	2,159.
		15"	60"	14 1/4"	<b>AWHOBSO60</b> ( ) ( )	1,466.	1,514.	1,743.	2,266.
		15"	66"	14 1/4"	<b>AWHOBSO66</b> ( ) ( )	1,508.	1,559.	1,792.	2,330.
		15"	72"	14 1/4"	<b>AWHOBSO72</b> ( ) ( )	1,548.	1,604.	1,841.	2,394.
		15"	78"	14 1/4"	<b>AWHOBSO78</b> ( ) ( )	1,625.	1,684.	1,933.	2,513.
		15"	84"	14 1/4"	<b>AWHOBSO84</b> ( ) ( )	1,675.	1,734.	1,991.	2,589.
		15"	90"	14 1/4"	<b>AWHOBSO90</b> ( ) ( )	1,725.	1,787.	2,051.	2,666.
		15"	96"	14 1/4"	<b>AWHOBSO96</b> ( ) ( )	1,776.	1,840.	2,113.	2,966.

Units up to 36" w have one section, units 42" w up to 72" wide have two sections, over 72" w have three sections

description	type	h	w	d	pattern no.	L	V1	V2	V3
	binder height & legal depth	15"	30"	17 1/4"	<b>AWHOGSO30</b> ( ) ( )	1,326.	1,373.	1,578.	2,052.
		15"	36"	17 1/4"	<b>AWHOGSO36</b> ( ) ( )	1,361.	1,409.	1,619.	2,105.
		15"	42"	17 1/4"	<b>AWHOGSO42</b> ( ) ( )	1,396.	1,443.	1,661.	2,159.
		15"	48"	17 1/4"	<b>AWHOGSO48</b> ( ) ( )	1,434.	1,482.	1,706.	2,217.
		15"	54"	17 1/4"	<b>AWHOGSO54</b> ( ) ( )	1,509.	1,558.	1,794.	2,333.
		15"	60"	17 1/4"	<b>AWHOGSO60</b> ( ) ( )	1,584.	1,635.	1,882.	2,447.
		15"	66"	17 1/4"	<b>AWHOGSO66</b> ( ) ( )	1,627.	1,684.	1,936.	2,517.
		15"	72"	17 1/4"	<b>AWHOGSO72</b> ( ) ( )	1,672.	1,732.	1,989.	2,585.
		15"	78"	17 1/4"	<b>AWHOGSO78</b> ( ) ( )	1,756.	1,819.	2,089.	2,715.
		15"	84"	17 1/4"	<b>AWHOGSO84</b> ( ) ( )	1,808.	1,874.	2,151.	2,796.
		15"	90"	17 1/4"	<b>AWHOGSO90</b> ( ) ( )	1,863.	1,929.	2,215.	2,880.
		15"	96"	17 1/4"	<b>AWHOGSO96</b> ( ) ( )	1,919.	1,987.	2,282.	2,966.

Units up to 36" w have one section, units 42" w up to 72" w have two sections, over 72" wide have three sections

Order Code	Specification Information
Example: <b>AWHOBSO30V316AA</b>	
<b>A</b> AutoStrada	
<b>WH</b> Wall hung	
<b>O</b> Overhead	
<b>B</b> Binder depth	
<b>S</b> Single high	
<b>O</b> Open	
<b>30</b> 30" wide	
<b>V316</b> Finish, Maple	
<b>AA</b> Finish, Aluminum trim	

Specification Information
To order please specify pattern number including:
1. Depth B = Binder depth G = Legal depth
2. Width
3. Finish Laminate, V1, V2 or V3
4. Finish, aluminum trim AA - Anodized aluminum only
See page 5 for finish options applicable.


Application Notes
<b>Manufacturer assumes no responsibility for the installation, attachment or the securing of wall hung units to the wall. A qualified local building contractor should be consulted to advise securing method and to determine if and what blocking requirements are necessary.</b>
Single high overhead storage to be mounted at 68 1/2" from floor to top of overhead unit. Dimension is to top of wood side gable of corresponding 70" h floor standing cabinet not including aluminum and wood top trim.
Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 5/8" h. Bottom piece attached to wall.

# Overhead storage, wood cases

## Wall-attached overheads for private office

### hinged door, single high

description	type	# drs/locks	h	w	d	pattern no.	L	V1	V2	V3		
Wall hung overhead Hinged doors (wood) single high	binder height and depth	2/1	15"	30"	15 1/4"	<b>AWHOBSD30</b> ( ) ( )	\$1,786.	\$1,846.	\$2,122.	\$2,758.		
		2/1	15"	36"	15 1/4"	<b>AWHOBSD36</b> ( ) ( )	1,887.	1,952.	2,245.	2,918.		
		3/2	15"	42"	15 1/4"	<b>AWHOBSD42</b> ( ) ( )	1,901.	1,967.	2,261.	2,939.		
		3/2	15"	48"	15 1/4"	<b>AWHOBSD48</b> ( ) ( )	1,939.	2,003.	2,306.	2,997.		
		3/2	15"	54"	15 1/4"	<b>AWHOBSD54</b> ( ) ( )	2,039.	2,107.	2,426.	3,153.		
		4/2	15"	60"	15 1/4"	<b>AWHOBSD60</b> ( ) ( )	2,136.	2,207.	2,539.	3,301.		
		4/2	15"	66"	15 1/4"	<b>AWHOBSD66</b> ( ) ( )	2,200.	2,276.	2,617.	3,402.		
		4/2	15"	72"	15 1/4"	<b>AWHOBSD72</b> ( ) ( )	2,260.	2,336.	2,687.	3,492.		
		5/3	15"	78"	15 1/4"	<b>AWHOBSD78</b> ( ) ( )	2,374.	2,459.	2,823.	3,670.		
		5/3	15"	84"	15 1/4"	<b>AWHOBSD84</b> ( ) ( )	2,445.	2,533.	2,907.	3,780.		
		6/3	15"	90"	15 1/4"	<b>AWHOBSD90</b> ( ) ( )	2,519.	2,609.	2,995.	3,894.		
		6/3	15"	96"	15 1/4"	<b>AWHOBSD96</b> ( ) ( )	2,594.	2,687.	3,085.	4,010.		
		binder height and legal depth		2/1	15"	30"	18 1/4"	<b>AWHOGSD30</b> ( ) ( )	1,929.	1,993.	2,292.	2,979.
				2/1	15"	36"	18 1/4"	<b>AWHOGSD36</b> ( ) ( )	2,038.	2,108.	2,425.	3,151.
				3/2	15"	42"	18 1/4"	<b>AWHOGSD42</b> ( ) ( )	2,053.	2,124.	2,442.	3,175.
3/2	15"			48"	18 1/4"	<b>AWHOGSD48</b> ( ) ( )	2,094.	2,162.	2,490.	3,238.		
3/2	15"			54"	18 1/4"	<b>AWHOGSD54</b> ( ) ( )	2,203.	2,275.	2,619.	3,405.		
4/2	15"			60"	18 1/4"	<b>AWHOGSD60</b> ( ) ( )	2,307.	2,384.	2,742.	3,565.		
4/2	15"			66"	18 1/4"	<b>AWHOGSD66</b> ( ) ( )	2,376.	2,458.	2,826.	3,673.		
4/2	15"			72"	18 1/4"	<b>AWHOGSD72</b> ( ) ( )	2,441.	2,523.	2,902.	3,772.		
5/3	15"			78"	18 1/4"	<b>AWHOGSD78</b> ( ) ( )	2,564.	2,656.	3,048.	3,963.		
5/3	15"			84"	18 1/4"	<b>AWHOGSD84</b> ( ) ( )	2,641.	2,735.	3,140.	4,082.		
6/3	15"			90"	18 1/4"	<b>AWHOGSD90</b> ( ) ( )	2,720.	2,817.	3,235.	4,205.		
6/3	15"			96"	18 1/4"	<b>AWHOGSD96</b> ( ) ( )	2,801.	2,902.	3,332.	4,331.		



96" w shown

Order Code	Specification Information
Example: <b>AWHOBSD30LV316AA</b>	To order please specify pattern number including:
<b>A</b> AutoStrada	1. Depth B = Binder depth G = Legal depth
<b>WH</b> Wall hung	2. Width
<b>O</b> Overhead	3. Lock L = lock hole drilled N = not drilled for locks
<b>B</b> Binder depth	4. Finish Laminate, V1, V2 or V3
<b>S</b> Single high	5. Finish, aluminum trim AA - Anodized aluminum only
<b>D</b> Hinged doors, wood	
<b>30</b> 30" wide	
<b>L</b> Lock holes drilled	
<b>V316</b> Finish, Maple	
<b>AA</b> Finish, Aluminum trim	

See page 5 for finish options applicable.

**Application Notes**

**Manufacturer assumes no responsibility for the installation, attachment or the securing of wall hung units to the wall. A qualified local building contractor should be consulted to advise securing method and to determine if and what blocking requirements are necessary.**

Hinged doors extend slightly beyond case construction to allow for easy finger pull access along the bottom. No pulls available.


Optional lock drilling to be specified. If drilled for locks selected, keying instructions must accompany order.

Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 7/8" h. Bottom piece attached to wall.

Single high overhead storage to be mounted at 68 1/2" from floor to top of overhead unit. Dimension is to top of wood side gable of corresponding 70" h floor standing cabinet not including aluminum and wood top trim.

Overhead storage, wood cases  
*Wall-attached overheads for private office  
 open / hinged door / open, single high*

description	type	h	w	d	pattern no.	L	V1	V2	V3
Wall hung overhead Open/Hinged doors (wood) single high	binder height & depth	15"	60"	15 1/4"	<b>AWHOBST60</b> ( ) ( )	\$1,540.	\$1,590.	\$1,830.	\$2,380.
		15"	66"	15 1/4"	<b>AWHOBST66</b> ( ) ( )	1,583.	1,637.	1,882.	2,446.
		15"	72"	15 1/4"	<b>AWHOBST72</b> ( ) ( )	1,625.	1,684.	1,933.	2,513.
		15"	78"	15 1/4"	<b>AWHOBST78</b> ( ) ( )	1,707.	1,769.	2,030.	2,640.
		15"	84"	15 1/4"	<b>AWHOBST84</b> ( ) ( )	1,758.	1,821.	2,091.	2,719.
		15"	90"	15 1/4"	<b>AWHOBST90</b> ( ) ( )	1,810.	1,876.	2,154.	2,800.
		15"	96"	15 1/4"	<b>AWHOBST96</b> ( ) ( )	1,865.	1,932.	2,218.	2,884.
96" w shown	binder height & legal depth	15"	60"	18 1/4"	<b>AWHOGST60</b> ( ) ( )	1,663.	1,717.	1,976.	2,569.
		15"	66"	18 1/4"	<b>AWHOGST66</b> ( ) ( )	1,709.	1,768.	2,032.	2,642.
		15"	72"	18 1/4"	<b>AWHOGST72</b> ( ) ( )	1,756.	1,819.	2,089.	2,715.
		15"	78"	18 1/4"	<b>AWHOGST78</b> ( ) ( )	1,844.	1,910.	2,192.	2,850.
		15"	84"	18 1/4"	<b>AWHOGST84</b> ( ) ( )	1,899.	1,967.	2,259.	2,936.
		15"	90"	18 1/4"	<b>AWHOGST90</b> ( ) ( )	1,956.	2,027.	2,326.	3,024.
		15"	96"	18 1/4"	<b>AWHOGST96</b> ( ) ( )	2,015.	2,087.	2,396.	3,115.



96" w shown

## Order Code

Example:	<b>AWHOBST60LV316AA</b>
<b>A</b>	AutoStrada
<b>WH</b>	Wall hung
<b>O</b>	Overhead
<b>B</b>	Binder depth
<b>S</b>	Single high
<b>T</b>	Open/Hinged doors/Open
<b>60</b>	60" wide
<b>L</b>	Lock holes drilled
<b>V316</b>	Finish, Maple
<b>AA</b>	Finish, Aluminum trim

## Specification Information

To order please specify pattern number including:

1. Depth  
*B = Binder depth*  
*G = Legal depth*
2. Width
3. Lock  
*L = lock hole drilled*  
*N = not drilled for locks*
4. Finish  
*Laminate, V1, V2 or V3*
5. Finish, aluminum trim  
*AA - Anodized aluminum only*

See page 5 for finish options applicable.

## Application Notes

**Manufacturer assumes no responsibility for the installation, attachment or the securing of wall hung units to the wall. A qualified local building contractor should be consulted to advise securing method and to determine if and what blocking requirements are necessary.**

Single high overhead storage to be mounted at 68 1/2" from floor to top of overhead unit. Dimension is to top of wood side gable of corresponding 70" h floor standing cabinet not including aluminum and wood top trim.

Hinged doors extend slightly beyond case construction to allow for easy finger pull access along the bottom. No pulls available.



Optional lock drilling to be specified. If drilled for locks selected, keying instructions must accompany order.

Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 3/8" h. Bottom piece attached to wall.



# Overhead storage, wood cases

## Wall-attached overheads for private office with sliding door(s), single high


description	type	h	w	d	pattern no.	L	V1	V2	V3	
Wall hung overhead Open/Sliding door(s) wood single high  96" w shown	binder height and depth	15"	60"	15 1/4"	<b>AWHOBSS60</b> ( )( )	\$2,199.	\$2,317.	\$2,929.	\$3,807.	
		15"	66"	15 1/4"	<b>AWHOBSS66</b> ( )( )	2,261.	2,385.	3,011.	3,914.	
		15"	72"	15 1/4"	<b>AWHOBSS72</b> ( )( )	2,323.	2,454.	3,093.	4,022.	
		15"	78"	15 1/4"	<b>AWHOBSS78</b> ( )( )	2,439.	2,577.	3,249.	4,223.	
		15"	84"	15 1/4"	<b>AWHOBSS84</b> ( )( )	2,511.	2,654.	3,346.	4,350.	
		15"	90"	15 1/4"	<b>AWHOBSS90</b> ( )( )	2,587.	2,734.	3,446.	4,480.	
			15"	96"	15 1/4"	<b>AWHOBSS96</b> ( )( )	2,664.	2,815.	3,549.	4,615.
	binder height and legal depth	15"	60"	18 1/4"	<b>AWHOGSS60</b> ( )( )	2,374.	2,502.	3,163.	4,111.	
		15"	66"	18 1/4"	<b>AWHOGSS66</b> ( )( )	2,442.	2,577.	3,252.	4,228.	
		15"	72"	18 1/4"	<b>AWHOGSS72</b> ( )( )	2,508.	2,650.	3,342.	4,343.	
		15"	78"	18 1/4"	<b>AWHOGSS78</b> ( )( )	2,633.	2,783.	3,509.	4,560.	
		15"	84"	18 1/4"	<b>AWHOGSS84</b> ( )( )	2,712.	2,867.	3,613.	4,697.	
		15"	90"	18 1/4"	<b>AWHOGSS90</b> ( )( )	2,794.	2,952.	3,721.	4,839.	
15"		96"	18 1/4"	<b>AWHOGSS96</b> ( )( )	2,878.	3,041.	3,834.	4,984.		
Wall hung overhead Open/Sliding door(s) glass single high  96" w shown	binder height and depth	15"	60"	15 1/4"	<b>AWHOBSR60</b> ( )( )	2,624.	2,755.	3,434.	4,121.	
		15"	66"	15 1/4"	<b>AWHOBSR66</b> ( )( )	2,697.	2,838.	3,531.	4,237.	
		15"	72"	15 1/4"	<b>AWHOBSR72</b> ( )( )	2,771.	2,919.	3,627.	4,353.	
		15"	78"	15 1/4"	<b>AWHOBSR78</b> ( )( )	2,910.	3,066.	3,809.	4,571.	
		15"	84"	15 1/4"	<b>AWHOBSR84</b> ( )( )	2,997.	3,158.	3,924.	4,708.	
		15"	90"	15 1/4"	<b>AWHOBSR90</b> ( )( )	3,087.	3,252.	4,041.	4,849.	
			15"	96"	15 1/4"	<b>AWHOBSR96</b> ( )( )	3,180.	3,349.	4,162.	4,995.
	binder height and legal depth	15"	60"	18 1/4"	<b>AWHOGSR60</b> ( )( )	2,833.	2,976.	3,709.	4,450.	
		15"	66"	18 1/4"	<b>AWHOGSR66</b> ( )( )	2,914.	3,064.	3,813.	4,575.	
		15"	72"	18 1/4"	<b>AWHOGSR72</b> ( )( )	2,993.	3,152.	3,918.	4,702.	
		15"	78"	18 1/4"	<b>AWHOGSR78</b> ( )( )	3,143.	3,311.	4,114.	4,937.	
		15"	84"	18 1/4"	<b>AWHOGSR84</b> ( )( )	3,237.	3,410.	4,237.	5,085.	
		15"	90"	18 1/4"	<b>AWHOGSR90</b> ( )( )	3,334.	3,512.	4,365.	5,238.	
15"		96"	18 1/4"	<b>AWHOGSR96</b> ( )( )	3,435.	3,618.	4,495.	5,394.		

Order Code	Specification Information	Application Notes
Example: <b>AWHOBSS60V316AA</b>	<i>To order please specify pattern number including:</i>	<b>Manufacturer assumes no responsibility for the installation, attachment or the securing of wall hung units to the wall. A qualified local building contractor should be consulted to advise securing method and to determine if and what blocking requirements are necessary.</b>
<b>A</b> AutoStrada	1. Depth <i>B = Binder depth</i>	
<b>WH</b> Wall hung	<i>G = Legal depth</i>	Single high overhead storage to be mounted at 68 1/2" from floor to top of overhead unit. Dimension is to top of wood side gable of corresponding 70" h floor standing cabinet not including aluminum and wood top trim.
<b>O</b> Overhead	2. Sliding door material <i>S = wood, same as case</i> <i>R = glass</i>	
<b>B</b> Binder depth	3. Width	Sliding door pulls included, not visible on image.
<b>S</b> Single high	4. Finish <i>Laminate, V1, V2 or V3</i>	
<b>S</b> Open/Sliding door(s)/wood	5. Finish, Glass sliding door (as applicable) <i>TEMP - Clear, tempered</i> <i>GL6 - Block Matrix</i> <i>GL13 - Powder</i>	Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 5/8" h. Bottom piece attached to wall.
<b>60</b> 60" wide	6. Finish, Glass sliding door frame (as applicable) <i>AA - Anodized aluminum only</i>	
<b>V316</b> Finish, Maple		Sliding doors are not available with locks.
<b>AA</b> Finish, Aluminum trim		
		See page 5 for finish options applicable.

# Overhead storage, wood cases

## Wall-attached overheads for private office

### open, double high

description	type	h	w	d	pattern no.	L	V1	V2	V3
Wall hung overhead open, double high    96" w shown	binder height & depth	29"	30"	14 1/4"	<b>AWHOBDO30</b> ( ) ( )	\$1,656.	\$1,716.	\$1,973.	\$2,565.
		29"	36"	14 1/4"	<b>AWHOBDO36</b> ( ) ( )	1,701.	1,761.	2,023.	2,631.
		29"	42"	14 1/4"	<b>AWHOBDO42</b> ( ) ( )	1,745.	1,804.	2,076.	2,699.
		29"	48"	14 1/4"	<b>AWHOBDO48</b> ( ) ( )	1,792.	1,852.	2,133.	2,771.
		29"	54"	14 1/4"	<b>AWHOBDO54</b> ( ) ( )	1,885.	1,947.	2,243.	2,916.
		29"	60"	14 1/4"	<b>AWHOBDO60</b> ( ) ( )	1,980.	2,044.	2,353.	3,059.
		29"	66"	14 1/4"	<b>AWHOBDO66</b> ( ) ( )	2,034.	2,105.	2,419.	3,146.
		29"	72"	14 1/4"	<b>AWHOBDO72</b> ( ) ( )	2,090.	2,166.	2,486.	3,231.
		29"	78"	14 1/4"	<b>AWHOBDO78</b> ( ) ( )	2,195.	2,274.	2,611.	3,393.
		29"	84"	14 1/4"	<b>AWHOBDO84</b> ( ) ( )	2,261.	2,342.	2,689.	3,496.
		29"	90"	14 1/4"	<b>AWHOBDO90</b> ( ) ( )	2,328.	2,412.	2,769.	3,601.
		29"	96"	14 1/4"	<b>AWHOBDO96</b> ( ) ( )	2,398.	2,485.	2,853.	4,005.
		<i>units up to 36" w have one section, 42" w up to 72" w have two sections, over 72" w have three sections</i>							
	binder height & legal depth	29"	30"	17 1/4"	<b>AWHOGDO30</b> ( ) ( )	1,789.	1,853.	2,131.	2,770.
		29"	36"	17 1/4"	<b>AWHOGDO36</b> ( ) ( )	1,838.	1,901.	2,186.	2,841.
		29"	42"	17 1/4"	<b>AWHOGDO42</b> ( ) ( )	1,884.	1,948.	2,242.	2,915.
		29"	48"	17 1/4"	<b>AWHOGDO48</b> ( ) ( )	1,936.	2,000.	2,303.	2,994.
		29"	54"	17 1/4"	<b>AWHOGDO54</b> ( ) ( )	2,036.	2,104.	2,422.	3,149.
		29"	60"	17 1/4"	<b>AWHOGDO60</b> ( ) ( )	2,137.	2,207.	2,541.	3,304.
		29"	66"	17 1/4"	<b>AWHOGDO66</b> ( ) ( )	2,198.	2,273.	2,613.	3,397.
		29"	72"	17 1/4"	<b>AWHOGDO72</b> ( ) ( )	2,258.	2,339.	2,685.	3,490.
		29"	78"	17 1/4"	<b>AWHOGDO78</b> ( ) ( )	2,370.	2,456.	2,819.	3,665.
		29"	84"	17 1/4"	<b>AWHOGDO84</b> ( ) ( )	2,442.	2,529.	2,904.	3,775.
		29"	90"	17 1/4"	<b>AWHOGDO90</b> ( ) ( )	2,515.	2,605.	2,991.	3,888.
		29"	96"	17 1/4"	<b>AWHOGDO96</b> ( ) ( )	2,590.	2,684.	3,081.	4,005.
<i>units up to 36" w have one section, 42" w up to 72" w have two sections, over 72" w have three sections</i>									

Order Code	Specification Information
Example: <b>AWHOBDO30V316AA</b>	
<b>A</b> AutoStrada	
<b>WH</b> Wall hung	
<b>O</b> Overhead	
<b>B</b> Binder depth	
<b>D</b> Double high	
<b>O</b> Open	
<b>30</b> 30" wide	
<b>V316</b> Finish, Maple	
<b>AA</b> Finish, Aluminum trim	

Specification Information
<i>To order please specify pattern number including:</i>
1. Depth <i>B = Binder depth</i> <i>G = Legal depth</i>
2. Width
3. Finish <i>Laminate, V1, V2 or V3</i>
4. Finish, aluminum trim <i>AA - Anodized aluminum only</i>
See page 5 for finish options applicable.


Application Notes
<b>Manufacturer assumes no responsibility for the installation, attachment or the securing of wall hung units to the wall. A qualified local building contractor should be consulted to advise securing method and to determine if and what blocking requirements are necessary.</b>
Double high overhead storage to be mounted at 82-5/16" from floor to top of overhead unit. Dimension is to top of wood side gable of corresponding 84" h floor standing cabinet not including aluminum and wood top trim.
Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 5/8" h. Bottom piece attached to wall.

# Overhead storage, wood cases

## Wall-attached overheads for private office

### hinged door, double high

description	type	# drs/locks	h	w	d	pattern no.	L	V1	V2	V3	
Wall hung overhead Hinged doors (wood) double high	binder height and depth	2/1	29"	30"	15 1/4"	<b>AWHOBDD30</b> ( ) ( )	\$2,411.	\$2,492.	\$2,864.	\$3,724.	
		2/1	29"	36"	15 1/4"	<b>AWHOBDD36</b> ( ) ( )	2,548.	2,634.	3,030.	3,939.	
		3/2	29"	42"	15 1/4"	<b>AWHOBDD42</b> ( ) ( )	2,567.	2,655.	3,053.	3,968.	
		3/2	29"	48"	15 1/4"	<b>AWHOBDD48</b> ( ) ( )	2,617.	2,704.	3,113.	4,047.	
		3/2	29"	54"	15 1/4"	<b>AWHOBDD54</b> ( ) ( )	2,753.	2,844.	3,274.	4,256.	
		4/2	29"	60"	15 1/4"	<b>AWHOBDD60</b> ( ) ( )	2,884.	2,980.	3,428.	4,457.	
		4/2	29"	66"	15 1/4"	<b>AWHOBDD66</b> ( ) ( )	2,970.	3,073.	3,532.	4,592.	
		4/2	29"	72"	15 1/4"	<b>AWHOBDD72</b> ( ) ( )	3,051.	3,153.	3,627.	4,715.	
		5/3	29"	78"	15 1/4"	<b>AWHOBDD78</b> ( ) ( )	3,205.	3,319.	3,811.	4,954.	
		5/3	29"	84"	15 1/4"	<b>AWHOBDD84</b> ( ) ( )	3,300.	3,419.	3,926.	5,103.	
		6/3	29"	90"	15 1/4"	<b>AWHOBDD90</b> ( ) ( )	3,399.	3,521.	4,044.	5,256.	
		6/3	29"	96"	15 1/4"	<b>AWHOBDD96</b> ( ) ( )	3,501.	3,627.	4,164.	5,414.	
		binder height and legal depth	2/1	29"	30"	18 1/4"	<b>AWHOGDD30</b> ( ) ( )	2,603.	2,691.	3,093.	4,022.
			2/1	29"	36"	18 1/4"	<b>AWHOGDD36</b> ( ) ( )	2,751.	2,845.	3,273.	4,254.
3/2	29"		42"	18 1/4"	<b>AWHOGDD42</b> ( ) ( )	2,772.	2,868.	3,297.	4,285.		
3/2	29"		48"	18 1/4"	<b>AWHOGDD48</b> ( ) ( )	2,827.	2,920.	3,362.	4,371.		
3/2	29"		54"	18 1/4"	<b>AWHOGDD54</b> ( ) ( )	2,974.	3,072.	3,536.	4,597.		
4/2	29"		60"	18 1/4"	<b>AWHOGDD60</b> ( ) ( )	3,114.	3,219.	3,702.	4,813.		
4/2	29"		66"	18 1/4"	<b>AWHOGDD66</b> ( ) ( )	3,208.	3,318.	3,816.	4,959.		
4/2	29"		72"	18 1/4"	<b>AWHOGDD72</b> ( ) ( )	3,295.	3,406.	3,917.	5,092.		
5/3	29"		78"	18 1/4"	<b>AWHOGDD78</b> ( ) ( )	3,460.	3,585.	4,116.	5,351.		
5/3	29"		84"	18 1/4"	<b>AWHOGDD84</b> ( ) ( )	3,564.	3,693.	4,239.	5,512.		
6/3	29"		90"	18 1/4"	<b>AWHOGDD90</b> ( ) ( )	3,671.	3,803.	4,367.	5,676.		
6/3	29"		96"	18 1/4"	<b>AWHOGDD96</b> ( ) ( )	3,781.	3,917.	4,497.	5,846.		



96" w shown

**Order Code**

Example:	<b>AWHOBDD30LV316AA</b>
<b>A</b>	AutoStrada
<b>WH</b>	Wall hung
<b>O</b>	Overhead
<b>B</b>	Binder depth
<b>D</b>	Double high
<b>D</b>	Hinged doors, wood
<b>30</b>	30" wide
<b>L</b>	Lock holes drilled
<b>V316</b>	Finish, Maple
<b>AA</b>	Finish, Aluminum trim

**Specification Information**

To order please specify pattern number including:

1. Depth  
B = Binder depth  
G = Legal depth
2. Width
3. Lock  
L = lock hole drilled  
N = not drilled for locks
4. Finish  
Laminate, V1, V2 or V3
5. Finish, aluminum trim  
AA - Anodized aluminum only

See page 5 for finish options applicable.

**Application Notes**

**Manufacturer assumes no responsibility for the installation, attachment or the securing of wall hung units to the wall. A qualified local building contractor should be consulted to advise securing method and to determine if and what blocking requirements are necessary.**

Double high overhead storage to be mounted at 82-5/16" from floor to top of overhead unit. Dimension is to top of wood side gable of corresponding 84" h floor standing cabinet not including aluminum and wood top trim.


Hinged doors extend slightly beyond case construction to allow for easy finger pull access along the bottom. No pulls available.

Optional lock drilling to be specified. If drilled for locks selected, keying instructions must accompany order.

Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 3/8" h. Bottom piece attached to wall.

Overhead storage, wood cases  
*Wall-attached overheads for private office  
 open / hinged door / open, double high*



description	type	h	w	d	pattern no.	L	V1	V2	V3
Wall hung overhead Open/Hinged doors (wood) double high	binder height & depth	29"	60"	15 1/4"	<b>AWHOBTD60</b> ( ) ( )	\$2,078.	\$2,146.	\$2,471.	\$3,212.
		29"	66"	15 1/4"	<b>AWHOBTD66</b> ( ) ( )	2,137.	2,210.	2,540.	3,303.
		29"	72"	15 1/4"	<b>AWHOBTD72</b> ( ) ( )	2,195.	2,274.	2,611.	3,393.
		29"	78"	15 1/4"	<b>AWHOBTD78</b> ( ) ( )	2,305.	2,387.	2,740.	3,563.
		29"	84"	15 1/4"	<b>AWHOBTD84</b> ( ) ( )	2,373.	2,459.	2,823.	3,670.
		29"	90"	15 1/4"	<b>AWHOBTD90</b> ( ) ( )	2,445.	2,533.	2,907.	3,780.
		29"	96"	15 1/4"	<b>AWHOBTD96</b> ( ) ( )	2,518.	2,609.	2,995.	3,894.
	binder height & legal depth	29"	60"	18 1/4"	<b>AWHOGDT60</b> ( ) ( )	2,244.	2,318.	2,669.	3,469.
		29"	66"	18 1/4"	<b>AWHOGDT66</b> ( ) ( )	2,307.	2,387.	2,743.	3,567.
		29"	72"	18 1/4"	<b>AWHOGDT72</b> ( ) ( )	2,370.	2,456.	2,819.	3,665.
		29"	78"	18 1/4"	<b>AWHOGDT78</b> ( ) ( )	2,489.	2,579.	2,960.	3,848.
		29"	84"	18 1/4"	<b>AWHOGDT84</b> ( ) ( )	2,564.	2,656.	3,048.	3,963.
		29"	90"	18 1/4"	<b>AWHOGDT90</b> ( ) ( )	2,641.	2,735.	3,140.	4,082.
		29"	96"	18 1/4"	<b>AWHOGDT96</b> ( ) ( )	2,720.	2,817.	3,235.	4,205.



Order Code	Specification Information	Application Notes
Example: <b>AWHOBTD60LV316AA</b>	<i>To order please specify pattern number including:</i>	<b>Manufacturer assumes no responsibility for the installation, attachment or the securing of wall hung units to the wall. A qualified local building contractor should be consulted to advise securing method and to determine if and what blocking requirements are necessary.</b>
<b>A</b> AutoStrada	1. Depth <i>B = Binder depth</i> <i>G = Legal depth</i>	
<b>WH</b> Wall hung	2. Width	Overhead configuration for all widths of open/hinged door/open units is two hinged doors in the center and two open ends. Hinged doors extend slightly beyond case construction to allow for easy finger pull access along the bottom. No pulls available.
<b>O</b> Overhead	3. Lock <i>L = lock hole drilled</i> <i>N = not drilled for locks</i>	
<b>B</b> Binder depth	4. Finish	
<b>D</b> Double high	5. Finish, aluminum trim <i>AA - Anodized aluminum only</i>	
<b>T</b> Open/Hinged doors/Open	See page 5 for finish options applicable.	
<b>60</b> 60" wide		Double high overhead storage to be mounted at 82-5/16" from floor to top of overhead unit. Dimension is to top of wood side gable of corresponding 84" h floor standing cabinet not including aluminum and wood top trim.
<b>L</b> Lock holes drilled		Optional lock drilling to be specified. If drilled for locks selected, keying instructions must accompany order.
<b>V316</b> Finish, Maple		Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 7/8" h. Bottom piece attached to wall.
<b>AA</b> Finish, Aluminum trim		


# Overhead storage, wood cases

## Wall-attached overheads for private office with sliding door(s), double high

description	type	h	w	d	pattern no.	L	V1	V2	V3
Wall hung overhead Open/Sliding door(s) wood double high  96" w shown	binder height and depth	29"	60"	15 1/4"	<b>AWHOBDS60 ( ) ( )</b>	\$2,968.	\$3,128.	\$3,954.	\$5,139.
		29"	66"	15 1/4"	<b>AWHOBDS66 ( ) ( )</b>	3,052.	3,220.	4,065.	5,285.
		29"	72"	15 1/4"	<b>AWHOBDS72 ( ) ( )</b>	3,135.	3,313.	4,176.	5,429.
		29"	78"	15 1/4"	<b>AWHOBDS78 ( ) ( )</b>	3,292.	3,479.	4,385.	5,701.
		29"	84"	15 1/4"	<b>AWHOBDS84 ( ) ( )</b>	3,391.	3,583.	4,516.	5,872.
		29"	90"	15 1/4"	<b>AWHOBDS90 ( ) ( )</b>	3,492.	3,690.	4,652.	6,048.
		29"	96"	15 1/4"	<b>AWHOBDS96 ( ) ( )</b>	3,597.	3,801.	4,791.	6,230.
	binder height and legal depth	29"	60"	18 1/4"	<b>AWHOGDS60 ( ) ( )</b>	3,206.	3,377.	4,269.	5,550.
		29"	66"	18 1/4"	<b>AWHOGDS66 ( ) ( )</b>	3,296.	3,478.	4,390.	5,707.
		29"	72"	18 1/4"	<b>AWHOGDS72 ( ) ( )</b>	3,387.	3,578.	4,510.	5,864.
		29"	78"	18 1/4"	<b>AWHOGDS78 ( ) ( )</b>	3,556.	3,757.	4,736.	6,157.
		29"	84"	18 1/4"	<b>AWHOGDS84 ( ) ( )</b>	3,663.	3,869.	4,878.	6,342.
		29"	90"	18 1/4"	<b>AWHOGDS90 ( ) ( )</b>	3,772.	3,986.	5,025.	6,532.
		29"	96"	18 1/4"	<b>AWHOGDS96 ( ) ( )</b>	3,885.	4,106.	5,176.	6,728.
Wall hung overhead Open/Sliding door(s) glass double high  96" w shown	binder height and depth	29"	60"	15 1/4"	<b>AWHOBDR60 ( ) ( ) ( )</b>	3,543.	3,720.	4,635.	5,563.
		29"	66"	15 1/4"	<b>AWHOBDR66 ( ) ( ) ( )</b>	3,642.	3,831.	4,767.	5,720.
		29"	72"	15 1/4"	<b>AWHOBDR72 ( ) ( ) ( )</b>	3,742.	3,941.	4,897.	5,876.
		29"	78"	15 1/4"	<b>AWHOBDR78 ( ) ( ) ( )</b>	3,929.	4,138.	5,142.	6,171.
		29"	84"	15 1/4"	<b>AWHOBDR84 ( ) ( ) ( )</b>	4,047.	4,262.	5,297.	6,356.
		29"	90"	15 1/4"	<b>AWHOBDR90 ( ) ( ) ( )</b>	4,168.	4,390.	5,456.	6,546.
		29"	96"	15 1/4"	<b>AWHOBDR96 ( ) ( ) ( )</b>	4,293.	4,522.	5,619.	6,743.
	binder height and legal depth	29"	60"	18 1/4"	<b>AWHOGDR60 ( ) ( ) ( )</b>	3,825.	4,018.	5,007.	6,008.
		29"	66"	18 1/4"	<b>AWHOGDR66 ( ) ( ) ( )</b>	3,933.	4,137.	5,148.	6,177.
		29"	72"	18 1/4"	<b>AWHOGDR72 ( ) ( ) ( )</b>	4,040.	4,256.	5,289.	6,347.
		29"	78"	18 1/4"	<b>AWHOGDR78 ( ) ( ) ( )</b>	4,243.	4,469.	5,553.	6,664.
		29"	84"	18 1/4"	<b>AWHOGDR84 ( ) ( ) ( )</b>	4,370.	4,603.	5,720.	6,864.
		29"	90"	18 1/4"	<b>AWHOGDR90 ( ) ( ) ( )</b>	4,501.	4,741.	5,891.	7,071.
		29"	96"	18 1/4"	<b>AWHOGDR96 ( ) ( ) ( )</b>	4,636.	4,883.	6,069.	7,282.

Order Code	Specification Information	Application Notes
Example: <b>AWHOBDS60V316AA</b>	<i>To order please specify pattern number including:</i>	<b>Manufacturer assumes no responsibility for the intallation, attachment or the securing of wall hung units to the wall. A qualified local building contractor should be consulted to advise securing method and to determine if and what blocking requirements are necessary.</b>
<b>A</b> AutoStrada	1. Depth <i>B = Binder depth</i> <i>G = Legal depth</i>	
<b>WH</b> Wall hung	2. Sliding door material <i>S = wood, same as case</i> <i>R = glass</i>	Double high overhead storage to be mounted at 82-5/16" from floor to top of overhead unit. Dimension is to top of wood side gable of corresponding 84" h floor standing cabinet not including aluminum and wood top trim.  Sliding door pulls included, not visible on image.
<b>O</b> Overhead	3. Width	
<b>B</b> Binder depth	4. Finish <i>Laminate, V1, V2 or V3</i>	Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 5/8" h. Bottom piece attached to wall.
<b>D</b> Double high	5. Finish, Glass sliding door (as applicable) <i>TEMP - Clear, tempered</i> <i>GL6 - Block Matrix</i> <i>GL13 - Powder</i>	
<b>S</b> Open/Sliding door(s)/wood	6. Finish, Glass sliding door frame (as applicable) <i>AA - Anodized aluminum only</i>	Sliding doors are not available with locks.  See page 5 for finish options applicable.

Reuter flat front overhead cabinet  
*flat front*  
*Designed by Robert Reuter*

description	w	d	h	pattern no.	P3	L	V1	V2	V3
Enclosed cabinet (no mounting hardware) - One door, no pull, no lock 	30"	14 1/4"	14 3/4"	<b>RO3-A30NN</b> ( ) ( )	\$787.	\$842.	\$917.	\$957.	\$1,158.
	36"	14 1/4"	14 3/4"	<b>RO3-A36NN</b> ( ) ( )	887.	956.	1,063.	1,119.	1,427.
	42"	14 1/4"	14 3/4"	<b>RO3-A42NN</b> ( ) ( )	991.	1,087.	1,233.	1,315.	1,763.
	48"	14 1/4"	14 3/4"	<b>RO3-A48NN</b> ( ) ( )	1,162.	1,225.	1,334.	1,433.	2,045.
Enclosed cabinet (no mounting hardware) - Two doors, no pull, no lock	60"	14 1/4"	14 3/4"	<b>RO3-A60NN</b> ( ) ( )	1,509.	1,633.	1,704.	1,793.	2,222.
	72"	14 1/4"	14 3/4"	<b>RO3-A72NN</b> ( ) ( )	1,720.	1,844.	1,979.	2,099.	2,753.
Enclosed cabinet (no mounting hardware) - One door, no pull, with lock	30"	14 1/4"	14 3/4"	<b>RO3-A30NL</b> ( ) ( )	841.	896.	971.	1,011.	1,212.
	36"	14 1/4"	14 3/4"	<b>RO3-A36NL</b> ( ) ( )	941.	1,010.	1,117.	1,173.	1,481.
	42"	14 1/4"	14 3/4"	<b>RO3-A42NL</b> ( ) ( )	1,045.	1,141.	1,288.	1,369.	1,817.
	48"	14 1/4"	14 3/4"	<b>RO3-A48NL</b> ( ) ( )	1,216.	1,279.	1,388.	1,487.	2,099.
Enclosed cabinet (no mounting hardware) - Two doors, no pull, with lock	60"	14 1/4"	14 3/4"	<b>RO3-A60NL</b> ( ) ( )	1,617.	1,741.	1,812.	1,901.	2,331.
	72"	14 1/4"	14 3/4"	<b>RO3-A72NL</b> ( ) ( )	1,828.	1,952.	2,087.	2,207.	2,861.
Enclosed cabinet (no mounting hardware) - One door, with pull, no lock	30"	14 1/4"	14 3/4"	<b>RO3-A30PN</b> ( ) ( )	943.	998.	1,073.	1,113.	1,314.
	36"	14 1/4"	14 3/4"	<b>RO3-A36PN</b> ( ) ( )	1,045.	1,114.	1,221.	1,277.	1,585.
	42"	14 1/4"	14 3/4"	<b>RO3-A42PN</b> ( ) ( )	1,151.	1,247.	1,394.	1,475.	1,923.
	48"	14 1/4"	14 3/4"	<b>RO3-A48PN</b> ( ) ( )	1,326.	1,389.	1,499.	1,597.	2,209.
Enclosed cabinet (no mounting hardware) - Two doors, with pull, no lock	60"	14 1/4"	14 3/4"	<b>RO3-A60PN</b> ( ) ( )	1,820.	1,945.	2,016.	2,105.	2,534.
	72"	14 1/4"	14 3/4"	<b>RO3-A72PN</b> ( ) ( )	2,034.	2,159.	2,294.	2,413.	3,067.
Enclosed cabinet (no mounting hardware) - One door, with pull, with lock	30"	14 1/4"	14 3/4"	<b>RO3-A30PL</b> ( ) ( )	997.	1,052.	1,127.	1,167.	1,368.
	36"	14 1/4"	14 3/4"	<b>RO3-A36PL</b> ( ) ( )	1,099.	1,168.	1,275.	1,331.	1,639.
	42"	14 1/4"	14 3/4"	<b>RO3-A42PL</b> ( ) ( )	1,205.	1,301.	1,448.	1,529.	1,977.
	48"	14 1/4"	14 3/4"	<b>RO3-A48PL</b> ( ) ( )	1,380.	1,444.	1,553.	1,652.	2,263.
Enclosed cabinet (no mounting hardware) - Two doors, with pull, with lock	60"	14 1/4"	14 3/4"	<b>RO3-A60PL</b> ( ) ( )	1,928.	2,053.	2,124.	2,213.	2,643.
	60"	14 1/4"	14 3/4"	<b>RO3-A72PL</b> ( ) ( )	2,142.	2,267.	2,402.	2,521.	3,175.

Order Code	Specification Information	Application Notes
<b>Example: RO3-A30PL-117-L-117</b>	Specify mounting hardware separately.	Reuter storage is a universal product applicable Knoll systems.
<b>RO3</b> Reuter overhead	Optional anodized aluminum front pull trims the entire width of cabinet door.	Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two-door cabinets have center divider and four pneumatic cylinders. Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting up to five horizontal partitions at 2" increments on either or both sides.
<b>A</b> flat front	<i>Specify paint finishes for case.</i>	Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.
<b>30</b> width	<i>Finish types for front:</i>	Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.
<b>P</b> with pull	L laminate	
<b>L</b> with lock	P paint	
<b>117</b> case finish	V veneer or techwood	
<b>L</b> front finish type		
<b>117</b> front color		

description	type	width	depth	height	pattern number	black	paint
Reuter overhead downmount brackets	For 64"H spine				<b>AA1ARODN( )</b>		\$180.
Reuter overhead upmount brackets	For 48"H spine with standard crown				<b>AA1ROUP( )</b>		180.
Reuter overhead extended upmount brackets	For 39"H spine with standard crown				<b>AA1ROXUP( )</b>		358.
Upmount brackets	For AutoStrada panels				<b>RO1-RCB( )</b>		81.
	For Morrison panels				<b>RO1-CB( )</b>		81.
Panel mount brackets, pair	For AutoStrada panels				<b>RO1-RPB</b>	37.	
	For Morrison panels				<b>RO1-MPB</b>	37.	
Wall mount frames, overhead cabinet	30"W overheads	23"	1/2"	13"	<b>RO1-WMF2</b>	70.	
	36" or 42"W overheads	35"	1/2"	13"	<b>RO1-WMF3</b>	76.	
	48" or 60"W overheads	47"	1/2"	13"	<b>RO1-WMF4</b>	81.	
Wall mount wire manager, set of 10					<b>MWM-J</b>	126.	

**Order Code**

Example: <b>AA1RODN 613</b>
<b>AA1</b> Spine accessory
<b>RO</b> Reuter overhead
<b>DN</b> Configuration
<b>613</b> Finish

**Specification Information**

*Please specify painted finish for overhead upmount or downmount kit. Paint options are listed on page 5.*

**Application Notes**

Reuter upmount brackets attach overhead cabinet anywhere along standard spine crown, lifting 1" above nominal wall height. Extended upmount brackets lift overhead to 10" above nominal wall height.

Downmount brackets attach overheads within the upper 16" of 64"H walls with either compact or standard crown. The AutoStrada version of the downmount brackets extends to the bottom of the access cover, making contact with the bottom trim extrusion.


Specify an extra bracket (one-half pair) for center support of overhead cabinets wider than 60".

Upmount or downmount brackets may be inset to permit overhead to extend 1" or 3" beyond the end of the spine at T-ends.

Wall mount frames secure Reuter overhead cabinets to wall (frame/wall mounting hardware is not included). Frame is concealed behind storage. Use 2 RO1-WMF2 to wall mount 66" and 72" wide Reuter overheads.

Wall mount wire manager is two-part wire concealment kit, 22"H (medium grey only).

description	type	w	d	h	pattern no.	black
T-5 task lamp	For 30"-72" cabinet	22 1/2"	4 1/2"	1 1/2"	<b>RT1S24(L/R)</b>	\$360.
	For 42"-72" cabinet	34 1/2"	4 1/2"	1 1/2"	<b>RT1S36(L/R)</b>	379.
	For 60"-72" cabinet	46 1/2"	4 1/2"	1 1/2"	<b>RT1S48(L/R)</b>	394.



### Order Code

Example: <b>RT1-S36L</b>	
<b>RT1</b>	Reuter task light
<b>S</b>	T-5 lamp
<b>36</b>	Width
<b>L</b>	Cord exit left

### Specification Information

Specify left or right cord exit. All housings are black.

Specify suffix -NY for New York City installations.

Specify suffix -CH and add \$45. list for City of Chicago installations.


### Application Notes


Reuter T-5 task lamps mount into a recess in the underside of Reuter overhead cabinets and Reuter open shelves. T5 task lamps can also mount to wood overhead storage with T5 mounting kit. Cabinet width must be at least 6" wider than task light width.

Task lamps include T-5 lamp, electronic ballast, 9' grounded cordset, prismatic lens, rocker switch and integral mounting hardware.



# Reuter T5 mounting kit for binder depth wood overhead storage

description	type	h	w	d	pattern no.	list
	binder depth	1"	24"	13 1/8"	<b>RT1 SMK 2413 ( )</b>	\$117.
		1"	30"	13 1/8"	<b>RT1 SMK 3013 ( )</b>	119.
		1"	36"	13 1/8"	<b>RT1 SMK 3613 ( )</b>	121.
		1"	42"	13 1/8"	<b>RT1 SMK 4213 ( )</b>	123.
		1"	48"	13 1/8"	<b>RT1 SMK 4813 ( )</b>	125.
		1"	54"	13 1/8"	<b>RT1 SMK 5413 ( )</b>	127.
		1"	60"	13 1/8"	<b>RT1 SMK 6013 ( )</b>	129.
		1"	66"	13 1/8"	<b>RT1 SMK 6613 ( )</b>	135.
		1"	72"	13 1/8"	<b>RT1 SMK 7213 ( )</b>	137.
		1"	78"	13 1/8"	<b>RT1 SMK 7813 ( )</b>	139.
		1"	84"	13 1/8"	<b>RT1 SMK 8413 ( )</b>	141.
		1"	90"	13 1/8"	<b>RT1 SMK 9013 ( )</b>	143.
	1"	96"	13 1/8"	<b>RT1 SMK 9613 ( )</b>	145.	
	binder depth with tackboard	1"	24"	12 3/8"	<b>RT1 SMK 2412 ( )</b>	117.
		1"	30"	12 3/8"	<b>RT1 SMK 3012 ( )</b>	119.
		1"	36"	12 3/8"	<b>RT1 SMK 3612 ( )</b>	121.
		1"	42"	12 3/8"	<b>RT1 SMK 4212 ( )</b>	123.
		1"	48"	12 3/8"	<b>RT1 SMK 4812 ( )</b>	125.
		1"	54"	12 3/8"	<b>RT1 SMK 5412 ( )</b>	127.
		1"	60"	12 3/8"	<b>RT1 SMK 6012 ( )</b>	128.
		1"	66"	12 3/8"	<b>RT1 SMK 6612 ( )</b>	135.
		1"	72"	12 3/8"	<b>RT1 SMK 7212 ( )</b>	137.
1"		78"	12 3/8"	<b>RT1 SMK 7812 ( )</b>	139.	
Additional T5 mounting brackets					<b>RT1 SMK B</b>	18.



### Order Code

Example:	<b>RT1 SMK 2413 AA</b>
<b>RT1</b>	Reuter task lamp
<b>MSK</b>	Mounting kit
<b>24</b>	Width
<b>13</b>	Depth
<b>AA</b>	Finish

### Specification Information

AA- Anodized Aluminum only.  
 12" deep: binder depth wood overhead, wall mounted with tackboard below.  
 13" deep: binder depth wood overhead on Applied Wall System or wall mounted without tackboard.


### Application


Reuter T5 task lamp mounting kit enables task lamp to be mounted under veneer or laminate overhead storage cabinets ( with or without doors ). Mounting kit includes anodized aluminum fascia to conceal lamp and manage power cord along front and side of cabinet. Specify mounting kit in width corresponding to overhead cabinet. Mounting kit also includes back supports for one task lamp.

To mount a second task lamp within one longer mounting kit specify one additional pair of back supports. Back supports are L brackets into which the pins at the back of the Reuter are inserted. Sliding brackets on sides of the lamp slide over the inside lip of the fascia at any point to support the front of the lamp.

# Reuter T5 mounting kit for legal depth wood overhead storage


AutoStrada

description	type	h	w	d	pattern no.	list
	legal depth	1"	24"	16 <sup>1</sup> / <sub>8</sub> "	<b>RT1 SMK 2416 ( )</b>	\$119.
		1"	30"	16 <sup>1</sup> / <sub>8</sub> "	<b>RT1 SMK 3016 ( )</b>	120.
		1"	36"	16 <sup>1</sup> / <sub>8</sub> "	<b>RT1 SMK 3616 ( )</b>	123.
		1"	42"	16 <sup>1</sup> / <sub>8</sub> "	<b>RT1 SMK 4216 ( )</b>	124.
		1"	48"	16 <sup>1</sup> / <sub>8</sub> "	<b>RT1 SMK 4816 ( )</b>	126.
		1"	54"	16 <sup>1</sup> / <sub>8</sub> "	<b>RT1 SMK 5416 ( )</b>	128.
		1"	60"	16 <sup>1</sup> / <sub>8</sub> "	<b>RT1 SMK 6016 ( )</b>	130.
		1"	66"	16 <sup>1</sup> / <sub>8</sub> "	<b>RT1 SMK 6616 ( )</b>	137.
		1"	72"	16 <sup>1</sup> / <sub>8</sub> "	<b>RT1 SMK 7216 ( )</b>	138.
		1"	78"	16 <sup>1</sup> / <sub>8</sub> "	<b>RT1 SMK 7816 ( )</b>	140.
		1"	84"	16 <sup>1</sup> / <sub>8</sub> "	<b>RT1 SMK 8416 ( )</b>	142.
	1"	90"	16 <sup>1</sup> / <sub>8</sub> "	<b>RT1 SMK 9016 ( )</b>	144.	
	1"	96"	16 <sup>1</sup> / <sub>8</sub> "	<b>RT1 SMK 9616 ( )</b>	146.	
	legal depth with tackboard	1"	24"	15 <sup>3</sup> / <sub>8</sub> "	<b>RT1 SMK 2415 ( )</b>	118.
		1"	30"	15 <sup>3</sup> / <sub>8</sub> "	<b>RT1 SMK 3015 ( )</b>	120.
		1"	36"	15 <sup>3</sup> / <sub>8</sub> "	<b>RT1 SMK 3615 ( )</b>	122.
		1"	42"	15 <sup>3</sup> / <sub>8</sub> "	<b>RT1 SMK 4215 ( )</b>	124.
		1"	48"	15 <sup>3</sup> / <sub>8</sub> "	<b>RT1 SMK 4815 ( )</b>	126.
		1"	54"	15 <sup>3</sup> / <sub>8</sub> "	<b>RT1 SMK 5415 ( )</b>	128.
		1"	60"	15 <sup>3</sup> / <sub>8</sub> "	<b>RT1 SMK 6015 ( )</b>	130.
		1"	66"	15 <sup>3</sup> / <sub>8</sub> "	<b>RT1 SMK 6615 ( )</b>	136.
1"		72"	15 <sup>3</sup> / <sub>8</sub> "	<b>RT1 SMK 7215 ( )</b>	138.	
1"		78"	15 <sup>3</sup> / <sub>8</sub> "	<b>RT1 SMK 7815 ( )</b>	140.	
Additional T5 mounting brackets					<b>RT1 SMK B</b>	18.



Order Code	Specification Information	Application
Example: <b>RT1 SMK 2416 AA</b>	AA- Anodized Aluminum only.	Reuter T5 task lamp mounting kit enables task lamp to be mounted under veneer or laminate overhead storage cabinets ( with or without doors ). Mounting kit includes anodized aluminum fascia to conceal lamp and manage power cord along front and side of cabinet. Specify mounting kit in width corresponding to overhead cabinet. Mounting kit also includes back supports for one task lamp.
<b>RT1</b> Reuter task lamp	15" deep: legal depth wood overhead, wall mounted with tackboard below.	To mount a second task lamp within one longer mounting kit specify one additional pair of back supports. Back supports are L brackets into which the pins at the back of the Reuter are inserted. Sliding brackets on sides of the lamp slide over the inside lip of the fascia at any point to support the front of the lamp.
<b>MSK</b> Mounting kit	16" deep: legal depth wood overhead on Applied Wall System or wall mounted without tackboard.	
<b>24</b> Width		
<b>16</b> depth		
<b>AA</b> Finish		


# Flush, user edge tapered Rectilinear, 20" and 24" deep

description	d	w	pattern no.	L	M	V1	V2	V3	
Straight rectangular, (full depth) front edge tapered  	20"	18"	<b>AW1T1RF1820</b> (X)(X)(X)(X)	\$284.	\$353.	\$353.	\$403.	\$525.	
		20"	<b>AW1T1RF2020</b> (X)(X)(X)(X)	296.	361.	361.	414.	538.	
		24"	<b>AW1T1RF2420</b> (X)(X)(X)(X)	302.	371.	371.	424.	551.	
		30"	<b>AW1T1RF3020</b> (X)(X)(X)(X)	327.	408.	408.	467.	608.	
		36"	<b>AW1T1RF3620</b> (X)(X)(X)(X)	330.	429.	429.	494.	642.	
		42"	<b>AW1T1RF4220</b> (X)(X)(X)(X)	337.	448.	448.	516.	670.	
		48"	<b>AW1T1RF4820</b> (X)(X)(X)(X)	347.	466.	466.	534.	695.	
		54"	<b>AW1T1RF5420</b> (X)(X)(X)(X)	358.	485.	485.	562.	730.	
		60"	<b>AW1T1RF6020</b> (X)(X)(X)(X)	379.	525.	525.	603.	783.	
		66"	<b>AW1T1RF6620</b> (X)(X)(X)(X)	405.	540.	540.	623.	810.	
		72"	<b>AW1T1RF7220</b> (X)(X)(X)(X)	409.	569.	569.	653.	848.	
		78"	<b>AW1T1RF7820</b> (X)(X)(X)(X)	423.	575.	575.	662.	860.	
		84"	<b>AW1T1RF8420</b> (X)(X)(X)(X)	445.	612.	612.	704.	916.	
		90"	<b>AW1T1RF9020</b> (X)(X)(X)(X)	456.	638.	638.	733.	953.	
		96"	<b>AW1T1RF9620</b> (X)(X)(X)(X)	488.	662.	662.	761.	990.	
		24"	18"	<b>AW1T1RF1824</b> (X)(X)(X)(X)	303.	372.	372.	427.	555.
			20"	<b>AW1T1RF2024</b> (X)(X)(X)(X)	316.	380.	380.	438.	569.
			24"	<b>AW1T1RF2424</b> (X)(X)(X)(X)	324.	390.	390.	448.	583.
			30"	<b>AW1T1RF3024</b> (X)(X)(X)(X)	336.	441.	441.	507.	658.
		36"	<b>AW1T1RF3624</b> (X)(X)(X)(X)	348.	458.	458.	527.	686.	
		42"	<b>AW1T1RF4224</b> (X)(X)(X)(X)	360.	473.	473.	542.	705.	
		48"	<b>AW1T1RF4824</b> (X)(X)(X)(X)	398.	507.	507.	581.	755.	
		54"	<b>AW1T1RF5424</b> (X)(X)(X)(X)	402.	540.	540.	623.	810.	
		60"	<b>AW1T1RF6024</b> (X)(X)(X)(X)	423.	579.	579.	665.	864.	
		66"	<b>AW1T1RF6624</b> (X)(X)(X)(X)	457.	600.	600.	688.	895.	
		72"	<b>AW1T1RF7224</b> (X)(X)(X)(X)	469.	625.	625.	721.	938.	
		78"	<b>AW1T1RF7824</b> (X)(X)(X)(X)	485.	655.	655.	755.	982.	
		84"	<b>AW1T1RF8424</b> (X)(X)(X)(X)	504.	683.	683.	783.	1,019.	
		90"	<b>AW1T1RF9024</b> (X)(X)(X)(X)	539.	711.	711.	820.	1,066.	
		96"	<b>AW1T1RF9624</b> (X)(X)(X)(X)	551.	739.	739.	853.	1,109.	

Worksurfaces


Order Code	Specification Information	Application Notes
Example: <b>AW1T1RF1820MG118 V316613</b>	To order please specify pattern number including:	Hardware to attach to vertical support to be specified separately.
<b>A</b> AutoStrada	1. Width	1 1/4" tops require additional support when distance spans more the 48"; see page 172
<b>W</b> Worksurface	2. Depth	
<b>1</b> Generation 1	3. Surface type	Actual widths are 1/16" less than nominal dimension noted and depths are 1/8" less than nominal dimension noted.
<b>T1</b> Tapered one side, user	<i>L = Laminate</i>	
<b>R</b> Rectilinear	<i>M = Mixed, Laminate surface/V1, V2 or V3 edge</i>	When grommets specified up to 48" w tops have one grommet, over 48" w tops have two grommets.
<b>F</b> Full depth, flush	<i>V = V1, V2 or V3</i>	
<b>18</b> 18" wide	4. Grommet option	
<b>20</b> 20" deep	<i>N = No grommets</i>	
<b>M</b> Surface type, Mixed	<i>G = Grommet(s), flush</i>	
<b>G</b> Grommet	5. Finish, Surface	
<b>118</b> Finish surface, Bright white	<i>Laminate, V1, V2 or V3 finish</i>	
<b>V316</b> Finish edge, Maple	6. Finish, Edge	
<b>613</b> Finish, grommet	<i>Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish</i>	
	7. Finish, Grommet(s)	
	<i>specify painted or plated finish</i>	
	See page 5 for finish options applicable.	

# Flush, user edge tapered Rectilinear, 30" and 36" deep

description	d	w	pattern no.	L	M	V1	V2	V3		
Straight rectangular, (full depth) front edge tapered  	30"	18"	<b>AW1T1RF1830</b> (X)(X)(X)	\$310.	\$402.	\$402.	\$464.	\$603.		
		20"	<b>AW1T1RF2030</b> (X)(X)(X)	315.	413.	413.	476.	618.		
		24"	<b>AW1T1RF2430</b> (X)(X)(X)	323.	423.	423.	487.	633.		
		30"	<b>AW1T1RF3030</b> (X)(X)(X)	337.	478.	478.	548.	713.		
		36"	<b>AW1T1RF3630</b> (X)(X)(X)	350.	515.	515.	589.	767.		
		42"	<b>AW1T1RF4230</b> (X)(X)(X)	367.	533.	533.	614.	798.		
		48"	<b>AW1T1RF4830</b> (X)(X)(X)	408.	571.	571.	657.	855.		
		54"	<b>AW1T1RF5430</b> (X)(X)(X)	419.	618.	618.	709.	922.		
		60"	<b>AW1T1RF6030</b> (X)(X)(X)	444.	639.	639.	734.	954.		
		66"	<b>AW1T1RF6630</b> (X)(X)(X)	477.	654.	654.	753.	979.		
		72"	<b>AW1T1RF7230</b> (X)(X)(X)	493.	670.	670.	770.	1,001.		
		78"	<b>AW1T1RF7830</b> (X)(X)(X)	510.	701.	701.	809.	1,051.		
		84"	<b>AW1T1RF8430</b> (X)(X)(X)	530.	730.	730.	840.	1,093.		
		90"	<b>AW1T1RF9030</b> (X)(X)(X)	578.	762.	762.	880.	1,143.		
		96"	<b>AW1T1RF9630</b> (X)(X)(X)	580.	791.	791.	910.	1,182.		
		36"	36"	18"	<b>AW1T1RF1836</b> (X)(X)(X)	318.	437.	437.	504.	655.
				20"	<b>AW1T1RF2036</b> (X)(X)(X)	322.	447.	447.	517.	672.
				24"	<b>AW1T1RF2436</b> (X)(X)(X)	334.	458.	458.	529.	689.
30"	<b>AW1T1RF3036</b> (X)(X)(X)			349.	517.	517.	593.	771.		
36"	<b>AW1T1RF3636</b> (X)(X)(X)			370.	576.	576.	659.	857.		
42"	<b>AW1T1RF4236</b> (X)(X)(X)			400.	603.	603.	695.	904.		
48"	<b>AW1T1RF4836</b> (X)(X)(X)			440.	644.	644.	744.	968.		
54"	<b>AW1T1RF5436</b> (X)(X)(X)			454.	710.	710.	807.	1,050.		
60"	<b>AW1T1RF6036</b> (X)(X)(X)			460.	707.	707.	812.	1,054.		
66"	<b>AW1T1RF6636</b> (X)(X)(X)			508.	714.	714.	823.	1,070.		
72"	<b>AW1T1RF7236</b> (X)(X)(X)			525.	733.	733.	845.	1,098.		
78"	<b>AW1T1RF7836</b> (X)(X)(X)			551.	751.	751.	866.	1,126.		
84"	<b>AW1T1RF8436</b> (X)(X)(X)			570.	780.	780.	902.	1,173.		
90"	<b>AW1T1RF9036</b> (X)(X)(X)			616.	817.	817.	943.	1,226.		
96"	<b>AW1T1RF9636</b> (X)(X)(X)			633.	845.	845.	971.	1,262.		

Order Code	Specification Information	Application Notes
Example: <b>AW1T1RF1830MG118 V316613</b>	To order please specify pattern number including:	7. Finish, Grommet(s) <i>specify painted or plated finish</i>
<b>A</b> AutoStrada	1. Width	Hardware to attach to vertical support to be specified separately.
<b>W</b> Worksurface	2. Depth	
<b>1</b> Generation 1	3. Surface type	See page 5 for finish options applicable.
<b>T1</b> Tapered 1 side, user	<i>L = Laminate</i>	1 1/4" tops require additional support when distance spans more the 48"; see page 172
<b>R</b> Rectilinear	<i>M = Mixed, Laminate surface/V1, V2 or V3 edge</i>	
<b>F</b> Full depth, flush	<i>V = V1, V2 or V3</i>	Actual widths are 1/16" less than nominal dimension noted and depths are 1/8" less than nominal dimension noted.
<b>18</b> 18" wide	4. Grommet option	
<b>30</b> 30" deep	<i>N = No grommets</i>	When grommets specified up to 48" w tops have one grommet, over 48" w have two grommets.
<b>M</b> Surface type, Mixed	<i>G = Grommet(s), flush</i>	
<b>G</b> Grommet	<i>R = Grommet(s), recessed</i>	
<b>118</b> Finish surface, Bright white	5. Finish, Surface <i>Laminate, V1, V2 or V3 finish</i>	
<b>V316</b> Finish edge, Maple	6. Finish, Edge <i>Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish</i>	
<b>613</b> Finish, grommet		

# Flush, user edge tapered Wedge


description	d, left	w	d, right	pattern no.	L	M	V1	V2	V3
Wedge, (full depth) front edge tapered 	24"	48"	30"	<b>AW1T1WF4823</b> ( ) ( ) ( ) ( )	\$471.	\$571.	\$571.	\$657.	\$855.
	24"	60"	30"	<b>AW1T1WF6023</b> ( ) ( ) ( ) ( )	500.	639.	639.	734.	954.
	24"	72"	36"	<b>AW1T1WF7226</b> ( ) ( ) ( ) ( )	618.	718.	718.	822.	1,068.
	30"	48"	24"	<b>AW1T1WF4832</b> ( ) ( ) ( ) ( )	471.	571.	571.	657.	855.
	30"	60"	24"	<b>AW1T1WF6032</b> ( ) ( ) ( ) ( )	500.	639.	639.	734.	954.
	36"	72"	24"	<b>AW1T1WF7262</b> ( ) ( ) ( ) ( )	618.	718.	718.	822.	1,068.
Presentation wood sample (with tapered edge detail)	16"	16"	16"	<b>ASAMP1616</b> ( )	75.	92.	92.	108.	141.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>AW1T1WF4823MG118</b> <b>V316613</b> <b>A</b> AutoStrada <b>W</b> Worksurface <b>1</b> Generation 1 <b>T1</b> Tapered 1 side, user <b>W</b> Wedge <b>F</b> Full depth, flush <b>48</b> 48" wide <b>2</b> 24" deep, left <b>3</b> 30" deep, right <b>M</b> Surface type, Mixed <b>G</b> Grommet <b>118</b> Finish surface, Bright white <b>V316</b> Finish edge, Maple <b>613</b> Finish, grommet	To order please specify pattern number including: 1. Width 23 = 24" deep left, 30" deep right 32 = 30" deep left, 24" deep right 26 = 24" deep left, 36" deep right 62 = 36" deep left, 24" deep right 3. Surface type L = Laminate M = Mixed, Laminate surface/V1, V2 or V3 edge V = V1, V2 or V3 4. Grommet option N = No grommets G = Grommet(s), flush R = Grommet(s), recessed 5. Finish, Surface Laminate, V1, V2 or V3 finish	6. Finish, Edge Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish 7. Finish, Grommet(s) specify painted or plated finish See page 5 for finish options applicable. Hardware to attach to vertical support to be specified separately. 1 1/4" tops require additional support when distance spans more the 48"; see page 172 Actual widths are 1/16" less than nominal dimension noted and depths are 1/8" less than nominal dimension noted. When grommets specified up to 48"w tops have one grommet, over 48"w have two grommets.

# Cord drop, user edge tapered


## Rectilinear

description	d	w	pattern no.	L	M	V1	V2	V3
Straight rectangular, (cord drop) front edge tapered  	20"	18"	<b>AW1T1RC1820</b> ( ) ( )	\$293.	\$353.	\$353.	\$403.	\$525.
		20"	<b>AW1T1RC2020</b> ( ) ( )	296.	361.	361.	414.	538.
		24"	<b>AW1T1RC2420</b> ( ) ( )	302.	371.	371.	424.	551.
		30"	<b>AW1T1RC3020</b> ( ) ( )	338.	408.	408.	467.	608.
		36"	<b>AW1T1RC3620</b> ( ) ( )	341.	429.	429.	494.	642.
		42"	<b>AW1T1RC4220</b> ( ) ( )	346.	448.	448.	516.	670.
		48"	<b>AW1T1RC4820</b> ( ) ( )	357.	466.	466.	534.	695.
		54"	<b>AW1T1RC5420</b> ( ) ( )	367.	485.	485.	562.	730.
		60"	<b>AW1T1RC6020</b> ( ) ( )	387.	525.	525.	603.	783.
		66"	<b>AW1T1RC6620</b> ( ) ( )	413.	540.	540.	623.	810.
		72"	<b>AW1T1RC7220</b> ( ) ( )	417.	569.	569.	653.	848.
		78"	<b>AW1T1RC7820</b> ( ) ( )	432.	575.	575.	662.	860.
		84"	<b>AW1T1RC8420</b> ( ) ( )	453.	612.	612.	704.	916.
		90"	<b>AW1T1RC9020</b> ( ) ( )	464.	638.	638.	733.	953.
		96"	<b>AW1T1RC9620</b> ( ) ( )	496.	662.	662.	761.	990.
	24"	18"	<b>AW1T1RC1824</b> ( ) ( )	312.	372.	372.	427.	555.
		20"	<b>AW1T1RC2024</b> ( ) ( )	317.	380.	380.	438.	569.
		24"	<b>AW1T1RC2424</b> ( ) ( )	320.	390.	390.	448.	583.
		30"	<b>AW1T1RC3024</b> ( ) ( )	322.	441.	441.	507.	658.
		36"	<b>AW1T1RC3624</b> ( ) ( )	327.	458.	458.	527.	686.
		42"	<b>AW1T1RC4224</b> ( ) ( )	339.	473.	473.	542.	705.
		48"	<b>AW1T1RC4824</b> ( ) ( )	350.	507.	507.	581.	755.
		54"	<b>AW1T1RC5424</b> ( ) ( )	411.	540.	540.	623.	810.
		60"	<b>AW1T1RC6024</b> ( ) ( )	452.	579.	579.	665.	864.
		66"	<b>AW1T1RC6624</b> ( ) ( )	466.	600.	600.	688.	895.
		72"	<b>AW1T1RC7224</b> ( ) ( )	477.	625.	625.	721.	938.
		78"	<b>AW1T1RC7824</b> ( ) ( )	494.	655.	655.	755.	982.
		84"	<b>AW1T1RC8424</b> ( ) ( )	513.	683.	683.	783.	1,019.
		90"	<b>AW1T1RC9024</b> ( ) ( )	547.	711.	711.	820.	1,066.
		96"	<b>AW1T1RC9624</b> ( ) ( )	560.	739.	739.	853.	1,109.
	30"	18"	<b>AW1T1RC1830</b> ( ) ( )	319.	402.	402.	464.	603.
		20"	<b>AW1T1RC2030</b> ( ) ( )	324.	413.	413.	476.	618.
		24"	<b>AW1T1RC2430</b> ( ) ( )	333.	423.	423.	487.	633.

Order Code	Specification Information	Application Notes
Example: <b>AW1T1RC1820M118 V316</b>	<i>To order please specify pattern number including:</i>	<b>Worksurfaces with cord drop are not recommended for freestanding applications.</b> See page 5 for finish options applicable.
<b>A</b> AutoStrada	1. Width	
<b>W</b> Worksurface	2. Depth	
<b>1</b> Generation 1	3. Surface type	Mouse hole grommet is black.
<b>T1</b> Tapered 1 side, user	<i>L = Laminate</i>	
<b>R</b> Rectilinear	<i>M = Mixed, Laminate surface/V1, V2 or V3 edge</i>	Hardware to attach to vertical support to be specified separately.
<b>C</b> Cord drop	<i>V = V1, V2 or V3</i>	
<b>18</b> 18" wide	4. Finish, Surface	1 1/4" tops require additional support when distance spans more the 48"; see page 172
<b>20</b> 20" deep	5. Finish, Edge	
<b>M</b> Surface type, Mixed	<i>Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish</i>	Actual widths are 1/16" less than nominal dimension noted and depths are 7/8" less than nominal dimension noted.
<b>118</b> Finish surface, Bright white		
<b>V316</b> Finish edge, Maple		

# Cord drop, user edge tapered

## Rectilinear


description	d	w	pattern no.	L	M	V1	V2	V3
Straight rectangular, (cord drop) front edge tapered 	30"	30"	<b>AW1T1RC3030</b> ( ) ( )	\$346.	\$478.	\$478.	\$548.	\$713.
	36"	36"	<b>AW1T1RC3630</b> ( ) ( )	360.	515.	515.	589.	767.
	42"	42"	<b>AW1T1RC4230</b> ( ) ( )	376.	533.	533.	614.	798.
	48"	48"	<b>AW1T1RC4830</b> ( ) ( )	416.	571.	571.	657.	855.
	54"	54"	<b>AW1T1RC5430</b> ( ) ( )	428.	618.	618.	709.	922.
	60"	60"	<b>AW1T1RC6030</b> ( ) ( )	474.	639.	639.	734.	954.
	66"	66"	<b>AW1T1RC6630</b> ( ) ( )	487.	654.	654.	753.	979.
	72"	72"	<b>AW1T1RC7230</b> ( ) ( )	502.	670.	670.	770.	1,001.
	78"	78"	<b>AW1T1RC7830</b> ( ) ( )	518.	701.	701.	809.	1,051.
	84"	84"	<b>AW1T1RC8430</b> ( ) ( )	539.	730.	730.	840.	1,093.
	90"	90"	<b>AW1T1RC9030</b> ( ) ( )	588.	762.	762.	880.	1,143.
	96"	96"	<b>AW1T1RC9630</b> ( ) ( )	589.	791.	791.	910.	1,182.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>AW1T1RC1820M118 V316</b>	To order please specify pattern number including:	<b>Worksurfaces with cord drop are not recommended for freestanding applications.</b> See page 5 for finish options applicable.
<b>A</b> AutoStrada	1. Width	
<b>W</b> Worksurface	2. Depth	
<b>1</b> Generation 1	3. Surface type	Mouse hole grommet is black.
<b>T1</b> Tapered 1 side, user	<i>L = Laminate</i>	
<b>R</b> Rectilinear	<i>M = Mixed, Laminate surface/V1, V2 or V3 edge</i>	Hardware to attach to vertical support to be specified separately.
<b>C</b> Cord drop	<i>V = V1, V2 or V3</i>	
<b>18</b> 18" wide	4. Finish, Surface	1 1/4" tops require additional support when distance spans more the 48"; see page 172
<b>20</b> 20" deep	5. Finish, Edge	
<b>M</b> Surface type, Mixed	<i>Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish</i>	Actual widths are 1/16" less than nominal dimension noted and depths are 3/8" less than nominal dimension noted.
<b>118</b> Finish surface, Bright white		
<b>V316</b> Finish edge, Maple		


# Cord drop, user edge tapered

## Wedge

description	d, left	w	d, right	pattern no.	L	M	V1	V2	V3
Wedge, (cord drop) front edge tapered 	24"	48"	30"	<b>AW1T1WC4823</b> ( ) ( )	\$474.	\$571.	\$571.	\$657.	\$855.
	24"	60"	30"	<b>AW1T1WC6023</b> ( ) ( )	503.	639.	639.	734.	954.
	24"	72"	36"	<b>AW1T1WC7226</b> ( ) ( )	623.	718.	718.	822.	1,068.
	30"	48"	24"	<b>AW1T1WC4832</b> ( ) ( )	474.	571.	571.	657.	855.
	30"	60"	24"	<b>AW1T1WC6032</b> ( ) ( )	503.	639.	639.	734.	954.
	36"	72"	24"	<b>AW1T1WC7262</b> ( ) ( )	623.	718.	718.	822.	1,068.

Order Code	Specification Information	Application Notes
Example: <b>AW1T1WC4823M118</b> <b>V316</b>	<i>To order please specify pattern number including:</i>	<p><b>Worksurfaces with cord drop are not recommended for freestanding applications.</b></p> <p>Mouse hole grommet is black.</p> <p>Hardware to attach to vertical support to be specified separately.</p> <p>1 1/4" tops require additional support when distance spans more the 48"; see page 172</p> <p>Actual widths are 1/16" less than nominal dimension noted and depths are 1/8" less than nominal dimension noted.</p>
<b>A</b> AutoStrada	1. Width	
<b>W</b> Worksurface	2. Depth 23 = 24" deep left, 30" deep right 32 = 30" deep left, 24" deep right 26 = 24" deep left, 36" deep right 62 = 36" deep left, 24" deep right	
<b>1</b> Generation 1	3. Surface type L = Laminate M = Mixed, Laminate surface/V1, V2 or V3 edge V = V1, V2 or V3	
<b>T1</b> Tapered 1 side, user	4. Finish, Surface Laminate, V1, V2 or V3 finish	
<b>W</b> Wedge	5. Finish, Edge Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish	
<b>C</b> Cord drop	See page 5 for finish options applicable.	
<b>48</b> 48" wide		
<b>2</b> 24" deep, left		
<b>3</b> 30" deep, right		
<b>M</b> Surface type, Mixed		
<b>118</b> Finish surface, Bright white		
<b>V316</b> Finish edge, Maple		




description	d	w	pattern no.	L	M	V1	V2	V3
Straight rectangular, (full depth) front& back edge tapered 	30"	30"	<b>AW1T2R3030</b> (X)(X)(X)	\$386.	\$583.	\$583.	\$653.	\$818.
		36"	<b>AW1T2R3630</b> (X)(X)(X)	398.	620.	620.	694.	872.
		42"	<b>AW1T2R4230</b> (X)(X)(X)	414.	638.	638.	719.	903.
		48"	<b>AW1T2R4830</b> (X)(X)(X)	433.	676.	676.	762.	960.
		54"	<b>AW1T2R5430</b> (X)(X)(X)	491.	723.	723.	814.	1,027.
		60"	<b>AW1T2R6030</b> (X)(X)(X)	506.	744.	744.	839.	1,059.
		66"	<b>AW1T2R6630</b> (X)(X)(X)	522.	759.	759.	858.	1,084.
		72"	<b>AW1T2R7230</b> (X)(X)(X)	538.	775.	775.	875.	1,106.
		78"	<b>AW1T2R7830</b> (X)(X)(X)	557.	806.	806.	914.	1,156.
		84"	<b>AW1T2R8430</b> (X)(X)(X)	573.	835.	835.	945.	1,198.
		90"	<b>AW1T2R9030</b> (X)(X)(X)	615.	867.	867.	985.	1,248.
		96"	<b>AW1T2R9630</b> (X)(X)(X)	632.	896.	896.	1,015.	1,287.
	36"	30"	<b>AW1T2R3036</b> (X)(X)(X)	399.	622.	622.	698.	876.
		36"	<b>AW1T2R3636</b> (X)(X)(X)	416.	681.	681.	764.	962.
		42"	<b>AW1T2R4236</b> (X)(X)(X)	435.	708.	708.	800.	1,009.
		48"	<b>AW1T2R4836</b> (X)(X)(X)	456.	749.	749.	849.	1,073.
		54"	<b>AW1T2R5436</b> (X)(X)(X)	517.	815.	815.	912.	1,155.
		60"	<b>AW1T2R6036</b> (X)(X)(X)	535.	812.	812.	917.	1,159.
		66"	<b>AW1T2R6636</b> (X)(X)(X)	565.	819.	819.	928.	1,175.
		72"	<b>AW1T2R7236</b> (X)(X)(X)	571.	838.	838.	950.	1,203.
		78"	<b>AW1T2R7836</b> (X)(X)(X)	596.	856.	856.	971.	1,231.
		84"	<b>AW1T2R8436</b> (X)(X)(X)	612.	885.	885.	1,007.	1,278.
		90"	<b>AW1T2R9036</b> (X)(X)(X)	655.	922.	922.	1,048.	1,331.
		96"	<b>AW1T2R9636</b> (X)(X)(X)	676.	950.	950.	1,076.	1,367.
	42"	30"	<b>AW1T2R3042</b> (X)(X)(X)	415.	673.	673.	755.	982.
		36"	<b>AW1T2R3642</b> (X)(X)(X)	435.	765.	765.	854.	1,110.
		42"	<b>AW1T2R4242</b> (X)(X)(X)	453.	798.	798.	906.	1,178.
		48"	<b>AW1T2R4842</b> (X)(X)(X)	476.	844.	844.	962.	1,251.
		54"	<b>AW1T2R5442</b> (X)(X)(X)	541.	871.	871.	987.	1,283.
		60"	<b>AW1T2R6042</b> (X)(X)(X)	561.	897.	897.	1,012.	1,316.
		66"	<b>AW1T2R6642</b> (X)(X)(X)	581.	902.	902.	1,020.	1,326.
		72"	<b>AW1T2R7242</b> (X)(X)(X)	601.	906.	906.	1,028.	1,336.
		78"	<b>AW1T2R7842</b> (X)(X)(X)	639.	917.	917.	1,041.	1,352.


Worksurfaces

Order Code	Specification Information	Application Notes
Example: <b>AW1T2R3030MG118 V316613</b>	To order please specify pattern number including:	7. Finish, Grommet(s) specify painted or plated finish
<b>A</b> AutoStrada	1. Width	Hardware to attach to vertical support to be specified separately.
<b>W</b> Worksurface	2. Depth	1 1/4" tops require additional support when distance spans more the 48"; see page 172
<b>1</b> Generation 1	3. Surface type L = Laminated M = Mixed, Laminated surface/V1, V2 or V3 edge V = V1, V2 or V3	When grommets specified up to 48" w tops have one grommet, over 48" w have two grommets.
<b>T2</b> Tapered 2 sides, user & approach	4. Grommet option N = No grommets G = Grommet(s), flush R = Grommet(s), recessed	
<b>R</b> Rectilinear	5. Finish, Surface Laminated, V1, V2 or V3 finish	
<b>30</b> 30" wide	6. Finish, Edge Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish	
<b>30</b> 30" deep		
<b>M</b> Surface type, Mixed		
<b>G</b> Grommet		
<b>118</b> Finish surface, Bright white		
<b>V316</b> Finish edge, Maple		
<b>613</b> Finish, grommet		

description	d	w	pattern no.	L	M	V1	V2	V3
Straight rectangular, (full depth) front& back edge tapered	42"	84"	<b>AW1T2R8442</b> ( ) ( ) ( ) ( )	\$647.	\$947.	\$947.	\$1,080.	\$1,405.
		90"	<b>AW1T2R9042</b> ( ) ( ) ( ) ( )	693.	989.	989.	1,125.	1,463.
		96"	<b>AW1T2R9642</b> ( ) ( ) ( ) ( )	716.	1,016.	1,016.	1,149.	1,493.




Order Code	Specification Information	Application Notes
Example: <b>AW1T2R3030MG118</b> <b>V316613</b>	<i>To order please specify pattern number including:</i>	7. Finish, Grommet(s) <i>specify painted or plated finish</i>
<b>A</b> AutoStrada	1. Width	See page 5 for finish options applicable.
<b>W</b> Worksurface	2. Depth	
<b>1</b> Generation 1	3. Surface type <i>L = Laminate</i>	Hardware to attach to vertical support to be specified separately.  1 1/4" tops require additional support when distance spans more the 48"; see page 172  When grommets specified up to 48"w tops have one grommet, over 48"w have two grommets.
<b>T2</b> Tapered 2 sides, user & approach	<i>M = Mixed, Laminate surface/V1, V2 or V3 edge</i>	
<b>R</b> Rectilinear	<i>V = V1, V2 or V3</i>	
<b>30</b> 30" wide	4. Grommet option <i>N = No grommets</i>	
<b>30</b> 30" deep	<i>G = Grommet(s), flush</i>	
<b>M</b> Surface type, Mixed	<i>R = Grommet(s), recessed</i>	
<b>G</b> Grommet	5. Finish, Surface <i>Laminate, V1, V2 or V3 finish</i>	
<b>118</b> Finish surface, Bright white	6. Finish, Edge <i>Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish</i>	
<b>V316</b> Finish edge, Maple		
<b>613</b> Finish, grommet		




description	d, left	w	d, right	pattern no.	L	M	V1	V2	V3
Wedge, front and back edge tapered 	24"	48"	30"	<b>AW1T2W4823</b> ( ) ( ) ( ) ( )	\$508.	\$676.	\$676.	\$762.	\$960.
	24"	60"	30"	<b>AW1T2W6023</b> ( ) ( ) ( ) ( )	563.	744.	744.	839.	1,059.
	24"	72"	36"	<b>AW1T2W7226</b> ( ) ( ) ( ) ( )	655.	823.	823.	927.	1,173.
	30"	48"	24"	<b>AW1T2W4832</b> ( ) ( ) ( ) ( )	508.	676.	676.	762.	960.
	30"	60"	24"	<b>AW1T2W6032</b> ( ) ( ) ( ) ( )	563.	744.	744.	839.	1,059.
	36"	72"	24"	<b>AW1T2W7262</b> ( ) ( ) ( ) ( )	655.	823.	823.	927.	1,173.

Order Code	Specification Information	Application Notes
Example: <b>AW1T2W4823MG118</b> <b>V316613</b> <b>A</b> AutoStrada <b>W</b> Worksurface <b>1</b> Generation 1 <b>T2</b> Tapered 2 sides, user & approach <b>W</b> Wedge <b>48</b> 48" wide <b>2</b> 24" deep, left <b>3</b> 30" deep, right <b>M</b> Surface type, Mixed <b>G</b> Grommet <b>118</b> Finish surface, Bright white <b>V316</b> Finish edge, Maple <b>613</b> Finish, grommet	To order please specify pattern number including: 1. Width 23 = 24" deep left, 30" deep right 32 = 30" deep left, 24" deep right 26 = 24" deep left, 36" deep right 62 = 36" deep left, 24" deep right 3. Surface type L = Laminate M = Mixed, Laminate surface/V1, V2 or V3 edge V = V1, V2 or V3 4. Grommet option N = No grommets G = Grommet(s), flush R = Grommet(s), recessed 5. Finish, Surface Laminate, V1, V2 or V3 finish	6. Finish, Edge Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish 7. Finish, Grommet(s) specify painted or plated finish See page 5 for finish options applicable. Hardware to attach to vertical support to be specified separately. 1 1/4" tops require additional support when distance spans more than 48". <b>Important:</b> Please note placement of grommet(s) when specified assumes user edge is wedge side. If application requires user side to be straight edge and wedge edge as approach side, then specify no grommets. When grommets specified up to 48" w tops have one grommet, over 48" w have two grommets.





description	d, left	w	d, right	pattern no.	L	M	V1	V2	V3
Double wedge, front and back edge tapered	24"	48"	36"	<b>AW1T2DW4826</b> ( ) ( ) ( ) ( )	\$530.	\$749.	\$749.	\$849.	\$1,073.
	24"	60"	36"	<b>AW1T2DW6026</b> ( ) ( ) ( ) ( )	590.	812.	812.	917.	1,159.
	24"	72"	36"	<b>AW1T2DW7226</b> ( ) ( ) ( ) ( )	655.	856.	856.	971.	1,231.







Order Code	Specification Information	Application Notes
Example: <b>AW1T2DW4826MG118</b> <b>V316613</b>	<i>To order please specify pattern number including:</i>	5. Finish, Grommet <i>specify painted or plated finish</i>
<b>A</b> AutoStrada	1. Surface type <i>L = Laminate</i>	See page 5 for finish options applicable.
<b>W</b> Worksurface	<i>M = Mixed, Laminate surface/V1, V2 or V3 edge</i>	1 1/4" tops require additional support when distance spans more than 48"; see page 172.
<b>1</b> Generation 1	<i>V = V1, V2 or V3</i>	Grommet when specified, centered 36" w end.
<b>T2</b> Tapered 2 sides, user & approach	2. Grommet option <i>N = No grommet</i>	
<b>DW</b> Double Wedge	<i>G = Grommet</i>	
<b>48</b> 48" wide	3. Finish, Surface <i>Laminate, V1, V2 or V3 finish</i>	
<b>2</b> 24" deep	4. Finish, Edge <i>Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish</i>	
<b>6</b> 36" deep		
<b>M</b> Surface type, Mixed		
<b>G</b> Grommet		
<b>118</b> Finish surface, Bright white		
<b>V316</b> Finish edge, Maple		
<b>613</b> Finish, grommet		

description	h	w	d	dia.	pattern no.	L	M	V1	V2	V3
Square table, tapered 4 sides 	28 1/4"	42"	42"		<b>ATA1T44242</b> ( ) ( ) ( ) ( )	\$1,374.	\$1,523.	\$1,523.	\$1,552.	\$1,798.
	28 1/4"	48"	48"		<b>ATA1T44848</b> ( ) ( ) ( ) ( )	1,486.	1,560.	1,560.	1,602.	1,912.
Rectangular table, tapered 4 sides 	28 1/4"	48"	30"		<b>ATA1T44830</b> ( ) ( ) ( ) ( )	1,402.	1,510.	1,510.	1,532.	1,744.
	28 1/4"	60"	30"		<b>ATA1T46030</b> ( ) ( ) ( ) ( )	1,477.	1,593.	1,593.	1,625.	1,882.
	28 1/4"	72"	30"		<b>ATA1T47230</b> ( ) ( ) ( ) ( )	1,551.	1,624.	1,624.	1,664.	1,964.
	28 1/4"	72"	36"		<b>ATA1T47236</b> ( ) ( ) ( ) ( )	1,588.	1,652.	1,652.	1,702.	2,054.
Round table, tapered edge 	28 1/4"			36"	<b>ATA1R36</b> ( ) ( ) ( ) ( )	1,424.	1,634.	1,334.	1,376.	1,562.
	28 1/4"			42"	<b>ATA1R42</b> ( ) ( ) ( ) ( )	1,491.	1,665.	1,365.	1,418.	1,660.
	28 1/4"			48"	<b>ATA1R48</b> ( ) ( ) ( ) ( )	1,612.	1,702.	1,402.	1,466.	1,771.

Order Code	Specification Information	Application Notes
Example: <b>ATA1T44242V27C V316AA</b>	<i>To order please specify pattern number including:</i>	7. Finish, Edge <i>Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish</i>
<b>A</b> AutoStrada	1. Width	Tables can be specified to surface height of:
<b>TA</b> Table	2. Depth	28 3/8" : specify 27" leg.
<b>1</b> Generation 1	3. Surface type	29 5/8" : specify 28" leg.
<b>T4</b> Tapered edge 4 sides	<i>L = Laminat</i>	31 1/2" : specify 30" leg.
<b>42</b> 42" wide	<i>M = Mixed, Laminat surface/V1, V2 or V3 edge</i>	
<b>42</b> 42" deep	<i>V = V1, V2 or V3</i>	
<b>V</b> Surface type, veneer	4. Leg height (to underside of surface)	See page 5 for finish options applicable.
<b>27</b> 27" leg height	27 = 27"h	Grommets are not optional for tables.
<b>C</b> Caster	28 = 28 3/8"h (add \$30 for this option)	Stiffener included with rectangular tables 60"w and over.
<b>V316</b> Finish top, Maple	30 = 30 1/8"h (add \$66 for this option)	
<b>AA</b> Finish, leg	5. Leg type	
	<i>C = with Caster</i>	
	<i>G = with Glide</i>	
	6. Finish, Surface	
	<i>Laminat, Mixed, V1, V2 or V3 finish</i>	


description	type	width	depth	height	pattern no.	painting	list
Adjustable cantilever bracket (up to 24"D)		3"	20"	23-33"	<b>AB1 AC24 ( )</b>	\$166.	
 <p>Maximum of 24" deep worksurfaces may be cantilevered from Spine.</p>							
End support bracket	Adjustable		6"	23-33"	<b>AB2 AE ( )</b>		131.
							
	compact fixed height for 28"h worksurface		6"	27"	<b>AB2 FE27 ( )</b>		104.
							
	compact fixed height for 29 5/8"h worksurface		6"	28"	<b>AB2 FE28 ( )</b>		104.
							
Adjustable cantilever bridging bracket		3"	20"	23-33"	<b>AB1-ABC24( )</b>		215.
<p>Maximum of 24" deep worksurfaces may be cantilevered from Spine.</p>							
spacers (20 per pack) use with spine worksurface support brackets					<b>AA1 BS</b>		10.

Order Code	Specification Information	Application Notes
Example: <b>AB1 AC24118</b> <b>AB1</b> Bracket <b>AC</b> Type <b>24</b> Depth <b>118</b> Finish	<p>Please specify painted finish from paint options listed on page 5.</p> <p>Specify worksurface cantilever and end support brackets to attach worksurfaces to spine walls.</p> <p>Specify two cantilever brackets to support any 24"D worksurface, or one back edge of corner worksurface. Specify two end support brackets to support one end of straight, conference, or arc-shape surface.</p>	<p>Adjustable height cantilever and bridging cantilever brackets support underside of worksurface in 1" increments from 23" to 33"H (24" to 34" top height).</p> <p>Spacers (AA1 BS) to be used with adjustable cantilever or end support brackets to accommodate wood case AutoStrada pedestals and lower storage with optional cabinet feet. Resulting overall worksurface height achieved 29 5/8"h.</p>
		<p>Adjustable bridging cantilever supports adjacent 48"W straight or corner worksurfaces.</p> <p>End support brackets adjust 23"-33"H (24" to 34" top height). Fixed height brackets support worksurface at 28"H and 29 5/8"H.</p> <p><b>Can not exceed maximum of 24" deep worksurfaces cantilevered from Spine.</b></p>

description	type	w	d	h	pattern no.	paint	list
 End support brackets - E with wood screws	18"d straight worksurface		18"	1 1/4"	<b>MB3-E18W-( )</b>		\$34.
	24"d straight worksurface		24"	1 1/4"	<b>MB3-E24W-( )</b>		36.
	30"d straight worksurface		30"	1 1/4"	<b>MB3-E30W-( )</b>		40.
	36"d straight worksurface		36"	1 1/4"	<b>MB3-E36W-( )</b>		46.
 End support brackets - E with wood screws End support for 30"h linkable screen	18"d straight worksurface		18"	1 1/4"	<b>MB3-EC18W-( ) *</b>		34.
	24"d straight worksurface		24"	1 1/4"	<b>MB3-EC24W-( ) *</b>		36.
	30"d straight worksurface		30"	1 1/4"	<b>MB3-EC30W-( ) *</b>		40.
 Cantilever brackets - C with wood screws	18"d worksurface	1/2"	15"	8 1/2"	<b>MB2-C18W-(L/R)-( )</b>		44.
	24"d worksurface	1/2"	21"	11 1/2"	<b>MB2-C24W-(L/R)-( )</b>		52.
	30"d worksurface	1/2"	24"	13 1/2"	<b>MB2-C30W-(L/R)-( )</b>		61.
Cantilever tie-clips - AUX-C (10)					<b>MB1-AUX-C</b>		12.
 Worksurface/vertical panel spacer Y with wood screws		1/16"	15"	8 1/2"	<b>MB2-YW-(L/R)-( )</b>		37.


Order Code	Specification Information	Application Notes
Example: <b>MB3-E30W-613</b> <b>MB3</b> Bracket <b>E</b> Bracket type <b>30</b> Bracket depth <b>W</b> with wood screws <b>613</b> Finish, paint	Bracket type: E End Support C Cantilever Y Worksurface/vertical panel spacer  <i>Please specify painted finish from paint options listed on page 5.</i>	E-type end support brackets support 1 1/4" or 1 3/4" worksurface from connector tracks at both back and front.  C-type cantilever brackets support worksurfaces from connector track at the back. Specify left or right hand.  AUX-C cantilever tie-clips tie together two adjacent cantilever brackets for added stability.  Y-type spacer brackets secure the end of pedestal-supported worksurfaces to a connector track. Y brackets maintain the 3/8" wire drop and allow pedestal fronts to align with the end of the worksurface.  * MB3-EC18W-( ), MB3-EC24W-( ) and MB3-EC30W-( ) end support brackets should be specified when supporting worksurfaces from 30" high linkable screens.

description	d	pattern no.	P1	P2	P3
Cantilever bracket, panel hung	18"	<b>ASBC18 (L/R) ( )</b>	\$84.	\$88.	\$92.
	24"	<b>ASBC24 (L/R) ( )</b>	92.	98.	103.



18" for 20" and 24" deep tops  
 24" for 30" and 36" deep tops  
 specify paint finish

Side hung support bracket, pair		<b>RBCCP ( )</b>	36.	38.	39.
---------------------------------	--	------------------	-----	-----	-----




specify paint finish

top to top brackets (pair) for use when top to top condition is without tapered edges	6" x 1"	<b>RBF</b>	4.		
--	---------	------------	----	--	--



Top to top bracket for use with tapered edge worksurface conditions ('tapered to tapered' or 'tapered to straight')	4" x 7"	<b>AT2TB (pair)</b>	89.		
--	---------	---------------------	-----	--	--





Order Code	Specification Information	Application Notes
Example: <b>RBC18L111</b>	<i>To order please specify pattern number including:</i>	Cantilever brackets may be used to join two adjacent straight worksurfaces together, RBF top to top brackets also required.
<b>R</b> from Reff	1. Left or right hand where applicable	
<b>B</b> Bracket	2. Paint finish where applicable	
<b>C</b> Cantilever	<i>Specify painted finish from paint options listed on page 5.</i>	RBF top to top brackets are for end to end worksurface connection, no tapered edges.
<b>18</b> 18" deep		
<b>L</b> Left hand		AT2TB top to top bracket is for connection of worksurfaces at right angle, with one or both edges tapered.
<b>111</b> Finish, Jet black		



# Worksurface support

## *Straight legs and wide legs*

AutoStrada




description	type	height	pattern number	list
 Straight leg (pair)	Fixed height	27"	<b>AB1AS27</b>	\$260.
		28 <sup>3</sup> / <sub>8</sub> "	<b>AB1AS28</b>	276.
		30 <sup>1</sup> / <sub>8</sub> "	<b>AB1AS30</b>	286.
 Straight leg with casters (pair)	Fixed height	27"	<b>AB1ASC27</b>	312.
		28 <sup>3</sup> / <sub>8</sub> "	<b>AB1ASC28</b>	328.
		30 <sup>1</sup> / <sub>8</sub> "	<b>AB1ASC30</b>	338.
 Wide leg	Fixed height	27"	<b>AB1AW27</b>	260.
		28 <sup>3</sup> / <sub>8</sub> "	<b>AB1AW28</b>	276.

Support Components

Order Code	Specification Information	Application Notes
Example: <b>AB1AS28 AA</b> <b>AB1A</b> AutoStrada leg <b>S</b> Straight <b>28</b> Height <b>AA</b> Finish	AutoStrada straight legs and wide legs are finished in anodized aluminum.	AutoStrada straight legs or wide legs may be ordered to support one end of a worksurface when the other end is spine-supported or panel-supported.  Two pairs of straight legs may also be specified to create a freestanding table in combination with an AutoStrada worksurface.  AutoStrada straight legs are available in three heights with or without casters:
		27" from floor to underside of worksurface ( 28 <sup>3</sup> / <sub>8</sub> " desk height )  28 <sup>3</sup> / <sub>8</sub> " from floor to underside of worksurface (29 <sup>3</sup> / <sub>4</sub> " desk height )  30 <sup>1</sup> / <sub>8</sub> " from floor to underside of worksurface (31 <sup>1</sup> / <sub>2</sub> " desk height )  AutoStrada wide legs are only available on glides, 27" or 28 <sup>3</sup> / <sub>8</sub> " to underside of worksurface.

# Worksurface support T and L bases

AutoStrada

description	type	h	w	d	pattern no.	L	V1	V2	V3
	right hand	28 <sup>3</sup> / <sub>8</sub> "	24"		<b>ALBR24 ( )</b>	\$427.	\$437.	\$502.	\$653.
		28 <sup>3</sup> / <sub>8</sub> "	30"		<b>ALBR30 ( )</b>	493.	507.	586.	763.
		28 <sup>3</sup> / <sub>8</sub> "	36"		<b>ALBR36 ( )</b>	561.	581.	668.	868.
	left hand	28 <sup>3</sup> / <sub>8</sub> "	24"		<b>ALBL24 ( )</b>	427.	437.	502.	653.
		28 <sup>3</sup> / <sub>8</sub> "	30"		<b>ALBL30 ( )</b>	493.	507.	586.	763.
		28 <sup>3</sup> / <sub>8</sub> "	36"		<b>ALBL36 ( )</b>	561.	581.	668.	868.
	T Base for tapered 1 edge tops	28 <sup>3</sup> / <sub>8</sub> "	18"	12"	<b>ATBT120 ( )</b>	392.	407.	474.	616.
		28 <sup>3</sup> / <sub>8</sub> "	22"	12"	<b>ATBT124 ( )</b>	421.	437.	502.	653.
		28 <sup>3</sup> / <sub>8</sub> "	28"	12"	<b>ATBT130 ( )</b>	493.	507.	586.	763.
		28 <sup>3</sup> / <sub>8</sub> "	34"	12"	<b>ATBT136 ( )</b>	561.	581.	668.	868.
	T Base for tapered 2 edge tops	28 <sup>3</sup> / <sub>8</sub> "	20"	12"	<b>ATBT224 ( )</b>	421.	437.	502.	653.
		28 <sup>3</sup> / <sub>8</sub> "	26"	12"	<b>ATBT230 ( )</b>	493.	507.	586.	763.
		28 <sup>3</sup> / <sub>8</sub> "	32"	12"	<b>ATBT236 ( )</b>	561.	581.	668.	868.
		28 <sup>3</sup> / <sub>8</sub> "	38"	12"	<b>ATBT242 ( )</b>	693.	715.	825.	1,072.

## Order Code

Example:	<b>ATB24V316</b>
<b>A</b>	Autostrada
<b>TB</b>	T-base
<b>24</b>	24"w x 12"d
<b>V316</b>	Finish, Maple

## Specification Information

To order please specify pattern number including:

- Hand (applicable for L bases only)  
L = left hand  
R = right hand
- Width
- Finish  
Laminate, V1, V2 or V3 finish


See page 5 for finish options applicable.

## Application Notes

T and L bases are 28<sup>3</sup>/<sub>8</sub>"h to underside of worksurface. If used with wood case pedestals or lower storage as support, must specify cabinet feet (see page 176) for pedestals/lower storage to achieve required height.

# Worksurface support

## Modesty panels

description	h	w	pattern no.	L	V1	V2	V3
 Half height suspended modesty	13"	33 1/2"	<b>AHHSM36</b> ( )	\$307.	\$364.	\$395.	\$514.
	13"	39 1/2"	<b>AHHSM42</b> ( )	317.	371.	406.	528.
	13"	45 1/2"	<b>AHHSM48</b> ( )	325.	379.	416.	541.
	13"	51 1/2"	<b>AHHSM54</b> ( )	335.	386.	427.	555.
	13"	57 1/2"	<b>AHHSM60</b> ( )	343.	394.	438.	569.
	13"	63 1/2"	<b>AHHSM66</b> ( )	353.	401.	449.	583.
	13"	69 1/2"	<b>AHHSM72</b> ( )	362.	409.	460.	597.
	13"	75 1/2"	<b>AHHSM78</b> ( )	371.	416.	471.	612.
	13"	81 1/2"	<b>AHHSM84</b> ( )	380.	424.	482.	626.
	13"	87 1/2"	<b>AHHSM90</b> ( )	389.	431.	492.	640.
	13"	93 1/2"	<b>AHHSM96</b> ( )	398.	439.	503.	654.

### Order Code

Example:	<b>AHHSM30V316</b>
<b>A</b>	AutoStrada
<b>HH</b>	Half height
<b>S</b>	Suspended
<b>M</b>	Modesty
<b>30</b>	for 30" w work surface
<b>V316</b>	Finish, Maple

### Specification Information

To order please specify pattern number including:

1. Finish  
*Laminate, V1, V2 or V3 finish*


See page 5 for finish options applicable.

### Application Notes

To be used for free-standing private office applications.

Half height suspended modesty intended for optional use with work surfaces when creating configurations including a peninsula top supported at one end by a pair of legs (legs on page 169) or "freestanding" table desk by set of legs and would install just behind the legs by angle bracket that ships with modesty. Attachment hardware included.

If installing below worksurface with grommets, be sure to specify recessed grommet location.

description	type	width	depth	height	pattern number	list
Stiffener for worksurface, full depths 	36"	20"	1 1/2"	1"	<b>AWM1 S36</b>	\$45.
	42"	26"	1 1/2"	1"	<b>AWM1 S42</b>	47.
	48"	32"	1 1/2"	1"	<b>AWM1 S48</b>	49.
	60"	44"	1 1/2"	1"	<b>AWM1 S60</b>	51.
	66"	50"	1 1/2"	1"	<b>AWM1 S66</b>	53.
	72"	56"	1 1/2"	1"	<b>AWM1 S72</b>	55.
	78"	62"	1 1/2"	1"	<b>AWM1 S78</b>	58.
	84"	68"	1 1/2"	1"	<b>AWM1 S84</b>	60.

**Order Code**Example: **AWM1 S36****AWM1** Stiffener**S** Straight**36** Application**Specification Information**



Stiffeners are black painted finish.

**Application Notes**



AutoStrada worksurfaces require stiffeners when the span between structural supports exceeds 48". Stiffener also serves as horizontal cable manager.

Stiffener corresponds in width to straight or corner worksurface back edge. Specify 12" less wide stiffener to mount adjacent to floor standing pedestal.


For 90" application span, use AWM1-S84 stiffener.

description	h	w	pattern no.	list
Tackboard for Median 	21"	26 1/2"	<b>ATBM26</b> ( )	\$137.
	21"	32 1/2"	<b>ATBM32</b> ( )	168.
	21"	42"	<b>ATBM42</b> ( )	221.
	21"	48"	<b>ATBM48</b> ( )	252.
	21"	54"	<b>ATBM54</b> ( )	284.
	21"	60"	<b>ATBM60</b> ( )	315.
	21"	66"	<b>ATBM66</b> ( )	347.
	21"	72"	<b>ATBM72</b> ( )	378.
	21"	78"	<b>ATBM78</b> ( )	410.
	21"	84"	<b>ATBM84</b> ( )	441.
Tackboard for Bridge 	21"	42"	<b>ATBB42</b> ( )	221.
	21"	48"	<b>ATBB48</b> ( )	252.
	21"	54"	<b>ATBB54</b> ( )	284.
	21"	60"	<b>ATBB60</b> ( )	315.
	21"	66"	<b>ATBB66</b> ( )	347.
	21"	72"	<b>ATBB72</b> ( )	378.
	21"	78"	<b>ATBB78</b> ( )	410.

Order Code	Specification Information	Application Notes
Example: <b>ATBM26W359-</b> <b>A</b> AutoStrada <b>TB</b> Tackboard <b>M</b> for median <b>26</b> for 26.5" d gable <b>W359-</b> Fabric selection	To order please specify pattern number including: 1. For median or bridge <i>M = for medians</i> <i>B = for bridges</i> 2. Width <i>26 = for 26.5 d median gable</i> <i>32 = for 32.5 d median gable</i> <i>All others specify to match width of corresponding median or bridge</i> 3. Fabric selection	Velcro included to attach tackboard to median or bridge as required.  Fabric orientation is applied "railroaded".  Fabric choices listed on page 5

description	h	w	pattern no.	AA
Slatwall for Median 	19"	26 1/2"	<b>ASWM26</b> ( )	\$186.
	19"	32 1/2"	<b>ASWM32</b> ( )	232.
	19"	42"	<b>ASWM42</b> ( )	278.
	19"	48"	<b>ASWM48</b> ( )	312.
	19"	54"	<b>ASWM54</b> ( )	346.
	19"	60"	<b>ASWM60</b> ( )	380.
	19"	66"	<b>ASWM66</b> ( )	413.
	19"	72"	<b>ASWM72</b> ( )	447.
	19"	78"	<b>ASWM78</b> ( )	480.
	19"	84"	<b>ASWM84</b> ( )	505.
	19"	90"	<b>ASWM90</b> ( )	529.
19"	96"	<b>ASWM96</b> ( )	553.	
Slatwall for Bridge 	19"	42"	<b>ASWB42</b> ( )	278.
	19"	48"	<b>ASWB48</b> ( )	312.
	19"	54"	<b>ASWB54</b> ( )	346.
	19"	60"	<b>ASWB60</b> ( )	380.
	19"	66"	<b>ASWB66</b> ( )	413.
	19"	72"	<b>ASWB72</b> ( )	447.
	19"	78"	<b>ASWB78</b> ( )	480.





Order Code	Specification Information	Application Notes
Example: <b>ASWM26AA</b>	<i>To order please specify pattern number including:</i>	Slatwall attaches to median or bridge assembly with brackets (supplied with slatwall) which are then screwed onto modesty of median or bridge assembly. Modesties are not predrilled for attachment, field drill required during installation.
<b>A</b> AutoStrada	1. For median or bridge <i>M = for medians</i> <i>B = for bridges</i>	
<b>SW</b> Slatwall	2. Width <i>26 = for 26.5 d median gable</i> <i>32 = for 32.5 d median gable</i> <i>All others specify to match width of corresponding median or bridge</i>	
<b>M</b> for median	3. Finish <i>AA - anodized aluminum</i>	
<b>26</b> for 26.5" d gable		
<b>AA</b> Finish, anodized aluminum		

description	height	width	pattern no.	list
Wall hung tackboard 	24"	30"	<b>AWHTB30 ( )</b>	\$189.
	24"	36"	<b>AWHTB36 ( )</b>	227.
	24"	42"	<b>AWHTB42 ( )</b>	265.
	24"	48"	<b>AWHTB48 ( )</b>	302.
	24"	54"	<b>AWHTB54 ( )</b>	340.
	24"	60"	<b>AWHTB60 ( )</b>	378.
	24"	66"	<b>AWHTB66 ( )</b>	416.
	24"	72"	<b>AWHTB72 ( )</b>	454.
	24"	78"	<b>AWHTB78 ( )</b>	491.
	24"	84"	<b>AWHTB84 ( )</b>	529.
	24"	90"	<b>AWHTB90 ( )</b>	567.
	24"	96"	<b>AWHTB96 ( )</b>	605.

Accessories

Order Code	Specification Information	Application Notes
Example: <b>AWHTB30W359-</b> <b>A</b> AutoStrada <b>WH</b> Wall hung <b>TB</b> Tackboard <b>30</b> 30" wide <b>W359-</b> Fabric selection	To order please specify pattern number including: 1. Width 2. Fabric selection	Fabric orientation is applied railroaded.  Velcro supplied for attaching to wall.  Fabric choices listed on page 5.

$\frac{3}{4}$ " wide x  $\frac{3}{8}$ " deep vertical channel 3" from right hand edge of tackboard routed for task light cord.

description	height	dia.	pattern no.	list
Worksurface stand-off (pair) 	1"	1 3/4"	<b>AWSO ( )</b>	\$26.
Cabinet feet (pair) 	1 7/8"	1 3/4"	<b>ACF ( )</b>	125.
Worksurface stand-off (pair), for "ganging" 	1"	1 3/4"	<b>AWSOG ( )</b>	26.
Cabinet feet (pair) for "ganging" 	1 7/8"	1 3/4"	<b>ACFG ( )</b>	125.

**Order Code**

Example:	<b>AWSOAA</b>
<b>A</b>	AutoStrada
<b>WSO</b>	Work surface stand-off
<b>AA</b>	Finish, anodized aluminum

**Specification Information**

To order please specify pattern number including:  
 1. Finish  
 AA - anodized aluminum  
 111 - painted black

**Application Notes**

Worksurface **stand-offs** are for use primarily in the private office between work surfaces and wood case pedestals or lower storage. Worksurface stand-offs may also be installed in place of anti-tip wood spacer between worksurfaces and wood case pedestals or lower storage in storage anchored planning. Anti-tip wood spacer and stand-offs are both 1" h.

**Cabinet feet** are for use with lower storage units in private office planning to achieve overall worksurface height of 29 3/8".

Note: Free-standing cabinets on page 121 include cabinet feet.

If you are planning to create an open knee space credenza with one storage unit on either end of the credenza, you would require 2 pairs of work surface stand-offs and 2 pairs of cabinet feet for **each** lower storage unit.

When "ganging" units together to create "build-to-spec" credenzas, one pair of work surface stand-offs and one pair of cabinet feet are required to span side-by-side units. For instance, if creating a credenza with 3 lower storage units, specify 4 pairs of stand-offs and 4 pairs of cabinet feet.

Cabinet feet should not be used in spine-based or storage anchored planning models. Use only with wood case pedestals and laterals to achieve overall worksurface height of 29 3/8" (or 28 3/8" to underside of worksurface). Spine based and Storage Anchored planning model components are engineered at 27" from floor to underside of worksurface.

To install cabinet feet, first remove leveller from pedestal or lower storage.



This Order Guide provides basic planning, specifications and pricing information for Crinion Open Tables.

Refer to KnollExtra price list for compatible accessories such as flat screen monitor supports, task lights, paper management accessories, keyboard and storage drawers.

Refer to Calibre, Reff or Currents price lists for shared and individual storage options. Additional information can be found at [www.knoll.com](http://www.knoll.com).

Crinion Open Table is the straightforward alternative for open, collaborative work environments. The table accommodates a group of four to eight or more at a continuous work surface.

Crinion Open Table typically consists of deep worksurfaces end-to-end and back-to-back, cantilever supported by parallel beams between end legs. The beams form a technology corridor for flat screen monitor supports, outlets and power/data distribution. Also available is a single-sided configuration, with a single main beam and a smaller back beam.

Above the center of the table are optional privacy screens in tackable fabric, translucent or slatwall surfaces.

Crinion Open Table is appropriate for libraries and education environments, laboratories, finance and trading desks, teaming areas and design offices.

Crinion Open Table is unique in offering individual height-adjustability and extraordinarily deep worksurfaces. Overall dual table depth is 48", 60" or 72".


The table structure is strong enough to span 16 feet between end legs or intermediate supports to build tables of any length.

The continuous worksurfaces and clear kneespace enable varying numbers of workers to sit on each side. Storage is typically separated from the table in parallel, shared file-and-storage islands.

Crinion is distinguished by a minimalist, modern design, and details like square or tapered edge worksurfaces, plastic laminate, Techwood or natural veneers, and aluminum fittings.

Crinion Open Table simplifies the planning and specifications of an open office, and it can make a dramatic visual and functional statement of collaboration.

The quality and classic design of Crinion work well in virtually any interior.



Crinion Open Tables are comprised of worksurfaces, table base assemblies, power components and screens.

### Worksurfaces

Individual worksurfaces are available in four standard widths (48", 60", 72", 96") and three depths (nominal 24", 30", 36"), which may be combined to form single-sided or dual-sided groups of two to ten or more positions.

### Worksurface edge options

Worksurfaces are 1 1/4" thick, with three front edge options: Tapered edge, laminate, veneer or mixed.

Square edge, veneer

Postformed edge, laminate only

### Power and accessory options

Worksurfaces may be specified with hinged power access door and continuous 1/2" cord drop, or edge grommet and continuous cord drop, or just cord drop.

Hinged power access door is 24"W and 5"D, centered on worksurface width. Door hinges toward user for continuity between access opening and cord drop.

Any worksurface (except end counters) accepts clamp on KnollExtra accessories such as flat screen monitor arm or task light.

### Other worksurface types

End counters have front edge detail on side edges as well and are designed to extend dual tables 24" or 30" beyond the endleg. End counters also include 3" wide center grommet. Extended end counters are 36"D surfaces with center grommet or hinged power access door. Base of the table must be extended 12" under the back of each extended end counter (although top channels should be specified only as wide as the worksurfaces on each side of the table).

All end counters must be supported by end counter cantilevers and endlegs for end counters.

### Worksurface heights

Fixed height cantilevers support worksurfaces at 28 1/2"H, with 27" clear below the top (except directly below cantilevers).

Adjustable height cantilevers enable worksurfaces to be independently set at 27", 27 3/4", 28 1/2", 29 1/4", or 30"H.

### Open Table base assemblies

Complete base assemblies simplify specifications for most common configurations of dual or single-sided open tables. Base assemblies include top channels and end caps, beams, end legs and intermediate legs (where required), trusses and top channel supports, cantilever brackets (specify fixed or adjustable height) and midspan supports. Specify worksurfaces, screens, power components, cable trays and accessories separately.

Complete base assemblies are available for the following typical tables, combinations of 60" or 72" worksurfaces.

*Single-sided or dual, 24"D, 30"D, or 36"D, with continuous beam span between end legs*

10' W two/four positions 60"W

12' W two/four positions 72"W

15' W three/six positions 60"W

*Single sided or dual 24"D, 30"D, or 36"D, with intermediate leg*

18' W three/six positions 72"W

20' W four/eight positions 60"W

24' W four/eight positions 72"W

25' W five/ten positions 60"W

### Open Table base components

Base assemblies may also be specified by individual components to create configurations other than those listed above, or to create tables with end counters or frameless glass add ups.

In addition to worksurfaces Open tables require top channel, starter beams for spans up to 15', extension beams for additional spans of 4' to 15', intermediate legs every 16' or less, two end legs, trusses at every worksurface junction and at each end leg. Adjustable tables require two cantilevers per worksurface (or three for 96"W). Fixed height tables may be supported by a fixed height cantilever at each end, shared cantilevers at each worksurface joint, and a midspan support bracket at the center of each worksurface greater than 48" wide. For 96"W worksurfaces the midspan support should be a 24"D cantilever.

Power components, cable trays and screens are optional.

### Power distribution

Optional modular raceway distributes 2+2 four circuit or 3+3 six circuit configuration from a single point of supply. Bundles of cables can be managed from the floor in a cable infeed shroud located at any intermediate leg. Raceway provides power outlets and data/communications outlet openings on one or both sides, accessed through hinged access doors in worksurfaces or from under table. Specify 30" raceway for two duplex outlets each side or 42" raceway for four duplex outlets each side. Duplex outlets, power infeed and jumpers between raceways must be specified separately.

### Privacy screens

There are four screen options for Crinion Open Table.

The standard screens are 14"H (42" horizon) or 21"H (49" horizon) in acrylic, slatwall or combination surfaces. Center screens include mounting hardware to attach to the standard top channel. Center screens are available full width, 48", 60" or 72", or shorter by 1" to leave space at either end of the table for a dual end screen. Side screens attach to the front and back of a worksurface at any point other than at a hinged access door. Mounting brackets are specified separately to correspond to each worksurface edge detail. Dual end screens span across the end of a table (or above an end counter) from worksurface front edges.

Frameless glass add ups are available in 12" height only, 48", 60", and 72"W. Add ups can only mount to a top channel for frameless glass add ups, which may be at the center of a dual table or back of a single-sided table.




Original Crinion privacy screens are 12"H or 19"H (41" or 48" horizons) and mount to a standard top channel only.

Morrison Network fabric screens (15"H or 22"H) can also be mounted to the standard top channel with Crinion Open Table mast kit.




### Accessories and storage

All Crinion worksurfaces accept clamp base KnollExtra flat screen monitor arms and task lights at any point except behind the hinged power access door. Worksurfaces also accept suspended accessories like adjustable keyboard supports, BackPack center file or keyboard drawers, or CPU holders. Beam location under most tables prevents pedestals deeper than 20" underneath. However 36"D tops can be planned on 30"D table bases to create additional kneespace depth and room for 24"D pedestals.

Crinion Open Table file tops are available for 27"H Calibre files positioned perpendicular to the table to act as returns. Tapered front and back edges assure consistent detail with tapered worksurface edges. File tops are also available for pairs of files and back to back files.

description	nominal depth	w	d	h	pattern number	L	M	V1	V2	V3	
Worksurface, tapered edge 	24"	48"	22"	1 1/4"	XTTK4824A (L/M/1/2/3) ( )	\$673.	\$782.	\$782.	\$856.	\$1,030.	
	24"	60"	22"	1 1/4"	XTTK6024A (L/M/1/2/3) ( )	698.	854.	854.	940.	1,139.	
	24"	72"	22"	1 1/4"	XTTK7224A (L/M/1/2/3) ( )	744.	900.	900.	996.	1,213.	
	24"	96"	22"	1 1/4"	XTTK9624A (L/M/1/2/3) ( )	826.	1,014.	1,014.	1,128.	1,384.	
	30"	48"	28"	1 1/4"	XTTK4830A (L/M/1/2/3) ( )	683.	846.	846.	932.	1,130.	
	30"	60"	28"	1 1/4"	XTTK6030A (L/M/1/2/3) ( )	719.	914.	914.	1,009.	1,229.	
	30"	72"	28"	1 1/4"	XTTK7230A (L/M/1/2/3) ( )	768.	945.	945.	1,045.	1,276.	
	30"	96"	28"	1 1/4"	XTTK9630A (L/M/1/2/3) ( )	855.	1,066.	1,066.	1,185.	1,457.	
	36"	48"	34"	1 1/4"	XTTK4836A (L/M/1/2/3) ( )	715.	919.	919.	1,019.	1,243.	
	36"	60"	34"	1 1/4"	XTTK6036A (L/M/1/2/3) ( )	735.	982.	982.	1,087.	1,329.	
	36"	72"	34"	1 1/4"	XTTK7236A (L/M/1/2/3) ( )	800.	993.	993.	1,097.	1,343.	
	36"	96"	34"	1 1/4"	XTTK9636A (L/M/1/2/3) ( )	908.	1,120.	1,120.	1,246.	1,537.	
	Worksurface, veneer square edge 	24"	48"	22"	1 1/4"	XTTS4824A (1/2/3) ( )	n/a	n/a	643.	706.	790.
		24"	60"	22"	1 1/4"	XTTS6024A (1/2/3) ( )	n/a	n/a	674.	737.	832.
24"		72"	22"	1 1/4"	XTTS7224A (1/2/3) ( )	n/a	n/a	706.	769.	874.	
24"		96"	22"	1 1/4"	XTTS9624A (1/2/3) ( )	n/a	n/a	758.	821.	947.	
30"		48"	28"	1 1/4"	XTTS4830A (1/2/3) ( )	n/a	n/a	737.	800.	905.	
30"		60"	28"	1 1/4"	XTTS6030A (1/2/3) ( )	n/a	n/a	758.	826.	948.	
30"		72"	28"	1 1/4"	XTTS7230A (1/2/3) ( )	n/a	n/a	779.	853.	1,029.	
30"		96"	28"	1 1/4"	XTTS9630A (1/2/3) ( )	n/a	n/a	821.	905.	1,168.	
36"		48"	34"	1 1/4"	XTTS4836A (1/2/3) ( )	n/a	n/a	800.	879.	1,010.	
36"		60"	34"	1 1/4"	XTTS6036A (1/2/3) ( )	n/a	n/a	832.	910.	1,034.	
36"		72"	34"	1 1/4"	XTTS7236A (1/2/3) ( )	n/a	n/a	863.	958.	1,131.	
36"		96"	34"	1 1/4"	XTTS9636A (1/2/3) ( )	n/a	n/a	926.	1,052.	1,304.	
Worksurface, postformed plastic 		24"	48"	22"	1 1/4"	XTPP4824A (L) ( )	499.	n/a	n/a	n/a	n/a
		24"	60"	22"	1 1/4"	XTPP6024A (L) ( )	566.	n/a	n/a	n/a	n/a
	24"	72"	22"	1 1/4"	XTPP7224A (L) ( )	618.	n/a	n/a	n/a	n/a	
	24"	96"	22"	1 1/4"	XTPP9624A (L) ( )	675.	n/a	n/a	n/a	n/a	
	30"	48"	28"	1 1/4"	XTPP4830A (L) ( )	519.	n/a	n/a	n/a	n/a	
	30"	60"	28"	1 1/4"	XTPP6030A (L) ( )	592.	n/a	n/a	n/a	n/a	
	30"	72"	28"	1 1/4"	XTPP7230A (L) ( )	649.	n/a	n/a	n/a	n/a	
	30"	96"	28"	1 1/4"	XTPP9630A (L) ( )	717.	n/a	n/a	n/a	n/a	
	36"	48"	34"	1 1/4"	XTPP4836A (L) ( )	545.	n/a	n/a	n/a	n/a	
	36"	60"	34"	1 1/4"	XTPP6036A (L) ( )	649.	n/a	n/a	n/a	n/a	
	36"	72"	34"	1 1/4"	XTPP7236A (L) ( )	701.	n/a	n/a	n/a	n/a	
	36"	96"	34"	1 1/4"	XTPP9636A (L) ( )	774.	n/a	n/a	n/a	n/a	

Order Code	Specifications	Application Notes
Example: <b>XTPP6030AL 118</b>		
<b>XT</b> Crinion Open Table	Worksurfaces are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge.	Crinion 30"D worksurfaces correspond in width to table bases, which are specified separately.
<b>T</b> Worksurface		48"W worksurfaces plan on 12' wide or 20' wide bases. 60"W worksurfaces plan on 5', 10', 15' and 20' wide bases. 72" W worksurfaces plan on 6', 12' and 18' wide bases.
<b>P</b> Postformed plastic	Specify finishes: L - Laminate M - Laminate/veneer edge	Power access door is 24" wide, 5" deep, centered at back edge of worksurface.
<b>60</b> Width	1 - Veneer group 1 2 - Veneer group 2 3 - Veneer group 3	Continous 1/2" wire drop accommodates clamp-on flat screen monitor arm or most power cords plugs.
<b>30</b> Depth		Actual worksurface depth is 22.35", 28.35" or 34.35".
<b>A</b> With center hinged power access		Worksurfaces with hinged power access enable access to suspended modular raceway.
<b>L</b> Finish Type		
<b>118</b> Surface		

description	nominal depth	w	d	h	pattern number	L	M	V1	V2	V3
Worksurface, tapered edge 	24"	48"	22"	1 1/4"	<b>XTTK4824B (L/M/1/2/3) ( )</b>	\$428.	\$537.	\$537.	\$611.	\$785.
	24"	60"	22"	1 1/4"	<b>XTTK6024B (L/M/1/2/3) ( )</b>	453.	609.	609.	695.	894.
	24"	72"	22"	1 1/4"	<b>XTTK7224B (L/M/1/2/3) ( )</b>	499.	655.	655.	751.	968.
	24"	96"	22"	1 1/4"	<b>XTTK9624B (L/M/1/2/3) ( )</b>	581.	769.	769.	883.	1,139.
	30"	48"	28"	1 1/4"	<b>XTTK4830B (L/M/1/2/3) ( )</b>	438.	601.	601.	687.	885.
	30"	60"	28"	1 1/4"	<b>XTTK6030B (L/M/1/2/3) ( )</b>	474.	669.	669.	764.	984.
	30"	72"	28"	1 1/4"	<b>XTTK7230B (L/M/1/2/3) ( )</b>	523.	700.	700.	800.	1,031.
	30"	96"	28"	1 1/4"	<b>XTTK9630B (L/M/1/2/3) ( )</b>	610.	821.	821.	940.	1,212.
	36"	48"	34"	1 1/4"	<b>XTTK4836B (L/M/1/2/3) ( )</b>	470.	674.	674.	774.	998.
	36"	60"	34"	1 1/4"	<b>XTTK6036B (L/M/1/2/3) ( )</b>	490.	737.	737.	842.	1,084.
	36"	72"	34"	1 1/4"	<b>XTTK7236B (L/M/1/2/3) ( )</b>	555.	748.	748.	852.	1,098.
	36"	96"	34"	1 1/4"	<b>XTTK9636B (L/M/1/2/3) ( )</b>	663.	875.	875.	1,001.	1,292.
	Worksurface, veneer square edge 	24"	48"	22"	1 1/4"	<b>XTTS4824B (1/2/3) ( )</b>	n/a	n/a	398.	461.
24"		60"	22"	1 1/4"	<b>XTTS6024B (1/2/3) ( )</b>	n/a	n/a	429.	492.	587.
24"		72"	22"	1 1/4"	<b>XTTS7224B (1/2/3) ( )</b>	n/a	n/a	461.	524.	629.
24"		96"	22"	1 1/4"	<b>XTTS9624B (1/2/3) ( )</b>	n/a	n/a	513.	576.	702.
30"		48"	28"	1 1/4"	<b>XTTS4830B (1/2/3) ( )</b>	n/a	n/a	492.	555.	660.
30"		60"	28"	1 1/4"	<b>XTTS6030B (1/2/3) ( )</b>	n/a	n/a	513.	581.	703.
30"		72"	28"	1 1/4"	<b>XTTS7230B (1/2/3) ( )</b>	n/a	n/a	534.	608.	784.
30"		96"	28"	1 1/4"	<b>XTTS9630B (1/2/3) ( )</b>	n/a	n/a	576.	660.	923.
36"		48"	34"	1 1/4"	<b>XTTS4836B (1/2/3) ( )</b>	n/a	n/a	555.	634.	765.
36"		60"	34"	1 1/4"	<b>XTTS6036B (1/2/3) ( )</b>	n/a	n/a	587.	665.	789.
36"		72"	34"	1 1/4"	<b>XTTS7236B (1/2/3) ( )</b>	n/a	n/a	618.	713.	886.
36"		96"	34"	1 1/4"	<b>XTTS9636B (1/2/3) ( )</b>	n/a	n/a	681.	807.	1,059.
Worksurface, postformed plastic 		24"	48"	22"	1 1/4"	<b>XTTP4824B (L) ( )</b>	254.	n/a	n/a	n/a
	24"	60"	22"	1 1/4"	<b>XTTP6024B (L) ( )</b>	321.	n/a	n/a	n/a	n/a
	24"	72"	22"	1 1/4"	<b>XTTP7224B (L) ( )</b>	373.	n/a	n/a	n/a	n/a
	24"	96"	22"	1 1/4"	<b>XTTP9624B (L) ( )</b>	430.	n/a	n/a	n/a	n/a
	30"	48"	28"	1 1/4"	<b>XTTP4830B (L) ( )</b>	274.	n/a	n/a	n/a	n/a
	30"	60"	28"	1 1/4"	<b>XTTP6030B (L) ( )</b>	347.	n/a	n/a	n/a	n/a
	30"	72"	28"	1 1/4"	<b>XTTP7230B (L) ( )</b>	404.	n/a	n/a	n/a	n/a
	30"	96"	28"	1 1/4"	<b>XTTP9630B (L) ( )</b>	472.	n/a	n/a	n/a	n/a
	36"	48"	34"	1 1/4"	<b>XTTP4836B (L) ( )</b>	300.	n/a	n/a	n/a	n/a
	36"	60"	34"	1 1/4"	<b>XTTP6036B (L) ( )</b>	404.	n/a	n/a	n/a	n/a
	36"	72"	34"	1 1/4"	<b>XTTP7236B (L) ( )</b>	456.	n/a	n/a	n/a	n/a
	36"	96"	34"	1 1/4"	<b>XTTP9636B (L) ( )</b>	529.	n/a	n/a	n/a	n/a

**Order Code**

Example: <b>XTTP6030BL 118</b>
<b>XT</b> Crinion Open Table
<b>T</b> Worksurface
<b>P</b> Postformed plastic
<b>60</b> Width
<b>30</b> Depth
<b>B</b> With edge grommet
<b>L</b> Finish type
<b>118</b> Surface

**Specifications**

Worksurfaces are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge.




Specify finishes:  
 L - Laminate  
 M - Laminate/veneer edge  
 1 - Veneer group 1  
 2 - Veneer group 2  
 3 - Veneer group 3

**Application Notes**

Crinion 30"D worksurfaces correspond in width to table bases, which are specified separately. 48"W worksurfaces plan on 12' wide or 20' wide bases. 60"W worksurfaces plan on 5', 10', 15' and 20' wide bases. 72" W worksurfaces plan on 6', 12' and 18' wide bases.

Edge grommet accommodates most power cord plugs up to 1" deep.

Actual worksurface depth is 21.85", 27.85" or 33.85".

description	nominal depth	w	d	h	pattern number	L	M	V1	V2	V3	
Worksurface, tapered edge 	24"	48"	22"	1 1/4"	<b>XTTK4824C (L/M/1/2/3) ( )</b>	\$398.	\$507.	\$507.	\$581.	\$755.	
	24"	60"	22"	1 1/4"	<b>XTTK6024C (L/M/1/2/3) ( )</b>	423.	579.	579.	665.	864.	
	24"	72"	22"	1 1/4"	<b>XTTK7224C (L/M/1/2/3) ( )</b>	469.	625.	625.	721.	938.	
	24"	96"	22"	1 1/4"	<b>XTTK9624C (L/M/1/2/3) ( )</b>	551.	739.	739.	853.	1,109.	
	30"	48"	28"	1 1/4"	<b>XTTK4830C (L/M/1/2/3) ( )</b>	408.	571.	571.	657.	855.	
	30"	60"	28"	1 1/4"	<b>XTTK6030C (L/M/1/2/3) ( )</b>	444.	639.	639.	734.	954.	
	30"	72"	28"	1 1/4"	<b>XTTK7230C (L/M/1/2/3) ( )</b>	493.	670.	670.	770.	1,001.	
	30"	96"	28"	1 1/4"	<b>XTTK9630C (L/M/1/2/3) ( )</b>	580.	791.	791.	910.	1,182.	
	36"	48"	34"	1 1/4"	<b>XTTK4836C (L/M/1/2/3) ( )</b>	440.	644.	644.	744.	968.	
	36"	60"	34"	1 1/4"	<b>XTTK6036C (L/M/1/2/3) ( )</b>	460.	707.	707.	812.	1,054.	
	36"	72"	34"	1 1/4"	<b>XTTK7236C (L/M/1/2/3) ( )</b>	525.	718.	718.	822.	1,068.	
	36"	96"	34"	1 1/4"	<b>XTTK9636C (L/M/1/2/3) ( )</b>	633.	845.	845.	971.	1,262.	
	Worksurface, veneer square edge 	24"	48"	22"	1 1/4"	<b>XTTS4824C (1/2/3) ( )</b>	n/a	n/a	368.	431.	515.
		24"	60"	22"	1 1/4"	<b>XTTS6024C (1/2/3) ( )</b>	n/a	n/a	399.	462.	557.
24"		72"	22"	1 1/4"	<b>XTTS7224C (1/2/3) ( )</b>	n/a	n/a	431.	494.	599.	
24"		96"	22"	1 1/4"	<b>XTTS9624C (1/2/3) ( )</b>	n/a	n/a	483.	546.	672.	
30"		48"	28"	1 1/4"	<b>XTTS4830C (1/2/3) ( )</b>	n/a	n/a	462.	525.	630.	
30"		60"	28"	1 1/4"	<b>XTTS6030C (1/2/3) ( )</b>	n/a	n/a	483.	551.	673.	
30"		72"	28"	1 1/4"	<b>XTTS7230C (1/2/3) ( )</b>	n/a	n/a	504.	578.	754.	
30"		96"	28"	1 1/4"	<b>XTTS9630C (1/2/3) ( )</b>	n/a	n/a	546.	630.	893.	
36"		48"	34"	1 1/4"	<b>XTTS4836C (1/2/3) ( )</b>	n/a	n/a	525.	604.	735.	
36"		60"	34"	1 1/4"	<b>XTTS6036C (1/2/3) ( )</b>	n/a	n/a	557.	635.	759.	
36"		72"	34"	1 1/4"	<b>XTTS7236C (1/2/3) ( )</b>	n/a	n/a	588.	683.	856.	
36"		96"	34"	1 1/4"	<b>XTTS9636C (1/2/3) ( )</b>	n/a	n/a	651.	777.	1,029.	
Worksurface, postformed plastic 		24"	48"	22"	1 1/4"	<b>XTPP4824C (L) ( )</b>	224.	n/a	n/a	n/a	n/a
		24"	60"	22"	1 1/4"	<b>XTPP6024C (L) ( )</b>	291.	n/a	n/a	n/a	n/a
	24"	72"	22"	1 1/4"	<b>XTPP7224C (L) ( )</b>	343.	n/a	n/a	n/a	n/a	
	24"	96"	22"	1 1/4"	<b>XTPP9624C (L) ( )</b>	400.	n/a	n/a	n/a	n/a	
	30"	48"	28"	1 1/4"	<b>XTPP4830C (L) ( )</b>	244.	n/a	n/a	n/a	n/a	
	30"	60"	28"	1 1/4"	<b>XTPP6030C (L) ( )</b>	317.	n/a	n/a	n/a	n/a	
	30"	72"	28"	1 1/4"	<b>XTPP7230C (L) ( )</b>	374.	n/a	n/a	n/a	n/a	
	30"	96"	28"	1 1/4"	<b>XTPP9630C (L) ( )</b>	442.	n/a	n/a	n/a	n/a	
	36"	48"	34"	1 1/4"	<b>XTPP4836C (L) ( )</b>	270.	n/a	n/a	n/a	n/a	
	36"	60"	34"	1 1/4"	<b>XTPP6036C (L) ( )</b>	374.	n/a	n/a	n/a	n/a	
	36"	72"	34"	1 1/4"	<b>XTPP7236C (L) ( )</b>	426.	n/a	n/a	n/a	n/a	
	36"	96"	34"	1 1/4"	<b>XTPP9636C (L) ( )</b>	499.	n/a	n/a	n/a	n/a	

Order Code	Specifications
Example: <b>XTPP6030CL 118</b>	
<b>XT</b> Crinion Open Table	
<b>T</b> Worksurface	
<b>P</b> Postformed plastic	
<b>60</b> Width	
<b>30</b> Depth	
<b>C</b> With cord drop	
<b>L</b> Finish type	
<b>118</b> Surface	

Worksurfaces are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge.




Specify finishes:  
 L - Laminate  
 M - Laminate/veneer edge  
 1 - Veneer group 1  
 2 - Veneer group 2  
 3 - Veneer group 3

**Application Notes**

Crinion 30"D worksurfaces correspond in width to table bases, which are specified separately. 48"W worksurfaces plan on 12' wide or 20' wide bases. 60"W worksurfaces plan on 5', 10', 15' and 20' wide bases. 72" W worksurfaces plan on 6', 12' and 18' wide bases.

Continuous 1/2" cord drop accommodates clamp-on flat screen monitor arm or most power cords.

Actual work surface depth is 21.85", 27.85" or 33.85".

description	nominal depth	w	l	h	pattern number	L	M	V1	V2	V3
End counter, tapered edge 	24"	48"	24"	1 1/4"	<b>XTTK4824E (L/M/1/2/3) ( )</b>	\$558.	\$717.	\$717.	\$791.	\$965.
	24"	60"	24"	1 1/4"	<b>XTTK6024E (L/M/1/2/3) ( )</b>	660.	789.	789.	875.	1,074.
	24"	72"	24"	1 1/4"	<b>XTTK7224E (L/M/1/2/3) ( )</b>	685.	835.	835.	931.	1,148.
	30"	48"	30"	1 1/4"	<b>XTTK4830E (L/M/1/2/3) ( )</b>	624.	781.	781.	867.	1,065.
	30"	60"	30"	1 1/4"	<b>XTTK6030E (L/M/1/2/3) ( )</b>	682.	849.	849.	944.	1,164.
	30"	72"	30"	1 1/4"	<b>XTTK7230E (L/M/1/2/3) ( )</b>	710.	880.	880.	980.	1,211.
End counter, veneer square edge 	24"	48"	24"	1 1/4"	<b>XTTS4824E (1/2/3) ( )</b>	n/a	n/a	368.	431.	515.
	24"	60"	24"	1 1/4"	<b>XTTS6024E (1/2/3) ( )</b>	n/a	n/a	399.	462.	557.
	24"	72"	24"	1 1/4"	<b>XTTS7224E (1/2/3) ( )</b>	n/a	n/a	431.	494.	599.
	30"	48"	30"	1 1/4"	<b>XTTS4830E (1/2/3) ( )</b>	n/a	n/a	462.	525.	630.
	30"	60"	30"	1 1/4"	<b>XTTS6030E (1/2/3) ( )</b>	n/a	n/a	483.	551.	673.
	30"	72"	30"	1 1/4"	<b>XTTS7230E (1/2/3) ( )</b>	n/a	n/a	504.	578.	754.
End counter for postformed plastic 	24"	48"	24"	1 1/4"	<b>XTTP4824E (L) ( )</b>	416.	n/a	n/a	n/a	n/a
	24"	60"	24"	1 1/4"	<b>XTTP6024E (L) ( )</b>	494.	n/a	n/a	n/a	n/a
	24"	72"	24"	1 1/4"	<b>XTTP7224E (L) ( )</b>	556.	n/a	n/a	n/a	n/a
	30"	48"	30"	1 1/4"	<b>XTTP4830E (L) ( )</b>	468.	n/a	n/a	n/a	n/a
	30"	60"	30"	1 1/4"	<b>XTTP6030E (L) ( )</b>	556.	n/a	n/a	n/a	n/a
	30"	72"	30"	1 1/4"	<b>XTTP7230E (L) ( )</b>	666.	n/a	n/a	n/a	n/a

**Order Code**

Example: <b>XTTP6024EL 118</b>
<b>XT</b> Crinion Open Table
<b>T</b> Worksurface
<b>P</b> Postformed plastic
<b>60</b> Width
<b>24</b> Length
<b>E</b> End counter
<b>L</b> Finish Type
<b>118</b> Surface

**Specifications**

End counters are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge. End counters are tapered front and side edges only.

Specify finishes:  
 L - Laminate  
 M- Laminate/veneer edge  
 1 - Veneer group 1  
 2 - Veneer group 2  
 3 - Veneer group 3


**Application Notes**

End counters mount at the ends of dual tables with two end counter cantilever brackets. Specify dual end legs for end counters instead of standard dual end legs (tables with end counters must be specified from components, not assemblies).

Specify 48" W for dual 24" tables, 60" W for dual 30" tables and 72" W for dual 36" tables.


Specify added length of 24" or 30" beyond end leg for end counters.

description	nominal				pattern no.	L	M	V1	V2	V3
	depth	w	l	h						
Extended end counter, tapered edge with hinged power access	36"	48"	36"	1 1/4"	<b>XTTK4836D (L/M/1/2/3) ( )</b>	\$960.	\$1,110.	\$1,110.	\$1,206.	\$1,423.
	36"	60"	36"	1 1/4"	<b>XTTK6036D (L/M/1/2/3) ( )</b>	985.	1,155.	1,155.	1,255.	1,486.
	36"	72"	36"	1 1/4"	<b>XTTK7236D (L/M/1/2/3) ( )</b>	1,055.	1,241.	1,241.	1,346.	1,603.




Extended end counter, tapered edge with grommet	36"	48"	36"	1 1/4"	<b>XTTK4836E (L/M/1/2/3) ( )</b>	685.	835.	835.	931.	1,148.
	36"	60"	36"	1 1/4"	<b>XTTK6036E (L/M/1/2/3) ( )</b>	710.	880.	880.	980.	1,211.
	36"	72"	36"	1 1/4"	<b>XTTK7236E (L/M/1/2/3) ( )</b>	780.	966.	966.	1,071.	1,328.

Extended end counter, veneer square edge with hinged power access	36"	48"	36"	1 1/4"	<b>XTTS4836D (1/2/3) ( )</b>	n/a	n/a	706.	769.	874.
	36"	60"	36"	1 1/4"	<b>XTTS6036D (1/2/3) ( )</b>	n/a	n/a	779.	853.	1,029.
	36"	72"	36"	1 1/4"	<b>XTTS7236D (1/2/3) ( )</b>	n/a	n/a	853.	931.	1,141.



Extended end counter, veneer square edge with grommet	36"	48"	36"	1 1/4"	<b>XTTS4836E (1/2/3) ( )</b>	n/a	n/a	431.	494.	599.
	36"	60"	36"	1 1/4"	<b>XTTS6036E (1/2/3) ( )</b>	n/a	n/a	504.	578.	754.
	36"	72"	36"	1 1/4"	<b>XTTS7236E (1/2/3) ( )</b>	n/a	n/a	578.	656.	866.




Extended end counter, postformed plastic with hinged power access	36"	48"	36"	1 1/4"	<b>XTTP4836D (L) ( )</b>	831.	n/a	n/a	n/a	n/a
	36"	60"	36"	1 1/4"	<b>XTTP6036D (L) ( )</b>	941.	n/a	n/a	n/a	n/a
	36"	72"	36"	1 1/4"	<b>XTTP7236D (L) ( )</b>	1,050.	n/a	n/a	n/a	n/a



Extended end counter, postformed plastic with grommet	36"	48"	36"	1 1/4"	<b>XTTP4836E (L) ( )</b>	556.	n/a	n/a	n/a	n/a
	36"	60"	36"	1 1/4"	<b>XTTP6036E (L) ( )</b>	666.	n/a	n/a	n/a	n/a
	36"	72"	36"	1 1/4"	<b>XTTP7236E (L) ( )</b>	775.	n/a	n/a	n/a	n/a

Order Code	Specifications	Application Notes
Example: <b>XTTP6036DL 118</b>		
<b>XT</b> Crinion Open Table	End counters are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge. End counters are tapered front and side edges only.	End counters mount at the ends of dual tables with two end counter cantilever brackets. Specify dual end legs for end counters instead of standard dual end legs (tables with end counters must be specified from components, not assemblies).
<b>T</b> Worksurface		Each extended end counter requires base assembly 12" longer than worksurfaces on eachy side.
<b>P</b> Postformed plastic		
<b>60</b> Width		
<b>36</b> Length		
<b>D</b> End counter,center hinged power access	Specify finishes: L - Laminate M- Laminate/veneer edge	Specify 48" W for dual 24" tables, 60" W for dual 30" tables and 72" W for dual 36" tables.
<b>L</b> Finish Type	1 - Veneer group 1 2 - Veneer group 2 3 - Veneer group 3	
<b>118</b> Surface		

# Complete base assemblies fixed height 24" D dual

description	nominal	w	d	h	pattern number	P2	P3
 Base assembly, continuous	10' dual	120"	44"	28 1/2"	<b>XTB1 BAS 24D10CF ( )</b>	\$7,738.	\$7,939.
	12' dual	144"	44"	28 1/2"	<b>XTB1 BAS 24D12CF ( )</b>	8,070.	8,271.
	15' dual	180"	44"	28 1/2"	<b>XTB1 BAS 24D15CF ( )</b>	9,275.	9,480.
 Base assembly, segmented	10' + 5' dual	180"	44"	28 1/2"	<b>XTB1 BAS 24D15SF ( )</b>	9,970.	10,176.
 Base assembly, with intermediate leg	12' + 6' dual	216"	44"	28 1/2"	<b>XTB1 BAS 24D18SF ( )</b>	11,030.	11,235.
	10' + 10' dual	240"	44"	28 1/2"	<b>XTB1 BAS 24D20SF ( )</b>	11,988.	12,198.
	12' + 12' dual	288"	44"	28 1/2"	<b>XTB1 BAS 24D24SF ( )</b>	12,652.	12,861.
	15' + 10' dual	300"	44"	28 1/2"	<b>XTB1 BAS 24D25SF ( )</b>	13,525.	13,739.

### Order Code

Example:	<b>XTB1BAS24D10CF 613</b>
<b>XT</b>	Crinion Open Table
<b>B1</b>	Base components
<b>BAS</b>	Assembly
<b>24</b>	Depth
<b>D</b>	Dual
<b>10</b>	Width
<b>C</b>	Continuous
<b>F</b>	Fixed height
<b>613</b>	finish

### Specifications

Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.

Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.

For legs and cantilever brackets specify one paint finish for all.

### Application Notes




Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.

No table on this page has beams longer than 15'.

Base assemblies correspond to:  
 10': four 60"x24"D worksurfaces  
 12': four 72"x24"D worksurfaces  
 15': six 60"x24"D worksurfaces  
 18': six 72"x24"D worksurfaces  
 20': eight 60"x24"D worksurfaces  
 24': eight 72"x24"D worksurfaces  
 25': ten 60"x24"D worksurfaces




# Complete base assemblies fixed height 24" D single sided

description	nominal	w	d	h	pattern number	P2	P3
 Base assembly, continuous	10' single sided	120"	24"	28 1/2"	<b>XTB1 BAS 24S10CF ( )</b>	\$7,128.	\$7,330.
	12' single sided	144"	24"	28 1/2"	<b>XTB1 BAS 24S12CF ( )</b>	7,460.	7,661.
	15' single sided	180"	24"	28 1/2"	<b>XTB1 BAS 24S15CF ( )</b>	8,462.	8,667.
 Base assembly, segmented	10' + 5' single sided	180"	24"	28 1/2"	<b>XTB1 BAS 24S15SF ( )</b>	9,157.	9,363.
 Base assembly, with intermediate leg	12' + 6' single sided	216"	24"	28 1/2"	<b>XTB1 BAS 24S18SF ( )</b>	10,216.	10,422.
	10' + 10' single sided	240"	24"	28 1/2"	<b>XTB1 BAS 24S20SF ( )</b>	10,972.	11,182.
	12' + 12' single sided	288"	24"	28 1/2"	<b>XTB1 BAS 24S24SF ( )</b>	11,635.	11,845.
	15' + 10' single sided	300"	24"	28 1/2"	<b>XTB1 BAS 24S25SF ( )</b>	12,305.	12,519.


Crinion Open Table


Order Code	Specifications	Application Notes
Example: <b>XTB1BAS24S10CF 613</b> <b>XT</b> Crinion Open Table <b>B1</b> Base components <b>BAS</b> Assembly <b>24</b> Depth <b>S</b> Single <b>10</b> Width <b>C</b> Continuous <b>F</b> Fixed height <b>613</b> finish	<p>Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.</p> <p>Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.</p> <p>For legs and cantilever brackets specify one paint finish for all.</p>	<p>Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.</p> <p>No table on this page has beams longer than 15'.</p> <p>Base assemblies correspond to:            10': two 60"x24"D worksurfaces            12': two 72"x24"D worksurfaces            15': three 60"x24"D worksurfaces            18': three 72"x24"D worksurfaces            20': four 60"x24"D worksurfaces            24': four 72"x24"D worksurfaces            25': five 60"x24"D worksurfaces</p>

# Complete base assemblies fixed height 30" D dual

description	nominal	w	d	h	pattern number	P2	P3
	10' dual	120"	54"	28½"	<b>XTB1 BAS 30D10CF ( )</b>	\$9,427.	\$9,694.
	12' dual	144"	54"	28½"	<b>XTB1 BAS 30D12CF ( )</b>	9,812.	10,079.
	15' dual	180"	54"	28½"	<b>XTB1 BAS 30D15CF ( )</b>	11,421.	11,717.

Base assembly, segmented	10' + 5' dual	180"	54"	28½"	<b>XTB1 BAS 30D15SF ( )</b>	12,384.	12,680.
--------------------------	---------------	------	-----	------	-----------------------------	---------	---------



	12' + 6' dual	216"	54"	28½"	<b>XTB1 BAS 30D18SF ( )</b>	13,722.	14,060.
	10' + 10' dual	240"	54"	28½"	<b>XTB1 BAS 30D20SF ( )</b>	15,299.	15,665.
	12' + 12' dual	288"	54"	28½"	<b>XTB1 BAS 30D24CF ( )</b>	16,069.	16,435.
	15' + 10' dual	300"	54"	28½"	<b>XTB1 BAS 30D25CF ( )</b>	17,293.	17,687.

## Order Code

Example:	<b>XTB1BAS30D18SF 613</b>
<b>XT</b>	Crinion Open Table
<b>B1</b>	Base components
<b>BAS</b>	Assembly
<b>30</b>	Depth
<b>D</b>	Dual
<b>18</b>	Width
<b>S</b>	Segmented
<b>F</b>	Fixed height
<b>613</b>	finish

## Specifications

Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.

Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.

For legs and cantilever brackets specify one paint finish for all.




## Application Notes

Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.

No table on this page has beams longer than 15'.




Base assemblies correspond to:  
 10': four 60"x30"D worksurfaces  
 12': four 72"x30"D worksurfaces  
 15': six 60"x30"D worksurfaces  
 18': six 72"x30"D worksurfaces  
 20': eight 60"x30"D worksurfaces  
 24': eight 72"x30"D worksurfaces  
 25': ten 60"x30"D worksurfaces

# Complete base assemblies fixed height 30" D single sided

description	nominal	w	d	h	pattern number	P2	P3
 Base assembly, continuous	10' single sided	120"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 30S10CF ( )</b>	\$8,298.	\$8,528.
	12' single sided	144"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 30S12CF ( )</b>	8,683.	8,913.
	15' single sided	180"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 30S15CF ( )</b>	9,878.	10,122.
 Base assembly, segmented	10' + 5' single sided	180"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 30S15SF ( )</b>	9,236.	9,480.
 Base assembly, with intermediate leg	12' + 6' single sided	216"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 30S18SF ( )</b>	10,028.	10,272.
	10' + 10' single sided	240"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 30S20SF ( )</b>	11,405.	11,663.
	12' + 12' single sided	288"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 30S24SF ( )</b>	13,781.	14,038.
	15' + 10' single sided	300"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 30S25SF ( )</b>	14,591.	14,862.

Order Code	Specifications	Application Notes
Example: <b>XTB1BAS30S15CF 613</b>		
<b>XT</b> Crinion Open Table	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.
<b>B1</b> Base components	Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.	
<b>BAS</b> Assembly		Base assemblies correspond to: 10': two 60"x30"D worksurfaces 12': two 72"x30"D worksurfaces 15': three 60"x30"D worksurfaces 18': three 72"x30"D worksurfaces 20': four 60"x30"D worksurfaces 24': four 72"x30"D worksurfaces 25': five 60"x30"D worksurfaces
<b>30</b> Depth		
<b>S</b> Single		
<b>15</b> Width		
<b>C</b> Continuous		
<b>F</b> Fixed height	For legs and cantilever brackets specify one paint finish for all.	No table on this page has beams longer than 15'.
<b>613</b> finish		

# Complete base assemblies adjustable height 30" D dual

description	nominal	w	d	h	pattern number	P2	P3
	10' dual	120"	54"	28 1/2"	<b>XTB1 BAS 30D10CA ( )</b>	\$9,566.	\$9,844.
	12' dual	144"	54"	28 1/2"	<b>XTB1 BAS 30D12CA ( )</b>	9,951.	10,229.
	15' dual	180"	54"	28 1/2"	<b>XTB1 BAS 30D15CA ( )</b>	11,824.	12,145.
	10' + 5' dual	180"	54"	28 1/2"	<b>XTB1 BAS 30D15SA ( )</b>	12,787.	13,108.
	12' + 6' dual	216"	54"	28 1/2"	<b>XTB1 BAS 30D18SA ( )</b>	14,124.	14,488.
	10' + 10' dual	240"	54"	28 1/2"	<b>XTB1 BAS 30D20SA ( )</b>	15,964.	16,371.
	12' + 12' dual	288"	54"	28 1/2"	<b>XTB1 BAS 30D24CA ( )</b>	16,735.	17,141.
	15' + 10' dual	300"	54"	28 1/2"	<b>XTB1 BAS 30D25CA ( )</b>	18,222.	18,672.

## Order Code

Example:	<b>XTB1BAS30D18SA 613</b>
<b>XT</b>	Crinion Open Table
<b>B1</b>	Base components
<b>BAS</b>	Assembly
<b>30</b>	Depth
<b>D</b>	Dual
<b>18</b>	Width
<b>S</b>	Segmented
<b>A</b>	Adjustable height
<b>613</b>	finish

## Specifications

Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.

For legs and cantilever brackets specify one paint finish for all.

## Application Notes




Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, top channel and end caps.

No table on this page has beams longer than 15'.

Base assemblies correspond to:  
 10': four 60"x30"D worksurfaces  
 12': four 72"x30"D worksurfaces  
 15': six 60"x30"D worksurfaces  
 18': six 72"x30"D worksurfaces  
 20': eight 60"x30"D worksurfaces  
 24': eight 72"x30"D worksurfaces  
 25': ten 60"x30"D worksurfaces

# Complete base assemblies adjustable height 30" D single sided

AutoStrada

description	nominal	w	d	h	pattern number	P2	P3
 Base assembly, continuous	10' single sided	120"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 30S10CA ( )</b>	\$8,389.	\$8,624.
	12' single sided	144"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 30S12CA ( )</b>	8,774.	9,009.
	15' single sided	180"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 30S15CA ( )</b>	10,112.	10,368.
 Base assembly, segmented	10' + 5' single sided	180"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 30S15SA ( )</b>	9,470.	9,726.
 Base assembly, with intermediate leg	12' + 6' single sided	216"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 30S18SA ( )</b>	10,475.	10,732.
	10' + 10' single sided	240"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 30S20SA ( )</b>	11,781.	12,059.
	12' + 12' single sided	288"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 30S24SA ( )</b>	14,156.	14,434.
	15' + 10' single sided	300"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 30S25SA ( )</b>	15,108.	15,408.

## Order Code

Example: <b>XTB1BAS30S18SA 613</b>	
<b>XT</b>	Crinion Open Table
<b>B1</b>	Base components
<b>BAS</b>	Assembly
<b>30</b>	Depth
<b>S</b>	Single
<b>18</b>	Width
<b>S</b>	Segmented
<b>A</b>	Adjustable height
<b>613</b>	finish

## Specifications

Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.

For legs and cantilever brackets specify one paint finish for all.




## Application Notes

Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, top channel and end caps.

No table on this page has beams longer than 15'.

Base assemblies correspond to:  
 10': two 60"x30"D worksurfaces  
 12': two 72"x30"D worksurfaces  
 15': three 60"x30"D worksurfaces  
 18': three 72"x30"D worksurfaces  
 20': four 60"x30"D worksurfaces  
 24': four 72"x30"D worksurfaces  
 25': five 60"x30"D worksurfaces

# Complete base assemblies fixed height 36" D dual

description	nominal	w	h	d	pattern number	P2	P3
	10' dual	120"	28½"	54"	<b>XTB1 BAS 36D10CF ( )</b>	\$9,555.	\$9,823.
	12' dual	144"	28½"	54"	<b>XTB1 BAS 36D12CF ( )</b>	9,940.	10,208.
	15' dual	180"	28½"	54"	<b>XTB1 BAS 36D15CF ( )</b>	11,592.	11,888.
	10' + 5' dual	180"	28½"	54"	<b>XTB1 BAS 36D15SF ( )</b>	12,555.	12,851.
	12' + 6' dual	216"	28½"	54"	<b>XTB1 BAS 36D18SF ( )</b>	13,893.	14,231.
	10' + 10' dual	240"	28½"	54"	<b>XTB1 BAS 36D20SF ( )</b>	15,513.	15,879.
	12' + 12' dual	288"	28½"	54"	<b>XTB1 BAS 36D24CF ( )</b>	16,283.	16,649.
	15' + 10' dual	300"	28½"	54"	<b>XTB1 BAS 36D25CF ( )</b>	17,550.	17,944.

## Order Code

Example:	<b>XTB1BAS36D18SF 613</b>
<b>XT</b>	Crinion Open Table
<b>B1</b>	Base components
<b>BAS</b>	Assembly
<b>36</b>	Depth
<b>D</b>	Dual
<b>18</b>	Width
<b>S</b>	Segmented
<b>F</b>	Fixed height
<b>613</b>	finish

## Specifications

Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.

Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.

For legs and cantilever brackets specify one paint finish for all.




## Application Notes

Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.

No table on this page has beams longer than 15'.

Base assemblies correspond to:  
 10': four 60"x36"D worksurfaces  
 12': four 72"x36"D worksurfaces  
 15': six 60"x36"D worksurfaces  
 18': six 72"x36"D worksurfaces  
 20': eight 60"x36"D worksurfaces  
 24': eight 72"x36"D worksurfaces  
 25': ten 60"x36"D worksurfaces




# Complete base assemblies fixed height 36" D single sided

description	nominal	w	d	h	pattern number	P2	P3
 Base assembly, continuous	10' single sided	120"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 36S10CF ( )</b>	\$8,426.	\$8,656.
	12' single sided	144"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 36S12CF ( )</b>	8,811.	9,042.
	15' single sided	180"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 36S15CF ( )</b>	10,049.	10,293.
 Base assembly, segmented	10' + 5' single sided	180"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 36S15SF ( )</b>	9,407.	9,651.
 Base assembly, with intermediate leg	12' + 6' single sided	216"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 36S18SF ( )</b>	10,413.	10,657.
	10' + 10' single sided	240"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 36S20SF ( )</b>	11,619.	11,877.
	12' + 12' single sided	288"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 36S24SF ( )</b>	13,995.	14,252.
	15' + 10' single sided	300"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 36S25SF ( )</b>	14,847.	15,119.

Order Code	Specifications	Application Notes
Example: <b>XTB1BAS36S18SF 613</b>	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.
<b>XT</b> Crinion Open Table	Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.	Base assemblies correspond to: 10': two 60"x36"D worksurfaces 12': two 72"x36"D worksurfaces 15': three 60"x36"D worksurfaces 18': three 72"x36"D worksurfaces 20': four 60"x36"D worksurfaces 24': four 72"x36"D worksurfaces 25': five 60"x36"D worksurfaces
<b>B1</b> Base components	For legs and cantilever brackets specify one paint finish for all.	No table on this page has beams longer than 15'.
<b>BAS</b> Assembly		
<b>36</b> Depth		
<b>S</b> Single		
<b>18</b> Width		
<b>S</b> Segmented		
<b>F</b> Fixed height		
<b>613</b> finish		

# Complete base assemblies adjustable height 36" D dual

AutoStrada

description	nominal	w	d	h	pattern number	P2	P3
 Base assembly, continuous	10' dual	120"	54"	28 1/2"	<b>XTB1 BAS 36D10CA ( )</b>	\$9,694.	\$9,972.
	12' dual	144"	54"	28 1/2"	<b>XTB1 BAS 36D12CA ( )</b>	10,079.	10,358.
	15' dual	180"	54"	28 1/2"	<b>XTB1 BAS 36D15CA ( )</b>	11,995.	12,316.
 Base assembly, segmented	10' + 5' dual	180"	54"	28 1/2"	<b>XTB1 BAS 36D15SA ( )</b>	12,958.	13,279.
 Base assembly, with intermediate leg	12' + 6' dual	216"	54"	28 1/2"	<b>XTB1 BAS 36D18SA ( )</b>	14,295.	14,659.
	10' + 10' dual	240"	54"	28 1/2"	<b>XTB1 BAS 36D20SA ( )</b>	16,178.	16,585.
	12' + 12' dual	288"	54"	28 1/2"	<b>XTB1 BAS 36D24CA ( )</b>	16,949.	17,355.
	15' + 10' dual	300"	54"	28 1/2"	<b>XTB1 BAS 36D25CA ( )</b>	18,479.	18,928.

## Order Code

<b>Example:</b>	<b>XTB1BAS36D18SA 613</b>
<b>XT</b>	Crinion Open Table
<b>B1</b>	Base components
<b>BAS</b>	Assembly
<b>36</b>	Depth
<b>D</b>	Dual
<b>18</b>	Width
<b>S</b>	Segmented
<b>A</b>	Adjustable height
<b>613</b>	finish

## Specifications

Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.

For legs and cantilever brackets specify paint finish.

## Application Notes

Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, top channel and end caps.




No table on this page has beams longer than 15'.

Base assemblies correspond to:  
 10': four 60"x36"D worksurfaces  
 12': four 72"x36"D worksurfaces  
 15': six 60"x36"D worksurfaces  
 18': six 72"x36"D worksurfaces  
 20': eight 60"x36"D worksurfaces  
 24': eight 72"x36"D worksurfaces  
 25': ten 60"x36"D worksurfaces



# Complete base assemblies adjustable height 36" D single sided

AutoStrada

description	nominal	w	d	h	pattern number	P2	P3
 Base assembly, continuous	10' single sided	120"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 36S10CA ( )</b>	\$8,517.	\$8,753.
	12' single sided	144"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 36S12CA ( )</b>	8,902.	9,138.
	15' single sided	180"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 36S15CA ( )</b>	10,283.	10,540.
 Base assembly, segmented	10' + 5' single sided	180"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 36S15SA ( )</b>	9,641.	9,898.
 Base assembly, with intermediate leg	12' + 6' single sided	216"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 36S18SA ( )</b>	10,647.	10,903.
	10' + 10' single sided	240"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 36S20SA ( )</b>	11,995.	12,273.
	12' + 12' single sided	288"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 36S24SA ( )</b>	14,370.	14,648.
	15' + 10' single sided	300"	28 <sup>3</sup> / <sub>4</sub> "	28 <sup>1</sup> / <sub>2</sub> "	<b>XTB1 BAS 36S25SA ( )</b>	15,365.	15,665.

## Order Code

<b>Example:</b>	<b>XTB1BAS36S18SA 613</b>
<b>XT</b>	Crinion Open Table
<b>B1</b>	Base components
<b>BAS</b>	Assembly
<b>36</b>	Depth
<b>S</b>	Single
<b>18</b>	Width
<b>S</b>	Segmented
<b>A</b>	Adjustable height
<b>613</b>	finish

## Specifications

Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.




For legs and cantilever brackets specify paint finish.

## Application Notes

Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, top channel and end caps.

No table on this page has beams longer than 15'.

Base assemblies correspond to:  
 10': two 60"x36"D worksurfaces  
 12': two 72"x36"D worksurfaces  
 15': three 60"x36"D worksurfaces  
 18': three 72"x36"D worksurfaces  
 20': four 60"x36"D worksurfaces  
 24': four 72"x36"D worksurfaces  
 25': five 60"x36"D worksurfaces

description	nominal	w	d	h	pattern number	list price
Top channel 	4'	48"	2 1/2"	2"	<b>XTC1 48A</b>	\$144.
	5'	60"	2 1/2"	2"	<b>XTC1 60A</b>	182.
	6'	72"	2 1/2"	2"	<b>XTC1 72A</b>	214.
	8'	96"	2 1/2"	2"	<b>XTC1 96A</b>	289.
	10'	120"	2 1/2"	2"	<b>XTC1 120A</b>	364.
	12'	144"	2 1/2"	2"	<b>XTC1 144A</b>	428.
Top channel end cap			2 1/2"	2"	<b>XTC1 END</b>	32.
Top channel for frameless glass addups 	4'	48"	2 1/2"	2"	<b>XTCA1 48A</b>	214.
	5'	60"	2 1/2"	2"	<b>XTCA1 60A</b>	257.
	6'	72"	2 1/2"	2"	<b>XTCA1 72A</b>	305.
	8'	96"	2 1/2"	2"	<b>XTCA1 96A</b>	396.
	10'	120"	2 1/2"	2"	<b>XTCA1 120A</b>	482.
	12'	144"	2 1/2"	2"	<b>XTCA1 144A</b>	599.
Top channel filler 		48"			<b>XTCF 48</b>	27.
		60"			<b>XTCF 60</b>	37.
		72"			<b>XTCF 72</b>	37.

### Order Code

Example: <b>XTC1120A</b>
<b>XT</b> Crinion open table
<b>C1</b> Top channel
<b>120</b> Width
<b>A</b> Finish

### Specifications

Top channels are extruded aluminum with natural anodized finish.

Top channel end caps are die cast aluminum.



### Application Notes

Crinion Open Table top channel supports privacy screens and suspended raceway components at any point. Top channel is required at the center of dual tables.

Top channels correspond in width to one or two worksurface widths.

Top channels and end caps are included in complete base assemblies.

# Beams for single sided or dual tables 24" D

description	nominal	w	d	h	pattern number	list price
Starter beam set for 24" D 	5'	52"	3"	8"	<b>XTB1TB5C</b>	\$963.
	6'	64"	3"	8"	<b>XTB1TB6C</b>	1,070.
	8'	88"	3"	8"	<b>XTB1TB8C</b>	1,284.
	10'	112"	3"	8"	<b>XTB1TB10C</b>	1,552.
	12'	136"	3"	8"	<b>XTB1TB12C</b>	1,819.
	15'	172"	3"	8"	<b>XTB1TB15C</b>	2,247.
Extension beam set for 24" D tables 	4'	48"	3"	8"	<b>XTB1TB4E</b>	1,284.
	5'	60"	3"	8"	<b>XTB1TB5E</b>	1,391.
	6'	72"	3"	8"	<b>XTB1TB6E</b>	1,498.
	8'	96"	3"	8"	<b>XTB1TB8E</b>	1,712.
	10'	120"	3"	8"	<b>XTB1TB10E</b>	1,980.
	12'	144"	3"	8"	<b>XTB1TB12E</b>	2,247.
	15'	180"	3"	8"	<b>XTB1TB15E</b>	2,675.

### Order Code

Example: <b>XTB1TB15C</b>	
<b>XT</b>	Crinion Open Table
<b>B1</b>	Base components
<b>TB</b>	Dual beam set
<b>15</b>	Width
<b>C</b>	Starter

### Specifications

Beams are extruded aluminum with natural anodized finish.

### Application Notes

Crinion Open Table bases are assembled from beams, end legs, intermediate legs and trusses.


Beam sets can be used with either dual or single sided tables. Table bases require one starter beam and extension beam adding up to the length as the sum of the worksurface widths on one side.


Extension beam sets are specified only to add on to starter sets or other extension beams.

Beam sets must be supported by intermediate legs at least every 16'. Intermediate leg must be positioned at beam truss location, where two worksurfaces meet.

# Beams for dual tables

## 30" and 36" D

description	nominal	w		h	pattern number	list price
Starter beam set for dual table 30" or 36" (pair of beams) 	5'	52"	3"	8"	<b>XTB1DB5C</b>	\$1,284.
	6'	64"	3"	8"	<b>XTB1DB6C</b>	1,391.
	8'	88"	3"	8"	<b>XTB1DB8C</b>	1,819.
	10'	112"	3"	8"	<b>XTB1DB10C</b>	2,140.
	12'	136"	3"	8"	<b>XTB1DB12C</b>	2,461.
	15'	172"	3"	8"	<b>XTB1DB15C</b>	2,889.

Extension beam set for dual table 30" or 36" (pair of beams) 	4'	48"	3"	8"	<b>XTB1DB4E</b>	1,712.
	5'	60"	3"	8"	<b>XTB1DB5E</b>	1,712.
	6'	72"	3"	8"	<b>XTB1DB6E</b>	1,819.
	8'	96"	3"	8"	<b>XTB1DB8E</b>	2,247.
	10'	120"	3"	8"	<b>XTB1DB10E</b>	2,568.
	12'	144"	3"	8"	<b>XTB1DB12E</b>	2,889.
	15'	180"	3"	8"	<b>XTB1DB15E</b>	3,317.

### Order Code

Example: <b>XTB1DB15C</b>
<b>XT</b> Crinion Open Table
<b>B1</b> Base components
<b>DB</b> Dual beam set
<b>15</b> Width
<b>C</b> Starter

### Specifications

Beams are extruded aluminum with natural anodized finish.

Beam sets are starter or extension.


Extension beam sets are specified only to add on to starter sets or other extension beams.


### Application Notes

Crinion Open Table bases are assembled from beams, end legs, intermediate legs and trusses. Beam sets may be used with either worksurface depth. Dual tables require one pair of main beams of the same nominal width as the sum of the worksurfaces on each side.

Beam sets must be supported by intermediate legs at least every 16'. Intermediate leg must be positioned at beam truss location, where two worksurfaces meet.

# Beams for single sided tables 30" and 36" D

description	nominal	w	d	h	pattern number	P3
Starter beam set for single sided table 30" or 36" ( main and back beam ) 	5'	52"		8"	<b>XTB1SB5C</b>	\$1,124.
	6'	64"		8"	<b>XTB1SB6C</b>	1,177.
	8'	88"		8"	<b>XTB1SB8C</b>	1,552.
	10'	112"		8"	<b>XTB1SB10C</b>	1,819.
	12'	136"		8"	<b>XTB1SB12C</b>	2,140.
	15'	172"		8"	<b>XTB1SB15C</b>	2,461.

Extension beam set for single sided table 30" or 36" ( main and back beam ) 	4'	48"		8"	<b>XTB1SB4E</b>	1,498.
	5'	60"		8"	<b>XTB1SB5E</b>	1,552.
	6'	72"		8"	<b>XTB1SB6E</b>	1,605.
	8'	96"		8"	<b>XTB1SB8E</b>	1,980.
	10'	120"		8"	<b>XTB1SB10E</b>	2,247.
	12'	144"		8"	<b>XTB1SB12E</b>	2,568.
	15'	180"		8"	<b>XTB1SB15E</b>	2,889.

### Order Code

Example: <b>XTB1DB15C</b>
<b>XT</b> Crinion Open Table
<b>B1</b> Base components
<b>DB</b> Dual beam set
<b>15</b> Width
<b>C</b> Starter

### Specifications

Beams are extruded aluminum with natural anodized finish.

Beam sets are starter or extension.


Extension beam sets are specified only to add on to starter sets or other extension beams.

### Application Notes


Crinion Open Table bases are assembled from beams, end legs, intermediate legs and trusses. Beam sets may be used with either worksurface depth. Single sided tables require one pair of main beams of the same nominal width as the sum of the worksurfaces on each side.

Beam sets must be supported by intermediate legs at least every 16'. Intermediate leg must be positioned at beam truss location, where two worksurfaces meet.


description	application	w	d	h	pattern number	P2	P3
End leg for dual tables (pair of legs)	24" D worksurface	4"		24"	<b>XTB1EDD24 ( )</b>	\$3,873.	\$4,066.
	30" D worksurface	4"	54"	24"	<b>XTB1EDD30 ( )</b>	3,873.	4,066.
	36" D worksurface	4"	54"	24"	<b>XTB1EDD36 ( )</b>	3,873.	4,066.




Intermediate leg for dual table (pair of legs)	24" D worksurfaces	4"	2 1/8"	16"	<b>XTB1LDD24 ( )</b>	562.	589.
	30"&36" D worksurfaces	4"	2 1/8"	16"	<b>XTB1LDD ( )</b>	813.	856.



Shroud for intermediate leg infeed kit	30" D				<b>XTB1 SLIK30 ( )</b>	173.	182.
	36" D				<b>XTB1 SLIK36 ( )</b>	203.	214.




End leg for end counters both ends (pair of legs)	48" W end counter	4	44	24	<b>XTB1XDD24 ( )</b>	4,141.	4,334.
	60" W end counter	4	54	24	<b>XTB1XDD30 ( )</b>	4,141.	4,334.
	72" W end counter	4	54	24	<b>XTB1XDD36 ( )</b>	4,141.	4,334.



Order Code	Specifications	Application Notes
Example: <b>XTB1EDD30 118</b>	Specify paint finish code after pattern number.	<p>Crinion Open Table bases are assembled from main beams, end legs, intermediate legs and trusses. After selecting starter or segmented beam sets, specify legs to support each end of beams. End legs support main beams at each end of a table.</p> <p>Dual end legs for end counters have threaded metal inserts on the outside of the leg to accept two fixed height or adjustable cantilevers for end counters.</p> <p>Intermediate legs must be specified to provide support under beam sets spanning longer than 16'. Intermediate legs may be positioned under beams at any beam truss location. End legs include beam end plates and hardware.</p>
<b>XT</b> Crinion Open Table		
<b>B1</b> Base components		
<b>E</b> End leg		
<b>D</b> Dual		
<b>D</b> Desk height		
<b>30</b> Depth of tops		
<b>118</b> Finish		

description	application	w	d	h	pattern number	P2	P3
End leg for end counters one end only (pair of legs)	48" W end counter	4	44	24	<b>XTB1YDD24 ( )</b>	\$4,007.	\$4,200.
	60" W end counter	4	54	24	<b>XTB1YDD30 ( )</b>	4,007.	4,200.
	72" W end counter	4	54	24	<b>XTB1YDD36 ( )</b>	4,007.	4,200.



### Order Code

Example:	<b>XTB1EDD30 118</b>
<b>XT</b>	Crinion Open Table
<b>B1</b>	Base components
<b>E</b>	End leg
<b>D</b>	Dual
<b>D</b>	Desk height
<b>30</b>	Depth of tops
<b>118</b>	Finish

### Specifications

Specify paint finish code after pattern number.

### Application Notes

Crinion Open Table bases are assembled from main beams, end legs, intermediate legs and trusses. After selecting starter or segmented beam sets, specify legs to support each end of beams. End legs support main beams at each end of a table.


Dual end legs for end counters have threaded metal inserts on the outside of the leg to accept two fixed height or adjustable cantilevers for end counters.

Intermediate legs must be specified to provide support under beam sets spanning longer than 16'. Intermediate legs may be positioned under beams at any beam truss location. End legs include beam end plates and hardware.


Shroud for intermediate leg kit encloses the space between legs to protect power, data and communication cables between floor and table base. Side covers may be removed for access.

Shroud for 24"d intermediate leg is U-shaped cover that attaches to side of intermediate leg for 24"d or any single sided intermediate leg.

description	application	width	depth	height	pattern number	P2	P3
End leg for single sided tables (pair of legs)	24" D worksurface	4"		24"	<b>XTB1ESD24 ( )</b>	\$3,873.	\$4,066.
	30" D worksurface	4"		24"	<b>XTB1ESD30 ( )</b>	3,873.	4,066.
	36" D worksurface	4"		24"	<b>XTB1ESD36 ( )</b>	3,873.	4,066.



Intermediate leg for single sided table (pair of legs)	24" D worksurfaces	4"	2 1/8"	16"	<b>XTB1LSD24 ( )</b>	562.	589.
	30"&36" D worksurfaces	4"	2 1/8"	16"	<b>XTB1LSD ( )</b>	562.	589.



### Order Code

Example:	<b>XTB1ESD30 118</b>
<b>XT</b>	Crinion Open Table
<b>B1</b>	Base components
<b>E</b>	End leg
<b>S</b>	Single
<b>D</b>	Desk height
<b>30</b>	Depth of tops
<b>118</b>	Finish

### Specifications

Specify paint finish code after pattern number.

### Application Notes






Crinion Open Table bases are assembled from main beams, end legs, intermediate legs and trusses. After selecting starter or segmented beam sets, specify legs to support each end of beams. End legs support main beams at each end of a table.

Dual end legs for end counters have threaded metal inserts on the outside of the leg to accept two fixed height or adjustable cantilevers for end counters.

Intermediate legs must be specified to provide support under beam sets spanning longer than 15'. Intermediate legs may be positioned under beams at any beam truss location. End legs include beam end plates and hardware.

Shroud for intermediate leg kit encloses the space between legs to protect power, data and communication cables between floor and table base. Side covers may be removed for access.



description	application	w	d	h	pattern number	P3
	30" D worksurface	3"	11"	10"	<b>XTB1XD30 ( )</b>	\$471.
	36" D worksurface	3"	23"	10"	<b>XTB1XD36 ( )</b>	514.
	30" D worksurface	3"	11"	8"	<b>XTB1XD30N ( )</b>	289.
	36" D worksurface	3"	23"	8"	<b>XTB1XD36N ( )</b>	332.
	30" D worksurface	3"			<b>XTB1XS30N ( )</b>	289.
	36" D worksurface	3"			<b>XTB1XS36N ( )</b>	332.
	30" D worksurface	3"			<b>XTB1XS30 ( )</b>	471.
	36" D worksurface	3"			<b>XTB1XS36 ( )</b>	514.
	24" D worksurface				<b>XTB1T24 ( )</b>	161.

### Order Code

Example: <b>XTB1XD30 613</b>
<b>XT</b> Crinion Open Table
<b>B1</b> Base components
<b>XD</b> Beam truss for dual table
<b>30</b> Depth
<b>613</b> Finish

### Specifications

Beam trusses are silver (613) paint finish .






### Application Notes

Crinion Open Table bases are assembled from beams, end legs, intermediate legs and trusses. After selecting beams and leg kits, specify trusses between beams.

Specify beam trusses adjacent to each end leg and at each worksurface junction.

Beam trusses with no top channel support must be specified in combination with intermediate legs planned other than at worksurface junctions (as for cable infeed shrouds).

# Worksurface support cantilever and mid span support




description	w	d	h	pattern number	P2	P3
Cantilever, fixed height 30" or 36" D 	3"	24"	9"	<b>XTB1FC ( )</b>	\$194.	\$203.
Cantilever, fixed height 24" D 	3"	19"	9"	<b>XTB1FC24 ( )</b>	194.	203.
Cantilever, adjustable height 30" or 36" D 	3"	24"	9" - 12"	<b>XTB1AC ( )</b>	214.	225.
Cantilever, adjustable height 24" D 	3"	24"	9" - 12"	<b>XTB1AC24 ( )</b>	214.	225.
Mid span support 	2	2	8	<b>XTB1MB ( )</b>	92.	96.

Order Code	Specifications	Application Notes
Example: <b>XTB1FC 118</b>	Specify paint finish code after pattern number.	Cantilever brackets are required to support each end of worksurfaces.
<b>XT</b> Crinion Open Table		
<b>B1</b> Base components		Brackets can be positioned at ends of worksurface, or inset at legs or floorstanding pedestal locations.
<b>FC</b> Fixed height cantilever	<b>48" worksurfaces:</b> shared cantilevers each end or two adjustable per worksurface.	Fixed height cantilevers can be shared between adjacent worksurfaces. Mid span support bracket must be specified for worksurface spans exceeding 4'.
<b>118</b> Finish	<b>60" and 72" worksurfaces:</b> shared cantilevers each end plus mid span support or two adjustable cantilevers inset 8".	Fixed height cantilever supports worksurface at 28 1/2" H.
	<b>96" worksurfaces:</b> shared cantilevers at ends plus one in center or three adjustable cantilevers.	Adjustable cantilevers enable worksurfaces to be set at 27", 27 3/4", 28 1/2", 29 1/4" or 30" H.
	<b>96"x 24" with hinged door:</b> shared cantilever each end plus two mid span supports.	
	<b>96"x 30" with hinged door:</b> shared cantilever each end plus 24"d cantilever as center support.	
	<b>96"x 36" with hinged door:</b> shared cantilever each end plus 24", 30" or 36"d cantilever as center support.	

# Worksurface support

## *linking plate and cantilever for end counters*

AutoStrada





description	w	d	h	pattern no.	P2	P3
Cantilever for end counters, fixed height	3"	19"	9"	<b>XTB1FCEND ( )</b>	\$194.	\$203.
						
Cantilever for end counters, adjustable height	3"	19"	9" - 12"	<b>XTB1ACEND ( )</b>	214.	225.
						
Worksurface linking plate				<b>XTB1LP</b>		26.
						

Order Code	Specification	Application Notes
Example: <b>XTB1FCEND 613</b>	Specify paint finish code after pattern number.	Cantilever brackets are required to support each end of worksurface.
<b>XT</b> Crinion Open Table		Brackets attach to inserts on the outside face of end legs for end counters.
<b>B1</b> Base components		Fixed height cantilever supports for end counter at 28 1/2" H.
<b>FC</b> Fixed height cantilever		Adjustable cantilevers for end counter enables end counter to be set at 28 1/2", 29 1/4" or 30" H.
<b>END</b> for end counter		A linking plate is recommended to join adjacent worksurfaces that are independently supported at the same height. Specify two linking plates at the junction of two worksurfaces, or four total for each end counter to two worksurfaces. A linking plate is not required where adjacent tops are supported by a shared fixed height cantilever bracket, as with complete fixed height base assemblies. Linking plates are recommended for complete adjustable height base assemblies in which tops are set at the same height.
<b>613</b> Finish		

# Modular Raceway

## 2 + 2 eight-wire Raceway with covers

AutoStrada





description	type	h	w	d	pattern number	list price
Dual raceway, two power + two data outlets each side		4"	30"	2"	<b>XTR1E30D ( )</b>	\$239.
						
Dual raceway, four power + two data outlets each side		4"	42"	2"	<b>XTR1E424D ( )</b>	343.
						
Flat end cover					<b>XTR1FE ( )</b>	20.
Extended end cover					<b>XTR1EE ( )</b>	20.
Single sided raceway two power + two data outlets each side		4"	30"	2"	<b>XTR1E30S ( )</b>	239.
						
Single sided raceway four power + two data outlets each side		4"	42"	2"	<b>XTR1E424S ( )</b>	343.
						

Order Code	Specifications	Applications notes
Example: <b>XTR1E424D 613</b>		
<b>XT</b> Crinion Open Table	Eight wire 2+2 has two sets of circuits, each set with a separate ground and neutral.	Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.
<b>R1</b> Raceway	Specify paint finish code after pattern number.	Each raceway requires four or eight duplex outlets, on any of four circuits.
<b>E</b> Eight wire system	Covers have two openings for data/com outlet modules (Decora-size, specified separately).	Jumpers connect power from one raceway to another.
<b>42</b> Width		To join power between 30" raceways: specify 30" jumper for 60" desks and specify 42" jumper for 72" desks.
<b>4</b> Extra outlets		To join power between 42" raceways: specify 18" jumper for 60" desks and 30" jumper for 72" desks.
<b>D</b> Dual Raceway		Flat end covers enclose the end of a raceway at the end of a table.
<b>613</b> Finish		Extended end covers enclose the end of a raceway at the end of a table where power infeed is located

# Modular Raceway

## 2 + 2 eight-wire Raceway components

AutoStrada

description	type	h	w	d	pattern number	list price
Modular infeed					<b>XTR1EPI</b>	\$180.
						
NYC infeed kit					<b>XTR1EPH</b>	411.
						
Jumper			18"		<b>XTR1EJ18</b>	83.
			30"		<b>XTR1EJ30</b>	94.
			42"		<b>XTR1EJ42</b>	108.
Duplex outlet	Circuit A				<b>XTR1DA</b>	30.
	Circuit B				<b>XTR1DB</b>	30.
	Circuit X, orange				<b>XTR1DXO</b>	35.
	Circuit Y, orange				<b>XTR1DYO</b>	35.
Outlet filler	Set of 10				<b>XTR1OF</b>	26.
PDC module extension kit	Set of 10				<b>XTR1PDCX</b>	105.

### Order Code

Example: <b>XTR1EJ18</b>	
<b>XT</b>	Crinion Open Table
<b>R1</b>	Raceway
<b>E</b>	Eight wire
<b>J</b>	Jumper
<b>18</b>	Width

### Specifications

Eight wire 2+2 has two sets of circuits, each set with a separate ground and neutral.

### Application Notes

Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.

Each raceway requires four or eight duplex outlets, on any of four circuits.

Power infeed includes pigtail for connection to building power supply and connector to either end of any raceway.





NYC infeed kit includes junction box that mounts to inside face of beams in table base.

Jumper length is difference between worksurface width and specified raceway width.

# Modular Raceway

## 3 + 3 ten-wire Raceway with covers

AutoStrada

description	type	h	w	d	pattern number	list price
Dual raceway, two power + two data outlets each side 		4"	30"	2"	<b>XTR1T30D ( )</b>	\$250.
Dual raceway, four power + two data outlets each side 		4"	42"	2"	<b>XTR1T424D ( )</b>	354.
Flat end cover					<b>XTR1FE ( )</b>	20.
Extended end cover					<b>XTR1EE ( )</b>	20.
Single sided raceway two power + two data outlets each side 		4"	30"	2"	<b>XTR1T30S ( )</b>	250.
Single sided raceway four power + two data outlets each side 		4"	42"	2"	<b>XTR1T424S ( )</b>	354.

### Order Code

Example: <b>XTR1T424D 613</b>	
<b>XT</b>	Crinion Open Table
<b>R1</b>	Raceway
<b>T</b>	Ten wire system
<b>42</b>	Width
<b>4</b>	Extra outlets
<b>D</b>	Dual Raceway
<b>613</b>	Finish

### Specifications

Ten wire 3+3 has two sets of three circuits, each set with a separate ground and neutral.

Specify paint finish code after pattern number.

Covers have two openings for data/com outlet modules (Decora-size, specified separately).

### Applications notes

Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.

Each raceway requires four or eight duplex outlets, on any of six circuits.

Jumpers connect power from one raceway to another.

To join power between 42" raceways: specify 18" jumper for 60" desks and 30" jumper for 72" desks.

Flat end covers enclose the end of a raceway at the end of a table.





Extended end covers enclose the end of a raceway at the end of a table where power infeed is located.

To join power between 30" raceways: specify 30" jumper for 60" desks and specify 42" jumper for 72" desks.

# Modular Raceway

## 3 + 3 ten-wire Raceway components

AutoStrada

description	type	h	w	d	pattern number	list pricing
Modular infeed					<b>XTR1TPI</b>	\$202.
						
NYC infeed kit					<b>XTR1TPH</b>	411.
						
Jumper			18"		<b>XTR1TJ18</b>	94.
			30"		<b>XTR1TJ30</b>	108.
			42"		<b>XTR1TJ42</b>	125.
Duplex outlet	Circuit A				<b>XTR1DA</b>	30.
	Circuit B				<b>XTR1DB</b>	30.
	Circuit C				<b>XTR1DC</b>	30.
	Circuit X, orange				<b>XTR1DXO</b>	35.
	Circuit Y, orange				<b>XTR1DYO</b>	35.
	Circuit Z, orange				<b>XTR1DZO</b>	35.
Outlet filler	Set of 10				<b>XTR1OF</b>	26.
PDC module extension kit	Set of 10				<b>XTR1PDCX</b>	105.

### Order Code

Example:	<b>XTR1TJ18</b>
<b>XT</b>	Crinion Open Table
<b>R1</b>	Raceway
<b>T</b>	Ten wire
<b>J</b>	Jumper
<b>18</b>	Width

### Specifications

Ten wire 3+3 has two sets of three circuits, each set with a separate ground and neutral.

### Application Notes

Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.

Each raceway requires four or eight duplex outlets, on any of six circuits.

Power infeed includes pigtail for connection to building power supply and connector to either end of any raceway.





NYC infeed kit includes junction box that mounts to inside face of beams in table base.

Jumper length is difference between worksurface width and specified raceway width.

description	type	h	w	d	pattern number	list price
Dual raceway, two power + two data outlets each side		4"	30"	2"	<b>XTR1H30D ( )</b>	\$520.
Flat end cover					<b>XTR1FE ( )</b>	20.
Extended end cover					<b>XTR1EE ( )</b>	20.
Outlet filler	Set of 10				<b>XTR1OF</b>	26.

Order Code	Specifications	Application Notes
Example: <b>XTR1H30D 613</b>		
<b>XT</b> Crinion Open Table	Specify paint finish code after pattern number.	Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.
<b>R1</b> Raceway	Hardwired raceway components are designed for use in City of Chicago installations.	
<b>H</b> Hard wire system		Dual raceways are code-approved boxed with openings for two or four duplex outlets on each face, plus two additional openings for data/communications faceplates on each face. A continuous horizontal metal septum divides power wires and connections from data and communications cables. Each raceway requires Decora-type architectural power outlets, internal wiring and connecting cables, supplied by electrical contractor.
<b>30</b> Width		
<b>D</b> Dual Raceway		
<b>613</b> Finish	Covers have two openings for data/com outlet modules (Decora-size, by others).	Flat end covers enclose the raceway at the end of a table. Extended end covers provide an opening on the underside to permit cables to enter the raceway.  Specify outlet filler plates for unused outlet openings. Specify PDC extenders to create space behind data/com for cable distribution inside dual raceway.




description	table size	w	d	pattern number	list price
Cable trays, leg position, pair 	5', 30"D	53"	1"	<b>XTCT6030LD ( )</b>	\$118.
	5', 36"D	53"	4"	<b>XTCT6036LD ( )</b>	161.
	6', 30"D	65"	1"	<b>XTCT7230LD ( )</b>	128.
	6', 36"D	65"	4"	<b>XTCT7236LD ( )</b>	187.
Cable trays, full width, pair 	5', 30"D	60"	1"	<b>XTCT6030D ( )</b>	118.
	5', 36"D	60"	4"	<b>XTCT6036D ( )</b>	161.
	6', 30"D	72"	1"	<b>XTCT7230D ( )</b>	128.
	6', 36"D	72"	4"	<b>XTCT7236D ( )</b>	187.
Data tray kit 		42"		<b>XTDT423</b>	161.
Data + excess cable tray kit 		42"		<b>XTDTX423</b>	268.
Truss cable clips, set of 25				<b>XTR1TCC25</b>	15.
Beam cable clips, set of 50				<b>XTR1BCC50</b>	214.
Random attachment kit, set of 10				<b>XTB1RAK</b>	75.


Order Code	Specifications	Applications notes
Example: <b>XTCT7230D 3</b> <b>XT</b> Crinion Open Table <b>CT</b> Cable tray <b>72</b> Width <b>30</b> Depth <b>D</b> Dual table <b>3</b> Finish	Cable trays and Data tray kits are silver (613) paint finish.	Cable trays are optional kits to manage cables on each side of dual table bases. Specify cable trays for leg position at each end of the table. Specify cable trays, full width for other positions.  Data tray kit provides 3" wide horizontal open cable tray directly below either 30" or 42"W raceway module (at center of 60" or 72" desks). Data + excess tray kit provides two open trays below either raceway module, one 3"W and one 5"W.
		Truss cable clips manage cables between raceway. Specify 2 clips per truss (one set of 10 for each five trusses).  Beam cable clips manage cables along the inside faces of each beam set.  Random attachment kit is a set of ten M8 slot nuts for attaching various products to the Crinion Open Table beams or top channel. Specify appropriate M8 screws separately.

# Center screens


## Acrylic, slatwall or combination surface

description	application	w	d	h	pattern no.	acrylic	slatwall	Combination acrylic / slatwall
	48"	48"	1 1/4"	14"	<b>XTCS1 4814</b> ( ) ( )	\$776.	\$1,231.	n/a
	60"	60"	1 1/4"	14"	<b>XTCS1 6014</b> ( ) ( )	1,017.	1,338.	n/a
	72"	72"	1 1/4"	14"	<b>XTCS1 7214</b> ( ) ( )	1,070.	1,445.	n/a


acrylic shown

	48"	47"	1 1/4"	14"	<b>XTCS1 4714</b> ( ) ( )	776.	1,231.	n/a
	60"	59"	1 1/4"	14"	<b>XTCS1 5914</b> ( ) ( )	1,017.	1,338.	n/a
	72"	71"	1 1/4"	14"	<b>XTCS1 7114</b> ( ) ( )	1,070.	1,445.	n/a

acrylic shown

	48"	48"	1 1/4"	21"	<b>XTCS1 4821</b> ( ) ( )	910.	1,445.	1,338.
	60"	60"	1 1/4"	21"	<b>XTCS1 6021</b> ( ) ( )	1,177.	1,605.	1,552.
	72"	72"	1 1/4"	21"	<b>XTCS1 7221</b> ( ) ( )	1,231.	1,766.	1,659.

slatwall shown

	48"	47"	1 1/4"	21"	<b>XTCS1 4721</b> ( ) ( )	910.	1,445.	1,338.
	60"	59"	1 1/4"	21"	<b>XTCS1 5921</b> ( ) ( )	1,177.	1,605.	1,552.
	72"	71"	1 1/4"	21"	<b>XTCS1 7121</b> ( ) ( )	1,231.	1,766.	1,659.



combination shown

Order Code	Specifications	Application Notes
Example: <b>XTCS16014A O</b>	Acrylic surface is always opal.	Center screens mount to continuous channel at center of tables. Specify 14" H screens for a 43" horizon. Specify 21" H screens for a 50" horizon. Horizons are maintained regardless of worksurface height.
<b>XT</b> Crinion Open Table	For acrylic screens specify suffixes AO.	Center screens adjacent to end screens allow space for dual or single sided end screens.
<b>CS1</b> Center screen	For Slatwall screens specify suffixes S613.	Slatwall screens require buttresses to support Knoll Extra flat screen monitor arm. Consult Knoll Representative for pricing and availability.
<b>60</b> Width	For combination acrylic/slatwall screens specify suffixes CO613.	Combination screens include 14" high slatwall with acrylic above.
<b>14</b> Height	O - Opal	Center screens include mounting hardware for standard top channel only.
<b>A</b> Acrylic	Slatwall surface is painted silver.	
<b>O</b> Opal	Frame is clear anodized aluminum.	

# Side screens

## Acrylic surface only

AutoStrada

description	application	w	d	h	pattern no.	list	acrylic
	24" D worksurface	22"	1 1/4"	14"	<b>XTSS1 2414A ( )</b>		\$562.
	30" D worksurface	28"	1 1/4"	14"	<b>XTSS1 3014A ( )</b>		589.
	36" D worksurface	34"	1 1/4"	14"	<b>XTSS1 3614A ( )</b>		642.
	24" D worksurface	22"	1 1/4"	21"	<b>XTSS1 2421A ( )</b>		642.
	30" D worksurface	28"	1 1/4"	21"	<b>XTSS1 3021A ( )</b>		669.
	36" D worksurface	34"	1 1/4"	21"	<b>XTSS1 3621A ( )</b>		722.
Side screen brackets ( pair )	postformed edge worksurface				<b>XTSM1P</b>	225.	
	squared edge worksurface				<b>XTSM1S</b>	150.	
	tapered edge worksurface				<b>XTSM1K</b>	150.	


Crinion Open Table

Order Code	Specifications	Application Notes
Example: <b>XTSS13014A O</b>	Acrylic surface is always opal.	Side screens clamp to front and back edge of worksurface at any point (except at hinged access door). Specify side screen brackets separately. Specify 14" H screens for a 43" horizon. Specify 21" H screens for a 50" horizon. Side screens align in height with center screens when worksurfaces are set at 28 3/8" H.  * Consult your Knoll Representative for pricing and availability.
<b>XT</b> Crinion Open Table	O - Opal	
<b>SS1</b> Side screen	Frame is clear anodized aluminum.	
<b>30</b> Width		
<b>14</b> Height		
<b>A</b> Acrylic		
<b>O</b> Opal		


# Dual end screens

## Acrylic surface only

AutoStrada

description	application	w	d	h	pattern no.	list	acrylic
	24" D dual	48"	1 1/4"	14"	<b>XTES1 4814A ( )</b>		\$696.
	30" D dual	60"	1 1/4"	14"	<b>XTES1 6014A ( )</b>		910.
	36" D dual	72"	1 1/4"	14"	<b>XTES1 7214A ( )</b>		936.

*acrylic shown*

	24" D dual	48"	1 1/4"	21"	<b>XTES1 4821A ( )</b>		829.
	30" D dual	60"	1 1/4"	21"	<b>XTES1 6021A ( )</b>		1,070.
	36" D dual	72"	1 1/4"	21"	<b>XTES1 7221A ( )</b>		1,097.

*acrylic shown*

Replacement mast Kit	acrylic center screen				<b>XTSM1C</b>	91.	
	slatwall center screen				<b>XTSM1SLAT</b>	241.	
End screen brackets ( pair )	tapered edge worksurface				<b>XTSM1KK</b>	150.	
Side screen brackets ( pair )	postformed edge worksurface				<b>XTSM1P</b>	225.	
	squared edge worksurface				<b>XTSM1S</b>	150.	

### Order Code

Example: <b>XTES16014A O</b>	
<b>XT</b>	Crinion Open Table
<b>ES1</b>	End screen
<b>60</b>	Width
<b>14</b>	Height
<b>A</b>	Acrylic
<b>O</b>	Opal

### Specifications

Acrylic surface is always opal.  
 O - Opal  
 Frame is clear anodized aluminum.

### Application Notes

Dual end screens clamp to front edge of worksurface on either side of table. Specify 14" H screens for a 43" horizon. Specify 21" H screens for a 50" horizon. Side screens align with center screens when worksurfaces are set at 28 3/8" H.



• Consult your Knoll Representative for pricing and availability.

Specify end screen brackets separately for each screen.

# Single sided end screen

## Acrylic surface only

AutoStrada

description	application	w	d	h	pattern no.	list	acrylic
	24" D Single	24"	1 1/4"	14"	<b>XTES1 2414A ( )</b>		\$562.
	30" D Single	30"	1 1/4"	14"	<b>XTES1 3014A ( )</b>		589.
	36" D Single	36"	1 1/4"	14"	<b>XTES1 3614A ( )</b>		642.
	24" D single sided	24"	1 1/4"	21"	<b>XTES1 2421A ( )</b>		642.
	30" D single sided	30"	1 1/4"	21"	<b>XTES1 3021A ( )</b>		669.
	36" D single sided	36"	1 1/4"	21"	<b>XTES1 3621A ( )</b>		722.
Single sided end screen brackets ( pair )	postformed edge worksurface				<b>XTSM1PC</b>	161.	
	square edge worksurface				<b>XTSM1SC</b>	118.	
	tapered edge worksurface				<b>XTSM1KC</b>	118.	

### Order Code

Example: <b>XTES13614A O</b>	
<b>XT</b>	Crinion Open Table
<b>ES1</b>	End screen
<b>36</b>	Width
<b>14</b>	Height
<b>A</b>	Acrylic
<b>O</b>	Opal

### Specifications

Acrylic surface is always opal.  
 O - Opal  
 Frame is clear anodized aluminum.

### Application Notes


Single sided end screens clamp to front edge of worksurface and attach to top of channel. Specify 14" H screens for a 43" horizon. Specify 21" H screens for a 50" horizon. Side screens align with center screens when worksurfaces are set at 28 3/8" H.  
 Specify end screen brackets separately for each screen.

• Consult your Knoll Representative for pricing and availability.

# Frameless glass Add up for *Crinion Open Table*

AutoStrada

description	w	d	h	pattern no.	clear tempered	powder
Frameless glass Add ups	48"	1/2"	12"	<b>XAUA 1248G ( )</b>	\$468.	\$487.
	60"	1/2"	12"	<b>XAUA 1260G ( )</b>	572.	595.
	72"	1/2"	12"	<b>XAUA 1272G ( )</b>	676.	703.



## Order Code

Example: <b>XAUA 1248G TEMP</b>	
<b>X</b>	Crinion Open Table
<b>AUA</b>	Frameless addup screen
<b>48</b>	Width
<b>12</b>	Height
<b>G</b>	Glass
<b>TEMP</b>	Finish

## Specifications

*Add up type:*  
**G** Glass

Glass add-ups are available with the following glass options:  
**TEMP** Clear tempered  
**GL13** Powder

## Application Notes

Frameless glass addups for Crinion Open Table match those available for the AutoStrada spine.

Tempered glass in clear or powered finish is 1/2" thick. Base frame is secured with bolts to top channel for frameless glass addups.

Frameless addups cannot be mounted to standard top channel included with base assemblies.

Base extrusion is clear anodized aluminum.

description	w	d	h	pattern number	list price
Acrylic privacy screen to 41" H	30"	1"	12"	<b>XTPS1 3012A ( )</b>	\$776.
	36"	1"	12"	<b>XTPS1 3612A ( )</b>	814.
	60"	1"	12"	<b>XTPS1 6012A ( )</b>	1,172.
	72"	1"	12"	<b>XTPS1 7212A ( )</b>	1,232.
Acrylic privacy screen to 48" H	30"	1"	19"	<b>XTPS1 3019A ( )</b>	946.
	36"	1"	19"	<b>XTPS1 3619A ( )</b>	985.
	60"	1"	19"	<b>XTPS1 6019A ( )</b>	1,397.
	72"	1"	19"	<b>XTPS1 7219A ( )</b>	1,463.

Order Code	Specifications	Application Notes
Example: <b>XTPS16012AO</b>		
<b>XT</b> Crinion Open Table	Specify acrylic finish code after the pattern number.	Privacy screens mount to continuous channel at center of tables. Specify 12" H screens for a 41" horizon. Specify 19" H screens for a 48" horizon. Horizons are maintained regardless of worksurface height.
<b>PS1</b> Privacy screen	O - Opal	
<b>60</b> Width		
<b>12</b> Height		
<b>A</b> Acrylic		
<b>O</b> Opal		Original Crinion privacy screens have acrylic flush to both surfaces.

# Morrison Network privacy screens mounting kit for Crinion Open Table




AutoStrada

description	w	d	h	pattern number	list price
Fabric screen mounting kit				<b>XTPS1MZKIT</b>	\$107.



Order Code	Specifications	Applications notes
Example: <b>XTPS1MZKIT</b>		
<b>XT</b>	Crinion Open Table	<p>Crinion Open Tables are designed to accept Morrison Network privacy screens with fabric screen mounting kit. Screens are tackable fabric, <math>\frac{3}{4}</math>" thick, in widths corresponding to Crinion worksurfaces 48", 60" or 72" wide. Specify screens MZ1-B4815F, MZ1B6015F or MZ1B7215F.</p> <p>Specify one mounting kit for each screen. Fabric screen mounting kits include two uprights that fasten to the top channel at any point. Uprights slide into internal channels in screens. Fabric screens do not align in height with acrylic privacy screens.</p>
<b>PS1</b>	Privacy Screen	
<b>MZ</b>	Fabric	
<b>KIT</b>	Kit	



description	w	d	h	pattern number	L	M	V1	V2	V3
File top, tapered edge 	30"	18"	1 1/4"	<b>XTTK3018F (L/M/1/2/3) ( )</b>	\$291.	\$494.	\$483.	\$515.	\$746.
	30"	36"	1 1/4"	<b>XTTK3036F (L/M/1/2/3) ( )</b>	399.	622.	622.	698.	876.
	36"	18"	1 1/4"	<b>XTTK3618F (L/M/1/2/3) ( )</b>	302.	504.	494.	520.	795.
	36"	36"	1 1/4"	<b>XTTK3636F (L/M/1/2/3) ( )</b>	416.	681.	681.	764.	962.
	42"	18"	1 1/4"	<b>XTTK4218F (L/M/1/2/3) ( )</b>	312.	515.	504.	530.	843.
	42"	36"	1 1/4"	<b>XTTK4236F (L/M/1/2/3) ( )</b>	435.	708.	708.	800.	1,009.
	60"	18"	1 1/4"	<b>XTTK6018F (L/M/1/2/3) ( )</b>	494.	761.	761.	840.	1,050.
	60"	36"	1 1/4"	<b>XTTK6036F (L/M/1/2/3) ( )</b>	535.	812.	812.	917.	1,159.
	72"	18"	1 1/4"	<b>XTTK7218F (L/M/1/2/3) ( )</b>	520.	788.	788.	882.	1,103.
	72"	36"	1 1/4"	<b>XTTK7236F (L/M/1/2/3) ( )</b>	571.	823.	823.	927.	1,173.
	84"	18"	1 1/4"	<b>XTTK8418F (L/M/1/2/3) ( )</b>	562.	840.	840.	945.	1,155.
84"	36"	1 1/4"	<b>XTTK8436F (L/M/1/2/3) ( )</b>	612.	885.	885.	1,007.	1,278.	
File top, veneer square edge 	30"	18"	1 1/4"	<b>XTTS3018F (1/2/3) ( )</b>	n/a	n/a	215.	236.	392.
	36"	18"	1 1/4"	<b>XTTS3618F (1/2/3) ( )</b>	n/a	n/a	221.	242.	424.
	42"	18"	1 1/4"	<b>XTTS4218F (1/2/3) ( )</b>	n/a	n/a	226.	247.	457.
File top, postformed plastic 	30"	18"	1 1/4"	<b>XTPP3018F (L) ( )</b>	198.	n/a	n/a	n/a	n/a
	36"	18"	1 1/4"	<b>XTPP3618F (L) ( )</b>	208.	n/a	n/a	n/a	n/a
	42"	18"	1 1/4"	<b>XTPP4218F (L) ( )</b>	218.	n/a	n/a	n/a	n/a

Order Code	
Example: <b>XTPP4218FL 118</b>	
<b>XT</b>	Crinion Open Table
<b>T</b>	Worksurface
<b>P</b>	Postformed
<b>42</b>	Width
<b>18</b>	Depth
<b>F</b>	File top
<b>L</b>	Finish type
<b>118</b>	Surface

Specifications	
File tops are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge. Tapered edge file tops are tapered front and back edges only.	
Specify finishes:	
L - Laminate	
M - Laminate/veneer edge	
1 - Veneer group 1	
2 - Veneer group 2	
3 - Veneer group 3	

Application Notes	
File tops correspond to 30", 36" or 42"W lateral files. File tops on 2 high Calibre files positioned perpendicular to the Crinion Open Table serve as a worksurface return.	

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
A1CHLTT102	91	AA1 30E	67	AAWS BC 090	12	AAWS C0760 S	15
A1CHLTT108	91	AA1 39E	67	AAWS BC 096	12	AAWS C0766	23
A1CHLTT114	91	AA1 48E	67	AAWS BC 102	12	AAWS C0766 A	19
A1CHLTT120	91	AA1 64E	67	AAWS BC 108	12	AAWS C0766 F	21
A1CHLTT126	91	AA1 ARE	54	AAWS BC 114	12	AAWS C0766 M	16
A1CHLTT132	91	AA1 BS	166	AAWS BC 120	12	AAWS C0766 P	25
A1CHLTT138	91	AA1 T06	67	AAWS BC 126	12	AAWS C0766 R	14
A1CHLTT144	91	AA1 T18	67	AAWS BC 132	12	AAWS C0766 S	15
A1CHLTT60	91	AA1 T24	67	AAWS BC 138	12	AAWS C0772	23
A1CHLTT66	91	AA1 T30	67	AAWS BC 144	12	AAWS C0772 A	19
A1CHLTT72	91	AA1 T36	67	AAWS BE	28, 29, 30	AAWS C0772 F	21
A1CHLTT78	91	AA1 T42	67	AAWS BE27	36	AAWS C0772 M	16
A1CHLTT84	91	AA1 T48	67	AAWS BE28	36	AAWS C0772 P	25
A1CHLTT90	91	AA1 T60	67	AAWS C0724	23	AAWS C0772 R	14
A1CHLTT96	91	AA1 T72	68	AAWS C0724 A	19	AAWS C0772 S	15
A1CRTT102	91	AA1ARODN	151	AAWS C0724 F	21	AAWS C0778	23
A1CRTT108	91	AA1CET39	53	AAWS C0724 M	16	AAWS C0778 F	21
A1CRTT114	91	AA1CET48	53	AAWS C0724 P	25	AAWS C0778 P	25
A1CRTT120	91	AA1CET64	53	AAWS C0724 R	14	AAWS C0778 R	14
A1CRTT126	91	AA1MPS30	53	AAWS C0724 S	15	AAWS C0778 S	15
A1CRTT132	91	AA1MPS39	53	AAWS C0730	23	AAWS C0784	23
A1CRTT138	91	AA1MPS42	53	AAWS C0730 A	19	AAWS C0784 F	21
A1CRTT144	91	AA1MPS48	53	AAWS C0730 F	21	AAWS C0784 P	25
A1CRTT60	91	AA1MPS56	53	AAWS C0730 M	16	AAWS C0784 R	14
A1CRTT66	91	AA1MPS64	53	AAWS C0730 P	25	AAWS C0784 S	15
A1CRTT72	91	AA1MPS74	53	AAWS C0730 R	14	AAWS C0790	23
A1CRTT78	91	AA1MPS80	53	AAWS C0730 S	15	AAWS C0790 F	21
A1CRTT84	91	AA1MRS	53	AAWS C0736	23	AAWS C0790 P	25
A1CRTT90	91	AA1NSK	68	AAWS C0736 A	19	AAWS C0790 R	14
A1CRTT96	91	AA1OR	52	AAWS C0736 F	21	AAWS C0790 S	15
A1ECAU	83	AA1ORD	52	AAWS C0736 M	16	AAWS C0796	23
A1FHETE34	90	AA1RE	68	AAWS C0736 P	25	AAWS C0796 F	21
A1FHETE42	90	AA1ROUP	151	AAWS C0736 R	14	AAWS C0796 P	25
A1FHETE49	90	AA1ROXUP	151	AAWS C0736 S	15	AAWS C0796 R	14
A1FHETE64	90	AA1RPS34	55	AAWS C0742	23	AAWS C0796 S	15
A1HLETE3442	90	AA1RPS42	55	AAWS C0742 A	19	AAWS C1524	23
A1HLETE3449	90	AA1RPS49	55	AAWS C0742 F	21	AAWS C1524 A	19
A1HLETE3464	90	AA1RPS64	55	AAWS C0742 M	16	AAWS C1524 F	21
A1HLETE4249	90	AA1RPS79	55	AAWS C0742 P	25	AAWS C1524 G	27
A1HLETE4264	90	AA1RTC	56	AAWS C0742 R	14	AAWS C1524 L	18
A1HLETE4964	90	AA1UA39	58	AAWS C0742 S	15	AAWS C1524 M	16
A1HLPTE3442	90	AA1UA48	58	AAWS C0748	23	AAWS C1524 P	25
A1HLPTE3449	90	AA1UA64	58	AAWS C0748 A	19	AAWS C1530	23
A1HLPTE3464	90	AA1UPS39	58	AAWS C0748 F	21	AAWS C1530 A	19
A1HLPTE4249	90	AA1UPS48	58	AAWS C0748 M	16	AAWS C1530 F	21
A1HLPTE4264	90	AA1UPS64	58	AAWS C0748 P	25	AAWS C1530 G	27
A1HLPTE4964	90	AA2 MTC	53	AAWS C0748 R	14	AAWS C1530 L	18
A1LPCAU	83	AA2 UTC	58	AAWS C0748 S	15	AAWS C1530 M	16
A1SPCAU	83	AAV1 4824 S2D1F	123	AAWS C0754	23	AAWS C1530 P	25
A1TPCAU	83	AAV1 4830 S2D1F	123	AAWS C0754 A	19	AAWS C1536	23
A1TTC18	91	AAV1 6424 S2D2F	123	AAWS C0754 F	21	AAWS C1536 A	19
A1TTC20	91	AAV1 6430 S2D2F	123	AAWS C0754 M	16	AAWS C1536 F	21
A1TTC24	91	AAWS BC 036	12	AAWS C0754 P	25	AAWS C1536 G	27
A1TTC30	91	AAWS BC 042	12	AAWS C0754 R	14	AAWS C1536 L	18
A1TTC36	91	AAWS BC 048	12	AAWS C0754 S	15	AAWS C1536 M	16
A1TTC42	91	AAWS BC 054	12	AAWS C0760	23	AAWS C1536 P	25
A1TTC48	91	AAWS BC 060	12	AAWS C0760 A	19	AAWS C1542	23
A1XPCAU	83	AAWS BC 066	12	AAWS C0760 F	21	AAWS C1542 A	19
A3CPBDL	119	AAWS BC 072	12	AAWS C0760 M	16	AAWS C1542 F	21
A3CPBDR	119	AAWS BC 078	12	AAWS C0760 P	25	AAWS C1542 G	27
A3CPBS	119	AAWS BC 084	12	AAWS C0760 R	14	AAWS C1542 L	18

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
AAWS C1542 M	16	AAWS C2230 M	16	AAWS C2296 L	18	AAWS C4560 M	17
AAWS C1542 P	25	AAWS C2230 P	26	AAWS C2296 P	26	AAWS C4566 M	17
AAWS C1548	23	AAWS C2236	24	AAWS C3024	24	AAWS C4572 M	17
AAWS C1548 A	19	AAWS C2236 A	20	AAWS C3024 A	20	AAWS CG	38
AAWS C1548 F	21	AAWS C2236 F	22	AAWS C3024 F	22	AAWS CH	38
AAWS C1548 G	27	AAWS C2236 G	27	AAWS C3024 M	16	AAWS CT24	36
AAWS C1548 L	18	AAWS C2236 L	18	AAWS C3024 P	26	AAWS CT30	36
AAWS C1548 M	16	AAWS C2236 M	16	AAWS C3030	24	AAWS CT36	36
AAWS C1548 P	25	AAWS C2236 P	26	AAWS C3030 A	20	AAWS CT42	36
AAWS C1554	23	AAWS C2242	24	AAWS C3030 F	22	AAWS CT48	36
AAWS C1554 A	19	AAWS C2242 A	20	AAWS C3030 M	16	AAWS CT54	36
AAWS C1554 F	21	AAWS C2242 F	22	AAWS C3030 P	26	AAWS CT60	36
AAWS C1554 G	27	AAWS C2242 G	27	AAWS C3036	24	AAWS CT66	36
AAWS C1554 L	18	AAWS C2242 L	18	AAWS C3036 A	20	AAWS CT72	36
AAWS C1554 M	16	AAWS C2242 M	16	AAWS C3036 F	22	AAWS DS2405	28
AAWS C1554 P	25	AAWS C2242 P	26	AAWS C3036 M	16	AAWS DS3005	28
AAWS C1560	23	AAWS C2248	24	AAWS C3036 P	26	AAWS DS3605	28
AAWS C1560 A	19	AAWS C2248 A	20	AAWS C3042	24	AAWS DS4205	28
AAWS C1560 F	21	AAWS C2248 F	22	AAWS C3042 A	20	AAWS DS4805	28
AAWS C1560 G	27	AAWS C2248 G	27	AAWS C3042 F	22	AAWS DS5405	28
AAWS C1560 L	18	AAWS C2248 L	18	AAWS C3042 M	16	AAWS DS6005	28
AAWS C1560 M	16	AAWS C2248 M	16	AAWS C3042 P	26	AAWS DS6605	28
AAWS C1560 P	25	AAWS C2248 P	26	AAWS C3048	24	AAWS DS7205	28
AAWS C1566	23	AAWS C2254	24	AAWS C3048 A	20	AAWS EASEL	38
AAWS C1566 A	19	AAWS C2254 A	20	AAWS C3048 F	22	AAWS ET 69	13
AAWS C1566 F	21	AAWS C2254 F	22	AAWS C3048 M	16	AAWS ET 84	13
AAWS C1566 G	27	AAWS C2254 G	27	AAWS C3048 P	26	AAWS ETO 69	13
AAWS C1566 L	18	AAWS C2254 L	18	AAWS C3054	24	AAWS ETO 84	13
AAWS C1566 M	16	AAWS C2254 M	16	AAWS C3054 A	20	AAWS F6936	9
AAWS C1566 P	25	AAWS C2254 P	26	AAWS C3054 F	22	AAWS F6948	9
AAWS C1572	23	AAWS C2260	24	AAWS C3054 M	16	AAWS F8436	9
AAWS C1572 A	19	AAWS C2260 A	20	AAWS C3054 P	26	AAWS F8448	9
AAWS C1572 F	21	AAWS C2260 F	22	AAWS C3060	24	AAWS IBT	13
AAWS C1572 G	27	AAWS C2260 G	27	AAWS C3060 A	20	AAWS IC 024	11
AAWS C1572 L	18	AAWS C2260 L	18	AAWS C3060 F	22	AAWS IC 030	11
AAWS C1572 M	16	AAWS C2260 M	16	AAWS C3060 M	16	AAWS IC 036	11
AAWS C1572 P	25	AAWS C2260 P	26	AAWS C3060 P	26	AAWS IC 042	11
AAWS C1578	23	AAWS C2266	24	AAWS C3066	24	AAWS IC 048	11
AAWS C1578 F	21	AAWS C2266 A	20	AAWS C3066 A	20	AAWS IC 054	11
AAWS C1578 L	18	AAWS C2266 F	22	AAWS C3066 F	22	AAWS IC 060	11
AAWS C1578 P	25	AAWS C2266 G	27	AAWS C3066 M	16	AAWS IC 066	11
AAWS C1584	23	AAWS C2266 L	18	AAWS C3066 P	26	AAWS IC 072	11
AAWS C1584 F	21	AAWS C2266 M	16	AAWS C3072	24	AAWS IC 078	11
AAWS C1584 L	18	AAWS C2266 P	26	AAWS C3072 A	20	AAWS IC 084	11
AAWS C1584 P	25	AAWS C2272	24	AAWS C3072 F	22	AAWS IC 090	11
AAWS C1590	23	AAWS C2272 A	20	AAWS C3072 M	16	AAWS IC 096	11
AAWS C1590 F	21	AAWS C2272 F	22	AAWS C3072 P	26	AAWS IC 102	11
AAWS C1590 L	18	AAWS C2272 G	27	AAWS C3078	24	AAWS IC 108	11
AAWS C1590 P	25	AAWS C2272 L	18	AAWS C3078 F	22	AAWS IC 114	11
AAWS C1596	23	AAWS C2272 M	16	AAWS C3078 P	26	AAWS IC 120	11
AAWS C1596 F	21	AAWS C2272 P	26	AAWS C3084	24	AAWS IC 126	11
AAWS C1596 L	18	AAWS C2278	24	AAWS C3084 F	22	AAWS IC 132	11
AAWS C1596 P	25	AAWS C2278 F	22	AAWS C3084 P	26	AAWS IC 138	11
AAWS C2224	24	AAWS C2278 L	18	AAWS C3090	24	AAWS IC 144	11
AAWS C2224 A	20	AAWS C2278 P	26	AAWS C3090 F	22	AAWS IL 69	13
AAWS C2224 F	22	AAWS C2284	24	AAWS C3090 P	26	AAWS IL 84	13
AAWS C2224 G	27	AAWS C2284 F	22	AAWS C3096	24	AAWS ILO 69	13
AAWS C2224 L	18	AAWS C2284 L	18	AAWS C3096 F	22	AAWS ILO 84	13
AAWS C2224 M	16	AAWS C2284 P	26	AAWS C3096 P	26	AAWS LS2409 G	29
AAWS C2224 P	26	AAWS C2290	24	AAWS C4524 M	17	AAWS LS2412	30
AAWS C2230	24	AAWS C2290 F	22	AAWS C4530 M	17	AAWS LS3009 G	29
AAWS C2230 A	20	AAWS C2290 L	18	AAWS C4536 M	17	AAWS LS3012	30
AAWS C2230 F	22	AAWS C2290 P	26	AAWS C4542 M	17	AAWS LS3609 G	29
AAWS C2230 G	27	AAWS C2296	24	AAWS C4548 M	17	AAWS LS3612	30
AAWS C2230 L	18	AAWS C2296 F	22	AAWS C4554 M	17	AAWS LS4209 G	29

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
AAWS LS4212	30	AAWS OBS 78	33	AAWS TC 048	10	AC1 39T3	66
AAWS LS4809 G	29	AAWS OBS 84	33	AAWS TC 054	10	AC1 39V2	66
AAWS LS4812	30	AAWS OBS 90	33	AAWS TC 060	10	AC1 39X4	66
AAWS LS5409 G	29	AAWS OBS 96	33	AAWS TC 066	10	AC1 39Y3	66
AAWS LS5412	30	AAWS OGD 18L	34	AAWS TC 072	10	AC1 48L2	66
AAWS LS6009 G	29	AAWS OGD 18R	34	AAWS TC 078	10	AC1 48T3	66
AAWS LS6012	30	AAWS OGD 24	34	AAWS TC 084	10	AC1 48V2	66
AAWS LS6609 G	29	AAWS OGD 30	34	AAWS TC 090	10	AC1 48X4	66
AAWS LS6612	30	AAWS OGD 36	34	AAWS TC 096	10	AC1 48Y3	67
AAWS LS7209 G	29	AAWS OGD 42	34	AAWS TC 102	10	AC1 64L2	66
AAWS LS7212	30	AAWS OGD 48	34	AAWS TC 108	10	AC1 64T3	66
AAWS MT24	38	AAWS OGD 54	34	AAWS TC 114	10	AC1 64V2	66
AAWS MT30	38	AAWS OGD 60	34	AAWS TC 120	10	AC1 64X4	66
AAWS MT36	38	AAWS OGD 66	34	AAWS TC 126	10	AC1 64Y3	67
AAWS MT42	38	AAWS OGD 72	34	AAWS TC 132	10	ACA1 30E1	67
AAWS MT48	38	AAWS OGD 78	34	AAWS TC 138	10	ACA1 39E1	67
AAWS MT54	38	AAWS OGD 84	34	AAWS TC 144	10	ACA1 48E1	67
AAWS MT60	38	AAWS OGD 90	34	AAWS US2409 G	29	ACA1 64E1	67
AAWS MT66	38	AAWS OGD 96	34	AAWS US2412	30	ACAL4924	109
AAWS MT72	38	AAWS OGO 18	31	AAWS US3009 G	29	ACAL4926	109
AAWS OBD 18L	34	AAWS OGO 24	31	AAWS US3012	30	ACAL4930	109
AAWS OBD 18R	34	AAWS OGO 30	31	AAWS US3609 G	29	ACAL4932	109
AAWS OBD 24	34	AAWS OGO 36	31	AAWS US3612	30	ACAR4924	109
AAWS OBD 30	34	AAWS OGO 42	31	AAWS US4209 G	29	ACAR4926	109
AAWS OBD 36	34	AAWS OGO 48	31	AAWS US4212	30	ACAR4930	109
AAWS OBD 42	34	AAWS OGO 54	31	AAWS US4809 G	29	ACAR4932	109
AAWS OBD 48	34	AAWS OGO 60	31	AAWS US4812	30	ACBL4924	109
AAWS OBD 54	34	AAWS OGO 66	31	AAWS US5409 G	29	ACBL4926	109
AAWS OBD 60	34	AAWS OGO 72	31	AAWS US5412	30	ACBL4930	109
AAWS OBD 66	34	AAWS OGO 78	31	AAWS US6009 G	29	ACBL4932	109
AAWS OBD 72	34	AAWS OGO 84	31	AAWS US6012	30	ACBR4924	109
AAWS OBD 78	34	AAWS OGO 90	31	AAWS US6609 G	29	ACBR4926	109
AAWS OBD 84	34	AAWS OGO 96	31	AAWS US6612	30	ACBR4930	109
AAWS OBD 90	34	AAWS OGR 42	32	AAWS US7209 G	29	ACBR4932	109
AAWS OBD 96	34	AAWS OGR 48	32	AAWS US7212	30	ACCL4924	110
AAWS OBO 18	31	AAWS OGR 54	32	AAWS VFC	13	ACCL4926	110
AAWS OBO 24	31	AAWS OGR 60	32	AAWS WMC	38	ACCL4930	110
AAWS OBO 30	31	AAWS OGR 66	32	AAWS WOMK 18	35	ACCL4932	110
AAWS OBO 36	31	AAWS OGR 72	32	AAWS WOMK 24	35	ACCR4924	110
AAWS OBO 42	31	AAWS OGR 78	32	AAWS WOMK 30	35	ACCR4926	110
AAWS OBO 48	31	AAWS OGR 84	32	AAWS WOMK 36	35	ACCR4930	110
AAWS OBO 54	31	AAWS OGR 90	32	AAWS WOMK 42	35	ACCR4932	110
AAWS OBO 60	31	AAWS OGR 96	32	AAWS WOMK 48	35	ACDL4924	110
AAWS OBO 66	31	AAWS OGS 42	33	AAWS WOMK 54	35	ACDL4926	110
AAWS OBO 72	31	AAWS OGS 48	33	AAWS WOMK 60	35	ACDL4930	110
AAWS OBO 78	31	AAWS OGS 54	33	AAWS WOMK 66	35	ACDL4932	110
AAWS OBO 84	31	AAWS OGS 60	33	AAWS WOMK 72	35	ACDR4924	110
AAWS OBO 90	31	AAWS OGS 66	33	AAWS WOMK 78	35	ACDR4926	110
AAWS OBO 96	31	AAWS OGS 72	33	AAWS WOMK 84	35	ACDR4930	110
AAWS OBR 42	32	AAWS OGS 78	33	AAWS WOMK 90	35	ACDR4932	110
AAWS OBR 48	32	AAWS OGS 84	33	AAWS WOMK 96	35	ACEL4924	111
AAWS OBR 54	32	AAWS OGS 90	33	AB1 AC24	166	ACEL4926	111
AAWS OBR 60	32	AAWS OGS 96	33	AB1-ABC24	166	ACEL4930	111
AAWS OBR 66	32	AAWS OL 69	13	AB1AS27	169	ACEL4932	111
AAWS OBR 72	32	AAWS OL 84	13	AB1AS28	169	ACEL6424	111
AAWS OBR 78	32	AAWS OLO 69	13	AB1AS30	169	ACEL6426	111
AAWS OBR 84	32	AAWS OLO 84	13	AB1ASC27	169	ACEL6430	111
AAWS OBR 90	32	AAWS PH	38	AB1ASC28	169	ACEL6432	111
AAWS OBR 96	32	AAWS RO MK	35	AB1ASC30	169	ACER4924	111
AAWS OBS 42	33	AAWS RPM1 05	37	AB1AW27	169	ACER4926	111
AAWS OBS 48	33	AAWS RPM2 02	37	AB1AW28	169	ACER4930	111
AAWS OBS 54	33	AAWS RPM2 05	37	AB2 AE	166	ACER4932	111
AAWS OBS 60	33	AAWS RPM2I 05	37	AB2 FE27	166	ACER6424	111
AAWS OBS 66	33	AAWS TC 036	10	AB2 FE28	166	ACER6426	112
AAWS OBS 72	33	AAWS TC 042	10	AC1 39L2	66	ACER6430	111

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ACER6432	112	ACHR6432M	117	AFPF22(E/P)(W)	129	AMBL664	98
ACF	176	ACHR6432W	118	AFPF23(E/P)(W)	129	AMBL665	98
ACFG	176	ACIL6430	115	AFPF24(E/P)(W)	129	AMBL724	98
ACFL4924	113	ACIL6432	115	AFPF30(E/P)(W)	129	AMBL725	98
ACFL4926	113	ACIR6430	115	AFPF31(E/P)(W)	129	AMBL784	98
ACFL4930	113	ACIR6432	115	AFPH12(E/P)(L/N)(W)	130	AMBL785	98
ACFL4932	113	ACJ722WE	121	AFPH13(E/P)(L/N)(W)	130	AMBL844	98
ACFL6424	113	ACJ723WE	121	AFPH14(E/P)(L/N)(W)	130	AMBL845	98
ACFL6426	113	ACJ822WE	121	AFPH22(E/P)(L/N)(W)	130	AMBL904	98
ACFL6430	113	ACJ823WE	121	AFPH23(E/P)(L/N)(W)	130	AMBL905	98
ACFL6432	113	ACKL722WE	122	AFPH24(E/P)(L/N)(W)	130	AMBL964	98
ACFR4924	113	ACKL723WE	122	AFPHL10(E/P)(L/N)(W)	130	AMBL965	98
ACFR4926	113	ACKL822WE	122	AFPHL11(E/P)(L/N)(W)	130	AMBR424	98
ACFR4930	113	ACKL823WE	122	AFPHL20(E/P)(L/N)(W)	130	AMBR425	99
ACFR4932	113	ACKR722WE	122	AFPHL21(E/P)(L/N)(W)	130	AMBR484	98
ACFR6424	113	ACKR723WE	122	AFPHR10(E/P)(L/N)(W)	130	AMBR485	99
ACFR6426	114	ACKR822WE	122	AFPHR11(E/P)(L/N)(W)	130	AMBR544	98
ACFR6430	113	ACKR823WE	122	AFPHR20(E/P)(L/N)(W)	130	AMBR545	99
ACFR6432	114	ACL722M	121	AFPHR21(E/P)(L/N)(W)	130	AMBR604	98
ACGL4924	116	ACL722W	121	AHHSM36	171	AMBR605	99
ACGL4926	116	ACL723M	121	AHHSM42	171	AMBR664	98
ACGL4930	116	ACL723W	121	AHHSM48	171	AMBR665	99
ACGL4932	116	ACL822M	121	AHHSM54	171	AMBR724	98
ACGL6424	116	ACL822W	121	AHHSM60	171	AMBR725	99
ACGL6426	116	ACL823M	121	AHHSM66	171	AMBR784	98
ACGL6430	116	ACL823W	121	AHHSM72	171	AMBR785	99
ACGL6432	116	ACMML722	122	AHHSM78	171	AMBR844	98
ACGR4924	116	ACMML723	122	AHHSM84	171	AMBR845	99
ACGR4926	116	ACMML822	122	AHHSM90	171	AMBR904	98
ACGR4930	116	ACMML823	122	AHHSM96	171	AMBR905	99
ACGR4932	116	ACMMR722	122	AHLTTE18	90	AMBR964	98
ACGR6424	116	ACMMR723	122	AHLTTE20	90	AMBR965	99
ACGR6426	116	ACMMR822	122	AHLTTE24	90	AMGE604	102
ACGR6430	116	ACMMR823	122	AHLTTE30	90	AMGE605	102
ACGR6432	116	ACMWL722	122	AHLTTE36	90	AMGE664	102
ACHL4924M	117	ACMWL723	122	AHLTTE42	90	AMGE665	102
ACHL4924W	118	ACMWL822	122	AHLTTE48	90	AMGE724	102
ACHL4926M	117	ACMWL823	122	ALBL24	170	AMGE725	102
ACHL4926W	118	ACMWR722	122	ALBL30	170	AMGE784	102
ACHL4930M	117	ACMWR723	122	ALBL36	170	AMGE785	102
ACHL4930W	118	ACMWR822	122	ALBR24	170	AMGE844	102
ACHL4932M	117	ACMWR823	122	ALBR30	170	AMGE845	102
ACHL4932W	118	AFB16	131	ALBR36	170	AMGE904	102
ACHL6424M	117	AFB19	131	AMBE604	102	AMGE905	102
ACHL6424W	118	AFB30	131	AMBE605	102	AMGE964	102
ACHL6426M	117	AFB36	131	AMBE664	102	AMGE965	102
ACHL6426W	118	AFB42	131	AMBE665	102	AMGL424	100
ACHL6430M	117	AFB60	131	AMBE724	102	AMGL425	100
ACHL6430W	118	AFB72	131	AMBE725	102	AMGL484	100
ACHL6432M	117	AFB84	131	AMBE784	102	AMGL485	100
ACHL6432W	118	AFB90	131	AMBE785	102	AMGL544	100
ACHR4924M	117	AFB96	131	AMBE844	102	AMGL545	100
ACHR4924W	118	AFPB10(E/P)(W)	129	AMBE845	102	AMGL604	100
ACHR4926M	117	AFPB11(E/P)(W)	129	AMBE904	102	AMGL605	100
ACHR4926W	118	AFPB20(E/P)(W)	129	AMBE905	102	AMGL664	100
ACHR4930M	117	AFPB21(E/P)(W)	129	AMBE964	102	AMGL665	100
ACHR4930W	118	AFPB30(E/P)(W)	129	AMBE965	102	AMGL724	100
ACHR4932M	117	AFPB31(E/P)(W)	129	AMBL424	98	AMGL725	100
ACHR4932W	118	AFPF10(E/P)(W)	129	AMBL425	98	AMGL784	100
ACHR6424M	117	AFPF11(E/P)(W)	129	AMBL484	98	AMGL785	100
ACHR6424W	118	AFPF12(E/P)(W)	129	AMBL485	98	AMGL844	100
ACHR6426M	117	AFPF13(E/P)(W)	129	AMBL544	98	AMGL845	100
ACHR6426W	118	AFPF14(E/P)(W)	129	AMBL545	98	AMGL904	100
ACHR6430M	117	AFPF20(E/P)(W)	129	AMBL604	98	AMGL905	100
ACHR6430W	118	AFPF21(E/P)(W)	129	AMBL605	98	AMGL964	100

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
AMGL965	100	APIL 4836G	64	APCA 0960 S	44	APFA1 6472	39
AMGR424	100	APIL 4842 N	63	APCA 0972	47	APHOBD42	138
AMGR425	101	APIL 4842G	64	APCA 0972 A	48	APHOBD48	138
AMGR484	100	APIL 4848 N	63	APCA 0972 C	44	APHOBD54	138
AMGR485	101	APIL 4848G	64	APCA 0972 S	44	APHOBD60	138
AMGR544	100	APIL 4860 N	63	APCA 1612	47	APHOBD66	138
AMGR545	101	APIL 4872 N	63	APCA 1612 A	48	APHOBD72	138
AMGR604	100	APIL 6418 A	63	APCA 1624	47	APHOBD78	138
AMGR605	101	APIL 6418G	64	APCA 1624 A	48	APHOBD84	138
AMGR664	100	APIL 6424 A	63	APCA 1636	47	APHOBD90	138
AMGR665	101	APIL 6424G	64	APCA 1636 A	48	APHOBD96	138
AMGR724	100	APIL 6430 A	63	APCA 1648	47	APHOBO42	137
AMGR725	101	APIL 6430G	64	APCA 1648 A	48	APHOBO48	137
AMGR784	100	APIL 6436 A	63	APCA 1660	47	APHOBO54	137
AMGR785	101	APIL 6436G	64	APCA 1660 A	48	APHOBO60	137
AMGR844	100	APIL 6442 A	63	APCA 1672	47	APHOBO66	137
AMGR845	101	APIL 6442G	64	APCA 1672 A	48	APHOBO72	137
AMGR904	100	APIL 6448 A	63	APCA 1812	47	APHOBO78	137
AMGR905	101	APIL 6448G	64	APCA 1812 A	48	APHOBO84	137
AMCR964	100	APIL 6460 A	63	APCA 1824	47	APHOBO90	137
AMCR965	101	APIW 1624G	65	APCA 1824 A	48	APHOBO96	137
AMCTTA	108	APIW 1630G	65	APCA 1836	47	APHOBR42	141
AMCTTB	108	APIW 1636G	65	APCA 1836 A	48	APHOBR48	141
AMCTTC	108	APIW 1642G	65	APCA 1848	47	APHOBR54	141
AMCTTD	108	APIW 1648G	65	APCA 1848 A	48	APHOBR60	141
AMPB10(E/P)(W)	129	APIW 1660G	65	APCA 1860	47	APHOBR66	141
AMPB11(E/P)(W)	129	APIW 1672G	65	APCA 1860 A	48	APHOBR72	141
AMPB20(E/P)(W)	129	APIW 1824G	65	APCA 1872	47	APHOBR78	141
AMPB21(E/P)(W)	129	APIW 1830G	65	APCA 1872 A	48	APHOBR84	141
AOBS42	105	APIW 1836G	65	APCA 2712	47	APHOBR90	141
AOBS48	105	APIW 1842G	65	APCA 2712 A	48	APHOBR96	141
AOBS54	105	APIW 1848G	65	APCA 2724	47	APHOBS42	140
AOBS60	105	APIW 1860G	65	APCA 2724 A	48	APHOBS48	140
AOBS66	105	APIW 1872G	65	APCA 2736	47	APHOBS54	140
AOBS72	105	APIW 2524G	65	APCA 2736 A	48	APHOBS60	140
AOBS78	105	APIW 2530G	65	APCA 2748	47	APHOBS66	140
APIL 3018 N	63	APIW 2536G	65	APCA 2748 A	48	APHOBS72	140
APIL 3024 N	63	APIW 2542G	65	APCA 2760	47	APHOBS78	140
APIL 3030 N	63	APIW 2548G	65	APCA 2760 A	48	APHOBS84	140
APIL 3036 N	63	APIW 2560G	65	APCA 2772	47	APHOBS90	140
APIL 3042 N	63	APIW 2572G	65	APCA 2772 A	48	APHOBS96	140
APIL 3048 N	63	APA 39	39	APCA AZ48	43	APHOBT60	139
APIL 3060 N	63	APA 48	39	APCA AZ48S	42	APHOBT66	139
APIL 3072 N	63	APA 64	39	APCA AZ60	43	APHOBT72	139
APIL 3918 N	63	APAI LF	68	APCA AZ60S	42	APHOBT78	139
APIL 3918G	64	APC HOC	45	APCA AZ72	43	APHOBT84	139
APIL 3924 N	63	APCA 0912	47	APCA AZ72S	42	APHOBT90	139
APIL 3924G	64	APCA 0912 A	48	APCA OC	44	APHOBT96	139
APIL 3930 N	63	APCA 0912 C	44	APF1 3948	39	APHOCD42	138
APIL 3930G	64	APCA 0912 S	44	APF1 3960	39	APHOCD48	138
APIL 3936 N	63	APCA 0924	47	APF1 3972	39	APHOCD54	138
APIL 3936G	64	APCA 0924 A	48	APF1 4848	39	APHOCD60	138
APIL 3942 N	63	APCA 0924 C	44	APF1 4860	39	APHOCD66	138
APIL 3942G	64	APCA 0924 S	44	APF1 4872	39	APHOCD72	138
APIL 3948 N	63	APCA 0936	47	APF1 6448	39	APHOCD78	138
APIL 3948G	64	APCA 0936 A	48	APF1 6460	39	APHOCD84	138
APIL 3960 N	63	APCA 0936 C	44	APF1 6472	39	APHOCD90	138
APIL 3972 N	63	APCA 0936 S	44	APFA1 3948	39	APHOCD96	138
APIL 4818 N	63	APCA 0948	47	APFA1 3960	39	APHOC042	137
APIL 4818G	64	APCA 0948 A	48	APFA1 3972	39	APHOC048	137
APIL 4824 N	63	APCA 0948 C	44	APFA1 4848	39	APHOC054	137
APIL 4824G	64	APCA 0948 S	44	APFA1 4860	39	APHOC060	137
APIL 4830 N	63	APCA 0960	47	APFA1 4872	39	APHOC066	137
APIL 4830G	64	APCA 0960 A	48	APFA1 6448	39	APHOC072	137
APIL 4836 N	63	APCA 0960 C	44	APFA1 6460	39	APHOC078	137

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
APHOG084	137	APTA 60	40	AR1 TT1	60	ASOBD42	133
APHOG090	137	APTA 72	40	AR1 TT3	60	ASOBD48	133
APHOG096	137	APTA C24	41	AR1 TT5	60	ASOBD54	133
APHOGR42	141	APTA C36	41	AR1 TT8	60	ASOBD60	133
APHOGR48	141	APTA C48	41	AR1-ELS-B	59, 60	ASOBD66	133
APHOGR54	141	APTA C60	41	AS1 BKH	128	ASOBD72	133
APHOGR60	141	APTA C72	41	AS1 BKL	128	ASOBD78	133
APHOGR66	141	APTA CC	41	AS1 DPAD	126, 127	ASOBD84	133
APHOGR72	141	APTH	41	AS1 PT	128	ASOBD90	133
APHOGR78	141	APTH 120	40	AS1 SPAD	126, 127	ASOBD96	133
APHOGR84	141	APTH 48	40	ASAMP1616	157	ASOBO42	132
APHOGR90	141	APTH 60	40	ASBC18 (L/R)	168	ASOBO48	132
APHOGR96	141	APTH 72	40	ASBC24 (L/R)	168	ASOBO54	132
APHOGS42	140	APTH 96	40	ASFS1 FF18	124	ASOBO60	132
APHOGS48	140	APTL	41	ASFS1 FF24	124	ASOBO66	132
APHOGS54	140	APTL 120	40	ASFS1 PDF18	124	ASOBO72	132
APHOGS60	140	APTL 48	40	ASFS1 PDF24	124	ASOBO78	132
APHOGS66	140	APTL 60	40	ASMMB42	103	ASOBO84	132
APHOGS72	140	APTL 72	40	ASMMB48	103	ASOBO90	132
APHOGS78	140	APTL 96	40	ASMMB54	103	ASOBO96	132
APHOGS84	140	APX CIP4	61	ASMMB60	103	ASOBR42	136
APHOGS90	140	APX CIP6	61	ASMMB66	103	ASOBR48	136
APHOGS96	140	APX CIP8	61	ASMMB72	103	ASOBR54	136
APHOGT60	139	AR1 DA	59, 60	ASMMB78	103	ASOBR60	136
APHOGT66	139	AR1 DB	59, 60	ASMMB84	103	ASOBR66	136
APHOGT72	139	AR1 DC	60	ASMMB90	103	ASOBR72	136
APHOGT78	139	AR1 DX	59, 60	ASMMB96	103	ASOBR78	136
APHOGT84	139	AR1 DY	59, 60	ASMMC42	104	ASOBR84	136
APHOGT90	139	AR1 DZ	60	ASMMC48	104	ASOBR90	136
APHOGT96	139	AR1 EJ1	59	ASMMC54	104	ASOBR96	136
APLP10	92	AR1 EJ10	59	ASMMC60	104	ASOBS42	135
APLP25	92	AR1 EJ12	59	ASMMC66	104	ASOBS48	135
APRA 480	41	AR1 EJ2	59	ASMMC72	104	ASOBS54	135
APRA 600	41	AR1 EJ3	59	ASMMC78	104	ASOBS60	135
APRA 720	41	AR1 EJ4	59	ASMMC84	104	ASOBS66	135
APSA 0921	46	AR1 EJ5	59	ASMMC90	104	ASOBS72	135
APSA 0924	46	AR1 EJ6	59	ASMMC96	104	ASOBS78	135
APSA 0933	46	AR1 EJ8	59	ASMS1 DF18	125	ASOBS84	135
APSA 0936	46	AR1 EOM	59	ASMS1 DF24	125	ASOBS90	135
APSA 0945	46	AR1 EPH1	59	ASMS1 DFO18	125	ASOBS96	135
APSA 0948	46	AR1 EPH2	59	ASMS1 DFO24	125	ASOBT60	134
APSA 0957	46	AR1 EPI5	59	ASMS1 FF18	125	ASOBT66	134
APSA 0960	46	AR1 EPIC	59	ASMS1 FF24	125	ASOBT72	134
APSA 0969	46	AR1 ET1	59	ASMS1 PDF18	125	ASOBT78	134
APSA 0972	46	AR1 ET3	59	ASMS1 PDF24	125	ASOBT84	134
APSA 1621	46	AR1 ET5	59	ASMWB42	103	ASOBT90	134
APSA 1624	46	AR1 ET8	59	ASMWB48	103	ASOBT96	134
APSA 1633	46	AR1 HCC H10	61	ASMWB54	103	ASOGD42	133
APSA 1636	46	AR1 HOB	45	ASMWB60	103	ASOGD48	133
APSA 1645	46	AR1 HOB2	45	ASMWB66	103	ASOGD54	133
APSA 1648	46	AR1 PCC 100	61	ASMWB72	103	ASOGD60	133
APSA 1657	46	AR1 TJ1	60	ASMWB78	103	ASOGD66	133
APSA 1660	46	AR1 TJ10	60	ASMWB84	103	ASOGD72	133
APSA 1669	46	AR1 TJ12	60	ASMWB90	103	ASOGD78	133
APSA 1672	46	AR1 TJ2	60	ASMWB96	103	ASOGD84	133
APT	41	AR1 TJ3	60	ASMWC42	104	ASOGD90	133
APT 48	40	AR1 TJ4	60	ASMWC48	104	ASOGD96	133
APT 60	40	AR1 TJ5	60	ASMWC54	104	ASOGO42	132
APT 72	40	AR1 TJ6	60	ASMWC60	104	ASOGO48	132
APT C24	41	AR1 TJ8	60	ASMWC66	104	ASOGO54	132
APT C36	41	AR1 TOM	60	ASMWC72	104	ASOGO60	132
APT C48	41	AR1 TPH1	60	ASMWC78	104	ASOGO66	132
APT C60	41	AR1 TPH2	60	ASMWC84	104	ASOGO72	132
APT C72	41	AR1 TPI5	60	ASMWC90	104	ASOGO78	132
APTA 48	40	AR1 TPIC	60	ASMWC96	104	ASOGO84	132

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ASOGO90	132	ATBM26	173	AW1T1RC2030	158	AW1T1RF4824	155
ASOGO96	132	ATBM32	173	AW1T1RC2420	158	AW1T1RF4830	156
ASOGR42	136	ATBM42	173	AW1T1RC2424	158	AW1T1RF4836	156
ASOGR48	136	ATBM48	173	AW1T1RC2430	158	AW1T1RF5420	155
ASOGR54	136	ATBM54	173	AW1T1RC3020	158	AW1T1RF5424	155
ASOGR60	136	ATBM60	173	AW1T1RC3024	158	AW1T1RF5430	156
ASOGR66	136	ATBM66	173	AW1T1RC3030	159	AW1T1RF5436	156
ASOGR72	136	ATBM72	173	AW1T1RC3620	158	AW1T1RF6020	155
ASOGR78	136	ATBM78	173	AW1T1RC3624	158	AW1T1RF6024	155
ASOGR84	136	ATBM84	173	AW1T1RC3630	159	AW1T1RF6030	156
ASOGR90	136	ATBM90	173	AW1T1RC4220	158	AW1T1RF6036	156
ASOGR96	136	ATBM96	173	AW1T1RC4224	158	AW1T1RF6620	155
ASOGS42	135	ATBT120	170	AW1T1RC4230	159	AW1T1RF6624	155
ASOGS48	135	ATBT124	170	AW1T1RC4820	158	AW1T1RF6630	156
ASOGS54	135	ATBT130	170	AW1T1RC4824	158	AW1T1RF6636	156
ASOGS60	135	ATBT136	170	AW1T1RC4830	159	AW1T1RF7220	155
ASOGS66	135	ATBT224	170	AW1T1RC5420	158	AW1T1RF7224	155
ASOGS72	135	ATBT230	170	AW1T1RC5424	158	AW1T1RF7230	156
ASOGS78	135	ATBT236	170	AW1T1RC5430	159	AW1T1RF7236	156
ASOGS84	135	ATBT242	170	AW1T1RC6020	158	AW1T1RF7820	155
ASOGS90	135	ATSBA42	106	AW1T1RC6024	158	AW1T1RF7824	155
ASOGS96	135	ATSBA48	106	AW1T1RC6030	159	AW1T1RF7830	156
ASOCT60	134	ATSBA54	106	AW1T1RC6620	158	AW1T1RF7836	156
ASOCT66	134	ATSBA60	106	AW1T1RC6624	158	AW1T1RF8420	155
ASOCT72	134	ATSBA66	106	AW1T1RC6630	159	AW1T1RF8424	155
ASOCT78	134	ATSBA72	106	AW1T1RC7220	158	AW1T1RF8430	156
ASOCT84	134	ATSBA78	106	AW1T1RC7224	158	AW1T1RF8436	156
ASOCT90	134	ATSBB42	106	AW1T1RC7230	159	AW1T1RF9020	155
ASOCT96	134	ATSBB48	106	AW1T1RC7820	158	AW1T1RF9024	155
ASWB42	174	ATSBB54	106	AW1T1RC7824	158	AW1T1RF9030	156
ASWB48	174	ATSBB60	106	AW1T1RC7830	159	AW1T1RF9036	156
ASWB54	174	ATSBB66	106	AW1T1RC8420	158	AW1T1RF9620	155
ASWB60	174	ATSBB72	106	AW1T1RC8424	158	AW1T1RF9624	155
ASWB66	174	ATSBB78	106	AW1T1RC8430	159	AW1T1RF9630	156
ASWB72	174	ATSBC42	106	AW1T1RC9020	158	AW1T1RF9636	156
ASWB78	174	ATSBC48	106	AW1T1RC9024	158	AW1T1WC4823	160
ASWM26	174	ATSBC54	106	AW1T1RC9030	159	AW1T1WC4832	160
ASWM32	174	ATSBC60	106	AW1T1RC9620	158	AW1T1WC6023	160
ASWM42	174	ATSBC66	106	AW1T1RC9624	158	AW1T1WC6032	160
ASWM48	174	ATSBC72	106	AW1T1RC9630	159	AW1T1WC7226	160
ASWM54	174	ATSBC78	106	AW1T1RF1820	155	AW1T1WC7262	160
ASWM60	174	ATSBD42	106	AW1T1RF1824	155	AW1T1WF4823	157
ASWM66	174	ATSBD48	106	AW1T1RF1830	156	AW1T1WF4832	157
ASWM72	174	ATSBD54	106	AW1T1RF1836	156	AW1T1WF6023	157
ASWM78	174	ATSBD60	106	AW1T1RF2020	155	AW1T1WF6032	157
ASWM84	174	ATSBD66	106	AW1T1RF2024	155	AW1T1WF7226	157
ASWM90	174	ATSBD72	106	AW1T1RF2030	156	AW1T1WF7262	157
ASWM96	174	ATSBD78	106	AW1T1RF2036	156	AW1T2DW4826	164
AT2TB (pair)	168	ATSBE42	106	AW1T1RF2420	155	AW1T2DW6026	164
ATAIR36	165	ATSBE48	106	AW1T1RF2424	155	AW1T2DW7226	164
ATAIR42	165	ATSBE54	106	AW1T1RF2430	156	AW1T2R3030	161
ATAIR48	165	ATSBE60	107	AW1T1RF2436	156	AW1T2R3036	161
ATAIT44242	165	ATSBE66	107	AW1T1RF3020	155	AW1T2R3042	161
ATAIT44830	165	ATSBE72	107	AW1T1RF3024	155	AW1T2R3630	161
ATAIT44848	165	ATSBE78	107	AW1T1RF3030	156	AW1T2R3636	161
ATAIT46030	165	AUA1 1224 G	62	AW1T1RF3036	156	AW1T2R3642	161
ATAIT47230	165	AUA1 1236 G	62	AW1T1RF3620	155	AW1T2R4230	161
ATAIT47236	165	AUA1 1248 G	62	AW1T1RF3624	155	AW1T2R4236	161
ATBB42	173	AUA1 1260 G	62	AW1T1RF3630	156	AW1T2R4242	161
ATBB48	173	AUA1 1272 G	62	AW1T1RF3636	156	AW1T2R4830	161
ATBB54	173	AW1T1RC1820	158	AW1T1RF4220	155	AW1T2R4836	161
ATBB60	173	AW1T1RC1824	158	AW1T1RF4224	155	AW1T2R4842	161
ATBB66	173	AW1T1RC1830	158	AW1T1RF4230	156	AW1T2R5430	161
ATBB72	173	AW1T1RC2020	158	AW1T1RF4236	156	AW1T2R5436	161
ATBB78	173	AW1T1RC2024	158	AW1T1RF4820	155	AW1T2R5442	161



<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
AW1T2R6030	161	AWHOBDO66	146	AWHOBST60	144	AWHOGSO36	142
AW1T2R6036	161	AWHOBDO72	146	AWHOBST66	144	AWHOGSO42	142
AW1T2R6042	161	AWHOBDO78	146	AWHOBST72	144	AWHOGSO48	142
AW1T2R6630	161	AWHOBDO84	146	AWHOBST78	144	AWHOGSO54	142
AW1T2R6636	161	AWHOBDO90	146	AWHOBST84	144	AWHOGSO60	142
AW1T2R6642	161	AWHOBDO96	146	AWHOBST90	144	AWHOGSO66	142
AW1T2R7230	161	AWHOBDR60	149	AWHOBST96	144	AWHOGS072	142
AW1T2R7236	161	AWHOBDR66	149	AWHOGDD30	147	AWHOGS078	142
AW1T2R7242	161	AWHOBDR72	149	AWHOGDD36	147	AWHOGS084	142
AW1T2R7830	161	AWHOBDR78	149	AWHOGDD42	147	AWHOGS090	142
AW1T2R7836	161	AWHOBDR84	149	AWHOGDD48	147	AWHOGS096	142
AW1T2R7842	161	AWHOBDR90	149	AWHOGDD54	147	AWHOGSR60	145
AW1T2R8430	161	AWHOBDR96	149	AWHOGDD60	147	AWHOGSR66	145
AW1T2R8436	161	AWHOBDS60	149	AWHOGDD66	147	AWHOGSR72	145
AW1T2R8442	162	AWHOBDS66	149	AWHOGDD72	147	AWHOGSR78	145
AW1T2R9030	161	AWHOBDS72	149	AWHOGDD78	147	AWHOGSR84	145
AW1T2R9036	161	AWHOBDS78	149	AWHOGDD84	147	AWHOGSR90	145
AW1T2R9042	162	AWHOBDS84	149	AWHOGDD90	147	AWHOGSR96	145
AW1T2R9630	161	AWHOBDS90	149	AWHOGDD96	147	AWHOGSS60	145
AW1T2R9636	161	AWHOBDS96	149	AWHOGD030	146	AWHOGSS66	145
AW1T2R9642	162	AWHOBDT60	148	AWHOGD036	146	AWHOGSS72	145
AW1T2W4823	163	AWHOBDT66	148	AWHOGD042	146	AWHOGSS78	145
AW1T2W4832	163	AWHOBDT72	148	AWHOGD048	146	AWHOGSS84	145
AW1T2W6023	163	AWHOBDT78	148	AWHOGD054	146	AWHOGSS90	145
AW1T2W6032	163	AWHOBDT84	148	AWHOGD060	146	AWHOGSS96	145
AW1T2W7226	163	AWHOBDT90	148	AWHOGD066	146	AWHOGST60	144
AW1T2W7262	163	AWHOBDT96	148	AWHOGD072	146	AWHOGST66	144
AWBK42	108	AWHOBSD30	143	AWHOGD078	146	AWHOGST72	144
AWBK48	108	AWHOBSD36	143	AWHOGD084	146	AWHOGST78	144
AWBK54	108	AWHOBSD42	143	AWHOGD090	146	AWHOGST84	144
AWBK60	108	AWHOBSD48	143	AWHOGD096	146	AWHOGST90	144
AWBK66	108	AWHOBSD54	143	AWHOGDR60	149	AWHOGST96	144
AWBK72	108	AWHOBSD60	143	AWHOGDR66	149	AWHTB30	175
AWBK78	108	AWHOBSD66	143	AWHOGDR72	149	AWHTB36	175
AWBK84	108	AWHOBSD72	143	AWHOGDR78	149	AWHTB42	175
AWBK90	108	AWHOBSD78	143	AWHOGDR84	149	AWHTB48	175
AWBK96	108	AWHOBSD84	143	AWHOGDR90	149	AWHTB54	175
AWBS42	105	AWHOBSD90	143	AWHOGDR96	149	AWHTB60	175
AWBS48	105	AWHOBSD96	143	AWHOGDS60	149	AWHTB66	175
AWBS54	105	AWHOBSD030	142	AWHOGDS66	149	AWHTB72	175
AWBS60	105	AWHOBSD036	142	AWHOGDS72	149	AWHTB78	175
AWBS66	105	AWHOBSD042	142	AWHOGDS78	149	AWHTB84	175
AWBS72	105	AWHOBSD048	142	AWHOGDS84	149	AWHTB90	175
AWBS78	105	AWHOBSD054	142	AWHOGDS90	149	AWHTB96	175
AWBS84	105	AWHOBSD060	142	AWHOGDS96	149	AWM1 S36	172
AWBS90	105	AWHOBSD066	142	AWHOGDT60	148	AWM1 S42	172
AWBS96	105	AWHOBSD072	142	AWHOGDT66	148	AWM1 S48	172
AWHOBDD30	147	AWHOBSD078	142	AWHOGDT72	148	AWM1 S60	172
AWHOBDD36	147	AWHOBSD084	142	AWHOGDT78	148	AWM1 S66	172
AWHOBDD42	147	AWHOBSD090	142	AWHOGDT84	148	AWM1 S72	172
AWHOBDD48	147	AWHOBSD096	142	AWHOGDT90	148	AWM1 S78	172
AWHOBDD54	147	AWHOBSD96	145	AWHOGDT96	148	AWM1 S84	172
AWHOBDD60	147	AWHOBSDR60	145	AWHOGSD30	143	AWSO	176
AWHOBDD66	147	AWHOBSDR66	145	AWHOGSD36	143	AWSOG	176
AWHOBDD72	147	AWHOBSDR72	145	AWHOGSD42	143	AWTCT24	120
AWHOBDD78	147	AWHOBSDR78	145	AWHOGSD48	143	AWTCT30	120
AWHOBDD84	147	AWHOBSDR84	145	AWHOGSD54	143	AX1 A34239	55
AWHOBDD84	147	AWHOBSDR90	145	AWHOGSD60	143	AX1 A34939	55
AWHOBDD90	147	AWHOBSDR96	145	AWHOGSD66	143	AX1 A34948	55
AWHOBDD96	147	AWHOBSS60	145	AWHOGSD72	143	AX1 A36439	55
AWHOBDO30	146	AWHOBSS66	145	AWHOGSD78	143	AX1 A36448	56
AWHOBDO36	146	AWHOBSS72	145	AWHOGSD84	143	AX1 A36464	56
AWHOBDO42	146	AWHOBSS78	145	AWHOGSD90	143	AX1 HLS4839	52
AWHOBDO48	146	AWHOBSS84	145	AWHOGSD96	143	AX1 HLS6439	52
AWHOBDO54	146	AWHOBSS90	145	AWHOGS030	142	AX1 HLS6448	52
AWHOBDO60	146	AWHOBSS96	145				

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
AX1 M3939	54	AX2 C6464	54	R3CAU0824	82	R3R0TT249	84
AX1 M4239	54	MB1-AUX-C	167	R3CAU0830	82	R3R0TT264	84
AX1 M4839	54	MB2-C18W-(L/R)	167	R3CAU0836	82	R3R0TT334	84
AX1 M4848	54	MB2-C24W-(L/R)	167	R3CAU0842	82	R3R0TT342	84
AX1 M5639	54	MB2-C30W-(L/R)	167	R3CAU0848	82	R3R0TT349	84
AX1 M5648	54	MB2-YW-(L/R)	167	R3CAU1218	82	R3R0TT364	84
AX1 M6439	54	MB3-E18W	167	R3CAU1220	82	R3R0TTL34	84
AX1 M6448	54	MB3-E24W	167	R3CAU1224	82	R3R0TTL42	84
AX1 M6464	54	MB3-E30W	167	R3CAU1230	82	R3R0TTL49	84
AX1 M8039	54	MB3-E36W	167	R3CAU1236	82	R3R0TTL64	84
AX1 M8048	54	MB3-EC18W	167	R3CAU1242	82	R3R1AF13418	70
AX1 M8064	54	MB3-EC24W	167	R3CAU1248	82	R3R1AF13424	70
AX1 R34239	55	MB3-EC30W	167	R3CAU1518	82	R3R1AF13430	70
AX1 R34939	55	MCI-39S1	67	R3CAU1520	82	R3R1AF13436	70
AX1 R34948	55	MCI-48S1	67	R3CAU1524	82	R3R1AF13442	70
AX1 R36439	55	MCI-64S1	67	R3CAU1530	82	R3R1AF13448	70
AX1 R36448	55	MD6-BD	128	R3CAU1536	82	R3R1AF14918	70
AX1 R36464	55	MD6-FS	128	R3CAU1542	82	R3R1AF14924	70
AX1 R37939	55	MM2-CG	68	R3CAU1548	82	R3R1AF14930	70
AX1 R37948	55	MWM-J	151	R3CAUHL0818	82	R3R1AF14936	70
AX1 R37964	55	R2AHBW18	89	R3CAUHL0820	82	R3R1AF14942	70
AX1 RF1	54	R2AHBW20	89	R3CAUHL0824	82	R3R1AF14948	70
AX1 RF3	54	R2AHBW24	89	R3CAUHL0830	82	R3R1AF16418	70
AX1 S	52	R2AHBW30	89	R3CAUHL0836	82	R3R1AF16424	70
AX1 STC39 3	52	R2AHBW36	89	R3CAUHL0842	82	R3R1AF16430	70
AX1 STC39 L3	52	R2AHBW42	89	R3CAUHL0848	82	R3R1AF16436	70
AX1 STC48 3	52	R2AHBW48	89	R3CAUHL1218	83	R3R1AF16442	70
AX1 STC48 L3	52	R2AHCN34	89	R3CAUHL1220	83	R3R1AF16448	70
AX1 STC64 3	52	R2AHCN42	89	R3CAUHL1224	83	R3R1AF23418	71
AX1 STC64 L3	52	R2AHCN49	89	R3CAUHL1230	83	R3R1AF23424	71
AX1 SWS39	52	R2AHCN64	89	R3CAUHL1236	83	R3R1AF23430	71
AX1 SWS48	52	R2AHCN79	89	R3CAUHL1242	83	R3R1AF23436	71
AX1 SWS64	52	R2AHSR18	89	R3CAUHL1248	83	R3R1AF23442	71
AX1A C39	49	R2AHSR20	89	R3CAUHL1518	83	R3R1AF23448	71
AX1A C48	49	R2AHSR24	89	R3CAUHL1520	83	R3R1AF24918	71
AX1A C64	49	R2AHSR30	89	R3CAUHL1524	83	R3R1AF24924	71
AX1A EH39	49	R2AHSR36	89	R3CAUHL1530	83	R3R1AF24930	71
AX1A EH48	49	R2AHSR42	89	R3CAUHL1536	83	R3R1AF24936	71
AX1A EH64	49	R2AHSR48	89	R3CAUHL1542	83	R3R1AF24942	71
AX1A EL39	49	R2AHWR18	89	R3CAUHL1548	83	R3R1AF24948	71
AX1A EL48	49	R2AHWR20	89	R3R0LT134	85	R3R1AF26418	71
AX1A EL64	49	R2AHWR24	89	R3R0LT142	85	R3R1AF26424	71
AX1A F39	49	R2AHWR30	89	R3R0LT149	85	R3R1AF26430	71
AX1A F48	49	R2AHWR36	89	R3R0LT164	85	R3R1AF26436	71
AX1A F64	49	R2AHWR42	89	R3R0LT234	85	R3R1AF26442	71
AX1A L39	50	R2AHWR48	89	R3R0LT242	85	R3R1AF26448	71
AX1A L48	50	R2CCG	92	R3R0LT249	85	R3R1AF33418	72
AX1A L64	50	R3B0P0F4207	57	R3R0LT264	85	R3R1AF33424	72
AX1A T39	50	R3B0P0F4907	57	R3R0LT334	85	R3R1AF33430	72
AX1A T48	50	R3B0P0F6407	57	R3R0LT342	85	R3R1AF33436	72
AX1A T64	50	R3B0P0F7907	57	R3R0LT349	85	R3R1AF33442	72
AX1A V39	50	R3B0P0H4207	57	R3R0LT364	85	R3R1AF33448	72
AX1A V48	50	R3B0P0H4907	57	R3R0LTL34	85	R3R1AF34918	72
AX1A V64	50	R3B0P0H6407	57	R3R0LTL42	85	R3R1AF34924	72
AX1A X39	50	R3B0P0H7907	57	R3R0LTL49	85	R3R1AF34930	72
AX1A X48	50	R3B0T0F4207	57	R3R0LTL64	85	R3R1AF34936	72
AX1A X64	50	R3B0T0F4907	57	R3R0T0H4207	57	R3R1AF34942	72
AX1A Y39	50	R3B0T0F6407	57	R3R0T0H4907	57	R3R1AF34948	72
AX1A Y48	50	R3B0T0F7907	57	R3R0T0H6407	57	R3R1AF36418	72
AX1A Y64	51	R3B0T0H4207	57	R3R0TT134	84	R3R1AF36424	72
AX2 C3939	54	R3B0T0H4907	57	R3R0TT142	84	R3R1AF36430	72
AX2 C4839	54	R3B0T0H6407	57	R3R0TT149	84	R3R1AF36436	72
AX2 C4848	54	R3B0T0H7907	57	R3R0TT164	84	R3R1AF36442	72
AX2 C6439	54	R3CAU0818	82	R3R0TT234	84	R3R1AF36448	72
AX2 C6448	54	R3CAU0820	82	R3R0TT242	84	R3R1AF36454	72

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3R1AFL3424	69	R3R1CX36418	80	R3R1SA342	88	R3R2AFL3442	73
R3R1AFL3430	69	R3R1CX36424	80	R3R1SA349	88	R3R2AFL3448	73
R3R1AFL3436	69	R3R1CX36430	80	R3R1SA364	88	R3R2AFL4918	73
R3R1AFL3442	69	R3R1CX36436	80	R3R1SAL34	88	R3R2AFL4924	73
R3R1AFL3448	69	R3R1CX36442	80	R3R1SAL42	88	R3R2AFL4930	73
R3R1AFL4918	69	R3R1CX36448	80	R3R1SAL49	88	R3R2AFL4936	73
R3R1AFL4924	69	R3R1CXL4218	77	R3R1SAL64	88	R3R2AFL4942	73
R3R1AFL4930	69	R3R1CXL4224	77	R3R2AF13418	74	R3R2AFL4948	73
R3R1AFL4936	69	R3R1CXL4230	77	R3R2AF13424	74	R3R2AFL6418	73
R3R1AFL4942	69	R3R1CXL4236	77	R3R2AF13430	74	R3R2AFL6424	73
R3R1AFL4948	69	R3R1CXL4242	77	R3R2AF13436	74	R3R2AFL6430	73
R3R1AFL6418	69	R3R1CXL4248	77	R3R2AF13442	74	R3R2AFL6436	73
R3R1AFL6424	69	R3R1CXL4918	77	R3R2AF13448	74	R3R2AFL6442	73
R3R1AFL6430	69	R3R1CXL4924	77	R3R2AF14918	74	R3R2AFL6448	73
R3R1AFL6436	69	R3R1CXL4930	77	R3R2AF14924	74	R3R2SXX4218	81
R3R1AFL6442	69	R3R1CXL4936	77	R3R2AF14930	74	R3R2SXX4224	81
R3R1AFL6448	69	R3R1CXL4942	77	R3R2AF14936	74	R3R2SXX4230	81
R3R1CX14218	78	R3R1CXL4948	77	R3R2AF14942	74	R3R2SXX4236	81
R3R1CX14224	78	R3R1CXL6418	77	R3R2AF14948	74	R3R2SXX4242	81
R3R1CX14230	78	R3R1CXL6424	77	R3R2AF16418	74	R3R2SXX4248	81
R3R1CX14236	78	R3R1CXL6430	77	R3R2AF16424	74	R3R2SXX4918	81
R3R1CX14242	78	R3R1CXL6436	77	R3R2AF16430	74	R3R2SXX4924	81
R3R1CX14248	78	R3R1CXL6442	77	R3R2AF16436	74	R3R2SXX4930	81
R3R1CX14918	78	R3R1CXL6448	77	R3R2AF16442	74	R3R2SXX4936	81
R3R1CX14924	78	R3R1LAL134	86	R3R2AF16448	74	R3R2SXX4942	81
R3R1CX14930	78	R3R1LAL142	86	R3R2AF23418	75	R3R2SXX4948	81
R3R1CX14936	78	R3R1LAL149	86	R3R2AF23424	75	R3R2SXX6418	81
R3R1CX14942	78	R3R1LAL164	86	R3R2AF23430	75	R3R2SXX6424	81
R3R1CX14948	78	R3R1LAL234	86	R3R2AF23436	75	R3R2SXX6430	81
R3R1CX16418	78	R3R1LAL242	86	R3R2AF23442	75	R3R2SXX6436	81
R3R1CX16424	78	R3R1LAL249	86	R3R2AF23448	75	R3R2SXX6442	81
R3R1CX16430	78	R3R1LAL264	86	R3R2AF24918	75	R3R2SXX6448	81
R3R1CX16436	78	R3R1LAL334	87	R3R2AF24924	75	R3SPABPT	92
R3R1CX16442	78	R3R1LAL342	87	R3R2AF24930	75	R3SPABTT	92
R3R1CX16448	78	R3R1LAL349	87	R3R2AF24936	75	R3SPABTW	92
R3R1CX24218	79	R3R1LAL364	87	R3R2AF24942	75	R3X34E	88
R3R1CX24224	79	R3R1LALL34	86	R3R2AF24948	75	R3X42E	88
R3R1CX24230	79	R3R1LALL42	86	R3R2AF26418	75	R3X49E	88
R3R1CX24236	79	R3R1LALL49	86	R3R2AF26424	75	R3X64E	88
R3R1CX24242	79	R3R1LALL64	86	R3R2AF26430	75	RBCCP	168
R3R1CX24248	79	R3R1LAR134	86	R3R2AF26436	75	RBF	168
R3R1CX24918	79	R3R1LAR142	86	R3R2AF26442	75	RCOUNTWT	129
R3R1CX24924	79	R3R1LAR149	86	R3R2AF26448	75	RHSC15	92
R3R1CX24930	79	R3R1LAR164	86	R3R2AF33418	76	RHSC250	92
R3R1CX24936	79	R3R1LAR234	87	R3R2AF33424	76	RHSC70	92
R3R1CX24942	79	R3R1LAR242	87	R3R2AF33430	76	RO1-CB	151
R3R1CX24948	79	R3R1LAR249	87	R3R2AF33436	76	RO1-MPB	151
R3R1CX26418	79	R3R1LAR264	87	R3R2AF33442	76	RO1-RCB	151
R3R1CX26424	79	R3R1LAR334	87	R3R2AF33448	76	RO1-RPB	151
R3R1CX26430	79	R3R1LAR342	87	R3R2AF34918	76	RO1-WMF2	151
R3R1CX26436	79	R3R1LAR349	87	R3R2AF34924	76	RO1-WMF3	151
R3R1CX26442	79	R3R1LAR364	87	R3R2AF34930	76	RO1-WMF4	151
R3R1CX26448	79	R3R1LARL34	86	R3R2AF34936	76	RO3-A30NL	150
R3R1CX34218	80	R3R1LARL42	86	R3R2AF34942	76	RO3-A30NN	150
R3R1CX34224	80	R3R1LARL49	86	R3R2AF34948	76	RO3-A30PL	150
R3R1CX34230	80	R3R1LARL64	86	R3R2AF36418	76	RO3-A30PN	150
R3R1CX34236	80	R3R1SA134	88	R3R2AF36424	76	RO3-A36NL	150
R3R1CX34242	80	R3R1SA142	88	R3R2AF36430	76	RO3-A36NN	150
R3R1CX34248	80	R3R1SA149	88	R3R2AF36436	76	RO3-A36PL	150
R3R1CX34918	80	R3R1SA164	88	R3R2AF36442	76	RO3-A36PN	150
R3R1CX34924	80	R3R1SA234	88	R3R2AF36448	76	RO3-A42NL	150
R3R1CX34930	80	R3R1SA242	88	R3R2AF36448	76	RO3-A42NN	150
R3R1CX34936	80	R3R1SA249	88	R3R2AFL3418	73	RO3-A42PL	150
R3R1CX34942	80	R3R1SA264	88	R3R2AFL3424	73	RO3-A42PN	150
R3R1CX34948	80	R3R1SA334	88	R3R2AFL3430	73	RO3-A48NL	150
				R3R2AFL3436	73		

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RO3-A48NN	150	RR3-REPI	95	RT1 SMK 4213	153	XTB1 BAS 30D12CF	186
RO3-A48PL	150	RR3-RTPI	97	RT1 SMK 4215	154	XTB1 BAS 30D15CA	188
RO3-A48PN	150	RR3-SP-(A, B, C, X, Y, Z)	97	RT1 SMK 4216	154	XTB1 BAS 30D15CF	186
RO3-A60NL	150	RR3-SP-(A,B,X,Y)	95	RT1 SMK 4812	153	XTB1 BAS 30D15SA	188
RO3-A60NN	150	RR3-T24	96	RT1 SMK 4813	153	XTB1 BAS 30D15SF	186
RO3-A60PL	150	RR3-T24S	93	RT1 SMK 4815	154	XTB1 BAS 30D18SA	188
RO3-A60PN	150	RR3-T30	96	RT1 SMK 4816	154	XTB1 BAS 30D18SF	186
RO3-A72NL	150	RR3-T30S	93	RT1 SMK 5412	153	XTB1 BAS 30D20SA	188
RO3-A72NN	150	RR3-T36	96	RT1 SMK 5413	153	XTB1 BAS 30D20SF	186
RO3-A72PL	150	RR3-T36S	93	RT1 SMK 5415	154	XTB1 BAS 30D24CA	188
RO3-A72PN	150	RR3-T42	96	RT1 SMK 5416	154	XTB1 BAS 30D24CF	186
RR3-DA	94, 96	RR3-T42S	93	RT1 SMK 6012	153	XTB1 BAS 30D25CA	188
RR3-DB	94, 96	RR3-T48	96	RT1 SMK 6013	153	XTB1 BAS 30D25CF	186
RR3-DC	94, 96	RR3-T48S	93	RT1 SMK 6015	154	XTB1 BAS 30S10CA	189
RR3-DX	94, 96	RR3-T60-4	96	RT1 SMK 6016	154	XTB1 BAS 30S10CF	187
RR3-DXO	94, 96	RR3-T66-4	96	RT1 SMK 6612	153	XTB1 BAS 30S12CA	189
RR3-DY	94, 96	RR3-T72-4	96	RT1 SMK 6613	153	XTB1 BAS 30S12CF	187
RR3-DYO	94, 96	RR3-TJ18	97	RT1 SMK 6615	154	XTB1 BAS 30S15CA	189
RR3-DZ	96	RR3-TJ18P	97	RT1 SMK 6616	154	XTB1 BAS 30S15CF	187
RR3-DZO	96	RR3-TJ20	97	RT1 SMK 7212	153	XTB1 BAS 30S15SA	189
RR3-E24	94	RR3-TJ20P	97	RT1 SMK 7213	153	XTB1 BAS 30S15SF	187
RR3-E24S	93	RR3-TJ24	97	RT1 SMK 7215	154	XTB1 BAS 30S18SA	189
RR3-E30	94	RR3-TJ24P	97	RT1 SMK 7216	154	XTB1 BAS 30S18SF	187
RR3-E30S	93	RR3-TJ30	97	RT1 SMK 7812	153	XTB1 BAS 30S20SA	189
RR3-E36	94	RR3-TJ30P	97	RT1 SMK 7813	153	XTB1 BAS 30S20SF	187
RR3-E36S	93	RR3-TJ36	97	RT1 SMK 7815	154	XTB1 BAS 30S24SA	189
RR3-E42	94	RR3-TJ36P	97	RT1 SMK 7816	154	XTB1 BAS 30S24SF	187
RR3-E42S	93	RR3-TJ42	97	RT1 SMK 8412	153	XTB1 BAS 30S25SA	189
RR3-E48	94	RR3-TJ42P	97	RT1 SMK 8413	153	XTB1 BAS 30S25SF	187
RR3-E48S	93	RR3-TJ48	97	RT1 SMK 8415	154	XTB1 BAS 36D10CA	192
RR3-E60-4	94	RR3-TJ48P	97	RT1 SMK 8416	154	XTB1 BAS 36D10CF	190
RR3-E66-4	94	RR3-TJ54P	97	RT1 SMK 9012	153	XTB1 BAS 36D12CA	192
RR3-E72-4	94	RR3-TJ60P	97	RT1 SMK 9013	153	XTB1 BAS 36D12CF	190
RR3-EJ18	95	RR3-TJ66P	97	RT1 SMK 9015	154	XTB1 BAS 36D15CA	192
RR3-EJ18P	95	RR3-TJ72P	97	RT1 SMK 9016	154	XTB1 BAS 36D15CF	190
RR3-EJ20	95	RR3-TJ78P	97	RT1 SMK 9612	153	XTB1 BAS 36D15SA	192
RR3-EJ20P	95	RR3-TJ84P	97	RT1 SMK 9613	153	XTB1 BAS 36D15SF	190
RR3-EJ24	95	RR3-TJ90P	97	RT1 SMK 9615	154	XTB1 BAS 36D18SA	192
RR3-EJ24P	95	RR3-TJ96P	97	RT1 SMK 9616	154	XTB1 BAS 36D18SF	190
RR3-EJ30	95	RR3-TPC	96	RT1 SMK B	153, 154	XTB1 BAS 36D20SA	192
RR3-EJ30P	95	RR3-TPC24	96	RT1S24(L/R)	152	XTB1 BAS 36D20SF	190
RR3-EJ36	95	RR3-TPCP	96	RT1S36(L/R)	152	XTB1 BAS 36D24CA	192
RR3-EJ36P	95	RR3-TPCP24	96	RT1S48(L/R)	152	XTB1 BAS 36D24CF	190
RR3-EJ42	95	RR3-TPCPS	96	XAUA 1248G	214	XTB1 BAS 36D25CA	192
RR3-EJ42P	95	RR3-TPCS	96	XAUA 1260G	214	XTB1 BAS 36D25CF	190
RR3-EJ48	95	RR3-TPI	97	XAUA 1272G	214	XTB1 BAS 36S10CA	193
RR3-EJ48P	95	RR3-TPNY1	97	XTB1 BAS 24D10CF	184	XTB1 BAS 36S10CF	191
RR3-EJ54P	95	RR3-TPNY2	97	XTB1 BAS 24D12CF	184	XTB1 BAS 36S12CA	193
RR3-EJ60P	95	RR3-TPVR	97	XTB1 BAS 24D15CF	184	XTB1 BAS 36S12CF	191
RR3-EJ66P	95	RSPABPP	92	XTB1 BAS 24D15SF	184	XTB1 BAS 36S15CA	193
RR3-EJ72P	95	RSPABPW	92	XTB1 BAS 24D18SF	184	XTB1 BAS 36S15CF	191
RR3-EJ78P	95	RSPABWW	92	XTB1 BAS 24D20SF	184	XTB1 BAS 36S15SA	193
RR3-EJ84P	95	RT1 SMK 2412	153	XTB1 BAS 24D24SF	184	XTB1 BAS 36S15SF	191
RR3-EJ90P	95	RT1 SMK 2413	153	XTB1 BAS 24D25SF	184	XTB1 BAS 36S18SA	193
RR3-EJ96P	95	RT1 SMK 2415	154	XTB1 BAS 24S10CF	185	XTB1 BAS 36S18SF	191
RR3-EPC	94	RT1 SMK 2416	154	XTB1 BAS 24S12CF	185	XTB1 BAS 36S20SA	193
RR3-EPC24	94	RT1 SMK 3012	153	XTB1 BAS 24S15CF	185	XTB1 BAS 36S20SF	191
RR3-EPCP	94	RT1 SMK 3013	153	XTB1 BAS 24S15SF	185	XTB1 BAS 36S24SA	193
RR3-EPCP24	94	RT1 SMK 3015	154	XTB1 BAS 24S18SF	185	XTB1 BAS 36S24SF	191
RR3-EPCPS	94	RT1 SMK 3016	154	XTB1 BAS 24S20SF	185	XTB1 BAS 36S25SA	193
RR3-EPCS	94	RT1 SMK 3612	153	XTB1 BAS 24S24SF	185	XTB1 BAS 36S25SF	191
RR3-EPI	95	RT1 SMK 3613	153	XTB1 BAS 24S25SF	185	XTB1 SLIK30	198
RR3-EPNY1	95	RT1 SMK 3615	154	XTB1 BAS 30D10CA	188	XTB1 SLIK36	198
RR3-EPNY2	95	RT1 SMK 3616	154	XTB1 BAS 30D10CF	186	XTB1AC	202
RR3-EPVR	95	RT1 SMK 4212	153	XTB1 BAS 30D12CA	188	XTB1AC24	202

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
XTB1ACEND	203	XTB1XS30N	201	XTR1BCC50	209	XTTK6018F (L/M/1/2/3)	217
XTB1DB10C	196	XTB1XS36	201	XTR1DA	205, 207	XTTK6024A (L/M/1/2/3)	179
XTB1DB10E	196	XTB1XS36N	201	XTR1DB	205, 207	XTTK6024B (L/M/1/2/3)	180
XTB1DB12C	196	XTB1YDD24	199	XTR1DC	207	XTTK6024C (L/M/1/2/3)	181
XTB1DB12E	196	XTB1YDD30	199	XTR1DXO	205, 207	XTTK6024E (L/M/1/2/3)	182
XTB1DB15C	196	XTB1YDD36	199	XTR1DYO	205, 207	XTTK6030A (L/M/1/2/3)	179
XTB1DB15E	196	XTC1 120A	194	XTR1DZO	207	XTTK6030B (L/M/1/2/3)	180
XTB1DB4E	196	XTC1 144A	194	XTR1E30D	204	XTTK6030C (L/M/1/2/3)	181
XTB1DB5C	196	XTC1 48A	194	XTR1E30S	204	XTTK6030E (L/M/1/2/3)	182
XTB1DB5E	196	XTC1 60A	194	XTR1E424D	204	XTTK6036A (L/M/1/2/3)	179
XTB1DB6C	196	XTC1 72A	194	XTR1E424S	204	XTTK6036B (L/M/1/2/3)	180
XTB1DB6E	196	XTC1 96A	194	XTR1EE	204, 206, 208	XTTK6036C (L/M/1/2/3)	181
XTB1DB8C	196	XTC1 END	194	XTR1EJ18	205	XTTK6036D (L/M/1/2/3)	183
XTB1DB8E	196	XTCA1 120A	194	XTR1EJ30	205	XTTK6036E (L/M/1/2/3)	183
XTB1EDD24	198	XTCA1 144A	194	XTR1EJ42	205	XTTK6036F (L/M/1/2/3)	217
XTB1EDD30	198	XTCA1 48A	194	XTR1EPH	205	XTTK7218F (L/M/1/2/3)	217
XTB1EDD36	198	XTCA1 60A	194	XTR1EPI	205	XTTK7224A (L/M/1/2/3)	179
XTB1ESD24	200	XTCA1 72A	194	XTR1FE	204, 206, 208	XTTK7224B (L/M/1/2/3)	180
XTB1ESD30	200	XTCA1 96A	194	XTR1H30D	208	XTTK7224C (L/M/1/2/3)	181
XTB1ESD36	200	XTCF 48	194	XTR1OF	205, 207, 208	XTTK7224E (L/M/1/2/3)	182
XTB1FC	202	XTCF 60	194	XTR1PDCX	205, 207	XTTK7230A (L/M/1/2/3)	179
XTB1FC24	202	XTCF 72	194	XTR1T30D	206	XTTK7230B (L/M/1/2/3)	180
XTB1FCEND	203	XTCS1 4714	210	XTR1T30S	206	XTTK7230C (L/M/1/2/3)	181
XTB1LDD	198	XTCS1 4721	210	XTR1T424D	206	XTTK7230E (L/M/1/2/3)	182
XTB1LDD24	198	XTCS1 4814	210	XTR1T424S	206	XTTK7236A (L/M/1/2/3)	179
XTB1LP	203	XTCS1 4821	210	XTR1TCC25	209	XTTK7236B (L/M/1/2/3)	180
XTB1LSD	200	XTCS1 5914	210	XTR1TJ18	207	XTTK7236C (L/M/1/2/3)	181
XTB1LSD24	200	XTCS1 5921	210	XTR1TJ30	207	XTTK7236D (L/M/1/2/3)	183
XTB1MB	202	XTCS1 6014	210	XTR1TJ42	207	XTTK7236E (L/M/1/2/3)	183
XTB1RAK	209	XTCS1 6021	210	XTR1TPH	207	XTTK7236F (L/M/1/2/3)	217
XTB1SB10C	197	XTCS1 7114	210	XTR1TPI	207	XTTK8418F (L/M/1/2/3)	217
XTB1SB10E	197	XTCS1 7121	210	XTSM1C	212	XTTK8436F (L/M/1/2/3)	217
XTB1SB12C	197	XTCS1 7214	210	XTSM1K	211	XTTK9624A (L/M/1/2/3)	179
XTB1SB12E	197	XTCS1 7221	210	XTSM1KC	213	XTTK9624B (L/M/1/2/3)	180
XTB1SB15C	197	XTCT6030D	209	XTSM1KK	212	XTTK9624C (L/M/1/2/3)	181
XTB1SB15E	197	XTCT6030LD	209	XTSM1P	211, 212	XTTK9630A (L/M/1/2/3)	179
XTB1SB4E	197	XTCT6036D	209	XTSM1PC	213	XTTK9630B (L/M/1/2/3)	180
XTB1SB5C	197	XTCT6036LD	209	XTSM1S	211, 212	XTTK9630C (L/M/1/2/3)	181
XTB1SB5E	197	XTCT7230D	209	XTSM1SC	213	XTTK9636A (L/M/1/2/3)	179
XTB1SB6C	197	XTCT7230LD	209	XTSM1SLAT	212	XTTK9636B (L/M/1/2/3)	180
XTB1SB6E	197	XTCT7236D	209	XTSS1 2414A	211	XTTK9636C (L/M/1/2/3)	181
XTB1SB8C	197	XTCT7236LD	209	XTSS1 2421A	211	XTPP3018F (L)	217
XTB1SB8E	197	XTDT423	209	XTSS1 3014A	211	XTPP3618F (L)	217
XTBIT24	201	XTDTX423	209	XTSS1 3021A	211	XTPP4218F (L)	217
XTBITB10C	195	XTES1 2414A	213	XTSS1 3614A	211	XTPP4824A (L)	179
XTBITB10E	195	XTES1 2421A	213	XTSS1 3621A	211	XTPP4824B (L)	180
XTBITB12C	195	XTES1 3014A	213	XTTK3018F (L/M/1/2/3)	217	XTPP4824C (L)	181
XTBITB12E	195	XTES1 3021A	213	XTTK3036F (L/M/1/2/3)	217	XTPP4824E (L)	182
XTBITB15C	195	XTES1 3614A	213	XTTK3618F (L/M/1/2/3)	217	XTPP4830A (L)	179
XTBITB15E	195	XTES1 3621A	213	XTTK3636F (L/M/1/2/3)	217	XTPP4830B (L)	180
XTBITB4E	195	XTES1 4814A	212	XTTK4218F (L/M/1/2/3)	217	XTPP4830C (L)	181
XTBITB5C	195	XTES1 4821A	212	XTTK4236F (L/M/1/2/3)	217	XTPP4830E (L)	182
XTBITB5E	195	XTES1 6014A	212	XTTK4824A (L/M/1/2/3)	179	XTPP4836A (L)	179
XTBITB6C	195	XTES1 6021A	212	XTTK4824B (L/M/1/2/3)	180	XTPP4836B (L)	180
XTBITB6E	195	XTES1 7214A	212	XTTK4824C (L/M/1/2/3)	181	XTPP4836C (L)	181
XTBITB8C	195	XTES1 7221A	212	XTTK4824E (L/M/1/2/3)	182	XTPP4836D (L)	183
XTBITB8E	195	XTPS1 3012A	215	XTTK4830A (L/M/1/2/3)	179	XTPP4836E (L)	183
XTB1XD30	201	XTPS1 3019A	215	XTTK4830B (L/M/1/2/3)	180	XTPP6024A (L)	179
XTB1XD30N	201	XTPS1 3612A	215	XTTK4830C (L/M/1/2/3)	181	XTPP6024B (L)	180
XTB1XD36	201	XTPS1 3619A	215	XTTK4830E (L/M/1/2/3)	182	XTPP6024C (L)	181
XTB1XD36N	201	XTPS1 6012A	215	XTTK4836A (L/M/1/2/3)	179	XTPP6024E (L)	182
XTB1XDD24	198	XTPS1 6019A	215	XTTK4836B (L/M/1/2/3)	180	XTPP6030A (L)	179
XTB1XDD30	198	XTPS1 7212A	215	XTTK4836C (L/M/1/2/3)	181	XTPP6030B (L)	180
XTB1XDD36	198	XTPS1 7219A	215	XTTK4836D (L/M/1/2/3)	183	XTPP6030C (L)	181
XTB1XS30	201	XTPS1MZKIT	216	XTTK4836E (L/M/1/2/3)	183	XTPP6030E (L)	182

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
XTPP6036A (L)	179	XTTS7236B (1/2/3)	180
XTPP6036B (L)	180	XTTS7236C (1/2/3)	181
XTPP6036C (L)	181	XTTS7236D (1/2/3)	183
XTPP6036D (L)	183	XTTS7236E (1/2/3)	183
XTPP6036E (L)	183	XTTS9624A (1/2/3)	179
XTPP7224A (L)	179	XTTS9624B (1/2/3)	180
XTPP7224B (L)	180	XTTS9624C (1/2/3)	181
XTPP7224C (L)	181	XTTS9630A (1/2/3)	179
XTPP7224E (L)	182	XTTS9630B (1/2/3)	180
XTPP7230A (L)	179	XTTS9630C (1/2/3)	181
XTPP7230B (L)	180	XTTS9636A (1/2/3)	179
XTPP7230C (L)	181	XTTS9636B (1/2/3)	180
XTPP7230E (L)	182	XTTS9636C (1/2/3)	181
XTPP7236A (L)	179		
XTPP7236B (L)	180		
XTPP7236C (L)	181		
XTPP7236D (L)	183		
XTPP7236E (L)	183		
XTPP9624A (L)	179		
XTPP9624B (L)	180		
XTPP9624C (L)	181		
XTPP9630A (L)	179		
XTPP9630B (L)	180		
XTPP9630C (L)	181		
XTPP9636A (L)	179		
XTPP9636B (L)	180		
XTPP9636C (L)	181		
XTTS3018F (1/2/3)	217		
XTTS3618F (1/2/3)	217		
XTTS4218F (1/2/3)	217		
XTTS4824A (1/2/3)	179		
XTTS4824B (1/2/3)	180		
XTTS4824C (1/2/3)	181		
XTTS4824E (1/2/3)	182		
XTTS4830A (1/2/3)	179		
XTTS4830B (1/2/3)	180		
XTTS4830C (1/2/3)	181		
XTTS4830E (1/2/3)	182		
XTTS4836A (1/2/3)	179		
XTTS4836B (1/2/3)	180		
XTTS4836C (1/2/3)	181		
XTTS4836D (1/2/3)	183		
XTTS4836E (1/2/3)	183		
XTTS6024A (1/2/3)	179		
XTTS6024B (1/2/3)	180		
XTTS6024C (1/2/3)	181		
XTTS6024E (1/2/3)	182		
XTTS6030A (1/2/3)	179		
XTTS6030B (1/2/3)	180		
XTTS6030C (1/2/3)	181		
XTTS6030E (1/2/3)	182		
XTTS6036A (1/2/3)	179		
XTTS6036B (1/2/3)	180		
XTTS6036C (1/2/3)	181		
XTTS6036D (1/2/3)	183		
XTTS6036E (1/2/3)	183		
XTTS7224A (1/2/3)	179		
XTTS7224B (1/2/3)	180		
XTTS7224C (1/2/3)	181		
XTTS7224E (1/2/3)	182		
XTTS7230A (1/2/3)	179		
XTTS7230B (1/2/3)	180		
XTTS7230C (1/2/3)	181		
XTTS7230E (1/2/3)	182		
XTTS7236A (1/2/3)	179		

# Selling Policy

---

	<p>This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.</p>
<b>Terms &amp; Conditions of Sales</b>	<p>Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.</p>
<b>Ordering Information</b>	<p>All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.</p>
<b>Order Confirmation</b>	<p>A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.</p>
<b>Pricing Policies</b>	<p>List prices are subject to change without notice.</p> <p>List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.</p>
<b>Taxes</b>	<p>All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.</p>
<b>Terms of Payment</b>	<p>Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a one-third (1/3) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.</p> <p>KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment.</p> <p>If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance.</p> <p>Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.</p>
<b>Changes and Cancellation</b>	<p>Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.</p>
<b>Freight Prepaid</b>	<p>Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States and Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from conditions over which the Seller has no control. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. All shipments shall be tailgate deliveries. Freight for all KnollTextiles orders is prepaid and added to the invoice.</p>
<b>Delivery/Freight Charges</b>	<p>Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin.</p> <p>For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination.</p> <p>Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.</p> <p>Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery.</p> <p>Partial shipments may be made and invoiced by Seller.</p>
<b>Claims</b>	<p>All shipments for all Knoll Products within the contiguous United States and Canada are F.O.B. Origin. Risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to make a claim against carrier or notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. Seller will agree to repair or replace Product damaged in shipment if Purchaser has notified Seller of freight damage within ten (10) working days after receipt and assigns its rights against the carrier.</p>
<b>Seller's Security Interest</b>	<p>Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.</p>
<b>Returns</b>	<p>The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.</p>
<b>Held Orders/Storage</b>	<p>If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.</p>

# Selling Policy

<b>Customer's Own Material</b>	<p>A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.</p>
<b>Warranty</b>	<p>Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.</p> <p>Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts.</p> <p><i>Product and Period of Warranty</i></p> <p><i>Lifetime: AutoStrada, Calibre, Crinion Open Table, Currents, Dividends, Equity, Morrison, Reff</i> laminate and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, special or custom products, see below)</p> <p><i>10 Years: AutoStrada, Crinion Open Table and Reff</i> wood components, wood casegoods, <i>Interaction</i> tables (except height adjustment mechanisms for <i>Counterforce</i>, crank-adjustable, and split-top tables and worksurfaces, see below), <i>Reuter</i> overheads, <i>Reuter</i> vertical storage, <i>Bulldog, Chadwick, Essentials Work Chairs, Life, RPM</i> and <i>Sapper</i> seating structural and operational parts, controls, casters, pneumatic cylinders (except seating upholstery, finishes and labor, see below)</p> <p><i>5 Years:</i> Operational parts, controls, electrical (except light ballasts and bulbs, see below), cascade edge worksurfaces, special or custom product, wood veneer products, <i>A3, Currents</i> handcrank, <i>Interaction Counterforce, Interaction</i> crank-adjustable, and split-top mechanisms, <i>KnollStudio, KnollExtra</i> adjustable keyboard supports, VDT carousel, monitor platform, equipment storage drawers and all universal storage drawers, <i>Open Up, Visor</i> and <i>SoHo</i> seating structural and operational parts, controls, pneumatic cylinders (except seating upholstery, finishes and labor, see below)</p> <p><i>3 Years:</i> Upholstery, finishes and labor to repair the following chairs: <i>Bulldog, Chadwick, Life, Open Up, Parachute, RPM, Sapper</i> and <i>SoHo</i>.</p> <p><i>2 Years:</i> All other <i>KnollExtra</i> product</p> <p><i>1 Year:</i> Light ballasts and bulbs and <i>Equity</i> fiberglass panels, seating upholstered armpads and soft armpads, <i>Visor</i> finishes and labor to repair.</p> <p>This warranty does not apply to:</p> <ul style="list-style-type: none"><li>• Damage caused by a carrier other than the Seller.</li><li>• Normal wear and tear or acts or omissions of parties other than Seller (including user modification).</li><li>• COM or other third party materials applied to Products.</li><li>• Products not installed by or under the auspices of a certified dealer of Seller.</li><li>• Dramatic temperature variations or exposure to unusual conditions.</li><li>• Except as specifically noted above, textiles and upholstery supplied by <i>KnollTextiles</i> (consult current <i>KnollTextiles</i> price list for applicable warranty).</li><li>• Labor to repair or replace Essential Work Chairs affected part or parts, unless affected part or parts are returned to Seller with freight charges prepaid.</li></ul> <p>Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces.</p> <p>THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.</p> <p>The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.</p>
<b>Delay/Force Majeure</b>	<p>Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.</p>
<b>Compliance with Law</b>	<p>PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.</p>
<b>Patents</b>	<p>Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.</p> <p>The foregoing indemnity does not apply to the following:</p> <ul style="list-style-type: none"><li>• Products supplied according to a design other than that of Seller, and which is required by the Purchaser.</li><li>• Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.</li><li>• Any settlements of a suit or proceeding made without Seller's written consent.</li></ul>
<b>Limitations of Liability</b>	<p><b>SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT.</b></p> <p>Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.</p>



# KnollKey Lock Program

## KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

### Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

**IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A \$50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.**

**If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.**

### Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

### Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

### Master Keying

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

### Installing Lock Cores

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.


### Lock Distribution

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. KnollNow and random keyed product will have cores factory-installed.

## How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

**Step 1** - Using the project floorplan, count the number of locks in each workstation.



**Step 2** - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station  
3 workstations with 4 locks per station  
2 workstations with 5 locks per station

**Step 3** - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				

**Step 4** - Then enter the pattern number "KSPEC\_ \_" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

**Step 5** - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. **For additions to existing installations, specify desired key numbers in the description.**

## Service Parts

Pattern #	Description	List Price
KKEY_ _ _	Shrouded Key Specify key number desired	\$5
KBLANK	Shrouded Key Blank	\$5
KSPECB_ _ _	Retrofit Universal Core/Key Specify key number desired	\$18
KCHANGE	Change Key	\$5
KMASTER*	Master Key	\$5

\*Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.

# General Ordering Information

---

## **The Products**

This guide encompasses all standard products for this product group.

## **Sizes**

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

## **Pricing**

All prices shown are list.

## **How to Order**

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

## **Mail all orders to:**

Knoll, Inc.

1235 Water Street

P.O. Box 157

East Greenville, PA 18041

Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

## Sustainability Statement

---

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to [knoll.com](http://knoll.com), click on "About Knoll" and then "Environmental Focus."