ThinkCentre M720 Tower 10SQ0070GE

Product

ThinkCentre M720t Tower

Region WE

Country/Region Germany

Machine Type

TopSeller TopSeller

Processor Intel Core i5-9400 (6C / 6T, 2.9 / 4.1GHz, 9MB)

Graphics Integrated Intel UHD Graphics 630

Monitor Cable None

Memory 1x 16GB DDR4-2666

Storage 512GB SSD M.2 2242 PCIe x2 NVMe

Optane Memory None

Optional Bay None

Front Access HDD None

Optical DVD±RW

Media Reader 7-in-1

WLAN + Bluetooth None

Ethernet Integrated 100/1000M

Optional Rear Ports None

Chassis Intrusion Switch Chassis Intrusion Switch

Chassis E-Lock None

Cable Lock None

Speaker 2Wx1

Dust Filter None

Carry Handle None

Stand

None **Keyboard**

USB Traditional Keyboard, German *Mouse*

USB Calliope Mouse
Power Supply

180W 85%

TUV Low Noise

System Management None

Operating System Windows 10 Pro 64, German

Bundled Software

Base Warranty 3-year, Onsite

Bundled Service

End of Support 2025-10-10

Announce Date 2019-09-10

L WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.

https://psref.lenovo.com

PSREF Visit psref we

Visit psref website for the latest version of Product Specifcations Reference. © Lenovo, 2019. All rights reserved.



ThinkCentre M720 Tower Platform Specifications

Product Specifications Reference (PSREF)

			Jill Speci					
Processor	Intel® Celeron®, Intel	Pentium®	,				WLAN ¹³	Some: 11ac wireless, M.2 Card, Realtek RTL8821CE (dual band),
	Processor	Cores /	Frequency	Cache	Memory Support	Integrated		Wi-Fi + Bluetooth 4.2 combo adapter, 1x1 Some: 11ac wireless, M.2 Card, Realtek RTL8822BE (dual band),
			Base/Max(GHz)		(Up to)	Graphics		Wi-Fi + Bluetooth 4.2 combo adapter, 2x2
	Celeron G4900	2/2	3.1G	2 MB	DDR4-2400	UHD 610		Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 3165,
	Celeron G4920	2/2	3.2G	2 MB	DDR4-2400	UHD 610		Wi-Fi + Bluetooth 4.2 combo adapter, 1x1
	Pentium Gold G5400		3.7G	4 MB	DDR4-2400	UHD 610		Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 8265, Wi-Fi + Bluetooth 4.2 combo adapter, 2x2
	Pentium Gold G5500 Pentium Gold G5600	2/4 2/4	3.8G 3.9G	4 MB 4 MB	DDR4-2400 DDR4-2400	UHD 630 UHD 630	Bluetooth™	<i>Some:</i> Bluetooth 4.2 wireless, integrated in Wi-Fi + BT combo adapter
	Core i3-8100	4/4	3.6G	6 MB	DDR4-2400	UHD 630	Ethernet	Gigabit ethernet, Intel Ethernet Connection I219-V (Jacksonville), Wake on LAN®
	Core i3-8300	4/4	3.7G	8 MB	DDR4-2400	UHD 630	Ethernet (Opt.)	Some: Intel Ethernet Server Adapter I350-T4*, gigabit ethernet, 4x RJ-45, PCIe x4
	Core i5-8400	6/6	2.8G / 4.0G	9 MB	DDR4-2666	UHD 630		Some: Bitland BN8E88*, gigabit ethernet, 1x RJ-45, PCIe x1 (special bid only) * Choose either I350-T4 or BN8E88
	Core i5-8500	6/6	3.0G / 4.1G	9 MB	DDR4-2666	UHD 630	N A	
	Core i5-8600	6/6	3.1G / 4.3G	9 MB	DDR4-2666	UHD 630	Manageability Security chip	None Discrete TPM 2.0, TCG Certified
	Core i7-8700	6/12	3.2G / 4.6G	12 MB	DDR4-2666	UHD 630	Security features	Security slot (in rear for optional Power-on password
	Core i3-9100	4/4	3.6G / 4.2G	6 MB	DDR4-2400	UHD 630		 Security short in real for opination of the security short in real for opination of the security short in the security
	Core i3-9300	4/4	3.7G / 4.3G	8 MB	DDR4-2400	UHD 630		
	Core i3-9320	4/4	3.7G / 4.4G	8 MB	DDR4-2400	UHD 630		
	Core i5-9400	6/6	2.9G / 4.1G	9 MB	DDR4-2666	UHD 630		
	Core i5-9500	6/6	3.0G / 4.4G	9 MB	DDR4-2666	UHD 630		
	Core i5-9600	6/6	3.1G / 4.6G	9 MB	DDR4-2666	UHD 630		mouse only, blocks all storage devices
	Core i7-9700	8/8	3.0G / 4.7G	12 MB	DDR4-2666	UHD 630	Keyboard	Some: Lenovo Calliope Keyboard (USB connector), black
	Core i9-9900	8/16	3.1G / 5.0G	16 MB	DDR4-2666	UHD 630		Some: Lenovo Traditional Keyboard (USB connector), black
Memory	64GB max, UDIMM, DDR4-2666*, four 288-pin DIMM sockets, non-ECC,							Some: Lenovo Calliope Wireless Keyboard (2.4GHz via USB receiver), black Some: Lenovo Keyboard (PS/2 connector), black (only available via special bid)
	dual-channel capable * System automatically clocks down for the processors with lower memory controller						Mouse	Some: Lenovo Calliope Mouse (USB connector), black
Storage	Some: Hard Drive / S	SATA 6.00		'. 5400 rp		ry controller	r 	Some: Lenovo Fingerprint Mouse (USB connector), Windows Hello support, black Some: Lenovo Calliope Wireless Mouse (2.4GHz via USB receiver), black Some: Lenovo Mouse (PS/2 connector), black (only available via special bid)
	Some: Solid State D Some: M.2 Solid State	ate Drive ((SSD) / PCIe NV	s, 2.5 Me. PCIe	3 0 x 4* 32Gb/s	\$	Maghaniagl	Tower (15L), black color, metal case
	* 128GB SSD M.2 (2	242) PCI	NVMe only sup	ports PC	le 3.0 x 2, 16Gb/	/s	Mechanical	 Tower (TSL), black color, metal case (WxDxH) 5.91" X 10.65" X 14.17"; 150mm X 270.5mm X 360mm
	Some: Intel Optane	Memory	/ (not support Ce	eleron / Po	entium Processo	r), M.2		Approx. 15.21 lb (6.9 kg), weight may vary by configuration
Optical	Some: DVD-ROM S Some: DVD Burner		b/s Drive, slim (9	9.0mm) S Drivo, cl	(0 0mm)			Optional dust filter
Onboard SATA	Three onboard SATA	6.0Gb/s	connectors	s Drive, Si	iiii (9.0iiiiii)			Bay 1: Slim external ODD bay
Media reader	Optional 7-in-1 media							Bay 2: 3.5", 1" high, internal, HDD/SSD Bay 3: 3.5", 1" high, internal, HDD/SSD (optional bay)
Graphics	Intel UHD Graphics	610/630	in processor, use	es main m	emory, DirectX®	12,		Slot 1: half-length full-height (length < 189mm, height < 104mm), PCIe 3.0 x16
	one VGA, two DisplayPort™, supports 3 independent displays, works along with							Slot 2: half-length full-height (length < 189mm, height < 104mm), PCIe 3.0 x1
	discrete graphics to support more displays;							Slot 3: half-length full-height (length < 189mm, height < 104mm), PCIe 3.0 x1 Slot 4: no slot, only bracket for optional port extension
	Max resolution: 4096x2304 (DP)@60Hz; 2048x1536 (VGA)@50Hz Some: NVIDIA Geforce® GT 730, DirectX 12, 2GB, PCIe 2.0 x16 adapter,					÷r		M.2 card slots: Two (one for WLAN, one for SSD/Optane)
	two DisplayPo			202,101		,	Power supply	Some: 180 watts, autosensing, 85% PSU
Monitor Cable	<i>Max resolution:</i> 3840x2160 (DisplayPort)@60Hz; Optional DP to VGA dongle, DP to DVI-D dongle, DP to dual DP dongle (for Collage Display with intel integrated graphics), or DP to HDMI 1.4 dongle					<i>"</i> • • •	,	Some: 210 watts, autosensing, 85% PSU
						tor Collage		Some: 260 watts, autosensing, 92% PSU (only available via special bid)
Chipset	Intel B360 Chipset	grated gr	apriles), or brite		+ doligie		Limited warranty ³	³ Some: 1-year or 3-year, depot service / service upgrades available Some: 1-year or 3-year, limited onsite service / service upgrades available
Front ports* (Std.) 2x USB 3.1 Gen2, 2x						Preload	Preloaded operating system
	1x microphone (3.5m	ım), 1x he	eadphone / micro	phone co	mbo jack (3.5mr	n)	Ticloud	Some: Windows® 10 Pro 64-bit
Front ports* (Opt.) <i>Optional:</i> 1x media reader Rear ports* (Std.) 4x USB 2.0, 1x serial (9-pin), 1x ethernet (RJ-45), 1x VGA, 2x DisplayPort, 1x line-out (3.5mm)							Some: Windows 10 Home 64-bit	
					in, 2x DisplayPol		Preloaded applications (only some listed)	
Rear ports* (Opt.) Optional: 2x USB 3.1 Gen1 via PCIe x1**, 2x USB 3.1 Type-C Gen2 via PCIe x4**					ype-C Gen2 via F		Lenovo Vantage Microsoft Office preloaded;	
	(special bid only), 1x 2nd serial (9-pin), 4x serial (9-pin) via PCIe x1, 1x parallel (25-pin), 2x PS/2 ports (keyboard/mouse), additional RJ-45 and video ports available on optional graphics or ethernet card							purchase a product key to activate
						nd video		Cyberlink PowerDVD (only for models with DVD / DVD±RW)
	* Depending on many factors, actual data transfer speed may be lower than theoretical speed							Cýberlink Power2GO (onlý for models with DVD±RW)
	** Choose either 2x USE						L	LinkedIn
Audio support	High Definition (HD)	Audio, Re	altek ALC233VE	32 / intern	al speaker (2 wa	itt)	Environment	ENERGY STAR [®] 6.1, EPEAT [™] Silver rating (North America), ErP Lot 3, TCO, TUV low noise verified (coming soon, on some models), RoHS-compliant
							Accessories	For compatible accessories, please go to http://smartfind.lenovo.com

ThinkCentre M720 Tower











